
LLAMA Open WebUI

A self-hosted LLM workspace for RunPod

LLAMA.CPP

OPEN WEBUI

RUNPOD



THE IDEA

Model serving, search and notebook access in one pod.

Agency collaborator: shiowoneko

PROJECT BRIEF / 04

LLAMA Open WebUI

WHAT THE PROJECT DOES

Model serving, search and notebook access in one pod.

THE PROBLEM

A GPU workspace needs a reliable launch path for model inference, chat UI, web search and development tools.

CREDIT / ROLE

shiowoneko. Agency collaborator project; exact module contribution was not specified.

Repository snapshot 7b505fe

SOLUTION & STACK / 04

LLAMA Open WebUI

HOW IT WORKS

The image connects llama.cpp to Open WebUI through a local OpenAI-compatible API, with SearXNG and JupyterLab alongside. Startup scripts supervise services and expose user-facing ports.


FEATURES

- Local model API behind Open WebUI
- SearXNG web search
- RunPod image build and smoke CI

TECH STACK

llama.cpp / Open WebUI / RunPod

LLAMA Open WebUI




Script and CI verification; no local pod

Runtime scope is stated in each caption and in the result slide.

Source: https://github.com/N3K00OO/LLAMA-Open-WebUi

LLAMA Open WebUI



Source-derived service map; not a live chat screen

Runtime scope is stated in each caption and in the result slide.

Source: https://github.com/N3K00OO/LLAMA-Open-WebUi

RESULT & HANDOFF / 04

LLAMA Open WebUI

VERIFIED OUTCOME

Shell scripts passed syntax checks. The repository's latest observed GitHub Actions image build completed successfully. No local container launch was possible because Docker is unavailable here.

LOCAL CHECK

CHECK: Shell syntax OK; GitHub Actions build success. Local pod not run.

PROJECT LINK

https://github.com/N3K00OO/LLAMA-Open-WebUi

Snapshot 7b505fe