

## Creating Pluggable database using PDBSEED template

```
[oracle@sipl-27 ~]$ export ORACLE_SID=newcdb  
[oracle@sipl-27 ~]$ sqlplus / as sysdba
```

```
SQL*Plus: Release 19.0.0.0.0 - Production on Sun Oct 15 20:30:57 2023  
Version 19.3.0.0.0
```

```
Copyright (c) 1982, 2019, Oracle. All rights reserved.
```

```
Connected to:  
Oracle Database 19c Enterprise Edition Release 19.0.0.0.0 - Production  
Version 19.3.0.0.0
```

```
SQL> show pdbs
```

CON_ID	CON_NAME	OPEN MODE	RESTRICTED
2	PDB\$SEED	READ ONLY	NO

```
SQL>
```

```
SQL> show con_name;
```

```
CON_NAME  
-----  
CDB$ROOT
```

```
SQL> create pluggable database salespdb  
admin user saiteja identified by saiteja  
file_name_convert=('pdbseed','sales');
```

```
Pluggable database created.
```

```
SQL>
```

```
SQL> show pdbs;
```

CON_ID	CON_NAME	OPEN MODE	RESTRICTED
2	PDB\$SEED	READ ONLY	NO
3	SALESPDB	MOUNTED	

```
SQL>
```

```
SQL> alter session set container=salespdb;
```

```
Session altered.
```

```
SQL> show con_name;
```

```
CON_NAME
```

```
-----
```

```
SALESPDB
```

```
SQL> startup
```

```
Pluggable Database opened.
```

```
SQL> show pdbs;
```

CON_ID	CON_NAME	OPEN MODE	RESTRICTED
3	SALESPDB	READ WRITE	NO

```
SQL>
```