ESCORTS ELEVATORS

LIFT CONTRACTOR MAINTENANCE | INSTALLATION | MODIFICATION | CAR PARKING

OUR SERVICES

- LIFT INSTALLATION
- MODERNIZATION
- REPAIR WORK
- MAINTENANCE
- SERVICES
- SPARE PARTS

STYLISH LIFT

LUXURY STANDARDS

EFFICIENCY RELIABILITY COMFORT

ABOUT US

Escorts Elevators is one of the fastest growing companies in the vertical transportation industry. Safety and reliability are our core values. Our team work with highly 'quality and safety' conscious and dedicated in providing the best products and services to their customers.

WE ARE CREATIVE

With our elegant design and best-in-class functionality, we are perfect blend of our global expertise and Indian design sensibilities. It also underscores our commitment to the "MAKE IN INDIA' initiative.

Our services will be the best in class to support our customer while exceeding their expectations.

Elevators are passion and would like to make this for your knowledge as well. We have a range of quality elevators with the latest features and superior quality.

WHY CHOOSE US

We are a well known name in the industry that offers an excellent product range and flexible services. With our innovative and focus approach, we are gathered a long list of customers in the market.

Our customized range and reliable installation and maintenance services are widely appreciated and accepted among our clients.

We were started our company to provide with the focus on outstanding service to our customers not just a lift. Our role is to support our customer with technical sales.

Regular 'elevator maintenance' is essential in order to provide a 'safe and reliable operation' of the equipm ent. We offers flexible elevator service to clients part icular needs and requirements. Our routine service inc ludes 'regular inspection' and 'planned preventive maintenance' ensure safety and long life of the equip ments.



OUR TEAM

We have got one of the best work force in this industry. Our team works in complete co-ordination with each other. It is because of the determination and hardwork of the team that we have been able to attain immense success and name in the industry.

ADVANCED FEATURES

GEARED TRACTION MACHINE

- These are driven by AC electric motors.
- Geared Machines are coupled machines with AC electric motor, electromagnetic brake, worm reduction gear & friction sheave mounted on bed plate. These components are rested on machine room bottom slab by using rubber pads for noiseless and vibrations less operations.
- Normally installed in the machine room above the lift well.

DOOR & DRIVE HEADERS

- Low Voltage & noiseless operations with V3F door motor.
- Programable opening/closing speed & time.

GEARLESS MACHINE

- Considered as future technology in elevator industry also known as Permanent Magnet Synchronous Motors(PMSM).
- Compact size, lighter in weight, simplified construction hence easy to install and maintain.
- PMSM uses a rare earth material with high magnetic flux density.
- Higher mechanical torque. output power per volume. Better dynamic performance than electromagnetic excited motors.
- Gearless machines saves app, 40-60% energy than traditional fraction machines, improved life span, thereby proving more economical to the end users in long term.

ADVANCED FEATURES



INFRA RED FULL LENGTH DOOR SENSOR

These safety system provides a light curtain of infra-red beams opearating between the lift car door panels. Any person or object breaking the beams will trigger the system and reopen the doors. The beam pattern will pick up even small objects between the car doors.

Salient Features:

- Designed for ultimate safety with help of crisscross beam on car door offer protection upto full height.
- Detects any kind of contact/ object between the closing doors & reverses operation assuring complete safety of passangers/ objects.

AUTOMATIC RESCUE DEVICE (ARD):

In case of power failure this will help to bring the lift at nearest floor. This system works on batteries and comes into play only in case of power failure. This helps to bring the lift to the nearest floor thus allowing anyone trapped inside to come out easily.

Salient Features:

- This system is entirely based on Automatic Operation which gets triggered within approximate time of after power failure detection.
- Compact Device with batteries placed safely inside the system.
- All the operations are automatic avoiding any Human intervention in rescue operation.

ADVANCED FEATURES



ADDITIONAL FEATURES

- Decorative Special Hall Buttons/ Car Buttons with S.S. Face Plates.
- Decorative False Ceiling, High Speed Fan and LED lights.
- Digital Floor Position Indicators.
- Call Registration Light System.

DOWN COLLECTIVE MEMORY SYSTEM CONTROL PANEL

Our Down Collective Memory System is best suitable for low rise residential buildings where main equirements is to go from ground floor to any special floor and vice versa. This control system registers and retains in memory, the down hall calls and car calls. These are answered in a logical order to ensure minimum necessary car movement, resulting in quick response to passenger traffic and thereby substantial power saving.

FULL COLLECTIVE MEMORY SYSTEM CONTROL PANEL

Our Full Collective Memory Sytem registers and retains in memory, the calls of both directions and hence is best suitable for high rise residential buildings and commercial/ Industrial buildings where in addition to the movement between ground floor and specific floor there is also a need to serve inter-floor traffic.

ADVANCED FEATURES

VARIABLE VOLTAGE VARIABLE FREQUENCY DRIVE(V3F DRIVE)

As car air conditioner has become a standard feature in any modern car, V3F drive is an essential feature of mordern elevator and it is real value for money.

Salient Features of elevator with V3F Drive:

- Smooth Start & Stop
- Floor Announcement System
- Better Level Accuracy irrespective of Load
- Improves Life of Lift
- Reduces Electricity consumption

OVERLOAD SENSOR

If the elevator has an overload sensor, it simply stays put and flashes a light or a message indicating an overload.

" ESCORT ELEVATOR IS DEDICATED TO CONTINUOUS UPGRADING AND PROMOTION, ACHIEVING THE MAXIMIZATION OF CUSTOMER VALUES. "

MANUAL PASSANGER ELEVATOR

SWING DOORS



TELESCOPIC DOORS

COLLAPSIBLE DOORS

Escorts Elevators range of Manual Passenger Elevators are suitable for low rise applications. These elevators employ simplified mecha nism and technology to offer seamless and economic vertical transportation solutions. They are cost effective and easy to maintain.

SWING DOORS

Escorts Elevators is one of the reowned manufacturer and supplier of a wide range of Swing Door Lifts. Clients can avail from a variety of Swing Door Lifts in various sizes and thickness and at the most economical prices.

MS MANUAL SWING DOORS

MS MANUAL TELESCOPIC DOORS

IMPERFORATED DOORS

SS/ MS COLLAPSIBLE DOORS







GENERAL OFFERING

2000 MM Height



OFFERS

2100 MM | 2200 MM | 2300 MM | 2400 MM Height

HEIGHTS OF COMFORT

How many of you have wished in an elevator for little for space at the top? There is something about feeling head and shoulders above the others and very comfortable. Where as everage elevator gives you the height of 2 mtrs, with Escorts get the freedom to raise the height of Landing doors.

MORDERNISATION / UPGRADING

Every elevator has a life cycle, even after the proper care & Service, the lift has to be modified after some years. Elevators eventually need to be replaced or modified for the reduction in energy cost for greater safety, its reliability and to be updated with the latest tecnol ogy and designs.

We modify our clients elevators with the latest and updated technology, design and compact feature to ensure maximum safety, reduce energy cost, and to ensure maximum customer satisfaction.

AMC (ANNUAL MAINTENANCE CONTRACT)

We are one of the reliable and well known service providers for Elevators Maintenance. We offer our clients annual maintenance con tract for all types of lifts. Our service team consists of the highly skilled and experienced technicians. We provide AMC at very reasonable cost without compromising on the quality of services.

We undertake comprehensive and non comprehensive maintenance contract for Elevators. We focus on the quality services to satisfy our customer and maintain long term relation with them.

REPAIRS

We can repair any manufacturers equipment. By adding new technology to your existing equipment. Our technicians can bring eleva tors into compilance with all applicable safety codes, increase elevators operational efficiency and performance, add passenger com fort and extend the life of your elevator through repair.

STATE-OF-THE- ART CABINS

Escorts Elevators offer a variety of cabins to meet your needs for aesthetics and functionality. With us you can choose from a wide variety of colours and finishes to complement your architectural style.

TYPES OF CABINS

- Mild Steel Powder Coated Cabin
- Stainless Steel Hairline Finish Cabin
- Stainless Steel Mirror Finish Cabin
- Panoramic / Capsule Type Cabin

HYDRAULIC PISTON FROM MORIS ITALY

OIL MOTOR BASED HYDRAULIC POWER PACK FROM MORIS ITALY

CAR FRAME FOR MRL GEARLESS & HYDRAULIC PASSENGER LIFT

SAFETY FEATURES

INFRARED LIGHT CURTAIN

Full height infrared curtain with multiple criss-crossing light beams detect the smallest obstruction in door path and stop doors from closing.

OVER LOAD SENSOR WITH AUDIO VISUAL INDICATION

On overloading of the lift, car audio-visual indication is provided and doors are kept open till excess load is removed.

CAR EMERGENCY LIGHT & FAN

The emergency light is always illuminated in normal condition and switches itself automatically to battery back up in case of power failu re as shown in picture. (Block-D) Fan also operates for minimum 20 minutes after power failure.

EMERGENCY ALARM & 'PUSH TO TALK'

In case of any emergency or power failure, help can be obtained by alarming or by communicating at lobby through this system which is battery operated and self charging as shown in picture. (Block-E)

SAFETY IN CASE OF OVER TRAVEL

Three-phase electric power is disconnected from control panel and motor, the moment elevator car moves beyond the limit of top & bottom terminal floors causing immediate application of the brake to bring the elevator to halt.

SAFETY IN CASE OF ROPE BREAKAGE

In the event of breakage of ropes, elevator speed exceeds the rated speed in the downward direction due to gravitational acceleration. The over speed governor activates the clutch mechanism thereby switching off main controls and jamming the elevator car safely on guide rails.

PU BUFFERS

Polyurethane polymer blocks are long lasting, weather resistant and most reliable in all operating Conditions for providing maximum safety in case of buffering of elevator car.

CAR FAN AUTOMATIC SLEEP

Car fan automatically stops when there are no registered floor calls resulting into saving in power and enhancing its life.

VOICE ANNUNCIATOR WITH MUSIC

This system provides detailed information to passengers related to next floor, direction of movement, door opening/closing, schedule d operations and other information depending on the building needs. This system features natural electronic voice synthesizers.

MICROPROCESSOR BASED V3F (VARIABLE VOLTAGE, VARIABLE FREQUENCY), VECTOR CONTROLLED DRIVE WITH ENCODER FEEDBACK CLOSED LOOP SYSTEM

This system provides highest degree of smoothness in elevator car movement with precise leveling. In addition, the efficiency of power conversion is very high resulting into an overall power saving of the order of 40% during normal operating conditions.

The Speed vs. Travel diagram shows the jerk less movement of elevator car approaching different floors with different speeds during starting

SELF-DIAGNOSTIC SYSTEM

The built in computer control system self diagnosis various operational and safety parameters to improve overall reliability and safety of lift operation.

MICROPROCESSOR BASED V3F (VARIABLE VOLTAGE, VARIABLE FREQUENCY), VECTOR CONTROLLED DRIVE WITH ENCODER FEEDBACK CLOSED LOOP SYSTEM FOR DOOR OPERATION

This system reduces the door opening and closing time drastically compared to conventional door operation system thereby improving the passenger handling capacity and reducing the waiting time at landing.

WORK TO BE DONE BY OTHERS

- To provide site details and drawings required for commencing the project.
- To provide a completely enclosed elevator hoist way with all walls duly finished and painted and a lift pit of required depth.
- To provide properly painted, well lit and ventilated machine room of sufficient size to accommodate the lift equipments. To provide proper access to machine room with minimum three feet wide staircase with handrails.
- To provide sill projection for each hoist way entrance to assure secured anchorage and support of each sill.
- To provide hoist way structure of such a design that can withstand the impact and loads resulting from the use of elevator.
- To do all painting except that of elevator material.
- To do all cutting of walls, floor, together with any repairs made necessary thereby. This includes grouting of all bolts, sills, steel mem bers, indicator and push button boxes etc. in position.

TO PROVIDE AND INSTALL POWER & LIGHT CONNECTIONS AS FOLLOWS:-

- Four core power cable of suitable rating to be provided upto machine room & terminated in MCB of suitable rating at a location shown by us.
- Single phase cable of suitable rating to be provided upto machine room & terminated in 15 Amp DP Switch.
- A fused Circuit Breaker for hoist way lighting circuit &light points in the hoist way at each floor level.
- A separate earthing pit as per latest Indian Electricity Rules and double earthing connection brought in the machine room.
- A separate earth pit with earth resistance of < 10mm near the lift shaft terminated in the machine room.

  ELCB of 100 MA,32 Amp. Capacity.
- To provide at your expense during the assembly of elevators, electric power for illumination, operation of the power tools in hoist way & testing of elevators.
- To protect the hoist way entrances by suitable means during the process of lift assembly at site.
- To Pay all fees that may be required in connection with the preparation of the structure in which the elevator is to be installed along with license fees and liaison fee for the assembly at site and inspection of elevators.
- To provide scaffolding in the hoist way as per our technicians requirements and to remove the same after completion of the assembly at site.
- To provide suitable lockable storage space for elevator material at the ground floor level near the lift hoist way.
- To provide acceptable living place for our Assembly crew, if the site is outside Ahmedabad /Pune/ Bombay/Bangalore.
- To provide hoisting beam in the machine room and rolled steel 'I' sections for Support of the machine and 'C' section for the lift well divider of appropriate size.
- To provide building material like grit, sand, cement along with mason & carpenters etc. Also labours should be provided for cutting of RCC beams in the machine room to support "I" section as mentioned above.
- You will have to see to it at your cost that there is no water seepage possibilities either on the lift cabin or in lift shaft & lift machine
- Template of requisite size along with template supports will have to be provided by you.
- To indemnify and save us harmless against all liability growing out of your failure to carry out any of the foregoing.
- The unloading of Lift in unassembled condition would be done by our manpower. However, any monetary consideration towards labour union or Hamal Panchayat of your site area will have to be taken care of & paid by you.

CAR OPERATING PANNEL

Full height stainless steel hair line finish with integrated battery backed 'EMERGENCY LIGHT' AND 'PUSH TO TALK'.



DOWN COLLECTIVE

TOUCH TYPE

COP 01



COP 02

COP 03



COP 04

COP 05

FULL COLLECTIVE

GEAR AND GEARLESS ELEVATOR

GEAR ELEVATORS

Geared Elevators contain a single gearbox which is attached to an AC or DC motor. It also has the ability to reach speeds around 500 feet per minute.





MRL GEARLESS ELEVATORS

Machine room less concept makes the design of the building more free and comfortable.



CAR LIFTS

Elevators for light Four Wheelers - Capacity up to 2500kg



CAR LIFT
GROUND FLOOR ENTRANCE



AUTOMATIC DOOR PASSENGER LIFTS

Civil Dimensions

Recommended dimensions of Automatic door passenger lift





PASSENGER ELEVATOR
GROUND FLOOR ENTRANCE



No of Persons	Rated Capacity kg	Entrance Width E	Car Size mm A	B	Hoistway Size mm C	D	Machine Room Size mm	
6	408	700	1200	850	1700	1400	2700	2400
6	408	700	1000	1000	1500	1500	2500	2500
8	544	800	1300	1100	1800	1700	2800	2700
10	680	800	1300	1350	1800	1900	2800	2900
13	884	900	1500	1500	2100	1900	3100	2900
16	1088	1000	1700	1500	2350	2000	3350	3000
20	1380	1000	1900	1600	2500	2100	3500	3100

HOSPITAL LIFT

Civil Dimensions





HOSPITAL LIFT
GROUND FLOOR ENTRANCE



No of Persons	Rated Capacity kg	Entrance Width E	Car Size mm A	B	Hoistway Size mm C	D	Machine Room Size mm	
10	680	800	900	1950	1750	2500	2800	3500
15	1020	900	1000	2400	1950	3000	3000	4000
20	1380	1000	1300	2400	2200	3000	3200	4000
26	1768	1200	1600	2400	2600	3000	3500	4000

SAFETY
&
SECURITY

ABOUT
OUR COMPANY

HIGH QUALITY ELEVATORS

Our company is an ISO 9001:2008 certified company. All our Director , Managers, Technical staff are very much involved in the compact with a motto to provide the quality products, quality assistance and quality service to our customers.

CONTACT US

+91 8424811180
+91 9137961044
+91 7977112104
+91 9892956419

www.escortelevator.com

ADDRESS

B/603, Omkar CHS, plot No 168, Kherwadi Rd., Bandra(E), Mumbai - 51.

405, Hardarai CHS, Plot No.6, Sec, 10, Taloja, Ph - 1, Navi Mumbai - 410208.