

# Dimuon Properties for Perfect Events

Dinupa

NMSU Update  
November 17, 2022

# Neural Network Architecture

- » We use the same neural network architecture used in single tracks to extract the dimuon properties.
- » We use classification layer and regression layer;

```
* * * * *
```

* Input *	* Classification Layer *	* Regression layer *	* * * * *
* Tensor * -->	* 2 Linear hidden layers *	* 3 Linear hidden layers *	* --> * Target *
* *	* ReLu activation function *	* ReLu activation function *	* Tensor *
* * * * *	* CrossEntropyLoss *	* MSELoss *	* * * * *
	* Adam optimizer *	* Adam optimizer *	
	* * * * *	* * * * *	

Learning rate: 0.0001  
L2 Regularization: 0.00001

- » We have to change the input & output tensor features;

For dimuons the input is;

```
[mu[/+, -/], station1[/x, y, z/], station3[/x, y, z/], station1[/px, py, pz], station3[/px, py, pz]]
```

Target is;

```
[dimuon[/x, y, z, px, py, pz, m, pt, x1, x2, xf, costheta, phi/]]
```

# Classification and Regression Loss




Figure 1: Train, validation classification loss and accuracy score.




Figure 2: Train , validation regression loss.

# Dimuon Properties




Figure 3: Dimuon  $p_x$ .




Figure 4: Dimuon  $p_y$ .

# Dimuon Properties




Figure 5: Dimuon  $p_z$ .




Figure 6: Dimuon  $z$ .

# Dimuon Properties




Figure 7: Dimuon x.




Figure 8: Dimuon y.

# Dimuon Properties




Figure 9: Dimuon mass.




Figure 10: Dimuon x1.

# Dimuon Properties




Figure 11: Dimuon  $x_2$ .




Figure 12: Dimuon  $x_F$ .



# Dimuon Properties




Figure 13: Dimuon  $\cos\theta$ .




Figure 14: Dimuon  $p_T$ .

# Dimuon Properties

» I'm still trying to figure out how to implement this method to real data. Suggestions ?




Figure 15: Dimuon  $\phi$ .