

DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT

# Online/Offline Faced Application

User Manual

Family Assistance Card in Emergencies and Disasters (FACED)

Sarangani Province · Region XII



Made by DSWD Caraga

Version 1.0 · June 2026



## Table of Contents

---

1. Introduction
2. Getting Started
3. Application Modules & Navigation
4. Encoding Module — Data Entry Guide
5. Verifying Module
6. Dashboard & Reports
7. Admin Module
8. Records Module
9. Printing FACED Forms & ID Cards
10. Offline Use & Syncing
11. Troubleshooting
12. Glossary

## 1. Introduction

---

The **Online/Offline Faced Application** is a Progressive Web App (PWA) developed for the DSWD **Family Assistance Card in Emergencies and Disasters (FACED)** program. It allows field enumerators to collect household data on a mobile device or laptop — online or offline — and sync records to the central database when connectivity is restored.

This manual covers all application modules and provides step-by-step instructions for **encoding** (data entry), verifying beneficiaries, generating reports, and administering the system.

### 1.1 Who Uses This App?

| Role                            | Primary Module | Description                                                                       |
|---------------------------------|----------------|-----------------------------------------------------------------------------------|
| <b>Enumerator</b>               | Encoding       | Registers affected families using the FACED form on a device in the field.        |
| <b>Verifier</b>                 | Verifying      | Checks for duplicate registrations before or during encoding.                     |
| <b>Administrator</b>            | Admin, Records | Manages access codes, evacuation centers, synced records, and printing.           |
| <b>Coordinator / DSWD Staff</b> | Dashboard      | Views aggregated reports on evacuation centers, demographics, and shelter damage. |

### 1.2 Geographic Scope

The app is configured for **Sarangani Province, Region XII**. Municipality and barangay dropdowns are pre-populated with Sarangani locations.

## 2. Getting Started

---

### 2.1 Opening the App

1. Open the app URL in a modern web browser (Chrome, Edge, or Firefox recommended).
2. For best offline experience, **install the PWA**: use your browser's "Install app" or "Add to Home Screen" option.
3. The app works on phones, tablets, and desktop computers.

### 2.2 Internet Requirements

| Action                            | Internet Required?       |
|-----------------------------------|--------------------------|
| First-time encoder login          | <b>Yes</b>               |
| Downloading offline data bundle   | <b>Yes</b>               |
| Encoding / saving records locally | No                       |
| Syncing records to server         | <b>Yes</b>               |
| Admin / Records / Verify login    | <b>Yes</b> (first login) |
| Viewing Dashboard reports         | <b>Yes</b>               |

**Note:** After your first login and offline bundle download, you can encode records entirely offline. Sync when you return to an area with internet.

### 2.3 Access Credentials

| Module          | Credential      | Format / Source                           |
|-----------------|-----------------|-------------------------------------------|
| Encoding        | Access code     | FACED-XXXX-XXXX — issued by administrator |
| Verifying       | Verify password | Set by system administrator               |
| Admin & Records | Admin password  | Set by system administrator               |
| Dashboard       | None            | Open access (no password)                 |

### 3. Application Modules & Navigation

---

The top navigation bar shows all modules. On mobile, tap the menu icon (☰) to open the module list.

| Module           | Route      | Purpose                                                                                   |
|------------------|------------|-------------------------------------------------------------------------------------------|
| <b>Dashboard</b> | /dashboard | Aggregated reports: EC info boards, inside/outside EC data, demographics, shelter damage. |
| <b>Encoding</b>  | / (home)   | Main data entry — fill and save FACED household records.                                  |
| <b>Verifying</b> | /verify    | Duplicate check and Excel export by area.                                                 |
| <b>Admin</b>     | /admin     | Access code management, enumerator stats, evacuation center library.                      |
| <b>Records</b>   | /records   | View, edit, delete, print, and manage synced server records.                              |
| <b>Logout</b>    | —          | Clears your encoder, admin, and verify sessions.                                          |

**Tip:** The Encoding page shows an **Online / Offline** badge in the header so you always know your connectivity status.

## 4. Encoding Module — Data Entry Guide

---

### ENCODING

In this app, "**encoding**" means entering or registering a FACED household record — not text/character encoding. This is the primary task for field enumerators.

#### 4.1 Logging In as an Enumerator

1. Go to the **Encoding** module (home page).
2. Enter your access code in the format `FACED-XXXX-XXXX`.
3. You must be **online** for first-time login.
4. Each access code works on **one device only**. Do not share your code with another enumerator on a different device.
5. Tap **Continue to FACED form**.

**Important:** If you are offline and have never logged in on this device, login will not work. Connect to the internet first.

#### 4.2 Downloading the Offline Data Bundle

On first login (while online), the app automatically downloads:

- Previously synced family records — for offline duplicate checking
- Evacuation center library — for EC site suggestions in the form

Wait for the download to complete before starting encoding. A progress modal will appear. Once finished, you can encode offline.

#### 4.3 Filling Out the FACED Form

The form is organized into sections. Required fields must be completed before saving.

##### Section A — Enumerator

- **Enumerator name** — pre-filled from your access code assignment if the administrator assigned your name.

## Section B — Location of the Affected Family (Items 1–6)

| Field                    | Notes                                                                   |
|--------------------------|-------------------------------------------------------------------------|
| Region                   | Pre-filled: Region XII (read-only)                                      |
| Province                 | Pre-filled: Sarangani                                                   |
| City / Municipality      | Select from dropdown                                                    |
| District                 | Auto-filled based on municipality                                       |
| Barangay                 | Select from dropdown (filtered by municipality)                         |
| In Evacuation Center?    | Yes or No — required                                                    |
| Evacuation Center / Site | Required if "Yes". Suggestions appear from EC library or offline cache. |

If the family is **not** in an evacuation center, the site field is auto-filled with an outside-EC label based on the barangay.

## Section C — Head of the Family (Items 7–21)

| Field                               | Required                    |
|-------------------------------------|-----------------------------|
| First name, last name               | Yes                         |
| Name extension (Jr., Sr., etc.)     | No                          |
| Birthdate                           | No (age auto-calculated)    |
| Birthplace, sex, civil status       | Sex & civil status required |
| Mother's maiden name                | No                          |
| Occupation                          | Yes                         |
| Monthly family net income           | No (suggestions provided)   |
| ID card presented & number          | No                          |
| Primary & alternate contact numbers | No                          |

## Section D — Permanent Address (Item 22)

Address line, city/municipality, barangay, province, and zip code.



## Section E — Other Information

- 4Ps beneficiary (checkbox)
- Indigenous Peoples (IP) ethnicity
- Religion

## Section F — Family Information (Item 25) — Required

Add at least **one household member** with name and relationship. For each member, enter:

- Name, relationship to head, birthdate, age, sex
- Education, occupation
- Vulnerability flags: Pregnant, Lactating, Elderly, PWD, Infant (Elderly/Infant auto-set from age)

Tap **Add member** to add more household members.

## Section G — Account Information (Items 26–29)

Bank or e-wallet details: account type, account name, account number.

## Section H — House Ownership (Item 30) — Required

Select one: **Owner**, **Renter**, **Sharer**, or **Not Identified**.

## Section I — Shelter Damage Classification (Item 31) — Required

Select one: **Partially Damaged**, **Totally Damaged**, or **Not Identified**.

## Section J — Date Registered & Data Privacy

- Date registered — defaults to today
- **Data Privacy Declaration** — you must check the consent box (RA 10173) before saving

## 4.4 Duplicate Checking During Encoding

When you enter the head of family's first and last name, the app automatically checks for possible duplicates in three sources:

1. **Online database** — if connected to the internet
2. **Offline cache** — previously downloaded synced records
3. **This device** — records saved locally on your device

If a possible duplicate is found:

- An alert appears showing where the match was found
- A dialog offers: **Go back**, **Continue encoding**, or **Save anyway**
- You must acknowledge the duplicate before saving

**Tip:** Always verify details with the household even when no duplicate is found.

## 4.5 Saving a Record

1. Complete all required fields and acknowledge the privacy declaration.
2. Tap **Save FACED record**.
3. A dialog shows the **Family Serial Number** assigned to the record.
4. Tap **Copy serial** to copy the number for printing or verification.
5. The record is saved locally on your device with status **Pending** (unsynced).

## 4.6 Managing Saved Records

Below the form, the **Saved records** section lists all records on your device.

| Action                              | Description                                                     |
|-------------------------------------|-----------------------------------------------------------------|
| <b>Filter</b>                       | View All, Unsynced, Synced, or Failed records                   |
| <b>Sync online</b>                  | Upload pending/failed records to the server (requires internet) |
| <b>Export all / Export unsynced</b> | Download records as an Excel file                               |
| <b>Edit</b>                         | Load the record back into the form for changes                  |
| <b>Delete</b>                       | Remove the record from your device                              |

## 4.7 Complete Encoding Workflow Summary

1. **1** Receive access code from administrator
2. **2** Log in online and wait for offline bundle download
3. **3** Go to the field — encode households (online or offline)
4. **4** Save each record; note the family serial number
5. **5** Return to connectivity and tap **Sync online**
6. **6** Optionally export Excel backup locally

## 5. Verifying Module

---

### VERIFYING

The Verifying module lets verification staff check whether a beneficiary is already registered before encoding proceeds.

### 5.1 Logging In

1. Go to **Verifying** in the navigation bar.
2. Enter the verify password provided by your administrator.

### 5.2 Duplicate Check Tab

1. Enter the beneficiary's **first name** and **last name** (required).
2. Optionally add middle name, birthdate, municipality, and barangay to narrow results.
3. Tap **Search**.

#### Results:

- **No match found** — "You may proceed with encoding." Always confirm details with the household.
- **Match found** — Review cards showing encoder name, registration date, and location. Investigate before proceeding.

### 5.3 Export Excel Tab

Download synced online records filtered by municipality and barangay as an Excel file.

### 5.4 Offline Data Tab

Download a full copy of synced records to your device for offline duplicate checking:

1. Connect to the internet.
2. Tap **Download** on the Offline Data tab.
3. Wait for download to complete — record count and timestamp are shown.
4. Use **Clear cache** to remove the offline copy if needed.

## 6. Dashboard & Reports

---

### DASHBOARD

The Dashboard provides aggregated reports for coordinators and DSWD staff. No password is required.

#### 6.1 Controls

- **Municipality filter** — restrict reports to one municipality or view all
- **Refresh** — reload data from the server
- **Cum / Now toggle** — switch between cumulative totals and current-period counts

#### 6.2 Report Tabs

| Tab                                 | Contents                                                          |
|-------------------------------------|-------------------------------------------------------------------|
| <b>Evacuation Center Info Board</b> | Per-EC families and persons, age distribution, sectoral breakdown |
| <b>Inside Evacuation Centers</b>    | Data grouped by EC site with barangay breakdown                   |
| <b>Outside Evacuation Centers</b>   | Barangay-level data for families not in ECs                       |
| <b>Sex, Age &amp; Sectoral</b>      | Province-wide demographic breakdown                               |
| <b>Family &amp; Shelter</b>         | House ownership and shelter damage totals                         |

Use your browser's print function (Ctrl+P) to print report views. Control buttons are hidden in print layout.

## 7. Admin Module

---

### ADMIN

Administrators manage access codes, monitor encoding activity, and maintain the evacuation center library.

### 7.1 Logging In

Go to **Admin** and enter the admin password.

### 7.2 Summary Tab

- Per-enumerator statistics: encoded count, codes active/used/rejected
- **Daily encoding chart** — records synced per day (7, 14, or 30-day view)
- Duplicate and trash metrics
- Export Excel per enumerator

### 7.3 Create Codes Tab

- **Batch generate** — create 1 to 100 codes at once
- **Custom code** — add a specific code with assignee name and email

Codes follow the format `FACED-XXXX-XXXX`.

### 7.4 Manage Codes Tab

| Action            | Description                                       |
|-------------------|---------------------------------------------------|
| Search            | Find codes by value or assignee                   |
| Assign enumerator | Set name and email for a code before distribution |
| Reject code       | Deactivate a code so it cannot be used            |
| Export used codes | Download Excel of all used codes                  |

**Code lifecycle:** Active → Used (bound to one device) or Rejected

### 7.5 EC Library Tab

Maintain the list of evacuation center sites used in the encoding form:

1. Select municipality and barangay.

2. Enter the evacuation center name.
3. Tap **Add**.
4. Use **Delete** to remove outdated sites.

Changes appear in encoding form suggestions after enumerators refresh their offline bundle.

## 8. Records Module

---

### RECORDS

The Records module provides full management of records that have been synced to the server. It uses the same admin password.

#### 8.1 All Records Tab

- Search by name, barangay, encoder, or UUID
- Paginated list of all synced records
- Export all matching records to Excel

#### 8.2 Row Actions

| Action                   | Description                                   |
|--------------------------|-----------------------------------------------|
| <b>View</b>              | Open read-only record details                 |
| <b>Edit</b>              | Modify the record on the server               |
| <b>Print FACED</b>       | Generate printable FACED annex form           |
| <b>Generate FACED ID</b> | Generate printable FACED ID card with QR code |
| <b>Delete</b>            | Soft-delete (move to Trash)                   |

#### 8.3 Duplicates Tab

Shows groups of records with matching head-of-family names. Review and resolve duplicate registrations.

#### 8.4 Trash Tab

View soft-deleted records and restore them if deleted by mistake.

## 9. Printing FACED Forms & ID Cards

---

Printing is accessed from the Records module — not from the main navigation.

### 9.1 Print FACED Annex

1. In Records, find the record and tap **Print FACED**.
2. A new tab opens with the formatted annex form.
3. The browser print dialog opens automatically.
4. Select your printer and print.

### 9.2 Generate FACED ID

1. In Records, tap **Generate FACED ID** on a record row.
2. A new tab opens with the ID card layout including a QR code.
3. The print dialog opens automatically.

**Pop-up blocker:** If nothing opens, allow pop-ups for this site in your browser settings, then try again.



## 10. Offline Use & Syncing

---

### 10.1 How Offline Storage Works

Records you save during encoding are stored in your device's local database (IndexedDB). They remain on your device until you sync them to the server.

### 10.2 Sync Status Labels

| Status         | Meaning                                         |
|----------------|-------------------------------------------------|
| <b>Pending</b> | Saved locally, not yet uploaded                 |
| <b>Synced</b>  | Successfully uploaded to the server             |
| <b>Failed</b>  | Upload attempted but failed — retry when online |

### 10.3 Syncing Records

1. Connect to the internet.
2. Go to Encoding → Saved records.
3. Tap **Sync online**.
4. Wait for confirmation: "Successfully synced N record(s) online."

### 10.4 Refreshing Offline Data

If you need updated duplicate-check data or EC library entries, log out and log back in while online to trigger a fresh offline bundle download.

## 11. Troubleshooting

---

| Problem                                | Solution                                                                                                  |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Cannot log in — "offline" message      | Connect to the internet. First-time login requires an active connection.                                  |
| Access code rejected                   | Code may be used on another device, rejected by admin, or typed incorrectly. Contact your administrator.  |
| "Encoder session expired"              | Log out and log back in with your access code while online.                                               |
| Sync fails or shows "Failed"           | Check internet connection. Retry Sync online. If problem persists, export Excel backup and contact admin. |
| Duplicate check stuck on "Checking..." | Check connectivity. Offline mode uses cached data only — wait or proceed with caution.                    |
| Print / ID generation blocked          | Allow pop-ups for this site in browser settings.                                                          |
| EC site not in suggestions             | Ask administrator to add the site in Admin → EC Library, then re-download offline bundle.                 |
| Form won't save                        | Check all required fields, privacy checkbox, evacuation center selection, and family member entries.      |

## 12. Glossary

| Term                        | Definition                                                                             |
|-----------------------------|----------------------------------------------------------------------------------------|
| <b>Encoding</b>             | Entering/registering a FACED household record in the field.                            |
| <b>Access code</b>          | Login credential for enumerators ( FACED-XXXX-XXXX ). One code per device.             |
| <b>Family serial number</b> | Unique ID assigned to each saved household record. Used for printing and verification. |
| <b>FACED</b>                | Family Assistance Card in Emergencies and Disasters.                                   |
| <b>EC</b>                   | Evacuation Center.                                                                     |
| <b>Offline bundle</b>       | Downloaded copy of synced records and EC library for offline use.                      |
| <b>Sync</b>                 | Uploading locally saved records to the central server database.                        |
| <b>Cum / Now</b>            | Dashboard toggle: cumulative (all-time) vs. current-period counts.                     |
| <b>Soft delete</b>          | Record hidden from main list but recoverable from Trash.                               |
| <b>PWA</b>                  | Progressive Web App — installable web application that works offline.                  |
| <b>4Ps</b>                  | Pantawid Pamilyang Pilipino Program (conditional cash transfer).                       |
| <b>IP</b>                   | Indigenous Peoples.                                                                    |
| <b>PWD</b>                  | Person with Disability.                                                                |