



MIS VALUATION TESTING 2024

**ADDITIONAL GUIDANCE FOR
BANKS.**

Table of contents

MIS capabilities for valuation: Testing 2024 – Additional Guidance	2
1.1. Background	2
1.2. Objectives and Expectations for 2024	2
1.3. Collection of data and production of the SRB Data Sets	3
1.4. SRB Valuation Data Set repository	3
1.5. Management simulation (Governance process)	4
1.6. Quality assurance	4
2. Annex I Minimum content report	6
1. Executive Summary	6
2. Introduction	6
2.1 Scope	6
2.2 Bank's teams/units involved	7
3. Description of the exercise	8
3.1 Timeline and process for creation of SRB Valuation Data Sets files	8
3.2 Quality assurance and results of the exercise	10
3.3 Mitigation measures	10
3.4 Challenges and lessons learnt	11
4. Bank's overall conclusions	12
5. Next Steps	12
3. Annex II: non-exhaustive list of integrity and validity, consistency and reconciliation checks.	13
3.1. Integrity and validity checks	13
3.2. Consistency checks	13
3.3. Reconciliation checks	23

MIS capabilities for valuation: Testing 2024 – Additional Guidance

1.1. Background

According to the SRB Expectations for Banks, banks should have in place adequate Management Information Systems (MIS), valuation capabilities, technological infrastructure and an adequate governance to provide the information necessary for the execution of a fair, prudent and realistic valuation. A robust valuation contributes to the effectiveness of resolution actions, including the legitimacy and soundness of the decision. In order to be robust, a valuation relies on the timely provision of high-quality data and information to the valuer. The enhancement of institutions' readiness in the course of the resolution planning phase is key to ensuring data availability and data quality.

1.2. Objectives and Expectations for 2024

Banks are expected to test their MIS capabilities for valuation by the end of 2024 by means of a testing (hereinafter 'valuation testing 2024'), with the aim to demonstrate the effectiveness and operational readiness of the IT processes and solutions implemented by banks in previous resolution planning cycles to collect and aggregate the SRB Valuation Data Set. In other words, banks are expected to run the necessary tools and systems to create and upload the SRB Valuation Data Set to the SRB. Ahead of the exercise, the precise scope, modalities and technical aspects of the exercise are expected to be discussed with the IRTs, including date of the test, governance, data format, IT, etc., in order to make the necessary final adjustments, if any. In doing so, the SRB aims to take into account the testing work already undertaken by the banks during the implementation phase of the EfB on valuation capabilities.

Upon finalisation of the valuation testing 2024 exercise, banks are expected to submit to the IRTs an outcome report covering the items described in the following sections. The report is expected to describe in detail the valuation testing 2024 process steps and governance, outcomes, and data quality assurance. In addition, the report should cover issues, challenges and actions as well as timing to remedy potential shortcomings identified during the exercise and any other relevant information. The template to be used to draft the report is enclosed in Annex 1.

1.3. Collection of data and production of the SRB Data Sets

Banks are expected to generate, extract, validate and deliver the SRB Valuation Data Set within 24 hours. This would not be asking for information to be updated in the last 24 hours but rather asking for delivery in a 24 hours window for valuation data that is already available (e.g., stored in the bank's system). For the scope of the testing, bank may split up the process to generate, extract, validate and deliver the data in different batches (e.g. 3 batches of 8 hours each). In this case, banks are expected to detail the reasons for this split. Banks should also inform the IRT about the starting of the exercise.

Banks should cover in the scope of the exercise all the legal entities, data sets and applicable data points as discussed and agreed with IRTs in previous resolution planning cycles. A single file should be created for each SRB Data Set and for each entity in the scope of the valuation testing 2024. Notwithstanding in some instances, such as cooperative groups, the IRT may request one data set (e.g., on exposures to natural persons, debt securities, etc.) for the whole group or for sub-groups¹.

Pursuant to paragraph 8 of the 'SRB Valuation Data Set Instructions' document, the SRB does not require the use of a specific data format. However, banks are expected to use the format agreed with the IRTs for previous self-testing exercises (e.g., csv file). If a format was not previously agreed, a discussion should take place in order to find an agreement. Banks are expected to report the data in a single format and exportable way by means of generally accepted file types to make it easier for valuers to manage large amounts of data. The IT solutions implemented should make it possible to retrieve a single file for each data set and for each entity in scope according to the SRB Valuation Data Set Instructions document.

With regard to the cut-off date of data, the valuation testing 2024 should be carried out on the basis of quarter-end data prior to the launch date of the exercise². This would allow reconciliation with supervisory quarter-end data.

1.4. SRB Valuation Data Set repository

As per the 2024 priority letter, banks are required to save in a Virtual Data Room, SharePoint space or in any other type of repository hosted in banks' IT systems, the data sets created in the 2024 valuation testing, together with an index listing the data sets available, reference date, etc. Banks should inform the SRB once the documentation is uploaded and they should ensure that access to the VDR/SharePoint/repository is

¹ In this case, each institution in the scope of the 'Group data set' should be clearly identified e.g., by means of an individual ID identifier.

² As an example, if the valuation testing 2024 is launched on 29.11.2023, the reference date for data should be end-September 2023. This will facilitate the performance of reconciliation checks by banks (c.f. section vi).

granted to the IRTs. In order to ensure that all the authorities' part of the IRT can access the repository this should be tested in advance to address any potential issues. SRB ICT will not provide any support to banks or IRTs.

Notwithstanding the above, if banks face any issues with setting up the necessary infrastructure or with giving access to the IRT, they should discuss it with the IRT and investigate potential alternatives.

1.5. Management simulation (Governance process)

As per SRB Expectations for Banks, banks should have in place robust governance arrangements that facilitate the preparation as well as the implementation of the resolution strategy. In the context of information systems and MIS capabilities for valuation data, banks are expected to train staff and raise awareness of the roles and responsibilities for the production of valuation data in a crisis situation. As part of the valuation testing 2024, banks are expected to perform a management simulation to test the governance processes required for the collection of data and production of the SRB Valuation Data Set. The management simulation comprises of live and interactive simulations involving the governance bodies responsible or required for the production and provision of valuation data. In other words, banks should test the “real time” implementation of the internal processes for the production of the SRB Valuation Data Set, from the activation of the responsible governing bodies to the final submission to the IRT. In particular, banks are expected to:

- (i) Test the activation of the responsible governing bodies that would happen as soon as the bank receives a request from the SRB to submit the SRB Valuation Data Set;
- (ii) Simulate break-out sessions involving relevant experts and units to discuss the valuation testing 2024's outcomes;
- (iii) Test internal communication procedures (e.g., via email, etc.) as well as escalation processes (e.g. escalation from units/areas responsible for data collection data to units/areas responsible for quality assurance, or to the body responsible for the sig-off of data sets). To such end for instance, as a best practice, banks could include the IRT mailbox in copy in all the relevant email exchanges to provide evidence of how the management simulation unfolded;
- (iv) Simulate the sign-off of data sets; and
- (v) Upload the data sets on the chosen platform and inform the IRT via email.

1.6. Quality assurance

As per 2024 priorities letter, banks are expected to implement appropriate quality assurance processes. More specifically, banks should make sure that all data reported in the data sets produced in the context of the valuation testing 2024 are subject to validation checks in order to ensure that the information is complete and

consistent, in accordance with the principles of the 'SRB Valuation Data Set' data model. Validations checks should be performed prior to uploading SRB Data Set in the chosen platform. As a minimum, three types of checks are expected to be implemented by banks:

- **Integrity and validity checks:** these ensure the integrity and validity of the information reported in different datasets. They are designed to ensure that all records associated with every single element in different datasets exist.
- **Consistency checks:** these verify that the values reported for the data points are consistent with each other, where appropriate. The focus of these validation checks is not the verification of the individual reporting requirements *per se*, but the consistency among the various elements being reported. Some of those checks are similar to AnaCredit validation checks.
- **Reconciliation checks:** these verify that the values reported for the SRB data points are consistent with the values reported in other reports e.g., accounting / prudential reporting³.

Annex II provides a list of integrity, consistency and reconciliation checks. The list is indicative and non-exhaustive. Banks are encouraged to implement additional checks in line with common best practices in data management. The valuation testing 2024's outcome report is expected to provide a comprehensive description of those additional checks.

³ In some instances, reconciled figures will not match for various reasons (i.e. exposures to legal persons with a balance below € 25,000 are not reported in AnaCredit.). In those cases, banks are expected to explain the identified differences.

2. Annex I Minimum content report

2.1.1. MIS for Valuation – Outcome report template

Template for [name of the Group]⁴ report on the 2024 testing.

Note prepared by	Unit
Reviewers	Unit
Senior Manager approving the exercise	Unit
Annexes	
Decision-making body ⁵	

1. Executive Summary

2. Introduction

2.1 Scope

Banks are expected to detail the general scope of the testing for each entity, in particular number of applicable data-points tested, number of not applicable data-points⁶, number of applicable data-points the bank was not able to produce, number of applicable data-points manually extracted and the percentage of total assets covered. Please fill the table below.

If the scope is the same for all the Group's entities⁷, this should be specified by the Group and only one row

⁴ Banks are expected to provide one report for each entity in scope of the exercise or one unique report if the data infrastructure and completeness of data is equal for all the entities in the Group.

⁵ In line with the EfB, please inform whether the Valuation testing 2024 (or an extract) will be escalated/presented to any committee/ExCo/BoD.

⁶ These data points should be accompanied by a brief/high-level description of the reasons why they are considered not applicable.

⁷ See footnote 5.

should be reported in the table.

Full SRB Valuation Data Set	percentage of total assets covered ⁸	number of applicable data-points tested ⁹	number of not applicable data-point	number of applicable data-points the bank was not able to produce	number of applicable data-points manually extracted
Entity 1	%				
Entity 2	%				

For each data-set tested of each entity, banks are expected to provide granular information, in particular number of applicable SRB data-points tested, number and SRB_field_ID¹⁰ of not applicable data-points, number and SRB_field_ID of applicable data-points the bank was not able to produce, number and SRB_field_ID of applicable data-points manually extracted. Please fill the table below.

If the scope is the same for all the Group's entities, this should be specified by the Group and only one table should be reported (as specified above).

ENTITY 1 (Individual data-set)	number of applicable data-points tested	number of not applicable data-point	SRB field ID of not applicable data-points ¹¹	number of applicable data-points the bank was not able to produce	SRB field ID of applicable data-points that the bank was not able to produce	number of applicable data-points manually extracted	SRB field ID of applicable data-points manually extracted
Exposure to legal persons - Instrument							
Exposures to legal persons - Counterparties							

2.2 Bank's teams/units involved

Please describe the bank's teams, units, and the allocation of responsibilities, with a clear distinction between production of data sets, quality assurance and data validation, management approval, etc.

⁸ Estimation could be based on the carrying amount. For off-balance sheet items, do not include.

⁹ The sum of the number of applicable data-points and non-applicable data-points should be 298, which is the total number of fields.

¹⁰ All applicable SRB data-set data points must be tested

¹¹ If more than one, use “;” as a separator.

3. Description of the exercise

[Modalities and technical aspects e.g., use of a testing/production environment, automated and manual steps, format of files, cut-off date of data, etc.]

3.1 Timeline and process for creation of SRB Valuation Data Sets files¹²

Banks are expected to test the time needed to create the files with the SRB Valuation Data Set under its existing capabilities for SRB Valuation Data Set. In a FOLTF situation, banks are expected to submit the data sets within 24 hours¹³.

Moreover, banks should describe the timeline of each sub-phase of the production and delivery of the SRB Valuation Data Set. From a high-level perspective, we can distinguish four different phases for the data production/delivery:

- 1. **Data collection/feeding/sourcing**¹⁴: this phase consists of the recurrent update (e.g. monthly, quarterly) of each input¹⁵ in the Group¹⁶'s MIS or data warehouse.*
- 2. **Data preparation/extraction/aggregation/consolidation**: this phase consists of the data preparation and extraction from the Group/bank's MIS and the generation of the actual file with data. Usually, the process could already include data validation checks, some of which blocking, which could ensure a minimum level of data integrity (see the next phase n.3).*
- 3. **Data validation/certification**: necessary quality controls to ensure data quality of the SRB Valuation Data Set.*
- 4. **Data submission to the SRB/Valuer**: upload of the SRB Valuation Data Set, which will be available to the SRB/Valuer.*

Disclaimer: *The only SRB expectation is that banks make the SRB Valuation Data Set accessible to the SRB*

¹² With respect to point 3.1 of the report ("Timeline for creation of SRB Valuation Data Sets Files"), please note that the phases described therein are only indicative and are not meant to be prescriptive. Should the bank's internal process be different from the one described therein, and should it not be possible to reconcile it with the 4 phases, please feel free to report a different process with different phases. The aim of the section is merely to gain further insights of the process defined by the bank, its sub-phases and timeline.

¹³ Due to the high data volume, download speed should be taken into account for the 24-hour period.

¹⁴ As an example, cut-off dates could therefore be the previous closing date to the time the data is requested (i.e., if a bank closes financial statements (every month) as of the last day of each month and data is asked on the 15th of the following month, the closing date is accepted to be on the last day of the previous month).

¹⁵ E.g., subsystems such as accounting.

¹⁶ Or single entities.

within 24 hours. Banks are free to choose the internal process to meet such expectation. In the interactions between IRTs and banks around the internal processes to produce the Data Set, it emerged that some banks will produce the Data Set on a regular basis (e.g., quarterly), despite it not being a requirement, and without sharing it with the SRB. Banks opted for this solution to always have a recent version of the Data Set ready to be shared. It is important to stress that this is an internal choice of some banks and does not stem from any reporting requirements imposed by IRTs. There is no expectation of regular reporting in relation to the Data Set at the moment.

Considering the above disclaimer, banks should specify whether they intend to produce the SRB Valuation Data Set on a recurring basis (e.g., monthly/quarterly basis) in order to always have a sufficiently recent version of the SRB Valuation Data Set that has been checked and validated and that it is ready to be submitted. If this is the case, phase 4 is the only one to be considered for assessing the timeliness of data submission in 24 hours in line with the SRB expectations. On the contrary, should banks plan to produce the SRB Valuation Data Set only on an ad-hoc basis (e.g., at SRB request) the other phases will also be considered. In addition, banks should describe the timing needed to perform the four steps described above using a high-level flowchart (see the example ppt attached below).

Example¹⁷:

Group MIS centralized at the level of the “Parent entity”. In other words, the Group-wide MIS is able to centralize the inputs from the different subsidiaries and produce the Valuation Data Set for all the individual entities in scope. The subsidiaries are “Entity 1” and “Entity 2”. The cut-off for the recurrent preparation of the SRB Valuation Data Set is monthly e.g., end of the month. Hence, the reference date of the SRB Valuation Data Set is e.g., 1st of April.

The process is summarized in a high-level way with the following:

1. *Data collection/feeding: the subsidiaries extract from their MIS systems all the data required by the parent entity. The data gathering, preparation, checks and submission in the Group’s MIS have slightly different timing for each subsidiary, due to technical specificities.*
2. *Data preparation/extraction: the input data is collected in the Group’s MIS. Subsequently, the data is manipulated and the SRB Valuation Data Set is compiled using a standard mapping for each entity in scope.*
3. *Data validation/certification: quality controls (see annex 2) are run to ensure data quality on the SRB Valuation Data Set.*

¹⁷ Each Group has different MIS characteristics e.g., some phases can be done in parallel for some Groups and sequentially for others. Please modify the example and the ppt attached below in order to provide a high-level overview of the production and submission process.

4. *Data submission to the SRB/Valuer: the parent entity uploads the SRB Valuation Data Sets in a pre-agreed VDR and inform the IRT. At the end of this phase, the dataset is available to the SRB/Valuer.*



timing - example.pptx

Banks are also expected to provide a high-level summary table for each entity (or Group in case the production and submission is centralized at a Group MIS). As an example, see table below. Please specify whether the time to complete the exercise is in days, hours or minutes, as applicable.

Phase 1	Phase 2	Phase 3	Phase 4
Time to complete	Time to complete	Time to complete	Time to complete

This will give IRTs a complete picture of the whole process.

In addition, please state the preferred method by which the bank would share the data to the IRT (e.g. VDR, Sharepoint...).

3.2 Quality assurance and results of the exercise¹⁸

Banks are expected to confirm and demonstrate that the entire SRB Valuation Data Set has been created. Banks are expected to provide information describing the progress with regard to the areas that have been identified as gaps (deficiencies) in the SRB Valuation Data Set self-assessment (e.g., missing data points, issues with extraction and aggregation of data points, automation, etc.).

This section of the report should also include a validation report showing:

- a) *a description of the quality assurance process;*
- b) *an overview of all integrity and validity, consistency and reconciliation checks implemented by the Bank, and whether they are manual vs automated checks*
- c) *and the results of such activity (c.f. Section 5).*

3.3 Mitigation measures

Next steps for addressing deficiencies following the testing exercise. The measures to be implemented by banks after the testing exercise to correct any deficiencies should be described in a detailed manner within the report. Depending on the outcome of the testing exercise, an updated MIS work program might be necessary.

¹⁸ Per entity and tested data set.

3.4 Challenges and lessons learnt

Non exhaustive list of suggested points for discussion between the bank and the IRT:

- Is the bank able to deliver in a timely manner?
- Is the bank able to deliver high-quality data at short notice upon request of the resolution authorities?
- Which items does the bank consider more challenging to provide, and why?
- Will historical data (from previous months) be stored in the bank's database? If yes, how many months will be retained?
- Has the bank performed any quality assurance on the tested fields?
- Are quality checks formalised in any bank's internal document?
- Are quality checks automated?
- Are quality checks performed during the data extraction by the bank's operationals and/or after the data extraction by the bank's resolution team?
- Are roles and units involved in the process related to the SRB Valuation Data Set defined and formalized in any policy or bank's internal document?
- Who is the ultimate responsible for the submission of the SRB Valuation Data Set to the SRB?
- Has the bank drafted any documentation describing how MIS capabilities for valuation can be relied upon? Does the documentation describe the source systems used for the production of the data and how these systems operate, the controls in place and the stakeholders involved in the preparation and validation of the data?
- Are quality checks performed during the data extraction by the bank's operational and/or after the data extraction by the bank's resolution team?
- Are there any date points that you consider not applicable and what is the reason for this?"
- What other data formats would the bank be able to deliver/how much time would be necessary for that?
- How many of the staff was necessary to produce the dataset and how many of the current staff are capable of doing that?
- Are there any persons that cannot be easily replaced? Did quality checks performed actually lead to the adjustment of any/how many of the initially produced data?

	Lessons learned	Technical and operational issues and challenges	Actions suggested ¹⁹
Governance and Internal Communication			
Data collection			
Aggregation process			

¹⁹ To be integrated in an updated MIS work program.

Timing	
Data quality process	
MIS system(s)	
Automatized steps in the data provision process	
Manual steps in the data provision process	

4. Bank's overall conclusions

5. Next Steps

Please describe the way forward and follow-up actions following to the testing e.g. actions points, need for further tests, amended MIS work program, etc.

.

3. Annex II: non-exhaustive list of integrity and validity, consistency and reconciliation checks.

3.1. Integrity and validity checks

Check number	Data set	Description
1	SRB instruments Data Set for exposures to legal persons	If an instrument is reported in AnaCredit, then the SRB Instruments Data Set for exposures to legal persons should be filled in.
2	SRB Counterparty Data Set for exposures to legal persons	If an instrument reported in the SRB instruments Data Set for exposures to legal persons, then the SRB Counterparty Data Set for exposures to legal persons should be filled in.
3	SRB Protection received Data Set for exposures to legal persons	If an instrument is secured by physical collateral or by guarantees, then the SRB Protection received Data Set for exposures to natural legal persons should be filled in.

3.2. Consistency checks

Check number	Data point	Check Description
4	V_155	The value reported in [Settlement date] attribute cannot be earlier than the value reported in V_143 [Inception date]. This is because funding under an instrument cannot be disbursed before its inception.
5	V_145	The value reported in the V_145 [End date of interest-only period] attribute cannot be earlier than the value reported in V_143 [Inception date]. This is because interest can only be accrued after the inception date of the instrument.
6	V_151	The value reported in the V_151 [Legal final maturity date] attribute cannot be earlier than the value reported in [Settlement date]. In

Check number	Data point	Check Description
		principle, an instrument cannot reach its maturity before it has been settled i.e. before any funds have been disbursed.
7	V_151	The value reported in the V_151 [Legal final maturity date] attribute cannot be earlier than the value reported in [End date of interest-only period]. This means that the end date of the interest-only period can only be before the instrument reaches its maturity.
8	V_151	The value reported in the V_151 [Legal final maturity date] attribute cannot be earlier than the value reported in V_157 [Next interest rate reset date]. This means that the date of the net interest rate reset can only be before the instrument reaches its maturity.
9	V_191	The value reported in the V_191 [Date of original protection value] attribute cannot be later than the value reported in V_188 [Date of protection value].
10	V_157	The value reported in the V_157 [Next interest rate reset date] attribute cannot be earlier than the value reported in V_144 [Inception date]. This means that the interest rate reset date can only occur at or after the inception date of the instrument.
11	V_158	The value reported in the V_158 [Date of the default status of the instrument] attribute cannot be earlier than the value reported in V_144 [Inception date]. This means that a default assessed at instrument level can only occur at or after the inception date of the instrument.
12	V_162	The value reported in the V_162 [Date of past due for the instrument] attribute cannot be earlier than the value reported in V_144 [Inception date]. This means that an instrument can only become past due at or after its inception date.

Check number	Data point	Check Description
13	V_157	The value reported in the V_157 [Next interest rate reset date] attribute cannot be earlier than the value reported in V_155 [Settlement date]. This means that an interest rate reset can only occur at or after the time when funds have been disbursed.
14	V_145	The value reported in the V_145 [End date of interest-only period] attribute cannot be earlier than the value reported in V_155 [Settlement date]. This means that given its existence, an interest-only period cannot be a date before the actual funds have been disbursed.
15	V_162	If the value reported for the V_162 [Date of past due for the instrument] attribute is anything other than "Non- applicable", then the amount of V_161 [Arrears for the instrument] must have a positive value and vice versa. This validation ensures that arrears can only exist if the instrument is past due. At the same time, whenever an instrument is past due, arrears are a positive amount.
16	V_158	If a value of the V_158 [Default status of the instrument] attribute indicates a default, then the V_175 [Performing status of the instrument] attribute must also indicate a non-performing status.
17	V_176	Checks if the value reported for the V_176 [Date of the performing status of the instrument] attribute is consistent with the V_144 [Inception date] attribute. This means that the performing status of the instrument cannot have a date earlier than the instrument's inception date.
18	V_179	Checks if the value reported for the V_179 [Date of the forbearance and renegotiation status] attribute is consistent with the V_144 [Inception date] attribute. The date of the forbearance and renegotiation status for instruments cannot be earlier than their respective inception date.

Check number	Data point	Check Description
19	V_173	This validation check ensures that the value reported in the V_173 [Impairment assessment method] attribute is consistent with the amount reported in the V_171 [Accumulated impairment amount] attribute and vice versa. Specifically, for assets which require an assessment of impairment under their respective accounting practices, this amount must be reported (i.e. cannot be "Non-applicable") and vice versa.
20	V_172	This validation check ensures that the value reported for the V_172 [Type of impairment] attribute is consistent with the V_173 [Impairment assessment method] attribute and vice versa. Specifically, for assets which are not subject to assessment of impairment under their respective accounting practices, there cannot be a different method of assessing impairment and vice versa.
21	V_163	This validation check ensures that the value reported for the V_163 [Type of securitisation] attribute is consistent with the V_169 [Balance sheet recognition] attribute. This means that if a synthetically securitised instrument has a positive outstanding nominal amount (e.g. not written off), the instrument is not fully derecognised.
22	V_178	This validation check ensures that a change in the V_178 [Status of forbearance and renegotiation] has a corresponding change in the V_179 [Date of the forbearance and renegotiation status].
23	V_2, V_184, V_207	This validation check ensures that an originating counterparty is reported accordingly for all traditionally securitised instruments where the creditor is reported as a financial vehicle corporation (FVC). The check is performed by comparing the V_2 [Counterparty identifier], V_207 [Institutional sector] and V_184 [Counterparty role] attributes.

Check number	Data point	Check Description
24	V_2, V_184	This validation check ensures that the same counterparty is not both a creditor and a debtor for the same instrument. This is performed by comparing a combination of unique identifiers (V_2) with the role of the counterparty (V_184).
25	V_1, V_2, V_184, V_219	This validation check ensures that the same counterparty is not both a creditor and a protection provider for the same instrument. This is performed by comparing a combination of unique identifiers with the role of the counterparty.
26	Reference date of the data set, V_186	This validation check ensures that the reference date of the data set is consistent with the V_186 [Date of the default status of the counterparty] attribute. This means that the V_186 [Date of the default status of the counterparty] attribute cannot have a future date.
27	V_144, V_189	This validation check ensures that the value reported for the V_189 [Maturity date of the protection] attribute is consistent with the V_144 [Inception date] attribute. This means that a specific protection cannot have a maturity date prior to the inception date of the instrument for which it is considered.
28	V_188	This validation check ensures that the reference date of the data set is consistent with the V_188 [Date of protection value] attribute. This means that the date on which the protection value was assessed cannot be in the future.
29	V_160, V_164	This validation check ensures that for instruments which have a positive value reported in the V_160 [Transferred amount] attribute, a corresponding value exists in the V_164 [Outstanding nominal amount] attribute. Specifically, in accordance with Part II of the AnaCredit Manual, p.68, the outstanding nominal amount must be reported as the

Check number	Data point	Check Description
		transferred amount constitutes a part of that amount.
30	V_52, V_121, V_133, V_181.	This validation check ensures that if the instrument is recognised in the balance sheet, a numeric value is reported under the [Carrying amount] attribute, (relevant for various data sets), and vice versa. This means that the “Non-applicable” value may not be reported under the [Carrying amount] attribute if the instrument is recognised.
31	V_152	This validation check ensures that unless the value “Non- applicable” is reported, V_152 [Commitment amount at inception] is larger than 0 (i.e. the amount committed by the creditor under the instrument is a positive amount).
32	V_161, V_164, V_170	This validation check ensures that V_164 [Outstanding nominal amount] + V-170 [Accumulated write-offs] and V_161 [Arrears for the instrument] are reported in a consistent manner. This means that the instrument's outstanding nominal amount together with its accumulated write-offs has to be greater or equal to the arrears for the instrument.
33	V_164, V_170	This validation check ensures that if a positive amount is reported under the attribute V_170 [Accumulated write-offs] for an instrument, then the instrument is recognised (in the case of a partial write-off) or the V_164 [Outstanding nominal amount] is 0 and the instrument is derecognised (in the case of a full write-off).
34	V_152, V_158, V_169	This validation check ensures that the attributes V_158 [Default status of the instrument] and V_169 [Balance sheet recognition] are reported in a consistent manner. This means that if the default status of the instrument is specified, then the instrument is recognised or the V_152 [Outstanding nominal amount] is 0 and the instrument is derecognised.

Check number	Data point	Check Description
35	V_185, V_186	This validation check ensures that the value reported for the V_186 [Date of the default status of the counterparty] attribute is consistent with the V_185 [Default status of the counterparty] attribute. This means that where a default status is assessed at counterparty level, and where a "Non- applicable" value is reported as the date of default, debtors can only be reported as not being in a default.
36	V_171, V_172	This validation check ensures that the value reported for the V_171 [Accumulated impairment amount] attribute is consistent with the V_172 [Type of impairment] attribute and vice versa. This means that assets that are not impaired have both amount and type of impairment reported as "Non- applicable". On the other hand, if the assets are impaired, they must have a value other than "Non-applicable".
37	V_169, V_171, V_183	This validation check ensures that the attributes V_169 [Balance sheet recognition], V_183[Accumulated changes in fair value due to credit risk] and V_171 [Accumulated impairment amount] are reported in a consistent manner. This means that if the instrument is recognised in the balance sheet, an amount is reported in either V_183 [Accumulated changes in fair value due to credit risk] or V_171 [Accumulated impairment amount], and vice versa.
38	V_10/V_11/V_139, V_185	This validation check ensures that the attributes V_10/V_11/V_139 [Probability of default] and V_185 [Default status of the counterparty] are reported in a consistent manner. This means that if the value of 100% is reported in V_10/V_11/V_139 [Probability of default], then the counterparty is in default if the definition of default is applied at the level of a counterparty or, if the definition of default is not applied at the level of a counterparty, all instruments of the counterparty are in default (provided that the counterparty is a debtor).

Check number	Data point	Check Description
39	V_158, V_159	This validation check ensures that the attributes V_158 [Default status of the instrument] and V_159 [Date of the default status of the instrument] are reported in a consistent manner. This means that if the default status of the instrument is specified and is not "Non-applicable" (i.e. it is not the case that the instrument has never been in default since it was originated) then the date of the default status of the instrument also has to be specified, and vice versa.
40	V_142, V_145	This validation check ensures that the value reported for the V_142 [Amortisation type] attribute is consistent with the V_145 [End date of interest-only period] attribute given specific types of instruments. This means that for instruments with interest rate types which do not have an interest-only period, the V_145 [End date of interest-only period] attribute is reported as "Non-applicable".
41	V_146, V_150	This validation check ensures that the value reported for the V_150 [Interest rate type] attribute is consistent with the V_146 [Interest rate cap] attribute given specific types of instruments. This means that for instruments with a fixed interest rate, the interest rate cap is reported as "Non-applicable" (see Part II of the AnaCredit Manual, p. 49).
42	V_147, V_150	This validation check ensures that the value reported for the V_150 [Interest rate type] attribute is consistent with the V_147 [Interest rate floor] attribute given specific types of instruments. This means that for instruments with a fixed interest rate, the interest rate floor is reported as "Non-applicable" (see Part II of the AnaCredit Manual, p. 49).
43	V_149, V_150	This validation check ensures that the value reported for the V_150 [Interest rate type] attribute is consistent with the V_149 [Interest rate spread/margin] attribute given specific

Check number	Data point	Check Description
		types of instruments. This means that for instruments with a fixed interest rate, the interest rate spread/margin is reported as “Non-applicable” as the concept does not apply.
44	V_158, V_180, V_185	This validation check ensures that the values reported for the V_185 [Default status of the counterparty] and V_158 [Default status of the Instrument] attributes are consistent with the V_180 [Cumulative recoveries since default] attribute. This means that counterparties or instruments for which the cumulative recoveries principle does not apply are not in default.
45	V_168, V_169	This validation check ensures that the attributes V_168 [Accounting classification of instruments] and V_169 [Balance sheet recognition] are reported in a consistent manner. This means that if the instrument is recognised, then the accounting classification of the instrument has to be specified, and vice versa.
46	V_168, V_171	This validation checks if the value reported for the attribute V_168 [Accounting classification of instruments] is consistent with the attribute V_171 [Accumulated impairment amount] for specific types of instrument. In particular, this means that, for instruments that are not subject to impairment assessment, the impairment amount is reported as “Non-applicable”.
47	V_16, V_187	This validation checks if the value reported for the attribute V_16 [Location] is consistent with the attribute V_87 [Type of protection] for specific types of protection item. In particular, this means that for protection items which are residential real estate, commercial real estate and offices commercial premises and hotels & entertainment it is necessary to report the location of the protection item.
48	V_26, V_41, V_42, V_43, V_44, V_45, V_46	This validation check ensures that the attributes V_26 [Base product], V_41 [Leg 1 cash flows], V_42 [Leg 2 cash flows], V_43 [Leg 1 reference

Check number	Data point	Check Description
		date], V_44 [Leg 2 reference date], V_45 [Leg 1 reference period] and V_46 [Leg 2 reference period] are reported in a consistent manner. If the instrument is recognised under V_26 [Exposure class] consisting of a multi-leg instrument (e.g. IRS, CCS, etc), an amount is reported in V_41 [Leg 1 cash flows], V_42 [Leg 2 cash flows], V_43 [Leg 1 reference rate] and V_44 [Leg 2 reference rate]. Moreover, if the instrument reported under V_26 [Base product] is an interest rate-based multi-leg instrument, an item is reported in V_43 [Leg 1 reference rate] and V_44 [Leg 2 reference rate].
49	V_28, V_29, V_31	If attribute V_28 [Governing law] reports a non-EU country, V_29 [Contractual recognition – Write down and conversion powers (only for contracts governed by third country laws subject to the requirement of the contractual terms under the first subparagraph of Article 55(1) of BRRD)], V_30 [Contractual recognition – Suspension of termination rights (only for contracts governed by third-country laws) under Article 7 BRRD] and V_31 [Contractual recognition – Resolution powers (only for contracts governed by third-country laws)] should be marked 'Yes' or 'No'.
50	V_72, V_73	The data attributes V_72 [Primary asset classification] and V_73 [Asset securitisation class] should be reported in a consistent manner. As an example, if the instrument is a covered bond, both data points have to be reported.
51	V_75, V_76	The value reported in V_76 [Maturity date] attribute cannot be earlier than the value reported in V_75 [Issuance date].
52	V_77, V_78	If a value is reported in V_77 [Guarantor ID], a value has to be reported in V_78 [Guarantor ID type].
53	V_72, V_80	The data attributes V_72 [Primary asset classification] and V_80 [Instrument seniority

Check number	Data point	Check Description
		type] should be reported in a consistent manner.
54	V_72, V_84, V_85	The data attributes V_84 [Coupon rate] and V_85 [Reference rate] should be reported consistently with the data attribute V_72 [Primary asset classification] e.g. V_72 cannot be reported as 'Equity' (code E).
55	V_72, V_89	The data attributes V_89 [Sources of encumbrance] and V_72 [Primary asset classification] should be reported in a consistent manner e.g. for covered bonds or ABS.

3.3. Reconciliation checks

Check number	Data point	Description
56	V_3, V_164, V_181	Aggregated amounts of V_164 [Outstanding nominal amounts] and V_181 [Carrying amounts] filtered by V_3 [CRR Exposure class] should reconcile with the amounts reported in C 07.00 and C 08.00 series.
57	V_4, V_164, V_181	Aggregated amounts of V_164 [Outstanding nominal amounts] and V_181 [Carrying amounts] filtered by V_4 [Exposure class] should reconcile with the amounts reported in F 04.00 series.
58	V_5	The aggregated amount of V_5 [Total Risk Exposure Amount] should reconcile with C 02.00.
59	V_164, V_172, V_175	Aggregated amounts of V_164 [Outstanding nominal amounts] filtered by V_172 [Type of impairment] or V_175 [Performing status of the instrument] should reconcile with F 18.00.a.