# Adicionando relatórios

```xml
<dependency>
    <groupId>com.trivago.rta</groupId>
    <artifactId>cluecumber-report-plugin</artifactId>
    <version>1.2.0</version>
</dependency>
<dependency>
    <groupId>org.apache.maven.plugins</groupId>
    <artifactId>maven-surefire-plugin</artifactId>
    <version>3.0.0-M5</version>
</dependency>

<plugin>
    <groupId>com.trivago.rta</groupId>
    <artifactId>cluecumber-report-plugin</artifactId>
    <version>1.2.0</version>
    <executions>
        <execution>
            <id>report</id>
            <phase>post-integration-test</phase>
            <goals>
                <goal>reporting</goal>
            </goals>
        </execution>
    </executions>
    <configuration>

<sourceJsonReportDirectory>${project.build.directory}/reports</sourceJsonReportDirectory>

<generatedHtmlReportDirectory>${project.build.directory}/formated-report</generatedHtmlReportDirectory>
    </configuration>
</plugin>
<plugin>
    <groupId>org.apache.maven.plugins</groupId>
    <artifactId>maven-surefire-plugin</artifactId>
    <version>3.0.0-M5</version>
    <configuration>
        <testFailureIgnore>true</testFailureIgnore>
    </configuration>
</plugin>
```