

```

private static void US17() throws IOException, InterruptedException {
    Scanner sc = new Scanner(System.in);
    StringBuilder inputVerticesFile = new StringBuilder(getFileVertices(sc));
    StringBuilder inputFileWeights = new StringBuilder(getFileWeight(sc));
    StringBuilder fileWeights = new
StringBuilder("src/main/java/PI_MDISC_Group_072/Input/" + inputFileWeights + ".csv");
    StringBuilder fileVertices = new
StringBuilder("src/main/java/PI_MDISC_Group_072/Input/" + inputVerticesFile + ".csv");

    ArrayList<Vertex> vertices = readVertexFile(fileVertices);
    int i = 0;
    for (Vertex vertex : vertices) {
        String sanitizedVertexName = sanitizeVertexName(vertex.getV());
        vertices.get(i).setV(sanitizedVertexName);
        i++;
    }
    int[][] weights = readWeightFile(fileWeights);
    ArrayList<Edge> graphEdges = new ArrayList<>();
    makeEdges(graphEdges, vertices, weights);
    Graph graph = addEdges(graphEdges);
    createGraph(graph, inputVerticesFile);
    String MP = getMP(vertices);

    if (MP == null) {
        System.out.println("There is no Meeting Point in the file!");
    } else {
        Graph evacuationRoutes;
        System.out.println("Insert the vertex you want to know the shortest path to the
AP or 'done' (if you want to stop):");
        String vertex = sc.nextLine();
        while (!vertex.equalsIgnoreCase("done")) {
            if (!vertex.equalsIgnoreCase("done")) {
                if (isPartOfVertices(vertices, vertex)) {
                    System.out.println("Vertex not found!");
                    System.out.println("Please insert a valid vertex that you want to
know the shortest path to the AP or 'done' (if you want to stop):");
                } else {
                    evacuationRoutes = DijkstraUS17(graphEdges, vertex, MP);

                    makeGraphCsv(evacuationRoutes, vertex);
                    createGraphDisktra(graph, inputVerticesFile,
evacuationRoutes.getEdges(), vertex);

                    System.out.println("Insert the vertex you want to know the shortest
path to the AP or 'done' (if you want to stop):");
                }
            }
            vertex = sc.nextLine();
        }
    }
}

```

```

private static boolean isPartOfVertices(ArrayList<Vertex> vertices, String startVertex)
{
    for (Vertex vertex : vertices) {
        if (vertex.getV().equalsIgnoreCase(startVertex)) {
            return false;
        }
    }
    return true;
}

```

```

public static Graph DijkstraUS17(ArrayList<Edge> edges, String start, String MP) {
    Graph shortestPaths = new Graph();

    if (MP.equals(start)) {
        System.out.println("The vertex is already the Meeting Point!");
    } else {
        Graph initialGraph = new Graph();
        for (Edge edge : edges) {
            initialGraph.addEdge(edge);
        }
        List<Vertex> vertices = initialGraph.getVertices();
        int numVertices = vertices.size();
        int[] dist = new int[numVertices];
        Vertex[] prev = new Vertex[numVertices];
        boolean[] visited = new boolean[numVertices];

        // Initialize distances to -1, and visited to false
        for (int i = 0; i < numVertices; i++) {
            dist[i] = -1;
            prev[i] = null;
            visited[i] = false;
        }

        PriorityQueue<Vertex> queue = new PriorityQueue<>(Comparator.comparingInt(v ->
dist[vertices.indexOf(v)]));

        Vertex MPVertex = new Vertex(MP);
        Vertex startVertex = new Vertex(start);
        dist[vertices.indexOf(startVertex)] = 0;
        queue.add(startVertex);

        int[] oldDist = dist.clone();

        while (!queue.isEmpty()) {
            Vertex u = queue.poll();
            int uIndex = vertices.indexOf(u);
            visited[uIndex] = true;

            List<Vertex> neighbors = initialGraph.getVerticesConnectedTo(u);
            for (Vertex neighbor : neighbors) {
                int vIndex = vertices.indexOf(neighbor);
                int weight = initialGraph.getEdgeCost(u, neighbor);

                if (!visited[vIndex] && dist[uIndex] != -1 && (dist[vIndex] == -1 ||
dist[uIndex] + weight < dist[vIndex])) {
                    queue.remove(neighbor);
                    dist[vIndex] = dist[uIndex] + weight;
                    prev[vIndex] = u;
                    queue.add(neighbor); // Add it back to re-sort the queue
                }
            }
        }

        List<Vertex> path = new ArrayList<>();
        for (Vertex at = MPVertex; at != null; at = prev[vertices.indexOf(at)]) {
            path.add(at);
        }
        Collections.reverse(path);

        for (int i = 0; i < path.size() - 1; i++) {
            Vertex origin = path.get(i);
            Vertex destiny = path.get(i + 1);
            int cost = initialGraph.getEdgeCost(origin, destiny);
            shortestPaths.addEdge(new Edge(origin, destiny, cost));
        }
    }
}

```

```
}  
  
    return shortestPaths;  
}
```