# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show [✔] source   [ ] outline   [ ] image report

[Options…]

Check by [text input ▼]   [ ] css

```
<!DOCTYPE html>
<html lang="en">
<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
  <link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.7.2/css/all.css"
    integrity="sha384-
fnmOCqbTlWIlj8LyTjo7mOUStjsKC4pOpQbqyi7RrhN7udi9RwhKkMHpvLbHG9Sr"
crossorigin="anonymous">
  <!-- Bootstrap CSS -->
  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

Document checking completed. No errors or warnings to show.

Source

1. `<!DOCTYPE html>`↵
2. `<html lang="en">`↵
3. `<head>`↵
4. ↵
5. `  <meta charset="utf-8">`↵
6. `  <meta name="viewport" content="width=device-width, initial-scale=1,`
   `shrink-to-fit=no">`↵
7. `  <link rel="stylesheet"`
   `href="https://use.fontawesome.com/releases/v5.7.2/css/all.css"`↵
8. `    integrity="sha384-`
   `fnmOCqbTlWIlj8LyTjo7mOUStjsKC4pOpQbqyi7RrhN7udi9RwhKkMHpvLbHG9Sr"`
   `crossorigin="anonymous">`↵
9. `  <!-- Bootstrap CSS -->`↵
10. `  <link rel="stylesheet"`
    `href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.`
    `min.css"`↵
11. `    integrity="sha384-`
    `ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"`
    `crossorigin="anonymous">`↵

```
12.  ↵
13.    <!-- jQuery first, then Popper.js, then Bootstrap JS -->↵
14.    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"↵
15.      integrity="sha384-
    q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
    crossorigin="anonymous">↵
16.    </script>↵
17.    <script
    src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper
    .min.js"↵
18.      integrity="sha384-
    UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1"
    crossorigin="anonymous">↵
19.    </script>↵
20.    <script
    src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.mi
    n.js"↵
21.      integrity="sha384-
    JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
    crossorigin="anonymous">↵
22.    </script>↵
23.    <link href="https://fonts.googleapis.com/css?family=Open+Sans"
    rel="stylesheet">↵
24.    <link href="https://fonts.googleapis.com/css?family=Quicksand"
    rel="stylesheet">↵
25.  ↵
26.    <!-- CSRF Token -->↵
27.    <meta name="csrf-token" content="">↵
28.      <link href="http://localhost:8000/css/404.css" rel="stylesheet">↵
29.      <title>Page not found - 404</title>↵
30.  ↵
31.  ↵
32.  </head>↵
33.  ↵
34.  <body>↵
35.  <img class="logo col-md3" src="http://localhost:8000/imgs/logo.png"
    alt="img">↵
36.  <div class='fullscreenDiv'>↵
37.      <div class="center_"> <h2>ERROR 404</h2> </div>↵
38.      <div class="centerπ">The page you're looking for is not
    available</div>↵
39.  </div>↵
40.  ↵
41.   ↵
42.  </body>↵
43.  </html>
```

Used the HTML parser.

Total execution time 7 milliseconds.

About this checker • Report an issue • Version: 19.6.3