
My Reproducible Manuscript

Dion van Harten

```
# Load penguins
library(ggplot2)
```

```
# Read data
penguins <- read.csv("data/data.csv")
```

```
# Plot penguins
ggplot(penguins,
       aes(x = `Flipper.Length..mm.`, y = `Culmen.Length..mm.`)) +
        geom_point(aes(color = Species, shape = Species)) +
        scale_color_manual(values = c("darkorange","purple","cyan4")) +
        labs(
                title = "Flipper and Culmen length",
                subtitle = "Dimensions for penguins at Palmer Station LTER",
                x = "Flipper length (mm)", y = "Culmen length (mm)",
                color = "Penguin species", shape = "Penguin species"
        ) +
        theme_minimal()
```



There are 124 Gento penguins in the sample.

Meet Quarto

Quarto enables you to weave together content and executable code into a finished document. To learn more about Quarto see https://quarto.org.

Meet the penguins

The penguins data from the palmerpenguins package contains size measurements for 344 penguins from three species observed on three islands in the Palmer Archipelago, Antarctica (Allison et al. 2020; Kuhn 2019).




Figure 1: pinguins

Calculations

$1+1 = 2$

$3^2 + 4^2 = 25$

```
do_addition <- function(number1, number2){

        # Check that arguments provided are numberic
        if(class(number1) != "numeric" | class(number2) != "numeric"){
                print("Error: one or more of your inputs are not numeric")

        # Perform simple addition and return the result
        } else{
                result <- number1 + number2
                return(result)
        }
}
do_addition(3,4)
```

```
[1] 7
```

Allison, Horst, Hill Alison, and Gorman Kristen. 2020. *Palmerpenguins: Palmer Archipelago (Antarctica) Penguin Data*. The R Foundation. https://doi.org/10.32614/cran.package.palmerpenguins.

Kuhn, Max. 2019. *Modeldata: Data Sets Useful for Modeling Examples*. Comprehensive R Archive Network. https://doi.org/10.32614/CRAN.package.modeldata.