VA Algorithms

Samuel Clark



In collaboration with the WHO VA Reference Group Columbus, Ohio November, 2018



Background

Overall Aim of VA algorithm work:

- Comparable, reproducible causes of death using VA data
- Timely assignment of causes to deaths with VA
- Feasibility cost, effort, physician availability, etc.

Background

Overall Aim of VA algorithm work:

- Comparable, reproducible causes of death using VA data
- Timely assignment of causes to deaths with VA
- Feasibility cost, effort, physician availability, etc.

This requires standardization and automation

- Standardization of VA instrument done! (WHO)
- Standardization of VA interview needs work
- Standardization and automation of VA cause assignment algorithms

VA Algorithms

Operation of VA cause-coding algorithms utilizes three separable elements

- The VA data themselves
- Symptom-cause Information (SCI) that describes the relationship between VA symptoms and causes – sometimes the training data
- The logic of the algorithm itself mathematical, computational, statistical

VA Algorithms

Operation of VA cause-coding algorithms utilizes three separable elements

- The VA data themselves
- Symptom-cause Information (SCI) that describes the relationship between VA symptoms and causes – sometimes the training data
- The logic of the algorithm itself mathematical, computational, statistical

The performance of each algorithm depends on both its logic and the SCI it uses

SCI can be swapped in/out and updated

This means that the performance of an algorithm can evolve and be adapted to a particular population



Overview

Will present the algorithms included with openVA and highlight the SCI used by each

- Naive Bayes
- InterVA
- InSilicoVA
- Tariff

Overview

Will present the algorithms included with openVA and highlight the SCI used by each

- Naive Bayes
- InterVA
- InSilicoVA
- Tariff

Will wrap up by discussing an idea for how to greatly improve the SCI available to all the algorithms