WebAudit AI · Website audit report

yellowumbrellatours.ie

https://yellowumbrellatours.ie/

Scan date	28 Oct 2026, 11:05 UTC
Duration	12 min 13 s
Scan type	Full scan
Scope	98 page(s) scanned of 98 found (all pages found); viewports: Desktop 1366×900, Mobile 390×844
Checks	Availability, HTML structure, SEO, Accessibility, Security & configuration, JavaScript, Images, Links, Responsive layout, Performance
Report generated	28 Oct 2026, 11:28 UTC

Summary

This scan found **254** confirmed issue(s) on the pages tested, plus 85 item(s) that need manual review (not counted as defects); 2 new, 1 reopened, and 63 previously reported issue(s) resolved.

Priority totals below count confirmed issues only.

Critical	High	Medium	Low	Informational
0	2	40	185	27

Verification

Single-observation detections (images that did not render, links that failed) were re-requested before reporting: 0 confirmed, 0 pending verification, 0 dismissed as false positive(s). Colour-contrast and other checks that need human judgement are listed as “Needs Manual Review”, not as WCAG failures.

WordPress and plugin information

WordPress version	7.1.3 (RSS feed <generator> element, high confidence)
Core status (WordPress.org)	Latest release · latest 7.1.3 · risk: No known risk · 0 known vulnerabilities for this version
Total installed plugins	Unable to verify from outside the site — 6 detected on the public pages
Theme	yellowumbrella (version unknown)

Plugin	Installed	Latest	Update status	Risk
WP Maps – Google Maps, OpenStreetMap, Mapbox, Store Locator with Search, Filters & Listings wp-google-map-plugin	5.0.2 Stable tag in the plugin’s readme.txt	5.0.3	Update available	**Low** No known vulnerability affects 5.0.2, but version 5.0.3 is available.
AddToAny Share Buttons	Unable to verify	1.8.18	Unknown	**Unknown**

add-to-any				Installed version could not be verified, so 5 published vulnerabilities for this plugin cannot be matched. Check the version in WordPress admin.
Complianz Privacy Suite (GDPR/CaCPA) premium multisite complianz-gdpr-premium-multisite	7.6.4 Stable tag in the plugin's readme.txt	Not on WordPress.org	Unknown	**Unknown** Not listed on WordPress.org (premium or custom), so the latest version cannot be verified. No known vulnerability matches this version.
wp-rocket wp-rocket	Unable to verify	Not on WordPress.org	Unknown	**Unknown** Installed version could not be verified, so 8 published vulnerabilities for this plugin cannot be matched. Check the version in WordPress admin.
Newsletter - Send awesome emails from WordPress newsletter	9.5.2 Stable tag in the plugin's readme.txt	9.5.2	Up to date	**No known risk** Up to date, and no known vulnerability affects this version.
Simple CAPTCHA with Cloudflare Turnstile simple-cloudflare-turnstile	1.44.0 Stable tag in the plugin's readme.txt	1.44.0	Up to date	**No known risk** Up to date, and no known vulnerability affects this version.

Sources: The website's own pages (generator tag, REST API link, /wp-content/ and /wp-includes/ files); Each detected plugin's public readme.txt and each theme's style.css; WordPress.org plugin, theme and release APIs (latest versions, closed plugins, core security status); WPVulnerability (wpvulnerability.net) — vulnerability records from CVE, Wordfence, Patchstack and WPScan, public domain (CC0).

- The total number of installed plugins cannot be determined from outside the website. Plugins are identified from files the public pages load; admin-only and security plugins are usually invisible.
- Plugin versions are read from each plugin's public readme.txt (the version its installed files declare). A version from a ?ver= parameter is weak evidence and is marked "verification required". A hidden version is shown as Unknown, never guessed.
- "No known vulnerabilities" means the WPVulnerability database has no record affecting the detected version. It does not prove the plugin is secure.
- Premium or custom plugins that are not listed on WordPress.org have no public latest version, so their update status is Unknown.
- For exact, complete data (all plugins, exact versions), connect the site with an administrator account or run `wp plugin list` with WP-CLI on the server.

Results by category

Category	Test status	Pages tested	Issues	Notes
Availability	completed	98	0	
HTML structure	completed	98	57	
Accessibility	completed	98	128	axe-core 4.14.0 with WCAG 2.0/2.1/2.2 A and AA rules plus best practices. Content inside iframes (maps, video players, third-party widgets) is not

				tested. Automated testing cannot establish WCAG conformance.
SEO	completed	98	85	
Security & configuration	completed	98	6	
Links	completed	98	25	106 unique link target(s) checked. 80 external link(s) not checked (external link checking is off).
Images	completed	98	29	
JavaScript	completed	98	1	
Responsive layout	completed	196	4	
Performance	partial	6	4	Lighthouse ran on the first 3 page(s) only (limit 3).

Compared with the previous scan

Previous full or quick scan: 28 Oct 2026, 10:50 UTC with 403 issue(s) detected. Resolved in this scan: 67. Reopened: 1. New: 2.

Resolved issue	Severity
Slow Largest Contentful Paint (lab)	Medium
Frames must have an accessible name	Medium
All touch targets must be 24px large, or leave sufficient space	Medium
All touch targets must be 24px large, or leave sufficient space	Medium
All touch targets must be 24px large, or leave sufficient space	Medium
Images without width and height attributes	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low

Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Console errors from third-party scripts	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low

Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Images without width and height attributes	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Third-party resources failed to load	Low
Large image files	Low
Third-party resources failed to load	Low
Images without width and height attributes	Low
Images without width and height attributes	Low
Console errors from third-party scripts	Low
Performance improvement opportunities	Low

Top priorities

#	Issue	Severity	Pages
1	Select element must have an accessible name	High	27
2	JavaScript error on page load	High	1
3	ARIA hidden element must not be focusable or contain focusable elements	Medium	40
4	Elements must meet minimum color contrast ratio thresholds	Medium	1
5	Elements must meet minimum color contrast ratio thresholds	Medium	1
6	Elements must meet minimum color contrast ratio thresholds	Medium	1
7	Elements must meet minimum color contrast ratio thresholds	Medium	98
8	Elements must meet minimum color contrast ratio thresholds	Medium	1
9	Elements must meet minimum color contrast ratio thresholds	Medium	1
10	Elements must meet minimum color contrast ratio thresholds	Medium	1

Pages tested


URL	HTTP	Response	Findings
https://yellowumbrellatours.ie/	200	613 ms	30
https://yellowumbrellatours.ie/tours/	200	227 ms	17
https://yellowumbrellatours.ie/about-us/	200	611 ms	15
https://yellowumbrellatours.ie/contact-us/	200	581 ms	11

https://yellowumbrellatours.ie/blog/	200	290 ms	12
https://yellowumbrellatours.ie/tours/?city=dublin	200	1619 ms	18
https://yellowumbrellatours.ie/tours/?city=galway	200	2032 ms	12
https://yellowumbrellatours.ie/tours/?city=cork	200	2090 ms	12
https://yellowumbrellatours.ie/tours/?city=derry	200	2198 ms	11
https://yellowumbrellatours.ie/tours/?city=belfast	200	1594 ms	13
https://yellowumbrellatours.ie/tours-in-english/	200	246 ms	13
https://yellowumbrellatours.ie/tours-in-spanish/	200	246 ms	12
https://yellowumbrellatours.ie/tours-in-french/	200	284 ms	12
https://yellowumbrellatours.ie/tours-in-german/	200	226 ms	12
https://yellowumbrellatours.ie/tours-in-italian/	200	226 ms	12
https://yellowumbrellatours.ie/tour/macabre-dublin-tour/	200	255 ms	12
https://yellowumbrellatours.ie/tour/traditional-pub-tour/	200	223 ms	12
https://yellowumbrellatours.ie/tour/the-story-of-dublin/	200	223 ms	12
https://yellowumbrellatours.ie/stop-waiting-for-the-perfect-time-to-travel/	200	233 ms	10
https://yellowumbrellatours.ie/take-only-memories-leave-only-footprints/	200	233 ms	10
https://yellowumbrellatours.ie/student-promo-get-15-off-for-who-have-a-student-id/	200	233 ms	12
https://yellowumbrellatours.ie/privacy-policy/	200	233 ms	9
https://yellowumbrellatours.ie/terms-conditions/	200	252 ms	9
https://yellowumbrellatours.ie/accessibility-statement/	200	269 ms	9
https://yellowumbrellatours.ie/explore-the-area/	200	269 ms	12
https://yellowumbrellatours.ie/newsletter/	200	225 ms	11
https://yellowumbrellatours.ie/thank-you/	200	217 ms	12
https://yellowumbrellatours.ie/landing-page/	200	216 ms	14
https://yellowumbrellatours.ie/see-do/	200	254 ms	15
https://yellowumbrellatours.ie/accommodation/	200	228 ms	15
https://yellowumbrellatours.ie/eat-drink/	200	237 ms	15
https://yellowumbrellatours.ie/cookie-policy/	200	228 ms	11
https://yellowumbrellatours.ie/tour/belfast-political-tour/	200	223 ms	11
https://yellowumbrellatours.ie/tour/food-tour-2/	200	199 ms	12
https://yellowumbrellatours.ie/tour/political-tour-2/	200	243 ms	12
https://yellowumbrellatours.ie/tour/distillery-whiskey-tour/	200	219 ms	11
https://yellowumbrellatours.ie/tour/experiencia-gastropub/	200	218 ms	12
https://yellowumbrellatours.ie/tour/beer-tour/	200	217 ms	12


https://yellowumbrellatours.ie/tour/food-tour/	200	229 ms	11
https://yellowumbrellatours.ie/tour/hop-on-hop-off-bus-tour/	200	207 ms	12
https://yellowumbrellatours.ie/tour/recorrido-de-comida-y-bebida/	200	227 ms	12
https://yellowumbrellatours.ie/tour/recorrido-por-los-murales/	200	603 ms	11
https://yellowumbrellatours.ie/tour/speise-und-getranketour/	200	460 ms	12
https://yellowumbrellatours.ie/tour/tour-de-senderismo-de-howth/	200	419 ms	13
https://yellowumbrellatours.ie/tour/tour-enogastronomico/	200	233 ms	11
https://yellowumbrellatours.ie/tour/vegan-food-tour/	200	233 ms	12
https://yellowumbrellatours.ie/tour/visite-de-la-nourriture-et-des-boissons/	200	267 ms	12
https://yellowumbrellatours.ie/tour/brewery-craft-beer-tour/	200	263 ms	13
https://yellowumbrellatours.ie/tour/food-folklore-tour/	200	222 ms	11
https://yellowumbrellatours.ie/tour/beer-tour-2/	200	222 ms	12
https://yellowumbrellatours.ie/tour/visita-a-pie-por-la-catedral-de-san-patricio-y-la-biblioteca-de-marsh/	200	232 ms	14
https://yellowumbrellatours.ie/tour/killiney-dalkey-sandycove-day-trip/	200	232 ms	11
https://yellowumbrellatours.ie/category/uncategorized/	200	232 ms	10
https://yellowumbrellatours.ie/language/english/	200	247 ms	10
https://yellowumbrellatours.ie/language/french/	200	195 ms	10
https://yellowumbrellatours.ie/language/german/	200	207 ms	10
https://yellowumbrellatours.ie/language/italian/	200	232 ms	11
https://yellowumbrellatours.ie/language/spanish/	200	232 ms	10
https://yellowumbrellatours.ie/cities/belfast/	200	199 ms	11
https://yellowumbrellatours.ie/cities/cork/	200	225 ms	10
https://yellowumbrellatours.ie/cities/derry/	200	844 ms	11
https://yellowumbrellatours.ie/cities/dublin/	200	573 ms	10
https://yellowumbrellatours.ie/cities/galway/	200	259 ms	11
https://yellowumbrellatours.ie/tour-type/city/	200	258 ms	11
https://yellowumbrellatours.ie/tour-type/food/	200	258 ms	9
https://yellowumbrellatours.ie/tour-type/hiking/	200	295 ms	11
https://yellowumbrellatours.ie/tour-type/history-culture/	200	276 ms	10
https://yellowumbrellatours.ie/tour-type/bus/	200	276 ms	10
https://yellowumbrellatours.ie/tour-type/music/	200	274 ms	11
https://yellowumbrellatours.ie/tour-type/pub/	200	274 ms	10
https://yellowumbrellatours.ie/tour-type/walking/	200	274 ms	9

https://yellowumbrellatours.ie/tours/page/2/	200	1250 ms	21
https://yellowumbrellatours.ie/tours/page/3/	200	1271 ms	17
https://yellowumbrellatours.ie/tours/page/2/?city=dublin	200	1871 ms	16
https://yellowumbrellatours.ie/tours-in-english/page/2/	200	1180 ms	14
https://yellowumbrellatours.ie/see-do/page/2/	200	1453 ms	16
https://yellowumbrellatours.ie/accommodation/page/2/	200	1380 ms	16
https://yellowumbrellatours.ie/eat-drink/page/2/	200	1453 ms	16
https://yellowumbrellatours.ie/2021/12/	200	247 ms	12
https://yellowumbrellatours.ie/language/english/page/2/	200	247 ms	10
https://yellowumbrellatours.ie/language/english/page/5/	200	246 ms	11
https://yellowumbrellatours.ie/language/spanish/page/2/	200	217 ms	11
https://yellowumbrellatours.ie/cities/dublin/page/2/	200	237 ms	11
https://yellowumbrellatours.ie/cities/dublin/page/6/	200	237 ms	11
https://yellowumbrellatours.ie/tour-type/food/page/2/	200	229 ms	10
https://yellowumbrellatours.ie/tour-type/food/page/3/	200	211 ms	10
https://yellowumbrellatours.ie/tour-type/history-culture/page/2/	200	229 ms	12
https://yellowumbrellatours.ie/tour-type/history-culture/page/4/	200	195 ms	10
https://yellowumbrellatours.ie/tour-type/pub/page/2/	200	229 ms	11
https://yellowumbrellatours.ie/tour-type/pub/page/4/	200	194 ms	11
https://yellowumbrellatours.ie/tour-type/walking/page/2/	200	230 ms	11
https://yellowumbrellatours.ie/tour-type/walking/page/3/	200	203 ms	10
https://yellowumbrellatours.ie/language/english/page/3/	200	229 ms	11
https://yellowumbrellatours.ie/language/english/page/4/	200	222 ms	11
https://yellowumbrellatours.ie/cities/dublin/page/3/	200	200 ms	11
https://yellowumbrellatours.ie/cities/dublin/page/5/	200	233 ms	10
https://yellowumbrellatours.ie/tour-type/history-culture/page/3/	200	217 ms	11
https://yellowumbrellatours.ie/tour-type/pub/page/3/	200	226 ms	11


Screenshot evidence




https://yellowumbrellatours.ie/ · Desktop 1366×900



https://yellowumbrellatours.ie/tours/ · Desktop 1366×900



https://yellowumbrellatours.ie/about-us/ · Desktop 1366×900



https://yellowumbrellatours.ie/contact-us/ · Desktop 1366×900

Issue details

High Needs Manual Review Accessibility · WCAG 4.1.2

Check manually: IDs used in ARIA and labels must be unique

What was detected: Ensure every id attribute value used in ARIA and in labels is unique

Where: 1 page(s): https://yellowumbrellatours.ie/newsletter/

Why it matters: Ensure every id attribute value used in ARIA and in labels is unique. This affects people using assistive technology such as screen readers, keyboard navigation or magnification.

How serious: axe-core rated the impact "critical"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/newsletter/)

Rule
duplicate-id-aria — IDs used in ARIA and labels must be unique

WCAG success criteria
4.1.2

Impact (axe-core)
critical

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected element (1)
`.tnp-email`

Element 1 HTML

```
<input class="tnp-email" type="email" name="ne" id="tnp-1" value="" placeholder="" required="">
```

What to do:

1. Read the rule guidance: IDs used in ARIA and labels must be unique.
2. Use the selectors in the evidence to locate each affected element in your browser's developer tools (F12 → Elements, then Ctrl+F and paste the selector).
3. Apply the fix described in the failure summary for each element, then run a verification scan.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

High Confirmed Accessibility · WCAG 4.1.2

Select element must have an accessible name

What was detected: Ensure select element has an accessible name

Where: 27 page(s): https://yellowumbrellatours.ie/, https://yellowumbrellatours.ie/about-us/, https://yellowumbrellatours.ie/blog/, https://yellowumbrellatours.ie/thank-you/, https://yellowumbrellatours.ie/tour/beer-tour-2/, …

Why it matters: Drop-down lists without labels are announced without their purpose.

How serious: axe-core rated the impact "critical"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/)

Rule
select-name — Select element must have an accessible name

WCAG success criteria
4.1.2

Impact (axe-core)
critical

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Scope
Shared element that appears on several pages (usually a header, footer, menu or template). Fixing it once fixes every page listed.

Affected element (1)
`select  — on 27 pages`

What to do:

1. Associate a <label> with each <select>, or add aria-label.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

High Confirmed JavaScript

JavaScript error on page load

What was detected: A script on your site threw an uncaught error while the page loaded.

Where: 1 page(s): https://yellowumbrellatours.ie/student-promo-get-15-off-for-who-have-a-student-id/

Why it matters: An uncaught error stops the script that threw it, which can break menus, sliders, forms or checkout.

How serious: High: this blocks a core function or a group of users, or tells search engines to drop important content.

Evidence (https://yellowumbrellatours.ie/student-promo-get-15-off-for-who-have-a-student-id/)

1 uncaught error(s)

```
Failed to read the 'serviceWorker' property from 'Navigator': Service worker is disabled because the context is sandboxed and lacks the 'allow-same-origin' flag.
```

What to do:

1. Open the page with your browser's developer tools (F12 → Console) to see the same error.
2. Use the file name in the stack trace to identify the plugin, theme or script responsible.
3. Update or fix that script; for WordPress, try disabling plugins one at a time on a staging copy.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Medium Confirmed Accessibility · WCAG 4.1.2

ARIA hidden element must not be focusable or contain focusable elements

What was detected: Ensure aria-hidden elements are not focusable nor contain focusable elements

Where: 40 page(s): https://yellowumbrellatours.ie/2021/12/, https://yellowumbrellatours.ie/blog/, https://yellowumbrellatours.ie/category/uncategorized/, https://yellowumbrellatours.ie/cities/belfast/, https://yellowumbrellatours.ie/cities/cork/, …

Why it matters: Keyboard users can tab to elements that screen readers have been told to ignore, which is confusing.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/2021/12/)

Rule
aria-hidden-focus — ARIA hidden element must not be focusable or contain focusable elements

WCAG success criteria
4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Scope
Shared elements that appear on several pages (usually a header, footer, menu or template). Fixing each one once fixes every page listed.

Affected elements (26)

```
.post-thumbnail   — on 6 pages
.post-thumbnail   — on 6 pages
.post-thumbnail   — on 6 pages
#post-453 > .blog_itm_img > .post-thumbnail[aria-hidden="true"]   — on 6 pages
#post-617 > .blog_itm_img > .post-thumbnail[aria-hidden="true"]   — on 5 pages
#post-624 > .blog_itm_img > .post-thumbnail[aria-hidden="true"]   — on 5 pages
#post-620 > .blog_itm_img > .post-thumbnail[aria-hidden="true"]   — on 5 pages
#post-1709 > .blog_itm_img > .post-thumbnail[aria-hidden="true"]   — on 4 pages
#post-459 > .blog_itm_img > .post-thumbnail[aria-hidden="true"]   — on 4 pages
.post-thumbnail   — on 4 pages
#post-407 > .blog_itm_img > .post-thumbnail[aria-hidden="true"]   — on 3 pages
#post-362 > .blog_itm_img > .post-thumbnail[aria-hidden="true"]   — on 3 pages
#post-360 > .blog_itm_img > .post-thumbnail[aria-hidden="true"]   — on 3 pages
#post-1161 > .blog_itm_img > .post-thumbnail[aria-hidden="true"]
```

What to do:

1. Remove aria-hidden from containers with focusable elements, or make those elements unfocusable (tabindex="-1") while hidden.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/terms-conditions/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/terms-conditions/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`.breadcrumb_last`

Element 1 HTML
```
<h1>Terms &amp;amp; Conditions</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/student-promo-get-15-off-for-who-have-a-student-id/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/student-promo-get-15-off-for-who-have-a-student-id/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected element (1)
`h1`

Element 1 HTML
```
<h1>Pubs in Dublin.</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/take-only-memories-leave-only-footprints/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/take-only-memories-leave-only-footprints/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected element (1)
`h1`

Element 1 HTML
```
<h1>Free Museums in Dublin.</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/stop-waiting-for-the-perfect-time-to-travel/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/stop-waiting-for-the-perfect-time-to-travel/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected element (1)
`h1`

Element 1 HTML
```
<h1>Transport in Dublin</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/blog/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/blog/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`.breadcrumb_last`

Element 1 HTML
```
<h1>Blog</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (11)

```
h1
.rounded_tags:nth-child(1)
.rounded_tags:nth-child(2)
.rounded_tags:nth-child(3)
.rounded_tags:nth-child(4)
.rounded_tags:nth-child(5)
.banner_cont > h4
.text_yellow
.have_qus_cont > .global_heading > h2
.have_qus_cont > p
.have_qus_cont > .basic_btn
```

Element 1 HTML

```
<h1>Join Us for the Craic! </h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/2021/12/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/2021/12/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`h1 > span`

Element 1 HTML
```
<h1 class="page-title">Month: <span>December 2021</span></h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tours/page/2/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tours/page/2/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)

```
.tour_holder:nth-child(7) > .tour_content > .tour_botcont > .tour_duratn.d-flex > span:nth-child(1)
.tour_holder:nth-child(7) > .tour_content > .tour_botcont > .tour_duratn.d-flex > span:nth-child(1) > strong
```

Element 1 HTML

```
<span><strong>Stadt</strong> Dublin</span>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/music/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour-type/music/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected element (1)
`h1`

Element 1 HTML
```
<h1 class="page-title">Tour Types: <span>Music</span></h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/bus/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour-type/bus/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`h1 > span`

Element 1 HTML
```
<h1 class="page-title">Tour Types: <span>Hop-on Hop-off Bus Tours</span></h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/hiking/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour-type/hiking/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`h1 > span`

Element 1 HTML
```
<h1 class="page-title">Tour Types: <span>Hiking</span></h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/city/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour-type/city/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected element (1)
`h1`

Element 1 HTML
```
<h1 class="page-title">Tour Types: <span>City</span></h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/cities/galway/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/cities/galway/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`h1 > span`

Element 1 HTML
```
<h1 class="page-title">Cities: <span>Galway</span></h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/cities/derry/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/cities/derry/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected element (1)
`h1`

Element 1 HTML
```
<h1 class="page-title">Cities: <span>Derry</span></h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/cities/cork/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/cities/cork/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected element (1)
`h1`

Element 1 HTML
```
<h1 class="page-title">Cities: <span>Cork</span></h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/cities/belfast/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/cities/belfast/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`h1 > span`

Element 1 HTML
```
<h1 class="page-title">Cities: <span>Belfast</span></h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/language/italian/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/language/italian/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.taxonomy-description > p
```

Element 1 HTML
```
<h1 class="page-title">Language: <span>Italian</span></h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/language/german/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/language/german/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (3)
```
h1
h1 > span
.taxonomy-description > p
```

Element 1 HTML
```
<h1 class="page-title">Language: <span>German</span></h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/language/french/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/language/french/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (3)
```
h1
h1 > span
.taxonomy-description > p
```

Element 1 HTML
```
<h1 class="page-title">Language: <span>French</span></h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/category/uncategorized/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/category/uncategorized/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`h1 > span`

Element 1 HTML
```
<h1 class="page-title">Category: <span>Uncategorized</span></h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/killiney-dalkey-sandycove-day-trip/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/killiney-dalkey-sandycove-day-trip/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`.breadcrumb_last`

Element 1 HTML
```
<h1>Killiney, Dalkey &amp;amp; Sandycove Day Trip</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/visita-a-pie-por-la-catedral-de-san-patricio-y-la-biblioteca-de-marsh/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/visita-a-pie-por-la-catedral-de-san-patricio-y-la-biblioteca-de-marsh/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`.breadcrumb_last`

Element 1 HTML
```
<h1>Visita a pie por la catedral de San Patricio y la biblioteca de Marsh</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/beer-tour-2/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/beer-tour-2/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Cork Beer Tour</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/visite-de-la-nourriture-et-des-boissons/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/visite-de-la-nourriture-et-des-boissons/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`.breadcrumb_last`

Element 1 HTML
```
<h1>Visite de la Nourriture et des Boissons</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/vegan-food-tour/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/vegan-food-tour/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Vegan Food Tour</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/tour-enogastronomico/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/tour-enogastronomico/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Tour Enogastronomico</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/contact-us/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/contact-us/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (6)
```
h1
.breadcrumb_last
.user
.wpcf7-email
.wpcf7-tel
textarea
```

Element 1 HTML
```
<h1>Contact Us</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/tour-de-senderismo-de-howth/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/tour-de-senderismo-de-howth/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Tour de Senderismo de Howth</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/speise-und-getranketour/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/speise-und-getranketour/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Speise und Getranketour</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/recorrido-por-los-murales/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/recorrido-por-los-murales/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`.breadcrumb_last`

Element 1 HTML
```
<h1>Recorrido por los Murales</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/recorrido-de-comida-y-bebida/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/recorrido-de-comida-y-bebida/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`.breadcrumb_last`

Element 1 HTML
```
<h1>Recorrido de Comida y Bebida</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/hop-on-hop-off-bus-tour/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/hop-on-hop-off-bus-tour/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Hop On, Hop Off Bus Tour</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/distillery-whiskey-tour/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/distillery-whiskey-tour/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Distillery &amp;amp; Whiskey Tour</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/food-tour/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/food-tour/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Galway Food Tour</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/beer-tour/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/beer-tour/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Galway Beer Tour</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/experiencia-gastropub/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/experiencia-gastropub/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Experiencia Gastropub</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/political-tour-2/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/political-tour-2/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`.breadcrumb_last`

Element 1 HTML
```
<h1>Derry Political Tour</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/about-us/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/about-us/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (9)

```
h1
.breadcrumb_last
.counter_box:nth-child(1) > h2 > .counterup
.counter_box:nth-child(1) > h5
.counter_box:nth-child(2) > h2
.counter_box:nth-child(2) > h2 > .counterup
.counter_box:nth-child(2) > h5
.counter_box:nth-child(3) > h2 > .counterup
.counter_box:nth-child(3) > h5
```

Element 1 HTML

```
<h1>About Us</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 98 page(s): https://yellowumbrellatours.ie/, https://yellowumbrellatours.ie/2021/12/, https://yellowumbrellatours.ie/about-us/, https://yellowumbrellatours.ie/accessibility-statement/, https://yellowumbrellatours.ie/accommodation/, …

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Scope
Shared elements that appear on several pages (usually a header, footer, menu or template). Fixing each one once fixes every page listed.

Affected elements (49)

```
input[value="Subscribe"]   — on 98 pages
p > a[href="tel:353830673393"]   — on 97 pages
.header_top_left > p > a   — on 97 pages
.ftr_col_1 > h4   — on 95 pages
.frm_chbx > span   — on 95 pages
.frm_chbx > span > a   — on 95 pages
.ftr_col_2 > h4   — on 95 pages
.ftr_col_2 > p   — on 95 pages
.ftr_col_3 > h4   — on 95 pages
.ftr_mail   — on 95 pages
.ftr_tel   — on 95 pages
#breadcrumbs > span > span:nth-child(1) > a   — on 53 pages
.wpcf7-submit   — on 28 pages
select   — on 27 pages
.filtr_block:nth-child(3) > label:nth-child(3) > span   — on 19 pages
.filtr_block:nth-child(3) > label:nth-child(4) > span   — on 18 pages
.filtr_block:nth-child(2) > label:nth-child(4) > span   — on 16 pages
.filtr_block:nth-child(2) > label:nth-child(5) > span   — on 16 pages
.filtr_block:nth-child(3) > label:nth-child(2) > span   — on 16 pages
label:nth-child(7) > span   — on 16 pages
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).

3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-german/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tours-in-german/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Tours in German</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/food-folklore-tour/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/food-folklore-tour/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Food &amp;amp; Folklore Tour</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/brewery-craft-beer-tour/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/brewery-craft-beer-tour/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Brewery &amp;amp; Craft Beer Tour</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-spanish/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tours-in-spanish/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Tours in Spanish</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-italian/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tours-in-italian/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`.breadcrumb_last`

Element 1 HTML
```
<h1>Tours in Italian</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-french/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tours-in-french/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Tours in French</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/macabre-dublin-tour/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/macabre-dublin-tour/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`.breadcrumb_last`

Element 1 HTML
```
<h1>Macabre Dublin Tour</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/traditional-pub-tour/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/traditional-pub-tour/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`.breadcrumb_last`

Element 1 HTML
```
<h1>Traditional Pub Tour</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/the-story-of-dublin/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/the-story-of-dublin/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>The Story of Dublin</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/food-tour-2/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/food-tour-2/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Cork Food Tour</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tour/belfast-political-tour/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tour/belfast-political-tour/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Belfast Political Tour</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/cookie-policy/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/cookie-policy/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Cookie Policy</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/landing-page/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/landing-page/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`span[lang="es"]`

Element 1 HTML
```
<h1>Landing Page</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/newsletter/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/newsletter/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`.breadcrumb_last`

Element 1 HTML
```
<h1>Newsletter</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/thank-you/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/thank-you/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected element (1)
`h1`

Element 1 HTML
```
<h1>Thank You</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/explore-the-area/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/explore-the-area/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (3)

```
h1
.breadcrumb_last
.logo_content > a[href$="visitdublin.com/"][target="_blank"][rel="noopener noreferrer"]
```

Element 1 HTML

```
<h1>Explore the area</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/accessibility-statement/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/accessibility-statement/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
```
h1
.breadcrumb_last
```

Element 1 HTML
```
<h1>Accessibility Statement</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Needs Manual Review Accessibility · WCAG 1.4.3

Check manually: Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/privacy-policy/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/privacy-policy/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core could not decide this automatically (for example text over an image or gradient). A person must check it against the WCAG criterion before it is treated as a failure.

Affected elements (2)
`h1`
`.breadcrumb_last`

Element 1 HTML
```
<h1>Privacy Policy</h1>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: axe-core could not decide automatically. These elements need human review.

Medium Confirmed Accessibility · WCAG 1.4.3

Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/accessibility-statement/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/accessibility-statement/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.text_underline`

Element 1 HTML

```
<a class="text_underline" href="mailto:[email]">[email]</a>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 1.4.3

Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (3)

```
.column_row:nth-child(1) > .col_half:nth-child(2) > .pop_tour_cont > .small_btn.orng_btn.basic_btn
.column_row:nth-child(2) > .col_half:nth-child(2) > .pop_tour_cont > .small_btn.orng_btn.basic_btn
.column_row:nth-child(3) > .col_half:nth-child(2) > .pop_tour_cont > .small_btn.orng_btn.basic_btn
```

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/tour/macabre-dublin-tour/" class="basic_btn small_btn orng_btn">Book Now</a>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 1.4.3

Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/tours/?city=dublin

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/tours/?city=dublin)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (2)

```
.tour_holder:nth-child(7) > .tour_content > .tour_botcont > .tour_tag
.tour_holder:nth-child(8) > .tour_content > .tour_botcont > .tour_tag
```

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/tours-in-italian" class="tour_tag " style="background-color:#6ea391;color:#fff;"><figure><img src="https://yellowumbrellatours.ie/wp-content/uploads/2021/12/flag_img5.webp" alt=""></figure>Italian</a>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 1.4.3

Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 98 page(s): https://yellowumbrellatours.ie/, https://yellowumbrellatours.ie/2021/12/, https://yellowumbrellatours.ie/about-us/, https://yellowumbrellatours.ie/accessibility-statement/, https://yellowumbrellatours.ie/accommodation/, …

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Scope
Shared elements that appear on several pages (usually a header, footer, menu or template). Fixing each one once fixes every page listed.

Affected elements (50)

```
span > a[target="_blank"][rel="noopener noreferrer"]   — on 98 pages
.got_a_qus > p   — on 23 pages
h6:nth-child(3) > .ftr_mail   — on 23 pages
.rl_tour_block.d-flex:nth-child(1) > span > .btn_viweall   — on 14 pages
.rl_tour_block.d-flex:nth-child(2) > span > .btn_viweall   — on 14 pages
.rl_tour_block.d-flex:nth-child(3) > span > .btn_viweall   — on 14 pages
.blog_list_block:nth-child(1) > .blog_cont > .btn_viw_small.btn_viweall   — on 6 pages
.blog_list_block:nth-child(2) > .blog_cont > .btn_viw_small.btn_viweall   — on 6 pages
.blog_list_block:nth-child(3) > .blog_cont > .btn_viw_small.btn_viweall   — on 6 pages
.tour_holder:nth-child(1) > .tour_content > .tour_botcont > .tour_tag   — on 6 pages
.btn_viweall   — on 6 pages
.btn_viweall   — on 6 pages
.btn_viweall   — on 6 pages
#post-453 > .blog_cont > .btn_viweall.btn_viw_small   — on 6 pages
.tour_holder:nth-child(1) > .tour_conten
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }
```

```
After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 1.4.3

Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/student-promo-get-15-off-for-who-have-a-student-id/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/student-promo-get-15-off-for-who-have-a-student-id/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`a[href$="bruxelles.ie/"]`

Element 1 HTML
```
<a href="https://bruxelles.ie/">Home</a>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 1.4.3

Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/terms-conditions/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/terms-conditions/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`a[rel="noopener"]`

Element 1 HTML

```
<a href="https://www.yellowumbrellatours.ie" target="_blank" rel="noopener">www.yellowumbrellatours.ie</a>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 1.4.3

Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/privacy-policy/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/privacy-policy/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (3)
```
a[href$="en-in"]
p:nth-child(28) > a[rel="noopener"][target="_blank"]
p:nth-child(33) > a
```

Element 1 HTML
```
<a href="https://stripe.com/en-in" target="_blank" rel="noopener">stripe.com</a>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 1.4.3

Elements must meet minimum color contrast ratio thresholds

What was detected: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

Where: 1 page(s): https://yellowumbrellatours.ie/cookie-policy/

Why it matters: Low-contrast text is hard or impossible to read for people with low vision, colour-blindness, or anyone using a screen in sunlight.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: AA.

Evidence (https://yellowumbrellatours.ie/cookie-policy/)

Rule
color-contrast — Elements must meet minimum color contrast ratio thresholds

WCAG success criteria
1.4.3

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (23)

```
.table-responsive:nth-child(13) > table > tbody > tr:nth-child(1) > td:nth-child(2) > a[title="Google's privacy policy"][rel="noopener noreferrer nofollow"][target="_blank"]
.table-responsive:nth-child(13) > table > tbody > tr:nth-child(2) > td:nth-child(2) > a[title="Google's privacy policy"][rel="noopener noreferrer nofollow"][target="_blank"]
a[title="Cookiebot's privacy policy"]
.table-responsive:nth-child(13) > table > tbody > tr:nth-child(4) > td:nth-child(2) > a[title="Google's privacy policy"][rel="noopener noreferrer nofollow"][target="_blank"]
tr:nth-child(5) > td:nth-child(2) > a[title="Google's privacy policy"][rel="noopener noreferrer nofollow"][target="_blank"]
tr:nth-child(6) > td:nth-child(2) > a[title="Google's privacy policy"][rel="noopener noreferrer nofollow"][target="_blank"]
tr:nth-child(7) > td:nth-child(2) > a[title="Google's privacy policy"][rel="noopener norefer
```

Element 1 HTML

```
<a title="Google's privacy policy" href="https://policies.google.com/privacy" target="_blank" rel="noopener noreferrer nofollow">Google</a>
```

What to do:

1. For each element listed, note the foreground and background colours and the measured ratio in the evidence.
2. Darken the text or lighten the background until the ratio is at least 4.5:1 (3:1 for large text, 24px or 19px bold).
3. Update the colour in your theme settings or CSS rather than per element.

```
Before:
.btn { color: #9ca3af; background: #ffffff; }

After:
.btn { color: #4b5563; background: #ffffff; } /* 7.6:1 */
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 4.1.2

Frames must have an accessible name

What was detected: Ensure <iframe> and <frame> elements have an accessible name

Where: 1 page(s): https://yellowumbrellatours.ie/contact-us/

Why it matters: Screen reader users hear "frame" with no description for embedded maps, videos or forms.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/contact-us/)

Rule
frame-title — Frames must have an accessible name

WCAG success criteria
4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`iframe`

Element 1 HTML

```
<iframe src="https://www.google.c..." width="600" height="450" style="border:0;" allowfullscreen="" loading="lazy" data-rocket-lazyload="fitvidscompatible" data-lazy-src="https://www.google.c..." data-ll-status="loaded" class="entered lazyloaded">
```

What to do:

1. Add a title attribute to each iframe describing its content, e.g. title="Map of our office".

```
<iframe src="https://www.youtube.com/embed/…" title="Product demo video"></iframe>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed · New Accessibility · WCAG 4.1.2

Frames must have an accessible name

What was detected: Ensure <iframe> and <frame> elements have an accessible name

Where: 1 page(s): https://yellowumbrellatours.ie/tour/brewery-craft-beer-tour/

Why it matters: Screen reader users hear "frame" with no description for embedded maps, videos or forms.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/tour/brewery-craft-beer-tour/)

Rule
frame-title — Frames must have an accessible name

WCAG success criteria
4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`iframe`

Element 1 HTML

```
<iframe src="https://www.google.c..." style="border:0;" allowfullscreen="" loading="lazy" data-rocket-lazyload="fitvidscompatible" data-lazy-src="https://www.google.c..." data-ll-status="loading" class="entered lazyloading ...">
```

What to do:

1. Add a title attribute to each iframe describing its content, e.g. title="Map of our office".

```
<iframe src="https://www.youtube.com/embed/…" title="Product demo video"></iframe>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed · New Accessibility · WCAG 4.1.2

Frames must have an accessible name

What was detected: Ensure <iframe> and <frame> elements have an accessible name

Where: 1 page(s): https://yellowumbrellatours.ie/tour/tour-de-senderismo-de-howth/

Why it matters: Screen reader users hear "frame" with no description for embedded maps, videos or forms.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/tour/tour-de-senderismo-de-howth/)

Rule
frame-title — Frames must have an accessible name

WCAG success criteria
4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`iframe`

Element 1 HTML

```
<iframe src="https://www.google.c..." style="border:0;" allowfullscreen="" loading="lazy" data-rocket-lazyload="fitvidscompatible" data-lazy-src="https://www.google.c..." data-ll-status="loaded" class="entered exited lazyl...">
```

What to do:

1. Add a title attribute to each iframe describing its content, e.g. title="Map of our office".

```
<iframe src="https://www.youtube.com/embed/…" title="Product demo video"></iframe>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-english/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/tours-in-english/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (10)

```
.tour_holder:nth-child(1) > .tour_content > a
.tour_holder:nth-child(2) > .tour_content > a
.tour_holder:nth-child(3) > .tour_content > a
.tour_holder:nth-child(4) > .tour_content > a
.tour_holder:nth-child(5) > .tour_content > a
.tour_holder:nth-child(6) > .tour_content > a
.tour_holder:nth-child(7) > .tour_content > a
.tour_holder:nth-child(8) > .tour_content > a
.tour_holder:nth-child(9) > .tour_content > a
.pagination > li:nth-child(4) > a
```

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/tour/killiney-dalkey-sandycove-day-trip/"><img
src="https://yellowumbrellatours.ie/wp-content/uploads/2024/04/free_walktour_poster-293x230.jpg" alt=""></a>
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/eat-drink/page/2/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/eat-drink/page/2/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.custom-pagination > li:nth-child(1) > a`

Element 1 HTML
```
<a href="https://yellowumbrellatours.ie/eat-drink/page/1" class=""><i class="fas fa-chevron-left"></i></a>
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/accommodation/page/2/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/accommodation/page/2/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.custom-pagination > li:nth-child(1) > a`

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/accommodation/page/1" class=""><i class="fas fa-chevron-left"></i></a>
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (6)

```
.column_row:nth-child(1) > .col_half:nth-child(1) > .poulr_tr_img
.column_row:nth-child(2) > .col_half:nth-child(1) > .poulr_tr_img
.column_row:nth-child(3) > .col_half:nth-child(1) > .poulr_tr_img
.blog_list_block:nth-child(1) > .blog_itm_img > a
.blog_list_block:nth-child(2) > .blog_itm_img > a
.blog_list_block:nth-child(3) > .blog_itm_img > a
```

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/tour/macabre-dublin-tour/" class="poulr_tr_img">
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-english/page/2/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/tours-in-english/page/2/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (6)

```
.tour_holder:nth-child(1) > .tour_content > a
.tour_holder:nth-child(2) > .tour_content > a
.tour_holder:nth-child(4) > .tour_content > a
.tour_holder:nth-child(5) > .tour_content > a
.tour_holder:nth-child(6) > .tour_content > a
.pagination > li:nth-child(1) > a
```

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/tour/political-tour-2/"><img src="https://yellowumbrellatours.ie/wp-content/uploads/2022/02/derry-walls-small-pic-293x230.png" alt=""></a>
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/tours/page/2/?city=dublin

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/tours/page/2/?city=dublin)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
```
.pagination > li:nth-child(1) > a
```

Element 1 HTML
```
<a href="https://yellowumbrellatours.ie/tours/page/1?city=dublin" class=""><i class="fas fa-chevron-left"></i>
</a>
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/see-do/page/2/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/see-do/page/2/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.custom-pagination > li:nth-child(1) > a`

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/see-do/page/1" class=""><i class="fas fa-chevron-left"></i></a>
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/tours/page/3/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/tours/page/3/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.pagination > li:nth-child(1) > a`

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/tours/page/2" class=""><i class="fas fa-chevron-left"></i></a>
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/tours/page/2/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/tours/page/2/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (2)

```
.pagination > li:nth-child(1) > a
.pagination > li:nth-child(5) > a
```

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/tours/page/1" class=""><i class="fas fa-chevron-left"></i></a>
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/eat-drink/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/eat-drink/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.custom-pagination > li:nth-child(4) > a`

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/eat-drink/page/2" class=""><i class="fas fa-chevron-right"></i></a>
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/accommodation/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/accommodation/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.custom-pagination > li:nth-child(4) > a`

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/accommodation/page/2" class=""><i class="fas fa-chevron-right"></i>
</a>
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/see-do/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/see-do/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.custom-pagination > li:nth-child(4) > a`

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/see-do/page/2" class=""><i class="fas fa-chevron-right"></i></a>
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/landing-page/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/landing-page/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (4)

```
.trip_ben_block:nth-child(1) > a[href="#"]
.trip_ben_block:nth-child(2) > a[href="#"]
.trip_ben_block:nth-child(3) > a[href="#"]
.trip_ben_block:nth-child(4) > a[href="#"]
```

Element 1 HTML

```
<a href="#">
                                                                                <img
src="https://yellowumbrellatours.ie/wp-content/uploads/2022/03/bnfit_img1.webp" alt="">
                                                                            </a>
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/explore-the-area/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/explore-the-area/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
```
.logo_img > a[href$="visitdublin.com/"][target="_blank"][rel="noopener noreferrer"]
```

Element 1 HTML
```
<a href="https://www.visitdublin.com/" target="_blank" rel="noopener noreferrer">
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-italian/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/tours-in-italian/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.tour_content > a`

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/tour/tour-enogastronomico/">
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-spanish/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/tours-in-spanish/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (4)

```
.tour_holder:nth-child(1) > .tour_content > a
.tour_holder:nth-child(2) > .tour_content > a
.tour_holder:nth-child(4) > .tour_content > a
.tour_holder:nth-child(5) > .tour_content > a
```

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/tour/visita-a-pie-por-la-catedral-de-san-patricio-y-la-biblioteca-de-marsh/">
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-french/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/tours-in-french/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.tour_content > a`

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/tour/visite-de-la-nourriture-et-des-boissons/">
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-german/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/tours-in-german/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.tour_content > a`

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/tour/speise-und-getranketour/"><img
src="https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Whiskey-German-Tour-1-293x230.jpg" alt=""></a>
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/about-us/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/about-us/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (4)

```
.trip_ben_block:nth-child(1) > a[href="javascript:void(0)"]
.trip_ben_block:nth-child(2) > a[href="javascript:void(0)"]
.trip_ben_block:nth-child(3) > a[href="javascript:void(0)"]
.trip_ben_block:nth-child(4) > a[href="javascript:void(0)"]
```

Element 1 HTML

```
<a href="javascript:void(0)">
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/tours/?city=dublin

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/tours/?city=dublin)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.pagination > li:nth-child(4) > a`

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/tours/page/2?city=dublin" class=""><i class="fas fa-chevron-right">
</i></a>
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/tours/

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/tours/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.pagination > li:nth-child(5) > a`

Element 1 HTML

```
<a href="https://yellowumbrellatours.ie/tours/page/2" class=""><i class="fas fa-chevron-right"></i></a>
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>

After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Accessibility · WCAG 2.4.4, 4.1.2

Links must have discernible text

What was detected: Ensure links have discernible text

Where: 98 page(s): https://yellowumbrellatours.ie/, https://yellowumbrellatours.ie/2021/12/, https://yellowumbrellatours.ie/about-us/, https://yellowumbrellatours.ie/accessibility-statement/, https://yellowumbrellatours.ie/accommodation/, …

Why it matters: Links without readable text (for example icon-only links) are announced as just "link", so screen reader users cannot tell where they go.

How serious: axe-core rated the impact "serious"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: A.

Evidence (https://yellowumbrellatours.ie/)

Rule
link-name — Links must have discernible text

WCAG success criteria
2.4.4, 4.1.2

Impact (axe-core)
serious

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Scope
Shared elements that appear on several pages (usually a header, footer, menu or template). Fixing each one once fixes every page listed.

Affected elements (20)

```
.social_tag > a[target="_blank"][rel="noopener noreferrer"]:nth-child(1)   — on 98 pages
a[target="_blank"][rel="noopener noreferrer"]:nth-child(2)   — on 98 pages
.rl_tour_block.d-flex:nth-child(1) > a   — on 14 pages
.rl_tour_block.d-flex:nth-child(2) > a   — on 14 pages
.rl_tour_block.d-flex:nth-child(3) > a   — on 14 pages
.disabled   — on 6 pages
.disabled   — on 6 pages
.rl_tour_block.d-flex:nth-child(1) > a   — on 4 pages
.rl_tour_block.d-flex:nth-child(2) > a   — on 4 pages
.rl_tour_block.d-flex:nth-child(3) > a   — on 4 pages
.rl_tour_block.d-flex:nth-child(3) > a   — on 3 pages
.rl_tour_block.d-flex:nth-child(2) > a   — on 3 pages
.tblock_ > .tour_pack_img   — on 2 pages
.tblock_yellow > .tour_pack_img   — on 2 pages
.tblock_blue > .tour_pack_img   — on 2 pages
.tblock_grey > .tour_pack_img   — on 2 pages
.tblock_green > .tour_pack_img   — on 2 pages
.tour_holder:nth-child(3) >
```

What to do:

1. Add visible text to the link, or an aria-label describing its destination.
2. For icon links, give the icon image alt text or add visually hidden text.

```
Before:
<a href="/cart"><svg …></svg></a>
```

```
After:
<a href="/cart" aria-label="View basket"><svg aria-hidden="true" …></svg></a>
```

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Medium Confirmed Performance

Slow Largest Contentful Paint (lab)

What was detected: In a Lighthouse lab run, the main content took longer than 2.5 s to appear.

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Visitors wait for the main content; slow loading increases the chance they leave.

How serious: Medium: this degrades the experience or discoverability for some visitors but the page still works.

Evidence (https://yellowumbrellatours.ie/, mobile)

Largest Contentful Paint (lab)
4.69 s — poor (good ≤ 2.5 s)

Measurement
Lighthouse 13.4.1 (mobile emulation, simulated slow 4G), single lab run

Not field data
Real-user Core Web Vitals (from Chrome UX Report) can differ. INP can only be measured from real visitors.

What to do:

1. Optimise the largest element (often a hero image): compress it and serve it at the right size.
2. Preload the hero image and reduce render-blocking CSS/JS.
3. Improve server response time with caching.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Lab data from one run, not real-user (field) data. Results vary between runs.

Medium Confirmed Performance

Slow Largest Contentful Paint (lab)

What was detected: In a Lighthouse lab run, the main content took longer than 2.5 s to appear.

Where: 1 page(s): https://yellowumbrellatours.ie/tours/

Why it matters: Visitors wait for the main content; slow loading increases the chance they leave.

How serious: Medium: this degrades the experience or discoverability for some visitors but the page still works.

Evidence (https://yellowumbrellatours.ie/tours/, mobile)

Largest Contentful Paint (lab)
4.06 s — poor (good ≤ 2.5 s)

Measurement
Lighthouse 13.4.1 (mobile emulation, simulated slow 4G), single lab run

Not field data
Real-user Core Web Vitals (from Chrome UX Report) can differ. INP can only be measured from real visitors.

What to do:

1. Optimise the largest element (often a hero image): compress it and serve it at the right size.
2. Preload the hero image and reduce render-blocking CSS/JS.
3. Improve server response time with caching.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Lab data from one run, not real-user (field) data. Results vary between runs.

Medium Confirmed Responsive layout · WCAG 1.4.10

Page scrolls sideways

What was detected: The page is wider than the screen at this viewport, so visitors can scroll horizontally.

Where: 1 page(s): https://yellowumbrellatours.ie/landing-page/

Why it matters: Sideways scrolling on phones makes content hard to read and often hides parts of the page off-screen.

How serious: Medium: this degrades the experience or discoverability for some visitors but the page still works.

Evidence (https://yellowumbrellatours.ie/landing-page/, desktop)

Viewport
desktop — 1366px wide

Page width
1483px (117px too wide)

Elements extending past the right edge
`pre#m_6357920670950501928gmail-tw-target-text > span  (right edge at 1483px, width 1420px)`

What to do:

1. Look at the elements listed in the evidence — they extend beyond the screen.
2. Common causes: fixed widths in px, large images without max-width, wide tables, or negative margins.
3. Apply max-width:100% to media and use flexible widths; wrap wide tables in a scrollable container.

```
img, video, iframe { max-width: 100%; height: auto; }
.table-wrap { overflow-x: auto; }
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Medium Confirmed Responsive layout · WCAG 1.4.10

Page scrolls sideways

What was detected: The page is wider than the screen at this viewport, so visitors can scroll horizontally.

Where: 1 page(s): https://yellowumbrellatours.ie/landing-page/

Why it matters: Sideways scrolling on phones makes content hard to read and often hides parts of the page off-screen.

How serious: Medium: this degrades the experience or discoverability for some visitors but the page still works.

Evidence (https://yellowumbrellatours.ie/landing-page/, mobile)

Viewport
mobile — 390px wide

Page width
1435px (1045px too wide)

Elements extending past the right edge
`pre#m_6357920670950501928gmail-tw-target-text > span  (right edge at 1435px, width 1420px)`

What to do:

1. Look at the elements listed in the evidence — they extend beyond the screen.
2. Common causes: fixed widths in px, large images without max-width, wide tables, or negative margins.
3. Apply max-width:100% to media and use flexible widths; wrap wide tables in a scrollable container.

```
img, video, iframe { max-width: 100%; height: auto; }
.table-wrap { overflow-x: auto; }
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Medium Confirmed Responsive layout · WCAG 1.4.10

Page scrolls sideways

What was detected: The page is wider than the screen at this viewport, so visitors can scroll horizontally.

Where: 1 page(s): https://yellowumbrellatours.ie/cookie-policy/

Why it matters: Sideways scrolling on phones makes content hard to read and often hides parts of the page off-screen.

How serious: Medium: this degrades the experience or discoverability for some visitors but the page still works.

Evidence (https://yellowumbrellatours.ie/cookie-policy/, mobile)

Viewport
mobile — 390px wide

Page width
1784px (1394px too wide)

Elements extending past the right edge

```
section.abt_the_tour.cms-page > div.container > div.entry-content > div.table-responsive:nth-of-type(1) >
table  (right edge at 1634px, width 1619px)
section.abt_the_tour.cms-page > div.container > div.entry-content > div.table-responsive:nth-of-type(2) >
table  (right edge at 1395px, width 1380px)
section.abt_the_tour.cms-page > div.container > div.entry-content > div.table-responsive:nth-of-type(3) >
table  (right edge at 1784px, width 1769px)
```

What to do:

1. Look at the elements listed in the evidence — they extend beyond the screen.
2. Common causes: fixed widths in px, large images without max-width, wide tables, or negative margins.
3. Apply max-width:100% to media and use flexible widths; wrap wide tables in a scrollable container.

```
img, video, iframe { max-width: 100%; height: auto; }
.table-wrap { overflow-x: auto; }
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Medium Confirmed Responsive layout · WCAG 1.4.10

Page scrolls sideways

What was detected: The page is wider than the screen at this viewport, so visitors can scroll horizontally.

Where: 1 page(s): https://yellowumbrellatours.ie/student-promo-get-15-off-for-who-have-a-student-id/

Why it matters: Sideways scrolling on phones makes content hard to read and often hides parts of the page off-screen.

How serious: Medium: this degrades the experience or discoverability for some visitors but the page still works.

Evidence (https://yellowumbrellatours.ie/student-promo-get-15-off-for-who-have-a-student-id/, mobile)

Viewport
mobile — 390px wide

Page width
615px (225px too wide)

Elements extending past the right edge
`div#post-360 > p:nth-of-type(6) > iframe.wp-embedded-content.entered  (right edge at 615px, width 600px)`

What to do:

1. Look at the elements listed in the evidence — they extend beyond the screen.
2. Common causes: fixed widths in px, large images without max-width, wide tables, or negative margins.
3. Apply max-width:100% to media and use flexible widths; wrap wide tables in a scrollable container.

```
img, video, iframe { max-width: 100%; height: auto; }
.table-wrap { overflow-x: auto; }
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 28 page(s): https://yellowumbrellatours.ie/accommodation/, https://yellowumbrellatours.ie/accommodation/page/2/, https://yellowumbrellatours.ie/contact-us/, https://yellowumbrellatours.ie/eat-drink/, https://yellowumbrellatours.ie/eat-drink/page/2/, ...

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/accommodation/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Scope
Shared elements that appear on several pages (usually a header, footer, menu or template). Fixing each one once fixes every page listed.

Affected elements (7)

```
.banner  — on 23 pages
.dublin_intro_outer  — on 6 pages
.item:nth-child(1)  — on 5 pages
.item:nth-child(4) > .blog_cont  — on 5 pages
.container > .pagination  — on 5 pages
.banner  — on 3 pages
.banner  — on 2 pages
```

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2021/12/about_banner-1.webp);">
```

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/macabre-dublin-tour/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/macabre-dublin-tour/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2023/05/river-liffey.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/the-story-of-dublin/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/the-story-of-dublin/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2024/01/Yellow-Umbrella-Tours-Dublin-Image-5-scaled.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/eat-drink/page/2/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/eat-drink/page/2/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (2)
```
img[alt="O'Neills Pub Pearse Street"]
img[alt="The Crafty Fox"]
```

Element 1 HTML
```
<img alt="O'Neills Pub Pearse Street" data-lazy-src="https://yellowumbrellatours.ie/wp-content/uploads/2022/03/o-neills-pub-pearse-street.jpg" class="entered exited" src="data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%200%200'%3E%3C/svg%3E">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/accommodation/page/2/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/accommodation/page/2/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (3)

```
img[alt="Academy Plaza Hotel"]
img[alt="Phoenix Park Hotel"]
img[alt="The Address Connolly"]
```

Element 1 HTML

```
<img alt="Academy Plaza Hotel" data-lazy-src="https://yellowumbrellatours.ie/wp-content/uploads/2022/03/academy-plaza-hotel.jpg" class="entered exited" src="data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%200%200'%3E%3C/svg%3E">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/see-do/page/2/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/see-do/page/2/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (3)

```
img[alt="Dublin Pedal Tours"]
img[alt="The Dropping Well"]
img[alt="Wild Wicklow Tours"]
```

Element 1 HTML

```
<img alt="Dublin Pedal Tours" data-lazy-src="https://yellowumbrellatours.ie/wp-
content/uploads/2022/03/dublin_pedal_tours.jpg" class="entered exited"
src="data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%200%200'%3E%3C/svg%3E">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/killiney-dalkey-sandycove-day-trip/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/killiney-dalkey-sandycove-day-trip/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2022/04/discover_dublin_banner.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/visita-a-pie-por-la-catedral-de-san-patricio-y-la-biblioteca-de-marsh/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/visita-a-pie-por-la-catedral-de-san-patricio-y-la-biblioteca-de-marsh/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2024/06/Yellow-Umbrella-Tours-Dublin-Image-10-scaled.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/beer-tour-2/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/beer-tour-2/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Cork-Beer-Tour-scaled.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/food-folklore-tour/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/food-folklore-tour/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2021/12/Restaurant.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/brewery-craft-beer-tour/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/brewery-craft-beer-tour/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2021/12/Samuel-Beckett-Bridge-scaled.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/visite-de-la-nourriture-et-des-boissons/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/visite-de-la-nourriture-et-des-boissons/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Georgian-Dublin-French-Tour-scaled.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/vegan-food-tour/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/vegan-food-tour/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2021/12/Vegan-Cafe-scaled.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/tour-enogastronomico/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/tour-enogastronomico/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Fish-and-Chips-Italian-Tour-scaled.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/tour-de-senderismo-de-howth/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/tour-de-senderismo-de-howth/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2021/12/Howth-Castle.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/speise-und-getranketour/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/speise-und-getranketour/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Georgian-Dublin-German-Tour-scaled.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/recorrido-de-comida-y-bebida/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/recorrido-de-comida-y-bebida/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2021/12/Georgian-Door-Spanish-Tour.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/hop-on-hop-off-bus-tour/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/hop-on-hop-off-bus-tour/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2022/06/Big_Bus_01.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/distillery-whiskey-tour/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/distillery-whiskey-tour/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2022/01/Whiskey-Distillery.png);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/food-tour/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/food-tour/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Galway-Food-Tour-scaled.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/beer-tour/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/beer-tour/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Galway-Pub-scaled.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/experiencia-gastropub/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/experiencia-gastropub/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2021/12/Irish-Dancing.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/political-tour-2/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/political-tour-2/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Derry-Political-Tour-scaled.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/food-tour-2/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/food-tour-2/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Cork-Food-Tour-scaled.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/eat-drink/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/eat-drink/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (3)

```
a[href$="cavistons.com/"][target="_blank"][rel="noopener noreferrer"] > .entered.exited
img[alt="Blue Bar"]
img[alt="Abbey Theatre"]
```

Element 1 HTML

```
<img alt="Cavistons Seafood Restaurant and Food Emporium" data-lazy-src="https://yellowumbrellatours.ie/wp-content/uploads/2022/03/cavistons-seafood-restaurant.jpg" class="entered exited" src="data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%200%200'%3E%3C/svg%3E">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/accommodation/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/accommodation/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.destination_outer`

Element 1 HTML
```
<section class="section destination_outer dstinatn_list_only">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/see-do/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/see-do/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (3)

```
img[alt="Curran Golf"]
img[alt="John's Tours of Ireland"]
img[alt="Irish Centre for Cycling"]
```

Element 1 HTML

```
<img alt="Curran Golf" data-lazy-src="https://yellowumbrellatours.ie/wp-
content/uploads/2022/03/curran_golf.jpg" class="entered exited"
src="data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%200%200'%3E%3C/svg%3E">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/landing-page/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/landing-page/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div data-bg="https://yellowumbrel..." class="banner inner_banner ..." style="background-image: ur..." data-ll-status="entered">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/thank-you/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/thank-you/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div data-bg="https://yellowumbrel..." data-rocket-location...="da8158f64e23400737e5..." class="banner inner_banner ..." style="background-image: ur..." data-ll-status="entered">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/tour/traditional-pub-tour/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/tour/traditional-pub-tour/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2024/06/Yellow-Umbrella-Tours-Dublin-Pub-Image-6-scaled.jpg);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/blog/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/blog/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2021/12/private-banner.webp);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner home_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2025/07/Yellow-Umbrella-Tours-Dublin-Image-10-scaled-minified.jpg);" fetchpriority="high">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

All page content should be contained by landmarks

What was detected: Ensure all page content is contained by landmarks

Where: 1 page(s): https://yellowumbrellatours.ie/about-us/

Why it matters: Content outside landmarks (header, nav, main, footer) is harder to reach with screen reader landmark navigation.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/about-us/)

Rule
region — All page content should be contained by landmarks

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected element (1)
`.banner`

Element 1 HTML

```
<div class="banner inner_banner blog_banner" style="background-image: url(https://yellowumbrellatours.ie/wp-content/uploads/2021/12/about_banner.webp);">
```

Element 1 — details
Fix any of the following:
Some page content is not contained by landmarks

What to do:

1. Wrap page content in semantic landmark elements: <header>, <nav>, <main>, <footer>.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed Accessibility

Document should have one main landmark

What was detected: Ensure the document has a main landmark

Where: 6 page(s): https://yellowumbrellatours.ie/accommodation/, https://yellowumbrellatours.ie/accommodation/page/2/, https://yellowumbrellatours.ie/eat-drink/, https://yellowumbrellatours.ie/eat-drink/page/2/, https://yellowumbrellatours.ie/see-do/, …

Why it matters: A <main> landmark lets keyboard and screen reader users jump straight to the content.

How serious: axe-core rated the impact "moderate"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/accommodation/)

Rule
landmark-one-main — Document should have one main landmark

Impact (axe-core)
moderate

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Scope
Shared element that appears on several pages (usually a header, footer, menu or template). Fixing it once fixes every page listed.

Affected element (1)
`html  — on 6 pages`

Element 1 HTML

```
<html lang="en-US" class="no-js">
```

What to do:

1. Wrap the main content of the page template in a single <main> element.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Low Confirmed HTML structure

Duplicate element IDs

What was detected: Several elements share the same id attribute.

Where: 1 page(s): https://yellowumbrellatours.ie/newsletter/

Why it matters: IDs must be unique. Duplicates can break labels, in-page links, scripts and ARIA references.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/newsletter/)

1 duplicated id value(s)

```
#tnp-1 × 2
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Search your templates for the IDs listed in the evidence and give each element a unique id.
2. If a widget is repeated, generate the IDs dynamically.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/pub/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/pub/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h5: "Traditional Pub Tour"  (div#post-645 > div.blog_cont:nth-of-type(2) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 96 page(s): https://yellowumbrellatours.ie/, https://yellowumbrellatours.ie/2021/12/, https://yellowumbrellatours.ie/about-us/, https://yellowumbrellatours.ie/accessibility-statement/, https://yellowumbrellatours.ie/accommodation/, …

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

Detection
Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source
Rendered DOM in Chrome after page load

Scope
Shared elements that appear on several pages (usually a header, footer, menu or template). Fixing each one once fixes every page listed.

Affected elements (27)

```
h2 → h4: "Subscribe to the Exclusive Updates!"  (div.footer_top:nth-of-type(1) > div.container > div.ftr_top_wrapper.d-flex > div.ftr_col_1.ftr_col:nth-of-type(1) > h4)  — on 44 pages
h2 → h5: "Let us know what the perfect tour is for you, and we'll make it happen."  (main#main > section.section.tour_form_outer:nth-of-type(6) > div.container > div.global_heading:nth-of-type(1) > h5)  — on 27 pages
h1 → h4: "Filter Tours By"  (div.container > div.alltour_inner:nth-of-type(2) > div.altour_wrapper.d-flex > div.tour_filter:nth-of-type(1) > h4)  — on 15 pages
h3 → h5: "Tour Details"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h5:nth-of-type(1))  — on 14 pages
h4 → h6: "Language Tours"  (div#tour_wrapper > div.filtr_block:nth-of-type(1) > h6)  — on 9 pages
h4 → h6: "Cities"  (div#tour_wrapper > div.filtr_block:nth-of-t
```

Found on 96 pages
https://yellowumbrellatours.ie/
https://yellowumbrellatours.ie/2021/12/
https://yellowumbrellatours.ie/about-us/
https://yellowumbrellatours.ie/accessibility-statement/
https://yellowumbrellatours.ie/accommodation/
https://yellowumbrellatours.ie/accommodation/page/2/
https://yellowumbrellatours.ie/blog/
https://yellowumbrellatours.ie/category/uncategorized/
https://yellowumbrellatours.ie/cities/belfast/
https://yellowumbrellatours.ie/cities/cork/
https://yellowumbrellatours.ie/cities/derry/
https://yellowumbrellatours.ie/cities/dublin/
https://yellowumbrellatours.ie/cities/dublin/page/2/
https://yellowumbrellatours.ie/cities/dublin/page/3/
https://yellowumbrellatours.ie/cities/dublin/page/5/
https://yellowumbrellatours.ie/cities/dublin/page/6/
https://yellowumbrellatours.ie/cities/galway/
https://yellowumbrellatours.ie/contact-us/
https://yellowumbrellatours.ie/cookie-policy/
https://yel

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/about-us/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/about-us/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected elements (6)

```
h1 → h3: "Yellow Umbrella Tours"  (div.container > div.column_row > div.col_half:nth-of-type(1) > div.abt_ytour > h3)
h2 → h5: "Positive Feedback"  (section.countr_section:nth-of-type(2) > div.container > div.counter_inner.d-flex > div.counter_box:nth-of-type(1) > h5)
h2 → h5: "Happy Customers"  (section.countr_section:nth-of-type(2) > div.container > div.counter_inner.d-flex > div.counter_box:nth-of-type(2) > h5)
h2 → h5: "Years of Experience"  (section.countr_section:nth-of-type(2) > div.container > div.counter_inner.d-flex > div.counter_box:nth-of-type(3) > h5)
h2 → h5: ""  (main#main > section.whytrip_outer:nth-of-type(3) > div.container > div.global_heading:nth-of-type(1) > h5)
h2 → h5: "Conor Moloney"  (div#team_slider > div.exprt_sl_item:nth-of-type(1) > div.exprt_info > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected elements (4)

```
h1 → h4: "We all bring our passion and love for our city to our tours. We want you to leave our beautiful city with the best possi…"  (div.site-inner:nth-of-type(1) > div.banner.home_banner:nth-of-type(1) > div.container > div.banner_cont > h4)
h3 → h6: "Explore Private Tour"  (section.section.have_qus_outer:nth-of-type(3) > div.container > div.have_qus_cont > div.global_heading > h6)
h2 → h5: "Testimonials"  (div.container > div.testimo_inner.d-flex > div.testimo_right:nth-of-type(2) > div.global_heading:nth-of-type(1) > h5)
h2 → h5: "Transport in Dublin"  (div.container > div.blog_list_wrapper.d-flex:nth-of-type(2) > div.blog_list_block:nth-of-type(1) > div.blog_cont:nth-of-type(2) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/contact-us/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/contact-us/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected elements (5)

```
h1 → h6: "Get In Touch"  (main#main > section.get-top:nth-of-type(1) > div.container > div.global_heading:nth-of-type(1) > h6)
h2 → h4: "Phone"  (section.get-top:nth-of-type(1) > div.container > div.get-in-touch.d-flex:nth-of-type(2) > div.get-in-touch-column:nth-of-type(1) > h4)
h4 → h6: "Round the clock support"  (section.get-top:nth-of-type(1) > div.container > div.get-in-touch.d-flex:nth-of-type(2) > div.get-in-touch-column:nth-of-type(1) > h6)
h4 → h6: "For any questions"  (section.get-top:nth-of-type(1) > div.container > div.get-in-touch.d-flex:nth-of-type(2) > div.get-in-touch-column:nth-of-type(2) > h6)
h4 → h6: "Drop a Line"  (div.content_info.d-flex > div.contact_left.bg-darkwhite:nth-of-type(1) > div.tour_frm_inner > div.global_heading:nth-of-type(1) > h6)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tours/?city=galway

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/?city=galway)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h2 → h5: "Galway Beer Tour"  (div.tour_block_wrapper.d-flex > div.tour_holder:nth-of-type(1) > div.tour_content > div.tour_botcont > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tours/?city=cork

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/?city=cork)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h2 → h5: "Cork Food Tour"  (div.tour_block_wrapper.d-flex > div.tour_holder:nth-of-type(1) > div.tour_content > div.tour_botcont > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tours/?city=belfast

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/?city=belfast)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h2 → h5: "Recorrido por los Murales"  (div.tour_block_wrapper.d-flex > div.tour_holder:nth-of-type(1) > div.tour_content > div.tour_botcont > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-spanish/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours-in-spanish/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h2 → h5: "Visita a pie por la catedral de San Patricio y la biblioteca de Marsh"  (div.tour_block_wrapper.d-flex > div.tour_holder:nth-of-type(1) > div.tour_content > div.tour_botcont > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-french/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours-in-french/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h2 → h5: "Visite de la Nourriture et des Boissons"  (div.tour_block_wrapper.d-flex > div.tour_holder > div.tour_content > div.tour_botcont > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-german/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours-in-german/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h2 → h5: "Speise und Getranketour"  (div.tour_block_wrapper.d-flex > div.tour_holder > div.tour_content > div.tour_botcont > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-italian/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours-in-italian/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h2 → h5: "Tour Enogastronomico"  (div.tour_block_wrapper.d-flex > div.tour_holder > div.tour_content > div.tour_botcont > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/macabre-dublin-tour/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/macabre-dublin-tour/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Macabre Dublin Tour"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/traditional-pub-tour/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/traditional-pub-tour/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Traditional Pub Tour"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/the-story-of-dublin/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/the-story-of-dublin/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "The Story of Dublin"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/stop-waiting-for-the-perfect-time-to-travel/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/stop-waiting-for-the-perfect-time-to-travel/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h3 → h5: "Free Museums in Dublin."  (div.may_like:nth-of-type(3) > div.prefred_aricl_wrpr.d-flex > div.blog_list_block:nth-of-type(1) > div.blog_cont:nth-of-type(2) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/take-only-memories-leave-only-footprints/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/take-only-memories-leave-only-footprints/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h2 → h5: "Pubs in Dublin."  (nav.navigation.post-navigation > div.nav-links > div.nav-previous:nth-of-type(1) > a > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/explore-the-area/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/explore-the-area/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected elements (4)

```
h1 → h3: "Discover Dublin"  (div.container > div.column_row > div.col_half:nth-of-type(1) > div.abt_cont > h3)
h4 → h6: "See & Do"  (section.section.destination_outer:nth-of-type(2) > div.tours_list_main >
div.tourlist_single:nth-of-type(1) > div.pop_tour_cont > h6)
h3 → h6: "Accommodation"  (section.section.destination_outer:nth-of-type(2) > div.tours_list_main >
div.tourlist_single:nth-of-type(2) > div.pop_tour_cont > h6)
h3 → h6: "Eat & Drink"  (section.section.destination_outer:nth-of-type(2) > div.tours_list_main >
div.tourlist_single:nth-of-type(3) > div.pop_tour_cont > h6)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/thank-you/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/thank-you/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h2 → h6: "Thanks for subscribing to our newsletter. You should receive a confirmation email soon"  (main#main
> section.all_tour_outer.thankyou-section:nth-of-type(1) > div.container > div.thankyou-content > h6)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/landing-page/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/landing-page/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h2 → h5: "Lorem Ipsum is simply dummy text of the printing and typesetting industry."  (main#main > section.whytrip_outer.notop_padding:nth-of-type(2) > div.container > div.global_heading:nth-of-type(1) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/belfast-political-tour/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/belfast-political-tour/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Belfast Political Tour"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/food-tour-2/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/food-tour-2/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Cork Food Tour"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/political-tour-2/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/political-tour-2/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Derry Political Tour"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/experiencia-gastropub/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/experiencia-gastropub/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Experiencia Gastropub"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/beer-tour/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/beer-tour/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Galway Beer Tour"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/food-tour/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/food-tour/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Galway Food Tour"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/distillery-whiskey-tour/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/distillery-whiskey-tour/)

Detection
Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source
Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Distillery & Whiskey Tour"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/hop-on-hop-off-bus-tour/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/hop-on-hop-off-bus-tour/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected elements (2)

```
h1 → h3: "Hop On, Hop Off Bus Tour"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
h3 → h5: "Related Tours"  (div#tr_sidebar_sticky > div.tour_book > div.relatd_tour:nth-of-type(1) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/recorrido-de-comida-y-bebida/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/recorrido-de-comida-y-bebida/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Recorrido de Comida y Bebida"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/recorrido-por-los-murales/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/recorrido-por-los-murales/)

Detection
Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source
Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Recorrido por los Murales"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/speise-und-getranketour/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/speise-und-getranketour/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected elements (2)

```
h1 → h3: "Speise und Getranketour"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
h3 → h5: "Tourdetails"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h5:nth-of-type(1))
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/tour-de-senderismo-de-howth/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/tour-de-senderismo-de-howth/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Tour de Senderismo de Howth"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/tour-enogastronomico/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/tour-enogastronomico/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected elements (2)

```
h1 → h3: "Tour Enogastronomico"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
h3 → h5: "Dettagli del Tour"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h5:nth-of-type(1))
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/vegan-food-tour/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/vegan-food-tour/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Vegan Food Tour"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/visite-de-la-nourriture-et-des-boissons/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/visite-de-la-nourriture-et-des-boissons/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected elements (2)

```
h1 → h3: "Visite de la Nourriture et des Boissons"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
h3 → h5: "Details de la Visite"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h5:nth-of-type(1))
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/brewery-craft-beer-tour/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/brewery-craft-beer-tour/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Brewery & Craft Beer Tour"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/food-folklore-tour/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/food-folklore-tour/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Food & Folklore Tour"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/beer-tour-2/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/beer-tour-2/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Cork Beer Tour"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/visita-a-pie-por-la-catedral-de-san-patricio-y-la-biblioteca-de-marsh/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/visita-a-pie-por-la-catedral-de-san-patricio-y-la-biblioteca-de-marsh/)

Detection
Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source
Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Visita a pie por la catedral de San Patricio y la biblioteca de Marsh"
(section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour/killiney-dalkey-sandycove-day-trip/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/killiney-dalkey-sandycove-day-trip/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h3: "Killiney, Dalkey & Sandycove Day Trip"  (section.section.tour_details_outer:nth-of-type(1) > div.container > div.tdtls_wrp > div.td_left:nth-of-type(1) > h3)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/language/spanish/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/spanish/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h5: "Visita a pie por la catedral de San Patricio y la biblioteca de Marsh"  (div#post-1201 > div.blog_cont:nth-of-type(2) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/cities/belfast/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/belfast/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h5: "Recorrido por los Murales"  (div#post-618 > div.blog_cont:nth-of-type(2) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/cities/galway/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/galway/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h5: "Galway Beer Tour"  (div#post-621 > div.blog_cont:nth-of-type(2) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/city/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/city/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h5: "The Story of Dublin"  (div#post-1161 > div.blog_cont:nth-of-type(2) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/music/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/music/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h5: "Experiencia Gastropub"  (div#post-459 > div.blog_cont:nth-of-type(2) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tours/page/2/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/page/2/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h2 → h5: "Galway Food Tour"  (div.tour_block_wrapper.d-flex > div.tour_holder:nth-of-type(1) > div.tour_content > div.tour_botcont > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tours/page/3/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/page/3/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h2 → h5: "Experiencia Gastropub"  (div.tour_block_wrapper.d-flex > div.tour_holder:nth-of-type(1) > div.tour_content > div.tour_botcont > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tours/page/2/?city=dublin

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/page/2/?city=dublin)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h2 → h5: "Distillery & Whiskey Tour"  (div.tour_block_wrapper.d-flex > div.tour_holder:nth-of-type(1) > div.tour_content > div.tour_botcont > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/language/english/page/5/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/english/page/5/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h5: "Brewery & Craft Beer Tour"  (div#post-461 > div.blog_cont:nth-of-type(2) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/language/spanish/page/2/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/spanish/page/2/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h5: "Tour de Senderismo de Howth"  (div#post-455 > div.blog_cont:nth-of-type(2) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/cities/dublin/page/2/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/dublin/page/2/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h5: "Macabre Dublin Tour"  (div#post-1130 > div.blog_cont:nth-of-type(2) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/cities/dublin/page/6/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/dublin/page/6/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h5: "Vegan Food Tour"  (div#post-411 > div.blog_cont:nth-of-type(2) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/history-culture/page/2/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/history-culture/page/2/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h5: "Galway Food Tour"  (div#post-620 > div.blog_cont:nth-of-type(2) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/pub/page/4/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/pub/page/4/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h5: "Recorrido de Comida y Bebida"  (div#post-453 > div.blog_cont:nth-of-type(2) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/language/english/page/3/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/english/page/3/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h5: "Cork Beer Tour"  (div#post-622 > div.blog_cont:nth-of-type(2) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed HTML structure

Heading levels are skipped

What was detected: The heading outline jumps more than one level (for example from <h2> to <h4>).

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/pub/page/3/

Why it matters: Screen reader users navigate by headings; skipped levels make the structure harder to understand.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/pub/page/3/)

Detection

Heading levels read from the rendered page in document order; a jump of more than one level (for example h2 → h4) is reported.

Source

Rendered DOM in Chrome after page load

Affected element (1)

```
h1 → h5: "Distillery & Whiskey Tour"  (div#post-597 > div.blog_cont:nth-of-type(2) > h5)
```

What to do:

1. Change the heading levels listed in the evidence so each step down is one level (h2 → h3 → h4).
2. Use CSS to change heading size instead of choosing a level for its look.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Images

Images are much larger than displayed

What was detected: Images are delivered at far higher resolution than the size they are displayed at.

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Oversized images waste data and slow the page, especially on mobile connections.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/, desktop)

Viewport
desktop (1× pixel density)

Affected element (1)
`https://yellowumbrellatours.ie/wp-content/uploads/2025/07/Free_Tour_South_Sam_February_2023_03-scaled-e1688133187686-minified.jpg`

Element 1 — details
1707×2560 delivered, shown at 656×984

What to do:

1. Resize the images listed to about twice their displayed width.
2. Use responsive images (srcset) so browsers pick an appropriate size; WordPress does this automatically for media-library images.
3. Compress images (WebP or AVIF where supported).

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Images

Images are much larger than displayed

What was detected: Images are delivered at far higher resolution than the size they are displayed at.

Where: 2 page(s): https://yellowumbrellatours.ie/, https://yellowumbrellatours.ie/blog/

Why it matters: Oversized images waste data and slow the page, especially on mobile connections.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/, desktop)

Viewport
desktop (1× pixel density)

Scope
Shared elements that appear on several pages (usually a header, footer, menu or template). Fixing each one once fixes every page listed.

Affected elements (3)
`https://yellowumbrellatours.ie/wp-content/uploads/2021/12/transport-dublin.jpg` — on 2 pages
`https://yellowumbrellatours.ie/wp-content/uploads/2021/12/dublin-m.jpg` — on 2 pages
`https://yellowumbrellatours.ie/wp-content/uploads/2021/12/dublin-pubs.jpg` — on 2 pages

Element 1 — details
820×455 delivered, shown at 387×215

Element 2 — details
820×455 delivered, shown at 387×215

Element 3 — details
820×455 delivered, shown at 387×215

What to do:

1. Resize the images listed to about twice their displayed width.
2. Use responsive images (srcset) so browsers pick an appropriate size; WordPress does this automatically for media-library images.
3. Compress images (WebP or AVIF where supported).

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Images

Images are much larger than displayed

What was detected: Images are delivered at far higher resolution than the size they are displayed at.

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Oversized images waste data and slow the page, especially on mobile connections.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/, mobile)

Viewport
mobile (2× pixel density)

Affected element (1)
`https://yellowumbrellatours.ie/wp-content/uploads/2025/07/Free_Tour_South_Sam_February_2023_03-scaled-e1688133187686-minified.jpg`

Element 1 — details
1707×2560 delivered, shown at 360×540

What to do:

1. Resize the images listed to about twice their displayed width.
2. Use responsive images (srcset) so browsers pick an appropriate size; WordPress does this automatically for media-library images.
3. Compress images (WebP or AVIF where supported).

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Images

Images without width and height attributes

What was detected: Images are missing width/height attributes, so the browser cannot reserve space before they load.

Where: 1 page(s): https://yellowumbrellatours.ie/about-us/

Why it matters: Content jumps around as images load (layout shift), which is annoying and counts against Core Web Vitals.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/about-us/)

Detection

Visible <img> without both width and height attributes, and not sized by CSS (aspect-ratio or fixed dimensions).

Affected elements (5)

```
https://yellowumbrellatours.ie/wp-content/uploads/2023/05/trinity-college-img.jpg
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/bnfit_img1.webp
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/bnfit_img2.webp
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/bnfit_img3.webp
https://yellowumbrellatours.ie/wp-content/uploads/2023/05/tickets-booking.jpg
```

Element 1 — details

Element: div.column_row > div.col_half:nth-of-type(2) > div.abt_ytr_img > picture > img

Element 2 — details

Element: div.container > div.trip_benfits.d-flex:nth-of-type(2) > div.trip_ben_block:nth-of-type(1) > a > img.entered.lazyloaded

Element 3 — details

Element: div.container > div.trip_benfits.d-flex:nth-of-type(2) > div.trip_ben_block:nth-of-type(2) > a > img.entered.lazyloaded

What to do:

1. Add width and height attributes matching each image's intrinsic size (CSS can still make it responsive).

```
Before:
<img src="team.jpg" alt="Our team">

After:
<img src="team.jpg" alt="Our team" width="1200" height="800">
<!-- CSS: img { max-width: 100%; height: auto; } -->
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Images

Images without width and height attributes

What was detected: Images are missing width/height attributes, so the browser cannot reserve space before they load.

Where: 1 page(s): https://yellowumbrellatours.ie/explore-the-area/

Why it matters: Content jumps around as images load (layout shift), which is annoying and counts against Core Web Vitals.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/explore-the-area/)

Detection
Visible <img> without both width and height attributes, and not sized by CSS (aspect-ratio or fixed dimensions).

Affected elements (4)
`https://yellowumbrellatours.ie/wp-content/uploads/2022/04/intro_pic.jpg`
`https://yellowumbrellatours.ie/wp-content/uploads/2022/04/see_do_main_pic1-1.jpg`
`https://yellowumbrellatours.ie/wp-content/uploads/2022/04/accommodation_main_pic1-1.jpg`
`https://yellowumbrellatours.ie/wp-content/uploads/2022/04/eat_drink_main_pic1-1.jpg`

Element 1 — details
Element: div.container > div.column_row > div.col_half:nth-of-type(2) > div.abt_ytr_img > img

Element 2 — details
Element: section.section.destination_outer:nth-of-type(2) > div.tours_list_main > div.tourlist_single:nth-of-type(1) > picture.poulr_tr_img > img

Element 3 — details
Element: section.section.destination_outer:nth-of-type(2) > div.tours_list_main > div.tourlist_single:nth-of-type(2) > picture.poulr_tr_img > img

What to do:

1. Add width and height attributes matching each image's intrinsic size (CSS can still make it responsive).

```
Before:
<img src="team.jpg" alt="Our team">

After:
<img src="team.jpg" alt="Our team" width="1200" height="800">
<!-- CSS: img { max-width: 100%; height: auto; } -->
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Images

Images without width and height attributes

What was detected: Images are missing width/height attributes, so the browser cannot reserve space before they load.

Where: 98 page(s): https://yellowumbrellatours.ie/, https://yellowumbrellatours.ie/2021/12/, https://yellowumbrellatours.ie/about-us/, https://yellowumbrellatours.ie/accessibility-statement/, https://yellowumbrellatours.ie/accommodation/, ...

Why it matters: Content jumps around as images load (layout shift), which is annoying and counts against Core Web Vitals.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

Detection
Visible <img> without both width and height attributes, and not sized by CSS (aspect-ratio or fixed dimensions).

Scope
Shared elements that appear on several pages (usually a header, footer, menu or template). Fixing each one once fixes every page listed.

Affected elements (39)

```
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/logo.webp   — on 98 pages
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/Steak-293x230.jpg   — on 16 pages
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/Vegan-Food-293x230.jpg   — on 15 pages
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/Beer-Tasting-293x230.jpg   — on 15 pages
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/flag_img1.webp   — on 13 pages
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/flag_img2.webp   — on 9 pages
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/ftr_logo1.webp   — on 9 pages
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/ftr_logo2.webp   — on 9 pages
https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Belfast-Political-Tour-1-293x230.png   — on 7 pages
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/Seafood
```

Element 1 — details
Element: div.container:nth-of-type(2) > div.header_inner.d-flex > div.logo:nth-of-type(1) > a > img

Element 2 — details
Element: div.relatd_tour:nth-of-type(1) > div.rltd_tour_wrpr > div.rl_tour_block.d-flex:nth-of-type(2) > a > img

Element 3 — details
Element: div.relatd_tour:nth-of-type(1) > div.rltd_tour_wrpr > div.rl_tour_block.d-flex:nth-of-type(1) > a > img

What to do:

1. Add width and height attributes matching each image's intrinsic size (CSS can still make it responsive).

```
Before:
<img src="team.jpg" alt="Our team">

After:
<img src="team.jpg" alt="Our team" width="1200" height="800">
<!-- CSS: img { max-width: 100%; height: auto; } -->
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Images

Images without width and height attributes

What was detected: Images are missing width/height attributes, so the browser cannot reserve space before they load.

Where: 1 page(s): https://yellowumbrellatours.ie/eat-drink/page/2/

Why it matters: Content jumps around as images load (layout shift), which is annoying and counts against Core Web Vitals.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/eat-drink/page/2/)

Detection
Visible <img> without both width and height attributes, and not sized by CSS (aspect-ratio or fixed dimensions).

Affected elements (3)
`https://yellowumbrellatours.ie/wp-content/uploads/2022/03/rasam-restaurant.jpg`
`https://yellowumbrellatours.ie/wp-content/uploads/2022/03/marco-pierre-white-steakhouse-grill.jpg`
`https://yellowumbrellatours.ie/wp-content/uploads/2022/03/ely-winebar.jpg`

Element 1 — details
Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(1) > div.destinatn_img:nth-of-type(1) > a > img

Element 2 — details
Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(2) > div.destinatn_img:nth-of-type(1) > a > img

Element 3 — details
Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(3) > div.destinatn_img:nth-of-type(1) > a > img

What to do:

1. Add width and height attributes matching each image's intrinsic size (CSS can still make it responsive).

```
Before:
<img src="team.jpg" alt="Our team">

After:
<img src="team.jpg" alt="Our team" width="1200" height="800">
<!-- CSS: img { max-width: 100%; height: auto; } -->
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Images

Images without width and height attributes

What was detected: Images are missing width/height attributes, so the browser cannot reserve space before they load.

Where: 1 page(s): https://yellowumbrellatours.ie/accommodation/page/2/

Why it matters: Content jumps around as images load (layout shift), which is annoying and counts against Core Web Vitals.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/accommodation/page/2/)

Detection
Visible <img> without both width and height attributes, and not sized by CSS (aspect-ratio or fixed dimensions).

Affected elements (3)
`https://yellowumbrellatours.ie/wp-content/uploads/2022/03/dublin-citi-hotel.jpg`
`https://yellowumbrellatours.ie/wp-content/uploads/2022/03/the-spencer-hotel.jpg`
`https://yellowumbrellatours.ie/wp-content/uploads/2022/03/gate-hotel.jpg`

Element 1 — details
Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(1) > div.destinatn_img:nth-of-type(1) > a > img

Element 2 — details
Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(2) > div.destinatn_img:nth-of-type(1) > a > img

Element 3 — details
Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(3) > div.destinatn_img:nth-of-type(1) > a > img

What to do:

1. Add width and height attributes matching each image's intrinsic size (CSS can still make it responsive).

```
Before:
<img src="team.jpg" alt="Our team">

After:
<img src="team.jpg" alt="Our team" width="1200" height="800">
<!-- CSS: img { max-width: 100%; height: auto; } -->
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Images

Images without width and height attributes

What was detected: Images are missing width/height attributes, so the browser cannot reserve space before they load.

Where: 1 page(s): https://yellowumbrellatours.ie/see-do/page/2/

Why it matters: Content jumps around as images load (layout shift), which is annoying and counts against Core Web Vitals.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/see-do/page/2/)

Detection

Visible <img> without both width and height attributes, and not sized by CSS (aspect-ratio or fixed dimensions).

Affected elements (3)

```
https://yellowumbrellatours.ie/wp-content/uploads/2022/03/personal_tour_ireland.jpg
https://yellowumbrellatours.ie/wp-content/uploads/2022/03/glendalough_tour_finn_mccools.jpg
https://yellowumbrellatours.ie/wp-content/uploads/2022/03/dubliniamo_tour_italiano.jpg
```

Element 1 — details

Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(1) > div.destinatn_img:nth-of-type(1) > a > img

Element 2 — details

Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(2) > div.destinatn_img:nth-of-type(1) > a > img

Element 3 — details

Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(3) > div.destinatn_img:nth-of-type(1) > a > img

What to do:

1. Add width and height attributes matching each image's intrinsic size (CSS can still make it responsive).

```
Before:
<img src="team.jpg" alt="Our team">

After:
<img src="team.jpg" alt="Our team" width="1200" height="800">
<!-- CSS: img { max-width: 100%; height: auto; } -->
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Images

Images without width and height attributes

What was detected: Images are missing width/height attributes, so the browser cannot reserve space before they load.

Where: 1 page(s): https://yellowumbrellatours.ie/eat-drink/

Why it matters: Content jumps around as images load (layout shift), which is annoying and counts against Core Web Vitals.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/eat-drink/)

Detection
Visible <img> without both width and height attributes, and not sized by CSS (aspect-ratio or fixed dimensions).

Affected elements (3)
`https://yellowumbrellatours.ie/wp-content/uploads/2022/03/gilbert-wright-living-room.jpg`
`https://yellowumbrellatours.ie/wp-content/uploads/2022/03/aquazone-national-aquatic-centre.jpg`
`https://yellowumbrellatours.ie/wp-content/uploads/2022/03/marley-park-farmers-market.jpg`

Element 1 — details
Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(1) > div.destinatn_img:nth-of-type(1) > a > img

Element 2 — details
Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(2) > div.destinatn_img:nth-of-type(1) > a > img

Element 3 — details
Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(3) > div.destinatn_img:nth-of-type(1) > a > img

What to do:

1. Add width and height attributes matching each image's intrinsic size (CSS can still make it responsive).

```
Before:
<img src="team.jpg" alt="Our team">

After:
<img src="team.jpg" alt="Our team" width="1200" height="800">
<!-- CSS: img { max-width: 100%; height: auto; } -->
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Images

Images without width and height attributes

What was detected: Images are missing width/height attributes, so the browser cannot reserve space before they load.

Where: 1 page(s): https://yellowumbrellatours.ie/accommodation/

Why it matters: Content jumps around as images load (layout shift), which is annoying and counts against Core Web Vitals.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/accommodation/)

Detection

Visible <img> without both width and height attributes, and not sized by CSS (aspect-ratio or fixed dimensions).

Affected elements (6)

```
https://yellowumbrellatours.ie/wp-content/uploads/2022/03/drury-court-hotel.jpg
https://yellowumbrellatours.ie/wp-content/uploads/2022/03/glashaus-hotel.jpg
https://yellowumbrellatours.ie/wp-content/uploads/2022/03/hyatt-centric-hotel-dublin.jpg
https://yellowumbrellatours.ie/wp-content/uploads/2022/03/dun-laoghaire-marina.jpg
https://yellowumbrellatours.ie/wp-content/uploads/2022/03/highfield-house-dublin.jpg
https://yellowumbrellatours.ie/wp-content/uploads/2022/03/staycity-aparthotels-dublin.jpg
```

Element 1 — details

Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(1) > div.destinatn_img:nth-of-type(1) > a > img

Element 2 — details

Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(2) > div.destinatn_img:nth-of-type(1) > a > img

Element 3 — details

Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(3) > div.destinatn_img:nth-of-type(1) > a > img

What to do:

1. Add width and height attributes matching each image's intrinsic size (CSS can still make it responsive).

```
Before:
<img src="team.jpg" alt="Our team">

After:
<img src="team.jpg" alt="Our team" width="1200" height="800">
<!-- CSS: img { max-width: 100%; height: auto; } -->
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Images

Images without width and height attributes

What was detected: Images are missing width/height attributes, so the browser cannot reserve space before they load.

Where: 1 page(s): https://yellowumbrellatours.ie/see-do/

Why it matters: Content jumps around as images load (layout shift), which is annoying and counts against Core Web Vitals.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/see-do/)

Detection
Visible <img> without both width and height attributes, and not sized by CSS (aspect-ratio or fixed dimensions).

Affected elements (3)
`https://yellowumbrellatours.ie/wp-content/uploads/2022/03/giant-causeway-tour-pic.jpg`
`https://yellowumbrellatours.ie/wp-content/uploads/2022/03/island_ferries_pic.jpg`
`https://yellowumbrellatours.ie/wp-content/uploads/2022/03/the-wicklow-tour-hilltoptreks.jpg`

Element 1 — details
Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(1) > div.destinatn_img:nth-of-type(1) > a > img

Element 2 — details
Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(2) > div.destinatn_img:nth-of-type(1) > a > img

Element 3 — details
Element: div.destination_row.d-flex:nth-of-type(1) > div.item:nth-of-type(3) > div.destinatn_img:nth-of-type(1) > a > img

What to do:

1. Add width and height attributes matching each image's intrinsic size (CSS can still make it responsive).

```
Before:
<img src="team.jpg" alt="Our team">

After:
<img src="team.jpg" alt="Our team" width="1200" height="800">
<!-- CSS: img { max-width: 100%; height: auto; } -->
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Images

Images without width and height attributes

What was detected: Images are missing width/height attributes, so the browser cannot reserve space before they load.

Where: 1 page(s): https://yellowumbrellatours.ie/landing-page/

Why it matters: Content jumps around as images load (layout shift), which is annoying and counts against Core Web Vitals.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/landing-page/)

Detection

Visible <img> without both width and height attributes, and not sized by CSS (aspect-ratio or fixed dimensions).

Affected elements (7)

```
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/atour_img.webp
https://yellowumbrellatours.ie/wp-content/uploads/2022/03/bnfit_img1.webp
https://yellowumbrellatours.ie/wp-content/uploads/2022/03/bnfit_img2.webp
https://yellowumbrellatours.ie/wp-content/uploads/2022/03/bnfit_img3.webp
https://yellowumbrellatours.ie/wp-content/uploads/2022/03/bnfit_img4.webp
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/pop_tour_1.webp
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/pop_tour_2.webp
```

Element 1 — details

Element: div.column_row > div.col_half:nth-of-type(2) > div.abt_ytr_img > picture > img.entered.lazyloaded

Element 2 — details

Element: div.container > div.trip_benfits.d-flex:nth-of-type(2) > div.trip_ben_block:nth-of-type(1) > a > img

Element 3 — details

Element: div.container > div.trip_benfits.d-flex:nth-of-type(2) > div.trip_ben_block:nth-of-type(2) > a > img

What to do:

1. Add width and height attributes matching each image's intrinsic size (CSS can still make it responsive).

```
Before:
<img src="team.jpg" alt="Our team">

After:
<img src="team.jpg" alt="Our team" width="1200" height="800">
<!-- CSS: img { max-width: 100%; height: auto; } -->
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Images

Images without width and height attributes

What was detected: Images are missing width/height attributes, so the browser cannot reserve space before they load.

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Content jumps around as images load (layout shift), which is annoying and counts against Core Web Vitals.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

Detection

Visible <img> without both width and height attributes, and not sized by CSS (aspect-ratio or fixed dimensions).

Affected elements (9)

```
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/abt_img1.webp
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/abt_img2.webp
https://yellowumbrellatours.ie/wp-content/uploads/2023/05/warsaw.jpg
https://yellowumbrellatours.ie/wp-content/uploads/2025/07/Free_Tour_South_Sam_February_2023_03-scaled-e1688133187686-minified.jpg
https://yellowumbrellatours.ie/wp-content/uploads/2025/07/Yellow-Umbrella-Tours-Dublin-Pub-Image-6-scaled-1-minified.jpg
https://yellowumbrellatours.ie/wp-content/uploads/2025/07/Yellow-Umbrella-Tours-Dublin-Image-2-scaled-frame-minified.jpg
https://yellowumbrellatours.ie/wp-content/uploads/2021/12/testimo_img.webp
https://yellowumbrellatours.ie/wp-content/uploads/2024/04/free_walktour_poster.jpg
https://yellowumbrellatours.ie/wp-content/uploads/2024/04/ftc_logo_black_yellow.png
```

Element 1 — details

Element: div.col_half:nth-of-type(2) > div.abt_img > div.abt_img_main:nth-of-type(1) > picture > img

Element 2 — details

Element: div.col_half:nth-of-type(2) > div.abt_img > div.abt_img_top.abt_border_img:nth-of-type(2) > picture > img

Element 3 — details

Element: div.col_half:nth-of-type(2) > div.abt_img > div.abt_img_bot.abt_border_img:nth-of-type(3) > picture > img

What to do:

1. Add width and height attributes matching each image's intrinsic size (CSS can still make it responsive).

```
Before:
<img src="team.jpg" alt="Our team">

After:
<img src="team.jpg" alt="Our team" width="1200" height="800">
<!-- CSS: img { max-width: 100%; height: auto; } -->
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Images

Large image files

What was detected: Images larger than 300 KB were downloaded.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/speise-und-getranketour/

Why it matters: Large images slow page loading, particularly on mobile networks.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/speise-und-getranketour/)

Detection
Transfer size of each image measured by the browser (Resource Timing); files over 300 KB are listed.

Affected element (1)
```
442 KB  https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Georgian-Dublin-German-Tour-scaled.jpg
```

What to do:

1. Compress the listed images and serve modern formats (WebP/AVIF).
2. Lazy-load images below the fold with loading="lazy".

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Cross-origin images without a Timing-Allow-Origin header cannot be measured and are not reported.

Low Confirmed Images

Large image files

What was detected: Images larger than 300 KB were downloaded.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/beer-tour/

Why it matters: Large images slow page loading, particularly on mobile networks.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/beer-tour/)

Detection
Transfer size of each image measured by the browser (Resource Timing); files over 300 KB are listed.

Affected element (1)
```
347 KB  https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Galway-Pub-scaled.jpg
```

What to do:

1. Compress the listed images and serve modern formats (WebP/AVIF).
2. Lazy-load images below the fold with loading="lazy".

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Cross-origin images without a Timing-Allow-Origin header cannot be measured and are not reported.

Low Confirmed Images

Large image files

What was detected: Images larger than 300 KB were downloaded.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/experiencia-gastropub/

Why it matters: Large images slow page loading, particularly on mobile networks.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/experiencia-gastropub/)

Detection

Transfer size of each image measured by the browser (Resource Timing); files over 300 KB are listed.

Affected element (1)

```
467 KB  https://yellowumbrellatours.ie/wp-content/uploads/2021/12/Irish-Dancing.jpg
```

What to do:

1. Compress the listed images and serve modern formats (WebP/AVIF).
2. Lazy-load images below the fold with loading="lazy".

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Cross-origin images without a Timing-Allow-Origin header cannot be measured and are not reported.

Low Confirmed Images

Large image files

What was detected: Images larger than 300 KB were downloaded.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/political-tour-2/

Why it matters: Large images slow page loading, particularly on mobile networks.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/political-tour-2/)

Detection

Transfer size of each image measured by the browser (Resource Timing); files over 300 KB are listed.

Affected element (1)

```
523 KB  https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Derry-Political-Tour-scaled.jpg
```

What to do:

1. Compress the listed images and serve modern formats (WebP/AVIF).
2. Lazy-load images below the fold with loading="lazy".

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Cross-origin images without a Timing-Allow-Origin header cannot be measured and are not reported.

Low Confirmed Images

Large image files

What was detected: Images larger than 300 KB were downloaded.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/food-tour-2/

Why it matters: Large images slow page loading, particularly on mobile networks.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/food-tour-2/)

Detection

Transfer size of each image measured by the browser (Resource Timing); files over 300 KB are listed.

Affected element (1)

```
340 KB  https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Cork-Food-Tour-scaled.jpg
```

What to do:

1. Compress the listed images and serve modern formats (WebP/AVIF).
2. Lazy-load images below the fold with loading="lazy".

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Cross-origin images without a Timing-Allow-Origin header cannot be measured and are not reported.

Low Confirmed Images

Large image files

What was detected: Images larger than 300 KB were downloaded.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/the-story-of-dublin/

Why it matters: Large images slow page loading, particularly on mobile networks.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/the-story-of-dublin/)

Detection

Transfer size of each image measured by the browser (Resource Timing); files over 300 KB are listed.

Affected element (1)

```
864 KB  https://yellowumbrellatours.ie/wp-content/uploads/2024/01/Yellow-Umbrella-Tours-Dublin-Image-5-scaled.jpg
```

What to do:

1. Compress the listed images and serve modern formats (WebP/AVIF).
2. Lazy-load images below the fold with loading="lazy".

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Cross-origin images without a Timing-Allow-Origin header cannot be measured and are not reported.

Low Confirmed Images

Large image files

What was detected: Images larger than 300 KB were downloaded.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/traditional-pub-tour/

Why it matters: Large images slow page loading, particularly on mobile networks.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/traditional-pub-tour/)

Detection

Transfer size of each image measured by the browser (Resource Timing); files over 300 KB are listed.

Affected element (1)

```
460 KB  https://yellowumbrellatours.ie/wp-content/uploads/2024/06/Yellow-Umbrella-Tours-Dublin-Pub-Image-6-scaled.jpg
```

What to do:

1. Compress the listed images and serve modern formats (WebP/AVIF).
2. Lazy-load images below the fold with loading="lazy".

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Cross-origin images without a Timing-Allow-Origin header cannot be measured and are not reported.

Low Confirmed Images

Large image files

What was detected: Images larger than 300 KB were downloaded.

Where: 14 page(s): https://yellowumbrellatours.ie/, https://yellowumbrellatours.ie/cities/derry/, https://yellowumbrellatours.ie/cities/dublin/, https://yellowumbrellatours.ie/cities/dublin/page/3/, https://yellowumbrellatours.ie/language/english/, …

Why it matters: Large images slow page loading, particularly on mobile networks.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

Detection

Transfer size of each image measured by the browser (Resource Timing); files over 300 KB are listed.

Scope

Shared elements that appear on several pages (usually a header, footer, menu or template). Fixing each one once fixes every page listed.

Affected elements (4)

```
356 KB  https://yellowumbrellatours.ie/wp-content/uploads/2024/04/free_walktour_poster.jpg   — on 5 pages
327 KB  https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Grafton-Street.png   — on 5 pages
330 KB  https://yellowumbrellatours.ie/wp-content/uploads/2022/02/derry-walls-small-pic.png   — on 3 pages
305 KB  https://yellowumbrellatours.ie/wp-content/uploads/2023/05/river-liffey.jpg   — on 2 pages
```

Found on 14 pages

https://yellowumbrellatours.ie/
https://yellowumbrellatours.ie/cities/derry/
https://yellowumbrellatours.ie/cities/dublin/
https://yellowumbrellatours.ie/cities/dublin/page/3/
https://yellowumbrellatours.ie/language/english/
https://yellowumbrellatours.ie/language/english/page/4/
https://yellowumbrellatours.ie/language/italian/
https://yellowumbrellatours.ie/tour-type/hiking/
https://yellowumbrellatours.ie/tour-type/history-culture/
https://yellowumbrellatours.ie/tour-type/history-culture/page/2/
https://yellowumbrellatours.ie/tour-type/history-culture/page/3/
https://yellowumbrellatours.ie/tour-type/pub/page/2/
https://yellowumbrellatours.ie/tour-type/walking/page/2/
https://yellowumbrellatours.ie/tour/macabre-dublin-tour/

What to do:

1. Compress the listed images and serve modern formats (WebP/AVIF).
2. Lazy-load images below the fold with loading="lazy".

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Cross-origin images without a Timing-Allow-Origin header cannot be measured and are not reported.

Low Confirmed Images

Large image files

What was detected: Images larger than 300 KB were downloaded.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/brewery-craft-beer-tour/

Why it matters: Large images slow page loading, particularly on mobile networks.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/brewery-craft-beer-tour/)

Detection

Transfer size of each image measured by the browser (Resource Timing); files over 300 KB are listed.

Affected element (1)

```
610 KB  https://yellowumbrellatours.ie/wp-content/uploads/2021/12/Samuel-Beckett-Bridge-scaled.jpg
```

What to do:

1. Compress the listed images and serve modern formats (WebP/AVIF).
2. Lazy-load images below the fold with loading="lazy".

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Cross-origin images without a Timing-Allow-Origin header cannot be measured and are not reported.

Low Confirmed Images

Large image files

What was detected: Images larger than 300 KB were downloaded.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/tour-de-senderismo-de-howth/

Why it matters: Large images slow page loading, particularly on mobile networks.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/tour-de-senderismo-de-howth/)

Detection

Transfer size of each image measured by the browser (Resource Timing); files over 300 KB are listed.

Affected element (1)

```
325 KB  https://yellowumbrellatours.ie/wp-content/uploads/2021/12/Howth-Castle.jpg
```

What to do:

1. Compress the listed images and serve modern formats (WebP/AVIF).
2. Lazy-load images below the fold with loading="lazy".

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Cross-origin images without a Timing-Allow-Origin header cannot be measured and are not reported.

Low Confirmed Images

Large image files

What was detected: Images larger than 300 KB were downloaded.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/recorrido-de-comida-y-bebida/

Why it matters: Large images slow page loading, particularly on mobile networks.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/recorrido-de-comida-y-bebida/)

Detection
Transfer size of each image measured by the browser (Resource Timing); files over 300 KB are listed.

Affected element (1)

```
503 KB  https://yellowumbrellatours.ie/wp-content/uploads/2021/12/Georgian-Door-Spanish-Tour.jpg
```

What to do:

1. Compress the listed images and serve modern formats (WebP/AVIF).
2. Lazy-load images below the fold with loading="lazy".

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Cross-origin images without a Timing-Allow-Origin header cannot be measured and are not reported.

Low Confirmed Images

Large image files

What was detected: Images larger than 300 KB were downloaded.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/visita-a-pie-por-la-catedral-de-san-patricio-y-la-biblioteca-de-marsh/

Why it matters: Large images slow page loading, particularly on mobile networks.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/visita-a-pie-por-la-catedral-de-san-patricio-y-la-biblioteca-de-marsh/)

Detection
Transfer size of each image measured by the browser (Resource Timing); files over 300 KB are listed.

Affected element (1)

```
355 KB  https://yellowumbrellatours.ie/wp-content/uploads/2024/06/Yellow-Umbrella-Tours-Dublin-Image-10-scaled.jpg
```

What to do:

1. Compress the listed images and serve modern formats (WebP/AVIF).
2. Lazy-load images below the fold with loading="lazy".

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Cross-origin images without a Timing-Allow-Origin header cannot be measured and are not reported.

Low Confirmed Images

Large image files

What was detected: Images larger than 300 KB were downloaded.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/beer-tour-2/

Why it matters: Large images slow page loading, particularly on mobile networks.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/beer-tour-2/)

Detection

Transfer size of each image measured by the browser (Resource Timing); files over 300 KB are listed.

Affected element (1)

```
337 KB  https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Cork-Beer-Tour-scaled.jpg
```

What to do:

1. Compress the listed images and serve modern formats (WebP/AVIF).
2. Lazy-load images below the fold with loading="lazy".

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Cross-origin images without a Timing-Allow-Origin header cannot be measured and are not reported.

Low Confirmed Images

Large image files

What was detected: Images larger than 300 KB were downloaded.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/visite-de-la-nourriture-et-des-boissons/

Why it matters: Large images slow page loading, particularly on mobile networks.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/visite-de-la-nourriture-et-des-boissons/)

Detection

Transfer size of each image measured by the browser (Resource Timing); files over 300 KB are listed.

Affected element (1)

```
510 KB  https://yellowumbrellatours.ie/wp-content/uploads/2022/02/Georgian-Dublin-French-Tour-scaled.jpg
```

What to do:

1. Compress the listed images and serve modern formats (WebP/AVIF).
2. Lazy-load images below the fold with loading="lazy".

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Cross-origin images without a Timing-Allow-Origin header cannot be measured and are not reported.

Low Confirmed Images

Large image files

What was detected: Images larger than 300 KB were downloaded.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/vegan-food-tour/

Why it matters: Large images slow page loading, particularly on mobile networks.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/vegan-food-tour/)

Detection
Transfer size of each image measured by the browser (Resource Timing); files over 300 KB are listed.

Affected element (1)

```
775 KB  https://yellowumbrellatours.ie/wp-content/uploads/2021/12/Vegan-Cafe-scaled.jpg
```

What to do:

1. Compress the listed images and serve modern formats (WebP/AVIF).
2. Lazy-load images below the fold with loading="lazy".

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Cross-origin images without a Timing-Allow-Origin header cannot be measured and are not reported.

Low Reopened · Reopened Performance

Performance improvement opportunities

What was detected: Lighthouse identified changes with an estimated saving of at least 300 ms.

Where: 1 page(s): https://yellowumbrellatours.ie/tours/

Why it matters: Each opportunity removes work the browser does before the page is usable.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/, mobile)

3 opportunities
Render-blocking requests — est. 450 ms (Est savings of 470 ms)
Reduce unused CSS — est. 300 ms (Est savings of 24 KiB)
Improve image delivery — est. 300 ms (Est savings of 49 KiB)

Measurement
Lighthouse 13.4.1 (mobile emulation, simulated slow 4G), single lab run

Not field data
Real-user Core Web Vitals (from Chrome UX Report) can differ. INP can only be measured from real visitors.

What to do:

1. Work through the listed opportunities, starting with the largest estimated saving.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Savings are Lighthouse estimates from a single lab run.

Low Reopened Performance

Performance improvement opportunities

What was detected: Lighthouse identified changes with an estimated saving of at least 300 ms.

Where: 1 page(s): https://yellowumbrellatours.ie/about-us/

Why it matters: Each opportunity removes work the browser does before the page is usable.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/about-us/, mobile)

1 opportunity
Render-blocking requests — est. 350 ms (Est savings of 360 ms)

Measurement
Lighthouse 13.4.1 (mobile emulation, simulated slow 4G), single lab run

Not field data
Real-user Core Web Vitals (from Chrome UX Report) can differ. INP can only be measured from real visitors.

What to do:

1. Work through the listed opportunities, starting with the largest estimated saving.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Savings are Lighthouse estimates from a single lab run.

Low Confirmed Security & configuration

Cookie set without the Secure flag

What was detected: A cookie was set over HTTPS without the Secure attribute.

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Cookies without Secure can be sent over unencrypted connections if a visitor ever reaches an http:// URL.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

Cookie names (values are not stored)
`PHPSESSID`

What to do:

1. Add the Secure attribute to the cookies listed in the evidence (in your application, plugin or server configuration).

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Security & configuration

HSTS header not set

What was detected: The HTTPS response does not include a Strict-Transport-Security header.

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: HSTS tells browsers to always use HTTPS for your site, preventing downgrade attacks on later visits.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

URL
https://yellowumbrellatours.ie/

Response headers checked
`strict-transport-security: (not set)`

What to do:

1. Once every page works over HTTPS, add the header at your server or CDN. Start with a short max-age and increase it.

```
Strict-Transport-Security: max-age=31536000; includeSubDomains
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Security & configuration

No Content Security Policy

What was detected: The response has no Content-Security-Policy header.

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: A CSP limits which scripts can run, reducing the damage from cross-site scripting.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

URL
https://yellowumbrellatours.ie/

Response headers checked
`content-security-policy: (not set)`
`content-security-policy-report-only: (not set)`

What to do:

1. Start with a report-only policy to see what your site loads, then tighten it.

```
Content-Security-Policy-Report-Only: default-src 'self'; img-src 'self' https: data:; script-src 'self'
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Security & configuration

No protection against being framed (clickjacking)

What was detected: Neither X-Frame-Options nor a CSP frame-ancestors directive is set.

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Other sites could embed your pages in a hidden frame and trick visitors into clicking buttons.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

URL
https://yellowumbrellatours.ie/

Response headers checked
```
x-frame-options: (not set)
content-security-policy: (not set)
```

What to do:

1. Add one of the headers below, unless your pages are meant to be embedded elsewhere.

```
X-Frame-Options: SAMEORIGIN
# or
Content-Security-Policy: frame-ancestors 'self'
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed Security & configuration

X-Content-Type-Options header not set

What was detected: The response does not include "X-Content-Type-Options: nosniff".

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Without it, browsers may guess file types, which attackers can abuse to run uploaded files as scripts.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

URL
https://yellowumbrellatours.ie/

Response headers checked
```
x-content-type-options: (not set)
```

What to do:

1. Add the header at your web server or CDN.

```
X-Content-Type-Options: nosniff
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/explore-the-area/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/explore-the-area/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/pub/page/3/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/pub/page/3/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/history-culture/page/3/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/history-culture/page/3/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/cities/dublin/page/5/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/dublin/page/5/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/cities/dublin/page/3/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/dublin/page/3/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/language/english/page/4/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/english/page/4/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/language/english/page/3/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/english/page/3/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/walking/page/3/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/walking/page/3/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/walking/page/2/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/walking/page/2/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/pub/page/4/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/pub/page/4/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/pub/page/2/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/pub/page/2/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/history-culture/page/4/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/history-culture/page/4/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/history-culture/page/2/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/history-culture/page/2/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/food/page/3/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/food/page/3/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/food/page/2/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/food/page/2/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/cities/dublin/page/6/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/dublin/page/6/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/cities/dublin/page/2/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/dublin/page/2/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/language/spanish/page/2/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/spanish/page/2/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/language/english/page/5/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/english/page/5/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/language/english/page/2/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/english/page/2/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/2021/12/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/2021/12/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/walking/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/walking/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/pub/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/pub/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/music/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/music/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/bus/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/bus/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/history-culture/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/history-culture/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/hiking/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/hiking/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/food/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/food/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/city/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/city/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/cities/galway/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/galway/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/cities/dublin/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/dublin/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/cities/derry/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/derry/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/cities/cork/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/cork/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/cities/belfast/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/belfast/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/language/spanish/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/spanish/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/language/italian/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/italian/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/language/german/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/german/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/language/french/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/french/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/language/english/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/english/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/category/uncategorized/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/category/uncategorized/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/visita-a-pie-por-la-catedral-de-san-patricio-y-la-biblioteca-de-marsh/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/visita-a-pie-por-la-catedral-de-san-patricio-y-la-biblioteca-de-marsh/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/hop-on-hop-off-bus-tour/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/hop-on-hop-off-bus-tour/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/cookie-policy/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cookie-policy/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/landing-page/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/landing-page/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/thank-you/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/thank-you/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

Meta description is missing

What was detected: The page has no <meta name="description"> or it is empty.

Where: 1 page(s): https://yellowumbrellatours.ie/newsletter/

Why it matters: The description is often used as the summary under your link in search results, which affects whether people click.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/newsletter/)

<meta name="description">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Write a unique 1–2 sentence summary (about 70–160 characters) for the page.
2. In WordPress, add it with your SEO plugin's description field.

```
<meta name="description" content="Book a free consultation with our Dublin web design team.">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines may write their own snippet even when a description exists.

Low Confirmed SEO

No canonical URL declared

What was detected: The page has no <link rel="canonical">.

Where: 1 page(s): https://yellowumbrellatours.ie/2021/12/

Why it matters: A canonical URL tells search engines which address is the main one when the same content is reachable at several URLs (for example with tracking parameters).

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/2021/12/)

<link rel="canonical">
not present

Source
Rendered DOM in Chrome after page load

What to do:

1. Add a canonical link pointing to the page's preferred address. Most SEO plugins do this automatically.

```
<link rel="canonical" href="https://www.example.com/services/">
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/accommodation/page/2/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/accommodation/page/2/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-english/page/2/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours-in-english/page/2/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/see-do/page/2/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/see-do/page/2/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/2021/12/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/2021/12/)

Directive

```
<meta name="robots" content="noindex, follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/tours/page/3/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/page/3/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/tours/page/2/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/page/2/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/history-culture/page/2/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/history-culture/page/2/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/tours/page/2/?city=dublin

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/page/2/?city=dublin)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/pub/page/3/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/pub/page/3/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/history-culture/page/3/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/history-culture/page/3/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/cities/dublin/page/5/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/dublin/page/5/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/cities/dublin/page/3/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/dublin/page/3/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/language/english/page/4/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/english/page/4/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/language/english/page/3/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/english/page/3/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/walking/page/3/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/walking/page/3/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/walking/page/2/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/walking/page/2/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/pub/page/4/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/pub/page/4/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/pub/page/2/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/pub/page/2/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/history-culture/page/4/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/history-culture/page/4/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/eat-drink/page/2/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/eat-drink/page/2/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/food/page/3/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/food/page/3/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/tour-type/food/page/2/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour-type/food/page/2/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/cities/dublin/page/6/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/dublin/page/6/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/cities/dublin/page/2/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/cities/dublin/page/2/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/language/spanish/page/2/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/spanish/page/2/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/language/english/page/5/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/english/page/5/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Needs Manual Review SEO

Page is set to noindex

What was detected: This page has a "noindex" robots directive.

Where: 1 page(s): https://yellowumbrellatours.ie/language/english/page/2/

Why it matters: The page will not appear in search results. That is correct for thank-you pages or private areas, but a mistake for normal content.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/language/english/page/2/)

Directive

```
<meta name="robots" content="max-image-preview:large, noindex,follow">
```

Source

Rendered DOM in Chrome after page load

What to do:

1. Confirm whether this page should be searchable.
2. If yes, remove the noindex setting in your SEO plugin or page template.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed SEO

Page title is very short or very long

What was detected: The title is under 10 or over 65 characters.

Where: 1 page(s): https://yellowumbrellatours.ie/tour/visita-a-pie-por-la-catedral-de-san-patricio-y-la-biblioteca-de-marsh/

Why it matters: Very short titles are not descriptive; very long ones are cut off in search results.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tour/visita-a-pie-por-la-catedral-de-san-patricio-y-la-biblioteca-de-marsh/)

Title

Visita a pie por la catedral de San Patricio y la biblioteca de Marsh - Yellow Umbrella Tours

Length

93 characters

Source

Rendered DOM in Chrome after page load

What to do:

1. Rewrite the title to describe the page in about 30–60 characters, with the most important words first.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Search engines truncate by pixel width, not characters; this is a guideline, not a ranking rule.

Low Confirmed SEO

Several pages share the same meta description

What was detected: Two or more scanned pages use exactly the same meta description.

Where: 9 page(s): https://yellowumbrellatours.ie/tours/, https://yellowumbrellatours.ie/tours/?city=belfast, https://yellowumbrellatours.ie/tours/?city=cork, https://yellowumbrellatours.ie/tours/?city=derry, https://yellowumbrellatours.ie/tours/?city=dublin, …

Why it matters: Duplicate descriptions make different pages look identical in search results.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/)

Shared description
List of all tours we offer at Yellow Umbrella.

Pages using it (9)
https://yellowumbrellatours.ie/tours/
https://yellowumbrellatours.ie/tours/?city=dublin
https://yellowumbrellatours.ie/tours/?city=galway
https://yellowumbrellatours.ie/tours/?city=cork
https://yellowumbrellatours.ie/tours/?city=derry
https://yellowumbrellatours.ie/tours/?city=belfast
https://yellowumbrellatours.ie/tours/page/2/
https://yellowumbrellatours.ie/tours/page/3/
https://yellowumbrellatours.ie/tours/page/2/?city=dublin

What to do:

1. Write a description specific to each page listed in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed SEO

Several pages share the same meta description

What was detected: Two or more scanned pages use exactly the same meta description.

Where: 2 page(s): https://yellowumbrellatours.ie/tours-in-english/, https://yellowumbrellatours.ie/tours-in-english/page/2/

Why it matters: Duplicate descriptions make different pages look identical in search results.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours-in-english/)

Shared description
Ireland Tours in English by Yellow Umbrella Tours

Pages using it (2)
https://yellowumbrellatours.ie/tours-in-english/
https://yellowumbrellatours.ie/tours-in-english/page/2/

What to do:

1. Write a description specific to each page listed in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed SEO

Several pages share the same meta description

What was detected: Two or more scanned pages use exactly the same meta description.

Where: 2 page(s): https://yellowumbrellatours.ie/see-do/, https://yellowumbrellatours.ie/see-do/page/2/

Why it matters: Duplicate descriptions make different pages look identical in search results.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/see-do/)

Shared description
Things to do in Dublin

Pages using it (2)
https://yellowumbrellatours.ie/see-do/
https://yellowumbrellatours.ie/see-do/page/2/

What to do:

1. Write a description specific to each page listed in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed SEO

Several pages share the same meta description

What was detected: Two or more scanned pages use exactly the same meta description.

Where: 2 page(s): https://yellowumbrellatours.ie/accommodation/, https://yellowumbrellatours.ie/accommodation/page/2/

Why it matters: Duplicate descriptions make different pages look identical in search results.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/accommodation/)

Shared description
Find the best places to stay in Dublin.

Pages using it (2)
https://yellowumbrellatours.ie/accommodation/
https://yellowumbrellatours.ie/accommodation/page/2/

What to do:

1. Write a description specific to each page listed in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed SEO

Several pages share the same meta description

What was detected: Two or more scanned pages use exactly the same meta description.

Where: 2 page(s): https://yellowumbrellatours.ie/eat-drink/, https://yellowumbrellatours.ie/eat-drink/page/2/

Why it matters: Duplicate descriptions make different pages look identical in search results.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/eat-drink/)

Shared description
You will not run out of choices for where to eat in Dublin.

Pages using it (2)
https://yellowumbrellatours.ie/eat-drink/
https://yellowumbrellatours.ie/eat-drink/page/2/

What to do:

1. Write a description specific to each page listed in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Low Confirmed SEO

Several pages share the same title

What was detected: Two or more scanned pages have exactly the same title.

Where: 2 page(s): https://yellowumbrellatours.ie/accommodation/, https://yellowumbrellatours.ie/accommodation/page/2/

Why it matters: Identical titles make it hard for visitors and search engines to tell pages apart.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/accommodation/)

Shared title
Accommodation - Yellow Umbrella Tours

Pages using it (2)
https://yellowumbrellatours.ie/accommodation/
https://yellowumbrellatours.ie/accommodation/page/2/

What to do:

1. Give each page listed in the evidence a title that describes its own content.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Only pages included in this scan are compared.

Low Confirmed SEO

Several pages share the same title

What was detected: Two or more scanned pages have exactly the same title.

Where: 9 page(s): https://yellowumbrellatours.ie/tours/, https://yellowumbrellatours.ie/tours/?city=belfast, https://yellowumbrellatours.ie/tours/?city=cork, https://yellowumbrellatours.ie/tours/?city=derry, https://yellowumbrellatours.ie/tours/?city=dublin, …

Why it matters: Identical titles make it hard for visitors and search engines to tell pages apart.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/)

Shared title
Tours - Yellow Umbrella Tours

Pages using it (9)
https://yellowumbrellatours.ie/tours/
https://yellowumbrellatours.ie/tours/?city=dublin
https://yellowumbrellatours.ie/tours/?city=galway
https://yellowumbrellatours.ie/tours/?city=cork
https://yellowumbrellatours.ie/tours/?city=derry
https://yellowumbrellatours.ie/tours/?city=belfast
https://yellowumbrellatours.ie/tours/page/2/
https://yellowumbrellatours.ie/tours/page/3/
https://yellowumbrellatours.ie/tours/page/2/?city=dublin

What to do:

1. Give each page listed in the evidence a title that describes its own content.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Only pages included in this scan are compared.

Low Confirmed SEO

Several pages share the same title

What was detected: Two or more scanned pages have exactly the same title.

Where: 2 page(s): https://yellowumbrellatours.ie/eat-drink/, https://yellowumbrellatours.ie/eat-drink/page/2/

Why it matters: Identical titles make it hard for visitors and search engines to tell pages apart.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/eat-drink/)

Shared title
Eat & Drink - Yellow Umbrella Tours

Pages using it (2)
https://yellowumbrellatours.ie/eat-drink/
https://yellowumbrellatours.ie/eat-drink/page/2/

What to do:

1. Give each page listed in the evidence a title that describes its own content.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Only pages included in this scan are compared.

Low Confirmed SEO

Several pages share the same title

What was detected: Two or more scanned pages have exactly the same title.

Where: 2 page(s): https://yellowumbrellatours.ie/tours-in-english/, https://yellowumbrellatours.ie/tours-in-english/page/2/

Why it matters: Identical titles make it hard for visitors and search engines to tell pages apart.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours-in-english/)

Shared title
Tours in English - Yellow Umbrella Tours

Pages using it (2)
https://yellowumbrellatours.ie/tours-in-english/
https://yellowumbrellatours.ie/tours-in-english/page/2/

What to do:

1. Give each page listed in the evidence a title that describes its own content.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Only pages included in this scan are compared.

Low Confirmed SEO

Several pages share the same title

What was detected: Two or more scanned pages have exactly the same title.

Where: 2 page(s): https://yellowumbrellatours.ie/see-do/, https://yellowumbrellatours.ie/see-do/page/2/

Why it matters: Identical titles make it hard for visitors and search engines to tell pages apart.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/see-do/)

Shared title
See & Do - Yellow Umbrella Tours

Pages using it (2)
https://yellowumbrellatours.ie/see-do/
https://yellowumbrellatours.ie/see-do/page/2/

What to do:

1. Give each page listed in the evidence a title that describes its own content.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Limitations: Only pages included in this scan are compared.

Informational Confirmed Accessibility

Headings should not be empty

What was detected: Ensure headings have discernible text

Where: 1 page(s): https://yellowumbrellatours.ie/about-us/

Why it matters: Ensure headings have discernible text. This affects people using assistive technology such as screen readers, keyboard navigation or magnification.

How serious: axe-core rated the impact "minor"; WebAudit AI maps critical→High, serious→Medium, moderate→Low, minor→Informational. WCAG level: Best practice.

Evidence (https://yellowumbrellatours.ie/about-us/)

Rule
empty-heading — Headings should not be empty

Impact (axe-core)
minor

Verification
axe-core evaluated the rendered element and it failed this rule. Automated results cover only part of WCAG; they do not by themselves establish conformance.

Affected elements (2)
```
.whytrip_outer > .container > .global_heading > h2
.whytrip_outer > .container > .global_heading > h5
```

Element 1 HTML
```
<h2></h2>
```

Element 1 — details
Fix any of the following:
- Element does not have text that is visible to screen readers
- aria-label attribute does not exist or is empty
- aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty
- Element has no title attribute

What to do:

1. Read the rule guidance: Headings should not be empty.
2. Use the selectors in the evidence to locate each affected element in your browser's developer tools (F12 → Elements, then Ctrl+F and paste the selector).
3. Apply the fix described in the failure summary for each element, then run a verification scan.

How to verify: Run a verification scan from this page; axe-core re-runs on the same page and viewport. Also test the fix manually with a keyboard (Tab/Shift+Tab/Enter) and, if possible, a screen reader.

Limitations: Automated rules detect only some WCAG failures, and correct-looking markup can still be inaccessible in practice.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 1 page(s): https://yellowumbrellatours.ie/tours/?city=dublin

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/?city=dublin)

Link target
https://yellowumbrellatours.ie/tours/page/2?city=dublin

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours/page/2/?city=dublin

Redirects
```
301 https://yellowumbrellatours.ie/tours/page/2?city=dublin
→ https://yellowumbrellatours.ie/tours/page/2/?city=dublin
```

Linked from 1 page(s)
https://yellowumbrellatours.ie/tours/?city=dublin (link text: "2")

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

Link target
https://yellowumbrellatours.ie/tours?city=cork

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours/?city=cork

Redirects
```
301 https://yellowumbrellatours.ie/tours?city=cork
→ https://yellowumbrellatours.ie/tours/?city=cork
```

Linked from 1 page(s)
https://yellowumbrellatours.ie/ (link text: "Cork")

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 2 page(s): https://yellowumbrellatours.ie/tours/page/2/, https://yellowumbrellatours.ie/tours/page/3/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/page/2/)

Link target
https://yellowumbrellatours.ie/tours/page/1

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours/

Redirects
```
301 https://yellowumbrellatours.ie/tours/page/1
→ https://yellowumbrellatours.ie/tours/
```

Linked from 2 page(s)
https://yellowumbrellatours.ie/tours/page/2/
https://yellowumbrellatours.ie/tours/page/3/ (link text: "1")

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

Link target
https://yellowumbrellatours.ie/tours?city=derry

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours/?city=derry

Redirects
```
301 https://yellowumbrellatours.ie/tours?city=derry
→ https://yellowumbrellatours.ie/tours/?city=derry
```

Linked from 1 page(s)
https://yellowumbrellatours.ie/ (link text: "Derry")

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-english/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours-in-english/)

Link target
https://yellowumbrellatours.ie/tours-in-english/page/2

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours-in-english/page/2/

Redirects
```
301 https://yellowumbrellatours.ie/tours-in-english/page/2
→ https://yellowumbrellatours.ie/tours-in-english/page/2/
```

Linked from 1 page(s)
https://yellowumbrellatours.ie/tours-in-english/ (link text: "2")

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 1 page(s): https://yellowumbrellatours.ie/see-do/page/2/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/see-do/page/2/)

Link target
https://yellowumbrellatours.ie/see-do/page/1

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/see-do/

Redirects
```
301 https://yellowumbrellatours.ie/see-do/page/1
→ https://yellowumbrellatours.ie/see-do/
```

Linked from 1 page(s)
https://yellowumbrellatours.ie/see-do/page/2/

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 1 page(s): https://yellowumbrellatours.ie/tours/page/2/?city=dublin

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/page/2/?city=dublin)

Link target
https://yellowumbrellatours.ie/tours/page/1?city=dublin

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours/?city=dublin

Redirects
```
301 https://yellowumbrellatours.ie/tours/page/1?city=dublin
→ https://yellowumbrellatours.ie/tours/?city=dublin
```

Linked from 1 page(s)
https://yellowumbrellatours.ie/tours/page/2/?city=dublin

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

Link target
https://yellowumbrellatours.ie/tours?city=belfast

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours/?city=belfast

Redirects
```
301 https://yellowumbrellatours.ie/tours?city=belfast
→ https://yellowumbrellatours.ie/tours/?city=belfast
```

Linked from 1 page(s)
https://yellowumbrellatours.ie/ (link text: "Belfast")

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 1 page(s): https://yellowumbrellatours.ie/tours-in-english/page/2/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours-in-english/page/2/)

Link target
https://yellowumbrellatours.ie/tours-in-english/page/1

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours-in-english/

Redirects
```
301 https://yellowumbrellatours.ie/tours-in-english/page/1
→ https://yellowumbrellatours.ie/tours-in-english/
```

Linked from 1 page(s)
https://yellowumbrellatours.ie/tours-in-english/page/2/

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 1 page(s): https://yellowumbrellatours.ie/accommodation/page/2/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/accommodation/page/2/)

Link target
https://yellowumbrellatours.ie/accommodation/page/1

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/accommodation/

Redirects
```
301 https://yellowumbrellatours.ie/accommodation/page/1
→ https://yellowumbrellatours.ie/accommodation/
```

Linked from 1 page(s)
https://yellowumbrellatours.ie/accommodation/page/2/

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 1 page(s): https://yellowumbrellatours.ie/eat-drink/page/2/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/eat-drink/page/2/)

Link target
https://yellowumbrellatours.ie/eat-drink/page/1

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/eat-drink/

Redirects
```
301 https://yellowumbrellatours.ie/eat-drink/page/1
→ https://yellowumbrellatours.ie/eat-drink/
```

Linked from 1 page(s)
https://yellowumbrellatours.ie/eat-drink/page/2/

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 98 page(s): https://yellowumbrellatours.ie/, https://yellowumbrellatours.ie/2021/12/, https://yellowumbrellatours.ie/about-us/, https://yellowumbrellatours.ie/accessibility-statement/, https://yellowumbrellatours.ie/accommodation/, …

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

Link target
https://yellowumbrellatours.ie/tours

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours/

Redirects
```
301 https://yellowumbrellatours.ie/tours
→ https://yellowumbrellatours.ie/tours/
```

Linked from 98 page(s)
https://yellowumbrellatours.ie/about-us/ (link text: "Book Now")
https://yellowumbrellatours.ie/tours/ (link text: "Book Now")
https://yellowumbrellatours.ie/ (link text: "Book Now")
https://yellowumbrellatours.ie/contact-us/ (link text: "Book Now")
https://yellowumbrellatours.ie/blog/ (link text: "Book Now")
https://yellowumbrellatours.ie/tours/?city=dublin (link text: "Book Now")
https://yellowumbrellatours.ie/tours/?city=galway (link text: "Book Now")
https://yellowumbrellatours.ie/tours/?city=cork (link text: "Book Now")
https://yellowumbrellatours.ie/tours/?city=derry (link text: "Book Now")
https://yellowumbrellatours.ie/tours-in-english/ (link text: "Book Now")
https://yellowumbrellatours.ie/tours/?city=belfast (link text: "Book Now")
https://yellowumbrellatours.ie/tours-in-spanish/ (link text: "Book Now")
https://yellowumbrellatours.ie/tours-in-french/ (

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 1 page(s): https://yellowumbrellatours.ie/eat-drink/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/eat-drink/)

Link target
https://yellowumbrellatours.ie/eat-drink/page/2

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/eat-drink/page/2/

Redirects
```
301 https://yellowumbrellatours.ie/eat-drink/page/2
→ https://yellowumbrellatours.ie/eat-drink/page/2/
```

Linked from 1 page(s)
https://yellowumbrellatours.ie/eat-drink/ (link text: "2")

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 3 page(s): https://yellowumbrellatours.ie/tours-in-italian/, https://yellowumbrellatours.ie/tours/?city=dublin, https://yellowumbrellatours.ie/tours/page/2/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours-in-italian/)

Link target
https://yellowumbrellatours.ie/tours-in-italian

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours-in-italian/

Redirects
```
301 https://yellowumbrellatours.ie/tours-in-italian
→ https://yellowumbrellatours.ie/tours-in-italian/
```

Linked from 3 page(s)
https://yellowumbrellatours.ie/tours/?city=dublin (link text: "Italian")
https://yellowumbrellatours.ie/tours-in-italian/ (link text: "<img src="https://yellowumbrellatours.ie/wp-content/uploads/2021/12/flag_img5.we…")
https://yellowumbrellatours.ie/tours/page/2/ (link text: "<img src="https://yellowumbrellatours.ie/wp-content/uploads/2021/12/flag_img5.we…")

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 11 page(s): https://yellowumbrellatours.ie/tours-in-english/, https://yellowumbrellatours.ie/tours-in-english/page/2/, https://yellowumbrellatours.ie/tours/, https://yellowumbrellatours.ie/tours/?city=belfast, https://yellowumbrellatours.ie/tours/?city=cork, …

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours-in-english/)

Link target
https://yellowumbrellatours.ie/tours-in-english

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours-in-english/

Redirects
```
301 https://yellowumbrellatours.ie/tours-in-english
→ https://yellowumbrellatours.ie/tours-in-english/
```

Linked from 11 page(s)
https://yellowumbrellatours.ie/tours/ (link text: "<img src="https://yellowumbrellatours.ie/wp-content/uploads/2021/12/flag_img1.we…")
https://yellowumbrellatours.ie/tours/?city=dublin (link text: "English")
https://yellowumbrellatours.ie/tours/?city=galway (link text: "English")
https://yellowumbrellatours.ie/tours/?city=cork (link text: "English")
https://yellowumbrellatours.ie/tours/?city=derry (link text: "English")
https://yellowumbrellatours.ie/tours-in-english/ (link text: "<img src="https://yellowumbrellatours.ie/wp-content/uploads/2021/12/flag_img1.we…")
https://yellowumbrellatours.ie/tours/?city=belfast (link text: "English")
https://yellowumbrellatours.ie/tours/page/2/ (link text: "<img src="https://yellowumbrellatours.ie/wp-content/uploads/2021/12/flag_img1.we…")
https://yellowumbrellatours.ie/tours/page/3/ (link text: "<img src="https://yellowumbrellatours.

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 1 page(s): https://yellowumbrellatours.ie/see-do/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/see-do/)

Link target
https://yellowumbrellatours.ie/see-do/page/2

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/see-do/page/2/

Redirects
```
301 https://yellowumbrellatours.ie/see-do/page/2
→ https://yellowumbrellatours.ie/see-do/page/2/
```

Linked from 1 page(s)
https://yellowumbrellatours.ie/see-do/ (link text: "2")

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 7 page(s): https://yellowumbrellatours.ie/tours-in-spanish/, https://yellowumbrellatours.ie/tours/, https://yellowumbrellatours.ie/tours/?city=belfast, https://yellowumbrellatours.ie/tours/?city=dublin, https://yellowumbrellatours.ie/tours/page/2/, …

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours-in-spanish/)

Link target
https://yellowumbrellatours.ie/tours-in-spanish

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours-in-spanish/

Redirects
```
301 https://yellowumbrellatours.ie/tours-in-spanish
→ https://yellowumbrellatours.ie/tours-in-spanish/
```

Linked from 7 page(s)
https://yellowumbrellatours.ie/tours/ (link text: "<img src="https://yellowumbrellatours.ie/wp-content/uploads/2021/12/flag_img2.we…")
https://yellowumbrellatours.ie/tours/?city=dublin (link text: "Spanish")
https://yellowumbrellatours.ie/tours/?city=belfast (link text: "Spanish")
https://yellowumbrellatours.ie/tours-in-spanish/ (link text: "<img src="https://yellowumbrellatours.ie/wp-content/uploads/2021/12/flag_img2.we…")
https://yellowumbrellatours.ie/tours/page/2/ (link text: "<img src="https://yellowumbrellatours.ie/wp-content/uploads/2021/12/flag_img2.we…")
https://yellowumbrellatours.ie/tours/page/3/ (link text: "<img src="https://yellowumbrellatours.ie/wp-content/uploads/2021/12/flag_img2.we…")
https://yellowumbrellatours.ie/tours/page/2/?city=dublin (link text: "Spanish")

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 3 page(s): https://yellowumbrellatours.ie/tours-in-french/, https://yellowumbrellatours.ie/tours/?city=dublin, https://yellowumbrellatours.ie/tours/page/2/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours-in-french/)

Link target
https://yellowumbrellatours.ie/tours-in-french

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours-in-french/

Redirects
```
301 https://yellowumbrellatours.ie/tours-in-french
→ https://yellowumbrellatours.ie/tours-in-french/
```

Linked from 3 page(s)
https://yellowumbrellatours.ie/tours/?city=dublin (link text: "French")
https://yellowumbrellatours.ie/tours-in-french/ (link text: "<img src="https://yellowumbrellatours.ie/wp-content/uploads/2021/12/flag_img3.we…")
https://yellowumbrellatours.ie/tours/page/2/ (link text: "<img src="https://yellowumbrellatours.ie/wp-content/uploads/2021/12/flag_img3.we…")

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 2 page(s): https://yellowumbrellatours.ie/tours/, https://yellowumbrellatours.ie/tours/page/3/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/)

Link target
https://yellowumbrellatours.ie/tours/page/2

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours/page/2/

Redirects
```
301 https://yellowumbrellatours.ie/tours/page/2
→ https://yellowumbrellatours.ie/tours/page/2/
```

Linked from 2 page(s)
https://yellowumbrellatours.ie/tours/ (link text: "2")
https://yellowumbrellatours.ie/tours/page/3/

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 2 page(s): https://yellowumbrellatours.ie/tours/, https://yellowumbrellatours.ie/tours/page/2/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours/)

Link target
https://yellowumbrellatours.ie/tours/page/3

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours/page/3/

Redirects
```
301 https://yellowumbrellatours.ie/tours/page/3
→ https://yellowumbrellatours.ie/tours/page/3/
```

Linked from 2 page(s)
https://yellowumbrellatours.ie/tours/ (link text: "3")
https://yellowumbrellatours.ie/tours/page/2/ (link text: "3")

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 3 page(s): https://yellowumbrellatours.ie/tours-in-german/, https://yellowumbrellatours.ie/tours/?city=dublin, https://yellowumbrellatours.ie/tours/page/2/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/tours-in-german/)

Link target
https://yellowumbrellatours.ie/tours-in-german

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours-in-german/

Redirects
```
301 https://yellowumbrellatours.ie/tours-in-german
→ https://yellowumbrellatours.ie/tours-in-german/
```

Linked from 3 page(s)
https://yellowumbrellatours.ie/tours/?city=dublin (link text: "German")
https://yellowumbrellatours.ie/tours-in-german/ (link text: "German")
https://yellowumbrellatours.ie/tours/page/2/ (link text: "<img src="https://yellowumbrellatours.ie/wp-content/uploads/2021/12/flag_img4.we…")

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

Link target
https://yellowumbrellatours.ie/tours?city=dublin

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours/?city=dublin

Redirects
```
301 https://yellowumbrellatours.ie/tours?city=dublin
→ https://yellowumbrellatours.ie/tours/?city=dublin
```

Linked from 1 page(s)
https://yellowumbrellatours.ie/ (link text: "Dublin")

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 1 page(s): https://yellowumbrellatours.ie/accommodation/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/accommodation/)

Link target
https://yellowumbrellatours.ie/accommodation/page/2

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/accommodation/page/2/

Redirects
```
301 https://yellowumbrellatours.ie/accommodation/page/2
→ https://yellowumbrellatours.ie/accommodation/page/2/
```

Linked from 1 page(s)
https://yellowumbrellatours.ie/accommodation/ (link text: "2")

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

Link target
https://yellowumbrellatours.ie/tours?city=galway

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/tours/?city=galway

Redirects
```
301 https://yellowumbrellatours.ie/tours?city=galway
→ https://yellowumbrellatours.ie/tours/?city=galway
```

Linked from 1 page(s)
https://yellowumbrellatours.ie/ (link text: "Galway")

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Links

Internal link goes through a redirect (the link works)

What was detected: A link to your own site reaches a working page, but only after a redirect. This is not a broken link; updating the link to the final address saves a round trip.

Where: 98 page(s): https://yellowumbrellatours.ie/, https://yellowumbrellatours.ie/2021/12/, https://yellowumbrellatours.ie/about-us/, https://yellowumbrellatours.ie/accessibility-statement/, https://yellowumbrellatours.ie/accommodation/, …

Why it matters: Each redirect adds delay, and long-lived redirects are easy to break later.

How serious: Low: a recognised best-practice gap with limited direct impact; fix when convenient.

Evidence (https://yellowumbrellatours.ie/)

Link target
https://yellowumbrellatours.ie/privacy-policy

Result
HTTP 200 after redirect to https://yellowumbrellatours.ie/privacy-policy/

Redirects
```
301 https://yellowumbrellatours.ie/privacy-policy
→ https://yellowumbrellatours.ie/privacy-policy/
```

Linked from 98 page(s)
https://yellowumbrellatours.ie/about-us/ (link text: "Privacy Policy")
https://yellowumbrellatours.ie/tours/ (link text: "Privacy Policy")
https://yellowumbrellatours.ie/ (link text: "Privacy Policy")
https://yellowumbrellatours.ie/contact-us/ (link text: "Privacy Policy")
https://yellowumbrellatours.ie/blog/ (link text: "Privacy Policy")
https://yellowumbrellatours.ie/tours/?city=dublin (link text: "Privacy Policy")
https://yellowumbrellatours.ie/tours/?city=galway (link text: "Privacy Policy")
https://yellowumbrellatours.ie/tours/?city=cork (link text: "Privacy Policy")
https://yellowumbrellatours.ie/tours/?city=derry (link text: "Privacy Policy")
https://yellowumbrellatours.ie/tours-in-english/ (link text: "Privacy Policy")
https://yellowumbrellatours.ie/tours/?city=belfast (link text: "Privacy Policy")
https://yellowumbrellatours.ie/tours-in-spanish/ (link tex

What to do:

1. Update the link to the final address shown in the evidence.

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Informational Confirmed Security & configuration

Referrer-Policy header not set

What was detected: The response does not set a Referrer-Policy (browsers then use their default).

Where: 1 page(s): https://yellowumbrellatours.ie/

Why it matters: An explicit policy controls how much of your URLs is shared with other sites when visitors click links.

How serious: Informational: an observation with no direct defect; review whether it is intended.

Evidence (https://yellowumbrellatours.ie/)

URL
https://yellowumbrellatours.ie/

Response headers checked
`referrer-policy: (not set)`

What to do:

1. Add a Referrer-Policy header such as strict-origin-when-cross-origin.

```
Referrer-Policy: strict-origin-when-cross-origin
```

How to verify: Run a verification scan from this page. The issue is marked resolved only if the same check runs on the same page and no longer finds the problem.

Tests not completed

Category	Status	Reason
Performance	partial	Lighthouse ran on the first 3 page(s) only (limit 3).

Limitations

- Automated accessibility testing finds only part of the barriers people face. These results cannot establish WCAG conformance; manual testing with a keyboard and assistive technology is still required.
- Only publicly reachable pages were tested, without logging in. Forms were inspected but never submitted, and no purchases or messages were made.
- Results are a snapshot of the pages at scan time. Personalised, rotating or time-based content can differ between visits.
- Performance numbers are Lighthouse lab measurements from a single run. They are not real-user (field) Core Web Vitals and can vary between runs.
- SEO results are technical observations. They do not predict search rankings.
- Security results are passive observations of public responses (HTTPS, headers, mixed content). This is not a penetration test or a vulnerability scan.
- Screenshot comparisons can flag differences caused by adverts, animations, dates, cookie banners or font loading. Review each difference before acting.
- 1 link(s) were skipped because they look like admin, login, cart, checkout or logout URLs that can change state.