

Advance Machine learning on optical communication

Theme on Machine Learning

Dipankar Das

Computer Science and Engineering (CSE)
KIIT University

April, 2023

- ① Introduction
- ② Literature Review
- ③ Methods
- ④ Results
- ⑤ References

1 Introduction

2 Literature Review

3 Methods

4 Results

5 References

Title

- This template can be used to approximate final page count for submission to Optica Publishing Groups journals *Applied Optics*

Title

- This template can be used to approximate final page count for submission to Optica Publishing Groups journals *Applied Optics*
- In recent years, the use of machine learning techniques in various fields has revolutionized the way we approach complex problems. One area that has seen significant growth is the fitness industry, where personalized fitness apps using machine learning are becoming increasingly popular.

① Introduction

② Literature Review

Demo Figure

③ Methods

④ Results

⑤ References


① Introduction


② Literature Review
Demo Figure

③ Methods

④ Results

⑤ References





- 1 Introduction
- 2 Literature Review
- 3 **Methods**
Diffusion Model
- 4 Results
- 5 References

Title

- Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante.

Microsoft® Windows	Apple® Mac OS
Windows-Kernel	Unix-like
Arm, Intel	Intel, Apple Silicon
Sudden update	Stable update
Less security	More security
...	...


Algorithms

Non-Numbering Formula

$$J(\theta) = \mathbb{E}_{\pi_{\theta}}[G_t] = \sum_{s \in \mathcal{S}} d^{\pi}(s) V^{\pi}(s) = \sum_{s \in \mathcal{S}} d^{\pi}(s) \sum_{a \in \mathcal{A}} \pi_{\theta}(a|s) Q^{\pi}(s, a)$$

Multi-Row Formula¹



$$\begin{aligned} Q_{\text{target}} &= r + \gamma Q^{\pi}(s', \pi_{\theta}(s')) + \epsilon \\ \epsilon &\sim \text{clip}(\mathcal{N}(0, \sigma), -c, c) \end{aligned} \tag{1}$$

¹If text appears in the formula use `\mathrm{\}` or `\text{\}` instead 

Numbered Multi-line Formula

$$\begin{aligned} A = \lim_{n \rightarrow \infty} \Delta x & \left(a^2 + \left(a^2 + 2a\Delta x + (\Delta x)^2 \right) \right. \\ & + \left(a^2 + 2 \cdot 2a\Delta x + 2^2 (\Delta x)^2 \right) \\ & + \left(a^2 + 2 \cdot 3a\Delta x + 3^2 (\Delta x)^2 \right) \\ & + \dots \\ & \left. + \left(a^2 + 2 \cdot (n-1)a\Delta x + (n-1)^2 (\Delta x)^2 \right) \right) \\ & = \frac{1}{3} (b^3 - a^3) \quad (2) \end{aligned}$$

Graphics and Columns



L^AT_EX Common Commands

Commands

<code>\chapter</code> chapter	<code>\section</code> section	<code>\subsection</code> sub-section	<code>\paragraph</code> paragraph
<code>\centering</code> center	<code>\emph</code> emphasize	<code>\verb</code> original	<code>\url</code> hyperlink
<code>\footnote</code> footnote	<code>\item</code> list item	<code>\caption</code> caption	<code>\includegraphics</code> insert image
<code>\label</code> label	<code>\cite</code> citation	<code>\ref</code> refer	

Environment

<code>table</code> table	<code>figure</code> figure	<code>equation</code> formula
<code>itemize</code> non-numbering item	<code>enumerate</code> numbering item	<code>description</code> description

1 Introduction

2 Literature Review

3 Methods

4 Results

5 References

- Content in the funding section will be generated entirely from details submitted to Prism. Authors may add placeholder text in the manuscript to assess length, but any text added to this section in the manuscript will be replaced during production and will display official funder names along with any grant.
- Content in the funding section will be generated entirely from details submitted to Prism. Authors
- but any text added to this section in the manuscript will be replaced during production and will display official funder names along with any grant.

1 Introduction

2 Literature Review

3 Methods

4 Results

5 References

- [1] M. Xu, “Ritsumeikan beamer theme,” in *How to write beautiful L^AT_EX*, 2022.

Thank You