PO Amendment Contracts

Content in this page	Basic Information Request Payload 1. JSON 2. XML Request Payload Details Response structure	

Basic Information

PO-Amendment refers to the process of modifying an already created Purchase Order (PO) to reflect changes agreed upon between the buyer and the vendor after initial creation.

NAME	DETAILS
Prod Endpoint:	`https://api.partnersbiz.com/webhook/public/v1/po/amendment`
Pre-prod Endpoint:	`https://dev.partnersbiz.com/webhook/public/v1/po/amendment`
Request Type:	POST
Scheme:	HTTPS
Header (Content-Type):	application/json, application/xml

Note: Please ensure that the API key is passed in the request headers with the key `Api-Key`.

Example:
`Api-Key: <your_api_key_here>`

The goal of **PO-Amendment** is to avoid PO cancellation and recreation, improve **fill rates**, and ensure accurate **financial**, **inventory**, and **compliance** records across downstream systems.

Request Payload

1. JSON

```json
{
  "request_data": [
    {
      "item_id": "100001",
      "variants": [
        {
          "upc": "8900000000001",
          "mrp": 99.99,
          "uom": {
            "type": "STANDARD",
            "value": "250",
            "unit": "g"
          },
          "po_numbers": ["PO12345"]
        }
      ]
    },
    {
      "item_id": "100002",
      "variants": [
        {
          "upc": "8900000000002",
          "mrp": 149.5,
          "uom": {
            "type": "STANDARD",
            "value": "500",
            "unit": "ml"
          },
          "po_numbers": ["PO12345"]
        }
      ]
    },
    {
      "item_id": "200001",
      "variants": [
        {
          "upc": "8900000000010",
          "mrp": 75,
          "uom": {
            "type": "STANDARD",
            "value": "1",
            "unit": "kg"
          },
          "po_numbers": ["PO67890"]
        }
      ]
    },
    {
      "item_id": "200002",
      "variants": [
        {
          "upc": "8900000000011",
          "mrp": 199,
          "uom": {
            "type": "STANDARD",
            "value": "2",
            "unit": "l"
          },
          "po_numbers": ["PO67890"]
        }
      ]
    }
  ]
}
```

2. XML

```xml
<request_data>
  <item>
    <item_id>100001</item_id>
    <variants>
      <variant>
        <upc>8900000000001</upc>
        <mrp>99.99</mrp>
        <uom>
          <type>STANDARD</type>
          <value>250</value>
          <unit>g</unit>
        </uom>
        <po_numbers>
          <po_number>PO12345</po_number>
        </po_numbers>
      </variant>
    </variants>
  </item>

  <item>
    <item_id>100002</item_id>
    <variants>
      <variant>
        <upc>8900000000002</upc>
        <mrp>149.5</mrp>
        <uom>
          <type>STANDARD</type>
          <value>500</value>
          <unit>ml</unit>
        </uom>
        <po_numbers>
          <po_number>PO12345</po_number>
        </po_numbers>
      </variant>
    </variants>
  </item>

  <item>
    <item_id>200001</item_id>
    <variants>
      <variant>
        <upc>8900000000010</upc>
        <mrp>75</mrp>
        <uom>
          <type>STANDARD</type>
          <value>1</value>
          <unit>kg</unit>
        </uom>
        <po_numbers>
          <po_number>PO67890</po_number>
        </po_numbers>
      </variant>
    </variants>
  </item>

  <item>
    <item_id>200002</item_id>
    <variants>
      <variant>
        <upc>8900000000011</upc>
        <mrp>199</mrp>
        <uom>
          <type>STANDARD</type>
          <value>2</value>
          <unit>l</unit>
        </uom>
        <po_numbers>
          <po_number>PO67890</po_number>
        </po_numbers>
```

```
      </variant>
    </variants>
  </item>
</request_data>
```

Request Payload Details

LEVEL	PARAMETER	TYPE	DESCRIPTION	MANDATORY (Yes/No/CM)	NOTES
1	po_numbers	[] string	List of Po numbers you want to amend.	Yes	Blinkit's Po number which were sent to vendors/aggregators.
2	items	[] Object	all the item details for each items should be inside this only.	Yes	
2.1	item_id	string	Blinkit's item id	Yes	
2.2	upc	string	Unique product code	Yes	
2.3	mrp	number	Maximum retail price	Yes	
2.4	uom	object	unit of measurement	Yes	Units configuration with grammage.
2.4.1	type	string	Enum - either the uom configs are in standard or non-	Yes	

			standard format.		
2.4.2	value	string	item unit value	Yes	
2.4.3	unit	string	item grammage value	Yes	

Response structure

```
{
  "success": true,
  "message": "Items updated successfully",
  "updated_items": [
    {
      "item_id": "10000009",
      "variants": [
        {
          "upc": "4987176244987",
          "mrp": 199,
          "uom": null,
          "po_numbers": ["49072210000017"],
          "variant_id": "286ffaea-085a-4ea4-89cd-1a356defa2dd",
          "tax": 5,
          "cost_price": 188.87,
          "landing_price": 198.31,
          "quantity": 2,
          "margin_percentage": null
        }
      ]
    }
  ]
}
```

Valid Standard UOM types are :
BOX, BUNCH, CAPSULE, CM, GM, KG, KIT, L, M, ML, PACK, PAIR, PEN, PIECE, ROSE, SACHET,SET, SHEET, STICK, STICKS, STRIP, TAB, TABLET ,UNIT, VOUCHER, WIPE