Purchase Order Creation API Contracts

On this page	• Authorisation: • Purchase Order Creation Flow: ◦ Basic Information ◦ Request Payload ▪ 1. JSON ▪ 2. XML ◦ Request Payload Details ◦ Response Payload ▪ 1. JSON ▪ 2. XML ◦ Response Payload Details • Error Codes • Purchase Order Acknowledgement Flow ◦ EDI Acknowledgement for PO Creation ◦ Request Payload ▪ 1. JSON ▪ 2. XML ◦ Request Payload Details ◦ Response Payload ▪ 1. JSON ▪ 2. XML ◦ Response Payload Details

Authorisation:

1. **Vendor Responsibilities**
   - The API authentication token will be provided by the Blinkit team. The vendor must ensure that the same authentication token is configured at their end as an authentication parameter.

     Also while pushing ASN or POack (if applicable) please ensure to incorporate the same API token in the header level data.

API key will be generated and shared by the partnersbiz team

Header Name	Description
`Api-Key`	Vendor's assigned API Key

Vendor must share their IP details (stage and production) for whitelisting.

Purchase Order Creation Flow:

This flow facilitates the vendor to receive the purchase order creation event on the vendor configured web-hook

Basic Information

NAME	DETAILS
Action:	**Purchase Order Create**
Endpoint:	<To be provided by vendor>

Request Type:	POST
Scheme:	HTTPS
Header (Content-Type):	application/json, application/xml

Request Payload

1. JSON

```
{
  "type": "PO_CREATION",
  "po_number": "2264110001440",
  "tenant" : "HYPERPURE",
  "details": {
    "po_number": "2264110001440",
    "outlet_id": 12543,
    "issue_date": "2025-04-20T00:00:00.000Z",
    "expiry_date": "2025-04-20T00:00:00.000Z",
    "delivery_date": "2025-04-25T00:00:00.000Z",
    "vehicle_details": {
      "license_number": "DL-311/431"
    },
    "buyer_details": {
      "name": "Buyer name",
      "gstin": "27ABCDE1234F1Z5",
      "destination_address": {
        "line1": "123, Street",
        "line2": "Ghatkopar",
        "city": "Mumbai",
        "state": "Maharashtra",
        "postal_code": "400077",
        "country": "India"
      },
      "registered_address": {
        "line1": "Plot 45, MIDC",
        "line2": "Andheri East",
        "city": "Mumbai",
        "state": "Maharashtra",
        "postal_code": "400093",
        "country": "India"
      },
      "contact_details": [
        {
          "name": "Warehouse Manager",
          "phone": "9876543210",
          "email": "wh.manager@company.com"
        }
      ]
    },
    "supplier_details": {
      "id": "67890",
      "name": "ABC Suppliers Pvt Ltd",
      "gstin": "27ABCDE1234F1Z5",
      "pan": "ABCDE1234F",
      "shipping_address": {
        "line1": "123, Vendor Street",
        "line2": "Ghatkopar",
        "city": "Mumbai",
        "state": "Maharashtra",
        "postal_code": "400077",
        "country": "India"
      },
      "registered_address": {
        "line1": "Unit 12, Industrial Estate",
        "line2": "Sion",
        "city": "Mumbai",
        "state": "Maharashtra",
        "postal_code": "400022",
        "country": "India"
      },
      "contact_details": [
        {
          "name": "Vendor Sales Rep",
          "phone": "9123456789",
          "email": "sales@abcvendors.com"
        }
      ]
    },
    "item_data": [
      {
```

```
        "item_id": 10016623,
        "sku_code": "",
        "line_number": 0,
        "units_ordered": 240,
        "landing_price": 32.56,
        "basic_price": 31.01,
        "tax_details": {
          "cgst_percentage": 2.5,
          "sgst_percentage": 2.5,
          "igst_percentage": null,
          "cess_percentage": null,
          "additional_cess_value": null
        },
        "crates_config": {
          "crates_ordered": 14,
          "crate_size": 10
        },
        "name": "Name of Item 0",
        "mrp": 42,
        "upc": "8901774002349",
        "uom": {
          "unit": "ml",
          "value": 12
        }
      }
    ],
    "total_sku": 1,
    "total_qty": 240,
    "total_amount": 42,
    "custom_attributes": [
      {
        "name": "",
        "value": ""
      }
    ]
  }
}
```


2. XML


```
<POCreationPayload>
    <type>PO_CREATION</type>
    <po_number>2264110001440</po_number>
    <tenant>HYPERPURE</tenant>
    <details>
        <po_number>2264110001440</po_number>
        <outlet_id>12543</outlet_id>
        <issue_date>2025-04-20T00:00:00.000Z</issue_date>
        <expiry_date>2025-04-20T00:00:00.000Z</expiry_date>
        <delivery_date>2025-04-25T00:00:00.000Z</delivery_date>
        <vehicle_details>
          <license_number>DL-311/431</license_number>
        </vehicle_details>
        <buyer_details>
            <name>Buyer name</name>
            <gstin>27ABCDE1234F1Z5</gstin>
            <destination_address>
                <line1>123, Street</line1>
                <line2>Ghatkopar</line2>
                <city>Mumbai</city>
                <state>Maharashtra</state>
                <postal_code>400077</postal_code>
                <country>India</country>
            </destination_address>
            <registered_address>
                <line1>Plot 45, MIDC</line1>
                <line2>Andheri East</line2>
                <city>Mumbai</city>
                <state>Maharashtra</state>
                <postal_code>400093</postal_code>
                <country>India</country>
            </registered_address>
            <contact_details>
                <contact_detail>
                    <name>Warehouse Manager</name>
                    <phone>9876543210</phone>
                    <email>wh.manager@company.com</email>
                </contact_detail>
            </contact_details>
        </buyer_details>
        <supplier_details>
            <id>67890</id>
            <name>ABC Suppliers Pvt Ltd</name>
            <gstin>27ABCDE1234F1Z5</gstin>
            <pan>ABCDE1234F</pan>
```

```xml
            <shipping_address>
                <line1>123, Vendor Street</line1>
                <line2>Ghatkopar</line2>
                <city>Mumbai</city>
                <state>Maharashtra</state>
                <postal_code>400077</postal_code>
                <country>India</country>
            </shipping_address>
            <registered_address>
                <line1>Unit 12, Industrial Estate</line1>
                <line2>Sion</line2>
                <city>Mumbai</city>
                <state>Maharashtra</state>
                <postal_code>400022</postal_code>
                <country>India</country>
            </registered_address>
            <contact_details>
                <contact_detail>
                    <name>Vendor Sales Rep</name>
                    <phone>9123456789</phone>
                    <email>sales@abcvendors.com</email>
                </contact_detail>
            </contact_details>
        </supplier_details>
        <item_data>
            <item>
                <item_id>10016623</item_id>
                <sku_code></sku_code>
                <line_number>0</line_number>
                <units_ordered>240</units_ordered>
                <landing_price>32.56</landing_price>
                <basic_price>31.01</basic_price>
                <tax_details>
                    <cgst_percentage>2.5</cgst_percentage>
                    <sgst_percentage>2.5</sgst_percentage>
                    <igst_percentage></igst_percentage>
                    <cess_percentage></cess_percentage>
                    <additional_cess_value></additional_cess_value>
                </tax_details>
                <crates_config>
                  <crates_ordered>10</crates_ordered>
                  <crate_size>16</crate_size>
                </crates_config>
                <name>Name of Item 0</name>
                <mrp>42</mrp>
                <upc>8901774002349</upc>
                <uom>
                    <unit>ml</unit>
                    <value>12</value>
                </uom>
            </item>
        </item_data>
        <total_sku>1</total_sku>
        <total_qty>240</total_qty>
        <total_amount>42</total_amount>
        <custom_attributes>
            <custom_attribute>
                <name></name>
                <value></value>
            </custom_attribute>
        </custom_attributes>
    </details>
</POCreationPayload>
```


Request Payload Details

LEVEL	PARAMETER	TYPE	DESCRIPTION	MANDATORY	NOTES
1	type	string	Purchase order type	Yes	ENUM `PO_CREATION`
2	po_number	string	Purchase order code	Yes	Unique identifier for the purchase order

3	details	object	Contains complete PO metadata	Yes	-
4	tenant	String	Tenant name	Yes	BLINKIT, HYPERPURE
3.1	details.po_number	string	Purchase order code	Yes	Must match top-level `po_number`
3.2	details.expiry_date	string	Expiry date of the PO	No	Format: ISO-8601 (UTC)
3.3	details.delivery_date	string	Expected delivery date	No	Format: ISO-8601 (UTC)
3.4	details.buyer_details	object	Buyer (receiver) details	Yes	
3.5	details.vehicle_details	object	Vehicle details (Receiving vehicle)	No	
3.5.1	details.vehicle_details.license_number	string	Vehicle Number	No	
3.4.1	details.buyer_details.name	string	Buyer name	No	-
3.4.2	details.buyer_details.gstin	string	GSTIN of buyer	Yes	-
3.4.3	details.buyer_details.destination_address	object	Delivery address for buyer	Yes	-
3.4.4.1	details.buyer_details.destination_address.line1	string	Address line 1	No	-
3.4.4.2	details.buyer_details.destination_address.line2	string	Address line 2	No	-
3.4.4.3	details.buyer_details.destination_address.city	string	City	No	-
3.4.4.4	details.buyer_details.destination_address.state	string	State	No	-
3.4.4.5	details.buyer_details.destination_a	string	Postal code	Yes	-

	ddress.postal_code				
3.4.4.6	details.buyer_details.destination_address.country	string	Country	No	-
3.4.5	details.buyer_details.registered_address	object	Registered address of buyer	Yes	-
3.4.5.1 to 3.4.5.6	(same fields as above for registered_address)	string	Same as destination_address	Yes	-
3.4.6	details.buyer_details.contact_details	array	List of contact persons	Yes	-
3.4.6.1	details.buyer_details.contact_details[].name	string	Contact name	Yes	-
3.4.6.2	details.buyer_details.contact_details[].phone	string	Contact number	Yes	-
3.4.6.3	details.buyer_details.contact_details[].email	string	Email address	Yes	-
3.5	details.supplier_details	object	Supplier details	Yes	-
3.5.1	details.supplier_details.id	string	Supplier code	Yes	Eg: `12345`
3.5.2	details.supplier_details.name	string	Supplier name	Yes	-
3.5.3	details.supplier_details.gstin	string	GSTIN	Yes	-
3.5.4	details.supplier_details.pan	string	PAN number	Yes	-
3.5.5	details.supplier_details.shipping_address	object	Shipping address	Yes	-
3.5.5.1 to 3.5.5.6	(fields same as destination_address)	string	Address fields	No	-
3.5.6	details.supplier_details.registered_a	object	Registered address	Yes	-

	ddress				
3.5.6.1 to 3.5.6.6	(fields same as destination_address)	string	Address fields	Yes	-
3.5.7	details.supplier_details.contact_details	array	List of supplier contacts	No	-
3.5.7.1	details.supplier_details.contact_details[].name	string	Supplier contact name	No	-
3.5.7.2	details.supplier_details.contact_details[].phone	string	Supplier contact number	No	-
3.5.7.3	details.supplier_details.contact_details[].email	string	Supplier email	No	-
3.6	details.item_data	array	List of line items	Yes	-
3.6.1	details.item_data[].item_id	integer	Item ID	Yes	-
3.6.2	details.item_data[].sku_code	string	SKU code	No	Optional but preferred
3.6.3	details.item_data[].line_number	integer	Line item number	Yes	-
3.6.4	details.item_data[].units_ordered	integer	Quantity ordered	Yes	-
3.6.5	details.item_data[].landing_price	number	Final price after all costs	Yes	Inclusive of logistics, taxes etc.
3.6.6	details.item_data[].basic_price	number	Basic price before taxes	Yes	Cost price
3.6.7	details.item_data[].tax_details	object	Tax breakup	No	-
3.6.7.1	details.item_data[].tax_details.cgst_percentage	number	CGST %	No	-
3.6.7.2	details.item_data[].tax_details.sgst_percentage	number	SGST %	No	-
3.6.7.3	details.item_data[].tax_details.igst_percentage	number	IGST %	No	Can be null if intra-state

3.6.7.4	details.item_data[].tax_details.cess_percentage	number	CESS %	No	-
3.6.7.5	details.item_data[].tax_details.additional_cess_value	number	Additional cess amount	No	-
3.6.8	details.item_data[].name	string	Item name	Yes	-
3.6.9	details.item_data[].mrp	number	Maximum Retail Price	Yes	-
3.6.10	details.item_data[].upc	string	Universal Product Code	Yes	GTIN/UPC standard
3.6.11	details.item_data[].uom	object	Unit of Measure	Yes	Includes unit name and value
3.6.11.1	details.item_data[].uom.unit	string	Unit (e.g., ml, kg)	Yes	-
3.6.11.2	details.item_data[].uom.value	number	Value per unit	Yes	-
3.6.12	details.item_data[].crates_config	object	Crates details	No	
3.6.12.1	details.item_data[].crates_config.crates_ordered	number	Number of crates	No	
3.6.12.2	details.item_data[].crates_config.crate_size	number	inside one crates how many quantities of skus.	No	
3.7	details.total_sku	integer	Total number of SKUs	Yes	Derived from item list
3.8	details.total_qty	integer	Total quantity	Yes	Sum of all item quantities
3.9	details.total_amount	number	Total PO value	Yes	Sum of all item values
3.10	details.custom_attributes	array	Custom key-value fields	No	Optional metadata
3.10.1	details.custom_attributes[].name	string	Attribute name	No	Free-form metadata
3.10.2	details.custom_attributes[].value	string	Attribute value	No	Free-form metadata

Response Payload

1. JSON

```json
{
  "success": true,
  "message": "PO synced partially. Some items were rejected.",
  "timestamp": "2025-04-17T10:30:00Z",
  "data": {
    "po_status": "PARTIALLY_ACCEPTED", // processing, accepted, partially_accepted, rejected
    "po_number": "202504110001",
    "errors": [
      {
        "code": "E101",
        "field_name": "itemId",
        "message": "Item mapping missing",
        "description": "Item A1 could not be synced due to missing vendor mapping",
        "error_params": {
          "item_id": 1960
        }
      }
    ],
    "warnings": [
      {
        "code": "W101",
        "message": "UOM Mismatch",
        "description": "Unit of measure for item A2 does not match vendor system but was auto-adjusted"
      }
    ]
  }
}
```

2. XML

```xml

<POAcknowledgmentPayload>
    <success>true</success>
    <message>PO synced partially. Some items were rejected.</message>
    <timestamp>2025-04-17T10:30:00Z</timestamp>
    <data>
        <po_status>PARTIALLY_ACCEPTED</po_status>
        <po_number>202504110001</po_number>
        <errors>
            <error>
                <code>E101</code>
                <field_name>itemId</field_name>
                <message>Item mapping missing</message>
                <description>Item A1 could not be synced due to missing vendor mapping</description>
                <error_params>
                    <item_id>1960</item_id>
                </error_params>
            </error>
        </errors>
        <warnings>
            <warning>
                <code>W101</code>
                <message>UOM Mismatch</message>
                <description>Unit of measure for item A2 does not match vendor system but was auto-adjusted</description>
            </warning>
        </warnings>
    </data>
</POAcknowledgmentPayload>

```

Response Payload Details

LEVEL	PARAMETER	TYPE	DESCRIPTION	MANDATORY	NOTES
1	success	boolean	Indicates if the API request was successful	Yes	—
1	message	string	Human-readable status or error message	Yes	—

1	timestamp	string (ISO 8601)	The timestamp of the response generation	Yes	Format: ISO-8601 (UTC)
1	data	object	Contains all PO sync status information	Yes	—
1.1	po_status	string	Status of the PO sync	Yes	Enum: 1. `processing` : vendor system processing the Purchase Order Creation asynchronously 2. `accepted` : if the request was completely processed 3. `partially_accepted` : if request was partially processed 4. `rejected` : if request is completely rejected
1.2	purchase_order_number	string	The purchase order number being acknowledged	Yes	Should match the PO number sent
1.3	errors	array of objects	List of errors encountered during sync	No	Optional if no errors occurred
1.3.1	code	string	Error code	Yes	e.g., `E101`
1.3.2	field_name	string	Name of the field where the error occurred	Yes	e.g., `itemId`
1.3.3	message	string	Short error message	Yes	—
1.3.4	description	string	Detailed description of the error	Yes	—

1.3.5	error_params	object	Contextual parameters about the error	No	Present if extra error info is needed
1.3.5.1	item_id	string	ID of the item that caused the error	No	Present if relevant
1.4	warnings	array of objects	List of warnings raised during sync	No	Optional
1.4.1	code	string	Warning code	Yes	e.g., `W101`
1.4.2	message	string	Short warning message	Yes	—
1.4.3	description	string	Detailed description of the warning	Yes	—

Error Codes

CODE	DESCRIPTION
PO: Errors	
E101	Duplicate PO number
E102	Outlet not found
Supplier: Errors	
E103	Supplier GST mismatch
E104	Buyer GST mismatch
SKU Level : Errors	
E105	Error in item 11234567: MRP not found for the item Error in item 11234568: Units ordered exceed max allowed quantity.
SKU Level : Warnings	
Code	**Description**
W101	UOM mismatch, created with the default UOM

Purchase Order Acknowledgement Flow

Note:

This flow is only required if vendor system is processing the Purchase Order Creation asynchronously

This flow facilitates the vendor to send the purchase ack event once the processing is done for PO creation

1. The vendor can send the status of the purchase order as processing on the response of Purchase Order creation
2. Later when the processing is completed respective ack can be published on the ack web-hook

EDI Acknowledgement for PO Creation

NAME	DETAILS
Action:	**Purchase Order Acknowledgement**
Prod Endpoint:	`https://api.partnersbiz.com/webhook/public/v1/po/acknowledgement`
Preprod Endpoint	`https://dev.partnersbiz.com/webhook/public/v1/po/acknowledgement`
Request Type:	POST
Scheme:	HTTPS
Header (Content-Type):	application/json, application/xml

Request Payload

1. JSON

```
{
  "success": true,
  "message": "PO synced completed. Some items were rejected.",
  "timestamp": "2025-04-17T10:30:00Z",
  "data": {
    "po_status": "PARTIALLY_ACCEPTED", // processing, accepted, partially_accepted, rejected
    "po_number": "202504110001",
    "errors": [
      {
        "code": "E101",
        "field_name": "item_id",
        "message": "Item mapping missing",
        "description": "Item A1 could not be synced due to missing item mapping",
        "error_params": {
          "item_id": 1960
        }
      }
    ],
    "warnings": [
      {
        "code": "W101",
        "message": "UOM Mismatch",
        "description": "Unit of measure for item A2 does not match vendor system but was auto-adjusted"
      }
    ]
  }
}
```

2. XML

```xml

<POAcknowledgmentPayload>
    <success>true</success>
    <message>PO synced partially. Some items were rejected.</message>
    <timestamp>2025-04-17T10:30:00Z</timestamp>
    <data>
        <po_status>PARTIALLY_ACCEPTED</po_status>
        <po_number>202504110001</po_number>
        <errors>
            <error>
                <code>E101</code>
                <field_name>itemId</field_name>
                <message>Item mapping missing</message>
                <description>Item A1 could not be synced due to missing vendor mapping</description>
                <error_params>
                    <item_id>1960</item_id>
                </error_params>
            </error>
        </errors>
        <warnings>
            <warning>
                <code>W101</code>
                <message>UOM Mismatch</message>
                <description>Unit of measure for item A2 does not match vendor system but was auto-adjusted</description>
            </warning>
        </warnings>
    </data>
</POAcknowledgmentPayload>

```

Request Payload Details

LEVEL	PARAMETER	TYPE	DESCRIPTION	MANDATORY	NOTES
1	success	boolean	Indicates if the API request was successful	Yes	—
1	message	string	Human-readable status or error message	Yes	—
1	timestamp	string (ISO 8601)	The timestamp of the response generation	Yes	Format: ISO-8601 (UTC)
1	data	object	Contains all PO sync status information	Yes	—
1.1	po_status	string	Status of the PO sync	Yes	Enum: 1. `accepted` : if the request was completely processed 2. `partially_accepted` : if request was partially processed

					3. `rejected`: if request is completely rejected
1.2	po_number	string	The purchase order number being acknowledged	Yes	Should match the PO number sent
1.3	errors	array of objects	List of errors encountered during sync	No	Optional if no errors occurred
1.3.1	code	string	Error code	Yes	e.g., `E101`
1.3.2	field_name	string	Name of the field where the error occurred	Yes	e.g., `itemId`
1.3.3	message	string	Short error message	Yes	—
1.3.4	description	string	Detailed description of the error	Yes	—
1.3.5	error_params	object	Contextual parameters about the error	No	Present if extra error info is needed
1.3.5.1	item_id	string	ID of the item that caused the error	No	Present if relevant
1.4	warnings	array of objects	List of warnings raised during sync	No	Optional
1.4.1	code	string	Warning code	Yes	e.g., `W101`
1.4.2	message	string	Short warning message	Yes	—
1.4.3	description	string	Detailed description of the warning	Yes	—

Response Payload

1. JSON

```
{
  "success": true,
  "message": "Successfully Acknowledged.",
  "timestamp": "2025-04-17T10:30:00Z"
}
```

2. XML

```xml
<root>
    <success>true</success>
    <message>Successfully Acknowledged.</message>
    <timestamp>2025-04-17T10:30:00Z</timestamp>
</root>

```

Response Payload Details

LEVEL	PARAMETER	TYPE	DESCRIPTION	MANDATORY	NOTES
1	success	boolean	Indicates if the API request was successful	Yes	—
1	message	string	Human-readable status or error message	Yes	—
1	timestamp	string (ISO 8601)	The timestamp of the response generation	Yes	Format: ISO-8601 (UTC)