

API Integration and Error Handling Assignment

1. Playlist Form Using fetch()

index.html

```
<!DOCTYPE html>

<html>

<head>
  <title>Playlist Form</title>
</head>

<body>

  <h2>Add New Playlist</h2>

  <form id="playlistForm">
    <input type="text" id="playlistName" placeholder="Playlist Name"
required>
    <br><br>

    <textarea id="description" placeholder="Description"
required></textarea>
    <br><br>

    <button type="submit">Submit</button>
  </form>

  <script src="script.js"></script>

</body>

</html>
```

script.js

```
document.getElementById("playlistForm").addEventListener("submit", async  
function(e) {
```

```
    e.preventDefault();
```

```
    const playlistData = {
```

```
        playlistName: document.getElementById("playlistName").value,
```

```
        description: document.getElementById("description").value
```

```
    };
```

```
    try {
```

```
        const response = await fetch("https://jsonplaceholder.typicode.com/posts",  
{
```

```
            method: "POST",
```

```
            headers: {
```

```
                "Content-Type": "application/json"
```

```
            },
```

```
            body: JSON.stringify(playlistData)
```

```
        });
```

```
        const data = await response.json();
```

```
        console.log("Response:", data);
```

```
    } catch (error) {
```

```
        console.error("Error:", error);
```

```
    }
```

```
});
```

2. Fetch Trending Movies Using Axios

index.html

```
<!DOCTYPE html>

<html>

<head>
  <title>Trending Movies</title>
</head>

<body>

<script src="https://cdn.jsdelivr.net/npm/axios/dist/axios.min.js"></script>
<script src="movies.js"></script>

</body>
</html>
```

movies.js

```
axios.get("https://api.tvmaze.com/shows")
  .then(response => {
    const shows = response.data;

    console.log("First 5 Shows:");

    shows.slice(0, 5).forEach(show => {
      console.log(show.name);
    });
  })
  .catch(error => {
    console.error("Error fetching shows:", error);
  });
```

```
});
```

3. Login Form and CORS Demonstration

login.html

```
<!DOCTYPE html>

<html>

<head>

  <title>Login Form</title>

</head>

<body>


<h2>Login</h2>


<form id="loginForm">

  <input type="text" id="username" placeholder="Username" required>

  <br><br>

  <input type="password" id="password" placeholder="Password" required>

  <br><br>

  <button type="submit">Login</button>

</form>


<script src="login.js"></script>


</body>

</html>
```

login.js

```
document.getElementById("loginForm").addEventListener("submit", async
function(e) {
    e.preventDefault();

    const userData = {
        username: document.getElementById("username").value,
        password: document.getElementById("password").value
    };

    try {
        const response = await fetch("http://localhost:5000/login", {
            method: "POST",
            headers: {
                "Content-Type": "application/json"
            },
            body: JSON.stringify(userData)
        });

        const data = await response.json();
        console.log(data);

    } catch (error) {
        console.error(error);
    }
});
```

Sample CORS Error

Access to fetch at 'http://localhost:5000/login'

from origin 'http://localhost:3000'

has been blocked by CORS policy:

No 'Access-Control-Allow-Origin' header is present
on the requested resource.

4. Playlist Form with Success and Error Messages

Updated script.js

```
document.getElementById("playlistForm").addEventListener("submit", async  
function(e) {
```

```
    e.preventDefault();
```

```
    const playlistData = {  
        playlistName: document.getElementById("playlistName").value,  
        description: document.getElementById("description").value  
    };  
  
    try {
```

```
        const response = await fetch(  
            "https://jsonplaceholder.typicode.com/posts",  
            {  
                method: "POST",  
                headers: {  
                    "Content-Type": "application/json"  
                },  
                body: JSON.stringify(playlistData)  
            }  
        );
```

```
        if (response.ok) {  
            document.body.insertAdjacentHTML(  
                "beforeend",  
                "<p>Playlist submitted successfully.</p>"
```

```
    );  
  } else {  
    document.body.insertAdjacentHTML(  
      "beforeend",  
      "<p>Failed to submit playlist.</p>"  
    );  
  }  
  
  } catch (error) {  
    document.body.insertAdjacentHTML(  
      "beforeend",  
      "<p>An error occurred while submitting the playlist.</p>"  
    );  
  }  
});
```

5. Axios Request with User-Friendly Error Handling

movies.js

```
axios.get("https://api.tvmaze.com/shows")
  .then(response => {

    const shows = response.data;

    console.log("First 5 Shows:");

    shows.slice(0, 5).forEach(show => {
      console.log(show.name);
    });

  })
  .catch(error => {

    if (error.response) {
      console.log("Unable to load movie data. Server returned an error.");
    }
    else if (error.request) {
      console.log("No response received. Check your internet connection.");
    }
    else {
      console.log("Something went wrong while fetching movie data.");
    }

    console.error(error);
  })
}
```

});