

Postman API Testing Assignment – FoodieApp APIs

Objective

Postman ka use karke different HTTP methods (GET, POST, PUT, DELETE) ko test karna aur unhe ek collection me organize karna.

Step 1: Install Postman and Create Collection

Procedure

1. Postman download aur install kiya.
2. Postman open kiya.
3. **New** → **Collection** par click kiya.
4. Collection ka naam **FoodieApp APIs** rakha.

Note

Collection APIs ko organize karne ke liye use hoti hai jisse saare requests ek jagah save rehte hain.

Step 2: Test GET Request

Endpoint

GET <https://jsonplaceholder.typicode.com/posts>

Steps

1. New Request create kiya.
2. Method **GET** select ki.
3. URL enter kiya:
4. <https://jsonplaceholder.typicode.com/posts>
5. Send button par click kiya.

Expected Output

- Status Code: **200 OK**
- Response Body: Posts ka array

Sample Response

```
[
  {
    "userId": 1,
    "id": 1,
    "title": "sunt aut facere repellat",
    "body": "quia et suscipit..."
  }
]
```

Verification

- ✅ Status = 200 OK
- ✅ Body me multiple post objects available hain.

Note

GET request server se data retrieve karne ke liye use hoti hai.

Step 3: Create POST Request

Endpoint

POST <https://jsonplaceholder.typicode.com/users>

Request Body

```
{
  "name": "Rahul Sharma",
  "email": "rahul@gmail.com"
}
```

Steps

1. New Request create kiya.
2. Method **POST** select ki.
3. URL enter kiya.
4. Body → Raw → JSON select kiya.

5. JSON data paste kiya.

6. Send button click kiya.

Sample Response

```
{  
  "name": "Rahul Sharma",  
  "email": "rahul@gmail.com",  
  "id": 11  
}
```

Verification

✓ Response me sent data return hua.

✓ New ID generate hui.

Note

POST request server par naya record create karne ke liye use hoti hai.

Step 4: Create PUT Request

Endpoint

PUT <https://jsonplaceholder.typicode.com/posts/1>

Request Body

```
{  
  "id": 1,  
  "title": "Updated Food Post",  
  "body": "Food details updated",  
  "userId": 1  
}
```

Sample Response

```
{  
  "id": 1,
```

```
"title": "Updated Food Post",  
"body": "Food details updated",  
"userId": 1  
}
```

Verification

✔ Updated data response me display hua.

Note

PUT request existing resource ko update karne ke liye use hoti hai.

Step 5: Create DELETE Request

Endpoint

DELETE <https://jsonplaceholder.typicode.com/posts/1>

Steps

1. Method DELETE select ki.
2. URL enter kiya.
3. Send button click kiya.

Sample Response

```
{}
```

Verification

✔ Empty response object return hua.

Note

DELETE request server se data remove karne ke liye use hoti hai.

Saved Requests in FoodieApp APIs Collection

Request Name	Method	Purpose	
Get All Posts	GET	Server se posts retrieve karna	
Create User	POST	Naya user create karna	

	Update Post	PUT	Existing post update karna	
	Delete Post	DELETE	Existing post delete karna	

Request Descriptions

1. Get All Posts

Description: Retrieves all posts from the server for viewing data.

2. Create User

Description: Creates a new user using name and email details.

3. Update Post

Description: Updates information of an existing post.

4. Delete Post

Description: Deletes a selected post from the server.

Step 6: Export Collection

Procedure

1. FoodieApp APIs collection par click kiya.
2. Three dots (:) menu open kiya.
3. **Export** option select kiya.
4. Collection v2.1 format choose kiya.
5. JSON file save ki.