

The Derivative as a Function:


We can take derivative as a function

$a \rightsquigarrow$ Derivative \rightsquigarrow Slope of the tangent line to the function we are dealing with at $x=a$

Notation of derivatives of $y=f(x)$:


• $f'(x)$ • $\frac{d}{dx}(f(x))$ • y' • $\frac{dy}{dx} = \frac{d}{dx}(y)$

① $f'(x)=0$ or Horizontal Tangent.



If $f'(x)$ is 0 for some $x=a$, then the function $f(x)$ changes its direction at $x=a$.

② $f'(x)>0$ or Increasing function:




③ $f'(x) < 0$ or Decreasing function.

④ $f'(x)$ is undefined: Vertical

$$\text{As, } f'(x) = \frac{\text{change in } y \text{ at some pt}}{\text{change in } x \text{ at the same pt}}$$

$f'(x)$ undefined means no change in x -coord.

Ex. Graph $f'(x)$, where $f(x)$ is given as follows



Note: ● $f(x)$ is increasing between $(-1, -1)$ & $(4, 5)$ in a non-linear path (seems like a parabola)

$\Rightarrow f'(x) > 0$, x in $(-1, 4)$ & $f'(x)$ is not constant

● $f(x)$ has a horizontal tangent at $(4, 5)$ point.

● $f(x)$ is decreasing between $(4, 5)$ & $(7, 2)$ in a non-linear path (seems like the same parabola)

$\Rightarrow f'(x) < 0$, x in $(4, 7)$ & $f'(x)$ is not constant

- Between $(7, 2)$ & $(11, 4)$, $f(x)$ is a straight line with fixed slope $= \frac{4-2}{11-7} = \frac{2}{4} = 0.5$
- Between $(11, 4)$ & $(17, 9)$ we have an increasing non-linear (possibly non-parabolic curve)

$\Rightarrow f'(x) > 0$ in $(11, 17)$, $f'(x)$ is not constant, and possibly not a st. line path (being possibly non-parabolic) i.e. any positive curve between $x=11$ & $x=17$ will work out (possibly st. line also).

