

COMPUTER TEST -12

Join our Telegram Channel

Q1. Which operator combines and gives the common values?

- (A) Union
- (B) Intersect**
- (C) Union all
- (D) Minus

Solution: (b) Intersect → SQL INTERSECT operator combines two select statements and returns only the dataset that is common in both the statements. Union → The UNION operator is used to combine the result-set of two or more SELECT statements. Union all → The SQL UNION ALL operator is used to combine the result sets of 2 or more SELECT statements. Minus → The Minus Operator in SQL is used with two SELECT statements. The MINUS operator is used to subtract the result set obtained by the first SELECT query from the result set obtained by the second SELECT query.

Q2. What is the technique used to gain unauthorized access to computers, in which an intruder sends a message to a computer with an address indicating that the message is coming from a trusted host?

- (A) Phishing
- (B) Forging
- (C) IP spoofing**
- (D) Identity theft

Solution: The correct answer is: C. Explanation: 1. IP Spoofing: IP spoofing is a technique used to gain unauthorized access to computers. In this method, an intruder sends a message to a computer that has an IP address indicating that the message is coming from a trusted host. The attacker modifies the source address in the IP packet, making it appear as though the communication is legitimate. This can be used to hide the sender's real identity or to impersonate another system. IP spoofing is commonly abused in DDoS attacks (Distributed Denial of Service), where the attacker overwhelms a target with traffic while hiding their identity. 2. Phishing: phishing is a social engineering attack where the attacker tricks users into revealing sensitive information (like passwords, credit card details, or personal data). It's typically done via email, SMS, or fake websites that appear legitimate. The goal is to make users believe they are interacting with a trusted entity. 3. Forging: forging involves the process of creating fraudulent or fake documents, signatures, or identities. This can apply in various contexts, including digital signatures, certificates, or physical documents. In the context of unauthorized access, forging may involve creating fake credentials or modifying data to gain access to systems or services. 4. Identity Theft: identity theft occurs when someone steals another person's personal information (like a social security number, credit card details, or login credentials) to commit fraud or other malicious activities. Cybercriminals may use stolen identities to gain unauthorized access to accounts, carry out financial transactions, or impersonate the victim.

Q3. Which of the following function keys can be used to edit a cell of an MS-Excel worksheet?

- (A) F5
- (B) F3
- (C) F2**
- (D) F4

Solution: (c) F2 function keys can be used to edit a cell of an MS-Excel worksheet. F5 Displays the Go To dialog box. F3- Displays the Paste Name dialog box. F4- repeats your last command or action.

Q4. are words that a programming language has set aside for its own use.

- (A) Control words
- (B) Control structures
- (C) Reserved words**
- (D) Reserved keys

Solution: (c) In a computer language, a reserved word is a word that cannot be used as an identifier, such as the name of a variable, function, or label. It is "reserved from use". They are the words that a programming language has set aside for its own use.

Q5. In the context of computers, what is Ubuntu?

- (A) An open-source operating system sponsored by Canonical Ltd.**
- (B) An anti-virus software by Microsoft
- (C) An Android-based search engine by Microsoft
- (D) A search engine by the Mozilla Foundation

Solution: The correct answer is: An open-source operating system sponsored by Canonical Ltd. Ubuntu: this is a popular open-source operating system based on the Linux kernel. Ubuntu is developed and maintained by Canonical Ltd. and is known for its ease of use, stability, and extensive support in both desktop and server environments. It is widely used in both personal and enterprise settings.

Q6. Removing and replacing devices without turning off the computer is referred to as ____

- (A) Hot Swapping
- (B) USB Swapping
- (C) Bay Swap
- (D) Plug-n-play**

Solution: (d) Plug-n-play → With plug-and-play platforms, users can start using the platform immediately. They don't have to worry about spending extensive time configuring the platform and getting it ready to go; instead, they can just install it and start using it. Hot Swapping → A hot swap describes the act of removing components from or plugging them into a computer system while the power remains switched on. USB Swapping → USB Swapping / hot-plugging is the ability to replace or add devices to the current computer system without having to use or reboot the computer system.

Q7. In MS-Word, what is the smallest font size we can use manually in Word?

- (A) 8
- (B) 7
- (C) 1**
- (D) 4

Solution: The correct answer is option C. The image below shows the range of font sizes we can use in MS-Word — thus, the minimum font size we can manually edit is 1, while the maximum is 1638. According to MS-Word, by default we can select a minimum font size of 8, while the maximum is 72, as we can see in the image below.

Q8. Which of the following is NOT a valid 'Change case' option in MS Word?

- (A) Toggle case
- (B) Uppercase
- (C) Pascal case**
- (D) Lowercase

Solution: (c) Pascal case is a programming naming convention where the first letter of each compound word in a variable is capitalized. ToggleCase is text that is converted to a mixed case version of the text. Uppercase - letters that are written or printed in their large form; capital letters. Lowercase- letters that are written or printed in their small form; not in capital letters.

Q9. Which of the following features of MS Word is used to name a specific point in a document?

- (A) Bookmark**

- (B) Auto Format
- (C) Hyperlink
- (D) Cross-reference

Solution: The correct answer is option A. In MS Word, the 'Bookmark' feature is used to assign a name to a specific point or location in a document. This lets you easily jump back to that point or location later. Bookmarks are often used to create links within the same document or for reference for cross-referencing and navigation purposes. Auto Format is a feature that automatically formats text based on predefined styles and patterns. Hyperlink is used to create links to external resources or other parts of the document. Cross-reference is used to refer to other parts of the document, such as headings, figures, tables, etc., in a structured way.

Q10. What does CDMA mean in computer terminology?

- (A) Core Division Multiple Access
- (B) Code Division Maximum Access
- (C) Core Division Maximum Access
- (D) Code Division Multiple Access

Solution: The correct answer is option D. CDMA stands for Code Division Multiple Access. It is a digital cellular technology that allows multiple users to simultaneously share the same frequency spectrum. Unlike traditional cellular technologies, which allocate separate frequency channels to different users, CDMA uses a spread spectrum technique where each user is assigned a unique code to separate their signal from others.

Q11. To print an individual item in a file immediately click ____ .

- (A) Ctrl + P
- (B) Shift + P
- (C) Alt + P
- (D) Window + P

Solution: (a) Ctrl + P → It opens the print window. Alt + P → It used to display the preview panel.

Q12. Google is an example of ____ .

- (A) Search engine
- (B) Internet
- (C) Portal
- (D) Browser

Solution: (a) Google is an example of the search engine.

Q13. ____ shortcut key is used in MS-Excel 2010 to select a column.

- (A) Ctrl + Spacebar
- (B) Shift + Spacebar
- (C) Ctrl + Enter
- (D) Alt + Enter

Solution: (a) Ctrl + Spacebar → It is used to select an entire column in a worksheet. Shift + Spacebar → It is used to select an entire row in a worksheet. ALT + Enter → It is used to move to the next line allowing for multiple lines of text in one cell. Ctrl + Enter → It is used to fill all selected cells with the same data or formula.

Q14. In Word, you can force a page break ____ .

- (A) by positioning your cursor at the appropriate place and pressing the F1 key
- (B) by positioning your cursor at the appropriate place and pressing the Ctrl+Enter
- (C) by using the insert/section break
- (D) by changing the font size of your document

Solution: (c) Put your cursor where you want one page to end and the next to begin. Go to Insert > Page Break.

Q15. The process to check and ensure the components of the computer are operating and connected properly is known as ____ .

- (A) Repairing

- (B) Checking
- (C) Pairing
- (D) Booting

Solution: (d) To boot a computer is to load an operating system into the computer's main memory or random access memory (RAM).

Q16. Which process of decomposing a problem (program) into a set of modules so as to reduce the overall complexity of the problem?

- (A) Modularity
- (B) Polymorphism
- (C) Hierarchy
- (D) Abstraction

Solution: (a) Modularity → Modularity refers to a logical partitioning of the "software design" that allows complex software to be manageable for the purpose of implementation and maintenance. Polymorphism → Polymorphism is a feature of object-oriented programming languages that allows a specific routine to use variables of different types at different times. Hierarchy → Hierarchy is the combination of different levels that connects the computer with the user and that makes the use of the computer. Abstraction → It is the process of removing elements of a code or program that aren't relevant or that distract from more important elements.

Q17. A MAC address is a ____ digit hexadecimal number.

- (A) 12
- (B) 10
- (C) 14
- (D) 15

Solution: The correct answer is option A. A MAC address (Media Access Control address) is a unique identifier assigned to the Network Interface Controller (NIC) of a network device. It is a hardware address that provides a way to identify devices on a local network, such as an Ethernet or Wi-Fi network. MAC addresses are used at the data link layer of the OSI (Open Systems Interconnection) model. A MAC address is typically represented as a sequence of six pairs (12-digit) of hexadecimal digits (0-9, A-F) separated by colons or hyphens. For example, a MAC address might look like: 00:1A:2B:3C:4D:5E.

Q18. Which one of the following languages is used in Interpreter?

- (A) FORTRAN
- (B) COBOL
- (C) C
- (D) BASIC

Solution: (d) A BASIC interpreter is an interpreter that enables users to enter and run programs in the BASIC language and was, for the first part of the microcomputer era, the default application that computers would launch. FORTRAN → FORTRAN has been used for such projects as the design of bridges and airplane structures, it is used for factory automation control, for storm drainage design, analysis of scientific data and so on. COBOL → COBOL stands for Common Business Oriented Language. It is imperative, procedural, and object-oriented. C → The C programming language is a procedural and general-purpose language that provides low-level access to system memory.

Q19. In MS-Word 2010, which of the following statement is incorrect about Ruler?

- (A) It helps to change a line's indentation
- (B) It helps to set tabs
- (C) It helps to control the margins of document pages.
- (D) It helps to change font styles

Solution: (d) Ruler is used to change the format of the document, i.e. it helps you align the text, tables, graphics and other elements of your document. It uses inches or centimeters as the measurements unit and gives you an idea about the size of the document.

Q20. Which of the following technologies can be used to store a

large number of files in less storage space?

- (A) (a) File Adjustment
- (B) (b) File copying
- (C) (c) File Compatibility
- (D) (d) File Compression**

Solution: The correct answer is d: File Compression. File compression is a method of reducing files' size so they take up less storage space. This is achieved using algorithms that eliminate redundancy and use encoding schemes to represent data more efficiently. (a) File Adjustment: there is no standard technique called 'File Adjustment' for reducing file size. This term doesn't refer to any known method of optimizing storage. (c) File Compatibility: file compatibility refers to the ability of different software systems to read and process files. This concept is about ensuring files can be used across different platforms or programs, not about reducing file size. (d) File Compression: file compression uses algorithms to reduce files' size by removing unnecessary data and encoding information more efficiently. Compression can be lossless, meaning no data is lost (e.g., ZIP, PNG), or lossy, meaning some data is discarded to achieve a higher compression rate (e.g., JPEG, MP3). Examples of File Compression: ZIP files — a common format for compressing multiple files into a single archive. RAR files — another format for compressing files, which often offers a better compression ratio than ZIP. GZIP — commonly used to compress single files or streams of data in UNIX and Linux systems.

Q21. What is the process of encoding information such that it cannot be read without proper authorization called?

- (A) Encapsulation
- (B) Encryption**
- (C) Decryption
- (D) Abstraction

Solution: The correct answer is option B. The process of encoding information such that it can only be decoded and read by individuals with the proper authorization or decryption key is called Encryption. Encryption is a fundamental concept in information security, and it helps protect sensitive data from unauthorized access during transmission or storage. Encapsulation is a concept in object-oriented programming (OOP) where the internal details and implementation of an object are hidden from the outside world. It involves bundling data (attributes) and methods (functions) that operate on the data into a single unit known as an object. Encapsulation helps promote data privacy and abstraction in programming. Decryption is the process of converting encrypted or encoded data back into its original, readable form using a decryption key or algorithm. It is the opposite of encryption and allows authorized users to access information after it has been encrypted. Abstraction is a fundamental concept. It involves simplifying complex reality by modelling classes, objects or systems that capture essential properties while ignoring unnecessary details. Abstraction helps manage complexity and lets programmers focus on relevant aspects of a system.

Q22. Which of the following is not a browser?

- (A) Mozilla
- (B) Internet explorer
- (C) Google**
- (D) Chrome

Solution: (c) Google is the search engine, it is not a browser.

Q23. Which of the following statements related to MS Word is FALSE?

- (A) Number of columns in a table cannot be more than the number of rows.**
- (B) A table can have even number of rows and columns.
- (C) A table can have different number of rows and columns.
- (D) A table can have odd number of rows and columns.

Solution: (a) Number of columns in a table can be more than the number of rows in MS Word.

the 'Save As' dialog box in Microsoft PowerPoint 2007?

- (A) Ctrl + F2
- (B) Alt + F2**
- (C) Alt + F5
- (D) Ctrl + S

Solution: The correct answer is option B. Alt + F5: start the presentation in presenter view. Ctrl + F2: Print preview mode. Ctrl + S: save an existing file after update. Alt + F2: open the save as window.

Q25. If we want to select a particular row it means ____ .

- (A) Selection
- (B) Projection**
- (C) Grant
- (D) Rollback

Solution: (b) Projection → Projection is defined as taking a vertical subset from the columns of a single table that retains the unique rows. Grant → The grant command is used by users to provide privileges to database objects and to provide permission to other users. Rollback → ROLLBACK is a transactional control language in SQL. It lets a user undo those transactions that aren't saved yet in the database.

Q24. Which of the following keyboard shortcuts is used to open