

COMPUTER TEST -3

Join our Telegram Channel

Q1. Which of the following languages does a computer use to process data?

- (A) COBOL
- (B) Binary**
- (C) BASIC
- (D) Window

Solution: The correct answer is option B. Binary: a computer primarily uses binary language to process data. Binary language consists of a series of 1s and 0s, representing the basic on-off state of electronic switches in the computer's hardware. This binary language is the foundation of all digital computing and is used by a computer's central processing unit (CPU) to perform calculations, execute instructions, and process data. COBOL: COBOL (Common Business-Oriented Language) is a high-level programming language used for business, finance and administrative systems — although used for writing programs, it is not the primary language a computer uses to process data at the basic hardware level. BASIC: BASIC (Beginners All-purpose Symbolic Instruction Code) is another high-level programming language used to build software applications — like COBOL, it is not the language used by a computer's hardware for data processing. Window: 'window' is not a programming language or fundamental concept used for data processing — it may refer to a graphical user interface (GUI) element in a software application, but it is not related to a computer's core data processing operations.

Q2. The advantage of using a spreadsheet is:

- (A) Calculations can be done automatically.
- (B) changing data automatically updates calculations
- (C) more flexibility
- (D) all of the above**

Solution: (d) Spreadsheets can be more collaborative than other tools. It's easy to manipulate and analyze data. You can integrate spreadsheets with certain tools. Spreadsheets are quick and easy to add into a workflow.

Q3. means that their source code is not available.

- (A) Firewall
- (B) Freeware**
- (C) Freefall
- (D) Firmware

Solution: (b) Freeware is commonly used for copyrighted software, its source code is not available and is given away for free by its owner for e.g. adobe reader, skype. Firmware Is a combination of software and hardware. e.g. ROMs, PROMs and EPROMs. FireWire is a connecting device used primarily for adding peripherals to a computer. It is also known as IEEE 1394.

Q4. The Internet was developed in the_____ .

- (A) 1950s
- (B) 1960s
- (C) 1980s**
- (D) 1970s

Solution: (c) January 1, 1983 is considered the official birthday of the Internet.

Q5. In an MS-Excel 2010 sheet, a cell with a text overflow problem can be dealt with by _____.

- (A) Text bumping
- (B) Text aligning
- (C) Text merging
- (D) Text wrapping**

Solution: The correct answer is option D. In an MS-Excel 2010 sheet, a cell with a text overflow problem can be dealt with using the

'text wrapping' feature. This lets the cell's content be displayed on multiple lines within the same cell, ensuring all text is visible without increasing the cell's width. Text wrapping is particularly useful when working with long text or when you want to format content to fit within a specific column width.

Q6. Which of the following shortcut key is used to add outline to selected cells in a worksheet of MS-Excel 2010?

- (A) Ctrl + Shift + Left Arrow
- (B) Ctrl + Shift + Right arrow
- (C) Ctrl + Shift + Underscore (_)
- (D) Ctrl + Shift + Ampersand sign (&)**

Solution: (d) Ctrl + Shift + Ampersand sign (&) → It is used to apply an outline border to the selected cells. Ctrl + Shift + Underscore (_) → It is used to remove the outline border from the selected cells. Ctrl + Shift + Left/Right → By pressing the Shift key at the same time as Ctrl and an arrow key, you select from the current cell to the leftmost/rightmost cell in your data region and everything in between.

Q7. Which of the following refers to a huge database of Internet resources such as webpages, newsgroups, programs, images etc. and helps to locate information on World Wide Web?

- (A) Protocols
- (B) Web server
- (C) Search engine**
- (D) Domain

Solution: (c) A search engine is a web-based tool that enables users to locate information on the World Wide Web. Popular examples of search engines are Google, Yahoo!, and MSN Search. Protocols → A network protocol is an established set of rules that determine how data is transmitted between different devices in the same network. Web server → A web server connects to the Internet and supports physical data interchange with other devices connected to the web. Domain → A domain is one part of a complete web address, or URL. A URL typically consists of a protocol, domain name, and path. For example, blog.hubspot.com.

Q8. Hackers often gain entry to a network by pretending to be a legitimate computer

- (A) IP spoofing**
- (B) spoofing
- (C) forging
- (D) All of these

Solution: (a) IP address spoofing, refers to the creation of Internet Protocol (IP) packets with a false source IP address to impersonate another computer system. IP spoofing allows cybercriminals to carry out malicious actions, often without detection. Spoofing → Spoofing is a specific type of cyber-attack in which someone attempts to use a computer, device, or network to trick other computer networks by masquerading as a legitimate entity. Forging → Forging in computer networking, is the process of interfering with an established network connection by means of constructing packets to appear as if they are part of the normal communication stream.

Q9. What will be the value of the following MS Excel formula? =AVERAGE (5, 4, 4>3, 6)

- (A) 5
- (B) ERROR
- (C) 3.72
- (D) 4**

Solution: (d) The Excel AVERAGE function calculates the average (arithmetic mean) of supplied numbers. AVERAGE can handle up to 255 individual arguments, which can include numbers, cell references, ranges, arrays, and constants. Formula = AVERAGE

(number1, [number2], ...). AVERAGE(5, 4, 4>3, 6)= 4.

Q10. Hexadecimal number system consists of _____

- (A) 0 to 9
- (B) A to F
- (C) Either 'a' or 'b'
- (D) Both 'a' and 'b'**

Solution: (d) Hexadecimal number systems are 16 unique digits available in this system. These are 0 to 9 and A to F, where A denotes 10, B denotes 11,, F denotes 15.

Q11. Which of the following statements is/are true?

- (A) Cache memories are bigger than RAM
- (B) Cache memories are smaller than RAM**
- (C) ROM are faster than RAM
- (D) Information in ROM can be written by users

Solution: (b) Cache memory is smaller in size than RAM. Generally, computers have cache memory of sizes 256 KB to 2 MB.

Q12. A template is a _____

- (A) pattern of worksheet**
- (B) heading
- (C) title
- (D) theme

Solution: (a) An Access template is a file that, when opened, creates a complete database application.

Q13. Which of the following is a search engine?

- (A) Opera
- (B) Internet Explorer
- (C) Safari
- (D) Yahoo**

Solution: The correct answer is option D. A web browser is application software required to view web pages. Mosaic was the first web browser, developed by the National Center for Supercomputing Applications (NCSA). Some examples of web browsers are Opera, Mozilla Firefox, Google Chrome, Safari, etc. A search engine is an online tool that searches for results in a database based on a search query (keywords) submitted by an internet user. The world's first search engine was Archie, developed by Alan Emtage. Some examples of search engines are Yahoo, Google, etc.

Q14. What is a 'tuple'?

- (A) It is a related set of records in a table.
- (B) It corresponds to a row in a table.**
- (C) It is another name for third normal form.
- (D) It is an attribute for each relation, and a governing constraint.

Solution: The correct answer is option B. In the context of databases, a tuple refers to a row or record in a table. A tuple represents a single instance of data within a relation (table) in a database. Each tuple has a collection of attributes (columns) holding specific values corresponding to the properties of that instance.

Q15. Extensible Markup Language (XML) is a simple, very flexible text format, Which is derived from _____.

- (A) HTML
- (B) ETML
- (C) STML
- (D) SGML**

Solution: (d) XML is a markup language based on Standard Generalized Markup Language (SGML) used for defining markup languages. XML's primary function is to create formats for data that is used to encode information for documentation, database records, transactions and many other types of data. HTML → HyperText Mark-up Language, it is a system used to mark text for World Wide Web pages in order to obtain colors, style, pictures etc.

Q16. Magnetic stripe reader is a type of _____ device.

- (A) Output
- (B) Processor
- (C) Input**
- (D) Input/output

Solution: (c) A magnetic stripe reader is an input device which reads data from a magnetic strip card. The magnetic strip is usually found on the back of the card. Output → for e.g. monitors, printers, speakers, headphones, projectors.

Q17. In a relational database, a data structure that organizes the information about a single topic into rows and columns, is _____.

- (A) block
- (B) record
- (C) tuple
- (D) table**

Solution: (d) A relational database is a collection of information that organizes data in predefined relationships where data is stored in one or more tables of columns and rows.

Q18. Jitter refers to:

- (A) Delivering data to the correct destination
- (B) Delivering data correctly
- (C) Delivering data in a timely manner
- (D) Variation in packet arrival time**

Solution: The correct answer is option D. The exchange of data between two or more devices depends on four characteristics: Jitter — refers to variation in packet arrival time. Delivery — the system must deliver data to the correct destination. Accuracy — the system must deliver data accurately. Timeliness — the system must deliver data on time.

Q19. 20 .css file extension usually refers to what kind of file?

- (A) Image File
- (B) System File
- (C) Animation File
- (D) Hypertext related File**

Solution: (d) .css file extension usually refers to Hypertext related File. A CSS file is a cascading style sheet (CSS) file used to format the contents of a webpage.

Q20. A device that operates at the network layer is called _____

- (A) Bridge
- (B) Router**
- (C) Repeater
- (D) Hub

Solution: The correct answer is option B. A device that operates at the network layer is called a router. Routers are network devices that operate at the network layer (Layer 3) of the OSI model. They are responsible for forwarding data packets between different networks, making routing decisions based on IP addresses, and maintaining routing tables to determine the best path for data to reach its destination. Bridge: operates at the data link layer (Layer 2) and connects two or more network segments to create a single network. Repeater: operates at the physical layer (Layer 1) and is used to extend network reach by amplifying or regenerating signals. Hub: also operates at the physical layer (Layer 1) and connects multiple devices in a network, but lacks the intelligence to manage data traffic like a router.

Q21. The time between when a memory is commanded to read/write and when the memory can be issued the next instruction is called.

- (A) Access time**
- (B) Cycle time
- (C) Write time
- (D) Seek time

Solution: The correct answer is option A. Disk access time is defined as the total time needed for the computer to process a read/write request and then retrieve the required data from disk storage.

Q22. In MS Excel 365, which of the following is the correct formula to calculate the average of the values in cells A1 to A10?

- (A) =SUM(A1:A10)/100
- (B) =AVERAGE(10*A1)
- (C) =AVERAGE(A1:A10)**
- (D) =SUM(A1:A10)/10

Solution: The correct formula to find the average of the values from A1 to A10 in MS Excel 365 is: (c) =AVERAGE(A1:A10). Here's why the other options are wrong: (a) =SUM(A1:A10)/100 — this finds the sum of the values from A1 to A10 and divides it by 100, which is not the correct way to find the average. (b) =AVERAGE(10*A1) — this is incorrect because it multiplies A1 by 10, and then finds the average of that single value, whereas you need the average of the range A1 to A10. (d) =SUM(A1:A10)/10 — this finds the sum of the values from A1 to A10 and divides it by 10. While this gives the correct average if the range has exactly 10 values, it isn't as flexible or accurate as the AVERAGE function, especially when the range changes. So, the correct answer is: (c) =AVERAGE(A1:A10).

Q23. Deleted mails from the Inbox can be found in_____

- (A) Trash**
- (B) Spam
- (C) Promotions
- (D) All Mail

Solution: (a) Trash will contain all the deleted mails for 30 days from deleting the documents. Spam → Spam email is unsolicited and unwanted junk email sent out in bulk to an indiscriminate recipient list.

Q24. What is the primary function of a gateway in a computer network?

- (A) Providing power to network devices
- (B) Encrypting and decrypting data packets
- (C) Connecting different networks with different protocols**
- (D) Displaying a graphical user interface

Solution: The correct answer is option C. A gateway in a computer network is a device or software component that acts as an entry or exit point between two different networks, allowing them to communicate and exchange data. Gateways are responsible for translating protocols, formats and addressing schemes to enable communication between networks using different technologies or standards. Gateways are commonly used in various networking scenarios: network protocol translation, Network Address Translation (NAT), internet gateways, application gateways, firewall protocol conversion, Voice over IP (VoIP) gateways, cloud gateways. Gateways play a crucial role in facilitating communication and data exchange between different networks, ensuring compatibility and security, while allowing different technologies to work together effectively.

Q25. An _____ is a folder in an email application that accepts incoming messages.

- (A) Inbox**
- (B) Trash
- (C) Outbox
- (D) Draft

Solution: (a) Inbox → A term used to describe the place where e-mail messages are received in an email client or online email account. Trash → Emails that are deleted from a folder are not completely gone. Deleted emails are usually stored for a defined time in the trash folder. Draft → Drafts represent unsent messages with the DRAFT system label applied. The message contained within the draft cannot be edited once created, but it can be replaced.