
ASSIGNMENT 1 -

No.	Problem (click to open)	Platform	Difficulty
1	Read from STDIN, Write to STDOUT	HackerEarth	Very Easy
2	Solve Me First	HackerRank	Very Easy
3	2235 — Add Two Integers	LeetCode	Very Easy
4	2651 — Calculate Delayed Arrival Time	LeetCode	Easy
5	2739 — Total Distance Traveled	LeetCode	Easy

1. **Read from STDIN, Write to STDOUT | Basics of Input/Output & Basic Programming Practice Problems**



2. **Solve Me First | HackerRank**

```cpp
#include <cmath>
#include <cstdio>
#include <vector>
#include <iostream>
#include <algorithm>
using namespace std;

int solveMeFirst(int a, int b) {
    return a + b;
}

int main() {
    int num1, num2;
    int sum;
    cin >> num1 >> num2;
    sum = solveMeFirst(num1, num2);
    cout << sum;
    return 0;
}

```

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

Test case 0

Test case 1

Compiler Message

Success


Input (stdin) Download

```
2
3
```


Expected Output Download

```
5
```


3. Add Two Integers - LeetCode



4. [Calculate Delayed Arrival Time - LeetCode]



5. [Total Distance Traveled - LeetCode]


Problem List
Submit
00:32:59
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 10000 / 10000 testcases passed
HDPAqfc6xF submitted at Nov 05, 2026 09:08
Analysis
Solution
Save 41%
Big Diwali Dhamaka
Unlock the Full Experience with Premium for ₹583.25/mo — Ends Nov 8!
Runtime
5 ms | Beats 36.80%
Memory
10.98 MB | Beats 98.48%
40%
30%
20%
10%
0%
1ms
2ms
3ms
4ms
5ms
6ms
7ms
8ms
9ms
Code | C++
1 class Solution {
Code
C++
Auto
1 class Solution {
2 public:
3 int distanceTraveled(int mainTank, int additionalTank) {
4 int totalDistance = 0;
5
6 while (mainTank >= 5) {
7 mainTank -= 5;
8 totalDistance += 50; // 5 liters * 10 km/liter
9
10 if (additionalTank > 0) {
11 additionalTank -= 1;
Saved
Ln 1, Col 1
Testcase
Test Result
You must run your code first