Microsoft

CSP Masters Program in person series
Technical training

Microsoft

Security

Security

- ✓ Security foundation
- ✓ Identity security
- ✓ Email protection
- ✓ Information governance
- ✓ Endpoint / Device security
- ✓ Bringing it all together

Microsoft

Security foundations

Cyberthreats– overview

Phishing Fraud in which an attacker masquerades as a reputable person. It's often easier to trick someone than to hack in.

Ransomware Malicious encryption software that blocks access to systems and demands a sum of money to unlock. An infected PC can spread the ransomware to other computers on your network.

Fileless attacks use malicious scripts that hijack legitimate software and load malware into memory, without saving to the file system. This makes the malware harder to detect.

Live off the land attacks use trusted software and system tools to carry out their work. Examples are administrative shells, antivirus programs, RMM software, etc. This makes it difficult to detect and/or determine who is behind the activity.

The Security Dilemma



Perception

I am too small a business for hackers to attack me…only large enterprises need to worry about security…

Reality

"Someone was **fooled by the email from the CEO** and used his Corp card to send the iTunes gift cards. We lost about $5,000."

—Adam A., equipment rentals, 150 employees

"The only reason **we caught it** was that it was a 6-digit sales order and our sales orders are 7 digits."

— Joe B, food distribution, 250 employees

"They **got someone's password**, and sent an email to our CFO, who sent the $40,000 wire transfer."

— Bob K., property management, 150 employees

Australian Government

Australian Government

Office of the Australian Information Commissioner

Notifiable Data Breaches (NDB) scheme in Australia

- Starting on 22nd February 2018
- Australian organisations are required to notify any individuals likely to be at risk of serious harm by a data breach.
- Examples of a data breach include when:
  - a device containing customers' personal information is lost or stolen
  - a database containing personal information is hacked
  - personal information is mistakenly provided to the wrong person.
- For more information visit *https://oaic.gov.au*

Data breaches involving managed service providers

A failure by both the MSP and its clients to notify the OAIC and individuals at risk of serious harm from a data breach will represent a breach of the provisions of Part IIIC of the Privacy Act, and will likely constitute an interference with privacy by all.

https://www.oaic.gov.au/privacy/notifiable-data-breaches/notifiable-data-breaches-statistics/notifiable-data-breaches-report-july-december-2020/


User
User's device
Start of human-operated attack from Cat infrastructure
Start of human-operated attack from Duck infrastructure, if any
Multiple devices
DELIVERY
EXECUTION & PERSISTENCE
EVASION
IMPACT
Malicious email with .doc, .js and/or .zip file
USB, network drives
Variety of edge exploits
Brute-force of RDP and edge apps
LemonDuck downloaded
Check-ins established
Scheduled task and WMI event
Crypto miner and Mimikatz installed
Remote access trojans installed for re-entry
Anti-malware products disabled
Competitive malware removed
Hosts file modified with obfuscated C2
Machine patched
Shadow copy files deleted; system recovery disabled
Credentials and email collected and exfiltrated
Remote access trojans installed for re-entry
Ramnit and other malware installed
Spreading to other devices
Phishing propagation
Activity associated with Duck campaigns
Activity associated with Cat campaigns
Activity common to both Duck and Cat campaigns

Solve secure access challenges with a Zero Trust approach

Zero Trust defined

A proactive, integrated approach to security across all layers of the digital estate that explicitly and continuously verifies every transaction, asserts least privilege, and relies on intelligence, advanced detection, and real-time response to respond to threats

Zero Trust principles



Verify explicitly



Use least privilege access



Assume breach

Identities and endpoints are your first line of defense



80%

of breaches involve the use of lost or stolen passwords.[1]

60%

of BYO devices are not secured by IT.[2]

Monitoring and analytics

1. "Verizon 2020 Data Breach Investigations Report"
2. "Mobile security—the 60 percent problem" Brian Peck, Zimperium, April 7, 2020

Endpoint security for Zero Trust is a team sport

Microsoft Endpoint Manager

simplifies management workflows across cloud and on premises endpoints for Zero Trust security.

- Visibility and control with continuous health, compliance, and security signaling
- Set policies and manage company and employee-owned device compliance
- Zero touch deployment, and non-intrusive app management supports seamless user experiences

Microsoft Defender for Business

provides visibility into endpoints accessing corporate resources, one of the first steps in a Zero Trust device strategy.

- Monitor and gain visibility into configuration profiles while exposing security anomalies
- Evaluate every endpoint for risks and employ granular access controls to devices
- Discover unmanaged and unauthorized endpoints and network devices

Extensive vulnerability assessment across the entire stack

Continuous real-time discovery



Home > Audit log search

Audit log search

! To use this feature, turn on auditing so we can start recording user and admin activity in your organization. When you turn this on, activity will be recorded to the Office 365 audit log and available to view in a report.

Turn on auditing

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. Learn more about searching the audit log

Search

Clear

Activities

Show results for all activities

Start date

2020-02-11 00:00

End date

Results

Date	IP address	User	Activity	Item	Detail

Run a search to view results

https://protection.office.com/unifiedauditlog

Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. Learn more about searching the audit log

Search

Clear

Activities

User signed in to Teams

Start date

2017-04-01 00:00

End date

2017-05-09 00:00

Users

Show results for all users

Results

150 results found (More items available, scroll down to see more.)

Filter results

Export res

Date	IP address	User	Activit	
2017-05-08 10:...		admin@ciaops...	User signed in to Te...	web (1415/1.0....
2017-05-06 10:...		admin@ciaops...	User signed in to Te...	web (1415/1.0....
2017-05-06 10:...		admin@ciaops...	User signed in to Te...	web (1415/1.0....
2017-05-06 10:...		admin@ciaops...	User signed in to Te...	web (1415/1.0....
2017-05-06 10:...		admin@ciaops...	User signed in to Te...	web (1415/1.0....
2017-05-06 09:...		admin@ciaops...	User signed in to Te...	web (1415/1.0....

ciaopslabs | Overview

Azure Active Directory

Overview
Preview features
Diagnose and solve problems

Manage
Users
Groups
External Identities
Roles and administrators
Administrative units
Enterprise applications
Devices
App registrations
Identity Governance
Application proxy
Licenses
Azure AD Connect
Custom domain names
Mobility (MDM and MAM)
Password reset
Company branding
User settings
Properties
Security

Monitoring
Sign-ins
Audit logs
Provisioning logs
Logs
Diagnostic settings
Workbooks
Usage & insights

Troubleshooting + Support
Virtual assistant (Preview)
New support request

Add | Manage tenants | What's new | Preview features | Got feedback?

Overview | Monitoring | Tutorials

Search your tenant

Basic information

Name	ciaopslabs	Users	2
Tenant ID	[redacted]	Groups	3
Primary domain	ciaopslabs.com.au	Applications	2
License	Azure AD Premium P2	Devices	1

My feed

RC **Robert Crane** [redacted]

Global administrator
More info

TLS 1.0, 1.1 and 3DES deprecation
Upcoming TLS 1.0, 1.1 and 3DES deprecation for Azure AD. Please enable support for TLS 1.2 on clients(applications/platform) to avoid any service impact.

Secure Score for Identity
67.31%
Secure score updates can take up to 48 hours.

Azure AD Connect
Not enabled
Sync has never run

Feature highlights

Access reviews
Make sure only the right people have continued access.

Authentication methods
Configure your users in the authentication methods policy to enable passwordless authentication.

Azure AD Domain Services
Lift-and-shift legacy applications running on-premises into Azure.

Tenant restrictions
Specify the list of tenants that their users are permitted to access.

Privileged Identity Management
Manage, control, and monitor access to important resources in your organization.

Conditional Access
Control user access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies.

Quick actions

ciaopslabs | Sign-ins

Azure Active Directory

- Overview
- Preview features
- Diagnose and solve problems

Manage

- Users
- Groups
- External Identities
- Roles and administrators
- Administrative units
- Enterprise applications
- Devices
- App registrations

Download | Export Data Settings | Troubleshoot | Refresh | Columns | Got feedback?

Want to switch back to the default sign-ins experience? Click here to leave the preview. →

Date : **Last 24 hours** | Show dates as : **Local** | Add filters

User sign-ins (interactive) | User sign-ins (non-interactive) | Service principal sign-ins | Managed identity sign-ins

Date	Request ID	User	Application	Status	IP address	Location
8/2/2021, 1:42:19 PM	89d68567-99e9-4fb...	09dabc45-a14b-47a...	Azure Portal	Interrupted	203.129.21.57	
8/2/2021, 1:39:58 PM	37a89011-e1c3-477...	Robert Crane	Microsoft App Acces...	Success	203.129.21.57	Coogee, New South
8/2/2021, 1:39:50 PM	ca294ba3-5859-49d...	Robert Crane	My Profile	Success	203.129.21.57	Morwell, Victoria, AU
8/2/2021, 1:39:39 PM	a231f36d-f776-4c7e...	Robert Crane	Azure Portal	Success	203.129.21.57	Morwell, Victoria, AU
8/2/2021, 1:39:37 PM	bfc6db96-ab38-47bf...	Robert Crane	Azure Portal	Interrupted	203.129.21.57	Coogee, New South

How long does Azure AD store the data?

Activity reports

Report	Azure AD Free	Azure AD Premium P1	Azure AD Premium P2
Audit logs	7 days	30 days	30 days
Sign-ins	7 days	30 days	30 days
Azure AD MFA usage	30 days	30 days	30 days

Security signals

Report	Azure AD Free	Azure AD Premium P1	Azure AD Premium P2
Users at risk	7 days	30 days	90 days
Risky sign-ins	7 days	30 days	90 days

https://learn.microsoft.com/en-us/entra/identity/monitoring-health/reference-reports-data-retention

Mailbox actions logged by mailbox audit logging

When you enable mailbox audit logging for a mailbox, access to the mailbox and certain administrator and delegate actions are logged by default. To log actions taken by the mailbox owner, you must specify which owner actions should be audited.

Action	Description	Admin	Delegate	Owner
Copy	An item is copied to another folder.	Yes	No	No
Create	An item is created in the Calendar, Contacts, Notes, or Tasks folder in the mailbox; for example, a new meeting request is created. Note that message or folder creation isn't audited.	Yes[1]	Yes[1]	Yes
FolderBind	A mailbox folder is accessed.	Yes[1]	Yes[2]	No
HardDelete	An item is deleted permanently from the Recoverable Items folder.	Yes[1]	Yes[1]	Yes
MailboxLogin	The user signed in to their mailbox.	No	No	Yes[3]
MessageBind	An item is accessed in the reading pane or opened.	Yes	No	No
Move	An item is moved to another folder.	Yes[1]	Yes	Yes
MoveToDeletedItems	An item is moved to the Deleted Items folder.	Yes[1]	Yes	Yes
SendAs	A message is sent using Send As permissions.	Yes[1]	Yes[1]	No
SendOnBehalf	A message is sent using Send on Behalf permissions.	Yes[1]	Yes	No
SoftDelete	An item is deleted from the Deleted Items folder.	Yes[1]	Yes[1]	Yes
Update	An item's properties are updated.	Yes[1]	Yes[1]	Yes

https://learn.microsoft.com/en-us/purview/audit-mailboxes

Demo

Alerts

Reply all | Delete Junk | ...

Low-severity alert: Creation of forwarding/redirect rule

Office365Alerts@microsoft.com
Today, 10:21 PM
sunil kadam; Ileana Olivares; Stuart Clanker; Angel Madera; Vidya Paygude; Woo Lin; Jose Cardenas; Berthold Heinrich; Exchange Admin; Braydon Rigby; Raviv Tamir; Avital Lange; Rob McCarthy; +49 more

Reply all

Office 365

A low-severity alert has been triggered

Creation of forwarding/redirect rule

Severity: Low
Time: 9/14/2018 5:19:00 AM (UTC)
Activity: MailRedirect
User: janedoe@securescoreteam.com
Details: MailRedirect. This alert is triggered whenever someone gets access to read your user's email.

Investigate

Thank you,
The Office 365 Team

Microsoft

One Microsoft Way
Redmond, WA

Protection Alerts



Home > Alert policies

Alert policies

Use alert policies to track user and admin activities, malware threats, or data loss incidents in your organization. After choosing the activity you want to be alerted on, refine the policy by adding conditions, deciding when to trigger the alert, and who should receive notifications. Learn more about alert policies

Looking for activity alert policies that are not showing up here? Manage them in Activity alerts

+ New alert policy | Search | Filter

Name	Severit...	Type	Category ...	Date modified	Status
A potentially malicious URL click was ...	High	System	Threat mana...	-	
Added exempt user agent	Medium	Custom	Others	8/12/18 10:59 am	
Creation of forwarding/redirect rule	Low	System	Threat mana...	-	
Detected malware in files	High	Custom	Threat mana...	8/12/18 10:59 am	
DLP policy match	Medium	Custom	Information ...	8/12/18 10:59 am	
eDiscovery search started or exported	Medium	System	Threat mana...	-	
Elevation of Exchange admin privilege	Low	System	Permissions	-	
Email messages containing malware ...	Informati...	System	Threat mana...	-	
Email messages containing phish UR...	Informati...	System	Threat mana...	-	
Email reported by user as malware or...	Informati...	System	Threat mana...	-	
Email sending limit exceeded	Medium	System	Threat mana...	-	

https://protection.office.com/alertpolicies

Demo

Branding

Tenant branding





CIAOPS - Company branding
Azure Active Directory

Search (Ctrl+/)

- Azure AD Connect
- Custom domain names
- Mobility (MDM and MAM)
- Password reset
- Company branding
- User settings
- Properties
- Notifications settings
- Security

Monitoring

- Sign-ins
- Audit logs
- Provisioning logs (Preview)
- Logs
- Diagnostic settings
- Workbooks
- Usage & insights

New language | Delete

Locale	
Default	

Edit company branding
Azure Active Directory

Save | Discard

Sign-in page background image
Image size: 1920x1080px
File size: <300KB
File type: PNG, JPG, or JPEG

Remove
Select a file

Banner logo
Image size: 280x60px
File size: 10KB
File type: Transparent PNG, JPG, or JPEG

Remove
Select a file

Username hint

Sign-in page text
Need to Know

Advanced settings

Sign-in page background color
#FFFFFF

https://docs.microsoft.com/en-us/microsoft-365/admin/setup/customize-sign-in-page?view=o365-worldwide

Microsoft

Microsoft 365 Business Premium

Today's sophisticated attacks call for Layered security

Microsoft 365 Business Premium

Identity Security

User

Azure AD features like MFA

Self Service Password Reset

Conditional Access

Dynamic Groups

Device Security

Device

Full Centralized Management of Mobile and Laptops with Intune

Remote wipe of data of lost & stolen devices

BitLocker Encryption

Enforce Strong Pin requirements along with Wi-Fi, VPN profiles

Microsoft Defender for Business

Application Security

Application

Restrict copy/paste/save corp data to personal apps using Intune App Protection Policies

Defender for Office 365 for protection against malware and zero day attacks

Data Loss Prevention to monitor sensitive data from being transmitted

Email restrictions like "Do Not Forward" or "Encrypt Email"

Document Security

Document

Azure Information Protection protects, classifies Documents for secure sharing including in Teams

Revoke access to Documents

Track Sensitive documents

Protect against cyberthreats with Microsoft Defender for Office 365

Protect against malicious links in email or Teams with real time scanning using Microsoft Defender for Office 365 Safe Links

Get AI-powered malware scanning for attachments in email and shared document links in Teams and OneDrive with Safe Attachments

Defend against impersonation and spoofing with anti-phishing

Get better protection on Windows devices against suspicious processes like ransomware with Microsoft Defender AV



Safeguard business data with DLP and Azure Information Protection

Prevent sharing of sensitive information like credit card numbers using preconfigured DLP policy templates for HIPAA, PCI_DSS, SSN etc

Control whether an email can be forwarded, printed, or viewed by non-employees.

Control whether a document can be edited, printed, or viewed by non-employees. You can also revoke access.



Get visibility into cloud app use with Cloud App Discovery

Discover cloud app usage to understand shadow IT risk

Understand the security of your cloud apps with risk assessment for 16,000+ cloud apps

Understand usage patterns and identify high risk users. Export data for additional analysis

Prioritize applications to bring under IT control and integrate applications to enable single sign-on and user management



Check your Secure Score

The problem:

You want to improve your customer's security, but don't know where to start

The solution:

Check Microsoft Secure Score

What it is:

Microsoft Secure Score analyzes your Microsoft 365 overall security and assigns a score. Secure Score also recommends next steps to consider in order to improve security.

How to access:

http://securescore.microsoft.com




100%
80%
65%
50%
30%


Your secure score
Include
Planned score
Show projected score when planned actions are completed
Current license score
Show score that can be achieved with your current Microsoft license
Achievable score
Show score that can be achieved with your Microsoft licenses and current risk acceptance
50%
0%
02/04
02/09
02/14
02/19
02/24
03/01
03/06
03/11
03/16
03/21
03/26
04/01
04/10
04/15
04/20
04/25
05/03
Breakdown points by: Category
Identity
10.71%
Apps
25%
Points achieved
Opportunity
Achievable score

Microsoft

Securing identities with Azure AD P1

Azure Active Directory

Protect your users, apps, workloads, and devices.

- User directory
- Single sign-on to any app
- User self service
- Multifactor and passwordless authentication
- Conditional Access and Identity Protection
- Hybrid identity management
- Core identity governance
- External and frontline identities

Azure AD P1

Secure access for a connected world.

What Is The Issue Enabling MFA?

A new report published by CoreView has revealed:

- Majority of Microsoft 365 admins have not enabled multi-factor authentication to protect their accounts from unauthorized remote access and are failing to implement other basic security practices.

- 78% of Microsoft 365 administrators have not activated multi-factor authentication and 97% of Microsoft 365 users are not using MFA.

- 57% Microsoft 365 administrators are given excessive control and have access to a treasure trove of sensitive information

https://www.coreview.com/resources/whitepaper/microsoft-365-app-security-governance-shadow-it-report/

Enforce Multi-factor authentication

Verify user identities with strong authentication



We support a **broad range of multi-factor authentication options**

Including passwordless technology

- Microsoft Authenticator
- Windows Hello
- FIDO2 Security key
- Biometrics
- Push Notification
- Soft Tokens OTP
- Hard Tokens OTP
- SMS, Voice

Multi-factor authentication **prevents 99.9% of identity attacks**[1]

1. "Your Password Doesn't Matter" July 2019, Microsoft Tech Community Research Article

MFA and Password-less

Secure authentication

Microsoft Authenticator

MFA for enterprise and consumer accounts and applications

Device registration (workplace join)

Single sign-on to native mobile apps

Certificate-based SSO





https://docs.microsoft.com/en-us/azure/active-directory/authentication/how-to-mfa-additional-context

Conditional access and identity protection

Real-time risk-based access control



Oauth Apps


Sweep
Move to
Undo
Pipeline Meeting
Enrico Cattaneo on behalf of Busine
Reply all
Wed 7/4, 6:42 PM
Enrico Cattaneo; +7 more
Required: Business Development; Enri+7 more
When: Occurs every Tuesday and Thursc
from 11:00 AM to 11:30 AM effec
Tue 7/17/2018.
Where: Business Development / Pipeline
Accept
Tentative
Declir
No conflicts
Label: Inbox Default (6 months) Expires:
12/31/2018 5:42 PM
Review Pipelines.
harmon.ie for...
Welcome
harmon.ie Add-In for Outlook
With harmon.ie Add-In for Office, you can share and save documents to SharePoint Online & OneDrive for Business, from your Office application.
You can specify metadata and required properties to accurately classify documents, so you can find them easily later on.
Read More...
Connect To Office 365
harmon.ie


Microsoft
alexw@m365b618138.onmicrosoft.com
Permissions requested
harmon.ie for Outlook
This app would like to:
Access the directory as you
Sign you in and read your profile
Read and write your files
Read and write items in all site collections
Accepting these permissions means that you allow this app to use your data as specified in their terms of service and privacy statement. You can change these permissions at https://myapps.microsoft.com. Show details
Cancel
Accept
©2018 Microsoft
Terms c


Microsoft 365 admin center
Search
RC
Home
Users
Groups
Roles
Resources
Billing
Support
Settings
Domains
Search & intelligence
Org settings
Integrated apps
Partner relationships
Setup
Reports
Health
Admin centers
Security
Compliance
Azure Active Directo
Services
Security & privacy
Organization profile
Name
Microsoft To Do
Modern authentication
Multi-factor authentication
MyAnalytics
News
Office installation options
Office on the web
Office Scripts
Productivity Score
Reports
SharePoint
Sway
User consent to apps
User consent to apps
Apps not created by Microsoft must receive consent before they can access your organization's data. This setting controls whether users can give that consent to apps that use OpenID Connect and OAuth 2.0 for sign-in and requests to access data.
If you turn this setting on, those apps will ask users for permission to access your organization's data, and users can choose whether to allow it. If you turn this setting off, then admins must consent to those apps before users may use them. In this case, consider setting up an admin consent workflow in the Azure portal so users can send a request for admin approval to use any blocked app.
Learn more about managing consent to apps
Learn more about admin consent workflows
Let users provide consent when apps request access to your organization's data on their behalf

Manage OAuth apps

Filters:

Advanced filters

App: **Select apps...** | User name: **Select users...** | App state: **Select value...** | Community use: **Select value...** | Permissions: **Select permission...**

Permission level:

Bulk selection | New policy from search | Export

1 - 20 of 62 apps | Show details | Table settings

Name	Authorized by	Permission level	Last authorized	Actions
Polly	13 users	Low	Feb 3, 2021, 11:14 PM	
Polly	5 users	Medium	Aug 4, 2021, 1:16 AM	
Graph Explorer	2 users	High	Nov 25, 2020, 8:05 PM	
WD Antivirus Testground	2 users	Medium	Jul 6, 2021, 10:07 AM	
OneDrive for Business	1 user	High	Aug 5, 2021, 10:31 AM	
Microsoft Docs.com	1 user	High	Jun 9, 2017, 3:41 PM	
Microsoft Tech Community	1 user	Medium	Sep 28, 2016, 6:10 AM	
Office 365	1 user	Low	Sep 30, 2016, 4:56 PM	

Demo

File Security

Automatic versioning



Automatic versioning

Recycle Bin


Empty recycle bin
Sort
Recycle bin
Name
Date deleted
Deleted by
Created by
Original location
GS-S4B
1/09/2021 3:59 PM
Robert Crane
Robert Crane
personal/admin_ciaops365_com/Documents
GS-S4B-V2.pdf
1/09/2021 3:59 PM
Robert Crane
Robert Crane
personal/admin_ciaops365_com/Documents/GS
PUC-cropped.jpg
1/09/2021 3:59 PM
Robert Crane
Robert Crane
personal/admin_ciaops365_com/Documents/GS
GS-S4B-Book.pdf
1/09/2021 3:59 PM
Robert Crane
Robert Crane
personal/admin_ciaops365_com/Documents/GS
GS-S4B-V2.epub
1/09/2021 3:59 PM
Robert Crane
Robert Crane
personal/admin_ciaops365_com/Documents/GS
GS-S4B-V2.mobi
1/09/2021 3:59 PM
Robert Crane
Robert Crane
personal/admin_ciaops365_com/Documents/GS

Restore this Library



ODFB Retention

2. Enter the number of days you want to retain OneDrive files in the **Days to retain files in OneDrive after a user account is marked for deletion** box.

   The setting takes effect for the next user that is deleted as well as any users that are in the process of being deleted. The count begins as soon as the user account was deleted in the Microsoft 365 admin center, even though the deletion process takes time. The minimum value is 30 days and the maximum value is 3650 days (ten years).

https://blog.ciaops.com/2020/10/13/revisiting-some-facts-around-microsoft-365-backup/

Preservation Hold Library



https://blog.ciaops.com/2018/03/14/using-retention-policies-in-office-365/

Content Search







eDiscovery


Core eDiscovery > Ferriss
Home
Searches
Hold
Exports
Settings
Ferriss
Created
2021-08-05T23:33:54.057Z
Status
Active
Close case
Delete case
Description

Demo

Best practices

Use Conditional Access for MFA

Do not enable MFA on a per user basis

Always exclude an admin account from the policies to ensure you can correct a mistake

Start with one target group of users

Ensure your users know what to expect

Test your policies before rolling out

https://bit.ly/ciae5addon