
# Continuous Integration (CI)

### **Professorship of Open Source Software**

Friedrich-Alexander University Erlangen-Nürnberg


ADAP B02

Licensed under CC BY 4.0 International



### **Continuous Integration (CI)**

"Continuous Integration is a software development practice where members of a team integrate their work frequently [...] this approach leads to significantly reduced integration problems and allows a team to develop cohesive software more rapidly." [1]



**Triggers CI after commit** to remote repository

- the system under construction is fetched, built, and tested
- in a fully automated way (no human intervention)

Advanced Design and Programming © 2022 FAU - Some Rights Reserved

#### **Advantages of CI**

- Always know if your project is in a healthy state
- Faster integration
- Faster feedback
- Easier to localize bugs
- Frequent integration of the whole application
- Ideally, improve quality such that you can deploy at any time
- Reduce risks introduced by code changes, e.g. refactoring of the application

#### **CI** in practice

#### Example Tools:

- Jenkins (https://jenkins.io/)
- Travis CI (https://travis-ci.org/)
- GitLab CI (https://about.gitlab.com/product/continuous-integration/)
- Buddy (https://buddy.works/)
- ..



https://wiki.jenkins.io/display/ JENKINS/Logo




https://travis-ci.com/logo



#### **CI Pipeline**

- Build Stages group of parallel jobs, stages are run sequentially
- Jobs executes a task
- Phases sequential steps of a job (Job Lifecycle)




#### **Job Lifecycle for Travis CI**

```
.travis.yml
 .travis.yml
    language: node js
                                                  OPT Install apt addons
                                             1)
    before install: npm config
    install: npm install
                                                  OPT Install cache components
                                             2)
    jobs:
                                             3)
                                                  before install
      include:
       - stage: build
                                             4)
                                                  install
         script: buildScript one.sh
                                                  before_script
                                             5)
       - stage: build
         script: buildScript two.sh
11
                                             6)
                                                  script
       - stage: test
12
         script: echo "test running"
13
                                                  OPT before_cache (for cleaning up cache)
        - stage: deploy
         script: skip
15
                                                  after success or after failure
                                             8)
         deploy:
           provider: npm
                                                  OPT before_deploy
           api key: $NPM API KEY
                                             10) OPT deploy
           on: deploy-npm-release
19
                                             11) OPT after_deploy
```

12) after\_script

more about: https://docs.travis-ci.com/user/job-lifecycle main parts

#### **Extensions of Continuous Integreation**



## Thank you! Questions?

dirk.riehle@fau.de - https://oss.cs.fau.de

dirk@riehle.org – https://dirkriehle.com – @dirkriehle

#### **Legal Notices**

- License
  - Licensed under the CC BY 4.0 International License
- Copyright
  - © 2019-2021 Friedrich-Alexander University Erlangen-Nürnberg, some rights reserved
- Contributions
  - Julia Krause (2019)