Agile Programming

Dirk Riehle, Univ. Erlangen

AMOS B05

Licensed under CC BY 4.0 International

Agenda

- 1. Daily scrum
- 2. Programming
 - a. Programming principles
 - b. Programming standards
- 3. Refactoring
 - a. Technical debt
 - b. Refactoring
- 4. Test-driven development
- Code review
 - a. Pair programming
 - b. Pre-commit code review
- 6. Build processes
 - a. Build management
 - b. Continuous integration

1. Daily Scrum

Daily Scrum (a.k.a. Daily Standup)

The **daily scrum** is

- A daily status meeting to sync on problems and upcoming work
- To be kept as short as possible

Committed parties are mandatory

- Only committed parties may speak
- Everyone else is optional

Discussions are not allowed, but

- Can be had one-on-one after the meeting
- Scrum Master will follow-up on problems

Daily Scrum



Daily Plank



2. Agile Programming

Programming Principles

- 1. KISS (keep it simple, silly)
- 2. YAGNI (you ain't gonna need it)
- 3. DRY (don't repeat yourself)

How to Approach a Programming Problem

- 1. Make it run
- 2. Make it right
- 3. Make it fast

Collective vs. Individual Code Ownership

Collective code ownership


- Everyone is equally responsible for the overall code base
- Everyone is both allowed to and should be able to fix anything
- Instills a feeling of overall responsibility, ensuring high quality

Individual code ownership

- Individuals are responsible for their own code
- Works best in a distributed setting, e.g. in open source

Agile programming assumes collective code ownership

Feature Teams (Dealing With Complexity)



Programming Standards (a.k.a Coding Guidelines)

A programming standard is a

Set of rules and conventions for naming, formatting, and structuring code

A standard makes it easier to read code written by other people

Nine times out of ten, code is read, not written

Programming standards should be mandatory

Professional Language [1]

Query methods	Mutation methods	Helper methods
Get method (getter)	Set method (setter)	Factory method
Boolean query methods	Command method	Cloning method
Comparison method	Initialization method	Assertion method
Conversion method	Finalization method	Logging method

3. Technical Debt

Ward Cunningham on Technical Debt [1]



Technical Debt

Technical debt is a

- Lack of quality or comprehensiveness of code that
 - You accept to temporarily speed up development
 - Until you have to pay back the debt by refactoring

It is a metaphor used to communicate with managers

Managing Technical Debt

- 1. Identify the technical debt
 - a. By so called "code smells"
- 2. Determine the need to act
 - a. By correlating occurrences
- 3. Know how to pay back
 - a. By refactoring your code

Code Smells [1]

Code smells are

- Identifiable structures in code that
 - Violate established design principles and
 - Reduce overall code quality

Code smells are not bugs (the code works, it just ... smells)

https://profriehle.com

Example Code Smells

- 1. Duplicate code
- 2. Long method
- 3. Large class
- 4. ..

The "Three Strikes" Rule

First time: Just do it

Second time: Wince at duplication


Third time: Refactor

Refactoring

A refactoring is a

Behavior-preserving transformation of code (with the goal of improving it)

Refactoring Process ("Two Hats")



Example Refactorings

- Extract method
- 2. Pull up field
- 3. Form template method
- 4. Decompose conditional
- 5. Extract class
- 6. Extract subclass
- Extract interface
- 8. ..


Example Smell Removal by Refactoring

Remove **Duplicated Code** by **Extract Method** or **Pull Up Field** or ...

Remove Long Method by Extract Method or Decompose Conditional or ...

Remove Large Class by Extract Class or Extract Subclass or ...

IDEs Readily Support (Some) Refactorings



4. Test-Driven Development

Test Terminology

Testing is a process for assessing correct operation according to a specification

A test is the instructions to perform a specific assessment


- Component tests (unit tests) test a particular component in isolation
- Acceptance tests (functional tests) test a cross-cutting function
- Integration tests test the interaction of several components

Tests can be automated or manually performed

Test-First Programming

Test-first programming is the

Practice of first writing a test and then making the system pass the test



Rules of Test-first Programming

Only write new code if a test fails, then eliminate waste


Red, green, refactor

Test-Driven Development

Test-driven development is a

Minimal development process based on test-first programming

Test-Driven Development Process



5. Code Review

Code Review

Code review is the practice of

Having someone else assess your code for feedback and approval

More formally, a code review is

The systematic examination [...] of computer source code

Common forms of code review are

- Pair programming
- Walkthroughts
- Inspections

When to Perform Code Reviews

- 1. As code is written (→ Pair Programming)
- 2. Before a commit (→ Pre-commit Code Review)
- 3. Before a release
- 4. At some other time

Pair Programming

Pair programming is the practice of

- Two people in front of the same display, with
 - One person implementing, i.e. writing code (acting in the moment), and
 - o One person reviewing, i.e. watching, thinking, commenting, steering

These are the programmer and the reviewer, also

- Driver and co-driver
- Pilot and navigator

Advice on Pair Programming

Find comfortable partner

Switch roles regularly


Communicate regularly

Don't force it for small stuff

Don't overheat, take breaks

Switch partners at times











Pre-Commit Code Review

Pre-commit code review is the practice of

Having a peer review code for feedback and approval before it gets committed

The benefits of pre-commit code review

- Strengthens feeling of collective responsibility
- Improves knowledge sharing and teamwork
- Catches bugs and problems at the right time
- Leads to more disciplined developers
- Raises overall quality cost-efficiently

Made easy today through merge requests

6. Build Processes

Build Process

A **build process** is the process of

Creating an installable software from its source artifacts

Quality criteria of a build process are

- Fully automated
- Reentrant and deterministic
- With a defined context independent environment

All build assets need to be managed properly

Developer Responsibilities

Don't break the build

- Only commit code that compiles
- Only commit code that passes all tests
- Only work in a standardized work environment

DEVELOPMENT CYCLE

FRIDAY EVENING EDITION



COMMIT



PUSH



PIIN

Continuous Integration

Continuous integration is the practice of

Automatically building and testing the software upon defined triggers

Usually with every commit of a developer

Sometimes only once per day (nightly builds)

Continuous integration may have different scopes

• Depending on the size of the software under development

The goal is to always know whether the software is in good working order

Continuous Deployment

Continuous deployment is the practice of not only building and testing but of

Deploying the software into production


Users are the final deciders of

Whether the software does what is expect of it

Continuous deployment requires monitoring the performance of the software

Beyond system tests, you need to watch key metrics of performance

Separation of Environments



One-time Deliverable: Build Process Video

Please create a recorded from-scratch demonstration of your full build process

If you run a continuous integration process, great! But not required

Summary

- 1. Daily scrum
- 2. Programming
- 3. Refactoring
- 4. Test-driven development
- 5. Code review
- 6. Build processes

Thank you! Any questions?

<u>dirk.riehle@fau.de</u> – <u>https://oss.cs.fau.de</u>

<u>dirk@riehle.org</u> – <u>https://dirkriehle.com</u> – <u>@dirkriehle</u>

Legal Notices

License

Licensed under the <u>CC BY 4.0 International</u> license

Copyright

© Copyright 2023 Dirk Riehle, some rights reserved