

Code Review Practices

Prof. Dr. Dirk Riehle

Friedrich-Alexander University Erlangen-Nürnberg

AMOS F01

Licensed under CC BY 4.0 International

Traditional to Scrum Role Mapping (Recap)

Traditional

Scrum

Product Manager

Product Owner


Engineering Manager

Software Developer

QA Engineer

Software Developer

Scrum Master



- Definition and purpose
 - “Code review is systematic examination [...] of computer source code.
 - It is intended to find and fix mistakes overlooked in the initial development phase,
 - improving both the overall quality of software
 - and the developers’ skills.
 - Reviews are done in various forms such as
 - pair programming,
 - informal walkthroughs, and
 - formal inspections.” [1]

[1] Adapted from https://en.wikipedia.org/wiki/Code_review [DR]

When to Review Code?

- 1. In the moment**
- 2. Before commit**
3. At another time
4. Before release

Pair Programming


- Definition
 - Is programming carried out by pairs of programmers
 - One programmer implements, and the other programmer reviews
 - Effectiveness is debated; empirical studies show conflicting evidence
- Purpose
 - Quality assurance
 - Collaborative learning
 - Knowledge sharing
- Synonyms
 - Programmer and reviewer
 - Driver and co-driver
 - Pilot and navigator

- 1. Pair programming**
- 2. Pre-commit code review**

Pair Programming (Practices)


- **Process**

- Find comfortable partner
- Switch roles often
- Communicate regularly



- **Advice**

- Don't force it for small stuff
- Don't overheat, take a break
- Switch partners at times




Dilbert on Pair Programming 1 / 2




www.dilbert.com scottadams@aol.com



1/9/03 © 2002 United Feature Syndicate, Inc.




Dilbert on Pair Programming 2 / 2



scottadams@aol.com

www.dilbert.com



© 2002 United Feature Syndicate, Inc.



Pre-Commit Code Review

- Code review
 - Is the (peer) review of source code for quality criteria
 - Reviewer has accept or reject responsibility
 - Cf. “Vier-Augen-Prinzip” (in German)
- Pre-commit code review
 - Is the review of source code before it gets committed to a team repository
 - Typically facilitated by a software tool, e.g. Gerrit
 - May lead to back and forth between developers until “LGTM”

Example Code Review with Gerrit 1 / 3

The screenshot displays the Wikimedia Code Review (Gerrit) interface for a change with ID 11f962956. The change is titled 'Added get version method to extension' and is currently in an 'Abandoned' state. The interface includes a sidebar with metadata, a main area with commit messages and a file diff, and a comments section at the bottom.

Change Metadata:

- Change-Id: 11f962956e9cf9c404c2fc685963964978ef52516
- Owner: preilly
- Project: test/mediawiki/extensions/examples
- Branch: master
- Topic: 2012/bug12345
- Uploaded: May 29, 2012 3:25 PM
- Updated: Jun 13, 2012 12:42 AM
- Status: Abandoned

Commit Message:

Added get version method to extension

Diff:

| File Path | Comments | Size | Diff |
|----------------------------|-----------|--------|------------------------------|
| Commit Message | | | Side-by-Side Unified |
| M Example/Example.body.php | 1 comment | +7, -0 | Side-by-Side Unified |
| | | +7, -0 | All Side-by-Side All Unified |

Comments:

- preilly Uploaded patch set 2. May 29, 2012
- preilly Patch Set 2: (1 inline comment) May 29, 2012
- Catrope Jun 13, 2012

Patch Set 2: Abandoned

Example Code Review with Gerrit 2 / 3

Example.body.php | Gerrit

https://gerrit.wikimedia.org/r/#/c/9332/2/Example/Example.body.php

WIKIMEDIA CODE REVIEW

All Differences Projects Documentation

Side-by-Side Unified Commit Message Preferences Patch Sets Files

Change #, SHA-1, trid or owner:email Search Register Sign In

Example/Example.body.php

←Commit Message Up to change

Patch Set Base 1 2 Patch Set 1 2

```
7 8 9 10 11 12 13 14 15 16 17 }
8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
... skipped 6 common lines ...
/**
 * Make your magic happen!
 */
function execute( $par ) {
    global $wgOut;

    $wgOut->addWikiMsg( 'example-example' );
}


/**
 * Get version number of extension
 */
function getVersion() {
    return '0.0.2';
}

prelilly Is this the correct format? May 29, 2012
```

←Commit Message Up to change

Press '?' to view keyboard shortcuts | Powered by Gerrit Code Review (2.8.1-4-ga1048ce) | Report Bug

Example Code Review with Gerrit 3 / 3



Benefits of Pre-commit Code Review

- Collaboration
 - Improves knowledge sharing and teamwork
 - Makes it easier to establish topics like security
- Quality assurance
 - Leads to more disciplined developers
 - Prevents (some) errors before they happen
 - Raises overall quality standards
- Feeling of responsibility
 - Specifically, supports collective code ownership
 - Strengthens overall feeling of responsibility

Agile vs. Open Source Code Review

- **Agile methods**

- Programming guidelines
 - Code reading >> writing
 - Make it easy to get acquainted
- Collective code ownership
 - Feature-oriented development
 - Typically co-located development
 - Everyone has write access
- Pair programming
 - Changes are reviewed directly
 - Everyone is a peer

- **Open source**

- Programming guidelines
 - Code reading >> writing
 - Showing respect for project
- Individual code ownership
 - Component-oriented development
 - Typically distributed development
 - Strictly regulated write access
- Patch review
 - Changes are submitted for review
 - Two-class reviewing hierarchy

Review / Summary of Session

- Code review practices
 - Pair programming
 - Pre-commit code review
- Agile vs. open source approach

Thank you! Questions?

dirk.riehle@fau.de – <http://osr.cs.fau.de>

dirk@riehle.org – <http://dirkriehle.com> – [@dirkriehle](#)

Credits and License

- Original version
 - © 2020 Dirk Riehle, some rights reserved
 - Licensed under [Creative Commons Attribution 4.0 International License](#)
- Contributions
 - None yet