

SUPPLEMENTARY INFORMATION

ISI Data Collection Appendix

We collected reports from which relative success of selfed and outcrossed hand-pollinations could be calculated, or those that directly provided a measure along with transparent calculation procedures. We searched the online databases *ISI Web of Knowledge Science Citation Index*TM and the *Google Scholar* (<http://www.google.com/schhp>) using dozens of search terms related to plant mating and breeding systems. Our search included papers published through May of 2010. We used the following terms as starting points for our searches: self-incompatibility, self-compatibility, mating system, breeding system, seed, fruit, breeding system, cross-, self-, outcross, inbreeding, pollination, autogamy, xenogamy, geitonogamy, agamospermy, fertilization, reproduction. We used each term individually, but also in boolean searches with AND/OR operators. Different forms of a term (e.g. fertilization, fertilize, fertility, fertile) were used but are not listed explicitly. Negative ISI values were set to zero in the main text analyses. A histogram of unmodified ISI values is included in Fig. S1. A complete list of species and source information is given in Table S1.

In order to roughly estimate potential biases, we compared subsets of different ISI metrics. Specifically, some studies tracked both the relative fruit and seed set, and reported data for both ISI_{fruit} and ISI_{seed} ($n = 342$). We compared the distribution of ISI_{fruit} from such studies to those that only reported ISI_{fruit} ($n = 826$), without testing for ISI_{seed} ($D = 0.155$, $p < 0.001$). Studies which only reported ISI_{fruit} had a higher percentage of $ISI \geq 0.8$ (47.7%) than those which reported both ISI_{fruit} and ISI_{seed} (33.9%), as expected—when no fruit was set upon selfing, seed set data is rarely collected. The disparity between the two distributions is further driven by a greater percentage of species with $ISI_{fruit} \leq 0.2$ found in studies that reported both ISI_{fruit} and ISI_{seed} compared to those that only reported ISI_{fruit} (34.5% and 29.1%, respectively).

The Frequency Distribution of ISI by Plant Family

ISI reports from either seed or fruit data were found for species in 144 families. More than 30 reports were found for the Fabaceae ($n = 130$), Solanaceae (96), Bromeliaceae (82), Asteraceae (58), Orchidaceae (55), Rosaceae (42), Proteaceae (39), Rubiaceae (39), Stylidiaceae (34), Malvaceae (34), Ericaceae (34), and Myrtaceae (33). The distribution of ISI_{fruit} within each family is bimodal (Fig. S2) and removing common family ISI_{fruit} data from the total data set does not significantly alter our results (Fig. S3). Complete family numbers are reported in Table S2.

The Frequency Distribution of ISI_{seed}

ISI reports based on seed per fruit data were withheld from the main text because of the unknown magnitude of non-SI related effects on ISI_{seed} . Our literature search yielded ISI_{seed} data for 487 species from 95 families (Fig. S4). The distribution is strongly bimodal. The usage of ISI_{seed} data does not qualitatively affect conclusions reached in the main text.

The Frequency of Occurrence of Agamospermy

Agamospermy is the asexual production of seed. Although agamospermy may be achieved through different pathways (Whitton et al. 2008), determining the exact mode of agamospermous reproduction is not within the scope of most mating system studies collected for the present study. A minority of studies reported estimated agamospermy ($n = 271$, Fig. S5). We assume that any reports of agamospermy below 0.01% are errors and thus disregarded 222 out of 271 reports that fell below this cut off value (81.9% of total). Whitton et al. (2008) estimate that 1% of taxa display significant agamospermy, which is not close to our estimate. Agamospermy is known to occur at varying rates across different lineages (Whitton et al. 2008). It is unclear whether any bias exists in this data because we do not know how many of the studies tested for agamospermy specifically because of a prior suspicion of its occurrence. Figure S5 shows the distribution of the rate of agamospermy recorded in our dataset. Correcting reported ISI values for agamospermy does not qualitatively affect the results and conclusions presented.

Correlation between ISI and life history traits

In order to facilitate further analyses, we qualitatively encoded each taxon with ISI_{fruit} data as either woody or herbaceous, annual or perennial, and animal- or wind- pollinated. Information for coding each character was either obtained from the published source papers or from the PLANTS database <http://plants.usda.gov/index.html>. We were not able to precisely identify the life history, habit, and mode of pollination traits for all species. In total 960 species as perennial and 73 annual; 593 species were woody, and 451 herbaceous; 925 species were animal-pollinated, and 26 wind-pollinated (Fig. S4). The distribution of ISI was compared for each state of a character using non-parametric Kolmogorov-Smirnov tests. ISI data for annual and perennial, herbaceous and woody, and animal- and wind-pollinated species were analyzed separately in order to determine whether the distribution of ISI differs based on these traits. The distribution of *ISI* is significantly different based on life history (annual vs. perennial: $D = 0.41$, $p < 0.001$) and habit (woody vs. herbaceous: $D = 0.26$, $p < 0.001$), but not by mode of pollination.




Figure S1: Histogram of unmodified ISI_{fruit} distribution in current study (note the break in the X axis).




Figure S2: Histograms of ISI_{fruit} distribution from the most common families in current study.




Figure S3: Histogram of ISI_{fruit} distribution excluding data from the most common families ($n = 679$).




Figure S4: Histogram of ISI_{seed} distribution from current study ($n = 487$). ISI_{seed} data was excluded from the main analyses because of unknown effects of non-SI related phenomena on seed per fruit occurrence.




Figure S5: Histogram of the incidence of agamospermy from reports that specifically measured its occurrence ($n = 271$).




Figure S6: ISI_{fruit} distributions of various discrete characters. In order to assess how ISI is correlated with other traits, each species was classified as either woody or herbaceous, annual or perennial, and animal or wind pollinated when data was available. We find that the ISI distributions are only significantly different based on life history (annual vs. perennial: $D = 0.41$, $p \ll 0.001$) and habit (woody vs. herbaceous: $D = 0.26$, $p \ll 0.001$).

Table S1: List of all species and source studies.

Family	Species	Source
Acanthaceae	<i>Aphelandra deppeana</i>	McDade (1985)
	<i>Aphelandra golfudulcensis</i>	McDade (1985)
	<i>Aphelandra hartwegiana</i>	McDade (1985)
	<i>Aphelandra leonardii</i>	McDade (1985)
	<i>Aphelandra lingua bovis</i>	McDade (1985)
	<i>Aphelandra panamensis</i>	McDade (1985)
	<i>Aphelandra sinclairiana</i>	McDade (1985)
	<i>Aphelandra storkii</i>	McDade (1985)
	<i>Aphelandra terryae</i>	McDade (1985)
	<i>Avicennia germanians</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Justicia galapagana</i>	McMullen (1987)
	<i>Justicia squarrosa</i>	Aizen and Feinsinger (1994)
	<i>Razisea wilburii</i>	Grove (1985)
	<i>Ruellia asperula</i>	Machado et al. (2006)
	<i>Ruellia paniculata</i>	Machado et al. (2006)
	<i>Ruellia tuberosa</i>	Jaimes and Ramirez (1999)
Agapanthaceae	<i>Agapanthus campanulatus</i>	Johnson et al. (2009)
Agavaceae	<i>Anthericum liliago</i>	Rosquist (2001)
	<i>Anthericum ramosum</i>	Rosquist (2001)
	<i>Cordyline kaspar</i>	Newstrom and Robertson (2005)
	<i>Hesperaloe parviflora</i>	Pellmyr and Augenstein (1997)
	<i>Phormium tenax</i>	Becerra and Lloyd (1992)
Aizoaceae		Jesson et al. (2006)
		Newstrom and Robertson (2005)
	<i>Bergeranthus multiceps</i>	Peter et al. (2004)
	<i>Carpobrotus acinaciformis</i>	Suehs et al. (2004)
	<i>Carpobrotus edulis</i>	Suehs et al. (2004)
Amaranthaceae	<i>Sesuvium edmonstonei</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Sesuvium portulacastrum</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Alternanthera halmifolia</i>	Lemus-Jimenez and Ramirez (2005)
Amaryllidaceae	<i>Gomphrena alba</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Alstroemeria aurea</i>	Aizen and Basilio (1995)
		Riveros et al. (1996)
	<i>Alstroemeria ligtu</i>	Arroyo and Uslar (1993)
	<i>Alstroemeria pallida</i>	Arroyo and Uslar (1993)
	<i>Crinum erubescens</i>	Manasse and Pinney (1991)
	<i>Cyrtanthus breviflorus</i>	Vaughton et al. (2010)
	<i>Hippeastrum bicolor</i>	Arroyo and Uslar (1993)
	<i>Narcissus albimarginatus</i>	Perez-Barrales et al. (2006)
	<i>Narcissus calcicola</i>	Perez-Barrales et al. (2006)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Amaryllidaceae	<i>Narcissus cuatrecasatii</i>	Perez-Barrales et al. (2006)
	<i>Narcissus papyraceus</i>	Perez-Barrales et al. (2006)
	<i>Narcissus rupicola</i>	Perez-Barrales et al. (2006)
	<i>Narcissus triandrus</i>	Sage et al. (1999)
	<i>Narcissus scaberulus</i>	Perez-Barrales et al. (2006)
Anacardiaceae	<i>Anacardium occidentale</i>	Foltan and Ludders (1995)
	<i>Spondias mombin</i>	Bawa (1974)
	<i>Spondias tuberosa</i>	de Lima Leite and Machado (2010)
Annonaceae	<i>Anaxagorea crassipetala</i>	Bawa et al. (1985)
	<i>Annona cherimola</i>	Richardson and Anderson (1996)
	<i>Asimina parviflora</i>	Norman et al. (1992)
	<i>Cymbopetalum sp</i>	Bawa et al. (1985)
	<i>Deeringothamnus rugelii</i>	Norman (2003)
	<i>Polyalthia coffeoides</i>	Ratnayake et al. (2006)
	<i>Polyalthia korinti</i>	Ratnayake et al. (2006)
	<i>Sapranthus palanga</i>	Bawa (1974)
	<i>Uvaria elmeri</i>	Nagamitsu and Inoue (1997)
	<i>Xylopia brasiliensis</i>	Andrade et al. (1996)
	<i>Asclepias exaltata</i>	Lipow et al. (1999)
Apiaceae	<i>Eryngium cuneifolium</i>	Evans et al. (2003)
Apocynaceae	<i>Asclepias incarnata</i>	Ivey et al. (1999)
		Kephart (1981)
	<i>Asclepias perennis</i>	Wyatt et al. (1998)
	<i>Asclepias subulata</i>	Wyatt et al. (1996)
	<i>Asclepias syriaca</i>	Kephart (1981)
	<i>Asclepias texana</i>	Wyatt et al. (1998)
	<i>Asclepias verticillata</i>	Kephart (1981)
	<i>Aspidosperma macrocarpon</i>	Schuster et al. (1993)
		Lifante (1996)
	<i>Calotropis gigantea</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Calotropis procera</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Elytropus chilensis</i>	Riveros et al. (1996)
	<i>Gonolobus suberosus</i>	Lipow and Wyatt (1998)
	<i>Hancornia pubescens</i>	Oliveira et al. (2004)
	<i>Macrosiphonia petrae</i>	Morales and Galetto (2003)
	<i>Mandevilla pentlandiana</i>	Torres and Galetto (1999)
	<i>Pachycarpus asperifolius</i>	Shuttleworth and Johnson (2006)
	<i>Rauvolfia grandiflora</i>	Lopes and Machado (1999)
	<i>Vincetoxicum hirundinaria</i>	Leimu (2004)
	<i>Vincetoxicum rossicum</i>	St Denis and Cappuccino (2004)
	<i>Xysmalobium orbiculare</i>	Shuttleworth and Johnson (2009)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Apocynaceae	<i>Xysmalobium undulatum</i>	Shuttleworth and Johnson (2008)
Araliaceae	<i>Didymopanax vinosum</i>	Saraiva et al. (1996)
	<i>Panax quinquefolium</i>	Lloyd and Schoen (1992)
Arecaceae	<i>Arum maculatum</i>	Diaz et al. (2006)
	<i>Dieffenbachia longispatha</i>	Lloyd and Schoen (1992)
	<i>Dieffenbachia sp</i>	Ramirez and Seres (1994)
	<i>Geonoma tenuis</i>	Ramirez and Seres (1994)
	<i>Xanthosoma undipes</i>	Ramirez and Seres (1994)
Asphodelaceae	<i>Aloe africana</i>	Botes et al. (2009)
	<i>Aloe greatheadii</i>	Symes et al. (2009)
	<i>Aloe inconspicua</i>	Hargreaves et al. (2008)
	<i>Aloe lineata</i>	Botes et al. (2009)
	<i>Aloe marlothii</i>	Symes et al. (2009)
	<i>Aloe pluridens</i>	Botes et al. (2009)
	<i>Aloe speciosa</i>	Botes et al. (2009)
	<i>Asphodelus aestivus</i>	Lifante (1996)
	<i>Bulbine bulbosa</i>	Owen et al. (2007)
	<i>Kniphofia caulescens</i>	Brown et al. (2010)
	<i>Kniphofia laxiflora</i>	Johnson et al. (2009)
Asteliaceae	<i>Cordyline australis</i>	Beever and Parkes (1996)
Asteraceae	<i>Achillea atrata</i>	Scheffknecht et al. (2007)
	<i>Ambrosia artemisiifolia</i>	Friedman and Barrett (2008)
	<i>Arctotis fastuosa</i>	Ueckermann and van Rooyen (2000)
	<i>Argyroxiphium sandwicense</i>	Carr et al. (1986)
	<i>Arnica montana</i>	Luijten et al. (1996)
		Luijten et al. (2002)
	<i>Aster curtus</i>	Giblin and Hamilton (1999)
	<i>Aster furcatus</i>	Les et al. (1991)
	<i>Balsamorhiza sagitta</i>	Cane (2005)
	<i>Bidens pilosa</i>	Jaimes and Ramirez (1999)
	<i>Brachycome muellerii</i>	Jusaitis et al. (2003)
	<i>Centaurea jacea</i>	Albrecht et al. (2009)
	<i>Conyza sumatrensis</i>	Hao et al. (2009)
	<i>Crepis sancta</i>	Cheptou et al. (2000)
		Cheptou et al. (2001)
	<i>Crepis tectorum</i>	Lloyd and Schoen (1992)
	<i>Dendranthema grandiflora</i>	Anderson et al. (1992)
	<i>Dimorphotheca sinuata</i>	Ueckermann and van Rooyen (2000)
	<i>Egletes prostrata</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Emilia fosbergii</i>	Jaimes and Ramirez (1999)
	<i>Espeletia angustifolia</i>	Berry and Calvo (1994)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Asteraceae	<i>Espeletia atropurpurea</i>	Berry and Calvo (1994)
	<i>Espeletia badilloi</i>	Berry and Calvo (1994)
	<i>Espeletia batata</i>	Berry and Calvo (1989), Berry and Calvo (1994)
	<i>Espeletia floccosa</i>	Berry and Calvo (1989), Berry and Calvo (1994)
	<i>Espeletia lindenii</i>	Berry and Calvo (1989), Berry and Calvo (1994)
	<i>Espeletia marcescens</i>	Berry and Calvo (1994)
	<i>Espeletia moritziana</i>	Berry and Calvo (1989), Berry and Calvo (1994)
	<i>Espeletia neriifolia</i>	Berry and Calvo (1989), Berry and Calvo (1994)
	<i>Espeletia schultzei</i>	Berry and Calvo (1989), Berry and Calvo (1994)
	<i>Espeletia semiglobulata</i>	Berry and Calvo (1989), Berry and Calvo (1994)
	<i>Espeletia spicata</i>	Berry and Calvo (1989), Berry and Calvo (1994)
	<i>Espeletia timotensis</i>	Berry and Calvo (1989), Berry and Calvo (1994)
	<i>Galinsoga parviflora</i>	Jaimes and Ramirez (1999)
	<i>Grindelia covasii</i>	Roitman (1999)
	<i>Hymenoxys acaulis</i>	Demauro (1993)
	<i>Hypochaeris glabra</i>	Ortiz et al. (2006)
	<i>Hypochaeris maculata</i>	Norderhaug (1995)
	<i>Hypochaeris radicata</i>	Pico et al. (2004) Becker et al. (2006)
	<i>Leontodon autumnalis</i>	Pico and Koubek (2003)
	<i>Leptinella atrata</i>	Newstrom and Robertson (2005)
	<i>Leptinella minor</i>	Newstrom and Robertson (2005)
	<i>Leptinella pectinata</i>	Newstrom and Robertson (2005)
	<i>Leucochrysum albicans</i>	Costin et al. (2001)
	<i>Liatris ohlingerae</i>	Evans et al. (2003)
	<i>Olearia adenocarpa</i>	Heenan et al. (2005)
	<i>Pleurophyllum criniferum</i>	Newstrom and Robertson (2005)
	<i>Pleurophyllum speciosum</i>	Newstrom and Robertson (2005)
	<i>Porophyllum leiocarpum</i>	Jaimes and Ramirez (1999)
	<i>Pyrrophappus carolinianus</i>	Barber and Estes (1978)
	<i>Pyrrophappus geiseri</i>	Barber and Estes (1978)
	<i>Rutidosia leptorrhynchoides</i>	Young et al. (2000)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Asteraceae	<i>Scalesia affinis</i>	Nielsen et al. (2003), Nielsen et al. (2007)
	<i>Scalesia cordata</i>	Philipp and Nielsen (2010)
	<i>Senecio inaequidens</i>	Lopez-Garcia and Maillet (2005), Lafuma and Maurice (2007)
	<i>Senecio squalidus</i>	Abbott and Forbes (1993)
	<i>Solidago shortii</i>	Buchele et al. (1992)
	<i>Tripteris hyoseroides</i>	Ueckermann and van Rooyen (2000)
	<i>Ursina cakilefolia</i>	Ueckermann and van Rooyen (2000)
	<i>Zinnia angustifolia</i>	Samaha and Boyle (1989)
Balsaminaceae	<i>Impatiens capensis</i>	Lloyd and Schoen (1992)
	<i>Impatiens pallida</i>	Lloyd and Schoen (1992)
	<i>Berberis buxifolia</i>	Riveros et al. (1996)
	<i>Berberis darwinii</i>	Riveros et al. (1996)
	<i>Berberis sp</i>	Arroyo and Uslar (1993)
Berberidaceae	<i>Dysosma versipellis</i>	Guan et al. (2010)
	<i>Podophyllum peltatum</i>	Whisler and Snow (1992)
Betulaceae	<i>Corylus avellana</i>	Mehlenbacher and Smith (1991)
Bignoniaceae	<i>Arrabidaea brachypoda</i>	Yanagizawa and Maimoni-Rodella (2007)
	<i>Arrabidaea samydoidea</i>	Yanagizawa and Maimoni-Rodella (2007)
	<i>Astianthus viminalis</i>	Bullock (1985)
	<i>Dolichandra cynanchoides</i>	Gibbs and Bianchi (1999), Morales and Galetto (2003)
	<i>Eccremocarpus scaber</i>	Arroyo and Uslar (1993)
	<i>Godmania aesculifolia</i>	Bawa (1974)
	<i>Heterophragma quadriloculare</i>	Somanathan and Borges (2001)
	<i>Jacaranda oxyphylla</i>	Guimaraes et al. (2008) Yanagizawa and Maimoni-Rodella (2007)
	<i>Jacaranda racemosa</i>	Bittencourt and Semir (2005)
	<i>Pithecoctinium cynanchoides</i>	Morales and Galetto (2003)
	<i>Tabebuia chrysantha</i>	Bullock (1985)
	<i>Tabebuia chrysotricha</i>	Bittencourt and Semir (2005)
	<i>Tabebuia donnell smithii</i>	Bullock (1985)
	<i>Tabebuia heptaphylla</i>	Bittencourt and Semir (2005)
	<i>Tabebuia impetiginosa</i>	Bittencourt and Semir (2005), Bullock (1985)
	<i>Tabebuia neochrysantha</i>	Bawa (1974)
	<i>Tabebuia nodosa</i>	Gibbs and Bianchi (1999)
	<i>Tabebuia ochracea</i>	Oliveira and Gibbs (2000)
	<i>Tabebuia palmeri</i>	Bawa (1974)
	<i>Tabebuia rosea</i>	Bawa (1974)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Bignoniaceae	<i>Tabebuia roseo-alba</i>	Gandolphi and Bittencourt (2010)
	<i>Tabebuia spectabilis</i>	Ruiz-Zapata and Arroyo (1978)
	<i>Tabebuia umbellata</i>	Bittencourt and Semir (2005)
	<i>Tabebuia vellosi</i>	Bittencourt and Semir (2005)
Bombaceae	<i>Ceiba pentandra</i>	Gribel et al. (1999)
Boraginaceae	<i>Amsinckia grandiflora</i>	Weller and Ornduff (1977)
		Carlsen et al. (2002)
	<i>Auxemma glazioviana</i>	Machado et al. (2006)
	<i>Auxemma onocalyx</i>	Machado et al. (2006)
	<i>Borago officinalis</i>	Montaner et al. (2000)
	<i>Bouyeria exsucca</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Bouyeria quirosii</i>	Bawa (1974)
	<i>Consolida ajacis</i>	Bosch et al. (2001)
	<i>Consolida mauritania</i>	Bosch et al. (2001)
	<i>Consolida pubescens</i>	Bosch et al. (2001)
	<i>Cordia alliodora</i>	Lloyd and Schoen (1992)
	<i>Cordia curassavica</i>	Taisma and Varela (2005)
	<i>Cordia eleagnoides</i>	Bullock (1985)
	<i>Cordia globosa1</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Cordia globosa2</i>	Machado et al. (2006)
	<i>Cordia leucocephala</i>	Machado et al. (2006)
	<i>Cordia lutea</i>	McMullen (1987)
	<i>Cryptantha flava</i>	Casper (1985)
	<i>Heliotropium angiospermum</i>	Jaimes and Ramirez (1999)
	<i>Heliotropium indicum</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Mertensia fusiformis</i>	Forrest and Thomson (2010)
	<i>Myosotis brockiei</i>	Newstrom and Robertson (2005)
	<i>Myosotis forsteri</i>	Brandon (2001)
	<i>Myosotis laeta</i>	Newstrom and Robertson (2005)
	<i>Myosotis macrantha</i>	Newstrom and Robertson (2005)
	<i>Myosotis monroi</i>	Newstrom and Robertson (2005)
	<i>Myosotis tenericaulis</i>	Brandon (2001)
	<i>Lithospermum caroliniense</i>	Levin (1972)
	<i>Tournefortia gnaphalodes</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Tournefortia rufo sericea</i>	McMullen (2007)
Brassicaceae	<i>Alliaria petiolaris</i>	Anderson et al. (1996)
	<i>Arabidopsis lyrata</i>	Mable et al. (2005)
	<i>Arabidopsis thaliana</i>	B . Igc pers. obs.
	<i>Atamisquera emarginata</i>	Aizen and Feinsinger (1994)
	<i>Brassica rapa</i>	Horisaki and Niikura (2007)
	<i>Cakile edentula</i>	Donohue (1998)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Brassicaceae	<i>Cakile maritima</i>	Thrall et al. (2000)
	<i>Capparis brevispina</i>	Nayak and Davidar (2010)
	<i>Capparis flexuosa</i>	Ruiz-Zapata and Arroyo (1978)
	<i>Capparis hastata</i>	Machado et al. (2006)
	<i>Capparis jacobinae</i>	Machado et al. (2006)
	<i>Capparis pitteri</i>	Bawa et al. (1985)
	<i>Capparis verrucosa</i>	Ruiz-Zapata and Arroyo (1978), Bullock (1985)
	<i>Capparis zeylanica</i>	Nayak and Davidar (2010)
	<i>Cardamine angustata</i>	Motten (1986)
	<i>Draba palanderiana</i>	Grundt et al. (2005)
	<i>Hirschfeldia incana</i>	Darmency and Fleury (2000)
	<i>Isatis tinctoria</i>	Spataro and Negri (2008)
Bromeliaceae	<i>Aechmaea araneosa</i>	Matallana et al. (2010)
	<i>Aechmaea beeriana</i>	Matallana et al. (2010)
	<i>Aechmaea capixabae</i>	Matallana et al. (2010)
	<i>Aechmaea comata</i>	Matallana et al. (2010)
	<i>Aechmaea distichantha</i>	Bianchi et al. (2000)
	<i>Aechmaea lamarchei</i>	Matallana et al. (2010)
	<i>Aechmaea macrochlamys</i>	Matallana et al. (2010)
	<i>Aechmaea mutica</i>	Matallana et al. (2010)
	<i>Aechmaea nudicaulis</i>	Matallana et al. (2010)
	<i>Aechmaea pectinata</i>	Matallana et al. (2010)
	<i>Aechmaea pineliana</i>	Matallana et al. (2010)
	<i>Alcantarea extensa</i>	Matallana et al. (2010)
	<i>Alcantarea glaziouana</i>	Matallana et al. (2010)
	<i>Alcantarea imperialis</i>	Matallana et al. (2010)
	<i>Araeococcus parviflorus</i>	Matallana et al. (2010)
	<i>Billbergia amoena</i>	Matallana et al. (2010)
	<i>Billbergia bradeana</i>	Matallana et al. (2010)
	<i>Billbergia euphemiae</i>	Matallana et al. (2010)
	<i>Billbergia horrida</i>	Matallana et al. (2010)
	<i>Billbergia vittata</i>	Matallana et al. (2010)
	<i>Bromelia antiacantha</i>	Matallana et al. (2010)
	<i>Bromelia serra</i>	Bianchi et al. (2000)
	<i>Dyckia ferox</i>	Bianchi et al. (2000)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Bromeliaceae	<i>Dyckia tuberosa</i>	Vosgueritchian and Buzato (2006)
	<i>Edmundoa lindenii</i>	Matallana et al. (2010)
	<i>Lymania smithii</i>	Matallana et al. (2010)
	<i>Neoregelia guttata</i>	Matallana et al. (2010)
	<i>Neoregelia macrosepala</i>	Matallana et al. (2010)
	<i>Neoregelia pauciflora</i>	Matallana et al. (2010)
	<i>Nidularium cariacicaense</i>	Matallana et al. (2010)
	<i>Nidularium espiritosantense</i>	Matallana et al. (2010)
	<i>Nidularium procerum</i>	Matallana et al. (2010)
	<i>Pitcairnia albiflos</i>	Wendt et al. (2001)
	<i>Pitcairnia altensteinii</i>	Ramirez and Seres (1994)
	<i>Pitcairnia brittoniana</i>	Bush and Beach (1995)
	<i>Pitcairnia corcovadensis</i>	Wendt et al. (2001)
		Matallana et al. (2010)
	<i>Pitcairnia flammea</i>	Wendt et al. (2001)
		Matallana et al. (2010)
	<i>Pitcairnia flammea</i> var. <i>pallida</i>	Matallana et al. (2010)
	<i>Pitcairnia staminea</i>	Wendt et al. (2001)
	<i>Portea fosteriana</i>	Matallana et al. (2010)
	<i>Quesnelia arvensis</i>	Matallana et al. (2010)
	<i>Quesnelia lateralis</i>	Matallana et al. (2010)
	<i>Quesnelia marmorata</i>	Matallana et al. (2010)
	<i>Quesnelia quesneliana</i>	Matallana et al. (2010)
	<i>Quesnelia strobilispica</i>	Matallana et al. (2010)
	<i>Racinaea spiculosa</i>	Matallana et al. (2010)
	<i>Renealmia nicolaioides</i>	Ramirez and Seres (1994)
	<i>Tillandsia dasyliriifolia</i>	Ramirez Morillo et al. (2009)
		Matallana et al. (2010)
	<i>Tillandsia geminiflora</i>	Matallana et al. (2010)
	<i>Tillandsia ixioides</i>	Aizen and Feinsinger (1994)
	<i>Tillandsia juncea</i>	Matallana et al. (2010)
	<i>Tillandsia multicaulis</i>	Matallana et al. (2010)
	<i>Tillandsia prodigiosa</i>	Matallana et al. (2010)
	<i>Tillandsia punctulata</i>	Matallana et al. (2010)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Bromeliaceae	<i>Tillandsia streptophylla</i>	Morillo et al. (2009)
	<i>Tillandsia stricta</i>	Matallana et al. (2010)
	<i>Tillandsia tenuifolia</i>	Matallana et al. (2010)
	<i>Vriesea aff. fenestralis</i>	Matallana et al. (2010)
	<i>Vriesea bituminosa</i>	Matallana et al. (2010)
	<i>Vriesea bracteosa</i>	Bush and Beach (1995)
	<i>Vriesea delicatula</i>	Matallana et al. (2010)
	<i>Vriesea ensiformis</i>	Matallana et al. (2010)
	<i>Vriesea gracilior</i>	Matallana et al. (2010)
	<i>Vriesea heterostachys</i>	Matallana et al. (2010)
	<i>Vriesea hydrophora</i>	Matallana et al. (2010)
	<i>Vriesea hygrometrica</i>	Bush and Beach (1995)
	<i>Vriesea incurvata</i>	Matallana et al. (2010)
	<i>Vriesea kautskyana</i>	Matallana et al. (2010)
	<i>Vriesea longicaulis</i>	Matallana et al. (2010)
	<i>Vriesea longiscapa</i>	Matallana et al. (2010)
	<i>Vriesea neoglutinosa</i>	Matallana et al. (2010)
	<i>Vriesea platynema</i>	Ramirez and Seres (1994)
	<i>Vriesea procera</i>	Matallana et al. (2010)
	<i>Vriesea ruschii</i>	Matallana et al. (2010)
	<i>Vriesea scalaris</i>	Matallana et al. (2010)
	<i>Vriesea simplex</i>	Matallana et al. (2010)
	<i>Vriesea sparsiflora</i>	Matallana et al. (2010)
	<i>Vriesea splendens</i>	Ramirez and Seres (1994)
	<i>Vriesea vagans</i>	Matallana et al. (2010)
	<i>Werauhia gladioliflora</i>	Matallana et al. (2010)
	<i>Werauhia sintenisii</i>	Lasso and Ackerman (2004)
Bruniaceae	<i>Audouinia capitata</i>	de Lange et al. (1993)
Burseraceae	<i>Boswellia serrata</i>	Sunnichan et al. (2005)
Butomaceae	<i>Butomus umbellatus</i>	Fernando and Cass (1997)
		Krahulcova and Jarolimova (1993)
Cactaceae	<i>Cereus peruvianus</i>	Weiss et al. (1994)
	<i>Cleistocactus baumannii</i>	Bianchi et al. (2000)
	<i>Echinopsis chamaecereus</i>	Boyle and Idnurm (2001)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Cactaceae	<i>Ferocactus cylindraceus</i>	McIntosh (2002)
	<i>Ferocactus wislizeni</i>	McIntosh (2002)
	<i>Hylocereus polyrhizus</i>	Lichtenzveig et al. (2000)
	<i>Melocactus curvispinus</i>	Nassar and Ramirez (2004)
	<i>Melocactus zehntneri</i>	Machado et al. (2006)
	<i>Opuntia cordobensis</i>	Morales and Galetto (2003)
	<i>Opuntia ellisana</i>	Wang et al. (1996)
	<i>Opuntia excelsia</i>	Bullock (1985)
	<i>Opuntia ficus-indica</i>	Wang et al. (1996)
	<i>Opuntia palmadora</i>	Machado et al. (2006)
	<i>Opuntia phaeacantha</i>	Lloyd and Schoen (1992)
	<i>Opuntia quimilo</i>	Aizen and Feinsinger (1994)
	<i>Opuntia retrorsa</i>	Bianchi et al. (2000)
	<i>Opuntia streptacantha</i>	Wang et al. (1996)
	<i>Pereskia guamacho</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Pilosocereus moritzianus</i>	Nassar et al. (1997)
	<i>Rhipsalis lumbricoides</i>	Aizen and Feinsinger (1994)
	<i>Schlumbergera sp</i>	Boyle (1997)
	<i>Selenicereus megalanthus</i>	Dag and Mizrahi (2005), Lichtenzveig et al. (2000)
	<i>Stenocereus griseus</i>	Nassar et al. (1997)
	<i>Stenocereus horrispinus</i>	Nassar et al. (1997)
	<i>Stenocereus repandus</i>	Nassar et al. (1997)
	<i>Stenocereus stellatus</i>	Casas et al. (1999)
Campanulaceae	<i>Campanula americana</i>	Galloway et al. (2003)
	<i>Campanula rapunculoides</i>	Vogler et al. (1998)
		Vogler et al. (1999)
		Good-Avila et al. (2001)
		Good-Avila and Stephenson (2003)
	<i>Campanula rotundifolia</i>	Nuortila et al. (2004)
	<i>Campanula thyrsoides</i>	Ægisdottir et al. (2007)
	<i>Clintonia borealis</i>	Barrett and Helenurm (1987), Dorken and Husband (1999)
	<i>Lobelia cardinalis</i>	Johnston (1992)
	<i>Lobelia siphilitica</i>	Johnston (1992)
	<i>Syphocamphylus reticulatus</i>	Sobrevila and Arroyo (1982)
	<i>Wahlenbergia albomarginata</i>	Newstrom and Robertson (2005)
Cannaceae	<i>Canna indica</i>	Rambuda and Johnson (2004)
Capparaceae	<i>Crateva adansonii</i>	Mangla and Tandon (2011)
Caprifoliaceae	<i>Linnaea borealis</i>	Barrett and Helenurm (1987)
Caryocaraceae	<i>Caryocar brasiliense</i>	Oliveira and Gibbs (2000), Oliveira et al. (2004)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Caryophyllaceae	<i>Arenaria uniflora</i>	Fishman and Wyatt (1999)
	<i>Schiedea membranacea</i>	Culley et al. (1999)
	<i>Silene vulgaris</i>	Glaettli and Goudet (2006)
	<i>Stellaria pubera</i>	Motten (1986)
Celastraceae	<i>Hemiangium excelsum</i>	Bawa (1974)
Chrysobalanaceae	<i>Couepia polyandra</i>	Bullock (1985)
	<i>Hirtella glandulosa</i>	Arista et al. (1997)
	<i>Hirtella gracilipes</i>	Arista et al. (1997)
	<i>Hirtella racemosa</i>	Bawa (1974)
Cistaceae	<i>Cistus carthaginensis</i>	Boscaiu and Guemes (2001)
	<i>Cistus ladanifer</i>	Talavera et al. (1993)
	<i>Fumana ericifolia</i>	Guemes and Boscaiu (2001)
	<i>Helianthemum caput felis</i>	Rodriguez-Perez (2005)
	<i>Helianthemum marifolium</i>	Rodriguez-Perez (2005)
Clethraceae	<i>Clethra alnifolia</i>	Rathcke (1988), Reed (2006)
Clusiaceae	<i>Kielmeyera coriacea</i>	Oliveira and Gibbs (2000)
	<i>Kielmeyera speciosa</i>	Oliveira and Gibbs (2000)
Cochlospermaceae	<i>Cochlospermum insigne</i>	de Lima Leite and Machado (2010)
	<i>Cochlospermum vitifolium</i>	Bawa (1974), Bullock (1985)
Colchicaceae	<i>Burchardia umbellata</i>	Ramsey and Vaughton (2000)
	<i>Gloriosa superba</i> L.	le Roux and Robbertse (1997)
	<i>Wurmbea biglandulosa</i>	Ramsey et al. (2006)
Combretaceae	<i>Combretum leprosum</i>	Machado et al. (2006)
	<i>Combretum pisonioides</i>	Machado et al. (2006)
	<i>Conocarpus erectus</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Laguncularia racemosa</i>	Lemus-Jimenez and Ramirez (2005)
Commelinaceae	<i>Commelina diffusa</i>	Jaimes and Ramirez (1999)
	<i>Tinantia anomala</i>	Lloyd and Schoen (1992)
	<i>Tradescantia zanonii</i>	Ramirez and Seres (1994)
Convolvulaceae	<i>Convolvulus chilensis</i>	Suarez et al. (2004)
	<i>Convolvulus nodiflorus</i>	Jaimes and Ramirez (1999)
	<i>Evolvulus tenuis</i>	Jaimes and Ramirez (1999)
	<i>Ipomoea alba</i>	Rambuda and Johnson (2004)
	<i>Ipomoea asarifolia</i>	Machado et al. (2006)
	<i>Ipomoea bahiensis</i>	Machado et al. (2006)
	<i>Ipomoea brasiliensis</i>	Machado et al. (2006)
	<i>Ipomoea carnea</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Ipomoea habeliana</i>	McMullen (2009)
	<i>Ipomoea incarnata</i>	Machado et al. (2006)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Convolvulaceae	<i>Ipomoea pes carpa</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Ipomoea wolcottiana</i>	Bullock (1985)
	<i>Jacquemontia multiflora</i>	Machado et al. (2006)
	<i>Merremia aegyptia</i>	Machado et al. (2006)
Cornaceae	<i>Cornus canadensis</i>	Barrett and Helenurm (1987)
	<i>Corokia cotoneaster</i>	Webb (1994)
Costaceae	<i>Costus malortieanus</i>	Grove (1985)
	<i>Costus pulverulentus</i>	Grove (1985)
Crassulaceae	<i>Kalanchoe daigremontiana</i>	Jaimes and Ramirez (1999)
	<i>Kalanchoe pinnata</i>	Jaimes and Ramirez (1999)
Cunoniaceae	<i>Caldcluvia paniculata</i>	Riveros et al. (1996)
	<i>Eucryphia cordifolia</i>	Riveros et al. (1996)
Cupressaceae	<i>Thuja plicata</i>	O'Connell and Ritland (2005)
Cyclanthaceae	<i>Asplundia fendlerii</i>	Ramirez and Seres (1994)
	<i>Asplundia moritziana</i>	Ramirez and Seres (1994)
	<i>Evodianthus funifer</i>	Ramirez and Seres (1994)
Cyperaceae	<i>Carex arctata</i>	Friedman and Barrett (2009)
	<i>Carex bigelowii</i>	Stenstrom (1999)
	<i>Carex hirtifolia</i>	Friedman and Barrett (2009)
	<i>Carex laxiflora</i>	Friedman and Barrett (2009)
	<i>Carex pedunculata</i>	Friedman and Barrett (2009)
	<i>Carex pennsylvanica</i>	Friedman and Barrett (2009)
	<i>Carex plantaginea</i>	Friedman and Barrett (2009)
	<i>Carex scabrata</i>	Friedman and Barrett (2009)
	<i>Rhynchospora barbata</i>	Ramirez and Brito (1990)
	<i>Rhynchospora velutina</i>	Ramirez and Brito (1990)
	<i>Scleria latifolia</i>	Ramirez and Seres (1994)
Cyrillaceae	<i>Cyrilla racemiflora</i>	Dute et al. (2004)
Desfontainiaceae	<i>Desfontainia spinosa</i>	Riveros et al. (1996)
Dilleniaceae	<i>Curatella americana</i>	Bawa (1974)
	<i>Davilla elliptica</i>	Oliveira and Gibbs (2000)
Dipsacaceae	<i>Knautia arvensis</i>	Vange (2002)
Dipterocarpaceae	<i>Dipterocarpus oblongifolius</i>	Bawa (1998)
	<i>Dipterocarpus tempehes</i>	Kenta et al. (2002)
	<i>Shorea acuminata</i>	Bawa (1998)
	<i>Shorea cordifolia</i>	Bawa (1998), Stacy (2001)
	<i>Shorea disticha</i>	Bawa (1998)
	<i>Shorea hemsleyana</i>	Bawa (1998)
	<i>Shorea lepidota</i>	Bawa (1998)
	<i>Shorea leprosula</i>	Bawa (1998)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Dipterocarpaceae	<i>Shorea macroptera</i>	Bawa (1998)
	<i>Shorea ovalis</i>	Bawa (1998)
	<i>Shorea robusta</i>	Atluri et al. (2004)
	<i>Shorea siamensis</i>	Ghazoul et al. (1998)
	<i>Shorea splendida</i>	Bawa (1998)
	<i>Shorea trapezifolia</i>	Bawa (1998)
Droseraceae	<i>Drosera granduligera</i>	Chen et al. (1997)
	<i>Drosera macrantha</i>	Chen et al. (1997)
	<i>Drosera manniana</i>	Chen et al. (1997)
	<i>Drosera nitidula</i>	Chen et al. (1997)
	<i>Drosera pulchella</i>	Chen et al. (1997)
	<i>Drosera rosulata</i>	Chen et al. (1997)
	<i>Drosera stolonifera</i>	Chen et al. (1997)
	<i>Drosera tubaestylis</i>	Chen et al. (1997)
	<i>Drosophyllum lusitanicum</i>	Ortega-Olivencia et al. (1998)
Ericaceae	<i>Acrotriche serrulata</i>	Schneemilch and Steggles (2010)
	<i>Andromeda polifolia</i>	Froborg (1996)
	<i>Calluna vulgaris</i>	Mahy and Jacquemart (1998), Mahy and Jacquemart (1999)
	<i>Chimaphila umbellata</i>	Barrett and Helenurm (1987)
	<i>Erica andevalensis</i>	Aparicio and Garcia-Martin (1996)
	<i>Gaylussacia baccata</i>	Rathcke (1988)
	<i>Gaylussacia frondata</i>	Rathcke (1988)
	<i>Kalmia angustifolia</i>	Rathcke (1988)
	<i>Ledum groenlandicum</i>	Wheelwright et al. (2006)
	<i>Lyonia latifolia</i>	Rathcke (1988)
	<i>Phyllodoce aleutica</i>	Kudo and Kasagi (2005)
	<i>Phyllodoce caerulea</i>	Kudo and Kasagi (2005)
	<i>Prionotes cerinthoides</i>	Johnson et al. (2010)
	<i>Pyrola secunda</i>	Barrett and Helenurm (1987)
	<i>Rhododendron canadense</i>	Wheelwright et al. (2006)
	<i>Rhododendron championiae</i>	Ng and Corlett (2000)
	<i>Rhododendron farrerae</i>	Ng and Corlett (2000)
	<i>Rhododendron hongkongense</i>	Ng and Corlett (2000)
	<i>Rhododendron ligustrina</i>	Rathcke (1988)
	<i>Rhododendron moultmainense</i>	Ng and Corlett (2000)
	<i>Rhododendron ponticum</i>	Stout (2007)
	<i>Rhododendron prinophyllum</i>	Padrutt et al. (1992)
	<i>Rhododendron simiarum</i>	Ng and Corlett (2000)
	<i>Rhododendron simsii</i>	Ng and Corlett (2000)
	<i>Satyria warszewiczii</i>	Wesselingh et al. (1999)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Ericaceae	<i>Vaccinium angustifolium</i>	Usui et al. (2005), Hokanson and Hancock (2000)
	<i>Vaccinium ashei</i>	Brevis et al. (2006)
	<i>Vaccinium corymbosum</i>	MacKenzie (1997), Ehlenfeldt (2001), Hokanson and Hancock (2000), Dogterom et al. (2000)
	<i>Vaccinium macrocarpon</i>	Sarracino and Vorsa (1991)
	<i>Vaccinium myrtilloides</i>	Usui et al. (2005), Hokanson and Hancock (2000)
	<i>Vaccinium myrtillus</i>	Nuortila et al. (2002), Froberg (1996), Jacquemart and Thompson (1996)
	<i>Vaccinium oxycoccos</i>	Froberg (1996)
	<i>Vaccinium uliginosum</i>	Jacquemart and Thompson (1996), Froberg (1996)
	<i>Vaccinium vitis idaea</i>	Froberg (1996), Nuortila et al. (2002), Jacquemart and Thompson (1996)
Erythroxylaceae	<i>Erythroxylum suberosum</i>	Oliveira and Gibbs (2000)
	<i>Erythroxylum tortuosum</i>	Oliveira and Gibbs (2000)
Escalloniaceae	<i>Escallonia myrtoidea</i>	Valdivia and Niemeyer (2006)
Euphorbiaceae	<i>Caperonia palustris</i>	Ramirez and Brito (1990)
	<i>Chamaesyce mesembrianthemifolia</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Cnidoscolus urens</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Croton flavens</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Croton hirtus</i>	Ramirez and Brito (1990)
	<i>Croton lobatus</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Croton punctuatus</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Croton sonderianus</i>	de Lima Leite and Machado (2010)
	<i>Dysopsis glechomoides</i>	Riveros et al. (1996)
	<i>Jatropha curcas</i>	Pinto Juhasz et al. (2009)
	<i>Jatropha gossypifolia</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Jatropha gossypifolia</i>	Machado et al. (2006)
	<i>Jatropha mollissima</i>	Machado et al. (2006)
	<i>Jatropha mutabilis</i>	Machado et al. (2006)
	<i>Phyllanthus nirui</i>	Jaimes and Ramirez (1999)
Fabaceae	<i>Acacia aroma</i>	Morales and Galetto (2003)
	<i>Acacia auriculiformis</i>	Sedgley et al. (1992)
	<i>Acacia constricta</i>	Wagner (2000)
	<i>Acacia macracantha</i>	Ruiz-Zapata and Arroyo (1978)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Fabaceae	<i>Acacia mangium</i>	Sedgley et al. (1992)
	<i>Acacia mearnsii</i>	Kenrick and Knox (1989)
	<i>Acacia myrtifolia</i>	Kenrick and Knox (1989)
	<i>Acacia paradoxa</i>	Kenrick and Knox (1989)
	<i>Acacia praecox</i>	Aizen and Feinsinger (1994)
	<i>Acacia pycnantha</i>	Kenrick and Knox (1989)
	<i>Acacia retinoides</i>	Bernhardt et al. (1984), Kenrick and Knox (1989)
	<i>Acacia senegal</i>	Tandon et al. (2001)
	<i>Acacia terminalis</i>	Kenrick and Knox (1989)
	<i>Acacia tortilis</i>	Tybirk (1993)
	<i>Acacia ulcifolia</i>	Kenrick and Knox (1989)
	<i>Adesmia bicolor</i>	Tedesco et al. (2000)
	<i>Adesmia montana</i>	Arroyo and Uslar (1993)
	<i>Adesmia mucronata</i>	Arroyo and Uslar (1993)
	<i>Adesmia muricata</i>	Tedesco et al. (2000)
	<i>Adesmia punctata</i>	Tedesco et al. (2000)
	<i>Adesmia riograndensis</i>	Tedesco et al. (2000)
	<i>Adesmia tristis</i>	Tedesco et al. (2000)
	<i>Aeschynomene pretensis</i>	Ramirez and Brito (1990)
	<i>Anadenanthera falcata</i>	Saraiva et al. (1996)
	<i>Astragalus linifolius</i>	Lloyd and Schoen (1992)
	<i>Astragalus lonchocarpus</i>	Lloyd and Schoen (1992)
	<i>Astragalus pectinatus</i>	Lloyd and Schoen (1992)
	<i>Bauhinia championii</i>	Lau et al. (2009)
	<i>Bauhinia cheilantha</i>	de Lima Leite and Machado (2010)
	<i>Bauhinia corymbosa</i>	Lau et al. (2009)
	<i>Bauhinia glauca</i>	Lau et al. (2009)
	<i>Bauhinia unguolata</i>	Bawa (1974), Ramirez et al. (1984)
	<i>Butea monosperma</i>	Tandon et al. (2003)
	<i>Caesalpinia gilliesii</i>	Aizen and Feinsinger (1994)
	<i>Caesalpinia bahamensis</i>	Borges et al. (2009)
	<i>Caesalpinia caladenia</i>	Bullock (1985)
	<i>Caesalpinia calycina</i>	Machado et al. (2006)
	<i>Caesalpinia coriana</i>	Bullock (1985)
	<i>Caesalpinia crista</i>	Borges et al. (2009)
	<i>Caesalpinia decapetala</i>	Rambuda and Johnson (2004)
	<i>Caesalpinia echinata</i>	Borges et al. (2009)
	<i>Caesalpinia eriostachys</i>	Bawa (1974), Bullock (1985)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Fabaceae	<i>Caesalpinia gilliesii</i>	Morales and Galetto (2003)
	<i>Caesalpinia peltophoroides</i>	Borges et al. (2009)
	<i>Caesalpinia pulcherrima</i>	Bullock (1985)
	<i>Caesalpinia pyramidalis</i>	Borges et al. (2009)
	<i>Caesalpinia sclerocarpa</i>	Bullock (1985)
	<i>Calliandra laxa</i>	Ruiz-Zapata and Arroyo (1978)
	<i>Carmichaelia williamsii</i>	Newstrom and Robertson (2005)
	<i>Cassia aphylla</i>	Aizen and Feinsinger (1994)
	<i>Cassia fasciculata</i>	Martin and Lee (1993)
	<i>Cercidium australe</i>	Aizen and Feinsinger (1994)
	<i>Cercidium praecox</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Chamaecrista cytisoides</i>	Machado et al. (2006)
	<i>Chamaecrista desvauxii</i>	Costa et al. (2007)
	<i>Chamaecrista nictitans</i>	Jaimes and Ramirez (1999)
	<i>Chamaecrista ramosa</i>	Machado et al. (2006)
	<i>Crotolaria incana</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Crotolaria sp</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Cytisus multiflorus</i>	Rodriguez-Riano et al. (2004)
	<i>Cytisus striatus</i>	Rodriguez-Riano et al. (1999)
	<i>Dalbergia miscolobium</i>	Gibbs and Sassaki (1998)
	<i>Dalbergia retusa</i>	Bawa (1974)
	<i>Dalea carthagenensis</i>	Jaimes and Ramirez (1999)
	<i>Daviesia mimosoides</i>	Young and Brown (1998)
	<i>Daviesia suaveolens</i>	Young and Brown (1998)
	<i>Derris ovalifolia</i>	Nayak and Davidar (2010)
	<i>Desmodium barbatum</i>	Ramirez and Brito (1990)
	<i>Desmodium canum</i>	Jaimes and Ramirez (1999)
	<i>Dillwynia tenuifolia</i>	Rymer et al. (2002)
	<i>Dipteryx panamensis</i>	Bawa et al. (1985)
	<i>Enterolobium cyclocarpum</i>	Bawa (1974)
	<i>Erithrina mitis</i>	Jaimes and Ramirez (1999)
	<i>Erythrina chiapasana</i>	Neill (1988)
	<i>Erythrina falcata</i>	Etcheverry and Aleman (2005)
	<i>Erythrina fusca</i>	Neill (1988)
	<i>Erythrina goldmanii</i>	Neill (1988)
	<i>Erythrina gutemalensis</i>	Neill (1988)
	<i>Faidherbia albida</i>	Gassama-Dia et al. (2003)
	<i>Gliricidia sepium</i>	Machado et al. (2006)
	<i>Hymenaea courbaril</i>	Bawa (1974)
	<i>Hymenaea stigonocarpa</i>	Oliveira et al. (2004)
	<i>Inga brenesii</i>	Koptur (1984)

Table S1 <i>continued</i> : List of all species and source studies.		
Family	Species	Source
Fabaceae	<i>Inga densiflora</i>	Koptur (1984)
	<i>Inga mertoniana</i>	Koptur (1984)
	<i>Inga oerstediana</i>	Koptur (1984)
	<i>Inga punctata</i>	Koptur (1984)
	<i>Lonchocarpus costaricensis</i>	Bawa (1974)
	<i>Lonchocarpus eriocarinalis</i>	Bullock (1985)
		Bawa (1974)
	<i>Lonchocarpus guatemalensis</i>	Bullock (1985)
	<i>Lonchocarpus lanceolatum</i>	Bullock (1985)
	<i>Lonchocarpus sp Nov</i>	Bullock (1985)
	<i>Lonchocarpus sp</i>	Bawa et al. (1985)
	<i>Lotus corniculatus</i>	Stephenson and Winsor (May, 1986)
	<i>Lupinus arboreus</i>	Kittelson and Maron (2000)
	<i>Lysiloma microphylla</i>	Bullock (1985)
	<i>Medicago sativa</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Mimosa albida</i>	Jaimes and Ramirez (1999)
	<i>Mimosa camporum</i>	Ramirez and Brito (1990)
	<i>Mimosa detinens</i>	Aizen and Feinsinger (1994)
	<i>Ononis masquillierii</i>	Vivarelli et al. (2011)
	<i>Parkinsonia aculeata</i>	de Lima Leite and Machado (2010)
	<i>Pentaclethra macroloba</i>	Bawa et al. (1985)
	<i>Piptadenia obliqua</i>	Bullock (1985)
	<i>Piscidia carthagenesis</i>	Bawa (1974)
	<i>Pithecellobium dulce</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Pithecellobium gigantifolium</i>	Bawa et al. (1985)
	<i>Pithecolobium saman</i>	Bawa (1974)
	<i>Poeppegia procera</i>	Bullock (1985)
	<i>Prosopis alba</i>	Morales and Galetto (2003)
	<i>Prosopis juliflora</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Prosopis nigra</i>	Aizen and Feinsinger (1994)
	<i>Pterocarpus rohrii</i>	Bawa (1974)
	<i>Pterocarpus santalinus</i>	Rao and Raju (2002)
	<i>Pterodon emarginatus</i>	Oliveira and Gibbs (2000)
	<i>Retama sphaerocarpa</i>	Rodriguez-Riano et al. (1999)
	<i>Rhynchosia edulis</i>	Morales and Galetto (2003)
	<i>Rhynchosia minima</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Sclerolobium paniculatum</i>	Oliveira and Gibbs (2000)
	<i>Senna didymobotrya</i>	Rambuda and Johnson (2004)
	<i>Senna martiana</i>	de Lima Leite and Machado (2010)
	<i>Senna occidentalis</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Senna spectabilis</i>	de Lima Leite and Machado (2010)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Fabaceae	<i>Sesbania goetzei</i>	Heering (1994)
	<i>Sesbania punicea</i>	Rambuda and Johnson (2004)
	<i>Sesbania sesban</i>	Heering (1994)
	<i>Suriana maritima</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Swartzia simplex</i>	Bawa et al. (1985)
	<i>Tephrosia cinerea</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Trifolium alexandrinum</i>	Roy et al. (2005)
	<i>Trifolium polymorphum</i>	Real et al. (2007)
	<i>Trifolium pratense</i>	Leduc et al. (1990)
	<i>Trifolium repens</i>	Leduc et al. (1990)
Fagaceae	<i>Nothofagus dombeyi</i>	Riveros et al. (1995)
	<i>Nothofagus nitida</i>	Riveros et al. (1995)
	<i>Nothofagus obliqua</i>	Riveros et al. (1995)
	<i>Quercus ilex</i>	Boavida et al. (2001), Yacine and Bouras (1997)
Gentianaceae	<i>Quercus suber</i>	Boavida et al. (2001)
	<i>Frasera carolinensis</i>	Lloyd and Schoen (1992)
	<i>Gentiana pneumonanthe</i>	Petanidou et al. (1995), Petanidou et al. (2001)
	<i>Sabatia kennedyana</i>	Hill et al. (2006)
	<i>Schultesia brachyptera</i>	Ramirez and Brito (1990)
	<i>Sebaea grandis</i>	Wolfe et al. (2009)
Geraniaceae	<i>Villarsia lasiosperma</i>	Ornduff (1992)
	<i>Geranium berterianum</i>	Arroyo and Uslar (1993)
	<i>Geranium maculatum</i>	Chang (2007)
	<i>Viviana marifolia</i>	Arroyo and Uslar (1993)
Gesneriaceae	<i>Asteranthera ovata</i>	Riveros et al. (1996)
	<i>Besleria columneoides</i>	Grove (1985)
	<i>Besleria robusta</i>	Grove (1985)
	<i>Columnea magnifica</i>	Bush and Beach (1995)
	<i>Columnea microcalyx</i>	Bush and Beach (1995)
	<i>Columnea purpurata</i>	Grove (1985)
	<i>Drymonia conchocalyx</i>	Bush and Beach (1995)
	<i>Drymonia rubra</i>	Bush and Beach (1995)
	<i>Mitraria coccinea</i>	Riveros et al. (1996)
	<i>Saintpaulia confusa</i>	Kolehmainen and Mutikainen (2006)
	<i>Sinningia sp</i>	Ramirez and Brito (1990)
Goodeniaceae	<i>Titanotrichum oldhamii</i>	Wang et al. (2004)
	<i>Scaevola plumieri</i>	Lemus-Jimenez and Ramirez (2005)
Gunneraceae	<i>Gunnera tinctoria</i>	Riveros et al. (1996)
Hyacinthaceae	<i>Eucomis autumnalis</i>	Shuttleworth and Johnson (2009)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Hyacinthaceae	<i>Eucomis comosa</i>	Shuttleworth and Johnson (2009)
Hydrangeaceae	<i>Hydrangea paniculata</i>	Reed (2004)
	<i>Hydrangea quercifolia</i>	Reed (2004)
Hypericaceae	<i>Hypericum cumulicola</i>	Evans et al. (2003)
	<i>Vismia baccifera</i>	Sobrevila and Arroyo (1982)
Iridaceae	<i>Crocus thomasi</i>	Chichiricco (1993)
	<i>Crocus vernus</i>	Chichiricco (1993), Chichiricco (1990)
	<i>Dierama dracomontanum</i>	Johnson et al. (2009)
	<i>Dierama luteoalbidum</i>	Johnson et al. (2009)
	<i>Gladiolus longicollis</i>	Johnson et al. (2009)
	<i>Iris bismarckiana</i>	Segal et al. (2006)
	<i>Iris cristata</i>	Motten (1986)
	<i>Iris haynei</i>	Sapir et al. (2005)
	<i>Iris hermona</i>	Sapir et al. (2005)
	<i>Iris versicolor</i>	Kron et al. (1993), Wheelwright et al. (2006)
	<i>Sisyrinchium philippi</i>	Arroyo and Uslar (1993)
	<i>Tritonia disticha</i>	Johnson et al. (2009)
	<i>Watsonia lepida</i>	Johnson et al. (2009)
Lamiaceae	<i>Dicerandra frutescens</i>	Evans et al. (2004)
	<i>Gmelina arborea</i>	Raju and Rao (2006)
	<i>Hyptis conferta</i>	Ramirez and Brito (1990)
	<i>Hyptis dilatata</i>	Ramirez and Brito (1990)
	<i>Monarda fistulosa</i>	Cruden et al. (1984)
	<i>Rosmarinus officinalis</i>	Hidalgo and Uberta (2001)
	<i>Salvia brandegeei</i>	Barrett et al. (2000)
	<i>Salvia coccinea</i>	Jaimes and Ramirez (1999)
	<i>Stachys albicaulis</i>	Arroyo and Uslar (1993)
	<i>Tectona grandis</i>	Tangmitcharoen and Owens (1997)
Lardizabalaceae	<i>Akebia quinata</i>	Kawagoe and Suzuki (2005)
Lentibulariaceae	<i>Urticaria praetermissa</i>	Bush and Beach (1995)
Liliaceae	<i>Blandfordia grandiflora</i>	Ramsey et al. (1993), Ramsey (1995)
	<i>Convallaria keiskei</i>	Araki et al. (2005)
	<i>Curculigo latifolia</i>	Okubo et al. (2010)
	<i>Dianella revoluta</i>	Duncan et al. (2004)
	<i>Erythronium umbilicatum</i>	Motten (1986)
	<i>Hyancynthoides non scripta</i>	Corbet (1998)
	<i>Leucocoryne coquimbensis</i>	Mansur et al. (2004)
	<i>Leucocoryne ixioideis</i>	Arroyo and Uslar (1993)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Liliaceae	<i>Leucocoryne purpurea</i>	Mansur et al. (2004)
	<i>Lilium formosanum</i>	Rambuda and Johnson (2004)
	<i>Maianthemum canadense</i>	Barrett and Helenurm (1987), Wheelwright et al. (2006)
	<i>Medeola virginiana</i>	Barrett and Helenurm (1987)
	<i>Smilacina stellata</i>	Wheelwright et al. (2006)
	<i>Smilacina trifolia</i>	Wheelwright et al. (2006)
	<i>Uvularia sessifolia</i>	Motten (1986)
Loasaceae	<i>Loasa acerifolia</i>	Riveros et al. (1996)
	<i>Loasa heterophylla</i>	Arroyo and Uslar (1993)
Loranthaceae	<i>Alepis flavida</i>	Ladley et al. (1997)
	<i>Ligaria cuneifolia</i>	Aizen and Feinsinger (1994)
	<i>Peraxilla colensoi</i>	Robertson et al. (1999)
	<i>Peraxilla tetrapetala</i>	Robertson et al. (1999)
	<i>Tristerix corymbosus</i>	Aizen (2005)
Lythraceae	<i>Cuphea odonnellii</i>	Ramirez and Brito (1990)
	<i>Decodon verticillatus</i>	Eckert and Barrett (1994)
	<i>Heimia salicifolia</i>	Morales and Galetto (2003)
	<i>Lagerstroemia indica</i>	Pounders et al. (2006)
	<i>Lythrum salicaria</i>	Oneil (1994), Mal et al. (1999)
Magnoliaceae	<i>Magnolia grandiflora</i>	Allain et al. (1999)
	<i>Magnolia obovata</i>	Ishida et al. (2003)
	<i>Magnolia stellata</i>	Hirayama et al. (2007), Hirayama et al. (2005)
Malpighiaceae	<i>Banisteriopsis adenopoda</i>	Sigrist and Sazima (2004)
	<i>Banisteriopsis muricata</i>	Ruiz-Zapata and Arroyo (1978), Sigrist and Sazima (2004)
	<i>Brysonima coccolobifolia</i>	Oliveira and Gibbs (2000)
	<i>Brysonima crassifolia</i>	Bawa (1974)
	<i>Brysonima verbascifolia</i>	Oliveira and Gibbs (2000)
	<i>Byrsonima coccolobifolia</i>	Saraiva et al. (1996)
	<i>Byrsonima gardneriana</i>	Machado et al. (2006)
	<i>Byrsonima intermedia</i>	Saraiva et al. (1996)
	<i>Byrsonima verbascifolia</i>	Saraiva et al. (1996)
	<i>Dicella bracteosa</i>	Sigrist and Sazima (2004)
	<i>Malpighia glabra</i>	Bawa (1974)
	<i>Mascagnia anisopetala</i>	Sigrist and Sazima (2004)
	<i>Mascagnia cordifolia</i>	Sigrist and Sazima (2004)
	<i>Stigmaphyllon paralias</i>	Machado et al. (2006)
	<i>Stigmaphyllon lalandianum</i>	Sigrist and Sazima (2004)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Malvaceae	<i>Ayenia micrantha</i>	Bullock (1985)
	<i>Bastardia viscosa</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Corchorus hirsutus</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Cristaria dissecta</i>	Arroyo and Uslar (1993)
	<i>Dombeya acutangula</i>	Gigord et al. (1998)
	<i>Durio sp</i>	Lim and Luders (1998)
	<i>Eriotheca pubescens</i>	Oliveira and Gibbs (2000)
	<i>Goethalsia meiantha</i>	Bawa et al. (1985)
	<i>Grewia occidentalis</i>	Zietsman (1991)
	<i>Guazuma roupalaefolia</i>	Ruiz-Zapata and Arroyo (1978)
	<i>Guazuma tomentosa</i>	Bawa (1974), Ruiz-Zapata and Arroyo (1978)
	<i>Guazuma ulmifolia</i>	Bullock (1985)
	<i>Hibiscus moscheutos</i>	Snow and Spira (1991)
	<i>Hibiscus rosa sinensis</i>	Krabel (1991)
	<i>Hibiscus trionum</i>	Seed et al. (2006)
	<i>Luehea candida</i>	Bullock (1985)
	<i>Luehea seemannii</i>	Lloyd and Schoen (1992), Bawa et al. (1985)
	<i>Luehea speciosa</i>	Bawa (1974)
	<i>Malvastrum americanum</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Malvastrum coromandelianum</i>	Jaimes and Ramirez (1999)
	<i>Melochia caracasana</i>	Ramirez and Navarro (2010)
	<i>Melochia crenata</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Melochia parvifolia</i>	Ramirez and Navarro (2010)
	<i>Melochia tomentosa</i>	Machado et al. (2006)
	<i>Melochia villosa</i>	Ramirez and Brito (1990)
	<i>Ochroma pyramidale</i>	Bawa (1974), Bawa et al. (1985)
	<i>Pavonia martii</i>	Machado et al. (2006)
	<i>Physodium corymbosum</i>	Bullock (1985)
	<i>Sida rhombifolia</i>	McMullen (1987)
	<i>Sida spinosa</i>	Jaimes and Ramirez (1999)
	<i>Theobroma grandiflorum</i>	Alves et al. (2003)
	<i>Theobroma speciosum</i>	de Souza and Venturieri (2010)
	<i>Triumfetta semitriloba</i>	Collevatti et al. (1997)
	<i>Waltheria americana</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Waltheria rotundifolia</i>	Machado et al. (2006)
Marantaceae	<i>Calathea lasiostachya</i>	Grove (1985)
	<i>Calathea maranifolia</i>	Grove (1985)
	<i>Calathea sp</i>	Ramirez and Seres (1994)



Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Marantaceae	<i>Stromanthe jacquinii</i>	Ramirez and Seres (1994)
	<i>Stromanthe tonckat</i>	Ramirez and Seres (1994)
Mayacaceae	<i>Mayaca sellowiana</i>	Ramirez and Brito (1990)
Melanthiaceae	<i>Trillium erectum</i>	Sage et al. (2001)
	<i>Trillium grandiflorum</i>	Sage et al. (2001), Steven et al. (2003)
	<i>Trillium reliquum</i>	Heckel and Leege (2007)
	<i>Trillium recurvatum</i>	Sawyer (2010)
	<i>Trillium undulatum</i>	Barrett and Helenurm (1987)
Melastomataceae	<i>Blakea anomala</i>	Lumer (2000)
	<i>Blakea gracilis</i>	Lumer (2000)
	<i>Clidemia capitellata</i>	Ramirez and Brito (1990)
	<i>Comolia microphylla</i>	Hokche and Ramirez (2008)
	<i>Desmoscelis villosa</i>	Ramirez and Brito (1990)
	<i>Eriocnema fulva</i>	Andrade et al. (2007)
	<i>Graffenrieda latifolia</i>	Sobrevila and Arroyo (1982)
	<i>Leandra lacunosa</i>	Goldenberg and Shepherd (1998)
	<i>Leandra subseriata</i>	Wesselingh et al. (1999)
	<i>Marcetia taxifolia</i>	Hokche and Ramirez (2008)
	<i>Meriania sclerophylla</i>	Hokche and Ramirez (2008)
	<i>Miconia alata</i>	Hokche and Ramirez (2008)
	<i>Miconia discolor</i>	Borges (1991)
	<i>Miconia elegans</i>	Borges (1991)
	<i>Miconia langsдорffii</i>	Goldenberg and Shepherd (1998)
	<i>Miconia ligustroides</i>	Goldenberg and Shepherd (1998)
	<i>Miconia minutiflora</i>	Goldenberg and Shepherd (1998)
	<i>Miconia pepericarpa</i>	Goldenberg and Shepherd (1998)
	<i>Miconia rubiginosa</i>	Goldenberg and Shepherd (1998)
	<i>Miconia stenostachya</i>	Baumgratz and de (1989)
	<i>Miconia stephananthera</i>	Ramirez and Brito (1990)
	<i>Miconia theaezans</i>	Borges (1991)
	<i>Pterolepis glomerata</i>	Ramirez and Brito (1990)
	<i>Tibouchina fraterna</i>	Hokche and Ramirez (2008)
	<i>Tibouchina stenocarpa</i>	Goldenberg and Shepherd (1998)
	<i>Tococa guianensis</i>	Hokche and Ramirez (2008)
	<i>Tococa nitens</i>	Hokche and Ramirez (2008)
	<i>Topobea branesii</i>	Lumer (2000)
Meliaceae	<i>Walsura trifolia</i>	Nayak and Davidar (2010)
Memecylaceae	<i>Memecylon umbellatum</i>	Nayak and Davidar (2010)
Menyanthaceae	<i>Menyanthes trifoliata</i>	Thompson et al. (1998)
	<i>Nymphoides peltata</i>	Wang et al. (2005)
Mimosaceae	<i>Acacia sinuata</i>	Raju and Rao (2002)
Moraceae	<i>Ficus aurea</i>	Hossaert-McKey and Bronstein (2001)
Musaceae	<i>Heliconia acuminata</i>	Ramirez and Seres (1994)
	<i>Heliconia psittacorum</i>	Ramirez and Brito (1990)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Musaceae	<i>Heliconia revoluta</i>	Ramirez and Seres (1994)
Myrsinaceae	<i>Anagallis monelli</i>	Gibbs and Talavera (2001), Talavera et al. (2001)
	<i>Ardisia nigropunctata</i>	Bawa et al. (1985)
	<i>Ardisia revoluta</i>	Bawa (1974)
	<i>Cyclamen persicum</i>	Schwartz-Tzachor et al. (2008)
	<i>Jacquinia aristata</i>	Lemus-Jimenez and Ramirez (2005)
Myrtaceae	<i>Amomyrtus luma</i>	Riveros et al. (1996)
	<i>Blepharocalyx salicifolius</i>	Proença and Gibbs (1994)
	<i>Campomanesia cambessidiana</i>	Saraiva et al. (1996)
	<i>Campomanesia pubescens</i>	Proença and Gibbs (1994)
	<i>Campomanesia velutina</i>	Proença and Gibbs (1994)
	<i>Eucalyptus argutifolia</i>	Kennington and James (1997)
	<i>Eucalyptus camaldulensis</i>	Rambuda and Johnson (2004)
	<i>Eucalyptus cladocalyx</i>	Ellis and Sedgley (1992)
	<i>Eucalyptus globulus</i>	Hardner and Potts (1995), Pound et al. (2002b), Pound et al. (2002a)
	<i>Eucalyptus grandis</i>	Horsley and Johnson (2007)
	<i>Eucalyptus leptophylla</i>	Ellis and Sedgley (1992)
	<i>Eucalyptus nitens</i>	Pound et al. (2003)
	<i>Eucalyptus platypus</i>	Wallwork and Sedgley (2005)
	<i>Eucalyptus spathulata</i>	Wallwork and Sedgley (2005), Ellis and Sedgley (1992)
	<i>Eucalyptus urophylla</i>	Horsley and Johnson (2007)
	<i>Eugenia bracteata</i>	Nayak and Davidar (2010)
	<i>Eugenia dysenterica</i>	Proença and Gibbs (1994)
	<i>Eugenia virgultosa</i>	Tanner (1982)
	<i>Kunzea pomifera</i>	Page et al. (2010)
	<i>Luma apiculata</i>	Riveros et al. (1996)
	<i>Melaleuca alternifolia</i>	Baskorowati et al. (2010)
	<i>Metrosideros excelsa</i>	Schmidt-Adam et al. (1999)
	<i>Myrceugenia planipes</i>	Riveros et al. (1996)
	<i>Myrica fallax</i>	Sobrevila and Arroyo (1982)
	<i>Myrica linearifolia</i>	Proença and Gibbs (1994)
	<i>Myrica rhodosepala</i>	Proença and Gibbs (1994)
	<i>Psidium firmum</i>	Proença and Gibbs (1994)
	<i>Psidium sartorianum</i>	Bullock (1985)
	<i>Siphoneugena densiflora</i>	Proença and Gibbs (1994)
	<i>Syzygium cormiflorum</i>	Lloyd and Schoen (1992)
	<i>Syzygium rubicundum</i>	Stacy (2001)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Myrtaceae	<i>Thryptomene calycina</i>	Beardsell et al. (1993)
	<i>Ugni molinae</i>	Seguel et al. (1999)
Nyctaginaceae	<i>Abronia ammophila</i>	Saunders and Sipes (2006)
	<i>Abronia macrocarpa</i>	Williamson et al. (1994)
	<i>Commicarpus tuberosus</i>	McMullen (1987)
	<i>Mirabilis violaceae</i>	Jaimes and Ramirez (1999)
Ochnaceae	<i>Ouratea hexasperma</i>	Oliveira and Gibbs (2000)
	<i>Sauvagesia rubiginosa</i>	Ramirez and Brito (1990)
Olacaceae	<i>Ximenia americana</i>	Ruiz-Zapata and Arroyo (1978)
Oleaceae	<i>Jasminium fruticans</i>	Guitian et al. (1998)
	<i>Olea europaea</i>	Ateyyeh et al. (2000)
	<i>Phyllirea angustifolia</i>	Vassiliadis et al. (2000)
Onagraceae	<i>Calylophus serrulatus</i>	Heiser and Shaw (2006)
	<i>Clarkia gracilis</i>	Jones (1994)
	<i>Clarkia unguiculata</i>	Travers and Mazer (2000)
	<i>Epilobium angustifolium</i>	Husband and Schemske (1995)
	<i>Epilobium obcordatum</i>	Seavey and Carter (1994)
	<i>Gaura lindheimeri</i>	Peters and Anderson (2006)
	<i>Ludwigia nervosa</i>	Ramirez and Brito (1990)
	<i>Oenothera affinis</i>	Morales and Galetto (2003)
	<i>Oenothera albicaulis</i>	Theiss et al. (2010)
	<i>Oenothera biennis</i>	Rambuda and Johnson (2004)
	<i>Oenothera californica</i>	Theiss et al. (2010)
	<i>Oenothera coronopifolia</i>	Theiss et al. (2010)
	<i>Oenothera engelmannii</i>	Theiss et al. (2010)
	<i>Oenothera neomexicana</i>	Theiss et al. (2010)
	<i>Oenothera nuttallii</i>	Theiss et al. (2010)
	<i>Oenothera pallida</i> subsp. <i>Latifolia</i>	Theiss et al. (2010)
	<i>Oenothera pallida</i> subsp. <i>Pallida</i>	Theiss et al. (2010)
	<i>Oenothera pallida</i> subsp. <i>Runcinata</i>	Theiss et al. (2010)
	<i>Oenothera pallida</i> subsp. <i>Trichocalyx</i>	Theiss et al. (2010)
	<i>Oenothera rosea</i>	Morales and Galetto (2003)
Orchidaceae	<i>Aerangis ellisii</i>	Nilsson and Rabakonandrianina (1988)
	<i>Anathallis heterophylla</i>	Gontijo et al. (2010)
	<i>Anathallis microphyta</i>	Gontijo et al. (2010)
	<i>Anathallis rubens</i>	Gontijo et al. (2010)
	<i>Anathallis sclerophylla</i>	Gontijo et al. (2010)
	<i>Angraecum cadetii</i>	Micheneau et al. (2010)
	<i>Bulbophyllum involutum</i>	Borba et al. (1999)
	<i>Bulbophyllum ipanemense</i>	Borba et al. (1999)
	<i>Bulbophyllum weddellii</i>	Borba et al. (1999)

Table S1 <i>continued</i> : List of all species and source studies.		
Family	Species	Source
Orchidaceae	<i>Calopogon tuberosus</i>	Lloyd and Schoen (1992)
	<i>Cattleya elongata</i>	Smidt et al. (2006)
	<i>Cattleya tenuis</i>	Smidt et al. (2006)
	<i>Caulophyllum thalictroides</i>	Hannan and Prucher (1996)
	<i>Ceiba pentandra</i>	Gribel et al. (1999)
	<i>Chloraea lamellata</i>	Lehnebach and Riveros (2003)
	<i>Cypripedium acaule</i>	Barrett and Helenurm (1987)
	<i>Cypripedium fasciculatum</i>	Lipow et al. (2002)
	<i>Cyrtopodium punctatum</i>	Jaimes and Ramirez (1999)
	<i>Earina aestivalis</i>	Lehnebach and Robertson (2004)
	<i>Earina autumnalis</i>	Lehnebach and Robertson (2004)
	<i>Earina mucronata</i>	Lehnebach and Robertson (2004)
	<i>Encyclica cordigera</i>	Lloyd and Schoen (1992)
	<i>Epidendrum obesum</i>	Bush and Beach (1995)
	<i>Eulophia foliosa</i>	Peter and Johnson (2006)
	<i>Eulophia welwitschii</i>	Peter and Johnson (2009)
	<i>Gavilea araucana</i>	Valdivia et al. (2010)
	<i>Gavilea venosa</i>	Valdivia et al. (2010)
	<i>Govenia fasciata</i>	Ramirez and Seres (1994)
	<i>Govenia urticulata</i>	Ramirez and Seres (1994)
	<i>Habenaria monorrhiza</i>	McMullen (1987)
	<i>Isotria medeoloides</i>	Vitt and Campbell (1997)
	<i>Lepanthes rubripetala</i>	Tremblay et al. (2006)
	<i>Lepanthes rupestris</i>	Tremblay et al. (2006)
	<i>Lepanthes woodburyana</i>	Tremblay et al. (2006)
	<i>Liparis kumokiri</i>	Oh et al. (2001)
	<i>Liparis makinoana</i>	Oh et al. (2001)
	<i>Listera cordata</i>	Melendez-Ackerman and Ackerman (2001)
	<i>Nervilia nipponica</i>	Gale (2007)
	<i>Octomeria crassifolia</i>	Barbosa et al. (2009)
	<i>Octomeria grandiflora</i>	Barbosa et al. (2009)
	<i>Octomeria praestans</i>	Barbosa et al. (2009)
	<i>Platanthera ciliaris</i>	Lloyd and Schoen (1992)
	<i>Platanthera leucophaea</i>	Wallace (2002)
	<i>Platanthera stricta</i>	Lloyd and Schoen (1992)
	<i>Pleurothallis adamantinensis</i>	Borba et al. (2001)
	<i>Pleurothallis cardiothallis</i>	Bush and Beach (1995)
	<i>Pleurothallis fabiobarrosii</i>	Borba et al. (2001)
	<i>Pleurothallis johannensis</i>	Borba et al. (2001)
	<i>Pleurothallis ochreatea</i>	Borba et al. (2001)
	<i>Pleurothallis teres</i>	Borba et al. (2001)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Orchidaceae	<i>Pterostylis alobula</i>	Newstrom and Robertson (2005)
	<i>Pterostylis patens</i>	Newstrom and Robertson (2005)
	<i>Satyrrium longicauda</i>	Johnson et al. (2009)
	<i>Sobralia amabilis</i>	Bush and Beach (1995)
	<i>Thelymitra longifolia</i>	Newstrom and Robertson (2005)
	<i>Winka cunninghamii</i>	Lehnebach and Robertson (2004)
Orobanchaceae	<i>Agalinis auriculata</i>	Mulvaney et al. (2004)
Oxalidaceae	<i>Oxalis magellanica</i>	Riveros et al. (1996)
	<i>Oxalis montana</i>	Barrett and Helenurm (1987)
	<i>Oxalis squamata</i>	Marco and Arroyo (1998)
Paeoniaceae	<i>Paeonia broteroi</i>	Sanchez-Lafuente et al. (1999)
	<i>Paeonia californica</i>	Lloyd and Schoen (1992)
	<i>Paeonia jishanensis</i>	Zhou et al. (1999)
Papaveraceae	<i>Argemone aurantiaca</i>	Lloyd and Schoen (1992)
	<i>Sanguinaria canadensis</i>	Motten (1986)
Passifloraceae	<i>Passiflora foetida</i> 1	Lemus-Jimenez and Ramirez (2005)
	<i>Passiflora foetida</i> 2	McMullen (1987)
	<i>Passiflora gracilis</i>	Darwin (1868)
Philesiaceae	<i>Luzuriaga radicans</i>	Riveros et al. (1996)
Phytolaccaceae	<i>Ercilla sincarpellata</i>	Riveros et al. (1996)
Pinaceae	<i>Abies alba</i>	Kormutak (1999)
	<i>Abies procera</i>	Sorensen (1999)
	<i>Pinus ponderosa</i>	Sorensen (1999)
	<i>Larix gmelinii</i>	Sato (1997)
	<i>Pinus contorta</i>	Sorensen (2001)
	<i>Pinus sylvestris</i>	Karkkainen et al. (1999)
	<i>Psuedotsuga menziesii</i>	Sorensen (1999)
	<i>Angelonia bisaccata</i>	Machado et al. (2006)
	<i>Angelonia cornigera</i>	Machado et al. (2006)
	<i>Angelonia hirta</i>	Machado et al. (2006)
Plantaginaceae	<i>Angelonia hookeriana</i>	Machado et al. (2006)
	<i>Angelonia pubescens</i>	Machado et al. (2006)
	<i>Antirrhinum microphyllum</i>	Torres et al. (2002)
	<i>Antirrhinum charidemi</i>	Carrio et al. (2009)
	<i>Antirrhinum subbaeticum</i>	Carrio et al. (2009)
	<i>Antirrhinum valentinum</i>	Mateu-Andres and Segarra-Moragues (2004), Carrio et al. (2009)
	<i>Calceolaria crenatiflora</i>	Riveros et al. (1996)
	<i>Calceolaria dentata</i>	Riveros et al. (1996)
	<i>Calceolaria purpurea</i>	Arroyo and Uslar (1993)
	<i>Calceolaria sp</i>	Arroyo and Uslar (1993)



Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Plantaginaceae	<i>Calceolaria tenella</i>	Riveros et al. (1996)
	<i>Chaenorrhinum origanifolium</i>	Mateu and Figueres (1998)
	<i>Chaenorrhinum tenellum</i>	Mateu and Figueres (1998)
	<i>Collinsia heterophylla</i>	Lankinen et al. (2007)
	<i>Mazus miquelii</i>	Lloyd and Schoen (1992)
	<i>Mimulus repens</i>	Newstrom and Robertson (2005)
	<i>Mimulus ringens</i>	Karron et al. (2006)
	<i>Nuttallanthus canadensis</i>	Crawford and Elisens (2006)
	<i>Nuttallanthus floridanus</i>	Crawford and Elisens (2006)
	<i>Nuttallanthus texanus</i>	Crawford and Elisens (2006)
	<i>Ourisia macrocarpa</i>	Newstrom and Robertson (2005)
	<i>Penstemon haydenii</i>	Tepedino et al. (2007)
	<i>Triphysaria versicolor</i>	Yoder (1998)
	<i>Zaluzianskya microsiphon</i>	Johnson et al. (2002)
	<i>Zaluzianskya natalensis</i>	Johnson et al. (2002)
Plumbaginaceae	<i>Limonium perigrinum</i>	Burge and Morgan (1993)
	<i>Plumbago auriculata</i>	Ferrero et al. (2009)
Poaceae	<i>Andropogon gerardii</i>	McKone et al. (1998)
	<i>Bromus auleticus</i>	Gutierrez et al. (2006)
	<i>Leymus chinensis</i>	Zhang et al. (2004)
	<i>Nardus stricta</i>	Kissling et al. (2006)
	<i>Olyra latifolia</i>	Ramirez and Seres (1994)
	<i>Panicum virgatum</i>	Martinez-Reyna and Vogel (2002)
	<i>Pariana stenolemma</i>	Ramirez and Seres (1994)
	<i>Pennisetum ciliare</i>	Shafer et al. (2000)
	<i>Phragmites australis</i>	Ishii and Kadono (2002)
	<i>Sorghastrum nutans</i>	McKone et al. (1998)
	<i>Spartina alterniflora</i>	Fang et al. (2004), Daehler (1998)
	<i>Sporobolus virginicus</i>	Lemus-Jimenez and Ramirez (2005)
Polemoniaceae	<i>Ipomopsis tenuifolia</i>	LaDoux and Friar (2006)
	<i>Leptosiphon jepsonii</i>	Goodwillie and Knight (2006)
Polygalaceae	<i>Bredemeyera floribunda</i>	Ruiz-Zapata and Arroyo (1978)
	<i>Monnina angustifolia</i>	Arroyo and Uslar (1993)
	<i>Polygala caracasana</i>	Jaimes and Ramirez (1999)
	<i>Polygala vulgaris</i>	Norderhaug (1995)
Pontederiaceae	<i>Securidaca scandens</i>	Ruiz-Zapata and Arroyo (1978)
	<i>Eichhornia azurea</i>	Bianchi et al. (2000)b, Dos Santos and Wittmann (2000), Cunha and Fischer (2009)
Portulacaceae	<i>Calandria grandiflora</i>	Arroyo and Uslar (1993)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Portulacaceae	<i>Calandria prostrata</i>	Arroyo and Usler (1993)
	<i>Portulaca umbraticola</i>	Aizen (1993), Aizen and Feinsinger (1994)
Primulaceae	<i>Hottonia palustris</i>	Brys et al. (2007)
	<i>Primula cicutariifolia</i>	Chen (2009)
	<i>Primula merrilliana</i>	Chen (2009)
	<i>Primula mistassinica</i>	Larson and Barrett (1998)
	<i>Primula scotica</i>	McKee and Richards (1998)
	<i>Primula veris</i>	Darwin (1877)
	<i>Trientalis borealis</i>	Barrett and Helenurm (1987)
Proteaceae	<i>Banksia ericifolia</i>	Carthew et al. (1996)
	<i>Banksia ilicifolia</i>	Heliyanto et al. (2005)
	<i>Banksia menziesii</i>	Ramsey and Vaughton (1991)
	<i>Banksia paludosa</i>	Goldingay and Whelan (1990)
	<i>Banksia spinulosa</i>	Goldingay and Whelan (1990), Vaughton and Carthew (1993), Carthew et al. (1996)
	<i>Banksia spinulosaneanglica</i>	Goldingay and Carthew (1998)
	<i>Conospermum ellipticum</i>	Goldingay and Carthew (1998)
	<i>Conospermum ericifolium</i>	Goldingay and Carthew (1998)
	<i>Conospermum longifolium</i>	Goldingay and Carthew (1998)
	<i>Conospermum taxifolium</i>	Goldingay and Carthew (1998)
	<i>Dryandra formosa</i>	Matthews and Sedgley (1998)
	<i>Dryandra nivea</i>	Goldingay and Carthew (1998)
	<i>Dryandra quercifolia</i>	Matthews and Sedgley (1998)
	<i>Dryandra sessilis</i>	Goldingay and Carthew (1998)
	<i>Embothrium coccineum</i>	Rovere et al. (2006), Riveros et al. (1996)
	<i>Grevillea barklyana</i>	Goldingay and Carthew (1998)
	<i>Grevillea huegelii</i>	Goldingay and Carthew (1998)
	<i>Grevillea iaspicula</i>	Hoebee and Young (2001)
	<i>Grevillea lavandulacea</i>	Goldingay and Carthew (1998)
	<i>Grevillea linearifolia</i>	Hermanutz et al. (1998)
	<i>Grevillea longifolia</i>	Hermanutz et al. (1998)
	<i>Grevillea mucronulata</i>	Hermanutz et al. (1998)
	<i>Grevillea muricata</i>	Goldingay and Carthew (1998)
	<i>Grevillea oleoides</i>	Hermanutz et al. (1998)
	<i>Grevillea robusta</i>	Kalinganire et al. (2000)
	<i>Grevillea sphacelata</i>	Hermanutz et al. (1998)
	<i>Grevillea wilsonii</i>	Goldingay and Carthew (1998)
	<i>Grevillia robusta</i>	Kalinganire et al. (2000)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Proteaceae	<i>Hakea cristata</i>	Goldingay and Carthew (1998)
	<i>Hakea erinacea</i>	Goldingay and Carthew (1998)
	<i>Lomatia silaifolia</i>	Denham and Whelan (2000)
	<i>Macadamia integrifolia</i>	Sedgley (1983)
	<i>Persoonia glaucescens</i>	Rymer et al. (2005)
	<i>Persoonia juniperina</i>	Goldingay and Carthew (1998)
	<i>Persoonia lanceolata</i>	Rymer et al. (2005)
	<i>Persoonia mollis</i>	Krauss (1994), Rymer et al. (2005)
	<i>Persoonia rigida</i>	Trueman and Wallace (1999)
	<i>Roupala montana</i>	Oliveira et al. (2004)
	<i>Telopea speciosissima</i>	Whelan and Goldingay (1989)
Ranunculaceae	<i>Aconitum balfourii</i>	Nautiyal et al. (2009)
	<i>Anemone canadensis</i>	Douglas and Cruden (1994)
	<i>Anemone nemorosa</i>	Muller et al. (2000)
	<i>Anemone patens</i>	Lindell (1998)
	<i>Anemone pulsatilla</i>	Lindell (1998)
	<i>Aquilegia canadensis</i>	Mavraganis (1998)
	<i>Caltha palustris</i>	Lundqvist (1992)
	<i>Delphinium bolosii</i>	Bosch et al. (2001)
	<i>Delphinium cossonianum</i>	Bosch et al. (2001)
	<i>Delphinium emarginatum</i>	Bosch et al. (2001)
	<i>Delphinium fissum</i>	Bosch et al. (2001)
	<i>Delphinium pentagynum</i>	Bosch et al. (2001)
	<i>Delphinium pictum</i>	Bosch et al. (2001)
	<i>Delphinium staphisagria</i>	Bosch et al. (2001)
	<i>Delphinium sylvaticum</i>	Bosch et al. (2001)
	<i>Delphinium verdunense</i>	Bosch et al. (2001)
	<i>Hepatica americana</i>	Motten (1986)
	<i>Isopyrum biternatum</i>	Lloyd and Schoen (1992)
	<i>Ranunculus dissectifolius</i>	Pickering (1997)
	<i>Ranunculus graniticola</i>	Pickering (1997)
	<i>Ranunculus millanii</i>	Pickering (1997)
	<i>Ranunculus minutiflorus</i>	Riveros et al. (1996)
	<i>Ranunculus muelleri</i>	Pickering (1997)
	<i>Ranunculus niphophilus</i>	Pickering (1997)
	<i>Ranunculus repens</i>	Riveros et al. (1996)
	<i>Thalictrum clavatum</i>	Lloyd and Schoen (1992)
Rhamnaceae	<i>Colletia spinosissima</i>	Medan and Basilio (2001)
	<i>Condalia montana</i>	Morales and Galetto (2003)
	<i>Discaria americana</i>	Medan (1993), Medan and Vasellati (1996)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Rhamnaceae	<i>Discaria toumatou</i>	Newstrom and Robertson (2005)
	<i>Retanilla patagonica</i>	Medan and Arce (1999)
	<i>Talquenea quinquenervia</i>	Arroyo and Uslar (1993)
	<i>Ziziphus celata</i>	Weekley and Race (2001)
	<i>Ziziphus joazeiro</i>	Machado et al. (2006)
Rhizophoraceae	<i>Rhizophora mangle</i>	Lemus-Jimenez and Ramirez (2005)
Rosaceae	<i>Cercocarpus ledifolius</i>	Russell et al. (1998)
	<i>Coleogyne ramosissima</i>	Pendleton and Pendleton (1998)
	<i>Crataegus crus galli</i>	Lloyd and Schoen (1992)
	<i>Crataegus monogyna</i>	Guitian and Fuentes (1992)
	<i>Filipendula rubra</i>	Aspinwall and Christian (1992)
	<i>Geum rivale</i>	Ruhsam et al. (2010)
	<i>Geum urbanum</i>	Ruhsam et al. (2010)
	<i>Potentilla arbuscula</i>	Bohs (2000)
	<i>Potentilla davurica</i>	Davidson and Lenz (1989)
	<i>Potentilla fruticosa</i>	Davidson and Lenz (1989)
	<i>Potentilla glabra</i>	Davidson and Lenz (1989)
	<i>Potentilla parvifolia</i>	Davidson and Lenz (1989)
	<i>Prunus armeniaca</i>	Burgos et al. (1993), Hajilou et al. (2006)
	<i>Prunus dulcis</i>	Martínez-García et al. (2011)
	<i>Prunus geniculata</i>	Weekley et al. (2010)
	<i>Prunus pensylvanica</i>	Shiell et al. (2002)
	<i>Prunus virginiana</i>	Shiell et al. (2002)
	<i>Pyrus communis</i>	Yamada et al. (1991)
	<i>Rosa acicularis</i>	Ueda and Akimoto (2001)
	<i>Rosa arvensis</i>	Ueda and Akimoto (2001)
	<i>Rosa banksiae</i>	Ueda and Akimoto (2001)
	<i>Rosa bracteata</i>	Ueda and Akimoto (2001)
	<i>Rosa chinensis</i>	Ueda and Akimoto (2001)
	<i>Rosa cinnamomea</i>	Ueda and Akimoto (2001)
	<i>Rosa coriifolia</i>	Ueda and Akimoto (2001)
	<i>Rosa cymosa</i>	Ueda and Akimoto (2001)
	<i>Rosa eglanteria</i>	Ueda and Akimoto (2001)
	<i>Rosa filipes</i>	Ueda and Akimoto (2001)
	<i>Rosa gallica</i>	Ueda and Akimoto (2001)
	<i>Rosa gentiliana</i>	Ueda and Akimoto (2001)
	<i>Rosa gigantea</i>	Ueda and Akimoto (2001)
	<i>Rosa helenae</i>	Ueda and Akimoto (2001)
	<i>Rosa luciae</i>	Ueda and Akimoto (2001)
	<i>Rosa moschata</i>	Ueda and Akimoto (2001)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Rosaceae	<i>Rosa multiflora</i>	Ueda and Akimoto (2001)
	<i>Rosa pendulina</i>	Ueda and Akimoto (2001)
	<i>Rosa roxburghii</i>	Ueda and Akimoto (2001)
	<i>Rosa rugosa</i>	Ueda and Akimoto (2001)
	<i>Rosa wichurana</i>	Ueda and Akimoto (2001)
	<i>Rubus radicans</i>	Riveros et al. (1996)
	<i>Sorbus aucuparia</i>	Pias and Guitian (2006)
	<i>Sorbus torminalis</i>	Rasmussen and Kollmann (2004)
Rubiaceae	<i>Cephalanthus occidentalis</i>	Imbert and Richards (1993)
	<i>Coussarea sp</i>	Bawa et al. (1985)
	<i>Diodia multiflora</i>	Ramirez and Brito (1990)
	<i>Diodia radula</i>	McMullen (1987)
	<i>Exostema caribaeum</i>	Bullock (1985)
	<i>Faramea cyanea</i>	Mendonça and Oliveira (2008)
	<i>Gaertnera vaginata</i>	Pailler and Thompson (1997)
	<i>Guettarda scabra</i>	Richards and Koptur (1993)
	<i>Hamelia patens</i>	Bawa and Beach (1983), Bawa et al. (1985)
	<i>Hamelia versicolor</i>	Bullock (1985)
	<i>Hamelia xerocarpa</i>	Bawa et al. (1985)
	<i>Ixora pavetta</i>	Nayak and Davidar (2010)
	<i>Leptostigma arnottianum</i>	Riveros et al. (1996)
	<i>Manettia luteo rubra</i>	Passos and Sazima (1995)
	<i>Nertera granadensis</i>	Riveros et al. (1996)
	<i>Paederia foetida</i>	Liu et al. (2006)
	<i>Palicourea alpina</i>	Tanner (1982)
	<i>Palicourea angustifolia</i>	Sobrevila and Arroyo (1982)
	<i>Palicourea brenesii</i>	Wesselingh et al. (1999)
	<i>Palicourea coriacea</i>	Consolaro et al. (2009)
	<i>Palicourea demissa</i>	Valois-Cuesta et al. (2011)
	<i>Palicourea fendleri</i>	Sobrevila and Arroyo (1982)
	<i>Palicourea marcgravii</i>	Consolaro et al. (2009)
	<i>Palicourea officinalis</i>	Consolaro et al. (2009)
	<i>Palicourea petiolaris</i>	Sobrevila and Arroyo (1982)
	<i>Palicourea rigida</i>	Oliveira and Gibbs (2000)
	<i>Pentanisia angustifolia</i>	Massinga et al. (2005)
	<i>Pentanisia prunelloides</i>	Massinga et al. (2005)
	<i>Posoqueria grandiflora</i>	Bawa and Beach (1983)
	<i>Posoqueria latifolia</i>	Bawa et al. (1985)
	<i>Psychotria costularia</i>	Sobrevila and Arroyo (1982)
	<i>Psychotria faxlucens</i>	Perez-Barrales et al. (2006)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Rubiaceae	<i>Psychotria poeppigiana</i>	Coelho and Barbosa (2004)
	<i>Putoria calcabrica</i>	Ortiz et al. (2000)
	<i>Relbunium hypocarpium</i>	Arroyo and Uslar (1993)
	<i>Rudgea cornifolia</i>	Bawa et al. (1985)
	<i>Tarenna asiatica</i>	Nayak and Davidar (2010)
	<i>Tocoyena formosa</i>	Saraiva et al. (1996)
	<i>Warszewiczia coccinea</i>	Bawa and Beach (1983), Bawa et al. (1985)
Rutaceae	<i>Citrus paradisi</i>	Chacoff and Aizen (2007)
	<i>Glycosmis pentaphylla</i>	Nayak and Davidar (2010)
	<i>Zieria adenodonta</i>	Armstrong (2002)
	<i>Zieria arborescens</i>	Armstrong (2002)
	<i>Zieria aspalathoides</i>	Armstrong (2002)
	<i>Zieria laevigata</i>	Armstrong (2002)
	<i>Zieria robusta</i>	Armstrong (2002)
Salicaceae	<i>Azara lanceolata</i>	Riveros et al. (1996)
	<i>Casearea arborea</i>	Bawa et al. (1985)
	<i>Casearea corymbosa</i>	Bawa et al. (1985), Bullock (1985)
	<i>Casearea tremula</i>	Bullock (1985)
	<i>Prockia crucis</i>	Bullock (1985)
	<i>Prockia flava</i>	Ruiz-Zapata and Arroyo (1978)
	<i>Santalum album</i>	Rugkhla et al. (1997)
Santalaceae	<i>Santalum spicatum</i>	Rugkhla et al. (1997)
Sapindaceae	<i>Lepisanthes tetraphylla</i>	Nayak and Davidar (2010)
	<i>Urvillea ulmacea</i>	Ruiz-Zapata and Arroyo (1978)
Sapotaceae	<i>Argania spinosa</i>	Nerd et al. (1998)
	<i>Manilkara zapota</i>	Bawa (1974)
	<i>Sideroxylon obtusifolium</i>	de Lima Leite and Machado (2010)
Saxifragaceae	<i>Chrysosplenium valdivicum</i>	Riveros et al. (1996)
	<i>Escallonia rosea</i>	Riveros et al. (1996)
	<i>Escallonia rubra</i>	Riveros et al. (1996)
	<i>Saxifraga cernua</i>	Brochmann and Hapnes (2001)
	<i>Saxifraga hyperborea</i>	Brochmann and Hapnes (2001)
	<i>Saxifraga rivularis</i>	Brochmann and Hapnes (2001)
	<i>Saxifraga stellaris</i>	Sandvik et al. (1999)
	<i>Saxifraga svalbardensis</i>	Brochmann and Hapnes (2001)
	<i>Tellima grandiflora</i>	Weiblen and Brehm (1996)
	<i>Tiarella cordifolia</i>	Motten (1986)
	<i>Tolmeia menziesii</i>	Weiblen and Brehm (1996)
	<i>Capraria biflora</i>	Lemus-Jimenez and Ramirez (2005)
Scrophulariaceae		

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Simaroubaceae	<i>Castela erecta</i>	Lemus-Jimenez and Ramirez (2005)
Smilacaceae	<i>Smilax viscosum</i>	Rathcke (1988)
Solanaceae	<i>Acnistus arborescens</i>	Smith and Baum (2007)
	<i>Anisodus tanguticus</i>	Duan et al. (2007)
	<i>Benthamiella nordenskjoldii</i>	Arroyo and Squeo (1990)
	<i>Brachistus stramonifolius</i>	Sousa-Pena (2001)
	<i>Browalia americana</i>	Igić, B. <i>unpub. data</i>
	<i>Capsicum annuum</i>	Roldan Serrano and Guerra-Sanz (2006)
	<i>Capsicum frutescens</i>	McMullen (1987)
	<i>Cestrum bigibbosum</i>	Castro-Laportte and Ruiz-Zapata (2000)
	<i>Cestrum magalophyllum</i>	Castro-Laportte and Ruiz-Zapata (2000)
	<i>Cestrum microcalyx</i>	Castro-Laportte and Ruiz-Zapata (2000)
	<i>Cestrum parqui</i>	Morales and Galetto (2003)
	<i>Cestrum potaliifolium</i>	Castro-Laportte and Ruiz-Zapata (2000)
	<i>Cestrum salicifolium</i>	Castro-Laportte and Ruiz-Zapata (2000)
	<i>Datura innoxia</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Datura stramonium</i>	Motten and Antonovics (1992), van Kleunen et al. (2007), Igić, B. <i>unpub. data</i>
	<i>Dunalia brachyacantha</i>	Smith and Baum (2007)
	<i>Dyssochroma viridiflorum</i>	Sazima et al. (2003)
	<i>Eriolarynx lorentzii</i>	Smith and Baum (2007)
	<i>Iochroma australe</i>	Smith and Baum (2007)
	<i>Iochroma cyaneum</i>	Smith and Baum (2007)
	<i>Iochroma gesnerioides</i>	Smith and Baum (2007)
	<i>Jaborosa integrifolia</i>	Vesprini and Galetto (2000)
	<i>Lycium berlanderi</i>	Miller and Venable (2002)
	<i>Lycium cestroides</i>	Aguilar and Bernardello (2001)
	<i>Lycium ferocissimum</i>	Miller et al. (2008)
	<i>Lycium pallidum</i>	Miller and Venable (2002)
	<i>Lycium parishii</i>	Miller and Venable (2002)
	<i>Lycium pumilum</i>	Miller et al. (2008)
	<i>Nicotiana glauca</i>	Jaimes and Ramirez (1999)
	<i>Nolana adansonii</i>	Douglas (2007)
	<i>Nolana aticoana</i>	Douglas (2007)
	<i>Nolana elegans</i>	Douglas (2007)
	<i>Nolana humifusa</i>	Douglas (2007)
	<i>Nolana ivaniana</i>	Douglas (2007)
	<i>Nolana laxa</i>	Douglas (2007)
	<i>Nolana plicata</i>	Douglas (2007)
	<i>Nolana prostrata</i>	Darwin (1876)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Solanaceae	<i>Nolana rupicola</i>	Douglas (2007)
	<i>Petunia hybrida</i>	Oloumi and Rezanejhad (2009)
	<i>Physalis cinerascens</i>	Sullivan (1984)
	<i>Physalis viscosa</i>	Morales and Galetto (2003)
	<i>Salpichroa origanifolia</i>	Morales and Galetto (2003)
	<i>Salpigolossis sinuata</i>	Arroyo and Uslar (1993)
	<i>Schwenkia americana</i>	Igić, B. <i>unpub. data</i>
	<i>Solanum amotapense</i>	Bohs (2001)
	<i>Solanum atropurpureum</i>	Igić, B. <i>unpub. data</i>
	<i>Solanum betaceum</i>	Bohs (1991)
	<i>Solanum carolinense</i>	Travers et al. (2004)
	<i>Solanum catilliflorum</i>	Anderson et al. (2006)
	<i>Solanum chenopodioides</i>	Morales and Galetto (2003)
	<i>Solanum chilense</i>	Igić, B. <i>unpub. data</i>
	<i>Solanum chmielewskii</i>	Igić, B. <i>unpub. data</i>
	<i>Solanum circinatum</i>	Bohs (1991)
	<i>Solanum commersonii</i>	Igić, B. <i>unpub. data</i>
	<i>Solanum corymbiflorum</i>	Bohs (1991)
	<i>Solanum curtipes</i>	Morales and Galetto (2003)
	<i>Solanum diploconos</i>	Bohs (1991)
	<i>Solanum diversifolium</i>	Bohs (1991)
	<i>Solanum glaucophyllum</i>	Bohs (2001)
	<i>Solanum gourlayi</i>	Camadro and Peloquin (1981), Camadro and Peloquin (1982), Masuelli and Camadro (1997)
	<i>Solanum khasianum</i>	Igić, B. <i>unpub. data</i>
	<i>Solanum ligustrinum</i>	Arroyo and Uslar (1993)
	<i>Solanum luteoalbum</i>	Bohs (2001)
	<i>Solanum lycocarpum</i>	Oliveira-Filho and Oliveira (1988)
	<i>Solanum lycopersicum</i>	Igić, B. <i>unpub. data</i>
	<i>Solanum mauritianum</i>	Rambuda and Johnson (2004)
	<i>Solanum muricatum</i>	Murray et al. (1992)
	<i>Solanum neorickii</i>	Igić, B. <i>unpub. data</i>
	<i>Solanum nigrum</i>	Igić, B. <i>unpub. data</i>
	<i>Solanum ochranthum</i>	Igić, B. <i>unpub. data</i>
	<i>Solanum oplocense</i>	Camadro and Peloquin (1981), Camadro and Peloquin (1982), Masuelli and Camadro (1997)
	<i>Solanum palinacanthum</i>	Coleman and Coleman (1982)
	<i>Solanum perlongistylum</i>	Anderson et al. (2006)
	<i>Solanum peruvianum</i>	Kostyun (2009)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Solanaceae	<i>Solanum pimpinellifolium</i>	Rick et al. (1977), Igić, B. <i>unpub. data</i>
	<i>Solanum platense</i>	Igić, B. <i>unpub. data</i>
	<i>Solanum pseudolulo</i>	Igić, B. <i>unpub. data</i>
	<i>Solanum punctulatum</i>	Tanner (1982)
	<i>Solanum roseum</i>	Bohs (1991)
	<i>Solanum rostratum</i>	Lloyd and Schoen (1992)
	<i>Solanum simile</i>	Igić, B. <i>unpub. data</i>
	<i>Solanum stuckertii</i>	Bohs (2001)
	<i>Solanum tucumanense</i>	Igić, B. <i>unpub. data</i>
	<i>Solanum unilobum</i>	Bohs (1991)
	<i>Solanum valdiviense</i>	Riveros et al. (1996)
	<i>Vassobia breviflora</i>	Smith and Baum (2007)
	<i>Withania somnifera</i>	Lattoo et al. (2007)
	<i>Witheringia asterotricha</i>	Sousa-Pena (2001), Bohs (2000)
	<i>Witheringia coccoloboides</i>	Sousa-Pena (2001)
	<i>Witheringia correana</i>	Sousa-Pena (2001)
	<i>Witheringia macrantha</i>	Sousa-Pena (2001)
	<i>Witheringia meiantha</i>	Sousa-Pena (2001), Bohs (2000)
	<i>Witheringia mexicana</i>	Sousa-Pena (2001)
	<i>Witheringia mortonii</i>	Sousa-Pena (2001)
	<i>Witheringia solanacea</i>	Bohs (2000)
	<i>Witheringia somnifera</i>	Lattoo et al. (2007)
Sterculiaceae	<i>Sterculia colorata</i>	Raju et al. (2004)
Stylidiaceae	<i>Stylidium adnatum</i>	Burbidge and James (1991)
	<i>Stylidium adpressum</i>	Burbidge and James (1991)
	<i>Stylidium breviscapum</i>	Burbidge and James (1991)
	<i>Stylidium brunonianum</i>	Burbidge and James (1991)
	<i>Stylidium bulbiferum</i>	Burbidge and James (1991)
	<i>Stylidium calcaratum</i>	Burbidge and James (1991)
	<i>Stylidium choreanthurn</i>	Burbidge and James (1991)
	<i>Stylidium crosscephalum</i>	Burbidge and James (1991)
	<i>Stylidium dichotomum</i>	Burbidge and James (1991)
	<i>Stylidium dielsianum</i>	Burbidge and James (1991)
	<i>Stylidium divaricatum</i>	Burbidge and James (1991)
	<i>Stylidium ecorne</i>	Burbidge and James (1991)
	<i>Stylidium egalndulosum</i>	Burbidge and James (1991)
	<i>Stylidium emarginatum</i>	Burbidge and James (1991)
	<i>Stylidium glaucum</i>	Burbidge and James (1991)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Stylidiaceae	<i>Stylidium guttatum</i>	Burbidge and James (1991)
	<i>Stylidium induratum</i>	Burbidge and James (1991)
	<i>Stylidium longibracteatum</i>	Burbidge and James (1991)
	<i>Stylidium longitubum</i>	Burbidge and James (1991)
	<i>Stylidium petiolare</i>	Burbidge and James (1991)
	<i>Stylidium repens</i>	Burbidge and James (1991)
	<i>Stylidium rhipidium</i>	Burbidge and James (1991)
	<i>Stylidium rhynchocarpum</i>	Burbidge and James (1991)
	<i>Stylidium roseo alatum</i>	Burbidge and James (1991)
	<i>Stylidium sacculatum</i>	Burbidge and James (1991)
	<i>Stylidium species A</i>	Burbidge and James (1991)
	<i>Stylidium species B</i>	Burbidge and James (1991)
	<i>Stylidium species C</i>	Burbidge and James (1991)
	<i>Stylidium species D</i>	Burbidge and James (1991)
	<i>Stylidium species E</i>	Burbidge and James (1991)
	<i>Stylidium species G</i>	Burbidge and James (1991)
	<i>Stylidium species H</i>	Burbidge and James (1991)
	<i>Stylidium uniflorum</i>	Burbidge and James (1991)
	<i>Stylidium utricularioides</i>	Burbidge and James (1991)
Styracaceae	<i>Styrax camporum</i>	Saraiva et al. (1996)
	<i>Styrax ferrugineus</i>	Saraiva et al. (1996)
	<i>Styrax japonicus</i>	Reed (2003)
Theaceae	<i>Camellia japonica</i>	Ozaki et al. (2003)
	<i>Camellia sinensis</i>	Wachira and Kamunya (2005)
Thymelaeaceae	<i>Stellera chamaejasme</i>	Zhang et al. (2011)
	<i>Thymelaea hirsuta</i>	Morbia (1996)
Turneraceae	<i>Turnera curassavica</i>	Lemus-Jimenez and Ramirez (2005)
	<i>Turnera pumilia</i>	Lopez (1998)
Ulmaceae	<i>Trema micrantha</i>	Sobrevila and Arroyo (1982)
Velloziaceae	<i>Vellozia epidendroides</i>	Jacobi and Laboissiere del Sarto (2007)
	<i>Vellozia leptopetala</i>	Jacobi and Laboissiere del Sarto (2007)
	<i>Vellozia squamata</i>	Oliveira et al. (1991)
Verbenaceae	<i>Clerodendrum molle</i>	McMullen (1987)
	<i>Glandularia glandulifera</i>	Imhof et al. (2010)
	<i>Glandularia peruviana</i>	Imhof et al. (2010)
	<i>Glandularia platensis</i>	Imhof et al. (2010)
	<i>Gmelina arborea</i>	Bolstad and Bawa (1982)
	<i>Lantana camara</i>	Rambuda and Johnson (2004)
	<i>Lantana canescens</i>	Jaimes and Ramirez (1999)
	<i>Lantana peduncularis</i>	Lemus-Jimenez and Ramirez (2005) McMullen (1987)

Table S1 *continued*: List of all species and source studies.

Family	Species	Source
Verbenaceae	<i>Rhaphithamnus spinosus</i>	Riveros et al. (1996)
	<i>Vitex cooperi</i>	Bawa et al. (1985)
	<i>Vitex lucens</i>	Barrell et al. (1997)
Violaceae	<i>Viola septemloba</i>	Oakley (2004)
Vitaceae	<i>Cissus trifolata</i>	Lemus-Jimenez and Ramirez (2005)
Vochysiaceae	<i>Qualea grandiflora</i>	Oliveira et al. (2004)
	<i>Qualea multiflora</i>	Oliveira and Gibbs (2000)
	<i>Qualea parviflora</i>	Oliveira and Gibbs (2000)
	<i>Salvertia convallariodora</i>	Oliveira et al. (2004)
	<i>Vochysia ferruginea</i>	Bawa et al. (1985)
	<i>Vochysia rufa</i>	Oliveira et al. (2004)
	<i>Vochysia thyrsoidea</i>	Oliveira et al. (2004)
	<i>Vochysia tucanorum</i>	Saraiva et al. (1996)
Winteraceae	<i>Drimys winteri</i>	Riveros et al. (1996)
	<i>Pseudobombax munguda</i>	Gribel and Gibbs (2002)
	<i>Pseudowintera axillaris</i>	Sage and Sampson (2003)
	<i>Pseudowintera colorata</i>	Newstrom and Robertson (2005)
Xyridaceae	<i>Xyris laxifolia</i>	Ramirez and Brito (1990)
	<i>Xyris sayanensis</i>	Ramirez and Brito (1990)
Zingiberaceae	<i>Costus allenii</i>	Schemske (1983)
	<i>Costus guanaiensis</i>	Schemske (1983)
	<i>Costus laevis</i>	Schemske (1983)
	<i>Costus spiralis</i>	Ramirez and Seres (1994)
	<i>Hedychium gardnerianum</i>	Rambuda and Johnson (2004)
	<i>Renealmia cernua</i>	Grove (1985)
	<i>Renealmia pluriplicata</i>	Grove (1985)
	<i>Roscoea cautleoides</i>	Zhang et al. (2010)
	<i>Roscoea humeana</i>	Zhang et al. (2010)
Zosteraceae	<i>Zostera maritima</i>	Ruckelshaus (1995)
Zygophyllaceae	<i>Balanites aegyptiaca</i>	Ndoye et al. (2004)
	<i>Bulnesia retama</i>	Debandi et al. (2002)
	<i>Guaiacum coulteri</i>	Bullock (1985)
	<i>Kallstroemia maxima</i>	Jaimes and Ramirez (1999)
	<i>Porlieria microphylla</i>	Morales and Galetto (2003)
	<i>Tribulus cistoides</i>	Lemus-Jimenez and Ramirez (2005)

Table S2: Occurrence of ISI reports by family.

Family	Frequency	Family	Frequency
Fabaceae	130	Zingiberaceae	9
Solanaceae	96	Droseraceae	9
Bromeliaceae	82	Campanulaceae	9
Asteraceae	58	Vochysiaceae	8
Orchidaceae	55	Rhamnaceae	8
Rosaceae	42	Rutaceae	7
Rubiaceae	39	Primulaceae	7
Proteaceae	39	Pinaceae	7
Stylidiaceae	34	Zygophyllaceae	6
Malvaceae	34	Salicaceae	6
Ericaceae	34	Gentianaceae	6
Myrtaceae	33	Polygalaceae	5
Plantaginaceae	28	Myrsinaceae	5
Melastomataceae	28	Melanthiaceae	5
Boraginaceae	28	Marantaceae	5
Ranunculaceae	26	Lythraceae	5
Cactaceae	26	Loranthaceae	5
Bignoniaceae	24	Fagaceae	5
Apocynaceae	21	Cistaceae	5
Onagraceae	20	Berberidaceae	5
Brassicaceae	18	Arecaceae	5
Acanthaceae	16	Aizoaceae	5
Malpighiaceae	15	Agavaceae	5
Liliaceae	15	Winteraceae	4
Euphorbiaceae	14	Nyctaginaceae	4
Dipterocarpaceae	14	Chrysobalanaceae	4
Convolvulaceae	14	Caryophyllaceae	4
Iridaceae	13	Velloziaceae	3
Amaryllidaceae	13	Styracaceae	3
Gesneriaceae	12	Sapotaceae	3
Verbenaceae	11	Portulacaceae	3
Saxifragaceae	11	Paeoniaceae	3
Poaceae	11	Oxalidaceae	3
Cyperaceae	11	Oleaceae	3
Asphodelaceae	11	Musaceae	3
Lamiaceae	10	Magnoliaceae	3
Annonaceae	10	Geraniaceae	3

Table S2 *continued*: Occurrence of ISI reports by family.

Family	Frequency	Family	Frequency
Commelinaceae	3	Rhizophoraceae	1
Combretaceae	3	Pontederiaceae	1
Colchicaceae	3	Phytolaccaceae	1
Anacardiaceae	3	Philesiaceae	1
Xyridaceae	2	Orobanchaceae	1
Turneraceae	2	Olacaceae	1
Thymelaeaceae	2	Moraceae	1
Theaceae	2	Mimosaceae	1
Sapindaceae	2	Memecylaceae	1
Santalaceae	2	Meliaceae	1
Polemoniaceae	2	Mayacaceae	1
Plumbaginaceae	2	Lentibulariaceae	1
Passifloraceae	2	Lardizabalaceae	1
Papaveraceae	2	Gunneraceae	1
Ochnaceae	2	Goodeniaceae	1
Menyanthaceae	2	Escalloniaceae	1
Loasaceae	2	Dipsacaceae	1
Hypericaceae	2	Desfontainiaceae	1
Hydrangeaceae	2	Cyrillaceae	1
Hyacinthaceae	2	Cupressaceae	1
Erythroxylaceae	2	Clethraceae	1
Dilleniaceae	2	Celastraceae	1
Cunoniaceae	2	Caryocaraceae	1
Crassulaceae	2	Caprifoliaceae	1
Costaceae	2	Capparaceae	1
Cornaceae	2	Cannaceae	1
Cochlospermaceae	2	Butomaceae	1
Clusiaceae	2	Burseraceae	1
Balsaminaceae	2	Bruniaceae	1
Araliaceae	2	Bombaceae	1
Zosteraceae	1	Betulaceae	1
Violaceae	1	Asteliaceae	1
Ulmaceae	1	Apiaceae	1
Sterculiaceae	1	Amaranthaceae	1
Smilacaceae	1	Alismataceae	1
Simaroubaceae	1	Agapanthaceae	1
Scrophulariaceae	1		

LITERATURE CITED

- Abbott, R. and D. Forbes, 1993. Outcrossing rate and self-incompatibility in the colonizing species *Senecio squalidus*. *Heredity* 71:155–159.
- Ægisdottir, H. H., D. Jespersen, P. Kuss, and J. Stocklin, 2007. No inbreeding depression in an outcrossing alpine species: The breeding system of *Campanula thyrsoides*. *Flora* 202:218–225.
- Aguilar, R. and G. Bernardello, 2001. The breeding system of *Lycium cestroides*: a Solanaceae with ovarian self-incompatibility. *Sex. Plant. Reprod.* 13:273–277.
- Aizen, M. and A. Basilio, 1995. Within and among flower sex-phase distribution in *Alstroemeria aurea* (Alstroemeriaceae). *Can. J. Bot.* 73:1986–1994.
- Aizen, M. A., 1993. Self-pollination shortens flower life-span in *Portulaca umbraticola* HBK (Portulacaceae). *Int. J. Plant. Sci.* 154:412–415.
- , 2005. Breeding system of *Tristerix corymbosus* (Loranthaceae), a winter-flowering mistletoe from the southern Andes. *Aust. J. Bot.* 53:357–361.
- Aizen, M. A. and P. Feinsinger, 1994. Forest fragmentation, pollination, and plant reproduction in a Chaco dry forest, Argentina. *Ecology* 75:330–351.
- Albrecht, M., P. Duelli, M. K. Obrist, D. Kleijn, and B. Schmid, 2009. Effective long-distance pollen dispersal in *Centaurea jacea*. *Plos One* 4:e6751.
- Allain, L. K., M. S. Zavada, and D. G. Matthews, 1999. The reproductive biology of *Magnolia grandiflora*. *Rhodora* 101:143–162.
- Alves, R. M., A. S. Arter, A. M. Sebbenn, and A. Figueira, 2003. Mating system in a natural population of *Theobroma grandiflorum* (Willd. ex Spreng.) Schum., by microsatellite markers. *Genet. Mol. Biol.* 26:373–379.

- Anderson, G. J., C. T. Martine, J. Prohens, and F. Nuez, 2006. *Solanum perlongistylum* and *S. catilliflorum*, new endemic Peruvian species of *Solanum*, section *Basarthrum*, are close relatives of the domesticated pepino, *S. muricatum*. *Novon* 16:161–167.
- Anderson, N. O., P. D. Ascher, and R. E. Widmer, 1992. Inbreeding depression in garden and glasshouse chrysanthemums: germination and survivorship. *Euphytica* 62:155–169.
- Anderson, R. C., S. S. Dhillon, and T. M. Kelley, 1996. Aspects of the ecology of an invasive plant, garlic mustard (*Alliaria petiolata*), in central Illinois. *Restor. Ecol.* 4:181–191.
- Andrade, B. M., A. T. Oliveira-Filho, and A. R. Soares, 1996. Pollination and breeding system of *Xylopia brasiliensis* Sprengel (Annonaceae) in south-eastern Brazil. *J. Trop. Ecol.* 12:313–320.
- Andrade, P., E. Forni-Martins, and F. Martins, 2007. Reproductive system of *Eriocnema fulva* Naudin (Melastomataceae), an endemic species of Minas Gerais state, SE Brazil. *Braz. J. Biol.* 67:313–319.
- Aparicio, A. and F. Garcia-Martin, 1996. The reproductive biology and breeding system of *Erica andevalensis* Cabezudo & River (Ericaceae), an endangered edaphic endemic of southwestern Spain. implications for its conservation. *Flora* 191:345–351.
- Araki, K., E. Yamada, and M. Ohara, 2005. Breeding system and floral visitors of *Convallaria keiskei*. *Plant Species Biol.* 20:149–153.
- Arista, M., P. E. Oliveira, P. E. Gibbs, and S. Talavera, 1997. Pollination and breeding system of two co-occurring *Hirtella* species (Chrysobalanaceae) in central Brazil. *Bot. Acta* 110:496–502.
- Armstrong, J., 2002. The genus *Zieria* (Rutaceae): a systematic and evolutionary study. *Aust. Syst. Bot.* 15:277–463.

- Arroyo, M. and F. Squeo, 1990. Genetic self-incompatibility in the endemic Patagonian genus *Benthamiella* (Solanaceae). *Gaya. Bot.* 47:51–55.
- Arroyo, M. T. K. and P. Uslar, 1993. Breeding systems in a temperate mediterranean-type climate montane sclerophyllous forest in central Chile. *Bot. J. Linn. Soc.* 111:83–102.
- Aspinwall, N. and T. Christian, 1992. Pollination biology, seed production, and population structure in Queen-of-the-Prairie, *Filipendula rubra* (Rosaceae) at Botkin Fen, Missouri. *Am. J. Bot.* 79:488–494.
- Ateyyeh, A. F., R. Stosser, and M. Qrunfleh, 2000. Reproductive biology of the olive (*Olea europaea* L.) cultivar ‘Nabali Baladi’. *J. Appl. Bot.* 74:255–270.
- Atluri, J. B., S. P. V. Ramana, and C. S. Reddi, 2004. Explosive pollen release, wind-pollination and mixed mating in the tropical tree *Shorea robusta* Gaertn. f. (Dipterocarpaceae). *Curr. Sci.* 86:1416–1419.
- Barber, S. C. and J. R. Estes, 1978. Comparative pollination ecology of *Pyrrhopappus geiseri* and *Pyrrhopappus carolinianus*. *Am. J. Bot.* 65:562–566.
- Barbosa, A. R., M. C. de Melo, and E. L. Borba, 2009. Self-incompatibility and myophily in *Octomeria* (Orchidaceae, Pleurothallidinae) species. *Plant Systematics and Evolution* 283:1–8.
- Barrell, P. J., T. E. Richardson, and R. C. Gardner, 1997. Molecular markers and experimental pollinations reveal self-fertility and high levels of natural inbreeding in the New Zealand endemic tree *Vitex lucens* (puriri). *New. Zeal. J. Bot.* 35:535–543.
- Barrett, S. C. H. and K. Helenurm, 1987. The reproductive biology of boreal forest herbs. I. Breeding systems and pollination. *Can. J. Bot.* 65:2036–2046.
- Barrett, S. C. H., D. H. Wilken, and W. W. Cole, 2000. Heterostyly in the Lamiaceae: The case of *Salvia brandegeei*. *Pl. Syst. Evol.* 223:211–219.

- Baskorowati, L., M. W. Moncur, S. A. Cunningham, J. C. Doran, and P. J. Kanowski, 2010. Reproductive biology of *Melaleuca alternifolia* (Myrtaceae) 2. Incompatibility and pollen transfer in relation to the breeding system. *Australian Journal of Botany* 58:384–391.
- Baumgratz, J. F. A. and S. N. M. F. de, 1989. Ecologia da polinização e biologia da reprodução de *Miconia stenostachya* DC. (Melastomataceae). *Rodriguesia* 38-40:11–24.
- Bawa, K. S., 1974. Breeding systems of tree species of a lowland tropical community. *Evolution* 28:85–92.
- , 1998. A review of dipterocarps: taxonomy, ecology, and silviculture, chap. 2. Center for International Forestry Research.
- Bawa, K. S. and J. H. Beach, 1983. Self-incompatibility systems in the Rubiaceae of a tropical lowland wet forest. *Am. J. Bot.* 70:1281–1288.
- Bawa, K. S., D. R. Perry, and J. H. Beach, 1985. Reproductive biology of tropical lowland rain forest trees. I. Sexual systems and incompatibility mechanismssexual systems and incompatibility mechanisms. *Am. J. Bot.* 72:331–345.
- Beardell, D. V., R. B. Knox, and E. G. Williams, 1993. Breeding system and reproductive success of *Thryptomene calycina* (Myrtaceae). *Aust. J. Bot.* 41:333–353.
- Becerra, J. and D. G. Lloyd, 1992. Competition-dependent abscission of self-pollinated flowers of *Phormium tenax* (Agavaceae) - a 2nd action of self-incompatibility at the whole flower level (Agavaceae). *Evolution* 46:458–469.
- Becker, U., T. Reinhold, and D. Matthies, 2006. Effects of pollination distance on reproduction and offspring performance in *Hypochoeris radicata*: Experiments with plants from three European regionsxperiments with plants from three European regions. *Biodivers. Conserv.* 132:109–118.
- Beever, R. E. and S. L. Parkes, 1996. Self-incompatibility in *Cordyline australis* (Asteliaceae). *New. Zeal. J. Bot.* 34:135–137.

- Bernhardt, P., J. Kenrick, and R. Knox, 1984. Pollination biology and the breeding system of *Acacia retinodes* (Leguminosae, Mimosoideae). *Ann. Mo. Bot. Gard.* 71:17–29.
- Berry, P. and R. Calvo, 1994. *Tropical Alpine Environments: Plant Form and Function*. Cambridge University Press.
- Berry, P. E. and R. N. Calvo, 1989. Wind pollination, self-incompatibility, and altitudinal shifts in pollination systems in high Andean genus *Espeletia* (Asteraceae). *Am. J. Bot.* 76:1602–1614.
- Bianchi, M., P. Gibbs, D. Prado, and J. Vesprini, 2000. Studies on the breeding systems of understorey species of a Chaco woodland in NE Argentina. *Flora* 195:339–348.
- Bittencourt, N. S. and J. Semir, 2005. Late-acting self-incompatibility and other breeding systems in *Tabebuia* (Bignoniaceae). *Int. J. Plant. Sci.* 166:493–506.
- Boavida, L., J. Silva, and J. Feijo, 2001. Sexual reproduction in the cork oak (*Quercus sober* L). - II. Crossing intra- and interspecific barriers. *Sex. Plant. Reprod.* 14:143–152.
- Bohs, L., 1991. Crossing studies in *Cyphomandra* (Solanaceae) and their systematic and evolutionary significance. *Am. J. Bot.* 78:1683–1693.
- , 2000. Insights into the *Witheringia solanacea* (Solanaceae) complex in Costa Rica. I. Breeding systems and crossing studies. *Biotropica* 32:70–79.
- , 2001. Revision of *Solanum* section *Cyphomandropsis* (Solanaceae). *Syst. Bot. Mon.* 61.
- Bolstad, P. V. and K. S. Bawa, 1982. Self incompatibility in *Gmelina arborea* L. (Verbenaceae). *Silvae Genet.* 31:19–21.
- Borba, E. L., J. Semir, and G. J. Shepherd, 2001. Self-incompatibility, inbreeding depression and crossing potential in five Brazilian *Pleurothallis* (Orchidaceae) species. *Ann. Bot.* 88:89–99.

- Borba, E. L., G. J. Shepherd, and J. Semir, 1999. Reproductive systems and crossing potential in three species of *Bulbophyllum* (Orchidaceae) occurring in Brazilian ‘campo rupestre’ vegetation. *Pl. Syst. Evol.* 217:205–214.
- Borges, H. B. N., 1991. Biologia reprodutiva de quatro especies de *Melastomataceae*. Master’s thesis, Universidade Estadual de Campinas.
- Borges, L. A., M. S. Sobrinho, and A. V. Lopes, 2009. Phenology, pollination, and breeding system of the threatened tree *Caesalpinia echinata* Lam. (Fabaceae), and a review of studies on the reproductive biology in the genus. *Flora* 204:111–130.
- Boscaiu, M. and J. Guemes, 2001. Breeding system and conservation strategy of the extremely endangered *Cistus carthaginensis* Pau (Cistaceae) of Spain. *Isr. J. Plant. Sci.* 49:213–220.
- Bosch, M., J. Simon, J. Molero, and C. Blanche, 2001. Breeding systems in tribe *Delphinieae* (Ranunculaceae) in the western Mediterranean area. *Flora* 196:101–113.
- Botes, C., P. D. Wragg, and S. Johnson, 2009. New evidence for bee-pollination systems in *aloe* (Asphodelaceae: Aloideae), a predominantly bird-pollinated genus. *S. Afr. J. Bot.* 75:675–681.
- Boyle, T. H., 1997. The genetics of self-incompatibility in the genus *Schlumbergera* (Cactaceae). *J. Hered.* 88:209–214.
- Boyle, T. H. and A. Idnurm, 2001. Physiology and genetics of self-incompatibility in *Echinopsis chamaecereus* (Cactaceae). *Sex. Plant. Reprod.* 13:323–327.
- Brandon, A. M., 2001. Breeding Systems and Rarity in New Zealand *Myosotis*. Ph.D. thesis, Massey University.
- Brevis, P. A., D. S. NeSmith, and H. Y. Wetzstein, 2006. Flower age affects fruit set and stigmatic receptivity in rabbiteye blueberry. *Hortscience* 41:1537–1540.

- Brochmann, C. and A. Hapnes, 2001. Reproductive strategies in some arctic *Saxifraga* (Saxifragaceae), with emphasis on the narrow endemic *S. svalbardensis* and its parental species. Bot. J. Linn. Soc. 137:31–49.
- Brown, M., C. T. Downs, and S. D. Johnson, 2010. Pollination of the red-hot poker *Kniphofia laxiflora* (Asphodelaceae) by sunbirds. South African Journal of Botany 76:460–464.
- Brys, R., H. Jacquemyn, and M. Hermy, 2007. Impact of mate availability, population size, and spatial aggregation of morphs on sexual reproduction in a distylous, aquatic plant. Am. J. Bot. 94:119–127.
- Buchele, D., J. Baskin, and C. Baskin, 1992. Ecology of the endangered species *Solidago shortii*. IV. Pollination ecology. B. Torrey Bot. Club 119:137–141.
- Bullock, S., 1985. Breeding systems in the flora of a tropical deciduous forest in Mexico. Biotropica 17:287–301.
- Burbidge, A. H. and S. James, 1991. Postzygotic seed abortion in the genetic system of *Stylidium* (Angiospermae, Stylidaceae). J. Hered. 82:319–328.
- Burge, G. K. and E. R. Morgan, 1993. Postpollination floral biology of *Limonium perigrinum* (Bergius). New. Zeal. J. Crop. Hort. 21:337–341.
- Burgos, L., T. Berenguer, and J. Egea, 1993. Self-compatibility and cross-compatibility among apricot cultivars. Hortscience 28:148–150.
- Bush, S. P. and J. H. Beach, 1995. Breeding systems of epiphytes in a tropical montane wet forest. Selbyana 16:155–158.
- Camadro, E. and S. Peloquin, 1982. Selfing rates in two wild polyploid *Solanums*. Am. J. Potato Res. 59:197–204. 10.1007/BF02889520.
- Camadro, E. L. and S. J. Peloquin, 1981. Cross-incompatibility between two sympatric polyploid *Solanum* species. Theor. Appl. Genet. 60:65–70.

- Cane, J. H., 2005. Pollination needs of arrowleaf balsamroot, *Balsamorhiza sagittata* (Heliantheae : Asteraceae). West. N. Am. Nat. 65:359–364.
- Carlsen, T., E. Espeland, and B. Pavlik, 2002. Reproductive ecology and the persistence of an endangered plant. Biodivers. Conserv. 11:1247–1268.
- Carr, G. D., E. A. Powell, and D. W. Kyhos, 1986. Self-incompatibility in the Hawaiian Madiinae (Compositae): An exception to Baker’s Rule. Evolution 40:430–434.
- Carrio, E., J. F. Jimenez, P. Sanchez-Gomez, and J. Guemes, 2009. Reproductive biology and conservation implications of three endangered snapdragon species (*Antirrhinum*, Plantaginaceae). Biodivers. Conserv. 142:1854–1863.
- Carthew, S. M., R. J. Whelan, and D. J. Ayre, 1996. Experimental confirmation of preferential outcrossing in *Banksia*. Int. J. Plant. Sci. 157:615–620.
- Casas, A., A. Valiente-Banuet, A. Rojas-Martinez, and P. Davila, 1999. Reproductive biology and the process of domestication of the columnar cactus *Stenocereus stellatus* in central Mexico. Am. J. Bot. 86:534–542.
- Casper, B. B., 1985. Self-compatibility in distylous *Cryptantha flava* (Boraginaceae). New Phytologist 99:149–154.
- Castro-Laportte, M. and T. Ruiz-Zapata, 2000. Reproductive systems and pollen-ovule ratio in *Cestrum* L. (*Cestreae Solanaceae*). Phyton-Int. J. Exp. Bot. 67:133–137.
- Chacoff, N. P. and M. A. Aizen, 2007. Pollination requirements of pigmented grapefruit (*Citrus paradisi* Macf.) from northwestern Argentina. Crop. Sci. 47:1143–1150.
- Chang, S. M., 2007. Gender-specific inbreeding depression in a gynodioecious plant, *Geranium maculatum* (*Geraniaceae*). Am. J. Bot. 94:1193–1204.
- Chen, L., S. H. James, and H. M. Stace, 1997. Self-incompatibility, seed abortion and clonality in the breeding systems of several Western Australian *Drosera* species (*Droseraceae*). Aust. J. Bot. 45:191–201.

- Chen, M., 2009. Comparative reproductive biology of *Primula merrilliana* Schltr. and *P. cicutariifolia* Pax. *Plant Systematics and Evolution* 278:23–32.
- Cheptou, P., A. Berger, A. Blanchard, C. Collin, and J. Escarre, 2000. The effect of drought stress on inbreeding depression in four populations of the Mediterranean outcrossing plant *Crepis sancta* (Asteraceae). *Heredity* 85:294–302.
- Cheptou, P., J. Lepart, and J. Escarre, 2001. Inbreeding depression under intraspecific competition in a highly outcrossing population of *Crepis sancta* (Asteraceae): Evidence for frequency-dependent variation. *Am. J. Bot.* 88:1424–1429.
- Chichiricco, G., 1990. Self-incompatibility in *Crocus vernus* subsp. *vernus* (Iridaceae). *Pl. Syst. Evol.* 172:77–82.
- , 1993. Pregamic and postgamic self-incompatibility systems in *Crocus* (Iridaceae). *Pl. Syst. Evol.* 185:219–227.
- Coelho, C. P. and A. A. A. Barbosa, 2004. Biologia reprodutiva de *Psychotria poeppigiana* Mull. Arg. (Rubiaceae) em mata de galeria. *Acta Bot. Bras.* 18:481–489.
- Coleman, J. R. and M. A. Coleman, 1982. Reproductive biology of an andromonoecious *Solanum* (*S. palinacanthum* Dunal). *Biotropica* 14:69–75.
- Collevatti, R. G., M. E. C. Amaral, and F. S. Lopes, 1997. Role of pollinators in seed set and a test of pollen limitation hypothesis in the tropical weed *Triumfetta semitriloba* (Tiliaceae). *Rev. Biol. Trop.* 45:1401–1407.
- Consolaro, H., R. D. P. Toledo, R. L. Ferreguti, J. Hay, and P. E. d. Oliveira, 2009. Distília e homostília em espécies de *Palicourea* Aubl. (Rubiaceae) do Cerrado do Brasil Central. *Rev. Bras. Bot.* 32:677–689.
- Corbet, S. A., 1998. Fruit and seed production in relation to pollination and resources in bluebell, *Hyacinthoides non-scripta*. *Oecologia* 114:349–360.

- Costa, C. B. N., S. M. Lambert, E. L. Borba, and L. P. De Queiroz, 2007. Post-zygotic reproductive isolation between sympatric taxa in the *Chamaecrista desvauxii* complex (Leguminosae-Caesalpinioideae). *Ann. Bot.* 99:625–635.
- Costin, B. J., J. W. Morgan, and A. G. Young, 2001. Reproductive success does not decline in fragmented populations of *Leucochrysum albicans* subsp. *albicans* var. *tricolor* (Asteraceae). *Biodivers. Conserv.* 98:273–284.
- Crawford, P. T. and W. J. Elisens, 2006. Genetic variation and reproductive system among North American species of *Nuttallanthus* (Plantaginaceae). *Am. J. Bot.* 93:582–591.
- Cruden, R., L. Hermanutz, and J. Shuttleworth, 1984. The pollination biology and breeding system of *Monarda Fistulosa* (Labiatae). *Oecologia* 64:104–110.
- Culley, T., S. Weller, A. Sakai, and A. Rankin, 1999. Inbreeding depression and selfing rates in a self-compatible, hermaphroditic species, *Schiedea membranacea* (Caryophyllaceae). *American Journal of Botany* 86:980–987.
- Cunha, N. and E. Fischer, 2009. Breeding system of tristylous *Eichhornia azurea* (Pontederiaceae) in the southern Pantanal, Brazil. *Pl. Syst. Evol.* 280:53–58.
- Daehler, C., 1998. Variation in self-fertility and the reproductive advantage of self-fertility for an invading plant (*Spartina alterniflora*). *Evol. Ecol.* 12:553–568.
- Dag, A. and Y. Mizrahi, 2005. Effect of pollination method on fruit set and fruit characteristics in the vine cactus *Selenicereus megalanthus* (“yellow pitaya”). *J. Hortic. Sci. Biotech.* 80:618–622.
- Darmency, H. and A. Fleury, 2000. Mating system in *Hirschfeldia incana* and hybridization to oilseed rape. *Weed Res.* 40:231–238.
- Darwin, C., 1868. *The Variation of Animals and Plants Under Domestication*. 1st ed. J. Murray, London.

- , 1876. The Effects of Cross and Self Fertilisation in the Vegetable Kingdom. 1st ed. J. Murray.
- , 1877. The Different Forms of Flowers on Plants of the Same Species. 1st ed. J. Murray, London.
- Davidson, C. G. and L. M. Lenz, 1989. Experimental taxonomy of *Potentilla fruticosa*. Can. J. Bot. 67:3520–3528.
- Debandi, G., B. Rossi, J. Aranibar, J. A. Ambrosetti, and I. E. Peralta, 2002. Breeding system of *Bulnesia retama* (Gillies ex Hook & Arn.) Gris. (Zygophyllaceae) in the Central Monte Desert (Mendoza, Argentina). Journal of Arid Environments 51:141 – 152.
- Demauro, M. M., 1993. Relationship of breeding system to rarity in the lakeside daisy (*Hymenoxys acaulis* var *glabra*. Conservat. Biol. 7:542–550.
- Denham, A. J. and R. J. Whelan, 2000. Reproductive ecology and breeding system of *Lomatia silaifolia* (Proteaceae) following a fire. Aust. J. Bot. 48:261–269.
- Diaz, A., M. A. Amoin, and M. Gibernau, 2006. The effectiveness of some mechanisms of reproductive isolation in *Arum maculatum* and *A. italicum* (Araceae). Bot. J. Linn. Soc. 150:323–328.
- Dogterom, M., M. Winston, and A. Mukai, 2000. Effect of pollen load size and source (self, outcross) on seed and fruit production in highbush blueberry cv. ‘Bluecrop’ (*Vaccinium corymbosum*; Ericaceae). Am. J. Bot. 87:1584–1591.
- Donohue, K., 1998. Effects of inbreeding on traits that influence dispersal and progeny density in *Cakile edentula* var *Lacustris* (Brassicaceae). Am. J. Bot. 85:661–668.
- Dorken, M. and B. Husband, 1999. Self-sterility in the understory herb *Clintonia borealis* (Liliaceae). Int. J. Plant. Sci. 160:577–584.

- Dos Santos, I. and D. Wittmann, 2000. Legitimate pollination of the tristylous flowers of *Eichhornia azurea* (Pontederiaceae) by *Ancyloscelis gigas* bees (Anthophoridae, Apoidea). *Pl. Syst. Evol.* 223:127–137.
- Douglas, A., 2007. Determining sexual compatibility between geographically isolated *Nolana* species. Master's thesis, University of New Hampshire.
- Douglas, K. L. and R. W. Cruden, 1994. The reproductive biology of *Anemone canadensis* (Ranunculaceae): Breeding system and facilitation of sexual selection. *Am. J. Bot.* 81:314–321.
- Duan, Y., T. Zhang, and J. Liu, 2007. Pollination biology of *Anisodus tanguticus* (Solanaceae). *Shengwu Duoyangxing* 15:584–591.
- Duncan, D. H., A. B. Nicotra, and S. A. Cunningham, 2004. High self-pollen transfer and low fruit set in buzz-pollinated *Dianella revoluta* (Phormiaceae). *Aust. J. Bot.* 52:185–193.
- Dute, R. R., D. R. Folkerts, J. E. Watkins, M. E. Saxon, and R. S. Boyd, 2004. Floral anatomy and pollination biology of *Cyrtilla racemiflora* (Cyrillaceae). *SE Nat.* 3:309–326.
- Eckert, C. G. and S. C. H. Barrett, 1994. Tristyly, self-compatibility and floral variation in *Decodon verticillatus* (Lythraceae). *Biol J Linn Soc* 53:1–30.
- Ehlenfeldt, M., 2001. Self- and cross-fertility in recently released highbush blueberry cultivars. *Hortscience* 36:133–135.
- Ellis, M. F. and M. Sedgley, 1992. Floral morphology and breeding system of three species of *Eucalyptus*, section *Bisectaria* (Myrtaceae). *Aust. J. Bot.* 40:249–262.
- Etcheverry, A. V. and C. E. T. Aleman, 2005. Reproductive biology of *Erythrina falcata* (Fabaceae : Papilionoideae). *Biotropica* 37:54–63.
- Evans, M. E. K., E. S. Menges, and D. R. Gordon, 2003. Reproductive biology of three sympatric endangered plants endemic to Florida scrub. *Biodivers. Conserv.* 11:235–246.

- , 2004. Mating systems and limits to seed production in two *Dicerandra* mints endemic to Florida scrub. *Biodivers. Conserv.* 13:1819–1832.
- Fang, X., P. Subudhi, B. Venuto, and S. Harrison, 2004. Mode of pollination, pollen germination, and seed set in smooth cordgrass (*Spartina alterniflora*, Poaceae). *Int. J. Plant. Sci.* 165:395–401.
- Fernando, D. D. and D. D. Cass, 1997. Developmental assessment of sexual reproduction in *Butomus umbellatus* (Butomaceae): Female reproductive component. *Ann. Bot.* 80:457–467.
- Ferrero, V., C. de Vega, G. I. Stafford, J. Van Staden, and S. D. Johnson, 2009. Heterostyly and pollinators in *Plumbago auriculata* (Plumbaginaceae). *South African Journal of Botany* 75:778–784.
- Fishman, L. and R. Wyatt, 1999. Pollinator-mediated competition, reproductive character displacement, and the evolution of selfing in *Arenaria uniflora* (Caryophyllaceae). *Evolution* 53:1723–1733.
- Foltan, H. and P. Ludders, 1995. Flowering, fruit set, and genotype compatibility in cashew. *J. Appl. Bot.* 69:215–220.
- Forrest, J. and J. D. Thomson, 2010. Consequences of variation in flowering time within and among individuals of *Mertensia fusiformis* (Boraginaceae), an early spring wildflower. *Am. J. Bot.* 97:38–48.
- Friedman, J. and S. C. H. Barrett, 2008. High outcrossing in the annual colonizing species *Ambrosia artemisiifolia* (Asteraceae). *Ann. Bot.* 101:1303–1309.
- , 2009. The consequences of monoecy and protogyny for mating in wind-pollinated *Carex*. *New Phytologist* 181:489–497.
- Froberg, H., 1996. Pollination and seed production in five boreal species of *Vaccinium* and *Andromeda* (Ericaceae). *Can. J. Bot.* 74:1363–1368.

- Gale, S., 2007. Autogamous seed set in a critically endangered orchid in Japan: pollination studies for the conservation of *Nervilia nipponica*. *Pl. Syst. Evol.* 268:59–73.
- Galloway, L. F., J. R. Etterson, and J. L. Hamrick, 2003. Outcrossing rate and inbreeding depression in the herbaceous autotetraploid, *Campanula americana*. *Heredity* 90:308–315.
- Gandolphi, G. and J. Bittencourt, Nelson Sabino, 2010. Breeding system of the White Trumpet Tree - *Tabebuia roseo-alba* (Ridley) Sandwith (Bignoniaceae). *Acta Botanica Brasilica* 24:840–851.
- Gassama-Dia, Y. F., D. Sane, and M. N'Doye, 2003. Reproductive biology of *Faidherbia albida* (Del.) A. Chev. *Silva Fenn.* 37:429–436.
- Ghazoul, J., K. A. Liston, and T. J. B. Boyle, 1998. Disturbance-induced density-dependent seed set in *Shorea siamensis* (Dipterocarpaceae), a tropical forest tree. *J. Ecol.* 86:462–473.
- Gibbs, P. and R. Sassaki, 1998. Reproductive biology of *Dalbergia miscolobium* Benth. (Leguminosae-Papilionoideae) in SE Brazil: The effects of pistillate sorting on fruit-set. *Ann. Bot.* 81:735–740.
- Gibbs, P. and S. Talavera, 2001. Breeding system studies with three species of *Anagallis* (Primulaceae): Self-incompatibility and reduced female fertility in *A. monelli* L. *Ann. Bot.* 88:139–144.
- Gibbs, P. E. and M. B. Bianchi, 1999. Does late-acting self-incompatibility (LSI) show family clustering? Two more species of Bignoniaceae with LSI: *Dolichandra cynanchoides* and *Tabebuia nodosa*. *Ann. Bot.* 84:449–457.
- Giblin, D. E. and C. W. Hamilton, 1999. The relationship of reproductive biology to the rarity of endemic *Aster curtus* (Asteraceae). *Can. J. Bot.* 77:140–149.
- Gigord, L., C. Lavigne, and J. A. Shykoff, 1998. Partial self-incompatibility and inbreeding depression in a native tree species of La Reunion (Indian Ocean). *Oecologia* 117:342–352.

- Glaettli, M. and J. Goudet, 2006. Variation in the intensity of inbreeding depression among successive life-cycle stages and generations in gynodioecious *Silene vulgaris* (Caryophyllaceae). *J. Evol. Biol.* 19:1995–2005.
- Goldenberg, R. and G. Shepherd, 1998. Studies on the reproductive biology of *Melastomataceae* in "cerrado" vegetation. *Pl. Syst. Evol.* 211:13–29.
- Goldingay, R. L. and S. M. Carthew, 1998. Breeding and mating systems of Australian Proteaceae. *Aust. J. Bot.* 46:421–437.
- Goldingay, R. L. and R. J. Whelan, 1990. Breeding system and tests for pollen-limitation in two species of *Banksia*. *Aust. J. Bot.* 38:63–71.
- Gontijo, S. L., A. R. Barbosa, M. C. de Melo, and E. L. Borba, 2010. Occurrence of different sites of self-incompatibility reaction in four *Anathallis* (Orchidaceae, Pleurothallidinae) species. *Plant Species Biology* 25:129–135.
- Good-Avila, S., F. Frey, and A. Stephenson, 2001. The effect of partial self-incompatibility on the breeding system of *Campanula rapunculoides* L. (Campanulaceae) under conditions of natural pollination. *Int. J. Plant. Sci.* 162:1081–1087.
- Good-Avila, S. and A. Stephenson, 2003. Parental effects in a partially self-incompatible herb *Campanula rapunculoides* L. (Campanulaceae): Influence of variation in the strength of self-incompatibility on seed set and progeny performance. *Am. Nat.* 161:615–630.
- Goodwillie, C. and M. C. Knight, 2006. Inbreeding depression and mixed mating in *Leptosiphon jepsonii*: A comparison of three populations. *Ann. Bot.* 98:351–360.
- Gribel, R. and P. E. Gibbs, 2002. High outbreeding as a consequence of selfed ovule mortality and single vector bat pollination in the Amazonian tree *Pseudobombax munguba* (Bombacaceae). *Int. J. Plant. Sci.* 163:1035–1043.

- Gribel, R., P. E. Gibbs, and A. L. Queiroz, 1999. Flowering phenology and pollination biology of *Ceiba pentandra* (Bombacaceae) in Central Amazonia. *J. Trop. Ecol.* 15:247–263.
- Grove, K. F., 1985. Reproductive Biology of Neotropical Wet Forest Understory Plants. Ph.D. thesis, University of Iowa.
- Grundt, H. H., R. Elven, and C. Brochmann, 2005. A rare case of self-incompatibility in arctic plants: *Draba palanderiana* (Brassicaceae). *Flora* 200:321–325.
- Guan, B. C., C. X. Fu, Y. X. Qiu, S. L. Zhou, and H. P. Comes, 2010. Genetic structure and breeding system of a rare understory herb, *Dysosma versipellis* (Berberidaceae), from temperate deciduous forests in China. *Am. J. Bot.* 97:111–122.
- Guemes, J. and M. Boscaiu, 2001. The breeding system of *Fumana ericifolia*: first evidence of autogamy in woody Cistaceae. *Nord. J. Bot.* 21:467–474.
- Guimaraes, E., L. C. Di Stasi, and R. D. C. Sindronia Maimoni-Rodella, 2008. Pollination biology of *Jacaranda oxyphylla* with an emphasis on staminode function. *Annals of Botany* 102:699–711.
- Guitian, J. and M. Fuentes, 1992. Reproductive biology of *Crataegus monogyna* in northwestern Spain. *Acta Oecol.* 13:3–11.
- Guitian, J., P. Guitian, and M. Medrano, 1998. Floral biology of the distylous Mediterranean shrub *Jasminum fruticans* (Oleaceae). *Nord. J. Bot.* 18:195–201.
- Gutierrez, H. F., D. Medan, and J. F. Pensiero, 2006. Limiting factors of reproductive success in *Bromus auleticus* (Poaceae). 2. Fruit set under different pollination regimes, pollen viability, and incompatibility reactions. *New. Zeal. J. Bot.* 44:57–63.
- Hajilou, J., V. Grigorian, S. Mohammadi, A. Nazemmieh, C. Romero, S. Vilanova, and L. Burgos, 2006. Self- and cross-(in)compatibility between important apricot cultivars in northwest Iran. *J. Hortic. Sci. Biotech.* 81:513–517.

- Hannan, G. L. and H. A. Prucher, 1996. Reproductive biology of *Caulophyllum thalictroides* (Berberidaceae), an early flowering perennial of eastern North America. *Am. Midl. Nat.* 136:267–277.
- Hao, J. H., S. Qiang, Q. Q. Liu, and F. Cao, 2009. Reproductive traits associated with invasiveness in *Conyza sumatrensis*. *J. Systemat. Evol.* 47:245–254.
- Hardner, C. and B. Potts, 1995. Inbreeding depression and changes in variation after selfing in *Eucalyptus globulus* ssp. *globulus*. *Silvae Genet.* 44:46–54.
- Hargreaves, A. L., L. D. Harder, and S. D. Johnson, 2008. *Aloe inconspicua*: The first record of an exclusively insect-pollinated aloe. *South African Journal of Botany* 74:606–612.
- Heckel, C. D. and L. M. Leege, 2007. Life history and reproductive biology of the endangered *Trillium reliquum*. *Plant Ecol.* 189:49–57.
- Heenan, P. B., R. D. Smissen, and M. I. Dawson, 2005. Self-incompatibility in the threatened shrub *Olearia adenocarpa* (Asteraceae). *New. Zeal. J. Bot.* 43:831–841.
- Heering, J. H., 1994. The reproductive biology of three perennial *Sesbania* species (Leguminosae). *Euphytica* 74:143–148.
- Heiser, D. A. and R. G. Shaw, 2006. The fitness effects of outcrossing in *Calylophus serrulatus*, a permanent translocation heterozygote. *Evolution* 60:64–76.
- Heliyanto, B., E. J. Veneklaas, H. Lambers, and S. L. Krauss, 2005. Preferential outcrossing in *Banksia ilicifolia* (Proteaceae). *Aust. J. Bot.* 53:163–170.
- Hermanutz, L., D. Innes, A. Denham, and R. Whelan, 1998. Very low fruit: flower ratios in *Grevillea* (Proteaceae) are independent of breeding system. *Aust. J. Bot.* 46:465–478.
- Hidalgo, P. J. and J. L. Ubera, 2001. Inbreeding depression in *Rosmarinus officinalis* L. *Int. J. Dev. Biol.* 45:S43–S44.

- Hill, N. M., M. T. D. Myra, and M. O. Johnston, 2006. Breeding system and early stage inbreeding depression in a Nova Scotian population of the global rarity, *Sabatia kennedyana* (Gentianaceae). *Rhodora* 108:307–328.
- Hirayama, K., K. Ishida, S. Setsuko, and N. Tomaru, 2007. Reduced seed production, inbreeding, and pollen shortage in a small population of a threatened tree, *Magnolia stellata*. *Biol. Conservat.* 136:315–323.
- Hirayama, K., K. Ishida, and N. Tomaru, 2005. Effects of pollen shortage and self-pollination on seed production of an endangered tree, *Magnolia stellata*. *Ann. Bot.* 95:1009–1015.
- Hoebbe, S. E. and A. G. Young, 2001. Low neighbourhood size and high interpopulation differentiation in the endangered shrub *Grevillea iaspicula* McGill (Proteaceae). *Heredity* 86:489–496.
- Hokanson, K. and J. Hancock, 2000. Early-acting inbreeding depression in three species of *Vaccinium* (Ericaceae). *Sex. Plant. Reprod.* 13:145–150.
- Hokche, O. and N. Ramirez, 2008. Breeding systems in species of Melastomataceae in Gran Sabana (Bolivar State, Venezuela). *Acta Bot. Venez.* 31:387–408.
- Horisaki, A. and S. Niikura, 2007. Diallel analysis of the level of self-incompatibility evaluated by insect-pollination in *Brassica rapa* L. *Breed. Sci.* 57:59–63.
- Horsley, T. N. and S. D. Johnson, 2007. Is *Eucalyptus* cryptically self-incompatible? *Ann. Bot.* 100:1373–1378.
- Hossaert-McKey, M. and J. L. Bronstein, 2001. Self-pollination and its costs in a monoecious fig (*Ficus aurea*, Moraceae) in a highly seasonal subtropical environment. *Am J Bot* 88:685–692.
- Husband, B. C. and D. W. Schemske, 1995. Magnitude and timing of inbreeding depression in a diploid population of *Epilobium angustifolium* (Onagraceae). *Heredity* 75:206–215.

- Imbert, F. M. and J. H. Richards, 1993. Protrandry, incompatibility, and secondary pollen presentation in *Cephalanthus occidentalis* (Rubiaceae). *Am. J. Bot.* 80:395–404.
- Imhof, L., M. Borja, and G. Facciuto, 2010. Breeding system of *Glandularia* species native to Argentina. *Acta Hort.* 855:149–152.
- Ishida, K., H. Yoshimaru, and H. Ito, 2003. Effects of geitonogamy on the seed set of *Magnolia obovata* Thunb. (Magnoliaceae). *Int. J. Plant. Sci.* 164:729–735.
- Ishii, J. and Y. Kadono, 2002. Factors influencing seed production of *Phragmites australis*. *Aquat. Bot.* 72:129–141.
- Ivey, C. T., S. R. Lipow, and R. Wyatt, 1999. Mating systems and interfertility of swamp milkweed (*Asclepias incarnata* ssp. *incarnata* and ssp. *pulchra*). *Heredity* 82:25–35.
- Jacobi, C. M. and M. C. Laboissiere del Sarto, 2007. Pollination of two species of *Vellozia* (Velloziaceae) from high-altitude quartzitic grasslands, Brazil. *Acta Bot. Bras.* 21:325–333.
- Jacquemart, A. and J. Thompson, 1996. Floral and pollination biology of three sympatric *Vaccinium* (Ericaceae) species in the Upper Ardennes, Belgium. *Can. J. Bot.* 74:210–221.
- Jaimes, I. and N. Ramirez, 1999. Breeding systems in a secondary deciduous forest in Venezuela: The importance of life form, habitat, and pollination specificity. *Pl. Syst. Evol.* 215:23–36.
- Jesson, L. K., L. D. Milicich, and S. C. Newman, 2006. Competition-dependent incompatibility in *Phormium tenax*: does self-fertilisation provide reproductive assurance? *New. Zeal. J. Bot.* 44:249–259.
- Johnson, K. A., P. B. McQuillan, and J. B. Kirkpatrick, 2010. Bird pollination of the climbing heath *Prionotes cerinthoides* (Ericaceae). *Int. J. Plant. Sci.* 171:147–157.

- Johnson, S. D., T. J. Edwards, C. Carbutt, and C. Potgieter, 2002. Specialization for hawkmoth and long-proboscid fly pollination in *Zaluzianskya* section *Nycterinia* (Scrophulariaceae). Bot. J. Linn. Soc. 138:17–27.
- Johnson, S. D., L. F. Harris, and S. Proches, 2009. Pollination and breeding systems of selected wildflowers in a southern African grassland community. S. Afr. J. Bot. 75:630–645.
- Johnston, M. O., 1992. Effects of cross and self-fertilization on progeny fitness in *Lobelia cardinalis* and *L. siphilitica*. Evolution 46:688–702.
- Jones, K. N., 1994. Nonrandom mating in *Clarkia gracilis* (Onagraceae) - a case of cryptic self-incompatibility. Am. J. Bot. 81:195–198.
- Jusaitis, M., B. Sorensen, and L. Polomka, 2003. Reproductive biology of the endangered *Brachycome muelleri* (Asteraceae), an endemic herb of Eyre Peninsula, South Australia. Aust. J. Bot. 51:179–188.
- Kalinganire, A., C. E. Harwood, M. U. Slee, and A. J. Simons, 2000. Floral structure, stigma receptivity and pollen viability in relation to protandry and self-incompatibility in silky oak (*Grevillea robusta* A. Cunn.). Ann. Bot. 86:133–148.
- Karkkainen, K., O. Savolainen, and V. Koski, 1999. Why do plants abort so many developing seeds: bad offspring or bad maternal genotypes? Evol. Ecol. 13:305–317.
- Karron, J. D., R. J. Mitchell, and J. M. Bell, 2006. Multiple pollinator visits to *Mimulus ringens* (Phrymaceae) flowers increase mate number and seed set within fruits. Am. J. Bot. 93:1306–1312.
- Kawagoe, T. and N. Suzuki, 2005. Self-pollen on a stigma interferes with outcrossed seed production in a self-incompatible monoecious plant, *Akebia quinata* (Lardizabalaceae). Funct. Ecol. 19:49–54.

- Kennington, W. J. and S. H. James, 1997. The effect of small population size on the mating system of a rare clonal mallee, *Eucalyptus argutifolia* (Myrtaceae). *Heredity* 78:252–260.
- Kenrick, J. and R. B. Knox, 1989. Quantitative analysis of self-incompatibility in trees of seven species of *Acacia*. *J. Hered.* 80:240–245.
- Kenta, T., K. K. Shimizu, M. Nakagawa, K. Okada, A. A. Hamid, and T. Nakashizuka, 2002. Multiple factors contribute to outcrossing in a tropical emergent *Dipterocarpus tempehes*, including a new pollen-tube guidance mechanism for self-incompatibility. *Am. J. Bot.* 89:60–66.
- Kephart, S. R., 1981. Breeding systems in *Asclepias incarnata* L., *Asclepias syriaca* L. and *Asclepias verticillata* L. *Am. J. Bot.* 68:226–232.
- Kissling, W. D., J. M. Lord, and M. Schnittler, 2006. Agamospermous seed production of the invasive tussock grass *Nardus stricta* L. (Poaceae) in New Zealand - evidence from pollination experiments. *Flora* 201:144–151.
- Kittelson, P. M. and J. L. Maron, 2000. Outcrossing rate and inbreeding depression in the perennial yellow bush lupine, *Lupinus arboreus* (Fabaceae). *Am. J. Bot.* 87:652–660.
- van Kleunen, M., M. Fischer, and S. D. Johnson, 2007. Reproductive assurance through self-fertilization does not vary with population size in the alien invasive plant *Datura stramonium*. *Oikos* 116:1400–1412.
- Kolehmainen, J. K. and P. Mutikainen, 2006. Reproductive ecology of three endangered African violet (*Saintpaulia* H. Wendl.) species in the East Usambara Mountains, Tanzania. *Afr. J. Ecol.* 44:219–227.
- Koptur, S., 1984. Outcrossing and pollinator limitation of fruit set: Breeding systems of neotropical *Inga* trees (Fabaceae, Mimosoideae). *Evolution* 38:1130–1143.
- Kormutak, A., 1999. Self-incompatibility in silver fir (*Abies alba*). *Biologia* 54:101–105.

- Kostyun, J. L., 2009. Allelic diversity and segregation at the S-RNase locus in wild tomato, *Solanum peruvianum* (Solanaceae). Master's thesis, Amherst College.
- Krabel, D., 1991. Fruit abortion in *Hibiscus rosa-sinensis* L. *Angew. Bot.* 65:133–138.
- Krahulcova, A. and V. Jarolimova, 1993. Ecology of 2 cytotypes of *Butomus umbellatus* .1. Karyology and breeding-behavior. *Folia Geobotanica & Phytotaxonomica* 28:385–411.
- Krauss, S. L., 1994. Preferential outcrossing in the complex species *Persoonia mollis*. *Oecologia* 97:256–264.
- Kron, P., S. C. Stewart, and A. Back, 1993. Self-incompatibility, autonomous self-pollination, and insect-mediated pollination in the clonal species *Iris versicolor*. *Can. J. Bot.* 71:1503–1509.
- Kudo, G. and T. Kasagi, 2005. Microscale variations in the mating system and heterospecific incompatibility mediated by pollination competition in alpine snowbed plants. *Plant Species Biol.* 20:93–103.
- Ladley, J. J., D. Kelly, and A. W. Robertson, 1997. Explosive flowering, nectar production, breeding systems, and pollinators of New Zealand mistletoes (Loranthaceae). *New. Zeal. J. Bot.* 35:345–360.
- LaDoux, T. and E. A. Friar, 2006. Late-acting self-incompatibility in *Ipomopsis tenuifolia* (Gray) V. Grant (Polemoniaceae). *Int. J. Plant. Sci.* 167:463–471.
- Lafuma, L. and S. Maurice, 2007. Increase in mate availability without loss of self-incompatibility in the invasive species *Senecio inaequidens* (Asteraceae). *Oikos* 116:201–208.
- de Lange, J. H., C. Boucher, and J. J. A. Vanderwalt, 1993. Autoecological studies on *Audouinia capitata* (Bruniaceae) 3. Pollination biology. *S. Afr. J. Bot.* 59:135–144.

- Lankinen, A., W. S. Armbruster, and L. Antonsen, 2007. Delayed stigma receptivity in *Collinsia heterophylla* (Plantaginaceae): Genetic variation and adaptive significance in relation to pollen competition, delayed self-pollination and mating-system evolution. *Am. J. Bot.* 94:1183–1192.
- Larson, B. M. H. and S. C. H. Barrett, 1998. Reproductive biology of island and mainland populations of *Primula mistassinica* (Primulaceae) on Lake Huron shorelines. *Can. J. Bot.* 76:1819–1827.
- Lasso, E. and J. D. Ackerman, 2004. The flexible breeding system of *Werauhia sintenisii*, a cloud forest bromeliad from Puerto Rico. *Biotropica* 36:414–417.
- Lattoo, S. K., R. S. Dhar, S. Khan, S. Bamotra, and A. K. Dhar, 2007. Temporal sexual maturation and incremental staminal movement encourages mixed mating in *Withania somnifera* - An insurance for reproductive success. *Curr. Sci.* 92:1390–1399.
- Lau, C. P. Y., R. M. K. Saunders, and L. Ramsden, 2009. Floral biology, breeding systems and population genetic structure of three climbing *Bauhinia* species (Leguminosae: Caesalpinioideae) in Hong Kong, China. *J. Trop. Ecol.* 25:147–159.
- Leduc, N., G. C. Douglas, M. Monnier, and V. Connolly, 1990. Pollination in vitro effects on the growth of pollen tubes, seed set, and gametophytic self-incompatibility in *Trifolium pratense* L. and *Trifolium repens* L. *Theor. Appl. Genet.* 80:657–664.
- Lehnebach, C. and M. Riveros, 2003. Pollination biology of the Chilean endemic orchid *Chloraea lamellata*. *Biodivers. Conserv.* 12:1741–1751.
- Lehnebach, C. A. and A. W. Robertson, 2004. Pollination ecology of four epiphytic orchids of New Zealand. *Ann. Bot.* 93:773–781.
- Leimu, R., 2004. Variation in the mating system of *Vincetoxicum hirundinaria* (Asclepiadaceae) in peripheral island populations. *Ann. Bot.* 93:107–113.

- Lemus-Jimenez, L. J. and N. Ramirez, 2005. Breeding systems of the Paraguana coastal plain plants, Venezuela. *Rev. Biol. Trop.* 53:415–430.
- Les, D. H., J. A. Reinartz, and E. J. Esselman, 1991. Genetic consequences of rarity in *Aster furcatus* (Asteraceae), a threatened, self-incompatible plant. *Evolution* 45:1641–1650.
- Levin, D. A., 1972. Plant density, cleistogamy, and self-fertilization in natural populations of *Lithospermum caroliniense*. *Am. J. Bot.* 59:71–77.
- Lichtenzweig, J., S. Abbo, A. Nerd, N. Tel-Zur, and Y. Mizrahi, 2000. Cytology and mating systems in the climbing cacti *Hylocereus* and *Selenicereus*. *Am. J. Bot.* 87:1058–1065.
- Lifante, Z. D., 1996. Reproductive biology of *Asphodelus aestivus* (Asphodelaceae). *Pl. Syst. Evol.* 200:177–191.
- Lim, T. K. and L. Luders, 1998. Durian flowering, pollination and incompatibility studies. *Ann. Appl. Biol.* 132:151–165.
- de Lima Leite, A. V. and I. C. Machado, 2010. Reproductive biology of woody species in Caatinga, a dry forest of northeastern Brazil. *Journal of Arid Environments* 74:1374–1380.
- Lindell, T., 1998. Breeding systems and crossing experiments in *Anemone patens* and in the *Anemone pulsatilla* group (Ranunculaceae). *Nord. J. Bot.* 18:549–561.
- Lipow, S. R., P. Bernhardt, and N. Vance, 2002. Comparative rates of pollination and fruit set in widely separated populations of a rare orchid (*Cypripedium fasciculatum*). *Int. J. Plant. Sci.* 163:775–782.
- Lipow, S. R., S. B. Broyles, and R. Wyatt, 1999. Population differences in self-fertility in the "self-incompatible" milkweed *Asclepias exaltata* (Asclepiadaceae). *Am. J. Bot.* 86:1114–1120.

- Lipow, S. R. and R. Wyatt, 1998. Reproductive biology and breeding system of *Gonolobus suberosus* (Asclepiadaceae). J. Torrey. Bot. Soc. 125:183–193.
- Liu, H., R. W. Pemberton, and P. Stiling, 2006. Native and introduced pollinators promote a self-incompatible invasive woody vine (*Paederia foetida* L.) in Florida. J. Torrey. Bot. Soc. 133:304–311.
- Lloyd, D. G. and D. J. Schoen, 1992. Self-fertilization and cross-fertilization in plants. I. Functional dimensions. Int. J. Plant. Sci. 153:358–369.
- Lopes, A. V. and I. C. Machado, 1999. Pollination and reproductive biology of *Rauvolfia grandiflora* (Apocynaceae): Secondary pollen presentation, herkogamy and self-incompatibility. Plant Biol. 1:547–553.
- Lopez, D. M., 1998. Reproductive biology of *Turnera pumilea* L. Master's thesis, York University.
- Lopez-Garcia, M. and J. Maillet, 2005. Biological characteristics of an invasive South African species. Biol. Invasions 7:181–194.
- Luijten, S. H., J. Gerard, M. J. B. Oostermeijer, N. C. vanLeeuwen, and H. C. M. denNijs, 1996. Reproductive success and clonal genetic structure of the rare *Arnica montana* (Compositae) in the Netherlands. Pl. Syst. Evol. 201:15–30.
- Luijten, S. H., M. Kery, J. G. B. Oostermeijer, and H. C. M. Den Nijs, 2002. Demographic consequences of inbreeding and outbreeding in *Arnica montana*: a field experiment. J. Ecol. 90:593–603.
- Lumer, C., 2000. Montverde: Ecology and Conservation of a Tropical Cloud Forest, chap. The reproductive biology of *Blakea* and *Topobea* (Melastomataceae). Oxford Univ Press.
- Lundqvist, A., 1992. The self-incompatibility system in *Caltha palustris* (Ranunculaceae). Hereditas 117:145–151.

- Mable, B. K., A. V. Robertson, S. Dart, C. Di Berardo, and L. Witham, 2005. Breakdown of self-incompatibility in the perennial *Arabidopsis lyrata* (Brassicaceae) and its genetic consequences. *Evolution* 59:1437–48.
- Machado, I. C., A. V. Lopes, and M. Sazima, 2006. Plant sexual systems and a review of the breeding system studies in the Caatinga, a Brazilian tropical dry forest. *Ann. Bot.* 97:277–87.
- MacKenzie, K., 1997. Pollination requirements of three highbush blueberry (*Vaccinium corymbosum* L.) cultivars. *J. Am. Soc. Hortic. Sci.* 122:891–896.
- Mahy, G. and A. Jacquemart, 1998. Mating system of *Calluna vulgaris*: self-sterility and outcrossing estimations. *Can. J. Bot.* 76:37–42.
- , 1999. Early inbreeding depression and pollen competition in *Calluna vulgaris* (L.) Hull. *Ann. Bot.* 83:697–704.
- Mal, T., J. Lovett-Doust, and L. Lovett-Doust, 1999. Maternal and paternal success among flower morphs in tristylous *Lythrum salicaria*. *Aquat. Bot.* 63:229–239.
- Manasse, R. and K. Pinney, 1991. Limits to reproductive success in a partially self-incompatible herb-fecundity depression at serial life-cycle stages. *Evolution* 45:712–720.
- Mangla, Y. and R. Tandon, 2011. Insects facilitate wind pollination in pollen-limited *Crateva adansonii* (Capparaceae). *Australian Journal of Botany* 59:61–69.
- Mansur, L., M. Gonzalez, I. Rojas, and P. Salas, 2004. Self-incompatibility in the Chilean endemic genus *Leucocoryne* Lindley. *J. Am. Soc. Hortic. Sci.* 129:836–838.
- Marco, D. E. and M. T. K. Arroyo, 1998. The breeding system of *Oxalis squamata*, a tristylous South American species. *Bot. Acta* 111:497–504.
- Martin, M. and T. Lee, 1993. Self-pollination and resource availability affect ovule abortion in *Cassia fasciculata* (Caesalpiniaceae). *Oecologia* 94:503–509.

- Martínez-García, P. J., E. Ortega, and F. Dicenta, 2011. Self-pollination does not affect fruit set or fruit characteristics in almond (*Prunus dulcis*). *Plant Breeding In press*.
- Martinez-Reyna, J. and K. Vogel, 2002. Incompatibility systems in switchgrass. *Crop. Sci.* 42:1800–1805.
- Massinga, P., S. Johnson, and L. Harder, 2005. Heteromorphic incompatibility and efficiency of pollination in two distylous *Pentanisia* species (Rubiaceae). *Ann. Bot.* 95:389–399.
- Masuelli, R. W. and E. L. Camadro, 1997. Crossability relationships among wild potato species with different ploidies and endosperm balance numbers. *Euphytica* 94:227–235.
- Matallana, G., M. A. S. Godinho, F. A. G. Guilherme, M. Belisario, T. S. Coser, and T. Wendt, 2010. Breeding systems of Bromeliaceae species: evolution of selfing in the context of sympatric occurrence. *Plant Systematics and Evolution* 289:57–65.
- Mateu, I. and S. Figueres, 1998. Breeding system of three taxa of *Chaenorhinum* (DC) Rchb. (Scrophulariaceae) of the Iberian Peninsula: *C. organifolium* (L.) Fourr. subsp. *cadevallä* (Bolos & Vigo) Lainz, *C. organifolium* (L.) Fourr. subsp. *crassifolium* (Cav.) Rivas Goday & Borja and *C. tenellum* (Cav.) Lange. *Acta Bot. Bras.* 145:69–79.
- Mateu-Andres, I. and J. Segarra-Moragues, 2004. Reproductive system in the Iberian endangered endemic *Antirrhinum valentinum* FQ (Antirrhineae, Scrophulariaceae): Consequences for species conservation. *Int. J. Plant. Sci.* 165:773–778.
- Matthews, M. and M. Sedgley, 1998. Breeding system of *Dryandra quercifolia* and *D. formosa* (Proteaceae). *Aust. J. Bot.* 46:439–452.
- Mavraganis, K., 1998. Reproductive ecology and population biology of *Aquilegia canadensis*. Master's thesis, Queen's University.
- McDade, L. A., 1985. Breeding systems of Central American *Aphelandra* (Acanthaceae). *Am. J. Bot.* 72:1515–1521.

- McIntosh, M., 2002. Plant size, breeding system, and limits to reproductive success in two sister species of *Ferocactus* (Cactaceae). *Plant Ecol.* 162:273–288.
- McKee, J. and A. Richards, 1998. The effect of temperature on reproduction in five *Primula* species. *Ann. Bot.* 82:359–374.
- McKone, M., C. Lund, and J. O'Brien, 1998. Reproductive biology of two dominant prairie grasses (*Andropogon gerardii* and *Sorghastrum nutans*, Poaceae): Male-biased sex allocation in wind-pollinated plants? *Am. J. Bot.* 85:776–783.
- McMullen, C., 1987. Breeding systems of selected Galapagos islands angiosperms. *Am. J. Bot.* 74:1694–1705.
- McMullen, C. K., 2007. Pollination biology of the Galapagos endemic, *Tournefortia rufo-sericea* (Boraginaceae). *Bot. J. Linn. Soc.* 153:21–31.
- , 2009. Pollination biology of a night-flowering Galapagos endemic, *Ipomoea habeliana* (Convolvulaceae). *Botanical Journal of the Linnean Society* 160:11–20.
- Medan, D., 1993. Breeding system and maternal success of a perennial hermaphrodite, *Discaria americana* (Rhamnaceae). *New. Zeal. J. Bot.* 31:175–184.
- Medan, D. and M. Arce, 1999. Reproductive biology of the Andean disjunct genus *Retanilla* (Rhamnaceae). *Pl. Syst. Evol.* 218:281–298.
- Medan, D. and A. Basilio, 2001. Reproductive biology of *Colletia spinosissima* (Rhamnaceae) in Argentina. *Pl. Syst. Evol.* 229:79–89.
- Medan, D. and V. Vasellati, 1996. Nonrandom mating in *Discaria americana* (Rhamnaceae). *Pl. Syst. Evol.* 201:233–241.
- Mehlenbacher, S. and D. Smith, 1991. Partial self-compatibility in Tombul and Montebello hazelnuts. *Euphytica* 56:231–236.

- Melendez-Ackerman, E. and J. Ackerman, 2001. Density-dependent variation in reproductive success in a terrestrial orchid. *Pl. Syst. Evol.* 227:27–36.
- Mendonça, K. and P. E. Oliveira, 2008. Biologia floral e sistema reprodutivo de *Faramea cyanea* Müll. Arg. (Rubiaceae), uma espécie distílica do Cerrado. *Horiz. Cient.* 1:p1–16.
- Micheneau, C., J. Fournel, B. H. Warren, S. Hugel, A. Gauvin-Bialecki, T. Pailler, D. Strasberg, and M. W. Chase, 2010. Orthoptera, a new order of pollinator. *Annals of Botany* 105:355–364.
- Miller, J. and D. Venable, 2002. The transition to gender dimorphism on an evolutionary background of self-incompatibility: An example from *Lycium* (Solanaceae). *Am. J. Bot.* 89:1907–1915.
- Miller, J. S., R. A. Levin, and N. M. Feliciano, 2008. A tale of two continents: Baker’s rule and the maintenance of self-incompatibility in *Lycium* (Solanaceae). *Evolution* 62:1052–1065.
- Montaner, C., E. Floris, and J. M. Alvarez, 2000. Is self-compatibility the main breeding system in borage (*Borago officinalis* L.)? *Theor. Appl. Genet.* 101:185–189.
- Morales, C. and L. Galetto, 2003. Influence of compatibility system and life form on plant reproductive success. *Plant Biol.* 5:567–573.
- Morbia, R., 1996. Reproductive biology of the perennial desert shrub, *Thymelaea hirsuta*: Studies in gender, self-fertility and architecture. Master’s thesis, University of Windsor.
- Morillo, I. M. R., F. C. May, G. Carnevali, and F. M. Pat, 2009. It takes two to tango: self incompatibility in the bromeliad *Tillandsia streptophylla* (Bromeliaceae) in Mexico. *Rev. Biol. Trop.* 57:761–770.
- Motten, A. and J. Antonovics, 1992. Determinants of outcrossing rate in a predominantly self-fertilizing weed, *Datura stramonium* (Solanaceae). *Am. J. Bot.* 79:419–427.

- Motten, A. F., 1986. Pollination ecology of the spring wildflower community of a temperate deciduous forest. *Ecol. Monogr.* 56:21–42.
- Muller, N., J. Schneller, and R. Holderegger, 2000. Variation in breeding system among populations of the common woodland herb *Anemone nemorosa* (Ranunculaceae). *Pl. Syst. Evol.* 221:69–76.
- Mulvaney, C., B. Molano-Flores, and D. Whitman, 2004. The reproductive biology of *Agalinis auriculata* (Michx.) Raf. (Orobanchaceae), a threatened North American prairie inhabitant. *Int. J. Plant. Sci.* 165:605–614.
- Murray, B., K. Hammett, and F. Grigg, 1992. Seed set and breeding system in the pepino *Solanum muricatum* Ait. Solanaceae. *Sci. Hort.* 49:83–92.
- Nagamitsu, T. and T. Inoue, 1997. Cockroach pollination and breeding system of *Uvaria elmeri* (Annonaceae) in a lowland mixed dipterocarp forest in Sarawak. *Am. J. Bot.* 84:208–213.
- Nassar, J. and N. Ramirez, 2004. Reproductive biology of the melon cactus, *Melocactus curvispinus* (Cactaceae). *Pl. Syst. Evol.* 248:31–44.
- Nassar, J., N. Ramirez, and O. Linares, 1997. Comparative pollination biology of Venezuelan columnar cacti and the role of nectar-feeding bats in their sexual reproduction. *Am. J. Bot.* 84:918–927.
- Nautiyal, B., M. Nautiyal, N. Rawat, and A. Nautiyal, 2009. Reproductive biology and breeding system of *Aconitum balfourii* (Benth) Muk: A high altitude endangered medicinal plant of Garhwal Himalaya, India. *Research Journal of Medicinal Plant* 3:61–68.
- Nayak, K. G. and P. Davidar, 2010. Pollinator limitation and the effect of breeding systems on plant reproduction in forest fragments. *Acta Oecol.* 36:191–196.

- Ndoye, M., I. Diallo, and Y. Gassama-Dia, 2004. Reproductive biology in *Balanites aegyptiaca* (L). Del., a semi-arid forest tree. Afr. J. Biotechnol. 3:40–46.
- Neill, D. A., 1988. Experimental studies on species relationship in *Erythrina* (Leguminosae, Papilionoideae). Ann. Mo. Bot. Gard. 75:886–969.
- Nerd, A., V. Irijimovich, and Y. Mizrahi, 1998. Phenology, breeding system and fruit development of Argan (*Argania spinosa*, Sapotaceae] cultivated in Israel. Econ. Bot. 52:161–167.
- Newstrom, L. and A. Robertson, 2005. Progress in understanding pollination systems in New Zealand. New. Zeal. J. Bot. 43:1–59.
- Ng, S. and R. Corlett, 2000. Comparative reproductive biology of the six species of *Rhododendron* (Ericaceae) in Hong Kong, South China. Can. J. Bot. 78:221–229.
- Nielsen, L., H. Siegismund, and M. Philipp, 2003. Partial self-incompatibility in the polyploid endemic species *Scalesia affinis* (Asteraceae) from the Galapagos: remnants of a self-incompatibility system? Bot. J. Linn. Soc. 142:93–101.
- Nielsen, L. R., H. R. Siegismund, and T. Hansen, 2007. Inbreeding depression in the partially self-incompatible endemic plant species *Scalesia affinis* (Asteraceae) from Galapagos islands. Evol. Ecol. 21:1–12.
- Nilsson, L. and E. Rabakonandrianina, 1988. Hawk-moth scale analysis and pollination specialization in the epilithic Malagasy endemic *Aerangis ellisii* (Reichenb Fil) Schltr (Orchidaceae). Bot. J. Linn. Soc. 97:49–61.
- Norderhaug, A., 1995. Mating systems of 3 meadow plant-species. Nord. J. Bot. 15:243–250.
- Norman, E., 2003. Reproductive biology of *Deeringothamnus rugelii* and *D. pulchellus* (Annonaceae). Taxon 52:547–555.

- Norman, E., K. Rice, and S. Cochran, 1992. Reproductive biology of *Asimina parviflora* (Annonaceae). B. Torrey Bot. Club 119:1–5.
- Nuortila, C., M. Kytoviita, and J. Tuomi, 2004. Mycorrhizal symbiosis has contrasting effects on fitness components in *Campanula rotundifolia*. New Phytologist 164:543–553.
- Nuortila, C., J. Tuomi, and K. Laine, 2002. Inter-parent distance affects reproductive success in two clonal dwarf shrubs, *Vaccinium myrtillus* and *Vaccinium vitis idaea* (Ericaceae). Can. J. Bot. 80:875–884.
- Oakley, C. G., 2004. Inbreeding depression and mating system evolution in the perennial herb *Viola septemloba*; and the evolutionary maintenance of cleistogamy. Master's thesis, The Florida State University.
- O'Connell, L. and K. Ritland, 2005. Post-pollination mechanisms promoting outcrossing in a self-fertile conifer, *Thuja plicata* (Cupressaceae). Can. J. Bot. 83:335–342.
- Oh, G., M. Chung, S. Chung, and M. Chung, 2001. Contrasting breeding systems: *Liparis kumokiri* and *L. makinoana* (Orchidaceae). Ann. Bot. Fenn. 38:281–284.
- Okubo, S., M. Yamada, T. Yamaura, and T. Akita, 2010. Effects of the pistil size and self-incompatibility on fruit production in *Curculigo latifolia* (Liliaceae). Journal of the Japanese Society For Horticultural Science 79:354–359.
- Oliveira, P. and P. Gibbs, 2000. Reproductive biology of woody plants in a cerrado community of Central Brazil. Flora 195:311–329.
- Oliveira, P., P. Gibbs, and A. Barbosa, 2004. Moth pollination of woody species in the Cerrados of Central Brazil: a case of so much owed to so few? Pl. Syst. Evol. 245:41–54.
- Oliveira, P., P. Gibbs, and M. Bianchi, 1991. Pollination and breeding system of *Vellozia squamata* (Liliales, Velloziaceae) - a species of the Brazilian cerrados. Bot. Acta 104:392–398.

- Oliveira-Filho, A. and L. C. A. Oliveira, 1988. Biologia floral de uma população de *Solanum lycocarpum* St. Hil. (Solanaceae) em Lavras. Rev. Bras. Bot. 11:23–32.
- Oloumi, H. and F. Rezanezhad, 2009. Response of pollen tube growth and seed set to controlled pollination and their relation to self-incompatibility in different cultivars of *Petunia hybrida*. Grana 48:102–108.
- Oneil, P., 1994. Genetic incompatibility and offspring quality in the tristylous plant *Lythrum salicaria* (Lythraceae). Am. J. Bot. 81:76–84.
- Ornduff, R., 1992. Intrapopulation variation in the breeding system of *Villarsia lasiosperma* (Menyanthaceae), a distylous species. Pl. Syst. Evol. 180:227–233.
- Ortega-Olivencia, A., J. Paredes, T. Rodriguez-Riano, and J. Devesa, 1998. Modes of self-pollination and absence of cryptic self-incompatibility in *Drosophyllum lusitanicum* (Droseraceae). Bot. Acta 111:474–480.
- Ortiz, M., S. Talavera, J. Garcia-Castano, K. Tremetsberger, T. Stuessy, F. Balao, and R. Casimiro-Soriguer, 2006. Self-incompatibility and floral parameters in *Hypochaeris* sect. *Hypochaeris* (Asteraceae). Am. J. Bot. 93:234–244.
- Ortiz, P., M. Arista, and S. Talavera, 2000. Pollination and breeding system of *Putoria calabrica* (Rubiaceae), a Mediterranean dwarf shrub. Plant Biol. 2:325–330.
- Owen, K., G. Vaughton, and M. Ramsey, 2007. Facilitated autogamy and costs of selfing in the perennial herb *Bulbine bulbosa* (Asphodelaceae). Int. J. Plant. Sci. 168:579–585.
- Ozaki, Y., M. Kanda, I. Miyajima, and H. Okubo, 2003. Variation of self-incompatibility in *Camellia japonica* L. cultivars. J. Fac. Agr., Kyushu Univ. 47:251–255.
- Padrutt, J., H. Pellett, and P. Ascher, 1992. Postpollination reproductive biology of *Rhododendron prinophyllum* (Small) Millais. J. Am. Soc. Hortic. Sci. 117:656–662.

- Page, T., G. M. Moore, J. Will, and G. M. Halloran, 2010. Breeding behaviour of *Kunzea pomifera* (Myrtaceae): self-incompatibility, intraspecific and interspecific cross-compatibility. *Sex Plant Reprod* 23:239–53.
- Pailler, T. and J. Thompson, 1997. Distyly and variation in heteromorphic incompatibility in *Gaertnera vaginata* (Rubiaceae) endemic to La Reunion Island. *Am. J. Bot.* 84:315–327.
- Passos, L. and M. Sazima, 1995. Reproductive biology of the distylous *Manettia luteo rubra* (Rubiaceae). *Bot. Acta* 108:309–313.
- Pellmyr, O. and E. Augenstein, 1997. Pollination biology of *Hesperaloe parviflora*. *SW Nat.* 42:182–187.
- Pendleton, B. and R. Pendleton, 1998. Pollination biology of *Coleogyne ramosissima* (Rosaceae). *SW Nat.* 43:376–380.
- Perez-Barrales, R., P. Vargas, and J. Arroyo, 2006. New evidence for the Darwinian hypothesis of heterostyly: breeding systems and pollinators in *Narcissus* sect. *Apodanthi*. *New Phytologist* 171:553–567.
- Petanidou, T., J. Dennijs, J. Oostermeijer, and A. Ellisadam, 1995. Pollination ecology and patch dependent reproductive success of the rare perennial *Gentiana pneumonanthe* L. *New Phytologist* 129:155–163.
- Petanidou, T., A. Ellis-Adam, H. Den Nijs, and J. Oostermeijer, 2001. Differential pollination success in the course of individual flower development and flowering time in *Gentiana pneumonanthe* L. (Gentianaceae). *Bot. J. Linn. Soc.* 135:25–33.
- Peter, C., A. Dold, N. Barker, and B. Ripley, 2004. Pollination biology of *Bergeranthus multiceps* (Aizoaceae) with preliminary observations of repeated flower opening and closure. *S. Afr. J. Sci.* 100:624–629.

- Peter, C. I. and S. D. Johnson, 2006. Anther cap retention prevents self-pollination by elaterid beetles in the South African orchid *Eulophia foliosa*. *Ann. Bot.* 97:345–355.
- , 2009. Autonomous self-pollination and pseudo-fruit set in South African species of *Eulophia* (Orchidaceae). *South African Journal of Botany* 75:791–797.
- Peters, W. and N. Anderson, 2006. Statistical discrimination between pollen tube growth and seed set in establishing self incompatibility in *Gaura lindheimeri*. *Euphytica* 149:237–250.
- Philipp, M. and L. R. Nielsen, 2010. Reproductive ecology of *scalesia cordata* (Asteraceae), an endangered species from the Galapagos Islands. *Botanical Journal of the Linnean Society* 162:496–503.
- Pias, B. and P. Guitian, 2006. Breeding system and pollen limitation in the masting tree *Sorbus aucuparia* L. (Rosaceae) in the NW Iberian Peninsula. *Acta Oecol.* 29:97–103.
- Pickering, C., 1997. Breeding systems of Australian *Ranunculus* in the alpine region. *Nord. J. Bot.* 17:613–620.
- Pico, F. and T. Koubek, 2003. Inbreeding effects on fitness traits in the heterocarpic herb *Leontodon autumnalis* L. (Asteraceae). *Acta Oecol.* 24:289–294.
- Pico, F., N. Ouborg, and J. Van Groenendael, 2004. Influence of selfing and maternal effects on life-cycle traits and dispersal ability in the herb *Hypochaeris radicata* (Asteraceae). *Bot. J. Linn. Soc.* 146:163–170.
- Pinto Juhasz, A. C., S. Pimenta, B. O. Soares, D. d. L. Batista Moraes, and H. d. O. Rabello, 2009. Floral biology and artificial polinization in physic nut in the north of Minas Gerais state, Brazil. *Pesqui. Agropecu. Bras.* 44:1073–1077.
- Pound, L., M. Wallwork, B. Potts, and M. Sedgley, 2002a. Early ovule development following self- and cross-pollinations in *Eucalyptus globulus* Labill. ssp. *globulus*. *Ann. Bot.* 89:613–620.

- , 2002b. Self-incompatibility in *Eucalyptus globulus* ssp *globulus* (Myrtaceae). Aust. J. Bot. 50:365–372.
- , 2003. Pollen tube growth and early ovule development following self- and cross-pollination in *Eucalyptus nitens*. Sex. Plant. Reprod. 16:59–69.
- Pounders, C., S. Reed, and M. Pooler, 2006. Comparison of self- and cross-pollination on pollen tube growth, seed development, and germination in crapemyrtle. Hortscience 41:575–578.
- Proença, C. and P. Gibbs, 1994. Reproductive biology of 8 sympatric Myrtaceae from central Brazil. New Phytologist 126:343–354.
- Raju, A. and S. Rao, 2006. Pollination by bees and passerine birds and seed dispersal by monkeys in the white teak *Gmelina arborea* Roxb., a commercially important timber tree species in the Eastern Ghats. Current Science 90:232–236.
- Raju, A. J. S. and S. P. Rao, 2002. Pollination ecology and fruiting behaviour in *Acacia sinuata* (Lour.) Merr. (Mimosaceae), a valuable non-timber forest plant species. Current Science 82:1466–1471.
- Raju, A. J. S., S. P. Rao, and V. Ezradanam, 2004. Bird-pollination in *Sterculia colorata* Roxb. (Sterculiaceae), a rare tree species in the Eastern Ghats of Visakhapatnam and East Godavari Districts of Andhra Pradesh. Current Science 87:28–31.
- Rambuda, T. and S. Johnson, 2004. Breeding systems of invasive alien plants in South Africa: does Baker’s rule apply? Divers Distrib 10:409–416.
- Ramirez, N. and Y. Brito, 1990. Reproductive biology of a tropical palm swamp community in the Venezuelan llanos. Am. J. Bot. 77:1260–1271.
- Ramirez, N. and L. Navarro, 2010. Trends in the reproductive biology of Venezuelan *Melochia* (Malvaceae) species. Plant Systematics and Evolution 289:147–163.

- Ramirez, N. and A. Seres, 1994. Plant reproductive biology of herbaceous monocots in a Venezuelan tropical cloud forest. *Pl. Syst. Evol.* 190:129–142.
- Ramirez, N., C. Sobrevila, N. Deenrech, and T. Ruiz-Zapata, 1984. Floral biology and breeding system of *Bauhinia benthamiana* Taub (Leguminosae), a bat pollinated tree in Venezuelan llanos. *Am. J. Bot.* 71:273–280.
- Ramirez Morillo, I. M., F. Chi May, G. Carnevali, and F. May Pat, 2009. It takes two to tango: self incompatibility in the bromeliad *Tillandsia streptophylla* (Bromeliaceae) in Mexico. *Rev. Biol. Trop.* 57:761–770.
- Ramsey, M., 1995. Ovule preemption and pollen limitation in a self-fertile perennial herb (*Blandfordia grandiflora*, Liliaceae). *Oecologia* 103:101–108.
- Ramsey, M., N. Prakash, and S. Cairns, 1993. Breeding systems of disjunct populations of Christmas Bells (*Blandfordia grandiflora* R. Br., Liliaceae) - variation in self-fertility and an ovular mechanism regulating self-fertilization. *Aust. J. Bot.* 41:35–47.
- Ramsey, M. and G. Vaughton, 1991. Self-incompatibility, protandry, pollen production and pollen longevity in *Banksia menziesii*. *Aust. J. Bot.* 39:497–504.
- , 2000. Pollen quality limits seed set in *Burchardia umbellata* (Colchicaceae). *Am. J. Bot.* 87:845–852.
- Ramsey, M., G. Vaughton, and R. Peakall, 2006. Inbreeding avoidance and the evolution of gender dimorphism in *Wurmbea biglandulosa* (Colchicaceae). *Evolution* 60:529–537.
- Rao, S. P. and A. J. S. Raju, 2002. Pollination ecology of the Red Sanders *Pterocarpus santalinus* (Fabaceae), an endemic and endangered tree species. *Curr. Sci.* 83:1144–1148.
- Rasmussen, K. and J. Kollmann, 2004. Poor sexual reproduction on the distribution limit of the rare tree *Sorbus torminalis*. *Acta Oecol.* 25:211–218.
- Rathcke, B., 1988. Flowering phenologies in a shrub community – competition and constraints. *J. Ecol.* 76:975–994.

- Ratnayake, R., Y. Su, I. Gunatilleke, D. Wijesundara, and R. Saunders, 2006. Reproductive biology of two sympatric species of *Polyalthia* (Annonaceae) in Sri Lanka. II. Breeding systems and population genetic structure. *Int. J. Plant. Sci.* 167:495–502.
- Real, D., M. Dalla Rizza, R. Reyno, and K. H. Quesenberry, 2007. Breeding system of the aerial flowers in an amphicarpic clover species: *Trifolium polymorphum*. *Crop. Sci.* 47:1401–1406.
- Reed, S., 2004. Self-incompatibility and time of stigma receptivity in two species of *Hydrangea*. *Hortscience* 39:312–315.
- , 2006. Reproductive biology of *Clethra alnifolia*. *Hortscience* 41:567–570.
- Reed, S. M., 2003. Self-fertility and time of stigma receptivity in *Styrax japonicum*. *Hortscience* 38:429–431.
- Richards, J. and S. Koptur, 1993. Floral variation and distyly in *Guettarda scabra* (Rubiaceae). *Am. J. Bot.* 80:31–40.
- Richardson, A. and P. Anderson, 1996. Hand pollination effects on the set and development of cherimoya (*Annona cherimola*) fruit in a humid climate. *Sci. Hort.* 65:273–281.
- Rick, C., J. Fobes, and M. Holle, 1977. Genetic variation in *Lycopersicon pimpinellifolium* – evidence of evolutionary change in mating systems. *Pl. Syst. Evol.* 127:139–170.
- Riveros, M., A. Humana, and M. Arroyo, 1996. Reproductive systems in plants of the Valdivian forest (Latitude 40 degrees south). *Phyton-Int. J. Exp. Bot.* 58:167–176.
- Riveros, M., M. Parades, M. Rosas, E. Cardenas, J. Armesto, M. Arroyo, and B. Palma, 1995. Reproductive biology in species of the genus *Nothofagus*. *Environ. Exp. Bot.* 35:519–524.
- Robertson, A., D. Kelly, J. Ladley, and A. Sparrow, 1999. Effects of pollinator loss on endemic New Zealand mistletoes (Loranthaceae). *Conservat. Biol.* 13:499–508.

- Rodriguez-Perez, J., 2005. Breeding system, flower visitors and seedling survival of two endangered species of *Helianthemum* (Cistaceae). *Ann. Bot.* 95:1229–1236.
- Rodriguez-Riano, T., A. Ortega-Olivencia, and J. Devesa, 1999. Reproductive biology in two *Genisteae* (Papilionoideae) endemic of the western Mediterranean region: *Cytisus striatus* and *Retama sphaerocarpa*. *Can. J. Bot.* 77:809–820.
- , 2004. Reproductive biology in *Cytisus multiflorus* (Fabaceae). *Annales Botanici Fennici* 41:179–188.
- Roitman, G., 1999. Pollination biology of *Grindelia covasii* (Asteraceae), a potential crop for arid lands. *J. Arid. Environ.* 43:103–110.
- Roldan Serrano, A., Anan Serrano and J. Guerra-Sanz, 2006. Quality fruit improvement in sweet pepper culture by bumblebee pollination. *Sci. Hort.* 110:160–166.
- Rosquist, G., 2001. Reproductive biology in diploid *Anthericum ramosum* and tetraploid *A. liliago* (Anthericaceae). *Oikos* 92:143–152.
- le Roux, L. G. and P. J. Robbertse, 1997. Aspects relating to seed production in *Gloriosa superba* L. *S. Afr. J. Bot.* 63:191–197.
- Rovere, A., C. Smith-Ramirez, J. Armesto, and A. Premoli, 2006. Breeding system of *Embothrium coccineum* (Proteaceae) in two populations on different slopes of the Andes. *Rev. Chil. Hist. Nat.* 79:225–232.
- Roy, A., D. Malaviya, and P. Kaushal, 2005. Pollination behaviour among different breeding populations of Egyptian clover. *Plant Breed.* 124:171–175.
- Ruckelshaus, M. H., 1995. Estimates of outcrossing rates and of inbreeding depression in a population of the marine angiosperm *Zostera marina*. *Mar. Biol.* 123:583–593.
- Rugkhla, A., J. McComb, and M. Jones, 1997. Intra- and inter-specific pollination of *Santalum spicatum* and *S. album*. *Aust. J. Bot.* 45:1083–1095.

- Ruhsam, M., P. M. Hollingsworth, J. Squirrell, and R. A. Ennos, 2010. Significant differences in outcrossing rate, self-incompatibility, and inbreeding depression between two widely hybridizing species of Geum. *Biological Journal of the Linnean Society* 101:977–990.
- Ruiz-Zapata, T. and M. Arroyo, 1978. Plant reproductive ecology of a secondary deciduous tropical forest in Venezuela. *Biotropica* 10:221–230.
- Russell, S. K., E. W. Schupp, and V. J. Tepedino, 1998. Reproductive biology of curleaf mountain mahogany, *Cercocarpus ledifolius* (Rosaceae): Self-compatibility, pollen limitation, and wind pollination. *Plant Species Biol.* 13:7–12.
- Rymer, P., E. Morris, and B. Richardson, 2002. Breeding system and population genetics of the vulnerable plant *Dillwynia tenuifolia* (Fabaceae). *Austral Ecol.* 27:241–248.
- Rymer, P., R. Whelan, D. Ayre, P. Weston, and K. Russell, 2005. Reproductive success and pollinator effectiveness differ in common and rare *Persoonia* species (Proteaceae). *Biol. Conservat.* 123:521–532.
- Sage, T., S. Griffin, V. Pontieri, P. Drobac, W. Cole, and S. Barrett, 2001. Stigmatic self-incompatibility and mating patterns in *Trillium grandiflorum* and *Trillium erectum* (Metanthiaceae). *Ann. Bot.* 88:829–841.
- Sage, T. and F. Sampson, 2003. Evidence for ovarian self-incompatibility as a cause of self-sterility in the relictual woody angiosperm, *Pseudowintera axillaris* (Winteraceae). *Ann. Bot.* 91:807–816.
- Sage, T., F. Strumas, W. Cole, and S. Barrett, 1999. Differential ovule development following self- and cross-pollination: The basis of self-sterility in *Narcissus triandrus* (Amaryllidaceae). *Am. J. Bot.* 86:855–870.
- Samaha, R. and T. Boyle, 1989. Self-incompatibility of *Zinnia angustifolia* HBK (Compositae) .2. Genetics. *J. Hered.* 80:368–372.

- Sanchez-Lafuente, A., P. Rey, J. Alcantara, and F. Valera, 1999. Breeding system and the role of floral visitors in seed production of a ‘few-flowered’ perennial herb, *Paeonia broteroi* Boiss. & Reut. (Paeoniaceae). *Ecoscience* 6:163–172.
- Sandvik, S., O. Totland, and J. Nylehn, 1999. Breeding system and effects of plant size and flowering time on reproductive success in the alpine herb *Saxifraga stellaris* L. *Arct. Antarct. Alp. Res.* 31:196–201.
- Sapir, Y., A. Shmida, and G. Ne’eman, 2005. Pollination of *Oncocyclus irises* (Iris : Iridaceae) by night-sheltering male bees. *Plant Biol.* 7:417–424.
- Saraiva, L., O. Cesar, and R. Monteiro, 1996. Breeding systems of shrubs and trees of a Brazilian savanna. *Arq. Biol. e Tecnol.* 39:751–763.
- Sarracino, J. and N. Vorsa, 1991. Self and cross fertility in cranberry. *Euphytica* 58:129–136.
- Sato, T., 1997. Mode of fertilization and its individual variation in *Larix gmelinii* var. *japonica*. *Silvae Genet.* 46:146–151.
- Saunders, N. E. and S. D. Sipes, 2006. Reproductive biology and pollination ecology of the rare Yellowstone Park endemic *Abronia ammophila* (Nyctaginaceae). *Plant Species Biol.* 21:75–84.
- Sawyer, N. W., 2010. Reproductive ecology of *Trillium recurvatum* (Trilliaceae) in Wisconsin. *Am. Midl. Nat.* 163:146–160.
- Sazima, M., S. Buzato, and I. Sazima, 2003. *Dyssochroma vitidiflorum* (Solanaceae): a reproductively bat-dependent epiphyte from the Atlantic rainforest in Brazil. *Ann. Bot.* 92:725–730.
- Scheffknecht, S., S. Dullinger, G. Grabherr, and K. Huelber, 2007. Mating systems of snowbed plant species of the northeastern Calcareous Alps of Austria. *Acta Oecol.* 31:203–209.

- Schemske, D. W., 1983. Breeding system and habitat effects on fitness components in 3 neotropical *Costus* (Zingiberaceae). *Evolution* 37:523–539.
- Schmidt-Adam, G., K. Gould, and B. Murray, 1999. Floral biology and breeding system of pohutukawa (*Metrosideros excelsa*, Myrtaceae). *New. Zeal. J. Bot.* 37:687–702.
- Schneemilch, M. and E. Steggles, 2010. The mating system of *Acrotriche serrulata* (Ericaceae). *Aust. J. Bot.* 58:124–132.
- Schuster, A., I. Noymeir, C. Heyn, and A. Dafni, 1993. Pollination-dependent female reproductive success in a self-compatible outcrosser, *Asphodelus aestivus* Brot. *New Phytologist* 123:165–174.
- Schwartz-Tzachor, R., D. Eisikowitch, and A. Dafni, 2008. Flower characteristics and breeding system of two phenological ecotypes of *Cyclamen persicum* Mill. (Myrsinaceae) in Israel. *Pl. Syst. Evol.* 274:127–134.
- Seavey, S. and S. Carter, 1994. Self-sterility in *Epilobium obcordatum* (Onagraceae). *Am. J. Bot.* 81:331–338.
- Sedgley, M., 1983. Pollen-tube growth in *Macadamia*. *Sci. Hort.* 18:333–341.
- Sedgley, M., J. Harbard, R. Smith, R. Wickneswari, and A. Griffin, 1992. Reproductive-biology and interspecific hybridization of *Acacia mangium* and *Acacia auriculiformis* Cunn,a ex benth (Leguminosae, Mimosoideae). *Australian Journal of Botany* 40:37–48.
- Seed, L., G. Vaughton, and M. Ramsey, 2006. Delayed autonomous selfing and inbreeding depression in the Australian annual *Hibiscus trionum* var. *vesicarius* (Malvaceae). *Aust. J. Bot.* 54:27–34.
- Segal, B., Y. Sapir, and Y. Carmel, 2006. Fragmentation and pollination crisis in the self-incompatible *Iris bismarckiana* (Iridaceae), with implications for conservation. *Isr. J. Ecol. Evol.* 52:111–122.

- Seguel, I., M. Riveros, C. Lehnebach, and A. Torres, 1999. Reproductive and phenological development of *Ugni molinae* Turcz. (Myrtaceae). *Phyton-Int. J. Exp. Bot.* 65:13–21.
- Shafer, G., B. Burson, and M. Hussey, 2000. Stigma receptivity and seed set in protogynous buffelgrass. *Crop. Sci.* 40:391–397.
- Shiell, K., R. St-Pierre, and A. Zatylny, 2002. Timing, magnitude and causes of flower and immature fruit loss in pin cherry and choke cherry. *Can J Plant Sci* 82:157–164.
- Shuttleworth, A. and S. D. Johnson, 2006. Specialized pollination by large spider-hunting wasps and self-incompatibility in the African milkweed *Pachycarpus asperifolius*. *Int. J. Plant. Sci.* 167:1177–1186.
- , 2008. Bimodal pollination by wasps and beetles in the African milkweed *Xysmalobium undulatum*. *Biotropica* 40:568–574.
- , 2009. Specialized pollination in the African milkweed *Xysmalobium orbiculare*: a key role for floral scent in the attraction of spider-hunting wasps. *Plant Systematics and Evolution* 280:37–44.
- Sigrist, M. and M. Sazima, 2004. Pollination and reproductive biology of twelve species of neotropical Malpighiaceae: Stigma morphology and its implications for the breeding system. *Ann. Bot.* 94:33–41.
- Smidt, E., V. Silva-Pereira, and E. Borba, 2006. Reproductive biology of two *Cattleya* (Orchidaceae) species endemic to north-eastern Brazil. *Plant Species Biol.* 21:85–91.
- Smith, S. D. and D. A. Baum, 2007. Systematics of *Iochrominae* (Solanaceae): Patterns in floral diversity and interspecific crossability. *Acta Hortic.* 745:241:254.
- Snow, A. and T. Spira, 1991. Differential pollen-tube growth-rates and nonrandom fertilization in *Hibiscus moscheutos* (Malvaceae). *Am. J. Bot.* 78:1419–1426.
- Sobrevila, C. and M. Arroyo, 1982. Breeding systems in a montane tropical cloud forest in Venezuela. *Pl. Syst. Evol.* 140:19–37.

- Somanathan, H. and R. Borges, 2001. Nocturnal pollination by the carpenter bee *Xylocopa tenuiscapa* (Apidae) and the effect of floral display on fruit set of *Heterophragma quadriloculare* (Bignoniaceae) in India. *Biotropica* 33:78–89.
- Sorensen, F., 1999. Relationship between self-fertility, allocation of growth, and inbreeding depression in three coniferous species. *Evolution* 53:417–425.
- , 2001. Effect of population outcrossing rate on inbreeding depression in *Pinus contorta* var. *murrayana* seedlings. *Scand. J. Forest. Res.* 16:391–403.
- Sousa-Pena, M., 2001. Systematic and reproductive biology of the genus *Witheringia* L'Her. (Solanaceae). Ph.D. thesis, The University of Connecticut.
- de Souza, M. S. and G. A. Venturieri, 2010. Floral biology of Cacauihy (*Theobroma speciosum* - Malvaceae). *Brazilian Archives of Biology and Technology* 53:861–872.
- Spataro, G. and V. Negri, 2008. Assessment of the reproductive system of *Isatis tinctoria* L. *Euphytica* 159:229–231.
- St Denis, M. and N. Cappuccino, 2004. Reproductive biology of *Vincetoxicum rossicum* (Kleo.) Barb. (Asclepiadaceae), an invasive alien in Ontario. *J. Torrey. Bot. Soc.* 131:8–15.
- Stacy, E., 2001. Cross-fertility in two tropical tree species: Evidence of inbreeding depression within populations and genetic divergence among populations. *Am. J. Bot.* 88:1041–1051.
- Stenstrom, A., 1999. Sexual reproductive ecology of *Carex bigelowii*, an arctic-alpine sedge. *Ecography* 22:305–313.
- Stephenson, A. G. and J. A. Winsor, May, 1986. *Lotus corniculatus* regulates offspring quality through selective fruit abortion. *Evolution* 40:453–458.

- Steven, J., T. Rooney, O. Boyle, and D. Waller, 2003. Density-dependent pollinator visitation and self-incompatibility in upper Great Lakes populations of *Trillium grandiflorum*. J. Torrey. Bot. Soc. 130:23–29.
- Stout, J. C., 2007. Reproductive biology of the invasive exotic shrub, *Rhododendron ponticum* L. (Ericaceae). Bot. J. Linn. Soc. 155:373–381.
- Suarez, L., W. Gonzalez, and E. Gianoli, 2004. Reproductive biology of *Convolvulus chilensis* (Convolvulaceae) in a population of Auco (north-central Chile). Rev. Chil. Hist. Nat. 77:581–591.
- Suehs, C., L. Affre, and F. Medail, 2004. Invasion dynamics of two alien *Carpobrotus* (Aizoaceae) taxa on a Mediterranean island: II. Reproductive strategies. Heredity 92:550–556.
- Sullivan, J., 1984. Pollination biology of *Physalis viscosa* var. *cinerascens* (Solanaceae). Am. J. Bot. 71:815–820.
- Sunnichan, V., H. Ram, and K. Shivanna, 2005. Reproductive biology of *Boswellia serrata*, the source of salai guggul, an important gum-resin. Bot. J. Linn. Soc. 147:73–82.
- Symes, C. T., H. Human, and S. W. Nicolson, 2009. Appearances can be deceiving: Pollination in two sympatric winter-flowering *aloe* species. South African Journal of Botany 75:668–674.
- Taisma, M. and C. Varela, 2005. Compatibility system in the distylous species *Cordia curassavica* (Jacq.) R & S (Boraginaceae). Interciencia 30:431–435.
- Talavera, S., P. Gibbs, M. Fernandez-Piedra, and M. Ortiz-Herrera, 2001. Genetic control of self-incompatibility in *Anagallis monelli* (Primulaceae : Myrsinaceae). Heredity 87:589–597.
- Talavera, S., P. Gibbs, and J. Herrera, 1993. Reproductive-biology of *Cistus ladanifer* (Cistaceae). Pl. Syst. Evol. 186:123–134.

- Tandon, R., K. Shivanna, and H. Ram, 2001. Pollination biology and breeding system of *Acacia senegal*. Bot. J. Linn. Soc. 135:251–262.
- , 2003. Reproductive biology of *Butea monosperma* (Fabaceae). Ann. Bot. 92:715–723.
- Tangmitcharoen, S. and J. N. Owens, 1997. Pollen viability and pollen-tube growth following controlled pollination and their relation to low fruit production in teak (*Tectona grandis* Linn. f.). Ann. Bot. 80:401–410.
- Tanner, E., 1982. Species-diversity and reproductive mechanisms in Jamaican trees. Biol J Linn Soc 18:263–278.
- Tedesco, S., M. Dall’Agnol, M. Schifino-Wittmann, and J. Valls, 2000. Mode of reproduction of Brazilian species of *Adesmia* (Leguminosae). Genet. Mol. Biol. 23:475–478.
- Tepedino, V. J., T. R. Toler, B. A. Bradley, J. L. Hawk, and T. L. Griswold, 2007. Pollination biology of a disjunct population of the endangered sandhills endemic *Penstemon haydenii* S. Wats. (Scrophulariaceae) in Wyoming, USA. Plant Ecol. 193:59–69.
- Theiss, K. E., K. E. Holsinger, and M. E. K. Evans, 2010. Breeding system variation in 10 evening primroses (*Oenothera* sections *Anogra* and *Kleinia*; Onagraceae). American Journal of Botany 97:1031–1039.
- Thompson, F., L. Hermanutz, and D. Innes, 1998. The reproductive ecology of island populations of distylous *Menyanthes trifoliata* (Menyanthaceae). Can. J. Bot. 76:818–828.
- Thrall, P., A. Young, and J. Burdon, 2000. An analysis of mating structure in populations of the annual sea rocket, *Cakile maritima* (Brassicaceae). Aust. J. Bot. 48:731–738.

- Torres, C. and L. Galetto, 1999. Factors constraining fruit set in *Mandevilla pentlandiana* (Apocynaceae). Bot. J. Linn. Soc. 129:187–205.
- Torres, E., J. Iriondo, and C. Perez, 2002. Vulnerability and determinants of reproductive success in the narrow endemic *Antirrhinum microphyllum* (Scrophulariaceae). Am. J. Bot. 89:1171–1179.
- Travers, S. and S. Mazer, 2000. The absence of cryptic self-incompatibility in *Clarkia unguiculata* (Onagraceae). Am. J. Bot. 87:191–196.
- Travers, S. E., J. Mena-Ali, and A. G. a. Stephenson, 2004. Plasticity in the self-incompatibility system of *Solanum carolinense*. Plant Species Biol. 19:127–135.
- Tremblay, R., G. Pomales-Hernandez, and M. Mendez-Cintron, 2006. Flower phenology and sexual maturation: Partial protandrous behavior in three species of orchids. Caribb. J. Sci. 42:75–80.
- Trueman, S. and H. Wallace, 1999. Pollination and resource constraints on fruit set and fruit size of *Persoonia rigida* (Proteaceae). Ann. Bot. 83:145–155.
- Tybirk, K., 1993. Pollination, breeding system and seed abortion in some African *Acacia*. Bot. J. Linn. Soc. 112:107–137.
- Ueckermann, C. and M. van Rooyen, 2000. Insect pollination and seed set in four ephemeral plant species from Namaqualand. S. Afr. J. Bot. 66:28–30.
- Ueda, Y. and S. Akimoto, 2001. Cross- and self-compatibility in various species of the genus *Rosa*. J. Hortic. Sci. Biotech. 76:392–395.
- Usui, M., P. Kevan, and M. Obbard, 2005. Pollination and breeding system of lowbush blueberries, *Vaccinium angustifolium* Ait. and *V. myrtilloides* Michx. (Ericaceae), in the boreal forest. Can. Field. Nat. 119:48–57.

- Valdivia, C. E., M. A. Cisternas, and G. S. Verdugo, 2010. Reproductive biology aspects of two species of the genus *gavilea* (Orchidaceae, Chloraeinae) in populations from Central Chile. *Gaya. Bot.* 67:44–51.
- Valdivia, C. E. and H. M. Niemeyer, 2006. Do floral syndromes predict specialisation in plant pollination systems? Assessment of diurnal and nocturnal pollination of *Escallonia myrtoidea*. *New. Zeal. J. Bot.* 44:135–141.
- Valois-Cuesta, H., P. J. Soriano, and J. F. Ornelas, 2011. Dimorphisms and self-incompatibility in the distylous species *Palicourea demissa* (Rubiaceae): possible implications for its reproductive output. *Journal of Plant Research* 124:137–146.
- Vange, V., 2002. Breeding system and inbreeding depression in the clonal plant species *Knautia arvensis* (Dipsacaceae): implications for survival in abandoned grassland. *Biol. Conservat.* 108:59–67.
- Vassiliadis, C., J. Lepart, P. Saumitou-Laprade, and P. Vernet, 2000. Self-incompatibility and male fertilization success in *Phillyrea angustifolia* (Oleaceae). *Int. J. Plant. Sci.* 161:393–402.
- Vaughton, G. and S. Carthew, 1993. Evidence for selective fruit abortion in *Banksia spinulosa* (Proteaceae). *Biol J Linn Soc* 50:35–46.
- Vaughton, G., M. Ramsey, and S. D. Johnson, 2010. Pollination and late-acting self-incompatibility in *Cyrtanthus breviflorus* (Amaryllidaceae): implications for seed production. *Annals of Botany* 106:547–555.
- Vesprini, J. and L. Galetto, 2000. The reproductive biology of *Jaborosa integrifolia* (Solanaceae): Why its fruits are so rare? *Pl. Syst. Evol.* 225:15–28.
- Vitt, P. and C. Campbell, 1997. Reproductive biology of *Isotria medeoloides* (Orchidaceae). *Rhodora* 99:56–63.

- Vivarelli, D., T. Petanidou, A. Nielsen, and G. Cristofolini, 2011. Small-size bees reduce male fitness of the flowers of *Ononis masquillierii* (Fabaceae), a rare endemic plant in the northern Apennines. *Botanical Journal of the Linnean Society* 165:267–277.
- Vogler, D., C. Das, and A. Stephenson, 1998. Phenotypic plasticity in the expression of self-incompatibility in *Campanula rapunculoides*. *Heredity* 81:546–555.
- Vogler, D., K. Filmore, and A. Stephenson, 1999. Inbreeding depression in *Campanula rapunculoides* L. I. A comparison of inbreeding depression in plants derived from strong and weak self-incompatibility phenotypes. *J. Evol. Biol.* 12:483–494.
- Vosgueritchian, S. B. and S. s. Buzato, 2006. Sexual reproduction of *Dyckia tuberosa* (Vell.) Beer (Bromeliaceae, Pitcairnioideae) and plant-animal interaction. *Rev. Bras. Bot.* 29:433–442.
- Wachira, F. and S. Kamunya, 2005. Pseudo-self-incompatibility in some tea clones (*Camellia sinensis* (L.) O. Kuntze). *J. Hortic. Sci. Biotech.* 80:716–720.
- Wagner, D., 2000. Pollen viability reduction as a potential cost of ant association for *Acacia constricta* (Fabaceae). *Am. J. Bot.* 87:711–715.
- Wallace, L. E., 2002. Biological investigations in the genus *Platanthera* (Orchidaceae): Conservation issues in *Platanthera leucophaea* and evolutionary diversification in section *Limnorchis*. Ph.D. thesis, The Ohio State University.
- Wallwork, M. and M. Sedgley, 2005. Outcrossing in interspecific hybrids between *Eucalyptus spathulata* and *E. platypus*. *Aust. J. Bot.* 53:347–355.
- Wang, C., M. Moller, and Q. Cronk, 2004. Aspects of sexual failure in the reproductive processes of a rare bulbiferous plant, *Titanotrichum oldhamii* (Gesneriaceae), in subtropical Asia. *Sex. Plant. Reprod.* 17:23–31.

- Wang, X., P. Felker, A. Paterson, Y. Mizrahi, A. Nerd, and C. Mondragon-Jacobo, 1996. Cross-hybridization and seed germination in *Opuntia* species. *Journal of the Professional Association for Cactus Development* 1:49–60.
- Wang, Y., Q. F. Wang, Y. H. Guo, and S. C. H. Barrett, 2005. Reproductive consequences of interactions between clonal growth and sexual reproduction in *Nymphoides peltata*: a distylous aquatic plant. *New Phytologist* 165:329–335.
- Webb, C. J., 1994. Pollination, self-incompatibility, and fruit production in *Corokia cotoneaster* (Escalloniaceae). *New. Zeal. J. Bot.* 32:385–392.
- Weekley, C. and T. Race, 2001. The breeding system of *Ziziphus celata* Judd and DW Hall (Rhamnaceae), a rare endemic plant of the Lake Wales Ridge, Florida, USA: implications for recovery. *Biol. Conservat.* 100:207–213.
- Weekley, C. W., D. N. Zaya, E. S. Menges, and A. E. Faivre, 2010. Multiple causes of seedling rarity in scrub plum, *Prunus geniculata* (Rosaceae), an endangered shrub of the Florida scrub. *Am. J. Bot.* 97:144–155.
- Weiblen, G. and B. Brehm, 1996. Reproductive strategies and barriers to hybridization between *Tellima grandiflora* and *Tolmeia menziesii* (Saxifragaceae). *Am. J. Bot.* 83:910–918.
- Weiss, J., A. Nerd, and Y. Mizrahi, 1994. Flowering and pollination requirements in *Cereus peruvianus* cultivated in Israel. *Isr. J. Plant. Sci.* 42:149–158.
- Weller, S. and R. Ornduff, 1977. Cryptic self-incompatibility in *Amsinckia grandiflora*. *Evolution* 31:47–51.
- Wendt, T., M. Canela, A. De Faria, and R. Rios, 2001. Reproductive biology and natural hybridization between two endemic species of *Pitcairnia* (Bromeliaceae). *Am. J. Bot.* 88:1760–1767.

- Wesselingh, R., M. Witteveldt, J. Morissette, and H. den Nijs, 1999. Reproductive ecology of understory species in a tropical montane forest in Costa Rica. *Biotropica* 31:637–645.
- Wheelwright, N., E. Dukeshire, J. Fontaine, S. Gutow, D. Moeller, J. Schuetz, T. Smith, S. Rodgers, and A. Zink, 2006. Pollinator limitation, autogamy and minimal inbreeding depression in insect-pollinated plants on a boreal island. *Am. Midl. Nat.* 155:19–38.
- Whelan, R. and R. Goldingay, 1989. Factors affecting fruit set in *Telopea speciosissima* (Proteaceae) - the importance of pollen limitation. *J. Ecol.* 77:1123–1134.
- Whisler, S. and A. Snow, 1992. Potential for the loss of self-incompatibility in pollen-limited populations of mayapple (*Podophyllum peltatum*). *Am. J. Bot.* 79:1273–1278.
- Whitton, J., C. Sears, E. Baack, and S. Otto, 2008. The dynamic nature of apomixis in the angiosperms. *Int. J. Plant. Sci.* 169:169–182.
- Williamson, P., L. Muliani, and G. Janssen, 1994. Pollination biology of *Abronia macrocarpa* (Nyctaginaceae), an endangered Texas species. *SW Nat.* 39:336–341.
- Wolfe, L. M., P. H. Massinga, and S. D. Johnson, 2009. A quantitative evaluation of the distylous syndrome in *Sebaea grandis* (Gentianaceae). *South African Journal of Botany* 75:785–790.
- Wyatt, R., A. Edwards, S. Lipow, and C. Ivey, 1998. The rare *Asclepias texana* and its widespread sister species, *A. perennis*, are self-incompatible and interfertile. *Syst. Bot.* 23:151–156.
- Wyatt, R., C. Ivey, and S. Lipow, 1996. The breeding system of desert milkweed, *Asclepias subulata*. *B. Torrey Bot. Club* 123:180–183.
- Yacine, A. and F. Bouras, 1997. Self- and cross-pollination effects on pollen tube growth and seed set in holm oak *Quercus ilex* L (Fagaceae). *Ann. Sci. Forest.* 54:447–462.

- Yamada, H., K. Nakajima, Y. Yamazawa, and I. Kuroi, 1991. Effect of pollination and gibberellin treatments on fruit-set and development of the European pear (*Pyrus communis* L var *sativa* DC) cv Le Lectier. J. Jpn. Soc. Hortic. Sci. 60:267–273.
- Yanagizawa, Y. A. N. P. and R. d. C. S. Maimoni-Rodella, 2007. Floral visitors and reproductive strategies in five melittophilous species of Bignoniaceae in southeastern Brazil. Brazilian Archives of Biology and Technology 50:1043–1050.
- Yoder, J., 1998. Self and cross-compatibility in three species of the hemiparasite *Triphysaria* (Scrophulariaceae). Environ. Exp. Bot. 39:77–83.
- Young, A. and A. Brown, 1998. Comparative analysis of the mating system of the rare woodland shrub *Daviesia suaveolens* and its common congener *D. mimosoides*. Heredity 80:374–381.
- Young, A., C. Miller, E. Gregory, and A. Langston, 2000. Sporophytic self-incompatibility in diploid and tetraploid races of *Rutidosia leptorrhynchoides* (Asteraceae). Aust. J. Bot. 48:667–672.
- Zhang, W. D., S. Y. Chen, G. S. Liu, and C. C. Jan, 2004. Seed-set and pollen-stigma compatibility in *leymus chinensis*. Grass and Forage Science 59:180–185.
- Zhang, Z.-Q., W. J. Kress, W.-J. Xie, P.-Y. Ren, J.-Y. Gao, and Q.-J. Li, 2010. Reproductive biology of two Himalayan alpine gingers (*Roscoea spp.*, Zingiberaceae) in China: pollination syndrome and compensatory floral mechanisms. Plant Biology Pp. no–no.
- Zhang, Z.-Q., Y.-H. Zhang, and H. Sun, 2011. The reproductive biology of *Stellera chamaejasme* (Thymelaeaceae): A self-incompatible weed with specialized flowers. Flora In Press, Corrected Proof:–.
- Zhou, S., D. Hong, and K. Pan, 1999. Pollination biology of *Paeonia jishanensis* T. Hong & W.Z. Zhao (Paeoniaceae), with special emphasis on pollen and stigma biology. Bot. J. Linn. Soc. 130:43–52.

Zietsman, P., 1991. Reproductive biology of *Grewia occidentalis* L (Tiliaceae). S. Afr. J. Bot. 57:348–351.