

A Synoptic Key of the Materia Medica

BOGER C. M.

Abrotanum.....	35
Aconitum napellus	38
Actaea spicata	49
Adonis.....	51
Aesculus hippocastanum....	53
Aethusa cynapium	58
Agaricus muscarius.....	62
Agnus castus.....	68
Ailanthus.....	69
Aletris farinosa	73
Allium cepa.....	247
Aloe socotrina	75
Alumina	79
Ambra grisea.....	86
Ammonium carbonicum..	90

Ammonium muriaticum....	95
Amylenum nitrosum	100
Anacardium orientale....	102
Anthracinum.....	107
Antimonium crudum...	108
Antimonium tartaricum..	113
Apis mellifica.....	121
Apocynum.....	130
Aralia racemosa	133
Aranea diadema.....	135
Argentum metallicum ..	137
Argentum nitricum.....	141
Arnica montana... ..	149
Arsenicum album.....	156
Arsenicum iodatum.....	167
Arum triphyllum.....	172
Asafoetida.....	175
Asarum.....	180
Asclepias tuberosa	182

Asterias rubens.....	184
Aurum.....	186
Badiaga	192
Baptisia	192
Baryta carbonica	197
Belladonna.....	204
Bellis perennis	213
Benzoicum acidum.....	215
Berberis vulgaris	218
Bismuthum	224
Borax.....	226
Bovista	232
Bromium.....	236
Bryonia alba	240
Bufo rana.....	250
Bursa pastoris	255
Cactus grandiflora.....	256
Cadmiumsulfuratum...	260
Caladium.....	261

Calcareo fluorica.....	264
Calcareo hypophosphorica..	268
Calcareo ostrearum..	270
Calcareo phosphorica	278
Calcareo sulphurica...	285
Calendula officinalis.....	288
Camphora officinalis.....	290
Cancer fluviatilis	
(Astacus fluviatilis).....	294
Cannabis indica	296
Cantharis vesicatoria.....	300
Capsicum annum	305
Carbo animalis.....	311
Carbo vegetabilis	315
Carbolicum acidum.....	323
Carduus marianus	327
Castoreum.....	330
Caulophyllum.....	332
Causticum.....	335

Ceanothus.....	345
Cedron.....	346
Chamomilla	350
Chelidonium majus....	357
Chenopodium.....	--
Chimaphilla...	364
China officinalis.....	366
Chininum arsenicosum..	373
Chininum sulphuratum..	373
Chionanthus.....	376
Chloralum hydratum.....	378
Chlorum.....	380
Cicuta virosa	383
Cimicifuga.....	387
Cina.....	396
Cinnabaris	401
Cistus canadensis.....	404
Clematis erecta	407
Cobaltum.....	723

Coca.....	411
Cocculus indicus	413
Coccus cacti....	419
Coffea cruda	424
Colchicum autumnale..	428
Collinsonia	434
Colocyntsis.....	437
Comocladia.....	443
Conium maculatum.....	444
Copaiva officinalis..	450
Corallium rubrum.....	453
Cornus circinata.....	455
Crataegus oxyacanta.....	456
Crocus sativus.....	458
Crotalus horridus.....	462
Croton tiglium.....	466
Cubeba officinalis....	469
Culex musca.....	471
Cuprum metallicum....	471

Cuprum arsenicosum...	479
Cyclamen europaeum..	481
Daphne indica.....	485
Dictamnus.....	487
Digitalis purpurea....	489
Dioscorea villosa	494
Diphtherinum.....	498
Drosera rotundifolia...	501
Dulcamara	504
Echinacea angustifolia ..	510
Elaps corallinus.....	513
Epiphegus virginiana ..	517
Equisetum hyemale	518
Erigeron canadense	520
Eucalyptus.....	521
Euonymus.....	524
Eupatorium perfoliatum	526
Eupatorium purpurium..	531
Euphorbium.....	531

Euphrasia officinalis..	533
Fagopyrum..	536
Ferrum metallicum...	538
Ferrum phosphoricum..	545
Fluoricum acidum.....	550
Formica rufa.....	555
Fraxinus...	557
Gambogia.....	558
Gelsemium.....	560
Glonoinum.....	569
Gnaphalium.....	576
Gossypium.....	577
Graphites.....	579
Gratiola officinalis..	589
Grindelia robusta ..	591
Guajacum officinale....	593
Gymnocladus...	597
Hamamelis...	599
Helleborus niger	602

Helonias dioica.....	607
Hepar sulphuris.....	610
Hydrastis canadensis....	618
Hydrocyanicum acidum.	622
Hyoscyamus niger .	625
Hypericum perforatum	630
Ignatia amara	634
Iodium	643
Ipecacuanha	650
Iris versicolor....	657
Jaborandi	660
Jalapa.....	663
Jatropha	664
Justicia adhatoda	665
Kalium arsenicosum...	667
Kalium bichromicum...	669
Kalium bromatum ..	678
Kalium carbonicum....	682
Kalium chloricum...	691

Kalium iodatum	693
Kalium muriaticum....	700
Kalium nitricum....	708
Kalium phosphoricum..	711
Kalium sulphuricum....	716
Kalmia latifolia.....	719
Kreosotum.....	725
Lac caninum...	732
Lac defloratum....	735
Lachesis mutus.....	738
Lappa arctium.....	749
Latrodectus.....	751
Laurocerasus....	753
Ledum palustre...	757
Leptandra	763
Lilium tigrinum.....	766
Lithium carbonicum	772
Lobelia inflata	774
Lycopodium.....	778

Lycopus virginicus....	789
Lyssinum.....	792
Magnesium carbonicum	795
Magnesium muriaticum.	799
Magnesium phosphoricum	804
Magnesium sulphuricum	809
Mancinella.....	810
Manganum.....	814
Medorrhinum.....	820
Melilotus alba.....	830
Menyanthes	833
Mephitis	835
Mercurius sol	837
Mercurius corrosivus ...	849
Mercurius cyanatus.....	855
Mercurius dulcis..	857
Mercurius iodatus flavus	860
Mercurius iodatus ruber	862
Mercurius praecipitatus	865

Mezereum.....	866
Millefolium.....	872
Moschus.....	874
Murex.....	877
Muriaticum acidum....	880
Mygale lasiodora.....	885
Myrica cerifera.....	886
Naja tripudians	888
Natrium carbonicum..	892
Natrium muriaticum..	898
Natrium phosphoricum	909
Natrium sulphuricum.	912
Nitricum acidum.....	918
Nux moschata.....	928
Nux vomica.....	935
Ocimum cannum.....	946
Oenanthe crocata.....	947
Oleander	949
Oleum animale ...	952

Oleum jecoris.....	956
Onosmodium.....	958
Opium.....	962
Osmium.....	968
Oxalicum acidum.....	970
Paeonia officinalis..	973
Palladium.....	975
Pareira brava.....	977
Paris quadrifolia....	979
Petroleum.....	981
Phellandrium.....	986
Phosphoricum acidum..	988
Phosphorus....	995
Physostigma....	1010
Phytolacca decandra.....	1016
Picricum acidum..	1023
Plantago major...	1026
Platinum metallicum.....	1028
Plumbum metallicum.	1034

Podophyllum peltatum...	1040
Polygonum sagittatum.	1045
Prunus spinosa....	1047
Psorinum.....	1050
Pulsatilla.....	1057
Pyrogenium.....	1069
Radium bromatum.....	1074
Ranunculus bulbosus....	1078
Ranunculus scleratus..	1082
Raphanus sativus.....	1084
Ratanhia.....	1085
Rheum.....	1088
Rhododendron..	1091
Rhus toxicodendron	1095
Robinia.....	1107
Rumex crispus....	1108
Ruta.....	1113
Sabadilla.....	1118
Sabal serrulata....	1123

Sabina.....	1125
Sambucus nigra .	1129
Sanguinaria Canadensis	1132
Sanicula aqua..	1138
Sarsaparilla.....	1141
Scoparius genista...	1145
Scutellaria laterifolia..	1147
Secale cornutum...	1148
Selenium.....	1154
Senecio aureus.....	1159
Senega.....	1163
Sepia....	1167
Silicea terra.....	1177
Solidago..	1187
Spigelia anthelmia...	1189
Spongia tosta...	1194
Squilla maritima....	1199
Stannum metallicum...	1202
Staphysagria....	1207

Sticta pulmonaria	1214
Stramonium.....	1217
Strontium carbonicum.	1224
Strophanthus..	1228
Sulphur.....	1231
Sulphuricum acidum..	1244
Sulphur iodatum...	1249
Sumbul.....	1252
Symphytum officinale...	1255
Syphilinum.....	1256
Tabacum.....	1263
Taraxacum.....	1268
Tarentula hispanica....	1270
Tarentula cubensis	1278
Tellurium metallicum..	1280
Terebinthiniae oleum ...	1284
Teucriummarumverum	818
Theridion	1288
Thlaspi bursa pastoris	273

Thuja occidentalis	1292
Thyreoidinum.....	1302
Tilia europaea	1306
Trillium pendulum....	1308
Tuberculinum.....	1310
Urtica urens.....	1316
Ustilago maydis.....	1319
Valeriana officinalis ..	1321
Variolinum	1326
Veratrum album.....	1328
Veratrum viride.....	1334
Verbascum thapsus....	1340
Viburnum opulus	1343
Vinca minor.....	1346
Viola odorata....	1347
Viola tricolor.....	1349
Vipera berus.....	1351
Viscum album	1352
Xanthoxylum.....	1354

Zincum metallicum...	1356
Zincum arsenicosum..	1364
Zincum chromicum....	1365
Zincum phosphoricum...	1370
Zincum iodatum.....	1368
Zincum valerianicum...	1370

This new fourth edition of the Synoptic Key is herewith submitted to all brothers in the work. Only changes of proven value in coordinating and assembling the significant features of seemingly disassociated symptom groups, have been made. Upon these depends almost wholly the final choice of the simillimum. They should reflect a speaking image, as it were, of the correctly indicated remedy. To this end rubrics from my private files have been freely drawn upon. The symptom

features of many remedies have been clarified in order to increase their usefulness, especially in precisionizing differentiations. The repertory is only intended to orient the searcher.

The possibilities that inhere in the contact of the simillimum with the disordered vital force can not be foreknown. It therefore behoves every prescriber to use the utmost care in selecting the curative remedy. It will always remain true, as Paracelsus says in "Erste buch von blatern", chap.

**8, 1528. "Just so, Mercury,
(etc) cures-things Mercurie"
only**

**The strain which runs through
every pathogenetic symptom
complex has been called the
"genius" of the drug. To give
this its proper place it the
prescription should be the ideal
of every prescriber. To this end
is this book written.**

C.M. BOGER

Foreword

**Correct prescribing is the
art of carefully fitting
pathogenetic to clinical**

symptoms, and as such at present requires a special aptness in grasping the essential points of symptom images, great drudgery a mastering a working knowledge of our large Materia Medica or a most skilful use of many books of reference.

It is the aim of this book to simplify and introduce method into this work, so that the truly homœopathic curative remedy may be worked out with greater ease and certainty. For this purpose a combination of the analytic and synoptic methods

has been thought best.

The spirit of the clinical symptom picture is best obtained by asking the patient to tell his own story, whenever this is possible. This account is then amplified and more accurately defined by the questioner, who should first try to elicit the evident cause and course of the sickness, to which he will add all the things which now seem to interfere with the sufferer's comfort. Especially should the natural modifiers of sickness -the modalities- be very definitely

ascertained. The following are the most vitally important of such influences: Time, Temperature, Open Air, Posture, Being Alone, Motion, Sleep, Eating and Drinking, Touch, Pressure, Discharges, etc.

A consideration of the mental state comes next in order of importance. Here the presence of Irritability, Sadness or Fear is the ruling factor.

The third step concerns the estimate to be put upon the patient's own description of his sensations. This is a very vital

point and in order not to be misled it is always well to ascertain whether any of the following primary sensations are present: Burning, Cramping, Cutting Bursting, Soreness, Throbbing and Thirst. There may be many others, but the presence of any one of these often overshadows them, especially such as may be due to the play of the imagination ; which feature is in itself of more importance than the particular thing imagined.

Next in order comes the entire objective aspect or expression

of the sickness: This should especially include the Facial Expression, Demeanor, Nervous Excitability, Sensibility, Restlessness or Torpor, State of the Secretions and any abnormal coloring that may be present.

Lastly the part affected must be determined ; this also, brings the investigation in touch with diagnosis.

By going over the above rubrics in the order named the contour of the disease picture will be pretty clearly outlined and will point fairly well toward

the simillimum, and the prescriber has only to keep in mind the fact that the actual differentiating factor may belong to any rubric whatsoever and also that the scope of these rubrics reaches far beyond the appended synoptic text.

For ready reference the following diagram has been arranged:

**MODALITIES: CAUSATION.
TIME. TEMPERATURE.
WEATHER. OPEN AIR.
POSTURE. MOTION. EATING
AND DRINKING. SLEEP. IF**

**ALONE. PRESSURE. TOUCH.
DISCHARGES.**

**MIND: IRRITABILITY.
SADNESS. FEAR. PLACIDITY.**

**SENSATIONS: BURNING.
CRAMPING. CUTTING.**

BURSTING. SORENESS.

THROBBING. THIRST.

**OBJECTIVE ASPECT:
DEMEANOR. RESTLESSNESS.
NERVOUS EXCITABILITY.**

**FACIAL EXPRESSION. TORPOR.
SECRETIONS. COLOR. ODOR.**

**PART AFFECTED: Organs.
Right. Left.**

**THE SYNOPSIS, is intended to
make clear the general**

expression or genius of each remedy, and thereby help the prescriber correct his bearings. The scope of its contents is much enlarged by bracketing the most nearly affiliated remedies after some of the more important symptoms ; this also helps in making differentiations.

What often makes a cure hard is the laying of too much stress upon some particular factor at the expense of the disease picture as a whole, thus destroying its symmetry and forming a distorted conception

of the natural image of the sickness. This does not, however, mean that all symptoms stand on the same level, for certain effects must be more prominent than others, yet be part and parcel of them. This is the sense in which we must learn to know our remedies, just as we do our friends, by their air or personality ; an ever changing, composite effect, but always reflecting the same motive.

Whenever the chosen remedy excites little or no reaction, the selection has either been

faulty, or what is just as likely, one of the fundamental miasms which calls for either Psorinum, Sulfur, Medorrhinum or Syphilinum, is present.

Whenever the general benefit derived from a single dose lags, the remedy should be repeated in the next higher potency, instead of looking upon the new symptoms as indicators for some other drug ; for only the most inveterately rooted dyscrasia can, by varying its expression, resist the whole scale of an indicated remedy. Sometimes we can

advantageously change to another potency scale of the same remedy, before attempting to scrutinize the remaining picture for those new developments which must point toward our next choice, nor should this successor be chosen until the new symptom picture-disease phase-takes on a fairly definite or settled form.

This new fifth edition of the Synoptic Key is herewith submitted to all brothers in the work. Only changes of proven value in co-ordinating and assembling the significant

features of seemingly disassociated symptom groups, have been made. Upon these depends almost wholly the final choice of the simillimum. They should reflect a speaking image, as it were, of the correctly indicated remedy. To this end rubrics from my private files have been freely drawn upon. The symptom features of many remedies have been clarified in order to increase their usefulness, especially in precisionizing differentiations. The Repertory is only intended to orient the

searcher.

The possibilities that inhere in the contact of the simillimum with the disordered vital force can not be fore-known. It therefore behooves every prescriber to use the utmost care in selecting the curative remedy. It will always remain true, as Paracelsus says in "Erste buch von blatern," chap. 8. 1528. "Just so, Mercury, (etc.), -cures- things Mercuric" only.

The strain which runs through every pathogenetic symptom complex has been called the

"genius" of the drug. To give this its proper place in the prescription should be the ideal of every prescriber. To this end is this book written.

**Cyrus Maxwell BOGER, M. D.
Parkersburg, W. Va.**

Materia medica

Abrotanum

Region

Nerves.

Nutrition.

Veins.

Worse

Cold Air.

Wet.

Checked Secretions.

Night.

Fogs.

Better

Loose Stool (Nat-s. Zin.).

Motion.

Description

**Numb; weak, tremulous and
paretic.**

Can't hold up head.

**Exudations, into pleura, joints,
from navel, etc.**

**True metastases; receding
gout, etc.**

**Alternations; piles with
rheumatism (Coll. Sabi.).**

Rheumatism, after diarrhoea.

Emaciation; ascending; of legs.

Symptoms

Cross, irritable children.

Pale hollow eyed, old face.

Distended veins; on forehead.

Nosebleed; of youths.

Vomits much offensive fluid.

Stomach floats in water (Buf.).

Bloated abdomen.

Pains in left ovary.

Nightly backache.

Weak joints; can't hold up head.

Face cold dry and wrinkled.

Cold, prickling, numb fingers and toes.

Flabby skin.

Protruding piles; burn on touch.

Related

Chin. Led.

Aconitum napellus

ACONITE

Region

MIND.

Brain.

NERVES.

Medulla.

Sympathetic.

Vagus.

Respiratory Centre.

HEART.

Arterial.
Circulation.
Viscera.
Larynx.
Chest.
Abdomen.
Joints.
Worse
Violent Emotions.
FRIGHT.
SHOCK.
Vexation.
Sleeping in Sun.
Chilled by.
COLD,
dry winds.
While Sweating.

Pressure and Touch.

Noise.

Light.

Dentition.

During.

Menses.

Night;

in Bed,

P.M.

Lying on Side.

Better

Open Air.

Repose.

Warm Sweat.

Description

Robust habit.

Sudden, violently acute,

painful effects, a big storm that soon blows over.

Tension.

Congestion; often apoplectic.

Excited nervous and vascular systems.

Inflammation.

Congestion to head and chest : acute.

Inflammation : internal; rheumatic.

Bright red haemorrhage (Bell.).

Acute senses.

Sticking, tearing pains.

Parts feel numb, big, burn, tingle, prickle or crawl, remain sore or numb after the pains.

Neuralgia.

Crepitation.

Painfully sore externally, with internal heaviness.

Collapse.

Symptoms

TERROR.

ANXIETY.

AGONIZING FEAR; of death, crowds, etc.

RESTLESS, excited, nervous, feverish, impatient and anxious.

Beside himself; frantic from intensity of the pain; WITH FEAR; screams, moans, gnaws the fists, bites the nails (Ars.),

wants to die.

Delirium.

Convulsions.

Forebodings; predicts time of death.

Sensitive.

Music saddens.

Anxiety, congestion and pain.

Head heavy.

As of a hot band about head, or boiling heat in brain.

Hair seems on end.

Violent squeezing or bursting, in forehead or eyes; crackling in; throbs in l. forehead (r. Ant-t. Bell. Ign.); aches, with more urine; burning in.

Shooting in eyeballs.
Numb nose; with epistaxis
(Bell. Med.).
Nose runs hot water.
Coryza.
ANXIOUS LOOK (Spo.).
Eyes glitter; stare; bleared;
foreign bodies in.
Hot, red cheeks.
Face : ghastly look; alternately
red and pale; one cheek red and
hot, other pale and cold.
Face pales on rising.
Faintness.
Toothache.
Throbbing in teeth and in
head.

**Everything tastes bitter.
Water has a bad taste.
Chokes on swallowing.
BURNING THIRST; craves
acids, beer; agg. after ices.
Appetite : milk agrees.
Projectile vomiting (Ver-v.).
Violent bilious or bloody
vomitus.
Stools of pure blood; slimy,
grass green, or white; agg. hot
days and cold nights (Dul.
Merc-c.).
Dysentery.
Itching, sticking at anus.
Retained, scanty, red or bloody
urine.**

Agonizing dysuria.

Cystitis.

Urethral chill.

Orchitis.

Suddenly suppressed menses.

Respiration short; during sleep; anxious; hard; sits erect.

Dry, hoarse, painful cough, or short, barking, ringing, or whistling cough, agg. from every inspiration.

Grasps larynx; agg. night or drinking.

Laryngitis.

Croup with fever.

Violent rushes of blood to chest.

Pneumonia.

Stitches in chest.

Oppression of left chest.

Pleurisy.

Heart feels swelled.

Carditis.

**Complaints of heart worse
from sitting erect.**

**Palpitation, anxious; with pain
down l. arm.**

Red finger-tips.

Powerless legs.

Red, shining swelling.

**DRY, HOT SKIN, or as if ice
water on it.**

Miliary eruptions.

Sleepless and nervous.

Pulse fast, bounding, shaking, forcible and tumultuous or wiry.

Pulse very irritable.

Arterial tension (Ver-v.).

CHILL; in waves; alternates with heat.

HIGH FEVER.

Dry, burning heat; in eyelids; nose, mouth, throat, lungs; on palms; must uncover.

Sweat : on uncovered parts; wants covers; drenching.

Back and sacrum feel bruised.

Remote effects of fright (OP.).

Cries out and grasps genitals.

Complementary

Sul.

Related

Bell. Cham. Cof.

Actaea spicata

ACTEA SPICATA

Region

Joints

Wrist.

Small.

Worse

Change of Weather.

Slight Exertion.

Cold.

Night.

Touch.

Description

Old age.

Tingling.

Weakness.

Symptoms

Joints swell; can not move.

Paralytic weakness of affected parts.

Hypersensitive to cold.

Complementary

Caul. Colo. Sabi. Stic. Viol.

Adonis vernalis

ADONIS

Region

HEART

Spine.

Epigastrium.

Kidneys.

Skin.

Worse

Cold.

Lying.

Better

Exertion.

Description

Wandering pains.

Symptoms

Apprehension.

**Vertigo, agg. when in motion;
with palpitation.**

Aching occiput.

Tight scalp.

Tongue as if scalded.

Thirstless.

**Faint in epigastrium, with
vertigo.**

**Bowels as if to break; agg.
bending.**

Urging to urinate.

Albuminuria.

Dropsy.

Dyspnoea; agg. touching back.

**Dry, tickling cough; from
heart.**

**Heart weak, fatty, arrhythmic.
Spine and nape stiff; with a
tired ache.**

Vesicles on skin.

**Sleepless; from rambling
thoughts.**

Related

Buf.

**Aesculus
hippocastanum**

AESCULUS

Region

Veins

Liver.

Naso-Pharynx.

ABDOMEN (R).

RECTUM.

Mucous Membranes

Naso-Pharynx.

Occiput.

Sacro-Iliac Region.

Worse

Morning,

on Waking.

After stool.

Lying.

Stooping.

Urinating.

Walking.

Better

COOL

Open Air.

Bathing.

Bleeding (Piles).

Kneeling.

Continued Exertion.

Description

Reflex rectal symptoms.

**Rectum : painful constriction;
as of a knife sawing up and
down.**

**HOT, DRY, STIFF, ROUGH or
full feeling internally; throat,
abdomen, anus, etc.**

Purple, puffy parts.

Venosity.

**Pains, sticking; like hot
lightning.**

Symptoms

Irritable.

Crushing in occiput.

Nose sensitive to cool inspired air; it burns.

Congestive catarrh.

Follicular pharyngitis.

Throbs, deep in abdomen.

Stool, hard, dry; of several colors.

RECTUM : sore, as of a burr or sticking pains long after stool; as of a bug crawling from anus (Sul.).

Piles, purple, painful, external; with BACKACHE (Nux-v.), chest pains, etc.

Laming, dull, lumbar pain;

**small of back gives out;
repeated efforts at rising; agg.
walking.**

**Lumbar region or back : as if to
break.**

**Bruised pain in sacrum and
hips.**

**Paralytic heaviness : of arms,
spine, feet.**

Complementary

Carbo-v. Lach. Mur-ac.

Related

Alo. Collin. Pul.

Aethusa cynapium

AETHUSA

Region

BRAIN.

Nerves.

Digestion.

Occiput.

Neck.

Glands.

Liver.

Worse

MILK.

Hot Weather.

Dentition.

Frequent Eating.

Over-exertion.

Description

Violent onset, profound exhaustion and lack of reaction, even speechless; as in cholera infantum, convulsions, etc.

Can't stand or hold head up.

Weak, nervous and prostrated; from over-work.

Can't fix attention.

Parts feel screwed together.

Lancinating pains.

Distress in occiput and nape.

Violent convulsions.

Symptoms

Weepy; agg. as disease progresses.

Dizzy and drowsy (Gel.).
Squeezing headache, amel.
passing flatus.
Eyes turn down.
Face sunken.
Deathly aspect; blue white
pallor about lips.
White linea nasalis.
Tongue feels too long.
Nibbling appetite.
Regurgitates food long after
eating (Kre.).
Violent sudden vomiting of
milk.

DEATHLY NAUSEA.
VOMITS LARGE, HARD CURDS,
THEN LIMPNESS AND DEEP

SLEEP.

Retching.

Digestion ceases from brain exhaustion.

Stomach seems turned upside down.

Bubbling at navel.

Yellow-green, slimy diarrhoea.

Watery menses.

Lymphatics swelled, like a string of beads.

Eruptions that itch from heat.

Ecchymoses.

Cool, clammy skin.

Heat without thirst.

Sweat (cold) with aversion to uncovering.

Complementary

Calc-c.

Related

Ant-c. Cic.

Agaricus muscarius

AGARICUS

Region

SPINAL AXIS

OCCIPUT.

NERVES.

Lumbar Region.

Peristalsis.

Heart.

Circulation.

Respiration.

Chest.

Worse

Air

COLD.

FREEZING.

OPEN.

Stormy.

Exhaustion

Mental.

Coition.

Debauchery.

Alcohol.

Pressure.

Touch.

Morning.

During Menses.

Better

Gentle Motion.

Description

Gradual onset.

Many symptoms (Tub.).

**IRREGULAR, ANGULAR,
UNCERTAIN AND
EXAGGERATED MOTIONS (Ign.
); he reaches too far, staggers
or steps too high, drops things,
etc.**

**TREMBLING, TWITCHING,
JERKING or fibrillar spasm;
here and there; agg. EYELIDS
or tongue.**

Shuddering.

Nervous and restless.

Chorea.

**As of cold needles, a cold drop
or a weight on parts.**

**Painful twitching, then parts
stiff and cold.**

Symptoms

**Hilarious or dull and dizzy; as
if drunk.**

Turns head to and fro.

**Headache, amel. after stool or
urine.**

Oscillating eyeballs.

Gum in canthi.

Musca volitantes.

Angle of mouth droops.

As of a lump in epigastrium.

**Rumbling and fermenting in
bowels.**

Hot flatus or semen; cold urine.

Isolated coughing attacks, then sneezing; as if from spine; easy expectoration of flocculi or balls of mucus.

Indistinct, jerky speech.

Palpitation during coition; depressed afterward.

Premature ejaculation.

Pressure or burning sticking from heart to left scapula.

Angina pectoris, has excessive pain only.

Metastases from suppressed milk.

Single vertebra sensitive to

heat.

Spine sensitive, amel. pressure or touch; shooting, burning along; seems short (Sul.), agg. stooping; stiff.

Restless arms.

BURNING-ITCHING (Ap.), agg. IN SKIN; AS IF FROZEN; changing place on scratching.

Skin pains when cold.

Chilblains.

Yawning; before pains or spasms; as a concomitant.

Chills or sweats easily.

Sweats on alternate sides.

Night sweats.

Itching, over affected part.

Cold buttocks.

Antidotes

Coff. Pul.

Complementary

Calc-c.

Related

Phys. Tub.

Agnus castus

Region

SEXUAL ORGANS.

MIND.

Nerves.

Eyes.

Worse

VENERY.

Sprains.

Description

**IMPOTENCY AND PREMATURE
OLD AGE.**

Jaded rakes.

Symptoms

Distraction.

BAD MEMORY.

**Sad and despairing; repeats
that he will soon die.**

Cold, relaxed genitals.

Spermatorrhoea.

Gnawing-itching; agg. eyes.

Agalactia.

Related

Old. Pho-ac.

Ailanthus glandulosa

AILANTHUS

Region

BLOOD.

THROAT.

Skin.

Mind.

Worse

Suppressions.

Raising up.

Sight of Food.

Better

Hot Drinks.

Description

Aching.

**Rapid prostration Advancing
MALIGNANCY AND STUPOR.**

Fetor and LIVIDITY.

Sepsis.

Acridity.

Thinness.

Symptoms

Dulness.

Sighing.

**Faint on raising up, or vertigo
agg. lying.**

Bloody, nasal discharge.

**Face and throat dark and
swelled.**

Sordes on teeth.

Dry, foul fauces.

Deep ulcers stud tonsils, agg.

left, with loose pultaceous material.

Lacunar tonsilitis.

Irritative itching of posterior pharynx.

Diphtheria.

Eruptions in dark, sparse patches; tardy; return slowly after pressure.

Mottled skin.

Scarlatina maligna; suppressed.

Petechiae.

Crawling over body.

Adynamic fever, with weak heart.

Cold sweat.

Related

Aru-t.

Bap.

Lac-c.

Aletris farinosa

ALETRIS

Region

Female Organs

(R).

Blood.

Worse

Loss of Fluids.

Better

Passing Flatus.

Bending Backward.

Description

Debility.

Always tired.

Heaviness of parts.

Uterine reflexes.

Haemorrhage.

Anaemia.

Symptoms

Frothy saliva.

Abdominal colic.

Terrible pain during stool.

Constipation.

Early, profuse menses.

Tendency to abortion.

Related

Chin. Helo. Tril.

Aloe socotrina

ALOE

Region

ABDOMINAL VEINS

RECTUM

Liver

Colon.

Pelvis.

Lumbar Region.

Head.

Female Organs.

Worse

HEAT;

Damp.

Summer.

Early

A.M.

(in Bed).

After Dysentery.

Stepping Hard.

Evening.

Better

Cool,

Open Air.

Cool Applications.

Description

**Relaxation and VENOUS
CONGESTION, agg. abdomen.**

Parts seem full.

**HEAVY DRAGGING, as of a
load.**

Downward sensation.

Drawing.

Gelatinous secretions : post-nasal, stool, etc.

Symptoms

Mental effects, agg. cloudy weather (Pho.) or constipation.

Heavy pressure on vertex.

Head, alternating with abdominal, or lumbar symptoms; amel. closing eyes.

Pain from navel to rectum.

Heavy hypogastrium; rectum.

Prolapsus recti.

A plug seems wedged in pelvis.

Rumbling, gurgling in bowels, sudden urging, SENSE OF

**INSECURITY, then hurriedly
passes a gushing, watery stool
(Kali-bi.).**

Diarrhoea; with rectal pain.

ANUS WEAK; oozes mucus.

**Stool escapes with flatus (Old.)
or when urinating; mushy; solid
stool passes unnoticed; urging
to, passes flatus only; lumpy;
gelatinous.**

**Piles, pro lapsing; like a bunch
of grapes; amel. cold bathing.**

**Internal heat; not stool, flatus
urine, etc.**

**Burning in anus, rectum, piles,
etc.**

Sexual erethism (in children).

Heavy, congested uterus.

Complementary

Sul.

Related

Lil-t. Pod. Sep. Sul.

Alumina

Region

SPINAL CORD,

Lumbar.

Abdomen, Left.

RECTUM.

Lower Limbs.

Mucous Membranes.

Skin.

Worse

**WARMTH;
ROOM,
Bed.**

Foods

Artificial.

Potatoes.

Speaking.

Dry Weather.

Early on awaking.

Sitting.

After Menses.

Better

Evening.

Open Air.

Moderate

Exertion.

Temperature.

Description

Thin, inactive; inclines to lie down.

Paretic effects.

Talking is exhausting.

Exhaustion after menses.

DRYNESS; of mucous surfaces, eyes, throat, rectum, etc., or irritability and relaxation.

Scanty, thick, acrid discharges (Hyds.).

Mucus discharges, profuse : before menses, leucorrhoea runs to feet; expectoration.

Induration.

Chronicity.

Symptoms

Illusions of being larger, numb, smooth, heavy, time passing too slowly, etc.

Hasty, but slow of execution, hence mistakes in speaking, writing, etc.

Peevish.

Depressive mental states.

Depressed, on awaking.

Timorous; fears his own impulses; the sight of knives; loss of reason, etc.

Bad memory.

Vertigo, agg. talking.

Violent stitches in brain.

Dry, falling hair.

Weak eyelids.

**Double squint; agg. teething.
Inflamed, burning eyes.
Hot, red ear.
Dusky wrinkled, old look.
As of white of egg or a cobweb
on face.
Teeth feel long; pain extends
to other parts (Kali-bi.).
Twitching lower jaw (Gel.).
Uvula hangs down.
Throat feels full of sticks or
constricted.
Craves coarse foods (Calc-c.).
Big bellied children.
Pains from rectum to ankle.
Inactive rectum and bladder;
strains to pass a soft stool;**

**hard ones cause severe cutting
Stools of small balls, hard
knots or bright clots of blood.**

**Must strain at stool to urinate;
slow flow.**

**Tickling in sexual organs;
increased desire.**

Profuse leucorrhoea.

**Constant, dry, hacking cough;
interrupts breathing; with
sneezing.**

Sudden loss of voice.

**As of a hot iron thrust through
lower spine.**

Heavy lower limbs; staggering.

Festination.

Locomotor ataxia.

Totters, if eyes are closed.

Painful soles.

Gnawing under nails.

Bones feel squeezed.

Dry, rough, cracked skin.

Itching burning over seat of pain.

Intolerable itching from heat of bed.

Eczema.

Chilliness; amel. open air.

Heat, with itching.

Antidotes

Cad-m. Jaborand.

Related

Bry. Plb.

Ambra grisea

AMBRA

Region

NERVES

Pneumogastric.

Solar Plexus.

Spinal.

Mind.

Female Organs.

One Side.

Chest, Left.

Worse

Slight Causes

Presence of Others.

Music.

Embarrassment.

Agitation.

Worry.

Thinking of It.

Old Age.

Evening.

Warmth.

Milk.

Description

Dry, nervous, meager habit.

Early senility.

**Weakness of upper part of body
with trembling of lower parts.**

**Worn out, yet over-
impressionable; slight things
agg. the breathing, the heart,
start the menses, etc.**

Symptoms suddenly change

place; asleep, numb feeling (in spots), twitching, itching, trembling, ebullitions, etc.

General pulsation.

Symptoms

Dreamy, flitting ideas or fixed disagreeable fancies.

Slow grasp.

Does not understand what she reads.

Sad.

Bashful.

Vertigo; senile.

Nosebleed, during menses.

Coldness in abdomen.

Confusion, in occiput; also sprained feeling in.

Imaginations.

**Coldness of body with
twitching.**

**Asthma : dry; senile; agg.
coition.**

Flatulence.

**Can't have others present
when urinating (Nat-m.) or
during stool; agg. during
pregnancy.**

Itching labiae.

**Spasmodic cough, then
eructations.**

Bluish, white expectoration.

As a lump in chest (1).

Palpitation.

Sweat on abdomen and thighs.

Related

Bar-c. Ign.

Ammonium carbonicum

AMMONIUM CARB.

Region

HEART

Circulation.

Blood.

RESPIRATION.

Lungs.

Bronchiae.

Right Side.

Worse

COLD

CLOUDY DAYS.

DAMP.

Locally.

Raw, Open Air.

Falling Asleep.

3-4 A.M.

DURING MENSES.

Motion.

Better

PRESSURE.

Eating.

Lying on Abdomen.

Description

Low vitality.

Lacks reaction.

LIVID, WEAK AND DROWSY.

Lies down.

Collapse of nerves and heart.

Averse to cold.

Old age.

Bruised, sore pain.

Internal, raw burning.

**Acrid, hot, adherent
secretions.**

Dark, thin haemorrhage.

Scorbutic states.

Malignancy.

Symptoms

Active, but soon exhausted.

Sad.

Peevish.

Mind vacant.

**Depressed, with weakened
intellect.**

Heedless, fretting and unruly.

**Loss of memory; agg. vexation.
Brain seems loose.
Shocks through head, on
biting.
Violent headache; full,
bursting in forehead.
Floods of tears.
Nose stopped at night, or
bleeds, if hands or face are
washed or on waking.
Continuous urging to sneeze.
Profuse, watery coryza.
Catarrhs, starting in nose.
Cracked, burning lips.
Tender, bleeding gums.
Loose or blunt teeth.
Dark, acrid diarrhoea.**

Persistent erections.

Menses with choleraic symptoms (Sil.); dark, lumpy flow, agg. night; then dyspnoea or weakness.

Copious leucorrhoea.

Increasing shortness of breath; it wakes him; amel. cool air (Carb-v.)

Rattling in chest, but gets up little.

Aphonia.

WEAK HEART; causing stasis, dyspnoea, etc.

Palpitation; with cold sweat and lachrymation.

Numb r. foot (Sep.).

Asleep feeling of part lain on.

Ganglion.

**Bones ache as weather
changes.**

Red or mottled skin.

Coldness.

Burning heat with thirst.

Scarlatina.

Related

**Ant-t. Carb-v. Glo. Lach. Mur-
ac.**

Ammonium muriaticum

AMMONIUM MUR.

Region

MUCOUS MEMBRANES

CHEST

Gall-Ducts.

Liver.

Blood.

Female Organs.

Tips of Fingers and Toes.

Between Scapulae.

Worse

Morning (Head, Chest).

Afternoon (Abdomen).

Evening (Skin, Fever, Limbs).

Sprains (Chronic).

Periodically.

Better

Open Air, Rapid Motion.

Description

Fat and puffy, with thin limbs

(Ant-c).

**Irregular circulation;
ebullitions, burnings or
localised throbbings.**

**Symptoms accompanied by
cough or PROFUSE
SECRECTIONS.**

GLAIRY CATARRHS.

Haemorrhage.

**Tightness, as if too short;
tendons, hamstrings, lumbar
region, etc.**

Tired and sore.

Festering pain.

Symptoms

Brain paralysis.

A rough body obstructs upper

nares.

Acrid, watery coryza; closing one nostril.

Anosmia.

Slimy mouth and pharynx.

Pulsation in tonsils.

Tense, sprained feeling in groins; must walk bent.

Scanty, hard, crumbling stools; changing color.

Polyuria.

Menses flow more at night.

Albuminous leucorrhoea.

Blood from anus or diarrhoea during menses.

Prolapsus uteri.

Cough, with salivation (Am-c.)

or liver symptoms.

Can't breathe for coughing.

**Noisy, rattling, tenacious
mucus in chest.**

Bronchitis.

**Hoarseness, with burning in
larynx.**

**Pulsating, burning spots in
chest.**

Swelled cervical glands.

**Sore sprain or cold between
scapulae.**

Lumbago.

Bleeding eruptions.

Desquamation between fingers.

**Contracting sciatica (1); agg.
sitting amel. lying.**

Pain in or ulcer on heel.
Chilly as often as he wakes.
Sense of heat; amel. open air;
alternating with chill.

Related

Caus.

Amylenum nitrosum

Amylenum nitrosum

Region

VASO-MOTOR NERVES

Circulation.

HEAD.

Heart.

Respiration.

Worse

CLIMACTERIC.

SLIGHT CAUSES.

Emotions.

Heat.

Close Room.

Description

**Flushing heats; then drenching
(unilateral) sweat.**

Dilated cerebral vessels.

Throbbings; agg. head.

Symptoms

**Blood surges to head; with
fiery red face.**

Easy blushing.

Migraine, with pallor (Ars.).

**Aching, backward, along left
floating ribs.**

Tumultuous palpitation.
Constriction at heart.
Full, soft pulse.
Stretching and yawning, with
hiccough.
Related
Glo. Lach.

Anacardium orientale

ANACARDIUM

Region

MIND.

Nerves

Stomach.

Skin.

Palms.

Muscles.

Joints.

Worse

MENTAL EXERTION.

Emotions

Anger,

Fright,

Care, etc.

Stepping Hard.

Motion.

Drafts.

Open Air.

Cold.

Long After Eating.

Better

Eating.

Hot Bath.

Description

Mental and physical LACK OF POWER.

Tremulous; on slight exertion, agg. knees (Stap.) or arms.

Repeated, DULL PRESSURE, as of a plug; or band.

Dulled emotions, sense of hearing, sight, touch, etc.

Paralysis.

Symptoms

BAD MEMORY; suddenly forgets names, etc.

Brain-fag.

As in a dream.

Illusions, or fixed ideas; of duality, imagines others

present, behind her, etc.

Cowardly and neurotic.

**Vacillating; at odds with
himself (Bar-c. Cann-i.);
contradictory impulses.**

Ill-natured.

Profane.

Pressure in temples.

Illusory smells.

Bad breath and taste.

Stiff, swelled tongue.

**Gastric pain amel. eating, but
agg. again in 3 hours.**

**Rectum feels plugged; can't
evacuate even a soft stool.**

**Breath stops on coughing or
drinking.**

**Cough with occipital pain;
then yawns and sleeps.**

**Double stitch at heart; passing
into lumbar region.**

**As of a heavy load on
shoulders (Rhus-t.).**

Dry hands.

**Skin, insensible; itching, agg.
scratching; yellow vesicles.**

Dermatitis.

Eczema.

**Easily chilled, amel. sunshine
(Stro.).**

Clammy sweat on palms.

Related

Ign. Rhus-t.

Anthracinum

ANTHRAXIN

Region

Cellular Tissue.

Description

Terrible burning pains, with great prostration.

Malignancy.

Sepsis.

Suppuration.

Carbuncle.

Abscess of septum.

Quinsy.

Succession of boils.

(Arn. Sul.).

Black or blue blisters.

Gangrene.

Hard cellulitis.

Related

Ars. Tarn-c.

Antimonium crudum

ANTIMONIUM CRUD.

Region

STOMACH.

DIGESTIVE TRACT.

MIND.

SKIN.

Changing Sides.

Worse

COLD

BATHING.

Dampness.
WATER
on Head
OVEREATING.
Acids.
Sweets.
HEAT
SUMMER,
Of Sun.
Overheating.
Radiated.

Description

Gross feeders (Ab-c.), showing gastric, mental and skin symptoms.

Lumpy stools, leucorrhoea,

skin, nails, etc.

Strange absence of pain.

**Cracks, in canthi, nostrils,
angles of mouth, etc.**

Gouty metastases (Abro.).

Symptoms

**Fat, fretful, cross and peevish;
cries if looked at, touched
(Stram.) or washed.**

**Loathing; of life, food bathing
etc.**

Ecstatic, dreamy, sentimental.

Pustules in tarsi.

Canthi red, raw, moist (ext.).

Sore, scabby nostrils.

Pimples about mouth (Ast-r.).

TONGUE THICKLY COATED,

**LIKE WHITEWASH (Ars. Bis.
Bry. Kali-m. Pho.).**

Aphthae.

No thirst.

**DISORDERED DIGESTION;
food leaves an after-taste or
causes belching.**

**VOMITING agg. eating or
drinking; without nausea
(Chel.) or relief.**

**Stomach is painful to pressure;
gout of.**

Fullness in abdomen.

**Pappy or watery stool, mixed
with lumps.**

Gastro-intestinal catarrh.

Voice lacks control, amel.

using it.

Aphonia from overheating.

Violent cough, each bout a little weaker.

Horny or split nails; growths beneath.

Shiny elbows.

Gouty pains in fingers.

Foot sweat; wilts the skin.

Callosities on soles.

Eruptive tendency.

Warts; horny.

Sleepy and weary.

Related

Sul.

Antimonium tartaricum

ANTIMONIUM TART.

Region

MUCOUS MEMBRANES.

Pneumogastric Nerve

Bronchi.

Lungs.

Heart.

CIRCULATION.

Respiration.

Stomach.

Bowels.

Sleep.

Lumbar Region.

Skin.

Worse

WARM

Room.

Wraps.

Weather.

Anger.

Lying.

Morning.

Overeating.

Cold.

Dampness.

Better

Expectoration.

Sitting Erect.

Motion.

Vomiting.

Description

Depression.

**LACKS REACTION.
INCREASINGLY WEAK.
DROWSY, SWEATY AND
RELAXED.
MUCH SECRETION OF MUCUS.
Old people and children.
Complaints arising in digestive
sphere.**

Symptoms

**Icy finger-tips.
Whines before attack, cough,
etc.
Crushing weight on chest.
Won't be touched or looked at.
Prostrated in mind and body.
Stupid on awaking.
Unwilling to be looked at or**

touched.

Wants to be carried up-right.

Mucus in tarsi.

One eye closed.

Upper lip drawn up.

Tongue : thick white pasty coat; very red or red streaks; dry down middle.

Flow of saliva.

Craves apples.

Vomits or expectorates with great effort.

Abdomen feels full of stones.

Expectoration : gluey; suppressed.

Feet go to sleep on sitting down.

Shocks on dropping to sleep.
Asphyxia neonatorum.
Apathy or easily annoyed;
wants to be let alone.
Peevish, whining and moaning.
Clings to attendants.
Consciousness wanes on
closing eyes (Cann-i.).
As of a lump in forehead.
Sooty or flapping nostrils.
Sickly, sunken, pale, bluish or
twitching face; covered with
cool sweat.
Papillae show through white
coat on tongue.
Tongue flabby, red in streaks.
Craves acids, which disagree.

Belchings, like bad eggs.
NAUSEA; in waves; with
weakness and cold sweat (Lob.
Ver-a.), loathing or anxiety.
Forcible vomiting; then
exhaustion and sleep (AEth.).
Violent retching.
Sinking at stomach.
Mucus or grass, green stools.
Diarrhoea; of eruptive
diseases.
Unequal breathing.
SUFFOCATIVE SHORTNESS OF
BREATH; before cough or
alternating with cough; a
leaflet seems over trachea.
LOOSE, COARSE, RATTLING

**COUGH; CHEST SEEMS FULL,
YET LESS AND LESS IS
RAISED; then vomiting or sleep
(AEth.); agg. anger.**

**Must sit up to breathe or
cough.**

Coughs and yawns alternately.

Thick expectoration.

**Capillary bronchitis or
bronchitis.**

Pleuro-pneumonia.

**Paralytic depression of heart
and lungs (Bar-c.).**

**Violent (lumbar) backache; agg.
lifting; motion excites retching
and cold sweat.**

Restless arms.

Dropsy of legs.

Yawning; with many complaints.

SOMNOLENCY; with all complaints, or from warmth.

Torpid, cool, SWEATY SKIN.

Delayed or receding, blue or pustular eruptions.

Sycosis barbae.

Smallpox.

Impetigo.

Weak, quick pulse.

Heat coming from heart.

Burning sensation.

Sticky sweat.

Complementary

Bar-c.

Related

Am-c. Asclp. Ip. Lob. Op.

Apis mellifica

APIS

Region

CELLULAR TISSUE

EYES.

FACE.

FAUCES.

OVARIES.

SEROUS CAVITIES.

SKIN.

KIDNEYS.

BLADDER.

Nerves.

Respiration.

Heart.

Blood.

Right Side; Right to Left.

Worse

HEAT

ROOM.

Weather.

Drinks.

Fire.

Bed.

Hot Bath. (Op.)

Touch,

even of Hair.

After Sleep.

4 P.M.

Pressure.

Suppressed Eruptions.

Better

COOL

AIR.

Bathing.

Uncovering.

Slight Expectoration.

Motion.

Description

**Stinging burning, pricking,
smarting, like hot needles.**

Must lie down.

Rapid onset.

**SUDDEN; SHRILL CRIES or
pains, that extort cries;
nervousness, swelling, effusion,
etc.**

SENSITIVE; to pain.

Sharp STINGING burning or bruised SORENESS; of brain, ABDOMEN, ovaries, bladder, etc.

PUFFINESS, Shiny redness.

Oedema; of eyelids or lips; red; saccular.

BURNING -itching.

Infections.

Inflammation.

Stiffness.

Numbness.

Symptoms

Childish.

Irritable, excitable, jealous, fussy and fidgety or apathetic.

Foolishly suspicious.

**Nervous and awkward or
absent-minded; drops things.**

SUDDEN, PIERCING SHRIEKS.

**Head pains; stabbing or as of a
blow; agg. occiput.**

ROLLS THE HEAD.

**Numb, tired headache, amel.
pressure.**

Painful hair.

Musty head sweat.

Cheeks hang down.

**Eyes puffy; conjunctiva or lids
like water-bags; red; chemosed.**

Perforating corneal ulcer.

Profuse hot tears.

Photo phobia; yet can't bear

coverings.

Squint.

Blindness, amel. stool.

Myosis.

Face puffy or red, agg. about eyes; waxy pallor.

Scarlatinal otitis.

Red nose.

Cold nose.

Red mouth or tongue.

Grinds teeth.

Tongue : vesicles on edge; swelled; raw; as if burnt; sore.

Sandy, glazed or translucent pharynx, amel. cold things.

OEdema of uvula.

Purpleness of throat.

Meaty, red tonsils.

**Right tonsils, amel. cold
drinks.**

Angina.

**Diphtheria; early prostration
(Merc-cy.); dirty membrane.**

adypsia; but thirst during chill.

Ascites.

**Orange yellow or tomato-sauce
stools; odorless; agg. motion.**

**Anus sore, swelled; oozes blood
or stands open (Pho.)**

Burning urination.

Dysuria.

**Scant, foul urine; coffee-
grounds sediment.**

Nephritis.

**Ovaries numb; tumor of r.;
cystic.**

Amenorrhoea of puberty.

**Panting breathing; feels as if
every breath would be his last.**

Air hunger.

Larynx, drawn in.

Thirstless and dropsical.

**Abdomen tight, as if to break,
on straining at stool.**

Profuse urine, but drinks little.

**Ovaries congested, with
suppressed menses.**

**Heart, stitches backward from
apex; beat shakes whole body.**

Hands and feet numb.

Palms hot.

Nails feel loose.

Skin rosy red; sensitive; rough eruption on; sting-like spots on; pale.

Large urticaria.

Asthma from hives.

Erysipelas.

Scarlatina.

Dry, hot skin, alternates with gushes of sweat.

SLEEPY, but too nervous; when hot; and CRIES OUT.

Kicks covers of Weak, quick pulse.

Chill : anticipates; with dyspnoea, urticaria, desire to uncover; alternates with heat;

right side.

**BURNING HEAT; but chilly if
moved; without thirst; at 4
P.M.**

**Heat of one part, with coldness
of another.**

Sweat in gushes; partial.

Complementary

Arn. Bar-c. Merc-cy. Nat-m.

Antidote

Carb-ac.

Related

Ars. Canth. Pul. Urt-ur.

Apocynum cannabinum

APOCYNUM

Region

URINARY ORGANS

Heart.

Digestive Tract.

Uterus.

Worse

COLD

Weather.

Drinks.

Uncovering.

Lying.

Better

Warmth.

Description

Weak and dropsical.

Scanty discharges.

Irritation.

Symptoms

Bewildered.

Can't think.

Faint.

**Thirst, but water distresses;
vomits every drink.**

Uraemic vomiting.

Sinking at epigastrium.

**Noisy, yellow, painless,
gushing stools.**

Diarrhoea; with dropsy.

Bed-wetting of old men.

Enlarged prostate.

Uterine haemorrhage, then

dropsy (Chin.).

Oppression of chest.

Rough, dry skin.

Can't sweat.

Sleepy.

**Pulse slow, fluttering, irregular
or intermittent.**

Related

Chin-ar. Nux-v.

Aralia racemosa

Region

Respiration.

Mucous Membranes.

Worse

After a Short Nap.

Drafts.

Better

Lying With Head High.

Sitting Up.

Description

Weak, relaxed and nauseated.

Biliousness.

Symptoms

Sneezing, agg. drafts.

Aphthae.

Pains from liver to r. scapula.

**Dyspnoea or violent cough
after first sleep, amel. slight
expectoration.**

Whistling breathing.

Salty expectoration.

Complementary

Lob.

Aranea diadema

Region

Nerves.

Blood.

Bones.

Right Side.

Worse

EXACT PERIODICITY.

DAMPNESS

Cold.

During Rains.

Bathing.

Better

Smoking.

Description

**Cold to very bones (Calc-c.);
can't get warm.**

Every damp day chills.

**AS OF, ENORMOUS
ENLARGEMENT or numbness of
parts; on waking.**

Haemorrhage.

Periostitis.

Symptoms

Nervous temperament.

**Violent pain in all upper teeth
at once, on retiring.**

Enlarged spleen.

Malaria.

Complementary

Ced.

Argentum metallicum

ARGENTUM MET.

Region

NERVES

Cartilages

Mucous membranes

LARYNX.

Bones.

Condyles.

Joints.

Genito-Urinary.

Left, Side; Ovary.

Testis

(R).

Worse

USING VOICE.

Mental Strain.

Noon.

Cold Damp.

3 to 5

A.M.

Better

Motion.

Coffee.

Wrapping Up.

Description

**Slow, deep, low grade
processes.**

**THICKENED SECRETIONS,
cartilages, tarsi, etc.**

Gray or tenacious mucus.

Sore rawness.

**Increasingly violent pains,
suddenly cease; agg. touch;
with polyuria.**

Arthralgia.

**Loss of power; mental, over
limbs, etc.**

Epilepsy, then rage.

Symptoms

Hasty; deceitful.

Talkative and forgetful.

Whirling vertigo.

Emptiness or crawling in head.

**Itching canthi, eyelids or
earlobes.**

Exhaustingly profuse coryza.

Pale, sallow and weak.

Sticky teeth (Lach.).

Croaking in abdomen (1).

Emissions.

Chronic urethritis.

Foul leucorrhoea.

**easily raises gray, gelatinous
or starchy mucus; agg.**

laughing.

**Hoarseness or aphonia, agg.
using voice.**

Weakness in chest (1).

**Heart stops, then trembles and
throbs; amel. inspiration.**

Swelled ankles.

Diabetes.

Nervous itching.

Shocks on dropping to sleep.

Related

Sele. Stan. Zin.

Argentum nitricum

ARGENTUM NIT.

Region

MIND.

NERVES

Cerebro-Spinal.

ABDOMINAL.

MUCOUS MEMBRANE

STOMACH.

Bowels.

Eyes.

Throat.

Urethra.

Periosteum.

Skin.

Left Side.

Worse

EMOTIONS

ANXIETY.

Suspense.

In Room.

Sugar.

Shut in Places.

Lying on R. Side.

Looking Down.

Drinking.

Crowds.

Better

COOL.

AIR;

Open.

Bath.

Hard Pressure.

Motion.

Description

Old, dried up, tremulous and weak.

Progressive emaciation.

Paralysis, ascending.

Parts seem ENLARGED or bound up (Glo.).

VIOLENT PAINS; LIKE DEEPLY STICKING SPLINTERS; sharp shooting, like lightning; agg. down back or legs; cause

starting; grinding or radiating.

Sinking downward from head.

Ulceration, with much yellow,

bloody pus (Hep.).

Symptoms

**Conjoined mental and digestive symptoms,
Tormented by strange ideas or emotions.**

Nervous, impulsive and hurried, yet timid and anxious (Ars.).

Fearsome.

Dreads ordeals, impending evil, passing a certain point, dark (Stram.), etc.

Incoherence.

Faltering speech, gait, erections, etc.

Nervous headache and nervous

diarrhoea.

Brain-fag.

Head as if in a vise; amel. tight bandage.

Vertigo; epileptic, agg. night.

Compressive or deep head pains; loses his senses (Laur.).

Boring in 1. frontal eminence, 11-12 A.M.

Migraine.

Scaly tarsi.

Eyeballs feel big (Guai.).

Swelled carunculae; chemosis.

Photo phobia.

Violent purulent ophthalmia.

Dilated pupils.

Sickly, grayish, muddy color.

Painful, red tip of tongue, or (dry) aphthae on edge.

Food lodges in pharynx.

Throat sensitive; as of a rough stick (Phyt.) or splinter in, amel. cool drinks.

Dark red fauces and uvula.

Craves sugar, which agg..

Astringent sour or bitter-sour taste and vomitus.

Alcoholic gastritis.

Gastralgia; in a spot.

Eructates ingesta.

FLATULENCE; bursting (Lyc.); loud, explosive belching (Coca), discharged upward and downward; noisy diarrhoea.

Emotional diarrhoea.

Shreddy, mucus stools, turning green; agg. drinking.

Violent pains from kidneys to bladder.

Cutting in urethra, with painful priapism.

Yellow, bloody gonorrhoea.

Painful coition.

Cough from laughing.

Dyspnoea, nervous or flatulent; agg. gastric pains.

Palpitation, agg. lying on r. side.

Craves fresh air.

Laryngitis.

Throbbing or weak spine.

Trembling limbs.

Peripheral neuralgias.

Ischias antica.

**Weakness, rigidity or twisting
in calves.**

**Ulcers, angry, deep; hard
edges; warty granulations.**

Adherent crusts.

**Chill if uncovered, yet
smothers when wrapped up.**

**Shivers through bowels; up
back.**

Complementary

Nat-m.

Antidotes

Cina. Nat-m.

Related

Lyc. Pul.

Arnica montana

ARNICA

Region

BLOOD.

BLOOD-VESSELS.

Nerves.

Muscles.

Digestive Organs.

Worse

INJURIES

BRUISES.

Shock.

Jarring.

Labor.

Overexertion.

Sprains.

TOUCH.

After Sleep.

Motion.

Old Age.

Alcohol.

Better

Lying

Head Low (Ver-v.).

Outstretched.

Description

**A very painful and offensive
remedy.**

Progressive weakness.

Has absorbent action.

Shock : mental or physical.

**VERY PAINFUL BRUISED,
SORENESS; all over; after the
pains; of the bleeding part
(Fer.), etc.**

Crushing pain.

**BED FEELS HARD, or full of
lumps.**

**As of a lump back of stomach,
etc.**

**Suddenly shifting joint (Colch.)
or paralytic pains.**

**FOUL; breath, taste, flatus,
stool, etc.**

Typhoid.

Sepsis.

**HAEMORRHAGIC TENDENCY;
epistaxis, etc.**

Involuntary evacuations.

Symptoms

**Nervous, sanguine
temperament.**

**FEARS; being struck or
approached; sickness; instant
death; on awaking, etc.**

Morose, repellant mood.

**Physically restless, but
mentally prostrate or
apathetic; says nothing ails
him (Op.); reverse (Ars.)
answers slowly, with an effort.**

Feels well, in dangerous cases.

Brain feels tired.

Vertigo; of old age.

Bloodshot eyes, Ruddy,

congested face.

Apoplexy.

Fevers.

Bright red, puffy fauces.

**Red stripe down center of
tongue.**

Post-nasal dropping.

Catarrh of antrum.

**Eructations tasting of bad
eggs.**

**Anorexia by day, but canine
hunger before midnight.**

**Cramps from epigastrium down
over bowels, then foul stools.**

Acrid, foamy, stools.

Cutting in kidneys.

Urine retained or dribbles;

after labor.

Must wait for urine to pass.

After-pains; agg. suckling.

**Hoarseness; agg. exertion,
colds, or getting wet.**

**Coughs without waking, or
cough causing cries.**

Heavy lower chest.

Sore nipples.

**Arm pains, amel. hanging
down.**

Heart-beat shakes whole body.

Weakened heart muscle.

Angina.

Heart pains; left to right.

Dusky, mottled skin.

Every little hurt makes a black

and blue spot.

Petechiae.

Erysipelas.

Symmetrical eruptions.

**Very sore acne or crops of
small boils.**

**Sopor; drops to sleep as he
answers.**

**Troublous or frightful dreams;
awakes in terror.**

Coldness of part lain on.

Thirst during chill.

Hot head with cool body.

**Must uncover, but it chills him
(reverse of Nux-v.).**

Complementary

Calc-c. Nat-s. Sul-ac.

Related

Bells. Echi. Hyper. Rhus-t.

Arsenicum album

ARSENICUM

Region

MUCOUS MEMBRANES.

MIND.

RESPIRATION.

Lungs;

R.

Apex.

Blood.

Heart.

Nerves.

SPLEEN.

Lymphatics.

Muscles.

SKIN.

Serous Cavities.

Organs.

Worse

COLD

ICES, DRINKS.

FOODS.

Air.

PERIODICALLY

MIDNIGHT;

After.

AFTER 2 A.M.

14 Days.

Yearly.

VEGETABLES.

DRINKING.

TIPPLING.

Infections.

Bad Meat.

Eruptions

Undeveloped.

Suppressed.

Quinine.

Lying on Part.

Tobacco.

EXERTION.

Better

HOT

APPLICATIONS

(Dry).

FOOD.

Drinks.

Wraps.

Motion.

Walking About.

ELEVATING HEAD.

Sitting Erect.

Company.

Sweating.

Description

Sudden, intense effects.

Restless, anxious and very weak.

Maddening pains; BURNING LIKE FIRE, hot needles or wires, amel. heat, felt, even during sleep; exciting shortness of breath (Nat-s.) or chilliness.

Inveterate neuralgias.

Multiple neuritis.

VERY RESTLESS, agg. affected part.

Increasingly irritable (Cimi.) or SUDDEN GREAT WEAKNESS, from trivial causes.

Rapid emaciation.

ACRID, SCANTY, THIN SECRETIONS; coryza, saliva, sweat etc.

PUTRID, CADAVERIC ODORS.

Destructive processes.

Malignancy.

Sepsis.

Low vitality.

Pale, puffy, baggy SWELLING.

Dropsy.

Anaemia.

Symptoms

Anxious.

Oversensitive.

Fastidious.

EXACTING.

Fault-finding.

**ANGUISH; despairs of recovery
(Aco.).**

**AGONIZING FEAR OF DEATH;
nightly; yet tired of living.**

**VIOLENCE; self-torture; pulls
her hair; bites her nails.**

Suicidal impulses.

Restless and suspicious.

**Congestion to head amel. cold,
but neuralgia, amel. heat.**

Pain alternates between head

and stomach or body.

Pain over l. eye.

Restless head.

Early grayness.

Falling hair.

Spasm of eyelids.

Burning tears.

Scrophulous ophthalmia.

Takes colds.

Nose colds descend to chest.

Cold sores; in nose.

**Sneezing, with biting, watery
coryza; but stopped nose.**

Hay fever.

**Sensitive smell; loathes odor,
sight or thought of food.**

PALE, anxious sunken, haggard

or distorted countenance; with cold sweat.

Black lips.

Bluish white tongue.

Nightly toothache.

INSATIABLE BURNING THIRST; CRAVES ICE COLD WATER, BUT IT DISTRESSES STOMACH (Nux-v.) AND IS VOMITED AT ONCE; with anorexia; during heat.

DRINKS LITTLE AND OFTEN.

Gastritis.

Swelled spleen.

Vomiting, with purging, from ptomaine poisoning.

Foul, rice water or small, acrid,

**burning, black, mucous or
lienteric stools; agg. cold
drinks.**

Scanty urine.

Uraemia (Pip-m.).

Profuse, acrid leucorrhoea.

As of a vapor in larynx.

**SHORT BREATH; felt in nose;
must sit up; agg. odors,
receding eruptions or
ascending.**

Whistling inspiration.

Wheezing breathing.

**Cough alternately dry and
loose; must sit up.**

Frothy expectoration.

Acute pain through upper third

of r. lung.

Asthma.

Pulmonary oedema.

**Cough; dry, nightly; agg.
drinking.**

**Heart; weak; trembles;
palpitates; agg. slight causes.**

**Stiffness, ascends from coccyx
to nape.**

**Alternate internal and skin
symptoms.**

**SKIN; LOOKS SEARED; dry,
rough, dirty or shrivelled (Op.).**

Free desquamation.

Eczema.

Acuminate eruptions.

Hives after eating fish.

**Ulcerative tendency; chronic;
with burning.**

Phagedena.

Gangrene.

Shocks on dropping to sleep.

Restless sleep.

Dreams of death.

**COLD, externally, with
internal, burning heat; in spots;
sensitive to, yet amel. in open
air (Aur.).**

**Chills; irregular, shaking;
craves hot drinks; and can't get
his breath.**

**Heat, as of hot water in veins
or they burn like lines of fire;
burning or coldness in chest**

(Bry. Lach. Nat-m. Sul.).

Hectic.

**Sweat; with insatiable thirst,
dyspnoea or exhaustion; cold.**

Atypical or larval malaria.

Old cases of malarias.

**Waves of icy coldness in blood-
vessels or intense boiling heat.**

Yellow fever (prophylactic).

Complementary

Nat-s. Pul. Thu.

Related

Sul-ac. Ver-a.

Arsenicum iodatum

Region

MUCOUS MEMBRANES

NOSE.

Digestive Tract.

Lungs.

Heart.

Glands.

Skin.

Left Side.

Nerves.

Worse

Weather

Dry.

Cold.

Windy.

Foggy.

Exertion.

In Room.

Apples.

Tobacco Smoke.

Better

Open Air.

Description

Erethistic weakness.

BURNING.

Profuse, acrid discharges; thin in acute, or thick, gluey, yellow (Hyds.) in chronic affections.

Rawness.

Scrofula.

Consumptiveness (Tub.).

Heaviness.

Debility.

Symptoms

**Dull, heavy headache, agg.
occiput.**

Eyeballs feel heavy.

Foul otorrhoea.

**Persistent, but unsatisfactory
sneezing.**

**Nose drips water; hot (Iod.);
green; acrid; reddens upper lip
(Merc).**

**Coryza; with dyspnoea (Nit-
ac.), post-nasal catarrh.**

Hay fever.

Colds, with hunger.

Aching malar bones.

Raw throat.

Hoarseness.

Goitre.

Air hunger.

Short of breath.

Hacking cough.

**Yellow-green, foul
expectoration.**

**Asthma of phthisical or psoric
persons.**

Beginning resolution (Sul-io.).

Burning heat in chest.

Tubercular pleurisy.

Weak heart; with erethism.

Dry, harsh or dusky skin.

Psoriasis.

Ichthyosis.

Rapid, irritable pulse.

Chilly.

Night-sweats.

Complementary

Kali-io.

Related

Kali-bi.

Arum triphyllum

Region

Mucous Membranes

Mouth.

THROAT.

Larynx.

Kidneys.

Brain.

Blood.

Skin.

Worse

Over Use Of Voice

TALKING.

Singing.

Cold, Wet Winds.

Heat.

Description

Irritation.

**PAINFULLY SORE, RAW AND
BURNING PARTS.**

ACRID DISCHARGES.

Symptoms

**Excessively cross and stubborn
(Tub.).**

**NERVOUS; CHILD
PERSISTENTLY BORES INTO**

NOSE or picks at lips, the fingers or at one spot; until it is sore or bleeds.

Acrid, fluent coryza.

Raw, cracked lips (angles) (Psor.).

Painfully raw, sore, inflamed mouth.

Aphthae.

Raw sore throat; painful on clearing or coughing, yet grasps or wants to scratch it.

Hay asthma.

Stools like corn-meal.

Uraemia.

Voice hoarse, squeaky or breaks.

**Itching fingers and toes.
Eruptions leave a brilliant red
stain.**

Pemphigus.

Impetigo contagiosa.

Complementary

Nit-ac.

Related

Ars. Merc-c.

Asa foetida

ASAFOETIDA

Region

NERVES.

Mind.

Gullet.

Digestive Tract.
Periosteum
Ears.
Nose.
Tibia.
Left Side.
Worse
Night.
In Room.
Rest.
Eating.
Suppression.
Mercury.
Noise.
Sitting.
Warm Wraps.
Better

**Motion in
Open Air.**

Pressure.

Description

**Full, stout aspect, but
intolerably nervous and
OVERSENSITIVE.**

**Fits of violent, hard throbbing,
pressure, sharp sticking, etc.**

Clavus.

Easy relapses.

Bone aches.

**Pains extend outward, are
associated with numbness and
change place or are amel. by
touch.**

Boring.

Blueness.

Foul, thin acrid secretions.

Symptoms

Magnifies her symptoms.

Craves sympathy.

Fickleness.

Fainting.

Hysteria.

Clutches throat.

Occipital ache amel. stool.

Eyelids stick to ball.

Numb about eyes.

Ozoena.

Puffy, purple face, as if heated.

Greasy taste.

**Everything presses toward
throat.**

Globus.

Spasm of gullet and stomach.

Rancid or explosive belching.

Regurgitations.

Flatulence; sudden; pushing upward, hysterical.

Wind colic.

Reverse peristalsis.

Bowels seem knotted.

Foul, dark watery diarrhoea.

Spasmodic tightness of chest.

Heart seems full, distended.

Reflex symptoms, of nervous origin.

Dark red swelling.

Eruption of air vesicles.

Bluish ulcers; with high

sensitive edges.

Foul, burrowing pus.

Caries.

Related

Aur. Lach. Sumb. Val.

Asarum europaeum

ASARUM

Region

NERVES.

Mucous Membranes.

Female Organs.

Worse

PENETRATING SOUNDS.

Dry.

Cold.

Emotions.

Better

Cold Bathing; of Face.

(Flu-ac.).

Description

EXCESSIVE NERVOUS SENSIBILITY; scratching on silk, rattle of paper, etc., is unbearable.

Contractive sensations.

Symptoms

Lightness, as if floating.

Painfully sensitive hearing.

Cold saliva.

Violent vomiting.

Gelatinous or shreddy mucus stools.

Lientery.

**Asthmatic breathing, agg.
odors or cold.**

**Violent backache, takes her
breath, agg. motion.**

Related

Arg-n. Castor. Ther.

Asclepias tuberosa

Region

SECRETIONS

SKIN.

Serous.

Mucous.

Chest

(R).

Muscles.

Worse

Motion.

Deep Breathing.

Lying.

Tobacco.

Description

Colliquative states (Agar.).

SWEATINGS; in pleuro-pneumonia, diarrhoea or rheumatism.

Body numb.

Symptoms

Sticky, yellow nasal discharge.

Tough, yellow coat on tongue.

Stools smell like rotten eggs, or burn like fire.

Dysentery.

Flabby genitals.

Short of breath and weak on walking.

Chest pains, agg. lying or breathing.

Pleurodynia.

Pericardial effusion.

Pleurisy.

Related

Ant-t.

Asterias rubens

Region

Circulation.

Nerves.

Female Organs.

Rectum.

Left Side.

Worse

Heat.

Menses.

Contradiction.

Cold Wet.

Description

Pulsations; in head, womb, chest, etc.

Drawn back feeling in eyes, nipples, etc.

Cancer.

Symptoms

Mentally and physically flabby.

Weeps from least emotion.

Rushes of blood to head; it feels surrounded by hot air.

Red face.

Pimples about mouth.

Stools of brown, gushing water.

Sexual erethism.

Related

Murex. Sep.

Aurum metallicum

AURUM

Region

MIND.

Nerves.

VASCULAR SYSTEM.

Heart

(R.).

Bones

NASAL.

Skull.

Patellae.

Joints.

Glands.

Liver.

Kidneys.

Worse

Emotions

Depressing.

Disordered.

Affections.

Mental Exertion.

Cold.

Night

Sunset to Sunrise.

Abuse of Merc. or Kali-iod.

Cloudy Weather.

Better

Cool; Open Air

Cold Bathing.

Becoming Warm.

Music.

Walking.

Description

Vaso-motor mobility; erratic ebullitions and venous congestion, more to head and chest.

Vascularity.

Weak, yet sensitive to pain.

Pains wander, impel motion, finally attack heart (Benz-ac. Colch.); boring, cutting osteocopic.

Indurations; glandular.

Sclerosis; coronary.

Necrosis.

Chronicity.

Mercurio-syphilitic dyscrasia.

Extremely violent symptoms.

Heart feels loose on walking.

As of air blowing on part.

Symptoms

**Intense, hopeless depression
and suicidal anguish.**

**Brooding melancholy;
alternating with irritability or
moroseness.**

**Praying and self-reproaches;
starting from heart.**

Weak memory.

Vexed mood; enraged by least

contradiction.

Loquacity.

Rapid questioning.

Fears the least noise.

**Violent confusing headache;
syphilitic.**

Hemiopia upper horizontal.

Sore orbits.

Congested, bluish-red face.

Pains in zygomae.

Red knobby nose.

Ozoena.

Foul breath.

Bulimy.

Soreness over liver.

Hepatitis.

Ascites.

Jaundice, of pregnancy.
Liver, with heart symptoms.
Chronic orchitis.
Crushing weight under
sternum agg. ascending.
Dyspnoea; agg. laughing.
Oppression at heart; as if to
stop, then gives one hard
thump.
Violent palpitation; at puberty.
Cardiac hypertrophy.
Angina pectoris.
Aortic disease.
As if lower spine bulged
backward.
Pott's disease.
Nightly leg pains.

Painfully sensitive to cold.

Sweat about genitals.

Cold and damp all over.

Related

Merc.

Badiaga

Description

Cough; excited by sweets, candy, etc. (Med. Spo. Zin.).

EXPECTORATION; flies from mouth (Kali-c.).

Baptisia tinctoria

BAPTISIA

Region

BLOOD.

Mind.

Nerves.

Mucous Membranes

Digestive Tract.

Left Side.

Worse

Humid Heat.

Fogs.

In Room.

Pressure.

On Awakening.

Description

**SORE, HEAVY, ACHING
MUSCLES; gall-bladder, heart,
etc.**

**WITH RAPID PROSTRATION;
the bed is too hard, yet he feels
too sick to move.**

**Dark; mucous membranes,
exudates, haemorrhage, stools,
spots in body, etc.**

**Brown; sordes, stripe down
center of tongue, stool,
menses, etc.**

**Foul; odor of body; excretions,
stool, sweat, etc.**

Grippe.

Zymoses

Sepsis.

Typhoid states.

Bed sores, etc.

Insensible to pain.

**Restless mind but lifeless
body.**

Bewildered.

Thick speech.

**Sensation as of a blow on
occiput.**

Dull, drowsy, besotted look.

**SENSE OF DUALITY; PARTS
FEEL SCATTERED ABOUT,
SEPARATED, numb or too
large.**

Dull and confused.

**Falls asleep while answering or
does not complete his**

sentence.

Eyes feel swelled.

**DUSKY, SODDEN, BESOTTED,
STUPID COUNTENANCE.**

**Dark red, tumid mouth and
throat.**

**Throat, numb inside but
sensitive outside.**

Fetor oris.

**Tongue cracked, bleeds, feels
thick or is heavily coated.**

Viscid saliva.

Aphthae.

Ragged ulcers in throat.

Can't swallow solids.

Spasm of gullet.

Easy vomiting.

Diarrhoea; sudden, horribly foul, mushy, painless, dark or slaty.

Symptoms radiate from small of back.

Dyspnoea from weakness in chest.

Air hunger; on waking, amel. standing.

Bronchial asthma.

Drowsy, stupid and languid; slides down in bed and lower jaw drops (Mur-ac.).

Hyperpyrexia.

Livid spots on body.

Uraemia.

Related

**Arn. Gel. Hyo. Lach. Mur-ac.
Op. Rhus-t.**

Baryta carbonica

BARYTA CARB.

Region

NUTRITION.

MIND.

GLANDS

THROAT

Prostate.

HEART.

Nerves.

Blood-vessels.

Lungs.

Worse

Company.

Thinking of It.

Cold

Damp;

to Feet.

To Head.

Changes.

Lying on

Painful Part.

Left Side.

Odors.

Better

Warm Wraps.

Description

**Torpid, dwarfish (Med. Syph.)
or marasmic.**

Weakly.

Senility; early (Calc-c.).
Adenopathies.
Scrophula.
Chronicity.
Single effects (Agar. Con.)
Burnings, localised.
Numb parts; mouth, genitals,
fingers, etc.
Forced through a narrow place,
as if.
Vascular softening and
dilatation.
Paralytic effects.
Apoplexy.
Too tired to even eat.
Wants to lie down.
Takes colds.

Inflamed mucous membranes.

Symptoms

**SLOW, INEPT AND
BACKWARD.**

Childish, thoughtless behavior.

Timid.

Cowardly.

Groans from every little thing.

Increasing mental weakness.

Weak, beclouded mind.

Bad memory.

**Forgets her errand or the word
in her mouth.**

Irresolute.

Mistrustful.

Shy of strangers.

Brain feels loose; amel. cool

air.

**Heavy pressure over eyes
(Bell.).**

Baldness; agg. vertex.

Hazy cornea.

Eyes, amel. looking down.

Old, sickly, weazened look.

Crusty ears.

Nose dry, agg. blowing it.

Pendulous lips.

Weak tongue.

**Burning soreness or vesicles
on tip of tongue.**

**Throat (glands) affected by
every cold; agg. menses.**

Chronic quinsy.

Enlarged tonsils (Calc-p.).

Spasm of oesophagus.
Sore spot in stomach.
Diarrhoea, with lumbar ache.
Flabby genitals.
Erections when riding.
Paralytic aphonia.
Asthma, agg. wet, warm air;
senile (Bar-m.).
Chronic bronchitis.
Heart; bruised sore; agg.
suppressed foot sweat.
Trembling feet.
Hot, bruised soles at night.
Cold, foul foot sweat.
Indurated glands; tonsils;
cervicals, swelled like knotted
cords.

Cysts.

Lipoma.

Warts.

Acne.

Pulse slow and small.

High blood-pressure.

Arterio-sclerosis.

Related

Kali-p. Med. Sil.

Belladonna

Region

Nerve Centers.

Brain.

Blood-vessels.

Capillaries.

Mucous Membranes.

Eyes.

Mouth.

THROAT.

Skin.

Organs.

Right Side.

Worse

Heat : of Sun; if Heated.

Afternoon

(3 P.M.).

DRAFTS;

on Head;

Hair Cut (Glo.).

Washing Head.

After Taking Cold.

CHECKED SWEAT.

LIGHT.

NOISE.

JARRING.

Touch.

Company.

Pressure.

Motion.

Hanging Down.

Better

Light Covering.

Bending Backward.

Rest in Bed.

Description

Plethoric, brainy.

SUDDEN, VIOLENT EFFECTS.

**DRYNESS, BRIGHT REDNESS -
streaked (Pho.)- AND BURNING**

**HEAT; WITH GREAT PAIN;
FULLNESS OR SWELLING.**

CONGESTION : TO HEAD.

Dilated arteries.

Inflammation.

**Heat in body, parts,
discharges, etc.**

CONSTRICTIONS.

**Parts are hot, swelled, red and
dry.**

**THROBBING, SHARP CUTTING,
SHOOTING or clawing PAINS; of
maddening severity; coming
and going, in repeated attacks
(Nit-ac.).**

Scant or hot discharges.

JERKS.

Shocks.

TWITCHINGS.

SPASM; of throat, vagina, etc.

Symptoms

Over-active.

Excited.

**WILDLY DELIRIOUS; ferocious,
noisy, cries out.**

RESTLESS and talks fast.

Tries to escape.

Furibund.

Biting mania.

Violent delirium.

**THROBBING HEAD; agg.
temples; agg. motion; amel.
letting hair down.**

Brain rises and falls in waves.

Rolls head.
Pains go downward from head.
HEAD SENSITIVE TO DRAFTS
AND COLD, or washing hair.
HAMMERING THROB.
Pulls her hair.
Meningitis.
Sunstroke.
DILATED PUPILS.
Prominent, sparkling eyes.
Red sclerotic.
Lurid, red, terrifying
hallucinations; on closing eyes.
Blind attacks; then yellow
vision.
Sees red.
Flashes before vision.

PHOTO PHOBIA.

Red nose.

**Fiery RED, turgid, hot FACE,
or alternately pale and red.**

**DRY, HOT MOUTH AND
THROAT (Pho. Rhus-t.).**

Toothache, amel. biting.

Swelled tongue.

Strawberry tongue.

**Urging to swallow, with
choking.**

Drinks in sips.

Must drink to swallow.

Craves lemonade.

**Pain from stomach or liver to
shoulder and throat, agg. lying
on it.**

**Cutting epigastric colic, amel.
bending backward.**

Distended transverse colon.

**Clawing or downward forcing
in abdomen.**

Acute prolapsus ani (Ars.).

Stools contain chalky lumps.

**Enuresis on lying down;
nocturnal.**

Fiery red urine.

**Early, profuse, hot (Sabi.), red,
gushing menses.**

Rigid os.

Metritis.

**Bearing down amel. standing,
agg. lying.**

Red streaked mammae.

Dry cough.

Barking voice.

**Stiff r. neck and shoulder in
afternoon.**

Back feels broken.

BRIGHT, RED, GLOSSY SKIN.

Intense dermatitis.

Scarlatina.

Erysipelas.

Sleepy, but can't sleep.

Heavy, hot sleep.

JERKS DURING SLEEP.

**Frightful dreams; of quarrels,
fire, etc.**

**Internal coldness with
external, pungent, burning
heat.**

**HOT HEAD, with cold limbs
(Sul.).**

Hot sweat.

**Skin hot, but moist and dry
alternately.**

**Spasm, then prolonged
unconsciousness.**

Complementary

Calc-c. Hep. Merc.

Related

Glo. Hyo. Stram.

Bellis perennis

Region

BLOOD-VESSELS.

Nerves.

Spleen.

Joints.

Left Side.

Worse

INJURY

Sprains.

TOUCH.

Cold Baths

or Drinks.

Wet.

Becoming Chilled When Hot.

Better

Continued Motion.

Cold (Local).

Description

BRUISED SORENESS.

Hard, aching, squeezing or

throbbing pain.

Tired, fagged.

**Deep trauma or septic wounds;
especially abdominal, pelvic,
etc.**

Acrid pus; destroys the hair.

Bleeding.

Symptoms

Impulse to move.

Headache, ending in shooting.

Fullness about spleen.

Falls on coccyx (Hypr.).

Boils.

Wakeful; too early.

Sensitive to cold.

Senile blood stasis.

Unbearable pains that drive to

**distraction, agg. heat and amel.
cold.**

Senile vertigo.

Related

Arn.

Benzoicum acidum

BENZOIC ACID.

Region

URINE

Kidneys.

Bladder.

JOINTS.

Heart.

Bowels.

Left Side.

Worse

Open Air.

Cold.

Changing Weather.

Better

Heat.

Profuse Urine.

Description

Strong urinous odor of patient.

Changing or gouty-rheumatic pains, agg. at heart or alternating with urinary symptoms.

Pains alternate with heart symptoms.

Painful, gouty nodes.

Hygromae (Am-c.).

Bunion.

Meniere's disease (Sal-ac.).

Symptoms

Salty vomitus.

Copious, grayish stools; like soap-suds; of a pungent urinous odor; very foul; white.

STRONG, HOT, DARK-BROWN URINE; foul, ammoniacal or odor of horse urine.

Gravel.

Hard, dry cough.

Cracking joints; in knees.

Profuse sweat, without relief; night sweats.

Related

Calc-c.

Berberis vulgaris

Region

Urinary

and Digestive Tract

KIDNEYS.

Liver.

Bladder.

Lumbar Region

(Hips).

Joints.

Uterus.

Spermatic Cord.

Worse

Motion

Jarring.

Stepping Hard.

Rising from Sitting.

Fatigue.

Urinating.

Description

Mentally and physically tired.

Sees things in twilight.

Many, rapidly changing or alternating symptoms; shooting outward, as in urethra, toes, etc., about or RADIATING from one point; lower spine, etc.

Sticking.

Soreness.

Burning-smarting.

Numbness; insensitive to

extreme heat or cold.

GURGLING or bubbling.

**Dry mucous membranes;
mouth, vagina, etc.**

**Dirty-gray face, gums, feces,
etc.**

Lithaemia.

Calculi.

Symptoms

As of a tight cap on head.

Cold temples.

Suppurating acne.

Sticky mouth.

**Foamy, cottony saliva (Nux-
m.).**

Painful pimple at tip of tongue.

Pains from stomach to back or

the reverse.

**Torn loose feeling in
epigastrium.**

Biliary and urinary calculi.

**Colic, pains from gall-bladder
to epigastrium; bilious; along
ureter, arresting breathing;
renal (r).**

**Stools, pale, smarting, tough;
watery, with jaundice.**

Fistula ani.

Burning kidneys.

**Clear discharge from meatus,
before urinating.**

**Urine thick, turbid, yellow;
red, mealy, sandy or slimy
sediment.**

Dysuria.

**Genitals : cold, sweaty, pains
change sides.**

**Gray or brown mucus replaces
menses.**

**Backache with severe
prostration.**

**Sore spot under (r). scapula
(Chel.).**

**Crushing, stitching, paralysing
lumbar pain.**

Numb lumbar region.

**Pain from iliac crests down
front of thighs; when urinating.**

Lumbago.

Itchy skin.

Eruptions leave a brown stain.

Chilly.

Cold single parts.

Everything excites sweating.

Complementary

Mag-m.

Related

Benz-ac. Coc-c. Kali-bi. Lyc.

Pul.

Bismuthum-sn.

BISMUTH.

Region

DIGESTIVE TRACT

Stomach.

Intestines.

Worse

Eating;

Overeating.

Better

Cold; Drinks; Applications.

Bending Back.

Motion.

Description

Apathetic and prostrated.

Tearing, pinching pains.

Internal heaviness.

Symptoms

Swelled gums.

Craves cold drink, which is vomited at once, or in great quantities when stomach

becomes full.

Foul belching.

Vomits liquids only, or bilious after eating.

Atrophia ablactatorum (Kre. Ox-ac.).

Gastric, alternating with head or face pains.

Violent gastralgia (Atro. Chin.), with cramping or burning.

Food presses like a load on one spot.

Prostration; after stool.

Cholera infantum, when the body remains warm.

Black ulcers.

Dry palms and soles.

Related

Ars. Cad-s.

Borax veneta

BORAX

Region

Occiput.

NUTRITION

NERVES.

MUCOUS

MEMBRANES.

MOUTH.

Skin.

Kidneys.

Bladder.

Worse

DOWNWARD MOTION.

Sudden Noises.

Cold; Wet.

Least Uncovering.

Nurslings.

Children.

Fruit.

Better

11 P.M.

Description

Tough, bloody mucus.

**Tousy persons (Med. Sul.) :
frowzy hair, tangles at ends.**

**Frightened at every noise;
starts from sleep, as if to fall.**

Restless in afternoon.

Gummy, crusty eyelids and

nostrils.

Raw tarsi.

Acrid coryza.

Red nose of young women.

Dirty complexion.

Puffy face.

Dry cracked tongue.

Palate hard and wrinkled.

**Eructations when painful parts
are pressed.**

**Poorly nourished, soft and
flabby.**

Aphthous, catarrhal tendency.

**Clear, thick, hot, biting
discharges.**

**Heat in single parts; mouth,
vagina, palms, etc.**

**Sticking or drawing pains;
intercostal, in soles, etc.**

**Shrivalled skin or mucous
membranes.**

Marasmus.

Symptoms

**Nervous, anxious, fidgety,
fickle.**

Fretful, before stool.

Fears downward motion.

**Starts at trifles, sudden
sounds, etc.**

Anxious cries during sleep.

**Hot head of babies; they cry
and scream when nursing or
before passing stool or urine.**

Entropion.

Red about eyes.

Dry, tender, aphthous mouth.

Puffy, indented tongue.

Gripping toothache, agg. wet weather.

Nausea when thinking hard.

Catch in groin on coughing.

Stools : turning green; like boiled starch.

Mucous diarrhoea, then weakness.

Loose, pappy, repulsive stools.

Hot, acrid, smarting urine.

Nephritis.

Cystitis.

Easy conception.

Membranous dysmenorrhoea.

Albuminous leucorrhoea.
Clear, hot, pasty leucorrhoea.
Empty feeling in mammae,
after child nurses.
Averse to coition.
Pain in opposite breast, as
child nurses.
Mother's milk is thick and
tastes badly.
Blood-streaked or mouldy
expectoration.
Limbs tremble, at 10 A.M.
Itching on back of hands.
Eczema.
Weak calves.
DRY SKIN; festers easily, won't
heal.

Sweat on stomach.

**Stitch in right chest, agg. deep
breath and amel. hard pressure.**

Heart feels as if on right side.

Violent palpitation.

Related

Bell.

Bovista lycoperdon

BOVISTA

Region

CIRCULATION

HEART.

Uterus.

Kidneys.

SKIN.

Worse

Menses.

Full Moon.

Getting Warm.

Better

Doubling Up.

Eating.

Description

**Haemorrhagic-herpetic
diathesis.**

**Oozing haemorrhage, agg.
night.**

**Laxness; joints seem loose;
easy indentation.**

General puffiness.

**Enlarged feeling, head, heart,
etc.**

Symptoms

**Awkward in speech and action;
drops things, stutters, etc.**

Inattentive.

Weak memory.

Confusion on awaking.

Weak jointed and nervous.

A wedge presses into occiput.

Nose stops on lying down.

Numb mouth.

As of a lump of ice in stomach.

Colic, amel. eating.

Bloating.

Diarrhoea, agg. menses.

**Menses early; more at night,
less if in motion; flow between
periods.**

**Thick, pussy, acrid
leucorrhoea.**

Short breath on using hands.

Visible palpitation.

Itching coccyx.

Weak hands.

Heavy painful legs.

**Itching eruptions; oozing;
forming thick crusts or scabs,
with pus beneath (Mez.).**

**Hives, with diarrhoea or
menorrhagia.**

Eczema.

Chill during pains.

Related

Ap. The Carbons. Ustil.

Bromium

Region

LARYNX.

RESPIRATION.

Heart.

Circulation.

Glands

Parotid.

Thyroid.

Ovaries.

Mammae.

Worse

WARM

DAMPNESS.

Overheating.

Room.

Chilled While Hot.

Sea Bathing.

Dust.

Drafts.

Until Midnight.

Better

**Nosebleed (Vertigo, Head,
Chest).**

At Sea.

Motion.

Description

Scrofulous blondes.

**Constrictions, glandular
induration or membranous
formations.**

**Weak and easily overheated,
then sweaty and sensitive to**

drafts.

Symptoms

Head congested, fears a stroke.

Acrid, burning coryza.

Nosebleed.

Face seems drawn to a point at nose.

Flatus from vagina.

Inhaled air seems smoky, cold or raw.

Lungs feel coated with down.

Wants to take a deep breath, but it excites cough.

Suffocative fits; he starts up choked with croupy or wheezing cough, or with palpitation.

Asthma.

Spasm of glottis.

Asthma of sailors going ashore.

Deep hoarseness, agg. if heated.

Diphtheritic croup.

Colds start in larynx; go upward (Merc. Sep.) and downward.

Thick, white expectoration.

Even a small goitre oppresses.

Nervous palpitation.

Cardiac hypertrophy.

Slow, glandular enlargement.

Boring in bones.

Related

Lach. Samb.

Bryonia alba

BRYONIA

Region

Blood.

CIRCULATION.

Liver.

SEROUS MEMBRANES

HEAD.

CHEST.

JOINTS.

ABDOMEN.

Motor Apparatus

Nerves.

Muscles.

**Right Side.
Lymphatics.
Cellular Tissue.**

Worse

**MOTION
LEAST
RAISING UP.
STOOPING.
EXERTION.
COUGHING.
DEEP
BREATHING.**

**Dry
Heat.
Cold.**

**HOT
BECOMING.**

ROOM.

Weather.

Drinking, While Hot.

EATING.

Vegetables.

Acids.

Calomel.

VEXATION.

Touch.

Suppressions.

Taking Cold.

Early

A.M.

Better

PRESSURE

LYING ON PAINFUL PART.

Bandage, etc.

COOL OPEN AIR.

QUIET.

Cloudy, Damp Days.

Drawing Knees Up.

Heat to Inflamed Part.

Description

Slowly advancing, forcible processes, localising in unyielding tissues.

Very painful effects; on coughing holds sides, chest or head; in joints, etc.

BURSTING, STITCHING or heavy, sore pain, going backward.

AVERSE TO LEAST MOTION, even of distant parts.

Dryness everywhere.

**Dryness of the mucous
membranes.**

Scanty, adherent secretions.

**Congestion, INFLAMMATION,
exudation.**

Streaks of red.

**Gastro- bilious -rheumatic
type.**

Symptoms

**Determined, taciturn, irritable
and ugly.**

**Wants to be let alone or go
home.**

Dull.

**DIZZY OR FAINT ON RAISING
UP.**

Vertigo; felt in occiput.
BURSTING, SPLITTING OR
HEAVY crushing headache;
fronto- occipital; agg. moving
eyes, coughing, straining at
stool, etc.
Pain over l. eye.
Sensitive scalp; every hair
pains.
Oily hair.
Eyeballs sore; pains behind.
Dark red face.
Nosebleed; vicarious.
Suppressions or non-appearing
discharges, eruptions, etc.
Wagging lower jaw.
Descending colds.

Chewing motions.

Dry, parched, cracked lips.

Dry mouth.

**Tongue very dry, rough, coated
along center; red at base.**

Soapy saliva.

BITTER TASTE, or vomitus.

**Hawks brown lumps from
posterior nares.**

THIRST; FOR LARGE DRINKS.

Craves what he can't relish.

Loathing.

Nausea, agg. lying on r. side.

Throbbing, tender epigastrium.

Heavy load in stomach.

**Heavy, sore liver, amel. lying
on it.**

Appendicitis.

Peritonitis.

**LARGE, DRY, VERY HARD
STOOLS, as if burnt.**

Constipation.

**Gushing diarrhoea on rising,
agg. cabbage; burning; agg. hot
weather.**

**Lumps of tough mucus after
stool.**

Yellow, mushy stool.

Vicarious menstruation.

**Right chest; rusty
expectoration.**

**Wants to take a deep breath,
but can't, or it excites cough.**

DRY, HARD, VERY PAINFUL

**COUGH, as if from stomach;
agg. eating or drinking.**

**Blood-streaked or tough
expectoration.**

Bronchitis.

Pneumonia (r).

**SHARP STITCHES IN CHEST,
or at r. scapula.**

Dry, friction sound.

Pleurisy.

**Stony, hard mammae; before
menses.**

Milk fever.

**Heavy, hard breasts before
menses.**

**Inter scapular numbness or
pain going to epigastrium or**

from l. to heart.

Lumbago, agg. stooping.

Delirium; dreams of hard work.

FULL, QUICK, HARD PULSE.

Undeveloped measles.

Jaundice.

Chill, with hot head and red face; agg. warm room.

Dry, burning heat; with agg. of all symptoms; blood seems hot.

Painful, continued fevers; typhoid, catarrhal, etc.; after suppressions.

Sour or oily sweat.

Groins sore before menses.

Complementary

Alu. Lyc. Nat-m.

Related

Phyt. Rhus-t.

Bufo rana

BUFO

Region

Heart

Blood.

Circulation.

Kidneys.

Sexual Organs.

Ovaries.

Groin.

Skin.

Worse

In Warm Room.

**Sexual
Excitement (Onanism).**

During Sleep.

Least Motion.

Injuries.

Better

Bleedings. (Lach. Melil. Sars.).

Cool Air.

Bathing; Feet in Hot Water.

Description

Obesity.

**Depravities and bad
inheritance.**

**Low minded and low disease
forms.**

Early break-down.

Bloody oozings; nipples, saliva,

etc. (Bov.).

Festering sensation.

As of a peg in joints.

Burnings; ebullitions of heat.

Flushings.

Feels swelled in A.M.

Trembling and as of electric shocks through body.

Sexual epilepsy.

Dropsy.

Symptoms

Moral depravity.

Childish, silly tittering.

Talks nonsense, then angry if not understood.

Feeble minded.

Fears animals and strangers.

Duplicity.

Pillow hurts occiput.

**As of cold balls running
through bowels.**

Asthma.

Suffocative cough.

**Heart seems to float or beat in
water or air.**

**Rapid heart action; in
exophthalmos.**

**Violent pain in mammae, agg.
night.**

**Lumbago, agg. raising up or
least movement.**

Anaesthetic spots.

Red streaks under skin.

Lymphangitis.

Panaris.

Bullae.

Horripilation.

Complementary

Calc-c.

Related

Bar-c. Grap. Tarn.

Antidote

Op.

Thlaspi bursa pastoris

BURSA PASTORIS

Region

Vascular System.

Female Organs.

Worse

Every Other Month.

Better

Bathing.

Dampness.

Rapid Motion.

Description

History of haemorrhage or suppressed vaginal discharges.

Symptoms

Impulse to walk far.

Pain from above eyes up over head to nape.

Taste like bad eggs.

Craves butter-milk.

Flatulence (r).

Kidney stone.

Menses or leucorrhoea leaves a

fast stain.

Leucorrhoea excites itching.

**Milky water runs from r.
nipple.**

Weakness between scapulae.

Comp

Sep.

Cactus grandiflorus

CACTUS GRANDIFLORA

Region

HEART

(Muscle).

CIRCULATION.

Head; Right.

Chest.

Circular Muscles.

Worse

Lying

On Left Side.

On Occiput.

Periodically.

Exertion.

10-11 A.M.

or

11 P.M.

Night.

Better

Open Air.

Pressure on Vertex.

Description

**CONSTRICTIONS; heart; chest;
neck; body feels tight or**

**wrapped, (Bar-c. Grap. Med.
Nux-v. Sul.).**

Irregular circulation.

Violent congestion.

Hot gushings into chest.

**Localised pulsations; behind
stomach.**

HAEMORRHAGE.

Pains that extort cries.

Periodical neuralgias.

Symptoms

**As of a weight on vertex or
chest.**

Red face.

**Cough; from heart affections;
rattling.**

Menses lumpy; black; cease on

lying.

**HEART FEELS CLUTCHED AND
RELEASED ALTERNATELY, BY
AN IRON HAND; or feels it
expand and contract; seems to
turn over (Lach.); stitches;
irritable; intermittent beat.**

As if an iron band about chest.

Numb left arm.

Fingers tingle.

Chill, not amel. covering.

**Strong pulsations in old
places.**

Related

Aco. Coc-c.

Cadmium sulphuratum

CADMIUM SULFAT.

Region

Stomach.

Respiration.

Worse

Raising Up.

Least Motion.

Cold.

Description

Faintness on rising.

Ozoena.

Craves little drinks of cold water, which are vomited at once.

Nausea, that compels quiet to

avoid vomiting.

Suffocates on dropping to sleep.

Chest contracted; with asthma.

Related

Zin.

Caladium seguinum

CALADIUM

Region

GENITALS.

NERVES.

Skin.

Mucous Membranes.

Worse

Sexual Excesses.

Motion.

Sudden Noises.

On Falling to Sleep.

Tobacco.

Better

Cool Air.

Short Sleep.

Sweating.

Description

DRYNESS; food eaten seems too dry; must drink to swallow.

Red, dry stripe down center of tongue, widening toward tip.

Inclines to lie down.

Dreads to move.

Symptoms

Nervous excitation.

Fear of going to sleep.

Vertigo, as if rocked.

Crawling or as of a cobweb on face.

Flaccid, sweaty genitals; glans like a rag.

Atonic pollutions.

Impotency; after gonorrhoea.

PRURITUS VULVAE; with burning; from pinworms.

Violent, sexual erethism, or neurasthenia.

Respiratory, alternating with skin symptoms.

Hard cough, with asthma; amel. expectoration.

Numb hands.

Cold single parts; feet.

Heat during sleep, ceases on waking.

Sweet sweat, attracting flies.

Low fevers.

Related

Caps.

Calcarea fluorica

Region

Elastic Fibre

Veins.

Glands.

Periosteum.

Left Side.

Worse

Beginning Motion.

Cold; Wet.

Drafts.

Changing Weather.

Sprains.

Description

Numbness.

Weak in morning.

Discharges turn grass green.

Slow, processes.

General stiffness.

**INDURATIONS; of stony
hardness; glands, tonsils, neck;
piles, tumors, edge of ulcers,
etc.**

Nodes in breasts.

**Rough and ragged, tonsils,
exostoses, periostitis, enamel,
hypertrophied nails, etc.**

**Vascular dilatation; varicoses,
inflamed; aneurism.**

Arterio-sclerosis.

After apoplexy.

Struma.

Fistula.

Cataract.

Symptoms

Sluggish temperament.

**Gushing, watery stools of
carrion odor.**

**Expectorates tiny, tough,
yellow lumps.**

Lumbago.

Hip-joint disease.

Bursitis.

**Chronic synovitis Periostitis of
lower jaw, ribs, etc.**

**Skin cracked; dry, hard and of
alabaster whiteness (Ars.).**

Stinking pus.

Xray burns.

Birth-marks.

Cold wrists and ankles.

Complementary

Rhus-t.

Related

Grap. Hecla-lava.

Calcare hypophosphorosa

CALCAREA HYPOPHOS.

Region

Nutrition.

Worse

Vital Losses.

Description

**Pale and weak, with violent
drenching sweats.**

**Rapid and extreme debility or
emaciation.**

Scrofula.

Paedatrophy.

Symptoms

Excitable, nervous and

sleepless.

Frying or sizzling in ears.

Ravenous hunger, agg. 2 hours after meals; only amel. when stomach is full.

Anorexia.

Sore throbbing in spleen.

Diarrhoea.

Bronchitis.

Starts in sleep.

Exhausting night sweats.

Related

Chin.

Calcareo carbonica

CALCAREA OSTREARUM

Region

NUTRITION

GLANDS

Cervical Mesenteric.

BONES.

SKIN.

BLOOD.

CHEST. R.

Lung.

HEART.

CHILDREN.

Worse

COLD

RAW AIR.

Wet.

BATHING.

Cooling Off.

Change of Weather.

EXERTION

Mental.

Physical.

Ascending.

Eyestrain.

DENTITION.

Puberty.

PRESSURE OF CLOTHES.

MILK.

Awaking.

Anxiety.

Description

FAT, Flabby BLONDES, WHO

**SWEAT EASILY AGG. ON HEAD
OR CHEST; DURING SLEEP.**

**PROFUSE, OFTEN SOUR
DISCHARGES, stools, sweats,
odor of body, saliva, etc.**

Soft, torpid, scrofulous habit.

Numb parts lain on.

Easily sprained.

Grows fat, but not strong.

**Cold, moist air chills through
and through.**

Takes cold easily; in chest.

Malnutrition.

Faulty bony development.

OPEN FONTANELLES.

Tardy teething and walking.

Scrofula.

Rickets.

Curvatures.

Calculus tendency.

Symptoms

Forgetful; learns poorly.

**Depressed melancholic or
doubting mood; fears disease,
misery, disaster, being
observed, insanity, etc.**

(Lil-t. Nux-v. Sep. Ver-a.).

Cautious.

Confused; misplaces words.

Sad.

Apathetic.

Indolent; suddenly.

Vertigo.

BIG HEAD, WITH LARGE,

HARD ABDOMEN.

**Deep head pains-beating,
shattering, etc., agg. wind,
amel. dark; with eructations.**

Migraine.

Scalp itches; on awaking.

Thick, foul milk-crust (Sul.).

DILATED PUPILS.

**Sees things on closing eyes;
beside visual field.**

Coryza, with polyuria.

Senile catarrh.

**Swelled nose and upper lip
(Bar-c. Sul.).**

Face pallid, pasty and puffy.

Swelled tonsils.

Anorexia; from overwork.

Craves eggs or coarse foods.

Averse to meat.

Sour, curdled vomit (nat-p.).

**STOMACH LIKE AN INVERTED
SAUCER.**

Thirst for cold water at night.

Cramp at navel.

Biliary colic.

**Chalky, gray (Pho-ac.) or green,
watery stools.**

Lientery.

Foul or strong urine.

White urinary sediment.

Hydrocele.

**Thick, milky, gushing
leucorrhoea.**

Painless hoarseness.

**Everything makes him short of
breath.**

Emphysema.

Cough, as from dust.

**Purulent, loose, sweet
expectoration.**

Weak heart.

Palpitation.

**Sore chest; breasts before
menses.**

Neck pains, agg. lifting.

Chapped hands.

Arthritic nodes.

**ENLARGED GLANDS; cervical,
mesenteric, etc.**

Cysts.

Psoriasis.

Polypi; nasal, uterine, etc.

Skin cold, like a snake.

Nightmare.

Sleepless; from rush of ideas.

Coldness; icy, on vertex; spots on head, or head, hands, knees and feet; of affected part (Led.); objective.

Chill with thirst.

Internal heat, with external coldness and sweat.

Hot head from mental exertion.

Clammy hands (Sul.).

Sweat; cold; partial; head, agg. occiput; chest; on hands.

COLD, DAMP FEET.

Complementary

Bar-c. Lyc. Sil.

Related

Bar-c. Sil.

Follows

Nit-ac. Sul.

Calcareo phosphorica

Region

NUTRITION

BONES.

SUTURES PERIOSTEUM.

Cartilage.

GLANDS.

Nerves.

ABDOMEN.

Vertex.

Chest.

Worse

Exposure to

Weather Changes.

Drafts.

Cold, Wet.

Melting Snows.

East Wind.

DENTITION.

Mental Exertion.

Loss of Fluids.

Puberty.

Fruits.

Cider.

Better

Lying Down.

Description

Delicate, erethistic, tall or scrawny children; with dirty, brownish skins.

Soft, thin bones.

Malassimilation.

Scrofula.

Rickets.

Spots; cold or sore, vertex, eye-balls, tip of nose, or fingers, etc.

Crawling, numb, cold limbs.

Pains shift.

Arthritis.

Rheumatism.

Albuminous discharges, leucorrhoea, etc.

Anaemia; as a sequel.

Symptoms

Peevish, restless and fretful.

Idiotismus versatilis.

**Headache; in occipital
protuberances; down spine;
amel. cool bathing or sneezing;
of school children.**

As of ice in occiput.

Thin skull bones.

Open fontanelles.

Hydrocephalus.

Teeth; late; soft; decay easily.

**Tonsils, large; mycosis (Kali-
m.).**

Adenoids.

Throat aches; feels hollow.

Craves raw, salt, piquant foods or bacon.

Weak digestion : every bite hurts the stomach.

Persistently vomits milk.

FLABBY, SUNKEN ABDOMEN; pains, then burning leucorrhoeal flow.

Festering navel.

Diarrhoeic tendency.

Stools foul, hot; lienteric; spluttering and watery; agg. fruits.

Fistula; alternating with chest symptoms.

Addison's disease.

School girl's headache.

Abnormal cravings.

Tumor in left mamma.

Menses early, scanty; every two weeks.

Crawling in genitals.

Exalted sexual instinct.

Eruptions, agg. during menses.

Uterus heavy; weak or aching.

Child loses its breath on being lifted up (Bor.).

Cough, amel. lying.

Cavernous phthisis; with night sweats.

Neck or chest pains from drafts.

Weak, thin neck; the head bobs about.

**Sore fingertips.
As of a splinter under nails.
Weak through hips.
Thin, brittle bones.
Pain, burning, along sutures or
edges of nails.
Slow ossification; non-union.
Swollen glands.
Pott's or hip-joint disease.
Easily chilled; during pains.
Sickly sweat; agg. head and
throat; at night.
Cold limbs with digestive
trouble.
Chills up back, but heats down
back.**

Follows

Fer-P.

Related

Carb-a. Chin. Nat-m. Rut.

Calcareo sulphurica

Region

CONNECTIVE TISSUE.

Glands

Mucous Membranes.

Bones.

Skin.

Worse

Drafts.

Touch.

Cold.

Wet.

Heat of Room.

Better

Bathing.

Open Air.

Eating.

Heat (Local).

Uncovering.

Description

Cutting pains; (r) ovary.

Tendency to suppuration.

**Pus thick, yellow, lumpy,
bloody.**

Catarrh.

**ABSCCESS, running; ears; teeth;
recurrent (Pyro.).**

**Ulcers, malignant; corneal;
deep.**

Fistulae.

Poor reaction.

Symptoms

Hurried.

Ears flow dark wax.

Red, itching tarsi.

**Infants with bloody coryza,
diarrhoea or eczema.**

Stool coated white.

Pyelitis (Berb.).

Thick, white leucorrhoea.

Choking.

Croup.

Cold, foul foot sweat.

Skin won't heal.

Averse to covers, when cold.

Dry heat at night.

**Easy sweat, agg. coughing.
Starts from sleep, as if wanting
air.**

Related

Hep.

Calendula officinalis

CALENDULA

Region

SOFT PARTS.

Spine.

Liver.

Worse

Weather; Damp; Cloudy.

During Chill.

Description

Excessively painful, open, torn, cut, lacerated, ragged or suppurating WOUNDS.

Haemorrhages, in scalp wounds or after drawing teeth, etc.

Prevents pus.

Sensitive to damp or open air.

Takes colds.

Symptoms

Yellowish vision.

Nausea, in chest.

Curdy stools.

Bruised pain at angle of right scapula.

Jaundice.

Related

Arn. Bellis.

Camphora officinalis

CAMPHOR.

Region

DIGESTIVE TRACT.

Cerebro-Spinal Nerves.

Urinary Organs.

Nose.

Worse

Cold.

Drafts.

When Half Asleep.

(Mag-p-au. Nit-ac.).

Mental Exertion.

Shock.

SUPPRESSION.

Inattention.

Better

Free Discharges.

Sweat.

Thinking of it.

Description

Algidity; can't get warm; at start of colds, cholera, etc.

Bluish, old, pinched look.

ICY COLD, YET AVERSE TO COVERS (Sec-c.), or wants them off then on; with internal burning heat; and anxious.

Sudden weakness; dry collapse.

Cholera.

**Scanty or retained discharges.
Violent tonic spasm; of
bladder; then stupor, with
coldness.**

Symptoms

**Insensibility or anxiety.
Head feels knotted up.
Hammering in occiput.
Inhaled air seems cold.
Coryza; in old age.
Retracted lips; upper.
Cold tongue.
Burning thirst.
Burning in stomach.
Strangury.
Haematuria.
Sexual excitement.**

Satyriasis.

Hoarse, squeaking voice.

Asphyxia neonatorum.

Cold breath.

Thumbs cramp backward.

Cramp in calves.

Dry skin.

Erysipelas.

**Very sensitive to cold air or
taking cold.**

Shaking chill, with cold skin.

**Wants covers during hot stage
only.**

**Sudden, inflammatory fevers
with rapid alternation of heat
and cold; followed by rapid
prostration.**

**Heat or sweat, amel. covers.
Corrects spoiled cases and
antidotes most remedies.
Chilly, below scapulae; before
colds.**

Antidotes

Coff. Op. Pho.

Related

Carb-v. Cup. Op. Sec-c.

CANCER FLUVIATILIS

Region

Liver.

Glands.

Vaso-Motors.

Worse

Air.

Uncovering.

Description

Stinging pains.

Shiverings.

Symptoms

Cough, amel. walking.

URTICARIA; with hepatic symptoms, jaundice, etc.; with cramps in liver region; on right side only.

Related

Calc-c. Rhus-t.

Cannabis indica

Cannabis indica

Region

EMOTIONS.

MIND.

Nerves.

GENITO-URINARY ORGANS.

Worse

URINATING

DARKNESS.

Exertion.

Talking.

Walking.

Gonorrhoea.

Description

Extreme psychic mobility.

**EXALTED IDEATION AND
PERCEPTION, WITH MENTAL
EXCITEMENT.**

Imaginations.

**Wonderful hallucinations;
ecstatic; heavenly; of agonising
terror or pain; with loss of
sense of proportion; or time
and space (Onos. Stram.).**

Mania of grandeur.

Levitation.

Gaiety.

Violence.

Delirium tremens.

**Feels weak and all gone to
nothing.**

Trickling sensations; at heart.

Symptoms

Loquacity.

Craves light.

**Violent headache, with
hallucinations.**

Vertex opens and shuts.

**Head seems separated from
body.**

**Sees objects outside of visual
field (Ign.).**

Weak vision.

Corneal opacity.

Skin of face seems tight.

**Alive feeling in abdomen : it
throbs here and there.**

**SCANTY, BURNING URINE,
PASSED DROP BY DROP**

(Canth.); with pain going backward.

Nephritic colic.

Swelled prepuce.

Priapism.

Gonorrhoea.

Irritable caruncle.

Profuse menses, with great pain.

Can't control voice.

Suffocative attacks.

Pains in limbs, agg. deep breathing.

Dreams, erotic; of the dead.

Antidote

Apis.

Related

Anhalo. Cocain. Nux-m. Op.

Cantharis vesicatoria

CANTHARIS

Region

MEMBRANES

(Mucous and Serous.

URINARY ORGANS.

Bladder.

Pharynx.

Brain.

Pleura.

Lower Bowel.

Pomum Adami.

Skin.

Right Side.

Worse

URINATING.

Drinking;

Cold.

Bright Objects.

Sound of Water.

Touch; Larynx.

Better

Warmth.

Rest.

Description

Rapid and intense action.

Excitement during the pains.

**CUTTING-SMARTING or
BURNING-BITING PAINS; as if
raw.**

VIOLENTLY ACUTE

INFLAMMATION, or rapidly destructive.

Discharge of bloody, acrid water.

Serous effusion.

Gangrene.

Weak attacks, that take the voice away.

Symptoms

Amorous frenzy.

Rage.

Yellow vision.

Swelled, tremulous tongue; raw edges.

Throat : full of blisters; painful swallowing.

Throat and larynx painfully

constricted; and as if a fire.

Burning thirst, but averse to liquids.

Violent retching and vomiting.

Sensitive over stomach and kidneys (Solid).

Shreddy, burning stools, with tenesmus of rectum and bladder.

**BURNING, SCALDING URINE,
WITH CUTTING, INTOLERABLE
URGING AND FEARFUL
TENESMUS OR DRIBBLING.**

Strangury.

Dysuria.

Bloody urine.

Acute nephritis.

Nephritic colic.
Cystitis.
Gripping in bladder.
Gonorrhoea.
Dropsy.
Painfully swelled genitals.
Painful priapism.
Pulls at penis.
Sexual irritation.
Pollutions.
Many, short, dry coughing spells.
Chest pains, amel. eructations.
Pleurisy.
Pericarditis.
Vesicular erysipelas; turning dark (Ran-b.).

Bullae.

Chill, during stool.

Urinous sweat; on genitals.

Complementary

Apis.

Antidote

Aco. Cam.

Related

Ap. Ars. Merc-c.

Capsicum annuum

CAPSICUM

Region

MUCOUS MEMBRANES.

THROAT.

Kidneys.

Bones.

Mastoids.

Worse

SLIGHT DRAFTS.

COLD

AIR.

Water.

Uncovering.

Dampness.

Bathing.

Empty Swallowing.

Drinking :

agg. Throat, or Excites

Urination.

Eating.

Drunkards.

Better

Continued Motion.

Description

**Lax, lazy fat, red (Asaf.),
clumsy, unclean persons (Sul.),
who react badly and dread the
cold.**

Old age.

**Indolent and can't think
clearly.**

**BURNING-SMARTING; tip of
tongue; throat, stomach, stool,
piles, prostate.**

SORENESS.

**Constriction; of throat, with
urging to swallow.**

**Dark, red, spongy mucous
surfaces or oozing bloody**

mucus.

**Sprangling, thread-like pains
(Cep.).**

Neuralgias.

Deep abscess.

Foul secretions.

Symptoms

Changeable.

Capricious.

Homesick.

Splitting headache, amel. heat.

Ears affected alternately.

Mastoiditis.

**NOSE AND FACE RED, BUT
COLD.**

**Vesicles or flat, painful
aphthae.**

Tongue greenish at base.
Swelled uvula.
Increased saliva.
Smoker's sore throat.
Craves stimulating, pungent things; wants a bracer.
Dipsomania.
Water brash.
Acid dyspepsia.
Small, hot, mucous stools, with tenesmus, also of bladder; then thirst and lumbar pain; agg. drinking.
Dysentery.
Urging to urinate.
Strangury.
Thick, white, creamy

gonorrhoea.

Cough causes distant pains, or raises foul air; too weak to cough out expectorate.

Ribs seem dislocated.

Sleepy after meals.

Chilly; with the pains; begins in back; with violent thirst, but shivers from every drink; with excruciating backache; alternating with heats, mounting to head; then sweat.

Coldness of affected parts.

Sweats easily; cold on thighs.

Complementary

Nat-m.

Related

Canth.

Carbo animalis

Region

NUTRITION.

Glands.

VEINLETS.

Worse

Slight Causes

Small Depletions.

Sprains.

Lifting.

Cold Taking.

WHILE EATING.

Dry, Cold Air.

Shaving (Ox-ac. Rad.)

Old Age.

After Menses.

Better

Laying Hand on Part.

Description

Old and feeble.

Susceptible to colds, sprains or overaffected by small losses, etc.

Venosity.

Gummae.

Slow, hard painful processes; burning like fire (Ars.), or threatening malignancy.

Sense of looseness.

Foul acrid discharges.

Haemorrhage.

Symptoms

Whining.

Brain seems loose or as if crown would split, amel. eating.

Pains down through (r) eyeball (Gel.).

Can't locate sounds.

Nose, hard, red, swelled; hot, brown stripe across, with itching pimples and desquamation.

Goneness in stomach; while suckling.

All food distresses stomach.

Abdomen, distended after operations.

Right ovary seems a heavy

ball.

Neglected bubo.

Pelvic bones pain on sitting.

**Dark menses; in A.M. only;
then great weakness.**

Sore, moist anus (Carb-v.).

Indurated os (Sep.).

**Suffocation on closing eyes;
nervous dyspnoea.**

Hard, painful nodes in breasts.

**Bluish skin; cheeks, lips,
affected parts, etc.**

**Coppery eruptions on
forehead.**

Crawling, as of bugs.

Hard, swelled glands.

Surging or hot flushes.

Foul, exhausting sweats; at night; staining yellow.

Complementary

Calc-p.

Related

Calc-fl. Grap.

Carbo vegetabilis

Region

MUCOUS MEMBRANES

DIGESTIVE TRACT.

STOMACH.

HEART

VENOUS CIRCULATION.

Blood.

Occiput.

Worse

WARMTH.

DEPLETIONS.

Cooling Off.

EXHAUSTING DISEASES.

Old Age.

HIGH LIVING.

Rich Foods.

DISSIPATION.

Overlifting.

Walking in Open Air.

Pressure of Clothes.

Weather

Extreme Temperatures.

Cold Night Air; Frosty;

Humid.

Air.

Wind on Head.

Suppression.

Better

ERUCTATIONS.

Cool Air.

Elevating Feet.

Description

**Low, grave, depraved, or
cachectic states.**

**Atony, failing reaction or
obstinate sequelae.**

Complaints of old age.

**WEAKNESS, FLATULENCE,
FETOR OR AIR HUNGER, with
most complaints.**

**Tremulous, WEAK, SICK AND
EXHAUSTED; suddenly; with**

pulselessness.

Fainting.

Collapse.

Easily chilled.

Cold, yet wants air or to be fanned, or thirsts for cold water.

BLUENESS and decomposition.

Sepsis.

Ulceration (aphthous).

HAEMORRHAGE; dark oozing.

Overfulness.

Venosity.

Thick, acrid discharges (Hyds.).

Old catarrhs.

General bruised soreness or

heavy aching burning; in bones, ulcers, etc.

Numbness, of parts lain on.

Symptoms

Slow, anxious and irritable.

Dejected.

Unhappy.

Dull, compressive, heavy (leadens) headache; agg. occiput; agg. overheating, lying or pressure of hat.

Sneezing from irritation in larynx; agg. blowing nose or sneezing.

Colds go downward (Pho.).

PINCHED, HIPPOCRATIC or DUSKY FACE.

Twitching upper hip.

Mumps with metastasis.

Loose teeth.

Scorbutic gums.

Small, painful aphthae.

Black tongue.

Loathes even the thought of food.

BELCHINGS; RANCID; loud, without amel.; with cough.

EXCESSIVE FLATULENCE; obstructed; distending; agg. upper abdomen (Pul.); agg. lying.

All food turns to gas.

Dyspepsia.

Colic.

Burning in rectum.

Itching anus.

Septic albuminuria.

**Sore, hot, itching, swelled
vulva.**

Hoarse in evening.

**Spasms of tormenting, hollow
or choking cough, with
headache and vomiting; agg.
cold drinks and in bed;
expectorates with retching.**

Pertussis and its effects.

**Heavy, sore or weak chest; on
awaking.**

Senile asthma.

Destructive lung diseases.

Continuous, anxious

palpitation.

Sore ribs.

As of a plug in back.

Weak fingers.

Raw or mottled skin.

**Ulcers, foul, burning and
bleeding.**

Varicosis.

Horrors during sleep.

Thready pulse.

Alternate chill and heat.

**ICY COLD; tongue; knees; legs,
at night; breath; foot (l);
unilateral, etc.**

Warm head, cold limbs.

**Internal, burning heat; at
heart; in chest; with icy skin,**

sweat, etc.

**Sweats easily; takes cold; sour;
cold on face; agg. coughing.**

Icy, but wants air.

Complementary

Chin. Kali-c.

Follows

Caust.

Antidote

Nat-m.

Related

Am-c. Ars. Colch. Grap. Lys.

Carbolicum acidum

CARBOLIC ACID.

Region

MUCOUS MEMBRANES

Throat.

STOMACH.

Bowels.

Lungs.

HEART.

Blood.

Respiration.

Worse

Jar.

Reading.

Pregnancy.

Combing Hair (Bry.

Chin.

Ign. Sele.).

Description

**Painless, languid and
PROSTRATE.**

FOULNESS.

**Burning secretions;
expectoration, etc.**

Malignancy.

Sepsis.

Low fever.

**Prickling-burning or sudden
pain.**

Symptoms

Tender scalp.

**As of a burning ball in
forehead.**

Acute smell.
PALE ABOUT NOSE AND
MOUTH.
Dusky face.
Fetor oris.
Glazed throat.
Vomiting.
Heartburn.
Stomach sore.
Flatulence.
Shreddy stools.
Passes mucus from anus when
urinating.
Urine, scant, green or dark.
Leucorrhoea; thick, causing
itching.
Aching between scapulae.

Sopor.

Thready pulse.

Collapse.

**Bloody exudations, vesicles or
pustules.**

Erysipelas.

Profuse, cold sweats.

Related

Kre.

Carduus marianus

Region

Liver

(R).

Spleen.

Veins.

Worse

Lying on

L.

Side.

Beer.

Eating.

Touch.

Motion.

Cellars.

Better

Bleeding.

Description

**Hepato-haemorrhagic diathesis
(Bur-p. Lept.).**

Blood-stasis.

Acidity.

Fatigue.

Symptoms

Hypochondriacal.

Dull frontal headache.

Dirty, yellow complexion.

Weak upper lip and (r) tongue.

Tongue has white center with red, indented edges.

Vomits acrid bile or blood.

High diaphragm.

Liver engorged; swelled laterally.

Gall-stones (Lept.).

Meteorism.

Knotty, clayey stools.

Golden yellow urine.

Asthma.

Dropsy.

**Broken or hard thrombosed
veins.**

Related

Calc-c. Sang.

Castoreum canadense

CASTOREUM

Region

NERVES.

Female Generative Organs.

Worse

Emotions.

Cold.

During Menses.

Debilitating Diseases.

Better

Pressure.

Description

Weak and lacks reaction.

**Nervous and spasmodic effects
of uterine origin.**

Fibrillar twitchings.

Hysteria.

Irritability.

Symptoms

Twitching in tongue.

**Abdominal symptoms, with
yawning.**

**Colics, with sudden weakness,
amel. pressure.**

**Summer diarrhoea of green
mucus stools (Asar.).**

Violent cutting

**dysmenorrhoeal colic, then
cold sweat.**

Exhausting sweats after fevers.

Related

Mos. Val.

**Caulophyllum
thalictroides**

CAULOPHYLLUM

Region

FEMALE ORGANS.

NERVES.

Muscles.

Neck.

Lower Limbs.

Small Joints.

Worse

Pregnancy.

Suppressed Menses.

Open Air.

P.M.

Description

Exhaustion.

PAINS, ERRATIC, drawing, cramping, shooting, rheumatic; ending in neck, which gets stiff.

Uterine reflexes.

Internal tremor.

Symptoms

Fretful and fearsome.

Nervous; excitable.

Chorea.

Vomiting of uterine origin.

Albuminuria.

Violent, intermittent, crampy pains, with little flow.

Late menses.

Dysmenorrhoea.

LABOR PAINS FLY ABOUT (to breasts), ARE WEAK, OR IRREGULAR; false.

Eases labor.

Often acts as prophylactic of false labor pains.

After-pains.

Uterine atony.

Habitual miscarriage.

Vaginal spasm.

Profuse, acrid leucorrhoea; of

little girls.

Sore nodes on finger-joints.

Rheumatism; of small joints.

**Aching, sore lower limbs;
before menses.**

Paraplegia, after child-birth.

Chloasma; on neck.

As if overfull of blood.

High fever.

Related

Cimi. Pul. Sep.

Causticum

Region

NERVES

Motor.

Sensory.
MUSCLES
BLADDER.
LARYNX.
Limbs.
Respiration.
Skin.
Right Side; Face.
Worse
Air.
DRY COLD.
Raw.
WINDS.
Drafts.
Extremes of Temperature.
Stooping.
Suppressions.

Coffee.

3-4 A.M. OR EVENING.

Exertion.

Change of Weather.

Better

A COLD DRINK (EVEN CHILLS).

Washing.

Warmth; of Bed.

Gentle Motion.

Description

Sensitive to both heat and cold.

Weakness, increasing uncertainty of control, stumbling, etc., finally PARALYSIS; of single parts.

Atony.

Anaesthesia.

Stiff joints.

**Contracted tendons; palms
(Nat-m.), hamstrings, etc.**

Deformities.

Atrophy.

Jerks of single muscles.

Epilepsy, at puberty.

Trembling.

Burning.

**Soreness, Rawness; larynx,
anus, etc.**

Symptoms

**Broken down; worn out; wants
to die.**

Hopeless, despondent.

Mental tire.

Anxious forebodings (felt in head), agg. in twilight.

Reticent.

Over sympathetic.

Empty behind forehead.

Tight scalp.

To and fro or nodding motions.

**Paralysis : of one eyelid (r),
throat, bladder, etc.**

Heavy, drooping eyelids.

Continuous eye pain.

**Diplopia, amel. looking to
right.**

Objects look large.

Cataract.

Profuse acrid tears.

Much, foul earwax.

Echo in ears.

Tinnitus.

Eruption on lower nose.

Prosopalgia, amel. cold water.

Facial paralysis, agg. opening mouth.

Swelling at root of tongue.

Throat, agg. stooping.

Urging to swallow, or swallows the wrong way.

Greasy eructations.

Cramp in rectum on stooping.

Anus, prolapses on coughing; small, hard pustules.

Stool glistens; difficult, amel. standing.

Stooling easier by standing,

but piles agg. standing.

Must sit down to urinate.

**Insensible urethra or rectum;
to solid stools (Alo.).**

Piles, agg. walking.

Urine retained after labor.

**URINE SPURTS ON COUGHING;
dribbles or passes slowly; amel.
sitting.**

**Menses by day, leucorrhoea by
night.**

Dry, hard cough.

**Cough from tickling in throat
pit (Sep.), or l. larynx;
incessant; dry night and
morning.**

Can't cough deep enough

(Rum.); expectorate slips back again; agg. heat of bed, stooping, cold air; amel. sips of cold water.

Greasy, ropy, difficult expectoration.

Aphonia or hoarseness, in A.M. ; of speakers; agg. stooping; amel. talking.

Sore streak in larynx.

Sore chest; vest seems tight.

Purring in chest.

Wandering chest pains, amel. pressure.

Stiff neck or back on rising; pain goes forward or to thighs.

Pain in spine on swallowing.

Bursting in fingertips.

Cramps in calves, feet or toes.

Deep burns and their effects.

Skin : cracks; ulcers.

**Warts, on brows, lids, nose,
fingertips; seedy; bleeding;
ulcerating.**

**Coldness, not amel. warmth;
causes paralysis, cough,
diarrhoea, etc.**

**Sweat about 4 A.M. ; profuse,
on slight exertion; agg. open
air.**

Complementary

Carb-v. Grap. Lach. Stap.

Related

Gel. Kali-ni. Pho. Rhus-t. Sep.

Ceanothus americanus

CEANOTHUS

Region

Spleen.

Worse

Cold Weather.

Lying on Left Side.

Description

Periodical neuralgias.

**Pain in l. side, with dyspnoea,
diarrhoea or leucorrhoea.**

Swelled spleen or liver.

Green urine.

Complementary

Nat-m.

Related

Chin. Polym.

Cedron

Region

Nerves.

Blood.

Worse

Periodically;

at Same Hour.

After Sleep.

Description

EXACT PERIODICITY.

Orbital neuralgia (r).

Brow ague.

Eyes burn like fire.

Numbness.

Excitement before chill.

Malaria.

Related

Aran.

Allium cepa

CEPA

Region

MUCOUS MEMBRANES

NOSE.

EYES.

Larynx.

Bowels.

Nerves.

Left to Right.

Worse

WARM ROOM.

Wet Feet.

Singing.

Damp.

N.E.

Winds.

Spring.

Better

Cool, Open Air.

Bathing.

Motion.

Description

**Acute colds, catarrhs or
neuralgias.**

**Shooting pains; as fine as a
thread.**

Symptoms

Forehead aches; into eyes and face; amel. free coryza or menses.

Watery eyes, agg. coughing; wants to rub them (Scil.).

FREQUENT, VIOLENT SNEEZING, CORYZA; ACRID, FLUENT; with burning, smarting.

Dripping nose or from uvula.

Sensitive to odors.

Raw throat or larynx.

Flatulence; noisy; foul; painful.

Copious urine.

Incessant, hacking, tickling cough; holds it back; as if to tear or split larynx; must grasp

it.

Painful talking.

Hoarseness.

Senile bronchitis.

Neuralgia of stump.

Galled feet.

Complementary

Pho.

Related

Euphr. Gel. Kali-io.

Chamomilla

Region

MIND.

NERVES.

EMOTIONS.

Mucous Membranes
DIGESTIVE TRACT.

Liver.

Women and
CHILDREN.

Left Side.

Worse

ANGER.

NIGHT.

DENTITION.

Cold

Air.

Damp.

Wind.

Taking Cold.

COFFEE.

Narcotics.

Alcohol.

Better

BEING CARRIED.

Mild Weather.

Heat.

Sweating.

Cold Applications.

Description

Bad temper.

**Frantic irritability, snappish
and intolerant of pain.**

Mad during pain.

Magnifies her pains.

Unappeasable crossness.

OVERSENSITIVE.

**Tosses about, cries out or
walks the floor (Ars.); demands**

instant relief.

Beside himself or prostrated by pain.

Neuralgic or gouty-rheumatic subjects.

Spells of being irritable and restless; OF COLIC; of dry, tickling cough, etc.

Cramps, with bilious vomit; of muscles.

Numb, on awaking; after pain; hands, when grasping objects.

Repeated spasms; of face, arms, legs, etc.

Symptoms

**UGLY, CROSS, AND UNCIVIL.
QUARRELSOME; vexed at**

every trifle.

Abrupt.

Averse to being spoken to or touched.

WANTS TO BE CARRIED or what is refused when offered.

Omits words.

Sensitive to cold wind about ears.

Sticking, earache; amel. warmth.

Swelling, or REDNESS OF ONE CHEEK.

Face ache (r), to ear.

Jaws feel tired.

Bad, sour breath.

Bitter taste.

Thick, yellow-white fur on tongue.

Eructations like bad eggs.

Distended bowels.

Colic going upward; agg. anger (Colo.).

Cutting or wind colic; agg. night.

STOOLS, hot, ACID, GRASS-GREEN, SLIMY, HACKED, yellow-green, OR LIENTERIC; smelling like bad eggs.

Irregular, labor-like pains; going up; down inner thighs.

Cramps when child nurses.

Dark, lumpy menses or lochia.

Asthma, agg. dry weather.

Jaundice.

Dry palms.

**Sleepy, disturbed, by pain,
starting up, etc.**

**Chilly, yet easily over-heated,
hence takes cold.**

**Coldness of one part, with heat
of another; agg. uncovering.**

Alternate chill and heat.

**Hot and thirsty or hot sweat,
with the pains.**

Hot coryza; hot stools.

**Feverish, from suppressed
discharges.**

Sweat on head.

**Sleepless from abuse of
narcotics.**

Complementary

Mag-c. Sanic.

Related

Nux-v. Stap.

Antidotes

Com. Ign. Nux-v. Pul.

Chelidonium majus

CHELIDONIUM

Region

Right Side

Portal System.

Abdomen.

Lungs (Lower).

Mucous Membranes.

Bowels

(R).

Occiput.

Kidneys.

Knees.

Worse

Motion.

Cough.

Touch.

Change of Weather.

North Easterns.

4 A.M.

and

4 P.M.

(Ign.).

Better

Hot Food.

Eating; Dinner.

Milk.

Pressure.

Hot Bath.

Bending Backward.

Description

YELLOWNESS.

Bilious disturbances; vomiting, jaundice, catarrhs, etc.

Pains shoot backward or in all directions.

Stitches.

Heavy, stiff, sore, paralysed, dislocative or broken feeling.

Numbness.

Horror of motion.

Symptoms

Lazy.

Averse to mental exertion or conversation.

Despondency.

Vertigo; felt in vertex.

Headaches extend backward.

Heavy occiput.

Supra-orbital pain.

Mucus in eyes.

Outward, blowing, crawling, etc., in ears.

Dark red or sallow, sunken face.

Red nose.

Flapping alae.

Bitter taste.

Yellow tongue; with indented edges (Hyds.).

Choking, as from too large a morsel.

Left sided goitre.

Craves milk, piquant or hot foods (Lyc.).

Nausea.

Sensitive epigastrium.

Sensation as of a plug in stomach.

Gnawing, scraping gastric pains, amel. eating.

LIVER PAINS GOING BACKWARD, OR FIXED AT ANGLE OF R. SCAPULA; (to r. shoulder and occiput-Kali-c. Nux-v. Sep.).

Rawness in liver.

Gall-stones.

**As of a string about abdomen
or neck.**

**Stools pasty, pale, bright
yellow, clayey or hard balls.**

**Dyspnoea, agg. urinating
(Dul.).**

**Cough, as from dust; with
much rattling, but little
expectoration, or it flies from
mouth.**

Hepato-pectoral symptoms.

Like a nail deep in r. chest.

Bilious pneumonia (Merc.)

Fluctuating temperature.

Pain from neck to r. temple.

Itching, amel. eating.

**Lethargic, DROWSY and chilly.
Icy cold nape and occiput.
Cold fingertips.
One foot cold.
Burning heat, spreads from
hands over body.
Sweaty, with aversion to
uncover and without relief;
after midnight.**

Complementary

Lyc. Merc-dul.

Related

Bry. Kali-bi. Merc. Op.

Chimaphila umbellata

CHIMAPHILA

Region

Bladder.

Kidneys.

Glands

Liver.

Prostate.

Mammae

(R).

Worse

Cold Damp.

Standing.

Sitting.

Beginning Urination.

Better

WALKING.

ROPY or muco-purulent, foul, scanty, thick, turbid, urine.

Feels as if sitting on a ball, in the perineum; after gonorrhoea.

Old nodes in or atrophy of glands.

Fluttering in kidney region.

Acute inflammation in urinary tract.

Gravely urine.

Complementary

Kali-m.

Related

Berb. Coc-c. Sabal.

China officinalis

CHINA

Region

BLOOD.

CIRCULATION.

SECRETIONS

Digestive Organs.

Liver.

Spleen.

Nerves.

Worse

VITAL LOSSES.

TOUCH.

Jar.

Noise.

PERIODICALLY

Alternate Days

(Ars. Nat-m.).

Cold; Drafts; Wind.

Open Air.

Eating;

Fruit;

Milk.

Mental Exertion.

Better

Hard Pressure

(Lach.).

Loose Clothes.

Description

INTERMITTENCY.

PROFUSE, EXHAUSTING

DISCHARGES,

HAEMORRHAGES, etc. (Abro.

Calc-hyp. Pho-ac.).

Weak, oversensitive and nervous; everything upsets him, light, noise, odors, pain, etc.

Hard swelling.

Bursting.

Rheumatism.

Neuralgia.

Emaciation.

Anaemia.

Dropsy.

Symptoms

Stubborn.

Disobedient.

Vertigo; falls backward.

Throbbing, bursting, swashing,

**or bruised feeling in brain, agg.
temples.**

Sore scalp, agg. touching hair.

Hot, red ears.

Tinnitus; then vertigo.

Deafness.

**Pale, earthy, sickly look;
bluish about eyes.**

Teeth throb; agg. sucking.

**Acute, sour or bitter taste, or
eructations.**

Craves delicacies.

Quick satiety.

Anorexia.

**Loud belching, without relief
(Arg-n.).**

Slow digestion.

Sore stomach.

**Thirst for cold water that
aggravates diarrhoea.**

**Periodical liver symptoms
(Quas.).**

Gall-stones.

Swelled liver and spleen.

Flatulent bloating.

Tympanitis.

**Pain from rectum into
genitals.**

**STOOLS; LIENTERIC; dark;
foul; watery; BLOODY; painless;
agg. eating; agg. night.**

Dark, profuse, clotted menses.

Blood spitting.

Puffing, rattling, breathing.

**Every motion excites
palpitation and takes his
breath.**

**Suppurative phthisis (Hep.).
Painfully sore chest and inter
scapular spine.**

**Heavy pressure (load) on
shoulders, between scapulae or
on sacrum.**

Twitching in knees.

As of a band about legs.

Pain in marrow.

Drowsy.

Heavy, snoring sleep.

Anxious dreams.

Swelled veins (hands, face).

Marked prodrome.

Clearly staged chill, heat and sweat.

Chill, then thirst, then heat, then thirst.

Red, hot face, with cold hands. Hectic.

Sleeplessness, as a prodrome.

Thirst during apyrexia.

DRENCHING SWEATS; AT NIGHT, agg. least motion; from weakness, etc.

Tropical fevers.

Sepsis.

Complementary

Carb-v. Fer. Kali-c.

Related

Carb-v.

Chininum arsenicosum

CHININUM ARS.

Description

**Night sweats; profuse,
exhaustive.**

Oscillating temperature.

Chininum sulphuricum

CHININUM SULF.

Region

NERVES

CIRCULATION.

Dorsal Spine.

Worse

EXACT PERIODICITY.

Cold,

10-11 A.M.

Head to Left.

Better

Yawning.

Description

Neuralgias.

Symptoms

Sensitive.

Nervous.

A net, fog or mote before eyes.

Tinnitus.

Deafness.

Brow ague.

**Granular, brickred, urinary
sediment.**

Vertigo, with tinnitus.

(Sal-ac.).

Spine (cervico-dorsal) aches, or is tender.

Anticipating chills.

Delirium during heat.

Increasing fever and prostration, with profuse night sweats.

Profuse sweat which amel., but exhausts.

Thirst in all stages.

Clear apyrexia.

Typical malaria.

Itching.

Petechiae.

Related

Chin.

Chionanthus virginica

CHIONANTHUS

Region

LIVER.

Head.

Worse

Jarring.

Motion.

Cold.

Better

Lying on Abdomen

(Chel.).

**Bruised soreness; liver,
eyeballs, etc.**

**Pains ascend from forehead,
stomach, etc.**

Symptoms

**Bilious sick headaches;
periodical.**

**Nose, pressure at root or
squeezing on bridge (Ham.).**

**Tongue, greenish-yellow or
feels drawn up.**

**Vomiting bitter-sour; hot;
bilious; ropy; gushing; setting
teeth on edge (Sul-ac.); with
colic and cold sweat on
forehead and back of hands.**

Uneasy ache in liver.

Choleo-cystitis.

Gall-stones.

Gripping at navel.

As of a band about abdomen.

**Weakness in hypogastrium.
Stools tarry, clay-colored or
undigested.**

Arrested menses.

Astringent expectoration.

Jaundice.

**Heat, with aversion to
uncover.**

Cold sweat on back of hands.

Related

Bry. Iris. Lept. Merc.

Chloralum hydratum

CHLORAL HYDRATE

Region

BRAIN.

Heart.

Muscles.

Liver.

Skin.

Worse

Alcohol.

Night.

Exertion.

Better

Open Air.

Description

Muscle prostration.

Symptoms

**Indifferent and sleepy or
cerebral excitement; hears
voices.**

Mania.

Bileless stools.

Bed-wetting.

Wants to be fanned.

Dyspnoea.

As of a weight on chest.

Weak heart.

Urticaria.

Sleepless from fatigue.

Night terrors.

Related

Ap. Cancer-flu.

Chlorum

Region

Respiratory Organs.

Mucous Membranes.

Nerves.

Skin.

Glands.

Worse

Expiration.

After Midnight.

Lying.

Better

Motion.

Open Air.

Description

Rapid emaciation.

Constrictions.

Symptoms

Fears insanity or losing senses.

Protruding eyes.

Acrid coryza.

Putrid aphthae.

Dry tongue.

DYSPNOEA; CANT EXHALE.

Spasm of glottis.

Laryngitis.

Laryngismus stridulus.

Asthma of hay fever.

**Throat-pit; aching, tickling or
whistling in.**

**As if air were forced into upper
chest (Sabi.).**

Sensitive skin.

Easy sweat.

Antidote

Lyc.

Related

Ars-io. Iod. Meph. Merc.

Cicuta virosa

CICUTA

Region

BRAIN.

NERVES.

Skin.

Worse

INJURIES; TO BRAIN

(Nat-s.).

Jar.

Noise.

Touch.

Cold.

Dentition.

Suppressed Eruptions.

Description

**Violent convulsive phenomena,
then prolonged
unconsciousness.**

Jerks; of head.

**Twitchings; of arms and
fingers.**

**Sudden shocks through body
(Ign.) or head, then rigidity or
shrieks; a terrific spasm moves
downward (reverse-Cup.); the
eyes jerk and stare;**

**OPISTHOTONOS and frightful
facial contortions, with bloody
foam from mouth; then utter
prostration.**

Epilepsy.

Spasm of diaphragm; of gullet.

Rigid muscles.

Symptoms

Childish.

Suspicious.

Violent.

Rash.

Delirium.

**Congestion to head, with
vomiting and purging (Ver-v.).**

**Headache, amel. passing
flatus.**

Head twists to one side.

Vertigo.

Meningitis.

Squint.

Bleeding ears.

Red, sweaty face.

Grinds teeth.

Trismus.

Craves chalk, coal, etc.

**Loud hiccough; alternating
with thoracic spasm (Stry.).**

Oppressed breathing.

Tremulous palpitation.

Heart seems to stop (Dig.).

**Turns feet inward; or big toes
up during spasm.**

**Pustules coalesce into thick,
yellow (loose), massive crusts;
agg. head and face.**

Impetigo.

Related

Cup. Stry.

Cimicifuga racemosa

CIMICIFUGA

Region

Mind.

Occiput.

Vertex.

Nape.

NERVES AND MUSCLES

Cerebro-Spinal.

Eyeballs.

Ovario-Uterine.

Heart.

FEMALES.

Joints.

**Left Side; Ovary, Chest, etc.
Front of Thighs.**

Worse

**Menstruation;
Suppressed.**

During Labor.

Emotions.

Alcohol.

Night.

Air

Damp.

Cold.

Wind.

Drafts.

Change of Weather.

Heat and Cold.

Sitting.

Puberty and Climaxis.

Better

Warm Wraps.

Open Air.

Pressure.

Continued Motion.

Grasping Things.

Eating.

Description

A depressing irritant causing exhaustion and low spirits, combined with over sensitiveness, agg. during pain (Nux-v.).

Plumpness.

Irregular, changeful or alternating symptom groups;

utero-rheumatic (Caul.), etc.

**Violent pains; achings;
shooting, here and there;
shock-like, with cries, faints,
etc.; up nape, about thorax,
ovary to ovary (Arn.); lumbar
spine, etc.; or alternating with
other states.**

Myalgia.

Ovaralgia.

Lumbago.

**Bruised, sore or heavy, aching
muscles; behind eyeballs,
uterus, neck; with a general
sick feeling.**

Grippe.

Variola.

**Trembling, twitching; of part
lain on, tongue, fingers, etc.**

Chorea; cardiac.

**Compressive pain; temples,
feet, etc.**

Symptoms

Insanity before menses.

Melancholy.

Agitation.

**Alternate mental and physical
effects.**

**Nervous, fidgety, excitable and
jerky.**

Annoyances drive her crazy.

**Depressed and talkative, with
constant change of subject.**

Suspicious.

Gloomy forebodings; of death, insanity, etc.

Sees rats.

Sees various colors and forms.

Mania; alcoholic, puerperal, etc.

Deathly fear, or rats, etc.; agitated.

Weak will.

Waving in brain (Glo.).

Head retracted.

Vertex; as if to fly off; as of a cold draft or heat on.

Occiput; like a blow or pressive pain, ascends to eyes (1).

Eyeballs ache; feel big.

Sees red flashes, with black

borders.

**Tinnitus; violent with
deafness.**

Pale, hot face.

Thick saliva.

**Mucus on teeth, or coppery
mucus hawked up.**

Burning in throat.

**Nausea in A.M. ; of pregnancy
or alcoholism; in bowels; agg.
pressure on spine.**

**Vomits green; holds head and
groans.**

**Profuse, clear urine;
weakening; with yellow sand.**

**Menses irregular in time and
amount; more flow more pain.**

Slow labor with nervous shivers.

Uterine atony (Alet.).

After-pains.

Sore and tender along track of pains.

Nervous; urination, shuddering, cough, etc.

Delicate, sensitive women.

Spasms of cerebro-spinal fever.

Thyroid aches before menses.

Incessant, dry night cough; agg. speaking.

Sharp stitches in l. chest.

Pleurodynia.

Left infra mammary pain.

Heart sore; swelled; needle-like

**pains; backward from or to l.
arm.**

Muscles fatigue.

Neckache.

Throws head back.

**Arms numb, cramp down; l.
seems bound to side.**

**Irritable, sensitive spine; agg.
lying on it.**

**Stiff, contracted neck, back
(Agar.). or Tendo Achilles.**

**Pain at angle of l. scapula
(Chen.).**

**Heavy, pulsative lumbar pain,
through hips and down thighs.**

Cramps in limbs; in calves.

Alternate mental and

rheumatic symptoms.

Itching soles.

Sleepless or dizzy, drunken sleep; with arms over head or yawning.

Pulse weak, irregular; drops every 3rd. or 4th. beat.

Chilly females.

Cold sweat on hands and feet.

Related

Bap. Caul. Gel. Ign. Pul.

Cina maritima

CINA

Region

NERVES

Cerebro-Spinal.

ABDOMEN.

Digestive Tract.

Eyes.

Mucous Membranes.

Children.

(Left Side.)

Worse

TOUCH.

Worms.

Vexation.

Looked at.

DURING SLEEP.

Full Moon.

Staring.

Yawning.

Better

Lying on Abdomen.

Wiping Eyes.

Motion.

Description

The greater the emaciation the greater the hunger.

Bruised soreness.

Painfully sore to motion and touch.

Stiffens out; agg. it crossed, looked at, during cough, etc.

Twitchings.

Spasms; agg. worms; unilateral.

Symptoms

TOUCHY.

Nervous.

Ugly, cross, petulant and dissatisfied.

Wants to be rocked.

Dilated pupils.

Squint.

Colored vision.

Eyes fatigue, amel. rubbing.

Nostrils drawn in.

PICKS AND BORES AT NOSE.

Dark rings about eyes.

BLUISH WHITE ABOUT MOUTH.

Sickly, pale face; during cough.

GRINDS TEETH; during sleep.

Chews and swallows in sleep.

Worms.

Noisy swallowing.

**Canine or gnawing hunger;
after eating; after vomiting;
alternating with anorexia;
precedes chill or follows sweat.**

Hard, distended abdomen.

**Twisting at navel, amel.
pressure.**

White, watery stool.

**Bed-wetting; agg. every full
moon.**

MILKY URINE.

**Regularly recurrent, choking
cough, then gurgling down
throat.**

**Tosses arms and legs from side
to side.**

Restless sleep; lies on

abdomen; cries out; wakes in terror.

**Fever, with pale face (Bry.).
Cold sweat about nose and forehead.**

Complementary

Calc-c. Dros. Ratan.

Related

Cham. Nat-p.

Cinnabaris

CINNABAR.

Region

Blood.

Naso-Pharynx.

Neck.

Bones.

Worse

Touch.

Light.

Dampness.

Better

Open Air.

Sunshine (Stro.).

Description

**Pain outward along brow,
encircling eyes, or like a saddle
at root of nose.**

**Nose; heavy pressure at root;
agg. pressure of glasses;
discharges foul, acrid, burning
serum or dark lumps.**

Dry mouth, wakes from sleep.

Hawks down stringy mucus or lumps of mucus drop from posterior nares.

Naso-pharyngeal catarrh.

Thin, white diarrhoea.

Foul, acrid sweat between scrotum and thigh.

Warts on prepuce.

Old, hard chancres.

Heart flutters, then rushes of blood to head.

Nodes on shin bones.

Cramp in calf, after walking.

Fiery red ulcers, eruptions, etc.

Sweat, agg. nose.

Complementary

Thu.

Related

Merc.

Cistus canadensis

CISTUS

Region

GLANDS

Naso-Pharynx.

Neck.

Mammae (1).

Throat.

Lungs.

Skin.

Worse

COLD

Inspired Air.

Taking.

Drafts.

Water.

Mental

Exertion.

Excitement.

Touch.

Description

Painfully sensitive to cold; to inspired air, Coldness to tongue, saliva, in throat, eructations, stomach, etc.; agg. sweating.

Suppurations.

Much thick, yellow or foul mucus, leaving painful rawness

(AEsc. Ant-c.).

Internal and external itching.

Burning.

Indurations.

Callosities.

Scrofula.

Symptoms

Fear.

Headache from missing the noon meal, amel. eating.

As of a lump in naso-pharynx.

Colds affect the throat; it feels spongy, sandy, itches or has a dry spot, amel. sips of water.

Expectorates quantities of tenacious, glairy mucus.

Hard, swollen glands; agg. on

neck; 1. mamma.

Crawling over body.

**Cracked tetters; canthi; lips;
fingertips.**

Chilliness.

Related

Calc-c. Helod. Hep.

Clematis erecta

CLEMATIS

Region

MUCOUS MEMBRANES

EYES

URETHRA.

GLANDS

TESTES.

Epididymis.

Mammae.

Ovaries.

Skin; Scalp.

Occiput.

Worse

GONORRHOEA.

Heat of Bed.

NIGHT.

Cold Washing.

Light.

**Moon, agg. and amel. with
(Phel. Tarn.).**

Mercury.

Better

Sweat.

Description

Flaccid muscles.

**VERY HARD, PAINFULLY
SWOLLEN GLANDS; TESTES (r).**

**Burning, itching, stinging,
crawling pains.**

Symptoms

Indifference.

Chronic conjunctivitis.

Iritis.

Lachrymation.

**Urine flows by starts, or
dribbles; strains out a few
drops, then full stream follows.**

Stricture (Con.).

Mucus in urine.

**Swelled inguinal glands and
spermatic cord; with cutting,**

sore pains.

Orchitis.

Loathes coition.

**Full, heavy, sensitive breasts;
outward darts in.**

**Skin itches violently, with
profuse desquamation.**

Vesicles.

Pustules.

**Corroding eruptions; ending in
flat, eating ulcers; with thick
crusts and eczema; agg. occiput
and lower legs.**

Sleepiness.

Complementary

Merc.

Related

Pho. Rhod. Stap.

Coca

Region

NERVES

BRAIN.

Respiration.

Heart.

Muscles.

Worse

Ascending.

High Altitudes.

Cold.

Mental Exertion.

Better

Rapid Motion, in Open Air.

After Sunset.

Description

Dizzy, dyspnoeic and exhausted (Ars.).

Muscle exhaustion.

Symptoms

Mental prostration; alternating with brightness.

Timid, craves solitude.

Sense of impending death.

Loquacious excitement, with blissful visions.

Exhilaration; before menses.

Flashes before eyes.

Migraine.

Carious teeth.

Aphonia.

Senile asthma.

Palpitation; excessively rapid pulse, with violent sweating.

Crawling numbness in arms.

Like a worm under skin (Calc-c.), moving away when touched.

Sleepless; awakes with a shock in brain.

Related

Cann.

Cocculus indicus

Region

SENSORIUM.

Cerebro-Spinal

Axis

OCCIPUT.

Lumbar.

Muscles.

Female Sexual Organs.

One Side.

Worse

Motion

BOAT.

CARS.

Carriage.

Slight Causes

Loss of Sleep.

Exertion.

Pain.

Noise.

Touch.

Emotions.

Anxiety.

Cold.

Open Air.

Eating.

During Menses.

Description

Acute senses with heavy or paralytic, muscular relaxation.

Too weak to hold up head, stand or even speak.

Paralysis.

Tremor; intention; of head; lower jaw.

Cramps; in masseters; abdomen; dysmenorrhoeal; in heart.

Benumbed.

Spasms.

Alternations.

EMPTY, HOLLOW FEELING.

**Weak, nervous women, agg.
menses.**

Vomiting with syncope.

Hysterical asthma.

Hysteria.

Sensitive to cold.

Symptoms

Dazed; things seem unreal.

Slow rasp.

Easily offended.

**Extremely sad, taciturn and
peevish.**

**VERTIGO; in forehead; in A.M.
; with nausea; with palpitation;**

agg. raising head.

Heavy head.

Occiput; aches; agg. lying on it; amel. bending backward;

OPENS AND SHUTS.

Throat tickles; with lachrymation.

Speaks or swallows with difficulty.

Loathing.

Nausea; rising into head.

Retching.

VOMITING.

Train and sea sickness.

Abdomen seems full of sharp stones; bloated.

Colic; twisting (wind); nervous;

hysterical; with faintness; with salivation.

Clutching in uterus.

**Depleting menses; agg.
standing on tip toe; replaced by gushes of leucorrhoea.**

Weak neck.

**SPINAL WEAKNESS; agg.
lumbar; agg. walking.**

Paraplegia.

**Limbs go to sleep, agg.
grasping objects.**

Alternations between arms.

Humerus feels broken.

Hands numb; alternately hot and cold.

Knees weak; cracking.

Clumsy gait.

**Sleepless, from mental or
physical exhaustion.**

Drowsy.

Low fever.

Sweaty.

Complementary

Petr.

Related

Gel. Ign.

Coccus cacti

Region

MUCOUS MEMBRANES

FAUCES.

Throat.

Larynx.

Chest.

Genito-Urinary.

Left Side.

Worse

IRRITATING FAUCES.

Periodically.

Heat.

Lying.

Awaking.

Cold Exposure.

Better

Washing in Cold Water.

Description

Catarrh.

Spasms.

Haemorrhage.

Uric acid.

Gouty-rheumatic.

**STRINGY DISCHARGES,
EXPECTORATION, hanging
from mouth, urine, feeling in
throat, black menses, etc.**

**Sensitive, fauces, vulva, skin,
etc.**

Intolerable internal tickle.

**Pulsations; in glans; as of a
fluid forcing its way.**

Dark blood.

Symptoms

Sad; on waking at 2-3 A.M.

**Hawking, brushing teeth, etc.,
excites cough, retching or
vomiting.**

Profuse post-nasal discharge.
Constricted throat.
Violent kidney pain, with
dysuria.
Nephritic colic.
Irritated bladder.
Sticking along ureters.
Urging to urinate; amel. bloody
clots from vagina.
Urine scanty, thick, heavy,
sour; sediment; sandy, dark
red, brown or white; bloody
mucus.
Nephritis.

REGULAR PAROXYSMS OF
VIOLENT TICKLING, RACKING
COUGH, ENDING IN VOMITING

**OR RAISING MUCH CLEAR,
ROPY MUCUS (Kali-bi.); with a
purple, red face and internal
heat; periodically; with kidney
symptoms; slowly increasing,
then gradually declining; amel.
cold air or drinks.**

Whooping cough.

**Soreness or stitches in apices
of lungs.**

Coldness in back.

**Burning; as of pepper in
nostrils, at tip of tongue, etc.
(Lach.).**

Related

Ap. Berb. Lach. Pho.

Coffea cruda

COFFEA

Region

NERVES;

Cardiac.

CIRCULATION.

Sex Organs.

Women.

Worse

NOISE.

Touch.

Odors.

Air (Open. Cold. Windy).

Mental

Emotions.

Exertion.

Overeating.

Alcohol.

Night.

Better

Lying.

Sleep.

Warmth.

Description

Emotions cause severe symptoms.

**EXCITABLE AND
OVERACTIVE.**

OVERSENSITIVE; to noise; it may even be painful (Ther.); to pain, pleasure, etc.

Symptoms

Irritable and wakeful.

Resents sympathy.

Rushing ideas.

**Weeps, laments and tosses
about.**

Now joyous, now gloomy.

Faints easily.

**Brain seems torn, shattered or
crushed.**

Clavus.

Bright eyes.

**Acute hearing; overhears
distant sounds.**

Face ache (r).

**Toothache; amel. ice water,
agg. as it warms; pains into
fingertips; during menses.**

Stomach feels overloaded.

Hot, itching genitals.

After-pains.

Cough incessant; of measles.

**Nervous palpitation; agg. sun
heat.**

Trembling hands.

Painfully sensitive skin.

**Itching-scratches until it
bleeds.**

**NERVOUS SLEEPLESSNESS;
from rush of ideas; awakes at or
hears every sound; after
pleasurable excitement.**

Complementary

Aco.

Related

Coca. Ign.

Antidotes

Cham. Ign. Nux-v.

Colchicum autumnale

COLCHICUM

Region

DIGESTIVE TRACT.

HEART;

Pericardium.

Circulation.

Kidneys.

Tissues

MUSCLES.

Ligaments.

Fibrous.

Serous.

JOINTS;

Small.

Worse

MOTION.

Touch.

Night.

Stubbing Toes.

Vibration.

WEATHER

Cold; Damp; Rooms.

Changing.

Autumn.

Slight Exertion.

Checked Sweat.

Stretching.

Sundown to Sunrise.

Better

Warmth.

Rest.

Doubling Up.

Sitting.

Description

**COLD AND WEAK, BUT
SENSITIVE AND RESTLESS.**

**Irritable and sensitive to
impressions, strong odors, etc.**

**Tearing, digging, drawing
pains.**

Many joints are attacked.

Rapid sinking.

Moist collapse.

Creepings.

**Small, rapidly shifting areas of
severe pain, but little swelling.**

Subacute states, that finally attack the heart.

Cardio-arthritic affections.

Dropsy.

Symptoms

Depressed.

Irritable and sensitive; every little hurt pains terribly.

Sensitive to odors and impressions.

Unequal pupils.

Acrid tears.

Dark nostrils.

ACUTE SMELL; odors nauseate, -even to fainting, etc.

Pinched, sunken face.

Mouth hangs open.

Flow of saliva, with a sense of dryness.

Glossitis.

Thirsty, but LOATHES THE SMELL, or sight of food; amel. lying quietly.

NAUSEA.

Retching.

Burning or icy coldness in stomach.

Meteorism.

Diarrhoea, then gouty effects.

Choleraic or shreddy, gelatinous, mucus stools, then tenesmus or spasm of anus.

Mucous colitis; after dysentery.

Tenesmus.

Urine sedimentitious; black.

Nephritis.

Chest seems squeezed by a band.

Cutting or stinging at heart.

Weak heart.

Cold limbs.

Heat on rump.

Sweat, cold on face; sour at night.

Complementary

Ars. Spi.

Related

Ars. Carb-v. Ver-a.

Collinsonia canadensis

COLLINSONIA

Region

Pelvis

Anus, Rectum.

Uterus.

Bowels.

Heart.

Pharynx.

Liver.

Worse

PILES

During

Suppressed.

Night.

Pregnancy.

Cold.

Excitement.

Description

Congestions; pelvic; reflex from or combined with haemorrhoids, especially cardiac (Lycps.).

Constrictions.

Swelled feeling, in limbs, vulva, clitoris, etc.

Symptoms

Speaker's sore throat or cough.

Colic.

Acrid diarrhoea; destroying the hair.

Light, knotty stools.

Rectum; aches; burns, seems

**dry and full of sticks or sand;
with cardiac pains.**

**Constipation or piles of
pregnancy.**

**Piles (bleeding); alternating
with heart, chest or rheumatic
symptoms.**

Prolapsus, ani, uteri, etc.

Itching of vulva or anus.

Varicocele.

Palpitation.

**Flushes of heat; with piles;
with oppressed breathing.**

Related

Lycps. Nux-v. Sul.

Colocynthis

COLOCYNTH.

Region

NERVES

(Large)

TRIFACIAL.

ABDOMINAL.

Spinal.

SCIATIC.

DIGESTIVE TRACT (NAVEL).

INTESTINES.

Ovaries.

Kidneys.

Left Side.

Worse

EMOTIONS.

VEXATION.

Chagrin.

Anger.

Lying on Painless Side.

Night, in Bed.

Drafts.

Taking Cold.

Better

HARD PRESSURE.

Coffee.

Heat.

Rest.

Gentle Motion.

After Stool or Flatus.

Description

**Acts on digestive tract, then
longer on spinal nerves.**

SUDDEN.

ATROCIOUS CRAMPINGS,
gripings, tearings, etc., making
him **TWIST**, turn or cry out in
pain; with nausea or diuresis.

Convulsive jerks or
constrictions during pain (Ign.
Lyc.).

Lightning-like pains.

CUTTING, pinching, clamping,
gnawing or boring pain; then
numbness.

Parts seem too short.

Constriction.

Neuralgia.

Symptoms

Anger; easily vexed; agg. pains.

**Tearing head pains, agg.
moving eyelids.**

**Face ache (1); with eye
symptoms or alternating with
coelialgia.**

Distorted face.

Persistent bitter taste.

Gas colic (flatulent colic).

**WAVES OF VIOLENT CUTTING,
GRIPING, GRASPING,
CLUTCHING OR RADIATING
ABDOMINAL COLIC DOUBLE
HIM UP; AMEL. HARD
PRESSURE; agg. least food.**

Cutting in bowels; at navel.

**Pressure amel. at first then
agg..**

**Intestines feel squeezed
between stones.**

**Pains alternating between
ovaries.**

Ovaralgia.

Vomits from pain.

**Yellow frothy, watery, shreddy,
sourish or gelatinous stools;
with colic and gas.**

Dysentery.

**Slippery bubbles escape from
anus.**

**Gelatinous, sticky or stringy
urine.**

**Heart feels pushed up by a
distended stomach.**

Pain under r. scapula, amel.

pressure (Bry.).

Lumbar ache, amel. pressure.

Cramps in hips.

**Screwing, band-like or
shooting sciatic pains; agg.
least motion, rotation or night,
amel. lying on painful part.**

**Limbs drawn up like a
hedgehog.**

Urinous sweat.

Complementary

Caus.

Antidote

Op.

Related

Stap.

Comocladia dentata

COMOCLADIA

Region

Skin.

Eyes.

Nose.

Right Side.

Worse

Heat.

Better

Open Air.

Description

OEDEMA; of reduced skin.

Symptoms

Burning, itching of eyes and nose, with violent sneezing.

Sore eyeballs.

**Pain from under l. breast
through to scapula.**

Cough.

Wandering rheumatic pains.

Eczema; recurrent.

Conium maculatum

CONIUM

Region

NERVES.

MUSCLES.

GLANDS

MAMMAE.

Ovaries.

Sexual Organs.

Respiration.

Worse

SEEING MOVING OBJECTS.

ALCOHOL.

Raising Arms.

After Exertion.

Injury.

Night.

Sexual Excesses.

Cold; Taking.

Continence.

Old Age.

Lying; Head Low.

Better

Letting Part Hang Down.

Description

Irregular action ending in

progressive DEBILITY, as in old age : clothes distress, faints at stool, difficult articulation, uncertain gait, etc.

Trembling; looks old.

Chronicity.

Early senility.

Cachexy.

Paralysis.

Suddenly sick or weak; with numbness.

STONY HARDNESS.

As of a lump in brain, in epigastrium.

New growths.

Hard blood-vessels.

Ascending symptoms.

Tearings.

Stabbings.

Symptoms

Slow.

Apathetic.

Shy people, yet fear being alone.

Weak memory.

Can't think after using eyes.

VERTIGO, whirling; on lying, turning over, least motion of eyes or head, etc.; senile.

Eyes feel crossed; lids heavy, droop, agg. outer side.

Photo phobia.

Vision, colored.

Pulpy earwax.

Sour saliva.

Cold flatus.

Constipation on alternate days.

Urine stops and starts; amel. standing.

Testes enlarged.

Cutting, as semen passes; in ovaries, uterus, etc.

Prostatic dribble; agg. stool, emotions, etc.

Emissions, from mere contact.

Menses irregular.

Acrid leucorrhoea.

Tormenting cough from dry spot in larynx; from tickling in throat-pit; as if from abdomen.

**Palpitation; agg. exertion,
drinking, at stool, etc.**

**GLANDS HARDEN AND GET
SORE.**

**Mammae; nodes in; congested
before menses; sticking in;
shrunk; too much milk, agg.
before menses or at every step.**

Hot spots on head.

Spinal injuries.

**Heels; as if bone would push
through; shooting in.**

**Skin greenish, like an old
bruise; spots on; foul or
eczematous eruption.**

Hebetude.

Coldness in nape, calf, etc.

**Hot flushes or sweat on
dropping to sleep.**

**Sweat under eyes, on chin, in
poplitae; cold on nape or
palms.**

Complementary

Pho.

Related

**Arn. Bar-c. Calc-fl. Caus. Gel.
Iod.**

Copaiva officinalis

COPAIVA

Region

MUCOUS GLANDS

Genito-Urinary.

Bronchial.

Rectum.

Skin.

Worse

Morning.

Taking Cold.

Description

FOUL BLENORRHOEA :
bronchorrhoea, suppuration,
etc.

Symptoms

Stools of masses of or covered
with mucus.

Pulsation in penis.

Urethra feels wide open.

Acrid, scanty, bloody urine;
odor of violets.

Dysuria.

Catarrh of bladder.

**Purulent or acrid, milky
gonorrhoea.**

**Suppuration ascends urinary
tract.**

**Painful cough, with heat,
oppression of chest and foul,
bloody expectoration.**

Burning in lungs.

**Rushes of blood to head and
face.**

Urticaria.

Complementary

Sep.

Related

Tereb.

Corallium rubrum

Region

RESPIRATORY ORGANS.

NERVES.

MUCOUS MEMBRANES.

Worse

AIR

Change of.

Inhaling.

Eating.

Toward Morning.

Description

**Almost continuous paroxysms
of extremely violent, spasmodic**

cough, which begin with gasping for breath, are accompanied by a purple face, and followed by exhaustion, and vomiting of stringy mucus.

A reverberating, minute gun cough.

Cough as soon as he eats.

Whooping cough.

Sleeps with head under covers.

Very red (flat) venereal ulcer.

Too hot if covered, but chilled by uncovering.

Complementary

Sul.

Related

Coc-c.

Cornus circinata

CORNUS

Region

Blood.

Liver.

Spleen.

Digestive Tract.

Worse

Night.

Taking Cold.

Description

Weak and depressed.

Liver symptoms, with aching eyeballs.

Dark, foul stools, with burning at anus.

Diarrhoea.

Sallow skin.

Sleepy before the chills, with the heat and after meals.

Old malarias.

Related

Eup-p.

Crataegus oxyacantha

CRATAEGUS OXY.

Region

HEART.

Nerves.

Description

**Weak and exhausted; suddenly.
Cardio-haemorrhagic or
lithaemic cases (Lycps.).**

Symptoms

Irritable.

Despairing.

**Cough, with albuminous
expectoration.**

**WEAK HEART MUSCLES (r);
with oppression, stitches or
insomnia.**

Cardiac dyspnoea.

Myocarditis.

Incompetent valves.

Cardiac dilatation.

Angina pectoris.

Pain under left scapula.

Dropsies.

Pulse rapid, irregular and small.

Burning, smarting eruption in back of neck, axillae and chin; agg. heat and sweating; amel. washing.

Sweaty palms.

Related

Apocy. Strop.

Crocus sativus

CROCUS

Region

MIND.

NERVES.

Eyes.

Circulation.

Female Organs.

Worse

Motion.

Puberty.

Pregnancy.

Reading.

Heat.

Better

Open Air.

Description

**Rapidly changing or
alternating symptoms; of
opposite moods; of sides; of
mind and body, etc.**

Single muscles twitch; upper

eyelids, etc.

Faint, drowsy and hysterical.

Chorea.

**Jumping about, as of
something alive internally.**

**HAEMORRHAGE, dark, stringy,
tough.**

Symptoms

**Impressionable, affectionate
and moody.**

**Involuntary laughter and
weeping; agg. music.**

Hysteria.

**Climacteric hemicrania;
instead of menses; amel.
pressure.**

Dry, burning eyes, as after

weeping, or as if in a cool wind.

**Winks or must close eyes
tightly.**

Lachrymation when reading.

**Nosebleed, with faintness and
cold sweat on forehead; of
young, girls.**

Sexual excitement.

Dark, foul, stringy menses.

Threatened abortion.

Narcotic sleep.

Singing during sleep.

Related

Ign. Tarn.

Crotalus horridus

Region

BLOOD.

Heart.

Cerebro-spinal Nerves.

Liver.

Throat.

Occiput.

Right Side.

Worse

Lying on

R.

Side.

Falling to Sleep.

Warm Weather.

Spring.

Alcohol.

Better

Light.

Motion.

Description

Deathly sick, tremulous and weak.

HAEMORRHAGE; slow; oozing of dark, thin blood; pharyngeal.

Bloody pus or sweat.

Putridity, rapid decomposition and MALIGNANCY.

Septic; tonsils, goitre ulcers, abscess, etc.

Dark or bluish parts.

Petechiae.

Gangrene.

General burning.

Symptoms

Plaintive speech.

Timid; fears evil.

Torpid.

Forgetful.

Mistakes in writing.

Delirium.

Faintings.

Occipital ache; in waves from spine.

Distorted face on waking.

Epilepsy.

Dark, besotted face.

Grinds teeth.

Mouldy breath.

Swelled tongue.

Stiff palate.
Craves pork.
Craves stimulants.
Bilious vomit.
Perineal abscess.
Mouldy excretions.
Anxious, labored breathing.
HEART, weak, trembles, feels
loose or turns over; sensitive to
lying on l. side.
First one limb then the other
is numb.
Jaundice.
Blood-boils.
Horrible dreams; of the dead.
Black-water fever.
High fever; with scarlet skin.

OEdema about affected parts.

Complementary

Lycps.

Related

Lach. Sul-ac.

Croton tiglium

Region

MUCOUS MEMBRANES

Bowels.

Eyes.

Bladder.

Mammae.

Uterus.

Skin

SCROTUM.

FACE.

Worse

DRINKING.

Eating.

Washing.

Motion.

Receding Eruptions.

Description

Drawn backward feeling; in eyes; nipples, etc.

Symptoms

Neuralgia of tongue.

Pressure excites rectal pain or a stool.

Gurgling or swashing as of water in bowels; THEN SUDDEN, PROFUSE, GUSHING

**STOOL OF YELLOW WATER,
AGG. DRINKING; then
prostration.**

Diarrhoea.

Cholera infantum.

Can't inhale deeply enough.

**Pain from nipple to back, as
child nurses.**

Nodes in mammae.

Neck and shoulders pain.

**Violently itching, tense
burning, red skin; sore if
scratched, amel. gentle
rubbing.**

**Eruptions; clustered; of
blisters which burst and form
crusts; vesiculo-pustular (Sep.),**

**agg. genitals, temples and
crown of head.**

Eczema.

Zoster.

Related

Rhus-t.

Cubeba officinalis

CUBEBA

Region

Mucous Membranes

URETHRA.

Bladder.

Vagina.

Worse

Night in Bed.

Better

Walking About.

Description

Burning rawness.

**Violent inflammation, then
acid, yellow or green, offensive
discharges.**

Catarrhs.

Symptoms

Veins of forehead distended.

**Gelatinous, cold stools; with
grains like rice.**

**Cramp or cutting-burning after
urinating.**

Stringy gonorrhoea.

Related

Cist. Cop.

Culex musca

Description

OEdema.

Vertigo; on blowing nose.

Menses stain indelibly (Bur-p.).

Gripping down over hips, then into womb.

As of cold air blowing through a hole in clothes on chest or back.

Cuprum metallicum

CUPRUM

Region

NERVES

Cerebro-Spinal

Axis.

Digestive Tract.

Epigastrium.

Abdomen.

Muscles.

Blood.

Worse

Emotions : Anger.

Suppressions.

Overtax.

Motion.

Hot Weather.

Vomiting.

Loss of Sleep.

Touch.

Raising Arm.

Better

Cold Drinks.

Pressure over Heart.

Description

Sub-oxidation, affecting the centers of the medulla.

Violent effects; in recurring symptom groups.

**CRAMPS AND SPASMS; of all kinds; radiating from or of single parts; extort cries; tonic, knotting the muscles; twisting the head awry; with trismus or hiccough; then deathly exhaustion, chills, spasmodic laughter, etc.; in chest; behind sternum; of fingers, calves
amel. stretching leg out, or**

soles, etc.; nocturnal; agg. at menses; epileptic.

Jerkings; during sleep.

Pains; pressive, agg. touch; as from blows, being broken, etc.; in racking darts, through whole body.

Continued weakness.

Poor reaction.

Easy relapses.

Latency.

Blueness.

Symptoms

Hypersensitive : every drug overacts, without curing.

Uneasy.

Nervous.

Sense of losing consciousness.
Impulsive.
Piercing shrieks.
Delirium; loquacious; then
cold sweat.
Confusion.
Melancholy; with spells of fear
of death.
Sullen; tricky; alternately
yielding and headstrong.
Vertigo; with internal tremor,
amel. stool.
Can't hold head erect or bores
it into pillow.
Crawling on vertex.
Pulls her hair.
Meningitis.

Eyeballs oscillate behind closed lids.

Face livid, pale or distorted.

Closed mouth.

Grinds teeth.

Metallic taste.

Puts tongue out like a snake.

Loss of speech.

Noisy swallowing.

Nausea.

Vomiting; violent; tormenting; amel. drinking; with agonising colic, diarrhoea and shrieks or convulsions.

Painful transfixion cramp.

Hard pressure in epigastrium.

Lies on stomach and jerks

buttocks up.

Tense abdomen.

**Frightful colic, amel. pressure,
agg. raising arms.**

**Spurting stools; of green
water.**

Cholera.

Suppressed urine.

Cramps prevent coition.

After-pains.

Spasm of glottis.

**Dyspnoea; can't bear anything
near mouth; agg. coughing or
laughing.**

Asthma.

**Cough; in violent paroxysms;
coughs herself out of breath;**

**amel. cold drinks (Caus.), agg.
deep breathing or bending
back; with cramps, spasms
(Zin.) or lachrymation.**

Whooping cough.

**Chest; loud rattle in; painful,
constriction of (lower).**

Jerking hands and feet.

Clenches thumbs into palms.

Heavy ankles.

**Repressed or undeveloped
eruptions, discharges, etc.**

(Zin.)

Yellow, scaly eruptions.

Slow pulse.

Icy cold; afebrile.

Chilly.

Cold, clammy sweat; at night.

Collapse.

Complementary

Calc-c.

Related

Ver-a.

Cuprum arsenicosum

CUPRUM ARSENICUM

Region

DIGESTIVE TRACT.

Muscles.

Nerves.

Worse

Touch.

Pressure.

Dampness.

Description

**Violent cramps and colics;
inflammatory; in chest, fingers,
calves, toes, etc.; with
obstinate hiccough or icy cold
body.**

Convulsions.

Chorea.

**Sharp, shooting abdominal
pains.**

Visceral neuralgia.

Intestinal catarrh.

Cholera infantum.

**Vomiting and diarrhoea; with
uraemia.**

Rice water stools.

Weak heart.

Cold, clammy, intermittent sweat.

Leg cramps, amel. pressing foot on floor (Stry-p).

Numb, paralysed feeling in legs.

Related

Cup.

Cyclamen europaeum

CYCLAMEN

Region

Cerebro-Spinal Axis.

Vision.

Blood.

Digestive Tract.

FEMALE SEX ORGANS.

Worse

Cold.

Evening.

Fresh Air.

Sitting.

Fats.

Better

Motion.

During Menses.

Weeping.

Description

**VISUAL EFFECTS or vertigo,
from menstrual or gastric
disorders.**

Dreads open air.

Chlorosis.

Symptoms

Dull, sad, sleepy and morose.

Self-reproaches.

Silent weeping.

**The room seems too small
(Berb. Nat-c.).**

Brain feels wrapped up.

Pain in l. temple.

Prolonged migraine.

Convergent squint.

Blurred vision (Nat-m.).

**Fluttering, glittering or black
vision.**

Sees stars.

Sneezing, with itching in ear.

Anosmia.

Lost or salty taste.

Hiccough; agg. pregnancy; with yawning.

Hiccoughy eructation.

Nausea in throat.

Craves lemonade.

Quick satiety.

Loathing and nausea from the least food.

Hyperemesis.

Diarrhoea, agg. coffee.

Menses; excessive, early, dark or changeable; clotted; membranous; less if in motion.

Dysmenorrhoea.

Coughs, without waking.

Air seems to stream from

nipples.

**Swelled breasts; agg. after
menses.**

Milk in virgin breasts.

Weakness; agg. in knees.

Burning, sore heels.

Pains in thinly covered bones.

Chilly all over.

Chilly, not amel. covers.

Offensive sweat.

Related

Pul.

Daphne indica

Region

Muscles.

Bones.

Left Side.

Worse

Cold Air.

Waning Moon.

Evening in Bed.

Description

Parts-head, arms, etc.-seem separated from body (Bapt. Psor.).

Bruised pain.

Fetor.

Exhaustion.

Symptoms

Sad.

Head feels big.

Tongue, coated on one side

only (Irid. Rhus-t.).

Sleepless; from bone aches.

Clammy sweat.

Related

Rhus-t.

Origanum dictamnus

DICTAMNUS

Region

Female Organs.

Nerves.

Sleep.

Worse

Standing.

Description

Increased secretions.

Symptoms

A lump rises in throat.

Bearing down, with bilious vomiting, agg. standing on feet.

Menses early; of black clots; preceded by blindness.

Sensation of milk flowing into mammae.

Cramps from anterior thighs into uterus, before menses.

Somnambulism (Pho.).

Dreams of piercing bodies of her children together (Pho.).

Related

Pul.

Digitalis purpurea

DIGITALIS

Region

Vagus.

HEART;

Muscle.

CIRCULATION

Liver.

Lungs.

Stomach.

Occiput.

Genito-Urinary Organs.

Worse

Raising Up.

Exertion.

Heat.

Lying on

L.

Side.

Motion.

Smell of Food.

Cold Drinks.

Excesses : Sexual.

Better

Rest.

Cool Air.

Lying Flat on Back.

Description

**WEAKNESS, faint-like; can
hardly talk.**

**Heart slow, with indefinite or
causeless symptoms.**

HEART SLOW, weak or

**irregular; quick, on motion;
with liver or sexual symptoms;
at puberty.**

**Must walk about, with
precordial anxiety; with teasing
to urinate.**

Symptoms

Anxious solicitude.

Dizzy.

**Crashes in head; on dropping
to sleep.**

Spastic hemicrania.

Yellow-red conjunctiva.

Seething in ears.

**Face pale; bluish, also lips and
tongue.**

Thick, flabby tongue.

**Much thirst, little appetite
(Sul.), but no fever.**

**Deathly nausea or with faint
sinking at pit of stomach.**

Liver sore, swelled.

White, putty-like stools.

Dribbling urination.

Dropsy.

Throbbing in neck of bladder.

Early morning erection.

Swelled prostate; senile.

Atonic night losses.

**Glans inflamed; gonorrhoea of
(Jaca.).**

**Profuse, thick, yellow-white
gonorrhoea.**

Slow breathing.

Cough, with pains in shoulders and arms.

HEART; weak; feels like stopping; sprains; palpitation.

Slow, intermittent pulse.

Numb or weak left arm.

Drowsy.

Dreams of falling; wakes with a shock.

Cold skin.

Flushes of heat, then great weakness.

Cold, clammy sweat.

Related

Glo. Spi.

Dioscorea villosa

DIOSCOREA

Region

NERVES

Cord.

Abdominal.

Sciatic.

Navel.

Gall-Bladder.

Right Side.

Worse

Doubling Up.

Lying.

Tea; Eating.

Better

Stretching Out or

Bending Back.

Motion; in Open Air.

(Mag-c.

Pul.).

Hard Pressure.

Description

A remedy of pains, of all kinds.

**UNBEARABLY SHARP,
CUTTING, TWISTING, GRIPING
OR GRINDING PAINS; that dart
about or radiate; to distant
parts, arms, etc.; in paroxysms;
cease suddenly, then start in a
different place; periodical.**

Shudderings, from pain, etc.

Symptoms

Nervous and easily troubled.

Confused, full head.
Sensation as if head were
crushed down (Dio.).
Eructations; with hiccough.
Cardialgia.
Pains shoot from liver to right
nipple.
Violent abdominal colic, amel.
motion; pains go into back,
chest or arms.
Flatulence.
Darting, from anus to liver.
Piles like a bunch of cherries.
Weakening morning diarrhoea,
without relief.
Erections lasting all night.
Cold, relaxed sexual organs.

**Atonic emissions, then
weakness; agg. knees.**

Violent dysmenorrhoea.

**Chest or cardiac pains radiate
into both arms.**

Felon.

**Burning, numb, sciatic (r) pain,
agg. motion.**

Hamstrings seem too short.

**Cold, clammy sweat; of strong
odor on genitals.**

Related

Colo. Mag-c.

Diphtherinum

Region

Blood.

THROAT

Worse

Lying.

Cold.

Milk.

Description

Weak and restless, but without pain, or aching, breaking joint pains, amel. lying.

Wants to be held.

Drawing in muscles, then sudden snap.

Jerking of single parts.

Internal trembling.

Symptoms

Sees visions.

Carphology.

Moisture at edge of hair.

Fanning of alae nasi, with snoring.

Yellow, thick nasal discharge.

Flushed face; center of cheeks purple.

Moist tongue, with red tip or a dark red spot back of tip; red papillae.

Throat dark.

Thick, gray membrane; on tonsil (1).

Fetor.

Wants cold air down throat or craves cold drinks.

Diphtheria; prophylactic; painless; relapsing.

Post-diphtheric paralysis.

Obstinate tonsilitis.

Faintness at stomach, amel. sips of milk.

Dry, hot palms; they feel withered.

Dry skin.

Talks in sleep, with open eyes.

Low temperature.

Chilly, then hot.

Related

Carb-ac.

Drosera rotundifolia

DROSER

Region

RESPIRATORY ORGANS.

Bones

Long (Stil.).

Joints.

Larynx.

Chest.

Lungs.

Glands.

Worse

After Midnight.

On Lying down.

Warmth.

Talking.

Cold Foods.

Laughing.

After Measles.

Better

Pressure.

Description

**Spasmodic, catarrhal and
haemorrhagic effects.**

Tuberculosis; of bones.

Symptoms

Easily angered.

Desire to drown himself.

Sensitive to sour odors.

Painful sneezing.

Putrid taste.

**PROLONGED, PERIODICAL
FITS OF RAPID, INCESSANT,**

**DEEP BARKING OR CHOKING
COUGH; as if from abdomen;
taking away the breath; compel
holding the sides and ending in
retching, vomiting (first of
ingesta, then of mucus),
nosebleed or cold sweat;
followed by loquacity.**

Typical whooping cough.

**Tickling like a feather or
crumb in larynx.**

**Bloody, purulent
expectoration.**

Hoarse, toneless voice.

Constriction of chest.

Stitches below axillae.

Writers' cramp.

Complementary

Sul.

Related

Coc-c. Cor-r.

Dulcamara

Region

MUCOUS MEMBRANES

Bronchi.

Bladder.

Eyes.

BACK

Muscles.

LOINS.

SKIN.

Umbilicus.

Lymphatics.

Worse

BEING CHILLED

WHILE HOT.

**Sudden Change of
Temperature.**

Uncovering.

COLD WET;

**Feet, Ground, Cellars, Beds,
etc.**

**Suppressed Discharges; Sweat,
Eruptions, etc.**

Autumn.

Night.

Rest.

Injuries.

Mercury.

Before Storms.

Description

**Excessive secretion of mucus.
Catarrhal-rheumatic-herpetic
tendency.**

**Stiff, numb, achy and sore
from every exposure to damp
cold.**

Tearing.

Paralytic effects.

Gripping in bowels, testes, etc.

Symptoms

Confusion.

Depression.

Scolding.

Difficult speech.

Easily becomes delirious.

Occiput feels large.
Ringworm of scalp.
Aching in nose.
Coryza; stuffed; summer colds,
with diarrhoea.
Nose obstructed by the least
fresh air.
Nosebleed; replaces menses.
Thick, brown-yellow crusts on
face.
Swelled tongue.
Tenacious, soapy saliva.
Cutting at navel; then painful,
green, slimy stools.
Sour, watery stools, agg. night.
Every cold settles in eyes,
throat or affects bladder (Pul.),

bowels or respiration (Sul.).

Frequent urination.

Cloudy, slimy or foul urine.

Cystitis.

Dropsy.

Enlarged testes, with griping pains.

Watery menses.

Cough : caused by tickling in back of throat; in prolonged fits; with much loose, easy expectoration.

Eruptions; scaly, thick, crusty, moist, bleeding or herpetic; agg. before menses.

Urticaria.

Pruritus.

Large, smooth, fleshy, flat warts.

Coldness; in occiput; lumbar region; in bowels; icy, of paralysed part.

Chilliness starts from back; not amel. warmth; agg. evening.

Chill with urging to stool and urinate.

Foul sweat.

Complementary

Bar-c. Nat-s.

Related

Rhus-t.

Echinacea angustifolia

ECHINACEA ANG.

Region

Blood.

Circulation.

Gums.

Lymphatics.

Left Side.

Worse

Eating.

Injury.

Operations.

Better

Rest.

Description

Weak, tired and achy.

**Slow speech, gait, replies, etc.
Weakness, in stomach; in
bowels; of heart; in knees; with
vertigo.**

Sepsis.

Lymphangitis.

Rheumatism.

Symptoms

**Depressed or cross and out of
sorts.**

Can't exert mind.

**Sharp pain deep in brain; it
seems too large.**

Throbbing through temples.

Hot, burning forehead.

Twitching brows.

Bluish face.

**Teeth sensitive to drafts of air.
Mucus, frothy in mouth; hawks
from throat.**

Tongue numb.

Peppery taste.

Aphthae.

Nauseated and chilly.

**Sour, bloody vomitus; like
coffee grounds.**

As of a load in posterior liver.

Blood follows stool.

Seminal emissions.

As of a lump under sternum.

Burning under l. scapula.

**Hands, numb alternately or
restless; on awaking.**

Dreams of difficulties;

laborious or quarrelsome.

**Irregular chills, heats and
sweats.**

Chill in l. occiput.

**Sweat on upper parts; on
forehead.**

Increasing, but variable pulse.

Related

Arn. Pyro. Rhus-t.

Elaps corallinus

ELAPS

Region

Blood.

Nose.

Ears.

Throat.

Right Side.

Worse

Approach of Storms.

Cold; Drink or Food.

Dampness.

Night.

In Room.

Description

**Black discharges;
haemorrhages, etc.**

**Internal coldness; in chest;
agg. drinking.**

Adynamic sepsis.

Oscillatory motions.

**Twisting spasm, then
paralysis; oesophageal.**

**Right side feels paralysed,
weak or insensible.**

**Wrinkled mucous membranes
(Ars.).**

Symptoms

**Fear causes chattering teeth
and trembling.**

Fears rain.

Black rings before l. eye.

Deafness; at night.

**Stuffed feeling in naso-
pharynx.**

Green-yellow crusts in nose.

Ozoena.

Nosebleed.

Red spots on face.

Drinks feel like ice in stomach.

Stools of black, frothy blood.

Air hunger.

Painful cough.

Pain at apex of r. lung.

Weak arms.

Peeling palms and fingertips.

Rushes of blood to head.

Icy cold feet.

General cold sweat.

Antidote

Cedron.

Related

Crot-h. Helod.

Epiphegus virginiana

EPIPHEGUS

Region

Nerves

Stomach.

Liver

Worse

Fatigue; Nervous; of Shopping.

Eyestrain.

Better

Sleep.

Description

Confusion.

Like fingertips pressing into temples.

Compressive (r.) headache,

**going backward; agg. until 4
P.M. amel.; with spitting of
viscid saliva and nausea.**

Weekly headaches.

Neurasthenia.

Tartar on teeth.

Related

Ign. Iris.

Equisetum hyemale

Equisetum hyemale

Region

GENITO-URINARY TRACT.

Worse

At Close of Urination.

Pressure.

Description

Aching, full, tender bladder.

Cystitis.

**Prickling, burning, or cutting
in urethra.**

Dysuria.

**NOCTURNAL ENURESIS; with
irritable bladder.**

Dribbling urine.

Mucus in urine.

Complementary

Sil.

Related

Canth.

Erigeron canadense

ERIGERON

Region

Genito-Urinary Tract.

Joints.

Worse

Rainy Weather.

Description

**Haemorrhage; bright, gushing;
vomits and purges pure blood.**

Congestion.

Smarting-burning.

Hard aching.

Symptoms

**Burning in stomach and
abdomen (Ars.).**

Tympanites.

Anus seems torn.

**Vesico-rectal tenesmus (Canth.
Merc-c.).**

Aching in bladder.

Retained urine.

Dysuria.

Sticky sweat on genitals.

Ecchymoses.

Related

Canth. Terb.

Eucalyptus globulus

EUCALYPTUS

Region

Mucous Membranes.

Blood.

Muscles

Respiration.

Worse

Periodically.

Night.

Description

**Aching, stiff and weary, as
from taking cold.**

Grippe.

Malaria.

Migraine.

**Sticking, jerking pains at
night.**

**Profuse catarrhal discharges;
acid; foul.**

Rheumatic-hydrogenoid

constitution.

**Exhausted, toxaemic and
haemorrhagic.**

Symptoms

Mental exhilaration.

Burning eyes.

Tinnitus.

Tension across nose.

Watery coryza.

Pasty tongue.

Throbbing in stomach.

Weight in bowels.

**Slow digestion, with putrid
gas.**

Diarrhoea; dysenteric; typhoid.

Diuresis.

Cough of influenza.

Bronchial asthma.
Bronchorrhoea; senile.
Limbs prickle, then ache.
Chill, then nausea and
vomiting.

Fever with aching.
Vertigo in all stages.
Old malarias.

Related

Chin. Dul. Echin.

Euonymus europaeus

EUONYMUS

Region

Liver.

Kidneys.

Left to Right.

Worse

Eating.

Description

Crawling; agg. back.

Symptoms

**Vertigo; in forehead; as if
drawn up and pitched forward
(Calc-c.).**

**Pressure over brows;
compressing eyes.**

Engorged liver.

Gall-stones.

Pain about navel.

**Profuse stools; varying or of
several colors.**

Albuminuria.

Related

Rhe.

Eupatorium perfoliatum

EUPATORIUM PERFOL.

Region

BONES.

Stomach.

Liver.

Occiput.

Bronchiae.

Muscles

Chest.

Back.

Limbs.

Worse

COLD AIR.

Motion.

PERIODICALLY

7-9 A.M.

3rd. or 7th. Day.

Lying on Part.

Coughing.

Smell or Sight of Food.

Better

Vomiting Bile.

Sweating.

Lying on Face.

Description

**VIOLENT, ACHING, BONE-
BREAKING PAINS (Coccl. Pyro.
Rut.).**

Bruised, sore ache, agg. back.

**Restless, chilly and nauseated.
Colds.**

**Grippe; and catarrhal sequelae.
Bilious effects; yellow eyes,
face, vomit, etc.**

Weakness.

Symptoms

**Vertigo; sways to left; agg.
lying on r. side; amel. vomiting.**

**Sore throbbing head pains,
agg. occiput; alternating with
gouty pains.**

**Sensation as of a metal cap on
head.**

Migraine.

**Vomits bile at height of head
pains, then amel..**

Sore, aching eye-balls.

Sneezing.

**Thirst, but drinks excite bitter
vomiting or chill.**

Whitish stools.

Urine now profuse, now scanty.

Hoarse in A.M.

**Painful cough, from a laryngeal
tickle; it hurts head; must hold
chest.**

**Raw, hot, sore chest and
bronchi.**

**Intense backache; as if beaten;
ascending.**

Aching lower limbs.

Bruised pain in calves.

Dropsy of legs.

Painful, gouty nodes.

Thirst or nausea, then violent shaking chill; begins in small of back.

Bitter vomiting, after chill or during heat.

Burning heat.

Scanty sweat.

Malaria.

Catarrhal fevers.

Complementary

Nat-m. Sep.

Related

Bry. Nux-v.

Eupatorium purpureum

EUPATORIUM PURPUR.

Description

Bone-breaking pains.

Urinary stream smaller.

Euphorbium officinarum

EUPHORBIVM

Region

Mucous Membranes.

Bones.

Skin.

Teeth.

Worse

Sitting.

Rest.

Beginning Motion.

Mercury.

Description

Internal burning; in bones at night.

Caries.

Much secretion, with a sense of dryness.

Paralytic weakness; in joints.

Slow inflammation.

Symptoms

Much abortive sneezing.

Coryza, with swelling.

Ozoena; acrid.

Mouth feels coated with rancid grease (Iris.).

Brittle, crumbling teeth.

Stitches from epigastrium into sides of chest on coughing.

Erysipelas; bullosum; right side; of mucous membranes.

High fever.

Related

Nit-ac. Sul.

Euphrasia officinalis

EUPHRASIA

Region

MUCOUS MEMBRANES

EYES.

Nose.

Chest.

Worse

SUNLIGHT.

WIND.

Warmth.

Room.

Evening.

Better

Open Air.

Winking.

Wiping Eyes.

Description

Free, acrid, watery secretions.

Acute catarrhs.

Acrid pus.

Symptoms

WATERY EYES; swimming in tears; as of a hair before them, wants to wipe them.

**ABUNDANT, ACRID OR HOT,
SMARTING TEARS, with bland
coryza; agg. open air, lying or
coughing (Chel.); leaving a
varnish-like mark.**

**Photo phobia; with spasm of
lids.**

Pressive, cutting eye-pains.

Sticky eye-gum.

Red, burning -itching tarsi.

Violent injection.

Conjunctivitis; of measles.

**Thick yellow or acrid discharge
from eyes.**

Chemosis.

Chronic sore eyes.

Gushes of fluent coryza.

Loose cough.

Easy expectoration, in day time only, less on lying down at night; (reverse-Thu.).

Related

Cepa.

Fagopyrum esculentum

FAGOPYRUM

Region

Digestive Organs.

Skin.

Worse

Scratching.

Sun-light.

Better

Cold Bathing.

Coffee.

Description

Itching; eyes; ears; posterior nares; anus; deep in hands; legs, etc.

Pain along lachrymal duct.

Scalding, hot, sour eructations.

Cardiac pain to shoulder and l. arm; amel. lying on back.

Pruritus vulvae; with yellow leucorrhoea, agg. rest.

As if neck could not support head.

Pains along fingers.

Related

Pul.

Ferrum metallicum

FERRUM

Region

**VASO MOTORS
CIRCULATION.**

Blood-vessels.

Blood.

Spleen.

Digestion.

Left Deltoid.

Worse

NIGHT.

Emotions.

Violent Exertion.

Eating.

Drinking.

Vital Losses.

Sweats.

Quinine.

Eggs.

Heat and Cold.

Sudden Motions.

Raising Arms.

Better

Gentle Motion.

**Slight Bleeding (Calad. Card-m.
Lach.).**

Leaning Head on Something.

Description

Pale mucous membranes.

False erethism or plethora;

weak; lies down.

Excited, irregular surgings.

**Wandering orgasms; head,
face, chest, etc.**

Pulsation.

**Haemorrhages (bright or with
small clots); in rapidly growing
youths.**

**Relaxed blood-vessels; dilated
veins, agg. during menses, etc.**

Red faced old men.

Exophthalmos.

**Pressure on chest, stomach,
etc.**

**Nightly pains that compel
motion of part.**

Dry; food seems; vagina, etc.

Rapid emaciation.

Anaemia.

Cachexy.

Irritable mind and body.

Symptoms

Always in the right; excited by the least opposition.

Weeps and laughs immoderately.

Sensitive and excitable; agg. least opposition.

Brain-tire.

Throbbing, hammering headache, starts in the temple; agg. cough or stooping; amel. letting hair down; with vertigo.

Pain over l. eye.

Blind attacks.

Puffy eye-lids.

Nose-bleed.

**Face flushes and pales or
reddens from the least thing;
florid; feels bloated.**

Erethistic chlorosis.

Toothache, amel. ice water.

**Stomach won't tolerate any
food.**

Averse to meat.

Spits up his food.

Nausea at mid-night.

Easy vomiting.

**Diarrhoea; painless lientery;
agg. while eating; nightly
gushing; spluttering;**

**alternating with constipation;
agg. if nervous or tired.**

Chronic nephritis.

Enuresis by day only.

**Emissions; nightly, with
backache; after over-exertion.**

Raw vagina, agg. coition.

Menses pale; intermit.

**Leucorrhoea; acrid, milky,
watery, at puberty.**

Changeable voice.

Dry, tickling cough.

Blood-spitting (streaked).

**Constriction of or flying
stitches in chest.**

**Dyspnoea or palpitation, amel.
motion.**

**Sudden cramps or tearing
boring in limbs.**

Cracking joints.

Omodynia.

Swelled hands and feet.

Heels pain, if lies on back.

Sleepless.

Chill, with red face and thirst.

Heat, with distended veins.

**Sweats, clammy, yellow, cold,
acid or debilitating.**

Soft pulse.

Complementary

Chin.

Related

Arn. Mang.

Ferrum phosphoricum

Region

Vaso-Motors.

Venous Circulation

LUNGS.

Ears.

Nose (Root).

Eustachian Tube.

Worse

Night

(4-6 A.M.).

Motion.

Noise.

Jar.

Cold Air.

Checked Sweat.

Better

Cold.

Bleedings.

Lying Down.

Description

Anaemic blondes.

FULL, SOFT, FLOWING PULSE.

Hyperaemia.

**Acute exacerbations, phthisis,
rheumatism, etc.**

**Passive congestion and
weakness.**

**Bloody (streaked or meat
water) discharges.**

**Bruised soreness; chest,
shoulder, muscles.**

Inflamed soft parts.

Burning rawness.

Symptoms

Keeps quiet.

Anger.

Excited and talkative.

Cerebral irritation.

**Throbbing headaches, with
sensitive scalp.**

**Headache; shooting pains,
aching from vertex down over
sides of head; with earache
(Pul.), amel. nosebleed.**

Suffused eyes.

Violent earache.

Acute otitis; media.

Colds cause deafness.

Tinnitus, agg. lying.

**Face pales and reddens
alternately.**

Vomits ingesta.

**Frequent stools of bloody
water.**

Diarrhoea.

Impending hydrocephalus.

Nephritis.

Enuresis.

**Urinate after every drink
(Sarsa.).**

**Menses early, with heavy pain
on vertex.**

Laryngitis; of singers (Aru-t.).

**Cough; hacking; agg. morning
and evening.**

Cough, tormenting, spasmodic.

Chest heavy, sore or congested.

Omodynia.

Jerking limbs.

Drowsiness.

Chill, with desire to stretch.

Heat with sweaty hands.

Sweatiness.

Fevers; continued; infectious; pneumonia; inter current.

Measles; haemorrhagic.

Complementary

Kali-m.

Related

Gel.

Fluoricum acidum

FLUORIC ACID.

Region

**FIBROUS TISSUES
VEINS.**

Skin.

Bones.

Mastoid.

Worse

**HEAT;
of Room.**

Night.

Alcohol.

Sour Foods.

Better

COOL BATHING.

Rapid Motion.

Short Sleep.

Bending Head Back.

Eating.

Description

Always too hot; wants to bathe in cold water.

Pale, miserable, cachectic, flabby and broken down.

Slow, deeply destructive effects.

Puffy, indurated or fistulous tissues.

Palmar abscess.

Felon.

Caries.

Bed-sores.

Ulcers.

OEdema.

Secondary syphilis.

**Thin, foul, acrid or salty
discharges; that cause itching.**

Symptoms

**Necessity to be always in the
move.**

Impulse to walk fast.

Melancholy.

Lecherousness.

**Stunning headache; amel.
urinating.**

Brittle, tousy hair.

As of a cold wind in eye.

Lachrymal stricture.

Deafness, amel. bending head

back.

Puffy glabella.

Thin enamel.

Teeth decay rapidly; agg. at roots.

Fissured tongue.

Gnawing hunger; for pungent or cold things.

Stale eructations.

Itching or burning at anus.

Upward drawing in urethra (down-Merc.).

Profuse, acrid leucorrhoea.

Sexual erethism.

Oedema of scrotum.

Distorted nails.

Varicose veins; varicocele.

Dry, harsh, itching or cracked skin; seeming to emit a hot vapor.

Scars surrounded by pimples.

Keloid.

Ebullitions of heat; with pains in bones.

Acrid, eroding sweat; excites itching.

Oily, pungent sweat on genitals.

Sweat on hands and feet.

Complementary

Sil.

Related

Calc-sul. Pul. Sul-ac.

Formica rufa

FORMICA

Region

Joints.

Spine.

Liver.

Kidneys.

Right Side.

Worse

Cold;

Wet.

Motion.

Before Snow-storms.

Better

Pressure.

Description

Sudden rheumatic or gouty pains.

Takes cold easily.

Tuberculosis.

Hyper-plasia.

Symptoms

Light, foaming stools.

Hydrops ovarii.

Nervous asthma.

Hives, in flat plaques.

Profuse sweat, without relief.

Related

Rhus-t. Urt-u.

Fraxinus americana

FRAXINUS

Region

Uterus.

Nerves.

Worse

Injury.

Sprains.

Lifting.

Description

**Nervous females with enlarged
or prolapsed wombs.**

Symptoms

Must talk.

Hot spot or dryness on vertex.

Throbbing in occiput.

**Heavy abdomen with bearing
down or falling out sensation.
Sensitive left ovary.
Profuse menses or leucorrhoea.
Cramps in feet.
Hot flushes.**

Related

Sep. Vib.

Gambogia

Region

**Stomach and
BOWELS.**

Liver.

Worse

AFTER STOOL.

Motion in Open Air.

Description

Burnings.

Symptoms

Burning pains.

**Itching eye-lids; he rubs them
(Ign.).**

Sneezing.

**Gurgling, pinching in bowels,
then sudden yellow or green,
THIN STOOLS COMING OUT IN
PROLONGED GUSHES, with
burning at anus and much
relief.**

Related

Crot-t.

Gelsemium sempervirens

GELSEMIUM

Region

CIRCULATION.

BRAIN CORD

OCCIPUT.

Base.

Neck.

MOTOR NERVES

MUSCLES.

Knees.

EYES

LIDS

VISION.

MUCOUS MEMBRANES

Nose.

Gall-Ducts.

Right Side.

Worse

EMOTIONS; DREAD.

Surprise.

Shock.

Ordeals.

Motion.

Weather

SPRING.

Foggy.

HUMID.

Muggy.

Heat

of Summer.

Periodically.

Dentition.

Tobacco.

Gas.

Better

Profuse Urination.

Sweating.

Shaking.

Alcoholic

Drinks.

Mental Effort.

Description

**ACHING, TIRED, HEAVY,
WEAK AND SORE; agg. limbs.**

Grippe.

Overpowering aching.

**Heavy single parts, heart,
liver, etc.**

Lies quietly, half reclining.

Nerve exhaustion.

Dull, drowsy and dizzy.

TREMOR; or twitches of single muscles, face, chin, tongue, etc.; wants to be held.

Chorea, of pregnancy.

Paretic effects; eyes, throat, anus, bladder, etc.

Inco-ordination.

Fullness.

Passive congestion.

Symptoms accompanied by vertigo, eye or visual effects, drowsiness or polyuria.

Symptoms

CONFUSED, dazed, apathetic,

**torpid, dull, drowsy and dizzy,
or indifferent; answers slowly.**

**DREAD of falling; of ordeals,
death, pains, etc.**

**VERTIGO; drunken; in occiput.
Headache; dull, HEAVY, band-
like, occipital, to over eyes;
agg. tight hat; swelled feeling;
basilar.**

Meningitis.

Apoplexy.

Suffused, sore, aching eyes.

HEAVY, DROOPING EYELIDS.

**VISION; double; swimming;
blind spells; affected, then
migraine.**

Face full, dusky-red; heavy,

expressionless; besotted.

Ciliary neuralgia; pains into ears on swallowing.

Pains to occiput.

Nose stuffed.

Sneezing; thin, acrid coryza.

Sensation as of hot water flowing from the nostrils.

Heavy tongue; thick speech.

THIRSTLESS.

Gripping in gall-bladder.

Copious, yellow stools.

Painless, nervous diarrhoea.

Rectal pains after labor.

Clear, watery urine, amel. headache.

Alternate pelvic and head

symptoms.

Atonic seminal losses.

Heavy, sore uterus; it feels grasped.

Dysmenorrhoea.

Labor pains go up, backward or down thighs.

Rigid os.

Deep yellow leucorrhoea.

Hoarse, during menses.

Tiresome breathing.

Chest; as of a lump behind sternum; congestion.

Heart sore; threatens to stop, must move.

Spine, dull pains up and down, amel. walking; with occipital

pain.

Pain under scapulae.

Hard ache in r. humerus.

Wants hands in cool water.

Heavy lower limbs.

Weak knees, agg. descending.

Tottering gait; can't direct his legs.

Moist, yellow skin.

DROWSINESS; starts on dropping to sleep.

Heavy, stupid sleep.

Full, round, soft pulse.

Blood rushes from occiput to forehead.

Visual disturbances, then chill.

Chilly and achy; with languor

**(Sil.); mingled or alternating
with heat; up and down back.**

Cold hands and feet.

Heat with sopor.

**ABSENCE OF THIRST, or
trembling.**

Cold sweat on genitals.

**Fevers; bilious-remittent;
malarial; cerebro-spinal.**

Measles.

Ebullitions and heats.

Sluggish fever.

Shuddering chill.

Complementary

Arg-n. Sep.

Related

Con. Ign. Mur-ac. Nat-m. Sep.

Ver-v.

Glonoinum

GLONONIN

Region

BRAIN.

VASO-MOTORS

CIRCULATION.

HEAD

(Forehead).

HEART.

Mastoids.

Respiration.

Worse

HEAT

ON HEAD.

Overheating.
OF SUN,
Lamp,
etc.
HOT WEATHER.
MOTION
SHAKING.
JAR.
Bending Head.
Back.
Injury.
Wine.
Suppressed Menses.
Fruits.
Weight of Hat.
Hair Cut.
Better

Open Air.

Elevating Head.

Cool Things.

Cold Application, Bathing, etc.

Description

**A tempestuous remedy, full of
VIOLENT PULSATIONS.**

**EBULLITIONS or irregular
congestion; general P.; with
numbness.**

UPWARD RUSHES OF BLOOD.

**As if enlarged, distended or
being smaller.**

**Bursting, expansion or
enlarged feeling of eyes, head,
tongue, etc.**

Pains that come long after

injuries.

Symptoms

Confused, bewildered; loses himself.

Sinks down unconscious.

Sun-stroke.

Apoplexy.

Congestion to head in suppressed menses, eclampsia, albuminuria, etc.

WAVES; OF TERRIBLE BURSTING, POUNDING HEADACHE, as if standing on head; expanding and contracting or blood surging back and forth from head, agg. carotids to heart; alternating

between temples; agg.

sunshine; agg. damp days.

**Cracking, snapping, shocks,
explosions or soreness deep in
brain.**

**Head lies too heavy on pillow.
Pains in malar bones, ending
in a headache.**

Numb, sore vertex.

Sharp, shooting behind ears.

Red lower eyeballs or lids.

**Staring, dry, protruding or
sunken eyes; lids stick to balls
(Guai.).**

Blind spells.

Bluish face.

Veins of temples swelled.

Heavy tongue.
Thick saliva in A.M.
Throat feels swelled.
Heavy breathing.
As of a load on chest.
Heart seems full, quivers;
strong pulsation, and into (l)
neck.
Violent palpitation.
Cardiac pains; radiate to all
parts; toward arms.
Cardiac pains, agg. leaning
backward or wine.
Neck feels full and stiff.
Trembling hands.
Awakes fearing apoplexy.
Full, tense pulse.

Venous pulse.

**Heat on crown of head and
along spine.**

**Burning in small areas or
single parts.**

Heat, with hot sweat.

**Horrible sinking in
epigastrium.**

Complementary

Bell.

Related

Amy-n. Bell.

Gnaphalium polycephalum

GNAPHALIUM

Region

NERVES

SCIATIC.

Crural.

Abdominal.

Worse

Walking.

Lying.

Cold Damp.

Better

Flexing Limbs.

Sitting.

Description

**Intense sciatic pains;
alternating with or followed by
numbness or formication.**

**Offensive diarrhoea with colic,
agg. morning.**

Related

Colo.

Gossypium herbaceum

GOSSYPIUM

Region

Uterus.

Ovaries.

Kidneys.

Worse

Motion.

Description

Uterine reflexes.

Symptoms

Flow of saliva.

Nausea on awaking.

Vomits on motion or raising up.

Hyper-emesis.

Sensitive stomach, with much gas.

Ovarian pains extend toward uterus.

Uterine torpor.

Cervical pain.

Sensitive womb.

Menses late, scanty and watery.

Related

Senec. Ustil.

Graphites

Region

NUTRITION.

Circulation.

SKIN

Folds.

Behind Ears.

Angles.

Flexures.

Orifices.

Nails.

Mind.

Mucous Membranes.

Glands.

Eyes.

Worse

COLD.

Drafts.

Light.

During Menses.

**Suppressions
of Eruptions.**

Empty Swallowing.

Fats.

Hot Drinks.

Warmth of Bed.

Scratching.

Night.

Wet Feet.

Better

**Open Air; After Walking in.
Eating.**

Touch.

Description

**LUMPY, THICK OR HARD
(Chin. Thu.); skin, glands, tarsi,
nails, scars, callosities, stools,
crusts, etc.**

Infiltrations.

**EXCORIATIONS, CRACKS OR
FISSURES; in angles; at
margins of mucous membranes;
of eyes, nostrils, mouth, finger-
tips, nipples, anus, etc.**

Emaciation; of affected part.

**Scanty, foul, thin, sticky,
corrosive secretions.**

Watery haemorrhages.

Sense of burning, numbness or deadness.

Pains go to part not lain on.

Fat, relaxed, chilly and costive.

Symptoms

Impulse to groan.

Sad, fearsome and irresolute.

Music brings tears.

Brain feels numb.

Burning spot on vertex.

Heavy occiput.

Wens.

**Matted, brittle or falling hair;
agg. vertex and sides.**

Milk crust.

Sore or cracked outer canthi.
Scrophula of eyes.
Pale tarsi.
Ingrown lashes.
Photo phobia.
Inflamed or dry, scaly tarsi.
Scales from ears.
Briny otorrhoea.
Tinnitus.
Hears amel. in a noise.
Moist eruption behind ears.
Dryness in ears and nose.
Nose; stuffed coryza; bleeding,
agg. before menses.
Acute smell.
Sensation as of a cobweb on
face.

Acne before menses.

Barbers' itch

Lumpy goitre.

Rotten taste.

**Dots of thick, white fur on
tongue.**

**Choking; on swallowing, from
goitre, etc.**

**Sour : taste, eructation, blood
about teeth, stool, urine, odor
from mouth, sweat, etc.**

Hunger.

Averse to meats and sweets.

**Alternate digestive and skin
symptoms.**

**Gastric pains-burning-
necessitate eating.**

Morning sickness during menses.

Can't bear pressure about waist.

Foul belching.

Flatulence.

Stomach amel. heat, hot food, eating and lying.

Abdomen distended, as from incarcerated flatus.

Intestinal torpor.

Large, knotty, difficult, stringy, slimy coated stools; or loose, brown, lienteric and very foul.

Constipation; for days (Sep.).

Fissures of anus bleed and

ulcerate.

Stool of masses of mucus.

Slender stool and urinary stream.

Priapism.

Sexual exhaustion.

Itching of anus and pudendum; before menses.

Averse to coition.

Swelled (l) ovary.

Cramps in various places or burnings.

Indurations; ovaries, mammae, etc.

Menses irregular; late, scanty, painful, etc.; cold taking, morning sickness or sweats

during.

Gushes of irritating, white leucorrhoea; instead of menses.

Suffocation, after mid-night, amel. eating.

Voice lacks control, amel. using it.

Circulation irregular.

Flushings.

Rushes of blood to head.

Bunions, agg. fire heat, amel. pressure.

Can't stretch enough.

Paralysed feeling in limbs.

Arms and legs go to sleep.

Rawness in folds of skin.

Eruptions, cracked, moist and

bleed easily; agg. on head and behind ears.

Foul, acrid foot-sweat; chafes toes.

Crippled, crumbling nails.

IRRITABLE, DRY, rough skin, that breaks easily and exudes A GLUEY MOISTURE; agg. in folds-and is slow to heal.

MOIST, CRUSTY ERUPTIONS.

Eczema; anal, crural, palmar, etc.

Wandering or recurrent erysipelas (Hyds. Rhus-t.).

Eruptions, agg. from heat.

Supersensitive to cold; it agg. bone-pains, coryza and

stomach.

Cold, wet feet.

Burning coldness.

Complementary

Sul.

Related

**Ars. Calc-fl. Carbons. Fer. Kali-
bi. Pul.**

Gratiola officinalis

GRATIOLA

Region

Gastro-Intestinal Tract.

Mind.

Sexual Organs.

Worse

Eating.

Drinking too Much Water.

Summer.

Motion.

Coffee.

Dinner.

Description

Atony.

Paralytic pains.

Coldness.

Symptoms

Weak will.

Hypochondriasis.

Emptiness after eating.

**As of cold water or a loose,
heavy load in stomach.**

Profuse, gushing, watery or

**frothy, yellow-green,
exhausting stools, then relief
(Gamb.).**

**Nightly emissions, then
erections.**

Nymphomania.

Coccygeal pain.

**Limb gives way, with sciatic
pain.**

Related

Mag-c.

Grindelia robusta

GRINDELIA

Region

Pneumo-gastric Nerve.

Bronchiae.

Respiration.

Worse

Falling to Sleep.

Description

Profuse secretions.

Symptoms

**Suffocates on falling to sleep
or on awaking.**

Asthma.

Rattling breathing.

Tenacious expectoration.

Bronchorrhoea.

Cutting soreness about spleen.

Related

Lach.

Guajacum officinale

GUAIACUM

Region

Secretions

Glands.

TONSILS.

Ovaries.

Skin.

Fibrous Tissue

Ligaments.

Joints.

Chest.

Worse

HEAT.

Touch.

Motion.

Exertion.

Rapid Growth.

Mercury.

Better

Cold (Locally).

Apples.

Description

Rigid, painfully swelled joints.

Arthritic symptoms.

**FREE, FOUL SECRETIONS,
expectoration, sweats, etc.**

**Impending suppuration,
quinsy, old bronchitis, etc.**

Burning heat; in affected parts.

**Gnawing or sticking pains; agg.
chest.**

Muscles seem too short; eye-

lids, back, thigh, etc.; sore.

Growing pains.

**Contraction; between scapulae;
palmar; distorting.**

Fixed, short tendons.

Nodes.

Symptoms

Forgetful.

Pain from head into neck.

Eye-balls seem too big for lids.

Ex-opthalmos.

**Throat; burning; dry; painful to
touch; tonsilitis (r), recurrent
(Phyt.), then rheumatism.**

Averse to milk.

**Stoppage in epigastrium
causes cough, dyspnoea, etc.**

**Dry cough, with hot face and
burning fever.**

Sticking in apex of (l) lung.

Phthisis.

Recurrent pleurisy.

**Aching, sore neck; one side
stiff.**

Tense, short thigh muscles.

Arthritis deformans.

Yawning and stretching.

Wakes as if falling.

**Sweats, profuse; on single
parts, face, etc.**

Night-sweats.

Related

Fer. Kali-bi. Kre. Pho-ac. Phyt.

Gymnocladus canadensis

GYMNOCLADUS

Region

Urinary Organs.

Circulation.

Sensations.

Worse

Cold.

Walking.

Better

Rest.

Leaning Against Something.

Description

Lividity.

Numbness.

Symptoms

Slow grasp.

Head feels bound.

Pain under brows and into nose.

Outpushing in eyes; wants to rub them.

Crawling on (l) face.

Teeth sensitive to cold air.

BLUISH TONGUE.

Hot, sour belchings.

Burning spot in stomach.

Related

Op.

Hamamelis virginiana

HAMAMELIS

Region

VEINS

Rectum.

Genitals.

Limbs.

Throat.

Liver.

Abdominal and Chest Walls.

Worse

Injury.

Bruises.

Pressure.

Air

Open.

Humid.

Cold.

Jar.

Motion.

Touch.

Description

SORENESS, bruised; in blood-vessels; localised; abdominal, etc.

Tense, bursting feeling; in piles, joints, or lower limbs.

Congestive fullness.

Veins, sore; cutting; swelled; inflamed.

Painful varicoses.

Haemorrhage; capillary; dark, fluid; relieves or causes undue

weakness.

Symptoms

Irritable and chilly.

**Hammering headache, agg. 1.
temple.**

Blood-shot eyes.

Taste of blood.

**Pain and heaviness back of
stomach.**

Piles.

Pain up along spermatic cord.

Neuralgia of testes.

Orchitis; agg. touch.

Varicocele.

Breaking backache.

Profuse, dark menses.

Scapular pains.

Dull ache about kidneys.

Phlebitis.

Ecchymoses.

**Varicose ulcers with bloody
bases.**

Complementary

Fer. Flu-ac.

Related

Arn. Pul. Vip.

Helleborus niger

HELLEBORE

Region

MIND.

BRAIN.

Sensorium.

Nerves; Motor; Sensory.

Membranes

Serous.

Mucous.

Kidneys.

Muscles.

Exudations.

Worse

Cold Air.

Puberty.

Dentition.

Suppressions.

Exertion.

Evening

(4-8 P.M.).

Better

Strong Attention.

Description

A dark, dusky remedy; dark face; sooty nostrils; dark lips, hands, etc.

Serous effusions.

Gradual onset, with advancing weakness, blunted senses and sluggish responses; drops things, staggers, etc.

Automatic acts.

Lies on back with knees drawn up.

Muscle pains, spasm or paralysis.

Feeble and delicate.

Symptoms

Inattention.

**Stupid, obtuse or apathetic.
Brain symptoms, with
anorexia.
Blank, somber despair.
Won't eat or speak.
Fixed ideas.
Things look new.
Heavy, numbing headache.
Rolls head or bores it into
pillow for relief.
Congestion.
Hydrocephalus.
Stupid, staring or tired look.
Eyes half open.
Pale face.
Chewing motions.
Fetor oris.**

**Numb, dry, trembling tongue
or covered with yellow ulcers.**

Ptyalism.

Averse to vegetables.

Distended abdomen.

Watery or gelatinous stool.

**Urine, scanty, with dark flecks
or sediment; retained.**

Nephritis.

Uraemia.

Dropsy.

Amenorrhoea from cold.

Small, soft pulse.

Sopor; with cries or starts.

Coldness.

**Chill, with fever or heat; with
sweat.**

Complementary

Zin.

Related

Bry. Op. Zin.

Helonias dioica

HELONIAS

Region

FEMALE ORGANS.

Kidneys.

Mind.

Muscles.

Worse

Fatigue

Labor.

Abortion.

Stooping.

Pregnancy.

Pressure of Clothes.

Better

If Busy.

Diversion.

Holding Abdomen.

Description

Unduly exhausted females.

Uterine reflexes.

**Heavy, sore, aching-burning;
kidneys; in muscles; in back.**

Symptoms

Deep gloom.

Melancholy.

Irritable; wants to be let alone.

Heat or upward pressure in

vertex.

Aphthae.

Dull ache and heat in region of kidneys.

Excessive urine.

Nephritis of pregnancy.

Sugar and albumen in urine.

Heavy, sore, tender, ulcerated or prolapsed womb.

Dark, foul blood from uterus; haemorrhage from atony.

Foul, lumpy or curdled leucorrhoea.

Inflamed, itching, aphthous vulva.

Heavy dragging in pelvis.

Squeezing in chest.

**Swelled, painful mammae.
Tender nipples.
Aching between scapulae.
Sore pain in outer side of
thighs.**

Anaemia.

Hot, when tired.

Related

Senec. Sep. Tril.

Hepar sulphur

HEPAR

Region

NERVES.

CONNECTIVE TISSUE.

RESPIRATORY MEMBRANES.

Flexures.

GLANDS.

Kidneys.

Skin.

Bridge of Nose (Kali-bi.).

Worse

COLD

Dry

AIR.

WINTER.

DRAFTS.

WIND.

PART BECOMING.

LEAST

UNCOVERING.

TOUCH.

Noise.

Exertion.

Lying on Painful Part.

Mercury.

Night.

Better

HEAT

WARM WRAPS.

TO HEAD.

Moist.

DAMP WEATHER.

Description

Lax.

**CHILLY AND OVERSENSITIVE;
to cold; to pain; or to touch;
faints easily, etc.**

**Profuse secretions; foul; like
old cheese.**

**Sour, stools, smell of body,
sweat, etc.**

**SWEATS EASILY, but dare not
uncover; and profusely, without
relief.**

**As of a wind blowing on part.
Wears overcoat in hot weather.
Takes cold from damp
exposure.**

**Sore STICKING, like sharp
splinters.**

EVERY HURT FESTERS.

**SUPPURATION; threatens, or
mush thick pus.**

Abscess.

Mastoiditis.

Yellow, sclerotic,

expectoration, sweat, etc.

Symptoms

Bad temper.

Sudden weak memory.

Touchy, mentally and physically; to pain, cold; easily becomes cross and violent.

Hasty, violent, irritable or dissatisfied.

Hair falls in spots; sore to touch.

Corneal ulcer or maculae.

Photo phobia.

Chronic otorrhoea.

Boring at root of nose.

Stuffed, painful nose.

Ripened colds and old

catarrhs.

Sneezes from every cold wind.

Hawks mucus.

**Rough sticking like a splinter,
fish-bone, etc., in throat.**

Quinsy.

The upper jaw projects.

Goitre (r); pains into head.

Stomach weak; easily upset.

**Craves acids, condiments or
stimulants.**

**Eating refreshes, but causes
heaviness.**

Foul mucus from anus.

Stool difficult, although soft.

**Must wait to urinate; passes
blood and pus afterwards.**

Nephritis; after scarlatina.

**Very foul, hot, membranous or
pussy leucorrhoea.**

Painful larynx.

Cough from least uncovering.

**Whistling, choking breathing;
must bend head back.**

Croup.

**Hoarseness; chronic; of
singers.**

Aphonia.

Asthma; after suppressions.

**Cough, choking, barking; agg.
cold drinks or in A.M. ;
hacking, as from a feather;
LOOSE, but can't expectorate,
tightens up in cold air.**

**WEAKNESS AND MUCH
RATTLING IN CHEST.**

**Much expectoration; thick,
yellow.**

**Recurrent bronchitis; from
every cold.**

**Skin sensitive to cool air
(Agar.).**

Foul, moist eruptions in folds.

**Torpid, pulsating ulcers;
encircled by smaller ones,
pimples or boils.**

Impetigo.

Poor granulation.

**Sweaty and rattles with every
cold or cough.**

Night-sweats.

Low fevers.

Hectic.

Body exhales a foul odor.

Complementary

Iod. Sil.

Related

Merc.

Follows

Pho. Sil.

Antidotes

Bell. Cham. Kali-io. Merc. Sil.

Hydrastis canadensis

HYDRASTIS

Region

MUCOUS GLANDS

Nasal Cavities.

STOMACH.

Gall-Ducts.

Intestines.

Muscles.

Uterus.

Worse

AIR

Inhaling, Cold.

Dry Winds.

Open.

Slight Bleedings.

Washing.

Old Age.

Description

**A mucus remedy; hawks up
much mucus; mucus in stools,**

urine, etc.

**Atonic, cachectic or
degenerative conditions.**

Shallow ulcers.

**Haemorrhagic or CATARRHAL
processes.**

**Thick, yellow, acrid (Sanic.),
ropy secretions.**

Sense of raw-burning.

**Weak, dyscrasic and
emaciated.**

Symptoms

Neuralgia of scalp and neck.

Thin, yellow, sunken face.

**Nose; sore; bleeds; bloody
crusts.**

Post-nasal dripping.

**Dirty, yellow, slimy, flabby,
indented tongue (Nat-p. Yuc.).**

Taste bitter; burnt.

Aphthae.

Loathing.

**Goneness or as of sharp lumps
in stomach.**

**Cutting from liver to r.
scapula, agg. lying on back or r.
side.**

**Lumpy stool; coated or mixed
with mucus.**

**Obstipation; of pregnancy;
after purgatives.**

Mucus in urine.

Thick, acrid leucorrhoea.

Ulcer of cervix.

**Loose cough; bloody
expectoration.**

Raises quantities of mucus.

Senile bronchitis.

Palpitation, with weakness.

**Heat alternating with
chilliness; profuse sweating.**

Related

Ars. Kali-bi. Pul.

Hydrocyanicum acidum

HYDROCYANIC ACID.

Region

Brain.

Heart.

Circulation.

Respiration.

Epigastrium.

Worse

Full Moon.

Suppressions.

Storms.

Description

**Sudden effects; collapse;
spasms; apoplexy.**

Lacks reaction.

Cramps everywhere.

Evacuations cease.

**Lightning-like jerks from head
to feet.**

Symptoms

Fear of death.

Loud, involuntary cries.

Sinks down unconscious.
Intense cerebral congestion.
Prolonged faints.
Pale or bluish face.
Cramps in masseters; in nape.
Mouth dry.
Taste pussy; metallic;
astringent.
Noisy swallowing.
Gasping, irregular, slow
breathing.
Asphyxia.
Cholera.
Dry, tickling, night cough.
Heart; failure???. compression
at.
Contracted dorsal muscles.

???

Pulse, failing; unequal; with occasional strong bears.???

Distended blood-vessels; writhing in them.

Icy coldness agg. ???

Related

Agar. Cup. Laur.

Hyoscyamus niger

HYOSCYAMUS

Region

MIND.

Brain.

Nerves.

Muscles

Face.

Eyes.

Blood.

Worse

EMOTIONS

Fright.

Jealousy.

TOUCH.

Lying.

Cold.

Sleep.

Better

Sitting Up.

Description

**Congested nerve centers; with
pale face.**

Spasm, tremor, jerks, cramps,

**etc., or active mania;
alternating with, or ending in
depressive narcosis, with
angular or clutching motions,
CARPHOLOGY, subsultus, etc.**

Picks fingers.

Zymoses.

Eclampsia.

Symptoms

Many bewildering aberrations.

Confusion.

Delirium.

**MANIA, erotic, exposes
genitals; riotous; laughing,
singing, talking, babbling,
quarreling, etc.; silly, with
comical acts; plays with**

fingers.

Fumbles the genitals.

Lascivious (females).

Jealousy.

**Suspicious; fears being alone,
being pursued, water, etc.;
wants to escape.**

Speaks each word louder.

**First, can't think, then can
barely be aroused, then
relaxation; with muttering, the
lower jaw drops, he slides down
in bed, has involuntary stools-
bloody or yellow watery.**

Typhoid states.

Vertigo, then spasm.

Waves of pulsation in head.

Pulsating headaches.

**Head shakes to and fro; agg.
bending forward.**

Squint.

Averse to light.

Spasmodic closure of eyelids.

Grimaces.

Sordes on teeth.

**Stiff, dark, red, cracked
tongue.**

Elongated uvula.

**Stools involuntary, although
hard.**

**Frequent, scanty, painful,
nightly urination or retained
urine.**

Spasms of dry, hacking, night

**cough; from a dry spot in
larynx; agg. lying, eating or
talking.**

Nervous wakefulness.

Starts out of sleep.

Low fever; with hot, pale skin.

Warm sweat.

**Sexuality excited by Hyoscine
is antidoted by Platina.**

Related

Bell. Pho. Stram.

Hypericum perforatum

HYPERICUM

Region

SPINAL NERVES

COCYX.

Inter-scapular.

Meninges.

Vertex.

Worse

INJURY.

JAR.

Concussion.

Penetrating.

Shock.

Bruises.

Exertion.

Touch.

Change of Weather.

Fogs.

Cold.

Damp.

Motion.

Better

Lying on Face.

Bending Back.

Description

LACERATED, injured or inflamed nerves; mashed fingers, etc.

Injury to or reflected from brain or cord.

Very painful, sore parts; occiput, coccyx, etc.

Coccygodynia.

Intolerably violent, shooting, lancinating along nerves; toward trunk; down sides of head or chest; in epigastrium;

inter scapular spine; fingertips, etc., with crawling and numbness.

Neuritis, as an outcome of injury.

Neuralgia of stump.

Shuddering.

Spasms.

Tetanus.

Symptoms

Heaviness or formication in brain.

Head feels drawn to a point.

Bubbling at navel.

Dry rectum.

Heart seems to drop.

Painfully sensitive spine.

Commotion spinalis.

**Pains in hips and small of back
after labor.**

Limbs feel detached.

**Aching in l. sciatic, after long
sitting.**

Feet seem furry or bones ache.

Gaping wounds.

Laborious dreams.

Related

Arn. Led. Rhus-t.

Ignatia amara

IGNATIA

Region

MIND.

NERVOUS SYSTEM.
Cerebro-Spinal Axis.

Worse

EMOTIONS

GRIEF.

Chagrin.

WORRY.

Fright.

Shock.

Air

Open.

Cold.

Odors.

Touch.

Coffee.

Tobacco.

Better

Position

Change of.

Lying on Part.

Urination.

If Alone.

Pressure.

Description

**ERRATIC, CONTRADICTORY
OR SPASMODIC EFFECTS;
often violent; with rigidity,
twitchings, tremor, etc.; during
pain.**

**Jerks run through whole body.
SENSE OF A LUMP, foreign
body or sharp pressure.**

Globus.

Clavus.

Hysteria.

Pain in a spot, agg. close attention.

Symptoms pass off with a profuse flow of urine.

Oversensitive to pain.

Tonic spasm of single parts, with frothing at mouth.

Neurotic inheritance.

Spasms from punishment (Agar.).

Symptoms

Brooding grief.

Silent and sad; inward weeping.

Intolerant of contradiction; of reprimands (Colo. Stap.).

Angry with himself.

Delicately conscientious.

Everything irks her.

Weak and excitable.

**ALBERT, OVERSENSITIVE AND
NERVOUS.**

Highly emotional.

Capricious.

Moody.

Changeful.

Faints easily.

**SIGHS, weeps or laughs by
turns.**

Unhappy; love.

Enjoys being sad.

GRIEF; brooding.

Alternate headache and

backache (Melil.).

Headache ends in yawning and vomiting.

Eyelids seem dry.

Flashes of light, from violent coughing.

Nose sensitive to inspired air.

Pain over root of nose.

Sneezing attacks.

One cheek red.

Jaws snap shut; bites inside of cheek, tongue, etc.

Masseters stiff and hard.

Indurated tonsils; with little ulcers.

Cramp in gullet.

Swallows over a lump, amel.

solids.

**Hiccough; with eructations,
empty or bitter.**

**Nausea or vomiting, amel.
indigestible foods.**

Hunger, with nausea.

Craves raw foods.

**Empty sinking or spasmodic
ache in stomach; not amel.
eating.**

**Stool painful; difficult
although soft, then
constriction of rectum.**

Obstipation of neurasthenics.

Pain shoots up rectum.

Piles, amel. sitting.

Prolapsus recti.

Irregular menses.
TAKES DEEP BREATHS; for
relief.
Choking.
Spasm of glottis.
Hacking cough.
Cough violent, it shuts off the
breath; dry, as from dust or
sulphur fumes; agg. coughing.
Constriction of thorax.
Goitre.
Tension in nape.
Cramp in calf.
Heavy feet.
Painful skin, amel. pressure.
Violent, spasmodic yawning.
Light sleep, every sound

wakes.

**Dreams same horrid dreams,
over and over.**

Chill with a red face.

**Chill, shaking; nervous; with
thirst; agg. pain.**

**Heat, with aversion to
uncover, but no thirst.**

Complementary

Aur. Nat-m. Pho-ac. Sep.

Related

Cimi. Nux-v. Sep.

Iodium

IODUM

Region

GLANDS

THYROID.

Testes.

Mesenteric.

Mammae.

MUCOUS MEMBRANES

LARYNX.

Lungs

R.

Apex or Base).

HEART.

Blood-vessels.

Skin.

Nerves
Connective Tissue.

Worse

HEAT

ROOM.

Air.

Wraps.

Exertion

Ascending.

Talking.

Fasting.

Night.

Rest.

Better

COLD

AIR.

Bathing.

Motion.

Eating.

Description

Intensely rapid action.

ALWAYS TOO HOT.

**Hot, acrid or watery
discharges.**

Persistent or salty secretions.

Infiltration.

**GLANDS, SWELLED, HARD or
heavy; later dwindling.**

Lean, hungry and hot.

**Weak and rapidly losing flesh,
can't talk.**

Vascular degeneration.

Scrofula.

Acute exacerbations (Fer-p.).

Local torpidity; little pus.

Internal tickling.

General pulsation or local throbbings.

Burnings.

Symptoms

Dejected or intolerably CROSS and RESTLESS.

Excited.

Sudden dreadful impulses, amel. if busy, but motion agg. and exhausts.

Thinks he is well.

Reverberations in head.

Prominent eyes.

Pain at root of nose.

Subject to head colds, agg.

open air.

Catarrh.

Nose red and swelled; much sneezing; it drips hot water.

Miserable, withered, brownish, sallow or dusky look.

Increased saliva; soapy; foul.

Metallic taste.

Always hungry, yet emaciates, or variable appetite.

Frothy, wheyey, fatty, cheesy or lienteric stools.

Sediment in urine like red pepper.

Sarcocele.

Atrophied testes.

Impotency.

**Menses brown; with weakness;
after every stool.**

**Leucorrhoea erodes thighs and
linen.**

**Painful, choking hoarseness;
grasps the larynx.**

Laryngitis.

**Diphtheria; expectorates cast
of larynx (Kali-bi.).**

Rough voice.

Dry, tickling, croupy cough.

Short breath.

Raw bronchiae.

Violent pulmonary congestion.

Pneumonia; rapid extension.

Heart feels squeezed.

Palpitation.

Heavy mammae.

Hard goitre.

Foot-sweat on backs of feet.

Skin dry, rough, dirty; brown spots on.

Restlessness in blood prevents sleep.

Hyperpyrexia, or external coldness with anxiety or stupor.

Hectic.

Heat waves to head.

Sweats easily.

Early morning sweats, with amel..

Complementary

Lyc. Sil.

Related

Ars. Flu-ac. Pho. Spo.

Antidotes

Ars. Bell. Hep. Op. Pho.

Ipecacuanha

IPECAC.

Region

MUCOUS MEMBRANES

DIGESTIVE.

Stomach.

RESPIRATORY.

Lungs.

Nerves

Pneumo-gastric.

Spinal.

Cutaneous.
Umbilicus.
Worse
WARMTH;
Damp.
Room.
Overeating
Ices.
Pork.
Veal.
Mixed or
Rich Foods.
Periodically.
Quinine.
Heat and Cold.
Recessions.
Better

Open Air.

Description

Profuse secretions.

Foamy discharges, stool, etc.

CONTINUOUS NAUSEA, gastric disturbances.

BRIGHT RED, GUSHING HAEMORRHAGE (rapidly clotting), or shortness of breath accompany most complaints.

Infantile convulsions.

Symptoms

Cries, screams and is hard to please.

Downward crushing in head, to root of tongue.

Migraine.

**Occipital pain, agg. vomiting,
during chill, etc.**

Gushes of tears.

Conjunctivitis.

Cold (r), ear.

Nosebleed.

Sneezing.

**Face pale; blue about eyes or
lips; white linea nasalis.**

Clean or red, pointed tongue.

NO THIRST.

Sudden faintness.

**HORRID NAUSEA; not amel.
vomiting.**

**Vomiting; bilious; agg.
stooping.**

Repugnance to food.

Miserable sinking or hanging loose feeling at stomach.

Gripping, clawing or cutting at navel; toward uterus.

Brown, grass or yellow-green, molasses-like or bloody stools.

Balls of mucus in stools.

Dysentery.

Urging to urinate; bloody urine.

Cutting in uterus (l to r).

Uterine haemorrhage; gasps with each gush of blood.

Painless hoarseness.

Larynx and chest tight, agg. least motion.

Spasm of vocal cords.

Gasps for breath.

Asthma.

**Paroxysms of retching,
incessant or SUFFOCATIVE
cough; with every breath;
stiffens out, turns red or blue
and finally is nauseated, gags
or vomits; agg. stepping into
open air; amel. warmth and
repose.**

Pertussis.

**LOOSE (coarse) RATTLE IN
CHEST, WITHOUT
EXPECTORATION.**

Broncho-pneumonia.

Haemoptysis.

Pains from kidneys into

thighs.

Short chill; alternates with heat or with external heat (Ap.).

One hand cold, other hot.

Long heat; without thirst.

Hands and feet drip cold sweat.

Suppressed or mixed intermittents; nausea in all stages.

Catarrhal or gastric fevers.

Complementary

Ars. Cup.

Related

Ant-t. Lob.

Iris versicolor

Region

GLANDS

DIGESTIVE TRACT.

LIVER.

Pancreas.

Right Side.

Nerves.

Worse

Periodically

Weekly.

2-3 A.M.

Spring and Fall.

After Midnight.

Mental Exhaustion.

Hot Weather.

Better

Gentle Motion.

Description

Affections accompanied by rapid elimination.

Sour, acrid, BURNING excretions.

Oily nose, greasy taste and fatty stool.

Symptoms

Headache, with diarrhoea.

Mouth feels greasy, burnt or scalded.

Tongue feels cold.

Sweet taste.

Profuse ropy saliva.

Sour-bitter belching (Nux-v.).

Continuous nausea, bitter, acrid vomiting, urging to stool and profuse urine, with periodic visual disturbances, blindness, hemiopia, etc., accompany ophthalmic migraine (r); involving teeth.

BILIOUS, WATERY, SOUR OR ACRID VOMITUS, WITH BURNING.

Burning; agg. along whole digestive tract; not amel. by cold drinks.

Sore over liver.

BILIOUS, ACRID, WATERY STOOLS; BURN LIKE FIRE.

Painless cholera morbus.

Diabetes.

Goitre.

Zoster (r).

The hip feels wrenched out.

**Shooting laming pains along
limb.**

Sciatica (l).

Related

Ars. Merc. Pho.

Jaborandi

Region

GLANDS.

Eyes.

Nerves.

Worse

Start of Menses.

Cold.

Exhaustion.

Description

Dryness, then hyper secretion of upper respiratory tract and salivary glands.

Colliquative states.

Tendency to sweat and take cold.

Symptoms

Very nervous and tremulous.

Visual disturbances.

Eyestrain.

Asthenopia.

Nervous deafness, amel. noise.

Tension in salivary glands.

Salivation.

Mumps.

**Nausea on using eyes or
looking at moving objects.**

**Stubborn vomiting of
pregnancy.**

**Violent ebullitions to heart
and chest.**

**Menses start with coldness,
throbbing in head and pelvis
and backache.**

Red skin.

**Sweats, with palpitation,
general pulsation and tremor.**

Nervous sweats.

Exophthalmos.

Related

Agar. Ant-t. Ip.

Jalapa

Region

Intestines.

Stomach.

Worse

Night.

Eructations.

Description

Child is good all day, but screams and tosses about all night.

Colic.

Stools watery, muddy or sour; bloody.

Related

Colo.

Jatropha urens

JATROPHA

Region

Stomach.

Intestines.

Worse

Covering.

Morning.

Summer.

Better

Hands in Cold Water.

Description

Icy coldness; of lower limbs.

Symptoms

**Vomiting; albuminous; easy.
Loud gurgle, like water from a
bung-hole, in abdomen; then
profuse gushing stools.**

Rice water stools.

**Violent cramps, that draw the
calves flat.**

Related

Crot-t.

Justicia adhatoda

JUSTITIA

Region

Nerves

Cerebro-Spinal.

Respiratory Membranes

Worse

Close Room.

Dust.

Noise.

Eating.

Description

Sensitive.

Symptoms

Generalised dry catarrh.

Fits of sneezing, with lachrymation and loss of smell and taste.

Coryza; fluent; acrid; with violent sneezing, coughing or asthmatic attacks.

Long paroxysms of violent retching cough; as if chest

would burst; with a bronchial rattle; obstructing the breath; with sneezing, stiffening out (Ip.), trembling or convulsions; with fever.

Whooping cough.

Tough expectoration.

Puffy hands and feet in A.M.

Chilliness.

Related

Ip. Dros. Pul.

Kalium arsenicosum

KALI ARSENICUM

Region

Cardio-Vascular System.

Worse

Touch.

Noise.

Cold Feet.

1-3 A.M.

Better

Rainy Days.

Description

Nights are filled with suffering.

Aversion to open air.

Palpitation; with nephritis.

Burning, in throat, aching in stomach, etc.

Passes much gas, then diarrhoea.

Black leg ulcer, running bloody, foul water; with

cutting, burning, itching and dyspnoea.

Chilly and sensitive to cold.

Can't get too warm, even in summer.

Kalium bichromicum

KALI BICHROMICUM

Region

MUCOUS MEMBRANES

Air Passages.

NOSE.

Pharynx.

Stomach.

Duodenum.

Fibrous Tissue.

Ligaments.

JOINTS.

Skin.

Circulation.

Kidneys.

**Root of Nose, Tongue, or Penis,
etc.**

Worse

COLD

Damp.

Open Air.

Spring.

Undressing.

MORNING;

After Sleep.

2-3 A.M.

Protruding Tongue (Cist.).

Hot Weather.

Alcohol.

Beer.

Suppressed Catarrh.

Better

Heat.

Motion.

Description

Slow, deep processes; little fever, but great weakness.

Sickly, chilly and cachectic.

Fair, fat and sluggish.

Bitings, like bugs.

**ADHESIVE SECRETIONS;
STICKY taste, expectoration,
leucorrhoea, foot-sweat, etc.**

STRINGY, TOUGH, lumpy or

thick discharges.

**Fibrous exudates going
downward.**

**Yellow, eyes, vision, tongue,
etc.**

Slow reaction.

Heaviness.

Crusts in nose, on skin, etc.

**Pains in small spots; jump
about and finally attack
stomach.**

Sharp stitches.

**Ascending; gastric pains,
chills, heats, etc.**

Furred membranes.

Old catarrhs.

Ulcers; with dark dots, deep,

**perforating, round; look
punched out; septal; peptic;
with overhanging edges or
thick crusts.**

**Like a solid block on forehead.
As of a hair on tongue, in
nostril, etc.**

**Internal itching; vagina, lungs,
etc.**

Cracking joints.

Symptoms

Indifferent.

Indolent.

Pains outward along (r) brow.

Bristling hair.

**Blindness, then pain over one
eye, agg. cold amel. pressing on**

root of nose.

Migraine.

**Vision seems crossed, amel.
looking with one eye.**

**Eye-lids red, itching, swelled,
granular.**

**Nose pains at bridge or root;
pressure or stuffed at root;
retains foul secretions.**

Abscess.

Ozoena.

**Nasal discharges, acrid;
profuse; green clinkers.**

Nasal diphtheria.

Snuffles.

**Radiating toothache; with
swelled glands.**

**Tongue, glistens; cracked,
smooth or heavy, lemon yellow
cast; pains when protruded.**

Sticky mouth.

Sweet, metallic taste.

**Hawks thick mucus; must wipe
it away.**

OEdeema of uvula.

Fissured pharynx.

**Throat; dry; burning in;
something sticks in; with pains
into neck and shoulders.**

Craves beer.

Regurgitates liquids.

Vomits bright yellow water.

**Sore spot in stomach, or food
lies like a load.**

Constriction from liver to shoulder.

Gelatinous stools or gushes of brown, frothy water, then burning and tenesmus, agg. after rising.

Heavy kidneys.

A drop remains after urinating.

Constriction at root of penis.

Acrid leucorrhoea.

Milk is stringy.

Hoarseness.

Laryngitis.

Tickling cough, after eating; with eructations; amel. heat; then vertigo.

Under sternum; rawness; pains

through to back.

As of a bar across chest.

Asthma.

**Deep cough with stringy
expectoration.**

Heart weak; feels cold.

Paralytic weakness of hands.

Sciatica, amel. flexing leg.

Sore heels.

Pains along border of foot.

Stubborn suppuration.

Pustules with black apices.

Skin, amel. in cool air.

**Hot flushes, then sticky sweat,
then chill.**

Cold sweat on hands and feet.

Chill with sweat.

Complementary

Ars. Pho. Psor.

Related

Kali-c. Merc. Phyt. Pul.

Kalium bromatum

KALI BROM.

Region

MIND.

NERVES

Brain.

Spine.

Genitals.

Larynx.

Skin.

Worse

Mental Exertion.

Emotions.

Periodically.

Night.

Summer.

New Moon.

Sexual excesses.

Puberty.

Better

When Busy.

Description

Slow onset.

No pain.

**General numbness; agg.
occiput.**

Symptoms

Depressive delusions.

Nervous.

**Suspicion; fears people, yet
can't be alone, in the dark, etc.;
looks on all sides; fidgety, busy
hands, fumbles.**

Moves arms about wildly.

Mania.

Night terrors.

**Melancholy; remorse, wrings
hands, bursts into tears, etc.**

**Slow, hesitates; omits or mixes
up words.**

Indifference.

Hebetude.

Poor memory.

Brain-fag.

Vertigo, as if ground gave way.

**Catarrh descends to larynx
(Am-bro.).**

Cutting colic.

**Green, watery stool; with rapid
collapse.**

Cholera infantum.

Depressed sexual power.

Flooding of young women.

Croupy cough.

Cool skin.

Acne.

Sleepy.

Antidote

Zin-pho.

Related

Calc-c. Con. Op. Stram.

Kalium carbonicum

KALI CARB.

Region

Muscles

Ligaments

HEART.

Uterus.

LUMBAR.

SEROUS

and

Mucous Membranes

CHEST (R.

Lower).

Joints.

Eyes.

Blood.

Left Side.

Worse

Cold

AIR.

Water.

Drafts.

**Changes After
Overheating.**

Exertion.

Time

2-3 A.M.

Winter

Before Menses.

Lying

**On Painful
or Left Side.**

Loss of Fluids.

After Labor.

Better

Warmth.

**Sitting with Elbows on
Knees.**

Open Air.

Description

**WEAKENING, intellection;
muscles, heart, back, limbs,
etc.**

**Gives out, leans on something
or lies down; with backache,
profuse secretions, sweat, etc.**

Soft, thin blooded and cold.

**Old, fleshy, dropsical or
paralytic.**

SHARP STITCHINGS, stabbings

**or catches in joints, muscles,
chest, head, epigastrium, back,
etc.**

**Throbbing, numb or cold single
parts, abdomen, fingers, etc.**

Acrid discharges.

Sub-acute conditions.

**Parts lain on are painful and go
to sleep.**

Peevish.

**Easily startled; agg. touch; on
dropping to sleep.**

Anxious aversion to solitude.

**Headaches, into eyes; wake
from sleep.**

Eyes weak.

Vision, spotted; like drops

before.

**Puffs over, inner angle of eyes
or baggy upper lids.**

Stitches out of ears.

Head colds; go to chest.

**Nose stuffed, amel. open air;
swelled; yellow-green or crusty
discharge.**

Puffy face.

Slimy mouth.

Gray tongue.

Itching gums.

Hawks up tough mucus in A.M.

DIFFICULT SWALLOWING.

Salty regurgitation.

Vomits sour mucus.

Sensitive, distended stomach

and abdomen.

Fullness; from but little, even after drinks; as if full of water.

Anxious at epigastrium.

Throbbing back of stomach; at navel.

Gastric pains going to back, chest, limbs, etc.

Flatulence.

Hard tympanites.

Stool difficult; of large, hard lumps, then burning or torn feeling.

Piles inflamed, bleeding; descend when urinating or coughing, amel. riding horseback; stick like fine

needles, amel. cool bathing.

Burning in l. kidney.

Nocturnal enuresis of adults.

**Urine foamy, with thick,
tough, red sediment.**

Delayed first menses.

Amenorrhoea.

**Colic, then irritating menses;
amel. washing.**

Inefficient labor pains.

Catarrhal aphonia.

**Respiration short, agg. least
motion or walking; asthmatic,
alternating with diarrhoea; with
vertigo.**

**Incessant, hard retching or
choking, futile cough; then**

vomiting.

Pertussis.

Lungs seem to stick to ribs.

Pleurisy.

Stabbing chest pains.

Heart seems to hang by a thread; pains toward l. scapula.

Palpitation; then weakness; in valvular disease.

Arrhythmia.

Cardiac degeneration.

Fine stitches in mammae.

Everything affects the small of the back or pains start there.

Back and legs give out; feel heavy.

Lumbago.

Arms weak; numb pinching in left.

Painful tips of fingers and toes.

OEdema of left foot.

Sensitive soles; skin.

Dry hair and skin.

General itching or hives; during menses.

Talks in sleep.

Pulse small, soft, variable, intermittent or dicrotic.

Chilly; with hot hands; and sleepiness; in open air.

Internal burning.

Sweat scanty, foul on feet.

Complementary

Carb-v. Nit-ac. Pho.

Related

Calc-hypo. Lyc. Pho.

Kalium chloricum

KALI CHLORICUM

Region

Blood.

Nerve Sheaths.

Mouth.

Rectum.

Kidneys.

Worse

Cold.

Mercury.

Description

Profound prostration.

**Coldness; and easy
haemorrhage; nosebleed,
bloody stools, etc.**

Scurvy.

Fetid mouth, lochia, etc.

Gray, white, plastic exudates.

Symptoms

**Swelled face, in morning,
ankles in evening.**

Mercurial salivation.

Aphthae.

Noma.

Sudden vomiting.

Gas colic.

**Continuous rectal pain; in
diarrhoea.**

Nephritis.

Albuminuria.

Constricted chest.

Right pulse full, left small.

**Coldness; in blood; tongue,
throat, precordium, arms, feet,
skin, etc.**

Kalium iodatum

KALI IOD.

Region

Glands.

Frontal Sinus.

Nose.

Eyes.

Lungs

Upper.

Lobe.

Periosteum.

Worse

Heat.

Pressure.

Touch.

Night.

Damp.

Mercury.

Changing Weather.

Jolting.

Cold Foods.

Better

Motion.

Cool Air.

Open Air.

Description

**Incipient organic changes;
gouty-rheumatic, syphilitic,
rickety, etc.**

Many and diverse symptoms.

Feels used up.

Cachexy.

Stubborn chronicity.

Arterio-sclerosis.

Craves motion in open air.

Various symptoms.

**Crushing or sharp stitching
pains.**

Weakness.

**COPIOUS, watery, acrid, salty,
thick, green or foul discharges.**

Catarrh.

Pains long after trauma.

Diffuse soreness; of affected part.

OEdematous swelling.

Symptoms

Irritable, harsh tempered and cruel.

Can't think.

Despondent.

Bad temper.

Harsh.

Head bone pains, lightning like, agg. warmth or lying on part.

Big head and small jaws; rickets.

Tender spots on head.

Bilateral headache.

Scalp sore; fissured.

Burning, watery, puffy eyes.

Chemosis.

Tinnitus.

**Acrid coryza with dyspnoea
and salivation.**

**Burning throb in nasal and
accessory cavities.**

Colds from every damp day.

**Red, swelled nose; tight pain
at root, zygomae and root of
tongue.**

Takes cold.

Violent sneezing.

**Acrid, watery coryza, agg. cool
air.**

Ozoena.

**Glutinous mucus on lips in
A.M. (Zin-cl.).**

Nagging toothache.

Taste salty; bitter on waking.

Salivation.

**Sore-throat of speakers (Aru-
t.).**

Flatulence; squeaking.

Early diarrhoea of phthisis.

Frequent stools and urine.

**Leucorrhoea, corrosive; like
meat washings.**

**Air hunger; with flatulency, in
A.M. ; awakens strangling.**

**Whistling, asthmatic
breathing.**

Raw air-passages.

Croupy hoarseness.

Dry bronchitis.

Frothy expectoration.

Backward chest pains.

Pneumonia.

Pain, sternum to back.

Painful lumps; in scalp.

Giant urticaria.

Chilly in bones; in painful parts.

Heat in evening; uncovers, then chills.

Alternate heat and chill.

Heat with shudders.

Hot and dry, then drenching sweat.

Profuse night sweats, which

amel..

Actinomycosis.

Antidotes

Merc. Nit-ac.

Related

Iod. Sul. Syph.

Kalium muriaticum

KALI MUR.

Region

EPITHELIUM

Throat.

Eustachian Tube.

Middle Ear.

Mucous Glands.

Occiput

(1).

Muscles.

Joints.

Shoulder

(R).

One Side, agg. Left.

Crosswise.

Worse

Open Air.

Cold

Drinks, Drafts.

Heat of Bed.

Lying.

Night.

Dampness.

Motion.

Sprains.

Fats.

Rich Foods.

During Menses.

Better

Cold Drinks.

Rubbing.

Letting Hair Down.

Description

WHITENESS.

**MILKY WHITE, viscid, sticky,
thick slimy or lumpy
secretions.**

Catarrhs.

Toughness.

**Tough, plastic or fibrinous
exudates.**

Hard deposits.

Stubborn infiltrations.

Swelled glands.

Sore, cutting (outward-Asaf.) or stitching, shifting pains.

Crawling.

Numbness.

Slow re-action.

Symptoms

Irritable or angry; at trifles.

Discontent, discouraged; fears evil.

Sits in silence.

Stunning shock in or a leaden load holds occiput down; agg. binding hair, amel. wraps.

Brain feels loose.

Copious, white dandruff.

Head sweats.
Pustular cornea.
Cloudy lens.
Scintillations on coughing.
Snapping, itching or as of a
plug in ears.
Deafness.
Eustachian occlusion or
soreness.
Face bluish; sunken.
Eruption around mouth.
Tongue mapped; gray or white
at base.
Aphthae.
Scorbutic gums.
Salty taste.
Throat grayish-white;

ulcerated; chronic sore throat.
Tonsils swelled; inflamed.
Hawks out thick white mucus.
Loathes fat or rich foods.
Nausea; with shivers.
Stomach heavy; at night.
Vomits food.
Fullness in abdomen after
eating.
Pale, hard or flocculent stools.
Anus, sore, agg. walking or
stools; itching or crawling,
after stool.
Piles.
Dribbling urination.
Nephritis.
Difficult or oppressed

breathing.

Bronchitis.

**Expectoration sticky or flies
from mouth.**

Dark, clotted or tarry menses.

Rawness in chest.

Flushes of heat in chest.

Coldness at heart.

**Painful breasts before or at
menses.**

Heaviness under r. shoulder.

Buzzing under l. scapula.

Backache, amel. lying.

**Lightning pains from small of
back to feet.**

Cold hands and feet.

Cramps in limbs; in legs.

Twitching thighs.

**Tension in legs alternates with
tension in arm (1).**

Cold foot-sweat.

Cutting in bones (Saba.).

Branny skin.

Anxious dreams.

Complementary

Calc-s.

Follows

Fer-p.

Related

Bry. Pul.

Kalium nitricum

KALI NITR.

Region

Cavities

Blood-vessels.

Heart.

Kidneys.

Vaso-motors.

Respiratory Organs.

Worse

Walking.

Cold.

Damp.

Taking Cold.

Veal.

Lying With Head Low.

Better

Gentle Motion.

Description

Increased secretion into cavities.

Very weak.

Haemorrhage.

Sudden oedema.

Throbbing.

Dull stitches.

Numb, as if wooden.

Symptoms

Faintness.

External angle of r. eye twitches, agg. chewing.

Nausea.

Epigastric or sub-sternal pains

go toward axillae.

Dark, fluid stools.

Dull kidney pains.

Diuresis.

Profuse, inky menses.

Rapid, gasping breathing; sits upright.

VIOLENT DYSPNOEA; can only drink in sips.

Congestion of r. lung.

Asthma.

Free, sour expectoration amel..

Relapses of phthisis.

Palpitation, agg. lying.

Pain from back into chest.

Hands and fingers feel swelled.

External coldness; chin; skin.

Internal burning.

Related

Cam. Glon.

Kalium phosphoricum

KALI PHOS.

Region

Nerves

Brain.

Cord.

Excretions.

One Side.

Worse

Slight

Excitement.

Worry.

Mental Fatigue;

Touch.

Pain.

Cold, Dry Air.

Puberty.

Better

Sleep.

Eating.

Gentle Motion (Fer. Pul.)

Description

**NERVOUS, SENSITIVE, WEAK
AND EASILY FAGGED,
especially by pain, etc.**

Neurasthenia.

Paralysis.

**PUTRID, or golden-yellow
excretions; coat on tongue,**

stool, etc.

Foul odor of body.

Carrion odor of secretions.

Irregular menses, pulse, etc.

Stitches.

Little pain.

Paralytic weakness.

Symptoms

Shyness.

Nervous and sensitive.

Dread.

Gloom.

Averse to her own.

Angry.

Vertigo on facing sun.

**Eyes; burn, sting and swim in
tears; yellow-gray, milky**

secretion; left lid droops.

Retinitis.

Reflex eye symptoms.

Itching in posterior nares.

Sneezing; at 2 A.M. .

Hay fever; pro-phylactic.

Sad, care-worn look.

Brown stripe at edge of hair.

Palate feels greasy.

**Tongue yellow, like liquid
mustard.**

Aphthae.

**Craves ice water, vinegar and
sweets.**

**Craving hunger; soon after
eating; and weakness follow
painless, watery stools.**

Entero-colitis.

**Empty gnawing in stomach,
amel. eating.**

Cutting in abdomen.

**Golden yellow, putrid, hot
stools.**

Milky urine.

Enuresis nocturna.

**Sexual erethism, with
prostration after coition or
nightly emissions.**

Horribly foul leucorrhoea.

Aphonia.

Nervous asthma.

**Axillary sweat smells of
onions.**

Spinal irritation.

Prickling hands and feet.

Numb fingertips.

Foot feels frost-bitten.

Pains in soles.

Drowsy.

Yawning.

Inactive skin.

Related

Caus. Coccl. Pic-ac. Zin.

Kalium sulphuricum

KALI SULF.

Region

EPITHELIUM

Respiratory.

Organs.

Skin.

Glands.

Worse

Warmth;

Room; Air.

Noise.

Consolation.

Evening.

Better

Cool Air.

Walking.

Fasting.

Description

Torpid processes.

PROFUSE, DEEP YELLOW

DISCHARGES; thin or sticky.

Suppuration.

**Stitching, tearing, festering
pains, that shift about.**

Symptoms

Hurried.

Irritable.

Yellow, slimy tongue.

As of a heavy load on stomach.

Oxaluria.

Pyelitis.

Croupy hoarseness.

Coarse rattle in chest.

Arthritic nodes.

Rheumatism, agg. heat.

Dry skin.

Desquamation.

Ulcers ooze thin, yellow water.

Profuse, easy sweat.

Related

Pul.

Kalmia latifolia

KALMIA

Region

NERVES

SPINAL.

Eyes.

Face

(R).

HEART.

Circulation.

Joints.

Skin.

Right; Head; Deltoid.

Left; Chest; Arm.

Worse

MOTION

Lying on

L.

Side.

Bending Forward.

Looking Down.

Heat.

Becoming Cold.

With the the Sun.

Better

Eating.

Cloudy Weather.

Continued Motion.

Description

Aching, bruised, stiff feeling.

Tingling, numbness, trembling or paralytic weakness.

Changing pains; shoot outward along nerves; or dull tearing, crushing, moving downward, then suddenly, to heart or alternating with cardiac symptoms, or between upper and lower limbs.

Neuralgia.

Rheumatism.

Symptoms

Vertigo.

Cracking noise in head.

Shooting from nape to vertex and face.

Maddening supra-orbital (r)

pain.

HEART; irritable; pains, sharp, burning; formication; numbness; weak; radiating to l. scapula or arm; brain away the the breath; fluttering; palpitation, visible; paralysis.

Pulse very slow; weak, tremulous.

Brachialgia.

Stiff, eyelids, lips, skin, etc.

Complementary

Benz-ac. Spi.

Related

Aco. Dig. Rhus-t. Spi.

Cobaltum metallicum

KOBALTUM

Region

Spine

(Lumbar).

Genitals.

Kidneys.

Bones.

Worse

Sexual Losses.

Sitting.

Heat of Bed or Sun.

Better

Hawking Mucus.

Continued Motion.

Description

Frothy discharges.

Soreness.

Aching bones.

Sour taste, stomach, foot-sweat, etc.

Symptoms

Sense of guilt.

Vertigo or head feels big; agg. stool.

Vernal photo phobia.

Cracks across tongue.

Emptiness at navel (Flu-ac.).

Yellow spots on abdomen.

Sweet, foamy, lumpy expectoration.

Pain along spine and down both legs.

Lumbar ache; agg. coition; agg. sitting, amel. walking; with weak knees; can't straighten up.

Sudden weakness in l. hip; agg. walking.

Related

Eup-p.

Kreosotum

Region

MUCOUS MEMBRANES

DIGESTIVE TRACT.

Gums.

Stomach.

Abdomen.

Female Genitals.

Uterus.

BLOOD.

Teeth.

Worse

DENTITION.

Pregnancy.

Rest.

Cold.

Eating.

Lying.

Summer.

During Menses.

6 P.M.

to

6 A.M.

Better

Warmth.

Hot Food.

Motion.

Description

Miserable and weak.

**Profuse, FOUL, HOT, ACRID
discharges; sputum,
eructations, etc.; redden the
the part.**

Rawness.

Burning like fire.

Pulsation; general.

**Haemorrhage; passive; brown,
dark.**

**Lumpy discharges, menses,
etc.**

Ulceration.

Heaviness.

Fullness.

Tumefaction.

Scurvy.

Marasmus.

**Black, teeth, leucorrhoea,
lochia, etc.**

Symptoms

**Dissatisfied with every thing;
wants things, then throws them
away and wants something
else.**

Screams at night.

Cross, wilful and obstinate.

Longs for death.

Stupid.

Buzzing in head.

Yellow pallor, with red blotches (Iod.); during chill or heat.

TEETH SOON DECAY; black spots on; intolerable ache, agg. pregnancy; painful dentition.

Puffy, bluish, bleeding, painful gums.

Aphthae or salivation, of pregnancy.

Taste bitter, low down in throat.

Icy cold epigastrium.

Frothy eructations.

Nausea.

Vomiting; long after meals (AEth. Fer. Plat.); undigested

food; sweetish; of pregnancy; of uterine ulcer.

As of a lump pressing down on bladder.

Brown, watery, lienteric stools. Urination hurried; involuntary when lying.

Diuresis.

Profuse, lumpy, intermittent menses, agg. lying.

Leucorrhoea; gushing; like bloody water; with itching.

Tormenting cough, with little expectoration; with sore larynx and chest.

Senile bronchitis.

Neglected phthisis.

Hectic.

**Chest; deep pains, take her
breath; anxious heaviness.**

**Dragging from back to genitals;
as if to come out.**

**Violently itching, moist or
scurfy eczema on eyelids, face,
joints, back of hands.**

**Ulcers break out and heal
repeatedly; bleed after coitus.**

Cold sweat.

Complementary

Sul.

Related

**Aru-t. Ars. Carb-ac. Grap. Nit-
ac. Psor.**

Lac caninum

Region

NERVES.

THROAT.

**Right to Left,
then back again or
reverse.**

Female Generative Organs.

Worse

TOUCH.

Jar.

During Menses.

Cold Air, or Wind, or Drinks.

**Morning of One Day and
Evening of the Next (Eup-p.).**

Better

Open Air.

Description

**SYMPTOMS ALTERNATE
SIDES, throat, ovaries, etc., or
wander about.**

Glistening parts.

Glistening, throat, ulcers, etc.

**Oversensitive; can't have
parts, fingers, etc., touch each
other.**

Symptoms

**Full of imaginations; horrid, of
snakes vermin, as if floating,
etc.**

**Every symptom seems a
settled disease.**

Hysteria at height of sexual

orgasm.

THROAT SORE, has glistening patches of china whiteness; or red glistening; gives out from exertion; agg. at start and close of menses.

Tonsilitis.

Diphtheria; paralysis after.

Menses green, gushing or ammoniacal; hoarseness, during.

Breasts sore and swelled, before menses.

Galactorrhoea.

DRIES UP THE MILK.

Scanty milk.

Cold creepings down back.

Sore heels.

Related

Lach. Lyss. Pul.

Lac vaccinum defloratum

LAC DEFHORATUM

Region

NUTRITION.

BLOOD.

Heart.

Head

(Left).

Thigh (Outer).

Worse

COLD

Least Draft.

Wet.

**Hands in Cold Water
Milk.**

Loss of Sleep.

Weekly.

Better

Rest.

Pressure of Bandage.

Description

Exhaustion.

Despondency.

Vertigo, agg. lying on l. side.

**Blind then throbbing frontal
headache, with much pale
urine.**

Migraine.

Photo phobia.

Painless swelling of face.

Pale, sickly look.

Anaemia.

Averse to milk.

Nausea.

Sour vomiting.

Dry, large, painful stools.

Amenorrhoea.

Boring, sore pain in kidneys.

Polyuria, agg. during pain.

Scanty flow of milk.

Always chilly.

Cold finger-tips.

Skin is super-sensitive to cold.

Given to restore milk.

Related

Nat-m.

Lachesis mutus

LACHESIS

Region

Mind.

Throat.

NERVES

CUTANEOUS.

VASO-MOTOR.

Sympathetic.

PNEUMO-GASTRIC.

BLOOD; HEART.

CIRCULATION.

LEFT SIDE;

Then Right

THROAT.
OVARIES.
FEMALES.
Vertex.
Worse
SLEEP; AFTER.
MORNING.
HEAT
SPRING.
SUMMER SUN.
ROOM.
DRINKS.
SWALLOWING; EMPTY;
Liquids.
SENSITIVE TO
SLIGHT TOUCH OR
PRESSURE OF CLOTHES; AGG.

NECK,

Waist

(Ap. Bro. Grap.), Noise.

RETARDED DISCHARGES.

Start and Close of Menses.

CLIMAXIS.

ALCOHOL.

Cloudy Weather.

Better

OPEN AIR.

FREE SECRETIONS.

Hard Pressure.

Bathing Part.

COLD DRINKS.

Description

**Rapid onset, intensity,
prostration or malignancy.**

**LEFT-SIDED COMPLAINTS, OR
MOVING FROM LEFT TO
RIGHT.**

Sepsis.

Disintegration.

Gangrene; diabetic.

Carbuncle.

Erysipelas.

Blueness; hands.

**FETOR; of acrid discharges;
oris; stools, etc.**

**HAEMORRHAGE, thin; dark
particles; nose-bleed; vicarious;
bloody urine, etc.**

Purpura.

**ASCENDING SENSATIONS, in
throat; from eyes over vertex;**

**from nape; from ovary to heart;
chills; FLUSHES OF HEAT;
rushes of blood.**

**A LUMP; ascends throat and is
swallowed back again; in liver,
abdomen, rectum; rolls about
in bladder, etc.**

**EXCESSIVE PAINFULNESS; of
throat; ulcers; spots over body.**

**Constriction; of throat, amel.
eating; as of a skull cap; of
anus.**

**Drawing; vertex to jaws; in
rectum, etc.**

**Tremor; of tongue; hands, etc.
Hard throbbing or hammering
(Fer.).**

Congestion.

Apoplexy.

Epilepsy.

Symptoms

Nervous, excitable.

**LOQUACITY; rambling; then
sadness or repeats same thing.**

Compelling delusions.

**Persistent, erotic ideas,
without ability.**

Depression; on awaking.

Insane jealousy.

Suspicion.

Feels full of poison.

**Fears, going to sleep, lying
down, or that heart will stop.**

Indolence.

**Vertigo, agg. turning to right.
Headache; heavy; bursting;
down nose; side (r) feels cut off.
Eyes feel small.
Nose; stopped coryza;
discharges with every cough;
bloody pus from; run blossom
(Agar. Led.).
Face purple, mottled; netted
veinlets; dusky during heat.
Faceache.
Lower jaw drops.
Septic mumps.
Aphthae.
Much thick, pasty saliva.
Tongue catches on teeth.
Thick, blundering speech.**

Peppery taste.

**Can't bear anything before
mouth or nose.**

**THROAT; PAINFUL, into ears;
as of a soft body in; choking;
MUST LOOSEN COLLAR; hot
lump in; pit feels swelled or
sore spot back of pit.**

**SWALLOWING; the wrong way;
painful; returns through nose.**

Diphtheria; laryngeal.

Tonsilitis.

Quinsy.

Hawks foul pellets from throat.

Thirsty, but fears to drink.

Dipsomania.

Soreness or cramp in

epigastrium.

Sore festering throb, deep in liver.

Septic gall-bladder.

Pain from anus to navel.

Constipation of pregnancy.

Piles; agg. coughing.

Pain in l. ovary; must lift covers.

Dark, scanty menses.

Suffocates on dropping to sleep.

Must take deep breaths.

Air hunger.

Tickling, choking cough, agg. touching neck or auditory canal, amel. retching out a

little expectorate.

Larynx, as of a skin hanging in, or a valve.

Heart weak; turns over or too big, as if.

Carditis; metastatic.

Axilla; swelled glands.

Numb, l. arm; finger-tips.

Cracks in skin, at corner of nails.

Cold knees, or cold, foul foot-sweat.

Toes feel broken.

Mottled or livid skin; dark marks.

Eating ulcers, on legs; with dark areolae; fungoid; varicose.

**Sleepless from cerebral
irritation; tipplers.**

Frightful dreams; of snakes.

Dilated capillaries.

**Chill, agg. drinking; with
sweat.**

**HEAT; on vertex; IN FLUSHES,
on waking or falling to sleep.**

**Sweat; about neck, during
sleep; in axillae; bloody;
staining blackish; garlicky.**

Complementary

Lyc. Pho. Zin-io.

Related

Caus. Sep. Zin.

Lappa arctium

LAPPA

Region

Secretions.

Skin.

Liver.

Joints.

Worse

Cold Wet.

Shaking.

Lying on

R.

Side.

Violent Exertion.

Better

Cloudy Weather.

Description

Heavy, sore aching; as if lying uncomfortably.

Numbness; lumbar region.

Numb, aching calves.

Constriction.

Symptoms

Vertigo, with nausea and vomiting.

Weight on vertex.

Red about eyes and across nose.

Face, agg. touch.

SOURNESS; sour taste to meat; all food turns sour, vomits it.

Trembling in chest.

Bruised, sore uterus.

Front of thighs weak.

Sores about joints.

**Eruptions; sticky; on head,
face, etc.**

Moist, foul eczema.

Many small boils.

**AXILLARY SWEAT; COLD; runs
down chest; foul.**

Comp

Mag-c.

Latrodectus mactans

LATRODECTUS

Region

HEART.

Vaso-Motors.

Blood.

Worse

Least Motion; even of Hands.

Exertion.

Description

Nausea, then abdominal pain.

**Transfixation of pain or
sinking at epigastrium.**

Symptoms

**Gasps, fears to lose breath and
die.**

**Restless; with cardiac pains;
and prostrated.**

Precordial anxiety.

Apnoea.

**CARDIAC PAIN; violent; sharp
to shoulder or both arms (1)**

(Kalm.), with numbness.

Angina pectoris.

Quick, feeble, thready pulse.

Skin cold as marble.

Dreams of flying.

Hard ache in axillae.

Related

Tarent.

Laurocerasus

Region

MIND.

BRAIN.

Nerves.

Gullet.

Chest.

Respiration.

Heart.

Worse

Sitting Up.

Exertion.

Cold.

Better

Lying with Head Low.

Eating.

Sleep.

Open Air.

Description

**Symptoms accompanied by
SUDDEN DEBILITY, lack of
reaction, blunted senses,
coldness or cyanosis.**

Weak sphincters.

Sinkings.

Long faints.

**Falling down; sensation; in
brain; in abdomen, heart, etc.**

Nervous collapse.

Apoplexy.

Internal burning.

Haemorrhage; of thin blood.

Twitchings; facial.

Symptoms

**SUDDEN LOSS OF MEMORY,
from pain, fright, etc.**

Head, agg. 11 A.M. -1 P.M.

Speechlessness.

Nightly tearing in vertex.

Eyes open, protrude, staring.

Objects look large.

Livid face.
Blue babies.
NOISY SWALLOWING, then
gurgling flatulence.
Spasm of gullet.
Persistent hiccough.
Low voice.
Raw larynx and trachea.
Suffocation, gasps for breath;
on sitting up.
Shallow breathing.
Can't raise the chest walls.
Cough, tickling; spasmodic
night cough of phthisis; short
or dry; of cardiac origin.
Blood flecked or gelatinous
sputum.

Holds hand over heart.
Chest pains in cardiac region.
Fearful anxiety and
restlessness; can't fall to sleep.
Coma vigil.
Weak, variable, slow or
irregular pulse.
Cool, livid skin.

Related

Am-c. Gel. Hyd-ac. Pru-sp.

Ledum palustre

LEDUM

Region

Fibrous Tissue

JOINTS

(Small).

Tendons.

Eyes.

Heels.

Ankles.

Capillary Circulation

SKIN.

Lungs.

Periosteum.

Blood.

Nerves.

Left Side.

Worse

Warm

Covers.

Stove.

Air.

Injury.

Motion.

Night.

Eggs.

Wine.

Better

Cool

Bathing.

Air.

Description

**Purple, puffy and chilly, yet
averse to external warmth.**

Ascending effects; from feet.

Shifting, tearing pain.

**Painful, cold, oedematous
joints.**

Parts become weak, numb,

cold and wither.

Torpidity.

**Gouty-rheumatic-
haemorrhagic persons.**

Tipsters.

Dropsy.

Rushes of blood.

Haemorrhage; bright, frothy.

Petechiae.

Symptoms

**Raging, pulsating headache;
agg. covers.**

Scalp, agg. dampness.

Blood-shot or bruised eyes.

Persistent nose-bleed.

Mottled or red (pimply) face.

Sub-mental gland swelled.

Much uric acid sand in urine.

Bleeding fibroids.

Cough; tormenting; from tickling in larynx; with epistaxis; then sobbing respiration; agg. receding eruptions.

Double inspirations.

Haemoptysis : alternating with rheumatism.

Stiff, crampy back; agg. rising from sitting.

Lumbago.

Hip-joint; cramps over.

Swelled, blotchy, ecchymotic legs and feet.

Larval gout.

Sprained ankles.

Feet (dorsae) itch by night and are stiff in A.M.

Sore heels.

Tender soles.

Wounds, punctured; twitches in; from nails, stings, etc.; foul pus.

Coldness of part, agg. limbs; with the pain; during fever; as if in cold water.

Foul sweat.

Profuse night-sweat.

Related

Arn. Bry. Rhus-t. Sec-c.

Leptandra virginica

LEPTANDRA

Region

Liver.

Right Side.

Worse

Cold Drinks.

Motion.

Periodically.

Better

Lying on Stomach.

or Side.

Description

**Hepato-haemorrhagic
diathesis.**

Burnings; in hepatic region.

Symptoms

Hopeless, weak and drowsy.

Craves iced drinks.

Bilious vomitus.

Sore or dull bursting ache over gall-bladder, or liver, down over bowels to navel or toward left scapula, or along spine.

Liver swelled transversely.

Acute liver conditions.

Gall-stones.

Muddy, watery, morning stool.

STOOLS TARRY OR BLACK, FOUL; stringy, waxy; spurting; with pain at navel.

Dysentery; after diarrhoea.

Pro lapsing piles; with

haemorrhage (Lach.).

**Leucorrhoea; warm, watery;
runs down limbs.**

**Pain in (l) sciatic nerve on
sitting.**

**Nails very thin; soft and
splitting.**

Jaundice.

Complementary

Pho.

Related

Bap. Card-m. Chio.

Lilium tigrinum

Region

**VENOUS CIRCULATION
FEMALE ORGANS.**

Uterus.

Ovaries.

HEART (R).

Rectum.

Bladder.

Left Side.

Nerves.

Worse

**WARMTH;
of Room.**

Motion.

Miscarriages.

Walking.

Standing.

Consolation.

Better

Cool, Fresh Air.

When Busy.

Lying on Left Side.

Sunset (Coca. Med. Sele.).

Pressure.

Crossing Legs.

Description

FULL, HEAVY or forced out feeling; uterus; heart; eyelids; ovary (l).

Utero-ovarian sagging.

Marked nervo-hysterical reflexes (Con.), especially

mental or cardiac.

Nervous tremor; in hypogastrium, in spine, knees, etc.

Pulsation, ebullition, gurglings and burnings.

Backward pains; about eyes; to occiput; from nipples through chest; from heart to l. scapula.

Venous congestion.

Acrid discharges.

Symptoms

Hurried, nervous, snappish and erotic or depressed.

Fruitless activity.

Wild, crazy feeling.

Dread; of insanity; being

incurable, etc.

Desires finery.

Burning headache, agg. before and after menses; ache over (l), eye; with vertigo and visual effects.

Eyes, feel sprained; bite and burn, agg. reading.

Yellowish, patchy tongue.

Sweet taste-back of mouth.

Craves meat.

Hunger, as if from spine.

Stiff, tense abdomen.

Can't bear weight of covers.

Sharp pains, agg. doubling up.

Early, morning diarrhoea; frequent, small stools; with

tenesmus; agg. after rising.

Heavy dragging or outward urging in pelvis; must hold parts (Sanic.); with dysuria.

Ovarian pain, (l); into limb; with pain below (l) breast.

Menses free, while moving only.

Thin, brown, leucorrhoea; acrid.

Oppressive load on chest; air hunger; takes long breaths.

As of a rivet or ball under (l) mamma.

HEART, feels clutched, overful, cold, weak, hangs by a thread, etc.; pains into (l) arm; agg.

**stooping; agg. lying on (r) side;
nervous.**

Palpitation.

Neckache, agg. tire.

**Broken feeling between
scapulae.**

Pain from hip to hip.

Can't walk on uneven ground.

Chilly, amel. open air.

Burning palms and soles.

Related

Alo. Plat. Pul. Spi.

Lithium carbonicum

LITHIUM CARB.

Region

Heart.

Small Joints.

Lungs.

Urine.

Worse

Night.

Menses; After; Suppressed.

Better

Eating.

Urinating.

Motion.

Description

SORE and heavy.

Acidity.

Outward pressure or as of a dull point.

Gout.

Rheumatism.

Symptoms

Headache, amel. eating.

Eyes dry from using them.

Vertical hemiopia (r).

Red nose.

Lumps of mucus drop into throat.

Gnawing in stomach, with pain in left temple (Ars.), amel. eating.

Urine scanty, with much thirst; with red-brown

sediment.

Heart pains; sore; with eye symptoms; going to head; agg. bending over, amel. urinating; from mammae to arms.

Soreness of fingers, amel. grasping.

Dry, harsh skin.

Eczema.

Related

Lyc. Nat-p. Sul-ac.

Lobelia inflata

LOBELIA

Region

RESPIRATION.

Vaso-motor Nerves.

Secretions.

Heart.

Epigastrium.

Worse

Cold Bathing.

Suppressions.

Sleep; After.

Tobacco.

Better

Rapid Motion.

Eating a Little.

Description

RELAXATION; with increased secretions and weakness; with sweat; with deathly sickness all over; with oppressed, rattling

respiration.

Sits with elbows on knees.

Prickles all over.

Symptoms

Flow of saliva; with retching, hiccough, nausea, dyspnoea, etc.

As of a lump in throat or stomach.

Deathly nausea; with vertigo; agg. night and early A.M. , amel. eating or drinking.

Vomiting; with sweat (cold on face).

Nausea and vomiting, with profuse sweat; with respiratory symptoms.

**Weak, sinking at stomach.
Deep red urine, with red
sediment.**

**Urine suppressed or
infrequent.**

**Dyspnoea; nervous; with labor
pains; as from a wedge in
larynx; amel. rapid motion;
with general prickling.**

Asthma.

**Spasmodic cough; with
sneezing, belching or gastric
pain.**

**Rattle in chest, but don't
expectorate.**

**Constriction or oppressive
fullness in chest.**

**Pulse weak, or soft; flowing.
Plaques of oedema (figurata);
with ecchymoses.**

Related

Ant-t. Ip. Tab.

Lycopodium clavatum

LYCOPODIUM

Region

NUTRITION

DIGESTIVE TRACT.

Portal System.

Skin.

URINARY ORGANS.

RIGHT SIDE

to Left.

THROAT.

Chest.

Ovary.

Brain.

Lungs.

Worse

PRESSURE OF CLOTHES.

WARMTH.

Awaking.

Wind.

Eating;

to Satiety; Oysters.

Indigestion.

4-8 P.M.

Better

WARM DRINKS,

Food, etc.

Cold Applications.

Motion.

Eructations.

Urinating.

Description

Weak from digestive disturbances.

Repeating or alternating symptoms; flexion, then extension; automatic acts; flushing, then paling, chill after chill, etc.

Progressive affections.

Relapses.

Sudden symptoms.

Throbbing.

Pains cause anger, jerking, etc.

**ACIDITY; sour taste,
eructations, vomitus, etc.**

**Calculi; gall-stones, gravel,
tophi.**

Gout.

**Thin, withered and FULL OF
GAS.**

**Poor circulation; it seems to
stand still; limbs feel dead;
numb spots.**

**Descending symptoms;
emaciation, etc.**

Early senility.

Dropsy.

Symptoms

Confused over daily affairs.

Mentally active, but grows

weaker.

Can't think.

Miscalls or omits words, etc.

Paralysis of brain.

**AWAKES ANGRY, sad or
anxious.**

Sensitive and fearsome.

Averse to being alone.

**Hateful, cranky, domineering,
exacting, reserved or
despairing.**

**Headache; pain goes to other
side, where it is worse;
pulsating in occiput at night;
agg. if hot.**

Hair falls; comes in gray.

Dandruff.

Eyes half open.

Hemiopia.

Sees sparks.

FANNING OF WINGS OF NOSE.

Nose stuffy; dry posteriorly.

Acrid ozoena.

**Face yellowish; pale, gray;
wrinkled forehead; frowning;
twitching.**

Hydrocephalus.

Meningitis; tubercular.

**Mouth hangs open. (Merc-c.
Mur-ac.).**

Sore lips.

Yellow teeth.

**Tongue; puts it in and out
rapidly; trembling; swelled;**

**heavy; lolling; stiff; cracked;
painful vesicle on tip.**

**A ball rises and sticks in
throat.**

**Sore throat (r); agg. cold
drinks.**

Diphtheria.

**Hunger, but quick satiety; A
LITTLE FOOD OVERFILLS.**

Averse to soups.

Incomplete eructations.

**Epigastric anxiety, pressure,
etc.**

Gnawing in stomach.

As of a band about waist.

Sensitive, congested liver.

MUCH, NOISY FLATULENCE,

agg. lower bowels.

Meteorism.

Flatulence, pressing out.

**Abdomen; sore, agg. lower;
alternating sides; brown spots
on and on chest.**

**Colicky babies, agg. in
evening.**

**Stool, most seems to remain,
after; contains sand.**

**Alternate diarrhoea and
constipation.**

Piles, amel. hot bathing.

**Frequent urging to urinate,
amel. riding in ears, etc.**

Acrid urine.

Urine scanty; cries before

**urinating; red sand in;
suppressed.**

Sexual exhaustion.

Pollutions.

**Violent dysmenorrhoea, with
fainting.**

**Menses of clots and serum;
agg. stool.**

**Acrid or periodical
leucorrhoea.**

Painful coitus.

Gas from vagina.

Craves air, but is chilled by it.

Short, rattling breathing.

**Salty, green-yellow, lumpy or
foul expectoration.**

Unresolved pneumonia.

Dry, teasing cough, with emaciation.

Mammae, achy; sore; nodes in (l).

Axillary abscess (r).

Bubbling at scapulae.

Stiff back.

Hands numb; cramps in, and in feet.

Fingers twitch during sleep; sticky sweat on.

Pains jerk legs upward.

As of a stone under heel.

Feet asleep, agg. heels; acrid sweat on.

DRYNESS; palms, vagina, skin, etc.

**Rawness in folds, nipples,
anus, etc.**

Suppurating eruptions.

Receding boils, erysipelas, etc.

Vascular swellings.

**Erectile tumors; agg. before
menses.**

Aneurism.

**Rapid pulse, agg. eating;
evening.**

**Coldness; icy; head, throat,
stomach; of one foot; agg.
coughing.**

**Chill, then vomits; after first
sleep.**

Burning, between scapulae.

Foul viscid axillary or foot

sweat; like onions.

Complementary

Calc-c. Iod. Kali-c. Lach.

Related

Carb-v. Sil.

Follows

Chel. or Graph.

Lycopus virginicus

LYCOPUS

Region

HEART.

Circulation.

Left Side.

Worse

Excitement.

Exertion.

Heat.

After Sleep.

Lying on

(R)

Side.

Abuse of Heart Remedies.

Suppressions.

Thinking of It.

Description

Irritable weakness.

Heart, with many side-symptoms.

Symptoms vary with heart action or associated with a RAPID TUMULTUOUS HEART BEAT.

Cardio-haemorrhagic cases.
HAEMORRHAGE, from nose,
piles, lungs, etc.

Shifting pains.

Symptoms

Nervous, hurried and
tremulous.

Slow comprehension.

Protruding eyes.

Tawny, expressionless, bloated
face.

Polyuria.

Choking on lying down.

Heart cough.

HEART; violent, excessively
rapid (Pho.), stormy action;
heavy beat, at night;

**oppression at; pains, sore,
aching constriction.**

**Pulse, large, full, soft; don't
synchronise with heart.**

**Hot ache beneath (r) scapula.
Coldness.**

Related

Cact. Collin. Cratae.

Lyssinum

LYSSIN

Region

Nerves.

Cord.

Throat.

Sexual Organs.

Worse

Running Water

(Canth.

Stram.).

Heat of Sun.

Glistening Objects.

Drafts.

Better

Bending Backward.

Gentle Rubbing.

Description

Spasm.

Overacute senses.

Symptoms

Fear.

Anger.

Rapid speech.

Impatience and violent temper.

Roams about.

Constant spitting; ropy, frothy saliva.

Spasm of gullet.

Can't urinate unless he hears water run.

Sexual excitement.

Sensitive womb.

Barking cough.

Pain in neck.

Blueness.

Convulsions.

Related

Lac-c. Lach.

Magnesium carbonicum

MAGNESIA CARB.

Region

Malar Bones.

DIGESTIVE TRACT

Stomach.

Bowels.

Liver.

NERVES

Facial.

Dental.

Worse

NIGHT.

Rest.

Noise.

Cold

Changes of Weather.

Wind.

Drafts.

Food; starchy; Milk.

Slight Causes,

Touch, etc.

Children.

Nurselings.

Better

Motion.

Walking About.

Open Air.

Description

**Ailing, worn out, nervous,
flatulent and flabby.**

**Sour; all over (Rhe.);
regurgitation; foamy vomitus;**

stool, etc.

Emaciation.

Marasmus.

**Sharp shoots along nerves;
must walk about.**

Numb, distended feeling.

**Can't bear hands covered, yet
chilled by uncovering.**

Symptoms

Heavy brain.

**Tearing, digging, boring face or
toothache; agg. pregnancy;
amel. cold.**

Sudden deafness.

Waxy pallor.

**Hawks cheesy masses from
throat.**

Sore throat at menses.

Nibbling appetite.

Vomits undigested milk or bitter water.

Cutting colic.

Stool, frothy; GREENISH, LIKE WATER AND SCUM OF A POND; lienteric, with gelatinous or fatty masses; grass green.

Menses like thick, dark molasses; tarry; viscid; agg. night and on rising; leave a fast stain.

Craves open air.

Paroxysmal cough; difficult, thin, salty or bloody sputum.

Heavy, weary feet.

**Chilly; takes cold, with coryza,
toothache, sore throat, etc.;
before menses; and dry.**

Sour, greasy, indelible sweat.

Antidotes

Cham. Nux-v. Pul.

Related

Rhe.

Magnesium muriaticum

MAGNESIA MUR.

Region

NERVES.

LIVER.

Digestion.

Pelvic Organs

Uterus.

Rectum.

Women.

Worse

LYING ON RIGHT SIDE.

Night.

Noise.

Sea Bathing.

Eating.

Salt Foods.

MILK.

Better

HARD PRESSURE.

Lying Bent.

Hanging Down.

Gentle Motion.

Cool, Open Air.

Description

Nervous; with hepato-uterine or cardiac symptoms.

Globus.

Hysteria.

Crampings.

Dryness.

Burning.

Darting.

Dinner causes faintness, dyspnoea, etc.

Chronicity.

Symptoms

Irritable.

Yellow sclera.

Tinea ciliaris.

Acrid, crusty ozoena.

**Broad, yellow, scalloped
tongue; feels burnt.**

Loss of taste and smell.

Craves sweets.

**Pain from liver to spine or
epigastrium.**

**Sore, enlarged liver; drags if
lies on (l) side.**

**Cramp in gall-bladder, amel.
eating.**

Flatulence.

**STOOLS DRY; KNOTTY; of
little balls, like sheep dung;
gray; crumbling at anus.**

**Must press on bladder to
urinate.**

Profuse, dark, lumpy menses;

**like pitch; with cramps,
backache and pains in thighs.**

**Gushes of leucorrhoea, follow
each cramp or stool.**

**Palpitation; amel. motion or
lying on (l) side.**

Throb below (l) scapula.

**Bruised or burning feeling in
hips and back.**

**Cramps in back, agg. walking;
in thighs, agg. sitting.**

Dead fingertips.

**Tense thighs and calves; must
move limbs.**

**Ankles cold or nervous, agg.
night.**

Cutting in heels.

Yellow, thin, foul pus.

Jaundice.

Sweat on head and feet.

Related

Nat-m. Pul. Sep.

Magnesium phosphoricum

MAGNESIA PHOSPH.

Region

NERVES

Face.

Head.

Muscles.

Right Side.

Worse

COLD

AIR.

Uncovering.

Drafts.

Water (Calc-c.).

Lying on

R.

Side.

Touch.

Periodicity.

NIGHT.

Milk.

Touch.

Exhaustion.

Better

WARMTH.

HOT BATHING.

Pressure.

Doubling Up.

Rubbing.

Description

Tall, slender, dark and neurotic.

Nervous, tense and subject to sudden, violent neuralgias, colics, cramps, etc.

SUDDEN paroxysms of pain; sharp shooting like lightning; suddenly changing place; in waves; radiating, boring or constricting; extorting cries; causing restlessness, prostration, etc.

Twitchings.

Tic-convulsif.

Spasmodic effects; hiccough, yawning, chorea, writer's cramp, etc.

Much pain.

Symptoms

Always talking of her pains.

Hot, aching eyes.

Photo phobia.

Face ache, agg. if body gets cold.

Cracks in angles of lips.

Nervous angina.

Cutting; from bowels into thighs.

Flatulent colic.

Contracted abdomen.

Diarrhoea ceases, spasms set in.

Cough, amel. cool air.

One vertebra seems absent.

Tightness of skin of infer.

**Pains in lower limbs,
alternating sides.**

Irritable pulse.

**Tarry menses leaving a fast
stain; flowing at night.**

Related

Colo. Dios.

Magnesium sulphuricum

MAGNESIA SULF.

Region

Intestines.

Urine.

Female Sexual Organs.

Worse

Morning on Awakening.

Better

Rubbing.

Walking.

Description

Diarrhoea, with diuresis.

**Greenish urine; with red
sediment.**

Profuse, dark, intermittent menses.

Much, thick leucorrhoea.

As of a lump between shoulders.

Back feels broken.

Left arm and foot fall asleep.

Crawling in fingertips (1).

Warts.

Related

Nat-s.

Mancinella

Region

Surfaces

Mucous.

Throat.

Skin.

Mind.

Worse

Cold.

Feet.

Drinks.

Dampness.

Touch.

Puberty.

Climacteric.

Description

Irritation.

Acridity.

Burning.

Symptoms

Depressed, with sexual

erethism.

Thoughts vanish.

Forgets her errand.

Terror of insanity.

Emptiness in head.

Pain in vertex, agg. lying.

**Eyes, smart, agg. closing lids;
lids heavy and sore; dull ache
behind.**

Photo phobia.

**Face swelled; spotted; herpes
on lips.**

Profuse, foul saliva.

**Throat; cutting pains; agg. cold
drinks.**

Diphtheria.

Chokings, ascend throat.

Craves cold water.
Swelled epigastrium.
Bowels sore and burn.
Colics or cough, agg. cold
drinks.
Ache behind sternum.
Soles; biting vesicles on;
desquamation; dry.
Acrid, sticky foot-sweat (Sil.).
Vesicles.
Bullae.
Brown crusts.
Scarlet fever.
Pulse slow; very large and soft.
Related
Aru-t. Canth. Rhus-t.

Manganum-act. + -c.
(old abbr.)

MANGANUM

Region

INNER EAR.

Larynx and Trachea.

LOWER LIMBS.

Periosteum

Joints.

Ankles.

Shins.

Heels.

Skin.

Worse

Varies with the Weather.

Touch.

Cold.

Damp.

Night.

Speaking.

Feather Bed.

Better

Lying Down.

Open Air.

Description

Very sensitive bones.

**Painful, deep soreness; ears;
bones; joints; skin.**

Diagonal pains.

**Pains extend to ears from
other parts.**

**Yellow-green, lumpy or bloody
discharges.**

Catarrh.

Infiltrated, glistening joints.

Festination.

Motor paralysis.

Symptoms

Weak and nervous.

Headache, agg. straining at stool, etc.

**Everything affects his ears
(Cann-s. Gel. Plan.).**

Blowing nose is painful.

Pale, sickly, mask-like face.

Anaemia.

**Flow of saliva, with colic,
paralysis, etc.**

Late or pale first menses.

Raw, dry, larynx.

Rough, hoarse voice; chronic, agg. A.M. ; amel. expectorating a lump of mucus.

Cough, agg. reading or laughing; amel. lying; with aphonia; laryngeal; of phthisis.

Weak, uncertain legs.

Inflamed ankles.

Digging in shin bones.

Rough, cracked (flexures) or bluish skin.

Dry, hard ulcers.

Sudden hot flushes.

Pruritus of diabetes.

Skin festers about joints.

Related

Chin. Psor.

Teucrium marum

verum

MARUM VERUM

Region

NOSE.

Lungs.

RECTUM.

Fingertips.

Toe-Joints.

Worse

Weather

Changing; Damp.

Cold.

In Bed.

Better

Open Air.

Sweat.

Description

Over-sensitive and excitable.

Delicate and sensitive.

**Internal tremor; agg.
excitement.**

Symptoms

Sleepless, after excitement.

**Crawling in nose; must pick it;
side lain on closes; lumpy
discharge.**

Polypi.

Anosmia.

Atrophic catarrh.

**Mouldy taste in throat, on
hawking or coughing.**

Itching of palate and ears.

Solid lumps from posterior nares.

Follicular pharyngitis.

Itching anus; prevents sleep.

Pinworms.

Cough, agg. coughing.

Ingrown nails.

Complementary

Calc-c.

Related

Cina. Sil.

Medorrhinum

Region

Mind.

Nerves.

Mucous Membranes.

Lymphatics.

Cellular Tissue.

Lungs.

Pelvis.

Small Joints.

Spine.

Kidneys.

Left Ovary.

Worse

Damp;

Cold.

Daytime.

3-4 A.M.

After Urinating.

Touch.

Close Room.

Before Storms.

Better

LYING ON ABDOMEN.

Bending Backward.

Stretching Out.

Fresh Air.

Being Fanned.

Uncovering.

Hard Rubbing.

Seaside.

Dampness.

Sunset (Coca. Lil-t. Sele.).

Description

**Stiff, puffy, achy, sore and
rheumatic.**

Dwarfish.

Many pains.

SYCOTIC TAIN, poor reaction.
Joints feel loose.
Profuse, acrid discharges;
causing itching (Tell.).
Fishy odors.
Nephritis.
Small, very sore aphthae,
blisters, etc.
Burnings.
Burning at root of tongue.
Formication; internal.
Numbness.
Tremor.
Emaciation.
Sour children.
Offensiveness.
Tumors.

Loss of power in joints.

Symptoms

**Memory weak, can't
concentrate; forgets words,
names; can't finish sentences.**

Mental confusion.

Wild feeling.

Meanness.

Cruelty.

Things seem strange.

Tells it over again.

**Hurried; and anxious; and
irritable; and sensitive.**

**Forgetful; of names; of her
errand.**

Suicidal.

Fearsome.

Apprehensive; anticipates events.

Persistent ideas or alternating states, or erratic.

Impulsive, abrupt or rude.

Many ideas; but uncertain of execution; non-committal.

Sensitive, nervous and hurried.

Feels far off, unreal; some one behind her.

Sad, tearful and fearful.

Dismal out-look (Cimi.); amel. weeping.

Vertigo; agg. in vertex.

Head tight; tense pains; pulls hair.

Occiput pains to behind eyes.

Tousled heads.

Coryza with loss of taste and smell.

Post-nasal discharge.

Face, grayish, greasy, greenish; yellow at edge of hair.

Red spiderlets on face (r).

Acne on face; agg. after menses.

Water tastes like perfume.

Exhaled breath feels hot.

Craves stimulants.

Morning nausea.

Vomiting of pregnancy.

Heavy lower abdomen or prostate.

Grinding colic; must brace

feet.

Dysmenorrhoea.

**Leans back to force a stool;
then shivers.**

Cholera infantum.

**Fiery red, moist, violently
itching anus.**

Scalding ammoniacal urine.

Air hunger.

Cough, amel. lying on face.

Sore, oozing or icy nipples.

**Cutting, crawling, burning
above (l) scapula.**

Fingertips burn and crack.

Heavy legs.

Tender, itching ball and soles.

Sleeps in knee-chest position.

**A short nap seems a long one,
but amel. (Nux-v.).**

**Cold skin, but blood feels hot
(Sec-c.).**

**Burning heat, with sweat;
wants to uncover, but is chilled
thereby.**

Burning feet.

Sweat easy; toward morning.

Hay fever.

**Body smells badly to her; can't
wash it off (Lac-c.).**

Teeth soft, crumbly.

aphthae under tongue.

Burning in epigastrium.

Flatulence with numbness.

Dark fluid from rectum.

**Drawing in ovaries, amel.
pressure.**

Sycotic sterility.

Dysmenorrhoea.

**Profuse, dark, clotted, foul
menses (Psor.).**

**Blistering leucorrhoea (Am-c.,
Kre.).**

Pruritus, amel. rubbing.

Lungs feel stuffed with cotton.

Can't exhale.

Asthma; sycotic; infantile.

**Sensation as of a cavity in
chest or heart.**

Heat in spine.

Spine sore and tender.

Arms hairy.

Hot palms.

Bites nails.

**Leg cramps, amel. stretching
leg.**

Itching soreness.

Condylomata.

Sycotic red node.

Deep red spots.

Follows

Rhus-t.

Related

Bar-c. Nat-m. Psor. Thu.

Melilotus officinalis

MELLILOTUS

Region

HEAD.

Vaso-Motor Nerves.

Circulation.

Worse

Climacteric.

Walking.

Weather

Changing.

Stormy.

Rainy.

Better

Bleeding.

Profuse Urine.

Vinegar.

Description

Raw feeling.

Congestions.

Bright red haemorrhage; which amel.

Symptoms

Desires to escape.

Rushes of blood to head.

VIOLENT, THROBBING HEADACHE; threatens his reason; amel. nosebleed.

FIERY RED FACE.

Profuse nosebleed.

Dry skin.

Related

Bell. Glo.

Menyanthes trifoliata

MENYANTHES

Region

Circulation.

Motor Nerves.

Vertex.

Worse

Walking.

Rest.

Malaria.

Ascending.

Quinine.

Better

Hard Pressure.

Twilight.

Laying on Hands.

Description

Icy coldness of prominent, single or affected parts; nose (Ap. Med.), ears, fingers, knees, abdomen, etc.; at night (Pho.).

Visible jerks or twitches.

Vertex; heavy pressure on; pains, agg. stooping; or as of a weight in nape.

Bursting headache.

Pain ascends from nape.

Misty vision.

Frequent, scant urine.

Boring at l. scapula.

Cramp in posterior thighs, agg. sitting, or from ankles to calves (r).

Skin feels tight.

Vivid dreams.

Shivering, with yawning.

Quartan malaria.

Related

Ver-a.

Mephitis putorius

MEPHITIS

Region

Nerves.

Worse

Lying.

Night.

After Menses.

Better

Cold Bath or Weather.

Description

Spasmodic effects.

Foul breath and expectoration.

Debility after severe illness.

**Trembling and twitching of
exophthalmos.**

Symptoms

Excitable.

Loquacious.

Vivid fancies.

Violent vertigo.

**As of a finger pressing on
occiput.**

Food goes the wrong way.

Chokes easily.

Can't exhale.

Asthma.

Asthma of consumptives or drunkards.

Cough; violent; spasmodic; nervous; suffocative; whooping; agg. talking or drinking.

Choking cough.

Related

Coral. Mosch.

Mercurius solubilis

MERCURIUS

Region

BLOOD.

Mucous Membranes.

GLANDS

Buccal.

SALIVARY.

TONSILS.

THROAT.

LYMPHATICS.

Liver.

Kidneys.

MUCOUS.

GENITALS.

Cellular Tissues.

Joints.

Right Side.

Bones.

Skin.

Worse

NIGHT.

Night Air.
SWEATING.
LYING ON RIGHT SIDE.
HEATED, IF;
 agg. Bed or Fire.
SENSITIVE TO
 DRAFTS,
 to Head.
 Changing,
 Cloudy or
 Cold Damp Weather.
 Taking Cold.
 Heat and Cold.
Wet Feet.
 Firelight.
Better
Moderate Temperature.

Description

**Great variety of symptoms.
Uncertain, tremulous, weak
and sweaty.**

**Swelling, redness; livid
congestion.**

Continued exudation.

Rawness.

**FREE SECRETIONS, thin,
slimy, acrid, burning, foul or
thick, green-yellow.**

**Salty, lips, taste,
expectoration, etc.**

Suppuration; bloody.

**Ulceration; of mucous
membranes.**

Catarrhs.

Glandular activity.

Biliousness.

Yellowness; eyes, teeth, nasal discharge.

Jaundice.

Pains stick to one point.

Syphilis.

Everything seems too short.

Rheumatism.

Sycosis.

Scrofula.

Weak, exhausted and ready to sink down.

Symptoms

Hurried; nervous.

Stammering.

Violent impulses (homicidal),

etc.

Restless and sweaty.

Filthy in mind and body.

Senses impending evil.

Forgetful.

As of a band about head.

**Headache with ear and tooth
ache.**

Swelled, scurfy tarsi.

Eyes draw together.

**Photo phobia, agg. lamplight
(Glo.).**

Musca volitantes.

Arcus senilis.

**Pains into ears, from teeth,
throat, etc.**

Deaf on becoming heated.

Colds travel upward or attack eyes.

Coryza; acrid; purulent; every autumn.

Heavy nose.

Red, raw, dirty nosed children.

Face yellow; puffy under eyes.

Swelled cheeks.

Aching jaws.

Mumps.

Lips salty; cracked in r. angle.

Painful, ragged, swelled, bleeding gums.

Gumboil.

Loose, hollow, black or aching teeth, agg. heat and cold; agg. night.

MUCH SALIVA; flows during sleep; yellow; bloody; bad tasting.

Aphthae.

METALLIC TASTE.

Broad, flabby, INDENTED TONGUE.

Itching palate.

Enlarged tonsils.

THROAT; SORE; as of an apple core, choke pear, or something hanging in; ulcer, pharyngeal, behind lingual tonsil; hawks large lumps from.

Sore liver.

Weak bowels; holds them.

Swelled inguinals.

**STOOLS; painful; scanty;
bloody; green slime; ashen
white; acrid; then tenesmus or
chill.**

**Tenesmus recti, with tenesmus
vesicae.**

Urine causes itching.

Urinate more than he drinks.

**Frequent, scanty urine; then
burning.**

Swelled glans or foreskin.

Red meatus.

Genitals, inflamed; pulls at.

Bloody emissions.

Gonorrhoea.

**Collapse and fainting at start
of menses.**

**Thick, white leucorrhoea,
when urinating.**

**Cough; in double bouts; dry at
night; yellow-green sputum, by
day.**

Right lower chest.

**Mammae; pain below r.
through to scapula; milk in,
instead of menses, spoiled.**

Awakes with cardiac tremor.

**Respiration agg. lying on left
side, but cough agg. lying on
right side.**

Neck stiff; cervicals enlarged.

Trembling limbs.

Numb fingers.

Cold sweat on feet in A.M. in

bed.

Phlegmasia dolens.

**Pain forward from right
scapula.**

Cool heels.

**Skin yellow; tender;
excoriated, like raw meat.**

Moist, crusty eruptions.

**Ulcers, irregular, spreading,
shallow, bleeding; with cutting
and proud flesh.**

Jaundice.

Measles.

**Nightly bone pains; deep or
near surface.**

Orgasms (to head and chest).

Erethism and restlessness,

agg. least exertion.

Easily chilled or overheated.

Alternate chill and heat.

Creeping chills.

Chilly within abscesses.

**Catarrhal fevers; after
 suppressions.**

**EASY, PROFUSE SWEAT;
without relief, with the pains;
oily; foul; sour; stains an
indelible yellow on head; on
chest; at night.**

**Must get up and walk about at
night.**

Antidotes

**Aur. Carb-v. Hep. Nit-ac. Sul.
Thu.**

Complementary

Bell. Sil.

Related

Kali-io.

Mercurius corrosivus

Region

RECTUM.

Bladder.

Eyes.

THROAT

Uvula.

Fauces.

Palate.

Kidneys.

Bones (Flat).

Worse

AFTER

URINATING.

STOOL.

Swallowing.

Night.

Cold.

Autumn.

Hot Days; Cool Nights.

Acids.

Description

Violent effects.

**Burning, internal; throat,
stomach, rectum, neck of
bladder, kidneys, etc.**

**Inflammation, with swelling
and constriction.**

Constriction of throat, rectum, bladder, etc.

Cracks, on palms, soles, angles of mouth, etc.

Erosive discharges; acrid, fluent coryza, lachrymation, etc.

Phagedema.

Syphilis.

Symptoms

Anxious and restless; rocks hard.

Difficult thinking.

Disturbed speech.

Stupid.

Aching temples, agg. looking sidewise.

Photo phobia.

Iritis.

Keratitis.

Gluey nasal discharge.

Swelled nose.

Pale about mouth.

Patchy tongue.

Nightly toothache.

Red, swollen uvula.

**Astringent, taste,
regurgitation, etc.**

**Sore, painful swelling in l.
throat, agg. heat; sharp pains
into ears, agg. pressure.**

DYSPHAGIA.

Insatiable thirst.

Vomits slime and blood.

Cramp in epigastrium.
Distended, sensitive stomach.
Gastritis.
Cutting colic.
Painful flatulence.
Continuous urging to stool and
urine (Canth. lil-t. Sabi.); A
NEVER GET DONE FEELING.
SCANTY, BLOODY, SHREDDY
OR SLIMY STOOLS, WITH
TORMENTING TENESMUS.
Passes pure blood or bloody
water.
Bleeding kidneys.
Dysentery.
Spasm of rectum, during
coition.

HOT URINE, PASSED DROP BY DROP, or scanty frequent, dribbling; agg. sitting.

Urethra bleeds after urinating.

Nephritis; slow; of pregnancy.

Cystitis.

Gonorrhoea.

Phimosis.

Chordee.

Hard chancres.

Breathes as through a metallic tube.

Cold skin.

Chilly, after stool.

Sweats from every motion; partial; agg. forehead and lower parts; foul, at night.

Related

Ars. Canth. Merc-p-r.

Mercurius cyanatus

Region

MOUTH.

THROAT.

Larynx.

Glands.

Capillaries.

Nerves.

Worse

Swallowing.

Speaking.

Description

Early, rapid and extreme

**prostration; with tremor,
coldness and cyanosis.**

Putridity.

Rapid, local destruction.

Symptoms

**Cutting pains in throat or
larynx.**

**Much thick, or grayish
membrane in throat.**

**Septic diphtheria; of soft
parts; has prophylactic value.**

Enlarged tonsils.

Early and complete anorexia.

Croupy cough.

Cough causes suffocation.

Weak heart.

Sweatiness.

Related

Lach.

Mercurius dulcis

Region

Ears.

Eustachian Tube.

Tonsils.

Liver.

Duodenum.

Bowels.

Mucous Membranes.

Pleura.

Worse

Acids.

Better

Cold Drinks.

Description

Pallid, flabby, catarrhal and bilious.

Pale mucous membranes.

Deficient oxidation.

Reabsorbent action.

Symptoms

Painful scalp.

Meningitis.

Rapid winking.

Obstructed Eustachian tube (Kali-m. Petr.) or lachrymal duct (Fag.).

Deafness from every cold.

Blows lumps from nose.

Indurated tongue.

Increased saliva.

Fetor oris.

Tonsil, (r); inflamed; amel. cold drinks (Ap. Merc-i-f. Phyt.).

Biliary stasis.

Acrid, grass-green diarrhoea; of infants.

Slimy, pussy expectoration.

Inflamed pleura.

Sweatiness.

Related

Kali-m.

Mercurius iodatus flavus

MERCURIUS IOD FLAV.

Region

THROAT;

Right.

Right Side.

Glands.

Worse

Odors.

Raising Up.

Warm Drinks.

Lying on Left Side.

Better

Open Air.

Description

Faint or dizzy on rising.

Forehead aches.

Cornea looks scratched or chipped.

Dark circles under eyes.

Swelling below r. eye (Arn.).

Jaws tired from clenching during sleep.

Teeth on edge, agg. heat, cold and sweets.

Pyorrhoea.

Moist, filmy coat on tongue or YELLOW AT BASE.

Sore throat (r. then l.); swelled tonsils; amel. cold drinks.

Tonsillitis.

Hawks lumps from posterior nares.

Yellow leucorrhoea; of children.

Heart, then head pains.

Palpitation, with dyspnoea, agg. lying on back.

Numb knees.

Swollen glands; cervicals.

Syphilis.

Flat warts.

Related

Lyc. Merc.

Mercurius iodatus ruber

MERCURIUS IOD RUB.

Region

THROAT.

Glands.

Left Side.

Cellular Tissue.

Worse

Empty Swallowing.

After Sleep.

Description

Swellings.

Symptoms

Painfully heavy occiput.

Granulated eyelids.

Aching, sore malar bones.

Slimy, sticky lips on waking.

Dark, red fauces.

Wrinkled tongue.

**SORE THROAT (l. to r.); tonsils
or glands greatly swelled, yet**

little exudate.

As of a lump in throat.

Stiff throat, root of tongue and neck (Phyt.).

Indurations in urethra.

Hard chancre.

Profuse, acrid, green leucorrhoea.

Stubborn, suppurating bubo.

Right lower chest.

Asthma.

Hard glandular swelling; cervical adenitis.

Moist cracks on palms.

Wandering pains.

Related

Lach.

Mercurius praecipitatus ruber

MERCURIUS PRECIP RUB.

Region

Mucous Membranes.

Heart.

Skin.

Right Side.

Worse

Falling to Sleep.

Lying.

Description

Burning.

Fissures.

Syphilis; of pregnancy.

Symptoms

Patchy tongue.

Coat like old cheese on mouth and throat.

Mucous patches.

Suffocation on lying or falling to sleep.

Asthma.

Related

Ars. Lach.

Mezereum

Region

SKIN.

Nerves

Bones

Head.

Face.

Jaws.

Mucous Membranes

Mouth.

Stomach.

One Side.

Worse

NIGHT.

Suppressions.

WARMTH OF BED,

Fire, etc.

Cold Air;

Drafts; Damp.

Motion.

Touch.

Mercury.

Vaccination.

Better

Wrapping Up (Nerves, Bones).

Eating.

Open Air.

Description

**Acrid secretions, pus,
leucorrhoea, etc.**

**Violent, irritative burning
itching, burning smarting,
burning boring, etc. with
coldness of part affected.**

Neuralgia; after shingles.

Ulcers.

**Effects of suppressed eczema
capitis.**

As of a cool breeze.

Sudden pains, then chilly, sore or numb.

Emaciation of part.

Gouty-rheumatic-syphilitic dyscrasia.

One-sided symptoms, whole or partial; numbness of one side of scalp.

Head pain (1), into eyes, malar bones, neck, etc., with lachrymation.

Painful skull.

Pains outward along brows.

Eyes seem dry.

Ears feel open to cool wind.

Deafness.

Facial neuralgias.
Cracks in angles of mouth.
Dry, dark red mouth.
Blunt teeth.
Toothache into temples; amel.
cool air.
Tongue coated along one side
only.
Sore throat in winter.
Gastric pain, amel. milk.
Contracted, prolapsed rectum.
Glistening particles in stool.
Stubborn, leucorrhoea.
Dry, tickling cough; unto
vomiting; agg. hot things.
Aching, itching in popliteae.
Internal burning with external

violent itching in small areas or single parts.

Intolerable itching; changes place on scratching.

Pruritis senilis.

Eruptions ooze acrid, gluey moisture, form thick crusts, with pus beneath, or are chalky white.

Milk crust.

Deep, hard, painful ulcers; acrid pus, drying into crusts; agg. touch and warmth.

Bones seem enlarged.

Periostitis.

Chilly; limbs feel cold.

Heat of one hand.

Complementary

Merc.

Related

Ars. Guai. Kali-io. Merc.

Millefolium

Region

CAPILLARIES

LUNGS.

Nose.

Uterus.

Worse

Injury.

Violent Exertion.

Better

Bleeding.

Discharges.

Description

Bruised soreness.

Congestion.

Profuse, painless, bright red, fluid haemorrhage; nosebleed, haemoptysis (Aco. Led.), etc.

Spasms after suppressed secretions, menses, etc.

Symptoms

Flatulent colic.

Oppression of chest, with palpitation.

Related

Arn. Led.

Moschus

Region

NERVES

SENSORY.

Genital.

Respiration.

Circulation.

Worse

Excitement.

Cold.

Suppressions;

Menses, etc.

Better

Open Air.

Description

Poor reaction.

**Spasmodic, nervous effects;
laughter, hiccough, shuddering,
etc.**

Twitchings.

Chokings.

FAINTS.

Hysteria.

**Buzzing, squeezing or plug-like
sensations.**

Globus.

Symptoms

**Hurried, tremulous and
awkward.**

**Anger; talks excitedly or scolds
until she faints.**

Fears noise, dying, etc.

Imaginary sufferings.

Nervous shuddering.
Headache, with coldness,
faintness and polyuria.
One cheek red, but cold (Fer.),
other pale and hot.
Blue lips.
Violent eructations.
Tympany.
Sudden nervous suffocation or
anxious palpitation; wants a
deep breath; agg. becoming
cold (Act-sp.); amel. belching.
Cramp in lungs.
Sleepy by day; sleepless at
night; wakes every minute.
So sensitive, cold air makes
him shudder.

Shivering on scalp.

Cold skin.

**Burning heat, with
restlessness.**

Related

**Carb-v. Castor. Ign. Nux-m.
Val.**

Murex purpurea

MUREX

Region

FEMALE SEXUAL ORGANS.

Worse

Touch.

In Sun.

Sitting.

Abortion.

Better

Before Menses.

Eating.

Description

Sensitive.

Very tired and weak.

Symptoms

Fearful and anxious.

Cold nose.

Violent hunger, even after eating.

Sinking at stomach.

Urging in bladder.

Urine smells like valerian.

Pains in genitals; up through abdomen; into breasts;

stitches.

Painfully sore uterus.

**Bearing down pains; must
cross limbs.**

Nervous, frantic desire.

Nymphomania.

Copious menses.

**Leucorrhoea; thick; yellow,
bloody; alternating with mental
symptoms.**

**Lumbar pain impels walking,
which agg..**

Hives.

Muriaticum acidum

MURIATIC ACID.

Region

BLOOD.

MUSCLES.

HEART.

ANUS.

MUCOUS MEMBRANES

Digestive Tract.

MOUTH.

TONGUE.

Brain.

Worse

Touch.

Wet Weather.

Walking.

Cold Drinks; Bathing.

Sitting.

Human Voice.

Better

Motion.

Warmth.

Lying on

L.

Side.

Description

**Sore, RESTLESS AND
ERETHISTIC, but soon grows
weak and very debilitated;
wants to lie down; slides down
in bed, eyes fall shut; lower jaw
drops, etc.**

Muscle exhaustion.

**Bluish parts; tongue, piles,
ulcers, etc.**

Tearing in limbs.

BURNINGS.

**Dry, bleeding, cracked or
deeply ulcerated parts.**

Thin, acrid, foul discharges.

Decomposition.

Violent haemorrhage.

Bloody mucous membranes.

Typhoid or scorbutic states.

Symptoms

Introverted.

Sad and taciturn.

Irritable.

Muttering.

Persistent, loud moaning.

Vertigo if lies on r. side.
Brain feels bruised.
Periodical pain over l. eye.
Occipital pains; leaden heaviness.
Cutting from mastoid to nape, agg. touch.
Deafness.
Nosebleed.
Dark or glowing red face; with cold hands, but no thirst.
Lips, sore, cracked and scabby.
Dry, mouth and throat.
Tongue heavy, stiff, shrunken or burnt looking (Ars.).
Aphthae.
Teeth, agg. acids or sweets.

Sordes.

Averse to meat.

Ascites.

Profuse, involuntary stool or prolapsing bowel, on urinating, or passing flatus.

Very sore piles, amel. heat.

Atony of bladder; must press until rectum comes down.

Can't urinate without also stooling.

Red, swelled, burning fingers and toes.

Weak thighs.

Scurfy eruption on dorsae of hands.

Ulcers throb on walking.

Pulsations in single parts.

Sparse scarlatina, mixed with petechiae.

Large, full and soft pulse.

Pulse drops every third beat.

Cold in bed, in early morning.

Intense, burning heat, with aversion to covers..

Adynamic fevers; typhoid, septic, etc.

Related

Bap. Bry.

Mygale lasiodora

MYGALE

Region

Nerves.

Description

Chorea of upper parts.

Symptoms

Twitching facial muscles and head (Cic.).

Myrica cerifera

Region

Liver.

Heart.

Better

Open Air.

Description

Discouraged.

Dull headache, in the early

morning.

Yellow sclera.

Very red eyelids.

Combined liver and heart symptoms.

Liver affections, with dull pain; with pain under either scapula; with urticaria; with jaundice.

Jaundice of infants.

Fullness and burning in gall-bladder.

Foul, adhesive mucus in mouth, throat, or stool.

Slow pulse.

Complementary

Dig. Kali-bi.

Comp

Chel.

Naja tripudians

NAJA

Region

Cerebellum.

Medulla.

NERVES

HEART

Mitral Valve).

Respiration.

Throat.

Left Side

Ovary.

Temple.

Arm.

Worse

Lying on Left Side.

After

Sleep.

Menses.

Air

Cold.

Drafts.

Pressure of Clothes.

Alcohol.

Better

Riding in Open Air.

Sneezing.

Smoking.

Description

**Nervous, excited and
tremulous; with cardiac effects;**

often reflex.

Collapse.

Sepsis.

Many pains.

Parts seem drawn together.

**Constrictions, throat, chest,
etc.**

Insensible r. side.

Symptoms

Suicidal brooding.

Shootings in head.

**As of a blow on occiput and
neck.**

Vertex sensitive to cold.

As of a lump in throat.

**PAIN FROM L. OVARY TO
HEART.**

Suffocative choking; grasps the throat.

Puffing breathing.

Cardiac asthma or cough.

HEART; weakness at; violent pain; shooting to l. scapula, shoulder or neck; cramp ascends into neck; holds hand over it; excited, tremendous action; palpitation, visible; hypertrophy; endocarditis, septic.

Dry or empty in l. lung.

Ribs feel broken.

Cramps in shoulder, nape or thigh.

Numb l. arm.

Terrifying racking in marrow of thigh.

Puffy or sweating hands and feet.

Itching cicatrices.

Pulse changes force.

Internal heat, agg. chest.

Sweat on lumbar back and ankles.

Related

Cimi. Lach. Laur. Spig.

Natrium carbonicum

NATRUM CARB.

Region

DIGESTION.

Nerves.

Skin.

Hands (Dorsae).

Heels.

Worse

HEAT

Sun.

Weather.

(Head).

Sultry Air.

Gas-light.

Periodically;

Winter (Body),

5. A.M.

Music.

Mental Exertion.

Onanism.

Dietetic Errors.

Milk.

Drafts.

Thunder-storms.

Better

Motion.

Rubbing.

Eating.

Sweating.

Description

Irritable weakness

**Puffy, relaxed, easily
exhausted.**

Easy dislocation.

**Oversensitive; to open air,
music, noise, dietetic errors,
etc.**

Pains cause tremor, cold

sweat, anxiety, etc.

Symptoms

Cross and irritable.

Gloomy.

**Lively, yet fearful; agg.
thunderstorms.**

Averse to company.

Vertigo, from wine.

Hot weather headache.

**Head bent backward; pains out
through eyes.**

**Dazzling flashes or stars before
vision.**

Swelled or peeling nose.

**Coryza, agg. least draft; agg.
alternate days.**

Violent sneezing.

Post-nasal discharge.
Pale, wilted face.
Mouth open.
Must drink to swallow solids.
Acidity, flatulence and
rheumatism.
Weak digestion.
Averse to milk.
Greedy, always nibbling.
gastric pain, amel. eating.
Abdomen pouts here and
there.
Diarrhoea, from starches.
Stools like orange pulp.
Pollutions.
Cough; loose; hollow; 9-11
A.M. ; agg. entering warm

room.

Purulent, salty sputum.

Cough from continuous tickle in throat, agg. going from a cold into a warm room.

Boring at tip of l. scapula.

Painful popliteae.

Heavy legs.

Weak ankles.

Cramps from ankles into toes.

Sleepy after meals.

Blisters on small joints; tips of toes or fingers.

Milky, watery or dry, rough skin; pustular eruptions.

Cold between scapulae.

Burning wrists and ankles.

Sweats easily.

Complementary

Sep.

Related

Lyc. Nat-m.

Natrium muriaticum

NATRUM MUR.

Region

NUTRITION

Digestive Tract.

BRAIN.

BLOOD.

MUSCLES.

MIND.

HEART.

GLANDS

MUCUS.

Spleen.

Liver.

Skin.

Worse

PERIODICALLY

9-11 A.M.

With the Sun.

After Menses.

Alternate Days (Ars. Chin.).

HEAT

Sun.

Summer.

Dampness.

Exertion;

Eyes, Mental.

Violent Emotions.

Sympathy.

Puberty.

Quinine.

Old Malaria.

Silver Salts.

Better

Open Air.

Cool Bathing.

Sweating.

Rest.

Before Breakfast.

Deep Breathing.

Description

**Thin, thirsty, hopeless and
poorly nourished.**

Emaciation; descending; agg.

neck or abdomen.

Anaemia.

DRYNESS; skin, mouth, throat, rectum, vagina, etc.

Numbness; of one side; parts lain on; fingers.

Tremulous.

Easy exhaustion.

Parts seem short, hamstrings, nape, etc.

Not very sensitive to pain.

Takes cold.

Nervous erethism.

Thick white or clear acrid discharges.

Exact periodicity.

Malarial cachexia.

Symptoms

Hateful; detests consolation or a fuss.

Inconsolable.

Easily angered; agg. if consoled.

Sad, reserved; company distresses.

Hypochondria.

Weeps bitterly.

Boisterous grief.

Scattered thoughts, or an idea clings, prevents sleep, inspires revenge, etc.

Anxiety.

Apprehension.

Fears or dreams of robbers.

Vertigo; as if falling, on closing eyes.

Nodding motions.

HEADACHES; hammering; heavy; bursting; maddening; over eyes; on vertex, on awaking; with partial numbness or disturbed vision; agg. reading; agg. motion, even of eyes; amel. pressure on eyes.

Migraine.

Falling hair.

Eyes feel drawn together.

Lachrymation on affected side (Spi.); on sneezing, coughing, etc.

Ptosis, on lying down.

**Vision blurred, wavering.
Letters run together.
Hemiopia, then headache.
Can't read by artificial light.
Nose stopped, high up;
sneezing early in M.A. ;
alternate fluent and dry coryza;
gushes of fluid; little ulcers in.
Face; pale, muddy or greasy.
HERPES ABOUT LIPS; or at
edge of hair; pearly.
Throbbing in lower jaw, agg.
biting, agg. heat and cold.
Exophthalmic goitre.
Hawks much mucus; bitter.
TONGUE MAPPED; beaded or
striped along edge.**

Blunted taste and smell.

Uvula hangs to one side.

**Throat; a spot is dry, sore,
tickles, causes cough, etc.;
glistens.**

Thirst; drinks large quantities.

**Hunger great, yet emaciates;
without appetite.**

CRAVES SALT.

Averse to bread.

**Burning eructations; after
eating.**

Waterbrash.

Epigastric pulsation.

**Anxiety in stomach, rises to
head.**

Tense abdomen; agg. groins.

**Dry, hard, crumbling stool,
tears anus or causes burning;
coated with glassy mucus; on
alternate days.**

Chronic diarrhoea.

Constricted rectum.

Herpes ani.

Red urinary sediment.

**Coition; painful; averse to;
then backache, weak legs,
depression, etc.**

Suppressed gonorrhoea.

**Debilitating leucorrhoea,
replaces menses.**

**Cough; from tickling in
epigastrium; with asthma or
palpitation; agg. winter.**

Respiratory catarrhs, after suppressed sweats.

Heart; palpitation, shaking body or alternates with beating in head; fluttering; weak; sore; agg. emotions, lying on (l) side, or motion.

Sore neck muscles.

Bruised backache, early in A.M. ; agg. coughing, amel. lying on back, or pressure.

Cracked finger-tips.

Catch in knees.

Hamstrings seem short or drawing in.

Sobs during sleep.

Awakes feeling weak.

**Skin, oily; dry, harsh, dirty,
unhealthy or yellow; chaps or
herpetic eruptions, agg.
flexures or about knuckles.**

**Coldness of many parts; hands,
feet; heart.**

Morning chill, with thirst.

Chilly, but agg. in sun.

**Sweat, cold, scanty; at edge of
hair; on nose, on face, while
eating (Cham.).**

Complementary

Ign. Sep.

Related

Pul.

Natrium phosphoricum

NATRUM PHOS.

Region

Occiput.

Mucous Glands.

Duodenum.

Bile-Ducts.

Mesentery.

Genitals.

Worse

Sugar.

Children.

Milk.

Mental Exertion.

Thunder-storms.

Gas-light.

Better

Cold.

Description

**SOURNESS, eructations,
vomitus, stomach, stools,
leucorrhoea, expectoration,
sweats, etc.**

Acidity.

**Deep yellow discharges; matter
from eyes, etc.**

Debility.

Overied children, with acidity.

Symptoms

Mental weakness.

Fear, agg. night.

**Itching; nose; about mouth
and anus.**

Child picks nose.

Worms.

One ear red and hot.

Pale face or red on alternate sides.

YELLOW CREAMY COAT ON BASE OF TONGUE; on tonsils.

As of a hair on tongue or a lump in throat.

Cheesy vomitus.

Noisy flatulence.

Gastro-duodenal catarrh.

Fullness in abdomen, agg. standing or agg. eating a little.

Hacked stool.

Eruptions about joints, agg. ankles; itching.

**Alternate joint and heart
pains.**

Rheumatism.

Related

Cina. Kali-s. Kre.

Natrium sulphuricum

NATRUM SULPH.

Region

OCCIPUT.

Glands

LIVER.

Bile.

Pancreas.

Intestinal.

Descending Colon.

Chest

Left (Lower).

Lower.

Left Side.

Worse

DAMP

Weather.

Night Air.

Cellars.

Lying on Left Side.

Injuries; Head.

Lifting.

Touch.

Pressure.

Late Evening.

Wind.

Light.

Better

Open Air.

Change of Position.

Description

Sudden violent effects; in ailing patients.

Piercing pains, at (l) short ribs; in (l) hip, agg. rising or sitting down; in heels.

Yellow, watery secretions, stool, skin, vesicles, etc.

Thick, yellow-green pus.

Fullness.

Sour, bilious and lithaemic.

Rheumatic-hydrogenoid constitution.

Sycosis.

Symptoms

Sensitive and suspicious.

**Sadness, agg. music or
subdued light.**

Melancholia.

Dire (suicidal) impulses.

Vertigo; amel. head sweat.

**Crushing or gnawing in
occiput.**

Meningitis.

PHOTO PHOBIA.

Nose runs water at night.

Epistaxis, during menses.

**Thick, tenacious, white slime
in mouth.**

**Dirty brown or greenish-
yellow, thick, pasty tongue,**

agg. at base; tip feels burnt.

Bitter taste.

Thirst at start of fever only.

Slow digestion.

Concomitants to nausea.

Green, bilious vomit.

Sore, heavy liver; agg. lying on left side.

As of a lump below liver.

Crawling in gall-bladder.

Colic, amel. rubbing abdomen.

Cramp at umbilicus.

FLATULENCE; painful; pushes here and there, agg. left abdomen.

RUMBLING, GURGLING IN BOWELS, THEN SUDDEN

**GUSHING, NOISY,
SPLUTTERING STOOL; after
rising in A.M. , or drives from
bed.**

**Foamy or yellow diarrhoea,
mixed with green slime.**

White sand in urine.

Dyspnoea.

Sycotic asthma.

**Loose, but violent cough; must
hold chest or sides.**

Run rounds.

Hang nails.

Retracted nipples.

**Sharp cutting back pains,
spreading upward like a fan.**

Throbbing in heels.

Vesicles on soles.

Chilly, can't get warm, even in bed.

Heat with aversion to uncover.

Burning below knees.

Foul axillary sweat.

Warty nodules.

Complementary

Ars. Thu.

Related

Colo. Glo. Med. Pul.

Nitricum acidum

NITRIC ACID.

Region

MARGINS OF OUTLETS

Throat.

Anus.

Mouth.

GLANDS

Liver.

Prostate.

Salivary.

Tubular Organs.

Blood.

Skin.

Bones.

Joints.

Right Side.

Worse

Slight

CAUSES

TOUCH.

JARRING.

Noise.

Rattling.

Motion.

Mercury.

Milk.

After Eating.

COLD;

Air; Dampness.

Night.

Evening.

Changing Weather.

Heat of Bed.

Mental Exertion, or Shock.

Better

Gliding Motions.

Riding.

Mild Weather.

Steady Pressure.

Description

Exhausted, shivery, sensitive and sore.

STICKINGS LIKE A SPLINTER, or ulcerative gnawing.

DISCHARGES, ACRID; thin, dirty or brown; cause redness or destroy hair.

FOUL; ozoena, foot, or night sweats, etc.

Malignancy.

Phagedena.

HAEMORRHAGE; easy; bright; of bloody water.

Red, swelled or cracked

orifices.

Hard, gristly exudates.

**Dark, smooth mucous
membranes.**

**As of a band about or a weight
hanging to part.**

Sore or stiff, during pains.

Cracking; joints.

**Yellow brunettes, of spare
habit.**

Symptoms

Hateful.

Profane.

So angry, he trembles.

**Quarrelsome delirium; talks to
spirits, in other tongues.**

Confusion.

Thoughts vanish.
Crushing head pains, agg.
pressure of hat.
Sore in skull.
Puffs on scalp.
Warm flowing over eyes.
Conjunctiva pouts in spots.
Spots on cornea.
Deafness, amel. noise.
Nose; red, scurfy tip; dark
lumpy epistaxis; dripping,
diphtheria of; cutting pains;
caries of bones.
Coryza, with shortness of
breath.
Yellow, sickly face.
Peeling lips; raw, cracked or

scabby in angles.

Loose teeth.

Gums flabby; sore; bleeding inner.

Moist, fissured or mapped tongue (Flu-ac. Psor.).

Salivation.

Sore palate.

As of a stick in throat.

Craves fats.

Stools tear anus, even if soft; then prolonged pain.

Painful piles.

Itching, eczematous anus, or oozes moisture.

URINE, strong as horse's; cold; alternately profuse and scanty.

**Cramp from kidney to bladder.
As of a hot wire in urethra.
Infective nephritis.
Itching, burning fore-skin.
Phagedenic chancre.
OEdematous prepuce.
Bloody water from vagina.
Weak, irregular menses.
Shattering cough; from a spot
in larynx; with lumbar stitch,
amel. cold.
Expectoration smeary, pussy,
etc.
Cavernous phthisis.
Cutting in larynx.
Orgasms to chest; with
palpitation and fear.**

Swelled finger joints.

Warts; on back of hands.

Weak ankles.

Skin, dry; eroded; cracks in every angle; coppery spots, on shin bones; itches on undressing.

Crusts form and fall.

Ulcers; rapid; raw; ragged; with proud flesh or plugs of pus.

Stubborn suppuration.

Burrowing pus.

Fistulae.

Cancer.

Syphilis.

Painful, broken chilblains.

Painfully sore bones, agg.

tibiae; caries.

Pulse drops each 4th. beat.

**Jagged or soft warts (Stap.
Thu.).**

Condylomata.

Icy coldness; soles.

**SWEAT; easy, then takes cold;
exhausting (urinous), mornings;
in axillae; on feet.**

Complementary

Calc-c. Thu.

Follows

Kali-c.

Related

Ars. Kali-c. Kre. Merc.

Nux moschata

Region

SENSORIUM.

Mind.

NERVES.

FEMALE ORGANS.

Digestion.

Children and Old Women.

Worse

Cold

Bath.

Damp.

Drafts.

Wind.

Fogs.

Feet.

Pregnancy.

Change of Seasons.

EMOTIONS.

Excitement.

MENSTRUATION.

Jar.

Bruises.

Slight Causes.

Mental

Exertion

or Shock.

Better

Moist Heat.

Warm Room.

Dry Weather.

Description

Narcotic effects and dryness.

Little pain.

OVERPOWERING

DROWSINESS, with or caused by almost every condition; by day; agg. exertion; during menses; when flatulent; with dryness, yet NO THIRST; with coldness.

Fleeting pains.

Heaviness; of eyes, tongue, etc.

Dark, haemorrhages.

Scrawny women, who faint easily; agg. at stool or menses; laugh or cry by turns; have small breasts, etc.

As of hard lumps in stomach,

liver, throat, etc.

Hysteria.

Automatism.

Symptoms

Dreamy, clairvoyant state.

**Dazed; objects seem changed
or to grow larger.**

Slow ideation.

Thoughts suddenly vanish.

Uses wrong words.

Brain exhaustion.

Talks loud.

Mockery.

Laughing.

Jesting.

Vertigo.

Sense of levitation.

**Headache; in temples; amel.
hard pressure.
Cerebral congestion.
Pale face.
Retracted lips.
Teeth feel pulled.
Dry mouth and throat, without
thirst; agg. sleep.
Tongue sticks to palate.
Thick, cottony saliva.
Chalky taste.
Loathing, when eating or
thinking of food.
Weak digestion.
Enormous bloating; all food
turns to gas.
Flatulent colic.**

**As of a board across
hypogastrium.**

**Stool difficult, although soft;
putrid, bright yellow and
lienteric; agg. night.**

Inactive rectum.

Strangury from alcohol.

Thick, dark, irregular menses.

Flatus from vagina.

Leucorrhoea; replaces menses.

Deficient, irregular labor pains

Cough, amel. heat of bed.

**Hoarse; when walking against
wind.**

Palpitation, amel. walking.

**Acute pain now in spine, now
in lumbar region.**

Dry palms.

Dry, cold skin.

Sleepy attacks.

Sudden; with vertigo.

Weak, irregular pulse.

Alternate chill and heat.

Chills with sopor.

Red sweat, or sweat absent.

Complementary

Calc-c. Lyc.

Related

Cann. Croc. Gel. Mos. Op.

Rhus-t.

Nux vomica

Region

Cerebro-Spinal Axis.

NERVES.

DIGESTIVE ORGANS

STOMACH.

LIVER.

Bowels.

RESPIRATORY ORGANS.

Male Brunettes.

Worse

EARLY MORNING.

COLD

OPEN AIR

(Dry).

Drafts.

Seats.
Wind.
UNCOVERING.
HIGH LIVING
COFFEE.
Condiments.
Liquor.
Drugs.
Debauchery.
Purgatives.
Sedentary Habits.
Overeating.
Mental
Exertion.
Fatigue.
Vexation.
Disturbed Sleep.

SLIGHT CAUSES

Anger.

Noise.

Odors.

Light.

Touch.

PRESSURE;

of Clothes, agg. Waist.

Better

FREE DISCHARGES.

Naps (Kali-bi.).

Wrapping Head.

Resting.

Hot Drinks.

Milk.

Moist Air.

Description

**VIOLENT ACTION; often
irregularly fitful or inefficient.
Increased reflexes.
Irritable and hypersensitive,
mentally and physically.
Firm fibred Brunette.
Twistings.
Jerks.
Spasms; with consciousness.
Tense, contracted feeling.
Lightning-like pains.
Neuralgia; prodromal.
Sensation as of a rough body
internally.
Bruised soreness; OF
ABDOMEN, brain, etc.
INTERNAL scrapy RAWNESS;**

throat, larynx, etc.

Takes colds.

Biliousness.

Faintings after vomiting, after stool, after labor pains, etc.

Symptoms

Sensitive and critical.

Active, ANGRY AND IMPATIENT; can't stand pain; so mad, he cries.

Zealous, nervous and excitable.

Nagging.

Spiteful.

Irritable hypochondriasis.

Sullen.

Fears poverty.

Violent, ugly (suicidal)

impulses.

**Vertigo; on an empty stomach;
with blank spells.**

Sensitive scalp.

Swelled forehead.

**Lachrymation; on affected
side.**

Migraine.

Blood-shot eyes.

Sore nostrils.

**Nose stopped, but runs water;
on one side.**

**Sneezing; violent; abortive;
from intense crawling in (l)
nostril.**

**Coryza; fluent by day and in
open air, dry at night.**

Epistaxis on coughing.

Acute smell.

**Red, turgid or yellowish face,
agg. about nose and mouth.**

Left angle of mouth droops.

Jaws snap shut; stiff.

Teeth chatter.

Fetor oris.

**TASTE, bitter -sour; bad in
A.M.**

**Itching palate; Eustachian
tube.**

**Rough, scratchy throat; putrid
taste in, on coughing.**

**Craves piquant foods or
stimulants.**

HICCOUGH.

Violent retching, agg. hawking.

Eructations; sour.

Heart-burn.

Water-brash.

Nausea; amel. if he can only vomit.

VIOLENT VOMITING; bilious-sour.

Food lies like a heavy knot in stomach.

Gastric pains, into back; chest; amel. vomiting, etc.

As of a band about waist; clothes oppress it.

Indigestion.

Liver sore; sticking; enlarged.

Gall-stone colic.

Bowels gripe here and there.
SORE BOWELS, AGG.
COUGHING OR STEPPING.
Hernia; infantile.
Flatulent colic.
UNEASY, fitful and FRUITLESS
URGING FOR BOWELS TO ACT,
AMEL. STOOL.
Strains hard at stool.
Inactive peristalsis.
In rectum; retained flatus; as if
more stool remained; spasm of.
Obstipation.
PILES; itching; amel. cool
bathing.
Sexual erethism.
Onanism.

Premature ejaculation.

Menses profuse, early and prolonged or intermittent; of dark, lumpy blood.

Dysmenorrhoeal cramps; spread over whole body.

Cough violent, throwing the patient down; paroxysmal; whooping.

Painfully stiff neck; pains down (r) shoulder.

Lumbar ache, as if breaking; must raise up to turn over.

Acute lumbago.

Crawling along spine.

Shooting from toes to thighs, agg. after stool.

Tense cramps in calves and soles.

Feet feel clubby and raw.

Goose-skin.

Jaundice.

Yawning.

Sleepy in evening or sleepless from rush of ideas.

Awakes too early; can't sleep again.

Finally sleeps, but on waking feels miserable.

Night-mare.

Chill with thirst and heat without thirst.

EASILY CHILLED; CAN'T UNCOVER, agg. motion; agg.

drinking even during the heat.

Sour sweat.

Complementary

Kali-c. Pho. Sul.

Related

Ign. Lyc.

Ocimum canum

Region

Ureters

(R).

Worse

Scanty Urine.

Description

Sore pains in ureters.

Renal colic with haematuria

and violent vomiting.

Red sand in the urine.

Swelled inguinal and mammary glands.

Related

Canth. Lyc. Urt-ur.

Oenanthe crocata

Region

CEREBRO-SPINAL AXIS.

Heart.

Worse

Injury.

**Menstrual and Sexual
Disturbances.**

Description

Mania.

Swelled, twitching face.

Rosy red blotches on face and chest.

Burning heat, agg. head and throat.

Epilepsy; with priapism.

Status epilepticus (Abs. Aco.).

As of a bug creeping under skin about waist; agg. touch of clothes.

Related

Bell. Cic.

Oleander

Region

Digestive Tract.

Skin.

Scalp.

Nerves

Cerebro-Spinal.

Motor.

Worse

After Suckling.

Rubbing.

Undressing.

Better

Looking Sidewise.

Description

Numbing, paretic effects; on

limbs and skin.

Sopor.

Tremulous weakness.

Sense of vibration.

Emptiness in stomach and chest; after eating; amel. brandy.

Symptoms

Sadness with lack of confidence and power.

Distraction.

Slow comprehension.

Vertigo.

Numb tongue.

Thin, lienteric stool escapes with the flatus; passes food eaten the day before.

Crampy contraction of upper limbs.

Sensitive skin; chafes and oozes or bleeds.

Eruptions with itching biting, as of lice.

Moist milk crust, agg. occiput.

Heat from mental exertion.

Paresis after infantile paralysis.

General crampings.

Numb-skin.

Related

Anac. Chin.

Oleum animale aethereum

OLEUM ANIMALE

Region

NERVES.

Pneumo-gastric.

Digestive Organs.

**Here and There; in Single
Spots or Parts.**

Excretions.

Worse

Cold.

Eating.

Suppressions.

Better

Rubbing.

Pressure.

Open Air.

Description

Soreness.

**Weak, tremulous; hands,
knees, feet, etc.**

Pain in spots.

Neurasthenia.

Nervous irritability.

Shuffling gait.

**Urinous, eructations,
leucorrhoea, etc.**

**Icy coldness; from tips of
teeth, in throat, stomach, etc.**

Symptoms

Sad.

Introverted.

Vanishing thoughts.
Speaks in whispers.
Faintness or vertigo; of gastric origin; amel. bending head back.
Sees glistening bodies.
A skin seems to overhang the eye.
Lachrymation, on eating.
White of egg seems dried on lips.
Malar bones feel pulled up.
Twitching lips.
Mouth feels greasy.
Snowy saliva.
Toothache, amel. biting.
Hawks out brown, gluey lumps.

Acrid vapor or raw streak in throat, agg. cough.

Water-brash, amel. chewing tobacco.

Pulsation or as of water in stomach.

Meteorism.

PROFUSE, pale urine; fish-brine odor; agg. hysteria, migraine, etc.

Frequent scanty urine, then headache.

Seminal losses; on straining at stool.

Testes, swell alternately; feel pulled up.

Anxious palpitation.

**Sore mammae, before menses.
Outward dartings in nipples.
Aching (r), scapula, amel.
pressure.**

Raw flexures.

Flesh feels torn from bones.

Slow pulse.

Alternate chill and heat.

**Cold, foul foot-sweat; fishy on
heels.**

Related

Sul. Tell.

Oleum jecoris aselli

OLEUM JECORIS

Region

Chest.

Liver.

Tendons.

Worse

Milk.

Cold Damp.

Description

Rigid tendons.

Faulty nutrition.

Atrophic infants.

Intolerance of milk.

Symptoms

**Yellow tongue, leucorrhoea,
sputum, skin, etc.**

Hoarseness.

Cough, with palpitation.

Early phthisis.

Soreness or stitches in chest.

Burning spots.

Milk crust.

Ringworm.

Always taking cold.

Chilly up back.

Heat in palms, toward evening.

Hectic.

Related

Pho.

Onosmodium

virginianum

ONOSMODIUM

Region

MUSCLES AND

Nerves

Eyes.

Occiput.

FEMALE PELVIC ORGANS.

Spine.

Worse

Sprains

EYE STRAIN.

Sexual Excesses.

Darkness.

Tight Clothes.

Warm.

Humid Air.

Better

Rest.

Sleep.

Eating.

Description

Aching, sore and stiff; after the pain.

Inco-ordination.

Symptoms

Irresolute.

Confused.

Forgetful.

Slow thinking.

Aphasia.

Nervous exhaustion.

Vertigo; with the headache; agg. lying on (l), side.

Headache; occipital; screwed in, as if; agg. eye strain and lying on back.

Pains up and down from (l),

**occiput to shoulder, agg.
exertion.**

Migraine.

**Dull, heavy uppressing in
occiput.**

Aching, heavy, tired, stiff eyes.

**Eye, combined with ovarian
symptoms.**

Misjudges distances.

Mushy, yellow stool.

Aromatic urine.

Sexual desire gone.

Sexual neurasthenia.

**Pains alternate between
ovaries.**

sore ovaries and rectum.

Acrid leucorrhoea.

Sticky, white expectoration.
Swelled, tender mammae.
Itching nipples.
Tired, numb legs and
popliteae.
Seems to tread on cotton.
Staggering.

Related

Cimi. Hyper. Lil-t. Rhus-t.

Opium

Region

MIND.

SENSES.

NERVES

Brain.

Cerebro-Spinal.
Sympathetic.
Lungs.
Respiration.
Digestive Tract.
Worse
EMOTIONS.
FEAR.
Fright.
Joy.
Odors
ALCOHOL.
Sleep.
Suppressed Discharges.
Receding Eruptions.
If Heated.
Better

Cold.

Uncovering.

Description

Negative, torpid states; but little pain, secretion or reaction.

Paralysis; painless; of brain, tongue, bowels, lungs, etc.

Tremor.

Twitchings; during sleep.

Convulsions.

Epilepsy, in sleep.

Internal dryness.

Hot, head; sweat; bed seems, hunts a cold place, etc.

Stupid sleep, spasms, violent chills, etc., during.

Symptoms

PLACID; says nothing ails him.

Dreamy.

Sluggish.

Dull.

Stupid.

No will power.

Lying.

Fears; after fright.

**Delirium; with terror;
alcoholic.**

Wants to go home.

Carphology.

**Cerebral congestion;
intercurrent; apoplectic.**

Heavy occiput.

Visual hallucinations.

Inactive pupils.

Red, bulging, staring eyes.

Dark, turgid, sweaty or hot red face or red and pale alternately.

Old look; after cholera infantum.

Mouth twitches or hangs open.

Cravings, without appetite.

Vomiting; in peritonitis.

As of a weight in abdomen.

Bowels feel obstructed.

Paralytic atony of bowels and bladder; after laparotomy.

Hard tympany.

Colic; lead.

Stools of hard, black balls.

Constipation.

**Bloody mucus oozes from open
anus.**

Retained urine.

Lively foetal motions.

Rattling, unequal breathing.

Sighing.

Snoring.

Stertor.

Tickling cough.

Pneumonia.

Weak heart.

Crawlings here and there.

General itching.

Skin rough and dirty.

Painless ulcers.

Tired and sleepless; drunkards.

SOMNOLENCY.

Heavy, stupid sleep; of the aged.

Full, slow pulse (Dig.).

Hot, sweaty (Samb.) and drowsy; with cold limbs.

Sweaty, without relief.

Complementary

Alu. Bar-c. Bry. Pho. Plb.

Related

Arn. Nux-m.

Osmium metallicum

OSMIUM

Region

Respiratory Tract.

Trachea.

Worse

Coughing.

Talking.

Description

Foul secretions.

Pains go up and down.

Crawlings.

Symptoms

Greenish, rainbow colors about light.

Snuffling.

Fluent coryza, with a sense of stoppage.

Stomach feels full of broken stones or lumps.

Spasmodic cough; with torn loose feeling and tenacious

sputum.

Sensitive air passages.

Foul axillary sweat.

Related

Ars. Iod. Pho.

Oxalicum acidum

OXALIC ACID.

Region

Digestive Tract.

Navel.

Nerves

Cord.

Heart.

Left Side; Lung.

Worse

Thinking of It.

Cold.

Touch.

Shaving.

Mental Exertion.

Better

After Stool.

Description

Weak, cold, livid and numb all over; agg. lower limbs.

Violent pains; in streaks, like lightning, in spots, burning, etc.

Neuralgia.

Symptoms

Nervous and sleepless.

Swimming vertigo.

Band-like sensation about head.

Numb prickling in occiput and back.

Sour taste.

Gnawing emptiness.

Colicky urging about navel or involuntary, muddy-brown stools, agg. lying.

Oxaluria.

Testes throb or feel crushed.

Low voice.

Paroxysmal, jerking breathing.

Nightly dyspnoea.

Pain from lower (l), chest to epigastrium.

Palpitation, agg. lying.

Fixed chest.

Angina pectoris.

**Back feels too weak to hold
body.**

Cold creeps up spine.

**Weak trembling hands and
feet.**

Related

Ars. Pic-ac.

Paeonia officinalis

PAEONIA

Region

Anus.

Veins.

Skin.

Worse

STOOL.

Touch.

Night.

Motion.

Description

Sensitiveness.

Shooting or splinter-like pains.

Symptoms

Moisture (foul) at anus.

**Excessive pains at anus,
continue long after stool; must
rise and walk about.**

Fissure or fistula ani.

Anus covered with crusts.

**Large, inflamed, ulcerated
piles.**

Bunions.

Swelled veins.

Terrifying night-mare.

Related

Rat.

Palladium metallicum

PALLADIUM

Region

Uterus.

Right Ovary.

Mind.

Worse

Emotions

Lively.

Chagrin.

Social Functions.

Standing.

Better

Touch.

Pressure.

Diversion.

Rubbing.

Description

Fleeting pains.

Symptoms

Loves praise.

Easily offended.

**Headache from ear to ear,
across vertex.**

**Glairy mucus from throat, or
leucorrhoea.**

Shooting from navel into

breasts or pelvis.

Hollowness in flanks.

Bearing down, amel. rubbing.

**Cutting in uterus and bladder,
amel. stool.**

Menses flow when nursing.

**Glairy leucorrhoea, before and
after menses.**

Leaden heaviness in pelvis.

Related

Asaf. Plat.

Pareira brava

Region

Genito-Urinary Organs.

Left Side.

Better

On Hands and Knees.

Description

Must get on hands and knees to urinate; pains go into glans and thighs.

Bursting feeling in bladder or glans.

Dysuria.

Urine contains thick, stringy, white mucus or red sand.

Renal colic.

Enlarged prostate.

Related

Berb. Med.

Paris quadrifolia

PARIS QUOD.

Region

Head.

Spine.

Eyes.

One Side.

Worse

Thinking.

Eyestrain.

Touch.

Better

Pressure.

Description

Heaviness.

Numbness (1).

Joints feel broken.

Parts feel too big or drawn together.

Garrulous loquacity.

Weight in nape.

Eye-balls seem pulled back (Pul.) or feel too large.

Face seems drawn into root of nose.

Imaginary bad smells.

Hawks up tough, green mucus.

As of a ball in throat.

Periodical painless hoarseness.

Painful skin; objects feel rough.

Unilateral coldness or heat.

Related

Bell. Nux-v.

Petroleum

Region

OCCIPUT.

SKIN

Folds.

Scalp.

Face.

Genitals.

Mucous Membranes.

Stomach.

Bowels.

Worse

MOTION

CARS.

CARRIAGE.

BOAT.

Weather

Cold; Winter.

Changing.

Thunder-storms.

Eating.

Vexation.

Cabbage.

Better

Warm Air.

Description

Weak and tremulous; feels sick internally.

Internal itching.

Emaciation, agg. chest.

Dreads open air.

Symptoms

Excitable and quick temper.
Death seems near.
Irresolute.
Sense of duality; loses himself.
Worries but don't know why.
VERTIGO; in occiput.
Occiput; aching; heavy.
Inflamed tarsi.
Deafness.
Moist spots behind ears.
Dryness in ears, nose, throat,
etc.
Foul mucus in throat.
Hunger, causing nausea; after
stool.
Aversion to meat.
Gastric symptoms, amel.

eating.

Nausea; sea and train sickness.

Abdomen inflated; coldness in.

**Diarrhoea by day only (Phyt.);
agg. cabbage; then miserable
emptiness.**

Involuntary urine on rising.

**Cough at night only or agg.
then; shatters the head, amel.
pressing temples.**

Cold air oppresses chest.

Coldness at heart.

Stiff or cracking joints.

Limbs go to sleep.

**Ragged, chapped hands and
fingers; bleeding; in house-
maids.**

**SKIN; fragile; cracks deeply,
agg. in angles, nipples, finger-
tips or palms.**

Psoriasis palmaris.

**DIRTY, HARD, ROUGH,
THICKENED SKIN; like
parchment; it gets raw, festers
or won't heal, agg. in folds.**

Brown spots.

**Eruptions having thick, hard,
moist or yellow-green crusts;
on occiput or genitals, agg.
cold.**

Eczema.

Herpes.

Vesicles.

Itching; orifices; with burning.

Cold spots.

Chilly, with dry mouth.

Hot palms and soles.

**Sweat in spots; foul on feet or
in axillae.**

Complementary

Sep.

Related

Grap. Sep.

Phellandrium aquaticum

PHELLANDRIUM

Region

Mucous Membranes.

Right Side

Chest.

Mammae.

Nerves

Worse

Air; Cold. Open.

Using Eyes.

Better

While Nursing.

Description

Catarrhal symptoms.

Phthisis.

Symptoms

**Clang, like striking on metal,
in brain.**

Everything tastes sweet.

**Expectoration; terribly foul;
loose; profuse; smeary; causing
dyspnoea.**

Pain in milk-ducts, into abdomen; on nursing.

Pain from (l), border of (r), mamma, to between shoulders.

Pains going backward through (r), chest.

Sleepy.

Related

Asaf.

Phosphoricum acidum

PHOSPHORIC ACID.

Region

MIND.

Nerves.

Metabolism.

Sexual System.

Spine

Sensory Nerves.

Muscles.

Bones.

Worse

DEBILITY

From

LOSS OF FLUIDS.

Sexual Excesses.

Fatigue.

Fevers.

Convalescence.

EMOTIONS

(Chronic)

Grief.

Chagrin.

Mental Shock.

Unhappy Love.

Homesickness.

Drafts.

Cold.

Music.

Talking.

Better

Warmth.

Short Sleep.

Stooling.

Description

**WEAK OR DEBILITATED, with
free secretions.**

Slowness.

Pains go to part lain on.

Bruised soreness; like growing

pains.

Sense of pressure.

**Formication; at roots of hair;
along spine, limbs, etc.**

Loose joints.

Grows too fast.

Symptoms

Quiet.

**Indifferent, APATHETIC,
obtuse or torpid; with tendency
to diarrhoea or sweatiness.**

Slow grasp.

**Can't collect his ideas; hunts
for words.**

Poor memory.

Dull despair.

Averse to talking.

Brain-fag.

Mild delirium; easily aroused.

Crushing weight on vertex.

Early grayness.

Falling hair.

Dull, sunken eyes with blue circles; they feel pressed out.

Eye-balls feel large.

Pale, sickly face; white of egg seems dried on it.

Bleeding gums.

Slimy tongue.

Craves juices.

Sour stomach.

**PROFUSE, PAINLESS, DIRTY
WHITE, WATERY or LIENTERIC
STOOL; BUT LITTLE DEBILITY.**

THICK, MILKY URINE.

Polyuria.

Diabetes.

**Weak, relaxed genitals;
suddenly during coitus.**

Pollutions.

**Takes colds; agg. draft on
chest.**

Shaking cough.

Twisting under xiphoid.

**Paralytic weakness along
spine.**

Heavy fore-arms.

Scraping bone-pains, at night.

Clammy wrinkled skin.

**SLEEPY BY DAY; but wakeful
at night.**

**Cold parts; one side of face,
abdomen, etc.**

**Burning along spine; below
waist; kidney region.**

Heat with sweat.

**Profuse sweats; agg. night; as a
sequel.**

Sluggish, painless fevers.

Complementary

Chin.

Related

Gel.

Phosphorus

Region

CAVITIES

Head.

LUNGS.

Heart.

CIRCULATION

Blood.

BLOOD-VESSELS.

Arteries.

MUCOUS MEMBRANES

STOMACH.

BOWELS.

Lungs (Lower).

NERVES

Brain.

Cord.

Bones

Jaw; Upper.

Shin.

Spine.

Liver.

Worse

LYING ON

LEFT

or Painful

Side.

BACK.

SLIGHT CAUSES

EMOTIONS.

Talking.

Touch.

Odors.

Light.
COLD
HANDS
(in Water)
Open Air.
WARM INGESTA.
Salt.
Puberty.
Sexual Excesses.
Weather
Sudden Changes.
Windy.
Cold.
Thunder-storms.
Morning and Evening.
Mental Fatigue.
Better

Eating.

Sleep.

Cold

Food.

Water; to Face.

Rubbing (Magnetic).

Sitting Up.

Description

Active metabolism.

Rapid growth.

Insidious onset, gradually increasing debility, ending in severe or rapid disease (Tarn.).

Recurring effects, colds, croup, bleedings, etc.

HAEMORRHAGE; vicarious; blood-streaked discharges of

ulcers, etc.

Decomposition.

Polypi.

Symptoms due to heart and lung affections.

Tall, gracile, nervous and delicate.

Phthisical habit.

Acidosis.

Weak spells; in joints; agg. exertion.

Emptiness; in chest, stomach, etc.

Acute senses.

Erethistic exhaustion.

TIGHTNESS; chest (1), cough, etc.

**Spots; pains or soreness in.
Internal paralysis; throat,
rectum, etc.**

Internal itching, tickling.

Throbbings, here and there.

Numbness.

Jerkings, localised; subsultus.

Joints stiff, with little pain.

Human barometer.

Symptoms

**Amative, but excitable and
easily irritated.**

**Anxious; fears being alone,
twilight, ghosts, thunder-
storms, etc.**

**Quickly prostrated by
unpleasant impressions.**

Timid and irresolute.

VERTIGO; accompanies many symptoms; floating; on waking; whirling; amel. stool.

Head, heavy, aches over one eye; with hunger; agg. children; agg. lying on r. side; amel. cold.

Burning in temple.

Cold occiput.

Vertex throbs.

Dandruff.

Bald spots.

Lachrymation, in wind.

Vision; flashes; halos; red; green; black; amel. shade; narrow field of; colored, then migraine.

Choroiditis.

Retinitis albuminurica.

Glaucoma.

Ears; echoes or reverberations in; deaf to human voice.

Otitis; media.

Mastoiditis.

Nose; nervous motion of alae; coryza, flows and stops; on alternate sides; swelled; caries; ulcer, etc.

Epistaxis; of youths; then pneumonia; with cough, etc.

Sneezing; agg. odors, smoke, etc.; with dyspnoea.

Descending nose colds.

Sensitive smell.

**Pale about nose and mouth.
Changing; sickly face; hollow
eyes, with blue rings.**

Numb teeth.

**Gum sore behind central
incisors.**

Palate itches.

Abscess of hard palate.

Sour taste and eructations.

**As of cotton or something
hanging in throat.**

**CRAVES COLD DRINKS WHICH
amel., but are VOMITED IN A
LITTLE WHILE; after
Chloroform.**

Regurgitates ingesta.

Waterbrash.

**Ravenous hunger; nightly;
precedes attacks.**

**Craves salt; what is refused
when offered.**

**Burning in gullet and stomach,
agg. eating.**

Pressure above epigastrium.

**Stomach; EMPTY, HOLLOW
FEELING IN; as if hanging
down; agg. emotions; tremor,
flutter or rolling over in.**

Sore spot in epigastrium.

Rubs abdomen for amel..

**Stool, like cooked sago;
granular; slender; tough;
diarrhoeic, gray, bluish, watery,
pouring out, painless, nervous,**

involuntary, exhausting.

Anus open; prolapsed.

Dysentery.

Urinate, then weak.

Pellicle on urine.

Periodical albuminuria.

**Sexually erethistic, but
impotent.**

**Prolonged menses; replaced by
smarting leucorrhoea.**

**Oppressed for breath; agg.
least motion.**

**Tight, suffocating breathing,
agg. cough.**

**Larynx, raw, sore, furry; pains
on speaking.**

Voice, low, hoarse, agg.

**evening; croupy, then
bronchitis.**

**Cough; hard, wheezing; dry;
violent; painful; tickling;
hacking; exhausting; with
retching, burning in air-
passages or trembling; agg.
change of temperature, before
strangers, laughing, exertion or
singing.**

**Expectoration; easy, bluish,
rusty, salty, foamy or cold.**

**Pneumonia; l. lower lung;
secondary, with sopor.**

**Chest full, heavy; stitches (l.
upper); pains into throat or r.
arm or alternating sides;**

rattling, agg. cold drinks.

Dry, burnt feeling in chest with cough, at first dry then loose.

Heart, pains into r. arm; violent palpitation from least thing; during goitre, etc.; weak; fatty; orgasms to.

Left infra-mammary pain.

Mammary abscess.

Between scapulae; cramp; burning.

Spinal irritation, agg. heat.

Pain forward from l. scapula.

Tearing in l. shoulder at night.

Burning spot in lumbar region.

Numb fingers and toes.

Palms burn.
Paralysing stitches in hips;
then up back.
Pains in tibiae; periostitis.
Ankles, as if to break.
Suppressed foot-sweat.
Tottery; stumbles easily.
Icy cold feet.
Toes cramp.
Blood red spots.
Thin, foul, bloody pus.
Pyæmia.
Yellow spots on abdomen.
Jaundice; as a concomitant.
Skin burns on shaving.
Fatty cysts.
Sleepless; eyes won't stay

shut; from internal heat.

Sleepy by day, sleepless before midnight.

Sleeps in cat naps.

Dreams, of fire; lewd.

Somnambulism.

Congestion to head, lungs, etc.

Soft pulse.

Coldness in cerebellum; of knees, in bed.

Chilly in a warm room; down back.

Craves ices, during the chill.

Burning heat; local; up back.

Hectic.

Sweaty; early morning; sticky; without relief.

Painless fevers.

Complementary

Lyc. Sang. Sep.

Antidotes

Coff. Nux-v.

Related

Caus. Con. Sil.

Physostigma venenosum

PHYSOSTIGMA

Region

Spinal Motor Nerves.

Eyes.

Muscles.

Left Side.

Worse

Change of Temperature.

Eyestrain.

Injury.

Bathing.

Heat and

Cold.

Descending.

Motion.

Better

Lying with Head Low (Ver-v.).

Exerting the Will.

Description

**Weakness; muscles won't
respond or draw into knots;
agg. cold.**

**Weakness in lower limbs;
coming from a spot between**

hips.

Cramp in left calf at night in bed.

Shuddering, agg. every draft.

Horror of cold water.

Averse to bathing.

Symptoms

Active mind, even during sleep.

Floating sensation.

Nothing seems right.

Brain falls to side lain on.

Pains from forehead down nose.

Sensation as of a tight cap on head

Vertigo; stumbles on ascending

or descending steps.

Sensation as of a band about head.

Twitching of eye muscles or of nose.

Can't bear to raise eyelids.

Accommodation affected.

Seems to have swallowed a lump.

Torpid bowels.

Numb womb.

Flushes of heat, agg. in palms.

**Sore, bloated red navel;
hypogastrium, agg. standing.**

**Tremor; in head, eyes, vision,
nose, teeth, muscles, etc.**

Dartings, here and there.

Tense eye-lids, can't open or close them.

Blood-shot eyes.

Creeping numbness from occiput down spine.

Licks lips.

Teeth feel rough.

Tongue feels oily; scalded.

Loose skin feeling in roof of mouth.

Thick, leathery saliva.

Hic-cough with short breath.

Gripe in right hypochondrium.

Groins pain alternately.

Abdomen, amel. extending legs.

Numbness at womb.

Offensive odor from hands.
Sweat in excitement.
Heart seems to flutter in
throat or over body.
Sensitive spine.
Jerking limbs.
Shudders from every draft of
air.
Attacks of overpowering
sleepiness, with feeling as if to
lose consciousness.

Related

Agar. Gel. Nux-v.

Phytolacca decandra

PHYTOLACCA

Region

Glands

MAMMAE.

Naso-Pharynx.

Throat.

Tonsils.

Muscles

NECK.

Back.

Fibrous Tissues

Tendons.

Joints.

Periosteum.

Kidneys.

Tongue (Root).
Digestive Tract.
Right Side.

Worse

Raising Up.
Motion.
Swallowing.
Hot Drinks.

Heat.

Cold

Damp.

Night.

Change of Weather.

Better

Lying on Abdomen.
Cold Drinks.

Description

A remedy of long and deep action.

SORE, HARD ACHE, all over; sudden; agg. eyeballs, kidneys, neck, shoulders, back, forearms and below knees.

Restlessness.

Bluish-red parts, fauces, glands, etc.

Spreading pains.

Rheumatism; after tonsillitis.

Shreddy, stringy secretions; stools, menses, etc.

Hard mammary glands.

Obesity.

Symptoms

Faint on rising.

Frontal headache.

**Head feels beaten sore; agg.
brain.**

Hot tears.

Green vision.

Nose seems heavy.

Nostrils close alternately.

Acrid coryza.

Yellowish sickly face.

Aching, malar bones.

Glands swelled at angle of jaw.

Jaws ache, as in mumps.

Everted lips.

Clenches teeth.

**Tongue, fiery red at tip; feels
burnt or pains at root and into
ear on swallowing.**

Much stringy saliva.

White-gray spots on fauces.

Mucous patches.

THROAT; very sore; very painful swallowing; dark, puffy; burning, as of a stick, hot ball or lump in.

Like dark wash leather on tonsil.

Tonsillitis.

Diphtheria.

Hard throb in r. tonsil.

Quinsy.

Violent retching and vomiting; he would rather die.

Continuous urging to stool; even during sleep.

Dysentery.

Hard ache in kidneys.

Dark, red urine; chalky sediment.

Albuminuria.

Sore spermatic cords.

Menstruation, with flow of saliva and tears.

Chronic aphonia.

Dry, tickling cough.

STONY HARD, HEAVY, SWELLED (agg. left) OR TENDER MAMMAE, paining during suckling, spreading over whole body; hard nodes in.

Mastitis.

Nipples cracked; inverted.

Heart symptoms go to r. arm.

Fatty heart.

Neck stiff.

Right arm numb and fuzzy.

**Hips and thighs pain on
change of weather.**

Aching tibiae.

Syphilis.

**Aching heels, amel. elevating
feet.**

Bone pains.

Dry, harsh skin.

Complementary

Sil.

Related

Bry. Kali-bi. Kali-io. Merc.

Rhus-t.

Picricum acidum

PICRIC ACID.

Region

Nerves

Brain.

Occiput.

Cord.

Lumbar Region.

Kidneys.

Sexual Organs.

Worse

**Exertion; Mental
or Physical.**

Seminal Losses.

Heat.

Better

Rest.

Cold.

Bandaging.

In Sun.

Description

Weak, tired and heavy, in mind and body.

Profound anaemia

Easily prostrated.

Burning, in many parts; along spine; in legs, etc.

Numbness.

Formication.

Symptoms

Weak will.

Heavy occiput; down spine and in lower limbs.

Brain-fag.

Headache, agg. mental exertion, amel. nose-bleed (Fer-p.).

Neurasthenia.

Oily burning stool.

Ammoniacal, dribbling urine.

Priapism, or sexual erethism.

Backache with languor; from mental exertion.

Writers' cramp.

Aching, legs.

Small, painful boils, agg. nape.

Sleepiness.

Related

Gel. Ox-ac. Pho. Pho-ac.

Plantago major

PLANTAGO

Region

Nerves

Ears.

Teeth.

Kidneys and Bladder.

Worse

Night.

Warm Room.

Better

Sleep.

Eating.

Description

Sharp, shifting pains.

Soreness.

Neuralgia.

**As of a body between ears; in
groins, etc.**

Symptoms

As if brain turned over.

As of a hair before (1), eye.

**Pains center in ears and teeth
or alternate between them.**

Earache.

Saliva flows with the pains.

Toothache.

Dirty taste.

Bowels seem cold.

Brown, frothy stools.

Polyuria.

Enuresis.

Throbbing between scapulae.

Cold sweat on sacrum.

Numb, tremulous legs.

Sensitive skin.

Gloomy dreams, exciting tears.

Related

Arn. Fer-p. Pul.

Platinum metallicum

PLATINUM

Region

FEMALE ORGANS.

Nerves

Vagus.

Sensory.

Trifacial.

Worse

EMOTIONS

Sexual.

Coition.

Chagrin.

TOUCH.

Nerve Exhaustion.

Better

Walking in Cool Air.

Sunshine.

Description

A remedy of pains.

For prim old maids.

**Oversensitive mind and
nerves.**

Violent cramping, squeezing,

**thrusting or numbing pains,
and then spasms.**

Neuralgia.

**Many and various ovarian or
uterine reflexes.**

**Irregular, spasm, congestion of
blood or coldness of single
parts, eyes, ears, etc.**

Tremor.

**Alternate mental and physical
or sexual symptoms.**

**Numbness; scalp, face, coccyx,
calves, etc.**

Bandaged feeling.

**Sticky; tears, stool, menses,
etc.**

Symptoms

Laughs at wrong time.
Unkind, abrupt and
quarrelsome.
Disordered sense of
proportion; objects seem
smaller, strange, frightful, etc.
Hysteria
Horrors; fears death
CONTEMPT.
Hauteur.
Proud and erotic (Aur.).
Alone, deserted feeling.
Mentally agg. in twilight.
Bad humor, yet weeps.
Gradually increasing, then
slowly lessening headache.
Clavus.

Tense scalp.

Cramp at root of nose.

Grimaces.

Boring in jaws.

Congestion to abdomen.

Colic.

**Hard, black, scant or soft,
difficult stools; of tourists; of
pregnancy.**

**Crawling itching anus in
evening.**

**Painfully sensitive genitals,
with itching, tickling or
crawling.**

**Dark, thick, profuse menses,
with dragging.**

Heat in ovaries.

Ovarian irritation.

Vaginismus.

**Dysmenorrhoea, with shrieks
and jerks.**

Eroticism.

Onanism.

Spasmodic yawning.

**Bruised backache, agg.
pressure or bending backward.**

**Knees drawn up and spread
apart.**

Cramp in calves.

**In sleep wants to uncover
entirely.**

Related

Cup. Ign. Plb. Stan.

Plumbum metallicum

PLUMBUM

Region

CORD AND NERVES

MUSCLES.

ABDOMEN.

Kidneys.

Navel.

Blood-vessels.

Blood.

Worse

Clear Weather.

Open Air.

Exertion.

Motion.

Company.

Grasping Smooth Objects.

Touch.

Better

Hard Pressure.

Rubbing.

Description

**Slow, insidious processes,
having violent side symptoms;
often of a very changeable or
incoherent character; coming
in single parts, etc.**

Paralysis.

**Atrophied limbs with plump
body; paralysed parts agg.
touch.**

Sensitive to open air.

Impulse to stretch.

Exaggerates her condition.

**Retraction; anus, testes, navel,
etc.**

**Increasing slowness and
apathy.**

Deep, bluish red sclerotic.

**Abdomen is drawn into uneven
lumps (Ars. Ign.).**

**Abdominal distress that impels
her to stretch.**

Urination slow, yet profuse.

VIOLENT CONTRACTION.

Retraction.

**Lightning pains that extort
cries.**

Boring.

Cramps (periodical),

**convulsions or (flaccid)
paralysis; with haemorrhage or
hyperaesthesia.**

**Chronic epilepsy, with marked
aura.**

**Wasting of single (upper) parts,
or of paralysed parts.**

Sclerosis.

Gout.

Symptoms

Taciturn.

Timid, restless and anxious.

Fears assassins.

**Physical labor exhausts the
mind.**

Stupidity.

Melancholy.

**Delirium; nocturnal;
alternating with colic or pains
in limbs.**

Twitching of r. face.

**Yellow sclerotic and inside of
mouth.**

Trembling tongue.

Sticky saliva.

Sweet taste.

Aphthae.

Dysphagia.

Foul or fecal eructations.

NAVEL FEELS RETRACTED.

**Colic; accompanies many
symptoms.**

**Radiating abdominal pains, or
boring, or as if forced through a**

narrow place.

Tense abdomen.

Hernia at navel.

**Anus feels drawn up, or
painfully contracted.**

**Stool, granular; of hard, black
balls, like sheep dung; passed
with an urging cramp.**

**Stubborn constipation or
colics of infants.**

Retracted testes.

Pollutions.

Bluish, red spots.

Dry oversensitive skin.

Dry, burning ulcers.

**Takes odd positions during
sleep.**

Wiry pulse.

Coldness from exertion.

General cold sweat during stool.

Feet cold, when walking only.

Complementary

Rhus-t. Thallium.

Related

Op.

Podophyllum peltatum

PODOPHYLLUM

Region

Liver

Duodenum.

Intestines.

RECTUM.

Right Side

Ovary.

Scapula.

Throat.

Worse

EARLY MORNING.

Eating.

Hot Weather.

Dentition.

Drinking.

Motion.

Mercury.

Better

Stroking Liver.

Lying on Abdomen.

Description

Biliousness.

Symptoms

Whining.

Rolls head.

Eyes half open.

Bad breath.

**Burning, rough or flabby,
indented tongue.**

**Bites gums together; grinds
teeth.**

Bitter taste.

As of a lump in oesophagus.

Craves acids which agg..

Vomits hot froth.

Constant gagging.

Sore, painful liver.

**Weak, empty sinking or sick
feeling in abdomen.**

**Rubs abdomen for amel..
GURGLING THROUGH
BOWELS, THEN PROFUSE,
PUTRID STOOLS GUSH OUT
PAINLESSLY.**

Summer diarrhoea.

**White stools; like dirty water;
foaming; with meal-like
sediment; runs right through
diaper; then weakness.**

Cholera morbus.

**Diarrhoea, alternating with
other symptoms, head, etc.**

Pale, hard, chalky stools.

**Rectum; raw, sore; weak;
prolapsed, before stool.**

Moist, foul piles.

**Numb ache in ovaries;
radiating to r. crural nerve,
etc.; agg. stretching legs.**

Ischias antica.

**Generative organs threaten to
prolapse, during stool.**

**Rectum, prolapsed after
confinement.**

Burning in small of back.

Jaundice, agg. face and eyes.

**Moaning and whining during
sleep.**

**Loquacity during the fever
(Pyro.).**

**Sleepy after the paroxysm
(malaria).**

Complementary

Nat-m.

Related

Alo. Chin. Merc.

Polygonum sagittatum

POLYGONUM SAG.

Region

Genito-Urinary Organs.

Intestines.

Worse

Cold.

Dampness.

Description

**CUTTING; along ureters; along
Fallopian tubes, with bearing
down; up spine.**

Pulsative pain; wandering; in prostate.

Smarting discharges.

Symptoms

Puff under r. eye.

Itching, burning palate; wants to scratch it.

Tongue feels swelled.

Nausea in abdomen.

Painful affections of urinary tract.

Grinding, griping, cutting bellyache, with kidney symptoms.

Nephritic colic.

Urine scanty; dribbling; dark or calcareous, adherent sediment.

Nephritis; suppurative.

Cystitis.

Excoriated scrotum.

Itching pimples within anus.

Hips feel drawn together.

Aching lower limbs.

Sore pains in heels.

Urticaria.

Related

Calc-c.

Prunus spinosa

Region

Nerves

Respiratory.

Orbital.

Bladder.

Worse

Stooping.

Ascending.

Description

Pains causing SHORT BREATH, shooting or pressing outward; lightning like; wandering.

Neuralgia.

Cramp.

Nerve paralysis.

Compensatory effects.

Symptoms

Pains from forehead (r), to occiput.

Bursting in eyeballs.

Eyes feel pressed apart.

Teeth feel pulled out.

Cramp in bladder; he doubles up to urinate (reverse-Alu.); urine reaches glans and then goes back again.

Strangury.

Glans pains on urinating.

Pulsating pudendum.

Leucorrhoea; watery, purulent and acrid.

Dropsy; cardiac; of feet.

Air hunger.

As of a lump below l. scapula.

Heart disease.

Night-sweat.

Related

Laur.

Psorinum

Region

SKIN

FOLDS OF.

Sebaceous Glands.

EARS.

BOWELS.

Respiration.

Right Side.

Worse

COLD

Open Air.

Washing.

Weather; Stormy; Changing.

Winter.

Heat

Of Bed.

Exertion.

Woolens.

SUPPRESSIONS.

Yearly.

Contact of His Own Limbs.

Better

Lying with Head Low,

Or Quietly.

Eating.

Washing.

Nosebleed.

Hard Pressure.

Profuse Sweating.

Description

Feels sick all over.

Lack of reaction, in chronic diseases.

After-effects of infectious diseases, lasting for years.

Enfeebled.

RECURRENCE.

Clears up confused cases.

Migraine.

Quinsy.

FOUL; discharges; stools; eruptions; sweat; stubborn foot-sweat; odor of body.

Thick secretions.

Weak, tender and thin, easily chilled; takes cold; clothing seems large or he feels pushed

down.

Joints seem loose.

**HUNGRY or unusually well
BEFORE AN ATTACK; but
debilitated and reacts badly,
and chronicity threatens.**

Wants to wash parts.

Symptoms

ANXIETY.

Forebodings.

Despair, of recovery.

Gloomy.

Feels good and bad by turns.

Horrid thoughts.

Averse to work.

Feels himself poor (reverse-Sul.).

Mind dull, clouded, difficult thinking.

Head feels separated from body.

Headache, follows visual disturbances; alternates with other troubles.

Twitching in temples.

Sensitive to drafts about head; wants it covered, in hot weather.

Dull, dry, tangled hair.

Gummy, everted eyelids.

Humid sores behind ears.

Putrid otorrhoea.

Hay fever.

Face pale, sickly, dirty, fuzzy

or puffy.

Loose teeth.

Tip of tongue feels burnt (Ign.).

**Hawks out foul, cheesy
masses.**

Filthy taste.

Anorexia; with great thirst.

Flatus like bad eggs.

**DARK, GUSHING, HORRIBLY
PUTRID STOOLS; of
penetrating odor, going
through whole house (Pod.);
agg. at night.**

Cholera infantum.

Stool soft, but difficult.

Bedwetting; at full moon.

Offensive genitals.

Gripping in testes.
Chronic gonorrhoea.
Breathes amel. lying down or
spreading arms apart.
Breathing; agg. open air.
Cough, agg. lying.
Gurgling at heart.
Panaris.
Lumbar ache, agg. standing or
walking.
Hot, itching soles.
Skin breaks out; agg. flexures;
is dirty, rough or scabby,
greasy.
Condylomata, on edges of skin.
Intolerable itching; agg. heat
(of bed); he scratches it raw or

until it bleeds.

Heat, with steaming sweat.

Sweat; profuse; agg. night; on palms; cold; easy.

Complementary

Sep. Sul. Tub.

Related

Grap. Mang. Pho. Sul.

Pulsatilla pratensis

PULSATILLA

Region

MIND.

VEINS.

MUCOUS MEMBRANES

TONGUE.

STOMACH.

BOWELS.

**FEMALE AND GENITO-
URINARY ORGANS.**

Respiration.

One Side.

Right Heart.

Worse

WARMTH

AIR.

ROOM.

Clothes.

BED.

Getting feet Wet.

SUPPRESSIONS.

EVENING.

REST.

BEGINNING MOTION.

LYING;

One Side

(L).

EATING

RICH FOOD.

Long After.

FATS.

Ices.

Eggs.

PUBERTY.

PREGNANCY.

Before Menses.

Iron.

Quinine.

Better

COLD; FRESH, OPEN AIR.

Uncovering.

ERECT POSTURE.

Gentle Motion.

Continued.

Motion.

After a Good Cry.

Description

CHANGEFUL SHIFTING

SYMPTOMS; rising to a certain pitch, then suddenly ceasing; going to part lain on; unilateral.

THIRSTLESS, SHORT OF BREATH AND CHILLY; with digestive or menstrual disorders.

SUPPRESSIONS; otorrhoea,

menses, lochia, milk, etc.

Metastases.

Alternations.

Phlegmasia.

Venosity.

**Haemorrhage; passive;
vicarious.**

Anaemia.

**PROFUSE, BLAND, THICK,
YELLOW-GREEN DISCHARGES;
bitter mucus.**

**Jerking, tearing or ulcerative
pain.**

**Numbness; part lain on; hands,
feet, etc.**

Pale, chilly blondest.

Symptoms

**MILD, TIMID, EMOTIONAL,
WEEPY.**

Discouraged.

Whining.

Easily offended.

Craves sympathy.

Can't lie with head low.

Headache starts in vertex.

Occipital ache, agg. coughing.

Profuse sweat on scalp.

**Eyes; fill with tears (acrid) or
seem covered; agg. wind; sticky
lids; colds affect the;
ophthalmia, gonorrhoeal.**

Blepharitis.

Styes.

Blind attacks; agg. menses.

Nightly earache.

**Foul discharge or bad odor
before nose.**

**Coryza; stopped on lying or in
room.**

Anosmia.

Pale face.

Peeling cracked lips.

Licks lips.

Crack in center of lower lip.

Bad breath.

Drawing toothache, amel. cold.

**Taste bad; in A.M. ; bloody;
greasy.**

**Slimy mouth or dry, without
thirst.**

Tongue feels scalded.

Alternate sides of throat or neck.

Food leaves an after-taste or lodges in throat.

Averse to water or fats.

Craves acids or what disagrees.

Sudden loathing, agg. eating.

Heart-burn.

Nausea.

Epigastrium; cutting; pulsation.

HEAVY OR DERANGED STOMACH.

Abdomen; as of a heavy stone; aching; numb; pains into groins.

Stools; changeable; green

**mucus, agg. after midnight;
bilious.**

Piles, agg. lying.

**Urination; involuntary on
lying; followed by blood.**

**Heavy pressure on or cramp in
bladder.**

**Sensation as of a stone rolling
in bladder.**

Nocturnal enuresis.

**Burning down l. spermatic
cord.**

Enlarged prostate.

Orchitis; gonorrhoeal.

Bloody emissions.

Feels like menstruating.

MENSES DARK; LATE, at

**puberty; SCANTY, agg. bathing;
irregular; vicarious; absent.**

Dysmenorrhoea.

Weak labor pains.

Bearing down, agg. lying.

After-pains.

Retained placenta.

Leucorrhoea; milky; acrid.

**AIR HUNGER; agg. lying on l.
side; as if from abdomen; if
heated.**

**Loose morning, then dry
evening cough; from tickling in
epigastrium; must sit up.**

**Expectoration thick; purulent
(Cetrar), slimy, sweet, salt, etc.**

Asthma from suppressions.

**Cough; dry hacking;
expectorates bitter or salty as
it loosens up.**

**Chest oppressed; as by a load.
Sore stitch beneath clavicles.
Palpitation.**

**Mammae; milk in virgin; sore,
aching lump (r); scanty milk.**

**Swelled joints; backs of feet.
Numb elbows.**

**Lower limbs; pains down,
alternate sides; heavy legs.**

**Sticking in tibia, agg. lying,
amel. cool air and motion.**

Acute periostitis.

Cold sweat on legs.

Foul foot-sweat.

Swelled glands.

Veins full; varicose; painful.

**Ulcers, with hard, glistening
areolae; varicose.**

Skin itches on being heated.

Measles.

Day sleepiness.

Lies with hands over head.

Disturbed dreams.

Awakes confused or tired.

**Chilly, yet averse to heat; IN A
WARM ROOM; with the pain; on
lying down at night.**

One hand cold.

Partial sweat.

Complementary

Ars. Kali-bi. Sep. Sil. Zin.

Related

**Ap. Cimi. Grap. Ham. Kali-bi.
Nat-s.**

Pyrogenium

PYROGEN.

Region

BLOOD.

Heart.

Circulation.

Muscles.

Worse

Cold Damp.

Motion

Constant Change of Position.

Hard Rocking.

Better

Heat.

Hot Bath.

Pressure.

Description

Aching, BRUISED, SORE and prostrate, yet restless.

Bed seems hard.

Bone pains.

Foul, taste, secretions, odor of body, etc.

Rosy, red streaks.

Decomposition or sepsis.

Symptoms

Rapid ideation.

Loquacious.

Excited.

Feels as if he covered the whole bed.

Anxious and sensitive.

Confused.

Sense of duality.

Hallucinations.

Violent, throbbing headache.

Pains are amel. during hot stage.

Throbbings, agg. neck (Bell. Spi.).

Sudden pulsation, with fever and intense restlessness.

Rolls head side to side.

Throbbing headache, amel. tight band.

Sensation as of a cap on the

head.

Disgust at his own body odor.

Fiery red, smooth tongue.

Sweet taste.

Nausea, amel. very hot drinks.

Adhesive urinary sediment.

Purring at heart.

Feels heart; as if tired, big or full.

PULSE QUICK, OUT OF ALL PROPORTION TO TEMPERATURE (Lil-t. Thy.) or the reverse.

Quickly oscillating temperature.

The nails threaten to fly off.

Chilly, wants to breathe heat

of fire.

**Chills start between scapulae;
felt in bones; with sweat; at
night.**

Fever, at menses.

Puerperal sepsis.

Slowly advancing hectic.

Sweat, without relief; cold.

Wants to inhale heat of fire.

Follows

Lach.

Related

Anthraxin. Ars. Bap. Echi.

Radium bromatum

RADIUM

Region

Skin.

Nerves.

Lymphoid Tissue.

Bones.

Muscles and Joints

Lumbo-Sacral.

Great Toe.

Shifting Sides.

Worse

Motion.

Shaving.

Washing.

Better

Open Air.

Hot Bath

(Rhus-v.).

Eating.

Cold Drinks.

Continued Motion.

Description

**Dry, burning heat as if afire;
craves cool air.**

**Sudden shifting or electric
pains; must lie down.**

Dull, hard ache; deep in joints.

**Constriction, chest, heart,
etc.; with air hunger.**

**Numbness, agg. stretching
part.**

Rheumatism.

Gout.

Weak muscles.

Necrotic changes.

Symptoms

Pain over eyes (1), backward.

**Red, smarting eyes, agg.
reading.**

**Rushing in ears, amel. lying on
face.**

Raw throat.

Craves pork.

Averse to sweets.

**Abdominal, alternating with
ear or chest pains.**

Sore, prolapsed rectum.

Dysuria, then erections.

Itching genitals.

**Cough agg. smoking; amel.
open air and exertion.**

Tightness at heart.

Weak between scapulae.

Ascending lumbar pain.

**Irritable, thick, burning,
itching skin; moist if
scratched; agg. face and
genitals.**

Branny scales.

Scabby; on ears.

Eczema.

Psoriasis.

Scleroderma.

Callosities.

**Vivid dreams; of fire; awakes
panting, with pounding of**

heart; seeming true.

Rheumatism of hands.

Related

Pho. Pul. Rhus-rad.

Ranunculus bulbosus

Region

NERVES.

Muscles.

Eyes.

Serous Surfaces.

THORAX.

SKIN.

Fingers and Toes.

Left Side.

Worse

AIR

Damp.

Cold.

Open.

Drafts.

Changing

Weather.

Temperature.

Position.

Alcohol.

Evening.

Motion : of Arms.

Breathing.

Touch.

Description

**PAINS; stitching; stabbing;
shooting; extort tears; with**

shuddering; can't rest.

**Burning, biting, bruised
soreness or as of deep
ulceration.**

Sore spots.

Neuralgia.

Trembling.

Distended feeling.

Symptoms

Quarrelsome.

Smarting eyes.

Tic (r), to ear (Pul.).

**Crawling on palate; wants to
scratch it.**

Increased saliva.

Scraping-burning down throat.

Bruised hypochondria.

Tender abdomen.

Pinching colic; alternates with chest pains.

Anxious, oppressed breathing.

SHARP, CUTTING, STITCHING CHEST PAINS; bilateral.

Chest is sensitive to air.

Pleurodynia.

Pleurisy.

Pain along inner edge of scapulae, (1).

Itching palms.

BLUISH VESICLES.

Shingles.

Pemphigus.

Corrosive ichor.

Horny scabs.

Herpes.

Chilliness.

Related

Canth. Rhus-t.

Ranunculus sceleratus

RANUNCULUS SCLERATUS

Region

CHEST.

SKIN.

Vertex.

Right Side.

Worse

Evening.

Motion.

Deep Breathing.

Better

After Midnight.

Description

Acridity, rawness or burning-smarting.

Eating, gnawing or boring pains; causing faintness, or short breath.

Symptoms

Sneezing coryza, with burning urine.

Blunt teeth.

Mapped tongue.

Nausea after 12 P.M.

Stitches in chest muscles; it is sensitive externally.

As of a plug forced between

ribs, under navel, in heart, etc.

Gout of small joints.

Gnawing in knees.

Yellow vesicles.

Bullae; with acrid contents.

Pemphigus.

Related

Ars. Aru-t.

Raphanus sativus

RAPHANUS

Description

Numbness, changing place.

Retained flatulence.

Hysterical meteorism.

Coldness of a foot.

Ratanhia peruviana

RATANHIA

Region

Rectum.

Anus.

Nipples.

Teeth.

Worse

Night.

Anxiety.

Heat.

Exertion.

Touch.

Better

Cool Bathing.

Walking in Open Air.

Description

Pains here and there.

Haemorrhage.

Sense of constriction.

Fissure.

Dark, thin, scrawny and irritable.

Symptoms

As if brain would fall out of forehead.

Bursting headache when straining of stool.

As if cool air came from teeth.

Nightly toothache, agg. lying; must walk about.

**Gripping in stomach, amel.
eructations.**

Violent, painful hiccough.

**Sharp cutting, in stomach,
rectum, etc.**

**Constriction or as of sharp
splinters (of glass) in rectum;
stool is forced out with great
straining and followed by
prolonged aching-burning,
amel. hot water.**

Dry or itching anus.

Ascarides.

Fissure ani.

Cracked nipples.

Related

Nit-ac. Paeon.

Rheum palmatum

RHEUM

Region

**Muscles of
Bile Ducts.
Duodenum.
Intestines.
Liver.**

Worse

**Dentition.
Eating.
Summer.
Nursing Women.**

Better

Warmth.

Wrapping Up.

Description

Sour, impatient, colicky children, who are always screaming and crying.

Sour taste, vomitus, stools, sweat, etc.

Symptoms

Offensive mucus in mouth, after sleep.

Difficult teething.

Loathing after first bite.

Colic with cries; amel.

doubling up, agg. uncovering any part; then pappy, sour, brown, green, fermented, slimy

**or acrid stools; with shivering;
agg. eating unripe fruit; agg.
evening.**

Burning in bladder.

**Sleep, restless; with whining,
cries and twitching of face,
fingers, etc.**

Sopping, wet hair.

**Sweat on scalp, about nose,
mouth or on upper lip.**

Complementary

Mag-c.

Related

Cham.

Rhododendron chrysanthum

RHODODENDRON

Region

FIBROUS TISSUES

Forearm.

Lower Legs.

Small Joints.

Bones.

Genitals.

Nerves.

Vascular System.

Single Parts.

Worse

Weather

BEFORE STORMS.

Rough.

Windy.

Cold Damp.

Changing.

Cloudy.

Night.

Midsummer.

Wine.

Rest.

Better

Heat.

In Sun.

Motion (At Once).

Wrapping Head.

Description

Gouty-rheumatic subjects.

SENSITIVE TO WINDY OR

STORMY, WET WEATHER.

**Sensitive to windy weather,
even if he is in house.**

**Tearing, zigzag, boring, rapidly
changing, descending, paralytic
pains.**

Symptoms

**Confused and stupid; forgets
his subject (Bar-c.).**

**Headache, agg. early in bed,
amel. eating.**

Throbbing in r. head.

Deafness long after rising.

Nostrils obstructed alternately.

**Tearing, jerking face ache or
toothache; amel. food or
warmth.**

**Cool drinks lie heavy.
Colic at navel.
Pain from rectum to genitals.
Diarrhoea, agg. fruit.
Profuse, foul urine.
Drawing from spermatic cord
into abdomen and thighs.
Testes and glans feel crushed.
Testes hard; pain alternately.
Orchitis, Itching, sweaty,
wrinkled scrotum.
Hydrocele (of boys).
Menses with fever.
Bruised, sprained feeling in
chest and wrists.
Strong heart-beat.
As of a weight hanging to feet.**

Wants to cross legs.

**Drawing, tearing in periosteum
of long bones and under scalp.**

**Rheumatism of hot weather
(reverse-Rhus-t.).**

Formication; with sweat.

Must cross legs to sleep.

Related

Rhus-t.

Rhus toxicodendron

RHUS TOX.

Region

SKIN

Face.

Scalp.

Genitals.

Blood.

Tissues

Cellular.

Ligaments.

Fibrous.

Joints.

Mucous Membranes.

GLANDS

Pyer's.

Parotid.

NERVES

CORD.

Sciatic.

Left Side or Left to Right.

Worse

EXPOSURE TO

WET; COLD.

Air.

WASHING.

Chill or Draft.

When Hot or Sweaty.

Uncovering;

Hands, etc.

BEGINNING MOTION.

REST.

Before Storms.

SPRAINS.

Overexertion.

AFTER MIDNIGHT.

Better

Continued Motion.

HEAT

Wraps.

Bath.

If Heated.

Rubbing.

Nose-bleed.

Holding Abdomen.

Description

**An infectious irritant, exciting
TYPHOID, RHEUMATIC OR
PARETIC EFFECTS.**

**NIGHTLY SHOOTING,
STITCHING, TEARING PAINS;
CAN'T REST IN ANY POSITION.**

Grippe.

Variola.

Sore, bruised or STIFF.

**Flesh feels beaten or torn
loose.**

Dislocative sensation.

Twitching muscles.

Crawling.

Numbness.

Trembling.

Burning, swelling and lividity.

Cellulitis.

**Acrid, rusty-red, meat water or
musty secretions; causing
eruptions.**

**Scraping, gnawing or tearing
loose in periosteum.**

Symptoms

**Sad, anxious, depressed or
beclouded.**

Slow answers.

Low delirium.

**Whirling vertigo; then
headache.**

**Shattering or loose feeling in
brain; agg. jar.**

**Board-like pressure in
forehead.**

**Painfully stiff scalp, amel.
lying on it.**

Pain behind eyes; agg. motion.

**Eyelids, stiff; adherent; dry;
firmly closed.**

Profuse, hot, gushing tears.

Photophobia.

Vertical diplopia.

Saccular conjunctivitis.

**Red, sensitive tip of nose; it
drips water.**

Roseola.

Nose-bleed; at night.

Violent aching in bones of nose.

Face-ache.

Maxillae crack; easily dislocated; pains in.

Red spot on l. cheek.

Swelled, stiff face.

Dry, cracked, crusty lips; herpes on.

Sordes.

Bloody saliva runs during sleep.

Teeth feel loose.

TONGUE; RED TRIANGLE AT TIP; coated diagonally or on

**one side only; dry red center;
cracked, stiff, sore.**

Coppery or straw-like taste.

Red, puffy, itching fauces.

**As of chamois skin stuck on
tonsils.**

**Sorethroat (1) in A.M. ; with
swelled glands.**

**Craves cold drinks, although
they agg. cough, chill, etc.**

**Vomits from coughing, lying
on back, etc.; fecal.**

**Abdomen sore; swashing in; as
of a lump in.**

Ileocaecal symptoms.

**Stools watery, frothy or
bloody; foul; brick red; slimy;**

**gelatinous; involuntary or with
tenesmus, agg. drinking.**

Piles, agg. lifting.

**Genitals, oedema, agg.
prepuce; itching; swelled.**

Nephritis.

Metritis; septic.

Chest pains on using arms.

**Dry, hoarse, tearing,
tormenting cough, from
tickling behind upper sternum;
with bloody taste.**

**Sudden hypostasis or oedema
of lungs.**

Palpitation; amel. motion.

**Heart; feels tired; hyper-
trophy; pains going down l.**

arm.

Shingles.

Stiff neck.

**Inter-scapular pain, agg.
swallowing.**

**Contractive or breaking
backache, amel. hard pressure,
walking about or bending
backward.**

Lumbago.

Coccyx aches into thighs.

Numb, prickling limbs.

Arms nervous and shaky, (l).

Paralytic pain in elbows.

Rhagades on backs of hands.

**Palms, dry, hot, cracked and
sore; washing causes burning.**

Pains down back of thighs; agg. stool.

Sciatica.

Legs feel dead, wooden; cramp in calves; gangrenous ulcer, runs bloody water; itching.

SKIN; stiff; thick; dry; hot; itching; burning; agg. warmth; painful to cold air.

Fine VESICULAR, crusty, eczematous, moist or ERYSIPELATOUS ERUPTIONS, agg. genitals; alternating with dysentery.

Pus erodes the hair.

Rhus poisoning.

Milk-crust.

Baker's itch.

Vesicles over abscess.

Weeping ulcers.

**Dreams, laborious; of blood;
awakes tired or nervous.**

**Weak, rapid, sharp, tremulous
or irregular pulse.**

**Easily chilled; agg. least
uncovering; with pains in
limbs; agg. cough, etc.**

**Chill as if dashed with cold
water or cold water in veins;
preceded by cough; alternating
with heat; in single parts.**

Heat with busy delirium.

**Sweat, agg. during pain; with
sleepiness.**

Complementary

Bry. Calc-c. Mag-c. Med. Phyt.

Related

Arn. Bry. Dul.

Robinia pseudacacia

ROBINIA

Region

Secretions.

Stomach.

Worse

Eating.

Night.

Fats.

Description

Acridity; sour taste; sour

**stomach; acid belching;
vomitus so sour it sets the
teeth on edge or dulls them.**

Acid dyspepsia.

Water-brash.

**Burning in stomach and
between scapulae.**

Squeezing in stomach.

Sick headache.

Related

Iris. Mag-c.

Rumex crispus

RUMEX

Region

Mucous Membranes

Larynx.

Trachea.

THROAT-PIT.

Bowels.

Nerves.

Skin.

Left Side; Chest.

Joints.

Ankles.

Worse

COOL AIR

INHALING.

Open Air.

Raw Changes.

Uncovering.

Night.

Pressure; on Trachea.

Better

Covering Mouth.

Wrapping Up.

Description

Dry, sensitive mucous membranes.

Stickiness, with burning.

Every cold affects the joints.

Sharp pains; neuralgias, etc.

Obesity.

Symptoms

Eyes burn, indoors; puffed in A.M.

Dry posterior nares.

Sneezing attacks.

Sodden complexion.

Hawks out much tenacious

mucus.

Throat feels hollow.

Ravenous appetite.

Borborygmi.

Sudden, profuse, foul, early morning diarrhoea (5-9 A.M.); after catarrh; in phthisis.

Respiration agg. wind.

Suffocative choking.

Dyspnoea, on retiring.

EVERY BREATH OF COLD AIR CAUSES TICKLING, as from a feather or dust, IN THROAT-PIT, AND CONTINUOUS COUGH; amel. closing or covering mouth or head.

Profuse, frothy expectoration.

Pain from r. ovary to back.

Pain, rawness or burning under clavicle (l); as if the air penetrated there.

Chest sore.

Pain under sternum; under l. nipple.

Heart seems impeded, then heavy pulsation through chest.

Pain in l. shoulder on coughing or raising arm.

Right scapula.

Spasmodic cramps in ankles and feet.

Skin itches if exposed to air.

Acne vulgaris on back.

Sudden sleepiness.

Related

Caus. Seneg.

Ruta graveolens

RUTA

Region

Fibrous Tissues

EYES.

Flexor Tendons.

Joints.

Wrists and Ankles.

Back (Lumbar).

Cartilages.

Periosteum.

Uterus.

Skin.

Worse

Over-exertion

EYE-STRAIN.

Injury.

Sprains.

COLD

Air.

Wind.

Damp.

Wet.

LYING.

SITTING.

Pressure on an Edge.

Better

Lying on Back.

Warmth.

Motion.

Description

BRUISED, SORE ACHING AND RESTLESSNESS.

Painful weariness.

Heaviness; as of a weight in forehead or hanging to feet; of lower limbs.

As of a rough, blunt plug in part; head, nose, etc.

Nodes.

Paralytic rigidity.

Distortions.

Rheumatism.

Gnawing-burning.

Neuralgia.

Symptoms

Dissatisfied.

Fretful.

Itching inner canthi.

Eyes burn.

Lachrymation.

Dim vision.

Woody taste.

Swelled spleen.

**Urging to stool, but only
rectum prolapses; agg. after
labor, stooping, etc.**

Corrosive leucorrhoea.

**Weak, bruised feeling in small
of back, hips or lower limbs in
A.M.**

Nodes in palms.

Stumbles easily.

Lumbago.

Deep pains.

Thighs feel broken.

**Pains as if deep in long bones;
must walk about.**

Bursae.

Erosive itching.

Chafing.

Flat warts.

Contractions.

Brittle bones.

**Cracking joints, agg. walking
in open air.**

Ganglion.

Glowing heat of face, skin, etc.

Complementary

Calc-p.

Related

Arn. Phyt. Ran-sc. Symp.

Sabadilla

Region

MUCOUS MEMBRANES

NOSE.

ANUS.

Digestive Tract.

NERVES.

Lachrymal Glands.

Throat.

Worse

COLD;

Air; Drinks.

PERIODICALLY

Same Hour.

Forenoon.

New and Full Moon.

Odors.

Undeveloped Exanthema.

Better

Open Air.

Heat.

Eating.

Swallowing.

Description

Weak; nervous; easily startled.

**Alternate nerve and bodily
symptoms.**

Formication.

Twitches.

Trembling.

Worms.

Symptoms

Miserable.

Anger.

Erroneous (fixed), personal ideas.

Pain in alternate sides of forehead.

Unilateral head pains.

Itching scalp.

Red, itching tarsi.

Lachrymation; when in pain; agg. open air.

Nose; ITCHES; rubs or picks it; very dry; tickling in, spreads over whole body, then dyspnoea follows.

Persistent VIOLENT or

ABORTIVE SNEEZING.

Hay fever.

Influenza.

Sensitive smell.

Itching soft palate.

Tongue feels burnt.

**Sorethroat; l. to r.; agg. empty
swallowing; amel. hot drinks.**

**As of a lump, morsel, thread or
skin hanging in throat.**

Canine hunger.

Thirstless.

**Craves hot things, sweets or
milk.**

Bowels feel knotted.

**Burning, frothy, floating
stools.**

**Crawling, itching at anus;
alternating with tickling in
nose or ears.**

Pinworms.

**Violent coughing attacks;
muffled; agg. anger.**

Upward jerking of arms.

Cracks under toes.

Cutting in bones.

**Itching skin-in nose and anus-
with asthmatic breathing.**

Shivers; as a concomitant.

Thirst, after chill only.

Related

Ars. Pul. Urt-u.

Sabal serrulata

SABAL SERR.

Region

Genito Urinary Organs

Prostate.

Ovaries.

Mammae.

Bladder.

Urethra.

Mucous Membranes.

Worse

Women and

Old Men.

Weather

Cold, Damp.

Cloudy.

Sympathy.

Description

Sharp, stinging pains in urethra.

Debility

Symptoms

Voices seem distant.

Abdominal pains into thighs.

Irritable bladder and urethra.

Strangury.

Enuresis.

Limy urinary sediment.

Testes drawn up.

Enlarged or congested prostate; senile.

Painful erection or emission of semen.

Ovarian pains.

Vulva feels open.

Coldness in genitals.

**Absent sexual passion; with
nervous irritability.**

**Mammae sore, tender and full,
or small; agg. cold bath.**

Backache from coition.

Related

Sep. Sil.

Sabina

Region

FEMALE PELVIC ORGANS

UTERUS.

Rectum.

Nerves.
Fibrous
and Serous
Tissues
Small Joints.
Heels.
Worse
Nightly.
HEAT
Bed.
Room.
Exercise.
Pregnancy.
Climacteric.
Foggy Weather.
Better
Cold.

**Cool,
Open Air.**

Description

**Hot, full-blooded females; with
rheumatic or gouty-
haemorrhagic tendency,
epistaxis, haematuria, etc.**

Violent pulsations.

Fullness.

Red, shiny swelling.

**Acutely inflamed arthritic
nodes.**

Symptoms

Music is unbearable.

Bursting toothache.

Craves lemonade.

Abdomen plethoric; quivering,

as if alive in.

Piles, alternate with pains in limbs.

Itching, excited genitals.

PAIN FROM LUMBAR REGION FORWARD TO PUBES or reverse; or shooting up vagina.

Gushes of fluid, hot or watery blood, mixed with (dark) clots, from uterus; agg. motion; with joint pains.

Abortion; habitual; at 3rd. month.

Bleeding between periods.

Foul, acrid leucorrhoea.

Pruritus of pregnancy.

Crawling in nipples.

Gout in r. big toe.

**Foul itching, burning, moist,
figwarts.**

Intolerable, burning heat.

Complementary

Thu.

Related

Caul. Pul.

Sambucus nigra

SAMBUCUS

Region

Respiratory Organs.

Respiration.

Kidneys.

Skin.

Worse

Dry, Cold Air.

Cold Drinks, While Heated.

Head Low.

Better

Pressure Over a Sharp Edge.

Motion.

Wrapping Up.

Description

**Sweats or gets short of breath;
with many symptoms.**

Nephritis.

Dropsy.

Symptoms

Fretful.

Half open eyes.

Snuffles.

**Bluish, puffy face; agg.
coughing.**

**SUDDEN SUFFOCATION; or
strangling cough, on falling to
sleep or waking him after
midnight; with violent sweat;
agg. fright.**

Whistling breathing.

Spasm of glottis.

Screeching voice.

Croup.

Icy cold feet.

**Dry, burning heat during sleep,
but copious sweating on
waking; agg. cough.**

Debilitating sweats; at night.

Related

Bell. Brom.

Sanguinaria canadensis

SANGUINARIA

Region

RIGHT SIDE

Head.

LIVER.

Chest.

Deltoid.

VASO-MOTORS.

Capillaries.

Mucous Membranes.

Stomach.

Worse

Periodically

WITH SUN.
Weekly.
Night.
Climaxis.
Odors.
Jar.
Light.
Raising Arms.
Looking Up.

Better

SLEEP.
Lying on Back.
Vomiting.
Cool Air.

Passing Flatus.

Description

Redness; abdominal; tongue,

etc.

**BURNING HEAT AND
EBULLITIONS.**

Dry mucous membranes.

Burnt feeling; tongue.

**Burning; in throat; under
sternum; spot or stitches in
chest; palms and soles, etc.**

General pulsation.

**Congestion; to head, abdomen,
chest, etc.**

**Symptoms ascend, or end in
bilious vomiting.**

Migraine.

Internal rawness.

**Acrid, blood-streaked or foul
discharges.**

Lies on back with head elevated.

Symptoms

Irritable and bilious.

Grumbling.

Borrows trouble.

Pain over r. eye or ASCENDS FROM OCCIPUT TO OVER R. EYE, amel. free urination.

Sun pains.

Swelled temporal veins.

Pain at root of nose.

Coryza; stopped, then diarrhoea.

Sensitive to odors.

Red, burning cheeks.

Hectic spot.

Full and tender behind angle of jaw.

Anterior tongue looks red, like raw beef.

Palate feels scalded.

Sorethroat (r); pains to ear and chest.

Craves spices.

Averse to butter.

Nausea, agg. sneezing or blowing nose, amel. eating.

Tension in epigastrium.

Stomach pains to r. shoulder.

Bilious or gushing stools.

Acrid leucorrhoea.

Larynx full and dry; in singers.

Coughs; raises foul air, tough,

bloody plugs or purulent sputum, or passes flatus; dry, tickling-behind sternum, in evening.

Pneumonia.

Phthisis.

Itching axillae, agg. before menses.

Cutting, stiff r. deltoid, agg. raising or turning arm.

Omodynia; agg. night.

Wrinkled palms.

Dry skin; of jaundice.

Polypi.

Pain in bones near surface.

Flushes of heat, rising into face and head; with headache.

Burning, scanty sweat.
General pulsation.
Heat of palms and soles, agg.
covers.

Complementary

Ant-t. Pho.

Related

Bell. Pho.

Sanicula aqua

Region

Nutrition.

Female Organs.

Neck.

Rectum.

Skin.

Worse

Motion

Downward.

Of Hands Behind Him.

Cold Wind on

Occiput or Neck.

Description

Looks old and thin.

Marasmus.

Body smells like old cheese.

Child kicks off covers at night.

**Enlarged feeling in throat,
vagina, etc.**

Thick, yellow, acrid pus.

Symptoms

Stubborn and touchy.

Can't bear cold air on occiput

and neck.

Eyelids stick to balls.

Fluent coryza, agg. eating.

**Water smells like old, musty
rain water.**

Aphthae.

Craves bacon, or ice cold milk.

**Stool of one, large, heavy
mass; impacted.**

**Briny urine or leucorrhoea,
agg. stool.**

**Backache, agg. putting hands
behind him or raising arms.**

Cold lumbar spine.

Lumbago.

Cold clammy hands and feet.

Cramps in feet.

Burning soles.

Dry, brownish skin, agg. neck.

Profuse sweat on occiput and neck.

Foul foot-sweat; chafes toes, destroys shoes or stiffens the hose; sticky.

Related

Lyc. Psor. Sul.

Sarsaparilla officinalis

SARSAPARILLA

Region

Genito-Urinary Organs.

Skin.

Right Side; Lower.

Worse

At Close of Micturition.

Spring.

Cold Wet.

Mercury.

Night.

Suppressed Gonorrhoea.

Yawning.

Better

Uncovering Neck or Chest.

Standing.

Description

Thin frail, shrivelled and old looking.

Marasmus.

Tendency to gravel and itching eruptions.

Parts feel screwed together.

Nightly bone pains.

Rheumatism.

Very sore, gouty nodes.

Sycosis.

Symptoms

Pain depresses him.

**Pain from occiput to eyes or
root of nose, which is swelled.**

**Painful urination, extorts
screams, amel. standing; agg.
before menses; passes drops of
blood or white, acrid material
at close.**

Urine dribbles while sitting.

Renal colic (r).

Gassy urine.

Crusty urinary sediment.
Sand in the stools.
Moist, foul genitals.
Bloody semen.
Retracted or cracked nipples.
Backache with colic.
Deep cracks on fingers and
toes, agg. sides.
Cutting under nails.
Ulcerated finger-tips.
Blotchy, hard or shrivelled
skin, agg. about neck.
Itching, scaly spots.
Irritating pus.
Chill starts from region of
bladder; to back.

Antidotes

Bell. Merc.

Complementary

Sep.

Related

Calc-c. Petr.

Scoparius genista

SCOPARIUS

Region

Heart.

Kidneys.

Cord.

Muscles.

Left Side.

Worse

Turning on Left Side.

Better

Cool Air.

Rapid Motion.

Passing Flatus.

Description

Heavy ache; stomach and bowels seem filled with stones or a firm mass.

Flatulency.

Colic, then bright, acrid, foamy stools followed by burning at anus.

Very profuse, bright, foaming urine, then burning pudendum.

Intercurrent congestion of kidneys.

Anxious oppression at heart,

radiating to left shoulder and neck.

Palpitation, with congestion to head.

Deadness of right arm and fingers.

Barber's itch.

Related

Pho.

Scutellaria laterifolia

SCUTELLARIA

Description

High strung neurotic women.

Sleepless from nervous

excitement.

Secale cornutum

SECALE

Region

Muscles

BLOOD-VESSELS.

UTERUS.

BLOOD.

Nerves.

Cord.

Limbs.

Worse

WARMTH.

During Menses.

Pregnancy.

Loss of Fluids.
COVERS.

Better

Cold; Bathing.

Uncovering.

Rocking.

Forcible Extension.

Description

**Dusky, scrawny and
haemorrhagic.**

**Numbness, insufferable
tingling, crawling, twitching,
gnawing or cramping; with
stiffness; in single parts;
starting in face or back; in
limbs; in fingertips; after the
pains, etc.**

Burnings; here and there, like fire.

Dark, thin, foul or exhausting discharges.

Decomposition.

Petechiae.

Varicoses.

Passive bleedings or discharges.

Contracted arterioles.

Tonic spasm.

Symptoms

Mental weakness after spasms.

Fear, depressed by; maniacal.

Sparks before eyes.

Distorted or sunken countenance; blue rings under

eyes.

Wild look.

Thirst; craves acids.

Empty retching.

**Empty feeling in
hypogastrium.**

Wants abdomen uncovered.

**Gushing, painless, watery,
olive-green or bloody stools;
with collapse.**

Bloody urine.

**Everything seems loose and
open.**

Senile enuresis.

**Inert uterus, or bearing down
with coldness.**

Contracted uterus; hour-glass

contraction.

Miscarriage.

Green lochia.

Septic placenta.

Metritis.

Gangrene of female organs.

**Leucorrhoea; brown, foul;
continuous.**

**Pains through chest on
pressing spine.**

Cold limbs.

Bluish fingers and toes.

**Cramps in hands, legs and
feet.**

**Fingers spread apart; bent
backward or clenched; look
water soaked.**

Boils with green pus.

Blood blisters.

Cold, dry, wrinkled or bluish skin, agg. over affected part.

Raynaud's disease.

Foul, indolent ulcers.

Twitching tremor or quiver in skin.

EXTERNALLY, ICY COLD, YET BURNING HOT INTERNALLY; OBJECTS TO BEING COVERED, AGG. ABDOMEN.

Heat, as of sparks on skin.

Erysipelas.

Cold or foul sweat; destroying shoes.

Antidote

Solan-n.

Related

Nux-m. Ust.

Selenium metallicum

SELENIUM

Region

Nerves

GENITO-URINARY ORGANS.

Supra-Orbital

(L).

LARYNX.

Liver.

Worse

Debilitating Causes

Hot Days.

Sexual Excesses.

Loss of Sleep.

Singing.

Drafts.

After Sleep.

Tea.

Lemonade.

Better

After Sunset.

Inhaling Cool Air.

Description

Easily debilitated; by heat of sun; a little mental or physical exertion makes him sleepy.

Senility.

Emaciation; of single parts,

face, hands, etc.

Cramp, then stiffness.

Bitings.

Symptoms

Loquacity.

Sadness.

Frets when awake and dreams of it as he falls asleep.

Nervous headaches.

Scalp feels gathered together.

Falling hair, agg. eyebrows; don't want hair touched.

Ache over l. eye; agg. tea.

Coryza, ending in diarrhoea.

Thirstless.

Craves stimulants, tea, etc.

Sharp stitches in or rash over

liver.

Abdominal pulsation; hinders sleep.

Very large stools.

Coarse sand in urine.

Lascivious, but impotent.

Urine and semen dribble.

Easy loss of semen; at stool, etc.

Watery semen.

Chronic gleet.

VOICE HOARSE, as soon as he sings; affected by every cold; rattles.

Nodes in vocal cords.

Hawks up clear mucus.

Sudden sciatic pains (1), leave

soreness behind.

Oily skin; itches in folds or about ankles.

Skin remains moist after scratching.

Burning spots.

Acne.

Imagines drafts of air.

Sweat, profuse, yellow; leaves a salty deposit, stiffens the linen or makes the hair stiff and wiry; agg. genitals.

Related

Nat-m. Sul.

Senecio aureus

SENECIO

Region

FEMALE

GENITO-URINARY ORGANS.

Bladder.

MUCOUS GLANDS.

Nose.

Lungs.

Lumbar Spine.

Worse

Puberty.

Sexual Excitement.

Dampness.

Cold.

Open Air.

Better

Menstruation.

Description

Lack of reaction in genito-urinary sphere.

Passive congestion, with irritation, profuse catarrhs, debilitating or vicarious discharges.

Muscles draw into knots.

Tightness, in nose, throat, etc.

Globus.

Symptoms

Nervous, pale, weak, and sleepless women.

Whining and irritable.

Self-centered.

Elated and sad alternately.
Sharp pain backward over l.
eye.
Burning in nostrils.
Sneezing.
Itching; caused by tears; in
Eustachian tube.
Twitching about mouth.
Averse to sweets.
Nausea or vomiting of renal
origin.
Uraemia.
Gripping at navel.
Bloody stool or urine.
Heat in neck of bladder; with
renal pain.
Dysuria; with dysmenorrhoea.

**Pains from ovaries into
breasts.**

Functional amenorrhoea.

**Sexual irritations; excite
discharges.**

**Thick, yellow leucorrhoea;
flows down thighs.**

Feels as if menses would come.

**Cough; tickling; with blood-
streaked sputum; amel.
menstruation.**

Burning in l. nipple.

**Lumbar backache, as if to
break; agg. amenorrhoea, renal
disease, etc.**

**Periodical, wandering
rheumatism.**

**Many dreams; erotic.
Feet cold in bed.
Brittle nails.
Hay fever, with anorexia.
Sleepless with amenia.**

Senega

Region

MUCOUS

and Serous Membranes

CHEST.

Eyes.

Nose.

Bladder.

Muscles.

Left Side.

Worse

Air

Open.

Wind.

Inhaling Cold.

Rest.

Pressure.

Touch.

Looking Fixedly.

Better

Motion; in Open Air.

Bending Head Back.

Description

Sub-acute, catarrhal or paretic states; of old people or fat, chubby children.

Lax tissues.

**Profuse, albuminous
secretions.**

Burning in air-passages.

Symptoms

**Headache, into eyes, amel.
cool air.**

Eye-balls feel distended.

**Bends head backward for amel.
diplopia, ptosis, etc.**

Eye-balls feel like balls of ice.

Sneezes, until dizzy.

Coppery taste.

**Dry scraping in mouth, throat
and chest; agg. talking.**

Nausea.

Shreddy urine.

Hoarse, unsteady voice; agg.

sexual losses.

Wheezing.

Emphysema.

Cough, incessant; strangling, choking, ends in sneezing; agg. lying on right side or evening.

Loose rattle in chest, but the profuse, clear expectoration is tough and slips back.

Blood-tinged or albuminous expectoration.

Chest sore (in spots), as if bruised; shifting pains on stooping.

As of a crushing weight on or weakness starting from chest.

Pleuro-pneumonia.

Related

Caus. Hep.

Sepia officinalis

SEPIA

Region

Venous Circulation

Digestive Tract.

Portal System.

FEMALE PELVIC ORGANS.

Nerves.

Skin.

Worse

COLD

AIR;

North Wind.

Wet.

Snowy.

Sexual Excesses.

Before Menses.

Pregnancy.

Abortion.

Morning and Evening.

After First Sleep.

Better

VIOLENT MOTION.

Warmth.

Cold Drinks.

Description

**Draggy, relaxed females -
lithaemic, plethoric -subject to
prolapses or easy dislocations.**

Uterine reflexes.

**Symptoms settle in back;
shoot up, agg. rectum, vagina,
etc.; backward, head (l), ileo-
caecal region, ovary, etc., or
cause shuddering.**

**AS OF A LUMP or a rolling over
internally.**

**Weak, empty, hollow feeling;
in epigastrium, chest, muscles,
lumbar back, hips, knees, etc.,
or fullness.**

Milky discharges.

Bleedings.

Symptoms

**Angry, sensitive and irritable
and miserable.**

Sensitive to pain.

Anxious fear; over trifles.

Averse, to one's own; to sympathy; to company; yet dreads solitude.

Stifled affections.

Poor memory.

Sad irritability, alternating with indifference or sulkiness.

Sexually minded.

Sad over-her health and domestic affairs.

Indifference.

Stupid, wants to go away.

Headache; over l. eye; alternate sides of occiput; agg. lying on it; heavy on vertex; shootings; bursting.

Hemicrania.

Jerks head back and forth.

Drooping eyelids.

Red, itching tarsi.

Falling out feeling in eyes.

**Sees motes, flashes, zigzags,
photopsies; then collapse.**

Odors are repulsive.

**NOSE; BROWN STRIPE
ACROSS (Menis.); pressive pain
at root; foul plugs or green
crusts from.**

Dark circles under eyes.

Changing color of face.

Chloasma.

Numb malar bones.

Swollen, cracked lower lip.

Mouth feels burnt.

Hawks mucus or foul, cheesy grains in A.M.

Taste cheesy, fishy or bitter-sour.

Ascending throat colds.

Eructates tough, foamy mucus.

Nausea at thought or smell of food; in A.M.

Vomits; solids only; milky.

Gnawing hunger.

Craves acids.

**FAINT SINKING AT
EPIGASTRIUM, not amel.
eating, or a lump in.**

**Gripping in gall-bladder, agg.
stooping.**

**Falling out or heavy bearing
down feeling in hypogastrium;
holds it or crosses legs.**

Pot belly.

Stool, then gelatinous mucus.

Diarrhoea, from boiled milk.

**Rectum constricted and
powerless; no urging for days.**

Obstipation.

As of a ball in anus.

**Piles, prolapsing; sticking; of
pregnancy.**

Oozing from anus.

Slow urination; cutting before.

**Enuresis, during first sleep;
agg. coughing, sneezing, etc.**

THICK, FOUL URINE;

**ADHERENT, RED, SANDY
SEDIMENT, or white, gritty.**

**Menses absent; at puberty;
after weaning, etc.**

**Grasping, burning or sticking
in uterus (os).**

Sub-involution.

**WEAK, DRAGGING OR
BEARING DOWN FEELING;
must sit close or hold parts.**

Tends to abort.

Labia swelled; abscessed.

**Leucorrhoea; in large lumps;
foul; gonorrhoeal.**

**Stomach cough; agg. rapid
change of temperature; with
foul sputum.**

Circulation, irregular; seems to stagnate.

Palpitation; visible; ascends to occiput.

General pulsation.

Ebullitions at night.

Overful blood-vessels.

Collar feels tight.

**Aching; inter-scapular;
LUMBAR -paralytic-wants it pressed.**

Purple hands.

Cold knees or heels.

**Skin blotched; raw, rough,
hard or cracked, agg. flexures.**

Herpes.

Ringworm.

Itching vesicles.
Boils in axillae.
Thick crust on elbows.
Ulcers, on small joints.
Epithelioma of eyelids, lips,
etc.
Skin; wine colored.
Spots on the skin.
Loud talking in sleep.
Dreams if lies on l. side.
Easily chilled, Chilly, with air-
hunger.
Cold; in spots; on vertex;
between scapulae; feet, in bed.
Sudden weakness; then
anxious, hot flushes.
Hot hands, with cold feet or

vice versa.

**Sweat, easy; with orgasms; on
genitals, axillae or back.**

Irregular fevers.

Complementary

Nat-m. Pho.

Related

Caus. Gel. Lil-t. Nat-m. Pul.

Silicea terra

SILICA

Region

NUTRITION.

Children.

Tissues

Elastic.

Cellular.
NERVES.
GLANDS.
Tubes
Eustachian.
Tear Ducts, etc.
Fistulae.
Bones.
Cartilage.
Mucous Membranes.
Skin.

Worse

COLD CHANGES
AIR.
DRAFTS.
Damp.
Uncovering.

Bathing.
Checked Sweat,
agg. Feet.
Sensitive to
Nervous Excitement.
Light.
Noise.
Jarring Spine.
Change of Moon.
Night.
Mental Exertion.
Alcohol.

Better

WARM

WRAPS;
to Head.
Becoming.

Profuse Urination.

Description

Cachectic or senile patients.

Large head, with wasted body.

Fair, clear complexion.

**KEENLY SENSITIVE; to noise,
pain or cold; hugs the stove.**

**Violent sticking pains;
localised; in ears, throat,
ulcers, etc.**

Exaggerated reflexes.

Contracted sphincters.

Spasms.

**Tendency to easy exhaustion,
abnormal sweats and
suppuration.**

Cerebral softening (Phos.).

**Slow, incomplete processes,
then induration.**

**EVERY HURT FESTERS;
stubborn suppuration; fistulae;
abscess; proud flesh;
induration; cicatrices, etc.**

Torpid cellular tissue.

Mal-nutrition.

Arrested development.

Late learning to walk.

Swelled, diseased glands.

Emaciation.

Scrophulo-rachitic diathesis.

Parts lain on go to sleep.

OEdema in A.M.

Extrudes foreign bodies.

Symptoms

**Mental acuteness, with
physical weakness or torpidity.**

Fidgety.

Lacks grit.

Slouchy gait.

Sullen and stubborn.

**ASCENDING EFFECTS; violent
vertigo; OCCIPITAL PAINS, etc.;
amel. pressure.**

Headache, then blindness.

Migraine.

Vertex throbs.

**Open fontanel, with distended
abdomen.**

Lumps on scalp.

Inflamed eyes.

Spotted vision.

Cataract.

Deafness; hears again with a snap.

Frothy nasal discharge.

Coryza; with epistaxis.

Waxy pallor.

Enlarged parotids.

As of a hair on tongue, in throat, etc.

Bitter taste in throat.

Abscess at roots of teeth.

Hawks down foul lumps.

Averse to hot food.

Averse to mother's milk; vomits it.

Big, hard or hot belly; with thin legs.

**Rectum; cutting cramping;
paining into testes; agg.
coition.**

**Stools; receding; agg. menses;
retained, for fear of pain.**

Fissure ani.

Foul urethral discharge.

**Itching, moist spots on
scrotum.**

Hydrocele.

**Cutting upward in vagina, agg.
urinating.**

Nursing agg. uterine flow.

Biting, gushing leucorrhoea.

Itching vulva.

**Retching, shaking, gagging
cough; agg. cold drinks.**

**Respiration difficult from draft
on neck.**

Profuse, foul, lumpy sputum.

Rattling in chest.

Sore, retracted nipples.

Nodes or fistulae in mammae.

**Sharp pains in breasts and
uterus.**

Axillary glands swelled.

Fingertips painful; dry.

Panaris.

Weak ankles.

**FOOT-SWEAT; FOUL; itching;
acid, destroying shoes;
suppressed.**

Sore ache in arch of foot.

Distorted, ingrown nails.

Bunions.

Soggy, wilted skin.

Acuminate eruptions.

Carbuncle.

**Ulcers; painfully sensitive;
foul; spongy; on feet, toes; at
nails; amel. heat.**

Osteitis.

Somnambulism.

**Frightful dreams, wake him on
falling to sleep.**

**CHILLY; agg. lying in bed,
exertion, etc.**

Coldness of painful part.

Icy chills.

Hectic.

SWEAT; profuse; on upper

**parts; head, or affected parts;
at night; foul; easy; acrid.**

Follows

Calc-c. or Hepar.

Complementary

Flu-ac. Pho. Thu.

Related

Calc-c. Hep. Kali-p.

Solidago virgaurea

SOLIDAGO

Region

KIDNEYS.

Digestive Tract.

Lower Limbs.

Blood.

Worse

Pressure.

Better

Profuse Urine.

Description

Weak; easily takes cold.

Haemorrhage.

Kidney disfunctions; chronic nephritis; uraemic asthma.

Symptoms

Bitter taste.

Profuse, involuntary, mucous stools.

Difficult, dark and scanty or clear, stinking urine.

KIDNEYS, sore or tender over; ache; feel distended.

Nephritis; chronic.

Cystitis.

Prostatitis.

**Lumbar ache; makes her sick
all over.**

**Petechiae on lower limbs
(Agava); with oedema.**

Gangrene; diabetic.

Eczema; agg. suppressed urine.

Spigelia anthelmia

SPIGELIA

Region

NERVES

TRIFACIAL.

HEART.

Neck.

Fibrous Tissue.

EYES.

Teeth.

LEFT SIDE.

Worse

TOUCH.

MOTION.

Jar.

Periodically;

with the Sun.

Tobacco.

Coiton.

Raising Arms.

Better

Lying on

R.

Side, with Head High.

Description

Combined heart and eye symptoms, or the latter as an accompaniment.

PAIN; in violent attacks; radiating; from l. occiput to over l. eye; agg. stooping.

Neuralgia.

Sun pains.

Vertigo; feet feel higher than the head.

Shudders; if touched or bruised.

Symptoms

Stammering.

Fears pointed things.

Left supra-orbital or occipital pain; boring.

EYES : sore, drawing ache; sunken; feel large; red; flowing tears on affected side; squinting; yellow rings about.

Post-nasal dropping.

Fetor oris.

Toothache.

Ravenous hunger.

Pains about navel; in children.

Mucus lumps in stools.

Worms.

Dyspnoea, agg. moving arms.

HEART; violent, audible

PALPITATION, attending other symptoms; violent sticking, or

**compressive pains radiating to
throat, arm or scapula, agg.
least motion; or bending
double; soreness; purring;
crackling.**

Cardiac angina, etc.

**Neck stiff; pains into l. temple
or from l. shoulder into neck.**

Cutting about l. scapula.

Numb l. arm.

**Weak, tremulous or irregular
pulse.**

Pulsation in patellae.

Follows

Aco.

Complementary

Spo.

Related

Cact.

Spongia tosta

SPONGIA

Region

HEART;

Valves.

Larynx.

Trachea.

Glands.

Worse

DRY, COLD

Wind.

Roused from Sleep.

Exertion.

Raising Arms.

Before

12 P.M.

Better

Lying with Head Low.

Eating a Little.

Description

FLABBY.

Weak and heavy.

Feels stuffed up.

Orgasms.

**Hard swellings; glands
(ductless).**

Symptoms

Terrified, anxious look.

Eyes seem to protrude.

Sorethroat, agg. sweets.

Painfully swelled spermatic cord and testes; stitches in; squeezing in.

Hard testes.

Noisy, whistling inspiration on falling to sleep.

SUFFOCATION; as from a plug, leaf or valve in larynx; waking him; with violent, painful palpitation and blue lips; with heavy sweat.

Anxious, gasping breathing.

HOLLOW BARKING, CROWING, SAWING OR TIGHT CROUPY COUGH; wakes child; then burning in chest; agg. cold drinks or excitement; amel.

eating.

Voice gives out.

Croup; sudden.

HOARSENESS.

**Larynx pains, agg. touch,
singing, talking or swallowing;
he grasps it.**

Diphtheria.

Neck; as if a cord about.

Choking on falling to sleep.

Goitre.

Fullness in chest.

Apical phthisis.

**HEART; surgings mount up to
neck, head and face; with
closure of eyelids and tears.**

Palpitation.

Goitre-heart.

Valvular disease.

Numb fingertips or lower half of body.

Awakes in anxiety.

Heat; in spells, with anxiety and cardiac pain, would rather die; and sudden weakness after walking in open air, he must lie down; with cold, moist thighs; agg. thinking of it.

Follows

Cact.

Related

Iod. Led.

Squilla maritima

SQUILLA

Region

MEMBRANES

MUCOUS

Serous.

Kidneys.

Heart.

Spleen.

Worse

Early Morning.

Motion.

Uncovering.

Old People.

Description

Exudations and profuse

secretions.

Dropsy; with profuse urine.

Cardio-urinary effects.

Gurglings.

Symptoms

Rubs, eyes, sneezes.

Acrid coryza.

Black spots on teeth.

**Sweet taste; of food,
expectoration, etc.**

**Stomach pains, amel. lying on
l. side.**

Aching hypochondriae.

Dark brown, frothy stools.

**Sudden urging; passes much
urine.**

Bloody urine.

Erotic pollutions.

**COUGH; stubborn, rattling c.
with sneezing, coryza, watery
eyes, spurting urine, or heat;
ends in gagging; agg. cold
drinks and inspiration.**

**Easy, heavy expectoration;
agg. morning and evening.**

Stitches in chest (l).

Pleurisy.

Broncho-pneumonia.

**Heat, with aversion to
uncover.**

Absence of sweat.

Complementary

Ant-c.

Related

Ars.

Stannum metallicum

STANNUM

Region

NERVES.

MUCOUS MEMBRANES.

CHEST.

FEMALE ORGANS.

Worse

Using Voice.

Cold.

10 A.M.

MOTION

After.

Gentle.

Lying on Right Side.

Ascending Steps.

Better

Rapid Motion.

Hard Pressure; Over an Edge.

Expectoration.

Description

Repeated short attacks.

EXTREME WEAKNESS; AGG.

**IN CHEST; in throat, stomach,
upper arms and thighs; drops
into a chair; can't even talk;
trembles on moving.**

Paralytic heaviness.

**Profuse, muco -purulent
secretions.**

Emaciation.

**PAINS INCREASE GRADUALLY,
THEN SLOWLY SUBSIDE.**

Pressive drawing.

Neuralgias.

Cramps.

Spasms.

Hysteria.

Symptoms

**Anxious, nervous and sad; agg.
before menses.**

**Weak and miserable, and
discouraged.**

Pressive, stupefying headache.

Pale face, with sunken eyes.

Malar neuralgia.

Face ache.

Tickling at root of tongue.

Vomiting; violent; early morning, with odor of ingesta.

Burning in liver.

Painful, pinching colic, amel. hard pressure and stool, which exhausts.

Child wants to be carried over shoulder.

Worms.

Atony of bladder.

Easy sexual orgasms.

Pollutions.

Before menses, mania erotica.

During menses, strong odor of body.

Gushes of debilitating leucorrhoea.

**Prolapse, of vagina or uterus,
agg. stool.**

Much mucus in trachea.

Deep, hollow voice.

**Short breath, from every
effort; must loosen clothes.**

**Cough; easily expectorates
quantities of sweet or bright
yellow pus or balls of mucus.**

Catarrhal phthisis.

Chest feels raw or hollow.

Tremulous knees.

Swelled hands and ankles.

**Chill at 10 A.M. ; with numb
fingertips.**

Burning palms and soles.

Hectic.

**Debilitating, musty sweat at 4
A.M.**

Night-sweats.

Antidotes

Hep. Pul.

Related

Lach. Nat-m.

Staphisagria

Region

NERVES.

TEETH.

Genito-Urinary Organs.

Fibrous Tissues

Eyelids.

Tarsi.

Skin.

Glands.

Right Deltoid.

Worse

Emotions

Chagrin.

Vexation.

Indignation.

Quarrels.

Sexual Excesses.

Onanism.

Touch.

Cold Drinks.

Lacerations.

Stretching Parts.

Mercury.

Night.

Better

Warmth.

Rest.

Break-fast.

Description

Nervous trembling.

**Squeezing or stinging
smarting, as if cut.**

Pains that move into teeth.

Symptoms

**Morbidly sensitive; easily
offended.**

Always angry.

**Gloomy and petulant; throws
things.**

Poor memory.

Hypochondriasis.

**Sexually minded; unsatisfied
urge; widows.**

**Sheepish; sensitive mentally
and physically.**

Imagines insults.

**Irritable, nervous, excitable
and violent.**

Brain feels torn.

**Compressive, stupefying
headache.**

As of a heavy load in forehead.

**Moist, foul, eroding milk-crust;
agg. occiput.**

Dryness in eyes.

Nodes in lids.

Styes.

Blepharitis.

Sickly, peaked and hollow-eyed.

Neuralgia, from caries; pains go to eyes

Coryza, now thick, now thin; ulcerating.

Swelled sub-mental gland; abscess.

Pale, bleeding gums.

Loose, aching, black, crumbling teeth; agg. eating and during menses; amel. hard pressure and heat.

Pyorrhoea.

Musty taste.

Hungry; craves milk.

Colic; flatulent; ovarian; agg.

coition.

Dysentery.

Irritable bladder.

Urinates a slender stream.

**Trickling or burning along
posterior urethra; agg. after
walking or riding, amel.**

urinating.

Priapism.

Prostatitis.

**Dysuria; of brides; in
pregnancy (Pop-t.).**

Itching or sensitive vulva.

Pains from ovaries into thighs.

Salpingitis.

Crural neuralgia.

Tight chest, at close of coition.

Cough, agg. cleaning teeth or alternating with sciatica.

Violent yawning; brings tears; after headache.

Pains that precede shingles.

Backache; in bed in A.M.

Fine tearing in or numb fingertips.

Nodes on finger joints.

Skin symptoms, alternate with joints pains.

Weak knees.

Biting itching; as of vermin; changing place on scratching.

LACERATED WOUNDS; agg. sphincters; perineum, etc.; stitch pains.

**Amorous dreams, with
pollutions.**

**Sweat and flatus smell like bad
eggs.**

Complementary

Colo.

Related

Cham. Merc.

Sticta pulmonaria

STICTA

Region

Nerves.

Membranes

Nose.

Chest.

Bronchi.

Joints.

Shoulder

(R).

Worse

Night.

Lying Down.

Motion.

Change of Temperature.

Better

Free Discharges.

Open Air.

Description

**Nervous, stiff and rheumatic;
develops catarrhs.**

**Painful, dry mucous
membranes.**

Diagonal pains.

Symptoms

Must talk.

Seems to be floating.

Burning eyelids.

Pressure or stuffy fullness at root of nose; blows it without relief.

Coryza; that dries up again.

Hay fever.

Tickling high up in pharynx.

Incessant, dry, hacking cough; prevents sleep; agg. coughing and inspiration; croupy; agg. if tired; after measles.

Numbness in air-passages.

Bronchitis.

**Sore, stiff neck; pains to
shoulder.**

Restless hands and feet.

Rheumatism.

Red spot on affected joint.

Bursitis.

Cold, moist limbs.

Profuse sweat on hands.

Related

Cetrar. Elap. Guai. Sang. Thu.

Stramonium

Region

BRAIN.

Circulation.

Throat.

Skin.

Spinal Nerves

Arms.

Hip

(L).

Genitals.

Worse

Glistening Objects.

Fright.

AFTER SLEEP.

Dark, Cloudy Days.

Suppression.

Intemperance.

Better

LIGHT.

Company.

Warmth.

Description

A remedy of TERRORS, BUT LACKING IN PAIN; with suppressed excretions (Ver-a.), passing neither urine nor stool (Led.).

Very mobile states.

Tremor; nervous.

Disorderly, graceful or rhythmic motions (Elap.), agg. head or arms.

Chorea.

Spasms, agg. night.

Symptoms

DREADS DARKNESS, and has a horror of glistening objects.

Fearful, desires company or

wants to escape.

Active, variable delirium; talks incessantly; sees many, vividly brilliant or hideous phantoms, more to one side.

Wildly excited, as in night terrors or delirium tremens, or does all sorts of crazy things.

Raving mania, with cold sweat, cursing and praying.

Religious insanity.

The talk of others is intolerable.

Self accusation.

Loss of reason or speech.

Stupid.

Imbecile.

Vertigo, agg. in dark.
Jerks head up and drops it
again.
Fixed, sparkling stare.
Squint.
Diplopia.
Night blindness.
Green vision.
Crowding, visual
hallucinations.
Sees black.
Delusions as to size and
distance.
Red, bloated or rapidly
changing face; now flushed,
now pale; a sardonic grin, then
expresses terror.

Frowning.

Fine red dots on tongue.

Stammering.

Constantly spits saliva.

**Dry throat, with great thirst,
yet dreads water; it chokes
him.**

Hydrophobia.

**Putrid, dark, painless,
involuntary diarrhoea.**

Sexual excitement (in males).

**Excessive menses, preceded by
sexual excitement.**

Grasps the genitals.

Nymphomania.

Spasmodic cough.

Spasm of larynx.

Voice suddenly fails, in higher tones.

Nervous asthma.

Drawing in back.

Sensitive spine.

Violent pain in hip.

Unilateral paralysis, with twitchings.

Crawlings, as of many bugs.

Non-appearing exanthema.

Fiery scarlatinous rash.

Sopor.

Weeping, in dreams.

Awakes in fear or screaming.

Frightful visions.

Antidotes

Cof. Nux-v.

Related

Bell. Hyo. Op.

Strontium carbonicum

STRONTIUM CARB.

Region

Vaso-Motors

Circulation.

Heart.

Kidneys.

Marrow.

Ankles.

Right Side.

Worse

COLD;

Changes.

Uncovering.

Walking.

Sprains.

Bleedings.

Evening.

Better

Heat and Light

Sun.

Wraps.

Baths.

Itching.

Description

Congestive tension.

**Fleeting pains; seemingly in
bones.**

Rheumatism.

Burning.

Gnawing.

Pains increase and decrease gradually or make him faint and sick all over.

Violent starts.

Immobility; of one side.

OEdema.

Sense of paralytic weakness.

Emaciation.

Prostration after operations.

Formication in limbs.

Arterio-sclerosis.

Symptoms

Headaches; into upper jaw; with vertigo and nausea.

Violent pain in nape, amel. wraps.

Very pale or violently red face.

Numb mouth.

Pressure in stomach during digestion.

Cramp about navel.

Hard, knotty, difficult stool, then burning at anus.

Exhausting, nightly diarrhoea, of yellow water; periodically.

Pale, ammoniacal urine.

As of a load on chest.

Heart feels smothered.

Heart block.

Numb hands.

Sprained or puffed ankles.

Cramp in calves and soles.

Surgical shock.

**Flushes of heat; in face; yet
averse to uncovering.**

Night-sweats.

Climacteric.

Related

Calc-c. Rhus-t.

Strophanthus hispidus

STROPHANTUS

Region

HEART;

Circulation.

Stomach.

Kidneys.

Worse

Exertion.

Alcohol.

Tobacco.

Tea.

Description

Stitches.

Twitchings.

Increased secretions.

Alternations; rapid, with slow pulse; surgings to head and heart; dilated, with contracted pupils, etc.

Undulations.

Throbbing.

Symptoms

Fear of ordeals.

Feels lifted up, during siesta.

Vertigo, with swimming vision.

Faintness.

Very mobile pupils.

Glimmering vision.

Red spots on face.

Throat seems constricted.

Craves coffee.

Anorexia.

Vomiting.

**Rumbling, colicky diarrhoea;
with burning at anus.**

**HEART; sense of lively action;
aching; anguish at; weak.**

**Palpitation; chronic, especially
nervous.**

Cardiac dyspnoea.

Atheroma.

Small, weak, rapid or irregular

pulse.

Heavy forearms and fingers.

Itching feet.

Hives; receding.

Related

Apoc. Glo. Ign. Spi.

Sulphur

Region

CIRCULATION

VENOUS.

Portal.

Abdomen.

NUTRITIVE ORGANS.

MEMBRANES

Mucous.

Serous.
Rectum.
Chest.
SKIN;
Folds.
VERTEX.
SOLES.
Joints.
Glands.
Worse
SUPPRESSIONS.
BATHING.
Milk.
HEATED
EXERTION.
IN BED,
by Woolens, etc.

Atmospheric Changes.

Speaking.

Periodically

11 A.M.

Climacteric.

Full Moon (Cina. Sil.).

Better

Open Air.

Motion.

Warm Applications.

Sweating.

Dry Heat.

Description

**STOOPED, LANK, UNCURED,
UNTIDY AND UNWASHED.**

**Emaciation; with good
appetite.**

Atrophy of children.

Psora.

Scrofula.

Rheumatism.

**DEFICIENT REACTION;
effusion; deposits; slow
reabsorption.**

CHRONICITY.

**RED ORIFICES, or single parts;
lips, tarsi, ears, etc. (Alo.).**

**LOCAL THROBBING, BURNING
OR CONGESTION; SOLES;
VERTEX; bones; painful spots,
etc.**

**ITCHING; parts; discharges
cause, etc.**

Foul, acrid or blood-streaked

discharges.

Weak, faint spells.

**Empty, overful, rough or
asleep feeling.**

**ASCENDING EFFECTS; heats,
orgasms, vertigo, etc.**

Symptoms

**Slow, lazy, hungry and always
tired.**

**Hopeful dreamers; ecstatic,
religious, philosophic, etc.**

**Peevish, mean, prying or easily
excited.**

Melancholic.

Tired of life.

Vertigo; in forehead.

VERTEX, throbs, hot, heavy,

sore, etc.

**Nape to vertex; pain, chills,
pressure, etc.**

**As of a hand about or pain
deep in brain.**

**Sunday headache; preceded by
photopsies.**

Hot head, with cold feet.

Sweaty scalp.

Dry, cold hair.

**Eyes; burn; cutting, as from
sand; bursting in balls;
quivering.**

Halo about light.

As of floating soot before.

Photophobia.

Ophthalmia.

Swashing in ears.

Nose, obstructed on alternate sides; drips; swelled red, agg. cold.

Catarrhal colds.

Epistaxis, agg. night or lying on r. side.

Sensitive smell.

Imaginary odors.

Swelled veins of forehead.

OLD LOOK.

Spotted face.

Dry, tremulous tongue; red edges and tip.

Sensitive dental fangs.

Grinds teeth.

Nursing sore mouth.

Throat; as of a swelling or a vapor rising in; external redness.

Eructations, like bad eggs, amel. eating.

Drinks much, eats little.

Averse to meat.

SUDDENLY HUNGRY AND WEAK; AGG. 11 A.M. ; at epigastrium.

ABDOMEN SORE, amel. pressure; heavy, as of a lump; stitches; bearing down, against rectum; congested.

Borborygmi.

Colicky babies.

RECTUM pains; itches; urging

in; haemorrhoidal habitus.

Holds stool back from pain.

**DIARRHOEA; HURRIED,
EARLY MORNING (Tub.),
changing; mushy; stinking;
painless; watery; gray froth;
agg. milk; alternating with
constipation.**

Burning itching urethra.

Hurried or nightly urination.

Bed wetting.

Testes hang low.

Cutting in uterus; agg. menses.

**Burning, itching, sore vulva;
agg. sitting.**

Puerperal sepsis.

Acrid, foul menses,

SUFFOCATIVE AIR HUNGER.

Irregular breathing.

Cough; violent, in 2 or 3 incomplete bouts.

Deep, hoarse voice; early.

Chest; rattling and heat at 11 A.M. ; as of a band about or a load on; red; brown spots on.

Pain backward from l. nipple.

Pneumonia.

Heart seems too big.

Palpitation, agg. lying.

Nipples crack at base.

Sharp burning in mammae.

Neck weak; boils on.

Heavy shoulders.

Aching between scapulae.

**Lumbar pains; to stomach;
walks bent; supports weight on
hands, when sitting.**

Coccyx, pains during stool.

Numb l. arm, agg. lying.

**Palms crack and peel; eczema
on; warts on.**

Numb fingers (r).

Tense hamstrings (l).

Cramp in calf (l).

**SOLES BURN; STICKS FEET
OUT OF BED, AT NIGHT or are
cold in bed; dry.**

**Jerks one limb, on dropping to
sleep.**

**SKIN; dry : rough, wrinkled,
scaly; ITCHING, violently at**

**night; BREAKS OUT; festers,
and won't heal; burning, when
scratched; painfully sensitive
to air, wind, washing, etc.**

**Eruptions alternate with other
complaints, asthma, etc.**

Crops of boils.

Itch.

Creeping erysipelas.

Rhagades.

Eczema.

Ulcers.

Skin under-nourished.

Suppuration with air bubbles.

Localised congestions.

Hot vertex and soles.

Inclined to uncover single

parts.

Craves fresh air.

Drowsy, then migraine.

Sleeps in cat naps.

Sleepy by day, wakeful at night.

Sleep; unrefreshing; sings during.

Chills up back.

Heat; feels too hot; flushes of; with general throbbing; between scapulae.

Sweat; in axillae; on hands or feet.

Antidotes

Merc. Pul. Sil.

Complementary

Alo. Calc-c. Sul-io.

Related

Psor. Sele. Syph.

Sulphuricum acidum

SULPHURIC ACID.

Region

DIGESTIVE TRACT.

Blood.

Blood-vessels.

Left Side.

Worse

Open Air.

Cold.

Spirits.

Injuries.

ODOR OF COFFEE.

Climacteric.

Toward Evening.

Excessive Heat or Cold.

Better

Hot Drinks.

Hands Near Head.

Moderate Temperature.

Description

Suited to toppers, old age, etc.

Disproportionate weakness.

TREMOR; INTERNAL; wants to be held.

Sourness.

Erosion.

Profuse, acrid or stringy discharges.

Haemorrhage; violent; black, thin.

Parts feel stiff and tight.

Pain increases slowly, then suddenly ceases.

Gnawing.

Great painfulness.

As of a blunt plug being driven in.

Symptoms

Hurried, irascible, vacillating and morose.

Brain feels loose.

Deathly pale or wrinkled face; white of egg seems dried on it.

Congestion to head.

Aphthae.

Throat sore; looks white-washed.

Pyrosis.

Hiccough; of drunkards.

Sour belching; sets teeth on edge.

Nausea.

Vomiting; agg. lying on l. side.

Weak, sinking at stomach, agg. after stool.

Drinks chill the stomach.

Very foul, green, black or hacked diarrhoea.

Oozing piles.

Coughs, then belches; bloody expectoration.

Fingers jerk when writing.

Weak knees.

Black and blue spots.

Petechiae.

HOT flushes, then trembling or cold sweat; agg. after warm ingesta; agg. upper parts; amel. motion.

Drenching sweats.

Complementary

Pul.

Related

Ars. Lach. Sep.

Sulphur iodatum

SULPHUR IOD.

Region

Tissues.

Skin.

Glands.

Right Side.

Worse

Exertion;

Slight.

Heat.

Lying on

R.

Side.

Before Storms.

Night.

Better

Cool Air.

Standing.

Description

Grippy feeling.

Weak; and sensitive to everything.

Faint and sick.

Raw, burning heat, internally, with external coldness.

Acrid discharges.

Single parts, fingers, etc., turn white and insensible.

Suppuration.

Infiltration.

Favors reabsorption.

Symptoms

Headache, amel. sundown.
Hair seems erect.
Zigzags before vision.
Teeth feel soft.
Glazed tongue.
Raw, dry mouth and throat;
painful swallowing; wants to
moisten it.
Tremor in epigastrium on
exertion.
Mesenteric disease.
Bright yellow stools.
Stubborn obstipation.
Foul anal discharge.
Urine scanty; purulent; brown
sand in.
Soft testes.

Deficient erections.

Cracked prepuce.

Aching soreness below knees.

Itching.

Ulcers.

Moist eczema.

Acne.

Barbers' itch.

Follows

Sulphur.

Sumbulus moschatus

SUMBUL.

Region

Nerves.

Heart.

Left Side.

Worse

Motion.

Inspiration.

Climacteric Music.

Better

Gentle Motion.

Description

**Nervous, irritable and
sleepless.**

**As of hot water flowing
through part.**

Yellow, tenacious discharges.

Early senility.

Symptoms

Laughs and weeps by turns.

As of a hair or cobweb on face.

Choking constriction in throat.

Hysteria.

Burning pyrosis.

Oppressive tightness in left chest.

Dyspnoea.

Asthma; cardiac.

Sexual excitability.

Trickling along spine.

Pale, cold skin.

Internal itching.

Dreams of falling.

Complementary

Lact.

Related

Mos.

Symphytum officinale

SYMPHYTUM

Region

CARTILAGE.

PERIOSTEUM.

Flat Bones.

Worse

INJURIES.

Blows from

Blunt Instruments.

FRACTURES.

Description

**Excessively painful (old)
injuries; to periosteum or
cartilage.**

Comminuted fractures.

Prickling, stitching pains.

Eye and face injuries.

Non-union.

Deficient callus.

Coldness.

Related

Calc-p.

Syphilinum

Region

Mucous Membranes.

Nerves.

Bones.

Worse

NIGHT;

Damp.

Sundown to Sunrise.

Gradual agg. Then Slow amel..

Protruding Tongue.

Extreme Heat or Cold.

Every Alternate Full Moon.

During Thunderstorms.

Better

Changing Position.

Continued or Slow Motion.

High Altitudes.

Applied Heat.

Description

Poor reaction or it does not hold.

Chronicity.

Great weakness, with but few symptoms.

Multiphase symptoms.

SYPHILITIC TAINT.

Weakness; on waking.

Ulceration.

Bald head, pouting lips and big belly.

Dwarfish.

Marasmic.

Foul odor of body.

Violent or linear pains.

Knots in muscles.

Symptoms

Antisocial.

Horrid depression or despair.

Cross.

Feels like going crazy.

Impulse to wash hands.

Syphilitic insanity.
Poor memory.
Nightly delirium.
Cerebral softening.
Deep, crushing head pains;
across base.
Beats head against wall.
Linear headaches.
Head feels pulled back.
Slowly advancing hemiplegia.
Hair falls profusely.
Inflamed cornea; amel. cool
bathing.
Ophthalmia.
Glimmering vision.
Vertical diplopia.
Ptosis.

Abscess of middle ear.

Nose painful to inhaled air; in sinuses.

Ozoena.

Snuffles.

Face wrinkled; looks old.

**Pain over r. eye, agg.
protruding tongue.**

**Teeth feel sticky; as of a worm
in; decay at edge of gums.**

Salivation; at night.

Putrid taste.

Crack along center of tongue.

**Green lumps from posterior
nares.**

**Sore throat; r. to l.; agg. cold
drinks.**

Capricious appetite.
Craves alcoholic liquors.
Rectal fissure or stricture.
Frothy urine.
Nocturnal enuresis.
Voids urine amel. standing.
Menses have odor of rotten meat.
Profuse, acrid leucorrhoea;
runs to heels; with itching.
Cough, agg. lying on r. side.
Pain from base to apex of heart.
Neck feels short.
Backache, agg. urinating.
Deltoid pains.
Middle fingers.

Itching eruption about elbow.
Cold pain in legs.
Festination.
Bones pain as if sawed.
Bilateral exostoses.
Skin; biting as from bugs;
swelled and blotched, amel. hot
bathing.
Pains in shins, amel. heat.
Wandering erysipelas.
Succession of abscesses.
Foul or green pus.
Conical crusts.
Bullae.
White cicatrices.
Distorted nails.
Sleeplessness.

Large, soft pulse.

As of hot water in veins.

Related

Merc.

Tabacum

Region

Nerves

Cerebro-Spinal.

Vagus.

Sympathetic Ganglia.

HEART.

GLANDS.

SECRECTIONS.

Worse

MOTION;

of Riding.

Lying on Left Side.

Better

Cold; Fresh Air.

Twilight.

Uncovering Abdomen.

Description

Relaxing irritant; causing prostration, free secretions and exciting muscles of hollow organs.

Cramp, then paralysis; of bowels, heart, etc.

Paroxysmal or jerky effects.

Stormy, dangerous cases, with rapid changes.

Pains, agg. from heat.

Faintness; slides down.

Tremor.

Symptoms

Morose, despairing and wretched or indifferent.

Confusion.

Mental fag.

Excessive vertigo; with copious sweat (cold), agg. opening eyes.

Retina retains images too long.

Deathly pale, pinched look.

Retracted lips.

Spasm of lower jaw.

Tetanus.

Much spitting; with complaints.

Clutching about throat.
Deathly nausea and violent vomiting; agg. least motion; with much spitting.
Retching.
Pregnancy.
Seasickness.
Acidity.
Sinking at epigastrium.
Wants abdomen uncovered.
Heaviness in r. abdomen.
Colic; with weakness.
Involuntary choleraic or thick, curdled, watery stool; like sour milk.
Ileus.
Dribbling urine.

Renal colic.

Emissions.

Impotency.

Constricted chest.

Asthma.

Twisting about heart.

**Angina pectoris; with nausea,
cold sweat and collapse.**

Unsteady heart beat.

**Backache, agg. lying amel.
walking.**

Fuzzy fingertips.

Nightmare.

Icy cold skin.

Thready, intermittent pulse.

Cold legs.

Heat; of one cheek; down

spine; internal.

**Sudden cold sweats; with
chills; in renal colic, angina
pectoris, etc.**

Complementary

Op.

Related

Ars. Gel. Ver-a.

Taraxacum officinale

TARAXACUM

Region

Liver.

Stomach.

Worse

Rest;

Sitting; Standing.

Better

Walking.

Touch.

Description

Bilious, sick feeling.

Stitches.

Symptoms

Depression.

**Coated tongue, with raw
patches; mapped.**

**Sour taste or hawks sour
mucus.**

White stools.

Bilious diarrhoea.

Jaundice.

Restless limbs, with tearing

pains.

Chilly after eating.

Cold fingertips.

Burning toes.

Night sweats.

Related

Nux-v.

Tarentula hispanica

TARENTULA

Region

NERVES.

HEART.

Spine.

RESPIRATION.

Generative Sphere.

Right Side.

Worse

TOUCH.

Cold.

Noise.

Damp.

Periodically

Same Hour.

Yearly.

After Menses.

Evening.

Better

Relaxation

Rubbing.

Sweating.

Smoking.

Open Air.

Music.

Riding Horseback.

In the Sun.

Description

VIOLENCE; sudden.

Restless, fidgety, hurried; in incessant motion, but walking agg..

Rolls from side to side (Am-c. Ars. Lach.); agg. head, and rubs it.

Quivering.

Numb prickling.

Jerking.

Twitching.

Chorea.

Synalgias; sexual (Ap.).

Violent pain.

Sepsis; deep.

Emaciation; agg. face.

Symptoms

Averse to green colors.

Dances up and down.

Sensitive and nervous.

**Nervous laughter, then
screams.**

Lacks control.

Erratic.

Impulsive.

Selfish.

**Suddenly changing moods,
fancies or strength.**

Hysteria.

Hateful, adroit, crafty, cunning

**and destructive or depraved
(Buf.).**

Throws things.

Malingering.

Kleptomania.

Angry despair.

Death agony.

Vertigo, then spasms.

As of needles pricking brain.

**Heavy l. parietal ache to face
and neck, with impatience and
nausea.**

Sleepless; from excitement.

**Violent, crushing headache, as
an accompaniment.**

Meningitis.

Thick tears.

Expression of terror.
Face fiery red; bloated.
Craves raw foods.
Heaviness in pelvis.
Stool; oily; excited by washing head.
Foul urine, with sandy sediment.
Sensitive genitals.
Sexual erethism.
Hot semen.
Dry, hot, raw, itching vulva and vagina, agg. scratching.
Motions or burning in uterus.
Cancer of cervix.
Leucorrhoea of clear, acrid, sticky lumps.

**SUFFOCATION; must have
fresh air; agg. coughing.**

**Cough, amel. smoking, agg.
noise.**

**Heart, twists around; takes
sudden jump.**

**Chorea cordis, with arm
symptoms; agg. hands in cold
water.**

**Painfully sensitive spine;
touch excites pains in heart,
chest, etc. (Bell.).**

**Restless arms; keeps hands
busy; picks fingers.**

**Restless legs; impulse to walk.
Festination.**

Cold, moist feet and hands.

Itching soles.

Sawing bone pains.

**Skin, purplish (Sol-n.);
ecchymotic; cold spots or as of
cold water flowing or dropping
on part.**

**Suppuration; deep; evacuates
pus rapidly.**

Noma.

Alternate chill and heat.

General heat, with cold feet.

Fever; septic.

Sweat, profuse; excoriating.

Complementary

Ars.

Related

Agar. Ars. Mygal.

Tarentula cubensis

Region

Cellular Tissue.

Worse

Cold Drinks.

Exertion.

Description

Spasmodic difficulty of breathing.

Shattering cough; pertussis.

Slow incubation, then rapid onset, with alarming prostration, atrocious burning or sharp stinging pains, board like HARDNESS OF PART and copious sweat.

Intense diphtheritic fever.

Malignancy.

Sepsis.

Carbuncle.

Felon.

Bluish abscess.

Painful abscesses.

Death agony.

Paralysis, then convulsions.

Symptoms

Nervous restlessness.

Fullness in head.

Tendency to vomit.

Pruritus vulvae.

Trembling hands.

Fidgety feet.

Purple discoloration.

Gangrene.

Pungent heat of surface.

Drowsy.

Unsteady gait.

Related

Anthx. Lat-m.

Tellurium metallicum

TELLURIUM

Region

Spine.

Nerves.

Ears.

Eyes.

Skin.

Right to Left.

Worse

Touch.

Lying on Part.

Cold.

Empty Swallowing.

Spinal Injuries.

Weekly.

Description

Offensive; like putrid fish brine or garlic.

Salty; taste; mucus from throat; pus, etc.

Acrid discharges; excite itching, vesicles, etc.

Periostitis.

Numbness.

Sharp, quick pains, then

soreness.

Sense of retention.

Symptoms

Vertigo; agg. falling to sleep.

Linear head pains.

Thick tarsi.

Inflamed, bluish, puffy ears.

Otitis.

Fluent coryza, hoarseness and watery eyes.

Twitching face; pains jerk angle (l) of mouth up.

Rancid belching.

Retching, ends in yawning.

Stomach feels hollow.

Sprained pain in chest muscles, over heart, agg.

raising arms.

Very sensitive or sore spine.

Deep sciatic pain, agg.

**coughing, sneezing, straining
or lying.**

Itching, pricking, as from bugs.

Circular eruptions.

Ringworm.

Burning in an old scar.

**Chills down spine, agg. lying
on back.**

Related

Cep. Sele.

Terebinthinae oleum

TEREBINTHINA

Region

Mucous Membranes

KIDNEYS.

Bladder.

Bronchial.

Respiration.

Heart.

Blood.

Worse

Dampness.

Cold.

Night.

Lying.

Pressure.

Better

Motion.

Description

**Kidneys affected, with
rheumatism.**

Sudden, grippy aching.

Stiff, sore muscles.

**Pain; excites urination; along
larger nerves.**

**Burning; tip of tongue,
epigastrium; small of back;
kidney; uterus, etc.**

Congestion.

**HAEMORRHAGE; passive;
oozing mucous surfaces.**

Symptoms

Exhausted and sensitive.

Smooth, sore, glossy tongue.
Bruised, sore abdomen and
bladder.

Flatulence.

Tympanites.

Ascites.

Profuse mucous stools.

Burning or pains along ureters.

Strangury.

Urine; smoky; with coffee
grounds or thick, yellow, slimy,
muddy sediment; odor of
violets; bloody.

Nephritis; early; scarlatinal;
with violent bronchitis.

Cystitis.

Bleeding bladder.

**Pains alternate between
bladder and navel.**

Metritis.

Bronchial asthma.

Hands feel swelled.

Cramp in knees.

Advancing purpuric spots.

Drowsiness.

Rapid pulse.

Heat under skin.

Cold sweat on legs.

Antidote

Canth.

Related

Canth. Erig. Pho.

Theridion curassavicum

THERIDION

Region

NERVES.

Spine.

Bones.

Left Side; Head, Chest.

Worse

NOISE.

Touch.

CLOSING EYES.

Least Motion.

Riding.

Jar.

Better

Rest.

Warmth.

Description

Hypersensitive.

**NOISE IS INSUFFERABLY
PENETRATING; affects the
teeth; causes nausea, chills,
and pains all over; strikes
painful spots, etc.**

Water feels too cold.

Bounding internally.

Symptoms

Startled by the least thing.

Fruitless activity.

Sense of duality.

Hysteria.

**Vertigo with nausea, on closing
eyes.**

**Headache felt during sleep,
agg. jarring.**

Migraine.

Glittering vision on stooping.

**Luminosities, then blurred
vision.**

Pain over root of nose.

**Yellow-green, thick, foul nasal
discharge.**

Ozoena.

Post-nasal catarrh.

Nausea, agg. least motion.

Sea-sickness.

Burning in liver.

**Pains at end of left floating
ribs.**

Gonorrhoea.

**Cough; jerks body together.
Too much air seems to enter
chest.
Stitch back through apex of
left lung.
Phthisis florida.
Cardiac anxiety.
Spine is sensitive to pressure
or jar.
Burning in upper arms.
Restless feeling in hands;
wrings them.
Bones seem broken.
Necrosis.
Scrofula.
Stinging thrusts in skin.
Internal coldness.**

Cold sweat is easily excited.

Related

Asar. Sil.

Thuja occidentalis

THUJA

Region

Mucous Membranes

GENITO-URINARY.

Intestines.

Mind.

Nerves.

Occiput.

Glands.

SKIN.

Left Side; Ovary.

Worse

COLD DAMP.

Heat; of Bed.

Periodically

3 A.M.

Yearly.

Increasing Moon.

During Menses.

Urinating.

Gonorrhoea.

Syphilis.

Mercury.

Vaccination.

Tea.

Onions.

Better

Warm

Wind.

Air.

Wrapping Head.

Free Secretions.

Sneezing.

Motion.

Crossing Legs.

Touch.

Description

Exhausted and soft.

Great prostration.

Rapid emaciation.

**Soft, exuberant, fungoid
tissue; polypi; condylomata;
warts, pediculated, black,
suppressed, etc.**

Sycotic, hydrogenoid or

lymphatic constitution.

Foul, acrid, musty, rancid or sweetish odors.

Oily stool, skin or sweat.

Trickling; in urethra.

Burning, sticking, numbing, drawing or wandering pains, agg. warmth.

Rheumatism.

Jerking, of spinal origin.

Parts look dead.

Symptoms

Ill-humored; sad; loathes life.

Illusions, then fixed ideas; of fragility; of a live thing internally; of some one at his side; of being in hands of a

stronger power, etc.

Hasty and anxious; over trifles.

Can't concentrate.

Neurasthenia; prostatic.

Vertigo; as if in a swing.

**Tearing or like a nail in l.
head.**

Neuralgia.

Dry, split hair.

**Eyes blood red; full of tears;
stand open.**

Sclerotitis.

Jagged iris.

**Photopsies, beyond visual
field.**

**Bloody scabs or briny odor in
nose.**

Epistaxis.

Face, pale, waxy, shiny; dark under eyes; spiderlets on.

Boring in zygomae.

Teeth decay at edge of gums; gnawing pains, agg. cold.

Ranula.

Mucus in choanae.

Noisy swallowing of belching.

Rancid or greasy eructations.

Pushings in abdomen.

Cutting squeezing in lower bowels, groins, bladder or urethra.

Ileus.

Gurgling in bowels; then painless, watery, grass green

stools.

Stools gurgle or pop out; agg. breakfast.

Stools, of hard, black lumps mixed with gushing water; hurried; explosive; spraying; gassy.

Moist anus or perineum.

Urine burns; dribbles; foul; copious; frequent; must wait.

Pain from l. kidney to epigastrium, agg. motion.

Forward, cutting in urethra on urinating.

Lithaemia.

Offensive genitals.

Testes seem bruised.

Prepuce puffed; sloughing.
Gonorrhoea.
Chordee.
Tearing in ovaries (1).
Itching, sensitive vagina.
Short, difficult breathing.
Asthma.
Cough by day only.
Expectorates easier lying.
Cheesy sputum.
Anxious palpitation.
Retracted nipples.
Chest pains take various directions.
Back; throbs; pressure over kidneys; atrophy of long muscles.

Cracking joints.

Numb fingers, on waking at night (Nat-m.)

Crawling or inflamed finger or toe tips.

Hips give way; limbs feel paralysed.

Restless knees.

Painful soles.

Foul, acrid foot-sweat.

Skin brown; spotted; dirty; hairy.

Eruptions itch or burn violently from cold bathing.

Moist, foul polypi.

Prurigo.

Naevi.

Bluish white ulcers.

Stinging, jumping out feeling.

Itch.

Blood-boils on back.

**Foul pustules, with sunken
apices.**

**Nails ribbed, soft, brittle,
crumbling, discolored or
distorted.**

Sleepless when on l. side.

Dreams of the dead.

**Shaking chill, with yawning;
agg. urinating; not amel. heat.**

**Heat rises into chest; with icy
hands, nosebleed or cough.**

**Sweat on bare parts; with dry
heat on covered ones; with cold**

**hands, amel. washing; profuse
on genitals; gushing, agg.
company; toul; pungent;
staining.**

Complementary

Nat-m. Nit-ac. Sabi. Sil.

Related

Merc. Nit-ac. Sabi.

Thyreoidinum

THYROIDIN

Region

HEART.

Central Nervous System.

Right Side.

Skin.

Worse

Least

Cold.

Exertion.

Better

Lying on Abdomen.

Description

**Splitting sensation; chest;
ensiform appendix; spine.**

Clutchings.

Chokings.

Wants to lie down.

Nervousness.

Faintness.

Rapid emaciation.

Symptoms

Tired and irritable.

Heavy ache over eyes.

Falling hair.

Nose dry, indoors, moist in open air (Nux-v.).

Dry, red lips.

Metallic taste, at tip of tongue.

Dry throat and larynx.

As of a splinter stuck across throat.

Cutting in liver, agg. deep breathing.

Rolling flatulence with gurgling, then a loose, gassy stool.

Bearing or aching down thro' pelvis, into anterior thighs.

Gnawing in uterus.

Cough on entering a warm room from cool air.

Heart; palpitation, hammering; beat felt in ears; pains, radiating into axillae; clutching, causing short breath.

As if blood were rushing downward through body.

Hypertrophy; after hard labor.

Numb l. finger, then r. leg.

Large veins on arms and hands.

Very dry skin.

As of a cold wind blowing on body.

Icy cold l. hand.

Cold clammy hands.

**Hot flushes, then chills, or
drenching sweats (Amy-n.).**

Oily, musty sweat.

Related

Calc-c. Glo.

Tilia europaea

TILIA

Region

Muscles.

Female Genitals.

Urinary Organs.

Worse

SWEATING.

Drafts.

After Sleep.

Description

Dragging pains.

OEdema.

**Sore; uterus, abdomen, etc.;
bed feels too hard.**

Rheumatism.

Neuralgia.

Symptoms

Heavy drag in urethra.

Scanty urine.

**Cough from tickle in l. throat
(Hep.).**

Sleepy; agg. during pain.

**Profuse sweat, without relief;
THE MORE HE SWEATS THE
GREATER THE PAIN (Cham.).**

Related

Ap. Calc-c. Lil-t.

Trillium pendulum

TRILLIUM

Region

FEMALE SEXUAL ORGANS.

Worse

Motion.

Climaxis.

Better

Exertion in Open Air.

Tight Bandage.

Bending Forward.

Description

Haemorrhage; gushing.

Symptoms

As if eyes would fall out, the bones of hips, back or thighs be forced apart, etc.; with faintness and sinking at stomach.

Menses every two weeks.

Bleeding fibroids.

Menorrhagia.

Varices of pregnancy.

Complementary

Calc-p.

Related

Sabi.

Tuberculinum bovinum kent

TUBERCULINUM

Region

LUNGS.

Mind.

Head.

Occiput.

Glands.

Larynx.

Worse

CLOSE ROOM.

Motion.

Exertion.

Weather :

DAMP

**(Cold);
Changing.**

Draft.

Awaking.

Noise.

Mental Excitement.

Thinking of It.

Pressure of Waistband.

Better

Cool Wind; Open Air.

Description

**Obscure, changeful
indications.**

**Susceptible, given to relapses,
increasing exhaustion and
lowered vitality.**

Rapid breakdown (Lyc.).

Takes cold easily; ends in diarrhoea.

TUBERCULAR TAIN.

Scrofula.

Quiverings.

Symptoms

SENSITIVE; every trifle irritates; agg. awaking.

Fits of violent temper.

Dissatisfied; always wants a change; reckless.

Fear; of dogs.

Confusion.

Shooting from over eyes to occiput.

Heat pains; deep; violent; tears hair or beats head, agg. motion.

Brain feels loose.
Sensitive scalp.
Eczema tarsi.
Sweat on nose.
Old, dingy look.
Aching malar bones.
**Teeth; feel jammed; sensitive
to air.**
Delayed dentition.
Dryness in mouth; in choanae.
Sticky mouth.
Hawks mucus after eating.
Adenoids.
Craves cold milk, or sweets.
Drum belly.
**Brown, foul, watery, explosive
stools.**

Tearing in rectum on coughing.

Bed-wetting.

Sticky urinary sediment.

Menses soon after child bearing.

Frightful dysmenorrhoea.

AIR HUNGER.

Hoarseness, amel. talking.

Dyspnoea, agg. cough.

Cough; fits of; with chill and red face; agg. evening; agg. raising arms.

Mucus rattle in chest, without expectoration.

Pneumonia; of grippe.

Asthma.

Sore spot in chest.
Heaviness at heart.
Tension in nape.
Skin dry, harsh; sensitive,
easily tanned; itching in cool
air.
Brown fingertips.
Branny scales.
Many enlarged glands.
Dreams, frightful, vivid; of
shame; awakes in horror.
Chilly; yet wants fresh air.
Cold feet; agg. left; in bed.
Heat; on cheek of affected
side; flushes of; in spots;
burning; on genitals; agg.
eating.

Sweat; easy; cold; clammy; in upper parts; on hands; agg. coughing.

Clothes feel damp.

Wants covers in all stages.

Complementary

Calc-c. Kali-s. Sep.

Related

Pho. Pul. Sep.

Urtica urens

Region

MAMMAE.

Genito-Urinary Organs.

Liver.

Spleen.

Worse

Cool

Moist Air.

Bathing.

Yearly.

Burns.

Stings.

Snow Air (Sep.).

Description

Stinging or stinging-burning.

Urinous odor of body.

Uric acid diathesis.

Haemorrhage.

Symptoms

White stool.

Pinworms.

Acrid urine, causing itching.

Lithiasis.
Swelled mammae.
Absence of milk.
Fever at night; with vertigo
and general pulsation.
Acute gout.
Itching-burning; on genitals.
Uric acid intoxication.
Pruritus.
Nettlerash.
Prickly heat.
Hives; elevated; with
rheumatism; after shell fish;
with pinworms.
Angio-neurotic oedema.
Sweatiness.
Vesicles.

Related

Form. Nat-m. Ocim.

Ustilago maydis

USTILAGO

Region

Epithelium

Skin.

Hair.

Nails.

Female Sexual Organs.

Worse

Climacteric.

Touch.

Motion.

Description

Tumid tissues, tending to bleed slowly.

Dark haemorrhage.

As of a knot; in throat, bowels, uterus, etc.

Symptoms

Depression.

Loss of hair and nails.

Sticky secretion matting the hair.

Milk crust.

Masturbation.

Menses half liquid, half clots or stringy; vicarious.

The uterus seeps dark, clotted blood.

Spongy cervix.

Metrorrhagia.

Acute ovarian pain.

**Burning in r. ovary; soreness
in l. and of uterus; pains shoot
down thighs.**

**Foul, yellow or brown
leucorrhoea.**

Pain under l. breast.

Dry, hot skin.

Related

Asaf. Bov. Sec-c.

Valeriana officinalis

VALERIANA

Region

NERVES

Spinal.

Genito-Urinary.

Mind.

Muscles, etc.

Calf.

Heels.

Tendo Achilles.

Worse

REST.

STANDING.

Excitement.

Evening.

Better

Changing Position.

Walking About.

Rubbing.

Description

**Suddenly changeable
disposition and symptoms.**

**Alternations and want of
reaction.**

**Pains move outward; are here
and there or come and go.**

**Illusions; of smell, taste or
hearing.**

**Sense of floating; of a ball or
plug.**

Globus.

Impulse to move.

Jerks.

**Weak single parts; eyes, arms,
wrists, popliteae, etc.**

Symptoms

NERVOUS, excitable and weak;

**wriggles or squirms about;
inclined to faint.**

Anger.

**Very mobile ideas, going from
one extreme to another.**

Hysteria.

**Luminosities, before eyes in
dark.**

Objects seem too near eyes.

Greasy or rancid taste.

As of a thread in throat.

Eructations, like bad eggs.

**Hunger, with nausea; as if from
navel.**

Gastric cramp.

Flatulence.

Colic.

Polyuria.

Strangling on dropping to sleep.

Crampy pain in l. humerus, wakes from sleep.

Heels pain when sitting.

Coldness in upper head.

Chills start and go down back from occiput.

Fever composed of disagreeable heat only.

Sudden gushes of sweat.

Related

Asaf. Ign. Pul.

Variolinum

Region

BLOOD.

Spine.

Muscles.

Metabolism.

Worse

Motion.

Vaccination.

Description

General aching, agg. in back, occiput and legs.

Calcareous deposists in the blood-vessels, spinal cord, etc.

Symptoms

Green vision on rising.

**Every odor nauseates.
Putrid, coppery taste.
Tongue protrudes during sleep.
Food seems to want to
regurgitate.
Tympanites, pouting upward;
she looks pregnant.
Breaking backache.
As of bugs crawling under skin.
Eczema of palms.
Pustular eruptions; foul.
Smallpox.
Shingles and pains that follow.
Ulcers look scooped out.
As of cold water trickling down
back.
Violent chill.**

Intense burning fever.

Foul sweat.

Related

Ant-t. Cimi. Maland.

Veratrum album

Region

NERVES

ABDOMINAL

Heart.

Blood-vessels.

Vertex.

Blood.

**Respiratory and Digestive
Systems.**

Worse

EXERTION.

DRINKING.

Cold Drinks.

Fright.

During Pain.

Wet Cold.

Better

Hot Drinks.

Walking About.

Covering.

Lying.

Description

**VIOLENT EFFECTS;
PROFOUND PROSTRATION,
COLD SWEAT ON FOREHEAD,
FAINTNESS OR COLLAPSE.
SUDDEN, EXCESSIVE**

EVACUATIONS.

Cramps; in chest, bowels, fingers, toes, etc.; with rigidity.

Progressive weakness and emaciation; in acute diseases, eg., whooping cough, ague, etc.

Symptoms

Delirium; early; with violence, loquacity or lewdness; during pain.

Prays, curses and howls in turn.

Acute manias, insanities, etc.

Remorse.

Loss of ideation.

Sits in silence.

Melancholia.

Overpowering headache.
Hair bristles; painful.
Face; deathly pale on rising;
bluish, pinched or distorted;
frowning; terrified look.
Red l. cheek, as if burnt.
Jaws cramp on chewing.
Heaviness in teeth.
Burning thirst.
Craves ice water or sour
drinks.
Vomits or eructates froth.
EXCESSIVE VOMITING, WITH
PURGING; violent retching,
cutting colic, cramps in limbs
and rapid prostration.
Cholera; morbus, infantum,

etc.

Painful epigastrium.

Watery, green, odorless or colorless (rice water) stool, or in large masses.

Nymphomania.

The air seems too hot.

Dyspnoea.

Tickling down throat, into lungs.

Continuous, violent cough; with retching; agg. cold drinks.

Neglected pertussis, with complications.

Aphonia.

Heart; cuttings at; weak; visible palpitation.

Fine burnings, in arms; r. to left.

Cramps in calves; during stool (Ap. Sec-c.); between scapulae, etc. amel. motion.

Skin feels scorched.

Awakes at night trembling.

Thready pulse.

GENERAL COLDNESS (icy); on vertex; of nose; in mouth; of waterbrash; limbs, sweat, etc.

Blood seems to run cold or internal heat with cold (wrinkled) surface.

Fevers showing external coldness only.

Congestive chill.

Complementary

Carb-v.

Related

Ars. Cam. Cup. Cyanides. Tab.

Veratrum viride

Region

Vaso-Motors

MEDULLA.

Occiput.

CHEST.

Stomach.

Heart.

Capillaries.

Worse

RAISING UP.

Motion.

Cold.

Lying on Back.

Puerperal States.

Better

Rubbing.

Lying with

Head Low.

Eating.

Description

**SUDDEN VIOLENT
CONGESTION; cerebellar or
thoracic; with nausea and
vomiting, weakness, staggering,
etc.**

Markedly uneasy.

Trembling here and there

during sleep, as if on the verge of convulsions.

Muscle prostration.

General pulsation.

Erratic motions.

Spasms; with twitchings, shrieks or opisthotonos; before or after menses; as a prodrome.

Eclampsia.

Uraemia.

Burnings; in places; tongue, pharynx, gullet; of skin, which is cold; with prickling.

Lies with head low.

Symptoms

Loquacity.

Mania; puerperal.

Delirium, with wild staring eyes and restless hands.

Carphology.

Head, thrown back; nodding or rolling motions; throbs on raising up; aches on vertex and between eyes.

Pains up occiput, with dim vision and dilated pupils.

Vision, of red spots; purple, on closing eyes.

Deafness, agg. quick motion.

LIVID, TURGID FACE, BUT BECOMES FAINT ON SITTING UP.

Apoplexy.

Heat stroke.

Tension across malar bones.

Chewing motions.

**Red or dry streak down center
of tongue.**

Foul breath.

**Nausea, with vomiting and
purging.**

**Vomiting; violent, without
nausea.**

Hiccough.

esophagitis.

**Stomach seems to press
against spine.**

Gastritis.

**Abdomen aches; cutting at
navel.**

Slow, heavy breathing; as of a

weight on chest.

Dyspnoea.

Violent cough from very start.

Pneumonia.

Dull, burning ache at heart.

Aching neck and shoulders.

Vesicles on hands.

**Cramps in feet, dorsae, soles,
etc.**

Dreams of water.

**Full, large, soft pulse or slow,
with strong or violent heart
beat**

**Hyperpyrexia or rapidly
oscillating temperature; with
sweat.**

Sepsis.

**Burning in chest.
Clothes feel damp.
Cold, clammy sweat.
Cerebro-spinal fever.**

Related

Aco. Gel.

Verbascum thapsus

VERBASCUM

Region

Nerves

(Facial)

Orbits.

Ears.

Zygomae.

Respiratory Tract.

Bladder.

Left Side.

Worse

Drafts.

**Change of Temperature.
With Every Cold.**

9 A.M.

to

4 P.M.

**Twice a Day, at
Same Hour.**

Talking.

Better

Deep Inspiration (Osm.).

Description

**Spasmodic catarrhal or
neuralgic effects.**

Earache.

Coryza; with tears (Euphr.).

**Cramping, squeezing,
crushing, paralysing face ache;
in malar bones.**

As of a lump at navel.

Piles.

**Enuresis; agg. coughing;
nightly.**

**Deep, bollow, bellowing or
trumpet toned cough.**

**Cough; without waking;
nervous; amel. deep breathing.**

Hoarseness.

Related

Aco. Plat. Sep.

Viburnum opulus

VIBURNUM

Region

FEMALE ORGANS.

Nerves.

Left Side.

Worse

Fright.

Before Menses.

Cold; Snow Air.

Lying on

L.

Side.

Better

Rest.

Pressure.

Open Air.

Description

Violent nervous or spasmodic effects; in females.

Can't keep still.

Cramping.

Haemorrhage.

Symptoms

Faint on sitting up.

Left parietal pain.

Snuffles.

**Frequent, profuse urination;
during headache, menses,
haemorrhage, etc.**

**Heavy ache or excruciating
cramps in pelvis; amel. menses.**

Dysmenorrhoea; with

flatulency, loud eructations and nervousness.

Miscarriage.

False labor pains.

Violent, persistent after-pains.

Uterine haemorrhage.

Suffocation, at night; agg. cold damp.

Infantile asthma.

Pains in back, end in a cramp in uterus or go down face of thighs.

Cramps in calves before menses.

Tettery spots on cheeks, arms, etc.

Related

Caul. Pul. Sep.

Vinca minor

Region

Skin.

Hair.

Worse

After Swallowing.

Description

Weak and faint, as if to die.

Symptoms

Foul, matted hair.

Cutting in lower oesophagus.

Menorrhagia; blood flows and flows, with weakness.

Weeping eczema intermingled

with foul, thick crusts.

Related

Ustil.

Viola odorata

Region

Nerves

Eyes.

Ears.

Vision.

Wrists

(R).

Skin.

Worse

Cloudy Weather.

Cool Air.

Music.

Puberty.

Description

Tension.

Nervous activity, then sudden exhaustion.

Combined eye, ear and kidney or worm symptoms.

Symptoms

Pain over brows.

Pain 1. eye to vertex, agg. cough.

Cramp in eyes.

Otorrhoea.

Craves meat.

Itching at anus.

Milky urine.

Enuresis.

Weight on chest.

Dry skin, with moist palms.

Cold shoulders.

Related

Pul. Spi.

Viola tricolor

Region

Skin.

Scalp.

Urinary Organs.

Worse

Pressing on Opposite Side.

Suppressed Eczema.

Description

Cracked, gummy crusts on scalp, exuding profuse, tenacious, yellow fluid, mating hair together; with swelled cervical glands.

Milk crust.

Eczema.

Urine smells like cat's urine; involuntary in bed.

Emissions, with vivid dreams.

Related

Rhus-t.

Vipera berus

VIPERA

Region

VEINS.

Blood.

Worse

LETTING LIMB HANG DOWN.

Cold.

Yearly.

Touch.

Description

Bursting feeling.

Haemorrhagic tendency.

Symptoms

Epistaxis.

Excruciating pain at

epigastrium.

Enlarged liver.

**Fullness and unbearable pain,
as if limb would burst; must
elevate parts; sits with feet
high.**

Cramps in or blue lower limbs.

Varicose veins or ulcers.

Phlebitis.

Goitre.

Related

Elap.

Viscum album

Region

Female Sexual Organs.

Nerves.

Worse

Becoming Chilled While Hot.

Description

Vertigo; persists after epileptic attack.

Vertex; sudden throbbings in.

Sore about waist.

Milky urine.

Bronchial asthma.

Blood won't clot and wounds won't heal.

Related

Bufo.

Xanthoxylum fraxineum

XANTHOXYLUM

Region

Nerves.

Respiration.

Female Sexual Organs.

Left Side.

Worse

Sleeping.

Dampness.

Better

Vomiting.

Description

**Grinding, shooting, radiating
pains.**

Numb l. side.

Symptoms

Nervousness.

Head threatens to fly to pieces.

Throat feels like a hollow cavern.

Violent, agonising, grinding dysmenorrhoeal pains, not amel. in any position; pains go into thighs or radiate over whole body, even to heart.

Leucorrhoea replaces menses.

Soreness of face of thighs, before menses.

Related

Ars. Lach.

Zincum metallicum

ZINCUM

Region

BRAIN AND NERVES

Occiput.

Spine.

Orbital Region.

Root of Nose.

Blood.

Inner Canthi.

Worse

EXHAUSTION;

Mental.

Suppressions.

Noise.

Touch.

Wine.

After Being Heated.

Better

Motion.

Hard Pressure.

Warm Open Air.

FREE DISCHARGES.

Description

Fagged, enervated or depressed; can't throw things off; develop exanthema or discharges, etc.

Increasing weakness;agg. eating; with restlessness.

Isolated effects; one part numb, another sensitive; formication; pain in spots;

between skin and flesh, etc.

Transverse pains.

Automatic acts.

Tremor.

Jerking; nightly.

Spasm.

Shootings.

Descending paralysis.

Disabling bone pains.

Bloody discharges.

Symptoms

Fretful and sensitive; cries if vexed.

Easily startled, excited or intoxicated.

Muddled.

Forgetful; repeats the

question, then answers.

Brain-fag.

Screams; if moved; during sleep; with pain, etc.

Violent vertigo; with stupor.

Headache of varying intensity; pressive on vertex or root of nose; into eyes; with weak vision; agg. warmth, amel. hard pressure.

Temples; heavy ache in; pain, agg. biting.

Occiput; dragging, down back; as of a blow on, then weak legs; heat in.

Crashing in head on falling to sleep.

Rolls head and grinds teeth.
Brain paralysis.
Hair painful; on vertex;
bristles.
Eyes feel drawn together.
Squint.
Lachrymation on eating.
Pterygium.
Swelled nose.
Pale, bluish, miserable face.
Sticky lips.
Bitter mouth.
Voracity.
As of a lump in liver region or
at navel.
Hypogastric flatulence.
Itching at anus during stool.

**Piles draw down, amel. heat
agg. walking; ulcerate.**

**Violent urging but urinates
only in certain positions,
bending backward, crossing
limbs, etc.; blood follows urine.**

**Pressive cutting about
kidneys.**

**Grasps genitals; with each
cough, etc.**

Sexual excitement.

Onanism; during menses.

Profuse, lumpy menses.

Pain (boring) in l. ovary.

**Spasmodic dyspnoea, agg.
flatulency amel. expectoration.**

Bursting, one hard throb or as

of a cap over heart.

Hard heart beat.

Constricted chest.

**Nape tired; agg. mental
exertion; lame, then stupor.**

**Spine aching, burning along,
agg. sitting; sensitive; inter-
scapular cutting, amel.**

**eructations; weak lumbar, agg.
standing.**

Spasms, from spinal injuries.

**Pains in limbs on becoming
heated.**

Hands tremble; eczema on.

**CAN'T KEEP FEET AND LEGS
STILL; cramp when cold.**

Toes feel swelled; sore; ache in

tips.

Sensitive soles.

Bones of feet feel broken.

Sweaty feet, with sore toes.

Stumbling.

Spastic gait.

**Varicoses; painful; chronic; on
genitals.**

Broken, unrefreshing sleep.

Antidote

Tab.

Complementary

Pul.

Related

Ign. Kali-p. Lach. Pic-ac.

Zincum arsenicosum

ZINC ARSENITE

Worse

10 A.M.

and

3 P.M.

Light Exertion.

Description

Occipital pain.

Blue vision.

Burning in bladder.

**Numb r. arm, then left, amel.
writing.**

**Soles ache when tired, amel.
pressure.**

Lumbar pain, agg. exertion,

sitting, jarring, or standing.

Zincum chromicum

ZINC CHROMATE

Region

Ears.

Nose.

Throat.

Left Side.

Worse

MOTION.

Lying on Back.

Washing Head.

Description

Gnawing, grinding ache.

Wandering, shock-like pains.

Catching stitches, that impede motion.

Symptoms

Averse to work, can't bring herself to it.

Inward pressing; in spot on bregma.

Throbbing temples; behind ears.

Wavering vision.

Bad odor within nose.

Blows quantities of blood, pus and scabs from nose.

Metallic taste.

Indefinite cravings.

Thoughts of eating are a bugbear.

Can't tolerate her hands on abdomen.

Dryness in vagina, with a sense of coming unwell; 10-12 A.M.

Cough from tickling in throat-tip; expectorate sweet and loose, but had to be swallowed, or tough with spitting spells.

Shooting from l. larynx up through tonsil into ear.

Cutting at apex of heart; at night.

Gnawing grinding below and above l. scapula.

Feet sore.

Cramps in toes at night; or

grinding gnawing.

Related

Pul.

Zincum iodatum

ZINC IODIDE

Region

Heart.

Nerves.

Valves.

Worse

Lying on

L.

Side.

Heat.

Description

Jerkings, startings, etc.

Lying on left side causes vertigo, palpitation, floating sensation, etc.

Symptoms

Nose, obstructed at night; blows thick, yellow chunks from; hot, dry nares.

Goitre; presses inwardly.

Myocardial exhaustion.

Lower limbs feel as if floating.

Cramps in calves, in ankles; must press feet to floor.

Related

Sticta.

Zincum phosphoricum

ZINC PHOS.

Description

Mental fatigue, depression and paralysis.

Abuse of Bromides.

Epilepsy.

Zincum valerianicum

ZINC VALERIANATE

Region

Nerves.

Ovaries.

Spine.

Better

Rubbing.

Description

Oversensitive, nervous and sleepless.

Spasmodic nervous effects.

Yawning.

Hiccough.

Symptoms

Excitable.

Ticking over l. ear.

Sour taste in A.M.

Flatulent cramps; hypogastric.

Mucous colitis.

Smothers on attempting to eat.

Ovarian or dysmenorrhoeal pains; down limbs; during and after menses.

Achings up back.

**Chills after mental excitement
or exertion.**

**Cold parts burn as they warm
up.**