

BEDSIDE Clinical Prescribing in Homeopathy

FAROKH MASTER



BEDSIDE

Clinical Prescribing in Homeopathy

DR. FAROKH MASTER MD, Ph.D (Hom)

Consultant:

Homoeopathic Health Center

Bombay Hospital and Medical Research Center

King Edward Memorial Hospital

Kamalnayan Bajaj Cancer Hospital Ruby Hall Department of Cancer

Bai Jerbai Wadia Children's Hospital

Nowrosjee Wadia Woman's Hospital

Bomanjee Petit Parsi General Hospital

Motiwala Homoeopathic Medical College & Hospital Department of Cancer

Associate editor:

Dr Daisy Katarmal

Dr Aditi Bhatnagar

Dr Isha Gupta



B. Jain Publishers (P) Ltd.

USA — Europe — India

BESIDE CLINICAL PRESCRIBING IN HOMEOPATHY

1st Edition: 1999

2nd Edition: 2018

3rd Impression: 2018

Note from the Publishers

Any information given in this book is not intended to be taken as a replacement for medical advice. Any person with a condition requiring medical attention should consult qualified practitioner or therapist.

All rights reserved. No part of this book may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, mechanical, photocopying, recording or otherwise, without any prior written permission of the publisher.

© with the Author

Published by Kuldeep Jain for

B. JAIN PUBLISHERS (P) LTD.

D-157, Sector-63, NOIDA-201307, U.P. (INDIA)

Tel.: +91-120-4933333 • Email: info@bjain.com

Website: www.bjain.com

Registered office: 1921/10, Chuna Mandi, Paharganj,

New Delhi-110 055 (India)

Printed in India

ISBN: 978-81-319-1923-1

Preface to Second Edition

Let me begin with the famous quote of Dr. Margaret Lucy Tyler - *“Homeopathy knows no specifics except the specific remedy for the individual, yet as Hahnemann teaches us, some remedies so exactly reproduce a diseased condition, as to become specific. Such as Cantharis in Cystitis, Belladonna in Scarlet fever, Mercurius Cor in Dysentery and Latrodectus Mactans in Angina Pectoris.”*

Less than ten years after Hahnemann's death in Paris, Dr. Dudgeon was lecturing on Homoeopathy at the Hahnemann Hospital in London. These lectures were published at the end of 1853, and in lecture III, the lecturer discussed specific medicine, for he stated that originally Hahnemann called his system the doctrine of specifics; and that from 1796 to 1808 'specific' was the word he used to designate his system; it was only after 1808 that the word 'homoeopathic' appears.

While reviewing the medical history beginning from early ages, we can see Aesculapius himself was a famous physician known for his vast knowledge on specifics.

Philosopher Locke from Somerset UK, commented:

“Did we know the mechanical affections of the particles of rhubarb, hemlock, opium and of a man as a watchmaker does that of a watch, we should be able to tell that rhubarb will purge, hemlock kill, and opium make a man sleep.”

Sydenham claimed that a specific was a medicine, not a palliative, that cured a disease; and the only true specific that he recognized was the Peruvian bark for intermittent fever. It is worthy of note that this was the medicine Hahnemann tested: a true specific in his search for its principle of action, and thus, inductively reasoned out the similia principle.

Now, if we explore Hahnemann, the following references clearly shows Hahnemann had a specific reason to employ a specific remedy for a specific epidemic.

E.g. - In 1792, Hahnemann was rather pessimistic about epidemics. In 'The Friend of Health', he admitted that *“we know of no specific antidotes for the several kinds of contagious matters; we must content ourselves with general prophylactic means”*.

But six years later he reported on an epidemic of influenza that as a remedy *camphor* surpassed all his expectations; he claimed that it was a

specific in all stages of the disease, especially when it was given early as possible and in large doses; a large number of patients recovered in four days despite their serious symptoms (Hahnemann, 1798).

And in the next year, 1799, an epidemic of scarlet fever reached the town where he was living. Faced with an early case in a child of ten, he recalled that *Belladonna* was the remedy capable of producing a counterpart of the little girl's symptoms and prescribed a dose of the 6x potency. The child recovered on the second day; then he prescribed *Belladonna* for the other five children in the family and they all remained perfectly well (Hahnemann, 1801).

By 1809, Germany and indeed much of Europe was suffering from a feverish epidemic which was being treated very unsuccessfully as if it were a malarial infection; Hahnemann described the symptoms in detail when they had not been altered by drugs, and matched these with his description in Latin of the symptoms of the toxicology of *Nux vomica* in his *Fragmenta de Viribus Medica Mentorū Positivis* which he had published four years before in 1805. He found *Nux vomica* the only medicine capable of curing a great part of the infected patients in a short time; but he had to admit that in some severe cases there were patients whose symptoms were not covered by *Nux vomica*, and that these states were matched by the symptoms produced by *Arsenic*, a mineral which had fallen out of favour with orthodox physicians as too dangerous in ordinary doses, but which Hahnemann found efficacious when given in the 12x potency (Hahnemann, 1809).

After the retreat from Moscow in 1812, a peculiar epidemic spread all over Germany; the chief specific remedies according to Stapf, Hahnemann's favourite pupil, appeared to be *Nux vomica* and *Pulsatilla* (Stapf, quoted by Haehl). The following year, Hahnemann was in Leipsic when conditions became even more difficult; on the plains outside the city were camped soldiers from half Europe, French, Spaniards, Italians, Germans, Russians and Poles. For four days in October, cannons thundered, rifles cracked outside the gates of the town. After the battle, a typhus epidemic developed which was quite different from the previous year's infection but no less devastating. Hahnemann published an essay describing the fever's course in two stages; for the first stage, he advised *Bryonia* 12x, for the second stage *Rhus Toxicodendron* 12x (Hahnemann); he wrote: "of the 153 patients whom I treated for this infection in Leipsic, I did not lose one" (Hahnemann 1816), which excited a great sensation among the members of the Russian government then occupying Dresden but was taken no notice of by the Austrian medical authorities.

A Prussian Medical Officer of Health wrote in July to Hahnemann, asking him to suggest a specific remedy, as a Russian ship had docked at Danzig only 15 miles away, and already 500 Danzigers had died (Beumelberg 1831). How did Hahnemann, who had not seen or treated a single cholera patient, find the remedy with such complete conviction? He procured from some careful observers, a very accurate description of the commencing symptoms and found that the first and most important symptoms of the patients were alike to the symptoms produced by a healthy individual who had taken a large dose of *Camphor*; *Camphor*, therefore, should be the best remedy to be given at the onset of the infection, according to his principle of Similia Similibus (Schmit). Hahnemann insisted on the very early recognition of the disease; only in the first two hours of the sickness would *Camphor* abort the infection (Hahnemann, 1831). If the disease had advanced to the second and third stages, he advised the use of *Cuprum* and of *Veratrum album* (Haehl).

Dr. Foubister comments on Dr. Burnett's specific for Mumps, *Pilocarpine muriate* 3x; in his experience either the salt or *Pilocarpine* itself in the 30th potency has an almost specific effect. Again, he quotes Dr. Tyler who claimed that *Antimony tartrate* is a specific for impetigo contagiosa in children.

According to Dr. K. N. Mathur there are many varieties of specific drugs, e.g.:

1. Homeopathic specifics
2. Organopathic specifics
3. Aetiological specifics
4. Miasmatic specifics
5. Antipathic specifics
6. Antibiotic specifics
7. Substitutional specifics

A study of all these varieties of specifics gives us a lot of confidence when a seemingly indicated remedy fails to act. The remedies listed as specific homeopathic remedies are reliable because they are based upon the experience of last 38 years of practising classical homeopathy. I am also sharing with you works of different masters of homeopathy.

The place of specific remedies lies between the homeopathic and physiologic remedies. The more similar they are in the symptomatology of acute diseases the more they are homeopathic to the sick individual and act in minimal and infinitesimal potencies but the more they are similar in pathological sphere the more they belong to the organopathic

nature of the disease and act in lower potencies or crude doses. I have given potencies of specific remedies on the above hypothesis which is also found in the *Materia Medica* of Boericke and Pierce.

Sir John Weir, in one of his address to the Faculty of Homeopathy, drew everyone's attention to the work of the All Union Institute for Experimental Medicine of Russia. He said, "*there is no drug or medicinal formula of any kind which is universally curative either in a general sense or in a particular disease*". Hahnemann told us same thing 150 years ago. Every good homoeopath knows it to be true. How, then, can we speak of "specifics" in Homeopathy? The truth is that while no remedy is or even can be 100 percent accurate in all the cases of a particular disease or condition, in a few diseases or conditions the disease syndrome so accurately fits a known drug picture that it is only in a small percentage of cases we require to go past this remedy. It is little wonder, then, that the disease and the remedy get so intimately associated in the mind of the physician that he is apt to think of the remedy as specific. The most typical example of this is scarlet fever and *Belladonna*. *Belladonna* poisoning and scarlet fever are not easily distinguished; hence we find that *Belladonna* will cut short the great majority of cases of scarlet fever. We need not expect it to cure the malignant case, but how often do these occur? I can remember only one. This one, with a widespread markedly haemorrhagic rash, made a good recovery under *Lachesis*.

Another example of the same kind is found in the relationship of whooping cough and *Drosera*, although, so far as my experience goes, the percentage of cases requiring *Drosera* is not so high as the percentage of scarlet fever cases requiring *Belladonna*.

As the remedy for the relief of accidental damage to the soft tissues, *Arnica* stands out at almost 100 percent. It is natural that the percentage here should be high, as we are not dealing with a disease in the true sense and no other remedy need be considered. *Arnica* may be administered either internally or externally. In my opinion, the former is more efficacious. We find one remedy standing out also for the effects of accident in the psychological sense. *Ignatia* nearly always is the remedy for the shock following unexpected bad news in previously healthy persons.

In *Lac caninum* we have a remedy which is almost specific for drying off the secretion of milk in women who, for any reason, wish to stop feeding their infants before the usual time.

Now, a few words about why I wrote this book being a classical homeopath? Basically, the birth of this book was born out of daily needs from my private practice. I had to my disposal works of many great

homeopaths like Dr. Bholanath Chakraborty, Dr. S. K. Dubey, Dr. P C. Majumdar, Dr. B. K. Bose, Dr. Pierre Schmidt, Dr. Margaret Tyler, Dr. Farrington, Dr. J. T. Kent, Dr. Herring, Dr. Boericke, Dr. Clarke and many others. My extensive knowledge in hospital practice, clinical medicine and treating advanced pathology helped me so much to discover small remedies.

I just want to warn readers that no book on specific remedies or clinical tips can provide complete answer, for every situation reading a book on clinical tips should never be a substitute for prescribing remedy on individual constitution.

This book will be of good use to those practitioners who have a busy practise and face challenges every single hour. I will feel amply rewarded of my labour if young doctors and senior practitioners find some solution after reading the book. Suggestions for improving this book further will be gratefully accepted by me in all times.

Finally, my heartfelt thanks to following:

Dr. Daisy Katarmal

Dr. Isha Gupta

Mr. Manish Jain

All from B Jain Publishers, New Delhi for editing and proof reading of the book.

I am also grateful to different online Homeopathic magazines like Hpathy, homeobook, *Homeopathic heritage* and old journals like *Homeopathic recorder*, *The Hahnemannian*, *British Homeopathic Journal*, *The California Homeopath*, *American Journal of Homeopathy*, *The American Homeopath*, *Homeopathy Today*, *Heilkunst Journal*, *The Homeopath* and many more.

I want to also thank my dynamic daughters Dr. Rukshin and Mahaziver Master for all the academic help.

My wonderful assistants like Ajay, Abhishek, Pooja, Darshan, Surabhi, Khyati, Yatrik, Aditi needs to be thanked profusely.

I hope this book will be useful to the practitioner in the true spirit of Hahnemann.

Dr. Farokh Master
1st September 2017

Publisher's Note

The second edition has been brought with an increased demand from the readers for an enlarged version of the book. B Jain publishers have endeavoured to provide the students a better insight into the remedies listed as specific homeopathic remedies for various disease conditions based upon the author's vast experience of the last 38 years of practising classical homeopathy.

This book also enlightens the readers with the work of different masters of homeopathy on the subject enlisting their clinical tips.

We would still warn the readers that no book on specific remedies or clinical tips can provide complete answer, for every situation reading a book on clinical tips should never be a substitute for prescribing remedy on individual constitution. In this book, the standard abbreviations of remedies have been used. However, readers may refer to the 'List of Remedy Abbreviations' used in Synthesis Repertory, available at: <http://www.archibel.com/fileadmin/archibel/download/synthesis/Sy8-remedies.pdf>

We thus take pride in bringing for the students and practitioners the best which is there to offer from one of the legendary homoeopath of today's era

Kuldeep Jain
CEO, B. Jain Publishers (P) Ltd.

Contents

Preface to Second Edition *iii*

Publisher's Note *viii*

1	Introduction	1
2	Mind	4
3	Face and Appearance	33
4	Head and Vertigo	39
5	Eyes and Vision	59
6	Ears and Hearing	80
7	Mouth	91
8	Gastrointestinal Tract and Abdomen	102
9	Nose	150
10	Respiratory System	160
11	Cardiovascular System and Blood	200
12	Urinary System	223
13	Male	238
14	Female	245
15	Nervous System	276
16	Back	288

17	Extremities	294
18	Endocrine System	321
19	Fever	329
20	Skin	336
21	Sleep	367
22	Child	373
23	Generalities	398
24	Miscellaneous Tips	479
25	Tips for Animals and Plants	497
	<i>Bibliography</i>	502

Introduction

The purpose of writing this book is to share my vast experiences, gathered during my undergraduate, post graduate and private practice.

It is impossible for one man to master all the various modalities of homoeopathy, hence, even after thorough institutional training, we find ourselves in dilemma when we start practicing the art that we have learnt. To remove this dilemma, either we try to study more, or we catch up with an experienced teacher or guru who can guide us.

Tips in homoeopathy are as old as Hahnemann. Ever since homoeopathy was introduced in 1796, the ocean of tips started forming drop by drop. I feel that every homoeopathic physician in this world has his own tips to contribute which are very valuable, but unfortunately it doesn't come into existence, because, either homoeopaths are too shy or too secretive to present before the profession or it could be a lack of initiative to collect and present them in a book form.

However, I am grateful to Dr Jahr, who for the very first time gave to the profession a book called "Forty Years of Experience" which was followed by Hering's "Domestic Physician". Subsequently, there were Dr Bhishambar Das Roy Chaudhry, followed by *Clinical Tips* by Sundervardhan, further followed by quick *Bedside Prescriber* by Dr. J. N. Shingal and Clarke's *The Prescriber*.

I salute to all of them for being so courageous and sincere, and helping thousands of homoeopathic doctors all over the world by their contributions.

Tips Versus Specifics

A "tip" is a helpful hint collected by experience and confirmed on hundreds of patients during one's lifetime.

"Specific" or "near specific" is a remedy prescribed on the basis that it nearly always works when given in similar circumstances, the assumption being that those circumstances produce a reasonably predictable remedy-image in majority of cases. e.g. Arnica in physical injury.

Utility of Specifics

Specifics seem to be most appropriately used under the following circumstances:

1. In first-aid situations.
2. In a therapeutic situation (that is when the disease is to be treated rather than the patient) where there are no clear indications for a remedy.
3. When it is impossible to take a full case for some reason and you wish to “tide the patient over”, with something rather than nothing.
4. In high turnover prescribing situations where there is insufficient time for proper individualization.

A specific work in certain situations like, when a remedy matches with the symptoms of the patient whether functional or organic, constitutional or pathological, even remotely; then the patient will definitely feel better in atleast few of his complaints. Mostly specifics are selected on very bleak indications viz. pathological symptoms; e.g. enlarged left lobe of the liver, *Carduus Marianus* in a case of liver cancer. Hence, in such a case, the physician already knows that he is palliating the case, so he is tempted to use a specific for the same condition.

However, a specific does not work in every case, so every physician may not find it effective. A specific will never work, if, in it's pathogenesis it does not have its action on the organs for which it is prescribed, or the symptoms for which it is prescribed are not the true symptoms. This happens very frequently in cases where a drug is not proved and the prescription is based on just empirical assumptions.

E.g. Cyclosporin is known to suppress the immune system in crude dosages. Now, if one empirically uses Cyclosporin in potency for any case of transplant and hopes that the transplanted organ will not be rejected then, in some cases it may work, and in some it may not. Since the drug was never proved, we don't know the actual symptomatology; but in patients where it worked, it was on the principle of accidental similimum.

Hazards of Specifics

Lay practitioners, people who read homoeopathic articles in newspapers, young immature homoeopaths are the culprits who play havoc with the

health of their friends, relatives, well-wishers, and neighbours etc.

The long term outcomes of specific prescribing are:

1. **Suppression:** Here the symptoms travel inwards, i.e. from less important organs to more important organs e.g. somebody who is suffering from allergic rhinitis, reads the newspaper and takes Arsenic Album. After a few months this allergic rhinitis is much better but now he develops frequent attacks of bronchial asthma. If this state is not taken care of, then a time may come when the patient can become an asthmatic patient. Such cases should be immediately referred to an experienced homoeopathic physician.
2. **Drug Induced Disease:** Taking homeopathic medicines one after the other, frequently happens amongst laymen who abuse specifics and create an artificial drug induced disease. e.g. A person complains of itching in the inner canthus of the eye, and a quack prescribes him Zincum Metallicum as a specific. After a few months, his itching of the inner canthi is much better, but he still keeps on taking the medicine for months together. When the medicine is continued for a long period, he may develop other symptoms which may belong to the remedy. Thus, certain sensitive cases may show a proving of Zincum Metallicum.

Mind

Absent-mindedness

Arum Triphyllum, Clematis^{B.F.}

Aggressive personality in alcoholism

Parabenzoquinonum.

Agitation

Aconite, Passiflora Incarnata.

Agoraphobia

Arg Nit, Asthma Nosode,
Pneumococcinum.

Alarm and exhaustion

Aethusa, Phosphoric Acid.

Ailments from emotions

-aphonia after anger

Staphysagria.

-aphonia after fright

Aconite, Opium, Gelsemium,
Hyoscyamus.

-alopecia from grief

Phosphoric Acid.

-vertigo after anger

Aconite, Calcarea Carbonicum.

-vertigo after fright

Aconite, Crotalus Hor, Opium.

Ailments, mental, injuries after

Cicuta Virosa, Glonoine, Hypericum,
Mag Carb., Nat Sulph.

Alone, wants to be during illness

Nat. Mur.

Aloneness, aloofness

Water Violet^{B.F.}

Ambition, lack of

Clematis^{B.F.}, Gorse^{B.F.}

Wild Rose^{B.F.}

Amnesia

D.N.A.

Animals

- fear of

Sycotic Co.

- dogs

Carcinosin, Sycotic Co, Tuberculinum.

- love for

Carcinosin.

Answers during case-taking

- expansive theoretical
descriptions

Sulphur.

- impatience and irritability

Nux Vomica.

- precise description of
symptoms

Arsenicum Album.

- reticent modesty

Natrum Mur.

^{B.F.}: Bach Flower Remedy

- smooth, open, revealing replies	Phosphorus.
- sullen resentment of being questioned	Sepia.
<i>Anxiety</i>	Aconite, Filix Mas, Mygale.
- cause without	Filix Mas.
- concealed	Agrimony.
- examination about/anticipation <	Arg. Nit.
- heart around	Adonis Vernalis.
- neurosis	Ars. alb., Nat. Phos., Sulphur.
- palpitation with, about things happened long ago	Sepia.
- tired mentally and physically	Calc. Carb.
<i>Aphrodisiac</i>	Cantharis, Damiana, Ginseng, Muira Puama, Nuphar Luteum, Ustilago, Yohimbinum.
<i>Apprehensive through fear</i>	Aspen ^{B.F.} , Mimulus ^{B.F.} , Rock Rose ^{B.F.}
<i>Apprehensive, thunderstorm during, bring complaints like palpitation, diarrhoea, trembling</i>	Phos.
<i>Artistic</i>	Carcinosin, Tuberculinum.
<i>Atheistic</i>	Cadm. Iodide.
<i>Attached, to one person but cannot communicate</i>	Aethusa Cynap.
<i>Attention deficit hyperactive disorder, jumping, running and changeable moods with</i>	Coffea Cruda, Tarentula, Tuberculinum, Valeriana, Xerophyllum.
<i>Aversion being caressed</i>	China, Cina, Ign, Nat mur, Nitric Ac.
<i>Aversion, of many things</i>	Cad. Met.
<i>Behavioural changes</i>	Platina, Gaertner Bach.
<i>Behavioural disorder</i>	Belladonna, Stramonium, Sulphur.
<i>Book worms</i>	Cocculus.
<i>Bossy</i>	Chicory ^{B.F.} , Vine ^{B.F.}
<i>Brainfag</i>	Picric Acid.
<i>Broken, hearted</i>	Calc. Carb.

<i>Business, tired of</i>	Calc. Carb.
<i>Catatronics</i>	Hydrocyanic Acid, Phosphoric Acid.
<i>Changeable</i>	Cerato ^{B.F.} , Scleranthus ^{B.F.}
<i>Claustrophobia</i>	Dys. Co, Morgan Gaertner.
<i>Close mouthed person</i>	Sepia.
<i>Clothes, sensitive</i>	Zinc Met.
<i>Colors</i>	
- aversion to red	Alumina.
- aversion to blue	Tarentula.
- aversion to black	Robina, Stramonium, Tarentula.
- charmed by red, blue or green	Tarentula.
- prefers gold	Anhalonium.
- prefers gray	Rumex.
- prefers brown	Am-c, Am-caust, Am-m, Am-p, Aral, Ars, Ars-s-f, Caust, Helo, Iber, Kalmia.
<i>Company desires</i>	Agrimony ^{B.F.} , Chicory ^{B.F.} , Heather ^{B.F.}
<i>Complain, never</i>	Agrimony ^{B.F.} , Oak ^{B.F.}
<i>Concentration difficult, mind wanders elsewhere</i>	Conium.
<i>Concerned over details</i>	Crab Apple ^{B.F.}
<i>Confidence, lack of</i>	Cerato ^{B.F.} , Larch ^{B.F.} , Scleranthus ^{B.F.}
<i>Crazy, all little things makes him crazy, insane</i>	Calc. Carb.
<i>Criticism self</i>	Pine ^{B.F.} , Rock Water ^{B.F.}
<i>Desire to, cut or kill others</i>	Lyssin.
<i>Day-dreaming</i>	Clematis ^{B.F.} , Honeysuckle ^{B.F.}
<i>Death desires</i>	Agrimony ^{B.F.} , Clematis ^{B.F.}
<i>Delinquency, juvenile</i>	Lac. Can., Tuberculinum.
<i>Delusion</i>	
- bees sees	Puls.
- being possessed	Anacardium, Hyoscyamus, Sulphur.
- body is delicate, body is brittle	Thuja.
- body is disintegrating; she is charmed and cannot break the spell	Lachesis.
- body will putrify	Arsenicum Album.

- cannot open his lower jaw; Lyssinum.
stiff and painful
- conspiracies against him Ars., Cygnus, Kali Br, Lach., Plb., Puls.,
Salix Fragilis.
- crowded with arms and legs Pyrogenum.
- death is approaching Agn., Anthr., Bani C., Mosch., Plat.,
Zinc.
- has no place in the world Platina.
- laughing masks, sees Belladonna.
- loss of will power; Anacardium.
- possessed of two wills
- opposed by everyone Moschus.
- rats running up legs Calc. Carb.
- someone is behind him Staphysagria.
- when walking

Depression

- Abies Nigra, Agnus Castus, Aurum
Met., Chamomilla, Gorse^{B.F.},
Hypericum, Ignatia, Lachesis, Lilium
Tig., Mustard^{B.F.}, Nux Vomica, Platinum
Mur, Psorinum, Puls., Sepia, Sweet
Chestnut^{B.F.}, Syphilinum, Triosteum
Perfol., Zinc Met.
- cause unknown Mustard^{B.F.}.
- cerebral Zinc Met., Zinc Phos.
- cloud, as of a black Mustard^{B.F.}.
- deep and fear of everything Rescue Remedy^{B.F.}, Zinc Met.
- endogenous Toxoplasmosis Nosode.
- exogenous Ignatia, Vaccinium.
- fear and depression Mandagora, Syphilinum.
- frustration with Kali Phos.
- great depression in spirits Nat. Carb.
- mental and physical Kali Phos.
- suicidal tendency, with Morgan Bach.
- tension Aurum Met.

Desperation

- Cherry Plum^{B.F.}.

Despondency, embitterment due to

- Willow^{B.F.}.

Die, feeling that he will die in sleep

- Aethusa Cynap.

Dictatorial

- to prove he is useful and effective Arnica.
- to prove he is always right Ferrum.
- to prove he is great, like a father Lycopodium.
- to prove he is an aristocrat Capsicum.

*Disheartened*Gentian^{B.F.}.*Dreams – nightmares*

Chlorpromazine.

- rape of Cenchris Contortrix.
- animals of, children in Phosphorus, Pulsatilla.

Dumb, desire to speak

Lachnanthes.

Dyslexia

Tuberculinum.

Electro convulsive therapy, after; fear of going outside, strangers, being watched.

Baryta Carb.

*Embittered*Holly^{B.F.}, Willow^{B.F.}*Emotional, hysteria*

Proteus Bach.

Emotions, follow closely, mood of music, story, film etc.

Lyco.

Empty nest syndrome

Gingko Biloba, Ignatia.

*Enthusiastic*Rock Water^{B.F.}, Vervain^{B.F.}*Envy*Holly^{B.F.}.*Exertion*

- mental, deterioration after Picric Acid.
- physical and mental exhaustion after, any Selenium.

*Failure, feeling, of*Elm^{B.F.}*Fainting*

Aethusa, Moschus, Vipera Berus.

Fantasies, strange fantasies.

Lach.

Fantasy

Phos.

Fear

- alone, of being Abelsonschus, Gallic Acid.
- anticipation Aspen^{B.F.}.
- cancer, of Clematis^{B.F.}, Mimulus^{B.F.}, Streptococcus Haemolyticus.
- causeless Aspen^{B.F.}.

- close places, cinema halls, Dyst Co.
church.
- darkness, of Aspen^{B.F.}, Mimulus^{B.F.}
- death, of Aconite, Mimulus^{B.F.}, Moschus, Rock
Rose^{B.F.}, Tabacum.
- disease, of Lac. Can.
- disease, organic and Lilium Tig.
incurable
- dog, of Bacillinum, Tuberculin.
- financial loss, sudden Arnica.
shock
- future, of Agrimony^{B.F.}, Mimulus^{B.F.}
- health, for Heather^{B.F.}, Mimulus^{B.F.}
- insanity, of Mancinella
- late being Arg n, Carc, Nat m.
- mathematics Calc., Lycopodium, Natrum muriaticum,
Silicea, Staphysagria, Sulphur.
- mind, giving way Cherry Plum^{B.F.}
- people, of Barium Carb.
- pins, of Silicea.
- unknown, of Medorrhinum.
- rain Calc., Calc Phos., Cor. Rub., Elaps.,
Naja.
- sea Morbillinum.
- Feeling*
- ice in the bones, like Aranea Diadema.
- pressure of, with numbness Anacardium.
of head
- relaxation and general Gelsemium.
tiredness with a desire to lie
down
- relaxation, tiredness and Aranea Diadema.
lethargy with very restless
sleep and frequent waking
- victimised feeling, wonder Staphylococcinum.
what is wrong with them
- Fiddling, fingers, without Kali Bromatum.
attention or with blank
expression*

<i>Fixed ideas</i>	Helleborus, Thuja.
<i>Fright, consequences of</i>	Ignatia, Zinc Met.
<i>Forgetfulness</i>	
- image or fear of the fright persists	Opium.
- insanity after fright	Ignatia, Platina.
- loss of voice after fright	Aconitum, Gelsemium, Opium.
- names and persons, of	Chlorum.
- prejudice and heavy head, with	Ginseng.
- stiffness after fright	Bryonia.
- urine retention after fright	Aconitum, Opium.
<i>Foul language, uses</i>	Tuberculinum.
<i>Funk, before examination</i>	Anacardium.
<i>Genial joyous</i>	Agrimony ^{B.F.}
<i>Grief</i>	Star of Bethlehem ^{B.F.}
- sadness and depression, with	Aur Met.
- sadness and irritability, with	Nat Mur.
- sadness and apathy, with	Phosphoric Acid.
- sadness and disgust, with	Sepia.
- sadness and tearfulness, with	Pulsatilla.
- sadness and hysterical	Cimicifuga.
- sadness and quarrelsome	Staphysagria.
- sadness, depressed due to death	Ignatia, Kali Phos.
<i>Hard masters</i>	Beech ^{B.F.} , Chicory ^{B.F.}
- others to	Impatiens ^{B.F.} , Vervain ^{B.F.} , Vine ^{B.F.}
- themselves, to	Rock Water ^{B.F.}
<i>Help refuses</i>	Aurum, Cina, Natrum Muriaticum.
<i>Helplessness (want of confidence, discouraged, despair, forsaken.)</i>	Anac, Arg N, Ars, Calad, Ether, Hell, Jasm, Kali Br, Lyc, Petr, Phos, Puls, Stram, Tax.
<i>Hate</i>	
- jealousy, through	Holly ^{B.F.}
- resentment, through	Willow ^{B.F.}
<i>Homesickness</i>	Capsicum.

<i>Homosexual, desire</i>	Bufo.
<i>Hopelessness, extreme</i>	Sweet Chestnut ^{B.F.} .
<i>Hypochondriasis</i>	Agnus Castus, Kali Phos, Tuberculinum, Zinc Val.
<i>Hypochondriasis, in unmarried people</i>	Argentum Nit., Conium.
<i>Hysteria</i>	Artemisia Vulgaris, Castoreum Canadense, Crocus, Ignatia, Kali Phos, Lachesis, Tarentula, Zinc Val. At commencement of attack let her inhale Camphor or Moschus.
- dread of being left alone with, very restless and excitable	Valeriana Officinalis.
- emotional	Proteus Bach.
- spasm, hysterical	Absinthium.
- state, hysterical	Calc. Carb.
- suppressed or painful menses, with	Cocculus, Platina, Pulsatilla, Sabina.
- takes the form of catalepsy	Cannabis Indica.
- takes the form of sopor	Opium.
- women	Castorium.
<i>Identity, cannot realise</i>	Cannabis Indica.
<i>Imagination, violent</i>	Phos.
<i>Impatience</i>	Chestnut Bud ^{B.F.} , Impatiens ^{B.F.}
<i>Impulse, counting things when waiting</i>	Calc. Ars.
<i>Impulsive, nervous, irresponsible action</i>	Dyst. Co.
<i>Inadequacy, feeling of</i>	Elm ^{B.F.}
<i>Injure, desire to</i>	Cup. Met.
<i>Insanity</i>	Cadm. Met., Cereus Bonplandii, Kali Phos, Veratrum Alb., Lachesis.
- insanity after suppression of intermittent fever	Elaterium Officinarum.
<i>Instability</i>	Scleranthus ^{B.F.}
<i>Interest, lack of</i>	
- embitterment through	Willow ^{B.F.}
- in anything	Carcinosin.

<i>Interference, by talking of self</i>	Heather ^{B.F.}
<i>Irritable, better for snapping, remorseful after snapping</i>	Nat. Mur.
<i>Jealousy</i>	Holly ^{B.F.}
<i>Joy, all gone</i>	Cadm. Met.
<i>Juvenile, delinquency</i>	Lac Caninum.
<i>Kill, impulse to irresistible</i>	Platina.
<i>Korsakoff's psychosis (alcoholics)</i>	Agaricus, Veratrum Alb.
<i>Language, uses foul language</i>	Tuberculinum.
<i>Late always</i>	Calc., Platina, Puls, Silicea.
<i>Lethargy</i>	Aranea Diadema, Succinic Acid.
<i>Levitations, sensation of</i>	Calc. Carb.
<i>Lost, reality of things</i>	Lac. Can.
<i>Loquacity, fever during</i>	Teucrium Marum.
<i>Maniac state</i>	Aconite, Bell, Cannabis Indica, Hyos., Rhus Tox., Stramonium, Tuberculinum
<i>Martyrs</i>	
- health, to	Heather ^{B.F.}
- own ideals, to	Rock Water ^{B.F.}
- resentment, to	Willow ^{B.F.}
- self-pity, to	Chicory ^{B.F.}
<i>Melancholia</i>	Aurum Mur. Nat.
<i>Melancholia, chronic</i>	Proteus.
<i>Memory, forgetting what he had just done and what he had just intended to do</i>	Helleborus.
<i>Memory and learning ability, to improve</i>	Bacopa monnieri (Brahmi).
<i>Memory, loss of memory and concentration affection after it</i>	Baryta Carb.
<i>Memory weakness of</i>	Ambra Grisea, Arg Nit, Conium, Euphrasia, Iberis Amara, Kali Brom, Kali Phos, Oleander, Phosphoric Acid, Rosmarinus Officinalis, Tuberculinum.

<i>Mental, complaints</i>	Cad Iodide., Cad. Met., Lithium Carb.
<i>Mental, complaints, after injury to head</i>	Lac. Can., Nat Sulph.
<i>Mental, diseases, with hallucinations and imaginary things</i>	Cannabis Indica.
<i>Mental, excessive work with loss of fluid</i>	Acid. Phos.
<i>Mental, exertion cannot endure</i>	Naja, Nat Carb.
<i>Mental, physical, fatigue</i>	Bacillus No. 7
<i>Mental, tiredness, weakness</i>	Calc. Carb.
<i>Mental, upset from any cause</i>	Ignatia.
<i>Mischievousness, and obstinacy</i>	Tuberculinum.
<i>Nail, bites</i>	Phosphorus.
<i>Nervous irritability</i>	Absinthium, Bacterium Proteus, Cypripedium Pubescens, Succinic Acid.
<i>Nervousness</i>	Ferrum Phos, Kali Phos, Mimulus ^{B.F.} , Mygale Avicularis.
- appearance of	Sepia.
- asthenic fever with dizziness with anemia	Ferr Met.
- hormonal dysfunction exists, if	Aquilegia.
- tendency towards	Asafoetida.
<i>Neuroses</i>	
- anxiety	Haloperidol, Levomepromazine.
- cardiac	Hypophysis Posterior.
- climacteric	Sepia.
- narcissism	D.N.A.
- of professional men	Gels.
<i>Neurotic patients, anything unusual upsets them</i>	Ambra Grisea.
<i>Neurotic, symptoms</i>	Arg. Nit.
<i>Nightmares</i>	Haemolyticus, Rock Rose ^{B.F.} , Streptococcus.

Obsessions and compulsions

- habit of cracking the knuckles, finger joints, feels compelled to make them crackle Mephitis.
- habit of counting continuously Phytolacca, Silicea.
- impelled to touch things Lycopus Virginicus.
- kleptomania Absinthinum, Artemesia Vulgaris, Curare, Lilium Tig, Nux Vom, Tarentula.
- pull the hair, to Ars Alb, Cupr Met, Lilium Tig, Medorrhinum, Mezereum, Tarentula.
- tormenting everyone with his complaint Zinc Met.
- walking rapidly, anxiety from Arg Met, Flouric Acid, Sepia.

Oversensitive to fancied insults Holly^{B.F.}

Overwork, intellectual R.N.A.

Panic Rock Rose^{B.F.}

Pessimist, thinks of Zinc Met.

everything in the blackest terms

Possession syndrome Bell., Ignatia.

(Possessed by spirit); usually it is hysterical reaction

Possessiveness Chicory^{B.F.}, Heather^{B.F.}

Pride Water Violet^{B.F.}

Procrastination Larch^{B.F.}, Lycopodium, Medorrhinum, Mimulus^{B.F.}, Natrum Muriaticum, Scleranthus^{B.F.}, Sulphur.

Religious affections

- penance, desire to do Aur, Plat, Verat.
- religious affections is children Ars, Calc., Carc., Lach., Stram., Sulph.
- fanaticism Aur, Med, Puls, Rob, Sel, Sulph, Thuj, Verat.

<i>Retardation, mental</i>	D.N.A.
<i>Resigned</i>	Gorse ^{B.F.} , Wild Rose ^{B.F.}
<i>Schizophrenia</i>	Aur Met.
- acute	Haloperidol.
- psychosis	Anholinum, Baryta Carb., Cann Ind., Phos Acid.
<i>Self-blame</i>	Pine ^{B.F.}
<i>Self-centred</i>	Chicory ^{B.F.} , Heather ^{B.F.} Willow ^{B.F.}
<i>Self-distrust</i>	Cerato ^{B.F.}
<i>Self-pity</i>	Chicory ^{B.F.} , Heather ^{B.F.} Willow ^{B.F.}
<i>Sexual psychopathy</i>	Indium Met.
<i>Shameless, exposes the person</i>	Phytolacca.
<i>Shock</i>	Star of Bethlehem ^{B.F.}
<i>Slow</i>	
- indecision, due to	Scleranthus ^{B.F.}
- lack of interest, due to	Clematis ^{B.F.}
- learning in	Chestnut Bud ^{B.F.}
<i>Smell, perfume and fond of smelling everything</i>	Cocculus.
<i>Solitude, desire for</i>	Baryta Carb., Carbo Animalis, Gelsemium, Ignatia, Nux Vom.
<i>Solitude unbearable, along with kidney troubles</i>	Berberis.
<i>Spits on the face of people</i>	Bell, Calc. Carb., Cupr Met, Stramonium, Verat Album.
<i>Spitting, desire</i>	Epiphegus.
<i>Spitting, during pregnancy</i>	Tabacum.
<i>Stage fright</i>	Ignatia.
<i>Statements, all statements qualified</i>	Sulphur.
<i>Stress, of war time</i>	Natrums, Proteus.
<i>Study, no interest or inclination</i>	Conium.
<i>Suicide (Potential)</i>	Aurum Mur Nat, Nat Sulph.
<i>Suicide, by drowning</i>	Antim. Crud.
<i>Talk, radio-talkers</i>	Nat Mur.
<i>Talk, refuses to talk, says nothing.</i>	Calc. Carb.

<i>Talks, desire/wants to make a speech</i>	Lachnanthes.
<i>Talks, himself wants, to</i>	Aethusa Cy., Calc. Carb.
<i>Temper tantrums</i>	Proteus.
<i>Terror</i>	Rock Rose ^{B.F.}
- terror, night	Calc. Carb.
<i>Thoughts, wandering, imaginary, tormenting</i>	Lac. Can.
<i>Thunderstorms, feels better during storms</i>	Carcinosin, Sepia.
<i>Tics</i>	Histamine Hydrochloride.
<i>To all patients having mental symptoms which are not clear for other remedy</i>	Calc. Carb.
<i>Tormented</i>	
- fears by	Aspen ^{B.F.} , Rock Rose ^{B.F.}
- hidden worries by	Agrimony ^{B.F.}
<i>Uncertainty</i>	
- ambitions, of	Oat ^{B.F.}
- self-distrust, through	Cerato ^{B.F.}
- strength, lack of through	Hornbeam ^{B.F.}
<i>Vexations</i>	Holly ^{B.F.} , Pine ^{B.F.}
<i>Wants, things but knows not what</i>	Ipecacuanha.
<i>Weeps easily</i>	Chicory ^{B.F.} , Heather ^{B.F.}
<i>Will</i>	
- strong	Beech ^{B.F.} , Chicory ^{B.F.} , Rock Water ^{B.F.} , Vervain ^{B.F.} , Vine ^{B.F.}
- weak	Centaury ^{B.F.}

Remedy Hints

Agnus Castus: This wonderful remedy is often overlooked. It should come to mind for old sufferers who are broken from sexual excesses and secret vice. The pale sickly and sad mortals who lament over their misspent life. It is good for both sexes. [Source: James Tyler Kent]

Aluminum Silicata: The brain seems not to work, or work very slowly, as if clouded all the time. There is no moment when *Alumina silicata* individuals feel their mind is clear. Only in the evening is there a bit of

amelioration. “I have become an invalid” is a usual expression. [*Source: George Vithoulkas*]

Ambra Grisea: It is particularly indicated in thin, spare men, who have a decidedly nervous temperament, in whom nervousness predominates at the expense of nutrition. It is particularly indicated for the nervous complaints of old people, especially when they are forgetful and cannot remember the simplest fact. [*Source: Dr. E.A. Farrington*]

Ammonium Fluoratum: They idealize the world of glamour and glitter. They need a large house and a fast car to steal the show. Possessions are the main ideal in life to work toward. Inclined to resort to gambling. Craves alcohol, spices, sweets, coffee, tobacco. [*Source: Dr. Jan Scholten*]

Anacardium: It is a remedy much used in low melancholic conditions, and its clinical record is a brilliant one. It is an excellent palliative in the dementia of old age. *Anacardium* laughs at serious matters and is serious over laughable things. When walking, he is anxious, as if someone were pursuing him. He suspects everything around him. Disposed to be malicious, seems bent on wickedness. Sees devils prompting to murder. [*Source: H. C. Allen*]

Anacardium has the propensity to swear. I treated a minister with a penchant for profanity; try as he would he could not help it. *Anacardium* made a complete cure. [*Source: E. A. Farrington*]

Argentum Nitricum: It dreads that he might suddenly, without premeditation, succumb to a self-destructive impulse. For this reason he fears approaching the edge of a cliff or leaning out of a high window, not only from fear of heights, but also that he might give in to some mad suicidal urge and throw himself from the height. [*Source: Catherine R. Coulter*]

Weakness of memory, fear of dark and being alone, crowds, heights, being late. Anticipatory anxiety, impulsive, hurried.

Arnica: He goes into a rage on seeing the doctor, saying “Go home, I am not sick, I did not send for you!” (*Apis*) [*Source: James Tyler Kent*]

Arsenicum Album: Cannot go to sleep because things in room are out of place, untidy. [*Source: James Tyler Kent*]

Insanity after suppressed skin diseases. Excessive anguish and irresoluteness. Fear of ghosts, thieves, and solitude, with desire to hide oneself. Aversion to conversation, with desire to censure. [*Source: S. Lilienthal*]

If prescribing *Arsenicum* constitutionally, don't tell the patient what you are giving him. *Arsenicums* have a fear of being poisoned.

Aurum Metallicum: Many prescribers shun *Aurum* if suicidal feelings are not present. However, many cases which require *Aurum* have no suicidal intent, nor even conscious depression. Instead, the patient presents as an overly serious and polished individual with abnormal focus on career and achievement. [Source: Roger Morrison]

After prescribing *Aurum Metallicum* for depression, one may witness irritability and the emergence of suppressed anger. If one waits long enough the anger and irritability will subside. [Source: Dr. George Vithoulkas]

Another situation in which *Aurum* has great value is when one of the two partners in a longtime marriage dies; the surviving partner feels that life is not worth living anymore. 'I have lost the sunshine of my life', they say. Not uncommonly, they die shortly after the death of their partner. Many people in nursing homes could use this remedy, as they are often in a state of 'abandonment'; no more spouse or husband, few friends left in their life, and often few visits from family members. These people could truly say that the sunshine has gone from their lives.

Baryta Carbonicum: It is the non-rugged individualist. Peaceful by nature and turning inwards as he tries to ignore that to which he does not wish to conform. At times, in his bid for independence, *Baryta Carb* is willing to sacrifice the comforts and amenities of civilization in exchange for being able to throw off shackling social obligations. [Source: Catherine Coulter]

Bismuth Subnitricum: Desire for company, aversion to solitude, company ameliorates, restlessness driving him out of bed, clinging to persons, will always take the hand of mother. Better cold drinks and cold application, motion, bending awkward. Worse eating. [Source: Dr. H. L. Chitkara]

Borax: This is violently frightened at a shot, even when heard at a distance. According to my experience, it is an excellent remedy for hunting-dogs who shy at a shot. There are also children who shrink at every shot and have a great and unnatural fear from it. [Source: C. M. F. Von Boenninghausen]

Borax wakes at 3 A.M. and cannot sleep again for two hours on account of general heat, especially in the head with sweat on the thighs. An infant cries out, wakes from sleep and anxiously grasps its mother, as if he had been frightened by a dream.

Butyric Acid: Some people worry even for trifles and are in a constant state of nervousness; they fail to get to sleep or have dreams of a serious nature. *Butyric Acid* 3C is a strong remedy for such a condition. Sleeplessness, gas in stomach, perspires on slight exertion. Worse night, walking fast, climbing stairs. [Source: Dr. P. Rajagopalaraao]

Caladium: All day long he finds himself looking into the things that should have been done. They have simply escaped his mind; he has forgotten them. So the mind is worn through in places.

Calcarea Carbonicum: Fear of bugs, people observing her confusion, consumption, public places, hearing of cruelties, death, going to the dentist, impending disease, contagious diseases, evil, falling, heart disease, infections, insanity, that something will happen, narrow places, poverty, seeing wounds. [Source: H.L. Chitkara]

Cannabis Indica: *Cannabis indica* probably has usefulness in patients who have had a so called “bad trip”, which has left a lasting effect on the mental sphere. This would be true whether the bad experience was due to hashish, LSD, mescaline, heroin or other drugs. A broken down, dull, hazy, scattered mental state after using drugs over a period of years. [Source: George Vithoulkas]

Capsicum Annum: Emotions go back to past events with such force that he can't stand it. Lives totally in the past. Homesick. If away from home, has to go back home. Fear of censure. Low vitality, easily insulted. In children - obstinacy and capriciousness, dread of open air, always chilly, clumsy, dirty, obese. Sleepless. Burning and smarting sensations. Every stool followed by thirst and every drink by shuddering. [Source: George Vithoulkas]

Carcinosin: A remedy arising from childhood neglect or abuse. Originally found in families of cancer patients, now found in families with alcoholism and drug addiction. Rather than having a playful childhood, *Carcinosin* develops an adult level of responsibility. *Carcinosin* becomes a classic co-dependent, placing the needs of others over her own. The interview is taken up by problems of family members and friends rather than the patient's concerns. Fastidious, punctual, hurried, compulsive about exercise. Love to dance, love of nature and animals. [Source: Bill Gray]

Causticum: Anarchist, ailments from grief, fright, anticipation. Anxiety on waking, full of worries about others, restlessness driving him out of bed, restless at twilight, grief day and night with weeping, easily offended, as if guilty of a crime, mispronounces words. [Source: H.L. Chitkara]

Causticum has cured insanity; not acute mania with violent delirium, but mental aberration of the passive kind, where the brain has become tired. The constitution has been broken down with long suffering and much trouble, and finally the mind is in confusion. He is unable to think, and consequently unable to carry on his business. He is going into imbecility. Full of timorous fancies. Overwhelmed with fearful fancies. [Source: *James Tyler Kent*]

Great anxiety that he will forget something. A type of compulsive neurosis can occur. The patient feels absolutely compelled to check and recheck for dangerous mental lapses (i.e. he checks to see if he has turned off the stove and then has to recheck a short time later). [Source: *Roger Morrison*]

Chamomilla: Slight impressions produce distress, anguish; pains often result in fainting. In every disease in which *Chamomilla* is indicated, we notice this peculiar excitability. Unless the mental state is present, *Chamomilla* will most likely fail you. [Source: *E. A. Farrington*]

Chelidonium: They are strong willed people and derive a sense of security and satisfaction out of getting other to do their bidding. They are realists, matter of fact, hard headed and not at all sentimental. They shun intellectual work, math problems, and abstractions. They do not easily express affection, but expect others to display tenderness and affection towards them. [Source: *George Vithoulkas*]

Cocculus Indicus: Suits especially bookworms and sensitive romantic girls, with irregular menstruation, also onanists, rakes, and other debilitated persons; melancholy and sadness, with weeping and constant profound absorption in sorrowful thoughts. Worse from wine, smoking, riding in a carriage; great dread of the cold open air. [Source: *Samuel Lilienthal*]

Earth Remedies: For people who need Earth remedies, if they cannot see or touch something, it does not exist for them. Practical, reliable, cautious, stubborn. They have the most common sense, but can also be materialistic and narrow minded. E.g.: *Baryta Carbonica*, *Calcarea Carbonica*, *Graphites*, *Silicea*, *Nux Vomica*, *Arsenicum Album* and *Kali Carbonicum*. [Source: *Philip M. Bailey*]

Electricitas: Suffers mental torture before and during an electrical storm. Weeping, timid, fearful. Involuntary laughter, loss of speech, sleepless for two months. Asthma all one's life with palpitation and disposition to faint. [Source: *Dr. H.C. Allen*]

Ferrum: The essence of *Ferrum* is ‘*Persevering in your job*’ and ‘*Firm*’. They are steadfast, straight and to the point. They carry on regardless of how difficult the task. They are determined that a job will be done properly. They work in professions that are demanding and may require the use of force. Disciplined and orderly, they hate chaos. They get irritable from any criticism. [Source: *Jan Scholten*]

Fluoric Acid: ‘There is a state in which a man is never satisfied with one woman, but continually changes and goes from bad to worse until he is a debauchee. Or, a man takes an aversion to his children, friends and wife. He wants to go somewhere else, away from home, is disturbed at home, everything annoys him, he no longer loves his children as he once did. He needs *fluoric acid*.’ [Source: *James Tyler Kent*]

Folliculinum: The remedy *Folliculinum* re-empowers, helping to restore the individual’s will. It comes up in cases where there has been abuse – sexual, psychic or physical. The person does not have a sense of their own authority. [Source: *Melissa Assilem, Gifts of the Mother*]

Gallium Sulphuricum: They are very stubborn in their interactions with loved ones. They tend to overwhelm them with their opinions. They are convinced that the other one is too inexperienced to understand what is right, so there is no point in listening to them. Craves sweets, alcohol, fruit, fat. Aversion to and aggravation from eggs. [Source: *Jan Scholten*]

Gelsemium: This is indicated in businessmen who pass restless nights, awaken early in the morning and worry over their business affairs. [Source: *W.A. Dewey*]

Gradation in Small Rubrics: When a remedy is two or three points in a very small rubric; that is something to take to the bank.

Delusions; Thinks he is despised: **Argentum Nitricum**, *Origanum Vulgare*, *hura* (also *Lac caninum*).

He is lost to the world beyond hope: *Argentum Nitricum*

Erroneous ideas as to the state of his body: **Sabadilla**

His body is shrunken like the dead: *Sabadilla*

He is God, then he is the devil: **Stram**, *Anac* [Source: *H.L. Chitkara*]

Gratiola: Useful in mental troubles from overweening pride. Confusion when lying and on waking, delusion he is small. Morose, dread of eating. Acts especially on gastrointestinal tract. Vertigo during and after meals; hunger after meals. [Source: *H.L. Chitkara*]

Ignatia: *Ignatia* alleviates self-blame arising from having ‘failed’ someone as a friend. The patient reproaches himself mercilessly (at times without any justification) for having been too demanding of or bestowed insufficient affection or attention on a recently deceased spouse or parent. The remedy is often indicated where the individual’s most cherished hopes of accomplishment have been shattered or where circumstances have prevented him from fulfilling his ambitions. It helps restore vital self esteem and faith in one’s power to overcome adversity. [Source: Catherine R. Coulter]

Insanity: Acute insanity, even though due to latent psora, should not be treated with anti-psoric remedies at once, but met with remedies like *Aconite*, *Belladonna*, etc., in highly attenuated doses. In the treatment of insanity, the medicines may be given mixed with the patient’s usual drink, without his knowledge, thus obviating every kind of compulsion. [Source: S. Hahnemann]

Iodum: ‘If I rest I’ll go mad’ is the keynote to *Iodum*. Never can stay in bed, even with 105° fever. Always too hot and must have cold air. Compulsions to violence without cause. Wants to hurt her child. Always eating, never full, yet emaciates. Shuns company; melancholy, suspicious, suicidal. [Source: Dr. Elizabeth Wright Hubbard]

Kali Bromatum: Feels singled out for divine wrath, paranoia, catatonia, excessive religiosity, wringing of hands, autism, fears being poisoned, cannot sleep if left alone. [Source: Dr. Roger Morrison]

General failure of mental power, loss of memory, melancholia, delusions of conspiracies against him. Anaesthesia of the mucous membranes, paralysis. Leading remedy in psoriasis. [Source: William Boericke]

Kali Phosphoricum: Anxious, apprehensive; dreads to meet anyone, even old friends. Very despondent, shy, irritable. Diminution of sexual energy with great prostration after sexual intercourse.

Hysteria when the patient laughs and cries, shuts herself up in a room and moans and sobs, covers herself with bed clothes and screams, trembles and shakes so she wants to be held, voids urine in small amount every few minutes, has globus hystericus; feeling as if tongue cleaved to the roof of the mouth. The patient is readily startled into any or all of the above by a noise or touch. [Source: George Royal]

Lac Humanum (Mother’s Milk): “Our mother’s milk entices us to begin our earthly journey which looks to be such an ordeal. It is the substance that teaches us desire.” The remedy *Lac Humanum* is for people who can’t connect with others and who feels detached. A feeling

of not belonging or not wanting to be in your body; don't want to grow up; autism; addictions to foods, drugs etc. [Source: *Melissa Assilem*]

There's a love/hate relationship between mother and child. It can result from a seductive mother. [Source: *Louis Dion*]

Lachesis: The serpent pathology is the rebellion or paralysis of the life urge or libido; you can say *Lachesis* is the penalty of unlived life. [Source: *Edward Whitmont*]

Lilium Tigrinum: Hurried, snappish, easily offended- takes advice as criticism, worse from consolation. Delusion – lots of work to do, likes to do several things at once. Cursing, religious remorse, tortured by feelings of guilt, worse at night, worse from sexual excitement, burning palms and soles, warm blooded. [Source: *Frans Vermeulen*]

Magnesium Carbonicum: He has a forsaken feeling and so this is often indicated in orphans or neglected children. May also be indicated in adults who witnessed lots of quarrels between their parents. [Source: *Frans Vermuelen*]

Mandragora: The mental state is characterized by a peculiar paradox of sleepiness with simultaneous intense excitement. Occurrence of the mental is associated with nausea and numbness. The *Mandragora* patient is always neurasthenic, hysterical or in a state of intensified emotional conflict with tension. [Source: *Edward Whitmont*]

Medusa: A cross between *Natrum Muriaticum* and *Sepia*. Greasy skin, brownish saddle around nose, dark rings around eyes. Never willing to give the full history. Works well in single doses. [Source: *Subrata K. Banerjee*]

Mind Keynotes

Bismuth – Solitude is unbearable, desires company; child holds onto its mother's hand for company.

Baptisia – Falls asleep while being spoken to (in fevers).

Cinchona – Full of plans, projects and schemes, especially in the evening and night.

Antimonium Crudum – Sentimental mood in the moonlight, particularly ecstatic love.

Veratrum Album – Despairs about his position in society; feels very unlucky. [Source: *E. B. Nash*]

Mezereum: Hypochondriac and despondent. Takes no pleasure in anything. Everything seems to him dead, and nothing makes a vivid

impression on his mind. Averse to everything with desire to run away. Apprehensiveness in pit of stomach. [Source: M.L. Tyler]

Natrum Causticum: They want to feel appreciated even in the most everyday conversation. Tendency to make contacts with others on a sudden impulse. Fear of being alone. They like to have one single person who shows that he or she cares. Sensitive to corruption, lies, dirty tricks. [Source: Jan Scholten]

Natrum Carbonicums: *Natrum Carbonicums* can have deep buried grief, yet are matter of fact about it. They also have anxiety while playing piano, and after bathing the feet. Confusion ameliorated by open air. They are estranged from family and friends. They have memory loss from mental exertion and suicidal disposition from music.

Natrum Muriaticum: The *Natrum Mur* snob may come from a wealthy, cultured background and does not try hard to impress, since his breeding and his money are impressive enough. He looks down on other people who are less sophisticated than himself.

Dreams of being thirsty, refuses help, dwells on past disagreeable occurrences, presence of people intolerable during urination, rage from consolation, searches for thieves after having dreamt of them, despair during pregnancy, delusion – pitied on account of his misfortune, postpones work, morose when questioned, sadness with canine hunger, despair about the future. [Source: H.L. Chitkara]

Natrum Phosphoricum: The *Natrum Phos* patient has both the tendency for grief and depression of *Natrum Mur* and the sympathy and fears of *Phosphorus*. Self contained and refined. Aggravation from thunderstorms, fear of dark, clairvoyant dreams. Yellow coating at base of tongue or throat. Nocturnal emissions. Craves fried eggs, salt, spice, fish, ice cream. [Source: Dr. Roger Morrison]

Natrum Sulphuricum: In one year at least ten school boys in Japan took their lives due to being teased, tormented or ostracized by other children. It is fascinating that one of the primary medicines for suicidal depression, *Natrum Sulph*, is also given to people who are extremely sensitive to scorn. Some of these boys lives might have been spared had they been treated homeopathically. [Source: Judyth Reichenberg-Ullman]

Mentally we have anxiety, irritability, desire for death, aversion to life and the things that generally make life pleasant and agreeable. So great is this satiety of life the patient has to use restraint to prevent doing herself harm. Great sadness, despondency, with irritability and dread of

music, music makes her weak, makes her sad or melancholy. Cheerful or happy after stool, which is so characteristic of *Borax*, is also found under *Natrum Sulph*. [Source: Dr. J.T. Kent]

Nux Vomica: In conversation, *Nux Vomica* is crisp, terse, nervous, spirited, able to make his point pithily, and with a tendency to play with words and ideas. Highly career and work oriented, *Nux* deals with stress and anxiety by taking on more work. [Source: Catherine R. Coulter]

Opium: Complaints from fear when the fear remains, or the idea of the fear remains, or the cause of it comes before the eyes. Epilepsy dating back to fright. The object of the fright comes up before the eyes prior to the attack. Great sensibility to sound, light and faintest odors. Worse from heat, during and after sleep. [Source: James Tyler Kent]

Opium is probably the best remedy when, from fright of the wet nurse, the child has retention of urine. [Source: Dr. E.A. Farrington]

Petroleum: 'Imagined someone was lying near him'. 'Irritable; quarrelsome; violent; offended at trifles.' This particular symptom of the *Petroleum* patient that someone is lying in bed with him is marked. It has been verified many times in both typhoid and puerperal fever. [Source: George Royal]

Sadness and despondency accompanied with a sick feeling as of weakness about the heart. [Source: Dr. Parkash Vakil]

Plant Remedies: They feel things very intensely. They say, 'His screaming affects me', 'The damp weather affects me.' 'Smell affects me'. They are soft and emotional, their feelings are very important to them and they fear being hurt. [Source: Dinesh Chauhan]

Rhus Tox: On the emotional level they are incapable of spontaneous warmth and expression. In love, they prefer the other shows love and affection to them, rather than they showing it. They have fear of being hurt. Fixed ideas. Unable to relax. The restlessness could be mistaken for *Arsenicum*. Craves milk, cheese, yogurt. [Source: George Vithoulkas]

Sepia: *Sepias* are here to learn to 'draw the line'. They snap at their family members because they are not good at drawing the line. They are independent, but not independent enough. They care too much about what everyone is expecting from them, and always put their own desires on the back burner. Eventually, they get really irritable because they never get to do what they want. After they have done everything for everyone else, they are too tired to do anything for themselves, and that is when they get snappy. If they knew how to draw the line, they wouldn't find themselves in such a dilemma. Eventually, *Sepia* goes

beyond snapping and irritability – they just want to be left alone, and withdraw from everyone. Even though it looks like indifference to the rest of the world, it is actually just a complete exhaustion of their energy.

The contradiction of will in *Sepia* is between desiring relationship, or seeing relationships as hopeless and preferring to give herself totally to career and independence. [Source: R. Sankaran]

Silicea: *Silicea* patients give the impression that they would give up easily, but this is entirely false. They have enormous courage and capacity for work. Weakness is in their physique, which leads to lack of confidence. They dread that they may not be able to perform. However they do a job well, to the point of over conscientiousness. A chilly patient who likes ice cream and cold foods – warm food upsets. [Source: Dr. Margery Blackie]

The typical impression of *Silicea* is of rather gentle yielding persons. But it is an entirely false impression. They are gentle and polite to a point, but beyond that they are obstinate, irritable, peevish and most persistent. *Silicea* dislikes being touched unexpectedly and hate being jarred. Look for roughness and deep fissures on finger tips. [Source: Dr. Douglas Borland]

Symptoms to Rubrics: If your patient seems irresponsible, try these rubrics - Extravagance, Heedless, Impulsive, Rashness, Indiscretion, Reveals Secrets, Work-Aversion to.

For ‘self critical’ look under: Anger mistakes over his; Contemptuous, self; Delirium, blames himself; Delusions: critical – neglected his duty; reproach, deserves; right, does nothing; wrong, think she has done. Discontented – himself with; Reproaches-self.

For ‘humiliation’, look under: Mortification; Honour, effects of wounded; Embarrassed; Reproach; ailments from, Indignation; Scorn, ailments from; Weeping from mortification.

If he has premonitions, these rubrics may help: Clairvoyance, delusion, happen, something terrible will, prophesying, death, presentiment of. [Source: David Saul]

Syphilinum: The psychologist would find it difficult to believe that symptoms of ‘guilt complex’ as seen in compulsions could be controlled by a remedy. The following symptom is recorded of *Syphilinum*; ‘Always washing her hands’ (also *Ars*, *Carc*, *Lac C*, *Med*, *Nat M*, *Psor*, *Sep*, *Sulph*, *Thuj*). Our experience is that *Syphilinum* has benefitted a ‘washing neurosis’ and other compulsive acts, in young adults. [Source: Dr. Charles E. Wheeler]

Thuja: The patient is closed, proper and correct. You may think of *Kali Carb.*, but it doesn't work. Finally you realize the patient is not being straight with you; there is manipulative deviousness. Once you see this, you give *Thuja*, and are likely to see dramatic benefit. [Source: *George Vithoulkas*]

Tuberculinum: At times the young *Tuberculinum* presses against the limits of his strength and abilities, as if sensing or fearing an early demise. Consequently there may be a general acceleration of the life process, and heightening of its intensity as *Tuberculinum* 'hurries to live and hastens to feel' before being overtaken. [Source: *Catherine R. Coulter*]

Vanadium: Tortured by fear of failure. Their goals are impossibly high coupled with a belief that they cannot, or should not succeed. When they think they can't reach a goal, they sabotage the whole job and fail properly. They go on a vicious cycle of success and failure. Fears - anticipatory, criticism, being observed, being late. Dreams: being late, missing the train, futile efforts, paralysis. Anorexia, bulimia, manic depressive psychosis, paralysis, cancer. [Source: *Jan Sholten*]

Veratrum Album: They either have been born into the upper crust of society, or imagine they have. Often they find themselves in menial occupations, dreaming with envy of what they think they should have attained. Delusions: He is a prince, is rich, is talking with God. [Source: *H.L. Chitkara, Bill Gray*]

Walking on Knees: A peculiar mental symptom of *Baryta Carb* which I give you on the authority of Dr. Talcott, of Middletown, N.Y., is this - the patient thinks his legs are cut off and he is walking on his knees. [Source: *E. A. Farrington*]

Comparisons

Anacardium: Cruel, malicious and wicked at times and can inflict injuries on others without any sympathy or feeling. Hears voices dictating to him. He has a controversy between two wills, the good and the evil. Fears he is pursued, looks for thieves and expects enemies. Thinks a stranger is standing or walking by his side. *Anacardium*, *Hyoscyamus*, *Stramonium* and *Belladonna* are the four pillars in homeopathy which bring the perverted, illusioned mind to the sphere of intelligence and reasoning.

Arsenicum and Aconite: The *Aconite* patient tosses to and fro in agony and fear. The *Arsenic* patient is too weak to toss as the anguish and

restlessness would incline him to. He has fear of death, but not like the *Aconite* fear, rather an anxiety and a feeling that it is useless to take medicine. [Source: E. B. Nash]

Aurums differentiating:

Aurum Metallicum – A sense of loneliness with a tendency to be very quarrelsome. Difficulty expressing anger because of a depressive state.

Aurum Muriaticum – When there is enormous anger thinking of one's ailments, especially after mortification.

Aurum Muriaticum Natronatum – When there is extreme unrest and impatience.

Aurum Sulphuricum – When there is a strong sense of despair regarding recovery from a trauma. [Source: Kenneth Silvestri]

Belladonna: The delirium which *Belladonna* has often helped is a furious one. Women tear off their clothing, not for the purpose of exposing the person, as do the *Hyoscyamus* patients, but for the purpose of escaping from some imaginary enemy. For the same reason the *Belladonna* patient screams, bites, strikes, always at someone who is opposing them. [Source: George Royal]

Belladonna, Hyoscyamus, Stramonium Compared: *Belladonna* is fierce and brave; *Stramonium* is wild and cowardly; *Hyoscyamus* is jolly and companionable; *Veratrum Album* is hopeless and despairing, or wildly plaintive, beseeching for his salvation, which is apparently lost. [Source: M. M. Fleagle, *Hahnemannian Monthly Volume-II Jan-Dec 1917*]

Belladonna: Visions, screaming out and desire to escape, full of fear and imaginings, sensation as if falling, clutches the air; sometimes a stupor, when aroused they strike people, bark and bite like a dog and are very violent. *Hyoscyamus*: Averse to light, fears being poisoned, sits up in bed and looks around, exposes sexual organs; is nervous, whining, crying and twitching. *Stramonium*: Desires light and company; objects rise from every corner to frighten him; laughs, sings, swears and prays in the same breath; face bright red. [Source: W. A. Dewey]

Calcarea Carbonicum and Aurum: *Calcarea Carbonicum* has a very acute depression which is difficult to distinguish from *Aurum*. The great contrast with *Aurum*, is that you can actually rouse the *Calc. Carb.* Another difference is that *Aurum* has plenty of courage. I do not think that *Calcarea Carbonica* patients ever commit suicide. [Source: Dr. Margery Blackie]

Calcarea Fluorica: The main feeling of *Calcarea Fluorica* is that he may suddenly find himself with a broken relationship (*fluorine*), on which he is dependent (*Calc*). These people secure their position so they can stand independently (e.g. good bank balance etc.) Dreams of death of relatives. If the relatives provided love (rather than money or protection) then the remedy is more likely a *Magnesium* salt. [Source: Rajan Sankaran]

Cannabis Indica: Usually when we prescribe it homeopathically there's a history of drug use and 'never well since'. It can look like a lot of other remedies: *Sulphur*-always scheming and planning with big ideas. Excitable and sympathetic like *Phosphorus*. Like *Medorrhinum*, with insomnia and they write all night because the ideas flow so easily, also vaginitis and discharges. Inability to focus or concentrate, procrastination, poor memory, absent minded, panic attacks, a feeling of being separated (when talking it's as if observing themselves talking to other people), fear of insanity, fear of darkness, sensitive to stimulants. [Source: Robin Murphy]

Causticum: They are naturally sympathetic, similar to *Phosphorus*, but over-concern is what differentiates them from *Phosphorus*. *Phosphorus* is sympathetic to people's problems, but *Causticum* will say, 'Do something, don't just stand there.' There is more idealism, action and passion in *Causticum*. They cannot stand injustice. Worse cold dry weather. Craves salt, smoked meat, averse to sweets. Facial warts. Gradual paralysis. [Source: Robin Murphy]

Cimicifuga and Pulsatilla: The condition of mind in which we find the *Cimicifuga* patient is typical of pregnancy; a dark cloud has settled over her. The *Cimicifuga* symptoms point to nervous excitement and spasmodic trembles; the *Pulsatilla* symptoms point to torpor and delay. With *Pulsatilla*, labor is slow and tedious, and the patient alternately cheerful and tearful. With *Cimicifuga* she is never cheerful, she thinks she will die, and is very demonstrative and impatient with the pains. [Source: C.E. Fisher, *The Southern Journal of Homeopathy*, Jan 1888]

Natrum, Magnesium, Kali and Calcarea Comparison: The *Natrum* person does not need too many (people) and is very much dependent on only one relationship. *Magnesium* needs one mother for nourishment. It is the feeling of a nursing child or that of a foetus. *Kali* needs a family and feels tremendous anxiety without a group, *Calc.* needs a home. [Source: Rajan Sankaran]

Grief: When contempt of persons, heretofore esteemed or loved, is shown in acts or words, sometimes with a temptation to kill such persons, give *Platinum*. When fits are caused by grief or mortification, give *Ignatia* first. If this does not relieve, give *Opium* during the attack, and after it, *Phosphoric Acid*. When mortifications have produced a derangement of intellect and all things appear larger, *Hyoscyamus*; if much smaller, or very little, like playthings, *Platinum*. [Source: Constantine Hering]

Grief remedies: When children have been frightened into fits and scream, tremble, have twitchings in the arms and legs; if the head is hot, with much perspiration and redness of the face, give *Opium*; if no better in half an hour, *Belladonna*; but if they become very pale, *Ignatia*; if very cold, with involuntary evacuations, *Veratrum*. Sleeplessness, after depressing events, sorrow or losses of friends, when night after night passes without any sleep, one dose of *Sulphur* will often give relief. When grief is caused by disappointment in love, give *Ignatia*, particularly if one cheek turns very often red. When the patient is very quiet, taciturn, give *Phosphoric Acid*, especially if both cheeks are sometimes red. If the disappointed lover is more mortified, indignant, *Staphisagria*. [Source: Constantine Hering]

Kali Arsenicum: Often confused with *Phosphorus* (sympathy) and *Arsenicum* (anxiety). They become hypersensitive to their surroundings, can feel energy and light like *Phosphorus*. Fears heart attack, being alone, crowds, claustrophobia. Sleeps on left side holding the heart. Chilly, aggravation 1-3 am, swelling of lower eyelids. [Source: Robin Murphy]

Loquacious remedies: *Pyrogenum* – Thinks and talks faster than ever before. Feels crowded with arms and legs. Hallucinations of wealth during fever.

Crotalus Horridus – Loquacity with desire to escape (*Bell*) from bed. Snappish temper. Makes ridiculous mistakes.

Sticta Pulmonaria – Great desire to talk about anything and everything; whether anyone listens or not. Feels she cannot keep her tongue still.

Veratrum Viride – Loquacity with exalted opinion of her ideas and powers. Wants no medicine as it may restore her former condition. Pays no attention to what is said to her. Tongue white or yellow with central red streak. [Source: Dr. M.L. Tyler]

Love for Animals: *Aethusa* – Reserved and emotions kept in.

Carcinosin – Sympathetic, affectionate, romantic. Sensitive to reprimands. Anticipatory anxiety, desire to travel, and loves dancing.

Medorrhinum – Great sense of hurry. Things seem unreal, as if in a dream. Exhilaration at night.

Phosphorus – Outgoing, affectionate, empathic, sensitive to sensory impressions. Aggravation at twilight.

Sulphur – Philosophical, likes theorizing, pedantic, abundance of ideas.

Naja: It lacks the intensity, hatefulness and aggressiveness of *Lachesis*. The personality is more like *Pulsatilla*, ‘soft’. Almost a specific for valvular disorders. [Source: Roger Morrison]

Natrum Muriaticum and Pulsatilla: I have seen several clergymen, *Pulsatilla* cases, refuse company and prefer solitude, as they always want to be under the protection of God, due to a feeling of abandonment. If I had strictly considered their wish for solitude, the symptoms would have led to *Natrum Muriaticum*, a remedy totally opposite to *Pulsatilla*, but similar in modalities such as worse from heat, wish for open air, desires sour things etc. You must discover the patient’s authentic psychic reactions through the camouflage of defensive elaboration. [Source: Dr. K. N. Mathur]

Petroleum: A lady in childbed imagined that she had had two babies, and she was very much concerned as to how she could take care of them both. *Petroleum* cured her.

Self Fulfilling Prophecy: A (remedy) state will create around it, the very situation for which it is appropriate. The *Silicea* child will make us adopt the stance of an examiner, the very person *Silicea* is afraid of. The *Arsenicum* man, by his carefulness and thriftiness, will provoke others to steal from him, thus making real the delusion that he is surrounded by thieves. [Source: Rajan Sankaran]

Sepia and Pulsatilla: Both have weeping, anxiety, peevishness, and are ill humored; but *Pulsatilla*, only, has the mild, clinging disposition calling for consolation; she makes her grief known and seeks sympathy. The *Sepia* patient is worse from gentle exercise, but is relieved by violent exercise. [Source: W. A. Dewey]

Stramonium: He feels very large, or as if some part of his body were much larger than the other, or as if he were double. This last symptom occurs many times in the delirium of fevers, and is found also under *Baptisia*, *Petroleum* and *Thuja*. The patient is afraid in the dark; wants the light, but is aggravated by a *bright* light, or any bright object, and is worse in the sunlight. Worse when alone, wants company, but is worse among strangers. [Source: Hahnemannian Monthly Volume-2 Jan-Dec 1917]

Cases

Delirium Tremens: December 23, 1886, I was called to see Mr. B., 30 yrs old. He had been drinking hard for seven weeks and had not slept for some time. No hallucinations yet, but he was in terror, which was depicted on his countenance as well as expressed by him. He begged for immediate relief in an almost unmanly way, although he is of more than usual courage. Could not keep still a second, which was not spasmodic, but resulted from the mental condition. He could not bear to be left alone a moment. I gave him *Stramonium* 200 in water every two hours. When I again saw him in the evening, his mind was clear, no fears tormented him and he felt quite natural. The next morning all signs of mania-a-potu had passed and no more *Stramonium* was required. [Source: A. McNeil, *The Medical Advance* August, 1887]

Natrum Sulphuricum: Woman, 46, complains of swelling and stiffness of the joints, markedly < in wet weather, bathing or even drinking water; bitter taste, bright yellow coat on rear of tongue; right-sided flatus, < on walking, can't bear tight clothing, loose a.m. stools; violent impulse to harm her children; suicidal, has to restrain herself; red naevi. *Natrum Sulph* 10M, one dose. Marked improvement for two months, when return of symptoms called for repetition. [Source: Elizabeth Wright Hubbard]

Face and Appearance

<i>Angioma of face</i>	Abrotanum.
<i>Apathetic face</i>	Calc. Carb.
<i>Barber's itch</i>	Arum. Trip., Bovista, Calc. Carb., Graphites, Mezerium, Nat. Sulph., Phytolacca (local application), Polyphage, Radium Brom, Rhus Tox., Sulphur Iod.
<i>Bell's palsy</i>	Cadmium Sulph, Chlorpromazine, Dulcamara, Merc. Sol., Spigelia.
<i>Beard sycosis, of</i>	Thuja.
<i>Black face</i>	Sulphur, Tellurium.
<i>Cancer of the lips</i>	Arsenicum, Aur Mur, Carbo An, Cicuta, Cistus, Condurango, Conium, Kreos, Lach, Sep, Sil. Antimonium Muriaticum, Arsenicum, Cistus, Clematis, Conium, Dulcamara, Lycopodium, Phosphorus, Sepia, Silicea.
- lower lip	Conium, Sepia.
- from pressure of a pipe	Berberis Aquifolium.
<i>Complexion to improve</i>	Thuja.
<i>Dilated vessels (aneurysms) on face</i>	Caulophyllum.
<i>Discolouration, skin, face common in women who have irregular menses</i>	Calc. Flour, Silicea.
<i>Disfigurement of face due to acne, scars or boils</i>	Sycotic Co., Teramycin.
<i>Eczema of face</i>	Rumex Acetosa (local application).
<i>Epithelioma of face</i>	

<i>Eruptions, vesicular or pustular, on face and throat, like roseola, accompanied by itching and burning</i>	Grindelia Robusta.
<i>Facial hair, unwanted</i>	Oleum Jecoris, Thuja.
<i>Fatty tumors of cheek</i>	Baryta Carb.
<i>Flushing of face</i>	Amyl Nitrosus.
- glowing redness of the face	Melilotus.
<i>Hot face and head, with cold feet and fingers</i>	Ferr Met.
<i>Impetigo with intense itching</i>	Rhus Tox.
<i>Jaw-bone, diseases including cancer</i>	Hecla Lava.
<i>Lock, jaw</i>	Strychnin/Nux Vomica.
<i>Lock, jaw, symptoms after injuries to nerves</i>	Hypericum.
<i>Lupus, face of</i>	Syphilinum.
<i>Neuralgia, facial</i>	Capsicum, Mag Phos. (to antidote Analgesic Medicine, Aspirin, etc.)
- right sided, mostly due to exposure to cold winds; with mental irritability and hasty speech and action	Hepar Sulph.
- right sided, > by heat and pressure, < by cold	Mag Phos.
<i>Neuralgia, trigeminal</i>	Capsicum, China, Chlorpromazine, Coccinella, Gnaphalium, Hydrocotyle Asiatica, Hypericum, Kali Bich., Lachesis, Mezereum, Mustard Oil (smelling or drop in the nose), Plantago Major (local application). Quinine, Salicylic Acid, Spigelia, Syphilinum.
- eyelids of, twitching, with	Mag Phos.
- headache extending down to the teeth, improved by cold water	Ferr Met.

- periodic, attacks come on in China Sulph.
morning and last until 12 noon,
hard pressure ameliorates
- rheumatic prosopalgia Rhododendron, (acute form)
Pulsatilla (chronic form).
- Neuralgic, pains of face and sinus* Cad. Met.
- neuralgia, daytime Staphysagria.
- shaving, < face sensitive or Carbo Animalis.
trigeminal neuralgia
- Nodes on the forehead* Ledum Pal.
- Oedema* Ammon Benz.
- Oily face, as if grease is spread on* Nat Mur.
face
- Paralysis, facial* Calc. Iod, Causticum,
Gelsemium, Zinc Pic.
- acute Aconite Nap.
- cold exposure, on Causticum.
- chronic Dulcamara.
- facial, paralysis, left or right Mercurius.
almost specific
- Parotitis* Rhus Tox.
- epidemic Mumps Nosode.
- gangrenous Anthracinum, Calc. Carb.,
Myristica Seb.
- scarlatina, accompanying Calcarea, Lycopodium, Rhus
Tox.
- state after Coxsackie Virus Nosode.
- Prosopalgia, taking cold during* Nitri Spiritus Dulcis.
stormy weather, from
- Puffiness of face* Kali Carb.
- expression, with foolish and Bothrops Lanceolatus.
nervous trembling
- glabella of Fluoric Acid.
- Sarcomas, upper maxilla* Calc. Fluor, Hecla Lava.
- Sensitive to shearing pain* Carbo Animalis.

Temporomandibular joint

- cracking of the joint Rhus Tox.
 - inflammation of Bryonia.
 - painful cracking of joint Granatum.
 - pain in joint on swallowing Arum Triph.
- Trismus, stiffness jaw* Cup Met., Linum Usit.

Tumours, osseous, of the jaw

- tumours and cysts of the jaw Astragalus Excapus.
- causing bony expansion Hecla Lava.
- osteoma Calcarea Fluor.

Twitching, spasmodic, facial

Absinthium.

Ulcers obstinate, jaw on

Paeonia.

- lips on, mouth in.

Phytolacca.

White spots on face

Piper Methysticum, Torula
Cerevisiae (local application).

Yellow brown pigmentation on face

Sepia.

Remedy Hints

Baryta Carb: Bayes recommends *Baryta* in facial paralysis and also in paralysis of old people, and Hartmann says that glossal paralysis can scarcely ever be cured without *Baryta*. [Source: *W.A. Dewey*]

Bromium: When the parotids became involved, especially the left, did better than any other remedy in Scarlatina. [Source: *C G. Raue*]

Causticum: Cowperthwaite published a large number of cases of facial paralysis cured with *Causticum* 30, and its value in this affection seems established. Paralysis of single parts, face, tongue, pharynx, etc. In paralysis which is remote from apoplexy, the paralysis remaining after the patient has recovered otherwise. Inability to select the proper word is an important indication.

Upon the face we have four prominent peculiar symptoms. Sickly yellow (not jaundice). Paralysis of a rheumatic or psoric origin. Prosopalgia of the same origin. Stiffness of the jaws; could not open the mouth. [Source: *Dr. E.B. Nash*]

Drunkenness: Where the drunken person is lying with a dark red face, staring eyes and twitching in the muscles of the face, give every quarter of

an hour in alternation *Opium* and *Belladonna* until he recovers, and then whatever the symptoms call for. [Source: C. M. F. Von Boenninghausen]

Facial appearance: A delicate appearance, with long-fringed eyelashes and brilliant eyes, often serves to point out the tubercular diathesis.

The pallor of anaemia is very important; it is waxy in chlorosis and pasty in diseases of the kidneys.

A puffy appearance about the eyelids along with anaemia is very generally an indication of albuminuria.

Kali Arsenicosum: I want to mention a case of epithelioma of the lower lip, which had been treated by arsenic paste but which returned after several years. The patient did not wish to have the paste used again so I gave him *Kali Ars* 3x, three grs. morning and evening for eight weeks. The result was a complete success. [Source: George Royal]

Lycopodium: Deep furrows in forehead; old misers with wrinkled faces; flapping nostrils in pneumonia/bronchitis. [Source: James Tyler Kent]

Mezereum: This remedy is often useful in cases of very violent neuralgic pains about the teeth or face, particularly if the pain be in the left bone, running towards the ear; also neuralgic pains at night in the teeth. Affections of any kind appearing on the external head, principally right side; teeth in left side; forehead; shin bone. [Source: H.N. Guernsey]

Sepia: *Sepia* produces on the lower lip a swelling with a soreness, burning pain and a pricking as from a splinter of wood. This symptom, together with the constitutional symptoms, has led to the use of *Sepia* in the treatment of epithelial cancer of the lower lip, two cases of which, cured by *Sepia*, have come within my personal knowledge. [Source: Carroll Dunham]

Stramonium: Eyes fixed upon the dark side of the room, away from the light; violent speech with wrinkled face. [Source: James Tyler Kent]

Sulphuric Acid: The face of the *Sulphuric Acid* patient is pale, sickly and sometimes jaundiced. The expression of long suffering is marked with deep lines of pain, depletion and emaciation. The exhaustion, excitability and hurried feeling are constant factors. [Source: J.T. Kent]

Comparisons

Acne: *Sulphur* is perhaps the remedy most often indicated in this affection, especially if chronic. The skin is rough and hard and the acne is associated with comedones.

Sanguinaria is another useful remedy in acne, especially in women with scanty menses and irregular circulation of blood.

Thuja is one of our best remedies for acne facialis. *Calcareia Picrata* is also a useful remedy for acne; clinically it has been found one of the best remedies.

Antimonium Tartaricum: Obstinate cases, with tendency to pustulation, are curable with this remedy.

Erysipelas: *Apis* is particularly useful in Erysipelas when the eruption commences under the right eye and spreads across the face to the left side. The parts become oedematous with severe soreness and burning stinging pain. High fever, dry skin, no thirst. *Belladonna* is required when the face is bright red, streaked red or deep dark red, not much oedema and there is throbbing. Under *Rhus Tox*, the face is dusky red and there are blisters which burn, sting and itch. Under *Rhus* the disease travels from left to right. (*Apis* and *Rhus* are inimical and must not follow each other).

Fractured Jaw: To relieve pain of fractured bones, *Rhus Tox* 30 or, if worse from any motion, *Bryonia* 30. To relieve pain when bones are severely contused, *Ruta* 30, every 2 hours until relief. [Source: Dr. Colin B. Lessell]

Tic Douloureux: The 3x of *Agaricin* given three times daily cured a most violent case of Tic Douloureux of the left side of face after *Arsenicum*, *Magnesia Phos* and *Belladonna* had failed. A slight touch would cause the paroxysms to recur. [Source: George Royal]

Head and Vertigo

Alopecia (Also see Hairfall)

- areata
- cheek, moustache, of
- syphilis, due to

Apoplexy

- convulsion with
- deep stupor, mouth open, stertorous breathing
- paralysis with
- touching continuously their sexual parts. (specific; also involuntary urine and bowels movements)

Baldness on vertex of young

Brain

- fatigue
- functional weakness
- softening

Cephalohaematoma

Colds, repeated in the head

Commotion, in head

Congestion

Cradle cap

Cysts, on head

Aloes, Arnica, Artemisia Vulgaris, Ceanothus Americanus, D.N.A., Fluoric Acid, Folliculinum, Graphites, Hippozaeninum, Hypophysis Posterior, Leprominium, Morgan Pure, Phosphoric Acid, Phosphorus, Rosemarinus, Sepia, Streptococcus Hemolyticus, Sycotic Co., Thallium Met, Tuberculinum, Ustilago, Vinca Minor, Wiesbaden.

Leprominium.

Plumbum Met.

Aurum Met.

Arnica, Ferr Phos., Kali Mur.

Cup. Met.

Opium.

Phos.

Hyoscyamus.

Baryta Carb.

Zinc Pic.

Cerebrum, Ginkgo-Biloba.

Astragalus Excapus.

Calc. Fluor.

B.C.G.

Causticum.

Mandragora.

Aethiops Antimonialis.

Symphytum.

<i>Dandruff</i>	Carbolic Acid, Ceanothus, Cochlearia Armoracea (local application), Gratiola, Kali Sulph, Lycopodium, Mezerium, Nat. Mur., Petroleum, Pilocarpus, Quillaya Saponaria, Rosemarinus, Sepia, Staphylococcin, Thuja.
- as fungus	Staphysagria.
<i>Dizziness</i>	Ambra Grisea, Arg Nit, Ginseng, Hyoscyamus, Oenanthe Crocata, Salicylic Acid.
- downward movements, with	Borax.
- Meniere's syndrome	Tabacum.
<i>Dull, heavy sensation in the head</i>	Ammon Benzoicum.
<i>Eczema capitis</i>	Quercus Glandis Spiritus, Vinca Minor (local application).
<i>Encephalitis</i>	Calc. Carb., Phos.
<i>Eruptions</i>	
- crusty eruptions on head	Spongia.
- scalp on	Quercus Spiritus Glandis.
- small boils on the head that do not mature	Sanicula.
<i>Exostosis, external head</i>	Aur., Hecla Lava.
<i>Exostosis, skull</i>	Silicea.
- with tearing pain	Phos.
<i>Giddness, in old people; cerebral stasis</i>	Bellis Perennis.
<i>Glioma</i>	Calc. Fluor.
<i>Greying and falling out of hair with eruptions on the back of the neck</i>	Sulphuric Acid.
<i>Hairfall</i>	Fluoric Acid, Graphites, Kali. Phos., Plumbum Met., Selenium, Staphysagria, Syphilinum, Thallium Aceticum.
- acute exhaustive diseases, after	Lyc, Mancinella, Phos. Acid., Thallium.
- bunches in	Cantharis.

- childbirth, after Calc., Canth., Carbo Veg., Hep., Lyc., Nat Mur., Nitric Acid, Sep., Sil., Sul.
- chronic headaches, Hepar Sulph, Phos, Sepia, Sil.
after
- circular patches, in Aloes, Ars. Alb., Calc. Carb., Jaborandi, Phos, Vinca Minor.
- dandruff with Berberis Aquifolium, Kali Carb., Thuja.
- dryness of the hair, with Kali Carb., Nat Mur.
- grief and anxiety, after Phosphoric Acid.
- hair comes out in Lyc., Mez., Phos., Sulph.
handfuls
- hard, brittle hair with Graphites.
- humid eruptions, scalp Nitric Acid.
sensitive, with
- menopause, during Hypothalamus, Sep.
- pregnancy, during Lach, Sep.
- typhoid after Fluoric Acid.

Hair

- dark, long, brittle hair Borax, Phosphorus, Sepia, Weisbaden.
- dull and dry hair Thuja.
- graying, hairfall with Sulphuric Acid.
eruptions on the back
of the neck
- greasy Bryonia.
- growth Acid. Phos., Vinca Minor, Wiesbaden.
- matted Vinca Minor.

Premature graying of hair

- tonic Embelia Ribes, Lycopodium, Nat Mur., Phos, Phosphoric Acid., Salvia Officinalis (local application), Sepia, Syphilinum, Thyroidinum.
- Arnica, Cantharis, Ceanothus, Jaborandi (Mix all mother tinctures in equal proportions and mix it with three times the quantity in pure olive oil. Keep overnight and next day shampoo it.)

Heat, of head and face, constant

Calc. Carb., Naja.

Heat, of head and face, on slightest mental effort

Calc. Carb.

Hydrocephalus

- acute
- chronic
- preventive (given to mother)
- tubercular family history with

*Injury to head**Intracranial, pressure**Itching, scalp**Lice in hair**Meningismus**Motion, sickness**Neuralgias, head of**Noises, head in**Pain or migraine or**Megrim*

Apocynum, Atropine Sulph., Bacillinum, Calc. Carb., Calc. Phos, Cupr. Aceticum, Hedera Helix, Helleborus, Iodoform, Kali. Iod, Lyco., Sulphur, Tuberculinum Koch, Veratrum Viride, Zinc. Met.

Calc. Carb, Cupr Met, Helleborus, Phos.

Calc. Iod, Hedera Helix.

Calc. Phos.

Tuberculinum.

Arnica, Cicuta Virosa, Nat. Sulph., Opium.

Hedera Helix.

Calc. Carb, Triosteum Perf.

Psorinum, Staphysagria (local application: apply 10 ml with equal quantity of water and scrub it gently on the scalp. Allow it to remain overnight. Shampoo the hair next day.).

Proteus Bach.

Cocculus Indicus.

Syphilinum.

Causticum, Mag. Phos.

Absinthium, Aranea Diadema, Atropine Sulph, Belladonna, Berberis Aquii., Berberis Vulg, Calc. Acet., Calc. Carb, Calc. Phos., Chionanthus, Cobalt Met., Coffea Cruda, Damiana, Dyst. Co., Epiphegus, Gelsemium, Glonoine, Histamine Hydrochloride, Ignatia, Indium Met, Iris Versicolor, Juglans Regia, Lac. Can., Lac. Def., Lolium Tem, Mag. Phos., Medo., Melilotus, Meningococcinum, Menispermum, Menyanthes, Morgan Bach., Mutabile, Nat. Mur., Niccolum Met., Onosmodium, Oreodaphne (olfaction). Passiflora Incarnata, Paullinia Pinnata, Pneumococcinum, Ptelea Trifoliata, Puls., Salol, Scutellaria, Streptococcus Haemolyticus, Tabacum, Tanacetum, Usnea Barbarata, Vaccinium.

- acute Bell.
- american headache Calc. Carb.
- anger, from Petroleum.
- band, as if, were tied Ammon. Brom.
- around the head
- begins on one side and Lycopodium.
- goes to other
- bilious, during Morgan Bach.
- menopause in women
- bilious, headache Chionanthus, Morgan Bach., Nat. Sulph.
- blindness, with Gelsemium.
- temporary
- bronchial asthma, and Lachesis.
- bursting headache, Indium Met.
- stool during
- cervical, exhaustion, Sepia.
- with
- chronic Calc. Carb., Silicea.
- chronic, periodic with Syphilinum.
- hairfall
- congestive Calc. Carb., Morgan Bach., Oreodaphne,
- Usnea Barb.
- congestive, before Veratrum Viride.
- menses
- covering the head Glonoine.
- and lying quietly,
- ameliorates
- drinks, hot, worse from Arum Tri., Phos., Puls., Sul.
- drunkards in Cimicifuga, Nux Vom.
- eye stress from Onosmodium.
- eye (right), above or Ammon Brom, Iris Versicolor, Kali Bich.,
- near the Kalmia Lat.
- eating ameliorates Anacardium, Psorinum.
- everything appears Gelsemium.
- dark, during
- footbath, ameliorates Asclepias Tuberosa.
- gastric, bilious attacks, Taraxacum.
- mapped tongue and
- jaundiced skin, with

- gastric complaints Hydrastis.
- haemorrhages Melilotus.
- ameliorate (nose
 bleed, haemoptysis,
 haemorrhoidal
 bleeding, onset of
 menstruation)
- haircut after Bell., Glon., Led., Nat. Pyruvicum, Puls.,
 Sabad, Sep.
- hemicrania, apoplexy,
 in Syphilinum.
- hemicrania, catarrhal Nux Vom.
- hemicrania, chronic
 and acid eructation
 with vomiting Calc. Acetate.
- hemicrania, chronic, in Sepia.
 women with menstrual
 disorders
- hemicrania, chronic, Calc. Carb.
 obstinate
- hemicrania, high Nux Vomica.
 intellectual power
 brain workers (more
 vertigo)
- hemicrania, left side of Spigelia, Thuja.
- hemicrania, men, in Calc. Carb., Carduus Mar., Nat. Mur.
- hemicrania, mental Calc. Carb.
 exertion from
- hemicrania, nervous Ignatia.
 type, hysterical
 depressed emotional
- hemicrania, recent Belladonna.
 headache
- hemicrania, right side Prunus Spinoso, Platina, Pulsatilla,
 of Sanguinaria, Silicea.
- hemicrania, vertigo, Calc. Carb., Cyclamen, Sepia.
 mental confusion,
 climateric and menses
 during, with visual eye
 symptoms

- high altitudes, mountains in Coca.
- hits with hand Hellebours.
- hypertensives in Belladonna, Glonoine, Spigelia, Veratrum Viride.
- icy cold legs/hands, with Calc. Carb.
- inherited headache from parents Lac. Deff.
- inspiration during Anac, Cact, Brom, Carbo V., Rat.
- instantaneous head reliever after intermittent fever Leucas Aspera (put one drop in each nostril).
- left sided Colocynth, Lachesis, Niccolum, Nux Vom, Spigelia.
- menses before Apis Mel., Morgan Bach.
- menses, in places of Glonoine.
- menses during Nat. Mur.
- menstrual Cimicifuga, Pneumococcinum.
- mental strain or Calc. Carb., Chionanthus, Iris Versicolor, exertion from, Nat. Carb., Nux Vom, Picric Acid.
- migraine, vascular Cadmium Met., Glonoine, Nat. Sulph.
- nail were driven in, as if Amm. Brom.
- nervous Acetic Acid.
- numbness of head, as if wood Calc. Carb.
- occipital Gels., Oreodaphne, Vitamin A.
- occipital, pressing Kali Phos.
- occipital, pulsating, menses during Ferr. Met, Morgan Bach.
- occipital, violent, unbearable Variolinum.
- occipital, severe exertion, mental and physical Picric Acid.
- periodical Calc. Carb., Tub. Bovinum.
- periodical nervous, asthenopia, dyspepsia, Niccolum Met.

- constipation with,
debilitated literary
persons, in
- persisting Sycotic Co.
 - preventive Calc. Carb., Kali Bi.
 - psychic symptoms,
with Onosmodium.
 - rheumatic Kali Sulph.
 - right eye, over Sanguinaria.
 - right sided, after
dietary errors Chelidonium.
 - right sided, like
migraine Belladonna, Ignatia, Iris Versicolor,
Sanguinaria.
 - school children in Nat. Mur.
 - school children, in
mental exertion,
examination irritation
of Picric Acid.
 - school teacher,
business man,
professional Picric Acid.
 - school teacher
headache Scutellaria L.
 - sick headaches Chionanthus, Iris Versicolor
 - sick headaches,
preceded by visual
disturbance, burning
and acidity in
abdomen, increased
salivation with Iris Versicolor.
 - sinus, due to Sycotic Co.
 - sleepiness, with Ail, Ant T, Chel, Dub, Gels, Ind., Lept., Stel.
 - students or teachers
headache B.C.G.
 - sun heat, from Glonoine, Morgan, Nat. Carb., Nat. Mur,
Usnea Barbata.
 - Sunday headache Stannum Met., Sulphur.

- tension	Nat. Carb., Ignatia
- tension, headache	Calc. Phos., Nat. Carb., Oxalic Acid.
- throbbing in forehead, temples and eyes with bluish-white coating of tongue	Gymnocladus Canadensis.
- Thursday headache	Nat. Mur.
- uraemic	Ammon Benz., Phos.
- urination copious, ameliorates	Gelsemium.
- vaccination, after	Thuja.
- vertex, on	Menyanthes.
- women, in	Chenopodium, Indicum, Onosmodium.
- women, in, mental tension <	Epiphegus.
- weekend, Saturday headache	Nat. Mur.
- weekend, Sunday headache	Sulphur.
<i>Plica polonica</i>	Lycopodium.
<i>Itching, scalp</i>	Calc. Carb., Triosteum Perf.
<i>Motion sickness</i>	Cocculus Indicus.
<i>Noises, head in</i>	Causticum, Mag. Phos.
<i>Scalp pain, rain from, rheumatic</i>	Phytolacca.
<i>Shaking, of head, involuntary</i>	Cannabis Ind.
<i>Temporal arteritis</i>	Pothos Foetidis.
<i>Tinea capitis</i>	Graphites, Petroleum.
<i>T.I.A. (Transient Ischemic Attack)</i>	Phos.
<i>Tuberculosis, brain of</i>	Iodoform.
<i>Vertigo</i>	Ambra Grisea, Ars Sulph Flav, Bromine, Calc. Carb., Conium, Formalin, Granatum, Iris Versicolor, Nat Salicyclum, Nux Vom, Physostigma, Ruta, Terminalia Chebulia.

- arteriosclerotic problem Sulfonal.
- arthritis with Thiosinamine.
- blood pressure due to Morgan Bach.
- deep in brain in occiput (cerebellum) Zinc Met.
- due to emotions, intellect work. Calc. Carb.
- epileptic attack, after Viscum Alb.
- eye disease, due to Ruta (eye strain from), Physostigma (with contraction of pupils).
- ear diseases, due to Causticum, Gelsemium, Stramonium.
- digestive troubles, due to Nux Vom., Puls.
- feeling that his feet are going up Phosphoric Acid, Sticta Pulm.
- flu/influenza, with or after Scutellaria.
- head injury or blow, after Arnica M.
- higher places, while going to Calc. Carb.
- intoxication, with Agaricus M.
- looking at moving objects Cad. Met.
- looking upwards at anything high Pulsatilla.
- looking downwards Arg Nit.
- nausea from chemical odour, with Petroleum.
- nausea with Ergotinum, Histaminum, Lac Can, Lac-Hum, Leprominium, Penicillin, Psorinum, Tuberculinum.
- nausea, vomiting, sleeplessness, with Theridion.
- old people, in Ambra Grisea, Baryta Carb.
- rotatory Conium.

- tendency to fall backwards with	Bryonia, Nux Vom, Rhus Tox.
- tendency to fall forward with	Cicuta Virosa, Spigelia.
- tinnitus with	Thiosinaminum.
- turning head	Calc. Carb., Conium.
- violence with	Phos.
<i>Warts on the forehead</i>	Castor Equi.
<i>Wens</i>	Calc. Carb., Graphites, Mezereum, Phytolacca Decandra (local application), Symphytum, Thuja.

Remedy Hints

Bacillinum: Occasionally loss of hair occurs in circular patches and then the trouble is called Alopecia. These patches become completely hairless. Dr. James Compton Burnett showed that the trouble is tuberculous. A few doses of *Bacillinum* 200 at intervals will readily cure. Ringworm is treated by the orthodox doctors more or less like Alopecia, but it is also tuberculous and should be treated with *Bacillinum* as well. [Source: Dr. J. Ellis Barker]

Argentum Nitricum: It is sometimes the best remedy for hemicrania. This kind of headache is often very distressing and hard to cure. One peculiar symptom belonging to *Argentum Nitricum* in headache is a feeling of expansion. She feels as though her head were enormously enlarged.

Arnica: In head injuries, always give *Arnica* before *Natrum Sulph*, otherwise the patient may get a terrible headache. [Source: Louis Dion]

In meningitis after a fall causing concussion, there are cases where the meningeal irritation does not show until several weeks after the injury. For such cases *Arnica* is specific. [Source: C G. Raue]

Calcarea Phosphorica: It is the first remedy to be thought of in threatened hydrocephaloid, after the failure of *China* to arrest the disease. [Source: Dr. James B. Bell]

Chionanthus Virginica: I have been using this drug for over two years as a specific for so-called sick headache. In cases of habitual sick headache, 5 drops of the 2X dilution three times a day for a week, then twice a day for a week, then once a day for a week, after which the patient only takes

it when symptoms of the attack show themselves. I regard it almost a specific. [Source: *Dr. E.P. Anshutz*]

Cinchona: Scalp sensitive to touch. Roots of hair hurt when hair is moved. [Source: *E.B. Nash*]

Colchicum: It has vertigo when sitting down. We have twenty-eight remedies that produce vertigo when standing or walking, but only this one when sitting. [Source: *H. C. Allen*]

Conium: It has cured headaches from a variety of causes when the brain felt too large (*Gels, Arg Nit.*) and was very sensitive. A feeling of coldness and numbness in or on the side of the head remained for hours after the headaches ceased (*Acon, Verat Alb*). [Source: *George Royal*]

Glonoine: It has cured some cases of cerebrospinal meningitis when the pains come from the spine up through the neck into the occiput with the same throbbing, pulsating pains as in the head. [Source: *Dr. George Royal*]

Reflex headache: Reflex or symptomatic headache is another variety headache, the exciting cause of which is an irritation of the nervous system often remote from the seat of the pain. When the pain is located in the forehead, from the coronal suture to the superciliary ridges below, and within the temporal ridges on either side, the large intestines will be the seat of disturbance. [Source: *B. F. Underwood*]

Helleborus: It has been effective in meningitis (alternating convulsion and stupefaction), concussion (after *Arnica*) when sleepiness remains. Meningitis with boring of head into pillow and cri encephalique; coma, epilepsy, stroke, typhoid fever etc. Sluggish, indifferent, stupor. Chilly. Worse exertion, stooping, 4-8 pm.

If X-ray cannot be done: A severe fall or blow upon the head may have cracked the bones of the skull internally. In severe cases the stupefaction might disappear and the patient apparently improve, yet death ensue in a few days, hence it is very important to ascertain whether there is a fracture. Proceed as follows - tie one end of a cord to a silver spoon or fork or a piece of iron, something that will give a clear sound when struck, let the patient take the other end of the cord between his teeth, or fasten it to one of his teeth, or wrap it around the finger, which is to be inserted into the ear of the patient; now strike the metal, which must swing clear, and the vibrations will be communicated to the bones and great pain will be felt at the point of fracture if the bone is cracked. Even a stupefied person will show it, if pain is felt, by distorting the face. [Source: *Constantine Hering*]

Iodum: Giddiness in old people caused by chronic cerebral congestion – little or no aching of the head – is often greatly benefited by *Iodine*. (3x potency) [Source: *William Boericke*]

Ipecac: In nervous sick headaches, unilateral, commonly over one eye, accompanied by deathly nausea, *Ipecac*, has a wonderful curative record. Blue rings encircle the eyes upon a very pale face. [Source: *The Homoeopathic Recorder - Volume IV – 1889*]

Iris Versicolor: *Iris Versicolor* seldom fails to relieve sick headache attended with vomiting of bilious matters. When the headache assumes the form of hemicrania of the right side, during the infantile cholera season, it was found of great value in quickly subduing diarrhoea attended with colic and rumbling of the bowels. [Source: *E. Harris Ruddock*]

Kali Bichromatum: The *Kali Bi* recurring migraine attacks are characterised by disturbances of vision, pains in small spots and the typical stringy vomit. *Iris* has almost exactly the same symptom picture, and occasionally you will come across a patient you think it is typical *Kali Bi*, but whose migraines do not clear on it, and you will find it clears on *Iris*. [Source: *Dr. Douglas Borland*]

Kali Muriaticum: It is one of the most satisfactory remedies in the treatment of eczema capitis and moist eczemas, especially when chronic and obstinate in character. It is also a most useful remedy in acne and in sycotic skin manifestations.

Lycopodium: If a patient complains of a headache, no matter of what kind and if the headache is distinctly better by taking off the hat or other covering, *Lycopodium* will probably be the remedy. Also, better from warm drinks, right sided, or symptoms move from right to left, aggravation 4-8 pm.

Melilotis Alba: A tincture or 1X is a remedy for those headaches or neuralgias that drive the patient wild so that he wants to bump his head against the floor or wall and is close to delirium. Two or three doses in half an hour will do all that can be expected. Do not administer over a long period of time. [Source: *E.P. Anshutz*]

Mercurius: It is a wonderful remedy to ward off acute hydrocephalus after measles and scarlatina; the child rolls the head and moans, and the head sweats. [Source: *James Tyler Kent*]

Morphinum: For terrible vertigo from least motion of the head, explore *Morphinum*. Extreme sensitivity to pain. Face may be dusky red or bluish. [Source: *Dr. C.M. Boger*]

Natrum Sulphuricum: It has been the epidemic remedy in this country in cerebrospinal meningitis, where the pain in the back of the head and neck was marked, “as the gnawing of a dog” and the head was drawn backward. [Source: *J.T. Kent*]

Oleander: The characteristic symptom of *Oleander* is headache relieved by looking sideways or cross-eyed. Headache with vertigo; pressive pain from within outward. Stupefying pressure at the malar bone, penetrating into the brain, and extending to the root of the nose. Violent pressing pain in the temples when swallowing. [Source: *B. F. Underwood*]

Platina: It is most frequently used for periodic, usually menstrual headaches. The numbing paralyzing pains gradually increase till they become violent and then as gradually decrease.

Selenium: It is indicated in headache of nervous origin. The pain is of a stinging character, and is usually situated over the left eye and is worse from the heat of the sun. The headaches return every afternoon, and are increased by any strong odour. This headache is associated with profound melancholy and profuse flow of clear limpid urine. [Source: *E.A. Farrington*]

Sepia: It is the best remedy for ringworm of the scalp, and if administered early, will often prevent the increase of the disease.

The *Sepia* headache rarely appears every day, but every eight to fourteen days, and during the attack the patient seeks rest and desires to lie perfectly still, yet an internal restlessness forces her to get up and walk about.

Tuberculinum Bovinum: School-girl’s headache; < by study or even slight mental exertion; when using eyes in close work and glasses fail to relieve; with a tubercular history.

Veratrum Album: One will never forget *Veratrum* for terrific unbearable pains in the head that change the face, almost induce insanity, with that icy sensation on vertex. [Source: *Dr. M.L. Tyler*]

Veratrum Viride: Elliot considers *Veratrum Viride* in the lower potencies, our best remedy in acute meningitis. It has intense cerebral congestion, rapid pulse, tendency to convulsions, followed by prostration.

Viola Tricolor: Hughes lauds this remedy and rarely uses any other in crusta lactea and impetigo in children. It has crusts with a copious exudation and it is accompanied with offensive urine.

Zincum Metallicum: *Zincum* is indicated in Scarlatina and other eruptive diseases, when the patient is too weak to develop an eruption, and as a result there are often brain symptoms, such as meningitis, with sharp pains through the head. [Source: W.A. Dewey]

Comparisons

Alopecia: Alopecia may originate from various conditions. If there is total atrophy of the hair-follicles, the hair will never grow again; if it is only a partial atrophy, the hair grows thin. If from a transient deficiency in the nutrition of the hair-follicles, as occurs in several illnesses, hair can grow again as soon as the disturbance passes away.

Acid Fluor – Itching of the head and falling off of the hair; the new hair is dry and breaks off.

Aloes – The hair comes out in lumps, leaving bare patches; eyelashes also fall out; frequent frontal headaches.

Ammonium Mur – Large accumulation of bran-like scales, with falling off of the hair, which has a deadened and lustreless appearance, with great itching of the scalp.

Arsenicum – Bald patches at or near the forehead. The scalp is covered with dry scabs or scales, extending sometimes even to the forehead, face, and ears.

Carbo Veg – Falling off of the hair, occasioned by severe illness or after parturition.

Natrum Muriaticum has the symptom of easy falling out of the hair; it falls out when touched or combed. This is quite frequently seen in nursing women.

Sepia has losing of hair after chronic headaches.

Kali Carb – Dry hair, rapidly falling off, with much dandruff.

Vinca Minor – The hair falls out in single spots, and white hair grows there; spots on head oozing moisture, the hair matting together.

Acid Phos – Hair thins early, greying early, due to shock. Falling of hair from depressing emotions.

Antimonium Crud – Alopecia due to nervous headache. Teasing itching in the head.

Geranium Mac – Hair restorer especially in cases where there is history of eczema capitis or scabs in the scalp. Q-10 drops, massage into the scalp, at bed time, to be continued for 3-6 months.

Helleborus – Hair falling (on the head and on the whole body) eyelashes and from labia. Pricking pain on the scalp.

Jaborandi – Hair restorer. In a number of patients who have had white/ blonde hair, have turned black with this medicine (Clarke). Dryness of the scalp. Q-10 drops, massage into the scalp, at bed time, to be continued for 3-6 months.

Kali Carb – Falling off, with dryness of hair.

Thuja - White scaly dandruff, hair falling off or grows slowly and splits; after effects suppressed or maltreated gonorrhea.

Weisbaden – For grey hair; has caused hair to grow rapidly and turn darker. Formerly soft, becomes hard and brittle.

Apocynum: It is a remedy in hydrocephalus. The head is large; there is bulging of the frontal bone; the fontanelles are wide open; there is squinting and, in extreme cases, the patient is blind. One side is paralyzed. The case much resembles *Apis*, but lacks the cephalic cry. It is indicated in more advanced cases than *Apis*.

Chamomilla: It is the best remedy for rheumatic pains in the head, especially when there are pains of a tearing and drawing character, which change their seat frequently. If *Chamomilla* fails to give relief in a few hours, give *Pulsatilla* in the morning or *Nux Vomica* in the evening.

Cicuta Virosa: It is a cerebo-spinal irritant; the head is drawn back, opisthotonos; all the limbs are convulsed and rigid. It has cured traumatic tetanus lockjaw, epilepsy, epileptiform convulsions. Convulsions spread from above downwards, and thus it is the opposite of Cuprum. He is extremely sensitive to touch, and touch and drafts bring on convulsions. [Source: James Tyler Kent]

Cimicifuga: A headache; the pain commenced on the top of the head, a constant pain, but every few minutes it would shoot downwards to both eyes. (*Phytolacca* has pain from frontal region to vertex shooting from left eye to vertex.) Amelioration in the fresh air. Aggravation from moving the eyes.

Chronic sun headache: *Lachesis* is one of our best remedies for sun headaches. Of course it does not compare with *Glonoine* for the immediate effects of sunstroke, but does come in well after the first effects are overcome by that remedy. The patient is troubled with headache every time he is exposed to the sun's heat, and the trouble has become chronic. (*Natrum Carb*) [Source: E. B. Nash]

Headache with blindness: Blindness, accompanying or as a precursor of headache, is found under several drugs. *Gelsemium* has it quite marked. *Kali bi.* has the peculiar symptom of blindness preceding headache, but, as the headache grows worse, the blindness disappears. *Causticum* has blindness, with headache differing from *Kali Bi.* in that the blindness does not diminish as the headache increases. The blindness of *Silicea* comes on after the headaches. There are some others, *Natrum Mur.*, *Iris Versicolor*, and *Psorinum* having blinding headaches. These six drugs will be most often indicated in blinding headaches. [Source: Dr. M. E. Douglas, *The American Homeopathist*]

Hydrocephaloid: It comes on during the course of cholera infantum. The patient lies almost in a stupor, face pale and bathed in cold sweat. Do not mix up the case with *Veratrum*. Eyes half open, pupils react sluggishly to light, urine suppressed, twitching or jerking of a limb. *Sulphur* acts like a charm and no remedy can take its place. (Violent rolling of head and crying out of *Belladonna* are not present, nor the cri encephalique of *Apis*.) [Source: Dr. E.A. Farrington]

Hydrocephalus: In hydrocephalus, the most similar remedy to *Apis* in the stage of exudation is *Sulphur*. *Sulphur* is indicated more on general principles than for its particular affinity for the meninges. *Helleborus* is also similar to *Apis* in hydrocephalus. *Apis* is useful while there is still some irritation of the brain as indicated by the cephalic cry. *Helleborus* is indicated when torpor predominates when the child lies wholly unconscious. [Source: Dr E.A. Farrington]

Opium 6 is useful in dropsy of the brain (hydrocephalus) where there is entire insensibility, hard, loud breathing, eyes half open; a dose every 2 hours. *Zincum* 3x may be given in cases which seem hopeless, where there is, in connection with the dilated pupil, half-open eyes, and loud, slow breathing, cold hands and feet, and a scarcely perceptible pulse. A dose every 2 hrs. This remedy has proven successful in these desperate cases. [Source: Morton M. Eaton]

Melilotus: The congestion to the brain is equal to that of *Belladonna* and *Glonoine*. Intense redness of the face, with throbbing carotids, which is often ameliorated by profuse epitaxis. Violent throbbing congestive headache, better by epitaxis, lying and profuse urination. [Source: E. B. Nash]

Sanguinaria and Iris: The *Sanguinaria* headache is of the hungry kind, and is relieved by eating; while, as a rule, the *Iris* headache is made worse by indulgence in food. [Source: *The Southern Journal of Homeopathy*, C.E. Fisher]

Scalp Tumour: If pus forms, we should not open the tumour prematurely, lest the suppuration should be unduly hastened, which is generally the case if the incision is made too soon. Under these circumstances *Mercurius* is the best remedy, and after the suppuration has lasted for some time, *Silicea*. [Source: *Bernhard Baehr*]

Senile Apoplexy: Dr. N. B. Delamater believes that after the first three or four hours, *Arnica* is probably the best remedy to use, whether the attack is the result of traumatism or not. It is supposed to check additional haemorrhage and prevent the tendency to recurring haemorrhage. If there be a sudden rise in pulse and temperature, *Aconite* in drop-doses every half hour for two hours, then every hour, is probably the best remedy. If there appears a sudden pallor and weakening of the pulse, *Ferrum Phos.*, 3x every fifteen minutes.

Agaricus - In enfeebled state of the brain, patient is giddy, weak, apt to tremble, loss of memory, and dimness of vision. Cases that have been preceded by unusual wakefulness and excitement, especially if there is much, twitching of the face and limbs with dilation of the pupils.

Baryta Iod - In torpid chronic cases, to promote absorption of the clot. Is useful to prevent recurrence, especially from sexual excitement; especially adapted to delicate and old people.

Belladonna - Flushed face, a bloated appearance, violent beating of the carotids, pulse full, hard, eyes red and pupils widely dilated, muttering, distortion of the mouth.

Cocculus - Dizziness, with great nausea and vomiting, and a tendency to faint; formication of hands and feet and difficulty in speaking and thinking.

Conium Maculatum - Face bloated, purple, or livid; skin cool; pulse slow and feeble; pupils contracted and breathing extraordinarily difficult and oppressed. This remedy is decidedly homeopathic to the symptom paralysis.

Cuprum Aceticum - When preceded or attended by convulsions, unusually pale, a marked general deficiency of bile. [Source: *Wilford Allen, The American Homeopathist, Jan. 1901*]

Sunstroke: During the hot weather of summer, people are sometimes so much affected by the heat, that they fall down suddenly as if struck by apoplexy, or they first stagger, try to support themselves and then sink down.

Glonoine – Eyes fixed, without expression, glassy, pupils contracted; pulse scarcely perceptible, or so quick that it can hardly be counted; loss of speech; sometimes retching, face pale, white or yellowish-red; cold sweat; body cold; head hot to the touch.

Aconitum – The heat is over the whole body, the pupils small, colour of the face changing; pulse large, hard and full; the patient shows signs of distress and anxiety by different movements, as starting, putting the hands to the head, grinding of the teeth, rolling of the eyes.

Belladonna – Eyes fixed, half open, or turned upwards; pupils large, or very small, or both of different size; face red; head and whole body hot; involuntary escape of urine and faeces; pulse full and hard, twitching or trembling of limbs, putting of hands to the head. [Source: *John Ryan, Monthly Homoeopathic Review, Vol 2 1858.*]

Tuberculinum: In plica polonica, after *Borax* and *Psorinum*, investigate *Tuberculinum*. [Source: *H C Allen*]

Vertigo: *Bromine* has a vertigo worse when looking at running water. *Bryonia* has a gastric vertigo with nausea and disposition to faint, worse on rising from a recumbent position and on motion. *Conium* suits vertigo of the aged and that arising from excesses and over use of tobacco. Also that form due to cerebral anaemia. [Source: *W. A. Dewey*]

Cases

Arsenicum: 56 yr old female with cerebral stroke went into coma. After 30 days allopathic specialists declared the case hopeless. Symptoms - Sudden unconsciousness, eyes turned upward. Prior to coma - loss of appetite and speech. Prior to stroke - Desired sweets and meat, but < from meat. Fastidious for cleanliness, desired company, affectionate, sympathetic, anxiety for others, industrious, desired to be covered but also fanned. Chilly person. Miasm: Syphilitic. Remedy: *Arsenicum* 30 in water. Within two days she began moving her eyes and blinking and made efforts to speak. After one week, talking with others, moving her neck and asking for food. In one month, walking with support. Shortly thereafter, recovery of all mental functions. [Source: *Dr. Amarsinha D. Nikam, Homeopathic Hospital*]

Onosmodium Virginicum: Patient had constant dull headache, chiefly centered over the left eye and in the left temple, at times so sharp as to be almost unendurable; pain not aggravated by light, noises, or use of eyes,

but always worse in the dark and lying down. It was cured with three doses Onosmodium tincture taken at twelve-hour intervals, the chronic dull pain never returning, and the acute suffering seldom recurring, and always soon relieved after a repetition of the drug. [Source: Dr. H.F. Ivens, *Homoeopathic Recorder* 1889]

Sanguinaria: Mrs. O., aged fifty-two years; has been subject to headache since she was seventeen, which has become more severe during the past two years. It starts in the right temple and spreads all over the head. Bright lights aggravate and are attended by a sensation of nausea and sometimes vomiting. She is relieved by lying quiet in a darkened room. One week later she reported better and the remedy was continued in a higher potency at lengthened intervals. At the end of one month she believed herself cured. *Sanguinaria* is indicated when the pain increases and decreases with the sun; has a periodicity; is worse on right side; aggravated by the least movement; and relieved by being in a dark room, and especially by sleep. It has never disappointed me in this class of cases. [Source: A.L. Blackwood]

Eyes and Vision

Sphere of action

- eyes Cannabis Indica, Cineraria (local application), Colchicum, Heloderma, Jequirity, Lithium Chlor, Merc. Sol., Physostigma, Platanus, Syphilinum.
- optic nerve Arg Nit, Plumbum Met., Solanum Lycopersicum.

Absorption of fragments of Senega.

lens after cataract surgery

Accommodation disturbance Calc. Carb.

Accommodation, strain, Lac-Def.

children especially

Allergy, child bores into eyes Squilla Martima.

with fists

Amaurosis Plumbum Met.

- retinal haemorrhage, with Bothrops.

Asthenopia or weak or painful vision Agaricus, Conium, Jaborandi, Lac-Fel, Onosmodium, Ruta, Thyroidinum, Vaccinotoxinum.

Astigmatism Tuberculinum.

Atrophy of retina and restores Nux Vom.

power of weakened Optic

Nerve due to excess tobacco

or liquors

Big, feeling as if eyes are too Comocladia Dentata.

big and would be pressed out

of the head

Black rings around eyes China, Chrysarobinum, Digitalis, Dysentery Co, Graphites, Hepar Sulph, Hippuric Acid, Histaminum, Influenzinum, Medorrhinum, Morgan Gaertner, Psorinum, Tuberculinum Aviare, V.A.B. (Pestinum).

Blindness complete Strychninum Nitricum.

<i>Blindness, daytime</i>	Bothrops, Castoreum, Lyco, Phosphorus, Silicea, Sulphuric Acid.
<i>Blindness, due to haemorrhage into retina</i>	Bothrops.
<i>Blindness, due to lightning</i>	Phos.
<i>Blindness due to nervous weakness</i>	Santoninum.
<i>Blindness, night</i>	Bothrops, Helleborus, Lycopodium, Physostigma.
<i>Burning eyes</i>	Kali Iod.
<i>Cancer, malignant, growths involving eyes</i>	Phos.
<i>Capillary haemangioma in lateral orbit area</i>	Acidum Fluoricum.
<i>Cataract</i>	Apis Mel., Agaricus, Baryta Carb., Baryta Iod., Calc. Carb., Calc. Iod., Calc. Flour, Cineraria Maritima, Hedera Helix, Mag Carb., Naphthaline, Rubella Nosode, Silicea.
- after surgery	Calendula, Senega, Arn.
- after suppressed footsweat	Sil.
- capsular	Ammon Mur, Colchicum.
- congenital cataract in both eyes	Baryta Carbonica.
- contusion from	Arnica, Conium.
- incipient cataract	Puls, Caust, Secale, Sepia.
- initial stages	Ammon Carb., Haloperidol.
- in office workers	Silicea.
- senile	Cineraria Maritima (local application).
<i>Chalazion</i>	Thuja.
<i>Chemosis</i>	Guarea Trichiloides.
<i>Cold settles in eyes in fatty people</i>	Calc. Carb.
<i>Colour blindness, sudden dimness of sight</i>	Benzinum Di Nitricum, Santoninum.
<i>Colour, blind</i>	Cina, Gaulonine.
<i>Colour blindness, for red and green color</i>	Ethambutol.

Conjunctival

- catarrh
- haemorrhage

Conjunctivitis

- acute
- allergic
- catarrhal
- catarrhal, spring
- chronic
- phlyctenous
- purulent

Corneal

- abrasion
- opacity
- opacity with cataract
- phlyctenular
- spots
- staphylomatous protrusion of the cornea with protrusion of the iris with swelling of the lens
- ulceration
- ulceration of cornea in children

Arg Nit.

Bothrops Lanceolatus.

Aconite, Apis, Corticotrophin, D.N.A., Dysentery Co, Euphrasia, Jequirity, Kali Bich, Kali Sulph, Leptospira, Lyssin, Merc Cor, Merc Sol, Morgan Pure, Paratyphoidinum B, Penicillin, Pulsatilla, Rhus Tox, Sycotic Co, Syphilinum, Thyroidinum, Tuberculinum, Vaccinum, V.A.B.

Euphrasia.

Cortisone, Equisetum.

B.C.G.

Euphrasia, Kali Iod., Thuja.

Arg Nit, Graphites, Guarea, Silicea, Sulphur, Syphilinum, Teramycin.

Calc. Iod.

Ferr Iod, Jequirity (local application).

Syphilinum.

Cornea, Leprominum, Magnesium Carbonicum, Pulsatilla, Naphthaline, Tuberculinum, Zinc Sulph.

Cineraria Maritima. (local application, as drops).

Syphilinum.

Calc. Fluor, Nitric Acid.

Colchicum.

A.C.T.H., Aur Met, Calc. Carb., Calc. Flor., Conium, Euphrasia, Morgan Gaertner, Nitric Acid, Tuberculinum.

Bacillinum.

- ulceration, no pain with Kali Bich.
- Diplopia* Agaricus, Belladonna, Gelsemium, Hyoscyamus, Oleander, Stramonium, Thuja.
- acute Gelsemium.
- reading from Lyssin.
- Dry, in general* Cortisone, Histaminum, Lac-Can, Leprominium, Medorrhinum.
- Dust, sensation of, in the morning* Bursa Pastoris.
- Ectropion* Apis Mel, Arg Nit., Nitric Acid.
- Eczema of eyelids* Bacillinum, Borax, Graphites, Silicea.
- Entropion* Argentum Nit, Borax, Merc cor., Merc Sol, Sulphur.
- Exophthalmos* Aurum Met, Natrum Mur., Pyrogen, Thyreotropic Hormone, Thyroidinum.
- Eye diseases, when dependent upon kidney disease* Terebinthina.
- Eyelashes, fall off* Leprominium, Medorrhinum.
- Eyelid*
- drooping Gelsemium.
- granular lids, ophthalmia Nat. Sulph.
- lower, hanging down like a water-bag Apis Mel.
- oedema of Ammon Benz.
- sack-shaped oedematous swelling Kali Carb.
- small pimples on eye lids which get glued together Borax.
- spasms Jaborandi.
- spasmodic contraction of muscles of eye lids Agaricus.
- thickly stuck together Baryta Oxalsuccinica.
- twitching spasmodically of the upper eyelid Mezereum.

<i>Eye complaints alternate with diminished hearing</i>	Guarea Trichilioides.
<i>Eye strain</i>	Ruta (eye bath - 2 drops in 50 ml of pure distilled water), Calc. Carb., Onosmodium, Pilocarpus.
<i>Fatigue eyes</i>	Calc. Carb., Nat Mur.
- reading fine prints, sewing	Ruta.
- tiredness of eyes on reading	Jaborandi, Nat Ars.
<i>Field of vision diminished</i>	Benzinum Dinitricum, Titanium.
<i>Fistula lachrymalis</i>	Calc. Carb., Fluoric Acid, Silicea.
- suppurative	Calc. Carb.
<i>Flickering and dark spots in the field of vision with temporary paralysis of the retina</i>	Hyoscyamus.
<i>Glare aggravates</i>	Phosphorus, Silicea.
<i>Glasses, to correct, after, blurring vision</i>	Gels.
<i>Glaucoma</i>	Aur Met, Calc. Caust., Calc. Fluor, Crocus Sativa, Corpus Vitreum (eye drops), Cortisone, Gelsemium, Glonoine, Kali Iod., Merc Sol, Osmium, Phos., Physostigma, Prunus Spinosa, Rhododendron, Ruta, Spigelia, Streptococcinum.
- chronic	Sarothamnus.
- cough, with	Osmium.
- in early stage	Gelsemium.
- pain	Colocynt.
<i>Green or red flare floating before eyes</i>	Phosphorus.
<i>Haemorrhage</i>	
- anterior chamber of eye after iridectomy	Ledum Pal.
- in both left and right eyes	Crotalus Horridus.
- intra-ocular, haemorrhage	Crotalus horridus.

- sub conjunctival	Aconite, Arnica, Bothrops Lanceolatus, Hamamelis.
<i>Halo around the eyes</i>	Abrotanum.
<i>Hemiopia</i>	
- horizontally	Tuberculinum.
- vertically	Sycotic Co, Tuberculinum.
<i>Inflammation of eyes</i>	Hippuric Acid, Mezereum, Nitric Acid, Psorinum.
- dacryocystitis	Hippuric Acid.
- iridocyclitis	Leprominium, Toxoplasma Gondii.
-iritis	Euphrasia, Grindelia Robusta, Leprominium, Morgan Pure, Syphilinum, Vaccinotoxinum.
- iritis, chronic	Absinthinum, Asafoetida, Lac. Fel, Resina Laricis.
- iritis, rheumatic	Colchicum, Kali Iod.
- iritis, rheumatic and syphilitic	Kalmia Lat., Kali Iodide.
- iritis, with prostate gland involvement	Sabal Serrulata.
- keratitis, phlyctenular	Morgan Pure, Pyrogen, Vaccinotoxinum.
- neuritis, optic	Carboneum Sulph., Morbilingum, Sulfanilamidum, Toxoplasma Gondii.
- uveitis	Toxoplasma Gondii.
- scleritis, left sided	Thuja.
<i>Injuries to the eye</i>	Arnica, Ledum Pal, Symphytum.
<i>Itching of</i>	
- corners of eyes	Fluoric Acid.
- inner canthi	Guarea.
- eyelids	Hepar Sulph.
- eyelids, coryza with	Ambrosia.
<i>Keratitis</i>	Apis, Ars Iod, Merc Cor, Merc IF, Merc Sol, Rhus Tox, Tuberculinum.
- photophobia, with severe and scrofulous conjunctivitis	Aethiops Antimonialis.

- syphilitic	Aurum Met.
<i>Keratoconjunctivitis</i>	Listeriosis Nosode.
<i>Lachrymal, duct, closed</i>	Calc. Carb., Mercurius Dulcis, Natrium Muriaticum.
<i>Lachrymal, fistula, supportive</i>	Calc. Carb., Fluoric Acid, Silicea, Streptococcin.
<i>Macular degeneration</i>	Chrysolite, Gelsemium, Retina, Vanadium.
<i>Meibomian cysts</i>	Calc. Flour, Graphites, Hepar Sulph, Kreosote, Proteus Bach., Staphysagria, Staphylococcus, Thuja.
<i>Myopia</i>	Oleum Animale, Physostigma, Pilocarpine, Viola Odorata, Vitamin A.
- pains in the eyes, with	Viola Odorata.
<i>Mucosal catarrh of the eyes</i>	Arum Maculatum.
<i>Muscae volitantes</i>	Crocus, Dysentery Co, Petroleum, Psorinum.
<i>Neuralgia ciliary</i>	Actea Racemosa, Comocladia Dentata, Crotalus Horridus, Mezereum, Prunus Spinosa, Spigelia.
- neuralgia, eyes, of 5th nerve, after vaccination	Thuja.
- neuralgia, orbital after vaccination	Thuja.
- neuralgia, supra orbital	Chelidonium.
- right, ciliary neuralgia of the, particularly after over- exertion as if the eye would burst	Prunus Spinosa.
<i>Neuro-retinitis</i>	Vanadium.
<i>Night-blindness</i>	Helleborus, Lyco., Physostigma, Syphilinum, Ustilago, Vitamin A.
<i>Nystagmus</i>	Agaricus., Menyanthes.
<i>Ophthalmia (redness of eyes)</i>	Jequirity.
- chronic	Psorinum.

- measles after, especially if Pulsatilla.
granulations exist
- neonatorum, acute Syphilinum.
- scrofulous Lachesis.
- Optic nerve*
- atrophy Atoxyl, Nervus Opticus, Syphilinum.
- paralysis (early) Pulsatilla.
- Orbital cellulitis* Rhus Tox.
- Over-exertion of the, with burning like fire* Ruta.
- Pains in eyes*
- myopia, in Viola Odorata.
- movement, on Corallium Rubrum.
- pain over left eye, into eye Spigelia.
- pain over right into eye Sanguinaria, at times Spigelia
- turning, when Cimicifuga.
- Pan-ophthalmitis* Rhus Tox.
- Paralysis of eye muscles* Baryta Oxalsuccinica, Nux Vom.
- Photophobia* Agaricus, Calc. Carb., Conium, Kali Iod, Nitric Acid, Vitamin A.
- chronic eye disorders, with Silicea.
- lachrymation, dim sighted Conium.
- Phlyctenula, formation of* Rhus Tox.
- photophobia with Syphilinum.
- Pink eye during influenza* Ars. Iodide
- Pressure in eye increased* Nat. Pyruvicum, Paris Quad.
- Pterigium* Psorinum, Ratanhia, Rhus Tox, Sulphur, Zinc Met.
- Ptosis* Botulinum, Causticum, Gelsemium, Morbillinum, Syphilinum, Vipera, Zinc. Met.
- Pupil dilatation* Belladonna, Hyoscyamus, Stramonium.
- Retinal*
- albumuria, retinitis Merc. Cor., Phosphorus.

- degenerative disease	Gel., Kali Iodide, Merc. Cor., Para-Benzochinonum, Phos.
- detachment	Abelmoschus, Benzinum Dinitricum, Crotalus, Gels, Naphthalin, Retina.
- diseases	Ubiquinone.
- haemorrhage	Bothrops, Ledum, Salicylic Acid, Sulfanilamide.
- haemorrhage, amaurosis with	Bothrops Lanceolatus.
- inflammation (chorioretinitis)	Toxoplasma Gondii.
- nerve	Gelsemium.
- pigmentosa	Mag. Pol. Austral., Ustilago Maydis, Vanadium.
- senile degeneration	Majeptil.
- thrombosis	Phos.
- thrombosis of central retinal vein	Bacillus No. 7.
<i>Retrobulbar neuritis</i>	Iodoform.
<i>Running of letters into one another during reading</i>	Nat Mur.
<i>Sand in the eyes, sensation of</i>	Ammon Brom.
<i>Scotoma</i>	Agaricus, Ignatia.
<i>Squint</i>	Conium, Hyoscyamus, Santonine, Spigelia, Zinc. Met.
- brain disease, after	Kali Phos.
- brain disease, during	Stramonium.
- convergent	Cyclamen, Cicuta vir.
- dentition during	Alumina, Gels., Helleborus, Stramonium Tuberculinum.
- divergent	Colocynth, Jaborandi, Nat. Mur.
- upward	Benzoic Acid, Jaborandi.
<i>Strain; reading fine prints, sewing</i>	Ruta.
<i>Styes / Hordeolum</i>	Adeps, Agnus Castus, Baryta Oxalsuccinica, Boric Acid. (local application: 5 drops in 25 ml of water). Conium, Graphites, Hepar Sulph,

	Sulph, Kreosote, Merc Sol, Pulsatilla, Staphylococcus, Staphysagria, Sulphur.
- appearing slowly	Penicillin.
- chronic, hard, lingering	Lappa Arctium.
- prevention/recurrence	Apis, Boric Acid, Lappa, Pulsatilla, Staph, Sulphur (lower eye lids).
- recurrent	Anthracinum, Ferr Pyrophos, Psorinum, Tuberculinum.
<i>Surgery, after</i>	
- haemorrhage in anterior chamber of eye after iridectomy	Ledum palustra.
- hammering and jerking in the eyes	Crocus.
- jerking pain with vomiting and diarrhoea	Asarum.
- pain in head accompanied by vomiting	Bryonia.
- pains shooting in head	Rhus Tox.
- pains violent, in temples	Ignatia.
- principal remedy	Arnica.
- promotes absorption of lens debris	Senna.
- stinging in temples	Thuja.
<i>Tumour of eyeball</i>	Symphytum.
<i>Tarsal tumours or cysts</i>	Fer Pyrophos, Platanus, Zinc Met.
<i>Trachoma</i>	Kali Iodide., Kali Mur.
<i>Ulceration of eye</i>	Calc. Carb.
<i>Vision</i>	
- accomodation weak	Argentum Nitricum, Belladonna, Causticum, Duboisia, Jaborandi, Natrum Mur.
- cloudy, periodic	Belladonna, Cactus, Glonoine.
- crooked, objects appear	Belladonna.
- objects appear to approach and recede alternately	Cicuta.
- pale, letters appear	Silicea.

- partial	Thuja.
- partial sight, cannot see the upper portion	Aur Met, Merc Sol.
- partial sight, cannot see the left half	Lycopodium.
- partial sight, cannot see the right half	Lithium Carb.
- rainbow colors, objects covered with	Bryonia.
- serpent-like bodies and gray spots	Argentum Nitricum.
- short sight	Causticum, Physostigma, Tabacum.
- yellow	Santonine.
- yellow spots when looking at anything white	Agaricus Muscarius.
- weak sight	Lithium Carb.
<i>Vitreous opacity</i>	Cholesterinum, Morgan Gaertner, Psorinum, Sycotic Co.
<i>Warts eyelids, on</i>	Causticum.
<i>Xanthelasma</i>	Calc. Flor.
<i>Xerophthalmia</i>	Leprominium.

Remedy Hints

Aconite: You may use *Aconite* in conjunctivitis resulting from a foreign body in the eye. *Sulphur* is indicated in conjunctivitis from irritation of foreign bodies when *Aconite* fails. *Aconite* is also indicated in inflammatory affections of the eyes, arising from exposure to dry cold winds. Heat and burning in the eye; eye feels as if full of sand, exceedingly sensitive. The pains are so intense that the patient wishes to die; he declares that he cannot stand them. This aching is worse when the affected part is moved or touched. [Source: Dr. E.A. Farrington]

Argentum Nitricum: The greatest service that *Argentum Nitricum* performs is in purulent ophthalmia. In both hospital and private practice, we have not lost a single eye from this disease, most of them treated with 30th or 200th. We have witnessed the most intense chemosis, with strangulated vessels, most profuse purulent discharge, even the cornea beginning to get hazy and looking as though it would slough, subside

rapidly under *Argentum Nitricum*. The subjective symptoms are almost none. [Source: Dr. Norton, W. A. Smith, *The American Homeopathist*]

Aurum Metallicum: *Aurum Metallicum* has been successfully used in syphilitic iritis, and after the abuse of mercury. The pains indicating it are dull and burning in character, compelling one to close the lids occasionally. They are worse in the morning, and ameliorated by the application of cold water. [Source: H.R. Arndt]

Aurum Metallicum is a valuable remedy when Blepharitis Ciliaris is associated with granulated lids, this latter condition being often speedily and permanently cured.

Belladonna: *Belladonna* is applicable at a very early stage of conjunctivitis. But as soon as the secretion of muco-pus commences, *Belladonna* ceases to act any more. We must then have recourse to some other medicine, e.g., *Pulsatilla*, *Euphrasia*, *Mercurius*, *Sulphur*, etc.

Belladonna is seldom to be thought of in glaucoma and not to be used unless you are an oculist and willing to take the responsibility. [Source: Pierce]

Let me warn you against the use of *Belladonna* for the pains of glaucoma. Never give it low for that condition and watch closely if you give it in the 30th or 200th. [Sources: Dr. George Royal]

Calcarea Carbonica: It is our best remedy for scrofulous ophthalmia, corresponding to the worst cases. No remedy excels it in opacities and ulcerations of the cornea. The general symptoms will indicate the remedy. Discharge is bland, cornea opaque and lids thickened. Conjunctivitis after from getting wet. The eyes are so sensitive to the light that the patient insists on thick covering.

Calcarea Hypophosphite (Hypophosphorosa): This has proved to be a remedy of the first importance for severe abscess or ulceration of the cornea, even sloughing or crescentic, when the vitality is too low to resist the disease. [Source: John L. Moffat]

Calcarea Silicata: It causes absorption of corneal exudations. Ulcers with punched out edges indicate it. (J.H. Clarke). Also for atrophy of children when *Silicea* fails (*Calc. sil* 1X). Always cold and lack of vital heat. Dreams of the dead. [Source: Dr. P.S. Rawat]

Calcarea Picrata: Having suffered from two or three styes and another one coming, I tried this remedy, which aborted the one in process of formation in twenty-four hours, and I have had none since, now nearly one year. Many cases in the clinic were given it for the same affection

with the same result. I tried it with phlyctenular troubles, both of cornea and conjunctiva, and the same prompt success followed. In a number of cases it completely subdued these frequently obstinate and protracted inflammations within 48 hours.

Calendula Officinalis: Calendula lotion - 20 drops to a teacupful of water – is very useful in many chronic affections of the eyelids; it has no inconvenient effect. [Source: Dr. Nankivel]

Carboneum Sulphuratum: Colour Blindness is many times given up as incurable, but *Carboneum sulphuratum* is used by many with astonishing results. From 1st attenuation to the 200c. Ill effects of coal gas. Broken down weak constitutions. Loss of vision, progressive with central scotoma. Diminished sensibility of arms. [Source: Dr. P. Rajagopal Rao]

Causticum: Several cases of cataract have been arrested in their progress by *Causticum* and the sight even improved, where before its administration they were rapidly going on to complete blindness. [Source: Drs. Allen and Norton]

Cinnabar: It (*Mercuric sulphide*) is an important remedy in blepharitis, conjunctivitis, keratitis, iritis, scleritis and severe ulceration of the cornea, if accompanied by the characteristic pain through the brow to ear or temple. Pain from inner to outer corner of the eye in the bone around the edge of orbit. [Source: Dr. John L. Moffat]

Comocladia Dentata: If your patient has pain in the right eye as if it were pushed out of the head, and she's worse near a warm stove, the remedy is *Comocladia Dentata*. [Source: W. A. Dewey]

Conium Maculatum: *Conium* is the first remedy when photophobia or pain is excessive and out of all proportion to the amount of trouble. The nerves are hyper aesthetic, their terminal filaments (in the cornea) are exposed by superficial abrasion. One of the principal remedies for keratitis (ulcers, pustules) if the inflammation is superficial, involving only the epithelial layer, and caused by cold, trauma or scrofula. [Source: John L. Moffat]

It has aversion to light *without* inflammation of eyes. Worse from using eyes in artificial light. Often the student's remedy for night work. [Source: Henry C. Allen]

Cyclamen: A remedy of visual aberrations. Headache with flickering before the eyes. Flickering of various colors, glittering needles, visions of smoke or fog. Food tastes salty, craves lemonade, disgust for meat, craving for sardines. Ailments from grief or terrors of conscience (as if he had not done is duty).

Dulcamara: Colds that settle in the eyes; from dampness, cold, checked eruptions, worse being chilled while hot, sudden change in temperature. [Source: Dr. J. H. Clarke]

Eyes Injury: For insect stings of the eyes, give *Aconite* and *Arnica* alternately; *Aconite* for one hour and let the *Arnica* act from three to four hours. [Source: S. Lilienthal]

Fistula Lachrymalis: A cure may sometimes be obtained by the aid of *Petroleum* and *Silicea* in alternation. [Source: *The Lesser Writings of Boenninghausen*]

Foreign Body: When *Aconite* fails in conjunctivitis resulting from a foreign body, the remedy is *Sulphur*. [Source: W. A. Dewey]

Gelsemium: It is one of the most valuable remedies in glaucoma, often palliating the severe pains. Headache commences from the nape of the neck [Source: Dr. B. Das].

Glaucoma: It is the surest remedy for this disorder, and helps more frequently than any other remedy. If a cure is not completed by *Phosphorus*, *Lycopodium* and no less *Silicea* will be found indispensable. [Source: Dr. G.M.G Jahr]

Glonoine: *Glonoine* is indicated in eye diseases arising from exposure to very bright light, as in the case of one obliged to work at a desk beneath a hot bright light.

Hepar Sulphur: Vilas states that it will cure more cases of keratitis than any other remedy. It is invaluable in the suppurative form. It speedily absorbs hypopyon, and abscesses of the cornea require no other remedy. [Source: Dr. W.A. Dewey]

Hyoscyamus: For spasmodic closing of the lids, if there is no inflammation, I know of no better remedy for it than *Hyoscyamus*. [Source: Dr. G.M.G Jahr]

Kali Bichromatum: This is one of the most useful eye remedies It has a deep corneal ulcer, tending to perforate with a sharp, clear-cut margin, not painful. Thick, stringy discharge. [Source: Dr. Margery Blackie]

Kali Iodatum: It has an acute, purulent eye inflammation and with redness and swelling inside and outside the eye. If you touch the eye, the patient will call out with pain. [Source: Margery Blackie]

Lilium Tigrinum: Think very highly of *Lilium Tig* in cases of ciliary spasm where the neuro-muscular derangement of the eye has caused a certain degree of astigmatism. [Source: Dr. Woodyatt]

Mercurius Corrosivus: If there is any ‘best remedy’ for iritis it is *Mercurius corrosivus*. It is almost a specific for simple and syphilitic iritis, accompanied with pains in the eyes, extending over the top of the head. The exudation is rather serous than plastic. [Source: *W. A. Dewey*]

Mezereum: *Mezereum* is most useful in ciliary neuralgia when there is a cold feeling in the eye, and it is one of the best remedies for neuralgias which are reflex from decayed teeth. [Source: *W. A. Dewey*]

Muscae Volitantes: An appearance before the vision as of black motes or of thin grey films, like the wings of a fly; or half-transparent grey threads, like spiders’ webs; or if viewed against a white wall, or other clear and near object, they appear as one or a number of small circles with a central aperture. Consider *Hyoscyamus*, *Belladonna*, *Cocculus*, *Conium*, *Mercurius Cor*, *Zincum*. [Source: *E. Harris Ruddock*]

Natrum Carbonicum: It may be given for small ulcers about the cornea with stinging or needle-like stitches in the eye, so that he is obliged to shade it from the light; heaviness of the upper lids, can hardly open them; sensation as of a hair in the eye.

Natrum Muriaticum: It is often an important remedy in muscular asthenopia, blepharitis and ciliary neuralgia which comes and goes with the sun. There is great lachrymation which is excoriating. [Source: *L. Blackwood*]

Nitric Acid: Sagging lower lid referred to as ectropion, leaves the eye exposed and dry. Generally thought to be due to lack of muscle tone. Explore *Nitric acid* while taking a constitutional case. [Source: *John L. Moffat*]

Onosmodium Virginianum: For headache due to eye strain, *Ruta* was the standard remedy. Since *Onosmodium* is proved, I can confidently say that this drug has cured more cases of headache associated with eyestrain, than any other remedy. [Source: *Dr. Franz Hartmann*]

Paris Quadrifolia: It is a valuable remedy in certain cases of asthenopia. The sensation “as if the eyes were being drawn back into the head by cords” is a reliable indication for its employment. Inability to fix the eyes steadily upon anything; eyes seem swollen, as if their orbits were too small, so that the eyes could not be easily moved.

Phosphorus: It has cured opacity of the vitreous humor. It has cured paralytic weakness of the various muscles of the eyes. It has cured

paralysis of the third pair of nerves where there is falling of the lids. [Source: *Dr. J.T. Kent*]

Retinal Detachment: Recent, (1) *Apis* 6C every 2-4 hours (2) *Gelsemium* 1c, every 2-4 hours. Afterwards, *Aurum Muriaticum* 3X, every 2 hours. [Source: *John H. Clarke*]

Retinal Haemorrhage: From accident, *Arnica* 1, 1h. Passive, *Hamamelis* 1, 1h. Multiple haemorrhages *Phosphorus* 3, 2h. For reabsorption of effused blood, *Lachesis* 6, 4h. [Source: *John H Clarke*]

Rhus Toxicodendron: It is of great use in scrofulous ophthalmias and is almost specific in orbital cellulitis with great intolerance of light, so much so that the eyes cannot be opened even at night. The tears are hot and scalding and cause pimples on the parts bathed in them. A gush of tears on separating the lids is a trustworthy indication. [Source: *W. A. Dewey*]

Rhus Toxicodendron is especially valuable in suppurative inflammation of the iris, the latter involving, or showing a strong disposition to extend backward and involve the rest of the uveal tract. It has no superior in this respect, unless it be *Allium Cepa*. [Source: *H. R. Arndt*]

Scleritis: The use of *Kalmia Latifolia* has proven it to be an excellent remedy in several cases of scleritis with a syphilitic history. It seems especially indicated in specific cases where *Kali Hydroidicum* failed to cure.

Senega: I regard *Senega* as probably the most important remedy in the treatment of hyperphoria (upward deviation of the visual axis of one eye in the absence of visual fusional stimuli). I know, from my own experience, from the records of my books, that hyperphoria can be cured by *Senega* alone, or by *Senega* in connection with other treatment. [Source: *Dr. George Royal*]

It is useful valuable for absorption of lens fragments after cataract operation or injuries. [Source: *Dr. John L. Moffat*]

Sepia: In *Sepia* the eyelids pain in the morning when awaking, as if they were too heavy, and as if he could not keep them open. (Very important in stiffness of eyelids.) Canine hunger and sensation of emptiness in the stomach. Itch and scabs on the hands. [Source: *The Homoeopathic Recorder Volume XIII 1898*]

Silicea: It is indicated in ciliary neuralgia with darting pains through the eyes and head upon exposure to any draft of air, or just before a storm. [Source: *Dr. John L. Moffat*]

Spigelia: In glaucoma, *Spigelia* has been found more valuable than any other remedy for the alleviation of the sharp, shooting and sticking pains which accompany this disease. These pains are worse on motion and at night.

Sulphur: Bear in mind that in all eye troubles of *Sulphur*, the lids are red, the pains are sharp, sticking, cutting, splinter-like, the photophobia is marked and the modality ‘worse from the touch of water’ is usually present. [Source: *George Royal*]

Symphytum Officinale: For traumatic injuries of the eyes, no remedy equals this. [Source: *Dr. Boericke*]

Thuja: This is the most prominent remedy for scleritis, episcleritis, sclerochoroiditis anterioris and commencing sclera staphyloma. [Source: *Dr. John L. Moffat*]

Comparisons

Arthritic Ophthalmia: In well developed arthritic ophthalmia, *Aconite* 30, from six to twelve doses, one every four or six hours should be given. The intolerable pains, and the inflammation will either be improved decidedly, or at least checked in their course. Then *Belladonna* 30, should be given every 24 or 72 hours. After the third dose there will be a decrease in severity of the pains and inflammation. At times *Belladonna* will act better, when an occasional dose of *Sulphur* 30, is interposed. [Source: *Dr. Theodore J. Rueckert*]

Cataract: I have not seen any brilliant results from remedies prescribed entirely on eye conditions in cataract, but I have records and drawings of several cases in which marked absorption has taken place in the hardened crystalline lens as the general health of the patient was improved. *Causticum*, *Nux Vomica*, *Sulphur*, *Phosphorus*, *Apis*, and *Calcarea Fluor* are suggested. [Source: *M. M. Hillegas, Hahnemannian Monthly, 1917*]

In this condition, I have accomplished most with *Sulphur*, allowing the dose to act a long time. If the action of *Sulphur* seems exhausted, I then commonly resort to *Calcarea* and next to *Lycopodium* with tolerable success. If these remedies do not help, I have success with *Cannabis* and *Silicea*, and, in the case of old people, *Conium* 30th, of which I cause a solution of six globules to be at the same time applied externally. In the case of an infant that was born with cataract, *Sulphur* effected

considerable improvement; a cure was finally completed by means of *Euphrasia* and *Lycopodium* [Source: Dr. G.M.G. Jahr]

Under certain circumstances the best and quickest relief can be afforded only by an operation, but homoeopathic treatment has succeeded not only in checking further development, but also in clearing up existing opacities of lens and capsule. The following are the most important remedies - *Ammonium Carb* (right eye); *Baryta Carb*; *Belladonna* (after acute inflammation of the eye); *Calcarea Carb.*, (scrofulous individuals); *Cannabis*, *Causticum*, (constant inclination to touch and rub the eye, which seems to relieve a pressure in it); *Conium*, (old persons); *Euphrasia* after *Sulphur*, (congenital cataract); *Lycopodium*, (after typhus; suppressed menses); *Mag. Carb.*, (from left to right; previous disposition to headache and furuncles); *Phos*; *Sepia*; *Silicea*, (after inflammation of the eye; preceding ringworms; suppressed sweat of feet); *Sulphur* (from right to left; after cutaneous eruptions, especially suppressed itch. [Source: C.G. Raue]

Cataract in women at and after the change of life is, probably, the least difficult of any to cure with medicines. My plan is to subject patients to, say, a given constitutional course of treatment by high dilutions, and when this seems to have done all that can be achieved, I put patients on small material doses of uterine remedies, principally *Pulsatilla*, in from five to ten-drop doses once or twice a day. The result is often very satisfactory. [Source: James Compton Burnett]

Remedies after Cataract Surgery: Dr. Wurzler has given us his valuable experience in the treatment after operations. After an operation upon the eye, he considers *Aconite* the principal remedy, except in patients of very mild temperament. *Ignatia* will generally subdue the violent pains in the temples and eyes; if these are accompanied with vomiting, *Bryonia* will be required. If the pain is of a jerking character and attended with vomiting and lienteria, *Asarum* is the best remedy; if burning pain with diarrhoea sets in, *Arsenic* will be required; hammering and jerking pains in the eye are relieved by *Crocus*. Stinging pain in the temples followed by loss of appetite was relieved by *Thuja*. If the operation of depressing the lens failed, and the lens broke up in fragments, *Senega* accelerated the process of absorption very much; and finally, if the objects appeared as if tinged with blood, *Strontiana* will cure. [Source: John C. Peters]

Corneal Affections: For spots on the cornea and dimness of this membrane my first and chief remedy always is *Euphrasia*. If insufficient, I give afterwards *Sulphur*, *Calcarea*, and *Nitric Acid* at long intervals. For

thickening of the cornea, I give at once *Calcarea*, with the best results. I have likewise observed good effects from *Cannabis*, although, in order to complete the cure, I had again to resort to *Calcarea*, and afterwards to *Nitric Acid*. [Source: Dr. G.M.G. Jahr]

Eye Surgery: After operations on the eye, *Hypericum* for pain. *Allium Cepa* is also useful for pain after operations, especially after removal of cataracts.

Infants' Eye Affections: *Aconite* should be given first, especially if the inflammation arises from exposure of the eyes to too much light and the entire eye becomes red, and runs a good deal.

Belladonna after or alternately with *Aconite* when the whites of the eyes are very red with bleeding from the eye-lids and intolerance of light.

Ignatia, in cases similar to *Aconite*, after that remedy has been given without much benefit.

Chamomilla, when the eye-lids are swollen, bleed, and are glued together in the morning with a yellowish secretion.

Mercurius, when there is redness of the eyes and eye-lids have small yellowish ulcers along the margins of the lids with discharge of yellowish matter.

Pulsatilla, when there is profuse discharge of purulent matter from the eyes, with redness of the whole eye and interior of the lids.

Euphrasia when there is accumulation of matter in the eyes, and intolerance of light. [Source: Constantine Hering]

Intraocular Haemorrhages: *Lachesis* is useful in absorbing intraocular haemorrhages whether in anterior chamber, vitreous, retina or choroid.

Crotalus Horridus – Useful in intraocular haemorrhages into the vitreous, but particularly non-inflammatory retinal haemorrhages. [Source: Dr. John L. Moffat]

Keratitis: *Hepar Sulphur* will undoubtedly, cure more cases of keratitis than any other remedy. In the suppurative form it is invaluable, and combined with the indicated local treatment, will speedily and promptly cure. Abscesses of the cornea usually require no other internal remedy.

Calcarea Carbonica has proven one of the most useful of all remedies. It is especially adapted to fat, unhealthy children, with potbelly, who are extremely liable to colds. The scrofulous diathesis is well met by it, and a speedy cure often effected when other remedies fail.

Conium Maculatum has one decided value, that of relieving the marked photophobia in superficial ulceration of the cornea. This photophobia is one of the commonest and severest in apparently slight ulceration.

Graphites: Corneal ulcerations occurring in scrofulous children with eczematous eruptions, especially behind the ears. An acrid discharge from the nose, which is often covered with scabs, is frequently present. Bleeding and cracking of the external canthus are often seen, and in themselves are a characteristic symptom.

Euphrasia has enjoyed a reputation in these corneal troubles apparently little warranted by the results attained. Its sphere of action is in another class of troubles, those of the conjunctiva, and there it deserves its reputed value. [Source: H.R. Arndt]

Ledum Palustre: *Ledum Pal* is unequalled (200th) as a remedy for black eye from a blow, unless the eyeball itself is involved; then *Symphytum* is preferable. [Source: Dr. Pulford]

Pterygium: *Argentum Nitricum* – Pink colour, discharge from the eye, inflammation better in the open air, unbearable in a warm room, with pain at the root of the nose. *Arsenicum* – Dryness and burning in the eye or acrid lachrymation and discharge. *Calcarea Carbonica* – From exposure to wet and cold. *Zincum* – Thick and vascular, conjunctiva injected, lashes inclined to turn inward. External canthi sore and cracked, eyes feel sore in cold air, better in a warm room. Itching and lachrymation at night. Green halo around candle-light, rush of blood to the head over face, followed by perspiration over body. Pressure across the root of the nose and supra-orbital region. (Dunham). Still other remedies have proved useful - *Chimaphila*, *Lachesis*, *Nux Moschata*, *Psorinum*, *Ratania*, *Spigelia*, *Sulphur*. [Source: C.G. Raue]

Ptoxis: *Causticum* in high potency in alternation with *Gelsemium* and *Kali Phos*.

Stye: If styes on the eyelid appear often, or leave hard lumps behind, or do not open, but become indurated, particularly when the eyes are apt to glue together, with biting and burning in the corners, where a dry secretion forms, give *Staphysagria*. Should induration remain, give, after a week or two, *Calcarea* or *Sepia*. *Thuja* will also cure obstinate indurations in the eyelid, particularly if the corners are hot and dry, or there is a great flow of tears, when in the open air. [Source: Constantine Hering]

Cases

Euphrasia: A patient got a blackberry branch into her eye while gardening and the laceration was too bad. She could hardly open her eye due to excruciating pain and burning tears that made her eyelids and the whole area around the eye swollen and red. It took just 3 doses of *Euphrasia* 30 to completely cure the eye in one day. Profuse acrid lachrymation led to the selection of *Euphrasia*.

A man, aged 25, had considerable opacity of the right cornea, on the spot where there formerly had been pustule. He had also been blind in the left eye for twenty three years from an opacity of the cornea of that eye. After the use of *Euphrasia* 200 for two weeks, the opacity of the right eye entirely disappeared, and through the left he could distinguish the light of the day. [Source: Dr. Theodore J. Rueckert]

Magnesium Carbonicum: While at the New York Ophthalmic Hospital my attention was called to the use of *Magnesia Carbonicum* in the treatment of blepharitis marginalis. Cases have since been reported in which the same remedy (200th) has not only cut short a crop of styes but eradicated the tendency to their recurrence. My only successful experience with *Magnesium* has been with the sulphate in the case of a boy, aged 16, whose right lower eyelid presented three small warts, non-polypoid in character. Subjective constitutional symptoms were absent, but the enlargement of the tonsils and of the cervical glands gave evidence of a dyscrasia. *Magnesia Sulph.* 6x caused the complete disappearance of the verruca. [Source: H H Crippen, *The Medical Advance*, 1887]

Ears and Hearing

Sphere of action

- auditory canal or external ear Aethiops, Malicum Acidum, Puls., Tellurium, Ubiquinone.
- cochlear affections China Ars, China Sulph, Salicylic Acid.
- eustachian tube Kali Mur, Merc Dulcis, Rosa Damascena.
- labyrinthine affections Chenopodium, China Ars, Salicylic Acid.
- vestibulocochlear or auditory nerve affections Phosphorus, Sulphur, Syphilinum.
- affection of ear, skin complaints after Carbo Veg.

Autophony

Belladonna.

Boils

- in and around ears Calc. Pic.
- in auditory meatus Picric Acid.
- pinna on Calc. Pic., Hepar Sulph, Sulph.

Buzzing in ears

Hydrastis, Iris Ver, Petroleum.

Catarrh, chronic catarrh of the middle ear

Tellurium, Thiosinaminum.

Cracks behind ears

Graphites.

Cystic, tumour on ear

Nitric Acid.

Deafness

- abuse of mercury, from Agraphis Nutans, Calc. Fluor, Chenopodium, Cherianthus
- catarrh, after Cheiri, China Sulph, Chin.
- chronic and tinnitus Salic., Elaps, Kali Iod, Kali Mur, Rosa Damascena, Sycotic Co., Syphilinum, Verbascum.
- chronic inflammation of eustachian tube after Nit. Ac., Carbo Veg., Sulph.
- closure of eustachian tube, from Cham., Merc Sol, Phos.
- Ferr. Picric.
- Ars Iod.
- Pulsatilla, Sepia.

- closure of eustachian tube from, Hepar Sulph., Iodum.
with chronic pharyngitis
- enlarged tonsils, from Belladonna, Calcarea Carbonica,
Mercurius.
- fibrilis Myristica Seb., Thiosinaminum.
- hearing difficult for low tones, Chenopodium.
higher tones are distinctly heard
- long standing Psorinum, Thuja.
- low grade fevers and chronic Penicillin, Streptomycin,
diarrhoea, with Teramycin.
- measles, from Carbo Veg., Pulsatilla.
- mutism, has improved Lachnanthes, Lyco.
- nerve deafness Aurum Met., Chenopodium.
- nervous deafness Ambra Grisea, Arsenic, Cinchona,
Gelsemium, Levomepromazine,
Streptomycin.
- otorrhoea, accompanied by Elaps., Myristica.
- progressive, due to deficient bone condition Chenopodium.
- scarlatina, from Belladonna, Hepar Sulph.
- since birth Mephitis, with a monthly dose of
Tuberculinum.
- stopped feeling of ears with Conium, Merc Sol, Pulsatilla,
Silicea.
- suppressed discharges due to Lobelia Inflata.
- suppressed discharge from ears Belladonna, Hepar Sulph,
or nose Lachesis.
- suppressed eruption, from Antim Crudum, Sulphur.
- Discharge ear lobe, on* Baryta Carb.
- eczema, sore in Petroleum.
- flaky, behind ears Bursa Pastoris.
- moist, behind ears Ant Crud.
- Discharges from ear, acrid, which causes redness of parts* Tellurium.
- Ear diseases in childhood* Baryta Oxalsuccinica.
- Eczema of ears* Chrysorbinum, Graphites,
Hypophysin Ant., Mezereum,
Nodosa, Sarsaparilla, Scrofularia.

- oozing behind ears with Oleander.
- Effusion, serous or bloody info labyrinth* Chenopodium (local application).
- Eruption*
- chronic weeping Kreosotum, Otitis Media Nosode.
- cracked, sore and crusty Graphites.
- eruptions behind ear, with foul-smelling discharges
- Eustachian tube*
- catarrh Baryta Carb., Hydrastis, Merc Dulcis, Rosa Damascena.
- inflammation Ferr Met.
- Fluid retention of the middle ear, with a feeling of complete deafness of the affected ear, possibly also with tinnitus* Euphorbium.
- Fungus* Merc Sol, Sepia.
- Haematoma auris* Belladonna.
- Hearing*
- confused, cannot tell the direction of sound Carbo Animalis.
- difficult Salicylic Acid.
- difficult, with purulent otitis Calc. Iod.
- impaired, menses during Calc. Carb., Kreosote.
- impaired, acute disease after Phosphoric Acid.
- impaired, old people in Baryta Carb., Petroleum.
- Mastoiditis* Aur Iod, Capsicum, Plantago Major, Pyrogen, Staphylococcinum, Streptococcinum, Ubiquinone.
- caries of os mastoideum Nitric Acid.
- right sided Mag Phos.
- Mastoid abscess* Capsicum.
- Meniere's disease* Arg Nit, Bryonia, Calc. Carb., Carboneum Sulph, Chenopodium, China Sulph, Chinium Salicylicum, Conium, Graphites, Iris, Kali Nit., Nat. Salicy, Proteus

	Bach, Salicylic Acid, Scutellaria Lat., Sulfanilamide, Verbascum.
- dizziness, and	Tabacum.
- humming, tinnitus	Ferr. Picric.
- migraine-like signs, nausea and vomiting, with	Cocculus.
- old people in	Conium.
- sudden	Proteus Bach.
- vertigo	Bryonia.
<i>Middle ear</i>	
- catarrh	Chamomilla.
- hydrops	Jaborandi.
<i>Otitis</i>	Belladonna, Mezereum.
- acute	Capsicum.
- catarrhal	Pulsatilla, Tellurium.
- children in	Ignatia.
- chronic	Kreosote, Nitric Acid.
- external	Cinnabaris, Tellurium, Malicum Acidum, Pulsatilla, Ubiquinone.
- external, chronic	Borax.
- media	Belladonna, Calc. Carb., Calc. Fluor, Cham., Chenopodium, Ferr Phos, Kali Mur, Merc. Sol., Morbillinum, Puls., Skookum Chuck, Sulph, Tellurium.
- media, chronic	Merc Sol, Thymuline, Tuberculinum.
- media, foul smelling discharge, with	Kali Phos.
- media, recurrent	Flavus.
- moderate	Chamomilla, Ferr Met, Ferr Phos, Lachesis, Plantago Major.
- pain, violent attacks, with	Chamomilla.
- pain throbbing at the root of ear and enlarged glands, with	Merc Sol.
<i>Otorrhoea</i>	Hydrastis, Lycopodium, Streptococcin, Sycotic Co.

- acrid, which causes redness of parts Mercury, Morb., Staphylococcin, Tellurium
- chronic Calc. Carb., Lycopodium, Silicea, Sulphur.
- obstinate, offensive discharge Aurum Met.
- old ear discharge Cad. Met.
- thin, bloody and foetid pus Graphites.
- too much of foetid pus Aur Met.
- Otosclerosis* A.C.T.H., Calc. Fluor, Mandragora, Syphilinum, Thiosinaminum, Thyroidinum, Ubiquinone.
- Pain or earache* Aconite, Belladonna, Capsicum, Chamomilla, Ferr. Phos., Hepar Sulph, Merc Sol., Plantago (local application - 2 drops in 8 drops of water), Verbascum (local application).
- child wakes up suddenly with earache Aconite, Ferr Phos.
- cold, with any Dulcamara.
- obscure origin, of Chamomilla.
- pain in drum due to air travel, with blocking Capsicum.
- Perforation of tympanic membrane* Calc. Fluor, Calc. Hypophos, Capsicum, Hepar Sulph, Kali Mur., Lapis Alba, Mercury, Myristica Seb., Pusaltilla, Silicea, Tuberculinum.
- Polyp, aural* Carbo Ani, Calc. Carb., Phos.
- Scurfs on and behind ears* Hepar Sulph, Sarsaparilla.
- Sensitive to noise, it penetrates the body, especially the teeth* Asarum Europaeum, Theridion.
- Throbbing* Tellurium.
- Tinnitus* Baryta Carb., Baryta Mur., Calc. Carb., China off., China Sulph, China Salicylic., Cimicifuga, Ferr. Pic., Iris, Kali Mur., Nat Salicyclium, Oxalic Acid., Os Petrosus, Thiosinaminum.

- obstinate	Ergotin.
- ringing in ears, deafness with	Kali Iod.
<i>Tympanic, membrane, calcareous deposits</i>	Calc. Fluor.
<i>Ulcerations by gold earrings</i>	Lachesis, Hypophysin Ant., Stannum.
<i>Wax in ears</i>	
- Red	Con, Psor, Mur Ac.
- Black	Puls, Elaps.
- Hardened	Allium Sat, Conium, Elaps, Lach., Puls., Sel.
- Pale	Lach.
<i>Wax, accumulation of</i>	Baryta Oxalsuccinica, Causticum, Conium.

Remedy Hints

Abscess in Ear: Abscesses are frequently formed in the ears of young children. They are generally preceded by violent pains, giving rise to screaming, rolling and tossing of the head, sudden starting out of sleep and more or less fever. As soon as the abscess breaks and matter is discharged the pain ceases. *Belladonna*, *Mercurius*, *Chamomilla*, and *Pulsatilla*, are the best remedies for the pain. [Source: *Constantine Hering*]

Belladonna: *Belladonna* is believed to be our best remedy for otitis media in its early stages. Later, we have other remedies indicated, as *Hepar Sulph* and *Tellurium*.

Capsicum: Otitis media with rupture of membrana tympani and great soreness of mastoid portion of temporal bone. Chronic suppurations of ear with bursting headache and chilliness. Ear is hot, pain goes to throat, purulent discharge. Differentiated from *Hepar* in that the area of sensitiveness is greater. Dr. Weaver states that he has seen cases of chronic suppurative otitis media where every indication points to mastoid operation, but which were relieved by *Capsicum*. He cautions against using it too low. [Source: *W.A. Dewey*]

Swelling on bone behind the ear, painful to touch; tearing behind ear, in concha; pain deeply seated with itching beneath the left ear with every cough as if an ulcer would open. Take a fleshy, flabby, dark haired child

with the above symptoms who wants to lie on a hot water bottle but howls with pain if anything cold touches his ear and *Capsicum* will relieve in a few moments.

Carbo Vegetabilis: It relieves mechanical obstruction to the Eustachian tubes from swelling of the tonsils. [Source: *H. R. Arndt*]

Causticum: It has checked the progress of Meniere's disease when the ranking symptom was the re-echoing of one's own voice. The second symptom in importance is vertigo, amelioration getting up from the reclining position in P.M. [Source: *George Royal*]

Causticum has been found valuable in the non-suppurative proliferating form of catarrh, and relieves paralysis of the auditory muscles. [Source: *H. R. Arndt*]

Chenopodium: Deafness progressive for the human voice, but great sensitiveness to sound as of a passing vehicle or to distant sounds. Hearing better for high pitched sounds than low ones. Chronic otitis media. Bloody effusions in the labyrinth. Absent or deficient bone conduction. [Source: *Robin Murphy*]

Eczema: If eczema is exclusively seated on and behind the ears, it is very obstinate; hence, the remedies must not be changed too often. The best remedies are: *Mercurius*, *Iodium*, *Kali Bichromicum*, *Baryta*, and, *Sulphur*. [Source: *Bernhard Baehr*]

Hydrastis: *Hydrastis* has cured many cases of otorrhea following scarlet fever. There is usually impairment of hearing, the drum perforated and the discharge thick mucus (*Kali Bich*). [Source: *George Royal*]

Insect in Ear: When an insect has found its way into the ear, place the patient upon the opposite side, and pour sweet-oil (a mild edible oil such as olive or rape oil) into the ear, until the insect becomes visible; then take it out with a small roll of paper, or a pair of delicate forceps. [Source: *Dr. Constantine Hering*]

Magnesium Phosphate: *Magnesium Phosphate*, called the anti-spasmodic remedy, has proved effective in otalgia neuralgica and in the neuralgic pains of the head and face, associated with the acute inflammation of the tympanum, also in spasm of the tensor tympani muscle and muscles of the pharynx. [Source: *J.D. Buck*]

Mezereum: It is very effective in relieving intense itching in the auditory meatus. The sensation extends to the eustachian tube (*Causticum*, *Nux Vomica*) One guiding symptom is the sensation "as if cold air reached the tympanum." [Source: *Henry C. Houghton*]

Mullein Oil: In chronic suppurative disease of the tympanum, or in accumulation of detritus in cases of perforation, scarred drum-heads, etc., it acts to dislodge accumulations, free the ossicula from pressure, and thereby improves the hearing. This process goes on for months till the tympanum has thrown out an amount of debris that is surprising. [Source: Dr. E.P. Anshutz]

In otitis media, warmed mullein oil drops in the ear, often affords great relief. Do not use in children who have ruptured tympanic membranes or tympanostomy tubes. [Source: Dr. Roger Morrison]

A few drops of *Mullein oil* put into an aching ear often acts like magic, relieving the pain at once. Many cases of deafness have been entirely cured by its used as a local agent.

Natrum Salicylicum: It is useful in Meniere's disease and tinnitus aurium. The vertigo of *Natrum Salicylicum* is aggravated by raising the head from the pillow, ameliorated by lying down. Objects seem to move in a circle and to the right. The noises are almost constant. With the attacks of vertigo you sometimes have vomiting and unconsciousness. [Source: George Royal]

Opium: This remedy is very sensitive to the slightest noise. That is why people who are dying and in an opium state hear so well. Be careful with people who are seemingly in a coma, unconscious with open eyes. They do not react, but they understand everything! [Source: Dr. Alphonse Geukens]

Picric Acid: It is indicated in furuncular or circumscribed inflammation of the meatus; yet in the chronic or subacute forms, it has delighted patients and surgeons. [Source: Henry C. Houghton]

Pulsatilla: It is the specific remedy in otitis where the external and internal inflammations run a parallel course, *both break out simultaneously, and are equally acute and violent.* [Source: Bernhard Baehr]

Silicea: It has cured many cases of otorrhoea following mastoid abscesses. You find a thin watery discharge in which are particles of bone. Extreme soreness to touch of mastoid region and sharp sticking pains greatly aggravated by cold and pressure but equally ameliorated by wrapping the whole head warm. [Source: Dr. George Royal]

Silicea corresponds to an ulceration of the tissues of the membrana tympani and inner extremity of the meatus, which is deep, slow to heal, covered with thick yellow pus; the pus tends to the formation of a firm scab, which adheres closely to the ulcer, and, on removal, reveals the above condition. One subjective characteristic symptom is

a hissing sound accompanying the purulent discharge. [Source: Henry C. Houghton]

Silicea has a direct action on the middle layer of the membrum tympani. It also promotes suppuration, and is invaluable in obscure ear troubles. Collections in the Eustachian tubes are relieved by it. [Source: H. R. Arndt]

Stannum: In the *Materia Medica Pura*, under *Stannum*, symptom 119 reads; ‘The ring hole in the lobe of the ear becomes ulcerated’. I have been able to cure many children who had suffered so much from this trouble that they could not wear any earrings. [Source: Dr. S.P. Koppikar]

Stramonium: There is a class of cases coming on from suppressed ear discharges for which the allopathic physicians have no remedy. The discharges from the ear cease, a basilar meningitis comes on, and there is awful pain through the base of the skull and in the upper spine; the forehead is wrinkled; the pupils are dilated; the eyes are glassy and staring. The patient is afraid in the dark, wants a light in the room, yet he cannot stand a bright light. He does not want to be alone. *Stramonium* has saved lives under just these conditions. [Source: G. Harlan Wells, *Hahnemannian Monthly Jan- Dec 1917*]

Sulphur: It meets offensive purulent discharge with eruption on face and body, and relieves ear complaints from suppressed discharges and eruption. [Source: H. R. Arndt]

Tellurium: It is a most important remedy in otorrhoea. Discharge smells like fish pickle and is so acrid that it vesticates any part of the skin it touches. A very slow and long acting remedy. Worse at rest, night, cold weather, lying on painful side, touch. [Source: William Boericke]

Theridion Curassavicum: Every sound seems to penetrate through the whole body, causing nausea and vertigo. Every *shrill sound* penetrates the teeth. Meniere’s disease - Nausea from least motion, and *especially on closing the eyes*. Vertigo on closing the eyes. [Source: H. C. Allen]

Thuja: Deafness arising from dryness of the tympanum.

Comparisons

Ear Wax: *Carbo Veg.* has served me well in malsecretion of cerumen with exfoliation of dermoid layer of meatus. (Houghton.) Discharge of flesh-coloured, offensive moisture from right ear; deficient or badly-smelling cerumen.

Conium: Accumulation of earwax, looking like decayed paper (scales of epidermis) mixed with pus or mucus, or blood-red; hardness of hearing ceasing when the wax is removed and returning with the wax.

Graphites: In young persons with habitual herpetic eruptions in the meatus, or meatus dry and scabby.

Lachesis: Want of wax; ears very dry.

Muriatic Acid: Accumulation of dry and hard, brown-red coloured wax, with hardness of hearing.

Petroleum: Large quantities of thick or thin wax; sensation of rushing of water in the ear; old aged persons. [Source: C.G. Raue]

For an abnormal accumulations of ear-wax, *Conium* undoubtedly occupies the first rank. For deficiency of ear-wax, we depend upon *Calcarea* or *Carbo Veg.* The latter is, together with *Causticum*, an excellent remedy for badly-smelling cerumen. [Source: Dr. G.M.G Jahr]

Cases

Calcarea Picrata: I had occasion to prescribe *Picric Acid* in the case of a young lady who had suffered from a series of furuncles in the meatus. *Picric Acid* relieved the symptoms, but *Hepar Sulph Calcarea* was necessary to complete the cure. A relapse and the necessity for a repetition of the *Picric Acid* suggested to me a combination of these two drugs. I therefore obtained the compound salt, *Calcarea Picrata*, and it has been used in a number of cases in the hospital during this session. It bids fair to warrant the late Dr. Hering's statement, that the combination of two remedies in a compound gives the curative action of each in a greater degree. [Source: Henry C. Houghton, *Lectures on Clinical Otolgy*, 1885]

Deafness Case: Mr. G. F. Gonzalez, aged 33, a druggist clerk by occupation, was deaf for 26 years of right ear accompanied by suppuration. No apparent primary cause to fall back upon; commenced to get deaf little by little till he could hear nothing from that ear. General allopathic prescriptions were used from by different doctors but he never got the least improvement. Being an allopathic druggist, he never tried Homoeopathy until he came to me. I prescribed syringing the ear twice a day with hot water and a dose of *Hepar Sulph.* 6x trit., twice a day for a week, then rest a week and commence again with *Silicea* 6x trit., in the same way. I had him insert a cotton pledget into the ear twice a day, moistened in Glycerine and a little Boric acid. This simple treatment

cured him in seven weeks, and now he hears better by the right ear than he ever did by the left one. What the old school system could not do in 26 years, Homoeopathy did in seven weeks! [Source: *Dr. Laureans Olivera -The Homeopathic Recorder Volume XXII 1907*]

Psorinum: A child of 4, chronic running ears for 2 years. Foetid odour like a chicken house. Child never looks clean, though loves its bath. Father had asthma in his youth. Child is sensitive to thunderstorms. *Psorinum* 10M cleared the ears permanently within a week. [Source: *E.W. Hubbard*]

Mouth

Sphere of action

- masseters and facial muscles

Angustura Vera, Hyoscyamus, Kali Brom.

Abscess, root abscess, teeth

Hepar Sulph, Silicea.

Alveolar, periostitis

Coccinella, Thuja.

Alveolitis, post extraction

Borax.

Anaesthesia of the mouth and throat - ailments from alcoholic drinks in excess; aphthous stomatitis

Alloxan, Alumina, Ars. Alb., Borax, Bryonia, Capsicum, Condurango, Cornus, Hydrastisnum Mur., Kali Carb., Kali Chlor, Kali Chrom., Kali Permanganatum, Kali Phos., Kreosote, Merc. Sol., Merc. Vivus, Mezereum, Muriatic Acid., Nasturtium Aquaticum, Nitric Acid., Psorinum, Rhus Glabra, Salicylic Acid., Sempervivum Tectorum, Syphilinum, Sulphur, Sulphuric Acid., Thuja, Vinca Minor. Carbolic Acid, Sulphuric Acid, Sulphurous Acid.

Apthae

- apthous, stomatitis

Rhus Glabra.

- apthous, sore mouth occurring in last stages of wasting diseases (in AIDS)

Muriatic Acid.

Bruxism, grinding teeth

Aconite.

Buccal cavity, mucous membrane ulcerations

Merc. Cyan.

Cancer

- cancer cheek

Kali Cyan., Merc. Cyan.

- fetor, mouth, lips

Lachesis, Merc. Cyan.

Citric Acid. (mouth wash), Kali Permanganicum (mouth wash), Oxalis Acetosella, Sepia (in pipe smokers).

- tongue

Aparine, Aur Mur, Citric Acid. (local mouth wash - one drachm to 8 oz water), Galium, Guaiacum, Hydrastis (gargle), Kali Cyanatum, Sempervivum Tectorum.

- tongue, tumors hard or Sempervivum Tectorum.
ulcers, bleeding easily;
soreness and stabbing
pains, with
- tumors, malignant Kali Cyanatum.
- Caries, palate* Aur. Met.
- Cracks*
- corner of mouth, in Condurango, Indium Met.
- lips Vitamin B.
- Cracking of jaw while eating* Lac. Can.
- Dentition*
- children in, with pain in Dolichos Pruriens.
the gums, preventing them
from going to sleep
- difficult Hecla Lava.
- Diphtheria* Apis Mel, Ars. Iod., Diphtherinum,
Kali Bich., Kali Permanganatum,
Kalmia Lat., Lac. Can., Merc. Cynatus,
Phytolacca.
- left side Lachesis, Lyco.
- preventive Lac. Can.
- Dryness*
- oral and nasal mucosa Ambra Grisea.
- oral and throat mucosa Mandragora.
- dryness, extreme, of oral Merc Perennis.
mucus membrane with heat
and burning, and tongue
coated with white mucous
and mucous accumulation
on the palate
- dry and burning sensation, Sanguinaria.
especially on the tongue,
which is fiery red and a
feeling as if there was hot
food in the mouth
- Epiglottis, considerable* Phytolacca (gargles).
inflammation of the entire
space
- Fistula, lower jaw of* Phos.

<i>Glottis, itching</i>	Calc. Carb.
<i>Glottis, Oedema</i>	Vipera.
<i>Glottis, oedema, cancer, throat, epiglottis</i>	Apis, Vipera.
<i>Gums</i>	
- abscess	Hecla Lava.
- bleeding	Phos.
- fleshy growth	Alumina.
- gum boil	Hecla Lava, Myristica Sebifera.
- inflammation	Citric Acid, Kreosote, Salicylic Acid, Silicea.
- pain gums, extraction of teeth after	Canth., Hecla.
- puffy, bleeding	Staphysagria.
- pyorrhea	Calc. Renalis, Emetine, Hamamelis, Mag Carb., Symphytum (local application-diluted in 2:8 in water).
- scurvy	Carbolic Acid, Citrus Limonum, Cochlearia Armoracia (gargles), Hydrastis, Kali Permanganatum, Merc Iodatus.
- soft, spongy	Rhus Glabra (local application - 2:8 dilution in water).
- sore pain in gums; cold, and warmth aggravate	Natrum Mur.
- swelling gums, extraction of teeth after	Sil.
<i>Halitosis</i>	Sinapis Nigra, Sulphuric Acid.
- girls at puberty, in	Aur Met.
- rotten eggs	Arnica, Quercus Spiritus Glandium.
- nausea / malodorous	Diphtherinum.
- repugnant	Merc Sol.
<i>Hemorrhage, persistent, after tooth extraction or oral surgery</i>	Calendula, Millefolium, Phos.
<i>Jaws</i>	
- crack when chewing	Ammon Carb., Rhus Tox.
- chewing motion of the lower, meningitis in	Bryonia.

- mandible, inflammation of, with hard infiltration and redness Phosphorus, Symphytum.
- Leucoplakia* Antim Crud, Condurango, Lac. Can., Merc. Cyan., Sempervivum Tector, Thuja.
- Lips*
- bluish discoloration Naphthoquinone.
- epithelioma Acetic Acid., Ars. Iod, Merc. Protoidatus.
- lower, cracked Pulsatilla.
- salty lips, feeling as if Streptococcus Haemolyticus.
- ulcers of Kali Bich.
- vesicles formation, of Helleborus.
- warts, sticking and pricking on upper lip Nitric Acid.
- Masseter cramps and* Cupr. Met.
- Opisthotonos*
- Mumps* Conium, Pilocarpine Muriate.
- Nodules* Ruta.
- Oral breathing* Elaps.
- Oral cavity conditions, inflammatory* Hamamelis.
- Palate, itching* Wyethia.
- Palate, ulceration* Mercurius.
- Pharyngolaryngitis* Luffa Operculata.
- Ptyalism, prevents mumps* Trifolium Pratense.
- Quinsy* Ailanthus Glandulosa, Amygdalus Amara, Guaiacum, Kali Permanganatum, Phytolacca Berry (gargles), Streptococcus Hemolyticus.
- Ranula* Lyssin, Mezereum.
- cystic under tongue Sycotic Co., Thuja.
- sublingual gland, in Thuja.
- Saliva bloody* Nitric Acid.
- Salivary glands, inflamed, swelling* Chromic Acid, Lyssin.
- Salivary, glands, stones* Calc. Renalis.

<i>Salivation with nausea, vertigo and increased hunger</i>	Granatum.
<i>Slime, mouth in</i>	Nat Sulph.
<i>Sore mouth</i>	Eupatorium Aromaticum (local application - 2:8 dilution in water), Hydrastis Mur (local application).
- nursing sore mouth	Rhus Glabra.
<i>Sores around mouth, from eating mango</i>	Arum Triphyllum.
<i>Stomatitis</i>	Cinnabaris, Echinacea Ang.
- angular with diphtheritic membrane	Arum Triphyllum, Acid. Sulph., Borax, Kali Chlor.
- apthous, ulcer in mouth	Hydrastis.
<i>Teeth</i>	
- abscess	Hecla Lava, Merc. Sol., Myristica.
- caries in Diabetes Mellitus	Sulphuric Acid.
- dental caries	Cocos Nucifera, Silicea.
- dental caries, with pus	Silicea.
- deficient	Calc. Carb.
- dental fistula	Causticum, Flouric Acid, Hecla Lava, Hepar Sulph., Natrum Mur., Silicea.
- denture, plate-pain	Alumen, Bor.
- gargles	Ceanothus Thrysiflorus.
- grinding	Calc. Carb., China.
- neuralgia	Colocynth, Kreosotum, Mezerium, Spig., Staphysagria.
- no teeth at all in babies or young children	Calc. Carb.
- pain	Chamomilla, Chenopodii Glauci Aphis, Gratiola, Heckla Lava, Mag. Phos., Mag. Sulph., Merc. Sol, Merc. Vivax, Nux Moschata, Plantago (local application), Sepia.
- pain, catarrh due to	Pulsatilla.
- pain, hollowing out of substance of teeth, caries from	Kreosote, Merc Sol.
- sensitive	Gargle with milk of magnesia.

- tartar, on teeth Calc. Renalis.
- tartar prevention Bacillinum, Calc. Renalis, Fragraria.
- washer women or men of, Phosphorus, Plantago, Sepia.
 pain
- wisdom tooth, eruption Cheiranthus.
- wisdom tooth, neuralgia Calc. Carb.
- wisdom tooth right lower Cheiranthus Cheri.

Tongue

- chalky-white tongue Ant Ars.
- cracked medially Rhus Veneta
- epithelioma, tongue Muriatic Acid, Sepia.
- fissured, deep ulcers on Sycotic Co.
 tongue
- inflammation, glossitis Allium Sativum, Leprominium,
 Mygale Avicularis, Streptococcinum,
 Vinca Minor.
- inflammation, infantile, Sycotic Co.
 exfoliative
- mapped Syphilinum, Tuberculinum.
- nodules, on tongue Aurum Met.
- paralysis, old people in Baryta Carb.
- painful pimples, making Merc IR.
 eating difficult
- scirrhus tumor Alumen.
- strawberry like Arum Trip., Kali Bi.
- ulcers deep Muriatic Acid.

*Ulceration, buccolingual**Ulcers fungus**Ulcers, mouth**Ulcer, throat or mouth ulcer**Uvula, cone shaped,**enlarged with ropy saliva**Uvula enlarged**Uvula, inflammation**Uvula, oedematous**- like ball**Vesicles on tongue and gums**Wash, mouth wash as*

Beryllium Met.

Borax, Herpes.

Phytolacca, Syphilinum.

Mercury, Phytolacca, Syphilinum.

Iris Versicolor

Calc. Phos., Kali Mur.

Cortisone, Lyssin.

Merc. Cyan.

Apis Mel.

Berberis Vulg, Mezereum.

Plantago.

Remedy Hints

Aconitum Napellus: *Aconitum* must be given in all those cases where the patients are almost frantic with pain, which is indescribable, and which *Coffea* has failed to relieve. It is particularly suitable for children and may be repeated several times. When it is no longer efficacious, give *Chamomilla* or *Belladonna*. [Source: Constantine Hering]

Aconitum is indicated in toothache when:

- (a) there is throbbing toothache with great restlessness and anxiety; or when there is fever, rapid pulse, dry glistening skin.
- (b) there is repeated epistaxis and great dryness and heat of the skin. To be given in water every hour until relieved.
- (c) there is difficult teething in children with the characteristic dry, hot skin. [Source: H. W. Pierson, *Hahnemannian Advocate*, 1902]

Antimonium Crudum: *Antim crud* is the principal remedy for pains in hollow teeth, of a boring, digging, tearing, jerking character, which sometimes penetrate into the head. Worse in the evening, in bed, after eating, by cold water and better when walking in the open air. [Source: C.G. Raue]

Baptisia: It has proved itself one of our best remedies in diphtheria when it has assumed a typhoid type. The mouth is excessively putrid. The membrane is dark and exhibits a gangrenous tendency. Sometimes, early in the disease, the patient can only swallow liquids. Give him milk and he will drink it. Give him solid food and he rejects it at once. [Source: Dr. E.A. Farrington]

Borax: It is an important remedy for oral candidosis and aphthous ulcers. Nervous, timid, sensitive to loud noises and downward motion. [Source: Dr. Collin Lessel]

Canker Sore: The ‘canker’ is a tiny ulcer, primarily, which spreads and deepens, giving it the appearance of an ‘open sore’. *Nux Vomica*, *Hepar Sulphur*, and *Mercurius*, also *Hydrastis*, may be used internally and locally, by directly touching it with a drop of the tincture. [Source: Myron H. Adams]

Natrum Phosphoricum has few equals for ulcerations of the buccal raucous membrane. ‘Canker sores’ of the lips and cheeks yield to this remedy in the 3x or 6x attenuation, where *Borax*, *Antimonium Crud.*,

Baptisia, Kali Chlorum, etc., have failed to cure. [Source: C.E. Fisher, *The Southern Journal of Homeopathy*, 1888.]

Coffea: It is even better than *Pulsatilla* for toothache which is intolerable, and can only be endured by holding ice water in mouth. [Source: Dr. George Royal]

Cornus Circinata: *Cornus circinata* for chronic ulceration of mouth and throat, when accompanied by disturbed sleep, aching eyeballs. Better from coffee, worse from cold, night, waking. Burning in mouth, throat and stomach, acid heartburn. Drowsiness, depression of spirits. [Source: Dr. J. H. Clarke]

Fragaria: It (Wild Strawberry) can be used to soften and aid the removal of tartar on encrusted teeth and prevent the formation of new deposits. (3c potency). It can also be used to treat the allergic reactions from after eating strawberries. The remedy can be given to animals as well as humans.

Hecla Lava: It is useful for the neuralgic pains after tooth extraction. The 30th potency works best. [Source: Dr. Hughes]

A lady was suffering from the beginning of an ulcerated root of a crowned tooth. *Hecla Lava* hastened matters, caused pointing of the abscess and lessened the unbearable pain in 24 hours. *Silicea* 30 then cut out the pus and wound up the case. [Source: A. G. Downer *Princeton*]

Hypericum: *Hypericum* D6 has been used and for best effect D30 for relief of severe pain after root filling of an infected tooth.

Kali Chloricum: Hughes recommends this drug highly in simple stomatitis, and seldom requires any other remedy. It corresponds to aphthous and ulcerative stomatitis, with coated white tongue and a tough, stringy, acid saliva. [Source: W.A. Dewey]

Kali Cyanatum: Agonizing neuralgias with screaming and loss of consciousness. Cancer of tongue. Petroz cured a cancerous ulcer on the right side of the tongue with *Kali Cyanatum* 1M. Surface of body cold and moist. Better from motion. Worse 4am-4pm. [Source: Robin Murphy]

Kreosotum: “There is perhaps no remedy that has more decided action on the gums (not even *Mercury*).” Gums painful, swollen, dark red or blue and the teeth decay as soon as they are born. Hot excoriating discharges, pulsation all over the body, profuse bleeding of small wounds. Ulceration, burning pain. Painful dentition with

anger and capriciousness similar to *Chamomilla*. [Source: *H.N. Guernsey, Dr. M.L. Tyler*]

Magnesium Carbonica: This has relieved the toothache of pregnant women. The pains are worse at night and compel the patient to get up and walk about. [Source: *W.A. Dewey*]

Magnesium Phos: Toothache, second molar, lower jaw, left side; a steady ache with shooting pains. [Source: *O. W. Smith, Hahnemannian Monthly-1888*]

Mercurius: The odour from the mouth is very offensive, you can smell it all over the room. No remedy has this condition of mouth in any degree equal to mercury. [Source: *Dr. E.B Nash*]

Mercurius Bin Iod (Mercurius Iodatum Ruber) is generally the best remedy, except for patients who have been overdosed with *Mercury*. In the latter case *Nitric Acid*, (in potency) both internally and as a gargle, should be prescribed. [Source: *E. Harris Ruddock*]

Mercurius Iodatus Flavus: Teeth pain with a desire to bite teeth together. [Source: *Complete Repertory*]

Natrum Phosphoricum: It is the remedy for conditions arising from excess of lactic acid. Any deficiency of *Natrum phos* prevents the breakdown of lactic acid. Creamy or golden yellow coating at back of tongue and on soft palate. [Source: *Boericke and W.A. Dewey*]

Plantago: For toothache I use *Plantago 2X* and cure seven-tenths of all cases of this kind in about 15 minutes. [Source: *Dr. Ruetlinger*]

Plantain: *Plantain 1C* given internally has cured many cases of toothache and earache. As a local application the tincture is of value in all kinds of neuralgia when painted on the painful part or along the course of the painful nerve. [Source: *E. Harris Ruddock*]

Plumbum: There appears on the border of the gums a blue line, known as the gingival line. It is caused by the sulphur that exudes in the tartar on the teeth combining with the lead in the blood vessels and forming a deposit of insoluble sulphide of lead. [Source: *E. A. Farington*]

Sulphuric Acid: It is frequently needed in all forms of stomatitis ulcerosa, especially in the apthae of children suffering from exhausting diseases. General weakness, apthous patches, white or yellowish, which invade the whole buccal cavity; intense burning pain in them which is aggravated by cold water and relieved by dilute alcoholic spirits. In a severe form of thrush it is indispensable. [Source: *Henry C. Allen*]

Thuja: *Thuja* affects the teeth profoundly; the roots become carious, while the crown remains relatively sound. The gums are swollen and inflamed. *Pyorrhoea alveolaris* is often helped by this remedy. *Thuja* has also helped epulis (gum boil). [Source: Dr. Charles E. Wheeler]

Tongue Diagnosis: The base of the tongue represents the kidney and urinary bladder. The extreme tip represents the heart and the area around it, the lungs. The sides represent the liver and gallbladder, with the right side more significant of the liver. [Source: Dr. Joseph Rozencwajg]

Trillium: Sometimes the cavity remaining after the extraction of a tooth bleeds persistently. If you can clean out that cavity so as to remove the clot, and apply to it a piece of cotton soaked in tincture of *Trillium*, you will often check that haemorrhage even when other styptics fail. It can be used in the same way for nose bleed.

Comparisons

Acute Ulcerative Gingivitis: With heavily coated tongue, *Mercurius sol* 30 thrice daily. With clean tongue, *Nitricum Acidum* 30, thrice daily. With much destruction of tissue, *Kali Chloratum* 30 thrice daily. [Source: Dr. Colin B. Lessell]

Disordered Taste:

Arsenicum Album: Water tastes bitter.

Iodum: Plums taste bitter.

Pulsatilla: Bread tastes bitter.

Sabina: Milk tastes bitter.

Sanguinaria: Sugar tastes bitter. [Source: Dr. Subrata K. Banerjee]

Gum Bleeding: Bleeding from gums when pressing with finger, a large quantity of blood oozes - *Baptisia*, *Graphites*. *Baptisia* may be indicated when the patient is down and worn out with severe complaints like typhoid. In normal circumstances *Graphites* may be of service.

Oral Surgery: *Pyrogen* 30, to prevent infection after oral surgery. Twice daily post operatively for one week. *Opium* 30, (drops) ¼ hourly to arouse the patient after general anaesthesia. *Antimonium Tart* 6C, to prevent chest complications from general anaesthesia in chesty patients. Thrice daily for several days before and one week after procedure. [Source: Dr. Colin Lessell]

Stomatitis:

Aceticum Acidum: Violent burning pain in stomach and chest followed by coldness of skin and cold sweat on forehead. (30C)

Ichthyolum: Bad effects of alcoholism when nothing will stay in the stomach. Early morning diarrhea. Nausea. (30C)

Panacea Arvensis (Poor man's mercury): Sensitiveness over gastric region with hunger but an aversion to food. (6C-200C)

Rhus Glabra: Aphthous stomatitis. Spongy gums. (Q)

Sulphurosum Acidum: Ulcerative stomatitis. (200C) [Source: Dr. Subrata K. Banerjee]

Tongue of Natrums:

Natrum Mur: Shiny red broken by patches of white. Salty taste.

Natrum Ars: Flabby, toneless, with viscid mucus in mouth. Bitter taste.

Natrum Carb: Sensitive, slightly inflamed, small blisters on margins, bright red tip. Burning in mouth.

Natrum Phos: Thickly coated and white or yellow at the root. Sour taste in mouth.

Natrum Sulph: Dirty, thickly coated (dirty yellow or brown). Much mucus. Blisters on the cheek or inside of the lips, rather than the tongue. Loss of taste. [Source: Dr. Douglas Borland]

Cases

Pyrogenum: A clergyman, victim of one of these so-called specialists in quinsy. They tried to suppress the trouble, and failing to do so, had amputated one tonsil. Rheumatism set in of a violent type. Ascites, oedema of legs from knee to feet. Sluggish kidneys and a weak heart. Such was the condition in which I found him and the case seemed hopeless indeed. Believing that the meddlesome treatment of his throat had infected his system with pus, I prescribed *Pyrogen*, two doses a day. Surely enough he began a gradual but sure recovery. [Source: A. G. Downer Princeton]

Gastrointestinal Tract and Abdomen

<i>Abdomen enlargement,</i>	Calc. Ars.
<i>Infantile enlargement;</i>	
<i>Liver, spleen</i>	
<i>Abdomen, feels as if a bag</i>	Nux Mosch.
<i>of water turned</i>	
<i>Abdominal, wall sore</i>	Bellis Per.
<i>Abscess, sub-phrenic</i>	Pyrogen.
<i>Achlorhydria</i>	Muriatic Acid.
<i>Acidity</i>	Acid. Sulph., Alstonia Scholaris, Bismuth Met., Cad. Met., Cholesterinum, Iris Ver., Nat. Phos., Proteus Bach. [Chew a piece of potato; swallow the juice and throw away the pulp.]
- due to vegetables	Hydrastis, Sulphuric Acid.
- heart burn	Proteus Bach.
- incomplete, burning eructations	Lycopodium.
- marked	Mag Carb.
- sour, acrid eructation, with	Conium, Sulphuric Acid.
<i>Anorexia</i>	
- complete loss of appetite in cancer or otherwise	Chloropromazine.
- nausea and vomiting with	Chloropromazine.
<i>Anorexia nervosa</i>	Alstonia, Condurango, Hydrastis, Lac Def, Levisticum Officinale, Levomepromazine, Medorrhinum, Vanadium.
<i>Antrum, tumour</i>	Hecla lava, Symphytum.
<i>Anus</i>	
- all complaints	Ratanhia, Robinia, Sulphur.
- anovular	D.N.A.
- burning, severe	Aristolochia Clematitis.
- cramp of sphincter	Lycopodium, Nux Vom.

- eczema, weeping Aethiops Antimonialis, Ignatia, Oxyuris Nosode.
- fissure Calc. Fluor, Calendula, Carbo Animalis, Funiculus Umbilicalis Suis, Nitric Acid, Paeonia Officinalis (local application), Ratanhia, Rectum, Sedum Acre, Strontium Carb., Syphilinum.
- fissure, constriction of Ratanhia, Sedum Acre.
anus and burning, aching
for hours after stool
- fissure, sore pain with Mercury.
- fissure/ulcer with burning Aethusa.
pain and backache
- fistula Ars Alb, Bacillinum, Calc. Fluor, Calc. Hypophos, Calc. Sulph., Hydrastis (local application), Causticum, Mercury, Myristica Sebifera, Nitric Acid, Periproctitic Abscess Nosode, Rhus Tox, Silicea, Silphium (local application), Syphilinum.
- fistula, after operation, Calc. Phos.
alternate with chest
symptoms
- fistula in tuberculous Calc. Phos.
subjects
- incontinence Aloe.
- itching Calc. Aceticum, Calc. Fluor, D.N.A., Fluoric Acid, Muriatic Acid, Radium Brom, Saccharum Officinale, Symphytum (local application).
- itching children in, Ferr Met.
prolapse with
- itching during the day Cadmium Iod.
only
- perianal abscess Calc. Sulph, Myristica, Tarentula Cub.
- piles Aesculus, Allium Sativum, Anacardium, Beta Vulgaris, Blumea Odorata (local application), Bromium, Calc. Fluor, Calc. Iod, Carduus Mar, Collinsonia, Dolichos, Fluoric Acid, Hamamelis,

	Hypericum, Hyoscyamus, Kali Carb., Lac Def., Leptandra, Lachesis, Lycopodium, Mucuna uren, Negundium Americanum, Nux Vom, Paeonia Officinalis, Petroselinum, Plantago (local application), Polygonum, Quercus Glandium Spiritus, Ratanhia, Sedum Acre, Scrophularia Nodosa, Sulphur, Zinc Val.
- piles, bleeding	Acalypha Indica, Blumea Odorata, Carduus Mar, Hamamelis, Hypericum, Leptandra, Mandragora, Millefolium, Phosphorus.
- piles, burning	Sulphuric Acid.
- piles, enlarged rectum with great pain	Negundinum.
- piles, fissure	Muriatic Acid, Nitric Acid, Paeonia, Ratanhia, Sedum Acre, Silicea.
- piles, hard stools with	Lamium Album.
- piles, itching	Petroselinum, Plantago.
- piles, itching and burning	Balsamum Peruvianum.
- piles, labour after	Kali Carb.
- piles, painful	Aesculus Hipp., Dioscorea, Leptandra, Muriatic Acid, Sulphur.
- piles, painful and sensitive	Muriatic Acid, Nitric Acid.
- piles, painful, itchy, bleeding	Graphites, Morgan Bach.
- piles, riding ameliorates	Kali Carb.
- piles, sensitive	Aesculus Hip., Leptandra, Muratic Acid, Paeonia.
- piles, turning cancer	Paeonia.
- piles, varicose veins, with	Morgan Bach.
- polyp	Formica Rufa, Hydrastis.
- prolapse	Allium Sativum, Nitric Acid, Podophyllum.
- prolapse after motion	Aesculus Hip., Ruta.
<i>Appendicitis</i>	Abrotanum, Belladonna, Bryonia, Calc. Ars, Calc. S, Chin, Cocc, Coloc, Crot C, Echinacea, Ginseng, Hep, Iris Tenax,

- Lachesis, Lyc, Merc C, Merc Sol, Nit Ac, Phos, Plb, Rhus Radicans, Radium Brom., Sil.
- acute Bryonia, Echinacea, Lachesis, Rhus Tox.
 - acute with fever Bell.
 - chronic Appendicitis Nosode, Sycotic Co.
 - chronic, dry mouth and homesickness, with Iris Tenax.
 - Mcburney's point, pain Iris Tenax, Radium.
- Appetite*
- absence Abrotanum, Alettris Farinosa, Aristolochia Clematis, Ars Iod, Aurum Mur. Nat., Chelidonium, Chlorpromazine, China, China Ars, Condurango, Ferr Phos, Galega, Gentiana Lutea, Iodium, Muira Puama, Piscidia, Vaccinium.
 - decreased, in cancer Iodium.
 - disgust, food for; loathing, with no appetite Chlorpromazine.
 - increased, eating after Lycopodium, Phosphorus.
 - more like a horse but does not put on flesh Nat. Mur.
 - often, desire Phos.
 - increased, night at China, Phosphorus, Psorinum.
 - loss of appetite; liver requires to tone up Chelidonium Majus.
 - voracious, for anything, edible or not. Sulphur.
- Ascites*
- Acetic Acid, Adonis Vernalis, Apis Mel, Apocynum, Ars Alb, Carduus Mar, Helleborus, Kali Iod, Merc Sulph, Oxydendron Arborea, Pulsatilla, Quercus Glandium Spiritus.
- cirrhosis of liver, in Ammon. Benz, Bryonia, Quassia Amara.
 - enlarged liver and spleen, with Luffa Bindal.
 - malignant ascites Rauwolfia Serpentina.
 - peritonitis Bryonia, Rhus Tox.
 - peritonitis, tubercular Abrotanum.

<i>Assimilation, faulty</i>	Gaertner Bach.
<i>Bag, of liquid in abdomen, sensation burning</i>	Ornithogalum.
<i>Beer, gastric complaints from</i>	Calc. Sulph., Kali Bich.
<i>Biliousness, Headache, Acidity</i>	Berberis Aquifolium.
<i>Billary, calculi</i>	Fel Tauri.
<i>Borborygmi</i>	Gnaphalium, Momordica.
- fasting when, noises and rumbling with	Taxus Baccata.
<i>Bowels, haemorrhages</i>	Lachesis.
<i>Bulaemia</i>	Abies Nigra, Lyco.
- satisfied quickly	Petroleum.
<i>Burning, in alimentary canal, mouth to anus</i>	Iris Ver.
<i>Cancer</i>	
- caecum	Ornithogalum.
- colon	Anthraquinone, Carcinoma Coli, Polypus Recti Nosode.
- colon or rectum	Ars. Iodide.
- liver	Adenocarcinoma Stomach, Carcinosis, Carduus Mar, Hydrastis, Kali Mur, Podophyllum, Solidago, Vipera.
- pancreatic cancer	Colocynth.
- pancreatic cancer; burning pain	Calc. Ars, Iris V., Phos.
- oesophagus, contraction; the food just swallowed runs into mouth	Phos.
- pylorus cancer	Graphites, Iris V, Ornithogalum.
- rectum and anus	Carduus Mar, Hydrastis, Kali Mur, Phytolaccin, Polgonum, Ruta.
- rectum, cancer bleeding	Ars Alb., Ars. Iodide, Gaertner Bach.
- rectum, cancer bleeding with diarrhoea	Carduus M.
- stomach	Acetic Acid, Bismuth Subnitricum, Cadmium Sulph, Carbo Animalis, Conium, Nepenthes.

- stomach and caecum Glonoine, Iris Tenax.
- stomach and colon Condurango, Hydrastis, Kali Mur., Kali Perm, Lobelia Erinus, Ornithogallum, Polygonum, Uva Ursi.
- stomach of, excessive vomiting, exhaustion and coldness of body with Cadmium Sulph.
- stomach, increased hunger with Hydrastis.
- Cardiac, opening of* Conium, Phosphorus.
- Oesophagus*
- Cecum*
- inflamed Bell., Calad., Card M, Colch, Crot H, Lach., Merc., Nat. S., Op., Plb., Rhus T, Samb., Thuj.
- painful, cecum region Colch, Lac Def, Merc, Stram, Hydr, Nit Ac.
- sensitive Lach.
- Choking* Streptococcinum, Streptoenterococcinum, Syphilinum, Thyroidinum.
- dysphagia Streptococcinum.
- easily Morgan Pure, Sycotic Co.
- spasm of epiglottis, from Medorrhinum.
- Cholecystitis* Belladonna, Berberis Vulg, Carduus Mar, Chelidonium, Fel Tauri, Mandragora.
- acute Crotalus Hor., Pyrogen.
- chronic Beryllium Met, Hydroquinon, Quinhydrone, Salmonella Typhi.
- Cholelithiasis* Calc. Carb., Chelidonium, Chionanthus, Fel Tauri, Fumaric Acid., Nat Sulph., Salmonella Typhi.
- headaches occipital, neck stiffness and skin eruptions with Juglans Cinerea.
- colic Belladonna, Berberis Vulg., Carduus Mar., Chionanthus, Chelidonium, Dioscorea.
- prevents recurrence of colics China, Chelidonium.

<i>Cholera</i>	Camphor, Cuprum Aceticum, Hydrocyanic Acid, Podophyllum, Tabacum, Veratrum Alb.
- bloody stools or vomit, with	Aconite, Carbo Veg, Iris Versicolor, Merc Cor, Phosphorus.
- coldness of body, cyanosis and feeble pulse, with	Ars Alb, Nicotine, Veratrum Alb.
- diarrhea and vomiting present equally	Ricinus, Veratrum Alb.
- infantum	Bismuth Sub-nitricum, Calc. Carb., Calc. Phos, Echinacea, Kreosote, Pyrogen, Veratrum.
<i>Coeliac disease or chronic intestinal indigestion</i>	Gaertner Bach.
<i>Coeliac syndrome</i>	Calc. Carb., Nux Vomica.
<i>Colic</i>	
- abdomen	Belladonna, Berberis Vulg, Colocynth, Dioscorea, Mag Phos, Opium, Plumbum Met, Raphanus.
- abdomen, violent cork-screw like pains, with	Lobelia Erinus.
- biliary	Mag. Borocitricum.
- flatulent	Allium Sativa, Mag Phos.
- flatulent, children in	Senna.
- flatulent and spasmodic; at midnight in pregnant women	Cocculus.
- gastrointestinal	Cupr Met, Dioscorea Villosa, Ilex Aquifolium.
- infantile	Carica Papaya, Mentha Piperita, Senna.
- lead colic	Alumen, Opium, Platina.
- umbilical, with abdominal spasms	Mag Phos.
<i>Colitis</i>	Apis, Ars, Bell, Bry, Calad, Carc, Card-M, Chin, Colch, Crot-H, Dyst. Cor., Gins, Lac. Defl., Lach, Lyc, Merc, Merc. Dul, Nat-S, Op, Phos, Plb, Rhus-T, Samb, Sep, Sil, Stram, Sulph, Thrombidium, Thuj.
- acute	Achyranthes Aspera.

- chronic Teramycin.
- entero colitis Terebinthina.
- haemorrhagic Aranea Diadema, Cynodon Dactylon.
- mucous Aethiops Antimonialis, Copiava,
Coxsackie Virus Nosode A9, Emitine,
Tormentilla, X-ray.
- radiotherapy, after Podophyllum.
- ulcerative Bufo, Chloromycetin, Merc., Phos.,
Podophyllum.

Colon

- ascending colon, colic pain in Rhus tox.
 - ascending colon, hardness of Plumbum.
 - burning pain Carcinosin.
 - descending colon; flatus obstructed, with constipation Aur, Iod, Lyc, Rhod, Sul.
 - hepatic flexure Calc. Sulph, Kali Mur, Kali Phos, Kali Sulph, Mag Phos.
 - irritable Ars. Iodide, Dyst. Co, Merc. Cor, Puls.,
Terebinthin., Trombidium.
 - pain the whole length of the colon Ferrum Met.
 - sigmoid flexure, pain Colchicum, Rad Brom.
 - splenic flexure; Accumulation of gas in Momordica.
 - transverse colon; as if a long worm were writhing in Calad, Euph.
 - transverse colon; gnawing pain Gels.
 - transverser colon; Pain in Bell, Cham, Colch, Merc-c, Raph, Podo.
- Constipation*
- abuse of purgatives, from Aluminium, Cascara Sagrada, Ficus Carica, Insulin, Iris Ver., Lac. Deflor.,
Morgan Bach, Nat. Mur., Niccolum Met.,
Silicea, Staphysagria, Tarentula Cub.
 - atonic Hydrastis.
 - atonic Alumina, Hydrastis, Mandragora,
Majeptil.

- children Collinsonia.
- chronic Appendicitis Nosode, Caecum, Carcinosis, Hydrastis, Mag Mur, Opium, Terminalia Arjuna.
- chronic, frequent ineffectual desire for stool but no stool Terminalia Arjuna.
- exhaustion, with complete Ferr Ars.
- hard stool with Abel moschus.
- most obstinate nature, no desire for days together Alumen, Alumina, Lyco., Sanicula.
- of travellers who change food and water Platina.
- old people, in Alumina, Ant Crud, Opium.
- piles with Collinsonia.
- never satisfied with stool Kali Mur.
- pregnancy during Collinsonia.
- tridosh is principle Nat. Sulph., Sepia.
- Cramp in stomach area* Mag Phos.
- Crohn's disease* Allium Sativa, Ars. Iodide, Colchicum, Hoitzia, Kali Bich, Kali Mur., Merc. Cor., Phos., Pulsatilla, Streptococcin, Terebinthin, Thrombidium.
- Defaecation difficult* Alumina, Zinc Met.
- Diarrhoea* Aegle Folia, Aloe, Atista Indica, Chapparo Amargosa, Croton Tig, Cupr Ars, Cynodon Dactylon, Elaterium, Emetine, Gambogia, Gentiana Lutea, Kali Aceticum, Nabalus, Podophylum, Ricinus Communis, Teramycin, Veratrum.
- acid, sour smelling, green acid Rheum.
- after X-ray therapy on lower abdomen Radium Brom.
- all types Medorrhinum
- and vomiting at teething Calc. Carb.
- any type - tridosh Secale Cor.

- blood diarrhoea Atista Indica, Carbolie Acid, Cynodon Dactylon.
- blood loss, from Eucalyptus.
- children, in Calc. Carb., Ipecac, Mag Sulph., Rheum.
- chronic Chapparo Amargoso, Liatris Spicata, Nat Sulph, Phos., Thalaspia Bur Past., Thyroidinum.
- chronic, suspected tuberculosis and green, undigested stools, with Iodoform.
- contaminated water, drinking after Zingiber.
- copious, watery, forceful Elaterium.
- eggs from, in children China Ars.
- elderly persons Baryta Carb.
- excited when Arg Nit.
- excitement or worry from Dyst. Co.
- exposure to cold, winter in Aconite, Bryonia, Camphor.
- exposure to cold, rainy season in Dulcamara, Rhus Tox.
- fear or joy, from Coffea Cruda, Opium.
- forcible, shooting out stool Gratiola Officinalis.
- green stool Calcarea Phos.
- gurgling in abdomen sudden, gushing, profuse stools, with Gambogia.
- indigestion, of Oleander.
- infantile Calc. Carb., Medorrhinum, Sycotic Co.
- mental excitement, from Chamomilla, Ignatia, Veratrum Alb.
- milk after Aeth., Calc., Lac. Defl., Lycopodium, Mag. Mur., Sepia.
- morning Psorinum., Nat. Sulph., Sulphuric Acid.
- nervous, painless, without prostration Phos. Acid.
- over-eating of fruits, summer in China.

- painless, involuntary; Aloe.
 stool falling out on
 passing flatus
- precursory Veratrum Alb.
- pregnancy during or Ant Crud., China.
 delivery, after
- recurrent with the history Dyst. Co.
 of dysentery
- rich food, from Ant Crud, Ipecac, Nux Vom, Pulsatilla.
- shellfish after, specific. Urtica Urens.
- sudden, profuse stools Jatropha Curcas.
 with loud gurgling noise
 in abdomen, anxiety,
 coldness, cramps, nausea
 and vomiting
- summer Bryonia, China, Cynodon Dactylon,
 Gratiola, Iris Versicolor, Phosphoric
 Acid, Veratrum Alb.
- summer, in children Gnaphalium.
- swelling of the legs with Acetic Acid.
 distended abdomen
- swimming water related Enterococcin.
- upsetting news from Gelsemium.
- violent, in the morning Thuja.
- watery, with bloated China.
 abdomen from gases and
 abdominal pain worse
 by touch and better by
 pressing firmly
- watery, noise sputtering, Podophyllum.
 spoils/soaks both the
 entire toilet/bowel and the
 buttocks
- white coating of tongue, Enterococcinum.
 with
- whitish green, with mucus Castoreum Sibiricum.
- Digestive troubles, after Flavus.*
meals
- Distension of abdomen*
- after milk Conium.

- operation after Carbo Animals.
- Diverticulosis* Colocynth, Majeptil.
- Dropsy, with liver diseases* Carduus Marianus.
- Dryness of mucosa of the throat and mouth* Mandragora.
- Duodenal complaints* Kali Bich, Merc Dulcis, Ornithogalum, Uranium Nitricum.
- catarrh Anacardium.
- inflammation Dyst. Co., Levisticum Officinale, Uran. Nit.
- inflammation, chronic Duodenitis Nosode.
- inflammation, green Merc Dulcis.
- stools, with
- syndrome Phosphorus.
- ulcer Acetylcholine Chloride, Anac., Cadm. Iodide, Cadm. Met., Cad. Sulph., Chlorpromazine, Chelidonium, Duodenitis Nosode, Dyst. Co., Gaertner Bach, Helicobacter, Histamine Hydrochloride, Ipecac, Lycopodium, Mandragora, Nat. Oxalaceticum, Nux Vomica, Proteus Bach, Uranium Nit.
- ulcer, fasting and too warm food ameliorates Sepia.
- ulcer, recurrent Quinhydrone.
- ulcer/stenosis; history of diphtheria or not. Diphtherinum.
- ulcer, gastroduodenal Parathormone, Proteus.
- Dysentery* Aegle Folia, Ailanthus Glandulosa, Atista Radix, Chapparo Amargoso, Copaiva, Cynodon Dactylon, Holarrhena., Merc Cor, Myrtillus, Prunella Vulgaris, Sulphur, Terminalia Chebulia, Trombidium, Vaccinum, Veratrum Alb.
- anemia, with (in females) Alstonia.
- autumnal Merc. Cor.
- bacillary Merc. Cor.
- chronic, amoebic Calc. Iod.

- gripes, severe with Colocynth, Ipecac, Mag Phos.
- haemorrhagic Streptococcinum.
- history of; recurrent attacks of diarrhoea/ Dyst. Co., Merc. Sol.
- previous dysentery
- hot climates Ars. Bromatum, Dysentery Co., Merc. Cor.
- much straining, with Aloe, Belladonna, Nux Vom.
- mucus, straining and Ars Alb, Cantharis, Merc Cor.
- blood with
- preventive Ars. Alb., Merc. Cor.
- rheumatism, with Colchicum.
- stool after eating Ars. Iodide, Septicaeminum, Thrombidium.
- subacute or chronic, Aegle Marmelos.
- especially with alternating diarrhea and constipation
- tenesmus constant, Merc Cor.
- frequent urging, scanty,
- bloody and offensive stools with
- unconscious evacuations, Rhus Tox.
- night at
- Dyspepsia* Abies Nigra, Carbo Veg, Nat Phos, Nux Vom., Sulphuric Acid.
- dyspepsia, aged of Carbo Veg.
- dyspepsia, due to tea Thea Chinensis., Thuja.
- dyspepsia, associated Homarus.
- with throat complaints and temporal headaches
- indigestion and Abies Nigra.
- constipation in old men
- polluted water from Zinc Met.
- salted fish, meat or butter Carbo Veg.
- from
- wine, coffee from Nux Vom.
- Enterocolitis* Kali Bi., Nux Vom, Tuberculinum.
- Epigastrium*
- burning in Carbo Veg.

- sensitivity in Kali Carb., Mag Phos.
- Eructation* Aesculus, Belladonna, China.
- fatty tasting Convallaria Majalis.
- food, of Phos.
- foul, after eating Ubiquinone. (even hours later)
- improvement due to, in Arg Nit.
- gastro-cardiac symptom complex
- loud, explosive Arg Nit.
- loud, agg. night, lying Ornithogalum.
- down
- rancid Asafoetida.
- sour Aethusa, Calc. Carb., Nat Phos.
- violent, empty Bismuth Met.
- Fermentation dyspepsia* Carbo Veg, Ferr Sulph, Succinic Acid, Ubiquinone.
- Foetal movements,* Crocus.
- sensation, in the abdomen*
- Flatulence* Adonis Vernalis, Fel Tauri, Ferr. Magneticum, Fucus Vesiculosus, Gentiana Lutea, Micromeria, Nux Vom, Occimum Sanctum, Raphanus, Rhus Glabra, Zinc Val.
- eructations with Asafoetida.
- (everything presses upwards, nothing downwards)
- foetid flatus; disinfests the Rhus Glabra.
- bowels
- flatus offensive, with Gentiana Lutea.
- eructation; distended abdomen and constricted feeling, with meteorism; abdominal pains and feeling of pressure and heaviness in the stomach
- frequent with vomiting Bismuth Met.
- and diarrhoea and abdominal pain

- gaseous distention of stomach leading to pseudo heart symptoms Nat. Nitricum, Proteus.
- smell of rotten eggs Arnica.
- Food cannot get down* Sepia.
- Cardiac orifice*
- Food, poisoning* Ars. Alb.
- Fullness, eructation of air, improved by eating* Mandragora.
- Fullness, pressure and heaviness (as a stone or an apple was lodged in stomach or underneath the sternum)* Pulsatilla.
- Gall stone* Berberis Vulgaris, Calc. Carb., Carduus Marianus, Cholesterinum, Chelidonium Majus, Dioscorea, Fel. Tauri, Hydrastis, Ipecac, Morgan Pure, Nat. Sulph.
- colic Cholesterinum, Colocynth, Laurocerasus.
- to dissolve Calc. Carb., Cholestrinum, Chelidonium Maj.
- trouble (preventive) Berberis, Calc. Carb., Chelidonium, Chionanthus, Cholestrinum, Choloroformum, Hydrangea.
- Gas, in abdomen with rumbling and flatus* Colchicum.
- Gas, trouble; much belching and distension* Butyric Acid.
- Gastric symptoms alternate with rheumatism* Kali Bich.
- Gastric ulcer* Ars. Alb., Condurango, Plumb Acet., Uranium Nit.
- Gastric ulcer, drunkards of* Cadm. Sulph.
- Gastric ulcer, vomiting with* Geranium Mac.
- Gastro-enteritis* Anthracinum, Cuprum Ars., Lactic Acid, Nat Mur, Nux Vom.
- acute Aconite, Ars Alb, Cupr Ars, Salix Purpurea, Tormentilla, Veratrum.

- chronic	Sycotic Co.
- ice cream after	Salmonella Paratyphi B.
- summer	Paratyphoidinum B.
- bacterial, food poisoning; acute gastroenteritis	Ars. Alb.
<i>Giardiasis</i>	Cina.
<i>Gouty, gastralgia</i>	Colchicum.
<i>Heartburn</i>	Absinthium, Embelica, Fluoric Acid, Ferr Met, Homarus, Nat Phos, Nux Vom, Sinapis Alba, Strych et Ferr Cit.
- lying down, on	Robinia.
- acids from	Nux Vomica.
- nausea with	Calc, Puls, Sanguinaria.
- fat food, from	Nat Carb, Nux Vomica, Phos.
<i>Haematemesis</i>	Aconite, Bacterium Proteus, Cadmium Sulph, Ferr Met, Hamamelis, Ipecac.
<i>Hemorrhage, alimentary tract</i>	Geranium Mac.
<i>Hepatitis</i>	Para-Benzochinonum
<i>Hepatitis B or C</i>	Andrographis Peniculatum.
<i>Hepatitis, chronic</i>	Chelidonium, Nux Vom.
<i>Hepatitis, infective</i>	Carduus, Crotalus H, Chelidonium, Lycopodium, Sulphur.
<i>Hepatitis, viral, chronic</i>	Phosphorus.
<i>Hernia</i>	Aesculus, Aur Met, Cocculus, Nux Vom, Pituitarinum, Sulphur, Symphytum.
- constipation, due to	Plumbum Met.
- hiatus	Magnifera Indica.
- inguinal, right side	Lycopodium.
- left	Thuja.
- preventive	Cocculus, Rhododendron.
- strangulated, right	Plumb Met., Nux. Vom.
- strangulation symptoms, with tendency, to	Tabacum.
<i>Hiccoughs (Singultus)</i>	(Vinegar in water or sips of chilled pineapple juice). Acetic Acid, Acid. Sulph, Amyl Nitrosum, Calc. Fluor, Cajuputum, Camphor, Cicuta Virosa, Cinnamonum (2 drops on half a teaspoon of sugar to suck

- every half an hourly). Cyclamen, Dioscorea, Ginseng, Hydrocyanic Acid, Hyoscyamus, Ignatia, Mag Phos, Moschus, Niccolum, Passiflora Incarnata, Ranunculus Bulbosus, Ratanhia Scutellaria, Tabacum, Zinc Val.
- oesophageal cancer patient, in Veratrum Viride.
 - pregnancy and menses during Cyclamen.
 - violent hiccough Cicuta virosa
 - Hypochlorhydria* Atropia.
 - Hypochondria*
 - left hypochondriacal pain Chionanthus, Illicium, Squilla., Urtica Urens.
 - right hypochondriacal pain Berberis Vulg, Bryonia, Chelidonium, Mag Phos.
 - Ileocaecal region*
 - pain Pneumococcinum.
 - left ileocaecal pain Naja.
 - sensitive Gambogia, Iris Tenax., Plumbum Met.
 - Ileus* Colocynth, Lycopodium.
 - paralytic Plumb Met.
 - Indigestion* Strych et Ferr Cit.
 - Injury*
 - deep tissue, abdomen Bellis Per.
 - uncontrolled bleeding from abdomen after injury Crotalus Horridus.
 - Intestinal*
 - bleeding Calendula, Cadm. Met., Carbo Veg., Collinsonia, Succinic Acid.
 - bleeding, passage of mucus stools, with Cantharis.
 - bleeding, undigested stools, with Acetic Acid.
 - cancer Plumbum, Naphthoquinone, Succinic Acid.
 - catarrh Phytolacca.

- enzyme disorders	Pancreas.
- fibrosis	Penicilin.
- flora injury, due to antibiotics	Bacterium Lactis Aerogenes.
- flora injury, due to chemotherapeutics	Chloramphenicol.
- obstruction	Plumb Met.
<i>Intestine, protein decay factor in the</i>	Indol.
<i>Irritable Bowel Syndrome (IBS)</i>	Ambra Grisea, Arg. Nit., Ars. Iodide, Dyst. Co., Eugenia Folia, Ferr Met., Ipecacuanha, Lycopodium, Puls, Sulphur, Streptococcin.
<i>IBS antidote - present drug, can help</i>	Ignatia, Sepia.
<i>Intussusception, recurrent Jaundice</i>	Opium, Plumb Met. Agaricus Phalloides, Amoorā Rohitika, Aur. Mur. Natronatum, Berberis Vulg, Calc. Ars, Carduus Mar, Chelidonium, Crotalus Horridus, Digitalis, Fel Tauri, Hydrastis, Hydrofluoric Acid, Insulin, Kali Iod., Lactuca Virosa, Leptandra, Linaria, Lyco, Merc Dulcis, Myrica, Nat Choleinicum, Nat Sulph, Nitric Acid, Phosphorus. Phyllanthus Nir, Plumbum Met, Podophyllum, Ptelea Trifoliata, Quassia Amara, Ricinus Communis, Trinitrotoluene, Vipera Berus.
- bilirubin, high in blood	Myrica, Phos.
- drug induced	Chlorpromazine.
- with gall stones, reduced uric acid excretion, intestinal spasms and offensive flatus	China.
- haemolytic	Hirudo Medicinalis.
- hepatitis B virus	Carica papaya.
- obstructive	Trinitrotoluenum (T.N.T.).
- pruritus with	Dolichos Pruriens.
- stones, with obstruction	Chelidonium.

- toxic Crotalus Hor., Trinitrotoluenum.
- Kala azar* Cimex Lectularius.
- Liver*
- abscess with vertigo and Theridion.
nausea
- affection of heart, with Digitalis.
- alcoholism/ delirium Agaricus, Avena Sativa, Cimicifuga,
tremens Hyoscyamus, Nux Vom, Opium.
- anti-alcoholic (Orange juice), Angelica, Ant Crud,
Asarum, Capsicum, Cinchona, Coca,
Nux Vom, Quercus Glandium Spiritus,
Ranunculus Bulbosus, Sterculia,
Strychnine Nitricum, Sulphur,
Sulphuric Acid, Syphilinum.
- atrophy Agaricus Phalloides, Crotalus Hor,
Phosphorus.
- biliary disorders, with Berberis Vulg, Dioscorea Villosa,
Nasturtium Aquaticum, Nux Vom, Pichi-
Pichi, Quassia Amara, Taraxacum.
- cholelithiasis / biliary Berberis Vulg, Carduus Mar,
colic Chelidonium, Dioscorea, Mandragora.
- chronic liver disease Amoor Rohitika, Insulin, Lactuca
Virosa, Linaria.
- cirrhosis Ammon Benz, Aur. Mur, Calc. Ars.,
Carduus Mar, Ceonanthus, Crotalus
Horridus, Euonymus, Merc Sol, Muriatic
Acid, Nasturtium, Nux Vom, Phosphorus,
Quassia Amara, Vipera.
- cirrhosis, alcoholic Calc. Ars., Cardus Mar., Fluoric Acid,
Muriatic Acid, Nux Vom., Pexid.
- cirrhosis, Indian Ceonanthus, Milefolium, Phos.
- childhood cirrhosis
- complaints with diarrhoea Yucca Filamentosa.
- complaints periodic Aur Mur Nat.
- complaints, uterine Magnesium Mur.
- pathology with
- congestive acute or Cactus.
- chronic

Mucosal catarrh of the mouth and tongue

Muco-enteritis Kali Bich.

Nausea Apomorphinum Hydrochloricum,
Asafoetida, Ipecac, Nux Vom, Theridion
Curassavicum.

- eating, after Cucurbita Pepo.

- loss of appetite and
revulsion at the smell of
cooked food Colchicum.

- pregnancy during Symphoricarpus Racemosa.

- pregnancy during, forcing
patient to eat well Sepia.

- retching with Asclepias Tuberosa.

Oesophagus

- burning with fatty taste Asafoetida.

- cancer Acetic Acid, Ornithogalum.

- constriction, of Phos.

- inflammation (oesophagitis) Veratrum vir.

- narrow, cardiac end Baryta, Calc. Phos.

- obstruction feeling Ars. Alb.

- oesophagusmus Naja.

- pain with considerable
thirst Colchicum.

- spasm Ars Alb, Cajuputum, Naja, Rhus Tox.

- stricture Gelsemium, Phos., Strontium Carb.,
Thiosin.

Pancreatic, disease Berb. Vul., Chionanthus, Echinacea,
Hydrangea, Iris Ver., Iodium, Phos.,
Lyco., Sulph.

*Pancreatic, obstruction in
duct.* Kali Mur.

Pancreatitis Achyranthes Calea, Atropine Sulph,
Bacterium Lactis Aerogenes, Belladonna,
Boletus Laricis, Calc. Ars., Dioscorea, Fel
Tauri, Iodium, Iris Versicolor, Leptandra,
Merc Sol, Momordica Balsamina,
Pancreatinum, Phosphorus, Spongia.

- acute Crotalus.

- chronic Salmonella Typhi.
- haemorrhagica Belladonna.
- state after Coxsackie Virus Nosode A9.
- stones with pancreatitis Iris Ver, Sulphur.
- Peritoneal adhesions* Funiculus Umbilicalus, Koch Lymph.
- Peritonitis* Achillea Moschata, Aconite, Anacardium, Apis Mel, Belladonna, Bryonia, Carbo Veg, Echinacea, Ferr. Phos, Gelsemium, Kali Mur, Ledum Pal, Nux Vom., Sabal Ser.
- before perforation Atropine Sulph.
- infective peritonitis Merc Sol.
- tubercular peritonitis Abrotanum, Ars Iod.
- Pharyngitis* Ant. Tart, Arum Maculatum, Baryta Carb., Belladonna, Capsicum, Hepatica Triloba, Cinnamon, Drosera, Guaiacum, Phytolacca, Polygonum, Salvia, Sanguinaria Nit, Teramycin, Wyethia.
- acute Arum Triphyllum.
- influenzal Salmonella Parathyphi B.
- Pharyngopathies, nervous* Baptisia, Cistus Canadensis.
- Plummer and Vinson* Cadmium Met.
- Syndrome*
- Proctitis* Bufo.
- Polypus, intestine or anywhere* Calc. Carb., Nitric Acid, Thuja.
- Rectum*
- abscesses, painful around anus Calc. Sulph.
- fistulae Silicea.
- fistula and boils, repeated Myristica.
- attacks of
- haemorrhage Blumea Odorata, Cad. Met., Ipecac, Mandragora, Millefolium, Ratanhia, Sanguisuga.
- inactivity Alum, Op, Phys, Aeth
- impaction Alumina, Bell, Caust, Gels, Lac Def, Lach, Opium, Plumbum.

- intolerable pain, during Paeonia.
and after stool, constant
oozing of moisture
- plug or ball like sensation Sepia.
- polyp Calc. Carb.
- prolapse Allium Sativum, Calc. Fluor, Calc. Phos,
Carduus Mar, Ratanhia (local applications
of cerate), Ferr Phos, Hypericum
(local application), Ignatia, Muriatic
Acid, Podophylum, Sepia, Thuja (local
application).
- prolapses after each
motion Ruta.
- stricture Thiosinaminum.
- Soda bicarb; who takes* Nat. Carb.
- Spleen* Anthracinum, Andersonia Rohitaka,
Arnica, Carduus Mar, Ceanothus,
Cimicifuga, Ferr Phos, Linaria,
Luffa Bindal, Nat. Taurocholicum,
Quercus Glandium Spiritus, Rubia
Tinctorum, Tinospora Quad.
- abscess Ceanothus, Hippozaeninum.
- atrophy Ignatia, Iodium, Plumbum Met.
- ague malaria Urtica Urens.
- cancer Ars Alb, Borax, Ceanothus.
- enlargement Leucas Aspera.
- flexure of spleen, flatulent Momordica Balsamina.
colic, in
- inflammation Ceanothus, China, Helleborus, Hura,
Quercus Glandium Spiritus, Urtica Urens.
- oedema due to spleen Ceanothus, Lachesis, Liatris Spicata.
disease
- splenomegaly Aranea Diadema, Capsicum, Luffa
Bindal, Rubia Tinctorum, Tinospora
Quad, Urtica Urens.
- tone and activate spleen Ceanothus, Mentha Pulegium.
- Spleen and liver remedies* Aegle Folia, Andersonia, Boerhavia
Diffusa, Ceanothus, Kalmegh, Luffa
Bindal, Ptelea, Tinospora Quad,
Trichosanthes Diona.

Stomach

- acid dyspepsia

Ornithogalum, Sulphur.

Amoora Rohitika, Anacardium, Arg. Nit, Atropine, Bacterium Lactis Aeroginis, Capsicum, Carboic Acid, Carica Papaya, China Ars, Embelia Ribes, Graphites, Homarus, Hydrastis, Hydrocyanic Acid., Mag. Carb., Nat. Phos, Nitric Acid, Nux Vom, Orexine Tannate Ornithogalum, Phosphorus, Prunus Virginica, Robinia, Strych et Ferr Cit.

- belching and food residues with

Ferr Sulph.

- belching, explosive in neurotics

Arg. Nit.

- belching, loud like a gun firing off

Ornithogalum.

- bleeding and haematemesis

Bothrops Lanceolatus.

- burning

Cadmium Sulph, Caladium Seguinum.

- burning cramp with pain towards the spine (patient has to bend backwards)

Bismuth Subnitricum.

- gastric catarrh in alcoholism

Sanguinaria.

- dilatation

Abies Nigra, Angellica, Calc. Fluor, Hamamelis, Hydrastis Mur. Ornithogalum, Xanthorrhiza Apifolia.

- gastric tonic

Gentiana Lutea, Ginseng, Quassia Amara.

- gastritis

Ant Crud, Arg Nit, Benzoic Acid, Betula Alba, Guaiacum, Levisticum Officinale, Nux Vom.

- gastritis, acute

Belladonna, Nat. Oxalaceticum.

- gastritis, chronic

Pexid.

- haemorrhage, at pylorus between mucosa and muscular coat

Colchicum.

- insufficiency

Ferr Met.

- irritability

Cadmium Sulph.

- motion sickness

Cocculus, Petroleum.

- pain Abrotanum, Agaricus, Hyoscyamus, Bismuth Subnitricum, Dioscorea Villosa, Gaultheria Procumbens.
- pain after eating Abies Nigra.
- pain, burning Ammon. Mur.
- peptic ulcer Alumina. Phos, Arg Nit, Ars. Sulph, Aspirin, Atropine Sulph, Bacterium Proteus, Chlorpromazine, Condurango, Embelia, Geranium Maculatum, Histamine Hydrochloride, Kali Bich., Kali Phos, Merc IF, Mezereum, Ornithogalum, Phosphorus, Penicillin, Sinapis Alba, Symphytum, Syphilinum, Uranium Nit.
- peptic ulcer, analgesic after Salicylic Acid.
- peptic ulcer, anterior wall of stomach on Kali Bich.
- peptic ulcer, burning pains, haemorrhage and persisting vomiting Phos.
- peptic ulcer, fundal portion of stomach Uranium Nitricum.
- peptic ulcer, recurrent Quinhydrin.
- peptic ulcer, spring deterioration of Anacardium.
- pyloric end, pain Ornithogalum.
- pyloric, and adjoining regions Ornithogalum.
- pyloric, obstruction Dyst. Co., Ornithogalum.
- pyloric, spasm Dyst Co.
- pyloric stenosis Mandragora, Dyst Co.
- ulcer due to alcohol Cadmium Sulph.
- Stool, sour odour* Calc. Carb.
- Stool urging, as soon as he eats, it may be involuntary* Ars. Alb., Ferr. Met., Thrombidium.
- Stool, enormous and one wonders how it is possible for infants to expel such stools.* Calc. Carb.

<i>Stool, great mass in</i>	Nat. Mur.
<i>Stool, involuntary</i>	Zinc.
<i>Stool, knotty like sheeps dung</i>	Mag. Mur.
<i>Stool, passing urine with</i>	Sulph.
<i>Stools with</i>	
- pain, considerable	Nitric Acid.
- semen flow	Acetic Acid.
- sweating on forehead	Croton Tig.
<i>Sugar, (glucose) metabolism, disturbed</i>	Carduus, Gaertner Bach.
<i>Throat</i>	Ailanthus, Cistus Can (if glands are involved), Lac. Can., Phytolacca.
- abscess, quinsy	Lac-Can, Psorinum, Streptococcinum.
- cancer	Amm. Carb., Phytolacca.
- catarrh	Arg Nit, Euphorbium, Lemna Minor.
- catarrh, adherent	Ambra Grisea, Lac. Hum, Vipera.
- catarrh, dry	Salicylic Acid.
- choking, sensation of, aggravated by empty swallowing	Thymus Serpyllum.
- clergymen, or minister's sore throat	Collinsonia.
- cold sensitive to	Fluoric Acid.
- dry, night aggravates	Flavus.
- dry, warm honey ameliorates	Cortisone.
- glands, cervical, thyroid, tonsils, mammary	Cadm. Iodide.
- glands cervical, indurated	Calc. Fluor.
- glands cervical, inflammation	Streptococcinum, V.A.B. (Pestinum).
- glandular swellings	Silicea.
- globus hysericus	Aquilegia, Ignatia, Lachesis, Moschus.
- inflammation, adenoids	V.A.B. (Pestinum)
- public speakers, sore throat	Ailanthus, Merc. Cyan.
- inflammation, fauces	Variolinum.
- inflammation, gangrenous	Hippuric Acid, Variolinum.

- inflammation, pain with Diphtherinum, Syphilinum.
- inflammation, pharynx Corticotrophin, Dysentery Co,
Influenzinum, Lac-C, Lyssin,
Medorrhinum, Morgan Pure,
Paratyphoidinum B, Proteus,
Syphilinum, Tuberculinum.
- mucus, hawks up Psorinum.
 disgusting, cheesy balls
- mucus, accumulates in Psorinum.
 fauces
- mucus, viscid Psorinum.
- pain, swallowing Adrenalin, Folliculinum, Lac Can, Lac
Def, Psorinum, Tuberculinum, V.A.B.,
X-ray.
- rhino-pharyngitis in Toxoplasma Gondii.
 children
- sore, dark livid redness Gymnocladus Canadensis.
 of fauces and throat with
 sticking pain
- tickling in, pit of throat Inula Helenium.
- ulceration, throat Kali Bich.
- ulcers, throat (before Mag Carb.
 menses)
- weakness of muscles of Lac Def.
 neck
- Tonic, gastric* Alfalfa, Condurango.
- Travel sickness* Coccus, Conium, Mandragora,
 Petroleum.
- air sickness Belladonna, Borax, Coca.
- sea sickness Apomorphinum Hydrochloricum,
 Cerium Oxalicum, Coccus, Cucurbita
 Pepo, Petroleum, Tabacum.
- Tumors, abdominal* Conium.
- Tympanitis* Asafoetida, Raphanus, Terebinthina.
- fever or inflammation, Terebinthina.
 due to

<i>Ulcerative colitis</i>	Aloe Socotrina, Allium Sativum, Ars. Iodide, China Off. (bleeding), Kali Bich, Ledum (bleeding), Liliun Tig., Merc. Cor., Merc. Dulcis, Phos., Puls., Streptococcin, Terebinthina.
- muco-enteritis (Specific)	Kali Bich.
<i>Ulcers, on parts below navel, shooting pain with Vomiting</i>	Paeonia.
	Acetic Acid, Amygdalus Persica, Apomorphinum Mur, Cadmium Sulph, Calc. Chlor, Camphor Monobromide, Carbolic Acid., Cerium Sulph, Digitalis, Ferr Met, Iris Vers, Lobelia Inflata, Merc Dulcis, Oxalic Acid, Phosphorus, Salicylic Acid, Secale Cor, Tartaric Acid.
- after sometime; pyloric obstruction	Bismuthum.
- and nausea	Apomorpha.
- bilious	Morgan Bach.
- blood	Cadmium Sulph, Ornithogalum.
- cancer/hepatic/gastric/uterine	Carb. Acid, Kreosotum.
- coffee ground, in stomach ulcers or cancer	Cadm. Sulph.
- cyclic	Carcinosin, Carcino Adenostomach, Gaertner Bach., Senna.
- drunkards or opium eaters of	Apomorpha.
- eating, after	Ferr. Met., Phos.
- food of	Merc Cyanatus.
- gastric ulcer	Ars. Alb.
- hysterical	Ignatia.
- in babies curdled milk after feeding	Valeriana Off.
- meals, during	Kali Bich, Nux Vomica, Phos.
- nausea without	Apocynum, Apomorpha.
- nose through	Diphtherinum.
- post operative	Phos.

- pregnancy during, severe Medorrhinum.
- pregnancy of Cadm. Sulph.
- pyloric obstruction Dyst. Co.
- tonsillectomy after Ferr Met.
- vomiting and purging with Camphora.
 cold blue, dry, skin
- weakness sensation, in pit Lobelia Inflata.
 of stomach
- vomits, mother's milk Silicea.
- Water melon, diarrhoea* Ars. Alb.
and indigestion
- Worms* Embelia Ribes.
- ascaris/long round worms Asafoetida, Chelone, Chenopodium,
 Cina, Clerodendron, Embelia Ribes,
 Indigo, Santoninum Spigelia, Teucrium
 Marum, Viola Odorata.
- hookworm/
 ankylostomiasis Chenopodium, Filix Mas., Sulphur,
 Thymol.
- pinworm / threadworm /
 enterobiasis Baryta Carb., Chelone, Cina, Kali
 Mur, Nat. Phos., Ratanhia, Sabadilla,
 Santoninum, Scirrhinum, Sulphur,
 Terebinthina, Vernonia Antihelmintica.
- tapeworm / flat,
 segmented worms Calc. Carb., Colicodynia, Cucurbita
 Pepo, Cupr Oxydatum Nigrum, Filix
 Mas, Fragraria, Graphites, Granatum,
 Kausso, Veratrum Alb.
- tapeworm, colic with Veratrum Alb.
- whipworm/ trichuriasis Podophyllum.
- grinding of teeth and Vernonia Anthelmintica.
 nocturnal enuresis with

Abdomen Quadrants; Pathologies and Remedies

Right Upper Quadrant Pain

- cholecystitis: Cholesterinum, Lachesis, Phosphorus, Pyrogenum (septic).

- gall bladder colic: Ars, Bapt, Bell, Berb, Bry, Calc, Card m., Cham, Chel, China, Chion, Cholesterinum, Coloc, Dios, Hep, Hydr, Ip, Iris, Kali bi, Kali c, Lach, Lept, Lith, Lyc, Nat s, Nux v, Phos, Sep, Ter, Veratrum
- with jaundice: Bell, Card m, Merc, Nux vomica,, Podophyllum
- radiating pain: Berberis
- hepatitis: Aconite, Bell, Cardus, Chelid, Cinchona, Lyc, Nat Sulph, Nux v., Phosphorus
- perforated duodenal ulcer: Aloe, Arg n., Calen, Kali bi, Uran n.

Right Lower Quadrant Pain

- appendicitis: Bell, Bry, Colocynth, Dioscorea, Echinacea, Lach, Rhus t., Iris tenax, Pyrogen, Ignatia, Merc.
- diverticulitis: Aloe, Ars, Bell, Bry, Chamomilla, Coloc, Cinchona, Lach, Mag p., Podo.
- mesenteric adenitis: Aco, Apis, Bell, Bism, Carc, Dulc, Hep, Iodof, Kali i., Merc, Merc i.r., Phyto., Sil., Phos, Bary m., Calc, Nux v.

Left Upper Quadrant

- gastritis: Ant t. Ars, Bell, Bry, Hydr, Ip, Kali bi, Ox ac, Hyos Lyc, Nux v., Phos, Verat., Arg n, Bar m, Bism, Canth, Ip.
- spleen disorders: Cean, Chin, Apis, Arn, Bry, Nat m., Nit ac, Nux v., Carbo veg, Chel, Ran b., Sul ac, Ign, Asaf, Sul ac, Iod, Stann.

Left Lower Quadrant

- sigmoid diverticulitis: Ant c., Ars, Carbo vegetabilis, Rhus t., Cham, Cina, Bell, Bry, Lach, Chamomilla, Coloc, Mag p., Aloe, Ars, Podo,Cinch.

Right or Left Upper Quadrant

- pancreatitis: Bell, Con, Coloc, Spongia, Iris v., Phos.
- herpes zoster: Ars, Iris, Merc, Mez, Nat m., Ran b., Rhus t., Sep, Caust, Vario, Canth, Cist, Clem, Lach, Kali bi, Sul, Thuja.
- lower lobe pneumonia: Chel, Nat s., Sul.
- myocardial ischemia: Aco, Cactus, Ars, Latrodectus m., Iod, Spong.
- radiculitis: Aconite, Ars, Bell, Coloc, Hyper, Ign, Mag p., Spig, Bry, Caust, Cham, Iris, Kali bi, Lyc, Mag c, Merc, Nux v, Rhus t, Sang, Sulph, Veratrum

Right or Left Lower Quadrant

- abdominal abscess: Hep, Sil, Merc, Rhus t, Crot h., Sul.
- hematoma: Arn, Calc. fl, Merc, Sil
- cystitis: Acon, Apis, Canth, Caust, Equis, Hep, Lach, Lyc, Med, Merc, Puls, Sep, Staph, Sars, Ter, Thlasp.
- endometriosis: Acon, Apis, Ars, Bell, Bry, Gels, Iod, Mel-c-s, Merc c, Puls, Sab, Sec, Sep, Silicea
- renal stone: Acon, Bell, Benz ac., Berb, Calc, Caust, Coloc, Dios, Ip, Mag p, Nux v, Ocim can, Sars.
- incarcerated/strangulated hernia: All C., Bell, Carbo v, Cocc, Coff, Dig, Mill, Nux v, Op, Plb, Sul, Sul ac, Tab.
- inflammatory bowel disease: Acet, Acon, Ant t, Apis, Bell, Bry, Cact, Cham, Colch, Lach, Merc, Ox ac, Ter.
- mittelshmerz: Lach, Apis, Bell, Cimic, Coloc, Lil t.
- pelvic inflammatory disease: Acon, Apis, Ars, Bell, Bry, Gels, Iod, Merc c, Puls, Sab, Sec, Sep, Sil, Verat v.

Remedy Hints

Abies Nigra: It is known as a small remedy. It has been used with success in a few cases. For people who, after a coronary stent or bypass, continue to complain about some chest discomfort. Cardiologists throw it back to gastro-enterologists and vice versa. Differential diagnosis-oesophageal spasm, esophagitis. Patients complain that there is something ‘stuck’ in the chest, which they want to cough out or eructate. Sometimes after supper, where they eat quite a lot. Arrhythmia’s and dyspepsia are often concomitants. Do not expect that patients talk about the ‘hard boiled egg’ in the cardia. It can be any ‘stuck’ sensation. A good organotropic, which we often need.

Acetic Acid: You will see *Acetic acid* recommended for the diarrhoea in phthisis. You had better let such conditions alone, unless they are very marked. The phthisical patient is better off with a little diarrhoea, a loose morning stool. It is the same with night sweats; if he does not have them he will have something more violent. [Source: James Tyler Kent]

Aegle Marmelos: Dysentery in summer. It is a very good remedy for dysentery where stool is mixed with blood and mucus, stool is followed

by weakness. There is pain in the abdomen < before stool and after food. [Source: Dr. Balbir Singh]

Aesculus Hippocastanum: In haemorrhoids, blind or bleeding, where bleeding gives relief. Aching in lumbar area, stiffness of back, almost impossible to walk. Explore *Aesculus hip*. [Source: Dr. J. H. Clarke]

In piles, *Aesculus* cures when *Nux Vom*, *Sulphur* and *Collinsonia* only palliate.

Aethusa Cynapium: Before *Aethusa* was known, a certain class of cases of cholera infantum, and vomiting and diarrhoea in children, resulted fatally, because there was no remedy that looked like such serious cases. Death is stamped on the face from the beginning, and this is one of the remedies that may save life. Cases of infants that come on very suddenly in hot weather, with extreme prostration. Hippocratic face; there is a whitish-blue pallor around the lips, the eyes are sunken.

Gastro-intestinal diseases of children, with great nervous involvement, violence of all the symptoms and intolerance of milk. Thirstless. Profuse sweating and desires to be covered while sweating. Drowsiness after vomiting or stool. Face expresses great anguish. Better in the open air. [Source: H. R. Arndt]

Aloe Socotrina: There is always great accumulation of flatus, which presses downward and causes distress in the lower bowel.

Hering demonstrated to me, the kind of case of piles that needs *aloes*. A bunch of external haemorrhoids, which caused bearing down in the rectum and itching and burning in the anus, had been ameliorated with *Sulphur*. A dose of *aloes*, five hundredth, given by Dr. Hering, produced an aggravation followed by a permanent cure. [Source: Edmund Carleton]

Alstonia Constricta: Debility from lack of digestive power in the stomach or general assimilative power. Tongue generally has dirty white coat especially at base (although it may be clean). Diarrhea of undigested food immediately after eating. Tincture. [Source: Robin Murphy]

Alumina: Inactivity of the rectum, dependent on dryness. Even soft stool requires great straining. *Anacardium*, *Sepia*, *Silicea* and *Veratrum Album* also have lack of expulsive power in the rectum. Dry thin subjects in whom potatoes disagree. [Source: E. B. Nash]

Anal Fistula: The surgeons nearly all advocate that if there is a fistulous opening around the anus it must be operated upon. To close up that fistulous opening, and thus neglect the patient, is a very dangerous thing

to do. I have not operated on one for twenty years. The remedy that is indicated for the patient will cure the patient, and the fistula. [Source: *James Tyler Kent*]

Antimonium Crudum: There is a form of diarrhoea which alternates with constipation, oftenest found with old people, where *Antimonium Crudum* is the only remedy. [Source: *E.B. Nash*]

Antimonium Tartaricum: I have found *Antimonium Tartaricum* the nearest a specific for cholera morbus of any remedy. For more than twenty-five years I have seldom found it necessary to use any other, and then only when there were severe cramps in the stomach and bowels, when *Cuprum Metallicum* relieved. [Source: *E. B. Nash*]

Argentum Nitricum: It should not be overlooked in cases of chronic gastritis where neurasthenic symptoms are prominent; i.e., nervous exhaustion, chronic fatigue, loss of memory, aches and pains. [Source: *The Clinique of the Clinical Society of the Hahnemann Hospital of Chicago – Jan, 1899.*]

Eructation accompanies most gastric complaints. Flatulent dyspepsia belching after every meal. Diarrhoea with green mucous after eating and drinking.

For disordered stomach especially of children who crave sweets. They have thick, white coated tongue, nausea, eructations, diarrhoea and much flatus; with stool of green mucus like chopped spinach. *Argentum Nitricum* is the best remedy we have for the gastritis of drunkards.

Arsenicum Album: *Arsenicum* is an excellent remedy in persons who have enfeebled the stomach by the persistent use of ice-cold drinks, tobacco, and excesses of various kinds, and whose nervous system gives evidence of great exhaustion. [Source: *H. R. Arndt*]

Atropinum: Chronic pancreatitis with multiple pancreatic stones. Great pain and vomiting of all food; after hot drinks, > after vomiting. Stomach very sensitive; swelling in pyloric region. Sleep disturbed by gastric pains.

Belladonna: It is useful in the early stages of appendicitis with severe pain in the ileo-caecal region, and the slightest touch cannot be borne; worse from jar, motion of bed or turning of body, and the patient lies on her back. It comes in after the chill of the *Aconite* stage has passed off and the inflammation has localized itself. Much pain, too, contra-indicates *Aconite*. [Source: *W.A. Dewey*]

Bismuth Subnitricum: In punctate erosions of the gastric mucous membrane, indicated by sensation as if there were a sore spot in the

stomach, after meals, the best remedy is the Subnitrate of Bismuth. [Source: Dr. Zwingenburg, *The Hahnemannian Monthly* -Vol. 28, 1893]

Cadmium Sulph: It is good for stomach problems associated with radiation treatments for cancer. It can be tried for the hard, almost bone-like scars left which appear after radiation treatment. [Source: Robin Murphy]

The power of this salt over gastric inflammations or irritation is very great indeed. All its guiding symptoms were present in a case recently treated. Faintness on rising or sitting up, nausea and vomiting compelling the patient to keep very quiet. The patient craves cold water which is immediately vomited. These were present in a case of gastritis, which had assumed a very threatening aspect. In twenty-four hours convalescence was well under way. [Source: C M Boger]

Calcarea Carbonica: When given in repeated doses of the 30th, relieves the pain attending the biliary passage. In biliary colic, *Calcarea Carb.* has never failed me. [Source: Dr. Hughes]

Calcarea Phosphorica: *Calc phos* 1x in water, given half an hour after food, is efficacious in non-assimilation of food. [Source: Boericke, W.A. Dewey]

Camphora: In cases of Asiatic cholera, for sudden attacks, and in the commencement stage, if the disease becomes rapidly much worse, *Camphora* shaken with water or dissolved in alcohol, is the chief remedy. If the patient has attack with cramps, nausea, excessive prostration, coldness and blueness of the surface, give him a drop of it every fifteen, ten or five minutes until he begins to perspire. This remedy was discovered and first made known to the world by Hahnemann. It has since saved the lives of hundreds of thousands.

Carduus Marianus: *Carduus marianus* when the left lobe of the liver is affected. It should be given in mother tincture in 5 -10 drop doses. Relieves pains of cancer in liver. Jaundice with dull headache, vomiting and nausea. Urine golden yellow. Liver spots is a special indication. [Source: Dr. Bishamber Das]

Prevents gall stone colic, its recurrence and formation of bile-stones. Use as mother tincture, five drops in water two or three times daily. [Source: Dr. T P Chatterjee]

Chelidonium Majus: In a study, *Chelidonium* provided a significant protection against the formation of liver cancers as well as hepatotoxicity after induced cancer in mice. [Source: *Indian Journal of Experimental Biology*. 2004, Jul, 42, 7, 698-714]

Chelidonium, like *Podophyllum* and *Aloe*, has both the constipated, hard and diarrheic, loose stools. For the diarrhoea give *Chelidonium* 30th or higher. For the constipation give the remedy in the 3rd. [Source: *George Royal*]

If we should find pressive pain in the region of the liver, bitter taste in the mouth, tongue coated thickly yellow with red margins, showing imprints of the teeth, yellowness of whites of eyes, face, hands and skin; stools gray, clay coloured, or yellow as gold, urine also yellow as gold, lemon coloured or dark brown, loss of appetite, disgust and nausea, or vomiting of bilious matter, and especially if patient could retain nothing but hot drinks on the stomach, we would have a clear case for *Chelidonium*.

Constant pain under the lower and inner angle of right scapula. Complaints lessen after dinner. Periodic neuralgia, right side with excessive lachrymation.

Chionanthus: *Chionanthus* simulates the symptoms of *Chelidonium* in hepatic disorders when diarrhoea is a constant factor. [Source: *The Clinique*, Vol. XX, Chicago, Jan 15, 1899. No. I.]

Cinchona: *Belladonna* is useful in Cholelithiasis, but the remedy to cure the condition permanently is *Cinchona*. Unless some symptoms call specifically for another drug, put your patient on a course of *Cinchona*. [Source: *E.A. Farrington*]

Collinsonia: It is a specific remedy for haemorrhoids. A recent case can be cured between three days and one week. The worst and most obstinate cases can be relieved and permanently benefited by *Collinsonia*. Aggravation from cold, excitement. Ameliorated by heat. Sensation of sharp sticks in rectum. Sense of constriction. [Source: *Dr. S. R. Schultz, The Homoeopathic Recorder, Volume XVI 1901*]

Cuprum: Give this remedy when the cramps are very severe and extend to the chest. Vomiting and purging, but lacking the cold sweat of *Veratrum*. [Source: *W.A. Dewey*]

Cuprum Arsenicosum: This remedy is indicated when in the course of an attack the stools become watery and serous and prostration sets in. It is particularly called for when the symptoms are intense thirst, great restlessness, violent vomiting, cramps and tendency to convulsions. In treating these cases it is well to give the little patients water as hot as can be borne, even if it is shortly afterward ejected. No food of any kind should be given until the danger symptoms are passed. [Source: *Pacific Coast Journal of Homeopathy, 1899*]

Dioscorea Villosa: Intolerable pain in acute appendicitis. Severe cutting, colicky pains, paroxysmal. Colic > walking around; pains radiate from the abdomen to the back, chest, arms < bending forward, lying. Sharp pains from liver, shoot upward to right nipple.

Dysentery Co: It is invaluable in many cases of cyclical vomiting. I found *Dysentery Co.* 30c to CM, usually the 200th potency, so useful both in attacks and between attacks that I almost came to regard it as a specific. ‘Nervous tension’, which Dr. Paterson stresses as the characteristic mental state of *Dysentery Co.*, is frequently found among these highly-strung children who get an attack on excitement. In an old paper by Dishington, *Dysentery Co.* is noted as having a clinical record in recurrent bilious vomiting. [Source: Dr. Donald Foubister]

Eupatorium Perfoliatum: For soreness in the liver region on moving or coughing, abdomen full and distended, vomiting of bile with trembling and great nausea causing great prostration. Dark brown, scanty urine depositing a whitish clay-like deposit, yellow jaundiced skin.

Gallstones: Dr. Speidel speaks of giving *Strontium Salicylate* for several weeks, followed for some time with the tincture of *Chionanthus Virg.* For the extreme spells of colic he resorted to the use of *Cuprum Arsenicosum* every half hour until relieved. The gallstones, many of large size, passed gradually into the bowels and were eliminated by regular stools. He claims that his patients under this treatment invariably make a good recovery.

Iodium: One does not often think of Iodine as a remedy for diarrhoea, yet it is indicated for purulent stools, with cutting pains in the intestines, accompanied by nausea and vomiting and sour taste in the mouth. [Source: *The Medical Visitor*, Edited by Temple S. Hoyne]

Ipecacuanha: If amoebic dysentery be treated with *Ipecac* in homoeopathic hands, liver abscesses are not to be expected; showing that the orthodox alkaloid of *Ipecac*, Emetine, is not as efficacious as our homoeopathic *Ipecac*. [Source: Dr. Petrie Hoyle]

Iris Versicolor: It has use in gastritis when there is heartburn and eructation with a feeling like sea-sickness, nausea and dull, frontal headache, with much burning along the whole alimentary tract, profuse secretions from salivary, pancreatic and intestinal glands. Violent pains in the bowels before vomiting or diarrhoea with nausea.

Kali Bichromicum: For ulceration and catarrh of the duodenum with jaundice, light stools, and dark urine.

Kali Carbonicum: In the abdomen, *Kali Carb.* has repeated attacks of colic, which suggest *Colocynthis*, the patient being doubled up with the pain. *Colocynthis* cures again and again, but the attacks recur. The patient needs *Kali Carb.* to end the trouble. [Source: Dr. J.T. Kent]

Lachesis: Almost incessant urging for stool, with practically no result. In Kent's repertory we find, Urging, but not for stool, with one drug only, LACH, in highest type.

Lithium Carbonicum: Diarrhoea after eating chocolate or drinking cocoa. [Source: Rai Bahadur Bishambar Das]

Liver Cancer: I frequently find cancer of the liver yielding to *Calcarea Arsenicosa* in every way, but with a tendency to relapse. A single dose of *Cadmium* in high potency will render the cure permanent. [Source: Dr. A.H. Grimmer]

Lycopodium: Alteration of hunger and satiety is not markedly found under any other remedy.

Magnesia Muriatica: Allen says that it has cured many cases of obstinate chronic gastralgia. Aggravation from lying on right side, milk, salt food night, noise. Amelioration from hard pressure; cool, open air. Stool dry, knotty or of little balls, sharp drawings in hepatic region.

Magnesium Phosphoricum: Hiccough is the condition which has been most frequently cured by *Magnesia Phos.* There are several cases on record where the condition had been of long standing speedily cured. With one case the hiccoughs at times occurred thirty times per minute. The patient's life had been in danger for two months. I have found no drug in my 37 years experience that will cause and cure such severe hiccoughs as *Magnesia Phos.*, except *Tabacum*. [Source: Dr. George Royal]

In colic, if *Colocynth* fails, explore *Magnesia phos.* [Source: H C Allen]

Marum Verum Teucrium: I have found this remedy one of the best for ascarides. Have cured many cases who had 'tried everything' without avail. People troubled with ascarides often have a great deal of tickling, tingling, etc., in the nose, which they are frequently rubbing. *Teucrium* is one of the best remedies for polypus of the nose; will cure it and it will never to return. [Source: E. B. Nash]

Mercurius Corrosivus: I have found it the best remedy for the most severe form of dysentery with high fever, great thirst, severe chill after drinking, stools almost bloody, with shreds of the mucous lining of the intestines, constant urging for stool and urine and terrible tenesmus.

Mucuna Urens: Experiences have taught me that this tincture is a more perfect remedy for the cure of haemorrhoids than any other remedy known. I rely upon it more faithfully than I do upon *Hamamelis*, *Aesculus* etc. I frequently use the mother tincture, one drop daily. [Source: *Dr. E.P. Anshutz*]

Natrum Mur: Remember that *Natrum Mur* likes salt, but can also have an aversion to it.

Natrum Sulph: Researchers have found that *Natrum Sulph* 200C reduced carcinogenic effects as well as liver tumour formation caused by hepatocarcinogens. It also increased in-vivo levels of glutathione. [Source: *Evid Based Complement Alternat Med* 2009, 6, 1, 65-75]

Nitric Acid: It is almost specific for diarrhoea after antibiotics, especially the mycins. [Source: *Dr. E.W. Hubbard*]

Nitric Acid and Millefolium: These occupy the first place in haemorrhages from the bowels. [Source: *W.A. Dewey*]

Nux Moschata: Faintness during or after straining to expel soft stools requires consideration of *Nux Moschata*. [Source: *Dr. William Boericke*]

Nux Vomica: *Nux* is indicated, if the haemorrhoids had been excited by the use of strong, heating beverages-wine, brandy, heating beer, and coffee; or by mental labour, deep studies, sedentary life, hard faeces, worms, and finally, by the pressure of an impregnated uterus, swelling of the abdominal organs, organic defects of the rectum, or of adjoining parts. If the patient complains of large-sized haemorrhoidal tumours, with burning, stinging pains; if they experience a sensation as if the rectum were constricted, and the passage for the transmission of faeces were too narrow, accompanied by jerking, dull stitches in the small of the back and the ischiatic bones; if the least movement of the body causes a pain in the small of the back, as from a bruise, which causes the patients to exclaim, to walk and stand bent over; if after or between the evacuations pure blood is discharged, attended with urging to stool, *Nux vomica* is the remedy. [Source: *Dr. Bernhard Baehr*]

In constipation, *Nux Vomica* is distinguished from *Opium*, *Bryonia* and *Alumina*, as these drugs have no urging at all. [Source: *W. A. Dewey*]

When the stomach is sick, it will empty its contents with no great effort ordinarily, but in *Nux*, there is retching and straining as if the action were going the wrong way, as if it would force the abdomen open; a reversed action; retches, gags, and strains and after a prolonged effort he finally empties the stomach. This symptom is a very common problem attending many acute ailments and a dose of *Nux Vomica* will pave the

way to cure. Stomach, nausea, inability to vomit: *Nux Vom.* [Source: James Tyler Kent]

Oleander: It is one of our best remedies for diarrhoea of undigested food, and the best indication for it is involuntary stool when emitting flatus. The least passage of flatus is always accompanied with stool. [Source: E.B. Nash]

Opium: We may find *Opium* indicated in that very dangerous condition, strangulation of the bowels. There are violent colicky pains and vomiting of matters having a faecal odour. *Opium*, like *Bovista* and *Arnica*, is useful for the bad effects of inhalation of charcoal vapours. The power of *Opium* to cause shrivelling of every fibre of the body suggests its use in marasmus in children. The patient is wrinkled and looks like a little dried-up old man. The characteristic *Opium* stupor is present. [Source: E.A. Farrington]

Petroleum: It is an excellent remedy in those cases where the patient experiences relief by constant eating. The pain is pressing, drawing type. Emptiness and weakness at the stomach, water-brash. [Source: H. R. Arndt]

Phosphoric Acid: It has been by some considered almost specific in the diarrhoea which precedes cholera, particularly if the evacuations are frequent, loose and slimy, or of a whitish gray colour, or if they consist of undigested substances.

Phosphorus: Homoeopathically, in all cases of suspected viral hepatitis, irrespective of type (A, B, or E) give: *Phosphorus* 6 every six hours. To this may be added *Hepatitis AB nosode* 30, every six hours. [Source: Dr. Colin Lessell]

The only remedy likely to arrest the progress of atrophy (of the liver) is, I think, *Phosphorus*. In the exhaustive provings of this drug the symptoms correspond to those cases of cirrhosis in which enlargement of the liver is followed by atrophy. [Source: H. R. Arndt]

Podophyllum: Podophyllum has cured more cases of prolapsus ani in children than all other remedies combined. I use three doses of the 30th daily. [Source: Dr. George Royal]

Raphanus: The post operative cases in which *Raphanus* is indicated are those in which there are signs suggesting intestinal obstruction, where there is a good deal of irregularly distributed abdominal distension, pockets of wind which the patient cannot move up or down. They very often complain of icy cold knees. The mental attitude is best described as a feeling that they are finished and their number is up

and almost an acceptance of this. In post operative cases of this kind, *Raphanus* is often much more useful than *Carbo Veg* or *Arsenicum*. In bad cases, it is certainly more useful than *Lycopodium*. [Source: Dr. Douglas Borland]

Rhus Tox: It is indicated in dysentery when there are tearing pains down the thighs during defecation. (*A single remedy of grade 2*) [Source: James Tyler Kent]

Robinia: Intestines distended almost to the point of rupturing with severe colic.

Ruta: Prolapse of rectum on attempting passage. Constipation from inactivity or mechanical injuries (*Arn*). Warts on palm of hand. [Source: Dr. H.C. Allen]

Sanguinaria Canadensis: *Sanguinaria Canadensis* is decidedly homoeopathic to acute gastritis. It has the terrible burning, the unquenchable thirst, the pain, the vomiting and the prostration which mark the disease. [Source: Dr. Dewey]

Secale cor: In India people generally suffer from cholera like symptom in Summer; “thin, putrid, bloody stool or involuntary stool, no sensation of passing faeces, with coldness and intolerance of being covered with great exhaustion”. *Secale Cor* 200 or higher immediately gives an response. (*Apis*, *Phosphorus* high potency – anus wide open).

Some Drainage Remedies: *Cardus Marianus*, *Chelidonium*, *Cinchona*, *Conium*, *Taraxacum* and *Solidago* are some drainage remedies for the liver.

Staphylococcinum: *Staphylococcin* is indicated in chronic dysentery. It cures this condition quickly. Here, a dose of antipsoric remedy can be given to complete the cure. One dose. [Source: Dr. Sukerkar]

Staphysagria: It is sometimes to be substituted for *Colocynthis* in the effects of violent emotion in women and children when the violent abdominal cramps fail to yield to the latter remedy. [Source: Dr. E.A. Farrington]

Sterculia: It (Kola nut) promotes appetite and digestion and lessens craving for liquor. It gives power to endure prolonged physical exertion without taking food and without feeling fatigue. 3-10 drops in water, three times a day. [Source: William Boericke]

Strophanthus: The infusion of *Strophanthus* is an excellent remedy for dipsomania. Seven drops, thrice daily, speedily produced the desired

result. No relapses or injurious after-effects have been observed. [Source: *The Medical Visitor Editor- Temple S. Hoyne, M. D., Vol. XI. 1895*]

Symphytum: The root contains a crystalline solid, that stimulates the growth of epithelium on ulcerated surfaces. It may be administered internally in the treatment of gastric and duodenal ulcers.

Tape Worms: Tape worms may frequently be destroyed by taking, when the moon is waning, two mornings successively, a dose of *Sulphur* and at the next full moon, *Mercurius*, in the same way, and eight days after, *Sulphur* again twice; repeat these remedies in the same order several times. Sometimes the tape worm is discharged after taking a few doses of *Calcarea*. [Source: *Constantine Hering*]

Teucrium: *Teucrium marum* is said to be specific against the terrible itching in the anus from thread-worm (*Ascarides*). Itching and constant irritation in the evening in bed. Crawling in rectum after stool. [Source: *C G. Raue*]

Veratrum Album: The vomiting and diarrhoea of *Veratrum* being sudden and copious, are accompanied by exhaustion, cold sweat, a pinched, shrivelled and livid aspect of the face and hands, and loss of voice; but by no great mental or sensorial disturbance, no great depression of spirits or anxiety. [Source: *Carroll Dunham*]

Veratrum Album in acute gastroenteritis such as the one ‘which sometimes afflicts world travellers’, in which we find abundant diarrhoea with profuse and sudden vomiting. The notable characteristic is that the stool does not smell bad (opposite of *Arsenicum Album*). The vomiting is followed by intense hiccoughing. [Source: *Didier Grandgeorge*]

Veratrum is an important remedy in the severest forms of bilious vomiting, attended with distressing headache, and preceded or accompanied by copious discharges of pale urine. Also when fainting is liable to occur from the violence of the attack. [Source: *The Parent's Guide: Containing The Diseases of Infancy and Childhood and Their Homoeopathic Treatment. Dr. J. Laurie*]

Veratrum album has sluggishness or apparent inactivity of the rectum and lower intestine. It is the most useful remedy in obstinate constipation when *Nux vomica* has failed to relieve, and especially in the constipation of infants. [Source: *Carroll Dunham*]

Worse by Food: If a patient is aggravated by many foods, don't repertorize each food. Rather seek rubrics related to G.I. problems and /or miasms. [Source: *Louis Dion*]

Comparisons

Acidity: *Natrum Phosphoricum*: Acidity in children fed with excess of milk and sugar. Sour vomiting. Desire: Strong tasting foods, eggs. Aversion: Bread and butter. Colic with acidity. Aggravation from fat food. Amelioration from beer.

Orexine Tannate: Hyperacidity; deficient and slow digestion.

Robinia: Ailments from fat and flatulent foods e.g., cabbage, turnip, raw fruit etc. Associated with frontal headache. Acrid, sour eructation and vomiting of sour fluid. Distension of stomach flatulent colic. Aggravation from fat, gravies, flatulent food, cabbage, raw fruit, ice cream. Amelioration by passing flatus.

Acidum Hydrocyanicum: It is indicated if the attack of cholera at once assumes the highest degree of intensity, so that but a few hours intervene between the commencement of the attack and the moment when death seems to be lurking on the threshold; *Carbo veg* may be sufficient if the failing of the strength is less rapid. [Source: *Bernhard Baehr*]

Appendicitis: *Belladonna* – Pain in ileo-caecal region. Cannot bear slightest touch; worse by jar, motion of bed or turning of body. Patient lies on back. Fever and general symptoms, such as flushed face, etc.

Rhus Tox: Hard, painful swelling of the right side of abdomen, pain worse when sitting or stretching right leg. Can't lie on left side.

Bryonia: Pain dull and throbbing or sharp and sticking, confined to a limited spot. Patient is constipated.

Lachesis: Pain and swelling in region of caecum. Pain extends from right lumbar region, through inguinal region and fore part of thigh. Patient is weak. [Source: *W. A. Dewey*]

In mild cases of appendicitis and in the early stage, *Aconite*, *Belladonna* and *Bryonia* seem to afford much relief. *Aconite*: Chill, fever and thirst, with nausea and vomiting, fear and restlessness; pulse full and rapid. Skin dry and hot. *Belladonna*: Gripping, clutching pain; cannot bear jar or noise; face fiery red; head throbbing with pain and excitement. *Bryonia* pains are sharp over the appendix; cannot move or be moved. Nausea on rising; begs to be left quiet. *Bryonia* has proven a valuable remedy in many cases. [Source: *Myron H. Adams*]

In this epidemic of appendicitis I have had my share of cases, and as yet have not had to go outside of *Echinacea*, *Belladonna*, *Merc Cor.* and

Arsenicum. I consider their importance as I have placed them. If there is any such thing as a specific (which I am sure there is not) *Echinacea* gtt. once in 30, 60, 120 minutes is a specific for appendicitis. It has proved so with me, but I have no guiding symptoms to offer. [Source: Dr. Henry G. Ide, *The American Homeopathist*]

Asiatic Cholera:

Aconitum: Twelve cases recovered under this remedy alone. When collapse comes on very rapidly, with little or no premonitory illness, and unattended by copious evacuations, *aconite* is indicated. The great rapidity of the onset calls for this drug.

Arsenicum Album: *Arsenic* is given the chief place for the treatment of cholera when the time for arresting it by *camphor* is past.

Camphora: Should be given in the first stage with the rapidly sinking strength with great coldness and anxiety before the purging and cramps set in.

Cuprum: For the cramping it is unquestionably the best remedy and, I may add, for the vomiting, also.

Phosphorus: Will be found very useful in cholera to check the drain of brownish fluid from the bowels, which sometimes continues after the other symptoms have subsided. [Source: M. W. Van Dekburo, *The Hahnemannian Monthly*-Vol. 28, 1893]

Carbolic Acid: In cholera, if *Veratrum Alb* fails, investigate *Carbolic Acid* (sensitive to odours, vomiting dark green, urine black). [Source: H C Allen]

Chronic Constipation:

Opium: Inactivity of rectum; rarely an urge to stool. 6C three times per day.

Nux Vomica: Urge to stool but inability to expel it - in patients who take large doses of aperients. 6C three times per day.

Hydrastis: Bouts of severe constipation associated with haemorrhoids which are painful and bleed. 6C three times per day. [Source: Dr. Douglas Borland]

Colic: When you have a case of colic with severe burning pains, do not fix your mind on *Arsenicum* to the exclusion of other remedies, but keep in mind *Solanum Nigrum*. The abdominal pains of this drug are very similar to *Colocynth* also – i.e., better from bending forward and from pressure. But unlike *Colocynth*, the pains extend upward toward the heart and left shoulder. *Sinapis Nigrum*, also has intense burning

in stomach with colic somewhat like *Colocynth*, with this difference, the pains come on while patient is bent forward, but are instantly relieved by sitting up straight. [Source: *The Homoeopathic Recorder Vol IX, 1894*]

Constipation:

Carlsbad: Stool passes when pressure is given either over the perineal muscles or by much abdominal pressure. (30C)

Cascara Sagrada: Chronic constipation with rheumatic troubles. Q

Paraffinum: Obstinate constipation in children (*Alumina*, *Nyctanthes*). Chronic constipation with haemorrhoids and continual urging to stool. Evacuations as hard as nuts. Fatigued trying to expel stool. (30C)

Staphysagria: Obstinate constipation. Frequent want to evacuate, with scanty evacuations. (Q- 2 or more drops twice daily).

Silicea: Constipation; use it for some time. The peculiarity of this remedy, is the ease with which evacuation is accomplished. (3x)

Vespa Crabro: Constipation during menstrual time. Mental depression. (30C) [Source: *Dr. Subrata K. Banerjee*]

Excess of Salt: For disordered stomach from salt victuals, *Carbo Vegetabilis*. Long lasting bad effects from eating too much salt, may be removed by *Arsenicum*, one dose, waiting weeks without giving any other medicine. [Source: *Constantine Hering*]

Flatulence and Distention:

Aethusa Cynapium: Head symptoms relieved by expelling flatus (sanguine) and by stool. Tense, distention and sensitive. Sensation of coldness in the abdomen. (30C)

Alfalfa: Shifting flatulent pain along colon several hours after meals. Must eat frequently, cannot wait for regular meals. (Q)

Asafoetida: Great distension, with sensation of emptiness and weakness. Expulsion of air upward; never goes downwards. Flatulence and regurgitation of liquids. Rising up feeling > by external pressure. (6C 30C)

Butyricum Acidum: Poor appetite, much gas in stomach and bowel's, cramps in pit of stomach, < at night. Stomach feels heavy and overloaded. 30C.

Cajuputum: Flatulence with colic, tympanites, nervous distension of the bowels, urine smells like cat's urine. Symptoms appear and disappear suddenly, disappear suddenly on eating. (30C)

Oleum Animale: Accumulation of flatus, with gurgling and rumbling. < after eating. (30C)

Gastritis:

Cuprum Arsenicosum: Gastro-intestinal disturbances of influenza and typhoid. (3X)

Grindelia Robusta: Gastric pains associated with splenic congestion. Cutting pain in the region of the spleen, extending to the hips. (Q, 30C)

Iris Versicolor: Nausea, vomiting or burning of tongue, throat oesophagus and if diarrhoea is present, burning of the anus. Deficient appetite. (30C)

Narcissus Poeticus: Gastroenteritis with much griping and cutting pain in bowels, tainting trembling, cold limbs, small and irregular pulse. 6C, 30C [Source: Dr. Subrata K. Banerjee]

Hepar Sulph: *Hepar Sulph* is often neglected in digestive disturbances and many cases in which we ought to give *Hepar Sulph* are given *Nux Vomica* instead. Mentally they are very alike. They are irritable, snappy, hasty in their movements, impatient and very chilly. One thing that always suggests *Hepar Sulph* is the fact that not only are the local gastric symptoms relived by food, but the patients themselves feel a hundred percent better after a meal. [Source: Dr. Douglas Borland]

Indigestion:

Abies Nigra: Dyspepsia originates from excessive intake of tea and tobacco. In dyspeptic problems of the aged. Sensation of something sticking in the oesophagus. Distressing sensation about stomach, as if everything was knotted up < after eating. (30C)

Alfalfa: Distension and rumbling sound in abdomen; bloating tendency worse after eating. Frequent passing of watery stool. (tincture)

Alnus Rubra: Indigestion occurs from intake of protein food such as fish, meat, lentils etc. (tincture)

Arundo Mauritanica: Coldness in stomach, longing for acids; sensation of something alive in abdomen. Flatulent pain at pubic region, greenish stool; diarrhoea of nursing children. (6C, 30C)

Asclepias Tuberosa: Fullness of stomach; flatulence after meals. Stool smell like rotten eggs; catarrhal dysentery, with rheumatic pains all over. (tincture)

Butyric Acid: Poor appetite. Much gas in stomach cramps below the navel region, < at night. Bowels irregular. Stool accompanied by pain and straining. (30C)

China: Slow digestion. Ill effects of tea, milk and fruits disagree; flatulence, belching of bitter fluid, gives no relief. < after eating > bending double. Pain in chest after eating; lump like feelings in chest which are upwards. (30C)

Condurango: Indigestion from imperfect secretion of gastric juice. (Q, 30C)

Cyclamen: Anorexia, distension of abdomen after eating; nausea when seeing food; ghee and bread are disagreeable; disturbed digestion and all things taste salty. < after fatty food. Desire for lemonade. (30C) [Source: Dr. Subrata K. Banerjee]

Podophyllum: It has early morning diarrhoea, hurrying the patient out of bed. Like *Sulphur*, the stools are of a changeable colour. It differs from *Sulphur* in that the diarrhoea continues through the whole day, although worse at noon. Then, too, with *Sulphur* you will almost always find the tendency to soreness and rawness of the anus. [Source: Dr. E.A. Farrington]

Pulsatilla and Ipecac: The distress in *Pulsatilla* comes on while the food is still in the stomach; with *Ipecac* it is while the stomach is empty; the tongue, too, with *Ipecac* is clean, in *Pulsatilla* coated. [Source: W.A. Dewey]

Pyrosis – Waterbrash: Eructations of an acid or tasteless watery fluid. It is often accompanied with pain, and is sometimes a symptom of organic disease of the stomach or liver, but is commonly due to chronic gastric catarrh.

Carbo Vegetabilis: Belching, simplest food disagrees, < lying down, desires to be fanned.

Lycopodium: Acid eructations, flatulence, constipation, sometimes diarrhoea, loud grumbling in abdomen.

In chronic cases, *Nux Vomica*, *Sulphuric Acid*, *Bryonia*., *Pulsatilla* or *Acetic Acid* are also recommended. [Source: E. Harris Ruddock]

Sinapis Nigra: Everyone has patients with a *Dioscorea* colic, but when there is very offensive breath, the remedy called for is '*Sinapis Nigra*'. [Source: Dr. Robert Redfield]

Dysentery:

Carbolicum Acidum: Stool, putrid smell with blood dysentery. Like scrapings of mucous membranes, great tenesmus, very offensive. Profound prostration. (30C)

Chaparro Amargoso: When action of *Mercurius Cor.* has come to a stand still and there are 3 or 4 bloody motions daily with more or less pain. Acts as a tonic and anti-periodic. (30C)

Colchicum Autumnale: Autumnal dysentery. Violent colic and tenesmus in abdomen like *Mercurius*, relief after passing of stool; distension and blood with mucus. < damp weather. Great prostration. (30C)

Cuphea Viscosissima: Acute dysentery or diarrhoea with high fever. Tenesmus with severe pain. Restlessness. (Q, 10 drops)

Emetinum: Specific for amoebiasis of remarkable value in treatment of amoebic dysentery. 6x

Kalium Nitricum: Sticky mucus with stool, frequent urging tenesmus, great thirst with cold extremities. Diarrhoea from eating veal.(30C)

Staphylococcinum: Chronic dysentery.(30C)

Sycotic-Co.(Bacillus Sycoccus): Chronic dysentery. Offensive. Urgent desire for stool on waking, excoriating. Chronic gastroenteritis. (30C)
[Source: Dr. Subrata K. Banerjea]

Stomach Complaints:

Asafoetida: Flatus all passing upward, none downward.

Antimonium Tart: Vomiting followed by coldness, prostration and drowsiness.

Crocus: Sensation as if something alive was hopping about in the stomach.

Chelidonium: All complaints lessen after dinner.

Causticum: Sensation as if lime were being slaked in stomach. [Source: E.B. Nash]

Cases

Aesculus Hippocastanum: Mrs. E., dark complexioned, married, aged fifty, itching piles, chronic; gave *Aesculus Hip.* 30 internally, and suppositories of same. June 30th, better, continued same treatment. Patient cured.

Mr. A., aged fifty-four, by trade tinner, case of acute itching haemorrhoids, cured by a few suppositories of *Aesculus Hip.*

Mrs. W., brunette, married, aged thirty-two, acute itching piles; gave *Aesculus Hip.* 30 internally and suppositories of same. Cured in four days. [Source: *The Homoeopathic Recorder, Vol. IV, 1889*]

Amygdalus Persica: I had a little patient whose principle difficulty seemed to be an inability to retain anything whatever upon her stomach. An elderly neighbour suggested an infusion of peach bark. I gave the patient a few swallows and presto, the child was cured. *Amygdalus Persica* fills the indications of *Hydrocyanic Acid*, *ingluvin*, *Ipecac* or any other anti-emetic. It will more frequently allay the vomiting of pregnancy than any remedy I have ever tried. And nearly every case of retching or vomiting (except it be reflex) will promptly yield under its use. Of course it is not a specific for all “upheavals of the inner man,” but will meet more indications than any other known remedy of its class. [Source: *Dr. E.P. Anshutz*]

Chamomilla: A male patient, age 38, diabetic with Insulin dependence, suffering from severe pain in upper abdomen on right side and moving towards the left. The patient cannot bear the pain, ultrasound report shows gallbladder inflammation, LFT reports indicated Jaundice. The pain sometimes relieved by vomiting. *Chamomilla* 200 one dose cure the pain and thereafter *Chelidonium* mother tincture for 10 days 10 drops thrice a day completely cured the case.

Chelidonium Majus: A boy was attacked with light yellow, watery, diarrhoea; in a few days ascites supervened. Complexion very pale and sallow; urine scanty, light-yellow, clear and sour; the palms of the hands looked remarkably yellow. *Chelidonium* cured him in a week. [Source: *Alfred W. Woodward*]

Gall Bladder Pain: A couple of months ago a lady phoned me that she had gall bladder pain and her family physician was insisting on cholecystectomy. She was afraid of the operation and wanted me to help her. I advised her to take *Carduus Marianus* q.i.d. and when pain subsided she should take *Berberis Vulgaris* Q, t.d.s for at least a week. It was a sort of miracle for her. Her pain vanished immediately after the first dose of *Carduus*, but she continued it for two days and then took *Berberis* as advised. [Source: *Dr. Avinash Agnihotri*]

Phosphorus: A patient had intense hiccups continuing for many days. It felt like the opening between the stomach and intestines was narrowed. *Phosphorus* was given and within ten minutes the hiccups were gone.

Nose

Sphere of action

- maxillary antrum

Aur Met, Chromic Acid, Cistus Can, Juglans Regia, Symphytum.

- nose, external

Nat Carb.

- nasopharynx

Chromic Acid, Corallium Rubrum, Hippuric Acid.

- posterior nose

Cistus Can., Wyethia.

Adenoids enlarged

Agraphis Nutans, Bacillinum, Baryta Iod, Baryta Mur, Calc. Iod, Calc. Phos, Tuberculinum.

Anosmia after head injury

Thalamus.

Boils in nostrils

Bacillinum.

Burning in nose

Ars Alb.

Cancer

- nasopharynx

Cistus Can.

- posterior nares

Chromic Acid.

Catarrh

Hedera Helix, Kali Carb., Lachesis.

- chronic

Merc Sol.

- chronic with destruction of nasal bones

Phytolacca.

- dry mucosa, with

Sticta Pul.

- general

Lithium Carb.

- mucus, thick with

Nat Carb.

- scabby, crusty, purulent- bloody

Lemna Minor.

Cold complaints

Influenzinum.

- permanent

Calc. Iod, Hepar Sulph, Hydrastis, Sulphuric Acid.

- susceptibility to

Baryta Iod, Kali Carb., Nat. Carb., Nat. Oxalaceticum.

- sensitivity to

Ubiquinone.

- with fever after colds due to cold east winds

Aconite.

Coryza fluent

Allium Cepa, Ars Alb, Limulus, Nux Vom.

Coryza with sneezing

Dryness of nasal mucosa

Epistaxis

- all types, all forms
- bright red
- chronic, clean tongue with
- congestion of blood, after
- dark
- fear
- nursing the child while, yet weaning brings no relief
- old people in
- vicariously with menstruation

Epithelioma, nose, lip

Hay fever or allergic rhinitis

- prophylaxis
- Itching nasal*
- posterior nares
 - tip of the nose, itching

Obstruction of nose

- anosmia and rhinitis
- dryness of nose
- profuse discharge
- chronic obstruction of years

Rumex, Pix Liquida, Corallium.

Ambra Grisea, Hypericum.

Abrotanum, Ambrosia, Acetic Acid, Belladonna, Camphor, Crotalus Hor, Ferr Phos, Ferr Pic, Glonoine, Hamamelis, Hydrastis, Hyoscyamus, Ipecac, Moschus, Muriatic Acid, Nat Nitricum, Pulsatilla, Thlaspi Bursa Pastoris, Urtica Urens.

Vipera.

Ferr Met.

Cina.

Melilotus.

Merc Cyanatus.

Picricum.

Vipera.

Carbo Veg., Secale Cor.

Dulcamara.

Aurum. Met.

Allium Cepa, Alphaketo-glutaricum Acid, Anthoxanthum, Arum Maculatum, Arundo, Cis-aconiticum Acid, Cumarinum, Fumaric Acid, Mixed Pollen, Naphthaline, Nux Vom, Phleum Pratense, Psorinum, Sabadilla, Succinic Acid, Wyethia.

Nervus Olfactorius Suis.

Nux Vom.

Wyethia.

Cobalt. Nit.

Medorrhinum.

Lemna Minor, Sinapis Nigra, Sticta Pul.

Arum Triphyllum, Nux Vom.

Mag Mur, Rauwolfia Serpentina, Sarsaparilla.

- due to nasal polyps

Acetic Acid, Agraphis Nutans, Baryta Oxalsuccinica, Calc. Carb., Calc. Flour, Castoreum, Elaps, Formica Rufa (local application), Hippuric Acid, Kali Mur, Kali Nit, Lemna Minor, Luffa Operculata, Reserpine, Salmonella Paratyphoid B, Sanguinaria Nit, Sticta Pul, Teucrium Marum (dry powder locally), Thuja.

- total obstruction of nose, breathes through mouth

Phytolacca.

- polypi, bleeding of nose

Phos.

- polyp, nose

Cadmium Sulph, Calc. Carb., Calc. Phos., Formica Rufa., Lemna Minor, Phos., Teucrium, Thuja.

Ozaena

Aur Met, Bacillinum, Cadmium Sulph, Calc. Fluor, Calc. Sulph., Euphorbium, Graphites, Hippozaenum, Kali Hydroiodicum, Kali Phos, Lachesis, Lemna Minor, Nitric Acid, Syphilinum, Theridion.

- syphilitic bloody discharge

Phytolacca.

Odours

- hyacinth produces nausea

Lycopodium.

- intolerance of flowers

Graphites.

- odour of herring, musk or pus at night

Agnus Castus.

- odour of pitch or Saffron

Arsenicum.

- odour of tobacco unendurable

Belladonna.

- sensitive to odour of mice

Sabadilla.

- sensitive to sour odours

Drosera.

- smell morbidly acute for unpleasant odours

Aconite.

- smells dung or burnt cinder

Anacardium, Bry, Verat.

Panting

Bryonia

Postnasal

- catarrh

Sycotic Co.

- discharge

Corallium, Kali Bich, Nat. Ars.

Rhinitis

- allergic (See Hay fever)

Arundo, Justicia Ad, Kali Bich.,
Lemna Minor, Naphthaline, Pollanin,
Psorinum, Pothos Foetidus, Silicea,
Tuberculinum, Vipera Tor.

Ambrosia Artemisia, Aralia
Racemosa, Ars Iodide, Arundo.
Boerhovia Rupens, Cortisone,
Galphimia Glauca, Hippozaenium,
Histamine, House dust, Justicia
Ado, Kali Chloricum, Kali Sulph,
Lachesis, Lemna, Nux Vomica, Puls,
Sabadilla, Sambucus N., Sanguinaria
Nit., Solidago, Thyroidinum,
Wyethia.

- allergic, sneezing, one hour
in the morning
- chronic atrophic rhinitis
- atrophic chronic
- chronic
- pollen and dust allergy
- purulent

Kali Iodatum.

Luffa Operculata.

Luffa Operculata, Lemna Minor,
Sang.

B.C.G., Hippozaenimum.

Elaps Corallinus.

Penicillin, Vaccininum.

Rhinoscleroma

Aurum Mur Nat., Aurum Nit., Hepar
Sulph, Sulph. Iod., Teucrium, Tub.

Sticta Pul.

*Root of nose, pressure in**Sensations as if*

- he had heavy spectacles on
- the nose were large
- there were a fishbone in the
nose
- tickling from a hair in left
nostril
- tickling from a hair in right
nostril
- wind gently blowing across
the nose

Cinnabaris.

Sanguinaria N.

Nitric Acid.

Kali Bi.

Hydrastis.

Spigelia.

Scabs on nose

Arum Triph., Baryta Carb., Borax,
Sanguinaria Nit, Sticta. Pul.

*Schneiderian mucous
membrane*

Lemna Minor.

Sinusitis

Cadmium Met., Calcare Hypophos.
Cupressus, Distemperinum,
Euphorbium, Kali Bi, Kali Iod,
Luffa Operculata, Mucobacter,
Mucocatarrhals, Natrum Oxalacet.,
Nat. Mur., Nux Vom, Oscillocoquinum,
Prunus Virginia, Scutellaria, Sycotic
Co., Viola Odorata.

- acute Hepar Sulph, Bell.
- acute and chronic Penicillin.
- catarrh Manganum Met.
- chronic Calc. Hypophos., Hedera Helix, Nat.
Mur., Oscillocoquinum, Scutellaria
Lat.
- deep acting remedies Hepar Sulph, Kali Bich, Luffa, Medo.,
Nat. Mur., Sanguinaria, Silicea,
Sycotic Co., Thuja, Tuberculin.
- discharges suppressed, after Thuja.
- frontal/maxillary Kali Bich., Medorrhinum, Mezereum,
Nat. Mur.
- headache desperate, with Cherry Plum.^{B.F.}
- maxillary Achyranthes Calea, Ars. Iodide, Calc.
Hypophos., Myristica Seb, Kali Bich,
Symphytum.
- polysinusitis Silicea.
- polysinusitis, chronic Influenzinum.
- purulent Luffa Operculata.

Smell, hallucination

Ars. Alb.

Smell, loss of

Lemna Minor.

Sneezing

- dust due to Brom., Lyco., Pothos Foetidus,
Pollanin.

- excessive Silicea.

- in hay fever; after sleep Lachesis.

- when he wakes up Ammonium Carb.

Snores Laurocerasus, Opium, Lac. Can.

Snuffles Iodoform, Lyco, Nux Vom, Sambucus
Nigra, Syphilinum.

Strawberry nose Aurum Met.

Ulcerated, nostril

Aurum Met.

Ulcers nasal

Hydrastis, Aur. Iod.

Yellow patch on nose

Cadmium Sulph.

Remedy Hints

Allium Cepa: Although it quickly stops the nasal catarrh, it frequently seems to drive the trouble to the chest. *Phosphorus* appears to stop this action of *Allium Cepa*. [Source: E. A. Farrington]

Aspergillus Niger: Over the years in Florida, *Aspergillus Niger* has proven to be the best remedy for sinus infection. It is a plant and vegetation borne fungus that lodges in the mucus membranes creating a bacterial infection.

Bromine: Profuse, watery, excoriating discharge with headache and downward pressure at the root of the nose; the nose is very sore and smarts inside; ulcers form and scabs and crusts are blown out.

Cell Salt Remedies: When you feel like you're coming down with a cold/flu, dissolve *Ferrum Phos*, *Natrum Sulph*, *Kali Mur*, 6X, 4 tablets each in 1 cup of hot water and sip until starting feeling better (usually 2 cups will suffice). [Source: N. Lennon, L. Rolfe]

Cinchona: *China* is indicated in nosebleeds of enervated and debilitated subjects who have frequent and long-continued attacks of hemorrhage, with marked paleness of the face, coldness of the extremities and convulsions.

Crocus: *Crocus* is indicated in nosebleed when the blood is very dark, almost black, of a thick, viscid character, and when the hemorrhage is accompanied by cold sweat on the forehead, the disposition being variable, laughing alternating with sadness.

Crotalus Horridus: Nose bleed during septic diseases (*Baptisia*) or in broken down constitutions. Blood is thin, dark and doesn't coagulate. Face flushes. Vertigo with fainting. [Source: Samuel Lilienthal]

Ferrum Picrum: It is almost a specific for nose bleed. Third trituration. [Source: John H. Clarke]

Formica Rufa: A best remedy, a sure cure in cases of nasal polypi. (30C) [Source: S K Banerjea]

Lemna Minor: It has so far given relief in my hands to cases of nasal polypi and to cases where the nostrils were plugged by swollen turbinates

and other causes in a matter far surpassing the effect I have obtained from any other remedy. In saying this I do not at all wish it to be understood that we have in it a specific for all such cases. [Source: *Dr. Robert C. Cooper, Hahnemannian Monthly 1894*]

This remedy acts especially upon the nostrils. Nasal polyps, swollen turbinates, crusts, atrophic rhinitis. Foul smell in nose, excessive catarrh, sneezing attacks. Putrid taste in mouth, sometimes loss of sense of smell. [Source: *Robin Murphy*]

Mercurius: It is a principal remedy in epidemic catarrh (influenza or grippe), when many persons are affected with it at one time, especially if there is constant sneezing; soreness of the nose with constant watery discharge, offensive smell and profuse perspiration at night. The patient does not like to be alone, and has much thirst.

Natrum Muriaticum: *Natrum Muriaticum*, was a favourite remedy of Dr. John Clarke's for colds. He states that it is infallible for a cold commencing with sneezing, followed by loss of taste and smell. Discharge is thin and watery like white of egg. [Source: *Dorothy Shepherd*]

Natrum Sulphuricum: I have known this remedy in several cases to produce violent epistaxis when wrongly given. In a recent case, a 200C produced nose bleed and purging after every dose. [Source: *M. Fayazuddin*]

Phosphorus: It is one of our best remedies for nasal polypus (*Sanguinaria*) which bleed profusely and interfere with the breathing. [Source: *George Royal*]

Pulsatilla: 'Ripe cold' in which the discharges are green and bland, not in the least excoriating; bad smell in the nose, as of old catarrh. If given in the beginning it usually spoils the case, for sneezing and excoriating discharges are not its characteristics. [Source: *E. A. Farrington*]

Sambucus Nigra: When a nursing child has blocked nose and must let go of nipple – cannot breathe. Also, child awakes suddenly nearly suffocating, sits up, turns blue, cannot exhale (*Mephitis*). Profuse sweat accompanies many affections. [Source: *Boericke*]

Sarcolactic Acid: The most violent form of influenza, especially with retching and prostration, when *Arsenicum* fails. Sore feeling all over, muscular weakness, worse from exertion. Night-time restlessness, can't get to sleep. Uncontrollable vomiting (even water). Also, weakness after influenza.

Succinum (A fossil resin): None of our remedies gives a truer picture of hay fever. I have prescribed it for cases of hay fever in the third decimal

trituration, one or two grains dissolved in twelve teaspoonfuls of distilled water, one teaspoonful every two hours, with the best results, and have cured more than thirty persons, who were formerly obliged to go to the mountains to get temporary relief. [Source: *E.P. Anshutz*]

Trillium Pendulum: A general haemorrhagic medicine. *Trillium* is an excellent remedy for bleeding from the nose which is bright red or dark and clotted. The mother tincture applied to the affected part will arrest the bleeding from nose, teeth etc. [Source: *Dr. R.B. Dishambar Das*]

Vipera Communis: This remedy is effective in chronic nose bleed even when the condition is lifelong. [Source: *Dr. M.L. Tyler*]

Comparisons

Acute Hay Fever:

Allium Cepa (30C): Late onset (especially August), acrid coryza, > open air.

Ambrosia (Q, 6C): Respiratory congestion, nose is stuffed up.

Arsenicum Iodatum (6x tablets): Acrid coryza with irritation in nose and constant desire to sneeze with physical and mental restlessness > cold bath but that <.

Arundo (Q, 6C): Internal and external itching with sneezing.

Dulcamara (30C): Sudden change of weather; watery mucus > by closing nose with handkerchief.

Lac Caninum (6C, 30C): One nostril blocked, other free. Nasal discharge: acrid. < cold air, > warmth.

Linum Usitatissimum (6C, 30C): Allergic bronchospasm with urticaria.

Phelum Pralense (6C, 30C): Outdoor activities or grass exposure causing hayfever with asthma.

Rosa Damascena (6C, 30C): Eustachian catarrh with hardness of hearing.

Sabadilla (30C): Chilly, thirstless patient with sore throat > by warm food; sneezing and fears throat disease.

Skookum Chuck (6x trit): Hayfever with dry skin and profuse coryza with sneezing.

Wyethia (30C): Itching of posterior nares; throat feels swollen; constant clearing and hemming; swallows saliva constantly < afternoon.

Nose: Psora greatly increases the sensibility of smell. Psoric patients are troubled with the odours of cooking, flowers, paints etc. Tubercular patients haemorrhage from the nose. A red nose with enlarged capillaries depends on a syctic element. The bones of the nose are never destroyed by another miasm than syphilis. [Source: Dr. Y.R. Agrawal]

Remedies for Cold:

Aconite: The main clue here is the sudden onset of symptom especially after exposure to very cold, dry windy weather.

Arsenicum: The most telling clue here is the onset of illness in the middle of the night, especially between 1- 2 a.m. The person may wake with chills, diarrhoea or vomiting at this time. She is often anxious, may fear that he/she is seriously ill and demands company. She is chilly and wants hot water. Very restless.

Belladonna: Hot and feverish with a red colour to the face. Pulsating headache.

Coccus Cacti: Mucous membranes of throat, respiratory tract and urinary organs are mostly affected by this remedy. It produces a catarrhal condition and irritation in these sites. This remedy is well indicated in violent paroxysmal cough ending in vomiting or raising much clear ropy mucus.

Nux Vomica: You know those colds where it doesn't matter how many blankets you've got around you, you still feel shivery when you move. This remedy warms you up in about 10 minutes!

Phosphorus: This type of cold can quickly go to the chest. There is a strong desire for large quantities of cold or iced drinks, and the person wants company.

Among the conditions most frequently responsible for continuance of symptoms beyond the normal limits for simple cold in the head, may be mentioned sinusitis, polyps, hyperplasias, adenoids and septal deflections. [Source: G. Harlan Wells, *Hahnemannian Monthly Jan-Dec 1917*]

Sinusitis:

Hecla Lava: Sinus after mastoid operation. 30C

Hepar Sulphuris: Nose blocked and patient feels that, he will be relieved of the suffering if secretion commence. Offensive discharge, like old cheese. 1X will often start secretions and profuse drainage in stuffy colds. < from dry cold wind > in damp weather.

Kali Iodatum: Frontal sinuses. Fullness in nose. Great relief from walking. (6C, 30C)

Kali Sulphuricum: Maxillary sinuses. *Kali Sulph* is like a *Pulsatilla* patient, weepy, irritable, upset by hot room and hot. < stooping. > in open air. Discharges thick, yellowish. Both *Kali Iod* and *Kali Sulph* are < heat and extremely irritable. 6X, 30C [Source: Dr. Subrata K. Banerjee]

Respiratory System

Sphere of action

- pneumogastric nerve

Ant Tart, Grindelia Robusta, Linaria, Lobelia.

- tonsils

Baryta Carb, Bell, Calcarea, Canth, Cham, Gran, Hep, Ign, Lach, Lyc, Merc, Nit Ac, Nux Vom, Sep, Sulph, Thuj.

Adenitis, cervical

Aquamarina, B.C.G.

Air hunger

Folliculinum, Histaminum, Medo.

Allergy, respiratory

Arundo, Cortisone, Medorrhinum, Naphthaline, Nat. Mur., Palladium, Silicea, Tuberculinum.

Asthma

Acetylcholine, Acidum Sulphurosum, Amyl Nitricum (inhalation), Ant Ars, Ant Sulph, Ant Tart, Apis Mel, Aralia Racemosa, Ars. Iodide, Ars Alb, Asclepias Tuberosa, Aspidosperma, Asthma Nosode, Astragalus Escapus, Aurum, Bacillinum, Bacillus No. 10., Bacillus No. 7, Blatta Or, Carcinisin, Cassia Sophera, Cina, Cis-Aconiticum Acid, Coenzyme A, Coxsackie Virus Nosode, Cupr Met, Cuprum Ars., Dl- Malicum Acid, Drosera, Ephedra Vulgaris, Eriodictyon, Formic Acid, Fumaric Acid, Galphimia, Glaucia Grindelia, Histaminum, Hypophysis Post, Hypothalamus, Ipecac, Juncus Effusus, Justicia, Kali. Nit., Leuticum, Lobelia Inf, Luffa Op., Medorrhinum, Mephitis, Merc. Sol., Morgan Bach., Morgan Gaertner, Morgan Pure, Mutabile, Naphthaline, Nat. Mur., Nat Oxalaceticum, Nat Sulph, Nux Vom, Passiflora incarnata, Pertussin, Phosphorus, Piscidia, Plantago Aquatica, Pothos, Proteus Bach., Psorinum, Pulmo vulpis, Pulsatilla,

- Rumex, Sambucus, Selenium, Senega, Silicea, Silphium Laciniatum, Solanum Integri, Solarium Xanthocarpum, Spongia, Sycotic Co, Streptococcin, Thalamus, Thuja, Thylophora, Tuberculin, Valeriana, Viburnum Op., Yerba Santa.
- acute attacks in Acid. Hydrocyanic, Bryonia, Ephidrine, Eriodictyon, Gelsemium, Ipecac., Justicia Adhatoda, Kali Nit., Lemna Minor, Mephitis, Naphthalin, Nux Vomica, Pulsatilla, Sumbul, Silphium, Solanium, Spongia, Sterculia.
 - acute (wet) Blatta, Iodium.
 - aged athletes, in Coca.
 - agg. cold in any form. Lyssin.
 - agg. damp and winter, snow, Sycotic Co.
 - > seaside.
 - agg. dust and smoke Blatta Ori., Ipecac, Pollanin, Pothos, Sulphurosus Acid.
 - agg. moon light Thuja.
 - agg. sitting still and lying down Ferrum Aceticum.
 - alcoholics, in Coca.
 - allergic Apis Mel., Candida Albicans, Galphinia, Luffa., Nat. Mur., Thyroidinum, Tuberculinum, Viscum Alb.
 - alternating with wandering rheumatism Tuberculinum Marmoreck.
 - alternating with skin Caladium.
 - anaesthesia following Aralia Racemosa.
 - analgesics after Salicyclic Acid.
 - bloating, epigastric, with Lac Def.
 - cardiac Adonis Vernalis, Aspidosperma, Crataegus, Grindelia Robusta, Naja, Psorinum, Strophanthus.
 - children in Ambra Grisea, Nat. Sulph.

- children in, where indicated Morgan Pure.
remedies fail
- chronic Ant Sulph Aur, Nat. Sulph., Sulphuric
Acid, Syphilinum.
- coughing, fits with Mephitis, Naphthalin, Pertussin.
- constriction of chest Veratrum Album.
- dry, spasmodic cough which Aralia.
is worse lying down at night
with tickling in throat
- dyspnoea with Baryta Oxalsuccinica, Lobelia Inflata.
- emotion causes < Sambucus Niger.
- emphysema with Cuprum Ars., Lac Def.
- endocrine imbalance, from Pituitrin.
- eructation ameliorates Carbo Veg.
- every cold attack ends in Nat. Sulph.
asthma
- feather pillow < Manganum Acet.
- flatus passing, better by Lycopodium.
- foggy weather Nat Sulph.
- frequent attacks; hot Medorrhinum.
- hay Kali Ars., Naphthalin, Psorinum.
- hereditary asthma, damp or Luffa Op., Nat. Sulph., Silicea,
rainy season < Viburnum Op.
- humid Stannum.
- humid asthma with every Nat. Sulph.
fresh cold and attack of
asthma
- husky voice, with Hippozaeninum.
- in chest Phosphorus.
- in throat Spongia.
- infants, in Naphthalinum.
- joint pains and uric acid Cassia Sophera, Viscum Album.
diathesis with
- millers asthma Moschus, Sambucus Niger.
- mountains ameliorate Syphilinum.
- night Aralia Racemosa, Sambucus Nig.
- nightly pain in urination with Solidago.
- old people Senega.

- preventive Tylophora.
- primary complex or TB after Ars. Iodide, Drosera.
- prostration, with great China Ars.
- psychogenic causes, from Thyreotropic Hormone.
- rattling in chest, stringy discharges, desire to hawk, Silphium Lacinatedum.
- and constipation
- seaside ameliorates Medorrhinum, Sycotic Co.
- sinusitis, chronic, with Taxus Baccata.
- skin complaints, with Ipecac, Morgan Bach, Nat. Sulph.
- sleeplessness accompanied by Tela Aranea.
- slightest motion on Drosera, Pulmo Vulpis.
- smokers of Naphthoquinone.
- spasmodic Hypericum, Ipecac, Nux Vomica, Syphilinum, Ver. Alb.
- spasmodic cough with Mephitis
- state of collapse in Veratrum.
- stool ameliorates Pothos.
- suppression of worries from Sulphur.
- suppression of skin symptoms after Agrimony.
- tridosha Medorrhinum, Psorinum.
- trio Sambucus, Spongia, Tuberculinum.
- when moon phase < or Thuja.
- remission of asthma
- with dyspnoea, oppression Bacillinum.
- thymus, asthma Calc. Carb.
- warm weather Syphilinum.
- Asthmatic bronchitis* Eosin, Nat Oxalaceticum, Senega.
- Breath*
- paralysis of Kali Cyanatum.
- weak, cannot take deep Kali Cyanatum.
- breath
- Bronchial catarrh* Antim Sulph Aur, Myrtus Chekans.
- with poorly detachable Ammon Iodatum.
- sputum of grey-white colour
- with viscous, ropy mucus Kali Bich.
- difficult to bring up and

may hang from the mouth in
strings

- with unpleasant sensitivity to percussion

Bronchiectasis

Antim Ars., Ars. Iod., Bacillinum,
Balsum Peru, Beryllium, Klebsiella
Pneumoniae, Kreosote, Nat
Pyruvicum, Pertussin, Phellandrium,
Psorinum, Sanguinaria Nit, Stannum,
Senega.

Bronchiolitis

Ammonium Iod, Antim Ars,
Eucalyptus.

Bronchitis

Acetum Lobelia, Ammon Brom, Antim
Tart, Asclepias Tuberosa, Bacillinum,
Calc. Iod, Cetraria Islandica, Hepatica
Triloba, Hippozaeninum, Myrtus
Chekans, Narcissus, Pix Liquida,
Silphium, Stannum Iod, Streptomycin.

- acute
- asthmatic
- bronchorrhoea with

Morgan Pure.
Ephedra Vulgaris.
Bacillus Proteus, Diphtherinum,
Hippozaeninum.

- capillary
- children, in

Tuberculinum Aviare.
Morgan Pure, Pneumococcinum,
Tuberculinum.

- chronic

Ammoniacum, Bacillinum,
Ilex Aquifolium, Tuberculinum
Residuum.

- chronic, elderly in
- chronic, influenza, after
- chronic with excessive sputum

Hippozaeninum.
Avaire, Pix Liquida.
Cortisone.

- cough, constant urge to
- damp weather
- descending
- expectoration difficult
- fibrinous bronchitis
- influenzal

Stannum Iod.
Sycotic Co.
Antim Tart, Ubiquinone.
Cantharis.
Ars. Iod, Bromium, Silphium.
Avaire, Pix Liquid.

- recurrent	Diphtherinum, Dysentery Co, V.A.B.
- repeated attacks of	B.C.G.
- winter	Sycotic Co.
<i>Broncho pneumonia</i>	Ammon Iod, Morbillinum, Pulsatilla, Tuberculinum Aviare, Tuberculinum Koch.
- breathlessness, severe with	Benzoic Acid.
- tubercular patient of, when resolution is delayed	Tuberculinum Koch.
<i>Bronchorrhoea</i>	Agrimonia Eupatoria.
<i>Catarrh of the respiratory Organs</i>	Inula Helenium, Justicia Adhatoda.
- mucosal catarrh of the	Ammon carb.
- upper tract of the	Chlorum.
<i>Chest pain</i>	
- coughing, on	Arnica, Cetraria Islandica, Justicia Adhatoda.
- dry pleuritis and dry, irritative cough, with	Tuberculinum.
- left side	Stannum.
- right side	Bryonia.
- severe	Acalypha Indica.
- shooting type	Ferr Met.
<i>Cold, ascending</i>	Sepia.
<i>Colds go to the chest</i>	Arsenicum, Antim. Tart, Bacillinum, Carbo Veg., Ipecac., Phos., Tuberculinum.
<i>Cold, every, rouses up a bronchitis</i>	Dulcamara, Manganum Aceticum.
<i>Cold, nasal discharge followed the throat symptoms-ascending cold-frequent in damp/wet weather</i>	Dulcamara.
<i>Cold, or cough-beginning</i>	Ferr. Phos.
<i>Cold, settles in chest</i>	Calc. Carb., Kali Iod.
<i>Cold, takes easily</i>	Calc. Carb., Drosera, Dulcamara, Nat. Mur, Nat. Sulph., Psorinum.
<i>Congestion of chest recurrent</i>	Morgan Pure, Pneumococcinum, Streptococcus Viridans, Tuberculinum Aviare, Tuberculinum Marmorek.

<i>Cough</i>	Belladonna, Corallium, Ficus Carica, Hydrastis, Pix Liquida, Rumex, Salicylic Acid, Spongia.
- air, change of, aggravates cough and catarrhal colds	Rumex.
- asthma with suppressed menses	Pulsatilla.
- barking	Belladonna.
- breathing and speaking, aggravated at night, where the patient cannot lie in a cold room	Sanguinaria.
- blood spitting and continuous hoarseness, with nightly cough preventing sleep	Helix Tosta.
- cardiac patients in	Laurocerasus, Naja.
- chronic	Streptomycin.
- chronic, dry	Flavus.
- cold drinks, ameliorates	Causticum.
- constant, following tickling sensation in nostrils	Sanguinaria Nit.
- croupy	Naphthaline.
- dry, in smokers	Allium Sativum.
- dry, spasmodic cough better by warm drinks	Castanea Vesca.
- exposing a part of the body, on	Hepar Sulph.
- expectoration profuse, stringy, frothy and cough aggravated by cold air	Silphium Lacinatum.
- expectoration, difficult	Ant Tart, Causticum.
- expectoration, difficult even with loose cough	Hepar Sulph.
- fungus due to	Kali Iodide.
- genitals, handling; cough during	Zincum Metallicum.
- hoarseness and voice changes, aggravated by change of weather	Solanum Xanthocarpum.

- holding head and chest with the hands during cough Bryonia.
- hysterical-continuous Corallium.
- influenza after Pix Liquida, Rumex.
- irritable, and catarrh of Drosera.
- asthmatics with intercurrent pleural irritation
- lying down agg. or at night Aralia Racemosa, Drosera.
- organic heart disease due to Laurocerasus, Naja, Spongia.
- laughing from Arg. Met.
- measles Puls., Squilla Mar.
- night while asleep, without waking, especially in children Cyclamen.
- nervous people of Corallium Rubrum.
- paroxysmal Castanea Vesica.
- paroxysmal, mostly accompanied indigestion with, better drinking water and vomiting Saussurea Lappa.
- post influenzal Cochlearia Armoracia.
- smoker's cough Quebracho.
- sneezing ends in Senega.
- scratching, rough with disorders of the gastric mucosa and the bronchi Hydrastis.
- spasmodic (like a machine gun fire) Corallium Rubrum, Drosera, Justicia Adh., Mephitis, Mullein Oil, Naphthalin, Sambucus, Sanguinaria.
- spasmodic in children Corallium Rubrum.
- tea testers of Kali Iodide.
- ticklish Ignatia.
- valvular origin of Laurocerasus, Naja, Spongia.
- when all remedies fail Pertussin.
- whooping Ambra Grisea, Atropinum Sulph, Bromium, Carbo Veg, Castanea Vesca, Drosera, Grindelia Robusta, Hippozaeninum, Histaminum, Ipecac, Kali Carb., Mag Phos, Mephitis Putorius, Naphthaline.

- whooping, with sudden flying of mucus from mouth and nose Badiaga.
- whooping cough, crying before the paroxysms Arnica M.
- Cyanosis* Naphthoquinone.
- retching in asthma with considerable convulsive signs Drosera.
- Dust, book dust and dusty things agg. cough* Bromium.
- Diphtheria* Hippozaeninum, Variolinum.
- Dyspnoea* Ephedra Vulgaris, Naja, Nat. Nit, Para-Benzochinonum.
- asthmatic Penicillin.
- bronchitis out of proportion Beryllium.
- bronchiolitis Antim Ars.
- coughing spasmodic, at night Ambra Grisea.
- heart disorders and collapse Bismuth Met.
- lying with head low impossible Spongia.
- temperature, high with Diphtherinum.
- Effusion*
- pleuritis and pericarditis with deterioration on eating and lying down Antim Ars.
- Emphysema* Ammonium Carb., Ant. Ars., Ant. Tart, Carbo Veg., Corticotropin, Ephedra Vulgaris, Grindelia Robusta, Histaminum, Ipecac, Morgan Pure, Naphthaline, Penicillin, Pertussis Nosode, Pneumococcinum, Psorinum, Quebracho, Senega, Spongia, Sulphurous Acid, Tuberculinum, Tuberculinum Residuum.
- chest tightness and laboured breathing with Cactus.
- dyspnoea or dizziness Curare.
- elderly of Naphthaline.

<i>Empyema</i>	Hepar Sulph, Merc Sol, Pyrogen., Staphylococcin.
<i>Expectorant</i>	Marrubium Album.
<i>Expectoration, offensive</i>	Phellandrium.
<i>Fibrosis of lungs</i>	Cadium Met., Penicillin.
<i>Gangrene, lungs</i>	Ars. Alb.
<i>Haemoptysis</i>	Ars. Alb., Erigeron, Millefolium, Myrtus Communis.
<i>Haemorrhage</i>	
- chest	Acalypha Indica.
- haemorrhagic inflammations of the respiratory organs	Cantharis.
- tendency to	Cactus, Ipecac, Kali Carb., Secale Cor.
<i>Hydrothorax</i>	Adonis Ver., Ars. Alb., Apis, Ars. Iod., Bryonia, Carbo Veg., Colchicum, Fluoric Acid., Kali Carb., Kali Iodide, Sulphur.
<i>Infiltration of apices of lungs, early</i>	Elaps.
<i>Influenza</i>	Camphor.
- after effects	Cadmium Met., Nat. Salic.
- bronchitis after	Aviare.
- bronchitis fully established	Ant tart.
- cases advanced, if secretions are profuse, greenish; thick with night sweats	Mercurius.
- cough ceases only after vomiting	Kali Bich.
- cough provokes spurting of urine	Causticum, Kreosotum.
- cough provokes vomiting	Drosera.
- cough provokes vomiting of food	Bryonia, Ipecac., Phosphorus.
- cough thick, nausea	Ipecac.
- cough worse after eating	Nux Vom.
- cough worse after entering house	Veratrum.
- cough worse after inspiring cold air	Rumex.

- cough, with wheezing, rattling in the trachea, catarrhal hoarseness, with dryness of the eyelids Chamomilla.
- diarrhoea with vomiting, epidemic form Arsenicum, Carbo. Veg., China, Veratrum.
- difficult expectoration Kali bich.
- dry bronchial cough Belladonna, Nux Vom.
- dry cough, with dyspnoea Belladonna.
- dyspnoea severe Ipecac., Phosphorus.
- endemic, epidemic Nat. Sulph.
- epidemic after Sarcolactic Acid.
- excessive dryness of nasal passages Sticta.
- expectoration bloody Phosphorus, Drosera.
- flowing tears corrosive, but nasal flow bland Euphrasia.
- great headache, with Belladonna, Glonoinum, Helleborus, Stram.
- greenish expectoration, night sweats Mercurius.
- haemoptysis Aconite, Belladonna, Ipecac.
- headache, with dry cough Nux.
- if weakness predominates, with periodicity Acon, Arsenicum.
- in the beginning, dry fever Aconite.
- in the beginning, the coryza being dry Nux vom, Sticta.
- inflammation, cough, with sharp pain in chest Bryonia.
- laryngeal coughing Belladonna, Causticum, Hepar, Phosphorus, Spongia.
- most simple cases will require Aconite, Bryonia, Hepar, Ipecac, Mercurius, Nux vom, Pulsatilla.
- much sneezing and nightly cough, in horizontal position Pulsatilla.
- mucous discharged is thick Bryonia, Mercurius, Pulsatilla, Sulphur.
- mucus bloody Chamomilla, Phosphorus, Puls.

- nasal secretions, corrosive Allium Cepa, Arsenicum, Gelsemium, Mercurius.
- night cough Chamomilla, Puls.
- nose dry at night, damp during day Nux Vom
- pain in left thorax Ranun. Bulb.
- pains, loins, limbs, neck Eup. Perf.
- mild dispositioned subjects Pulsatilla.
- pleuritic form of grippe Bryonia, Canth, Sulph.
- pneumonia cases Ant. Tart, Bryonia, Phosphorus.
- pneumonia is threatened Antim tart.
- red turgessent face Belladonna.
- resolution tardy Ant. Sulphuratum, Phosphorus, Strych.
- rheumatic cases Belladonna, Bryonia, Rhod., Rhus Tox, Ruta.
- routine remedy Baptisia.
- sharp frontal headache Bryonia, Nux.
- sneezing predominates Allium Cepa, Ammonium Phos, Sabina.
- snoring respiration, can't expectorate Ant tart.
- sub-orbital pain Sanguinaria, Sulphur.
- watery secretions Chamomilla, Pulsatilla, Sulphur.
- young children and nervous irritable persons Chamomilla.
- Insufficiency (respiratory) due to cardiac problem* Buthus Australis.
- Laryngo pharyngitis* Alloxan.
- Larynx* Arg. Met.
- burning, larynx Antim Sulph Aur.
- cancer Calc. Carb.
- catarrh Ammon Brom, Ammon Caust, Ammon Iod, Bryonia, Euphorbium, Guaiacum, Hyoscyamus, Phosphoric Acid.
- inflammation Adrenalin, Arum Maculatum, Belladonna, Eucalyptus, Influenzinum, Lac Can, Lachesis,

- Mezereum, Naphthaline, Paris Quad, Pyrogen, Tuberculinum, Tuberculinum Aviare, Tuberculinum Marmorek.
- inflammation, acute Arum Triphyllum, Osmium.
 - inflammation, blood-streaked expectoration, with Selenium.
 - inflammation, chronic Alumen, Arg Met, Causticum, Kali Iod, Selenium.
 - inflammation, hoarseness in evening, with Carbo Veg.
 - inflammation, hoarseness, aggravated by cold air Phosphorus.
 - scratching Allium Sativa.
 - ulceration Calc. Carb.
 - vocal cord-tumour Arg. Met., Nitric Acid, Thuja.
- Lungs*
- abscess Ars. Iodide, Carb. Animalis, Cobalt Met., Lyco.
 - affection, liver complaints with Calc. Carb., Digitalis, Lyco., Phosphorus, Sulphur.
 - cancer of Anthracinum.
 - catarrh, blood-streaked expectoration, with Senecio Aureus.
 - catarrh, lingering Kreosotum.
 - cavity, left lung Teucrium Scorodonia.
 - fibrosis, advanced lung pathologies, hemorrhages with Gallic Acid.
 - inflammation Nat. Oxalaceticum.
 - inflammation apices lungs of, influenza or measles after Tuberculinum Aviare.
 - oedema pulmonary Antim Ars.
 - oedema pulmonary, foamy expectoration and watery mucous secretions Jaborandi.
 - oedema pulmonary, incipient Carbo Veg.
 - oedema pulmonary, chronic left ventricular failure with Mustard Gas.

- oedema pulmonary, Carbo Veg.
myocardial weakness typical
dyspnoea, with
- surge of blood to the, Melilotus.
improved by haemoptysis
- Mutism* Helleborus, Veratrum Alb.
- Pleura*
- pleural exudate Ars Alb.
- pleural irritation, Drosera.
intercurrent, with deep
hoarse voice, with laryngeal
catarrh
- pleural pain Cimicifuga.
- pleural pain, influenza with Cimicifuga.
- pleurisy Bryonia, Sarcolactic Acid.
- pleurisy, dry Tuberculinum Residuum.
- pleurisy, rheumatic Arnica.
- pleuritic Anthraquinon, Ars Alb, Bryonia,
Diphtherinum, Klebsiella
Pneumoniae.
- pleuritic, exudations Sulph.
- pleuritic, fluid Kali Iodide.
- pleurodynia Arnica, Medorrhinum, Ranunculus
Bulbosus.
- Pneumoconiosis* Berylium Metallicum, Klebsiella
Pneumoniae.
- Pneumonia* Rhus Tox, Skatol, Squilla, Veratrum
Alb.
- acute Sulphur.
- chronic Nat Oxalaceticum.
- prevent to Phos.
- repeated attack Pneumococcin.
- Pneumothorax* Chlorpromazine.
- Rattles, mucosal in asthma* Carbo Veg.
- Respiration*
- asthmatic, old people in Ambra Grisea, Carbo Veg.
- chyne-strokes Cupr Aceticum, Grindelia Robusta,
Hydrocyanic Acid.
- difficult old, people in Baryta Carb., China.

- shallow Ubiquinone.
- shallow sensation of, on Grindelia.
- going to sleep
- rales, waking on Sycotic Co.
- rattling, wheezing, whistling Ars alb, Carbo Veg, China, Lycopodium.
- rattling and whistling Antim Tart.
- rattling and wheezing Cupr Met, Ipecac, Kali Sulph.
- wheezing Syphilinum.
- whistling Medorrhinum.
- Silicosis* Klebsiella Pneumoniae.
- Sore throat, in public speaker,* Phytolacca.
- with pain, burning in throat*
- Speech disorders* Bovista, Vipera Berus.
- almost complete loss of Oleander.
- speech
- speech difficult, weakness in Stannum Met
- throat from
- stammering Arg. Nit., Bovista, Dyst. Co., Pediculus, Sabadilla, Stram.
- stammering, stuttering Cannabis Sativa.
- Stridulous, inspiration* Phos.
- Suffocated, sensation with* Amyl Nitrosum.
- asthmatic breathlessness and*
- violent blushing*
- Suffocative attacks* Moschus.
- nervous nature of Lachesis.
- Tonsils appearance*
- blood oozing Crotalus horridus, Phosphorus, Terebinth.
- blue purple Lachesis.
- bluish Ammon Carb.
- casseous deposits Kali Mur.
- cheesy looking spots Belladonna, Kali Bi., Psorinum.
- copper coloured Mercurius.
- dark Phytolacca.
- dark Red Baptisia, Bryonia.
- vermillion Red Belladonna.
- white spots Muriatic Acid.

- yellow spots

Tonsillitis

Nitric Acid.

Bacillus No. 7, Bell., Baryta Carb., Baryta Iod., Bryonia, D.P.T., Calc. Iod, Dulcamara, Dysentery Co, Ferr Met, Hepar Sulph., Kali Bich, Lycopodium, Merc Bin Iodide, Merc IR, Morgan Pure, Mucor Mucedo, Myristica Seb., Psorinum, Streptococcinum, Sulphurosum Acid. (local spray)., Tuber Bov., Ustilago.

- abscess

Hepar Sulph, Merc Sol, Myristica Sebifera.

- adenoids with

Sycotic Co.

- chronic

B.C.G., Calc. Sulph, Streptococcinum, Tuberculinum, V.A.B.

- chronic, suppurative

Staphylococcinum.

- cold takes in any form

Lyssin.

- enlarged glands in neck, with

Ailanthus Glandulosa, Mer. Iodide, Phytolacca.

- follicular

Calc. Fluor, Iodium, Lycopus V., Nat Phos., Phytolacca, Thuja.

- follicular, recurrent

Penicillin.

- hypertrophy

Calc. Iod, Lymphatic Gland, Thuja.

- indurated

Calc. Carb., Calc. Fluor, Baryta Carb., Ign, Sulph.

- quinsy

Bacterium Pyocyaneus, Belladonna, Capsicum, Lachesis, Merc I-F, Merc Cor, Merc Sol, Mumps Nosode, Streptococcus Haemolyticus.

- sore, ulcerated

Phytolacca.

- suppuration lingering

Salmonella Paratyphoid B.

- suppuration, ulceration

Baryta Carb, Bell, Ign, Lach, Lyc, Merc, Nitr. Acid, Sep.

- swelling which threatens to terminate in suppuration

Aconite, Bell, Hepar, Ignatia, Lach, Merc, Nux Vom, Sulph.

- tonsillitis, recurring

Psorinum, Syco. Co., Streptococcin.

- tonsillectomy, state after

Ferr Phos.

Trachea

- inflammation Diphtherinum, Dysentery Co, Eucalyptus, Lachesis, Morgan Pure, Naphthaline, Pneumococcinum, Sanguinaria, Sycotic Co, Tuberculinum Aviare.
- tracheitis, laryngo Naphthaline, Tabacum.

Tuberculosis

- Formalin (in hot water, as vapour), Iodium, Myrtus Communis, Nat Mur, Phosphorus.
- cachexia Kreosote.
- cavitation Pyrogen.
- cavitation, visceral serum of Tuberculinum Spengler.
- enlarged glands, with Iodum.
- fibrous Tuberculinum Residuum.
- glandular Sycotic Co.
- incipient Pertussin, Serum of Spengler, Tuberculinum Marmorek.
- initial symptoms of Ferr Met.
- larynx, of the Cupr Met.
- mesenteric glands Silicea.
- pain, violent, stitches, left upper chest to back Theridion.
- primary infection Toxoplasma Gondii.
- prophylaxis Bacillinum, Tuberculinum.
- pulmonary Bacillinum, Ferr Chlor, Hippozaeninum, Malaria Off, Psorinum, Pyrogen.
- pulmonary, chronic Sulfurosum Acid.
- pulmonary, fibrosis Tuberculinum.
- pulmonary, incipient Medorrhinum.
- repeated colds of tuberculosis Solidago.
- sweat Calc. Carb.
- vocal cords, ulceration Lactic Acid. (local application).
- young persons in Myosotis Arvensis.

Uvula inflamed

Cortisone, Lyssin.

Vocal cord, nodules

Calc. Flour, Thuja.

Vocal cord, tumor

Thuja.

Vocal cords, Hoarseness, loss of voice; vocal cords growth, ulceration

Voice

- aphony Diphtherinum, Lac-Can,
Leprominium, Medorrhinum,
Oscillococcinum, Syphilinum.
- aphony, chronic Leprominium, Psorinum,
Streptoenterococcinum.
- aphony, painful Tuberculinum.
- hoarse Ammon Brom, Belladonna,
Causticum, Drosera, Ferr. Met, Mag
Phos, Merc. Iodide. Rub., Psorinum,
Syphilinum, Verbascum.
- hoarseness, acute Populus Candicans.
- hoarseness, can be due to mercury in sindoor (Red) Arnica, Merc. Sol.
- hoarseness, change of weather, singers, in Phos.
- hoarseness, continuous Helix.
- hoarseness, chronic Psorinum.
- hoarseness, loss of voice (Professionals) Arg. Met.
- hoarseness, ministers, in Collinsonia
- hoarseness, morning Causticum.
- hoarseness, public speakers, of Merc. Cy., Graphites.
- hoarseness, painless Calc. Carb., Phos.
- hoarseness, painful Bell., Phos.
- hoarseness, reading aggravates Medorrhinum.
- hoarseness, from scarring following ulceration Leprominium.
- husky Bacillus Coli., Lac-Hum.
- loss of Coca (5-6 drops every half hour two
hours before expected demand on
voice).
- nasal Phosphoric Acid.

Remedy Hints

Acalypha Indica: *Acalypha Indica* administered in the sixth decimal dilution, is specific in haemorrhage from the lungs. In three cases in which I have employed it, the patients have not spit any blood, although previously one of them never passed a day without spitting a great quantity. In one patient all homoeopathic remedies had been tried unsuccessfully, when I accidentally discovered the virtues of the *Acalypha Indica*. *Calcarea carb* is an antidote to the *Acalypha*. [Source: Dr. E.P. Anshutz]

This is a well known remedy for haemorrhages, especially for the lungs, rectum, etc. It is worthy of trial in all haemorrhages, especially those having a morning exacerbation. With the lungs, expectoration of bright red blood in the morning and dark clotted blood in the evening. [Source: William Boericke]

Aconite: Simple acute pleurisy due to exposure to cold, with the symptoms of chill, fever, stitch-like pain in the sides, dry cough, anxiety, restlessness, tossing about, and inability to lie on the right side.

Allium Cepa: It is a wonderful remedy in whooping cough, and when it is indicated the child will often have indigestion, vomiting and flatulency; will pass offensive flatus, will be doubled up with colic. [Source: James Tyler Kent]

Alumina: This has been quite extensively used for the sore throat of public speakers when there is great irritability and dryness. The sticking pains and inclination to clear the throat are marked. General relaxation of the uvula is also marked. [Source: George Royal]

Ambra Grisea: It is indicated for cough when it is followed by eructation of wind from the stomach. There are not many remedies that will cure that symptom. *Ambra Grisea* is one of the best. Another is *Sulphur* and a third is *Veratrum Album*. [Source: E.A. Farrington]

Ammoniacum Gummi: A remedy for the aged and feeble, especially in chronic bronchitis. Ill humor. Sensitive to cold. Chronic bronchial catarrh and accumulation of purulent matter with feeble expectoration. Mucus tough and hard. Coarse rattling of chest in old people (*Antim Tartaricum*) [Source: Dr. William Boericke]

Ammonium Carbonicum: It is one of the best remedies in the whole materia medica for aphonia, especially if there be present the burning rawness in the throat. [Source: E.A. Farrington]

It has a cough of elderly people, rattling, loose, yet difficult to raise anything; after much effort raises mucus, at times slightly tinged with specks of blood. Also, night cough, worse at 3 or 4 a.m. from tickling in the throat, as though there were dust in it. [Source: *H.R. Arndt*]

Ammonium Causticum: Spasm of the glottis (or paralysis), with suffocation, the patient gasps for breath.

Ammonium Muriaticum: Indicated chiefly in diseases of the respiratory organs, with much prostration. Fat, bloated persons of lax fiber and of indolent, sluggish habit. Body large and fat, but legs too thin. Dry, hacking cough, loose in the afternoon, rattling and copious raising of mucus [Source: *H. N. Guernsey*]

Antimonium Arsenicosum: The *Arsenite of Antimony* is indicated in pneumonia with loud rattling rales and a feeble heart action. It is therefore very useful with aged patients.

This remedy has been found useful in emphysema with excessive dyspnoea and cough. Worse on eating and lying down. Also, catarrhal pneumonia, pleurisy, especially of left side, with exudation, pericarditis, with effusion. Sense of weakness. Oedema of the face. 3rd trituration. [Source: *Dr. William Boericke*]

Antimonium Tartaricum: Tartar emetic is an intercurrent remedy for oedema of the lungs with rattling in the chest from accumulated mucus in cases of typhoid fever. Should paralysis of the lungs progress in spite of Tartar emetic, then *Moschus* will help, if anything can.

All pneumonic cases which have developed cough, which is constant and distressing, which is disposed to be loose with much expectoration, need *Antimonium Tartaricum*. It is even more suitably indicated if there are present long lasting dyspeptic symptoms with loss of appetite and soreness of the left hypochondrium. [Source: *Hahnemannian Monthly Vol2, Jan-Dec 1917*]

Antimonium Sulphuratum Auratum: This is a remarkable remedy for many forms of chronic nasal and bronchial catarrh. Increased secretion in nose and throat. Loss of smell. Metallic styptic taste. Winter coughs. Patient is sore all over. Tickling in larynx. [Source: *Dr. William Boericke*]

Apis Mellifica: It is indicated when there is great dyspnoea. The patient is unable to lie down, and feels as though he could not draw another breath. The urine is scanty.

Aralia Racemosa: The patient cannot lie down due to difficult breathing. Fears he will suffocate, and is obliged to sit up day and night.

The least exertion takes away the breath. Relief by bending forward, elbows on knees. The obstruction to breathing is during inspiration and the shoulders are raised in the effort to cause expansion of the chest. Expiration is comparatively free. [Source: Willard Pierce]

This is a remedy for asthmatic conditions, extreme sensitiveness to draughts. Worse after first sleep, with tickling in throat. Constriction of chest; foreign body sensation in throat. [Source: Dr. William Boericke]

Arnica Montana: If pleura-pneumonia has followed an external injury, such as a blow, or a fractured rib, or some other traumatic cause, we should choose *Arnica* in preference to *Bryonia*. [Source: Dr. Hale]

Arsenicum Album: In Pneumonia, in hepatization period, when the symptoms point to *Arsenicum*, the patient will die if *Arsenicum* is prescribed, for this remedy is not deep enough to include that infiltration. *Sulphur*, *Lycopodium*, *Phosphorus*, *Calcarea* etc. must take up the work. One of these will clear out the lungs in a few hours with disappearance of all symptoms dependent on the infiltration. [Source: Dr. J.T. Kent]

In double pneumonia, *Arsenicum* acts as a vital stimulant, warms up the patient and makes him feel he is going to get better. But mark this, in 24 hours he will die unless you follow *Arsenicum* with the proper remedy. Give him the antidote and natural follow of *Arsenicum*, which is *Sulphur* or *Phosphorus*. [Source: J.T. Kent]

The symptom by R. Gregg “Acute, sharp, fixed or darting pain in apex and through upper third of right lung,” is a gem, and has enabled me to cure a number of cases of obstinate lung troubles. [Source: E. B. Nash]

Arsenicum Iodatum: It has relieved the ‘shortness of breath’ (genuine air hunger) of patients whose lung conditions had passed beyond the curative stage. Weakness, sharp pain, itching, thirst for cold water, burning. Aggravation from cold wind, dry weather, exertion. Ameliorated by warmth. Profuse, acrid, burning corrosive discharges with profound prostrations. [Source: George Royal]

Aspidosperma: An effective remedy in many cases of asthma. It stimulates the respiratory centers and increases the oxygen in the blood. “Want of breath” during exertion is the guiding symptom.

Baryta Carbonica: No remedy is more often given with good results in cases of chronic enlargement of the tonsils than *Baryta Carb*. It may require from one to three months, possibly longer, for getting full results. A change of potency from the lower to the higher is often necessary. [Source: Myron H. Adams]

Rheumatic heart fever and tonsilitis - with this condition there has been excellent success with *Baryta Carb* 1M, 2 doses; followed with *propylaminum* 6, 12, 30.

Alone it is sufficient to abort an attack of quinsy (tonsillitis) and with an occasional dose at long intervals with high potency, to overcome the tendency thereto. Tonsils suppurate from every cold, smarting pain on swallowing, worse empty swallowing, can only swallow liquids. [Source: *E. B. Nash*]

Blatta Orientalis: It is one of the prominent remedies for certain kind of asthma. But caution is necessary. Boericke says: lower potency during an attack. After spasm, for the remaining cough, use the higher potency. Stop with improvement to prevent return of aggravation.

Especially suited to corpulent people and to malarial cases; cases worse in rainy weather. Has saved cases in which suffocation was threatened by great accumulation of mucus. In cases of bronchitis and phthisis where there is much dyspnoea. [Source: *Dr. J. H. Clarke*]

Borax: The action of *Borax* on the lungs must not be forgotten. We find it indicated when there is cough which is accompanied by sharp sticking pain, worse through the upper part of the right chest. So sharp are these pains that they make the patient catch his breath. The expectoration has a sort of musty, mouldy odour.

Bromium: We find *Bromine* useful in pneumonia, particularly when it affects the lower lobe of the right lung, hence lobar pneumonia. We often find nose-bleed as a concomitant symptom when *Bromine* is indicated in these cases. [Source: *Dr. E.A. Farrington*]

Bryonia: It follows *Aconite* well when the disease begins with a low degree of violence, and shows early signs of effusion. Stitching pains aggravated by every motion. White tongue, thirst for large quantities.

Cactus Grandiflorus: *Cactus* is the remedy in diaphragmitis when there is sharp shooting pain and a sense of constriction in the region of the attachment of the diaphragm. At times the whole body feels as if caged and each wire were being twisted tighter and tighter.

Cactus is not indicated in haemoptysis with weak, small pulse. But if heart's action is hard, tumultuous, and the pulse similar, *Cactus* will arrest it. [Source: *Dr. E.M. Hale*]

Calcarea Carbonica: Cough excited by the least current of air, even by a person passing near. [Source: *O. W. Smith, Archives Hahnemannian Monthly-1888*]

Calcareea is indicated late in phthisis when large cavities are forming. It acts particularly upon the right lung about its middle third. There will be pain in the middle of the right side of the chest; loud mucus rales are heard all over the chest, of course worse on the right side. Expectoration is purulent, yellowish-green and bloody. The patient has great repugnance to animal food, as meat, which passes undigested. Emaciation progresses, sweat increases, and the menses, if it is a female, become checked. [Source: *E. A. Farrington*]

Cantharis: It should always be remembered and studied in treating affections of the air passages when the mucus is tenacious. [Source: *H. N. Guernsey*]

Carbo Veg: It is excellent in cases of pneumonia complicated with acute bronchitis. It is principally the dry and spasmodic cough, attended with mucous rales and occurring chiefly at night, with soreness and a burning pain, that points to *Carbo Veg*. [Source: *Bernhard Baehr*]

Carbo Veg is one of the greatest medicines to be thought of in the beginning of whooping cough. It has all the gagging, vomiting and redness of the face found in whooping cough. It is one of our best medicines when the case is confusing; when the cough indicates no remedy or when it remains in a partially developed state.

Causticum: Cannot cough deep enough to start the mucus. This inability to expectorate is found in every species of cough; whooping cough, etc. The patient has a rather odd sensation, one not frequently met with, a feeling of an empty space between the brain and the cranial bones, relieved by warmth. [Source: *Dr. M.L. Tyler*]

China: Indicated when there are suffocative fits in the evening in bed the patient appears as if dying cough, with difficult expectoration of clear, tenacious mucus worse at night better every other day. [Source: *Morton M. Eaton*]

Cicuta Virosa: After swallowing a sharp piece of bone that injures the throat, the throat closes with danger of suffocation. The object may have been swallowed, but its passage triggers spasm. *Cicuta* is also useful for concussion followed by spasms, when *Arnica* doesn't help. [Source: *Alan V. Schmukler*]

Cina: In aphonia, if *Aconite*, *Phosphorous* and *Spongia* fail, explore *Cina*. [Source: *H C Allen*]

In whooping cough, after *Drosera*, consider *Cina*, if symptoms fit. [Source: *H C Allen*]

Coccus cacti: It suits almost any paroxysmal cough when the attacks are violent, but not very close together, and are attended by much redness of the face and a general sense of feeling too hot. If irritation of the kidneys, with scanty, thick heavy urine, passed pretty often also attends, it is doubly indicated and the results will be brilliant. [Source: Dr. C M Boger]

The principal use of this drug is in whooping-cough with morning aggravation. The child awakens in the morning and is immediately seized with a paroxysm of whooping-cough, ending in vomiting of clear ropy mucus, hanging in great long strings from the mouth. That is a symptom which you all should remember. *Coccus Cacti* when administered in the beginning cuts short the whole disease. [Source: E. A. Farington]

Conium: It has the nervous night cough of old people. This condition combines ‘a dry hacking cough’, ‘spurting of the urine’, and ‘sleeplessness’. The cause is a dry spot in the larynx which is aggravated at night. [Source: Dr. George Royal]

One other of the uses of *conium* should be considered, and that is its effect in relieving bronchial irritation. The cough is very persistent, frequent and tormenting. It is periodical, dry, excited by itching, grating, tickling in the throat and behind the sternum and is especially evoked by lying down, talking or laughing. [Source: E. Oilman]

Codeinum Phosphoricum: “The last remedy to use when all others fail for cough, or when you have to give your patient rest and the chance to sleep at night is *Codeinum Phosphoricum* D2-3, 15-20 drops two or three times a day. It is not recommended for children. Dry, torturous cough with cramps or titillating cough day and night, torturous cough in the last phase of tuberculosis (palliative).” “Wilhelm Eichsteller – Der praktische Homoeopath” I used this remedy in the C5 potency in a case where *Sticta* and *Drosera* failed. The patient could sleep through after he took the remedy once at night, after awaking from the cough. Certainly this is only a palliative remedy and when no other remedy really helps this one could at least help to restore the energy of the patient and keep him away from allopathic medicine.

Crotalus: *Crotalus* is the chief remedy in diphtheria when the profuse epistaxis occurs which marks many cases of a malignant type.

Croton Tiglium: It has complete loss of voice from drinking cold water when overheated. [Source: Dr. H.M. Edwards]

Diphtherinum: If your apparently well indicated remedy fails in post-diphtheritic paralysis, think of *Diphtherinum*; it has been found to work

well in many of the cases. It need not and should not be repeated too frequently. It will cure in every case that antitoxin will, but is safe and entirely free from dangerous sequelae. I have never known a second case of Diphtheria to occur in a family after it had been administered. [Source: Dr. H.C. Allen]

Eupatorium Perfoliatum: Constant coughing with no relief except getting on hands and knees, is a noteworthy symptom of *Eupatorium perfoliatum*. Tincture to 3rd. [Source: Dr. P Rajagopalarao]

Ferrum Phos: Take *Ferrum phos* at the first sign of a cold. This has worked so well for me.

Grindelia Robusta: It is a wonderful remedy by reason of its action on the pneumogastric nerves. It seems to produce a paresis of those nerves, so that when the patient drops off to sleep he stops breathing and, of course, is aroused by the desire for oxygen. You see that it is allied here to *Lachesis* and *Gelesmium*.

Hepar Sulphuricum: *Hepar sulphuris calcareum* is particularly adapted to neglected acute catarrh, and is an indispensable remedy for singers and people who have to talk a good deal. [Source: Bernhard Baehr]

In membranous as well spasmodic croup, *Hepar Sulph* is given later in the disease, when there is little or no fever, the child is weak and perspires easily and the cough is loose. Allen says, 'it should be given very cautiously even in a late stage of membranous croup as overdosing with it is apt to cause recurrence of the more acute symptoms, to lessen the secretion of mucus, rendering the cough dry and tight, and increase the difficulty in breathing.' [Source: Willard Pierce]

When the cough begins to loosen and becomes rattling, fatiguing and choking, with moist rales, *Hepar* will be the remedy. "Coughing into a choke" is a valuable indication for this remedy. It corresponds more closely to sub-acute cases. [Source: W. A. Dewey]

When pleurisy has become chronic, and the exudation has been transformed into pus, this remedy, along with *Arsenicum* and *Silicea*, is of marked value. The face assumes a yellowish-brown tint.

High Potencies: It may be well to be careful and not give *Silicea* or *Sulphur*, or *Hepar* too often, or too high, in patients that have encysted tubercle in the lungs. [Source: James Tyler Kent]

Hyoscyamus: We consider *Hyoscyamus* a valuable remedy in hypostatic pneumonia when supervening during the course of other chronic

affections. In pneumonia complicated with typhus, in the pneumonia of old people and when acute edema of the lungs sets in. A violent delirium should always direct our attention to *Hyoscyamus*. [Source: *Bernhard Baehr*]

When a cough is aggravated by lying down but is entirely relieved by sitting up, consider *Hyoscyamus*, unless another remedy is strongly indicated. [Source: *Dr. P Rajagopalarao*]

Hypericum: *Hypericum* has proved of value in spasmodic asthma associated with sensitiveness of the spine, with marked aggravation in a fog, not necessarily in damp weather. It also has a sensation, which Allen (Trans. A. I. H. '94) says no other remedy has, as if the head were becoming elongated upward or extending upward like a conical hat. [Source: *Dr. Williard Pierce*]

Ignatia: It also cures real serious affections of the throat like tonsillitis and diphtheria. In these cases the characteristic symptom, is that the pain and suffering in the throat is relieved by swallowing, or is worse between the acts of deglutition (*Capsicum*). In addition to the aggravation when not swallowing, there is sometimes aggravation when swallowing liquids and relief from swallowing solids (*Lachesis*). [Source: *E. B. Nash*]

Influenzinum: I found *Influenzinum* 30 of great use (with *Bacillinum* added) for people who were susceptible to colds, given once a fortnight and gradually spacing it out to 3 weeks or a month. I am convinced that one could minimise the frequency and the severity of colds if patients had this treatment throughout the winter months, beginning in the autumn and going through to April. (30 potency – once in a fortnight) [Source: *Dr. Quinton*]

Iodium: *Iodium* has high fever and restlessness in pneumonia like *Aconite* and there is a tendency to rapid extension of the hepatization. Dr. Kafka prescribed drop doses of *Iodium* in the 1st, 2nd or 3rd dilution every hour or so as soon as physical signs of pneumonia showed themselves, and claimed that it would arrest the process of hepatization within 24 hours. [Source: *W.A. Dewey*]

Iodium's curative action is all the more favourable the firmer the consistency of the morbid product. Hence *Iodium* is less indicated for mucous than for membranous formations. It may be employed in all stages of croup. [Source: *W A Dewey*]

Ipecacuanha: It is often our best remedy in the first stage of both asthma and whooping cough, before the stage when the mucus is present. [Source: *E.B. Nash*]

Kali Bichromate: The best remedy we have for catarrh of the pharynx, larynx, bronchi, and nose. Note the chronic nature of the condition, also the tough tenacious mucus, the ulcerations, aggravation morning and evening, and amelioration lying down and warmth.

Asthma worse at 3-4 am; relieved by raising stringy mucus; relief also from sitting up and bending forward. [Source: *W.A. Dewey*]

Kali Chloratum: *Kali Chloratum* or the chlorate of potash is useful in diphtheria when gangrenous spots appear; ulcers with foul secretions and offensive discharges. It is one of the best remedies to prevent extension to the nasal mucous membrane. [Source: *W. A. Dewey*]

Kali Sulphuricum: This remedy may resemble *Antimonium tart* or *Pulsatilla*. Rattling of mucus in the chest, shifting wandering pains, yellow discharges. Tongue coated yellow and slimy. Worse evening, in a heated room. Better from cool open air. [Source: *Robin Murphy*]

Lac Caninum: It is an important remedy in complaints following badly treated diphtheria, in paralysis and other conditions dating back to diphtheria. [Source: *Dr. J.T. Kent*]

A case of diphtheria was relieved, but not cured by other remedies. The symptom, '*Ulcers shine like silver gloss*' pointed to *Lac Caninum*. A few doses of *Lac Caninum* 30 cured. [Source: *J. A. Wakeman*]

Lachesis: Lachesis has cured far advanced and apparently hopeless cases of croup, indicated especially by aggravation after sleep, as if the child were dying; commencing paralysis of the lungs. [Source: *G. H. G. Jahr*]

Lycopodium: This is useful for clearing unresolved pneumonia.

Mephitis: *Mephitis* in a low potency tones up the nervous system and relieves the exhaustion. The main use of *Mephitis* is in whooping cough. It produces a hard cough, with well-marked laryngeal spasm and a distinct whoop. It often apparently makes the patient worse, while it really tends to shorten the course of the disease. The catarrhal symptoms are slight and the spasmodic whoop is marked. Cough < night and after lying down. There is a suffocative feeling; the child cannot exhale. [Source: *E.A. Farrington*]

Mercurius: In 2nd stage tuberculosis with ulceration and copious purulent expectoration, fever and emaciation, *Mercurius* should never be employed. [Source: *Dr. Carroll Dunham*]

It is indicated in cases when the secretion tends to become purulent right from the beginning. Frequent chilly sensations, followed by burning heat, and copious sweats, which do not relieve.

We find *Mercurius* often indicated in pneumonia. Here it requires that the right lung be affected, and that there are also icteroid symptoms. The skin is yellow. There is sharp stitching pain through the lower portion of the right lung.

Mercurius Corrosives: The throat symptoms of *Mercurius Corrosivus* are very violent. The uvula is swollen, elongated and very dark red. There is intense burning in the throat, just as intense as that of *Arsenicum album*, *Arsenicum Iodatum* or *Capsicum*. It is accompanied by violent constriction of the throat. Any attempt to swallow, be the matters swallowed solid or liquid, causes violent spasm of the throat. [Source: E. A. Farrington]

Mercurius Cyanatus: Dr. Grubenmann states that in a late epidemic (of diphtheritis), he cured with this remedy in its 15th to 80th centesimal, 50 cases, excluding all the light catarrhal forms at that time, without ever seeing the disease spreading to the larynx or showing any paralytic sequelae. It has also cured cases where the disease had already invaded the larynx. [Source: Bernhard Baehr]

Mercurius Vivus: Dr Small states that he finds no remedy acts so promptly and satisfactorily in removing a hoarse cough, with much tickling in the larynx, as *Mercurius Vivus*. It is also excellent for the cough of chronic bronchitis and consumption, with similar symptoms. [Source: Bernhard Baehr]

Myosotis: It is a remedy that deserves our notice in cases of tubercular consumption. Some of you may have seen a report I made some years ago where it cured some cases almost hopeless. [Source: A. M. Gushing, *The Medical Advance – August 1887*]

Naja: It is a great remedy in asthma, especially cardiac asthma. The breathing is so bad that he cannot lie down. [Source: Dr. J.T. Kent]

Natrum Sulphuricum: It has established a record in curing asthma. Its general symptoms are worse on change to damp weather. Moist asthma with a rattling in the chest, looseness of the bowels after each attack, attacks generally come on 4 or 5 o'clock in the morning. The patient must sit up and hold the chest with the hands during an attack. [Source: W.A. Dewey]

Oscillococcinum: Given early it is very efficacious. To cut short the manifestations of influenza, use one dose of *Oscillococcinum* 200c every 2-3 hours or repeat only if necessary. [Source: Robin Murphy]

Passiflora: *Passiflora* mother tincture is a good remedy for spasmodic asthma in allaying asthmatic paroxysms and preventing their full

development. It was Dr. E. M. Hale, in his book, *New Remedies*, who rescued the drug from oblivion.

Phosphorus: In pleurisy, when there is a sense of constriction across the chest, with a dry, tight cough, worse in the evening, accompanying the pleural inflammation. When the heart or kidneys are implicated, and empyema occurs, it is a valuable remedy.

Phytolacca: It has some reputation in secondary lesions of the nose, throat, and mucous surfaces generally. Dr. A. E. Small has reported several cases of syphilitic ulceration of the throat and fauces cured with this remedy.

Pothos Foetidus: The dried and powdered roots of *Pothos* are an excellent medicine in asthmatic cases. It alleviates the most distressing symptoms and shortens duration of paroxysms. [Source: *Dr E. P. Anshutz*]

Asthma attack triggered by dust and relieved by stool; a red, butterfly-type rash across the bridge of the nose, severe tension and bloating in the abdomen, often described as ‘hysterical tympanitis’. [Source: *Dr. David Wember*]

Psorinum: Lies on his back, arms wide apart, thrown across the bed, to relieve the breathing, in asthma, etc. Worse the nearer the arms are brought to the body. [Source: *Dr. M.L. Tyler*]

Think of this remedy in recurring attacks of quinsy where the remedies only palliate but do not cure.

Psorinum should not be used higher than the 30th in asthma. [Source: *M. Fayazuddin*]

Pulsatilla: I warn you not to use *Pulsatilla* for a loose cough unless you are sure that all the symptoms of the case call for it. It often tightens such a cough, without curing it. [Source: *E. A. Farrington*]

Ranunculous Bulbosus: It is decidedly the best remedy for intercostal rheumatism. It has sharp, stitching pains and a sore spot in the chest, and these are worse from any motion or even breathing. [Source: *E. A. Farrington*]

This remedy acts especially upon the chest walls, causing pain like pleurodynia. Hughes claims wonderful success with this remedy when the pain is so intense that the patient dare not move, and many others have verified this claim. [Source: *W. A. Dewey*]

Rhus Tox: For pneumonia caused by exposure to wet and cold, for cases of an adynamic type from the beginning, for pneumonia attended with

an eruption or for an accompanying delirium due to deterioration of the blood, *Rhus Tox*, is the first and foremost remedy.

We may give *Rhus Tox* in many affections arising from over-exertion. For example, if a musician, from prolonged performing on wind instruments suffers from pulmonary haemorrhages, *RhusTox* will be his remedy. If from violent exertion, a patient is seized with paralysis, his trouble may yield to *Rhus Tox*.

Rumex: It is a splendid remedy for violent, dry and fatiguing cough from an annoying tickling in the supra-sternal fossa. The patient wants to breathe warm air, and anything which disturbs the temperature of the respired air excites the tickling and the cough.

Sabadilla: Cough aggravated as soon as he lies down. Violent spasmodic sneezing and lachrymation on going into the open air; the throat also is affected, giving you a perfect picture of tonsillitis. The difficulty begins on the left side, and extends to the right; the pain is worse on empty swallowing. Sometimes there is a sensation as of a thread or a string in the throat, or else a sense of constriction in the throat, as if it was tied with a string. Aggravated 4 to 8 p. m.

Sabadilla one drop t.d.s. in water – the administration of the drug by olfaction several times daily in hay asthma. By this means, I have cured many severe cases. [Source: Dr. Hughes]

Salvia Officinalis: It was found that *Salvia* acts even more favourably on the tickling coughs of consumptives than *Belladonna*, *Rumex Crispus* etc., so that preparations of Morphine and Codeine could be dispensed with. *Salvia* should be used in the form of the tincture in doses of 20, 30, or 40 drops, in a tablespoonful of water. [Source: Dr. E.P. Anshutz]

Sambucus Nigra: This remedy is indicated in catarrhal affections of the air passages with suffocative attacks. There is much mucus in the bronchi, while expectoration is difficult. Spasmodic cough with paroxysms that come on about midnight, with dyspnoea.

Sanguinaria: Almost any cough with a hectic flush and dryness of the throat will yield to *Sanguinaria*. [Source: Dr. Zwingenburg, *The Hahnemannian Monthly* -Vol. 28, 1893]

Selenium: Hoarseness of singers which appears as soon as they begin to sing or after long use of the voice, with frequent necessity to clear the throat from clear starchy mucus. *Selenium* patients cannot bear nervous drain, hence aggravation after coitus, seminal emissions. [Source: Dr. P. Rajagopal Rao]

Silicea: If there is a small abscess in the lung with no tendency to heal, *Silicea* brings about repair, causes contraction of its walls.

Squilla Maritima: Violent exhausting cough with much mucus; profuse salty slimy expectoration, and involuntary spurting of urine and sneezing. Child rubs face with fist during cough (*Cauts, Puls*). Cough provoked by deep breath, cold drinks, exertion, change from warm to cold air. Icy cold hands and feet with warm body. Passes large quantities of watery urine. Worse motion. 1st-3rd potency. [Source: Dr. William Boericke]

Stannum: Great weakness in chest. So weak he cannot talk. No remedy has this symptom so strongly as *Stannum*. [Source: E.B. Nash]

Sticta Pulmonaria: It allays irritation, soothes irritable tissue, removes hyper-sensitive conditions of the respiratory mucous membrane and promotes sleep. [Source: Dr. Zwingenburg, *The Hahnemannian Monthly* -Vol. 28, 1893]

Sticta pulmonaria is a great remedy for tuberculous subjects attacked by the grip. We have no better remedy for the incessant, wearing, racking cough of this class of patients, and if we study its pathogenesis we shall find that it comprises symptoms, which could not be more characteristic of the disease in question [Source: *The Hahnemannian Monthly Volume 28, 1893*]

Stramonium: In nervous asthma, where the voice suddenly gives out and takes on a higher pitch. Great sense of suffocation with tight feeling across chest; face becomes blue. [Source: W.A. Dewey]

Sulphur: In pneumonia there comes a period when the febrile symptoms subside, the patient himself feels greatly relieved. Either there is an increase in the process of absorption, or else there is a disposition to get rid of the pneumonic infiltration by a purulent degeneration. No remedy yet proven, corresponds so well to these indications as *Sulphur*. *Sulphur* increases the process of secretion and absorption. Upon these grounds we apply *Sulphur* for the removal of pneumonic infiltration and of serous exudation of old as well of recent deposits. [Source: *Hahnemannian Monthly Volume-II Jan – Dec 1917*]

In pneumonia, when the stage of solidification is prolonged, the temperature climbs a little higher, the cough becomes a little drier, hectic flush appears on the cheek, the pulse a little more rapid and weak, the head and extremities become hot, the restlessness is increased. All this in spite of the use of the apparently indicated remedy. Unless some change takes place soon an abscess will form in the lung. Give a few doses of *Sulphur* 30th at intervals of two hours and after a few doses

resolution will take place, thereby avoiding suppuration. [Source: *George Royal*]

In tuberculosis affecting the lungs, *Sulphur* is indicated only in the beginning. I would caution you as to how you use the drug. If carelessly or wrongly given, it may precipitate this disease. You must not repeat your doses too frequently, and you must never give it unless you are certain of the remedy selection.

Sulphur like *Silicea* is a dangerous drug to give for structural disease in vital organs, especially the lungs. [Source: *J.T. Kent*]

There is a stage in the progress of diphtheria when the dangerous symptoms seem to have disappeared – the coating gone from the throat, the child cheerful and even playful, and the family rejoicing in the hope of a speedy recovery. But within twenty-four, or possibly forty-eight or more hours, a little cough is heard, and it is decided that somehow the ‘child has taken cold,’ and the doctor gives some simple remedy with the hope ‘it will soon be all right again.’ Night comes on, with the child more restless, until about midnight when the clarion notes of croup ring out, proclaiming the citadel of life again attacked. What shall be done? Is there any pain? Generally none. Is there any coating in the throat? None, but the throat is more or less dry and shiny. The little patient says it is ‘well’, though obstructed respiration with its accompanying symptoms tell a different story. ‘What thou doest do quickly,’ for already valuable time has been lost while treating the case for a simple cough. Put the little one on *Sulphur* high, and you will witness the victory of the infinitesimals. [Source: *John A. Gann, The Medical Advance – 1887*]

In a late stage of pneumonia you will often find *Sulphur* of great service. It is when resolution does not take place as it should, the lung continues dull and the cough dry. The patient begins to have fever at night, with hot hands and feet and hot head. [Source: *Williard I. Pierce*]

Suppression of Cough: Consider the use of opium and its derivatives for the suppression of coughs. If this treatment is continued for any length of time, we find the patient has become subject to a condition far more serious, for he has developed a chronic state of night cough; each time it is suppressed it is driven still deeper, and the patient soon develops fever, night sweats, and a general hectic condition. The danger of this suppression is very great, as can easily be noticed, especially in pneumonias, where the least suppression is often fatal. [Source: *Herbert A. Roberts*]

Wyethia Helenoides: It is a specific when with the usual symptoms of hay fever, there is itching of the soft palate. [Source: *Dr. E. A. Farrington*]

Zincum Valerianicum: This is a valuable remedy for globus hystericus, with breathing impeded from sensation of a plug. [Source: *Willard Pierce*]

Comparisions

Ammonium Carbonicum: Somnolence or drowsiness with rattling of large bubbles in the lungs, blue or purple hue of the lips, from lack of oxygen in the blood. Brownish colour of tongue. The nearest analogues are *Ant Tart*, *Carbo Veg*, and *Arsenicum*. Useful in poisoning by charcoal fumes, pulmonary oedema, emphysema. Also in the beginning of cerebrospinal meningitis when the patient falls into a stupid, non-reactive state, cold and cyanotic. *Ammonium Carb* will bring about reaction and you then select some more specific remedy to cure. Aversion to water (*Lyss*), can't bear to touch it. Inimical to *Lachesis*. [Source: *E. A. Farrington*]

There is no remedy as good as *Ammonium Carbonicum* for the last stage of pneumonia when resolution is taking place more rapidly than expectoration and absorption. The symptoms - puffed, besotted, hot face, coarse rattling rales, weak, feeble pulse, unconsciousness and general cyanosis. *Antim Tartaricum* for a similar condition differs only in that the face is pale and covered with cold sweat. [Source: *Bernhard Baehr*]

Aphonia:

Aconite: Acute laryngitis, with hoarseness the result of exposure to cold wind. Some fever and thirst.

Arum Triphyllum: Sore throat and hoarseness from public speaking. A sense of rawness in the mouth and throat extending to the nose and larynx, with symptoms of coryza.

Belladonna: In addition to hoarseness the whole throat feels dry and sore, with inclination to swallow, which is quite painful. After cold with throbbing headache.

Causticum: Hoarseness of public speakers and singers. Dryness, with loss of voice, cough with scanty, difficult expectoration. Pain and soreness streaks through the larynx with every cough.

Hepar Sulphur: With the hoarseness there is considerable mucus in the larynx with cough which is sometimes loose and sometimes croupy.

Dyspnea and cough on the slightest exposure to cold air, generally worse towards morning and after croup – with free perspiration.

Phosphorus: The voice is husky with sense of dryness in throat and soreness in larynx, worse in morning. Dry cough worse on using the voice, laughing or talking, or from cold air. [Source: Myron H. Adams]

Asphyxia: Put a few pellets of the specific remedy on the tongue of the patient, or administer the medicine by the rectum; not omitting the required mechanical means of cure. If the asphyxia should have been caused by a blow, fall, etc., give *Arnica*. If the patient lost much blood in consequence of the injury, give first *China* (according to Hering), and then *Arnica*. If arising from suffocation, Hering recommends; for those who tried to kill themselves by suspension, *Opium*; by drowning-*Lachesis*. For asphyxia by stroke of lightning, give *Nux Vomica*. For asphyxia of newborn infants we use - *Antimonium Tart.*, *Opium*, *China*, and *Aconite*. [Source: Dr. Samuel Lilienthal]

Asthma: Evening attacks: *Pulsatilla*. Morning attacks: *Pulsatilla* or *Arsenicum*. If the symptoms are principally in the throat: *Spongia*. If principally in the chest: *Phosphorus*. Spasmodic Asthma: *Ipecac*.

Bromium: It is a capital remedy for diphtheria and croup, especially in children having thin, white, delicate skins, and very light hair and eye-brows. When diphtheria begins in the larynx and runs up. In croup, there is loose rattling in the larynx with the breathing and coughing, but no choking in the cough, as there is in *Hepar*. [Source: H.N. Guernsey]

Gasping with spasmodic closure of glottis. Can't breathe deeply enough, must sit up in bed. Air passages 'full of smoke'. Coldness in larynx. Asthma of fair and fat children, like *Puls*, but where *Puls* fails. Asthma of sailors as soon as they go ashore. [Source: Dr. M.L. Tyler]

Bromium has cured croup after failure of *Iodium*, *Phosphorus*, *Hepar* and *Spongia*, especially in relapses after *Iodium*. [Source: Henry C. Allen]

Carbo Veg: It holds a high place in the therapeutics of the third stage of pneumonia. Great prostration accompanying the suppurative process is its chief and constant symptom. Listless, covered with cold perspiration, pulse feeble and rapid, tongue dry, no thirst and the distressing cough is without expectoration, although much rattling is heard in the chest. The distinction made between the chest symptoms of *Carbo Veg*. and *Antim Tart* is that *Carbo Vegetabilis* has very slight expectoration which affords no relief, while the *Antim Tart*. has the ability to raise sputa, and feels the better for it. [Source: H. R. Arndt]

Clergyman's Sore Throat:

Alumina: Sore throat, which is < in the evening and at night, but which is > on taking anything warm, and which is less painful in the morning. Sore throat with relaxed uvula.

Argentum Nitricum: Sensation as if a splinter were stuck in when swallowing, breathing, or moving the neck.

Ipecac: Sore throat, during deglutition, as from swelling of the pharynx.

Kali Bi.: Much tenacious mucus, sometime thick, gelatinous, hawked in morning. [Source: Clarke]

Croup: Hahnemann himself regards *Spongia* as the main remedy in croup and directs to resort now and then to an intermediate dose of *Aconite* or *Hepar*. He does not consider *Spongia* indicated until the respiration has become embarrassed and exudation has commenced. In the first night, it may not matter much which of these remedies is given in alternation with *Aconite*. It is certain that catarrhal croup will be modified by a few doses of *Aconite* within twelve hours. [Source: Bernhard Baehr]

Fear of Suffocation at Night: In *Digitalis*, when he goes to sleep, the breath seems to fade away, then he wakes with a gasp. *Lachesis*, *Phosphorus*, *Carbo Veg* and some other remedies have that; remedies that affect the cerebellum particularly. The cerebellum presides over respiration during sleep and the cerebrum presides when the patient is awake. When the patient goes to sleep, the cerebrum says to the cerebellum: 'Now you carry on this breathing awhile, I'm getting tired'. But the cerebellum is congested and not equal to the task. As soon as the cerebrum begins to rest, the cerebellum goes to sleep too, and lets the patient suffer; and in that way we get suffocation. Every time he drops off to sleep he suffocates, and hence he fears to go to sleep. [Source: James Tyler Kent]

Guaiacum: You get a sudden acute throat and think of *Belladonna* or *Aconite*, when it really needs *Guaiacum*. The patient has a congested red face with the sore throat and is depressed and indolent. Dilated pupils, thirst for cold water and a pain in the back of the neck. Some joint pain. Worse from heat motion, touch, 6 pm-4 am. [Source: Dr. Margery Blackie]

Hoarseness: *Arum Triphyllum* produces a hoarseness which is characterized by a lack of control over the vocal cords. If the speaker attempts to raise his voice, it suddenly goes off with a squeak. Most similar to this hoarseness is *Graphites*; they get hoarse and the voice cracks as soon as they begin to sing. The *Selenium*, patient gets hoarse as soon as he begins to sing. [Source: Dr. E. A. Farrington]

Hydrocyanic Acid: *Hydrocyanic Acid* and *Cina* have the symptom, “drinks roll audibly into the stomach.” *Cina* has it in whooping-cough. But when it occurs in approaching paralysis of the lungs and brain, *Hydrocyanic Acid* is the best remedy.

Hydrothorax: Effusion left behind after inflammation, if the inflammation has been recent, *Apis* 3X, 3h. If the effusion is of any standing, *Sulphur* 3, 4h. When secondary to heart disease, *Arsenicum iodatum*, 3X, gr.ii. three times a day immediately after food. Anxiety, thirst, chilliness, prostration, *Ars Alb* 3, 2h. [Source: *John H. Clarke*]

Kali Carbonicum: This remedy has proved efficacious in the stage of resolution when both *Antim Tart* and *Ipecac* had failed to relieve. It has been used mostly in children, when considerable bubbling and rattling mucous rales are heard, with inability to raise the tough phlegm; a tormenting cough, great dyspnoea preventing the child from sleeping or drinking; stitches in the chest, and puffiness and cyanosis of the hands and feet. [Source: *H. R. Arndt*]

If in pneumonia or pleuro-pneumonia your *Bryonia* has failed when you thought it indicated, and further examination reveals that the stitching pains come on independently of the respiratory movement, *Kali Carb.*, often helps, and follows well after *Bryonia*. Often, *Kali Carb.* was all the time the remedy and ought to have been given first. [Source: *E. B. Nash*]

Mercurius: *Mercurius Vivus* and *Mercurius Corrosivus* are best adapted to those incipient, incomplete, or doubtful cases of diphtheria in which the prostration is not great, the exudate small, and all the symptoms indicating a mild form of disease. The *iodides of mercury* are most applicable to those forms of diphtheria in which the lymphatic glands are early involved while other symptoms are of mild type. With the development of severe sore throat, a large amount of exudate, and marked general symptoms, I would look to *cyanide of mercury* as offering the surest, quickest, and best means of cure. [Source: *Dr. Tooker, The American Homeopathist*]

Millefolium: It is a remedy in haemorrhages from the lungs or bowels, of mechanical origin. The flow of blood is usually bright red. It is distinguished from *Aconite* by the absence of anxiety.

Nux and Zingiber: *Nux Vomica* is useful when the asthmatic attacks are brought on by gastric disturbances. Some relief by belching and the patient must loosen the clothing. *Zingiber* is also a remedy for asthma of gastric origin. The attacks come on toward morning and the patient must sit up. No anxiety.

Pulmonary Haemorrhage: *Erigeron canadense*, when the blood is expelled in the shape of dark coagula; it is likewise recommended for passive venous haemorrhage generally.

Hamamelis, recommended for passive venous haemorrhage, although it has likewise been found an efficient remedy in active arterial haemorrhage.

Senecio Aureus may be given for vicarious haemorrhage when occurring in the place of the menses.

Trillium, in tincture or infusion, is an excellent remedy for pulmonary as well as uterine haemorrhage.

Veratrum Viride may afford aid in cases of haemorrhage resulting from uncomplicated, but severe pulmonary hyperemia.

Scilla Maritima is excellent in haemorrhage from neglected catarrh; the blood bubbles up with a pricking sensation at the place whence the haemorrhage proceeds. [Source: *Bernhard Baehr*]

Secale Cor: In diphtheria, there is great aversion to being covered. Emaciation and atrophy, dry, wrinkled, withered skin. Great putridity and prostration. Haemorrhage of dark, thin, disorganized blood from mouth, nose and bowels. Wants to be fanned all the time. (*Carbo Veg*). Pulse weak and thready. Whole child smells cadaverous. Involuntary diarrhoea – dark, even black stools, tarry- intestinal oozing. Mouth and throat putrid and exudate dry and shriveled. (*Arsenicum*) Compare *Crotalus Hor* and *Arsenicum Album*; the distinction between these and *Secale* lies in the behaviour of the patient toward heat. [Source: *C.M. Boger*]

Senega: It is especially a chest medicine, a sort of cross between *Bryonia* and *Rhus Tox*. Chest, rheumatic and inflammatory pains are worse during rest, but the cough and asthmatic troubles are worse from the slightest motion. The rattling in the chest is as marked as *Antimonium Tart.*, and the mucus as gluey and stringy as *Kali Bich*. Dry cough with aphonia, worse from cold air and walking, like *Phosphorus* and *Rumex*. [Source: *James Tyler Kent*]

Sequelae of Influenza: *Sulphur* is valuable for pulmonary affections after influenza and not traceable to tubercular infiltration. If influenza left the patient with a cough and gray, sweetish-salty expectoration, wheezing and rattling in the chest, *Kali Hydriodicum* proved admirable. The spasmodic cough after influenza, tormenting the patient for hours, was almost always relieved by *Hyoscyamus* (or *Belladonna*). But if the coughing fit did not cease until a mass of frothy mucus with a yellowish

purulent nucleus had been raised, *Conium* proved the main remedy. If the cough broke out after a meal and food was vomited *Ferrum Aceticum* was found to be the specific remedy.

Syphilitic Affections: *Mercurius Iodidus* is perhaps the best form of preparation for syphilitic throat affections. In cases of ozaena, when the Schneiderian membrane is attacked, *Nitric Acid*, *Aurum* and *Mercury* are the chief homoeopathic remedies. [Source: *Syphilis – Its Pathology and Treatment*, John Deummond]

Tonsillitis: *Belladonna*, *Tartar Emetic*, and *Mercurius* are the best remedies for tonsillitis. In the mild form of tonsillitis, with redness, local heat, pain, and tenderness, *Belladonna* will be sufficient. In the more violent cases, *Tartar Emetic* and *Mercurius Vivius*, in alternation, at intervals of one hour. In strumous subjects, the *Bin Iodide Mercurius* should take the place of *Mercurius Vivius*. Any resulting abrasion and ulceration with tardy disposition to repair may safely be trusted to *Kali Bichromicum*.

In tonsillitis, *Guaicum* has the bright redness of *Belladonna*, the edema of *Apis* and the tendency to suppuration of *Baryta Carbonica*. The throat is dry, swollen and stitches shoot towards ears. 3c and 6c. [Source: *Dr. P Rajagopal Rao*]

Veratrum Viride: It suits violent cases of bronchitis from the first where there is high temperature, full, hard, rapid pulse, and great heat of the body. It differs from *Aconite* in having no anxiety and no restlessness. When the arterial turgescence is over its period of usefulness is past. [Source: *W.A. Dewey*]

Cases

Antimonium Tartaricum: Dr. R. Ludlam relates a case presenting with sudden and alarming symptoms of collapse of the air cells, following an attack of bronchitis, in a boy ten days old. After trying other remedies, *Antimonium Tart* produced almost instantaneous relief, and the child recovered. Dr. Ludlum expressed the belief that *Antimonium Tart* was practically and pathologically specific for post-natal collapse of the air-cells. [Source: *H. R. Arndt*]

Bacillinum: When I am called upon to treat a patient suffering from an obstruction of the bronchial tubes occasioned by mucus, which is frequently thick and opaque and puriform (pus-like), an obstruction extending to the delicate bronchial ramification, and causing oppression

more frequently than cough, I turn my thoughts at once to *Bacillinum*. It is a drug for old people, or, at any rate, for those whose lungs are old, for those chronically catarrhal, or whose pulmonary circulation is enfeebled without regard to the age of the subject, for those who have dyspnoea, and who cough with difficulty from inaction of the respiratory ducts, for the humid asthmatic, the bronchorrheal who feel suffocated at night and finally for those who, after taking cold, are straightway attacked with pulmonary congestion. Here, I believe, is the exact sphere of action of *Bacillinum* as a homoeopathic remedy. [Source: Dr. E.P. Anshutz]

This is a story of an eighteen year old boy who was suffering from recurrent attacks of acute bronchitis associated with suffocative cough, hot feeling and night sweats. The patient also had some wheezing which always aggravated from strong odours such as perfume and paint which is a tubercular manifestation. *Bacillinum* restored the case and stopped the recurrence. [Source: Dr. Subrata K. Banerjee]

Drosera: A cough had been running for five months and many medicines had been tried by a homoeopath with no result. The following symptoms led to the selection of *Drosera* and a cure. Expectoration of yellow mucus. Coughs occur in paroxysms, about three hours apart, lasting an hour.

Kreosotum: An old woman dying of bronchitis – breath and sputum so fearful smelling it was almost impossible to go near her bed. Two to three doses of *Kreosotum* 200 and she made a good recovery. [Source: Dr. M.L. Tyler]

Stannum: Man, 42, very thin, dark. Spitting of bright blood by thimblefuls. Occasional cough with green thick sweet sputum. Weak feeling in chest. X-ray shows active bilateral tbs., one healed cavity. Fever each night 99-100°F. Sputum positive. Marked double mitral murmur since a child. For financial and family reasons this man must work. Extra feeding, air and rest advised. *Stannum* 2c., one dose. No more blood spitting after second day for three months. Gain of over two pounds. Cough and sputum stopped. No longer feels tired. Carried for over three years on *Stannum* and *Alumen* at two to three months intervals (with one dose of *Iodum* for a cold), never stopping work except for two week's vacation yearly. No blood spitting in over a year. Holds his increased weight. Chest negative for acute findings. No fever or sputum. [Source: Dr. Hubbard]

Tarentula Cubensis: A little girl of nine years, was taken ill with tonsillitis. She had been given *Mercurius Bin Iod*, *Belladonna*, and

other homoeopathic remedies prescribed by an amateur. There was high fever, delirium, red face, and both tonsils so swollen that suffocation was feared. A few doses of *Tarentula Cubensis* dispersed the swelling and accompanying symptoms in a few hours.

Tuberculinum Aviare: Last year I had under my care, at the Hospital St. Jacques, a truly extraordinary case. It has been followed out by Dr. Jousset, by Dr. Cesar, head of the hospital laboratory, and by the house-physicians. It was that of a woman who entered the hospital suffering from influenza, and who, a few days after a slight amelioration of her symptoms, was attacked with a pulmonary congestion, clearly localized in the top of the left lung, and accompanied by all the clinical symptoms of tuberculosis- rales and moist crepitation, dullness, exaggeration of the thoracic vibration, nummular expectoration, fever, perspiration, spitting of blood-everything was there. Examination of the sputa showed distinctly the presence of Koch's bacilli. Every one at the hospital diagnosed tuberculosis, myself the first. I gave her *Avian tuberculin* and in three weeks all the symptoms had disappeared. That woman left the hospital completely cured, and a year afterwards her health was still perfect. In my opinion this patient never had consumption; she was attacked with pseudo-phymic bronchitis - a complication which is very often found with influenza, and which may very easily be mistaken for tuberculosis; and in spite of the presence in the sputa of Koch's bacillus. I would not register it as a case of tuberculosis, because, in contradistinction to that single case, I could mention twenty cases of tuberculosis whose symptoms neither *Avian Tuberculin* nor any other such drug has cured. [Source: *E P Anshutz*]

Cardiovascular System and Blood

Agranulocytosis

Anaemia

	Corticotrophin, Sulphanilamide.
	Ceonanthus Americana, China
	Ars., Ferrum Met, Ferrum Phos,
	Hypophysin Ant., Iridium, Nat Mur,
	Osteomyelosclerosis Nosode, Rubia
	Tinctoria, Spleen, Succinic Acid.,
	Sulfaguanidine, Tetracycline.
- alimentary megaloblastic	Osteomyelosclerosis Nosode.
- all types	Alfalfa.
- anaplastic	Sulfolamide.
- aplastic	Ars. Iodide, Calc. Carb., Ceonanthus
	Amer., Crotalus H., Ferr. Phos., Hirudo,
	Hypophysin Ant., Phos., Thuja, T.N.T.,
	Vandadium.
- decreased R.B.C., increased W.B.C.	Benzinum.
- dropsy with	Acetic Acid.
- grave form and jaundice	T.N.T.
- haemolytic	Cobalt Met., Crotalus Hor., Hirudo,
	T.N.T., Vanadium.
- hypochromic	Ferr. Phos., Phosphorus, T.N.T.,
	Vanadium.
- hypoglobular	Nat. Tarocholate, T.N.T., Vanadium.
- hypoplastic, anaemia	Calc. Carb., Ceonathus Amer, Ferr.
	Phos., Phosphorus, Sulphuric Acid,
	Vanadium.
- increases corpuscles	Iridium, Thuja, T.N.T., Vanadium.
- loss of vital fluids from (like leucorrhea, seminal loss, bleeding, diarrhea)	China, Phosphoric Acid.
- low, Hb, low, R.B.C.	Calc. Ars.
- malaria from	Nat Mur.
- menstrual flooding, from	Calc. Carb., Ferr. Phos., Lyssinum,
	Pulsatilla.

Arteries

- atheromatous aortitis
- fibrous obstruction

Corticotrophin.

Corticotrophin.

Arteriosclerosis

Adrenalin, Aur Iod, Baryta Carb.,
Baryta Iod, Conium, Cupr. Met,
Embryo Totalis, Fucus Vesiculosus,
Fumaricum Acidum, Plumbum Iod.,
Vanadium.

- apoplexy in youth, with
- vessels of brain, in

Aur Iod.

Bar. Carb., Bar. Mur., Conium, Hedera
Helix.

- with blood pressure

Aurum Met., Tabacum.

Athelete's heart

Arnica.

Atheroma, arteries of

Vanadium.

Blood congestion

Amyl Nitrate.

Blood count

- changes in, and spleen injury

Para-Benzochinonum.

- increases number of R.B.C.s

Nat Cacodylate.

- R.B.C. disturbance of

Succinic Acid.

- W.B.C. disturbance of

Ubiquinone.

Blood degradation

Lachesis.

Blood flow disturbances

Aesculus, Arnica, Asteria, Baryta Carb.,
Coxsackie Virus Nosode, Funiculus
Umbilicalis, Secale Cor, Tabacum.

- brain, to the

Cerebrum.

- perepheral and central, with gangrene

Nat Pyruvicum.

Blood loss

China.

Blood poisoning

Echinacea, Vincetoxicum.

Blood pressure

- high, acute
- hypertension

Aconite Nap, Glonoine.

Anacardium, Anguillare Ichthyotoxin,
Aurum Iodide, Aur Met, Conium,
Diphtherinum, Hypophysis Posterium,
Lachesis, Lyco, Morgan Pure, Nat. Mur.,
Psorinum, Rauwolfia Serp, Spartium
Scoparium, Serum Ang., Strophanthus,

- Sulphur, Syphilinum, Tabacum,
Tuberculinum Bovinum, Tuberculinum
Marmorek, Vanadium, Veratrum
Viride, Viscum Album.
- hypertension, after long fights Nat Oxalaceticum.
 - hypertension, albuminuria with Spartium Scop.
 - hypertension, cardiac hypertrophy, and Crataegus.
 - hypertension, congestion to head, flushed and hot face, threatened apoplexy and Strontium Carb.
 - hypertension, constriction in chest with Adrenalin.
 - hypertension, diabetes with Sulphur.
 - hypertension, essential Aurum Mur. Nat.
 - hypertension, excessive Toxoplasmosis Nosode.
 - hypertension, kidney diseases, with Cupr Met, Picric Acid, Plumbum Met.
 - hypertension, nephrosis and Fumaric Acid.
 - hypertension, old people in Baryta Mur.
 - hypertension, pregnancy during Plumbum Met.
 - hypertension, oliguria and oedema Digitalis.
 - hypertension, oliguria without oedema Serum Anguillaris.
 - hypertension, renal Melilotus.
 - hypertension, rapid rise of blood pressure, rapid pulse with chest tightness Adrenalinum.
 - hypertension, sleeplessness with Rauwolfia Serpentina.
 - hypertension, with severe headaches and morning sickness Fumaricum Acidum.
 - hypertension, women in Allium Sativa, Aur. Iod, Aur. Mur Nat.,
Conium, Lachesis, Rauwolfia Serp.,
Serum Ang., Spartium, Tabacum.

<i>Cardiac, uremia</i>	Serum Angularis.
<i>Cardiospasm</i>	Elaps Cor.
<i>Chest pain</i>	
- horrible, tumultuous sensation in cardiac region	Lycopus Virginicus.
- pain in the middle of the sternum, radiating	Lillium Tig.
- pain lancinating, through left lung and radiating into neck and left arm	Oxalic Acid.
- pain violent, in cardiac region extending to left axilla, left arm and fingers, numbness with	Latrodectus Mactans.
<i>Circulation</i>	
- peripheral, for regulation of the	Crataegus.
- weak	Fluoric Acid.
<i>Circulatory collapse</i>	DI-Malicum Acid.
<i>Congenital heart disease</i>	
- dry tickling cough worse sitting up, with blueness, coldness and sleepiness	Laurocerasus.
<i>Congestion, passive of, blood</i>	Ferr Met.
<i>Coronary</i>	
- blood flow, improvement of the peripheral	Crataegus.
- sclerosis	Baryta Iod, Crataegus.
- spasm, old people of, severe precordial heaviness on slight exertion	Pituitrinum.
<i>Coronary Arterial disease (CAD)</i>	Cactus, Crataegus, Lachesis, Vipera.
<i>Decompensation, cardiac</i>	Strophanthus.
<i>Dilatation, hypertrophy</i>	Calcarea Fluor., Morgan Gaertner, Plumbum Met, Thyroidinum.
- hypertension, with	Crataegus.
<i>Dropsy, cardiac</i>	Adonis Vernalis, Strophanthus.
<i>Effusion, pericardial</i>	Psorinum.

Embolism

- prophylaxis Fumaric Acid.
- risk of post-operative Ubiquinone.

Endocarditis

Adonis Vernalis, Convallaria Majalis, Diphtherinum, Phos., Staphylococcin, Spigelia, Stibium Met., Streptococcus Haemolyticus, Vipera.

- acute Spigelia.
- fibroid deposits Calc. Fluor.
- incipient, rheumatic endocarditis Nat Iod.
- pericarditis with Iberis Amara.
- rheumatism of the joints, with Kalmia Lat.

Endomyocarditis

Para-Benzochinonum.

Engorgement with blood, of the internal vessels

Belladonna.

E.S.R.

- increased in chronic processes of the mucous membranes Ubiquinone.
- raised V.A.B.

Extra-systoles

Corticotrophin, Dysentery Co, Histaminum, Thyreotropic Hormone.

Failure of heart

Carbo Veg, Convallaria Majalis, Crotallus, Naja.

- acute Antim Tart, Ars Alb, Carbo Veg, Oxalic Acid.
- manifest Crataegus.
- oedema secondary to Apis Mel.

Fatty degeneration of the heart

Arnica, Ars, Aur, Baryta Carb, Kali Carb., Phos., Phyto, Vanadium.

Fluttering sensation in cardiac region

Phos. Acid.

- on exertion Convallaria Majalis.

Fibroid deposits; endocardium

Calc. Fluor.

Haemangioma

Calc. Fluor, Syphilinum.

Haematoma

X-ray.

Haemorrhagic, diathesis

Haemorrhages

- | | |
|--|---|
| | Phosphorus. |
| | Ambra Grisea, Blumea Odorata, Cinnamonum, Crocus Sat., Ferr Sulph, Hirudo, Kreosote, Ledum, Psorinum, Secale Cor, Thlaspi Bursa Pastoris, Trillium Pendulum, Ustilago, Vipera, X-ray. |
| - atonic | Menispermum, Tilia Europaea. |
| - black | Elaps Corallinus, Secale Cor, Sulphuric Acid, Ustilago. |
| - bladder/rectum from | Cadm. Met. |
| - bleeding from internal injuries | Arnica. |
| - bowels, from | Lachesis, Leptandra, Magnifera Indica. |
| - bowels and lungs, from | Ficus Venosa. |
| - bright red blood with | Erechthites Hieracifolia. |
| - chronic sequelae of haemorrhages, operation after, with much oozing | Strontium Carb. |
| - easy | Dysentery Co. |
| - hepatic disorders, due to | Carduus Mar. |
| - oozing | Ustilago. |
| - orifices of the body, from | Vipera Berus. |
| - painless | Millefolium. (Gastric ulcer) |
| - pathological | Acalypha Indica. |
| - petechial | Ferr Met, Hirudo Medicinalis, Phosphorus, Variolinum. |
| - petechial, tendency to | Secale Cor. |
| - purpura haemorrhagica | Crotalus. Hor. (with low platelets), Hirudo Medicinalis, Kali Iod., Lachesis, Phosphorus, Sulphuric Acid, Tuberculinum. |
| - reabsorption, haemorrhage of | Arnica. |
| - red, bright | Ficus Religiosa, Millefolium, Secale Cor, Ustilago. |
| - sensitive painful feeling is present in the affected parts (uterus or lungs) | Ferr Met. |

- tendencies	Arnica, Cinnamonum, Ferr Met, Hamamelis, Millefolium, Nat Nitricum, Senecio Aureus.
- watery	Hirudo, Secale Cor.
- weakness with, severe	Kreosote.
<i>Haemorrhagic inflammations, tendency to</i>	Cantharis.
<i>Haemostatic</i>	Matico (local application).
<i>Heart affections after</i>	
- blood calcium disorders	Parathyroidinum.
- collapse states	Veratrum Alb.
- liver disorders	Psorinum.
- movement, slightest	Malandrinum.
- thyrotoxicosis	Dysentery Co, Thyroidinum.
<i>Heart, attack preventive</i>	Arnica, Crataegus.
<i>Heartbeat</i>	
- cessation, of	Iberis Amara.
- regulation, of	Stigmata Maydis.
<i>Heart, complaints with</i>	Crataegus.
<i>breathlessness</i>	
<i>Heart, conscious about</i>	Iberis.
<i>Heart, old</i>	Crataegus, Kali Phos.
<i>Heart, pain</i>	Iberis, Spigelia.
<i>Heart, trouble, due to over exertion</i>	Arnica.
<i>Heart, weakness of the children in</i>	Naja.
<i>Heart, block with slow pulse</i>	Digitalis.
<i>Heart valvular, lesions</i>	Cactus, Iberis, Spigelia.
<i>Heart valves, deposits around the valves</i>	Calc. Fluor, Crataegus.
<i>Heart valves, to absorb the vegetable growth after valvular trouble</i>	Spongia.
<i>Heart valve defect with heart murmurs</i>	Spigelia.
<i>Hodgkin's disease</i>	Syphilinum.
- history of ringworm or skin eruptions, with	Scrophularia Nodosa.

<i>Hyperlipidemia</i>	Chelidonium, Chionanthus, Glycyrrhiza Glabra, Pexid.
<i>Hypertrophy of heart from over-exertion</i>	Arnica, Brom, Calc, Caust, Kali C, Rhus t.
<i>Hypertrophy, of the heart, of boating man</i>	Arnica.
<i>I.T.P.</i>	Adrenalin, Ceanothus Amer., Hirudin, Lach, Phos., Rajania, Sulphuric Acid, Vipera.
- hemophilia	Hirudo Medicinalis.
- wounds, healing of	Vitamin C.
<i>Infarction, myocardial</i>	Ars Alb, Crategus, Histaminum, Lachesis, Parathyroidinum.
<i>Inflammation</i>	
- endocarditis	Staphylococcinum, Streptococcinum.
- myocarditis	Crataegus, Diphtherinum, Morgan Gaertner, Stibium Met, Streptococcus Haemolyticus, Toxoplasma Gondii.
- pericarditis	Adonis Vernalis, Phaseolus Nana, Senega.
- pericarditis and endocarditis	Iberis Amara.
- pericarditis, rheumatic	Psorinum, Staphylococcinum, Streptococcinum.
<i>Ischemic Heart Disease</i>	Amonium Carb., Apis, Argentum Nit., Arnica, Aurum, Chelidonium, Hepar, Kali Carb., Kalmia, Lachesis, Lithium Carb., Lycopodium, Phosphorus, Sulph, Tabacum, Theridon.
<i>Left ventricular failure, acute</i>	Aconite Ferox.
<i>Leucocytosis</i>	Baryta Carb., Baryta Iod., Picric Acid, Tuberculinum.
<i>Leucocytosis, A.L.L., A.M.L.</i>	Baryta Carb., Baryta Iodide, Benzenum.
<i>Leucopenia</i>	Chloromycetin, D.N.A., Streptococcinum, X-ray.
<i>Leukaemia</i>	Anthracinum, Baryta Iod, Benzenum, Calc. Ars, Calc. Carb., Calc. Iodide, Ceonanthus, Hirudin, Medorrhinum, Phos., Pyrogen, R.N.A., Succinic Acid, Sulfanilamide, Syphilinum, X-ray, Vincristine.

- acute lympho	Ars. Iod, Calc. Carb., Nat. Sulph, Vanadium.
- CLL	X-Ray.
- increased uric acid in blood, with	Colchicum, Thlaspi Bursa.
- lymphocytes increased, with	Pyrogen.
- increase in W.B.C., decrease of R.B.C.	Benzinum.
- leukaemia or defect in bone marrow for platelets production	Hirudin.
<i>Lymphocytes reduced</i>	Corticotrophin.
<i>Mitral prolapse</i>	Thyreoidine.
<i>Mitral regurgitations</i>	Adonis Vernalis, Apocynum, Crategus, Syphilinum, Tuberculinum.
<i>Mitral stenosis, or other valves</i>	Calc. Fluor, Crataegus, Lauro, Naja.
<i>Myocardial damage</i>	Coenzyme A, Leptospirosis Nosode, Phosphorus, Sulphur, Staphylococcus.
- pericardial damage and	Coxsackie Virus Nosode.
<i>Myocardial infarct</i>	
- acute	Histamine Hydrochloride.
- angina pectoris and	Aconite.
- collapse states in	Veratrum Alb.
- speedy recovery	Parathormone.
<i>Myocardial insufficiency</i>	Carbo Veg, Convallaria Majalis, Digitalis.
<i>Myocardial strength, to increase the</i>	Adonis Vernalis, Stigmata Maydis.
<i>Myocardial weakness</i>	Adonis Ver, Convallaria Majalis, Crategus, Influenzinum, Laurocerasus, Streptococcinum.
<i>Pain, precordial</i>	Vaccininum.
<i>Palpitations</i>	Adonis Vernalis, Ferr Met, Iberis Amara, Mygale Avicularis, Tuberculinum.
- bending chest forward	Spigelia, Kalmia.
- coffee, after	Nux. Vom.

- drinking, after	Conium, Benzoic Acid, Senec, Thuja.
- during deep inspiration	Asaf, Cactus, Kalmia, Spig.
- during digestion	Lycopodium, Morg. G., Sepia.
- faulty liver, from	Iberis Amara.
- foot sweat, after	Ars, Silicea.
- lying, rt. side	Arg. Nit.
- nervous	Electricitas.
- sighing ameliorates	Arg M.
- sudden mental exertion	Chel.
- talking, while	Naja, Puls, Plat, Rumx.
<i>Non-Hodgkins disease,</i>	Conium.
<i>glands involved</i>	
<i>Pericardial and myocardial</i>	Coxsackie Virus Nosode, Crataegus.
<i>injuries</i>	
<i>Phlebitis</i>	Lachesis, Vipera Tor.
<i>Polycythaemia</i>	Corticotrophin, Iridium, Natr. Cacodyl, Phos.
<i>Polymorphonuclear</i>	Radium Brom.
<i>neutrophils, increased</i>	
<i>Portal circulation, venous</i>	Aesculus.
<i>stasis in</i>	
<i>Potassium levels reduced</i>	Corticotrophin.
<i>Pressure sensation,</i>	Adonis Vernalis.
<i>palpitations, cardiac pain,</i>	
<i>breathlessness and</i>	
<i>anxiety at the heart</i>	
- pressure, like a weight on	Cactus.
the chest	
- pressure on chest	Ferr Met.
<i>Purpura</i>	Arnica, Ars. Alb., Ceonathus Americans (if platelets are low), Crotalus, Hamamelis (anti- haemorrhage), Mercurius, Phosphorus, Sulphuric Acid.
<i>Rheumatic Carditis</i>	Acon, Aur, Benz Ac, Bry, Cact, Caust, Cimic, Colch, Ign, Kalm, Led, Lith, Lyc, Naja, Phyt, Rhus T, Spig, Verat A.
<i>Senile heart</i>	Baryta Iod, Crataegus.

Sensations, as if, in heart

- | | |
|---|--|
| - cold | Calc, Carbo. An, Graph, Helod., Kali. Bi, Kali. M, Kali. N, Lil. T, Nat. M, Petroleum. |
| - crowded; (had not enough room) | Sulphur. |
| - falling drops in the heart, through whole heart into the chest | Thuja. |
| - heart were being crushed | Spigelia. |
| - pulsating; as if an artery were pulsating on upper surface of the heart | Cocc. Cacti. |

Stenosis, aortic

Naphthoquinone.

Strain of heart, from violent exertion

Arnica, Bromium, Causticum,
Chininum Ars, Natrum Mur, Rhus
Tox, Zincum Iodum.

Strokes adam syndrome

Reserpine.

Tachycardia

Haloperidol, Hedera Helix, Iberis
Amara, Lycopus Virginicus, Nat Iod,
Strophanthus.

- paroxysmal Kali Carb.
- supra ventricular Majeptil, Rauwolfia Serpentina.

Thalassemia

Cadmium Met.

Thalassemia major

Calc. Carb., Calc. Caust, Crot H.,
Hirudo, Phos., Syphilinum, Vanadium,
T.N.T.

Thrombo-angitis obliterans

Cresol.

Thrombocytopenia

Alfalfa, Calc. Carb., Ceanothus,
Crotalus Horridus, Ferr. Phos.,
Hirudin., Hirudo, Lachesis, Penicillin,
Phos., X-ray, Secale Cor., Strontium,
Sulphuric Acid.

- idiopathic, chronic Chlorpromazine.

Thrombocytopenic purpura

Calc. Carb., Crotalus Hor., Hirudin,
Kali Iod., Lachesis, Phos., Secale Cor.,
Sulph. Acid.

Thrombocytopenic, vascular

Alfalfa, Lachesis, Naja, Vipera T.

<i>Thrombophlebitis</i>	Aesculus, Crotalus, Hamamelis (local application), Hirudo Medicinalis, Vipera,
<i>Thrombosis</i>	Quinhydrin.
<i>Tobacco heart, palpitation</i>	Kalmia.
<i>Tropical eosinophilia</i>	Ars. Iodide, Bacillinum, Cuprum Oxyd., Sodium, Strychnin Ars.
<i>Urea, increased in blood</i>	Alfalfa, Amm. Carb., Benzoic Acid, Lyco, Thlaspi Bursa P., Vanadium.
<i>Urea, increased in blood with high B.P.</i>	Viscum Alb.
<i>Uric acid, increased</i>	Urtica Urens.
<i>Valvular disease</i>	Laurocerasus., Syphilinum, Viscum Alb.
- aortic regurgitation	Adonis Vernalis.
- murmurs loud and noisy in mitral valve disease	Galanthus Nivalis.
- regurgitation mitral and tricuspid	Psorinum.
<i>Varices</i>	Aesculus, Carduus Benedictus, Calc. Fluor, Ferr Met., Thiosinamine after Sclerotherapy.
- burning sensation	Ars. Alb., Phos.
- enlarged veins.	Calc. Fluor.
- haemorrhoids, with	Morgan Bach, Zinc. Met.
- pregnant women in	Lycopodium, Zincum Met.
<i>Vascular disease</i>	Arnica, Influenzinum, Insulin, Secale Cor.
<i>Vascular, degeneration</i>	Aurum Met.
<i>Veins distended</i>	Digitalis.
<i>Veins, whip cord</i>	Calc. Hypophos.
<i>Venous stasis</i>	Aesculus, Aristolochia Clematis, Hamamelis.
<i>W.B.C., increased</i>	Anthracinum, Baryta Iodide, Cobalt Met, Silicea.
<i>Weakness, cardiac</i>	Crotalus, Naja, Terminalia Arjuna.
- bronchiolitis, with	Antim Ars.
- cancer of the lung with progressive dyspnoea, with	Hydrochinon.
- post-infectious	Crataegus.

- tendency to

*Wolf Parkinson White
Syndrome*

Cactus.

A.C.T.H.

Remedy Hints

Aconitum Napelus: In hypertrophy of the heart, *Aconite* is indicated by numbness and tingling in the fingers. It is in uncomplicated hypertrophy of the heart only that you should give this remedy. In hypertrophy from valvular disease it may do great harm. [Source: E. A. Farrington]

Adonis Vernalis: A heart medicine, regulating pulse and increasing the power of contractions of heart, with increased urinary secretion. Valvular affections. Most valuable in cardiac dropsy. Low vitality, with weak heart and slow, weak pulse. Mitral and aortic regurgitation. Precordial pain, rheumatic endocarditis, fatty heart, marked venous engorgement, cardiac asthma. [Source: William Boericke]

Agaricus Muscarius: Dr Kafka says he has found *Agaricus* the best remedy in the gastralgic or spasmodic form of angina pectoris. He uses the 3x, two doses per day. [Source: Dr. Temple Hoyne]

Aneurysm: This disease at an early stage may be kept in check, or reduced with the use of *Calcarea Fluorica*, in alteration with *Ferrum phosphoricum*, provided that the iodide of potassium has not been taken. [Source: Boericke and W.A. Dewey]

Arnica Montana: *Arnica Montana* 200 twice a week has given good results in Angina Pectoris.

Arsenic Album: *Ars Alb* is a dangerous in irritable heart, especially if organic, as it is apt to cause parenchymatous nephritis. [Source: J T Kent]

Arsenicum Iodatum: In cases of weekend heart when associated with chronic lung conditions, explore *Arsenicum Iodatum*. [Source: Dr. J. H. Clarke]

Asafoetida: Heart overfilling – aching pain in region of the heart as if from overfilling. [Source: Dr. Prakash Vakil]

Aurum Metallicum: *Aurum* is a valuable remedy when the compensation of a hypertrophied heart begins to break, causing the wandering pains, the irregular pulse, the palpitation, the feeling as if the heart would stop beating and the mental symptoms. [Source: Dr. George Royal]

Aurum produces a pressure on sternum as from a heavy weight. [Source: W.A. Dewey]

Baryta Muriatica: Arteriosclerosis where a high systolic pressure with a comparatively low diastolic tension is attended by cerebral and cardiac symptoms. Narrowing of the cardiac orifice with pain right after eating. Multiple sclerosis of brain and cord. Lassitude in the morning. It has induration and narrowing of the cardiac orifice. Much pain immediately after eating and epigastric tenderness, which has been repeatedly verified. Also used in aneurism and in chronic hypertrophy of the tonsils. Multiple sclerosis of brain and cord. Voluntary muscular power gone, but perfectly sensible. Useful in organic lesions of the aged and dwarfish, both mentally and physically. [Source: *William Boericke*]

Weigelf in Schmiedeberg recommends *Baryta Mur* 30 as the best remedy in the angina which is very considerable in Variola vera and in varioloid, to be used at intervals of six, eight and twelve hours. [Source: *The Homoeopathic Recorder, Vol. IX, 1894*]

Baryta Muriatica is almost a specific for aneurysm of the aorta – thoracic or abdominal. [Source: *Dr. Roger Morrison*]

Bryonia Alba: *Bryonia*, is, next to *Aconite*, the most useful remedy in pericarditis. No remedy so closely resembles in every particular the rheumatic diathesis. It has a specific affinity for serous membranes, causes acid condition of the blood, causes all the pains so characteristic of rheumatic fever, and the products of the rheumatic inflammation (serous and plastic effusions). [Source: *H. R. Arndt*]

Cactus: Any haemorrhage seeming to be in sympathy with heart trouble, think of *Cactus*. [Source: *Dr. E.B. Nash*]

Calcarea Fluoricum: *Calc Fluor* removes fibroid deposits about the endocardium and restores normal structure. [Source: *William Boericke*]

Carbo Veg: In acute heart failure, if one finds a patient who has responded up to a point on *Carbo Veg.*, it does not follow, as a rule, that a higher potency of *Carbo Veg.* will carry on the good work. It is better to hunt around for a fresh drug to keep up the reaction.

Cimicifuga Racemosa: Angina pectoris; functional irregularities of the heart from a reflex nerve disturbance. Numbness of left arm, heart's action ceases suddenly, impending suffocation. [Source: *J.N. Singhal*]

It has angina pain radiating all over the chest and a sensation as if the left arm were bound to the side. The patient may become unconscious, the heart's action suddenly ceases, there is a sense of impending suffocation, and the pulse is weak and feeble.

Convallaria Majalis: It is a valuable remedy for weak heart, with irregularity and with or without valvular lesions. There is will be great

dyspnoea worse lying down, scanty urine, and dropsy. It is useful for dilation of the heart due to emphysema or kidney disease. [Source: Willard Pierce]

Crataegus Oxyacantha: *Crataegus* is the nearest approach to a positive heart tonic I know of. Hypertrophy with failing power, dilatation, alcoholic heart, all have been relieved by *Crataegus*. Heart failure and valvular disease, angina pectoris, cardiac dropsy. Pulse strong and forcible. Irritable, cross, melancholy. Aggravation from exertion, rush of blood to head with confused feeling. Dyspepsia and nervous prostration with heart failure. Tincture in 5 drop doses 4- 5 times daily. Also, 3x every 3-4 hours for several weeks. [Source: Dr. J.H. Clarke]

It acts as a restorative tonic, produces a quieting and strengthening influence, and imparts tone and force to the cardiac contractions. It is solvent and absorptive to the disease accumulations, and tonic and stimulative to its nutritive nerve supply. Failing compensation with dilatation of the heart. Fatty hearts where it frequently gives relief when *Digitalis* has failed. Cardiac hypertrophy, in failing or broken compensation, and threatened heart failure during acute diseases. [Source: Dr. A.L. Blackwood]

Apprehension, despondency, extreme dyspnoea on least exertion. Heart usually more or less dilated, first sound absent or weak. Pulse rate very much accelerated, irregular, intermittent. Mitral regurgitant murmur. Oedema of hands and feet, with great weakness. Worse from exercise, in a warm room and from mental exertion. Better from fresh air, quiet, and rest, mental and physical. Tincture, 5-20 drops 3-4 times a day. [Source: Dr. W. E. Reilly]

Digitalis: In organic diseases of the heart, *digitalis* must be used with extreme caution, because it may hasten the period when nature is no longer able to compensate by hypertrophy of the heart muscle, for the interference in the circulation. [Source: E. A. Farrington]

No remedy corresponds by its physiological symptoms more fully than *Digitalis* with the group of pathological phenomena evolved by disease of the mitral valves. [Source: Bernhard Baehr]

High Potency: In bad hearts, high potency may give a bad reaction. It may be necessary to use the tincture. [Source: Dr. Arthur Grimmer]

Hypertension: *Natrum Mur* 6X four times a day and *Equisetum* mother tincture—five drops in water, three times a day. Don't combine with blood pressure drugs, you could cause electrolyte imbalances. [Source: Robin Murphy]

Iberis Amara: *Iberis Amara*, for cardiac debility after influenza, from mother tincture to 1c. Pulse full, irregular, intermittent. Conscious of heart's action. Irritable, frightened. [Source: K.N. Mathur]

Violent palpitation induced by slightest exertion; laughing or coughing. Darting pain through heart. Wakes with palpitation 2 a.m. Worse by least motion or warm room. Fullness and heat in head and neck, vertigo, nausea. Cold hands and feet. [Source: Robin Murphy]

Kali Carbonicum: Grand characteristics: chilly, perspiring, backache, weakness. As if heart were suspended by a thread. < lying on right side and at 2-4 a.m. > bent forward, warmth. Burning in the heart region. Pulse is weak, rapid, and intermittent. It has stitches from heart to scapula and there is great weakness. [Source: Dr. Prakash Vakil]

Kali Carb. is the most prominent member of the Kali family in weakening the heart and causing profound anaemia; also in promoting tissue waste, increasing the amount of uric acid and urea. The patient takes cold easily (*Hepar, Hydrastis*) hence he dreads a draft of cold air. There is a marked lack of reaction. Next to *Sulphur* it is the best general energizer we have. The *Kali Carb* patient, especially the child, has a lifeless expression, a sickly look, marked pallor, pale lips, haggard and exhausted countenance. [Source: George Royal]

Stitching pains about heart and through scapula, extort cries. Heart's action intermittent, irregular, tumultuous, weak. Mitral insufficiency. Leans forward resting on arms to take weight off chest. I have seen *Kali Carb* (after a few doses of *Carbo Veg*, it's complement) bring back to life a dying child, an old mitral case, with pericarditis with effusion and pneumonia with pleural effusion. [Source: Dr. M.L. Tyler]

The heart becomes weakened and you have a pulse which is irregular or intermittent, or being rapid, is very weak. You will seldom find *Kali Carb* indicated when there is a full round pulse. [Source: E.A. Farrington]

Kalmia Latifolia: It has shooting pains from above the heart to the scapula, anguish about the heart, pressure from epigastrium to heart.

Kalmia is of superior value in rheumatic affections of the heart, especially when associated with albuminaria. Ascites occurring in a rheumatic subject, when the heart has been impaired and a large percentage of albumen is transuded through the tubuli of the kidneys, would be benefited and probably occasionally cured by *Kalmia*. [Source: C.E. Fisher, *The Southern Journal of Homeopathy*, 1888.]

Heart diseases that have developed from rheumatism or alternate with it. In rheumatism, intense pains change place suddenly, going from joint

to joint. Pulse slow, 33 to 40. Follows *Spigelia* well in heart disease. [Source: Dr. H.C Allen]

Lilium Tigrinum: Produces a condition which is not true angina, but resembles it. Stabbing, radiating pain, constriction and tightness of chest. Sensitive to heat and worse motion. Depressed, frightened, hurried, easily offended, better from exertion. Angina like symptoms accompanied by history of pelvic lesion suggest *Lilium*. [Source: Dr. D. Borland]

Linaria Vulgaris: Fainting from heart weakness. 'Faints dead away without apparent cause'. It has repeatedly produced this symptom. Also for bedwetting with frequent painful urging to urinate. [Source: E.A. Farrington]

Magnesia Phosphorica: In cases of angina pectoris, where immediate temporary relief has been obtained with nitrites, but where there is still discomfort, *Mag Phos* will often help. It should be given in hot water and I usually dissolve 10 tablets in a quarter glass of water and direct the patient to take a sip or a teaspoonful every, 5 or 10 minutes, until better. [Source: Dr. Garth W. Boericke]

Medorrhinum: We must be careful with *Medorrhinum* in cardiac cases. Give 30C, and at the very most 200. It goes deep into the system and creates a big aggravation. [Source: George Vithoulkas]

Murmur: The easiest and surest way to decide the rhythm of a murmur is to place one finger over the heart, and feel its impulse while the murmur is heard through the stethoscope. If that is impracticable, the radial or carotid pulse (better the latter, because nearer the heart) will do, making the proper allowance. [Source: H. R. Arndt]

Naja: Dr. Hughes, in his *Manual of Pharmacodynamics*, confirms the therapeutic value of *Naja* in diseases of the heart: "To quiet chronic nervous palpitation, to aid in the restoration of a heart recently damaged by inflammation, and to assuage the sufferings of chronic hypertrophy and valvular disease."

It is used in valvular troubles of the heart, in young persons who grow up with cardiac valvular diseases. If the valvular trouble is congenital it cannot be cured. In school boys and girls who have no symptoms, this is the generic remedy for this kind of complaint. Always prescribe *Naja* unless guided away from it by some specific symptom. [Source: J T Kent]

Naja has been found of very decided use in affections of the heart, especially weak heart, where there is impending heart failure or paralysis. Dyspnoea and prostration from weak heart, sympathetic cough

in organic diseases with weak heart action. Constantly dwells on suicide like *Aurum*. [Source: *E. B. Nash*]

Natrum Carbonicum: Nightly attack of vertigo with slow violent beating of the heart, roaring in the ears, heat, anxiety as if he would die. [Source: *Dr. Parkash Vakil*]

Natrum Muriaticum: *Natrum Mur* is one of our best remedies for anaemia. It does not matter whether it is caused by loss of vital fluids, menstrual irregularities, grief or other mental ailments. [Source: *The Pacific Coast Journal of Homeopathy, Volume 24*]

Phaseolus: Fearful palpitation and feeling that death is approaching. Sick feeling about the heart with weak pulse. Dropsical effusion into pleura or pericardium. Pupils dilated, insensitive to light. Aching in forehead, worse movement.

Sepia: Throbbing through chest and abdomen, as if heart occupied the whole body. [Source: *Dr. Parkash Vakil*]

Spigelia: Angina, dyspnoea – must lie on right side with head high, pericarditis with sharp sticking pains, worse on motion, pulse weak and irregular. Palpitations worse from deep inspiration, stooping forward, lying on left side, motion. Murmurs, valvular disease.

Spigelia Anthelmia acts upon both the musculature of the heart and the nervous supply. In rheumatic conditions or in pure neuroses this drug may prove useful. The detailed indications being violent palpitation resulting from movement, with much dyspnoea, and the characteristic “trembling of the heart.” [Source: *Hahnemannian Monthly Vol.2, Jan-Dec 1917*]

This is a useful remedy for anguishing substernal angina pain which radiates to neck and arms, irregular pulse, tendency to syncope, palpitation and sharp stitches in heart, pulse weak and irregular, or full and bounding.

Spongia: I have never done better work with any remedy in valvular heart disease than with *Spongia*. Valvular murmurs of years’ standing have disappeared under the action of *Spongia*. ‘Awakes out of sleep with a sense of suffocation, violent, loud cough, great alarm, anxiety and difficult respiration’ is a keynote. Cannot lie with head low, sleeps into the paroxysm. [Source: *E.B. Nash*]

Spongia is useful in organic affections of the heart. The patient cannot lie flat on the back with the head low without bringing on a spell of

suffocation. He is frequently aroused from sleep as if smothering. He sits up in bed with an anxious look and flushed face, and rapid, hard breathing. [Source: Dr. E.A. Farrington]

Strophanthus: It acts in heart disease by increasing the force of the systole, at the same time that it diminishes the rapidity of the heart's action. It is not cumulative in its effect and can be used in smaller doses than digitalis. It is indicated in all cases of valvular disease where compensation has broken down. In mitral regurgitation where oedema and dropsy have supervened, its action is often most marked, the heart being strengthened and slowed, the respiration relieved and free diuresis set up. In aortic stenosis and incompetence where there is want of compensation, and where, as is often the case, there is marked atheroma of the vessels, *Strophanthus* is much preferable to *digitalis*. In chronic conditions like the irregular heart of old people and where a rapid action is not necessary, one or two drops three times a day, continued steadily, give the best results; but in more acute cases five or ten drops are necessary. [Source: Dr. Moir, *British Journal of Homeopathy*, 1899]

Tuberculinum Bovinum: This remedy should not be given when the heart is weak. [Source: Dr. S.R. Phatak]

Vanadium: Increases the amount of haemoglobin that combines its oxygen with toxins and destroys their virulence. Stimulates phagocytes. Degenerative conditions of arteries and liver. Arteriosclerosis. Fatty heart. In tuberculosis, chlorosis, neurasthenia, it increased appetite, strength and weight. [Source: Dr William Boericke, Dr. J.H. Clarke]

Veratrum Viride: Acute and chronic congestions of hypertensives with hypertension itself come under the domain of *Veratrum Viride*. Oppression, sighing, rapid respiration and gasping for breath are their distressing symptoms. [Source: Dr. Bellokossy]

Viscum Album: In a failing cardiac compensation, as a palliative at least, with distressing dyspnoea or even orthopnoea, worse whenever the patient attempts to lie upon the left side, the mistletoe *Viscum Album* will do excellent work. [Source: Dr. R.F. Rabe]

Comparisons

Cardiac Cases: In treating heart cases, do not begin too soon with *Lachesis*, *Hydrocyanic Acid*, *Arsenicum*. If you give them too soon, you weaken the patient. Begin rather with *Aconite*, *Spongia*, *Spigelia*, *Bryonia*, or *Phosphorus*. [Source: E. A. Farrington]

Convallaria Majalis: Like *Digitalis*, it has some diuretic effect and therefore finds use in dropsical accumulations due to cardiac involvement. Heart strength being increased by *convallaria*, the concomitant dyspnoea disappears. [Source: G. Harlan Wells, *Hahnemannian Monthly*, Vol-II, 1917]

Heart Failure: Top remedies for congestive heart failure are *Antim Tart*, *Carbo Vegetabilis*, *Cactus*, *Laurocerasus*, *Digitalis*, *Strophanthus*. [Source: Dr. D.P. Rastogi]

For acute cardiac failure, most cases require one of four remedies: *Arsenicum Album*, *Antimonium Tartaricum*, *Carbo Vegetabilis* and *Oxalic Acid*. [Source: Douglas Borland]

Palpitation:

Aconite: When the palpitation is connected with plethoric conditions, or derangement of any of the important organs is brought on by fright or excitement.

Belladonna: Headache with redness of the face and dimness of vision.

Chamomilla and *Opium* are regarded as specific for palpitation caused by fright. (also *Aconitum*).

Cactus Grand: Nervous palpitation, whether recent or chronic, especially with a sensation of fullness at the heart, suffocation. Heart appears to whirl round, or to be tightly grasped.

Digitalis: Great irregularity in the heart's action. Sometimes rapid, sometimes almost entirely suspended. Inability to walk or lie down.

Moschus: Nervous palpitation, with tendency to faint.

Natrum Mur: Palpitation after a meal, or when on lying down at night.

Nux Vomica: When palpitation is apparently due to indigestion. It is especially indicated in patients of a dark complexion and irritable disposition.

Pulsatilla: Useful in cases arising from indigestion, especially in fair haired women, of mild disposition.

Pericarditis: In pericarditis, *Bryonia* and *Spigelia* may be given when loud friction-murmurs are heard, and the patient complains of continual pain, the area of cardiac dullness is somewhat enlarged, and the pulse is accelerated and not weakened. [Source: Bernhard Baehr]

Snake Remedies: All of the Ophidia cause choking, constrictive sensation coming from irritation of the pneumogastric. All of them have dyspnoea and heart symptoms. The heart symptoms of *Naja* greatly resemble those

of *Lachesis*, but its symptoms point more to the remote effects of cardiac valvular lesions; those of *Lachesis* more to the incipency of rheumatic disease of the heart. In *Naja* there is a well-marked frontal and temporal headache with the cardiac symptoms. Under the snake-poisons the feet are cold, because the heart is too weak to force the blood to the periphery.

Valvular Obstruction: *Kali Chloricum* or *Kali Nitricum* is the best calculated to relieve valvular obstruction, used in the 1st trituration, and given every three hours, giving preference to the *Kali Nitricum* if the urine is scanty. *Digitalis* may also be required when there is severe palpitation. [Source: Morton M. Eaton]

Cases

Phaseolus: A Clergyman 69, many years invalid on account of heart disease. After unusual exertion he was greatly exhausted and became entirely pulseless. *Phaseolus* 9X given and in a few hours pulse returned. In thirty six hours it was regular and strong.

A lady, 50, weak, badly acting heart for some years. *Phaseolus* 9x was given and in forty-eight hours her heart wheeled into line and remained so.

Mr. T. seized with distress in heart region; respiration labored; pulse 51. *Phaseolus* 6x every half hour at first, then every hour. Next day patient nearly well and said he could feel every dose working. [Source: William Boericke, P.S. Rawat]

Quebracho: A lady suffered from valvular disease of the heart for ten years. She became so prostrated that she had not left her room for more than six months. I concluded to try *Quebracho* tincture and administered it in doses of a half teaspoonful three times a day. The result has been almost entire relief of the dyspnoea, she has gained in flesh and reports herself as feeling like a new being. I need not say that in this case all the old remedies had been tried in vain. [Source: *The Clinique of the Clinical Society of the Hahnemann Hospital of Chicago, Jan, 15, 1899*]

Spongia: Rheumatism had left the lumbar muscles and seized the heart. Wakes 1-2 am from sense of suffocation accompanied by violent loud cough, great alarm, agitation, anxiety. Action of heart was violent and rapid, each beat accompanied by a loud blowing, as of a bellows. *Spongia* relieved. [Source: Dr. Constantine Hering]

Urinary System

Abscess, perinephritic

Acetone, in urine

Albumen, and sugar

Albuminuria

- hypertensive

- of pregnancy

Albumin/Globulin Ratio

Anuria, urine in kidney troubles

Bedwetting

- first sleep, during

Bladder, affection

Bladder irritable

Bladder, irritable with burning, frequent urging

Bladder, irritation; frequent urination; night and day drop by drop, smarting and burning

Bladder, papilloma

Bladder, tumour

Burning in bladder and urethra

Calculus

- bladder

- complaints

Pyrogen.

Acetic Acid, Cup. Ars.

Plumb. Met.

Ars. Alb., Ars. Iodide, Kali Chlor, Nat. Mur., Pancreas, Pyrogen, Serum Angular, Staphylococcin, Sycotic Co., Terebinth, Tuberculin, Vanad.

Vis. Alb.

Euonymin, Merc. Cor., Phos., Thlaspi.

Apis, Gelsemium.

Picric Acid.

Bacillinum Testicum, Kali Phos, Oxyuris Nosode, Plantago, Psorinum, Sepia.

Sepia.

Solidago, Thlaspi Bursa Past.

Kali Phos, Plantago.

Eryngium.

Eryngium.

Ars. Alb., Calc. Carb., Nitric Acid., Thuja.

Calc. Carb.

Cantharis.

Berberis Vulg, Calc. Carb, Galium Ap, Nat Oxalaceticum, Solidago, Stigmata Maydis, Thlaspi Bursa Pastoris.

Cantharis, Epigea Repens, Lithium Carb., Thlaspi Bursa Pastoris.

Berberis Vulg, Bryonia.

- colic Berberis Vulg, Dioscorea, Mag Phos.
- dissolving for Galium Aparine.
- formation of Rubia Tinctorum.
- gravel, dissolving for Galium Aparine.
- gravel, enuresis with pyelitis Podophyllum.
- gravel, renal colic, tendency Lycopodium.
- left renal Saxifraga.
- recurrent Calc. Renalis, Parathormone.
- renal Benzoic Acid, Berberis Vul., Calc. Phos., Calc. Renalis, Cantharis, Dioscorea, Epigea, Gallium, Hydrangea, Lycopodium, Medorrhinum, Morgan Bach., Morgan Gaertner, Nat. Phos., Nux Vomica, Ocimum Can., Repens, Sarsaparilla, Solidago, Thalasp Bursa, Urtica Urens.
- ureteric calculi Hydrangea, Ocimum Canum, Thalasp Bursa.
- uric acid, stone Silicea.
- Cancer of bladder* DI-Malicum Acid., Nitric Acid, Taraxacum, Thuja.
- past history of tobacco use with Aniline.
- tormenting pains, with Naphthoquinone.
- Catarrh of bladder* Dulcamara.
- Catheter; instead/affection where catheter is to be used* Solidago.
- Cystitis* Apis Mel, Bacterium Coli, Belladonna, Cantharis, Coleus Aromaticus, Equisetum, Ferr Met, Galium Aparine, Hydrastis, Merc Sol, Mutabile, Myrtillus, Nux Vom, Pariera Brava, Piper Methysticum, Staphysagria, Stigmata Maydis, Sycotic Co., Taraxacum, Thuja, Triticum Repens, Uva Ursi.
- acute with tenesmus and mucus secretion Mezereum.

- chronic Asparagus Officinalis, Bursa Pastoris, Cantharis, Chimaphila, Merc. Cor., Otitis Media Nosode, Pichi-Pichi., Tuberculinum.
- chronic and urethritis Hydrastis, Medorrhinum.
- stone due to, with discharge of much mucus Pariera Brava.
- strangury Hypericum.
- UTI, spasms or pains at close of urination Sarsaparilla.
- women, in Mitchella Repens.
- Cystopyelitis* Balsamum Peruvianum, Benzoic Acid, Berberis Vulg, Bryonia.
- Diuretic* Cochlearia Officinalis, Fumaric Acid, Galega Officinalis, Gallium, Hygrophila Spinosa, Liatris Spicata, Kali Nit, Lupulus, Nitri Spiritus Dulcus, Stigmata Maydis.
- Dropsy, renal* Digitalis, Eunonymin, Euonymus Europeas, Eupatorium Purpurens.
- Dropsy, renal and cardiac* Merc. Dul.
- Dropsy, renal/liver/spleen* Liatris Spicata.
- Dropsy, swelling of legs with Dysuria* Thlaspi Bursa Past.
- of old persons no Thlaspi Bursa Past.
- prostatic enlargement Petroselinum.
- very painful urination causing patient to shiver, pace the room in agony Petroselinum.
- Enuresis* Asthma Nosode, Causticum, Equisetum, Sabal Serrulata, Tub. Bov.
- adults and boys Caust.
- girls Phos., Sep.
- nocturnal, first sleep in Lachesis.
- nocturnal Bacillinum, Equisetum, Kreosote, Medorrhinum, Radium Br., Sycotic Co., Testicum, Thuja, Tuberculinum.

- old people in	Chlorpromazine, Secale Cor.
- enlarged prostate, due to	Gelsemium.
- sitting when	Sarsaparilla.
- waking when	Selenium.
- weakness of the sphincter of the bladder	Ubiquinone.
- worms, due to	Cina, Rhus Aromatica, Spigelia.
- young children	Alloxan.
<i>Epithelial cells, in urine</i>	Ars. Alb., Kali Bich, Solidago.
<i>Genitourinary, obstruction</i>	Pareira Brava.
<i>Haematuria</i>	Amygdalus Persica, Ars Hydrogenisatum, Cantharis, Formica Rufa, Stigmata Maydis, Terebinthina, Thlaspi Bursa Pastoris.
- bloody urine	Ipecac.
- bloody urine, red sediments	Ocimum Canum.
- malaria after,	Eucalyptus.
<i>Hydronephroses</i>	Merc Sol.
<i>Incontinence of urine</i>	Belladonna, Gels.
- alkaline urine, and in hysterical individuals	Causticum, Cantharis, Nux Vomica., Phos Acid.
- high-coloured and strong smelling urine	Podoph., Calcarea Carb., Nitric acid, Opium, Lyco, Benzoic Acid.
- in children, with uneasiness in micturating	Aconite, Cantharis, Cham.
- relaxed or paralytic condition of the sphincter of the bladder, leading to involuntary urination night and day	Gelsemium.
<i>Involuntary, urine or stool</i>	Arnica, Hyoscyamus.
<i>Ketonic, substances in urine</i>	Lyco, Phos., Senna.
<i>Kidney, diseases</i>	Calc. Carb., Merc. Cor., Solidago.
<i>Kidney and bladder conditions with pain in urination, cystitis and weak bladder</i>	Helonias Dioica, Tribulis Terristris.
<i>Kidney and bone diseases</i>	Calc. Aceticum.
<i>Kidney and heart diseases with dropsy</i>	Squilla.

<i>Kidney and liver overloading</i>	Berberis Vulg.
- kidney affections, with marked sensitivity kidney region, in	Solidago.
<i>Kidney, failure</i>	Carcinosin, Crataegus Oxy, Nux Vomica, Serum Ang., Terebinthina, Thlaspi Bursa Pastoris.
<i>Kidney, floating</i>	Zinc Met.
<i>Kidney, infection; urine blood</i>	Crocus, Kali Bich.
<i>Kidney, pain</i>	Eel Serum, Urea.
<i>Kidney inflammation</i>	Juniperus Communis.
<i>Kidney, stone (See Calculi, renal)</i>	Berberis Vul., Cantharis, Hydrangea, Ocimum, Silicea, Solidago, Thlaspi Bursa, Urtica Urens.
<i>Kidney, suppuration</i>	Calc. Sulph.
<i>Lithic, (stone) diathesis</i>	Berberis, Hydrangea, Sarsaparilla.
<i>Lithotomy, pain after</i>	Staphysagria.
<i>Micturition</i>	
- frequent with distension of the lower abdomen	Sepia.
- frequent, with stinging burning in urethra and glans like fire	Cantharis, Eryngium Aquaticum.
<i>Nephritis</i>	Ferr Ars., Ferr Met, Staphylococcus.
- acute and chronic	Helleborus.
- chronic	Sulfanilamide.
- dirty or bloody urine	Terebinthina.
- pregnancy, due to	Merc Cor.
- eruptive disease, after	Ferr Iod.
<i>Nephroses</i>	Baryta Oxalsuccinica, Calc. Ars., Ferr Ars., Phos, Solidago.
- chronic	Kali Ars.
- headache with	Zinc Pic.
<i>Oxaluria</i>	Oxalic Acid, Nitro-muratic Acid.
<i>Paralysis, bladder of</i>	Ars. Alb.
<i>Paresis of sphincter bladder</i>	Causticum.
<i>Phosphaturia</i>	Acid. Phos., Alfalfa.

Polycystic, kidneys

Apis Mel., Cresol, Hydrangea,
Merc. Cor, Psorinum, Terebinthina,
Thalspi Bursa, Thuja.

Pus in urine

- after catheter has been retained for sometime

Cad Sulph., Psorinum, Pyrogen.
Lycopodium.

Renal

- affections in D.M.
- renal cancer or failure, associated ear affections and nausea, vomiting with
- chronic conditions
- colic

Sarothamnus Scoparius.

Cisplatin.

Melilotus.

Ammi Visnaga, Ars Alb, Berberis, Bryonia, Dioscorea, Medorrhinum, Mitchella Repens, Morgan Bach, Ocimum Canum, Pareira Brava, Penicillin, Plumbum Met, Stigmata Maydis, Tabacum.

- colic, abuse of alcohol from

Lachesis.

- colic, acute

X-ray.

- colic and renal stone

Calc. Renalis.

- colic, left renal

Baptisia, Cupr Met, Ipomea.

- colic, nausea and violent vomiting with

Ocimum Cannum.

- colic, pain radiating into the bladder and urethra

Equisetum Arvense.

- colic, pain radiating into the extremities, with

Dioscorea Villosa.

- colic, right renal

Ars Alb.

- degenerative

Naphthoquinone.

- diseases

Nat Mur.

- failure

Apis, Benzoic Acid, Calc. Carb., Carcinisin, China Off., Crataegus, Cup. Ars., Hydrangea, Lyc., Nat. Mur., Nux. Vom., Picric Acid, Pilocarpus Mic., Psorinum, Serum Ang., Solidago, Streptococcin, Sycotic Co., Terebinthin, Thlaspi Bursa.

- failure, chronic Chloramphenicol, Hypophysis, Lobelia Erenus, Streptomycin, Urea.
- failure, acute anuria, oliguria, Serum Anguillae.
albuminuria, increased creatinine, oedema without
- failure, with B.P. Thlaspi Bursa, Viscum Alb.
- function impaired (repercussion on the mesenchyma) Berberis Vulg.
- function reduced Fumaric Acid.
- function, complete cessation of Zingiber.
- glomerulonephritis Juniperus Communis.
- glomerulonephritis, acute Acetylosalicylic Acid, Formica Rufa.
- glomerulonephritis, albuminuria with Merc Cor.
- hypertension, with Plumbum Met.
- hypotension, with Cupr Met.
- inflammations, chronic with albuminuria and oedema Calc. Ars.
- insufficiency Ammon Benz, Nat Oxalaceticum.
- nephrocalcinosis Parathormone.
- nephrotic syndrome Cortisone.
- oedematous swellings, with Lachesis.
- parenchyma damage, albuminuria with Phosphorus.
- pressure high Naphthoquinone.
- pyelitis, nephrolithiasis Coccus Cacti.
- pyelonephritis Baptisia, Belladonna, Bryonia, Calc. Renales, Coxsackie Virus Nosode.
- sclerosis, renal Viscum Alb.
- Renal, remedy Serum Anguillaris.*
- Retention of urine Camphor, Coleus Aromaticus, Phosphoric Acid.*
- in old men, from enlarged prostate Conium, Pareira Brava, Sabal Serrulata.
- operation, after Causticum.

- paralysis of bladder from, with Causticum, Nux Vom.
dribbling of urine
- sensation of pressure in the Eupatorium Purpureum.
bladder and involuntary passage
of urine with violent pains
radiating along the ureters
- Stenosis, of uretha/uterus - os* Conium.
- Strangury and suppression of urine* Camphor, Coleus Aromaticus.
- Surgical, kidney* Methylene Blue.
- Tenesmus of bladder and urethra* Eryngium Aquaticum.
- Tenesmus, ineffectual and painful urging, straining* Sarsaparilla.
- Uraemia* Amm. Carb., Picric Acid, Serum
Ang., Thlaspi Bursa Past.
- Urates* Urtica Urens.
- Ureamic, coma* Plumb Met.
- Urethra*
- burning Sulphur.
- constricted, clogged Merc Sol, Petroleum, Sepia.
- narrow Arg Nit.
- stricture Clematis, Conium, Petroselinum.
- urethral carbuncle Can. Sat., Eucalyptus Globulis,
Thuja.
- urethritis Thlaspi., Thuja.
- urethritis, chronic Arg Met.
- Uric acid, crystals in urine* Thlaspi Bursa Past.
- Urinary tract infection* E. Coli, Kali Bich., Mer.
Cor., Psorinum, Sarsaparilla,
Streptococcin, Sycotic Co.,
Terebinthinum, Tuberculinum,
Tub. Bov, Uva Ursi.
- Urinary, infection recurrent* Phos. Acid.
- Urination*
- difficult, old age in Hydrangea Arbo.
- frequent, old age in Baryta Carb.
- Urine* Berb. V.
- anuria with uraemia Picric Acid.
- calcium urates in urine Epigea Ripens.

- can pass only on standing	Sarsaparilla.
- cessation of function of kidneys	Zingiber.
- drop by drop/dribbling/smartering and burning day and night	Eryngium Ag.
- epithelial cells	Kali Bich.
- must pass quickly	Kreosotum.
- passes unknowingly; no urethral sensation	Causticum.
- pus cells	Calc. Hypophos., Psorinum, Pyrogen, Staphylococin.
- retention after operation	Causticum.
- suppressed with restlessness	Aconite Ferox.
<i>Weakness, bladder</i>	Pneumococcus.

Remedy Hints

Adonis Vernalis: It may succeed when *Digitalis* fails especially when there is a kidney disease.

Alumina: Voids urine only while straining at stool. A very prominent characteristic of this drug is that a person must strain at stool, in order to urinate. [Source: *H.N. Guernsey*]

Apis Mellifica: *Apis* has slow action and must not be changed too soon. Increased flow of urine shows it is having a favourable effect. It's dropsies are characterized by a waxy hue of skin, whitish or yellowish and transparent swelling of eyelids, bag-like swelling under eyes. [Source: *Subhash Chandra Gupta*]

Urine scanty or suppressed, with general oedema and drowsiness, lack of thirst and suffocation on lying down. Albuminous urine with tube casts.

Bacterium Coli: Recurrent urinary tract infection. Burning micturation, aggravation during and after urination. [Source: *Subrata K. Banerjea*]

Benzoicum Acidum: I have seen wonderful relief from *Benzoic acid* in nephritic colic with the characteristic offensive urine. In dribbling of urine of old men with enlarged prostate it has also done good service.

It is indicated where there is derangement of the urinary organs, that gives rise to symptoms of a uric acid diathesis. The urine is of a deep red colour, and it has a strong urinous odour, reminding one of horse urine. The odour and colour of the urine is nearly always present

when this remedy is indicated. An important remedy in cases of renal insufficiency, when there is a catarrhal condition of the pharynx. Also in cases of bacteriuria and oxaluria, when the condition of the urine is present. Also, gastric gout when there is feeble digestion, vomiting, flatulence and inactivity of the liver.

Bryophyllum: If renal calculus is large (> 8mm), *Bryophyllum* mother tincture helps to flush it out. Though its homeopathicity can be debated but it does help the patient.

Calcarea Arsenicosa: This is what I call the kidney member of the family because it seems to act more intensely on this organ than any other. I have in mind three marked cases of nephritis cured by the remedy. Two of the cases followed scarlatina, one measles. The symptom present in all was “sensitiveness to pressure in kidney region.” All three complained bitterly when even moderate pressure was made on the region. There was urging, urine bloody, scanty, and highly albuminous, great restlessness. All three were of the *Calcarea Carb* build. *Calc. Ars.* 6th cured rapidly. [Source: Dr. George Royal]

Calcarea Renalis: After *Berberis* in renal calculus cases. Gravel and renal calculi. Recurrent stone formation, in a *Calcarea Carb* constitution, to remove tendency. (30C) [Source: Subrata K. Banerjee]

Cantharis: We find that *Cantharis* is a valuable remedy in the passage of renal calculi, especially when the pains are very violent. It has been stated in controversy that it was nonsense to talk about relieving the pains from the passage of renal calculi by homoeopathic medication. The ureter is a narrow tube and the stone is frequently large, and it is said that it cannot be passed without pain. This is a mistake. The indicated remedy may so lessen local irritability, that the pain attendant on the passage of renal calculi may be greatly modified. [Source: E.A. Farington]

Causticum: It is the routine remedy for retention of urine after operation. [Source: Dr. D.M. Foubister]

Copaiva: It is frequently the most serviceable remedy in the irritation of the neck of the bladder and urethra in aged women.

Digitalis: When we mention digitalis we think of a heart remedy. Yet homeopathic *Digitalis* is the most important remedy for urine retention caused by an enlarged prostate. There is a strong desire to urinate but it is impossible for the patient to do so. He also feels his heart beating in his bladder and has a constant urge to urinate at night. Also, feeling that the

bladder is always full, even after urination. The above symptoms should alert the vigilant physician to the use of *Digitalis*.

Equisetum Hyemale: Severe dull pain in the bladder, as from distension not better by urinating. Frequent urging with severe pain at the close of micturition. (30C) [Source: *Subrata K. Banerjee*]

Eryngium Aquaticum: *Eryngium aquaticum* is a remedy deserving the highest rank in all inflammatory conditions of the bladder. Especially when this is due to mechanical injuries inflicted by prolonged labor or the use of forceps. It has to be carefully differentiated from *Cantharis*; given in too low a potency it has caused debilitating sweats. [Source: *C M Boger*]

Eupatorium Purpureum: Vesical irritability in women in case of recurrent E. Coli infection. Severe colic after voiding urine. Pain and soreness of abdomen, much < left side. (30C)

Gelsemium: The remedy always has light colored urine, never dark, even during fever. If you prescribe *Gelsemium* for a patient with dark urine, you need to take a refresher course. [Source: *Journal of the American Institute of Homeopathy – Dr. Pierre Schmidt*]

Helleborus: It is an important remedy for ascites after scarlet fever or other acute diseases. Its diuretic action is vastly superior to that of *Digitalis* and *Colchicum*. Scanty, highly coloured urine with coffee-ground sediment. Slow in answering questions, as if he did not comprehend what was said to him. Drowsy. [Source: *Dr. Temple Hoyne*]

Hepar Sulphuris: *Hepar Sulphuris* is, according to Kafka, is the best remedy for commencing nephritis in scarlatinous patients. When *Hepar* is denoted, the urine flows in a sluggish stream and although the desire is strong, he must wait long before it starts (intermitting flow, *Clematis*, *Conium*). [Source: *H. R. Arndt*]

Kali chloricum: It is said to be the most homeopathic of all remedies in Bright's disease. It has scanty, dark, albuminous urine containing casts. It excites a violent nephritis.

Lycopodium: Pain in back in region of kidney with amelioration after discharge of red sanded urine. No other remedy help these cases more promptly and permanently than *Lyc*. [Source: *Dr. E.B Nash*]

Mercurius Corrosivus: Dr Ludlam considers *Mercurius Corrosivus* our best remedy for the albuminous nephritis of pregnancy and Baehr lauds it in suppurative nephritis.

Nux Vomica: *Nux* 30th is the best remedy I know for irritability of bladder or urethra caused by the use of the catheter. You may have any

of the Nux symptoms plus inability to void, or inability alone. [Source: *George Royal*]

Ocimum Canum: In renal colic, when it is accompanied by violent vomiting and the patient wrings his hands and moans all the time, it pays to remember *Ocimum Canum*. Urine foul smelling with odour of muck. More right sided. [Source: *Dr. P Rajagopalaraao*]

Pareira Brava: Cystitis, constant urging to urinate, with violent pain and straining, worse from midnight till morning. Strangury, ability to urinate only when on the knees and pressing the head against the floor. The urine scalds the whole length of the urethra. With the cystitis severe pain in the thigh (*Berberis* in the hip).

Petroselinum (Parsley): It has a very characteristic indication for its administration; great and sudden desire to urinate. Children jump up and down from pain and urging. Another symptom is itching in the urethra; feels as if he must run a stick or something in there and scratch it. Burning, tingling, from perineum throughout whole urethra. [Source: *E. B. Nash*]

Phosphoric Acid: It is required in cases of phosphaturia, when the urine has a white sediment, and also in the derangements of childhood when the urine has a milky appearance.

Phosphorus: The urine contains epithelial, fatty or waxy casts; abuse of alcoholic stimulants, lung complications, vomiting or diarrhoea. Urine is whitish, flocculent, iridescent. [Source: *W. A. Dewey*]

Plumbum: No remedy has been as often used for chronic, interstitial nephritis as *Plumbum*. It has arrested progress in many cases after other remedies had failed and has permanently cured not a few cases. [Source: *George Royal*]

Plumbum will cure Bright's disease, in the incipient and middle stages, while there is 1-2% of albumin in the urine. [Source: *Dr. Zwingenburg, The Hahnemannian Monthly -Vol. 28, 1893*]

Polygonum Sagittatum: Stone in kidney with great debility; difficulty in passing the stone. Q [Source: *Subrata K. Banerjee*]

Staphysagria: This remedy has a very peculiar symptom, which appeared in provings, and which I have verified, viz., 'burning in urethra when not urinating'. We have many remedies for burning before, during, and after micturition, but *Staph* is the only one having this burning all the time between the acts of urinating.' [Source: *E.B. Nash*]

Retention of urine after prostate operation.

Terebinthina Oleum: Albuminuria, bloody urine, violent pain in kidneys, retention of urine, painful urge to urinate, pain in small of back on urinating. Seems intoxicated, pupils contracted. Urine smells of violets. Burning sensation in mouth, throat, kidneys, rectum, bladder, urethra, testicles, uterus. Sleepy, can't think, weary of life, suicidal. Two recorded cases of suicides from persons who washed their faces with oil of turpentine. [Source: Dr. M.L. Tyler]

Terebinthina is one of our most reliable remedies in the early stages of renal diseases when congestion is prominent and there is much pain in the back of a dull character extending along the ureters. The great characteristic of dark, smoky urine will be present. It is recommended in post scarlatinal renal affections.

Terebinthina covers strangury with haematuria of nephritis following burns. [Source: Boericke]

Urea Pura: In renal failure when urea goes high up. (30C) [Source: Subrata K. Banerjee]

Urine Appearance: Red, scanty urine denotes inflammation. Urine clear and abundant indicates nervous affections. Urine depositing a sediment indicates biliary derangement. Urine turning milky soon after being emitted (especially in children), denotes the presence of worms in the intestines. [Source: Morton M. Eaton]

Uva Ursi: It finds no equal when cystic and urethral symptoms are referable to stone in the bladder. There is burning, scalding urination, the flow of urine stops suddenly as if a stone had rolled in front of the internal orifice. [Source: Dr. Farrington]

Comparisons

Albuminuria:

Apis: Scanty urine, which is dark from decomposed blood and dyspnoea. Pale, waxen skin and an eruption here and there resembling nettle-rash.

Arsenicum Album: Scanty urine and albuminous without blood with its usual mental restlessness.

Colchicum: The urine is dark, turbid, albuminous, bloody and as dark as ink. After urination, irritation of the sphincter vesicae with tenesmus of the bladder.

Equisetum: The urine contains blood and albumen. Excess of mucus in the urine. There is constant desire to urinate.

Lachesis: Respiratory symptoms, < after sleep and blue surface are more characteristic than the urinary symptoms. Scanty urine, which is dark from decomposed blood and dyspnoea.

Berberis vs Pareira Brava: *Berberis* is to be studied alongside of *Pareira brava*. The difference between the two drugs is this - In *Pareira* the pains go tearing down the thighs, while in *Berberis* they seldom go further than the hips. [Source: E.A. Farington]

Bladder Irritability: The inability of old people to retain the urine has been termed irritability of the bladder. The condition is one of weakness and loss of power, however, rather than irritation. *Nux Vomica*, *Cantharis*, or *Phosphorus* are usually indicated, and are calculated to give the most relief. Use the appropriate remedy for one week. All should be used in low attenuation. In some cases nothing will give strength to retain the urine, and an appliance to catch it, as it dribbles away, is all that can be done. [Source: Morton M. Eaton]

Strangury: Strangury is painful and interrupted urination, produced by spasmodic muscular contraction of urethra and bladder. With burning and inflammatory symptoms, *Cantharis* 3c every half hour. With lumbago like pain, *Terebinthina* 3c every half hour. In women especially, *Copaiva* 3C every half hour. In purely nervous cases, *Belladonna* 3c every half hour. [Source: Dr. J. H. Clarke]

Sulphuric Acid: Dr. Hering says: "Pain in the bladder if the desire to urinate is not at once satisfied," calls for *Sulphuric Acid*. (Pain in the kidneys from the same cause, *Conium*.)

Cases

Calcareo Renalis: Dr. Bredenoll suffered from renal colic with passage of uric acid calculi. He treated himself with triturated renal calculus. The calculi ceased to be formed, tartar from his teeth dropped off and a nodosity of stony hardness disappeared from his right middle finger. [Source: Dr. J.H. Clarke]

Kidney stone attack; *Belladonna* 30, for pain (the patient was able to do without pain killers). The stone was moving, but got stuck at the end of the ureter. The patient was advised an ureteroscopic procedure, which she refused. *Calculus Renalis* 30 in 1 oz of water, 10 drops, t.i.d. Two weeks later, the stone didn't show on X-rays and overall condition was very good (no pain or tenderness).

Nitric Acid: A patient suffering for 4 years with the symptom “constant odour of urine through the skin” was cured within 1 week with *Acidum Nitricum* C12 taken 3 times (and then *Solidago* C5 once.) The remedies were only given to clean the blood and help the kidneys and not as simillimum.

Jaborandi: After the change of life, ladies are not infrequently troubled with inability to hold their water. The causes vary considerably and where the sweat glands are inactive *Jaborandi* is a good friend. A woman of 50 consulted me for inability to contain her urine. The point which struck me most was her dry skin. “I never perspire,” said she. I ordered *Jaborandi*, ten drops in water three times a day. The medicine cured the incontinence right away. [Source: Dr. J.C. Burnett]

Serum Anguillar Ichthyotoxin: A patient, hospitalised due to acute renal failure had creatinine at 15, very high liver enzymes, going into liver failure. Dialysis did not having any effect. This all came on the day after he had started a new physical training regime and he seriously over exerted himself. Diagnosis of acute renal failure seems likely due to the break down of the muscle proteins clogging up the renal tubules. *Eel Serum* otherwise known as *Serum Anguillar Ichthyotoxin* 30C two doses three hours apart was all that was needed to get the Kidneys functioning again. Next day he began to convalesce and his creatinine came down to 4.5 in 2 days, after 5 days it was steady at 3 where it stayed. The liver function is by now all but normal.

Male

<i>Autotraumatism of masturbation-corrects emissions and spermatorrhea</i>	Tribulus Terrestris.
<i>Azospermia</i>	Ars. Iodide, Calc. Iodide, Cobaltum Nit., Damiana, X-ray.
<i>Balanitis</i>	Benzoic Acid, Candida, Jacaranda, Mezereum. Nitric Acid, Thuja, Sycotic Co.
<i>Birth control, male</i>	Thyroidinum, X-Ray.
<i>Congestions in the area of the sexual organ</i>	Yohimbinum.
<i>Ejaculation, no or early</i>	Graphites.
<i>Elephantiasis, scrotum</i>	Anac. Oc., Silicea, Strychnin Ars.
<i>Epididymitis</i>	Clematis, Merc Bin Iod, Rhododendron, Spongia.
- acute	Sycotic Co.
<i>Erections, continued</i>	Cantharis.
<i>Erections frequent, old men in</i>	Causticum.
<i>Erection, incomplete</i>	Conium.
<i>Erections persistent</i>	Agnus Castus.
<i>Erectile problems, low sex drive with</i>	Muira Puama.
<i>Excitement sexual</i>	Bufo, Lyssinum, Mygale Avicularis, Veratrum Alb.
<i>Fertility disorders in males</i>	Testis Bovis.
<i>Gonorrhoea</i>	Sycotic Co.
<i>Hydrocele</i>	Actea Racemosa, Altingia Excellsa, Apis Mel, Calc. Carb., Digitalis, Graphites, Helleborus, Iodum, Nat Mur, Psorinum, Pulsatilla, Rhododendron, Samarium, Sulphur.
- boys of	Abrotanum, Rhododendron.
- left side	Pulsatilla.
- right side	Rhododendron.
<i>Impotence</i>	Aegle Folia, Agnus Castus, Conium, Damiana, Lyco, Nat. Mur,

- diabetes, due to Onosmodium. Phos., Phosphoric Acid, Selenium, Yohimbinum.
- debility, due to Coffea.
- erection with Sabal Serrulata.
- male Staphysagria.
- masturbation and sexual Phosphoric Acid.
- excesses, after Lycopodium.
- partial, over-indulgence of Tribulus Terrestris.
- advancing age after, urinary complaints, with
- premature ejaculation with Selenium.
- flaccid member
- tobacco indulgence Lyco.
- Libido, male* Rauwolfia.
- Limpness of sexual organs with reduced libido* Agnus Castus.
- Masturbation* Origanum Majorana, Phosphoric Acid.
- adolescents Avena Sativa.
- infantile Dyst. Cor.
- sexual stimulation and Bufo.
- uncontrollable Ustilago, Staphysagria.
- Neuralgia, spermatic duct of, a funiculagia* Hamamelis.
- Phimosis* Calc. Carb., Cannabis Sativa, Merc Cor, Nitric Acid., Rhus Tox.
- Prostate* Causticum.
- cancer Baryta Oxalsuccinica, Naphthoquinone, Sulphonamide, Thymol.
- enlargement (senile) Baryta Carb., Calc. Fluor, Causticum, Chimaphila, Digitalis, Ferrum Picricum, Hydrangea, Hydrastis, Medo., Picric Acid, Pulsatilla, Sabal Serrulata, Solidago, Staphysagria, Thuja.
- enlargement and dysuria Thlaspi Bursa Past.
- enlargement with diabetes Petroselinum.

- hypertrophy
 - Benzoic Acid, Chimaphila, Clematis, Conium, Cucurbita Pepo, Damiana, Digitalis, Hydrangea, Kreosote, Nitric Acid, Pareira Breva, Pichi-Pichi, Picric Acid, Sabal Serrulata Solidago, Sulphur.
- hypertrophy, urine comes freely, sometimes involuntarily, difficulty passing urine at night
 - Mag Mur.
- prostatitis
 - Balsamum Copaivae, Nat Oxalaceticum, Selenium, Thuja.
- acute prostatitis
 - Chimaphila, Merc Dulcis, Sycotic Co.
- prostaticorrhoea
 - Aur Met, Ignatia, Thymol.
- Semen*
- ejection with flaccid penis
 - Selenium.
- emission
 - Phosphoric Acid, Picric Acid.
- emission, nocturnal
 - Agnus Castus, Nuphar Luteum.
- emission nocturnal, masturbation due to
 - Bellis Per, Cantharis.
- less or no
 - Agnus Castus, Caladium Seg., Graphites.
- Seminal, discharges, blood*
 - Lyc.
- Sexual, desire; complete absence*
 - Nuphar luteum.
- Sexual, inadequacy in male*
 - Kalis.
- Sexual neurasthenia*
 - Thymol, Tribulus Valeriana.
- Sexual passion increased, old men in*
 - Flouric Acid, Lyc.
- Smegma, collects behind glands penis*
 - Causticum, Sycotic Co.
- Spermatic cord neuralgia*
 - Cocculus, Hydrastis, Menyanthes, Mezereum, Petroleum, Rhodo., Zinc Val.
- Sperm count, low*
 - Agnus Castus, Ant. Pituitary, Arg. Nit., Aurum Met., Ars. Iodide, Calc. Iodide, Damiana, Hamamelis, Pituitary, Silicea, Staphysagria, Syphilinum, Thyroidinum, Tribulus, Vitamin E, X-ray, Zinc. Met.

<i>Sperms, dead</i>	Syphilinum, Tuberculinum, X-Ray.
<i>Sterility</i>	Borax, Calc. Carb., Conium, Iodium.
<i>Testes</i>	Rhododendron.
- induration	Aur Met.
- inflammation (orchitis)	Clematis, Fumaric Acid, Merc Bin
	Iod, Rhododendron, Spongia.
- metastasis in	Mumps Nosode.
- neuralgic pain	Aur Met.
- nodular, testes	Calc. Fluor.
- orchitis, painful	Pulsatilla.
- swelling left (tumour)	Aurum Mur. Nat.
- undescended	Anterior Pituitary, Aurum Met.,
	Puls., Thyroidinum.
<i>Ulcer under the prepuce</i>	Nitric Acid.
<i>Ulcers, penis due to friction during intercourse</i>	Arnica.
<i>Varicocele</i>	Aristolochia Clematis.

Remedy Hints

Argentum Nitricum: It is the best remedy for the early purulent stage of gonorrhea when there is a profuse discharge, terrible cutting, burning pains and frequently bloody urine. Use the 3X or 6X internally with the local application. [Source: George Royal]

Avena Sativa: It is pre-eminently an anti-neurotic, quieting the nervous system to a remarkable degree. Its special sphere of action seems to be upon the male sexual organs, regulating the functional irregularities of these parts. It is a most useful remedy in all cases of nervous exhaustion and general debility. Nervous palpitation of the heart, insomnia inability to keep the mind fixed upon any one subject, etc., more especially when any or all of these troubles is apparently due to nocturnal emissions, masturbation, over sexual intercourse and the like. For these disorders it is truly specific. [Source: Dr. E.P. Anshutz]

Cannabis Sativa: It is the remedy par excellence with which to begin the treatment of gonorrhoea, unless some other remedy is particularly indicated, and such cases are very few. The most characteristic symptom is that the urethra is very sensitive to touch or external pressure. The patient cannot walk with his legs close together because any pressure along the tract hurts him so.

Cobaltum: To be thought of whenever we see the combination of back trouble and nocturnal emissions. Better lying, worse sitting, weakness or pain in legs. Also a remedy for impotence. [Source: *Roger Morrison*]

Conium Maculatum: *Conium* is a valuable remedy for the testicles when they are enlarged and very hard, especially as the result of injuries.

Digitalis: Baehr recommends *Digitalis* 3d trituration in spermatorrhoea and claims that it usually suffices. It should be given early in the morning. Dickinson claims better results from this remedy than from any other. [Source: *W.A. Dewey*]

Graphites: It is the best remedy in emissions of semen proceeding from debility of the organ.

Hydrangea: There is one remedy in regard to enlarged prostate and that is *Hydrangea*. [Source: *Dr. A.H. Grimmer*]

Jaborandi: Mumps, especially when there is metastasis to the testicles.

Lycopodium: It is one of our best remedies for impotence. An old man marries his second or third wife and finds himself not 'equal to the occasion'. Young men from onanism or sexual excess become impotent. I have known of hopeless cases cured by the use of this remedy, high single doses at intervals of a week or more. Give it low, however, if you want to, but do not blame me if you do not succeed. [Source: *Dr. E.B. Nash*]

Mercurius Solubilis: For the first stage of an uncomplicated gonorrhoea there is no better simile and no more efficient remedy than *Mercurius Solubilis*. Voluptuous tickling in urethra when touched, violently excited sexual desire; greenish-yellow purulent secretion from urethra, with traces of blood. [Source: *Bernhard Baehr*]

The only remedy for all the uncomplicated forms of syphilis is *Mercury*. Every homoeopath accepts this proposition, the practical value of which has been verified in a large number of cases. The simple soft chancre heals in the time indicated, seldom within three weeks, under the exclusive use of *Mercurius Solubilis*.

Sabal Serrulata: For enlarged prostate. Difficult urination, inability to pass water without the use of catheter (especially in old men), take 5 drops of tincture of *Sabal Serrulata* twice a day. [Source: *Dr. EP Anshutz*]

Sepia Males: Male *Sepias* can be difficult to identify. The best word to describe the patient is "wimpy", weak in spirit and confidence and masculinity. He can be difficult to differentiate from *Staphisagria*,

Pulsatilla, or *Gelsemium*. Often longs to give up his job and responsibilities. [Source: Roger Morrison]

Sulphur: *Sulphur* 200 can be used as an inter-current remedy in sexual weakness.

Viola Tricolor: The principal use for this remedy is for nocturnal emissions accompanied by very vivid dreams. They are not very exhausting, but cause an uneasiness of mind; also loss of seminal fluid at stool and in the urine. [Source: H.N. Guernsey]

Comparisons

Gonorrhoea: For the first stage of an uncomplicated gonorrhoea there is no better simile and no more efficient remedy than *Mercurius Solubilis*. *Hepar Sulphuris* is the best remedy to give after *Mercurius*. *Hepar* is given as soon as the discharge assumes a whitish colour and the pains abate quite considerably, usually about the ninth or tenth day.

According to the experience of most physicians *Thuja Occidentalis* is the best remedy. It should not be given as long as inflammatory symptoms are present; nevertheless, it is recommended by many, and even by Hahnemann, at the outset of gonorrhoea. *Nitric Acidum* competes with *Thuja*, but will scarcely ever prove useful, except in the secondary form of gonorrhoea. As a rule it seems to act best in cases where *Thuja* had proved useless. [Source: Bernhard Baehr]

Orchitis: *Aurum* has chronic orchitis, worse on right side with neuralgia of the cord. *Staphysagria* has a burning and stinging pain in the right spermatic cord, with drawing in the right testicle. [Source: W. A. Dewey]

Prostate Affections: In acute inflammation with tenesmus, *Pulsatilla*, *Belladonna* and *Ferrum Phosphoricum* are the most valuable remedies, as also *Selenium* in the chronic form. In beginning prostatic hypertrophy with some inflammation and urinary disturbance *Sabal Serrulata* 3X produces a splendid effect, hence it has been called the 'homoeopathic catheter' because it acts quickly and markedly on congestion. *Ferrum Picricum* follows it importantly. Do not forget *Calcarea Fluorica* 6X and *Equisetum Hyemale* tincture, often indicated in hypertrophy of medium severity. If there is no undoubted improvement, or if there is advanced sclerosis, we must think of the deep acting remedies such as *Baryta Carbonica* or *Conium*. Often there may be an adenoma or tumour of grave origin. [Source: J. Ellis Barker]

Cases

Graphites: Man, 38, with oozing, itching, cracking eczema of scrotum and groins, which had resisted salve and x-ray for months. Stout and gaining weight. Marked aversion to sweets of late. Worried, constipated, with knotty stool covered with mucus. Chilly recently. Cracks of fingertips in winter for three years. *Graphites* 2C., one dose. Returned in three weeks, better but relapsed last two days. *Graphites* 10 M., one dose. Not heard from for eight months. Recently wife came for herself with message, “It was like a miracle. No more eruption or trouble since.” [Source: Dr. Hubbard]

Female

*Abdomen, large abdomen;
mothers*

Abortion

- habitual

- habitual; due to uterine debility or defect
- haemorrhage, after
- preventive
- retroverted uterus, due to
- threatened

*Abortion, tendency, any
month*

- early months
- first month
- second month
- third month
- black blood in third month
- fourth month
- fifth to seven month
- seventh month
- later months

Adnexitis

Amenorrhoea

Sepia.

Aloe, Crocus, Filix Mas., Gaertner Bach., Mistletoe Apple.

Aurum Mur. Nat., Brucella Abortus Bang Nosode, Plumbum Met, Sabina, Toxoplasmosis Nosode, Ustilago. Caulophyllum.

Phosphorus.

Viburnum prunifolium.

Aurum Met. Nat., Plumbum Met.

Aletris Farinosa, Cimicifuga, Pinus Lambertina, Plumbum Met., Rosmarinus Officinalis, Toxoplasmosis Nosode, Ustilago, Viburnum Prunifolium.

Sepia, Viburnum Prunifolium.

Apis, Viburnum.

Crocus, Viburnum.

Kali Carb.

Apis, Cimicifuga, Crocus, Kali Carb., Sabina, Secale, Thuja.

Kreosotum.

Apis.

Sepia.

Sepia, Ruta

Opium.

Bacterium Coli, Fluor Albus Nosode, Nat Oxalaceticum.

Aristolochia Clematis, Gossypium, Luffa Operculata, Ovarian Cyst, Polygonum Pur., Rubia Tinctorum, Seniceo Aur.

- for months Silicea.
- sensation as if flow about to start, yet does not Gossypium.
- sudden chill, due to Bellis Per.
- young girls, in Aquilegia Vulgaris, Corpus Luteum, Polygonum.
- weak circulation with, and nervous exhaustion Avena Sativa.
- Backache, during and after menses* Eupion.
- Bartholin cyst* Thuja.
- Birth control* Bufo, Pulsatilla, Sulphur.
- Breast*
- abscess Bryonia, Hepar Sulph, Myristica, Phytolacca.
- areola, reddened Castor equi.
- cystic fibroma Calc. Carb., Calc. Sulph., Conium, Lac. Can., Phytolacca, Ruta, Schirrhinum, Scrophularia, Thyroidinum, Thiosinamine, Thuja.
- cystic, breast Calc. Fluor, Nat. Fluor.
- cystic fibromata, adenofibroma Calc. Fluor, Conium, Lac. Can., Nat. Fluoricum, Phytolacca, Scrophularia Nod.
- developed weakly Nux Moschata.
- dwindling Lac. Defl.
- fibrocystic disease Galium Aparine, Scrophularia.
- fibromata Graphites, Lac. Can., Phytolacca, Scrophularia.
- fistula Phytolacca.
- glandular Cistus Can., Clematis, Conium.
- hard and swollen Cyclamen.
- heavy like stone Phytolacca.
- hypoplasia Iodium.
- inflammation (Mastitis) Bell, Bryonia, Castor Equi, Lac-Can, Nat Oxalaceticum, Phytolacca.
- inflammation, pain radiating along the ducts Phellandrium.
- lumps, breast in Aurum Met.

- itching in; violent Castor. Equi.
 - large Chimaphilla Umb.
 - lumps Baryta Iodide, Calc. Carb., Conium,
Calc. Fluor, Kali Iodide, Lac. Can.,
Phytolacca, Scrophularia Nod.,
Thiosinamine.
 - lumps due to injury Bellis Perennis, Conium.
 - milk, in the breast; when it
should not be Lyco.
 - nodule, hard indurated Calc. Fluor.
 - nodules Carbo Animalis, Conium, Phytolacca.
 - nodular tumours Baryta Iodide, Calc. Iodium, Calc.
Sulph., Conium.
 - paget's disease of nipple Castor Equi.
 - pain, left breast Cimicifuga.
 - pain, right breast Sanguinaria.
 - pain stabbing, with itchy
skin Asterias Rubens.
 - rash on the Dulcamara.
 - sore, painful Lac. Can.
 - swelling before menses Calc. Carb., Conium., Lac. Can.,
Pulsatilla.
 - tumours Asteria Rubens, Conium, Lac. Can.,
Mammae Adenoma, Phytolacca,
Scrophularia Nod., Thiosinamine.
 - ulcers Myristica Sebifera.
 - ulcers, unhealed abscess
from, shooting pains and
moisture with Paeonia.
 - undeveloped Sabal Serrulata.
- Cancer*
- breast Asteria Rubens, Carbo. Ani.,
Carcinosin, Castor Equi., Conium,
Gaertner Bach., Lapis Alb., Myristica
Seb., Phytolacca., Schirrinum,
Scrophularia, Silicea, Thiosinamin.
 - breast, badly infected with
dark, black discoloration of
skin and offensiveness Gun powder.

- breast, with swelling of axillary glands Asteria Rubens.
 - breast, ulcerous Ubiquinone.
 - breast ulceration with, especially left mammae Asteria Rubens.
 - cervix Calc. Phos., Thymol.
 - cervix and swelling of legs Nat. Phos.
 - uterus Amorphophallus Rivieri, Cadmium Iod., Caltha Palustris, Herpes Simplex Nosode, Herpes Zoster Nosode, Paronychia Illecebrum.
- Chloasma uterinum* Cadmium Sulph., Sepia.
- Displacement of the uterus* Aletris Farinosa, Eupion.
- Dysmenorrhoea* Abroma Augusta, Abroma Radix, Aletris Farinosa, Aquilegia, Apis Mel., Coffea Cruda, Cupr. Met., Cyclamen, Gelsemium, Glonoine, Ignatia, Lachesis, Lilium Tig., Melilotus, Niccolum Met, Pituitrinum, Platina, Viburnum Opulus.
- bearing down, with Pulsatilla.
 - bearing down pains, worse any movement, with paralytic weakness of legs Hedeoma Pulegioides.
 - improves, after onset of bleeding Lachesis.
 - membranous Borax, Calc. Aceticum, Tuberculin.
 - menorrhagia and amenorrhoea Cimicifuga.
 - nervous women, in Arg. Nit.
 - pain in knee and back and passage of black thread like clots, with Helonias.
 - puberty connected with Calc. Phos.
 - shreds of mucous membrane passed along with severe pains Caulophyllum.
 - violent Senecio, Viburnum Opul, Xanthoxyllin.
 - young girls in, from beginning Calc. Phos.

Eclamptic attacks

Endocervicitis

- chronic

Endometritis

Endometriosis

- recurrent abortion and
traumatism of pelvic organs
with

Erosion of cervix

*Emmenagogue (relieves
tardy flow when sensation
that the flow about to start)
in tall bloodless people*

*Erythrocynosis puellorum;
in female; blueness in lower
limbs*

Expulsion of dead foetus

Fertility disorders

Fibroadenoma, breast

Fibroadenosis, breast

Fibroid, uterine

- bleeding
- endometrium
- profuse bleeding
- uterus/ovaries of
- uterus, indurated

Fluid retention

- menses, before

Cina, Cupr Met.

Hydrophis Cincinitus.

Belladonna.

Calc. Carb., Ficus Relig., Hydrastis,
Lapis Alb., Oophorinum., Phos.,
Secale Cor., Thalaspia Bur. Past.,
Thiosinaminum., Viburnum Op., Vipera.

Bellis Per.

Alnus, Antim. Tart., Carbo Animalis,
Hydrastis, Murex Purpurea.

Gossypium.

Morgan Bach.

Aristolochia, Clematis, Mandragora.

Vitamin A.

Calc. Fluor.

Calc. Fluor., Calc. Iodium, Calc. Sulph.,
Conium, Cobalt Met., Graphites, Lac.
Can., Phytolacca, Scrophularia Nod.

Angustura Vera, Apis, Aur. Mur.
Nat., Calc. Carb., Calc. Fluor, Calc.
Hypophos, Conium Mac., Fraxinus
America, Hydrastis, Kali Iodide, Ledum
Pal, Parathormone, Phytolacca, Salix
Nigra, Scirrhinum, Sepia, Thalaspia
Bursa, Thiosinaminum, Thuja.

Fraxinus Amer., Thlaspi Bursa Past.

Calc. Fluor.

Phos.

Conium.

Calc. Fluor.

Folliculinum.

- ovulation, during Folliculinum.
- Frigidity, in woman* Sepia.
- Galactorrhoea* Asafoetida, Calc. Carb., Calc. Iod.,
Cyclamen, Lac. Can., Hypophysin
Ant., Phytolacca, Pulsatilla, Reserpine,
Urtica Urens.
- Haemorrhage*
- capillary after curetage; Nitric Acid.
D&C
- climaxis at, red flow, dark Vipera
clots, prostration and
fainting
- climacteric Arg. Met., Aurum Mur., Vipera.
- delivery, after Menispermum, Sabina
- fibroid from Angustura Vera, Ledum Pal, Salix
Nigra, Vinca Minor.
- pregnancy during Trillium.
- uterine, atonic Ustilago.
- uterine Abroma Augusta, Erigeron, Ficus
Relig, Ledum, Phos., Sabina, Thalaspi,
Thyrodinum, Ustilago.
- uterine, continuous Vipera.
- uterine, heavy Vipera.
- uterine haemorrhage after Arnica.
injury, coitus
- uterine, irritation of bladder Erigeron.
and rectum
- uterine, passive or after Cinnamomum.
mechanical injury, straining
or undue exertion
- weakness without Erigeron.
- Herpetic eruptions on the* Dulcamara.
genitals, especially before
menstruation
- Itching of the genitals* Ambra Grisea, Borax, Medorrhinum,
Sulphuric Acid.
- Labour*
- delayed, rigid os due to Gelsemium.
- pains mild, irregular do not Pulsatilla.
come with vigour

- pain, tedious and painful with rigid os. Caulophyllum.

Leucorrhoea

- chronic Aletris Farinosa, Alumina, Aristolochia
- discharge only at night Clematitis, Fluoric Acid., Fumaric Acid., Hydrastis, Hydrocotyle Asiatica,
- egg-white like Kali Bich, Medo., Nitric Acid., Penicillin, Saraca Indica, Sycotic Co.
- horribly offensive, acrid Candida, Cimicifuga.
- hot and scalding Ambra Grisea, Alumina.
- offensive Petroleum.
- painless Kali Ars.
- periods between, extreme weakness of legs, with Graphites, Hydrastis.
- purulent Carbolic Acid.
- runny Agnus Castus.
- young girls, in Cocculus.
- weakness with, great Kali Bich.

Lochia

- foul smelling Nitric Acid.

Malposition of foetus

- Calc. Carb., Cubeba, Merc IF, Pulsatilla.

Menopausal sweats

- Thlaspi Bursa Pastoris.

Menopause

- bilious attack, during menopause Sabina, Secale Cor.
- early Carbo Veg, Kreosote.
- hot flushes Pulsatilla.
- menstruation heavy, lasting too long in the Calc. Carb., Jaborandi.
- metrorrhagia in the Amyl Nitrosum, Aquilegia, Corpus Luteum, Lach., Saraca Ind., Nat Mur., Oophorinum, Puls., Sepia, Sulph., Visc. Alb.

Menorrhagia

- Morgan Bach.
- Aristolochia, Clematis, Oophorinum.
- Trifolium Pratense.
- Calc. Carb.
- Crotalus.
- Bovista, Carbo Animalis, Ficus Religiosa, Folliculinum, Kali Carb., Menispermum, Phos, Secale Cor.,

	Thlaspi Bursa Pastoris, Trillium, Ustilago.
- acute	Phos.
- climacteric, in the	Nat Brom.
- dated from miscarriage	Phos.
- vertigo, accompanied by	Menispermum.
- young girls, in	Bunias Orientalis, Menispermum.
<i>Menses</i>	
- before expected with excessive flow	Calc. Carb.
- complaints, menstrual	Aquilegia, Calc. Carb., Puls., Sulph., Vibrum Op.
- continuous oozing of watery blood until next period	Secale cor.
- depression with	Aquilegia.
- early too	Bovista, Hydrocotyle Asiatica, Lamium Album, Thuja.
- early, heavy, too long, especially during the climacteric	Calc. Carb.
- epileptiform attacks before	Curare.
- exhausts her, profuse, weak, hardly speak	Carb. Ani.
- flow at night	Ammonium Carbonicum, Bovista.
- flow only on lying down; ceases when sitting or walking	Kreosotum
- flow only when moving about; ceases when she stops walking	Lilium Tigrinum.
- foul-smelling	Belladonna.
- headache and sore throat menses, during	Lac Def.
- heavy	Aurum Maculatum, Citrus Limonum.
- heavy and occurring too early (14 days and earlier)	Hyoscyamus.
- irregular	Abroma Radix, Artemesia Vul., Ovary, Pitutary, Sepia.

- irregular in time and quantity	Cimicifuga, Ignatia, Nux Moschata, Platina.
- more abundant flow, more indicated	Calc. Carb.
- one menses ends another starts	Thlaspi B.P., Hypophysin Ant.
- ordinary; flow profuse/frequent; exhaustion	Trillium Pendum.
- painful	Aquilegia.
- profuse	Acetic Acid.
- profuse menses, perceptible, mild, feeble, non-bounding pulse and clean tongue, with	Millefolium.
- promoting for	Sorbus Aucuparia.
- prostration, after every menstrual flow	Carb. Ani.
- regular	Caulophyllum.
- scanty	Abroma Radix.
- sparse	Phosphorus.
- stoppage/delayed	Pituitary.
- suppressed from working in cold water, accompanied by painful breast	Conium, Lac Def.
- suppressed	Senecio Aureus.
- suppressed with jaundice	Chionanthus Virginica
- vicarious	Senecio Aur., Ustilago.
- vomiting with severe migraine and dysmenorrhea	Gelsemium.
<i>Menstrual colic</i>	Medorrhinum.
- annoyance, following	Chamomilla.
- dysmenorrhea with neuralgic complaints with, improves when bleeding starts	Mag Phos.
- intermenstrual pain with great abdominal and pelvic soreness	Bry.
<i>Metritis</i>	Aur. Iod., Berberis Vulg., Hypericum, Psorinum, Sabina, Tuberculinum.

Metrorrhagia

Bovista, Crocus, Erigeron, Kali Carb.,
Medorrhinum, Nitric Acid., Polygonum
Punctatum, Thlaspi Bursa Pastoris,
Ustilago.

- climacteric, in the Crotalus, Vinca Minor.
- dark, coagulated blood Chamomilla.
- with, and cramp attacks
- inflammation of urethra and Erigeron.
- rectum, with
- labour or abortion, after Secale Cor.
- menses, frequent, too early, Kali Ferrocyanatum.
- profuse, passive, painless
- weakness with
- menorrhagia and Ipecac.
- night-time Badiaga.
- post partum Sabina.
- profuse discharge, night Mag Carb.
- profuse, bright, red Erigeron.
- bleeding

Milk

- deficiency of, women in Jaborandi.
- confinement
- dry up to, in lactation Asafoetida.
- increase quantity in nursing Galega, Urtica Urens.
- mothers

Muscles, pain in groins Bellis Perennis.
during pregnancy as
stretching of the ligaments
and nerves of the uterus.

Myoma bleeding

Platinum Met.

Myoma formation

Aur Iod.

Myoma, uterine; absorptive

Calc. Fluor, Calc. Sulph., Stibiata.

Myoma, uteri.

Aur. Iodide.

Nipples

- cracked, ulcerated and sore Castor Equi.
- fissures or eczema Graphites.
- pain suckling during Phellandrium.
- sore Graphites (local application).

Oestrogen, abnormal; and abortion

Secale Cor.

Ovary

- complaints of
- cyst ovarian
- cyst, left
- dropsy, ovarian
- para ovarian, cyst
- dysfunction of the
- inflammation (oophoritis)
- inflammation, left
- inflammation, right
- neuralgia
- neuralgia, bleeding with
- neuralgia, left
- oophoritis, condition following
- polycystic, ovaries
- trouble, ovarian, left
- trouble, ovarian, right
- ovariectomy, after
- pain
- pain burning
- Stein-Leventhal Syndrome (PCOS)
- Ovulation, irregular to regulate*
- Pain vagina, shooting up to the left ovary*
- Pelvic abscess*
- pus already discharging
- Physometra, from vagina*

Gossypium, Lachesis.
 Apis, Aurum Iodide, Aurum Mur. Nat., Calc. Carb., Calc. Fluor., Kali Brom., Nat. Fluor., Oophorinum, Sepia, Sycotic Co., Thyroidinum.
 Palladium.
 Aurum Mur. Nat.
 Bovista.
 Lachesis.
 Apis Mel., Belladonna, Berberis Vulg., Merc Sol., Palladium.
 Lachesis, Lilium Tig., Medo.
 Apis Mel.
 Atropine., Cimic., Colocynth, Gossypium, Naja, Staphysagria, Viburnum Opulus, Xanthoxylum, Zinc Val.
 Ustilago.
 Cimicifuga.
 Coxsackie Virus Nosode.
 Apis, Lac. Can.
 Lachesis.
 Apis Mel., Palladium.
 Oophorinum.
 Thuja.
 Cantharis.
 Corticotrophin.
 Folliculinum, Oophorinum.
 Cimex.
 Hepar Sulph., Sabina.
 Sabina.
 Bromium.

<i>Pregnancy, for easy delivery</i>	Vitamin E.
<i>Pregnancy, during, better</i>	Tuberculinum.
<i>Pregnancy, during, much spitting and nausea</i>	Tabacum.
<i>Pregnancy during, urine suppressed or scanty</i>	Belladonna, Camphora, Cantharis.
<i>Premenstrual syndrome</i>	Ergotinum.
- general swelling of the body	Folliculinum.
- heaviness in pelvic region	Folliculinum.
- heaviness/swelling of breast, weight gain before menses	Folliculinum.
- hyper nervousness	Folliculinum.
- irritability	Folliculinum.
- premenstrual syndrome, thyroid deficiency in many women	Apis Mel, Oophorinum, Progesteron, Sepia, Thyroidine, Zinc. Valerian,
- pre-menstrual tension	Aurum, Folliculinum, Nat. Mur., Phos., Puls., Sepia.
<i>Pruritus</i>	
- pudenda	Borax (local application).
- vaginae	Mentha Piperita (local application).
- vulva	Ambra Grisea, Anthraquinon, Codeinum, Collinsonia, Hydrastis, Lapis Alb., Mentha Piperita, Platina, Rhus Tox., Thuja, Urtica Urens.
- pregnancy during	Collinsonia.
<i>Prevents still birth in women who have previously issued dead foetus</i>	Cimicifuga.
<i>Puberty</i>	
- delayed, stunted growth; atrophy of mammae with	Pituitrinum.
<i>Puerperal, fever, after</i>	Pyrogen.
<i>Retained placenta</i>	Gossypium, Viscum Album.
<i>Salpingitis</i>	Apis Mel., Bacterium Coli., Sycotic Co.
- chronic	Tuberculinum Residuum.
<i>Sexual passion increased, old women in</i>	Moschus.

Sexual desire low

Damiana.

*Sleeplessness, pregnancy
during*

Coffea Cruda.

Sterility

Borax, Conium, Damiana, Ferr Met.,
Medorrhinum, Nat. Mur., Phos.,
Pulsatilla, Sepia, (it alters both the
outlook of the women and her bearing
powers), Thyroid, X ray. (Calc. Iodide
to husband)

- anovulatory cycles
- indurated cervix with
- primary sterility
- scanty menses with

Vitamin E.
Aurum Mur. Nat.
Sabina, Sepia.
Ammonium Carb.

Uterus

- cramps in
- congested and atonic states
of uterus
(prolapse, fibroids) and
its ligaments, with hepatic
disorders

Conium., Mag. Mur.
Nat Hypochlorosum.

- infantile
- malpositioned
- polyps, uterine and vaginal
- soreness, palpitations with
- sub-involution
- tumours of
- ulceration, uterus of, going
to malignancy
- uterus removed when, and
needs hormonal treatment

Plumb. Met., Thyroidinum.
Helonias.
Calc. Carb., Teucrium Marum.
Convallaria majus.
Fraxinus Americana.
Aur. Mur. Nat, Calc. Flor, Fraxinus.
Carbo Ani.

Vaginal prolapse

Ocimum Sanctum.

*Vagina, insensible to act;
numbness*

Fer. Met.

- painful due to spasm of
vagina
- painful during coition
- polypi
- thrush, candida

Fer. Phos.

Kreosote, Sepia, Sulphur.
Calc. Carb.
Candida Alb.

<i>Vagina, narrow</i>	Alumen.
<i>Varicose veins during pregnancy</i>	Formica, Fluoric Acid, Hamamelis, Pulsatilla.
<i>Vomiting of pregnancy</i>	Aletris Farinosa, Cerium Oxalicum, Gossypium, Lac Vac Defloratum, Symphoricarpos Racemosa.
- coughing with	Nux Moschata.
- obstinate cases	Psorinum.

Remedy Hints

Aconitum Napellus: *Aconite* has a specific action on serous membranes, and is one of the best, if not the very best remedy in most cases of puerperal peritonitis. In the treatment of these cases, when given low, and in doses repeated every one or two hours, it has served me remarkably well. [Source: Henry C. Allen, *The Medical Advance*, Aug 1887]

If there is suppression of lochia, do not give *Aconite*. (J.T. Kent)

Actea Racemosa: Certain women give birth to dead babies for no discernible reason. *Actea Racemosa* is a trusted remedy for such a condition. A daily dose of 1x for two months before delivery.

Aesculus Hippocastanum: *Aesculus* is often indicated in the troubles of women, with great dragging pain in the pelvis. Many a time has *Aesculus* cured the dragging-down pain of the pelvis with copious leucorrhoea and pressing pain in the hips when walking. [Source: J.T. Kent]

Agaricus Muscarius: After pregnancy, paralytic weakness in the lower limbs.

Agnus Castus: Deficient secretion of milk in lying-in women, where this mental symptom is present, “*There is no use of doing anything, as I shall die after a while*”. Swelling and induration of the spleen, particularly after intermittent fevers. An odour of herring or musk, is constantly before the nose, which cannot be dissipated. [Source: H.N. Guernsey]

Antidote to Iron: *Pulsatilla* is the great antidote to Iron, and hence is indicated in the anaemic conditions produced by large or continued doses of it.

Anti-psoric Remedies: Pregnancy offers a most favourable time for the administration of anti-psoric remedies, the organism being then in a specially receptive state for the eradication of chronic and inherited disease tendencies. [Source: Samuel Hahnemann]

Apis Mellifica: *Apis* must be given cautiously during pregnancy. If given in low potency and frequent doses it may bring about a miscarriage, especially before or at the third month, because *Apis* produces bearing down in the uterus. [Source: Dr. E.A. Farrington]

In ovarian cysts, *Apis* is an excellent remedy; especially in the incipient stages. We have here, in addition to the burning and stinging pains, numbness down the thigh and over the right side of the body, feeling of tightness across the chest, with cough. This is not a symptom of lung disease, but is reflex from the uterus. [Source: E.A. Farrington]

Argentum Metallicum: You will be astonished to know that homoeopathic remedies are wonderful in their ability to create tonicity, and thereby restore the prolapsed uterus to its normal position, and to remove the dragging down feeling. *Argentum* is one of the medicines. In fact, the whole pelvic system is engorged increased in weight, tissues infiltrated likely to be hardened. *Argentum Metallicum* is one of the most important remedies to know in the necrosis of cartilages everywhere in the body. In the female we have ovarian troubles, infiltration, hardness, cystic troubles, cystic ovaries, that are cured by this remedy; ovarian tumours; very large, hard indurated ovaries-especially the left. [Source: J T Kent]

Arsenic: *Arsenicum iodatum* is indicated after *Arsenicum* fails in sudden suppression of menses. [Source: Dr. Subrata K. Banerjee]

Aurum Metallicum: In *Aurum*, the uterus is enlarged from chronic congestion. It becomes prolapsed from its great weight. This is the form of prolapsus which *Aurum* will cure, and no other. Another gold salt, *Aurum Mur Natronatum* has been used in the 2nd and 3rd potencies for prolapsed and indurated uterus. [Source: E. A. Farrington]

Baryta Carb: I have seen several cases of Bartholinitis (inflamed cyst) being healed in just a few days with *Baryta Carb*. This indication for *Baryta* is also mentioned by Dr. A. Lockie in *Family Guide to Homeopathy*.

Belladonna: *Belladonna* has menstrual suppression with congestion to the head, but its chief use is in amenorrhoea suddenly due to cold, with bearing down and throbbing pains in the hypogastrium and painful urination. [Source: W. A. Dewey]

The elder Lippe once told me of a case of suspicious enlargement or swelling and pain of the breast of long standing, which, as he expressed it, seemed likely to prove a case for the surgeon (cancer), which was entirely cured by a few doses of *Belladonna*, to which he was guided by

this symptom of the pains being so much worse on lying down. [*Source: E. B. Nash*]

This is in many respects the most important remedy in Oophoritis. It is particularly adapted to acute oophoritis attended with severe pain. Experience has likewise satisfied us that *Belladonna* is useful in the chronic form, provided we do not expect any immediate result. [*Source: Bernhard Baehr*]

Breech Birth: Crude materialists will undoubtedly scoff at the idea of turning the foetus in the uterus with an internally administered drug, but when it is realized that all mal-positions are the result of abnormal pressure in or on the uterus, it is evident that if the muscles of the organ act properly the contents must take the position to which their shape naturally adapts them—that is, the normal position. The subtle influence of the homoeopathically indicated remedy so controls the muscle fibers to act in harmony that the form of the organ is changed to normal and the foetus does actually change position to accommodate itself to the containing body. This is done far more adroitly than it is possible to turn the foetus by external force of even the most skillful hands. [*Source: Dr. George M. Cooper, The Hahnemannian Advocate Vol 41, 1902*]

Caulophyllum: *Caulophyllum* is a specific for false labour pains. [*Source: W. A. Dewey*]

During labour *Caulophyllum* is indicated when there is extreme uterine atony. The pains may be as severe as ever, yet there is apparently no expulsive effort. It is often indicated in nervous women in whom pain seems to be intolerable. The pains are spasmodic and fly about from place to place, now in the groins, then in the abdomen, and next in the chest. The patient seems to be exhausted and can scarcely speak at times.

Causticum: The routine remedy for retention of urine after labour is *Causticum*. It is a great remedy for the effect of strain upon muscles and parts, and the violent effort that a woman passes through in expelling the child in many instances leaves all the pelvic muscles tired, relaxed, paralyzed. [*Source: J T Kent*]

Chamomilla: *Chamomilla* is suitable for inflamed or ulcerated nipples, provided the it has not been previously used in excess. [*Source: G. H. G. Jahr*]

Threatening miscarriage or menstrual colic caused by anger have yielded to *Chamomilla*. It is the best remedy for people who have used opium, bromide, tea or coffee to excess. [*Source: Royal George*]

Cherry Plum Bach Flower Remedy: Whatever may be the disease that the patient is suffering from, if the patient is weeping/screaming with ‘Unbearable’ pain, *Cherry Plum*, considerably reduces or completely cures the underlying pathology and so the pain stops. The best place for the use of this remedy is the labor ward in any maternity hospital for expectant women, shrieking with ‘unbearable’ labor pain. One single dose reduces the ‘unbearable’ pain and it would soon be a safe and normal delivery. In rare cases you may repeat the remedy every 15-30 minutes. [Source: Dr. V. Krishnamurthy]

China: If the mother cannot sleep well, feels bad in the morning, has no appetite, or perspires much, commences to cough, and is very sensitive to the least breath of air, give *China*. [Source: Constantine Hering]

Cimicifuga: *Cimicifuga* is a good remedy for ovarian neuralgia occurring in rheumatic subjects. It seems also adapted to women of dark hair, eyes, and complexion, and to those who are the children of intemperate parents.

Cinnamon: Next to falls, the most common mechanical cause for a miscarriage is over-lifting. Cases of abortion coming for that reason do not respond nearly so well to *Arnica* as you would expect. The patients complain of dragging pain and are restless. This kind of case responds very well to *Cinnamon*. [Source: Dr. Douglas Borland]

Cocculus Indicus: Menopause with anaemia. Purulent, gushing leucorrhoea between menses, or in place of menses, very weakening, can scarcely speak. Mentally pre-occupied, profound sadness. Leucorrhoea instead of menses. (*Graphites*). Suppressed menses with flatulent, cramping colic. (30C) [Source: Dr. Subrata K. Banerjee]

Colchicum: When you find the milk of nursing mothers contain urea in excess, owing to derangement of the kidneys, *Colchicum* is your very best remedy. [Source: Henry C. Allen]

Collinsonia: It seems specially adapted to those women who have haemorrhoids either during, or as a sequel to, pregnancy and parturition. Where the trouble dates from gestation or from labour, and the condition has become chronic, there is no remedy to compare with it for efficacy. [Source: Richard Hughes]

Conium: When *conium* is indicated in troubles with the breasts or ovaries there is swelling, pain, hysterical symptoms and great soreness. Soreness and swelling of the breasts preceding menstruation, aggravated by the least jar or walking (keynote). When hysterical symptoms increase greatly; the vertigo when lying down becomes very severe. After a blow

or injury there is induration of the breasts, the swelling is hard as a stone. The stony hardness of the induration is a characteristic of *Conium*. [Source: *E. Oilman*]

Cyclamen Europaeum: Amenorrhoea; chilliness of entire body not better by abundant covering. Menstrual irregularities with migraine and blindness, or fiery spots before eyes. Suppressed menses after excessive dancing or being heated. [Source: *Dr. Subrata K. Banerjea*]

Dosing During Menstruation: Antipsorics should neither be taken immediately before nor during menstruation. If the menses appear too soon, too abundant, and last too long, she may smell on the fourth day of a globule of a high potency of *Nux Vomica*, and several days after the antipsoric may be taken. *Nux* restores the harmony of the nervous functions and calms that irritability which inhibits the action of the antipsoric. [Source: *S. Hahnemann*]

Equisetum Hyemale: A specific for retention and dysuria during pregnancy and after delivery.

Gelsemium: In eclampsia either before, during or after delivery in nervous temperaments of a hysterical make-up, and when the convulsion is severe but assumes normal after each attack, *Gelsemium* is almost a specific. [Source: *J. E. King*]

Graphites: For cracked nipples there is no remedy I so often use as *Graphites*. I apply the cerate locally and give the 30th internally. [Source: *Dr. George Royal*]

If you know a woman who is suffering from an old scar that has formed a lump, when she is about to go into confinement, give a dose of *Graphites* as a general remedy, unless some other special remedy is called for. [Source: *Dr. J.T. Kent*]

Hairfall While Nursing: Some females, while nursing, suffer from a falling off of the hair of the head. The following remedies will be found useful - *Sulphur*, *Lycopodium* or *Calcarea*.

Helonias: *Helonias* is an excellent remedy in anaemia. It suits especially anaemia from prolonged hemorrhage in women enervated by indolence and luxury, or such as are worn out with hard work. They are too tired to sleep and the strained muscles burn and ache. [Source: *Dr. W.A. Dewey*]

The keynote leading to its selection has ever been a 'consciousness of a womb'. Other remedies have a consciousness of the womb, but here it consists of a soreness and weight in the womb, which is *constant*,

accompanied by a tired, aching feeling in the back and limbs. [*Source: W. A. Dewey*]

Hydrastis: Some women develop adhered placenta at each delivery. *Hydrastis* has the power to stop that by giving it in 3x, three drops daily from the fourth month onwards. [*Source: Dr. P. Rajagopalaraao*]

Iodine: We find *Iodine* indicated in cancer of the uterus, particularly with profuse hemorrhages. The leucorrhoea is characteristic, being yellowish and very corrosive. This, in conjunction with sallow, tawny skin, ravenous appetite, etc., makes *Iodine* the remedy which will relieve many cases and cure some. [*Source: Dr E.A. Farrington*]

Ipecac: When the uterus is continuously oozing, but every little while the flow increases to a gush, and with every little gush, she thinks she is going to faint, or gasps, and the quantity of the flow is not enough to account for such prostration, nausea, syncope, pallor, *Ipecac* is the remedy. [*Source: Dr. J.T. Kent*]

In a very large percent of cases when the vomiting of pregnancy starts, *Ipecac* will completely control it. The danger is prevented and does not need to be met. [*Source: Dr. D.M. Borland*]

Ipecacuanha has very copious continued flooding, during pregnancy, the blood flowing with cutting pains around the navel. Great pressure and bearing-down. Chills and coldness of the body. A feeling of heat rising into the head, great weakness and inclination to lie down. This is also the most important remedy in flooding after delivery.

Kali Carbonicum: It acts when *Natrum Muriaticum* fails in amenorrhoea. [*Source: Dr. Subrata K. Banerjee*]

Kali Carbonicum is one of the best remedies following labour. Miscarriage, for consequent debilitated states. Severe backache during pregnancy and after miscarriage. Early morning aggravation. Anxiety felt in stomach. Never wants to be left alone. Flatulence, desire for sweets. [*Source: William Boericke*]

Kreosote: One has seen *Kreosote* 200 annihilate the terrible odours that sometimes accompany cancer of the cervix, where if it did nothing more, it made life more supportable for the patient. In cancer of the uterus, especially of cervix, with terrible offensiveness and bloody foetid oozing. [*Source: Dr. M.L. Tyler*]

Lachesis: *Lachesis* is often of great use in cancer of either the breasts or uterus. In either case the cancer puts on a bluish or purplish appearance, and if open or fungoid bleeds easily, a dark, decomposed blood. In case of

bleeding, the pains and suffering, as in the case of uterine haemorrhage, are temporarily relieved by it. [Source: *E. B. Nash*]

Lapis Albus (Silico-fluoride of Calcium): Grauvogl treated five cases of uterine carcinoma, pronounced true and incurable by allopaths, and cured them all. *Lapis albus* has burning stinging pain in breast, stomach uterus. Persistent pains in mammary region. Glandular hardening. Fibroid tumours with intense burning pains through the part with profuse haemorrhage. Ravenous appetite. Grauvogl found it did harm in cases that had previously suffered from Malaria. Pre-ulcerative stage of carcinoma. First to sixth potency. [Source: *E.B. Nash*]

Lycopodium: During labor pains she must keep in constant motion, with weeping. Labor pains run upwards. Pain sometimes goes from right to left, across hypogastrium and abdomen. 'I can't stand it. I must get up, or I'll die.' When this state prevails, give *Lycopodium* at once. You will be surprised at the instantaneous calmative effect that it will have. Not only this, but the case goes on in harmonious efficiency until labor is normally completed. [Source: *J. N. Lowe, Hahnemannian Advocate -1902*]

Mal-Position of Foetus: Take the case and especially the mother's state, relating mothering, fears, and relations with her parents etc. The right remedy will do wonders and the foetus will turn to physiological position.

Mastitis: If the breasts have become hard and painful, the best remedy in the case of lying-in women is *Bryonia*, and less frequently *Belladonna*. [Source: *Bernhard Baehr*]

Mel Cum Sale: There is a combination of honey with salt, known as *Mel Cum Sale*. I have used this remedy in prolapsus uteri and even in chronic metritis, especially when associated with sub-involution and inflammation of the cervix. The special symptom which leads you to the remedy is a feeling of soreness across the hypogastrium to ileum. [Source: *Dr. E.A. Farrington*]

Natrum Carbonicum: It will bring on menses when *Natrum Muriaticum* although indicated fails. [Source: *Dr. Subrata K. Banerjee*]

In bearing down sensation, after *Sepia*, *Natrum Carb* may follow (worse sitting, summer heat, draft, change of weather. Better moving). [Source: *H C Allen*]

Natrum Muriaticum: This is indicated in cases of leucorrhoea with headache. [Source: *G. H. G. Jahr*]

Natrum Phosphoricum: It is a very useful remedy in the nausea of the early months of pregnancy. [Source: *W.A. Dewey*]

Nux Vomica: If a prolapsus of the womb should have been occasioned by lifting a heavy weight, *Nux Vomica* is almost a specific remedy, and should be resorted to before *Belladonna*, or *Sepia* are given. [Source: *G. H. G. Jahr*]

Nux Vomica, is indicated when the labor is protracted from the irregularity and insufficiency of the pains, and there is constant inclination to evacuate the bladder and rectum. [Source: *Constantine Hering*]

Women often experience a stitch under the false ribs or in the sides toward the fourth month or later. *Nux Vomica* 30th has always succeeded in dissipating this in a few days. If the woman is of a lymphatic temperament, we should prefer *Pulsatilla*.

Phytolacca: I have removed a great many suspicious lumps or tumours in the breasts, some of years' standing, by giving a dose of *Phytolacca* c.m. once a month *during the wane of the moon*. What has the moon got to do with it? That some diseases have their aggravations in certain times of the moon I *know*, and certain remedies act better then. [Source: *Dr. E.B. Nash*]

When a large area of the breast is inflamed, hard, and tender, often due to a plugged duct, it is sometimes called 'caked breast'. In ordinary caked breasts, *Phytolacca* is almost a specific. Sore and fissured nipples, with intense suffering when putting the child to breast; the pain seems to start from the nipple and irradiate all over the body. [Source: *C G. Raue*]

Pinus Lambertina: Complete amenorrhoea. Past history of painful and delayed menses. [Source: *Dr. Subrata K. Banerjea*]

Plumbum Metallicum: *Plumbum Metallicum* for cases of habitual abortion, especially those occurring between 70 and 90 days. 'She feels a lack of room for foetus in the uterus; inability of uterus to expand; threatening abortion.' (Rubric: Small for foetus, sensation as if uterus too large). [Source: *Dr. S. P. Koppikar*].

Podophyllum: Dr. Williamson and others have found *Podophyllum* a valuable remedy in prolapsus uteri, following parturition, especially when there was also a numb, aching pain in the region of the ovaries, particularly the left.

Psorinum: The pregnant woman has a friend in *Psorinum*, for after other remedies have only palliated, it will often stop the vomiting of pregnancy. The skin symptoms are characteristic - dirty, greasy looking

with yellow blotches. The body itches intolerably, worse in bed and from warmth, and she scratches until there is bleeding.

Pulsatilla: If sometime after the birth of the child, the pains necessary for the expulsion of the after-birth do not manifest themselves, we should excite them by a dose of *Pulsatilla*. This medicine will render useless the tractions operated upon the cord and the introduction of the hand into the uterus to detach such portions of the placenta as may be adherent or inclosed in the sinus of this organ by the irregular contractions of its muscular fibres. [Source: Croserio, C. Camille, *Homoeopathic Manual of Obstetrics*]

It will often cause in five minutes a very strong contraction of the uterus, sometimes almost in a painless way. [Source: J.T.Kent]

Numbness of suffering parts. Better open air, company, cold food and drink. Worse heat, rich fat food, allowing feet to hang down, lying on left or painless side. [Source: Robin Murphy]

Pyrogenium: It is unrivalled in its ability to prevent or reverse incipient or threatening post partum infections associated with retained decidual or placental fragments. If the lochia turns foul or the woman develops fever or chills a few days after giving birth, *Pyrogenium* 200 will abort the illness. [Source: Richard Moskowitz]

Retained Placenta: I would recommend *Cinchona* when retained placenta is attended by haemorrhage. *Pulsatilla* does no good. I know that it has been recommended in these cases to take away the afterbirth by manual interference, but it has been my practice to administer *Cinchona* until the tonicity of the uterus is restored, and then remove the placenta. [Source: E. A. Farrington]

Rhus Tox: When a part is stretched or strained, as over-distension of the perineum, give one dose of 200th, and wait. One case of uterine haemorrhage, threatening abortion, consequent upon over-lifting, controlled by a few doses. [Source: J. A. Wakeman]

Sabina: About the third month, when there is no uterine displacement and no reason can be discovered for it, the remedy that will often help is *Sabina*. The main indication is that, as long as the patient keeps perfectly still, there is very little loss, but any movement at all starts up a bright red haemorrhage. [Source: Douglas Borland]

Uterine haemorrhage with bright red blood with clots, sharp pain from back to front (sacrum to pubis). Haemorrhage after abortion or surgery.

Endometriosis with cramps and bleeding. Pelvic inflammatory disease – throbbing and burning sensation in whole uterus. Retained placenta with bright red blood. Worse from stuffy rooms, being overheated. [Source: Robin Murphy]

Sanguinaria: It has cured cases of mammary tumour and mammary cancer, especially of the right side. [Source: E. Harris Ruddock]

Secale Cornutum: No remedy in our whole Materia Medica shows such a powerful tendency to decomposition of the blood as this drug. Nor is any drug possessed of a more intimate and more characteristic relation to the uterus. Hence it is the true puerperal fever, the putrescence of the uterus which invites the exhibition of this drug. Abdomen distended and not very painful. Discharge from vagina brownish and fetid. Ulcers on pudendum spread rapidly. The fever consists is a violent burning heat mingled with almost convulsive shiverings, and with a small, almost intermittent pulse. Decomposed diarrhoeic stools and almost complete suppression of urine. [Source: Dr. Baehr]

In cancer uteri, *Secale* arrests haemorrhage and relieves the terrible burning pains at night which torment the patient. [Source: Carroll Dunham]

Useful in lingering labors. The power of this remedy to cause violent contractions of the uterus is so great that it should never be given when the os uteri is not fully dilated, nor unless there is satisfactory evidence that no mechanical obstacle interferes with completion of labor. [Source: Dr. C. Dunham]

Sepia: In young girls, when the menses have appeared but slightly and show no signs of increasing from month to month, *Sepia* is an excellent remedy to establish the normal flow.

Spots of pregnant females yield to *Sepia* or *Conium*. [Source: G. H. G. Jahr]

Stannum: It has prolapsus with bearing down and melancholy, but it has characteristically falling of the womb during hard stools. The patient is so weak that she cannot talk, and has to sit down several times while dressing in the morning. [Source: W.A. Dewey]

Symphoricarpus Racemosus: When a pregnant woman has no constitutional symptoms at all, and upon examining the case, you find nothing but the nausea, overwhelming deathly nausea with continued vomiting day and night, a single dose of *Symphoricarpus Racemosa* will help. Single dose. [Source: Dr. J.T. Kent]

Trillium Pendulum: Almost specific for pelvic orthopaedic complaints in the second half of pregnancy; posture problems, pain and discomfort at the symphysis pubis, back instability, etc. Amelioration by pressure inwards with hands on both hips. Pelvic relaxation by pregnancy hormones. *Boericke* – ‘*As if pelvis will fall to pieces, unless tightly bound up*’.

Urtica Urens: I think that *Urtica Urens* is the best remedy for non-appearance of the milk without any other symptoms, there being no apparent reason for the agalactia. [Source: *E. A. Farrington*]

Viburnum Opulus: Dr. Hale considers *Viburnum Opulus* specific in neuralgic and spasmodic dysmenorrhoea. Its chief indications seem to be in the character of the pains, which are spasmodic.

Xanthoxylum Fraxineum: Bleeding in cases that have had cancerous cysts removed surgically in women. [Source: *Dr. Faris*]

Comparisons

Abortion: The treatment of miscarriage begins with the commencement of the haemorrhage and the uterine contractions. In almost every case where the appearance of the blood is the *first* morbid symptom, *Sabina* will prove the right remedy, whether pains are present or not. *Belladonna* ranks next to *Sabina* if the haemorrhage commences with violent colicky pains and sensation in pelvis as if pressure were made from above downwards. *Opium* is recommended, if a miscarriage is threatened in consequence of fright. [Source: *Bernhard Baehr*]

Caulophyllum: Womb atonic; Os rigid; migratory pains and thrush in oral cavity: Needle like pains in cervix. Habitual abortion from uterine debility.

Cinnamonum Ceylanicum: Uterine haemorrhage caused by over lifting. Strain in loins of false step brings on a profuse flow of bright red blood. Abortion of unwanted pregnancy.

Gossypium Herbaceum: Intermittent pain in ovaries. Morning sickness, retained placenta, rigid os and swollen labia.

Viburnum Opulus: Prevents miscarriage. (Mother Tincture) Repeated history of miscarriage. < motion, > open air; > pressure and lying down; < sudden jarring, < night, < stuffy room (feels faint). Depressed; desires solitude. Cramps begin in the back, bleeding profuse and gushing. Frequent and very early miscarriage, causing sterility.

Viburnum Prunifolium: A uterine tonic. It is particularly valuable in preventing miscarriage, whether habitual or otherwise [Dr. J.H. Clarke]. Menstrual irregularities of sterile women with uterine displacement.

After Pains: *Cimicifuga* comes to mind at once for after pains when they are very intense, when they are worse about the region of the groin, and the patient is sensitive and cannot tolerate them. This intolerance of the pains suggests *Chamomilla* which is also a remedy to be thought of here; also *Pulsatilla*; the temperament of these two remedies will distinguish them. *Gelsemium* acts best in very sensitive women who cannot compel quiet or sleep. *Caulophyllum* is another remedy which is useful for after pains. They are spasmodic in character and fly across the lower part of the abdomen. It comes in especially after a prolonged and exhausting labor. It is also a specific for false labor pains. *Arnica* is a remedy usually prescribed in a routine way after labor for the soreness of the parts, and it is a very useful remedy in after pains. If the pains are intestinal rather than uterine, *Cocculus* will be found useful; and if they press on the rectum and bladder *Nux* is the remedy. *Sabina* and *Sepia* may also be indicated by their peculiar pains, those of *Sabina* shooting from behind forwards, and those of *Sepia* shooting upwards and accompanied by weight in the lower bowel. Hughes is accustomed to rely on *Gelsemium* for after pains. It acts best in very sensitive women who cannot compel quiet or sleep. [Source: W.A. Dewey]

Amenorrhea: *Aconite*, *Lycopodium*, *Opium* and *Veratrum* have suppression of menses from violent emotions such as fright. [Source: W. A. Dewey]

Bellis Perennis: *Bellis Perennis* vies with *Arnica* as a remedy for the relief of sore, bruised sensations during pregnancy and after confinement, and will often succeed where *Arnica* fails. [Source: Dr. L. L. Danforth – *The Homoeopathic Recorder*, Volume XVI 1901].

“Dr. Grimmer said that *Bellis Perennis* has given us as many cures of cancer of the breast as any other one remedy. If you get the specific history of following an injury, it competes with *Conium*. In *Conium* the breast is apt to be painless, whereas *Bellis Perennis* has more or less pain.” “In *Bellis Perennis*, in dysmenorrhea, the pain extends down the anterior aspect of the thigh during each period. *Sepia* covers cramping pain in the uterus during menstruation, and pain in the uterus extending downwards but not specifically in the anterior aspects, a difference which I have found useful in the treatment of dysmenorrhea.” “When *Sepia* symptoms predominate, I have used *Bellis Perennis* on a number of occasions. Although complaints may typically come on after a

ducking in cold water when overheated, *Bellis Perennis* patients are very often worse from heat. *Sepia* patients are almost always worse in cold weather.” [Source: Dr. Donald Foubister]

Breast Tumours: When *Hydrastis* and *Phytolacca* fail, *Conium* checks and *Condurango* cures the breast tumour. [Source: Dr. S. K. Banerjea]

Breast Ulceration: *Castor Equi*: Cracked, sore nipples in nursing women, excessively tender, cannot bear touch of clothing. Painful swelling of breast with fissure or cracked and red colour around the nipple and violent itching internally. Painful on descending stairs. (12C) *Croton Tiglium*: Pain and stitches, radiates from nipple through chest to back when child nurses. Nipple hard, swollen, inflamed, threatening mammary abscess, very sore to touch. Violent itching, burning, red skin < touch. Mild eruption, itching > by gentle rubbing. (30C, 200C) [Source: Dr. Subrata K. Banerjea]

Climacteric Ailments: *Lachesis*: This especially suits women who never get well from the change of life. Climacteric troubles such as haemorrhoids, haemorrhages, vertigo, headaches. Women worn out by frequent pregnancies, with sudden cessation of the menses, flushings of heat and rush of blood to the head.

Veratrum Viride: Perhaps no remedy controls the flushes of heat, so annoying to women at the change of life, as *Veratrum Viride*.

Sepia: Congestions at the climaxis, in characteristic *Sepia* constitutions are quickly benefited by the remedy.

Bellis Perennis: The patients are very tired, want to lie down, have a backache. There is no real disease, but a marked tiredness all the time. [Source: W. A. Dewey]

Convulsions: Convulsions during pregnancy are dangerous since they may lead to miscarriage. *Belladonna* is a very reliable remedy in such cases, likewise *Chamomilla*, and *Ignatia*, or, if blood is at the same time discharged from the womb, *Ipecac* and *Hyoscyamus*. *Gelsemium* is an excellent remedy for eclampsia of pregnant or parturient females. [Source: Dr. G.M.G Jahr]

Emotional Stress in Pregnancy: If a sudden fright should produce anxiety, suffocation, trembling in the limbs, etc., they should immediately smell (olfaction) of *Opium*. If some time has elapsed since the event, they should smell of *Aconite*. If symptoms were the effect of a sudden joy, they should smell of *Coffea*; if they were the effect of violent anger, *Chamomilla*. If *Chamomilla* is not followed by immediate relief, then use *Bryonia*. *Nux Vomica* and *Colocynth* may also be useful in these

cases. If the impression was sudden and long continued, they should smell of *Ignatia*. [Source: *Dr. Simon Felix Camille Croserio*]

Inflammation of Breasts: Inflammation and suppuration of the breasts are liable to occur during nursing period. *Bryonia* is the principal remedy in the commencement, especially when the breasts become swollen, hard and feel heavy, with shooting pains, dry skin, thirst, and other febrile symptoms. *Belladonna*, after or alternately with *Bryonia*, when there is much swelling and hardness of the breasts, shooting and tearing pains, and redness of the skin.

Lactation: When a mother has lost her infant and it is necessary to dry up the milk, *Lac Caninum* and *Pulsatilla* are the best remedies for this purpose, when no symptoms are present. [Source: *J T Kent*]

Pulsatilla is the best remedy to arrest the secretion of milk after weaning the child, or to prevent the secondary ailments of weaning. *Bell*, *Bry* and *Calc.* are likewise useful. Galactorrhoea requires *Calc.*, especially when the breasts are turgid with milk. *Borax* if the milk coagulates readily. If *Borax* be insufficient, give *Lachesis*. *Silicea* if the child throws up after nursing and refuses the breast. [Source: *Samuel Lilienthal*]

To increase milk flow-

Agnus Castus: the mother is depressed and lacks vital energy.

Asafoetida: The mother is very sensitive and severely preoccupied with her own health. Breasts throb, especially at night. Better from fresh air and moving. Deficient milk, with over-sensitiveness, excitable.

Pulsatilla: A variable flow of milk. Anxious, insecure, fearful with mood swings. Absence of thirst. Aggravation from heat and fatty foods. [Source: *Trevor Smith*]

Undue engorgement of breasts, *Bryonia* 3, 2h. Milk late in appearing, or afterwards diminishing in quantity, *Asafoetida*, 3, 2h. When the milk is poor in quality, in pale lymphatic subjects, *Calcarea Carb* 6, 6h. In thin rickety subjects, *Silicea*. [Source: *John H. Clarke*]

Ricinus Communis is also an excellent remedy given in the lower potencies for the non-appearance of milk. It also increases its flow in nursing women. *Urtica Urens* has been found useful, and if suppressed from a fit of anger, *Chamomilla* is the remedy. *Causticum* too, has been used successfully in rheumatic women. *Agnus Castus* is also a remedy for suppression of the milk where the patient is low-spirited. [Source: *W.A. Dewey*]

Borax Veneta: Flow of milk coagulates, curdles speedily. If *Borax* fails give *Lachesis*. Stony hardness of mammae. A drawing pain in breast

during breast feeding, thinks the baby is sucking empty breast. (30C, 200C)

Bryonia Alba: Lumps, induration, and inflammations of the breasts, with diminished or retarded secretion of milk. [Milk fever]. (30C, 200C)

Calcarea Carbonica: Deficient secretion of milk, scanty flow; with distended breasts in lymphatic women. (30C, 200C)

Croton Tiglium: Pains runs from nipple to back, when baby nurses. Breasts inflamed, hard, swollen. (30C, 200C)

Galega Officinalis: Increases the quantity and quality of the milk in nursing women, also the appetite. Anaemia and impaired nutrition. [Q 10-15 drops, 8-12 hourly]

Iodium: Mammae are heavy, dry, hanging, with huge quantity of thin, watery milk. (30C, 200C)

Lac Caninum: Loss of milk while nursing, without known cause. Milk scanty. (30C, 200C)

Lactuca Virosa: Seems to be a true galactagogue. Increases milk in breasts. Milk absent, suppressed.

Lecithinum: Excellent galactagogue, renders milk more nourishing and increases quantity. Improves nutrition in emaciated child. (30C, 200C)

Natrum Carbonica: Aversion to mother's milk. Causes infant to have diarrhea and vomiting. Also *Silicea* another remedy having-aggravation to milk. (30C, 200C)

Spiranthes Autumnalis: To increase milk in breasts. (Potency 6)

Thyroidinum: Agalactea, begin treatment early in pregnancy. (200C)

[Source: Dr. Subrata K. Banerjee]

Leucorrhoea: If there are no specific reasons for other remedies, I start treatment in young girls with mild catarrhal discharge (leucorrhoea) by giving *Pulsatilla*, especially if the discharge is thick like cream, and then *Sulphur* or *Sepia* according to symptoms. If these remedies are not sufficient to effect a cure, then *Calcarea Carb* is mostly indicated. [Source: Dr. Wassily]

Lilium Tigrinum: *Lilium* closely resembles *Sepia* in its action on the uterine organs. There is no remedy that is more efficacious for uterine displacement than *Lilium*. It has the persistent bearing-down feeling as if the pelvic viscera were being dragged downward. The choice between *Lilium* and *Sepia* might not always be easy. The *Sepia* case

is more likely to be chronic. The *Lilium* case is more intense, painful and distressing. The *Sepia* cachexia, would decide easily in its favor. [Source: E. B. Nash]

Menorrhagia: Where menorrhagia occurs without being dependent upon some more deep-seated disorder, *Nux Vomica* will be found an efficient remedy, more particularly if the patient gets angry at the least remark, shows an irascible and obstinate temper, starts at the least noise, loses her balance on the most trifling occurrence, wants to lie down all the time, and shows an aversion to open air. *Chamomilla* is particularly indicated, if the blood looks dark, almost black and coagulated, with drawing, griping pains from the small of the back to the pubic bones, sometimes accompanied by fainting fits, coldness of the extremities and great thirst. [Source: Bernhard Baehr]

Murex: A remedy resembling both *Lilium* and *Sepia* in many of its symptoms is *Murex*. Under this drug sexual excitement is very marked and there is a sore spot somewhere in the pelvis, or rather a sensation of one. Suits especially nervous, lively, affectionate women. Pain from right side of womb to right or left breast. [Source: W. A. Dewey]

Post Partum Cramps: *Cimicifuga* after pains are very intense; worse about the region of the groin and the patient is sensitive and cannot tolerate them. *Caulophyllum* is indicated when the labour has been prolonged and the pains are spasmodic across the lower part of abdomen. Other remedies for after pains are - *Chamomilla*, *Pulsatilla*, *Arnica*, *Crocus*, *Belladonna*, *Gelsemium*, *Xanthoxylum*. After pains are caused by nature's efforts to expel clots of blood or portions of membrane from the uterus, which are necessary to perfect involution. [Source: W. A. Dewey]

Pulsatilla: It is usually the first remedy thought of in suppression of milk. The breasts are swollen and painful and the flow of milk is absent or scanty. The patient is apt to be depressed and tearful. When no cause is discernible for the non-appearance of milk, *Urtica Urens* has been found useful, and if suppressed from a fit of anger *Chamomilla* is the remedy. *Causticum* too, has been used successfully in rheumatic women.

Vomiting during Pregnancy: *Aletris Farinosa*: obstinate, vomiting during pregnancy. Disgust for food, nausea. Nausea is > by coffee, > by dinner, but returns with gagging at thought or sight of food. *Amygdalus persica*: Morning sickness, vomiting; no form of food is tolerated, constant nausea.

Cases

Agalactia: A young woman with her first child, had poor milk production and the baby was crying a lot which made the mother extremely anxious. Whenever the baby was sucking the breast, there was extreme soreness of the nipple. Since delivery, the woman developed a lot of gas and distension with loud belching. I prescribed *Asafoetida* 200 and one single dose allowed the mother to successfully breast feed. The clue was agalactia with sensitiveness and hysterical belching with loud eructation. [Source: Dr. S. K. Banerjee]

Antenatal treatment: The family history of Mrs. K. was bad, having lost several members of her family from tuberculosis. Her first child was very frail from birth. The fontanelles were large and the cranial bones thin and delicate. During its second year it developed tuberculosis of the spine and finally died. In the two subsequent pregnancies of the mother she took *Calcarea* and the children, now nine and twenty-two months of age respectively, are healthy. We should be prepared to detect and combat physical weaknesses and taints in prospective parents before such taints become entailed upon their first born. [Source: Dr. U. A. Sharrell, *The Homoeopathic Recorder Vol. IX 1898*]

Hyoscyamus: A woman, 32 years had convulsions during the third month of pregnancy. Puffed and red countenance, frequent jerking in pelvic region. Nausea, vomiting of ingesta, spasmodic pains in bowels. Every ten or fifteen minutes she screams violently, the redness of face increases; Usually of a happy disposition, she is now apprehensive and jealous. She has had similar spasms at each pregnancy. *Hyoscyamus* 2x cured her at once. [Source: Alfred W. Woodward]

Lachesis: Ms. E. called me to her residence where I found her in great distress and humility. “Doctor, I have been suffering now for three days and I can stand it no longer. Can you give me some morphine to put me to sleep? I have a large abscess that feels as large as an egg” (on what I noted as the left labia majora). “And oh how it pains! It even hurts my left thigh and left arm.” She received the dose of *Lachesis* 200 and in perhaps a minute she said “Dr. Schwartz, do you think your medicine could work this quickly? My arm and leg are easy and I don’t suffer any more.” It was amusing to see her bewildered expression. I left her saying that she would need no more medicine, but that if the abscess did not break by morning, I would lance it. She told me the following day that the abscess broke within an hour. [Source: William Henry Schwartz, *Heal Thyself Journal, Feb 1943*]

A *Lachesis* patient was suffering from abscess of the lower part of the left breast that was terribly sensitive, blue and accompanied with severe lumbar backache, which gave her no peace for nearly a week of suffering. I gave her *Lachesis* 200, one dose with instruction to call me if she got worse. I received no call that night, but the next morning she came to my office all smiles – and no more backache. The abscess broke about two hours after the *Lachesis* was administered. I am glad that I have another lance beside *Silicea*. [Source: William Henry Schwartz, *Heal Thyself Journal*, Feb 1943]

Sepia: Attention has been called to the fact that two cases of epithelial cancer of the lower lip have been cured by *Sepia*. A third case of this disease is so interesting as to be worthy of narration. An epithelial cancer, far developed, had been excised. The wound healed kindly. After a few months the patient began to emaciate, and to exhibit every sign of cancer cachexy. The decline was alarmingly rapid. Eminent surgeons diagnosed internal cancer. No hope of recovery was entertained. The complex of symptoms indicated *Sepia*, which was given, 200, and effected a complete and rapid restoration of health. The health remains good to this day (ten years).

Woman, 40; one child; hysterectomy years ago; has sudden profuse thick yellow burning leucorrhoea, two day's duration, with bearing down sensation. Craving for sours since onset; all-gone sensation, nausea. Violent burning urination and frequency; pain up the rectum on urinating. Smear 4+ for gonorrhoea. *Sepia* 10 M, one dose. Second smear on third day, 1+. Distress almost gone. Smears at one-week intervals all negative thereafter. Monthly checks since negative. General health better than in years.

Nervous System

<i>Abcess, in brain substance</i>	Hippozaeninum.
<i>Alzheimer's disease, (pre senile dementia)</i>	Alumina, Aurum Met., Baryta Carb., Cuprum Met., Plumbum Met., Vanadium.
<i>Alzheimer's disease, loss of sense/ memory</i>	Anacardium.
<i>Alzheimer's disease, senile</i>	Nat. Sulph.
<i>Amputation, irritability of the stump</i>	Symphytum.
<i>Amytrophic lateral sclerosis, motor neuron disease</i>	Arg. Nit., Baryta Carb., Conium, Cup. Met., Kali Phos., Lathyrus, Medulla Spinalis, Multiple Sclerosis Nosode, Para Benzene, Poliomyelitis Sclerosis Nosode, Plumbum Met., Stannum, Syphilinum, Vanadium.
<i>Aphasia</i>	Chenopodium.
<i>Aphasia, apoplectic stroke, in</i>	Bothrops Lanceolatus.
<i>Aphasia, deafness due to</i>	Lycopodium.
<i>Aphonia larynx</i>	Merc. Iod. Rubrum, Paris Quad, Phosphorus, Populus Candicans.
- catarrh, due to	Causticum.
- exposure to sun-shine, due to	Antim Crud.
- hoarseness; aphonia	Ammonium Caust.
- paralysis of vocal cord, due to	Oxalic Acid, Phosphorus.
- weakness, due to	Iodum, Phosphorus.
<i>Apoplectic stroke</i>	Arnica, Belladonna, Carbo Veg, Glonoine, Lachesis, Papaver.
- condition after	Causticum.
- improves blood circulation after stroke	Bacopa Monnieri, Betonica Officinalis, Gingko Biloba.
- post-apoplectic paresis	Nat Oxalacetum.
- right sided paralysis in old men, apoplexy after	Baryta Carb.
- speech disorder, with	Laurocerasus.
- threatened	Asterias Rubens, Glonoine.

- pressure	Asterias Rubens.
- sclerosis	Arnica, Aur Met, Baryta Carb.
- vertigo of cerebral origin, cerebral disease, ataxia, staggering gait, paralysis and	Sulfonal.
<i>Cerebral, palsy</i>	Cup. Met., Plumb. Met., Symph., Vanadium, Zinc. Met.
- cerebral, palsy due to trauma	Arnica.
<i>Chorea</i>	Causticum, Mygale Lasiodora, Dysentery Co, Hippozaeninum, Psorinum, Streptococcinum, Strychninum, Tarentula Hispania, Viscum Alb.
- emotional	Ignatia.
- non-rheumatic	Agaricus M., Arg. Nitricum.
- rheumatic	Actea Racemosa, Spigelia.
- Sydenham's chorea	Agaricinum, Agaricus, Artemisia Vulgaris, Cupr Met, Zinc Cyanatum, Zinc Met, Zizia Aurea.
<i>Convulsions and spasms</i>	
- acute	Aconite.
- aggravated touch, noise, odor	Strychninum.
- alcohol withdrawal causing convulsions	Gelsemium Sempervirens.
- clonic, convulsions, of the muscular orbiculairs inferior	Tuberculinum.
- convulsions, meals before or during	Plumbum Met.
- convulsions tonic, ophisthotonus	Strychninum.
- febrile	Cuprum Met., Proteus Bach.
- opisthotonus	Nux Vom.
- recurrence	Aconite.
- violent with jerking, with fits	Strychinum
<i>Coma</i>	
- hot occiput and cold forehead with	Zinc Met.
<i>Dementia, Alzhiemer's disease</i>	Alumina.
<i>Dementia, paretic</i>	Plumb. Met.
<i>Disorientation symptoms</i>	Can. Ind., Can. Sativa.

<i>Dopamine, in paralysis agitans</i>	Puls.
<i>Drop syndrome</i>	Conium, Gelsemium.
<i>Dystonia autonomica</i>	Adrenalin, Tetracycline.
<i>Encephalitis</i>	Baptisia, Pyrogen.
- benign	Ratania.
- condition after	Cerebrum, Coxsackie-Virus Nosode B4.
- low muttering delirium and sudden starting amidst sleep	Bryonia, Helleborus, Sulphur.
- rubbing head against pillow and sudden screams	Apis Mel.
- Subacute Sclerosing Pan Encephalitis (S.S.P.E.)	Ars. Iodide, Causticum, Plum Met., Phos., Oxalic Acid., Tub.
- temperatures, with very high	Aconite.
- vaccination after	Aconite.
<i>Epilepsy</i>	Absinthium, Agaricinum, Artemisia. Vulg., Asterias Rubens, Atropine Sulph, Bell., Bufo. R., Calc. Carb., Caust, Cicuta Virosa, Cupr Met, Hydrocyanic Acid., Hyoscyamus, Ignatia, Indigo, Kali Phos., Lyssinum, Oenanthe Cr., Proteus Bach, Serotonin, Solanum Carolinense, Stram., Sulphur, Syphilinum, Verbena, Viscum Alb., Zinc Cyanatum.
- acute attack	Amyl Nitrite, Artemesia Vul., Glonoine, Hydrocyanic Acid.
- acute epilepsy, adults in	Oenanthe Crocata.
- acute epilepsy, children in	Cicuta Virosa.
- agg. after menses	Syphilinum.
- agg. full moon	Calc. Carb.
- attacks at night, during full moon	Calc. Carb.
- chronic	Chlorpromazine.
- due to fright or at the time of menses	Apis Mel., Arg. Nit., Hydrocyanic Acid, Indigo, Oenanthus, Sycotic Co., Thuja, Tuberculinum Bov., Zinc Met.
- during and after eating, food	Cuprum Met., Plumb Met.

- excitement during Bufo., Valerian.
- frightful distortion of limbs and Cicuta Virosa.
- opisthotonus with
- hysterical type Oenanthus.
- menses at time of Arg. Nit., Bufo Rana.
- mental retardation with Asterias Bispinosa, Cal. Ars., Cresol, Ignatia, Helleborus.
- mentally retarded children in Absinthium, Agaricus Musc., Baryta Carb., Plumb Met., Prot. Bach, Syphilinum, Tuberculinum, Verbena, Viscum Alb., Zinc. Val.
- obstinate cases Agaricus, Baryta Mur., Bell, Cal. Ars., Causticum, Cup Met., Hyos., Opium, Stramonium.
- sleep during Bufo Rana, Causticum.
- softening of the brain with Sulphonal, Picric Acid, Zincum Phos.
- hystero, epilepsy Tarentula Hispania.
- traumatic Naphthoquinone, Nat. Sulph.
- valvular heart diseases due to Calc. Arsenicum.
- violence with Cicuta Virosa.
- with salt free diet Kali. Brom.
- sadness with Indigo.
- status epilepticus Absinthium.
- Meningitis* Baptisia, Belladonna, Cicuta Virosa, Glonoine, Ignatia.
- abacterial Coxsackie Virus Nosode B4.
- acute Zinc Sulph.
- cerebrospinal Cicuta, Nat. Sulph.
- cerebrospinal, pain body with Desmodium Gangeticum.
- chronic inflammation Phos.
- haemorrhagic Cantharis.
- head bent backward, convulsions Veratrum Viride.
- with
- pin pricking sensation inside Tarentula.
- head, with
- serous Apis Mel.
- spinal meningitis, with stiffness Oxalic Acid.
- and paralysis of lower limbs

- spinal, specific	Nat. Sulph.
- sudden screaming, with	Apis Mel.
<i>Meningocele, operated, epilepsy</i>	Cicuta.
<i>Morvan's disease</i>	Aur. Met., Aur. Mur., Lathyrus,
<i>(Syringomyelia)</i>	Syphilinum.
<i>Motor neuron paralysis</i>	Calc. Hypophos, Conium,
	Oxalic Acid, Sarcosolactic Acid,
	Syphilinum.
<i>Multiple sclerosis</i>	Alumina, Aur. Met., Bar. Mur.,
	Causticum, Formic Acid, Kali
	Phos., Lathyrus Sativus, Oxalic
	Acid., Para-Benzochinonum,
	Plumbum Met, Poliomyelitis
	Nosode, Sacrodactic Acid., Secale
	Cor., Syphilinum, Tarentula His.,
	Tetanus Antitoxin, Thallium Met.
	Oxalic Acid, Tarentula Hisp.
- cerebral/spinal	Conium.
- paralysis with	Ubiquinone.
- progressive	Penicillin.
<i>Muscle and joint pain</i>	Ammon Phos.
<i>Muscle and joint rheumatism</i>	
<i>Muscular atrophy</i>	
- cerebral/spinal	Oxalic Acid., Tarentula Hisp.
- depressed	Aur. Met.
- honey bee venom	Apis Mel.
- paralysis, with	Conium.
- progressive	Carboneum Sulphuratum,
	Plumbum Iod., Plumbum Met.
<i>Muscular contractions</i>	Cimex Lectularius.
<i>Muscular cramp</i>	Cupr Met, Tetanus Antitoxin.
- tendency towards	Sulphuric Acid.
<i>Muscular dystrophy-pseudo</i>	Cal. Phos.
<i>Muscular dystrophy</i>	Apis Mel., Alumina, Calc. Carb.,
	Plumb Met., Veratrum Viride.
	Syphilinum.
<i>Muscular development weak</i>	Lycopodium.
<i>Muscular pain</i>	Benzoic Acid, Ferr Sulph., Formic
	Acid.
- cramp-like	Angustura.
<i>Muscular rheumatism</i>	Angustura, Nux Mosch.

<i>Muscular soreness</i>	Arnica.
<i>Myelitis</i>	Ars. Nit., Lathyrus Sativa, Picric Acid., Thallium Met.
<i>Muscular; weakness</i>	Ruta, Sarcolactic Acid.
<i>Mysthenia gravis</i>	Arg. Nit., Cup. Met., Curare, Gelsemium, Nat. Mur., Sarcolactic Acid., Stannum.
<i>Nerve paths, fine stabbing pain within various (plexus axillaris)</i>	Spigelia.
<i>Neuralgia</i>	Acon., Ars., Bell., Carbolic Acid., Chamomilla, China Ars., China Sulph., Formic Acid., Gaultheria, Heloderma, Paris Quad., Phos., Salicylic Acid., Spigelia, Sulph, Veratrina (local application)., Zinc. Valer.
- facial	Carboneum Sulph (local application).
- facial, right sided	Citrus Vulgaris.
- formication with	Aconite.
- horrible, spasmodic, lancinating, cutting, stitching, shooting, tearing pains, with	Thallium Met.
- intercostal	Asclepias Tuberosa, Bryonia, D.N.A., Dulcamara, Mag Phos., Ranunculus Bulb.
- left sided	Colocynth, Spigelia.
- post herpetic	Mezerium, Plantago (local application)., Ranunculus Bulbosus.
- right sided	Belladonna, Chamomilla.
- trigeminal (pain in middle ear, nasal cavities, tonsils)	Lithium Carb., Mustard Oil (inhalation).
<i>Neurasthenia. (grief, chagrin, sexual excess drain out; brain fag, memory loss)</i>	Phosphoric acid., Scutellaria (when brain symptoms are marked). Picric Acid. (when depression threatens insanity.)
<i>Neuritis</i>	Aranea Ixabola, Bunias Orientalis, Carbo. Sulph., Formica, Hypericum, Kali Mur., Majeptil, Thallium Met., Vipera.

- arms, neck, head Radium Br., Syco. Co.
 - multiple, insomnia with Conium, Hypericum.
 - multiple, neuritis Phos.
 - peripheral neuritis Ars. Alb., Leprominium, Plumb. Met., Rhus Tox. (local application).
 - polyneuritis Ars. Alb., Colocynth, Lachesis, Vipera, Thallium.
 - traumatic origin; neuritis; due to neuroma Hypericum.
 - neuropathy, diabetic and other Ars. Alb., Secale Cor., Zincum Met.
- Paraesthesia* Aconite, Aesculus, Agaricinum, Coccus Cacti, Rhododendron.
- cold feeling with Agaricus.
 - neuralgia symptoms with Aconite.
 - one-sided Primula Veris.
- Paralysis* Thalamus.
- agitans Baryta Mur., Heloderma, Lyssinum, Manganum Acet., Merc. Sol., Nicotinum, Plumb. Met., Rhus Tox., Tarentula, Zinc Cyanatum.
 - apoplexy, with Phos.
 - ascending Ars Alb., Sarcolactic Acid., Vipera.
 - bulbar Cantharis, Conium, Gelsemium, Manganum Phos., Plumbum Met.
 - bulbar, with inability to swallow Arum Maculatum.
 - bulbar, with throat constriction and speech disorder Coccus Cacti.
 - deltoid muscle of Causticum.
 - hemiplegia left sided, part hot to touch and full bound pulse Arnica.
 - infantile Curare, Gelsemium.
 - injury due to Hydrophobinum.
 - lower limbs of Arnica.
 - motor nerves Alumina, Curare, Gelsemium, Stannum.
 - muscles wither, with Plumb. Met.
 - old men in especially of tongue and face, with loss of memory Rhus Tox.

- piano, paralysis
- post-diphtherial
- pseudo hypertrophic paralysis
- spastic
- spinal paralysis
- weakness of muscles
- writer's
- parietic, dementia

Paraplegia

Parkinson's disease

- trembling

Poliomyelitis

Pseudo hypertrophic myopathy

Stroke, cerebral with bleeding

Spasms, flexion and extension

Tabes dorsalis

Tabes mesenterica

Tetanus

- nerve injury after

Tics

- convulsive, and painful

Trembling

- alcoholic tremors
- commencing from head and passes down to hands

Plumb Met.

Gelsemium, Kali Phos.

Arg. Nit., Curare, Lathyrus, Phos.,
Stannum, Verat. Viride.

Lathyrus Sat., Phos.

Conium., Lathyrus, Medo.

Conium.

Stannum.

Plumb Met.

Botulinum, Diphtherinum,
Leprominium, Toxoplasma
Gondii, Xanthoxylum.

Agaricus, B6 Vitamin, Bar.
Carb., Causticum, Cocaine,
Cresole, Duboisia, Haloperidol,
Hyoscyamus, Lolium Tem.,
Majeptil, Manganum Aceticum,
Merc. Sol., Physostigma, Plumb.
Met., Rauwolfia Serp., Reserpine.,
Sarcolic Acid., Stramonium,
Syphilinum, Tarentula Hisp.,
Vanadium, Zinc. Met., Zinc.
Phos., Zinc. Picric.

Lac Can.

Hydrophis Cyanocinctus.

Calc. Phos., Sil.

Vipera.

Colchicum.

Aluminum Met., Gels.

Bacillinum, Calc. Carb., Plumb
Met., Scrophularia Nodosa.

Hydrocyanic Acid., Hypericum,
Nux Vom., Oenanthe, Strychnum.

Hypericum.

Agaricus, Tanacetum Vulgare.

Bismuth Met., Oxyuris Nosode.

Phosphorus.

Agaricus.

- finger	Lac Fel., Lyssin, Medorrhinum, Psorinum, Tuberculinum, X-ray.
- grasping object	Lyssin.
- hand	Aranea Diadema, Bacillinum, Conium, Lac Fel., Lolium Temulentum, Lyssin, Medorrhinum, Pediculus, Psorinum, Tuberculinum, X-ray.
- hand and feet	Zinc Met.
<i>Trismus</i>	Causticum, Kali Phos.
<i>Twitching muscular</i>	Zinc Val.
<i>Twitching and jerking, spasmodic, with tremors of almost all muscles of body</i>	Strychninum.
<i>Weakness functional, circulatory disorders of brain</i>	Cerebrum.

Remedy Hints

Aconite Napellus: It is a wonderful remedy for neuritis in plethoric persons.

Numbness along the course of the nerves, from cold, from exposure. Numbness and tingling, along the course of the nerves, especially those that run close to the surface. Nervous excitability, excessive restlessness. [Source: James Tyler Kent]

Argentum Nitricum: In epilepsy which needs *Argentum nitricum*, the pupils are dilated for hours or days before the attack. After the attack the patient is restless with trembling hands. Epilepsy caused by fright or during menstruation. [Source: E. A. Farrington]

Artemisia Vulgaris: It is an excellent remedy in epilepsy, especially when it has been caused by fright or some exciting mental emotion. The attacks are repeated one after the other, and are followed by profound sleep. [Source: E.A. Farrington]

Aurum Muriaticum: Chloride of gold, in the second decimal trituration, is a better and safer remedy than iodide of potassium in degenerative conditions of the nervous system due to syphilis. [Source: *The Clinique—Vol. XX, Chicago, January 15, 1899. No. I.*]

Belladonna: I remember a lesson which “father” Blair gave me in the early years of my practice. The case was that of a child, six months

old, who had been in convulsions for several hours. The physician and consultant thought *Belladonna* the remedy, and it was given in the 3rd dilution, a dose every half hour. The child was apparently dying. Dr. Blair was called in and said that *Belladonna* was the remedy. When told how it had already been given, he replied, “You have killed the child, you have overwhelmed the vital force with your frequent repetition. If you had given the 30th and not repeated it very often, you would probably have cured your case. Do not do it again.” [Source: *H.C. Allen*]

Bufo: The aura starts from the epigastrium and from the genital organs. There is often, preceding the attack, great irritability of mind.

When epileptic attacks occur at night during sleep, investigate *Bufo*. [Source: *Dr. Lippe*]

Chinium Sulphuricum: In intermittent neuralgia of well defined periodicity, i.e. nervous pains of well defined duration, which come at a certain time and disappear at a certain time every day, I found *Chinium sulphuricum* a specific of the first degree, which never failed me in such a case, unless the patient had before taken *Chinium Sulphuricum* in massive allopathic doses. [Source: *The Homoeopathic Recorder Volume XIII – 1898*]

Cicuta Virosa: For the chronic effects of concussions of brain or spinal cord, if *Arnica* fails.

In epilepsy, *Cicuta Virosa* has shocks from head down the body, violent convulsions, screaming, red face, limbs greatly distorted, frothing at the mouth, face blue, respiration greatly impeded, trembling before and after the spasm and great weakness after the attacks.

Think of this remedy for convulsions which are excessively violent – whether epileptic, cataleptic, clonic or tonic. The patient is thrown into all sorts of odd shapes and violent contortions, but the most invariable is bending of the head, neck and spine backwards. [Source: *Guernsey, Nash*]

Ignatia Amara: In Chorea (spasmodic movements of voluntary muscles), *Ignatia Amara* is indicated when the disorder is caused by fright or some violent mental agitation. The attacks are worse after eating, and abate when the patient lies on the back. The patient is very irritable and peevish. [Source: *Bernhard Baehr*]

Kali Bromatum: I do not believe that *Kali Bromatum* has ever cured epilepsy. In almost all cases in which it has been given, it has not cured but simply suppressed the disease, and thus has produced a worse

condition than the one previously existing, namely, imbecility. [Source: E. A. Farrington]

Lupulus Humulus: Is a good remedy in unstrung conditions of the nervous system with nausea, dizziness, headache following a night's debauch.

Lycopodium: *Lycopodium* is the most important remedy we have in impending paralysis of the brain. By that I mean to say that it is the most frequently indicated. [Source: E.A. Farrington]

Mygale Lasiodors: It is one of our best remedies for non-complicated cases of chorea. She has constant twitching of the muscles of the face. The head is often jerked to one side, usually to the right. Control over the muscles is lost. [Source: E.A. Farrington]

Nux Vomica: If epilepsy is caused by indigestion, the aura starting in the epigastrium and spreading upward, the remedy is *Nux Vomica*. [Source: W. A. Dewey]

Picric Acid: *Picric Acid* is indicated in myelitis, where there are tonic and clonic spasms with exhaustion. Chilliness is complained of so that they cannot get warm.

Plumbum: *Plumbum* has frequently caused epilepsy. The characteristic symptoms which indicate it are these - Almost paralytic heaviness of the legs before the attack, and paralysis and prolonged snoring sleep afterwards. [Source: E. A. Farrington]

Scutellaria: It has the remarkable effect of calming the nervousness in delirium tremens. [Source: Dr. P. Rajagopalaraao]

Silicea: It is one of our most valuable remedies in epilepsy. It suits especially scrofulous and rickety subjects. The aura starts from the solar plexus, (*Bufo*, *Nux Vomica*). Attacks are brought on by any overstrain of the mind or emotions. A feeling of coldness before an attack is also characteristic.

Back

Abscess, blow coccyx

Ankylosing

- fibrous
- spondylarthritis
- spondylitis

Arthritis, spinal

- crackling of joints, with
- disc, intervertebral, pathology with
- osteoarthritis
- rheumatoid arthritis

Backache, dull pain

Backache, fibrositis

Backache, piles with

Backache, with amenorrhoea

Cervical, muscles rigidity

Coccyx, injuries

Coccyx, itching tip of it

Coldness of back

Coxitis

Injury, skeletal or muscular to spine leading to spinal pathologies or bone spur

Inter vertebral disc.

Lumbago

Lumbar puncture, after complaints

Paeonia.

Tuberculinum Residuum.

Alloxan, Mandragora, Sarcolactic Acid, Tuberculinum Residuum.

Carcinosin, Medorrhinum, Oleum Jecoris, Polygonum Multiflorum, Tuberculinum Residuum.

Calc. Phos., Medo., Proteus Bach, Puls.

Flavus.

Paratyphoidinum B.

Bacillus No. 7, Corticotrophin, D.N.A., Morgan Pure, Proteus Bach.

Flavus.

Butyric acid, Radium Brom.

Sycotic Co.

Aesculus Hippocast.

Kali Carb.

Strychninum.

Hypericum.

Bovista.

Pimpinella Alba.

Arg. Met., Calc. Carb., Medorrhinum, Medulla Ossis.

Polygonum multiflorum.

Arnica, Pulsatilla.

Antim Tart., Dioscorea, Viscum Alb.

Hypericum, Nat. Sulph.

Nape of the neck

- pain with spinal irritations Adonis Vernalis.
- rheumatism, stiffness and neck Lachnanthes.
drawn to one side

- sweating of the Calc. Carb.

Neck muscle, weakness of Ginseng.*Neck pain, bending backwards* Cyclamen, Lyssinum, Mancinella.
*ameliorates**Pain*

- coccyx (coccydynia) Castor Equi, Fluoric Acid, Ginseng, Hypericum, Kali Bich, Mag. Carb.
- coccyx, forces the patient out of bed in the morning Staphysagria.
- coccyx, left Medorrhinum.
- coccyx, morning waking Kali Bich.
on, sitting, coition, urination
before, extending up and down
- coition after Cannabis Indica, Nitric Acid, Sabadilla.
- eating ameliorates Kali Nit.
- emission, after Staphysagria.
- fasting, when Kali Nit.
- heavy sensation at the tip and Antim Tart.
patient lies down in agony
- injury, after Conium, Kali Carb., Nat Sulph., Thuja.
- kneeling, when Euphrasia, Sepia.
- lumbar, bruised pain with Berberis Vulg.
lameness < rising from seat
- lumbo-sacral Aesculus.
- lumbo-sacral, radiating into the Variolinum.
abdomen
- lumbosacral, radiating upwards Indigo.
or thighs to knees at night,
passing stool ameliorates
- particularly on sitting down Zinc Met.
- sacral Berberis Vulg., Caust., Carboneum Sulph., Lithium Carb.
- scapula between, worse Rhus Tox.
swallowing

- sitting, walk after ameliorates	Ruta.
- when no other remedies work for back pain	Variolinum.
- stool, during	Phosphorus, Podophyllum.
<i>Pott's disease</i>	Calc. Hypophos., Symphytum, Syphilinum, Tuberculinum.
<i>Prolapsed intervertebral disc</i>	Actea Racemosa, Ambra Grisea, Bacillus Proteus, Calc. Fluor., Calc. Phos., Dulcamara, Kali Iod., Lumbar Disc, Macrotin, Medorrhinum, Plat., Puls., Ruta, Sepia, Variolinum., Zinc. Met.
- alone desire to be, with	Ozone.
- sexual function derangement, with	Ambra Grisea.
<i>Psoas abscess</i>	Symphytum.
<i>Rheumatism</i>	Malaria Officinalis, Medorrhinum, Psorinum, Syphilinum.
<i>Railways, spine</i>	Bellis Perennis.
<i>Rib, floating, rib-pain</i>	Theridion.
<i>Sacroilitis</i>	Arnica, Nat. Mur., Sepia.
<i>Sacral weakness, as if paralyzed</i>	Cocculus.
<i>Scheuermann's syndrome</i> (painful dorsal kyphosis in children).	V.A.B.
<i>Sever's syndrome</i>	V.A.B.
<i>Shivering, sensation of, where chill runs up and down the back</i>	Gelsemium.
<i>Shuddering over the back</i>	Boletus Laricis.
<i>Spinal, caries</i>	Symphytum.
<i>Spinal, conditions</i>	Arnica, Conium, Gelsemium, Picric Acid, Syphilinum.
<i>Spinal, lumbar puncture</i>	Nat. Sulph.
<i>Spinal, stiffness</i>	Aesculus Hipp.
<i>Spinal, symptoms due to uterine cause</i>	Viscum Alb.
<i>Spondylitis</i>	Antim Tart., Cimicifuga, Conium, Cocculus, Cimicifuga, Dulc., Dyst. Co., Lachnanthus, Proteus Bach.,

	Plumb, Pulsatilla, Syphilinum, Zinc. Met.
<i>Spondylosis</i>	Agaricus Musc., Cimicifuga, Dysentery Co, Morgan Pure, Tellurium.
- cervical	Aesculus Hip, Arnica, Cimicifuga, DNA, Dulcamara, Hecla Lava, Medorrhinum, Nux Vomica, Oredaphne, Phosphoric Acid, Proteus, Puls., Rhodium, Senecio Jacobaea, Tellurium, Zinc. Val.
- cervical, pains radiating left arm in	Paris Quad.
- cold, damp weather aggravates	Dulcamara.
- nausea/vomiting with	Theridion.
- numbing pain coming and going slowly, extending from neck to right arm and hands	Kalmia Lat.
- pain in 1st dorsal vertebra	Nux Vom.
- pain only on moving neck	Aur. Mur. Nat.
- single vertebra is sensitive to touch	Agaricus.
- spondylitis, cervical, sternocleidomastoid.	Lachnanthes.
<i>Spondylitis, looking upward nearly impossible</i>	Graphites.
<i>Sweat, between shoulder blades, shirt sticking to back, dark downy hair on back</i>	Tub. Bov.
<i>Syringomyelia, spinal cyst.</i>	Calc. Fluor., Natrum Fluoricum.
<i>Torticollis</i>	Histamine Hydrochloride, Lachnanthes, Majeptil.
<i>Ulcers, coccyx below shooting pain, with</i>	Paeonia.

Remedy Hints

Aesculus Hippocastanum: The remedy has constant dull backache, especially through sacrum and hips. Walking is almost impossible;

scarcely able to rise or walk after sitting, worse moving bowels. Feels as though the back would break. [*Source: J.N. Singhal*]

Belladonna: It is the best remedy for stiff neck of rheumatic origin or from cold. [*Source: Dr. E.A. Farrington*]

Cadmium Sulph: I use *Cadmium Sulph* for patients who are getting pains at the top of the spine. They point to one particular part and say that is what hurts them. I am always surprised at how well it works. [*Source: Margaret Blackie*]

Causticum: Painful stiffness of the back and sacrum, especially on rising from a chair. [*Source: Dr. E.B. Nash*]

Hypericum: It is the main remedy for spinal injuries. [*Source: Dr. D.M. Foubister*]

Phosphorus: Heat running up the back is more characteristic of this than any other remedy. [*Source: Dr. E.B Nash*]

Picric Acid: The least study causes burning along the spine. *Arsenicum album*, *Phosphorus*, *Lycopodium* and *Zincum* have burnings of back or spine, but only *Picric acid* had those symptoms caused by mental exertion. Everything in *Picric Acid* is worse from study.

Rhus Tox: A violent pain in the back, as if broken, is the greatest characteristic of *Rhus Tox* in backache. It is more characteristic than the symptom “relief from motion”, for *Rhus Tox* may be indicated where the patient is worse from motion. [*Source: Dr. W.A. Dewey*]

This seems to be the best remedy we have for lumbago, whether the pains are better from motion or not. It seems to have a special affinity for the deep muscles of the back. [*Source: Dr. Farrington*]

Sulphur: General weakness of the spine, not classed under any particular name, has been sometimes cured by *Sulphur*. The patient has the characteristic stooped appearance of *Sulphur*. The chest feels empty and weak, it tires him to talk and there is weakness in the epigastrium during the forenoon.

Comparisons

Slipped Disc:

Bryonia: Pain is worse from slightest motion. Wants to be perfectly still. Better lying on painful side. Very thirsty, irritable.

Hypericum: Intense pain and inability to walk. Crawling on hands and knees. Worse from being touched or bumped.

Agaricus: Spine sensitive to touch. Worse from cold air, pressure, touch. Twitching of muscles. Constant yawning from pain.

Aesculus: Worse from walking or stooping. Back feels weak. Sticking pains, hot pains or pains that move around. Hands and feet swell after washing.

Extremities

Abscess, in joints of fingers and toes

- joints, in and around

Ankles

- dislocation

- give way and patient collapses

- gout and rheumatism

- oedema and swelling after ankle sprain

- pain in left ankle while walking

- turn or sprain when walking

- sprain

- swelling

- sprain, chronic

- weakness or turn easily

Ankylosis

Arthritis

- chronic

- chronic shifting arthritis

- contractures fibrous tissues, with

- deformans

Sepia.

Calc. Hypophos.

Psorinum.

Chamomilla.

Stellaria Media.

Bellis Per., Strontium Carb.

Erigeron.

Carbo. Animalis.

Arnica, Conium., Ledum Pal.,

Rhus Tox., Ruta G.

China Off., Rhus Tox., Ruta.

Strontium Carb.

Natrum Carb., Pinus Sylvestra.

Phytolacca Dec., Proteus Bach.,

Thiosinaminum.

Actea Spicata, Ammon

Phos, Aristolochia Clematis,

Calc. Renalis, Cardiosperm,

Caulophyllum, Formica Rufa,

Glandula Parathyreoidea,

Gnaphalium, Guaicum, Hippuric

Acid., Iodium, Morgan Bach,

Morgan Gaertner, Nat. Phos.,

Parathormone, Paratyphoidinum

B., Radium Brom., Sulphur, Sycotic

Co., Syphilinum, Tuberculinum,

Tuberculinum Residuum, Thuja.

Viscum Alb.

Berberis Vulg.

Causticum.

Ammonia Phos., Antim Crud.,

Apatit, Bacillus No. 7, Causticum,

Sycotic Co, Thuja.

- fingers metacarpo-phalangeal joints Sycotic Co.
- infectious Osteoarthritis Nosode.
- inflammatory Gaultheria.
- knees Bacillinum, Bryonia, Convallaria Majalis, Ginseng, Sticta Pul.
- knees, violent, in rainy weather Erigeron.
- peri-arthritis humeroscapularis Apis Mel., Guaiacum.
- polyarthritis Arthritis Urica Nosode, Gnaphalium, Guaiacum, Penicillin.
- polyarthritis, acute Bryonia, DI-Malicum Acid., Ferr. Phos., Rhododendron.
- polyarthritis, chronic Streptococcus Haemolyticus.
- polyarthritis, chronic, primary Rhododendron.
- polyarthritis, chronic, swellings Diphtherinum, Manganum Aceticum.
- polyarthritis, gouty pains Guaiacum.
- psoriatic Apis Mel., Antim Crud., Echinacea, Morgan Bach., Psorinum.
- rheumatic Abrotanum, Amm. Carb., Bryonia, Causticum, Ferr. Phos., Mezereum, Nat. Pyruvicum, Rhododendron, Salicylic Acid., Vaccinium.
- rheumatic small joints of fingers Caulophyllum.
- rheumatism articular and gout pains worse motion and better pressure esp. right side Formica Rufa.
- rheumatism Antim Crud., Benzoic Acid., Carboneum Sulph., Causticum, Cham., Colchicum, Fagopyrum, Formic Acid., Lithium Benz., Mandragora.
- rheumatism, acute Streptococcus Haemolyticus.
- rheumatism, chronic and gouty symptoms Causticum, Kali Bich., Mag Phos., Ran Bulb.
- rheumatism, endocarditis with Kalmia Lat.
- rheumatism, eye lesions or heart affections, with Lithium Carb.

- rheumatoid
 - Ars. Iodide, Aurum Met., Bacillus No. 7, Benzoic Acid, Berberis Vulgaris, Causticum, Ferr. Phos., Formica Rufa, Gnaphalium Polycephalum, Mandragora, Morgan Bach., Morgan Pure., Radium Brom., Rhamnus, Ruta, Supra Renal Extract, Thyroidinum, Tylophora Indica., Zinc. Val.
- rheumatoid, chronic
 - Causticum.
- shoulder
 - Arnica, Chamomilla, Mag Carb., Ruta, Syphilinum.
- small joints hands, fingers, nodules
 - Actea Spicata., Sycotic Co.,
- spinal (See chapter 'Back')
 - Proteus Bach.
- touch even slightest aggravates pain
 - Colchicum.
- uric acid diathesis, with
 - Allopurinol, Ammon Benzoicum, Lithium Benz., Lithium Mur.
- when all else fails
 - Arthrosis Ammon Phos, Glandula Parathyreoidea, Mandragora, Morgan Pure, Strontium Carb.
- chronic
 - Manganum Metallicum.
- pain, severe
 - Quinhydrin.
- Arthritic, nodosities*
 - Calc. Carb.
- Athlete's foot*
 - Antim Crud.
- Athletes, foot, washer women, hands, feet*
 - Dulcamara.
- Atrophy, progressive muscular*
 - Carboneum Sulph., Plumb. Iod.
- Berger's disease (See*
 - Anthracinum, Calc. Sulph,
- Thromboangitis obliterance)*
 - Lachesis, Placenta Materna, Secale Cor., Vipera.
- Blueness, of the lower extremities in females (Erythrocynosis Puellorum)*
 - Morgan Bach.
- Burning*
 -
- heat of hands and feet, pains, with
 - Medorrhinum.
- itching feet, and
 - Sulphur.

- soles of feet, must stick the feet out of bed Sanguinaria.
- Bone or growing pains* Aranea Diad., Aurum Met., Calc. Fluor., Conchiolinum, Medorrhinum, Vitamin D.
- Bunion, of great toe* Agaricus Mus., Benzoic Acid.
- Bursa, septic* Echinacea.
- Bursitis* Succinic Acid.
- housemaid's knee Sticta Pul.
- pre patellar Kali Mur.
- Calcaneal spur* Aranea Diadema, Aurum Met, Conchiolinum, Ruta.
- Carpal tunnel syndrome* Arnica, Causticum, Formic Acid., Guaiacum, Kali Carb., Rhus Tox., Ruta, Vitamin B6
- Charcot-joints* Syphilinum.
- Chilblains, fingers numb but painful* Secale Cor.
- Chondritis, chondroma* Symphytum.
- Claudication, intermittent* Proteus Bach.
- Claudication, numbness* Oxalic Acid.
- Clubbing, of fingers* Laurocerasus.
- Coldness, extremities* Platina, Secale Cor.
- Condyles, swollen* Calc. Phos.
- Collapse of knee while walking* Cocculus.
- Contracture*
- Dupuytren's contracture Arnica, Formic Acid., Graphites, Proteus Bach, Psorinum, Ruta, Tuberculinum, Tuberculinum Residuum.
- fingers, flexors Bacillus Proteus, Tuberculinum Residuum.
- Cool and bluish discoloration of hands and feet with chilblains* Agaricus.
- Corns* Antim. Crud., Ferr. Pic., Hydrastis for local application, Nitric Acid, Thuja.
- hands, palmar surface Malandrinum, Psorinum.

- heels, plantar surface	Malandrinum, Morgan Pure, Psorinum.
- callosities and warts-lupoid growth	Ferrum Picric.
<i>Cracks, finger tips</i>	Sanicula, Silicea.
<i>Cramp</i>	
- calves	Ambra Grisea, Cupr. Met., D.N.A., Lyssin, Mag. Phos., Secale Cor., Tuberculinum, Ustilago.
- calf, left	V.A.B.
- children, in	China.
- dancers	Bacillus Proteus.
- feet	Hippozaeninum, Pneumococcinum.
- feet and calves	Gnaphalium.
- fingers	Hippozaeninum, V.A.B.
- grasping an object	Ambra Grisea.
- hands and fingers, in	Ambra Grisea.
- legs in	Cuprum Met.
- painful	Hippozaeninum, Psorinum, Sarcocollactic Acid.
- tailors, cramps in legs	Anac., Mag. Phos.
- writer's cramps	Kali Phos., Mag Phos., Nat. Fluor., Phosphorus.
<i>Crepitus joints</i>	X-ray, Nat. Phos.
<i>Crural neuralgia</i>	Gnaphalium.
<i>Dropsy, lower limbs of</i>	Aurum Met.
<i>Dropsy, oedema of limbs in old, feeble constitution</i>	Fluoric Acid.
<i>Eczema, plantar</i>	Anthracinum, Arum Trip.
<i>Elephantiasis</i>	Anacardium, Ars. Alb., Calc. Fluor, Hippozaeninum, Hydrocotyle, Ledum Pal., Silicea.
<i>Epicondylitis</i>	Spirea Ulmaria.
<i>Eruptions, fingers and hands</i>	Borax.
<i>Exostoses</i>	Calc. Fluor.
- feet, jaw and at other sites	Hecla Lava.
- palm	Aurum Met., Bufo, Calc. Carb., Calc. Fluor, Fluoric Acid., Hecla

	Lava, Syphilinum, Symphytum, Zinc.
<i>Fatigue state, in the forearms</i>	Arg Nit.
<i>Feet, cold damp stocking</i>	Calc. Carb.
<i>Feet, swelling; ankle below</i>	Vipera.
<i>Fibrous tissue; joints</i>	Causticum.
<i>Filarial, swelling and filaria</i>	Ferr. Phos, Strychninum Ars.
<i>Fingers, deformed</i>	Kali Carb., Lycopodium.
<i>Fissure, cracks in palms</i>	Calc. Fluor., Petroleum.
<i>Foot, arch of foot-pain</i>	Phosphoric Acid., Ruta
<i>Formication</i>	Secale Cor.
- neuralgia in	Aconite.
<i>Ganglia</i>	Ruta Graveolens (local application).
	Ammon Carb.
- back of the hand, on	Benzoic Acid., Ruta. Grav.
- wrist on	Benzoic Acid., Formic Acid., Lithium Benz., Nat Oxalaceticum, Phos., Radium, Rhododendron, Silicea, Thlaspi Bursa Pastoris, Thuja, Urtica Urens.
<i>Gout</i>	Arnica
	Urtica Urens.
- swelling, pain sensitive to touch	Silicea.
- uric acid increased	Abrotanum, Lithium Carb., Nat Mur., Ranunculus Bulbosus.
- deposits in joints	Causticum, Coccus.
- chronic rheumatism of the joints, with	Rhododendron.
- cracking of joints, on movement	Colchicum.
- deposits and	
- rheumatism, gout-patient screams with pain	Ammon Benz.
- urinary incontinence, with	Antim Crud.
<i>Hard hands with cracks</i>	Castor Equi.
- chapped, hands	Lilium Tig.
<i>Heat and burning of palms</i>	
<i>Heel</i>	
- pain	Antim Crud., Aranea Diadema, Aur. Met., Cyclamen, Tartaric Acid., Medorrhinum, Pulsatilla, Sepia., Thuja.

- pain, spasmodic Aristolochia Clematis.
- sensitivity of heels and soles Medorrhinum.

Hip joint

- coxalgia Hypericum.
- complaints, right sided Chelidonium.
- pneumonia, with
- disease Lyssinum.
- inflammation, involving Mezerium.
- synovial membrane
- pain Hyoscyamus.

*Inflammation of the knee joints involving the synovial membrane**Itching*

- hands and fingers Anagallis.
- between fingers or in folds of joints Phosphoric Acid.
- finger, joints Selenium.

Injury

- direct periosteal injury (where bone is just covered by skin-knee, shin) Ruta.

Joints

- cracking of Angustra Vera, Causticum, Nat Sulph, Petroleum.
- deformities Causticum.
- in and around Calc. Hypophos.
- left hip Calc. Carb., Rhus Tox.
- pain Arg. Nit., Chamomilla, Ignatia, Ammon Phos., Arg Nit., Rhododendron, Silicea.
- pain severe Cad. Met.
- pain, cold application and external pressure, ameliorates Guaiacum.
- right hip Bry., Calc. Carb., Ledum.
- small joints Actea Spicata.
- stiffness in all Causticum, Petroleum.
- stiffness, of joints < cold, damp, rainy. Calc. Carb.
- T.B. Drosera.

- twisting of the	Cortisone Acetate, Nat. Carb., Nat. Mur., Nat. Pyruvicum, Psorinum.
<i>Knee, joints affinity</i>	Sepia.
<i>Knee, pains - all types</i>	Petroleum.
<i>Knees, painful swelling in the knees of menopausal women</i>	Sepia.
<i>Legs, so weak gives out on rising from a chair, while walking</i>	Ruta.
<i>Legs, so weak, thighs, hips weak</i>	Ruta.
<i>Ligaments, stiff - affection</i>	Gettysburg water.
<i>Limbs, tendency to give out suddenly e.g. attempting to sit down</i>	Stannum.
<i>Limbs going to sleep</i>	
- hands and arms	Hyoscyamus.
- legs	Fluoric Acid.
<i>Meniscus, knee; muscle problem</i>	Petroleum.
<i>Motor, paralysis</i>	Cup. Met., Plumb. Met., Stannum.
<i>Nails-brittle, discolored or receding</i>	Alumen, Veratrum Viride, Thuja.
- crumbling of finger nails	Butyricum Acidicum.
- hang nail with inflammatory irritations of the ungual phalanges	Nat Mur.
- outgrowth horny, on finger nails	Antim Crud.
- paronychia	Aristolochia Clematis.
- paronychia, chronic	Asafoetida.
<i>Neuralgia, brachialgia;</i>	Aconite Nap., Bry., Kalmia., Merc.
<i>Neuralgia affecting the arms</i>	Puls., Rhus Tox., Veratrum Alb.
<i>Neuralgia, crural anterior</i>	Gnapalium, Hypericum, Mustard Oil, Rhododendron, Trigeminal, Thallium.
<i>Neuritis, brachial</i>	Vipera.
<i>Nodules, tendons, muscles</i>	Ruta.
<i>Numbness, and formication, hands and feet</i>	Acid. Phos., Oxalic Acid.
<i>Numbness, finger, toes, soles, palms to skin</i>	Plumb. Met.
<i>Numbness, local parts</i>	Ambra Grisea, Platina.

<i>Numbness, of extremities</i>	Proteus Bach.
<i>Numbness, of extremities with cramps</i>	Secale Cor., Zinc. Met.
<i>Numbness, of legs</i>	Gelsemium, Paris Quad.
<i>Numbness, of legs with sciatica</i>	Gnaphalium, Oxalic Acid.
<i>Oedema, hand syndrome</i>	Strophanthus.
<i>Oedema, legs</i>	Apocynum Can.
<i>Osteoarthritis</i>	Aurum Met., Bryonia Radix, Calc. Sulph, Hecla Lava, Stillingia.
- chronic	Alloxan, Osteoarthritis Nosode.
- erratic	Paratyphoidinum. B.
- heberden's nodes	Hecla lava.
<i>Osteochondritis</i>	Apatit.
<i>Osteomyelitis</i>	Anthracinum, Bacillinum, Calc. Fluor., Calc. Hypophos., Carbolic Acid., D.N.A., Gun Powder, Hecla Lava, Lachesis, Myristica Seb., Phos., Rhus Tox., Silicea (If there is T.B. history in family), Sulphuric Acid., Syphilinum, Tuberculinum.
<i>Osteoporosis</i>	Calc. Carb., Calc. Fluor., Calc. Phos., Cortisone, Dysentery Co., Hecla Lava, Mucor Mucedo, Phos., Symphytum.
- post traumatic	Cortisone, Parathormone.
- post traumatic, painful	Parathormone.
<i>Osteosarcoma</i>	Beryllium Met., Syphilinum.
- osteosarcoma, neuralgic pains with	Hecla Lava.
<i>Paget's disease</i>	Parathormone.
<i>Pain</i>	
- deltoid, pain	Urtica Urens.
- hollow of knee, motion on	Nat Carb.
- pain in flesh, extremities	Kali Carb.
<i>Pain finger, hard pressure ameliorates</i>	Lithium Carb.
<i>Paraesthesia of extremities</i>	Latrodectus Mactans.
<i>Paralysis, feeling of</i>	
- in all limbs	Gratiola.

- with rheumatic pains in the sacrum accompanied by muscular weakness, worse when resting, getting up and starting to move Kali Phos.
- Perthes disease* Apatit, Calc. Hypo Phos., Calc. Phos., Hecla Lava, Puls., Sarcolic Acid., Symphytum, Syphilinum.
- Pink disease (Knee chest posture and the pink colouring)* Medorrhinum, Sycotic Co.
- Pins and needle sensation in legs* Picric Acid.
- Popliteal, space, pruritus, with or without eruptions* Zinc. Met.
- Raynaud's disease* A.C.T.H., Proteus Bach., Secale Cor.
- Restless, legs* Aesculus Hippocastinum, Zinc. Met.
- Rheumatic, pain; bone pain* Aurum Met.
- Rheumatic, pains* Gaultheria, Gnaphalium, Stelleria, Streptococcin, Thlaspi Bursa Past. Sanguinaria.
- Rheumatic, pains in place least covered with flesh*
- Rheumatic, pain, < room, cloud* Rhododendron.
- Rheumatic, symptoms alternate with gastric* Kali Bich.
- Rheumatism* Apis, Alstonia Scholaris (local application), Berberis Vulgaris, Calc. Carb., Dulcamara, Gaultheria (local application), Methylum Salicylicum (local application), Stellaria Media (local application).
- acute, swelling, heat, redness and shooting pain with Sticta Pul.
- arm Bacillus No. 7, Sycotic Co.
- bursa affection of, with Ruta, Sticta Pul.
- calf pain, rheumatic Salicyclic Acid.
- chronic Rauwolfia Serpentina.
- chronic, periosteal rheumatism, syphilitic, scrophulous affection and Stillingia.

- coldness of joints and debility, with Colchicum.
- constipation obstinate, accompanied by Cascara Sagrada.
- damp Medorrhinum.
- depression, with Apium Graveolens.
- diabetes, accompanied by Abroma Augusta.
- diarrhoea checked from, rheumatic, pain Abrotanum.
- dysentery, with history of Colchicum.
- elbow Gnaphalium, Hyoscyamus, Salicylic Acid, Sycotic Co.
- elbow, left Tabacum.
- elbow, right Ambra Grisea.
- female affections, accompanied by Actea Racemosa.
- fibrositis Bacillus No. 7, Bacillus No. 10, Bacillus Gaertner, Morgan Gaertner, Morgan Pure, Osteoarthritis Nosode.
- fibrous type, thickening of knee joint and carpal and metacarpal joints. Antim Crud., Apis, Bry., Gaultheria, Lactic Acid, Ledum Pal., Nat Phos., Pyrogen, Ruta, Radium, Stellaria, Thyroidinum, Urtica Urens, Valeriana.
- finger joints X-ray.
- gastric complaints, with Abrotanum, Dulcamara, Gnaphalium.
- gouty pains Guaicum.
- grief, with Ignatia.
- grief and cracking of joints, with Hura.
- hand joints Hyoscyamus.
- heart complaints, accompanied by Avena Sativa, Kalmia Lat., Lithium Carb., Spigelia.
- heart goes to Abrotanum.
- hot season in Rhododendron.
- hip Malandrinum.
- inflammatory Gaultheria, Pyrogen.
- knee Ruta, Sycotic Co.

- legs, knees, cannot bear weight of body; tearing pain. Viscum Alb.
 - motion, continued ameliorates Medorrhinum.
 - malaria, with China Sulph.
 - migratory rheumatism Apocynum Androsaemifolium.
 - muscular rheumatism Bryonia, Cimicifuga, Colchicum, Macrotin, Ranunculus Bulbosus, Rhus Tox, Sanguinaria.
 - neck Lachnanthes.
 - neck, back, arms Morgan Bach.
 - of old labourer Arnica.
 - perspiration increased, with Calc. Carb., Formica Rufa, Rhamnus Californica, Salicylic Acid., Telia.
 - prolonged laundry work, after Phosphorus.
 - scalp < rain Phytolacca.
 - shoulder Bacillus No. 7, Dysentery Co., Gaertner, Granatum, Medorrhinum, Morgan Gaertner, Morgan Pure, Sycotic Co.
 - left side Nux Moschata.
 - rigidity calves; pseudo Arg. Nit.
 - hypertrophic paralysis
 - small joints of, such as ankle, wrist, finger joints Caulophyllum.
 - stormy rains, complaints in Rhododendron.
 - tearing pains, gouty Rhododendron.
 - trembling gait, with Lactic Acid.
 - urticaria, associated with, or alternates with Urtica Urens.
 - warm bath ameliorates rheumatism Lithium Carb.
 - wrist Bacillus No. 7, Hippozaeninum, Medorrhinum, Morgan Gaertner, Sycotic Co.
- Sciatica* Aconite Radica, Arsenic, Berberis Vulgaris, Carboneum Sulph (local application), Carcinosis, Chamomilla, Cimicifuga, Colocynth, Dyst Co., Flavus,

- Formic Acid., Gaultheria, Gnaphalium, Hypericum, Ignatia (better by walking), Lac D., Lac Hum, Lachesis, Medorrhinum, Oxalic Acid., Phytolacca, Proteus, Psorinum, (putting weight on leg.), Kali Mur., Ranunculus Bulbosus (local application). Salicylic Acid., Rauwalfia, Succinic Acid., Tellurium, Thalamus, Valeriana, Viscum Alb., Zinc Sulph.
- bruised pain in small of back and thighs, nightly digging pain in right lower limbs extends to toe, aggravated rising from bed Ginseng.
 - constant pain in one spot on sciatic nerve which is extremely painful to touch, aggravated night and lying on affected side Kali Iod.
 - daytime ameliorates, worse night as soon as he lies down Ruta.
 - diabetes mellitus, with Kreosote.
 - getting up from sitting and turning in bed aggravates Nat Sulph.
 - influenza after Ars Sulph Rubrum.
 - left leg Colocynth.
 - obstinate sciatica, aggravated at night Kali Iod., Nyctanthes Arbor Tristis, Symphytum.
 - spasmodic contraction of muscles; alternate numbness and intense pain Gnaphalium.
 - specific Dyst Cor., Gnaphalium, Medorrhinum, Oxalic Acid.
 - straightening out limb, standing, resting foot on floor aggravates, walking ameliorates Valeriana.
 - straightening limb, walking ameliorates; sitting aggravates, disappears at night Amm. Mur.
 - thecal sciatica, due to pressure of spinal cord Aconite (recent), Arnica, Bryonia, Gnaphalium, Merc. Cor.

	(Syphilitic/Rheumatic), Rhus Tox. (Rarely fails).
<i>Shoulder, frozen, arthritic</i>	Ferr. Met., Ruta, Syphilinum.
<i>Shoulder, pain, cannot lift it up or abduct</i>	Ferr. Met.
<i>Shoulder pain, left</i>	Ferr. Met.
<i>Shoulder, pain, left, right</i>	Medo., Ruta, Sanguinaria.
<i>Skeletal metastasis</i>	Apatit.
<i>Smoker's leg</i>	Secale Cor.
<i>Soles, painful</i>	Ledum.
<i>Sprains, ankles, wrists, back</i>	Bellis Perennis.
<i>Stamping feet with vibrating sensation in the spinal column when lying stretched out</i>	Streptococcus Haemolyticus.
<i>Stamping feet on ground</i>	Chamomilla, Tub. Bov.
<i>- stretching limbs ameliorates</i>	Tylophora Indica.
<i>Swelling of the finger joints</i>	Actaea Spicata, Spigelia.
<i>Swelling of the arm (Post mastectomy)</i>	Baryta Iod., Sanguinaria.
<i>Synovitis</i>	Apis, Rhus Tox.
<i>- fibrosis</i>	Bellis Perennis, Ruta.
<i>- synovitis, chronic</i>	Apis, Calc. Fluor.
<i>- synovitis, chronic of knee joints</i>	Calc. Fluor.
<i>- synovitis, (chronic) of knee-joints with uric acid.</i>	Calc. Fluor., Urtica Urens.
<i>Tendon</i>	
<i>- injury</i>	Symphytum.
<i>- injury, especially medial and lateral meniscus</i>	Equisetum.
<i>- soreness remains after Arnica</i>	Rhus Tox.
<i>- tendinitis</i>	Penicillin.
<i>Tenderness of soles and heels</i>	Medorrhinum.
<i>Tendo achilles, pain in</i>	Aranea Diad., Benz. Acid., Cimicifuga, Ruta, Tetradytmite, Valeriana.
<i>Tendo-achilles, stiffness</i>	Aristolochia Mil., Cimicifuga.
<i>Tendons, ligaments, of joints, swelling induration</i>	Calc. Fluor.
<i>Tennis elbow</i>	Ambra Grisea, Rhamnus, Ruta.

Thromboangitis Obliterans
(T.A.O.) (See Berger's disease)

Tibial pain

- ulcer, old

Tremor of limb

- palpitations and

Trigger finger

Tubercular disease

- joints

- hip

Ulcer

- tips of fingers
- nodes on the legs
- foot, after suppressed skin complaints

Varicose veins

- haemorrhages and
- painful
- ulcer

Vesicle formation on the fingers

Warts

- around joints of finger
- back of finger
- back of ring finger
- index finger; left
- index finger; right
- left hand
- little finger
- middle finger
- ring finger
- side of finger
- thumb
- tips of finger

Lachesis, Anthracinum, Calc. Sulph, Proteus Bach, Secale Cor., Sulphuric Acid., Tarentula Cubensis/Hispanica.

Mezereum.

Echinacea.

Merc Cor.

Petroleum.

Ruta.

Tuberculinum.

Tuberculinum.

Ars. Alb., Sepia.

Phytolacca.

Ars. Alb.

Tuberculinum Residuum.

Hamamelis.

Vitamin B.

Agrimonia, Alstonia, Calc. Iod, Carduus Mar, Clematis Vitalba, Hamamelis, Lachesis, Pyrogen, Sulphur.

Ranunculus Bulbosus.

Sarsaparilla.

Lachesis.

Dulcamara, Lachesis.

Thuja.

Causticum, Lycopodium.

Psorinum.

Causticum, Lac-c.

Berberis, Lachesis.

Nat Mur, Sulphur.

Calc-c., Sepia, Thuja.

Lachesis, Ran-b., Thuja.

Causticum, Thuja.

- fingers around
- fingers and hand
Whitlows

Sulphur.
Rhus Tox.
Bellis Per. (External or ointment)

Remedy Hints

Aconitum: It is the main remedy in acute articular rheumatism if the pulse is not only frequent but likewise full and hard, the temperature is considerably higher, the joint is red and exceedingly sensitive to contact. It is suitable when pericarditis or endocarditis has supervened. *Aconite* is a specific remedy for rheumatism of the deltoid muscle. [Source: *Bernhard Baehr*]

Actea Spicata: This is a rheumatic remedy, especially of the small joints. Rheumatic pains in wrist, fingers, ankles, toes. Swelling of joints from slight fatigue. Wrist swollen, red, worse any motion. Paralytic weakness in the hands. Sudden lassitude after talking or eating. [Source: *William Boericke*]

Agnus Castus: It is a prominent remedy for sprains; worse from a strain, as in lifting a little too much. Also, the feet turn under easily when walking.

Allium Cepa: Sore and raw spots on feet, especially heel, from friction. Efficacious when feet are rubbed sore (*Dioscorides*).

Ammonium Muriaticum: Sciatica that is worse while sitting and better by lying suggests the remedy. [Source: *Dr. P. Rajagopalaraao*]

Ammonium Phosphoricum: The remedy has been successfully used in the treatment of constitutional gout when there are nodes or concretions in the joints. It is not to be used for the acute symptoms, not for the twinges of pain, but when the disease has become systemic, and when concretions of urate of soda appear in the joints. [Source: *E.A. Farrington*]

Antimonium Crudum: Arthritis deformans responds to *Antim Crud.* a near specific. [Source: *Dr. Schwartz*]

Some of the worst cases of chronic rheumatism have been cured by *Ant. Crud.*, guided by the extreme tenderness of the soles of the feet. [Source: *Dr. E.B. Nash*]

In adults who are tormented with gout, *Antimonium Crudum* is especially useful when gout has become constitutional. There will be gouty nodes in many of the joints. It here helps, provided there are the gastric symptoms

characteristic of the remedy present, but not otherwise. [Source: *E. A. Farrington*]

Apis Mellifica: *Apis* acts on the synovial membranes, giving a perfect picture of synovitis, particularly when it affects the knee. There are sharp, lancinating, stinging pains shooting through the joint, with aggravation from the slightest motion. [Source: *E. A. Farrington*]

Arnica Montana: When a joint is clearly sprained, *Arnica* is not the best remedy, unless there is considerable inflammation of the soft parts other than the ligaments.

Artemesia Abrotanum: In acute rheumatism, with great pain, before any swelling occurs, it is a sovereign remedy. I have given it to a patient suffering with rheumatism, who would scream when moved, or cry out when one came near him (*Arnica*), and in forty-eight hours he was well. [Source: *H. C. Allen*]

Aurum Metallicum: *Aurum* is one of our best remedies for bone pains. Never forget it. It ranks with *Kali Iodide*, *Asafoetida* and the *Mercuries* in periosteal affections. [Source: *E. B. Nash*]

Bellis Perennis: It is indicated when there is a bruised, strained feeling with general soreness of joints and muscles, resulting from exposure, and after vigorous physical exercise, and in Dr Hinsdale's experience, surpasses *Arnica* in these conditions.

Benzoic Acid: The more *Benzoic Acid* is used in Gout the more it will be prized. [Source: *Dr. C. Hering*]

Borax: It is indicted in cancerous ulcers about the joints, particularly the fingers. (*Mezereum* and *Sepia*) [Source: *Dr. Sultan M. Bihari*]

Bryonia: It is a capital remedy for rheumatism attacking particular muscles, as those of the loins, neck or diaphragm. It is also a remedy when serous membranes are inflamed in the course of rheumatic fever.

Calcarea Phosphoricum: *Calcarea phosphoricum* in the third stage of hip disease may stop the further destruction of bone and the suppuration and promote new organization. [Source: *Boericke & Dewey*]

Cimex Lectularius: It has one characteristic symptom which has been verified. "Sensation as if the tendons were too short." There is sometimes actual contraction as if the legs cannot be stretched out. Pain in all joints as if tendons were too short. Inclination to stretch. [Source: *E. B. Nash*]

Cinchona Officinalis: It is often indicated in inflammatory rheumatism, but only later when the fever has become intermittent in its character. The joints still remain swollen. The characteristic pains are jerking and

pressing. The patient will not permit you to approach, crying out with pain if you touch the affected parts.

Cocculus Indicus: A man will stretch out his leg on a chair and he can't flex it till he reaches down with his hands to assist.

Colchicum: Dr Allen taught us that "tingling in finger nails" was found in no other remedy and hence was characteristic of *Colchicum*. [Source: *George Royal*]

Colocynth: It is a very valuable remedy in sciatica and is frequently indicated. The pains are extremely violent and paroxysmal, of a tearing, shooting or boring character, with relief from heat, pressure, and by flexing the leg on the abdomen.

Cuprum Metallicum: In cramps of the calves, I have never known *Cuprum* to fail. [Source: *Dr. Jousett*]

Drosera: *Drosera Rotundifolia* is a great remedy in tuberculosis of bones. *Silicea* as well.

Formica Rufa: Rheumatic pain with stiff and contracted joints. Rheumatism comes on with suddenness and restlessness. Pains worse from motion, cold, dampness, but better from pressure, warmth, rubbing. Chronic gout. [Source: *William Boericke*]

Fractures: Don't forget that in epiphyseal fracture the prognosis must be guarded because such injuries in the young are sometimes followed by suspended growth or premature ossification followed by deformity. Don't forget to examine the shoulder joint in all fractures of the upper portion of the humerus, to ascertain whether the head is dislocated. Don't forget that in fractures of the skull the patient may present no evidences other than those of concussion for days or weeks, and then suddenly develop symptoms of an alarming or fatal character. Don't forget that should severe pain develop within a few hours after a splint has been applied, the splint is either too tight from swelling, or the fracture has not been properly reduced, excepting in cases where a severe sprain complicates the fracture. If pain is caused by swelling and the splint be not removed, within a few hours, degenerative changes are likely to occur in the muscle-cells which may induce ischemic myositis or (in the forearm) Volkmann's contracture.

Guaiacum: An arthritic remedy with the keynote of amelioration from cold application. Craves apples. Left wrist/ carpal tunnel pain. Mental torpor, difficulty in thinking. Forgets names of persons. Thoughtless staring in morning. [Source: *Roger Morrison, H.L. Chitkara*]

Hypericum: Nothing equals *Hypericum* in cases of smashed fingers. [Source: E.A. Farrington]

Indium Metallicum: I would like to suggest that in sciatica cases, especially with modalities of *Rhus Tox.*, one keeps *Indium* in mind. I have had a lot of cases that did not respond where I thought *Rhus Tox.* was indicated. I cured a great many cases. I have cured more cases of sciatica with *Indium* than with any other remedy. [Source: Dr. A. Dwight Smith]

Kalium Bichromicum: Recognized by the copious ropy mucous discharges from all mucous membranes, it is also a most important remedy in rheumatic affections of the joints with swelling, heat and redness, whenever these conditions wander around from joint to joint. [Source: J.T. Kent]

Kalium Carbonicum: Many say that *Kali Carbonicum* is dangerous in a patient with enlarged joints, but that is simply not true, at least for rheumatoid arthritis. Many such patients did well on high potencies of it. *Kali Carbonicum* is dangerous in tuberculosis and the potency must be carefully chosen, as these patients do not stand the reaction well. [Source: Dr. Douglas Borland]

Kalmia Latifolia: Pain following the course of nerves or affecting a large area, with sense of numbness, coldness and pricking in affected parts. Fluttering sensation at the heart, causing apprehension. Pain through the heart, extending into the shoulder blades. [Source: H.R. Arndt]

Inflammatory rheumatism, shifting from joint to joint, with tendency to attack the heart, high fever, excruciating pains, which, of course, are made worse by motion, will be benefited by *Kalmia*. In valvular deposits *Kalmia* and *Lithium Carbonicum* are our foremost drugs.

Ledum Pal: It is one of our best remedies for rheumatism and gout, especially the latter. The great symptom which has always been regarded as distinctive is the direction the pains take, namely, going from below upwards. [Source: W.A. Dewey]

Manganese Acetate: In cellulitis, subacute stage, it promotes suppuration and hastens regeneration. Inflammation of bones or joints, with nightly digging pains. Chronic arthritis. Every part of the body feels sore when touched. Solid mask-like face. Anxiety and fear – better lying down. Walks stooping forward. [Source: William Boericke]

Manganum: It is an excellent remedy in rheumatic patients when the heels are affected and the patient cannot bear any weight on the heels. [Source: Dr. E.A. Farrington]

Mezereum: It is particularly adapted to periostitis, less to ostitis, and is particularly appropriate at a period of the disease when no complete suppuration has yet set in. With this remedy we have cured an inflammation of the tibia, where a portion of the bone, several inches in extent, was considerably and painfully distended. [Source: *Bernhard Baehr*]

Millefolium: This is a most useful remedy in varicose veins; especially when the capillaries are spongy and enlarged. [Source: *Dr. J.T. Kent*]

Natrum Carbonicum: Weakness of the ankles from childhood finds a good remedy in *Natrum Carb.* [Source: *Dr. E.B. Nash*]

Natrum Salicylicum: *Natrum Salicylicum* will cure periostial rheumatism when the parts are hot, tender, swollen, red, pulse irregular, weak and soft; from 40 to 120 per minute. Profuse sweat on exertion that smells musty. The temperature varies, increasing and decreasing with the rheumatic pains.

Phosphoric Acid: It is useful in hip disease and caries of spine. Sensation in the bones as if scraped with a knife. It is a remedy which corresponds to the extreme debility found in rickets, and is a valuable remedy in that affection. [Source: *Dr. W.A. Dewey*]

Phytolacca: In syphilitic rheumatism, it may be considered almost a specific. Of all the vegetable antidotes of mercury, this is one of the most efficacious. It is useful in rheumatism and said to be specific against syphilis. Hence it will be indicated in the rheumatic complications of mercurio-syphilitic affections. [Source: *J.P.H. Berjeau*]

Rhododendron: It has cured cases in which there were swelling and redness of both the large and small joints, tension, and rigidity. [Source: *E. Harris Ruddock*]

Rhododendron is one of the best remedies for what has been termed as rheumatic gout. It is especially indicated in cases of rheumatic hard swelling of the big-toe joint, often mistaken for bunion.

Rhus Tox: Ankles swollen after sitting too long in travelling.

Ruta: For bruises of bone, cartilages, tendons, insertion of tendons, bruises about cartilages and about joints, *Ruta* is better than any other remedy. [Source: *James Tyler Kent*]

In bone injuries, after *Symphytum*, investigate *Ruta*. In joint problems, after *Arnica* explore *Ruta* (restlessness, desires for cold drinks, better from warmth). [Source: *H C Allen*]

Ruta is the medicine for complaints from straining flexor tendons. [Source: William Boericke]

Sabina: It has relieved chronic arthritis and gout in fleshy, plethoric women when the pains are aggravated by warmth and ameliorated in cool, open air. The pains are sharp, sticking, tearing and may appear in any muscle or joint in the body. Use the lower potencies and repeat frequently. [Source: George Royal]

Sanguinaria Canadensis: The action of *Sanguinaria* for inflammations in which an analgesic might otherwise be used, such as for rheumatism of right shoulder or left hip, can be a welcome alternative. Even though it's known as a right sided remedy, I find it works regardless of sides. [Source: Joette J. Calabrese]

Rheumatic pain in the right arm and shoulder, worse at night and bed, cannot raise arm. I have seen one dose cure such cases of long standing. [Source: E.B. Nash]

Sepia: The best remedy we have for small ulcers about the joints is *Sepia*. [Source: E.A. Farrington]

Silicea: It is one of the best remedies in chronic hereditary rheumatism. The pains are worse at night and worse from uncovering; better from warmth. [Source: W. A. Dewey]

Symphytum: In fracture of hands and fingers, bones knit more quickly with *Symphytum* 30, two or three times a day for a week. [Source: Dr. Pierre Schmidt]

Urtica Urens: Burnett concluded that in acute gout, *Urtica Urens*, 5 drops of tincture in a wineglass of water every 2-3 hours would cut short the attack. Under its use, pain and swelling subside and large quantities of sand are passed. [Source: J.H. Clarke]

Vipera: Painful swelling of veins, such as varicose veins and phlebitis. When the legs hang down, they feel so full there is a sensation they will burst. Better raising the limb. Worse touch, pressure, change of weather. [Source: Lockie & Geddes]

Zincum Valerianate: The *Valerianate of zinc* I have used for a common symptom of nervous persons – they cannot sit still, or they must keep the legs in constant motion. I have used it and I do not remember to have failed to cure in a single instance. I usually give the remedy in the second or third potency. [Source: E.A. Farrington]

Comparisons

Affinities for Body Parts: Certain remedies have an affinity for certain parts of the body. A soldier who had been marching a great deal had two ulcers, one on the heel, the other on the instep. *Natrum Carb* cured the one on the heel, but not the one on the instep, which was afterwards cured by *Lycopodium*. *Lycopodium* acts on the instep and *Natrum Carb* on the heel. [Source: E.A. Farrington]

Arthritic Nodosities: For arthritic nodosities nothing surpasses in efficacy, *Calcarea*, *Lycopodium* and *Causticum* (also *Benzoic acid*). If these nodosities become very painful, red, inflamed, *Aconite*, and *Arnica* sometimes afford speedy relief.

Causticum: It is useful in paralyses which are traceable to exposure to cold, especially dry cold winds. *Aconite* suits well in the beginning and *Causticum* more when paralysis has become chronic. [Source: E. A. Farrington]

Dioscorea: *Dioscorea* follows *Bryonia* with the happiest results when the latter seems insufficient. This is particularly true in sciatica. *Alumina*, *Rhus*, *Kali Carb* and *Nat. Mur* are other complements of *Bryonia*). [Source: C M Boger]

Fluoric Acid and Silicea: *Fluoric Acid* and *Silicea* are complementary and you will frequently find in bone disease that you will have to give one after the other. *Fluoric Acid* has relief from cold, but *Silicea* can't bear cold. [Source: E. A. Farrington]

Ganglion: For ganglion on back of wrist, if *Ruta* does not succeed, explore *Benzoic Acid* or *Silicea*. [Source: Dr. Bishamber Das]

Gout: *Ammonium Phosphoricum* is a useful remedy in constitutional gout where there are nodosities in the joints. It is not so much a remedy for the acute symptoms, but for chronic cases where there are deposits of urate of soda concretions in the joints and the hands become twisted out of shape. *Antimonium Crudum* has gouty nodes in the joints, but it is easily selected from its gastric symptoms. Urinary symptoms, strong urine, etc., would suggest *Benzoic Acid*, and much red sand *Lycopodium*, both of which may be found useful in gout. [Source: W.A. Dewey]

Colchicum, in drop-doses of the strong tincture, is one of the best remedies for preventing an immediately - threatened, or arresting a recently-developed attack of Gout. When there is circulatory excitement, *Aconitum* should be alternated with it. We must add, *Colchicum* has

but little curative power over the gouty diathesis. [Source: *E. Harris Ruddock*]

Lac Caninum: It is one of the main remedies for ovarian cysts; for pain that alternates sides. Another use is in arthritis; an often ignored remedy. There are three big remedies; *Pulsatilla*, *Ledum*, and *Lac Caninum* and all have arthritis that is better for ice on the joints. *Pulsatilla* and *Lac* have wandering pains. Worse motion and heat. Also sciatica, that moves from side to side. [Source: *Robin Murphy*]

Ledum Pal: *Ledum* is a useful remedy in gout. The ball of the great toe is swollen, sore and painful on stepping, drawing pains worse from warmth and pressure and motion. Gouty nodosities in the joints. It differs from *Bryonia* in having a scanty instead of a profuse effusion. All the pains of *Ledum* travel upwards. *Ledum* is a cold remedy, and attending all the symptoms is a general chilliness and lack of animal heat.

The *Ledum* rheumatism begins in the feet and travels upward. This is the opposite of *Kalmia*. *Ledum* may be indicated in both acute and chronic forms of this complaint. In the acute form the joints are swollen and hot, but not red. The swellings are pale and the pains are worse at night and from the heat of the bed.

Rheumatic Pain:

Calcarea Phos: Rheumatism which is worse at night and by heat or cold, worse from change of weather. Rheumatism of the joints, with cold or numb feeling; creeping feeling in the parts affected, numbness and lameness. Every cold brings on rheumatic pains in the joints.

Natrum Sulph: In rheumatic pain; pains and stiffness in nape and back; pains in joints, especially of toes and fingers and wrists; pain in hip joints, aggravated when rising in seat or moving in bed. [Source: *The Southern Journal of Homeopathy – January 1888 -C.E. Fisher, Editor*]

Rhododendron: The *Rhododendron* patient's pains are relieved when the storm breaks, while *Rhus tox* pains continue till the storm or rain is over.

Saving a Limb: When a limb has been partially crushed, it may sometimes be preserved by cold applications, or by putting ice upon it and by giving internally *Arnica*, alternating sometimes with *Aconite*. This preservation is possible even when mortification has already taken place, by giving first *China*, and afterwards, when the skin begins to turn black, *Lachesis*. The surgeon alone can, however, judge what is best to be done. [Source: *Constantine Hering*]

Stellaria Media: The modalities fall halfway between *Bryonia* and *Rhus Tox*. Marked pain from slight motion like *Bryonia* and yet may be better from continued motion. When *Bryonia* fails in a rheumatic case. Pains migrate as in *Berberis* or *Pulsatilla*. [Source: Roger Morrison]

Sub-Acute Gout: *Colchicum*: This drug exerts a powerful influence in diminishing the sub-acute inflammation in old-standing cases.

Pulsatilla: Wandering pains, especially when those dyspeptic symptoms exist for which this remedy is suited.

Antimonium Crudum: Gastric derangements, white coated tongue, nausea, pains increase after eating, gouty nodes.

Nux Vomica: Sub-acute attacks brought on or aggravated by indulgence in wine, heavy suppers, or late dinners. Constipation, piles, spasms, etc., are additional indications. [Source: E. Harris Ruddock]

Tarentula Hispanica: The extreme restlessness of the limbs is like *Arsenicum*, and it sometimes has cured where *Arsenicum* has failed, although it seemed well selected. Anxiety, restlessness, constant motion of the arms, legs, trunk and head. Restlessness of the limbs in the evening, in bed before going to sleep, like *Arsenicum* and *Lycopodium* [Source: James Tyler Kent]

Trigger Finger: When trigger finger (restricted motion or awkward motion from shrinking membrane around tendon) is caused by injury, many people have been helped by *Arnica* 30 followed by *Ruta* 6. When hot and swollen with stinging pain, *Apis* 30 has helped. When finger is swollen, worse after rest or in damp weather, and better by warmth and continued movement, then *Rhus Tox* has been helpful. [Source: Andrew Lockie]

Tuberculinum: It is one of the common remedies for juvenile rheumatoid arthritis. The symptoms may seem similar to *Rhus Tox* - pain and stiffness from damp weather, change of weather, sitting for too long, rest, standing too long and first motion after rest. One differentiating point is that *Tuberculinum* is worse from all types of weather change. [Source: Paul Herscu]

Cases

Abrotanum: A woman lying in bed with dyspnoea, anxiety, cold sweat and pain in the heart was surrounded by friends to see her die. It was learned that she had suffered for many months with a rheumatism in one knee, and that she had recently been speedily cured by a strong liniment

only a few days before this attack. *Abrotanum* restored her to health promptly. [Source: James Tyler Kent]

Dysentery Co: A man completely invalided with arthritic changes in most joints had not been able to move for a long time. He said he had never been well since having dysentery at age 16. I gave him just one dose of *Dysentery Co.* 30C and he eventually walked without crutches and went back to full work. [Source: Dr. Margery Blackie]

Gaultheria (Wintergreen): If there is anything that a man wants relief from quickly it is from the excruciating pains of inflammatory rheumatism and neuralgias. While I am not a champion of any specific, this drug has given me the quickest and most satisfactory results than any remedy. In severest cases of neuralgias of the head and face it would do its work quick and well. It served me in very severe cases of neuralgia of stomach and bowels, while for the past few years it has done faithful work in ovarian and uterine neuralgias following or preceding difficult menstruation. I was called to relieve a severe case of neuralgia of stomach and bowels this last summer, which had been under the care of two of my worthy competitors. They had exhausted their pill case, and for about three weeks the poor woman had suffered everything but death itself. After diagnosing the case I put her on this remedy, and in two hours she was relieved and after two days was able to be about, and was cured shortly by no other remedy than it. I have found that the dose should never be less than five drops, and if pain is severe, fifteen drops repeated in a half hour; afterward two hours apart. It always should be taken dropped on sugar. [Source: E.P. Anshutz]

Hypericum: A woman consulted me with pain in her 3rd and 4th toe, radiating forwards. A diagnosis of arthritis was made by a rheumatologist and unsuccessfully treated with NSIAD. In my opinion it was not arthritis, but a Morton metatarsalgia, confirmed by eliciting the neuralgic pain by compressing the metatarsal heads. The cause of this is a neuroma of the interdigital nerve. I prescribed *Hypericum* 30, and after one dose, the pain and discomfort totally disappeared. She could walk normally again and throw away her brace. From this we must learn that first, a correct medical diagnosis is necessary, but also understanding the pathophysiology is important to make a correct homeopathic prescription. Allopathy and homeopathy are often complementary. [Source: Eddy Thielens]

Lacticum Acidum: A nine-year-old girl was confined to her bed for three weeks with acute arthritic rheumatism. *Acid Lacticum* 2 speedily cured her. A miner had been afflicted over six weeks with acute

arthritic rheumatism. The first dose of *Acid Lactic 2* gave relief and a second dose cured the man. Rheumatic pain with much weakness. Limbs feel chilly. Trembling of whole body while walking. [Source: Dr. E.P. Anshutz]

Lathyrus: In a case of a clerk with loss of power of the lower limbs, reflexes exaggerated, knee-jerk violent, locomotion difficult and unsteady, probably a case of transverse myelitis, *Lathyrus 3X*, night and morning, gave most satisfactory results. The patient could walk a mile without assistance. [Source: E.P. Anshutz]

Lycopodium: A woman, 68 years old, suffered with right sided coxarthrosis (degenerative disease of the hip joint). She was an ambitious tennis player and during the anamnesis she showed a dictatorial and haughty behaviour. From that and other symptoms *Lycopodium* seemed to be the right remedy. Erroneously I gave *Lycopodium* CM instead off XM. Next day I got a call, with an angry voice she told me that she has got terrible pains and asked me what I have given. She had been much better before she had swallowed the remedy and I should restore the previous state immediately. I gave her *Lycopodium 30C* one dose. Next day I got a call, the voice was angry again. She had no pains any more and accused me of giving her Cortisone, because ‘Homeopathic remedies don’t work so quickly’.

Pain Relief: I was called to see a man suffering great pain in the right ankle. Several days before a hog fell on his leg and foot. Pain in the external maleollus; had not slept for several nights, and nearly worn out from pain. There was redness and swelling of the ankle and foot. From the symptoms at the time, I gave *Belladonna* cm. An hour later he was no better. He was very restless, and motion, he thought, afforded him a little relief. I gave *Rhus Tox* cm. The next morning he was very bad, had not slept, nervous, trembling from head to foot, groaning and moaning, and begging for relief. He said that during the night he commenced aching all over, in his bones; his hand and arms were numb, and he felt as though his arms were as big as his legs. I gave him a dose of *Baptisia* cm. In fifteen minutes he was asleep. Restlessness and pain returned after three hours. Then I gave another dose of the cm and had no more trouble with the case.

Synovitis: In August, 1891, a middle-aged woman came to my office, bearing a letter from Dr. J. T. O’Connor, asking if anything of a surgical character should be done to her knee. The doctor had diagnosed

rheumatism and given *Ledum Pal*, followed by *Rhus Tox*. The joint had attained great size, partly due to synovial effusion, which led to the consultation. The selection was half made at the first glance at the patient. The weather being stifling hot, she wore heavy clothing and thick flannels and complained of being cold, especially at the neck and shoulders, and, most of all, in the affected knee. It developed that she had offensive foot-sweat and rawness between the toes. She received a single dose of *Silicea*, high. Nothing else was done. In a few weeks she was entirely and permanently well. [Source: *Edmund Carleton*]

Endocrine System

<i>Acromegaly</i>	Baryta Carb., Baryta Mur., Hecla Lava, Thyroidinum.
<i>Addisonism</i>	Calc. Carb., Sepia.
<i>Addison's disease</i>	Adrenalin, Calc. Carb., Glandula Suprarenalis, Para-Benzochinonum, Terebinth, Thlaspi Bursa Past.
<i>Adiposity</i>	Adeps Suillus, Glandula Thyreoidea.
- children in, due to deficient function of the gland thyroid	Influenzinum.
- underdevelopment of sexual organs, with	Hydrochinon.
<i>Adrenal failure</i>	Para-Benzochinonum.
<i>Adrenaline function deficient</i>	Naphthoquinone.
<i>Adrenocortical damage</i>	Cortisone.
<i>Adiposo-genital dystrophy</i>	Cortisone, Funiculus Umbilicalis Suis, Hypophysis.
<i>Cretinism</i>	Calc. Phos., Lapis Albus, Thyroidinum.
<i>Cushing's syndrome</i>	ACTH, Aeth., Corticotropin, Cortisone, Quercus Robur.
<i>Diabetes</i>	Acetic Acid, Acid. Sulph., Alloxan, Ant. Pituitary, Anthracinum, Arnica, Ars. Alb., Ars. Iodide, Cad. Met, Calc. Phos., Carbo. Veg., Cephalendra, Cholestrinum, Colocynth, Cortisone, Echinacea, Gaertner Bach., Glycerline, Gymnema, Helonias, Insulin, Lac. Defloratum, Lachesis, Medorrhinum, Nat. Phos., Nat Sulph., Nux Vomica, Phloridizin, Phosphoric Acid., Plumbum Met., Rhus Aromatica, Secale Cor., Strychin. Ars., Sulphur, Syphilinum, Syzygium Thiosinaminum, Thuja, Thyroidinum, Tuberculinum, Uranium Nit., Urea, Vanadium.

Diabetes insipidus

Ambra Grisea, Arg Met,
Corticotrophin, Eup. Per., Nat.
Sulph., Squilla.

Diabetes mellitus

A.C.T.H., Ars Brom, Cephalandra
Indica, Cortisone, Curare, Galega
Off, Helonias Dioica, Insulin, Kali
Aceticum, Lac Def, Magnesium
Aceticum, Merc Dulcis, Nat Sulph,
Pancreatinum, Phaseolus Nanus,
Phloridzine, Sarcolactic Acid,
Sulphur, Sulphonamide, Syzygium
Jambolanum.

- albuminuria and Helonias Dioica.
- albuminuria and joint pain, Rhus Aromaticus.
rheumatic
- burning soles and excessive Cephlandra Indica.
thirst with
- children in Crataegus, Uran. Nit.
- coma in diabetes Arnica.
- cough exhausting and dropsy, Squilla.
with
- degenerative diseases of Vanadium.
vessels and brain, with
- dropsy following diabetes Silicea.
- drug induced Prednisolone.
- drug/vaccine induced, Pertussinum.
recurrent cough with
- dryness of lips and mucous Abroma Augusta.
membrane and excessive thirst
for cold water
- emaciation with Eupatorium Purpureum.
- gangrene, with Lachesis, Nux Vomica, Secale Cor.
- glycogen imbalance in liver. Calc. Ars., Cephalendra, Gaertner
Bach, Gymnema Sylv., Iris Vers.,
Nat. Phos., Phosphorus.
- homesickness and sterility/ Uranium Nitricum.
impotency with
- incipient Staphysagria.
- impotency and fainting with Moschus.

- liver affected with mental symptoms Phosphorus.
- juvenile Ars. Iodide, Carb. Veg., Gymnema, Strychnin Ars., Syphilinum, Urea.
- menstrual irregularities, with Abroma Augusta.
- neuropathy Agaricus, Ars. Alb., Aurum Met., Thallium, Zinc. Met.
- neurological complaints Curare.
- neuropathy diabetic, skin eruptions and sleeplessness Dapsone.
- pancreatic origin Colocynth, Iris Ver., Pancreatin, Phos., Sulphur.
- paralysis with Curare.
- paralytic states and constipation or retention of urine, with Morphinum.
- perspiration profuse, clammy, high blood pressure and depression, with Rhus Aromaticus.
- renal threshold low; urine sugar; more than blood sugar Phlordin.
- rheumatism with Plumbum Iod.
- sclerosis brain of, with Syzygium Jambolanum.
- skin disease with, history of sun allergy in obese people Abroma Augusta.
- suppuration with Calc. Sulph.
- specific gravity high with Iris Ver., Strychnine Ars.
- thirst and debility with Acetic Acid.
- uncontrollable Pancreas.
- uric acid diathesis, with Plumbum Iod.
- urination frequent, weakness and rheumatism, with Glycerine.
- varicose veins Zinc. Met.
- Exophthalmic, goitre* Aurum Met.
- Exophthalmos* Lycopus Virginicus, Nat Nitricum.
- headache with goitre Ephedra Vulgaris.
- tumultuous action of heart, associated with Ephedra Vulgaris, Lycopus Virginicus.

<i>Goitre</i>	Ant. Pituitary TSH., Bromium, Baryta Iodide, Calc. Carb., Caust., Fluoric Acid, Iodine, Iris, Vers., Kali. Flor., Lycopus, Nat. Mur., Phytolacca, Tuberculinum.
- cardiac complaints, with	Ephedra Vulgaris.
- difficult breathing, with	Iodum.
- diffused	Sulfanilamide.
- exophthalmic, suppression of menses after	Ferr Iod.
- nodular	Calc. Carb., Graphites, Phytolacca.
- produces goiters and cures them	Calc. Carb., Iodium, Lycopus.
- pregnancy or puberty, of	Hydrastis.
- pregnancy during	Calc. Carb., Calc. Iod., Hydr.
- toxic	Cadm. Iodide.
<i>Grave's disease (Basedow's disease)</i>	Adonis., Lycopus Virginicus, Nat. Phos.
<i>Growth, hormone</i>	Ant. Pituitary.
<i>Hormonal, replacement, treatment in homoeopathy</i>	Clematis.
<i>Hormonal treatment, after removal of uterus</i>	Aristolochia, Clematis.
<i>Hormonal treatment, when there is debility</i>	Aristolochia.
<i>Immaturity, endocrine</i>	Pituitrin.
<i>Insulin, resistant</i>	Sulphur.
<i>Myxoedema</i>	Thyroidine.
<i>Pancreatic, diabetes</i>	Chionanthus, Colocynth, Iris V., Phos.
<i>Pheochromocytoma</i>	Aranea Ixobola.
<i>Pigmentation, (Gonodotrophic hormone)</i>	Sepia.
<i>Pituitary</i>	
- and adrenal cortex, dysfunctions	A.C.T.H.
- disorders with obesity or emaciation of endocrine origin	Cimicifuga.
<i>Thyroid</i>	Ferr. Sulph., Iodium, Kali Iod., Lycopus Virginicus, Nat. Iod., Thyroidinum.

- cardiac complications	Penicillin.
- cyst	Calc. Carb., Calc. Sulph., Clematis, Iodum.
- dysfunction	Calc. Carb., Thyroidinum.
- dysthyroidism, tending to	Cortisone, D.N.A.
- enlarged (See Goitre)	Bromium, Calc. Fluor., Dysentery Co., Iodum, Lapis Alb., Morgan Pure, Phytolacca, Psorinum, Sycotic Co., Thyroidinum, Tuberculinum.
- enlarged, around the time of puberty	Calc. Iod.
- enlarged goitre, bronchocele	Fluoric Acid., Kali Fluor.
- grave's syndrome	Nat. Mur.
- hyperthyroidism	Dysentery Co., Flora de Pedra, Kali. Carb., Penicillin, Thyreotropic Hormone, Thyroidinum, V.A.B.
- hypothyroidism	Ant. Pituitary, Bacillus No. 7, Cortisone, Kali. Carb., Histaminum, Hypothalamus, Penicillin, R.N.A., Thalamus, Thyroidinum.
- leucoderma with	Thyroidinum.
- nodular	Baryta Iodide, Conium, Graphites, Lapis Alb., Phytolacca.
- obesity with	Iodum, Thyroidinum.
- papillary, carcinoma	Calc. Carb., Nitric Acid., Thuja.
- regulation of function	Thyroidinum.
- toxicities	Calc. Carb.
<i>Thyroiditis-Riedl</i>	Hedera Helix.
<i>Thyrotoxic, cases with vertigo</i>	Calc. Carb., Conium, Cyst, Thiosinamin, Thyroidinum.

Remedy Hints

Acetic Acidum: Copious watery urine. It has cured diabetes, with sugar in the urine or without, where there is great thirst, weakness, pallor and loss of flesh. [Source: James Tyler Kent]

Arsenicum Bromatum: *Arsenicum Bromatum* is a powerful remedy in diabetes mellitus and insipidus, for I cured cases with it where the patient had already been reduced from 138 pounds to 98, and where the urine could be condensed by boiling, into a syrupy consistency. [Source: Dr. E.P. Anshutz]

Fucus Vesiculosus: I was led to try the remedy in a pronounced case of goitre, with such good results that I have never since given any other remedy for that disease, either in the exophthalmic or in the uncomplicated form. And what is more, I have never known it to fail to cure when the patient was under thirty years of age. After that time of life, or about that period, it seems to be no longer efficacious. Respecting its use in goitre, I would like to add a few words. The drug is of variable quality. If one specimen fails to give satisfaction it ought to be discarded and another tried. Time is required for affecting a cure. This varies according to the age and size of the goitre. Three months may suffice for a small goitre of one year's growth. Six months may be required for one twice as large and of longer standing. The dose is a teaspoonful of the tincture twice or three times daily, in a well developed case. Half a teaspoonful twice a day will answer in recent cases. Smaller doses seem not to produce any effect. [Source: Dr. E.P. Anshutz]

Lactic Acid: It is a great remedy for diabetes mellitus. It is especially indicated if, in addition to the thirst, voracious hunger and profuse urine loaded with sugar, there are rheumatic pains in the joints. High potency is much better and doesn't need frequent repetition. When there is concomitance of rheumatic pains with diabetes, explore *Lactic Acid*. [Source: E.B. Nash]

Lactic acid is an exceedingly good remedy in the gastro-hepatic variety of diabetes and good results often follow its use. It has a fine clinical record. The symptoms are - urinates copiously and freely, urine light yellow and saccharine, thirst, nausea, debility, voracious appetite and costive bowels. [Source: Dr. W.A. Dewey]

Lycopus: *Lycopus* is a remedy always to be thought of in cases of exophthalmic goitre; its action upon the sympathetic is cumulative; it relieves the polyuria, the enteritis and the gastric crises of the primary stage and it is of equal value in correcting the tachycardia, the exophthalmus and the goitre in the later stages. Its use should be continued for a long time for appreciable results. [Source: *The Clinique* – Vol. XX, Chicago, January 15, 1899. No. I.]

Thyroidinum: A medicine prepared from the dried gland of the sheep is a therapeutic agent of some value in a number of disease, such as goiter, mammary tumour, vomiting of pregnancy, arrested development in children etc. But a precaution is necessary in using this remedy. Crude Thyroid as well as the sixth and the thirtieth potencies are used. But do not use it in routine manner. Here is caution: if the crude Thyroid is taken (two to three grains or more daily) the pulse should be watched. It must not be given in physiological doses where

with feeble heart, there is high blood pressure and not in tubercular patients. [Source: *William Boericke*]

Never give *Thyroidinum* as a routine or specific for all patients who come with a thyroid problem.

Uranium Nitricum: In Diabetes, 2 or 3 grains of the 3rd trituration of *Uran. Nit.* Administered morning and night, will in a short time reduce the quantity of urine passed to nearly a normal standard, and after a continual use, the proportion of sugar is materially lessened. [Source: *Dr. Bradford*]

Numerous cases of diabetes are reported cured with this drug. Excessive thirst, emaciation, and, perhaps, also tympanitis. Enormous appetite but the patient emaciates. [Source: *Dr. T. F. Allen*]

Comparisons

Addison's Disease: *Arsenicum* is the most homoeopathic of all remedies to this disease. The disease, though considered incurable, may have its development arrested by the proper remedy. Among other remedies to be thought of are - *Thuja*; *Natrum Mur*, *Belladonna*, *Calcarea Carbonica*, *Iodine* and *Phosphorus*. Boenninghausen gives *Antim Crud*, *Nitric Acid*, *Secale* and *Spigelia* as remedies producing a bronzed skin. [Source: *W. A. Dewey*]

Diabetes Management: *Natrum Mur* may be given top preference as it can stop sugar in the urine. If *Natrum Mur* is the ground remedy or the temperament remedy, use its satellite remedies eg. *Syzygium*, etc. *Glycerinum* 200 may remove sugar from the blood *too fast*. Therefore, use a drainage remedy or a temperament remedy e.g. *Natrum Mur*, one dose and after 10 days give *Glycerine* 200 one dose. In diabetics of *Phosphoric Acid* type, generally follow-up with *Fluoric Acid*.

Do not use *Sulphur* high in diabetes, as serious or dangerous troubles like abscesses, furuncles, etc. may set in. It is advisable to use *Psorinum* instead of *Sulphur*. *Arsenicum Album* can be indicated either alone or alternated with *Aconite* or other indicated remedies (Morgan).

Hampel obtained many cures with *Mercurius Sol*, *Aconite* and *Arsenicum Album* in various potencies. *Arsenicum Album* works wonderfully in the initial stages but needs a deep acting remedy later.

Fluoric Acid completes the cure after favourable action of several remedies, e.g. after *Secale* in gangrene, etc.

Dr. Clarke recommends *Uranium Nitricum*, *Apocyanum*, *Kali Nitricum* and *Scilla* in case of Diabetes Insipidus; *Uranium Nitricum*, *Opium* for Diabetes Mellitus; *Iris Veriscolor*, *Pancreaticum*, *Phosphorus*, and chiefly *Natrum Sulph*, *Phosphoric Acid*, *Syzygium* for Diabetic Pancreatitis.

Dr. Ghose considers *Cephlandra Indica* as a grand remedy in Diabetes Mellitus.

Dr. Bernoville recommends *Arsenicum Album* as a ground remedy (which removes sugar in urine quickly), *Insulin* 30 intercurrent remedy and *Ammonium Iodatum*, *Cephlandra Indica*, *Syzygium* as other drugs for the condition.

As usual, the causative factor – the triggering agent, if any, e.g. a mental shock may first need *Ignatia* or *Opium* or *Arnica* for an injury, after which the diabetic remedy or the indicated remedy will act better.

Uranium Nitricum: My own experience leads me to believe that *Uranium Nitricum* is best suited to cases of diabetes originating in dyspepsia or assimilative derangement; while *Phosphoric Acid* excels it where the starting point of the disease was in the nervous system. [Source: Dr. Hughes]

Cases

Goitre: My experience with goitre has been considerable. Upon no case have I operated. Medicine at my hands has ameliorated every persevering case. Others have become impatient and resorted to extirpation of the tumour. The most startling case of goitre I ever saw was the most quickly cured. The subject was a friend of my family, fifty two years of age, nearly past the climacteric, liable to bronchitis and for some years aware of the existence of a small goitre, to which she paid little attention. My first act was to relieve the strangulation caused by the sudden enlargement of the neck. *Ignatia* two hundredth in water did the required work in a few hours. Meanwhile the deep-acting remedy for the entire case was sought. A large wart on the face led to the discovery of many broad, flat, smooth, dark, verrucous formations all over the body, which had existed during life; and knowledge of them led to the discovery of cold, clammy feet. *Calcarea Os* was the similar medicine. It was given, in the two hundredth potency in water, every two hours when awake until improvement was seen and then tapered off. The cure was speedy. [Source: Edmund Carleton]

Fever

<i>Abuse of ice water, after</i>	Carbo Veg.
<i>All types</i>	Eupatorium Perf.
<i>Anti-febrile</i>	Streptococcin.
<i>Blisters on lips or mouth</i>	Nat. Mur.
<i>Body temperature below normal</i>	Heloderma.
- catheter, after use of	Aconitum.
<i>Catarrhal fever, menses during</i>	Graphites.
<i>Chilliness, putting hands out of bed from</i>	Arnica, Baryta Carb., Hepar Sulph., Nux Vom., Tarentula, Tuberculinum.
<i>Delerium with</i>	Stramonium.
<i>Fever glandular</i>	Ailanthus Glandulosa, Belladonna, Carcinotin, Ferr Phos, Kali Mur.
- acute	Belladonna, Phytolacca, Hepar Sulph., Silicea.
- chronic	Bacillinum, Baryta Carb., Calc. Iod., Kali Iod.
- chronic and every cold brings on tonsillitis	Baryta Carb.
- extreme lassitude; grossly enlarged tonsils, glands in the neck	Ailanthus Glandulosa.
- never well since glandular fever	Glandular Fever Nosode.
- persistent temperature	Carcinotin.
<i>Febrile states</i>	Aconite, Angustifolia, Echinacea, Ferr Phos.
- general, subacute and lingering with myocardial weakness and fluttering pulse	Salmonella Paratyphi B.
- chill, alternating with	Aconite.
- chill, icy coldness body with, no amount of coverings and external heat relieve	Aconite Ferox.
- chilliness with desire to remain near fire	Cicuta Virosa.
- chronic, of all kinds	Andersonia Rohitaka, China Ars., Mastoiditis Nosode.

- continuous fever tympanitis, Kalmia Lat.
accompanied with
- chronic, slow fever with history of gonorrhea and weakness due to seminal emission Tinospora Cordifolia.
- dry heat at night, menses before Conium.
- high with dyspnoea Diphtherinum.
- icy coldness, with Cadmium Sulph.
- inner coldness, with Heloderma.
- intermittently occurring Aranea Diadema.
- intermittently occurring, followed by bronchopneumonia China Mur, China Sulph.
- low fever, sensorial apathy, stupor, brain affection with, chilly person in Nitri Spiritus Dulcis.
- low feverish states Ars Alb.
- rise of temperature early morning Oldenlandia Herbacea.
- shivering, beginning with Malaria Nosode, Nat Mur.
- thirst with Ferr Met.
- thirst without Acetic Acid, Apis, Caladium, Gelsemium, Pulsatilla, Variolinum.
- violent, with subsequent prostration Camphora.
- Fever, high to prevent in emergency* Antipyrine.
- Hyperpyrexia* Crotalus H., Naja, Streptococcin.
- Infantile fever with convulsions* Arnica.
- Influenza* Aconite, Belladonna, Bryonia, Causticum, Eucalyptus, Eupatorium Perfoliatum, Lachesis, Merc Cor., Stramonium.
- cough remaining, flu after Sanguinaria.
- exhaustion of the nervous system, with Cypridium Pubescens.
- fever damp weather in, stiffness, bodyache and restlessness with Nyctanthes Arbor Tristis.
- heart affections, influenza after Iberis Amara.
- incessant cough, influenza after Hydrocyanic Acid.
- inflammation of kidney, influenza after Eucalyptus.

- mental apathy and mental weakness, with Cadmium Met., Conium.
- nerve and muscle pains Cimicifuga.
- prophylactic during an epidemic Baptisia, Gelsemium, Influenzinum.
- severe prostration, leading to Nat Salicylic Acid.
- Limb pain, with fever* Poliomyelitis Nosode.
- Malaria* Echinacea, Eupatorium Pur., Malaria Officinalis, Nat Mur., Nat. Sulph., Nux Vomica, Podophyllum., Urtica Urens.
- chill comes 3-4 p.m between Lachesis.
- chronic Andersonia.
- haematuria or nephritis, malaria Eucalyptus.
- after
- history, past China.
- never well since or recurrent Malaria Officinalis.
- malaria
- preventive Aranea Diadema, Cedron, Culex Musca, Malaria Off., Nat. Mur, Nux Vomica, Pulex Irritants.
- recurrent malaria, splenomegaly Helianthus Annus.
- with
- recurrent, if treated Nux Vom.
- allopathically and symptoms
- recurr then
- rheumatism and extreme thirst China Sulph.
- with
- suppressed Nat. Mur.
- symptoms develop Ars. Alb., China Off., Nat. Mur.
- symptoms persists Nat. Mur.
- territory Ars. Alb.
- weakness severe and periodicity China Ars.
- with
- Neuritis, fever* Thallium.
- Periodicity between 1 p.m. and 6 p.m.* Cedron.
- Periodically recurring old night temperature* Fluoric Acid.

<i>Plague-bubonic</i>	Rajania.
<i>Quinine in any form, suppression by</i>	Nat. Mur.
<i>Rats fever disease</i>	Ledum Pul.
<i>Remittent, fever</i>	Ignatia.
<i>Septic</i>	Baptisia.
<i>Sleep agg. after</i>	Caladium.
<i>Suppurative fever</i>	Veratrum Viride.
<i>Surgical fever</i>	Pyrogen.
<i>Thirst with fever</i>	Gelsemium.
<i>Typhoid</i>	Echinacea.
- hairfall after typhoid	Chloromyecitin.
- never well since	Carbo Veg., Psorinum.
- resistant	Streptomycin.
- septic conditions, with	Baptisia.
- viral fever, tendency for	Bacillinum / Tuberculinum (one dose daily in morning for 3 days), Thuja.
<i>Vertigo, fever commencing with</i>	Cocculus.
<i>Variation, great, in fever</i>	Veratrum Viride.
<i>Yawning and stretching, fever with</i>	Aesculus, Rhus Tox.

Remedy Hints

Aconite Napellus: The most violent attack of fever will subside in a night if *Aconite* is the remedy. If it is not it is a pity that you made a mistake in giving it, for it will sometimes do mischief. All things that exist in a sickness must be taken into account, not only what the remedy does cover, but what it does not cover. Give *Aconite* only when the symptoms agree. [Source: James Tyler Kent]

In the first stage of typhoid fever, *Aconite* is nearly always injurious, unless indicated by exciting causes.

Aconite Napellus is contraindicated in fevers which bring out eruptions or are otherwise salutary unless there is agonizing tossing about and dry skin. [Source: Constantine Hering]

Aconite has no power to control fevers depending upon a poisoned state of the blood, such as exists in Enteric, Typhus, and Intermittent fever. Even in the eruptive fevers — Scarletina, etc.; it cannot reduce the pulse until the eruption comes out. [Source: E. Harris Ruddock]

Ailanthus Glandulosa: Ailanthus is the most potent antidote to malignant scarlet fever and suits especially severe cases. Stupor, imperfect rash, dark and purplish; throat swollen, livid and infiltration of the cellular tissue about the neck; excoriating nasal discharge, drowsiness and prostration, the stools thin, bloody and offensive and there is much fetor to all the discharges. It will save life oftentimes in the most desperate cases. [Source: *W.A. Dewey*]

This medicine acts finely in desperate cases of scarlet fever, when there is a purplish rash, or a purple miliary rash, and the skin is also purple. [Source: *H.N. Guernsey*]

Ammonium Carbonicum: *Ammonium Carb* has a state analogous to blood poisoning, such as we find in erysipelas and in the most malignant forms of scarlet fever, with prostration, great dyspnoea, so that it seems as if the heart were giving out. There is quite an absence of symptoms and a lack of response to remedies. The patient must lie in bed because of the palpitation and difficult breathing on motion. It is a matter of mere weakness. [Source: *J.T. Kent*]

Kent says when you need a big remedy in scarlet fever, study *Ammonium Carbonicum*. “It has in its nature all that there is of the nature of things grave and serious.” When the rash comes to the surface, but the patient is not relieved, or the rash recedes too early from weakness and brain trouble threatens. [Source: *Elizabeth Wright Hubbard*]

Arnica Montana: “I do not want you; I did not send for you; I am not sick; I don’t need a doctor.” *Arnica* is sometimes suitable to the scarlet fever, when the eruption does not come out, in those severe forms when the body is dusky, mottled and covered with red spots; the patient is constantly turning and that mental state is coming on with moroseness, and stupidity. [Source: *Dr. James Tyler Kent*]

Artemisia Absinthium: Sleeplessness of typhoid fever when there is congestion at the base of the brain. [Source: *Dr. Farrington*]

Bryonia: Dr. W. H. Dickinson claimed that in seven out of every ten cases of typhoid for which *Bryonia* was indicated, it would be the only remedy indicated, because the symptoms of the drug correspond to those of every stage of typhoid. [Source: *George Royal*]

Chikungunya: Chikungunya is an insect borne virus transmitted to humans by *Aedes* mosquitoes. There have been recent outbreaks associated with severe illness, with symptoms similar to dengue fever. The homoeopathic remedy *Polyporus Pinicola* 10,000x is almost a specific for Chikungunya, with this remedy given in one single dose.

My students have cured many Chikungunya victims during the years 2006 to 2008 with a rate of success greater than 97%. [Source: Dr. V. Krishnamurthy]

Eupatorium Perfoliatum: These three symptoms are a sure guide to *Eupatorium Perfoliatum* - Chill 7- 9 a.m.; intense aching in the bones before the chill; vomiting bile between chill and heat. *Eupatorium* is especially adapted to worn out constitutions of old people or inebriates. [Source: E.B. Nash]

Gelsemium: In scarlet fever, *Gelsemium* diminishes cerebral congestion and nervous excitement, moderates the pulse, and has great power in developing the eruption when it is imperfect. It is also recommended when the symptoms are of a remittent character. [Source: E. H. Ruddock]

Ignatia: No other remedy has thirst during chill and in no other stage – *Ignatia*. [Source: E.B. Nash]

Ipecacuanha: *Ipecacuanha* is a well-known intermittent fever remedy in our school. Jahr recommends it in the beginning of all cases, unless there are special indications for some other remedy, and says, “By pursuing this course I have cured many cases of fever and ague by the first prescription, thus saving myself a good deal of unnecessary seeking and comparing.” [Source: E. B. Nash]

Kalis: “Never use any Salts of Potash where there is fever”. [Source: T.F.Allen]

Nitric Acid: It is a leading remedy in haemorrhage occurring in the course of Typhoid fever. It is chiefly indicated in the advanced stage when the abdominal lesion assumes great prominence, marked tenderness of the abdomen, especially in the ileocecal region, gurgling on pressure, with constant blood-streaked diarrhoeic stools. [Source: H. R. Arndt]

Opium: There are medicines which are not to be repeated. Again, in alternating states (as in intermittent fever) a moderate dose of *Opium* given during the cold stage quickly deprives the patient of life. [Source: Samuel Hahnemann]

Pulsatilla: *Pulsatilla* is normally thirstless. But in fever, if heat is both objective and subjective, then it is attended by thirst. *Pulsatilla* can be very thirsty. [Source: H.C. Allen]

Though *Pulsatilla* symptoms generally are not attended by thirst, yet sometimes thirst is present when the hot stage is strongly marked. Rukert has had excellent success in puerperal fever and other fevers when thirst

was present, the mass of the symptoms having indicated *Pulsatilla*. [Source: *Carroll Dunham*]

Sambucus: Dry heat while asleep and profuse sweat when awake. No other remedy has it, and it has been confirmed many times. [Source: *Dr. E.B Nash*]

Scarlet Fever: *Rhus Toxicodendron* is the leading remedy when the skin is rough and the itching violent. The rash is darker than in a typical case. Rheumatic symptoms may be present, worse when at rest, and causing great restlessness, aggravated at night. [Source: *Boericke*]

Syphilinum: When a syphilitic patient has suffered from a course of typhoid he may be very slow in convalescing, but a single dose of *Syphilinum* high will cause him to eat and feel stronger and gain rapidly. [Source: *J T Kent*]

Comparisons

Belladonna: Don't forget that there is pain under the rash in *Belladonna*. Don't forget that *Rhus Tox.* or *Lachesis* will often carry through what *Belladonna* has begun. Don't forget that the *Belladonna* child wants to be covered snugly even though he is burning up. *Belladonna* cases often go to delirium, calling for *Hyoscyamus*. It has less inflammation and congestion than *Belladonna*. [Source: *Dr. Elizabeth Wright Hubbard*]

Sulphur: It is suitable in cases of surgical fever when it takes this form of flashes of heat and steaming sweat. In these deep-seated septic states, somewhere from beginning to end, *Sulphur* will most likely be called for. You may see a number of *Bryonia* symptoms in the early stages of that septic state, but *Bryonia* cannot take hold of that case. Remember, that in a septic state you want to get ahead of it in the first twenty-four hours; you do not want to let it run on, and if *Bryonia* has only mitigated it in its beginning, then it is too late for *Sulphur*.

Skin

Abscesses physical, exertion brings on

Acne

- juvenile girls, in with menstrual disorders

- keloid, acne

- pustulosa

Acne rosacea

- pimples in girls

- pimples in boys

- pimples of adolescence

- pimples in young

Allergy, skin

- alcoholic, skin allergy

- dye from

- angioneurotic odema

- rash, allergic

- removal of plaster of paris, after

Alopecia, body in general of

Carbolic Acid.

Anthracinum, Ars. Alb., Calc. Carb, Calc. Sulph., Carcinotin, Colchicum, Echinacea Ang., Gun Powder, Hydrocotyle Asia, Hirudo, Hypophysine Ant., Kali. Brom., Mag. Mur., Selenium, Staphylococcin, Streptococcin.

Sepia.

Calc. Hypo. Phos., Calc. Sulph., Thiosinamin.

Calc. Hypo. Phos., Calc. Sulph.

A.C.T.H., Ars. Brom., Eugenia Jambos.

Mag. Mur.

Kali. Brom.

Ars. Alb., Asteria Rub., Calc. Hypophos, Carcinotin, Chlorpromazine, Cortisone, Folliculinum, Hirudo, Hydrocotyle, Psorinum, Staphylococcin., Streptococcin.

Asterias Rubens, Berberis Aqu., Calc. Phos., Graphites, Kali Brom.

Anthracinum, Ars. Alb., Arum trip., Cardiospermum, Calendula, Chromium Met., Psorinum, Puls., Urtica Urens.

Chloralum Hy, Ferr. Met.

Sulphur, Tuberculin.

Antipyrine, Apis.

Echinacea, Tuberculin.

Bovista, Lachesis.

Histaminum.

<i>Anthrax</i>	Staphylococcus.
<i>Atopic dermatitis</i>	Anthrakokali, Berberis Aquifolium, Lyco., Kali. Ars., Tuberculinum.
<i>Bed, bugs reaction</i>	Berberis Vulg.
<i>Bed sores</i>	Paeonia.
<i>Baker's itch</i>	Bovista.
<i>Barber's itch</i>	Cicuta Vir., Sulph. Iod.
<i>Boils</i>	Achyranthes Aspera, Anatherum, Anthracinum, Belladonna, Lachesis, Merc Sol., Nitric Acid. Arnica Montana, Hepar Sulph. Arnica, Luffa Op. Tarentula Cub.
- abort the pus need to	
- body pain, with	
- boils, abscesses, mottled, bluish/ burning	
- boils, abscesses, pemphigus; esp. carbuncles, mostly all skin diseases.	Echinacea.
- boils, abscesses, turning black and burn	Tarentula Cub.
- all over the body	Arnica, Bellis Per.
- behind the neck	Kali Iodide.
- below coccyx	Paeonia.
- burning	Ars. Alb., Tarentula Cubensis.
- boils, diabetics, in	Nit. Acid.
- hastens suppuration and prevents recurrence of small boils appearing in crops	Berberis Vulg.
- incipient	Belladonna, Bryonia.
- on thin covered by muscles- (Tibia, Coccyx)	Calc. Picrata.
- mango, from eating	Arnica.
- promote pus need to	Chamomilla, Hepar Sulph., Merc. Sol.
- recurrent	Kali. Ars., Penicillin, Quartz, Syphilinum.
- recurrent; preventive and curative	Arnica.

- repeated, painful boils that resist ordinary treatment Echinacea.
- small and painful Arnica.
- small boils in crops Arnica, Bryonia.
- small boils in crops and of adynamic nature Ars. Alb., Carbo Veg.
- Bruises* Arnica, Bellis Per., Calendula, Symphytum.
- pain remains after Verbena Officinalis.
- patches under the skin, bruised Arnica.
- Blue skin* Camphor.
- Bullae, blisters* Ranunculus Vulg.
- Burning skin* Cantharis, Kali Mur. (local application).
- burning of skin like fire Achyranthes Aspera.
- Burns* Cantharis (local application), Momordica Balsamina (local application), Zinc Oxide (local application).
- never well since Supra Renal Gland.
- Callosities, horny.* Graphites.
- Carbuncle* Anthracinum, Ars. Alb., Lachesis, Merc Sol., Muriatic Acid, Swine Fever Serum Nosode, Secale, Silicea, Sulphuric Acid., Tarentula Cub.
- chin on Lycopodium.
- diabetic Rajania.
- intense pain, burning sensation, foetid pus and gangrene of underlying tissues Lachesis, Silicea, Tarentula Cubensis.
- or boils secreting foul-smelling purulent secretions Lachesis.
- Carcinoma of skin* Ubiquinone.
- Cellulitis* Anthracinum, Apis, Arnica, Ars. Alb., Baptisia, Bell., Bry., Crot Horr., Gad., Hepar Sulph., Lachesis, Mang., Merc., Merc-I-R, Myristica, Silicea, Sul-I, Tar. Cub.

<i>Chapped or cracked hands</i>	Petroleum.
<i>Chickenpox</i>	Rhus Tox., Sycotic Co., Variolinum.
- itching, blisters, scars	Sarracenia.
<i>Cicatricial, tissues, adhesions, strictures, tumour</i>	Sulphuric Acid., Thiosinamin.
<i>Condyloma</i>	Nitric Acid., Thuja.
- stubborn	Merc. Sol.
<i>Contact allergy</i>	Apis, Bovista, Ledum Pal.
<i>Contact, pigmentations</i>	Nat. Mur.
<i>Contusions</i>	Arnica.
- bruises and	Conium.
<i>Cosmetic allergies</i>	Zinc Met.
<i>Cracks</i>	Cornus Alternifolia.
<i>Dermatitis</i>	Anacardium, Ars. Iod., Carbolic Acid., Cardiosperm, Croton Tig., Dolichos, Echinacea, Graphites, Hydrocotyle, Kali Sulph., Radium Brom., Rhus Tox., Urtica Urens, X-ray, Zinc Met.
- atopic dermatitis	Lyc.
- contagia	Arum Trip., Bovista, Thuja.
- exfoliative	Hydrocotyle, Radium Brom.
- fingers of	Radium Brom.
- palmar wrist	Sycotic Co.
- palmar, fluor, detergent etc., worse	Sycotic Co.
- renewal of vesicles with	Streptococcinum
- seborrhoea	Graphites, Sepia, Silicea.
- solar	Nat. Mur., Selenium, Sol., Tuberculinum.
<i>Desquamation</i>	Amm. Carb., Vitamin A.
- flaking in eczema and psoriasis	Ars. Alb.
<i>Discharge, watery, oozing, palms from</i>	Nat. Sulph., Sycotic Co.
<i>Diseases of the skin</i>	Anthrakokali, Agrimonia, Kali. Ars., Kali Sulph., Oleander.
- bronchial asthma vicariating with	Ars. Alb.

- flexor sides of limbs, in Graphites.
- suppression Zinc. Met.
- vaccination after Kali Mur.
- Dryness of skin* Hydrocotyle, Vitamin B.
- Dryness of skin winter in, with* Agaricus, Tamus for local
- tendency to crack* application.
- Ecchymosis, tendency to* Secale Cor.
- Eczema* Bacillinum, Berberis Aquí,
Cantharis (local application),
Echinacea, Fagopyrum, Penicillin,
Scrophularia Nodosa, Sepia,
Tellurium, Thyroidinum, Viola
Tricolor.
- acute Vaccinum.
- allergic Nat Pyruvicum.
- arm, of the Trichomonas.
- back of hands, on Bovista, Muriatic Acid.
- black eruptions and blackish Rhus Tox.
- colored spots, with
- burning of skin and itching with Ars. Alb.
- chronic Comocladia Dentata, Ichthyolum
(local application), Levico,
Manganum Carb., Merc Sol.,
Psoriasis Nosode, Sepia, Sulphuric
Acid.
- chronic and anxiety states Asthma Nosode.
- eyelid, edges on, with scales and Graphites.
- scabs
- eruptions, dry, scaly, leathery, Xerophyllum.
- with intense, itching, stinging,
- worse by cold air and cold water,
- better by hot application
- face of, in scrofulous children Curare.
- impetigo and Bacillinum.
- infantile Lycopodium, Morgan Pure, Nat
Hypophos.
- itching Carbolic Acid, Pix Liquida.
- itching scalp of the Cicuta Virosa, Graphites.
- itching violently at night Psorinum.

- obstinate Alumina, Carcinosin, Echinacea, Kali. Mur., Mezereum, Morgan Bach., Nat. Mur., Skookum Chuck, Sulphur, Thuja, Viola Tri., Zinc. Met.
- redness intense, with Croton Tiglium.
- solaris Muriatic Acid.
- uncovered parts Graphites.
- varicose Alloxan, Aristolochia.
- weeping Alumen.
- weeping, with scrofulous skin conditions Lapis Albus, Lycopodium.
- Epitheliomas* Condurango.
- face of, with crusts Kali Sulph.
- cancer of skin Ranunculus Bulbosus.
- Epithelial growth, warts, corns, fissures and cracks, with debility* Ferr Pic.
- Eruptions, covered parts, on* Thuja.
- Eruptions, during menses* Dulcamara.
- Eruption, thick, lichen-like on face and body* Sulphur Iod.
- Eruptions, violent itching, aggravated at night and undressing* Juglans Regia.
- Erysipelas* Apis Mel., Apium Virus, Belladonna, Comocladia Dentata, Lycopodium, Magnesia Sulphurica (local application), Mancinella, Rhus Tox., Rhus Veneta, Vaccinium.
- acute Galium Aparine.
- chronic, recurrent Lappa Arctium.
- gangrene has set in, when Crotalus, Lachesis.
- malignant and swollen lymph glands Bothrops Lanceolatus.
- vesicles, with large Euphorbium.
- Erythema* Belladonna, Grindelia Robusta.
- acute or retoxically treated skin diseases Zinc Sulph.

- nodosum	Rhus Veneta.
<i>Exfoliation (crusta lactea) dry, bran-like</i>	Ars. Alb., Dulcamara.
<i>Expulsion of splinters</i>	Anagallis, Silicea.
- felon	Calc. Sulph.
<i>Folliculitis</i>	Anthracinum.
- sycotic	Anthracinum, Calc. Sulph., Echinacea, Graphites, Nat. Sulph., Staphylococcin, Streptococcin, Sulph. Iodide.
<i>Freckles with burning, considerable itching</i>	Ammon Carb.
<i>Fungus, skin; ringworm</i>	Calendula, Thuja.
<i>Fungus, skin; scrotum/inguinal region</i>	Staphysagria, Sulphur.
<i>Furunculosis</i>	Lappa Arctium, Merc Sol., Nat Mur., Plumbum Met., Staphylococcus, Sulphur Iod.
<i>Goose, flesh</i>	Helleborus.
<i>Grocers, itch</i>	Bovista.
<i>Herpes</i>	Ranunculus Scleratus.
- chronic	Alnus.
- circinatus	Tellurium.
- facialis	Gun Powder.
- fingers between	Nitric Acid.
- genitalis	Alnus, Anthracinum, Apis Mel., Arum Triph., Calc. Iod, Chromium Sulphate, Echinacea, Hepar Sulph, Herpes, Kali. Bich., Mer. Sol., Mer. Vivus., Mezereum, Myristica, Nat. Mur., Phloridizin, Ranunculus, Rhus Tox., Sepia, Sulphur, Syphilinum, Thuja, Tuberculin, Variolinum.
- labialis	Galphimia., Nat Mur.
- labialis and stomatitis	Thuja.
- moist eruptions	Aethiops Antimonialis.
- mouth and genitals, in	Chromium Sulph., Kali. Bich.
- pemphigus and	Ranunculus Bulbosus.

- meat aggravates Psorinum, Sulphur.
- mental exertion, aggravates Calc. Carb., Nux Vom.
- mosquitoes bite, after Caladium.
- old people, in Alumina, Dulcamara,
Fagopyrum.
- physical exertion, aggravates Arnica, Ars. Alb., Calc. Carb.
- physical exertion, ameliorates Rhus Tox., Sepia.
- pleasurable Sulphur.
- sweat, aggravates Mag Phos., Merc Sol.,
Rhododendron.
- thinking of it, aggravates Medorrhinum.
- undressing, uncovering Drosera, Nat Sulph., Nitric Acid.,
aggravates Nux Vom., Rumex, Staphysagria,
Tuberculinum.
- wiping hands, ameliorates Carcinosis, Drosera (Keloid),
Graphites, Malandrinum,
Psorinum, Tuberculinum,
Vaccinium, Vipera.

Keloids

- cicatrices Calc. Fluor., Calc. Sulph., Fluoric
Acid., Graphites, Nitric Acid.,
Thiosinaminum.
- recurring Staphysagria.
- scar, formation tendency Silicea.
- tissue, absorption Carcinosis.

Keratoderma

Lepra, Vulgaris

Leprosy

Leucoderma

Petroleum
Pulsatilla.
Hoang Nan., Merc. Sol.
Antim. Crud., Ars. Alb., Ars.
Sulph. Flav., Bacillinum,
Carcinosis, Cortisone, Echinacea,
Hydrocotyle, Hydrocotyle Acid,
Kali Iodide, Lachesis, Ledum (if
injury turns white), Leptandra,
Lyc., Mezereum, Nat. Ars.,
Niccolum, Nylon, Psoralea,
Selenium, Sepia, Sol., Syphilinum,
Thuja, Tuberculin, Vanadium,
Zinc. Oxide.

- axilla Antim. Crud., Cantharis, Comodata Dentala, Echinacea, Mica, Niccolum Met.
- Lichen planus* Anacardium, Anthrakokali, Antim Crud., Graphites, Morgan Bach., Nat. Mur., Sulphur.
- Lichen ruber planus* Sulphur, Syphilinum.
- Lipoma* Bacillus No. 10, Medorrhinum.
- Liver Spot* Curare, Nat Hyposulph (local application), Thuja.
- Lupus* Ars. Alb., Ars. Iod., Titanium.
- Lupus Erythematosus* Antim. Crud., Ars. Iod., Aurum Iod., Bacillinum, Cistus Can, Hydrocotyle, Natrum Silico Flouricum, Nat. Mur., Syphilinum.
- Lupus Vulgaris* Aur. Iod., Calc. Sulph., Hydrocotyle Asiatica.
- Measles* Belladonna, Influenzinum, Morbillinum, Streptococcinum, Tuberculinum, Tuberculinum Aviare, Zinc Met.
- eruptions delayed, leading to convulsions or chest congestion Veratrum Viride.
- laryngeal or lung complication, after Antim Tart., Phosphorus.
- meningeal complications Tuberculinum Aviare.
- paralysis feet of, measles after Kali Chlor.
- preventive Morbillinum, Puls.
- pulmonary complications Tuberculinum Aviare.
- vaccine; antidote Pulsatilla.
- Medication after, skin, affections* Sulphur.
- Melanoderma* Ars. Alb.
- Melanoma (Malignant)* Ars. Alb., Bacillinum, Kali Phos., Lachesis, Proteus Bach, Secale Cor., Tuberculinum.
- Melanosis, idiopathic* Chlorpromazine.
- Molluscum* Vaccinotoxinum.
- Mosquito, bites* Bombyx, Calendula Oint., Echinacea, Eucalyptus, Ledum, Neem.

<i>Mottled, spot, bluish spots</i>	Arnica.
<i>Mycosis fungoides</i>	Carbo Animalis.
<i>Nail</i>	
- causes crumbling away	Butyric Acid.
- corrugated, uneven, spotted, irregular, deformed	Calc. Carb.
- deformed and break easily	Thuja.
- ingrown and ulceration	Marum Verum.
- malformation	Hydrocotyle Asiatica.
- mycoses	Graphites.
- panaritium	Alumina, Myristica Seb., Silicea.
- soft, brittle, cracked	Thuja.
- small boils and infections around paronychia	Hepar Sulph.
- swelling	Myristica Seb.
- troubles	Castor Equi.
<i>Neurodermatitis</i>	Sepia, Sulphur, Sulphuric Acid.
<i>Neurofibroma</i>	Calc. Fluor., Fluoric Acid, Syphilinum.
<i>Nodosities, in skin</i>	Iodine.
<i>Old scars, cicatrix; bruised, painful</i>	Hypericum.
<i>Papilloma</i>	Causticum, Thuja.
<i>Pemphigus</i>	Anthracinum, Calc. Sulph., Caltha, Carbo Animalis, Crot. Hor., Echinacea, Herpes, Lachesis, Lycopodium, Mancinella, Ran. Bulb., Rhus Tox., Staphylococcin, Streptococcin, Sulphur, Syphilinum.
<i>Petechia, all over body; bleeding</i>	Phos.
<i>Pigment, disorder</i>	Phos.
<i>Pityriasis, simplex</i>	Sepia.
<i>Pityriasis versicolor</i>	Bacillinum, Lycopodium, Tellurium.
<i>Poison oak</i>	Cypripedium (local application), Erechthites (local application).
<i>Prickly heat</i>	Apis Mel.
<i>Pruritus</i>	Menthol (local application), Naphthaline (local application).

- chronic
- ext. genitals
- senelis

Psoriasis

- otorrhoea with
- palms and soles of
- palmaris

Pleurisy rheumatic

Pus from skin outlet

Pyoderma

Rash, allergic

Rash, linear

Ringworm

- scalp

- on face, herpes circinatus

Scabies

Scar, tissue, absorption

Scleroderma

Hippuric Acid.

Lapis Alb.

Fagopyrum.

Apis, Ars. Alb., Ars. Iodide., Arum Trip., Bacillinum, Calendula Oint., Chrysarobinum, Castor Equi., Echinacea, Emetine, Gun Powder, Hep. Sulph., Hydrocotyle, Ichthyolum (local application), Kali Ars., Kali. Brom., Kali. Mur., Kali. Sulph., Lyco., Mezereum, Morgan Bach, Nat. Ars., Nat. Mur., Nitromuratic Acid., Petroleum, Phos., Psorinum, Puls., Radium Brom., Sepia, Sol, Staphysagria, Syphilinum, Tellurium, Thuja, Thyroidinum, Tuberculinum, Ultra Violet Rays, Urtica Urens, X-Ray., Zea Italica.

Skookum Chuck.

Corallium Rubrum.

Kali. Sulph., Nat. Mur., Sel., Syphilinum.

Arnica.

Silicea.

Hepar Sulph.

Galphimia Glauca.

Borax, Bovista.

Bacillinum, Oleum Jecoris Aselli (local application), Tellurium.

Chrysarobinum (local application).

Sepia, Tellurium (large surface).

Dolichos, Fagopyrum, Mezereum, Sulphur.

Silicea (be careful in T.B. healing)

Ars. Alb., Echinacea, Hydrocotyle, Nat. Mur., Radium Brom., Rhus Venenata, Sarcolactic Acid., Secale Cor., Silicea, Sycotic Co.,

	Thiosinaminum, Thyroidinum, X-ray.
<i>Seborrhoea</i>	Corticotrophin, D.N.A.
- dermatitis	Sepia.
<i>Septic, eczema, abscess, pyaemias,</i> <i>pustules</i>	Hippozaenium.
<i>Spring, skin symptoms, return</i> <i>every</i>	Nat. Sulph.
<i>Squamous cell carcinoma</i>	Carbo Animalis, Rad.
<i>Sting, pain; bees, ants</i>	Carb. Acid.
<i>Sun sensitivity</i>	Mezerium, Proteus Bach.
<i>Sun., agg. skin complexion</i>	Ars. Alb., Nat. Mur.
<i>Sun burn.</i>	Cantharis (with urinary complaints), Sol.
<i>Sun exposure aggravates skin</i>	Ars. Alb., Nat. Mur.
<i>Tettery, patients</i>	Bovista.
<i>Tinea versicolor</i>	Ars. Iod., Bacillinum, Cinnabaris, Sepia, Staphysagria, Sulph., Thuja.
<i>Tuberculide papules</i>	Majeptil.
<i>Trade, eruptions in hand/feet</i>	Borax, Bovista.
<i>Ulcers</i>	Silicea, For Local Application: Alstonia Scholaris, Geranium Maculatum, Liatris Spicata, Symphytum, Zinc Oxide. Phos.
- bleeding	Calc. Fluor., Carb. Veg.
- chronic of old people	Fluoric Acid., Hippozaenium, Pyrogen.
- decubitus	Carbolic Acid. (local application).
- foul smelling; as a wash	Carbo. Ani., Nat Pyruvicum.
- gangrenous	Balsamum Peruvianum (local application)
- indolent	Paeonia.
- in lower part of the body	Phos.
- malignant	Kalmia.
- nerve pains, with	Syphilinum.
- non-healing, fistula	Pyrogen.
- obstinate	Allium Cepa.
- raw, painful and/or gangrenous	

- syphilitic
- small ulcers
- tendency to ulcerate
- varicose

Phytolacca.

Thyroidium.

Arg. Nit.

Calc. Fluor., Calc. Iodide,
Carduus Mar., Carbo. Veg.
(blueness, coldness) Echinacea
(external cleaning), Gun Powder,
Hamamelis, Lachesis, Sulph.
Acid., Zinc. Met.

- varicose, ulcers indolent

Anthracinum, Calc. Iodide, Calc.
Sulph., Carduus Mar., Secale Cor.,
Zinc. Met.

Urticaria

Astacus Fluv., Bacillus Gaertner,
Bovista, Corticotrophin,
Dulcamara, Dysentery Co.,
Leprominium, Sulphur,
Thyroidinum, Ustilago, Urtica
Urens.

- chronic
- digestive troubles, from

Strophanthus.

Antim Crud., Nux Vom.,
Pulsatilla.

- food from
- itching without
- joints pain with
- linear
- liver affection, with
- mosquito bite, due to
- warm >

Ferr. Met.

Uva Ursi.

Urtica Urens.

Bovista, Chloratum.

Astacus Fluv.

Bombyx.

Chloratum, Apis Mel., Rhus Rad.,
Urtica Urens, Bovista.

- working in cold water or cold air
- worse from spirituous drinks, hot drinks

Thuja.

Chloralum Hydr.

- nervous

Histamine Hydrochloride.

Vesicles formation

Bovista, Rhododendron, Sepia,
Succinic Acid, Variolinum.

- fingers on the
- infectious disorders with
- mucous membranes
- whole body, over the

Ranunculus Bulbosus.

Fluoric Acid.

Mezereum.

Hypophysis Posterium, Mica,
Thuja.

- in a hot patient with increased hunger and warm bathing ameliorates Ars Sulph Flav.
- Vitiligo* Hydrocotyle, Mica., Nat. Mur., Sepia, Thuja, Tuberculinum.
- Warts* Anagallis, Antim Crud., Calc. Carb., Ficus Carica (local application), Penicillin, Sabina (local application), Sempervivum Tectorum (local application), Thuja (local application), X-ray.
- breast on Castor Equi.
- eyebrows Causticum.
- external Aloe, Anagallis, Calc. Calcinata, Thuja.
- fleshy, large Dulcamara.
- plantar Antim. Crud., Ruta, Thuja.
- ointment lotion (Verrucae). Also Calc. Flor., Castor Oil, Thuja Occ.
for corns, callosities
- hands on Ferrum Picricum.
- hands, feet, body Calcerea Calcinata, Syco. Co.
- lupoid type-hand Ferr. Picricum, Thuja.
- lupoid warts Ferrum Picricum, Trituration.
- multiple on hands Ferr. Picricum.
- peri-anal warts Sycotic Co.
- prepuce; gland and mucus membrane Cinnabaris.
- soles Nat. Mur.
- white Antim Crud.
- venereal Medorrhinum, Nitric Acid., Thuja.
- Warty growth* Calc. Calcinata, Ferrum Picricum, Thuja.
- Waxy skin* Acetic Acid., Ars Alb.
- Wet skin* Petroleum.
- Winter < with suppuration* Calc. Sulph.
- Yellowish-brown exfoliating patches* Sepia.

Remedy Hints

Alnus Rubra: Consider *Alnus Rubra* for chronic herpes (tincture to 3C) if accompanied by ulcerated mucus membranes of mouth and throat and indigestion from insufficient gastric secretion. [Source: Dr. J. H. Clarke]

Anacardium: Large blisters filled with yellow fluid. Itching is better from hot water. [Source: Alan V. Schmukler]

Antimonium Crudum: It has a marked action on the nails, causing deficient growth. If, after an accident has split the nail, the latter does not heal readily but grows cracked and thick, *Antimonium Crudum* will make it grow as it should. I have also used this drug in treating a split hoof of my horse. [Source: E. A. Farrington]

Antimonium Crudum is an invaluable remedy in all cutaneous affections where pimples, pustules, pocks, or furuncular elevations arise primarily or secondarily, especially when at the same time there is severe continued pricking, itching of the skin, and after rubbing tenderness and soreness.

More cases of impetigo in children clear on *Antimonium Crudum* than on any other remedy. In adults, nine out of ten cases of acute impetigo clear on *Antimonium Crudum*. [Source: Douglas Borland]

Antimonium Tart: Three cases of varioloid, all of whom received no other remedy than *Antimonium Tart*, terminated in recovery in from nine to thirteen days, leaving no permanent marks on their faces. [Source: Dr. Temple Hoyne]

Aristolochia: Blisters on the hands from heavy manual labour disappear overnight after the application of 10% *Aristolochia* ointment. [Source: Dr. Julius Mezger]

Arnica: It is the remedy where abscesses and boils do not mature; they shrivel up, then another crop comes. *Arnica* will often develop the abscess, carrying it on to a discharge of the pus. The boils come in crops, are very sore, purplish in colour. Also blood boils which are very sore. It produces crops of boils all over the body, beginning with great soreness and going on to suppuration. Boils which have partially matured become sluggish. [Source: W. A. Dewey]

I recommend *Arnica* as preventive and curative of boils. [Source: Samuel Hahnemann]

Arsenicum Album: *Arsenicum* is almost a specific for hives from shell fish, which itch and burn. [Source: W. A. Dewey]

Bacillinum: Dr. Burnett has shown that *ringworm of the scalp* and *pityriasis versicolor* on the body are indications of tubercular diathesis, and they respond to this remedy. Also they are leading indications for it when present in combination with other affections. A case of insanity with pityriasis yielded rapidly to the remedy. I have found an *eczematous condition of the margins of the eyelids* a strong indication for it. [Source: John H. Clarke]

Baptisia: You should take special pains to guard your *Baptisia* patients against bed sores, as I know of no remedy except *Arnica* which has such a tendency to develop them. Use the tincture and 3x internally and a solution of 20 minims to the ounce locally for the bed sores and for a mouth wash. [Source: George Royal]

Bed Sores: For bed sores, bathe the parts exposed to pressure with whiskey. Put patient on a water bed. Glycerine is one of the best preventives of bed sores. When sores have formed, apply *Hypericum* oil. [Source: J.H. Clarke]

Bovista: Dr. H.C. Allen recommends *Bovista*, to handle bad effects of Coal Tar application.

Calcarea Sulph: The presence of pus with a vent is the general indication for *Calcarea Sulph*.

Cantharis: As we are confronted lately with the results of overuse of antibiotics, homeopathy stands before a great challenge. Necrotizing fascitis is a strong syphilitic condition with early necrosis and death. Kent writes, 'The most important feature of this medicine is the inflammatory condition, and the most important characteristic in the inflammation is the rapidity with which it develops into a gangrenous state. Inflammatory conditions follow a definite course for days, but when this medicine is put upon the part internally, the inflammatory state terminates in death of the part with great rapidity.' Other remedies for necrotizing fasciitis are *Arsenicum Album*, *Belladonna*, *Crotalus Horridus*, *Lachesis*, *Rhus Tox*, *Tarentula Cubensis*.

Blisters as if from burns, burning on touch. Kent's repertory splits it as two rubrics: Skin, eruptions, blisters, as from a burn: Ambr., Aur., Bell., Canth., Carb-An., Clem., Lyc., Nat-C., Phos., Sep., Sulph. Skin, Eruptions, Burning, Touch Agg.: Cann-S., Canth., Merc. *Cantharis* is the only remedy that has this peculiar symptom complex.

What I consider the best remedy in Erysipelas is *Cantharis*. I used to give *Bell*, *Rhus*, *Apis* and others, until four years ago. I have never used

any other remedy since and have never been disappointed by it. [Source: *T. C. Buskirk, The Medical Counselor -Jan., 1896*]

Carbo Animalis: It is specific for the syphilitic bubo, threatening to pass over in suppuration. [Source: *G. H. G. Jahr*]

Cicuta Virosa: For all types of impetigo in children, even the severest ones, which do not itch, *Cicuta* is the most probable remedy.

Croton Tiglium: It has small blisters with much itching. Hughes says that *Croton* relieves the itching of eczema rapidly and permanently. [Source: *W.A. Dewey*]

It is one of the antidotes to *Rhus Tox* poisoning. Intense itching, but scratching is painful. Pustular eruption, especially on face and genitals, with fearful itching. Herpes zoster with stinging, smarting pains of the eruption. [Source: *William Boericke*]

Dolichos: It has itching without eruption. The writer has a number of times verified this symptom. It will sometimes control diabetic itching. [Source: *W.A. Dewey*]

Intense itching of skin without rash or swelling. Yellow spots all over. Neuralgia following herpes zoster. Cold water ameliorates the itching, but it burns the skin and causes trembling. [Source: *Dr. S.R. Phatak*]

Itch without rash across shoulders. [Source: *William Boericke*]

Echinacea Purpurea: For the condition of the body which sets up the boil habit, Dr. Ramey considers *Echinacea* specific. Even serious cases, he says, can be definitely cured with an ounce and a half of tincture taken in 10 drop doses 4 times a day. [Source: *Dr. P. Rajagopal Rao*]

Eczema from Suppression: The worst case of eczema of the lower extremities that I ever saw, made its appearance three months after the 'cure' of haemorrhoids by the knife. Upon treatment with the indicated remedy, which was *Sulphur*, there was speedy cure of the eczema with a reappearance of enlarged haemorrhoidal vessels as bad as before the operation. These were cured with the indicated remedy, which was *Hamamelis* 2X, and remained cured. [Source: *Freeda M. Lankton, Proceedings of the International Hahnemannian Association (1897)*]

Erysipelas: *Camphor*, administered every fifteen minutes, will cure even a severe erysipelas in the course of a few hours.

Fluoric Acid: Ulcers needing *Fluoric Acid* are relieved by cold dressing. [Source: *Dr. N. M. Chowdhary*]

Gunpowder: In deep seated abscesses, it is not always certain that the indicated remedies (e.g. *Merc*, *Hepar*) will absorb the pus during their

curative action. The wonder remedy *Gunpowder* 3x, given 3-4 times a day, *in addition* to the constitutional remedy, can be guaranteed to cure the abscess. [Source: *S.P. Koppikar*]

In some cases gunpowder cures obstinate psoriasis, 200 and 1M. Resistance to treatment and extensive lesions are the main indications. *Hepar* and *Thuja* are complementary. [Source: *S.C. Gupta*]

Hypericum Perfoliatum: Oil is good for bedsores. One or two doses of *Hypericum* 30 acts well when used with *Hypericum* oil.

Insulinum: In some cases of intractable eczema in patients with chronic liver trouble *Insulin* is indicated. It is a great reactive remedy in allergic eczema.

Kali Bromatum: I know of no remedy of such universal usefulness in cases of simple acne as *Kali Brom* 30. [Source: *Dr. J.H. Clarke*]

Kali Brom. is one of our best remedies for acne which comes with every monthly period. [Source: *George Royal*]

Lachesis: The parts are purplish looking with evidences of blood poisoning. There is great burning, relieved by washing in cold water. Small boils surrounding the main sore is a valuable indication.

In carbuncle and cancer, we think of *Lachesis* when the surrounding area is swollen and purple or blackish and pus forms very slowly. *Lachesis* given under these circumstances increases the quantity and improves the quality of the pus and the patient's strength improves. [Source: *Dr. Farrington*]

Medusa: *Medusa* or the jelly-fish has effects which are nearly identical with those of *Urtica Urens*. It produces a nettle-rash and also has some slight action on the kidneys.

Mercurius: In shingles *Mercurius* is said to be a specific for relieving the burning, and preventing the appearance of new crops. Right side, extending across the abdomen. [Source: *C.G. Raue*]

Mercurius and Kali bichromicum: The ulcers of *Mercurius* are rapidly spreading and superficial, while those of *Kali Bichromicum* are circumscribed and deep with tendency to perforate. [Source: *W.A. Dewey*]

Mercurius Vivus: Never give *Mercurius* with a dry skin. [Source: *T.K. Moore*]

Do not give too many doses of *Mercurius* in Psoric cases. Look for a deeper medicine. It should not be given oftener than twice in a winter. [Source: *James Tyler Kent*]

Mercurius should not be given before or after *Silicea*. *Hepar Sulph* is the intercurrent. *Silicea* follows well after *Hepar* and *Hepar* follows *Mercurius*. [Source: James Tyler Kent]

Be careful how you give *Mercurius*. It is a treacherous medicine. It seems often indicated; you give it and get relief, but your patient is worse again in a few weeks. [Source: E. A. Farrington]

Mezereum: Chilly, colds hands and feet. Constant desire for food, especially milk, to relieve gastric discomfort. Sudden oedema of face, lips tongue. Intolerable itching worse from warmth. Irritable, irresolute, despondent. In pain, lies perfectly still and responds to questions with 'Yes' or 'No'. Shuddering, trembling, constant yawning. Herpes zoster, Impetigo, Vaccination eczema. [Source: Dr. Douglas Gibson]

Molluscum Contagiosum: The condition responds to homeopathy, often within 10 to 15 days; *Calcarea Carb.*, *Silicea*, *Nitric acid*, all in 6 c, 8 hourly, for 2 days, in sequence, followed by *sac lac*. Await response; this is not based on the classical method but on clinical experience. In resistant cases, *Variolinum* 200c or *Vaccinotoxinum* 200c may be needed. [Source: Dr P. D. Venkatakrishnan, *Clinical Repertory*, J H Clarke]

Natrum Mur: Painful eruption on border of hair on right temple. Chill, beginning on the elbows and knees. [Source: O. W. Smith, *Archives Hahnemannian Monthly-1888*]

Nitric Acid: Our great remedy in ulcers when these symptoms are present - 1. Ragged zigzag, often raised edges; 2. Profuse granulations, proud flesh; 3. Vascular ulcers, bleeding easily where touched.; 4. With splinter-like pains in them. Sycotic excrescences.

Nux Vomica: It is our master's choice to commence treatment when a patient arrives after heavy treatment of allopathic medicines.

Paeonia: Explore *Paeonia* (Peony) for the following: ulcers from poor fitting shoes, ulcers from pressure as in bed sores, ulcers on lower part of body which are sensitive and painful; use third potency. (Also consider new shoes.)

Petroleum: Eruption worse during winter. There is no remedy that has this so prominently. [Source: Dr. E.B Nash]

Itching with no visible eruption. He scratches the skin until moisture oozes forth, and keeps on scratching until the skin bleeds and the part becomes cold. This symptom is split in Kent's repertory as under -

Skin, itching, eruption, without: **Alum.**, **Ars.**, *Cist.*, *Dol.*, *Gels.*, *Lach.*, *Med.*, *Merc.*, **Mez.**, *Petr.*, *Psor.*, *Sulph.*

Skin, itching, scratch, until it is raw: *Agar.*, *Alum.*, Am-C., Ant-C., Arn., Bar-C., Bov., Calc., *Carb-S.*, Caust., Chin., Dros., **Graph.**, Hep., Kali-C., Kreos., *Lach.*, *Lyc.*, Mang., Merc., *Olnd.*, **Petr.**, Phos., Plb., *Psor.*, Puls., *Rhus-T.*, Ruta., Sabin., Scil., *Sep.*, Sil., Sul-Ac., *Sulph.*, *Til.*

Skin, coldness, scratching, after: *Agar.*, Mez., Petr.

Mezereum comes closest, but in *Mezereum* the itching changes place. [Source: James Tyler Kent]

Phosphorus: Allergic Contact Dermatitis with symptoms like blistering, itching and burning, especially due to contact of chemicals like hair dyes on skin, can be effectively reduced with *Phosphorus* more effectively than *Rhus Tox* or *Sulphur*. [Homeopathic Medical Repertory by Robin Murphy: Toxicity due to Chemicals].

Ulcers bleed easily at the slightest touch and large ulcers are surrounded by smaller ones. [Source: Dr. P Rajagopal Rao]

Picric Acid: This remedy is as near a specific for small furuncles in any part of the body as any remedy can be. In the meatus externus it aborts the furuncle if seen early and mitigates, if advanced, as well as corrects the habit. [Source: Dr. Houghton]

Plantar Warts: Plantar warts are found on the bottom of the foot, usually on the heel or ball. They sometimes cause pain when walking. When taking a constitutional case, consider *Causticum* and *Natrum Muriaticum*. [Source: Robin Murphy]

Pulsatilla: It is a fine remedy in hives when of gastric or uterine origin, or with diarrhoea and chilliness; hives after eating pork, fruit or buckwheat cakes. Scanty menses. (Hives with profuse menses call for *Belladonna*.)

Rhus Toxicodendron: It is indicated in the graver forms of erysipelas. Pronounced typhoid condition, much pain which compels constant motion, skin tensely swollen, heat extreme, covered with blisters filled with yellowish, slightly viscid serum, the color is at first intensely red, soon becoming dark, bluish or ecchymosed. Diarrhoea, vomiting, delirium. [Source: H.R. Arndt]

No remedy is oftener found useful in herpes zoster than *Rhus tox* [Source: Dr. E.B Nash]

Silicea: Following the treatment of boils and abscesses you may have induration (hardening of tissue). *Silicea* will cause this induration to be absorbed. When *Silicea* is unsuccessful in this, a dose of *Sulphur*, interpolated, makes *Silicea* act better. [Source: Dr. E.A. Farrington]

Skin Lesions:

Macules: Round or oval spots varying in size and being level with the skin.

Papules: Pimples.

Vesicles: Small round or oval elevations of the skin, from exudation of serum or sero-purulent liquid.

Pustules: A vesicle with purulent contents.

Tubercles: Solid circumscribed formations, with deeper cellular infiltration than a pustule.

Bullae or Bleb: Large vesicles of round or oval form containing serous, sero-purulent or bloody fluid.

Wheals or Urticae: Circumscribed inflammatory lesions due to edematous infiltration into the papillary layer of the corium. Usually with pink areola. Appear suddenly and leave not trace of lesion behind.

Tumor: Large solid elevations of the skin, generally spherical. Due to new growths or changes in sebaceous glands or from retention of sebum.

Excoriation: Abrasion

Ulcer: Inflammatory breaches of continuity due to suppuration and destruction of superficial tissues.

Rhagades: Crack or fissures

Crustae: Crusts, scabs, due to drying up of secretions.

Cicatrix: Scar. New fibrous tissue growth due to replacing of lost tissues. Two forms: Atrophic and Hypertrophic [*Source: J.H. Allen*]

Small Pox: *Antimonium Tart* is specific for small-pox, and should be administered as soon as the nature of the disease is ascertained; it is specially valuable during the eruptive stage; and also in the primary fever, if nausea and vomiting or convulsions should occur. [*Source: E. Harris Ruddock*]

Antimonium Tartaricum is a nearer similitum to smallpox than any other remedy in the *Materia Medica*. The mucous membranes are involved and bronchitis or broncho-pneumonia are apt to be present. It is especially adaptable to cases characterized by gastric irritation. It also suits cases where the eruption does not come out properly.

Malandrinum is not only a better preventive than vaccination, but it is much safer, and if a case of smallpox had occurred, it would probably be the best remedy known.

Thuja: Boenninghausen employed this remedy with success and believed it to be the best curative and preventive agent in smallpox. It suits especially the eruptive stage, with milky flat, painful pustules upon a dark inflamed area. [Source: *W. A. Dewey*]

Stramonium: In eczematous eruption after fright, study *Stramonium*. [Source: *Dr. J. H. Clarke*]

Sulphur: Comedones: black pores in the skin of the face. (also *Graphites*)

Suppressing Skin Itch: This quote from Hahnemann's *Chronic Diseases* should keep people from rushing to the dermatologist: No other chronic miasma infects more generally, more surely, more easily and more absolutely than the miasma of itch; it is the most contagious of all. It is communicated so easily that even the physician hurrying from one patient to another, in feeling the pulse has unconsciously inoculated other patients with it. As soon as the miasma of itch touches the hand, in the moment when it has taken effect, it no more remains local. Henceforth, all washing and cleansing of the spot avail nothing. A boy of 13 years having suffered from his childhood with tinea capitis (fungal infection of the scalp) had his mother remove it for him, but he became very sick within eight or ten days, suffering with asthma, violent pains in the limbs, back and knee, which were not relieved until an eruption of itch broke out over his whole body a month later. Tinea capitis in a little girl was driven away by purgatives and other medicines, but the child was attacked with oppression of the chest, cough and great lassitude. It was not until she stopped taking the medicines, and the tinea broke out again, that she recovered. The dyspnoea of a youth, 20 years, caused by the driving away of itch was so great that he could not get any breath, and his pulse was hardly perceptible, in consequence of which he suffocated. A boy of 7 years whose tinea capitis and itch dried up, died after four days from an acute fever and asthma accompanied by expectoration. [Source: *Dr. Samuel Hahnemann*]

Thuja Occidentalis: I used *Thuja* in the first case of small-pox that was entrusted to my treatment. It exceeded all my expectations. On the fourth day the pustules were all dried up. On the eighth day they had fallen off and no pockmarks were to be seen. I used *Thuja* in several houses where small-pox had broken out, as a prophylactic, and no case came to my knowledge where, after using *Thuja*, any other member of the family had been infected. [Source: *C. M. F. Von Boenninghausen*]

Variolinum: *Variolinum* makes the progress of small pox much milder, quickly removes all dangerous symptoms, changes imperfect pustules into regular ones, which soon afterwards dry up, promotes suppuration on the third day, and exsiccation on the fifth, sixth and ninth day, and prevents all scars. This is the unanimous testimony of ten physicians who have used it in different epidemics. [Source: C. G. Raue]

In small pox, *Variolinum* is the most important remedy. Give one or two doses and afterwards sometimes *Rhus*, *Hepar* or *Sulphur*. [Source: Dr. Constantine Hering]

Yellow Skin: The snake poisons produce a staining of the skin yellow. This is not jaundice and must not be confused with. It comes from the blood and is due to the decomposition of that fluid, and not to the staining of the skin with bile. [Source: E. A. Farrington]

Zincum Metallicum: In all eruptive illnesses ending in suppression, a dose of *Zincum* immediately brings back the eruption. *Zincum* enlivens the Vital Force to fight the disease and ultimately, helps to cure it. Use its 6th potency. Higher potency is fraught with the danger of serious aggravation, which a *Zincum* patient may not be able to stand. [Source: Dr. T.P. Chatterjee]

Comparisons

Acne: *Sulphur* is perhaps the remedy most often indicated in this affection, especially if chronic. Great aggravation from water is the leading characteristic to *Sulphur* in skin affections. The acne punctata is the variety corresponding most nearly to *Sulphur*. Simple forms yield to *Belladonna* or *Pulsatilla*.

Arsenicum Iodatum / *Sulphur Iodatum*: Acne rosacea often yields to one of these.

Sanguinaria is useful especially in women with scanty menses and irregular circulation of blood. Other remedies for acne dependent on sexual disturbances of women are *Calcarea Carbonica* and *Aurum Muriaticum Natronatrum*.

Kali Bromatum produces acne on the face, neck and shoulders. Especially adapted to the acne simplex and acne indurate.

Thuja is one of our best remedies for acne facialis.

Calcarea Picrata: It has been found one of the best remedies.

Antimonium Crudum: Small red pimples on face, thirst and white-coated tongue.

Antimonium Tartaricum: Obstinate cases, with tendency to pustulation, are curable with this remedy. [Source: W.A. Dewey]

Ailments after Allopathic Medicines: Many eczemas are a result of an antibiotic regimen. *Carbo Veg* and *Mag Phos* are the best drugs for the bad effects of antibiotics.

Potentized *Cortisone* is a good drug for bad effects of steroidal preparations. Sometimes even after choosing the most accurate simillimum, one sees no improvement in psoriasis and eczema. In my experience, virgin and untouched cases of psoriasis and eczema respond well to homoeopathic treatment. The problem occurs when the patient has been previously treated with coal tar derivatives, steroids, anti-histamines and antibiotic.

Always check if the patient has used the Beta blockers Atenolol and Propanolol, as these have psoriasis-like symptoms as side effects. Treat the hypertension but do not stop the anti-hypertensive medication. The medications should be tapered until the remedy affects a cure. [Source: Dr. Pankaj Titar]

Arsenicum Album: The great indication for *Arsenicum* is burning as if coals of fire were on the affected part. If *Arsenic* fails, resort may be had to *Anthracinum*, which has precisely the same symptom, but far more intensely. Warm applications relieve the *Arsenic* pains. *Anthracinum* will often promptly relieve the burning, agonizing pains of carbuncle. [Source: Dr. W.A. Dewey]

Arsenicum and Secale Cor: If you have an indolent ulcer, discharging an ichorous offensive pus, you almost always think of *Arsenicum*. Yet *Secale* may be the remedy. The distinction is this - *Arsenicum* has relief by warmth, *Secale* by cold. [Source: Dr E.A. Farrington]

Boils: *Belladonna* in boils with much swelling and redness and used in the early stages. Boils recurring in the spring also indicate the remedy. *Arnica* produces a crop of boils all over, beginning with soreness, goes on to suppuration, and another crop follows. When the boils partially mature and shrivel up *Arnica* is the remedy indicated. *Calcarea Picrata* has achieved a clinical reputation in boils. *Silicea* is a great boil remedy, and, in conjunction with *Hepar Sulph*, will cover many cases. It is a remedy to prevent boils. *Calcarea Sulphurica* is also a remedy to remove the tumefaction of boils. *Arsenicum* and *Carbo Veg* come in boils of a low, adynamic type. *Phytolacca* is said to be specific in boils. *Berberis Vulgaris* hastens suppuration in boils and prevents their recurrence. *Anthracinum* is recommended by Clarke for a succession of boils, with no other symptoms to guide. [Source: W.A. Dewey]

Cantharis and Apis: In erysipelas, *Cantharis* is sometimes the best remedy, and choice has to be made between it and *Apis*, which also sometimes has great urinary irritation in such cases. In the *Apis* cases there is apt to be more oedema; in *Cantharis* more blistering. In the *Apis* cases, the patient may not be so very restless and complaining; but in the *Cantharis* case the patient is uneasy, restless, dissatisfied, distressed, sometimes moaning or violently crying; wants to be moved about constantly. [Source: E. B. Nash]

Carbuncle:

Arsenicum: Carbuncle, where there are lancinating and burning pains; worse after midnight; relieved by heat.

Anthraxinum: Where the symptoms are the same as under *Arsenicum*, only more intense; pains cutting and lancinating, and *Arsenicum* has failed to relieve.

Lachesis: When there is great sensitiveness of the surface, bluish appearance and perhaps the central sore surrounded by many small pimples; carbuncles which slough and are very offensive.

Rhus Tox: There is formation of pus, intense pain and dark red swelling, with the general prostration of the remedy.

Tarentula Cubensis: It produces a perfect picture of sloughing carbuncle with great prostration, and it relieves the atrocious pains accompanying it.

Carbo Veg.: When the affected parts are bluish; when the discharge is offensive, tends to become gangrenous. It lacks the restlessness of *Arsenic*, though burning pains are present. Carbuncles and boils which become gangrenous yield to *Carbo Veg.* [Source: W. A. Dewey]

Chilblains:

Agaricus: Burning and itching as if frozen. Parts hot, swollen, red. Chronic inflammation of external nose.

Pulsatilla: The inflammation is livid, with itching and throbbing; worse in the evening. A dose night and morning.

Sulphur: The inflammation and itching are severe, and the chilblains do not yield to other remedies. A dose night and morning.

Petroleum: Itching and burning like fire. Heel painfully swollen, red.

Nitric Acid: Itching, swelling, pain especially in very cold weather. Inflammation from a slight degree of cold.

Zincum: Chillbains on hand, itching and swelling violently.

Externally - *Arnica*: Often useful during the first or inflammatory stage, when the swelling is hard, shining, and painful, with itching. A dose morning and evening. Rub the chilblains with a liniment of equal parts of strong tincture of *Arnica* and Glycerine.

Tamus Communis: Lightly paint the chilblains if they are too tender to bear rubbing, especially if dark coloured. Apply with a camel's hair brush, allowing it to dry in. [Source: Joseph D. Laurie]

Eczema: Eczema is always of constitutional origin. We have the worst forms to deal with in the tubercular or syphilitic child. No man can tell how many of these little lives are saved by the disease coming to the surface, preserving the vital organs. All ointments of every name are to be discarded in toto, depending alone on anti-miasmatic treatment. Prognosis is favourable up to fifty years of age, after which it is sometimes difficult to eradicate. [Source: J. Henry Allen]

Anagallis: Eczema after long standing wounds heal. Itching especially on hands and fingers, palms.

Anantherum Muricatum: Painful swelling of various parts going on to suppuration. Deformed nails, offensive foot sweat, herpetic ulcers and tumours on scalp. Boils and tumours on tip of nose. Erysipelas, pruritus, herpes.

Antipyrinum: Erythema, eczema, pemphigus. Intense pruritus, urticaria appearing and disappearing suddenly with internal coldness.

Arundo Mauritanica: Eczema behind the ears; itching and crawling especially of chest, upper extremities.

Cicuta Virosa: Long standing in a young woman covered the whole scalp like a cap. Lemon coloured crust. Elevated eruptions as large as peas.

Cistus Canadensis: Itching all over, small painful pimples Mercurio-syphilitic ulcers. Skin of hands hard, thick dry fissured; deep cracks. Itching of swollen hands and arms, general itching which prevents sleep.

Clematis: Associated glands are inflamed.

Cornus Alternifolia: Eczema, cracked skin everywhere, especially in the creases and folds, exuding a sticky watery fluid.

Croton Tiglium: Intense itching of skin, especially of the scrotum, but so sensitive and sore is unable to scratch; > by gentle rubbing, < cold washing.

Fagopyrum: Itching; > by bathing in cold water; < scratching – soreness, < touch. Itching of knee and elbows and hairy portions. Vesicular pustular, phlegmonous dermatitis skin hot swollen.

Fuligo Ligni: It acts on obstinate ulcers, epidermis, betters eczema, chronic irritations of mucous membranes of mouth. 6x Trit.

Formalin: Eczema in neighbourhood of wound.

Influenzium: Eczema of new born with mother's history of influenza.

Jaborandi (Pilocarpus): Persistent dryness of skin. Dry eczema. Semi lateral sweats. Chilliness with sweat.

Juglans Cine: Eczema of hands, wrists.

Kalium Arsenicosum: Chronic eczema intolerable itching < from warmth < undressing (*Oleander*), periodic. Psoriasis, lichen, phagedenic ulcers. Fissures in bends of arms and knees. Numerous small nodules under skin. Weakness and anaemia of *Kali* along with restlessness and nervousness of *Arsenic*.

Kali Mur: Eczema after vaccination.

Mercurius Sulphide: Eczema from application of sindur/indian woman wearing red vermillion in scalp.

Natrum Arsenicosum: Pityriasis rubra.

Osmium Metallicum: Eczema with pruritus. Irritated skin. Itching pimples. Sweat in axilla smelling like garlic, worse evening and night.

Petroleum: Eruptions and cracks, on scalp, behinds ears, scrotum, arms, hands, feet, legs, hands chap and bleed. Crusts thick, all < in winter, > warmth. Deep cracks, fissures, hands chap and bleed.

Polygonum Punctatum: Superficial ulcers and sores on lower extremities especially in females at climacteric.

Psorinum: Eczema > summer < winter.

Sarsaparilla: Summer cracks.

Sepia: Eruption at time of breast-feeding or during pregnancy.

Sulphur: Eczema on scalp from hair dye.

Thuja Occidentalis: Eczema aggravates after vaccination.

X-ray: Deep cracks. [Source: Dr. Subrata K. Banerjee]

Gangrene: Arsenicum: Dry gangrene in old people, soreness and burning relieved by warmth restlessness.

Secale: Aggravated by warmth, thus differing from *Arsenicum*.

Lachesis: Gangrene following wounds.

Crotalus: Hot, bluish, moist gangrene, the limb being covered with black blisters and much swollen, emitting a foul odour.

Secale corresponds to senile gangrene with tingling and formication. Gangrene of toes. The skin is wrinkled and dry, shrivelled and cold, no sensibility, black and free from fetor. Blood blisters which become gangrenous will indicate the remedy.

Carbo Vegetabilis: Carbuncles and boils becoming gangrenous. There is no restlessness, as in *Arsenicum*. The parts have a livid purple look, are icy cold. Also suits moist gangrene in cachectic persons whose vitality is weak. Secretions foul, great prostration.

Arnica may be useful in gangrene following contusions. [Source: W.A. Dewey]

If gangrene threatens to supervene during a contusion, *Lachesis* is a sovereign remedy as long as the injured part has a dark violet-red colour. If the colour is already black, *China* or *Arsenicum* has to be resorted to. [Source: Dr. G. M. G. Jahr]

Herpes Zoster:

Apis: Burning, stinging pain, large vesicles, ulcerates, starts in cold weather, worse warmth, better cold application.

Arsenicum Album: Intense burning blisters, nausea, prostration, worse cold, better warmth. Aggravation after midnight.

Mezereum: With severe neuralgic pains, itches after scratching, brown scab forms, worse from touch.

Ranunculus Bulbosus: Vesicles filled with thin acrid fluid. Neuralgic pain, esp intercostals. Worse touch, motion, after eating.

Rhus Tox: Probably no remedy more often found useful. Especially after getting wet.

Variolinum: Burnett said *Varolinum* has wiped out the condition, pain and all. [Source: Dr. M.L. Tyler]

Pediculosis (Louse Infection): Head and pubic lice may be killed with tinctures of either *Staphysagria*, *Quassia* or *Sabadilla*. Rub well into the hair and skin once daily. Internally: *Sulphur* 6 morning and evening/ *Ledum* at midday. [Source: Dr. Colin Lessell]

Rhus Tox: In carbuncle, *Rhus Tox* is indicated in the beginning, when the pains are intense and the affected parts are dark red. If given early, *Rhus Tox* may abort the whole trouble. If not, you may have to resort later to *Arsenicum*, *Carbo Veg* or even *Anthracinum*. [Source: E.A. Farrington]

Ulcers on Toes: Ulcers on the toes, especially of old people, commencing with a blister, as if caused by a burn, are cured by *Silicea*; if at the outset there are blue black spots, by *Arsenicum*, especially if warmth is

agreeable; but if warmth produces pain, *Secale* is most suitable. [Source: *Constantine Hering*]

Vitiligo: Dr. R. Patel, past Principal of Kottayam Homoeopathic College, suggested the following line of treatment in vitiligo:

Syphilinum: lips, genitalia is affected or patches are on bones.

Medorrhinum history of sycotic miasm and too much vaccination and if patches are on muscular parts.

Sepia, mostly in children and women. Patches on face, lips and scalp.

Lycopodium in patients who have liver complaints due to chronic dysentery, alcohol, hepatitis or jaundice.

Arsenicum Iodide, for those children and women who have tubercular history or hereditary tubercular tendency.

Hydrocotyle in cases of suppressed skin troubles and history of Lupus, Filaria.

Bacillinum, helps in many cases who had asthma, tuberculosis, skin trouble: ringworm in the past.

Rastinon: Cases that depend on liver problems.

Radium Bromide: In case of radiation exposures followed by white spots. Dr Curie proved it by placing on abdomen radium dust.

Extensive patches take years. Bilateral type takes longer. Those which are the itching type require *Nat. Mur. Sulphur* brings back white spots which were healed, so beware of it.

Cases

Arnica: In a man bedridden for nearly ten years, it was found that *Arnica* oil was the best remedy for the inevitable bed sores. By the use of this agent he was kept quite free from those troublesome sores during that long period. [Source: *The Homoeopathic Recorder Vol 24: 1909*]

Chronic Eczema: I once treated a case of eczema of the legs of 20 years standing. It was in an old obese woman, the kind of subject in which the remedy is found most efficacious. *Sulphur* brought out an eruption which exuded a glutinous sticky fluid. One dose of *Graphites* c.m. cured this and left her skin as smooth as that of a child. [Source: *Dr. E.B. Nash*]

Graphites: Quite recently we have cured eczema of seventeen years' standing with *Graphites*, the patient being otherwise in a state of perfect

health. She had to continue the remedy for over six months in the fourth to the sixth trituration, but even the excessively hypertrophied ears finally resumed their normal shape. [Source: *Bernhard Baehr*]

Mezereum: A girl twelve years old complained of a dirty looking eruption on, behind and around the left ear. It consisted of brown, yellow scabs, mostly dry, at some spots moist, oozing a yellow matter, and itching violently. The skin felt like a piece of old parchment no life in it. The same thing was noticed on the neck and some places on the abdomen. I prescribed *Mezereum* 6, two weeks later *Mezereum* 30, after another week a few doses of *Mezereum* 200, and then she was kept on sac. lac. The eruption was cured; abdomen first, then cheek and neck, and lastly, the ear. The general conditions of *Mezereum*; it mostly affects one side of the body, principally the left, the eruption may be dry in one spot and moist in another, it is especially adapted for persons of phlegmatic temperament. [Source: *Dr. Cordozo, North American Journal of Homeopathy, 1899*]

Petroleum: Psoriasis palmaris of three years' standing; robust man; whole palm of the hand was covered with the eruption, itching and pain, unable to use the hand for any kind of labor. Palm covered by thick scales, traversed by prurient rhagades. *Petroleum* 200 cured in four weeks: Dr. Rummell. [Source: *Alfred W. Woodward*]

Tarentula Cubensis: A 61 year old lady, past the climacteric, thin spare body, delicate constitution, had an anthrax in the interscapular region, with severe burning pain; unable to sleep from the excessive pain, *Tarentula cubensis* in a few days made a complete cure.

A man of 26 years age, had a large hard abscess in the right thigh, exceedingly painful and inflamed, no fever, the glands in the groin swollen, indurated and painful. *Tarentula Cubensis* every three hours was given. After the second dose the pain was completely relieved, and six days after, the abscess and swollen glands had disappeared by resolution.

Sleep

<i>Catalepsy</i>	Curare, Hydrocyanic Acid.
<i>Dreams of Being Thirsty</i>	Aids, Dros, Lamp C, Natrum M., Viola O.
<i>Drowsiness, cannot remain awake</i>	Opium.
<i>Drowsiness, irresistible</i>	Nux. Mosch.
<i>Drowsiness, old people, in</i>	Ant. Crud., Nux. Mosch.
<i>Fantasies, sleep before</i>	Ambra Grisea.
<i>Insomnia</i>	Aquilegia, Avena Sativa, Conium, Kali Phos., Passiflora Incarnata, Phosphoric Acid., Strychnine Nitricum, Valeriana.
- anxiety, overwork or fatigue from, accompanied by restlessness	Passiflora Incarnata.
- cancer history in family	Carcinosin.
- children and in young adults	Carcinosin.
- deep depression with fear of becoming mentally ill	Cimicifuga.
- drinking too much tea from	Thea Chinensis.
- mental excitement, from	Coffea Cruda.
- mental; agony, from	Ignatia.
- multiple neuritis, due to	Conium.
- nervous	Electricitas.
- nervousness due to	Sticta Pulmonaria.
- old people, in	Baryta Carb.
- pregnancy, during	Belladonna, Coffea Cruda.
- rheumatism from	Belladonna.
- sedative and tranquillizer	Melissa.
- sensitive, mentally and physically	Valeriana.
- stubborn	Sulfaguanidinum.
- students, of	B.C.G.
- tiredness and	Cactus.
<i>Restless, syndrome during sleep</i>	Zinc. Met.
<i>Sleep, persistent desire</i>	Indol.
<i>Sleeplessness, in heart affections</i>	Crategus.

<i>Sleeps, eating after</i>	Fel Tauri.
<i>Sleepy, old people</i>	Antim Crud.
<i>Sleepy, once awakened cannot sleep again</i>	Nat. Mur.
<i>Sleepy, strangest attitude in bed</i>	Plum. Met.
<i>Somnambulism</i>	Aconite, Agaricus, Anacardium, Antimonium Crudum, Artemisia Vulgaris, Bryonia, Cannibus Ind, Dict., Magnetis Arct, Natrum Mur, Phosphorus, Nux Moschata, Opium, Petroleum, Proteus Bach, Spongia, Stramonium, Sulphur, Tarentula, Zincum.
<i>Takes a long time to sleep</i>	D.N.A.

Remedy Hints

Ambra Grisea: It is a remedy for sleeplessness from worry and business troubles. The patient goes to bed tired, but immediately becomes wakeful. It is especially suited to thin, spare men who are nervous and subject to nervous chills. [Source: *W. A. Dewey*]

In nervous complaints of old people, when they are forgetful and cannot remember the simplest fact. [Source: *E. A. Farrington*]

Argentum Metallicum: All symptoms are worse after sleep. Instead of being rested for the day, he wakes in the morning with mental fatigue and weakness, so that he can hardly move, and it is with great difficulty that he gets himself together for a mental or physical effort of another day. [Source: *James Tyler Kent*]

Arnica Montana: I use *Arnica Montana* 6 or 30 for insomnia from severe fatigue. I also find *Calcarea Phos* 6x to do the same good work. [Source: *Joette J. Calabrese*]

Cannabis Indica: In obstinate and intractable forms of insomnia, *Cannabis* is one of the best remedies we have to induce sleep. It produces a tranquil slumber, relieves the nervousness and neuralgic pains, and even if given in doses of from 5 to 15 drops of the tincture in water it leaves no bad effects behind.

Colchicum: Debility following loss of sleep. Awakes in the morning tired and languid, followed by loss of appetite and bad taste in mouth. Dislikes even the smell of food. Any little thing annoys him. [Source: *Samuel Lilienthal*]

Damiana Aphrodisiaca: *Damiana* is an excellent remedy for insomnia. It should be given in Q, 15 – 20 drop doses, every 2 hours. In severe cases, it may be given every half an hour and the patient will sleep after 2 doses. [Source: Dr. R.B. Das]

Grief with Insomnia: Sleeplessness, after depressing events, sorrow or losses of friends, when night after night passes without any sleep, one dose of *Sulphur* will often give relief. [Source: Constantine Hering]

Hiccough preventing Sleep: This is a common and mostly unimportant affection, and may generally be left altogether to nature. But if it should become troublesome, so as to prevent sleep, two or three globules of *Ignatia* or *Pulsatilla* will relieve it. [Source: Dr. J. Laurie]

Indolum: Narcolepsy; sleepiness; wants to lie down all the time; with lassitude. Has absolutely no desire to work. [Source: Rai Bahadur Bishambar Das]

Selenium: The *Selenium* debility is expressed by easy fatigue from any exertion or labour. If the patient sits up a little late at night, or exerts his mind a little too much, he is exhausted the whole of the next day, unfit for either mental or physical work. He is weakened by hot weather. He wants to sleep from sheer exhaustion, yet he is always worse after sleep. Awakens often in the night at precisely the same hour before his usual rising time. [Source: E. A. Farrington]

Worse After Sleep: Any conditions resulting from improper elimination are worse after sleep, especially is this true of uremic headaches or headaches resulting from constipation. [Source: George Royal]

Comparisons

Dreams:

Arsenicum: Anxious, frightful, full of cares, danger, accidents, dead people, exertion, unable to scream, thunderstorms, water, embarrassment, sad dreams.

Belladonna: Battles, fire, quarrels, running, pursued by giants, monsters, gymnastics, flying, water.

Bryonia: Business, excelling, busy, exertion, persistent dreams, unimportant dreams, vivid dreams of the transactions of the day.

Calcarea Carbonica: Business, death, disease, household affairs, amorous, pleasant, unsuccessful efforts to do something.

Iodium: Eating, hunger that he didn't get anything to eat, all the food had been eaten before he arrived, misfortune, danger.

Kali Sulph: Ghosts, death, misfortune, robbers, murder.

Lachesis: Snakes, death, vengeance, being murdered, accusations, knives, exertion, journey, remorse.

Lycopodium: Flying, giants, drowning, misfortune, hiding from danger, being murdered, amorous, exhausting, of an accident and a boat is foundering.

Natrum Mur: Robbers, grief, remorse, humiliation, anger, reproaching herself, murder, being thirsty, confused.

Nux Vomica: Excelling, great exertion, visionary dreams, quarrels, business, accidents, mutilation, teeth falling out, amorous.

Phosphorus: Bleeding, blood, lightning, persistent dreams, fire, vivid dreams, stinging insects, historic, money, anxious, can't accomplish business.

Pulsatilla: Animals, black beasts, disgusting, voluptuous, confused, amorous, anxious, pleasant, sad.

Staphysagria: Humiliation, anger, exasperation, fights, quarrels, murder, vexations, rape, amorous.

Thuja: Falling from grace or from a high place, teeth breaking off, misfortune, dying, dead people, conscience acquits him of a crime. [Source: Dr. J. H. Clarke, Robin Murphy]

Insomnia:

Ambra Grisea: A remedy for sleeplessness from worry and business troubles. The patient goes to bed tired, but immediately becomes wakeful. It is especially suited to thin, spare men who are nervous and subject to nervous chills.

Camphora Bromata: Useful for sleeplessness due to the continued use of tea.

Coca: Sleeplessness from mental exhaustion or anaemia; a useful remedy in worn out brain workers, night watchers and those who have lost much sleep. [Source: W. A. Dewey]

Coffea Cruda 200 in alternation with *Kali Phos* 200 has been useful for treating insomnia.

For insomnia when the same thought keeps repeating, explore *Arg-n*, *Bar-Carb*, *Calc*, *Coff*, *Graph*, *Petr*, *Plat*, *PULS*, *Sul*, *Thuja*. If troubled by a repeated melody, consider *Pulsatilla*.

Syphilinum: Absolute sleeplessness (vies with *sulphur* in producing quiet, refreshing sleep). Wakes soon after midnight and cannot sleep

again till 6 am. During the whole 24 hours can only rest from 8 to 10 a.m. Total loss of sleep for 22 successive days and nights. Terrible dread of night on account of exhaustion on waking. Drooling while asleep. Despair of recovery.

Sleeplessness from excessive mental and physical fatigue: *Carcinosin*, *Chloralum Hydratum*, *Cholesterinum*, *Cocculus*, *Gelsemium*.

There are a number of bodily causes which induce sleeplessness and they may all be summed up as *whatever interferes with the process of assimilation*. It is one of the most favourable signs when soon after the administration of a remedy, a natural sleep ensues. By no means interrupt it. The remedy which induces it will quietly work on for the benefit of the patient. This rule applies only to natural sleep. In case of drowsiness, stupor, etc., medicine must be repeated just because of this state, and it may be one of the leading symptoms for the selection of the remedy.

Aconitum: Fever-heat, dry skin; tossing about; lamenting; great pain with inflammatory processes in teeth, chest, bowels, during menstrual period; after fright, fever.

Belladonna: Drowsy and yet unable to sleep; anguish; visions; large pupils; congestion towards the head; after morphium.

China: Ideas crowd upon the mind; after loss of blood and weakening diseases.

Coffea: Nervous excitement; wide awake; not the slightest inclination to sleep; after great mental strain, joy, night- watching, acute diseases, dental irritation.

Hyoscyamus: Drowsy or sleepless; wild expression; delirious; after chloroform.

Ignatia: After grief and depressing emotions; after overstraining the mind by racking business.

Moschus: Hysterical sleeplessness; after chloral.

Nux Vomica: After mental strain till late at night; abuse of coffee, wine, liquor, opium, tobacco.

Opium: Excessive wakefulness, or drowsiness with inability to go to sleep.

Pulsatilla: Indigestion; after quinine, ferrum and strychnine, tea, chloral.

Sulphur: Very important with many and different symptoms; sleepy in daytime; sleepless at night. [Source: C G. Raue]

Weakness from Loss of Sleep:

Carcinosin: Warm blooded, sympathetic, over-responsible, craves chocolate.

Cocculus: Aversion to open air, nausea from odour of food, worse passive motion.

Cypripedium: Children nervous from teething or intestinal troubles, wakeful and begins to laugh and play, cries out at night.

Hydrastis: Constipation without urging, weak digestion, stringy thick yellow discharges.

Ipecacuahna: Nausea with clean tongue, excess salivation, worse from warmth, thirstless

Kreosotum: Chilly, worse from cold, worse dentition, eating. Burning sensations.

Natrum Muriaticum: Silent grief, desires salt, worse from the sun, from heat, from sympathy.

Pulsatilla: Better open air, thirstless, desires sympathy, bland discharges. [Source: Robin Murphy]

Cases

Kreosote Dream: A lady of 40 was suffering from painful and profuse menses. A small fibroid had been diagnosed and operation advised. For five months I tried various remedies with little result. One day she told me of a constant dream she had, of a man pursuing her. ‘Did he look like a robber?’ ‘No, but he was trying to molest me’, she said. *Kreosote*, which has a similar dream, has almost cured her. [Source: Dr. S.P. Koppikar]

Child

<i>Abdomen pendulous</i>	Thuja.
<i>Adenoids</i>	Agraphis Nutans, Ailanthus Gland, Calc. Fluor., Calc. Phos., Iodium, Sycotic Co., Tuber. Bov.
- post nasal	Mezerium.
- tonsilitis with	Agraphis Nutans, Ailanthus gland, Calc. Phos., Sycotic Co.
<i>Afraid of being alone, wants mother to hold her hand</i>	Bism, Kali Carb., Lil Tig., Lyco, Stram.
<i>Anxiety while reading</i>	Mag Mur, Sepia.
<i>Apthae, children in</i>	Borax.
<i>Apthous, sore mouth of nursing children</i>	Muriatic Acid.
<i>Artificial feeding; infant</i>	Alumina, Gaertner Bach, Pepsinum.
<i>Asthma, infantile</i>	Colon Mutabile, Medorrhinum, Morgan Bach, Morgan Pure.
<i>Attractive children</i>	Ars Alb.
<i>Autism</i>	Nat. Mur., Xerophyllum.
<i>Aversion to writing in children</i>	Squilla Maritima.
<i>Backward children</i>	Calc. Carb.
<i>Big abdomen, spindly legs</i>	Abrot, Sulphur.
<i>Big belly due to bad digestion</i>	Carbo. Veg., Graph (constipated).
<i>Big head</i>	Baryta Carb., Calc. Carb., Sulphur.
- big abdomen, with	Baryta Carb, Calc. Carb., Lycopodium.
- coarse hair, heavily built, red lips and ear, spindly legs, biggish abdomen, poorly developed chest, pale rough skin, sweats easily	Sulphur.
<i>Bites nail</i>	Amm Brom, Antim. Crud., Ars. Alb., Sanic, Hyos.
<i>Bright objects makes the child gay and lively</i>	Stram.

<i>Catarrh, of infants; stuffy choking</i>	Kali Bich., Nat. Sulph, Sambucus N., Sycotic Cor.,
<i>Changes, of systems; affections</i>	Tuberculin.
<i>Cheeks red</i>	Capsicum.
<i>Cheerful</i>	Brom.
<i>Child, amusements averse to</i>	Baryta Carb., Sulph, Staph.
<i>Child, amusements wants</i>	Chamomilla, Lachesis, Pulsatilla.
<i>Child carries things from place to place and back again</i>	Mag. Phos., Opuntia.
<i>Child, chews, swallow, grinds the teeth, during sleep</i>	Calc. Carb.
<i>Child continuously picks and rubs the nose</i>	Cina.
<i>Child demands different things with vehemence and cries</i>	Rheum.
<i>Child desires light and company, cannot bear to be alone, < in dark room, solitude</i>	Puls, Stram.
<i>Child doesn't drink water unless sweetened</i>	Sulph.
<i>Child doesn't want to play</i>	Baryta Carb.
<i>Child doesn't want to talk or to be touched or to be looked at</i>	Ant. Carb., Ant. Tart., Ars., Cham., Silicea, Staph.
<i>Child dreads downward motion, clings to nurse</i>	Borax, Gels., Sanicula.
<i>Child enjoys cold water bath</i>	Apis., Puls, Nat. M.
<i>Child fears to go bed alone</i>	Causticum.
<i>Child is fond of sugar which leads to diarrhoea</i>	Argent Nit.
<i>Child is in claimed to laugh at serious matter</i>	Graph., Nat Mur.
<i>Child is obstinate to the extreme. Even if she wants a certain thing she will oppose it if proposed by someone else</i>	Capsicum.
<i>Child is very irritable, gets angry with everything</i>	Baryta.
<i>Child kicks off clothing even in the coldest weather</i>	Sanic, Hep. Sulph., Sulph.
<i>Child laughs involuntarily</i>	Nat. Mur.

<i>Child likes dancing</i>	Phos, Sep, Tarent Hisp.
<i>Child morose in day time</i>	Cina.
<i>Child, naughty, difficult, unmanagable.</i>	Tub. Bov.
<i>Child, or infant; puts fingers in mouth and gag and vomits as if something is there</i>	Cina.
<i>Child, or infant, swallowing sensation or feeling of empty swallow</i>	Cina.
<i>Child quiet only when carried</i>	Chamomilla.
<i>Child repeats all questions before answering</i>	Zinc Met.
<i>Child rubs his face while coughing</i>	Caust, Puls., Squilla Maritima.
<i>Child shrieks during stools</i>	Kreosote.
<i>Child, stuck where ever its mother puts it down</i>	Calc. Carb.
<i>Child sympathetic to others</i>	Carl., Caust., Nat. Mur, Phos., Puls.
<i>Child wants this or that but rejects when offered</i>	Bry., Cina., Cham.
<i>Child wants to be carried slowly about</i>	Puls.
<i>Child will not allow you to feel the pulse</i>	Antim Tart.
<i>Children, born dead one after another</i>	Cimicifuga.
<i>Children, cough, cold, diarrhoea, vomiting especially from milk</i>	Calc. Carb.
<i>Children, intractible</i>	Para-Benzochinonum.
<i>Clumsy</i>	Baryta Carb. (awkward movements: Causticum).
<i>Clumsy movements</i>	Calc. Carb., Capsicum, Sulphur.
<i>Clumsy, awkward due to hurry</i>	Natrum Mur.
<i>Coarse hair</i>	Sulphur.
<i>Complaining children</i>	Cina.
<i>Convulsion, children in, with high rise of temperature</i>	Veratrum Viride.

<i>Cough, baby cries after each cough-at no other time.</i>	Opium.
<i>Cough, child rubs face, eyes with fist during cough. (of measles).</i>	Squilla Mar.
<i>Cough, crying in children excites cough</i>	Arnica.
<i>- vaccination after</i>	Calc. Phos., Thuja.
<i>Colic abdominal in children</i>	Cataria Nepeta.
<i>Craves ice cream</i>	Calc. Phos., Puls., Tuber., Verat. Alb.
<i>Craves meat</i>	Calc. P., Mag Carb.
<i>Cries all day, sleeps all night</i>	Lyc.
<i>Cries all night, good all day</i>	Jalapa, Syph.
<i>Cries day and night</i>	Ipecac, Mag Phos., Stram.
<i>Cries from slightest cause</i>	Nat Mur.
<i>Cries towards evening</i>	Zincum Met.
<i>Cries when eating</i>	Carb An, Staph.
<i>Cross, fretful, easily frightened</i>	Calc. Carb.
<i>Cruel habits in children</i>	Anac.
<i>Dark hair; dark skinned</i>	Iodum.
<i>Deficient mentally</i>	Tuberculin.
<i>Delicate</i>	Ars. Alb., Phosphorus.
<i>Dentition difficult</i>	Calc. Carb., Calc. Phos., Chamomilla, Cicuta Virosa, Coffea Cruda, Kali Brom., Kreosote.
<i>Dermatitis, exfoliative of the newborn</i>	Viola Tricolor.
<i>Diarrhoea of a children during bathing</i>	Podo.
<i>Diarrhoea dentition during</i>	Belladonna, Cham., Podophyllum.
<i>Digestion, mild; children cannot digest</i>	Mag. Mur.
<i>Dirty</i>	Psorinum, Sulphur.
<i>Dwarfish, emaciated babies</i>	Oleum Jecoris Aselli (local application - nightly rubbing).
<i>Dwarfish mentally and physically (wanting in high)</i>	Baryta Carb.
<i>Dyslexia</i>	Xerophyllum.
<i>Eczema, head; children, infants</i>	Cal. Carb., Calc. Sulph.

<i>Eczema, infantile eczema</i>	Anthracinum, Antim Crud, Arum. Tr., Aurum Met., Calc. Sulph., Copaiva, Croton. Tig., Dolichos Pur., Dulcamara, Echinacea, Graphites, Gun Powder, Kali Ars., Kali. Mur., Kali Sulph., Mezerium, Morgan Bach., Nat. Mur., Sulphur, Sulphuric Acid., Tuberculinum, Urtica Urens, Viola Tricolor, Zinc. Met.
<i>Eczema, infants children with sweats on head</i>	Calc. Carb.
<i>Emaciation</i>	Abrot.
<i>Enuresis, in children</i>	Bacillinum, Calc. Carb., Equisetum, Pix Liquida, Sulph., Sycotic Co., Tuberculinum, Thyroidine.
- mortification, domination by other children in house, from	Staphysagria.
<i>Face circumscribed patch on cheeks, flushing and pallor about mouth</i>	Cina.
<i>Face flushed</i>	Capsicum.
<i>Face occasionally flushed</i>	Graphites.
<i>Fair</i>	Calc. Carb.
<i>Fair skin, fine hair</i>	Aconite, Brom, Pulsatilla.
<i>Fat children</i>	Antim Crud, Brom, Calc. Carb., Causticum, Capsicum, Graphites, Sulphur.
<i>Fat, heavy and pale</i>	Antim Crud., Capsicum, Graphites.
<i>Fear of approaching vehicles</i>	Phosphorus.
<i>Fear of being late at school</i>	Arg. Nit.
<i>Fear of heights, high place</i>	Arg. Nit., Puls., Staph., Sulph.
<i>Fear of rain in children</i>	Elaps., Naja.
<i>Fear of rats</i>	Absinth, Bell., Calc. Carb., Cimic, Op., Phos.
<i>Fear of thieves on waking after mid night</i>	Ars., Ign., Kali Mur., Lach.
<i>Fear of tunnels or closed places</i>	Nat. Mur.

<i>Febrile fits, in children</i>	Proteus Bach.
<i>Fingers in mouth, child puts always</i>	Calc. Carb., Chamomilla, Ipecac.
<i>Fissures, anus; infants</i>	Kali Iodide.
<i>Fontanelles, delayed closure</i>	Calc. Carb.
<i>Food, allergy; vomiting infants</i>	Aethusa Cy., Calc. Carb., Fer. Met., Gaertner Bach, Puls, Sulphur.
<i>Foramen ovale; non-closure of</i>	Calc. Phos.
<i>Growing pains, fast growing children</i>	Calc. Phos.
<i>Hypernervous and irritated</i>	Antim. Crud., Ascarides Nosode.
<i>Headache, persistent in children</i>	Helleborus, Morgan Bach., Nat. Mur., Sycotic Co.
<i>Hernia</i>	
- babies in	Nux. Vom.
- congenital	Mag. Mur.
- umbilical	Nux Vom.
<i>Hyperactive, children</i>	Cup. Met., Medorrhinum, Nux Vomica, Tarentula Hispania, Tuberculinum.
<i>Ill humor in children early morning</i>	Staph.
<i>Ill temper of children</i>	Cham., Lyco., Stram.
<i>Impatience in children</i>	Acon., Kali Phos., Nat Mur.
<i>Infantile, liver and spleen enlargement</i>	Calc. Ars.
<i>Infantile, liver cirrhosis</i>	Calc. Ars.
<i>Intussusception, children in</i>	Opium, Plumb Met.
<i>Irritable, and mischevious children</i>	Chamomilla.
<i>Irritability in children</i>	Calc. Phos, Cham., Cina, Iod., Sil.
<i>Lazy children slow in eating, writing, bathing slow in all activities, slow mind</i>	Helix Tosta.
<i>Lethargic</i>	Calc Carb.
<i>Leucorrhoea, children in</i>	Calc. Carb., Caulophyllum, Pulsatilla.
- foetid leucorrhoea	Carb. Acid, Calc. Carb.
<i>Leucorrhoea, offensive, foetid</i>	Carbo Acid.

<i>Lifeless</i>	Aurum Met.
<i>Lordosis (bent back)</i>	Baryta Carb.
<i>Mentally retarded or defective children</i>	Calc. Phos., Carcinocin, Vit. A.
- iodine deficiency	Iodium.
<i>Mental, deficient, children</i>	Tuberculinum.
<i>Milk, intolerance in children</i>	Mag. Mur.
<i>Mongolism</i>	Centaurea, D.N.A., Heathes Honey, Throidine, Tuberculinum, Vit. A.
<i>Mongolism, children with catarrh</i>	Medorrhinum, Pulsatilla.
<i>Mutinism, autism</i>	Agraphis Nutans.
<i>Mutinism, of childhood</i>	Agraphis Nutans.
<i>unconnected with deafness</i>	
<i>Myopia in children</i>	Baryta Oxalsuccinica.
<i>Neuropathic and dental complaints</i>	Calc. Brom.
<i>Neuroses, of children</i>	Passiflora.
<i>Over fat, soft, lethargic, big head, big belly, with tendency to rickets</i>	Calc. Carb.
<i>Pale</i>	Antim. Crud, Graphites, Silicea.
<i>Pinning children (marasmus)</i>	Medorrhinum.
<i>Puberty, precocious</i>	Calc. Carb., Thyrodinum.
<i>Rash napkin, in baby</i>	Sulphur.
<i>Red patches on cheeks with pallor about mouth and nose</i>	Cina.
<i>Redness (general) high colour (ear lips face)</i>	Iodum, Sulphur.
<i>Redness about eyes</i>	Antim Crud.
<i>Restlessness in children</i>	Ant. Tart., Borax, Cham., Jalapa, Rheum.
<i>Retention of urine, new born in</i>	Camphor, to be inhaled every 15 minutes.
<i>Sallow complexion</i>	Baryta Carb, Carbo Veg., Causticum, Lyopodium, Sepia.
<i>School children</i>	
- can't be punished because it goes into convulsions	Cina, Ign, Op.

- can't remember what has been taught Aeth, Baryta Carb., Calc. Carb., Phos.
- child wants to think but cannot Silicea.
- comprehension difficult in children Aeth, Bary. Carb.
- concentration difficult, children cannot learn their lesson Kali Sil.
- do not want to go to school Calc Phos, Mag. Phos., Nat. Mur.
- examination fear, urging to urinate Copaiva.
- get fussy about examinations in school Gels.
- get sick from being reprimanded or scolded or sent to bed Carc., Ign., Medo.
- learn with difficulty Bar. Carb., Calc Phos., Nat Mur.
- not inclined to study; study brings on sleep Mag Phos.
- worried about their lessons Lyco, Sil, Kali Phos.
- Scrofulous, with corneal ulcers and swollen tonsils* Calc. Iod.
- Schizophrenia, infantile (Encephalodar)* Nat. Mur.
- Shy and receding children* Mimosa Pudica.
- Sickly* Kali Sulph., Psorinum.
- Sleeps better on abdomen* Cina, Calc. Phos., Medo.
- Sleeps in knee chest position* Cina, Lyco., Medo., Phos., Tuber.
- Sleep, cross after sleep pushing every one away* Lyco.
- Sleep, loss of; children who play at night.* Cypridium.
- tosses from side to side. Kicks off clothes, never sleeps long at a time Cina.
- wakes from sleep, piercing cries and trembling all over Ign.
- Sleeping, problems of babies* Calc. Carb., Tub. Bov.
- Sleeplessness, in children* Zinc. Valeriana.
- Sluggishness (mental and physical), though well nourished* Calc. Carb.

<i>Sluggishness (physical)</i>	Carbo Veg., Graphites, Puls., Sulphur.
<i>Small baby (under weight and undersized)</i>	Natrum Mur.
<i>Snuffles, of babies with multiple allergy</i>	Medorrhinum.
<i>Spasms, convulsions infantile</i>	Absinthium.
<i>Spastic, children</i>	Cuprum Met., Dinitrobenzene, Kalium tartaricum, Lathyrus, Plectranthus fruticosus, Rhodizon, Stannum.
<i>Stammering in children</i>	Lac Can.
<i>Strangers, aversion to</i>	Baryta Carb., Ambra Gr., Kali Phos., Tuberculinum.
<i>Sweaty head of infants</i>	Calc. Carb.
<i>Talk, late learning to talk, things to do</i>	Nat. Mur.
<i>Talk, or walk. Slow in child</i>	Baryta Carb., Nat Mur.
<i>Temper tantrums of children</i>	Lyc., Stramonium.
<i>Tendency to fall in children</i>	Lac can.
<i>Terror, night in children</i>	Chloralum.
<i>Thickened upper lip</i>	Brom.
<i>Thin upper lip</i>	Fluor Acid, Lycopodium, Psorinum.
<i>Thumb, sucking</i>	Calc. Phos., Nat.Mur., Sil.
<i>Uncivilized children cannot give a civil answer</i>	Cham.
<i>Undigestive, thing, desires, children take</i>	Calc. Carb.
<i>Unreasonable terror of child at a medical examination or with strangers</i>	Tuber.
<i>Urinary, infection in children</i>	Mutabile.
<i>Urinating; children cry out with pain, before</i>	Lach., Lyc., Nux Vom., Sanic, Sars.
<i>Urine, ammoniacal urine in infants</i>	Iodine.
<i>Walk, learning to, late in children</i>	Baryta Carb., Calc. Carb., Calc. Phos., Causticum.

Weeping

- after rage Arnica, Belladonna.
- at every nursing Calc Phos., Puls.
- before stools Aeth., Borax. Cham., Cina., Phos., Sulph.
- from over sensitiveness Kali Phos.
- eat; weeps until it gets something to eat Bell.
- pretends weeping without tears Staph.
- with drawing up of knees and in pain Psor.

When trying to comfort him the child becomes enraged Nat. Mur.

Remedy Hints

Aesculus Hippocastanum: It is especially useful in children that rouse up in sleep frightened and in confusion, like *Lycopodium*. He looks all around the room, bewildered, does not know the people, wonders where he is and what is the meaning of the things he sees.

Aethusa Cynapium: When the vomiting after milk in infants does not proceed from any faultiness in the milk, *Aethusa Cynapium* is deserving of special notice. One globule of this remedy may be given morning and evening for the first two days, then daily, or only every other day, according to circumstances; lengthening the intervals as the irritability of stomach diminishes. *Arsenicum*, *Bryonia*, *Cuprum* may answer better in some rarer instances. [Source: Dr. J. Laurie]

Aethusa Cynapium is our mainstay for vomiting of curdled milk in infants during dentition, or at other times. The vomited matter comes with a “rush,” and the vomiting exhausts the little patient. I have known *Aethusa* to relieve the pain and soreness in the gums of teething children when vomiting is a prominent symptom. [Source: James Tyler Kent]

Aethusa is for Cholera infantum that comes on very suddenly in hot weather in infancy, with extreme prostration. Death is stamped on the face from the beginning, and if there are any remedies in the book that save life, this is one of them. Hippocratic face, whitish-blue pallor around the lips, eyes are sunken and a sunken condition around the nose. Without *Aethusa*, in two or three days the undertaker gets that child. [Source: James Tyler Kent]

Agaricus Muscarius: Remember *Agaricus* for children late in learning to talk and walk and late in mental development. They make mistakes and cannot remember things. Lack of coordination. Convulsions from being scolded and from excitement. Chilly. Twitching and jerkings, which subside during sleep. Itching without eruption. [Source: J.N. Shinghal]

Allium Cepa: It is a wonderful medicine for babies with colic. Cutting, rending, tearing pains, drawing the poor little thing almost double. It screams with the violent cutting in the lower abdomen.

Ammonium Carbonicum: *Ammonium Carbonicum* in snuffles of infants, when the child in the act of going to sleep starts up again on account of not getting any breath. [Source: C G. Raue]

Antim Crudum: After nursing child vomits its milk in curds and refuses to nurse afterwards and is very cross. Nausea and persistent vomiting as soon as the child eats or drinks.

Antimonium Tartaricum: A nursing infant suddenly lets go of the nipple, and cries as if out of breath, and seems to be better when held upright and carried about. Now, this may be the beginning of capillary bronchitis. There are fine subcrepitant rales all through the chest. *Antimonium Tartaricum* here nips the whole disease in the bud, and saves the child much suffering. [Source: Dr. E.A. Farrington]

Remember *Antimonium Tartaricum* when, in the course of lung affections, (especially in children) the cough ceases or becomes more rare, yet there is no diminution in the mucus-production. There is just as much rattling of phlegm, yet the child does not cough so frequently. The mother thinks the child is better, but in reality it is worse, for the lungs are losing their power. [Source: Dr. E.A. Farrington]

Arsenicum Album: Gastritis in *Arsenicum* children may be brought on by ice cream. A mixture of fruit and ice cream is particularly dangerous for *Arsenicum* children. [Source: Dr D M Borland]

Autism: Avoid the use of microwaves for food and drinks. Avoid as much as possible, plastic container for food and sugar and artificial sweeteners. Sugar inhibits the production of EPA and DHA, both Omega 3 fatty acids crucial to brain tissue. Avoid synthetic clothing. Have your child walk barefoot on the grass or earth when possible. Eliminate electric appliances in the bedroom. Do not vaccinate your child any further. [Source: Tinus Smits]

Over the last 3 years working with about 300 autistic children, I have discovered, with the help of Isotherpy, the factors involved in the genesis of autism. Many questions can now be answered: Yes – All autistic

children can be healed. No - autism is not just a vaccination problem or a heavy metal problem or leaky gut syndrome. Yes- Autism can be healed during adolescence or adulthood. [Source: *Tinus Smits*]

I remember an autistic child who got diarrhoea during detoxification of his vaccines. The diarrhoea relieved his system so much that his autism almost disappeared instantly. After 10 days the mother went to the family doctor who prescribed Imodium to stop the diarrhoea. Almost immediately the child became autistic as before. [Source: *Tinus Smits*]

Bacillinum: Dr. J. Compton Burnett has shown that Ringworm is often found in children having a consumptive family history, and that it is often easily cured with rare doses of the nosode of phthisis, named by him *Bacillinum*.

Baryta Carb: In scrofulous children, where every little cold starts up inflammation of the tonsils; the glands of the neck and behind the ear are swollen; it removes the predisposition to tonsillitis, and cures chronic enlargement of the tonsils. [Source: *W.A. Dewey*]

Bovista: Stammering in children. Aggravation from tight clothing. [Source: *Dr. H.C. Allen*]

Calcarea Ostrearum: It is often forgotten in scarlatina. It is to be placed alongside of *Zinc*, particularly in scrofulous children, when the rash is either undeveloped, or else recedes leaving the face unnaturally pale and bloated. [Source: *E A Farington*]

Calcarea Phosphorica: The Phosphorus element in this preparation seems to change the temperament, for while it retains its wonderful remedial power over tardy bone development it acts best in spare subjects instead of fat. So that if we find a sickly child with fontanelles remaining open too long or reopening after once closed, the child being spare and anaemic, we think of this remedy. [Source: *E. B. Nash*]

Calendula: Chief among the homeopathic remedies available for diaper rash is *Calendula*. Parents frequently find that the rash heals rapidly after applying *Calendula* lotion/ointment/gel. A word of caution here. If *Calendula* is available to you only in tincture form, which contains alcohol, it will 'burn' the skin. The tincture must be diluted in a ratio of 1 part remedy to 3 parts water before use. [Source: *Lyle W. Morgan*]

Camphora: It is a prominent remedy in the retrocession of measles and scarlatina when the face is pale, cold and hippocratic. The child is restless and will not tolerate the covers.

Capsicum: The typical *Capsicum* child is fat, lazy, somewhat obstinate and clumsy in movements. I have never seen a neat *Capsicum* child. Very forgetful, touchy, easily offended and irritated. Poor memory, slow learning in school and dislike of being away from home. Sore throats with high fever, flushed face, thirsty for cold drinks. [Source: Douglas Borland]

China: Infantile Jaundice; *China* 30 repeated doses for a few days have worked best for me. If Jaundice is after sudden drop of temperature between womb and room, *Aconite* has helped.

Cina: It is most powerful for the elimination of round worms. The sickly appearance of the face, the blue rings about the eyes, and the grinding of the teeth associated with canine hunger, give a perfect picture for the drug. With the oxyures (pinworms), which appear about the anus and get into the rectum, *Cina* is of no avail, because the symptoms caused by them are not symptoms of *Cina*. [Source: E. A. Farrington]

Mainly a remedy needed during childhood. Extremely irritable, even more than *Chamomilla*. Cannot stand to be touched or looked at. Capricious and cannot be quieted. May strike, pinch or scratch the parents when frustrated. Will not tolerate reprimand. [Source: Dr. Roger Morrison]

There is no child more contemptible than the *Cina*. He is easily excited, weak, screams, strikes and bites, is cross and obstinate. Grinding of teeth, cross, touchy disposition, picking and burning of nose, paleness about the mouth. [Source: George Royal]

Cocculus: It has cured umbilical hernia with obstinate constipation, after *Nux* failed. [Source: Henry C. Allen]

Diarrhoea: If children, while teething, have diarrhoea, do not interfere with it immediately, but wait a day or two if they have no other symptoms requiring treatment. [Source: Dr. Constantine Hering]

Doryphora Decemlineata: It is indicated in urethritis in children under 10 years of age, when the trouble has been provoked by local irritation. In these cases, think also of *Hyoscyamus*. [Source: Dr. Farrington]

Dulcamara: Children passing through the second period of dentition are often attacked with an eczema that is confined to the lower border of the hairy scalp on the occiput, between both ears, and which, after being once cured, is apt to break out again, and is always accompanied by glandular swellings of considerable size. Hartmann recommends *Dulcamara* for this eruption. We have used for it with perfect success.

Elaterium: It has watery, olive green stools coming out with a gush in case of Cholera Infantum. [Source: *W.A. Dewey*]

Ferrum phos: With fever of unknown origin in children, start with *Ferrum Phos.* [Source: *Louis Dion*]

Hydrastis: In all forms of stomatitis of children it is valuable; in simple ulceration, in mercurial sore mouths, and in stomatitis materna. We have found obstinate cases, in which other remedies had failed, yield to a wash of *Hydrastis* used several times a day. [Source: *E. Harris Ruddock*]

Ignatia: I have met one case in which were marked symptoms of hydrocephalus. It was a case resulting from giving laudanum and checking stools of enterocolitis of a teething baby. There were spasms of the throat, eyes and mouth, one cheek red, one pale, both hot. *Chamomilla* had failed but *Ignatia* cured. Sighing was the ranking symptom. [Source: *Dr. George Royal*]

Indigo: It is said to be a good remedy for ascarides, especially in melancholy children. *Teucrium* should also be thought of in this connection. [Source: *Dr. E.A. Farrington*]

Insomnia: In children who have had difficult insomnia since birth, think of *Carcinosin* and *Syphilinum*. [Source: *Louis Dion*]

Aconite: Sleeplessness, restlessness, feverish heat; continual tossing about from fear, fright, or anxiety.

Belladonna: Sleeplessness after weaning, with constant cries for hours and even days; starts during sleep, as if in fright.

Chamomilla: Sleeplessness, with colic and screams, restless sleep moaning, starting up, crying, and tossing about during sleep.

Coffea: The child is so playful that it is hard for him to fall asleep; excitable and weakly children.

Cypripedium: The child is excitable, laughs and plays at unusual hours; is very wakeful, and laughs even in sleep.

Gelsemium: Sleeplessness, a wide-awake feeling during dentition, with violent itching of face, head, and shoulders; face red.

Jalapa: Sleeplessness, with colic and screams.

Opium: Sleeplessness, with acuteness of hearing, which prevents sleep; or, instead of *Coffea*, where the nurse is in the habit of drinking coffee.

Sticta Pulmonaria: Sleeplessness, from nervousness or from cough. [Source: *S. Lilienthal*]

Ipecac: It is especially the infant's friend and is commonly indicated in the bronchitis of infancy. [Source: Dr. J.T. Kent]

Iris: In habitual vomiting in babies, one should think of *Iris*. [Source: Dr. C.G. Raue]

Jalapa: When a child is restless, cries and weeps whole night without an obvious cause, take it as a case of night flatulent colic. In such cases *Jalapa* is the remedy. [Source: Dr. P.S. Kamthan]

Kali Sulphuricum: There is no remedy so competent for rattling in the chest when that state has followed an acute attack of inflammation. When a child has passed through broncho-pneumonia and seems to have recovered, and after every weather change to cold the child coughs and rattles in the chest, then this remedy cures. [Source: J.T. Kent]

Kousso: To expel tape worms, *Kousso* – *Brayera* acts as a vermifuge. Dose ½ ounce. Mix with warm water and let stand 15 minutes; stir well and administer. May be preceded by a little lemon juice. [Source: Dr. William Boericke]

Kreosote: Never forget *Kreosote* in cholera infantum which seems to arise from painful dentition, or in connection with it. I have seen some of the finest effects ever witnessed from any remedy, for this one. [Source: Dr. Margaret L. Tyler]

Kreosotum is valuable for difficult dentition with dark, infiltrated gums. The child is very restless and of course cries. The teeth, when they do appear, show dark specks on the surface, soon grow black and crumbly and begin to decay. [Source: Dr. George Royal]

Laurocerasus Officinalis: The main remedy for strangulation from a wrapped umbilical cord is *Laurocerasus* (also *Carbo Veg*). *Laurocerasus* has blue face and extremities (sometimes from heart problems), but may also be normal color or pale and cold, with slow, feeble pulse. Better lying down and worse sitting up, which causes them to gasp. Worse from slightest exertion. [Source: Betty Idarius]

When it comes to congenital heart disease, after the children have been dosed with coramine and all the modern heart stimulants and tonics, from adrenalin on down, I have come along with my *Laurocerasus* and had normal heart action follow. It is a precious good remedy, virtually due to the *Hydrocyanic Acid*, which it contains. [Source: Dr. William B. Griggs]

Lycopodium: It is a master remedy in infantile eczema. [Source: Dr. Leon Renard]

I have found that *Lycopodium* is the most frequently prescribed remedy for boys born with undescended testicles. *Lycopodium* boys also develop right-sided inguinal hernias. [Source: Paul Herscu]

Magnesia Carbonicum: It is the great unloved, the illegitimate child, orphanage kid, anxious, silent, insecure with twitching face and fingers. Sunken neck and temples. Thin, dark, irritable, exhausted unattractive children whom nobody loves. Puny babies who refuse milk, sensitive to noise and touch. The child needing (the element) magnesium lacks creativity. Magnesium deficiency causes lack of mother love in animals. *Mag. Carb* is the chronic of *Chamomilla*. [Source: Dr. Elizabeth Wright Hubbard]

Magnesium Muriaticum: If we find a child who develops a liver problem and the parents confess to having many arguments, or even one serious argument in front of the child, that child likely needs *Magnesia Muriaticum*. [Source: Roger Morrison]

Medorrhinum: It should be considered for children who appear stunted in physical, emotional or mental development. *Medorrhinum* infants may have difficulty falling asleep, being too restless to relax. Faces may have spider hemangiomas. They may be classified as having failure to thrive with a big appetite. [Source: Paul Herscu]

Natrum Muriaticum: *Nat Mur* children are perfectionists, introverted, well groomed, refuse consolation and fear insects, robbers, emotional hurt. They are warm blooded, sleep on the left side, crave salt and sweets, avoid fat and slimy foods and experience aggravation from exposure to direct sunlight. [Source: Dr. Paul Herscu]

Oleum Jecoris: Ailments from faulty nutrition. Atrophy of infants, emaciation with hot hands and head, restless and feverish at night. Cannot tolerate milk. Pains in liver region. Beginning stages of tuberculosis. Worse motion, touch, stooping, draft of air. [Source: Robin Murphy]

Phosphoric Acid: It is indicated in the inflammatory bone affections of children, especially in inflammations of the vertebrae, if there is an evident disposition to caries and ichorous dissolution. [Source: Bernhard Baehr]

Phosphorus: The children may, in excitement and or in sympathy, give away favourite toys and other possessions. They are often carried away with good will during these moments and later regret such actions. Sleeps on right side, fear of the dark, nosebleeds, colds end in bronchitis or pneumonia, thirsty for cold drinks, craves sweets, ice cream, salt, cucumbers, fish. Better from consolation. [Source: Paul Herscu]

When a child previously needing *Calcarea Carbonica* or some other remedy evolves into a *Phosphorus* state, personality changes will often be dramatic. A child who was always shy, timid or headstrong becomes very outgoing and is all of a sudden picking up more friends, talking to strangers, and being unusually affectionate. The change toward openness is so characteristic of *Phosphorus*, that it is a key confirmation of the remedy. [Source: *Paul Herscu*]

Picric Acid: When the child begins to learn the alphabets, headache comes and returns with every repeated effort, often with dilated pupils. After every examination at school come these violent headaches.

Psorinum: It is a wonderful remedy. When you get another case of cholera infantum, with little left except the bones, with a wrinkled skin drawn over them, giving the child an old “mummy” look, give it and be astonished, especially if the discharges are so offensive that *Asafoetida* compared with it would seem a sweet perfume. [Source: *A. M. Gushing, The Medical Advance – August 1887*]

Scarlatina and Measles: The eruption in scarlet fever generally develops itself from 24-48 hours, that of measles rarely sets in before the 3rd or 5th day. In Scarlatina, there is also an absence of catarrhal symptoms, as cough, sneezing, and watering eyes. The greatly accelerated pulse, heat of skin, and high temperature, also denote the approach of scarlatina. [Source: *Joseph D. Laurie*]

Scorpion: Children who need *Scorpion* lack a conscience and compassion for the suffering of others. They can be violent, hurting or even murdering others if provoked, or just for the fun of it. Indifferent to pleasure or pain, to other’s opinion and to responsibility. Worse for noise, bright lights, terrified of dogs. Craves chocolate. [Source: *Robin Murphy, Judyth Reichenberg-Ullman*]

Silicea: Some children like to put their toys in order. They like their soldiers or whatever they play with: big one, smaller one, smallest one. This sort of orderliness you will see in *Silicea*. [Source: *Dr. Bill Gray*]

The *Silicea* child is not larger anywhere than natural except in its ‘big belly’, which is due to diseased mesentery. Its limbs are shrunken, its eyes sunken and its face pinched and old looking. It does not increase in size or strength, learns to walk late. [Source: *E. B. Nash*]

Skin: In newborns, the homeopathic remedy may be successfully applied to the skin. [Source: *Louis Dion*]

Spigelia: A remedy for symptoms due to the presence of worms. Child refers to the navel as the most painful part. Afraid of sharp, pointed things, pins, needles, etc.

Staphisagria: It is also a remedy for colicky children. The *Staphisagria* child is often troubled with sore eyelids. In such a case there is chronic tendency to colic and *Staphisagria* is sometimes the only remedy. [Source: E.B. Nash]

Sulphuric Acid: Dr. Guernsey recommends it for the hernia of infants, where there seem to be no symptoms present except a profound weakness of the little patient.

Suppression of Diarrhoea: The suppression of a diarrhoea will often produce constipation, then fever and a tendency to delirium. When cholera infantum was so prevalent many children who had received opium to stop the diarrhoea (which it promptly did) developed the next day a hydrocephaloid state and succumbed to the ravages of opium rather than to the ravages of the disease. [Source: H.A. Roberts]

Swelling of the Head in Newborns: The head of the infant at the birth is invariably more or less swollen, and this swelling usually subsides of itself. If it should last, *Arnica* will materially assist. Sometimes there is considerable tumour of the fontanel which is more serious than the former swelling, but which is rarely alarming. If it continues more than a day or two, administer *Rhus Tox*. [Source: Dr. J. Laurie]

Syphilinum: Crying infants when they develop this propensity immediately after birth and continue to cry. [Source: Dr. Swan, Dr. S.R. Phatak]

Syphilitic Indications: Children who have weak wrist and ankle joints, who have difficulty in holding on to objects, who drop things easily, who are clumsy in getting about and stumble over a straw, are manifesting the effects of the combined syphilis and psora, for this combination affects the tendons about the joints by weakening them so that they will not stand the strain of much use. [Source: H.A. Roberts]

Teething: Normally, dentition should begin not before the fourth month nor later than the seventh, and should be completed during the first month of the third year. But tuberculous and syphilitic children cut their teeth early, while in rickety infants, the teeth are slow to appear. [Source: H.R. Arndt]

Terebinthina: Raue, quoting from Cooper, recommends *Terebinthina* for teething, with restlessness at night, distension of the gums and symptoms of irritation. It acts promptly. [Source: W. A. Dewey]

Tuberculinum: For the excessively obstinate child, *Tuberculinum* is most often indicated. [Source: Dr. D.M. Foubister]

I have cured probably a hundred cases of Adenoids with *Tuberculinum* alone. [Source: Dr. J.T. Kent]

The *Tuberculinum* child will find out your most prized possession and break it. When you are about to go somewhere, he will throw an uncontrollable tantrum just to spoil your plans. Inside he may wonder why he does these things, but he cannot control himself. [Source: George Vithoulkas]

When teeth do not develop or appear, this remedy will produce teeth. When child's teeth look filthy and almost green, a dose of this will clean the teeth. [Source: Dr. R. Bishamber Das]

Viola Tricolor: It is an excellent drainage of a child skin. It has proved to be an excellent pulmonary drainage in infantile asthma. [Source: Dr. Julian]

Yellow Discoloration: A yellow discoloration of the skin and eyes is a frequent manifestation in new-born infants but, generally speaking, this is of but little import, and will pass off of itself when the secretion of the bile becomes better balanced with the requirements of the digestive organs. In cases which last more than a few days, one globule of *Mercurius* may be given, and repeated after an interval of forty eight hours. [Source: Dr. J. Laurie]

Comparisons

Ailments from Fear: When children have been frightened into fits and scream, tremble, have twitchings in the arms and legs; if the head is hot, with much perspiration and redness of the face, give *Opium*; if no better in half an hour, *Belladonna*; but if they become very pale, *Ignatia*; if very cold, with involuntary evacuations, *Veratrum*. [Source: Constantine Hering]

Anthelmintics: *Cina*, *Cuprum Ac*, *Filix Mas*. Ø, *Teucrium* 2x., *Urtica urens*, *Santonin* (not for tapeworm), *Kousso*, infusion of Pomegranate rind, pumpkin seed. For constitutional conditions commonly associated with worms: *Arsenicum*, *Calcarea Carb.*, *Sulphur*, *Silicea*, *Mercurius*. [Source: E. Harris Ruddock]

Asphyxia Neonatorum:

Aconite: The child is hot, purple hued, pulseless and breathless, or nearly so.

Antimonium Tart: There is much rattling of mucus; pale, with gasping, pulseless.

Belladonna: The face is very red and the eyeballs are greatly injected.

Laurocerasus: There is blueness of face, twitching of muscles of face and gasping, with rattling breathing.

Opium: The child is pale and breathless, but the cord still pulsates. [Source: C.E. Fisher, *The Southern Journal of Homeopathy*]

Antimonium Tart, a few drops every fifteen minutes. Where it fails, give *Opium* if the face is blue, or *China* if pale. After the babe shows signs of life, give *Aconite* when the face is red or blue, and *China* if pale. Also, *Laurocerasus* - face blue, imperceptible breathing, twitching muscles. *Camphora* - when *Antimonium Tart* fails, for the same symptoms. Do not neglect the usual mechanical means to restore respiration. [Source: Samuel Lilienthal]

Asthmatic Attacks of Infants: Asthmatic attacks of infants, with spasms, danger of suffocation and bluish face yield to *Ipecac*. If occurring during sleep, with screams, dry and husky cough and anxiety to *Sambucus*. If the spells seems to be excited by some abnormal condition of the heart to *Laurocerasus* or *Moschus*, and in cases of tall slim children to *Phosphorus*.

Biochemics for Teething Disorders: *Calcarea Phosphorica*: Is the chief remedy in teething disorders, to supply material for the bony structure of the tooth. Too late or retarded teething. All ailments during teething if traceable to deficiency of lime. Open fontanelles; slow in learning to walk; convulsions and spasms during teething. (Also *Magnesia Phos*.)

Magnesia Phosphorica: Chief remedy for the convulsions and spasms, during the attack. Alternate with *Calcarea Phos* to remove the cause.

Ferrum Phos: For fever; gums hot and inflamed, and other febrile disturbances.

Silicea: When there is much sweat about the head, also in scrofulous subjects. Alternate with *Calcarea Phos*. [Source: J. B. Chapman]

Birth Injury: Caused by the pressure on head during birth, this is either an extravasation of lymph or blood into the cellular tissue (caput succedaneum) or an extravasation of blood between the bones and the pericranium (thrombus neonatorum). *Arnica* will usually do what is required; in some cases, however, *Baryta Mur.* and *Mercurius* have been successfully applied. [Source: C.G.Raue]

Bismuth: It is one of our best remedies for cholera infantum; where the disease is sudden in onset and rapid in course. Such cases die in a night or even a few hours, unless *Bismuth*, *Veratrum*, *Kreosote* or other remedy

of rapid action saves them. *Bismuth* - Watery stools, profuse painless and offensive; vomiting of large quantities and intense thirst, accompanied with vomiting of water the moment it touches the stomach. Water only is vomited, food is retained a little longer. Prostration equal to *Ars* or *Verat*, but the surface is warm and covered with warm sweat. Pale face, rings around eyes.

Breast Secretion: The breast of every infant is charged with a kind of secretion, bearing some resemblance to milk. The symptom will disappear of itself if left alone. Pressing the breasts to encourage a discharge may produce inflammation and sometimes an abscess, which is really serious. For inflammatory symptoms excited by wanton interference, a weak lotion of *Arnica* (3 drops of tincture to a wineglass of water) may be applied to the part 3-4 times a day. If matter has formed, one globule of *Hepar Sulph* may be given, and the dose repeated after twenty-four hours.

Calcarea Phosphorica: It is slow in learning to do things, like *Baryta Carb*, in learning to walk from deficiency of bone formation, like *Calcarea*, the muscles also develop slowly; feeble minded; infant wants to nurse all the time; emaciated, backward. A wonderful developer of girls at puberty, like *Pulsatilla*. Anxiety when lifted from cradle, reverse of *Borax*. Wishes to go home, and when there, to go out.

Chamomilla vs Magnesia Carbonica: *Chamomilla* resembles *Magnesia Carb*. in many cases, particularly in diseases of children. In both remedies anxiety and restlessness are prominent. Both remedies have relief from moving about, and both have griping pains before stool, and both have irregularity in feeding as a cause of the illness. But in *Chamomilla* there is a yellowish-green stool, looking like chopped eggs.

Cholera Infantum: Veratrum Album: In most instances, the first remedy to be used. It is indicated by the suddenness of the attack, copious watery stools, violent and excessive vomiting, cold, clammy perspiration, especially on forehead and great exhaustion following each attack of vomiting and purging. The thirst is great, but each drink excites vomiting; the tongue is cold, the pulse almost, imperceptible, the face hippocratic.

Ipecac: Nausea and vomiting predominate; stools green as grass, or fermented like yeast; face pale and puffed, or sunken; blue rings around the eyes.

Podophyllum: Stools frequent, painless, watery, gushing, fetid or sour; yellow or green; often changing in their character, and usually worse in

the morning. Especially during dentition, when the head is hot and is continually rolled from side to side.

Arsenicum: Stools green, or dark, watery, offensive; violent and incessant vomiting of a brown substance, or of mucus and blood, excited by drinking; great thirst, but drinks only a little at a time; great restlessness and prostration; much emaciation; hippocratic face, cold extremities, distended and tympanitic abdomen. More useful in the later stages of the disease.

Camphor: Choleraic symptoms; collapse threatening; skin cold, yet the child will not remain covered; little or no vomiting and purging, great prostration and coldness.

Cuprum: Painful green stools; forcible vomiting or violent ineffectual efforts to vomit, relieved by drinking cold water. Especially when there is a tendency to convulsions from the beginning. Hydrocephaloid.

Iris Versicolor is a valuable remedy. Stool thin, watery, copious, bilious; vomiting of a sour fluid, or of soured milk; much pain and burning distress in the epigastrium. [Source: H. R. Arndt]

Disordered Dentition:

Aconitum: Feverishness, restlessness, inflamed gums.

Arsenicum: With much emaciation.

Belladonna: Flushed face, nervous irritability.

Calcarea Carb: Cases complicated with slimy diarrhoea; in scrofulous patients.

Chamomilla: An excellent medicine for most of the cases of disordered dentition, and, in the absence of fever. Bilious purging, intestinal irritation, cough, nervousness, and fretfulness. It may be given every two or three hours.

Kreosotum: In cachetic children; agitation and wakefulness, gums inflamed, constipation, teeth decay as soon as they appear.

Mercurius Solubilis: Green or bloody stools.

Podophyllum: Pain in paroxysms, with prolapsus ani.

Silicea: Much perspiration about the head when falling asleep. [Source: Edward Harris Ruddock]

Measles: *Aconitum* is the best remedy we have for the beginning of measles. If you find a case that you presume is going to be measles, with fever, restlessness, photophobia, coryza, sneezing and hard, croupy

cough, you are justified in giving *Aconite*. *Pulsatilla* is not the remedy if there be any fever. When moisture breaks out with the fever, *Belladonna* is more likely to be the remedy. If a drowsy state and suffused face, you may give *Gelsemium*. [Source: E. A. Farrington]

In measles, if the child is thirstless, consider *Pulsatilla*. If thirsty, *Bryonia*. [Source: Dr. D.P. Rastogi]

Mother and Child: A pregnant woman's experience may determine the baby's remedy. If the mother experienced fright during pregnancy, the baby may need *Aconite*. If grief, the baby may need *Ignatia* and so forth.

Saccharum Officinale: There is a remedy which is similar to *Calcarea Ostrearum*, and that is *Saccharum Officinale*. It is indicated in children who are large-limbed, fat and bloated, with a tendency to dropsy. The child is dainty and capricious. He cares nothing for substantial food but wants little "nick-nacks". He is always cross and whining, and if old enough he is indolent and does not care to occupy himself in any way. Everything seems to be too much trouble to him.

Sanicula: Dread of downward motion (*Borax*). Head and neck of children sweat profusely during sleep; wets the pillow far around (*Calcarea, Silicea*). Nausea and vomiting from car or carriage riding. Thirst; drinks little and often; is vomited soon as it reaches the stomach (*Arsenicum, Phosphorus*). Symptoms constantly changing (*Lac Caninum, Pulsatilla*). The odour of stool follows despite bathing (*Sulphur*). Excoriation of skin about anus (*Sulphur*). Child kicks off clothing even in coldest weather (*Hepar, Sulphur*). Emaciation, progressive; child looks old, dirty, greasy and brownish; skin about neck wrinkled, hangs in folds (*Abrotanum, Iodium, Natrum Mur., Sarsaparilla*).

Some Children's Constitutional Types: *Baryta Carbonica*: The children who do not grow, but pine away, with swelling of glandular structures.

Calcarea Carbonica: Fat babies with large heads, wide open fontanels, which are often covered with dirty or scurfy skin. Fair complexioned. They are lively, precocious. Their head sweats profusely during sleep, especially on the occiput. Stomach and bowels are large, sensitive to pressure. Bowels inclined to be loose. Feet damp and cool. Dentition slow and troublesome.

Calcarea Phosphoricum: Flabby, shrunken, emaciated children; skull thin and soft, with fontanels wide open; will not stand anymore; do not learn to walk; want to nurse all the time; great desire for salt

meats and potatoes; after eating and drinking, bellyache; retarded dentition with cold tumours, emaciation and loose, green and at times slimy stools.

Lycopodium: The children sleep apparently soundly, but scream out suddenly in sleep, stare about and cannot easily be pacified.

Silicea: Rickety children, sweat much about the head, especially forehead and face; claw their mouth during dentition and are prone to abscesses, glandular swellings and a fetid sweat of the feet.

Sulphur: These children who do not like to be washed, have pimples, boils and other eruptions on head, face and everywhere. They pick at the nose, have red lips, crave sour things, feel faint in the forenoon, may have diarrhoea early in the morning. Sleep is restless, start when falling asleep, cry out during sleep or murmur, moan and whine, or snore; their feet are cold in the morning and hot in the evening. They run about, but do not like to stand, sit hunched and walk stooping.

Thuja: These are children of sycotic and syphilitic taint. They are rather thin than fat, are prone to eruptions which, on healing, leave purple spots. Their teeth soon turn black and decay at the gums. The salivary glands swell. There is sometimes thrush or ranula. Offensive discharge from the ears, soreness of penis or vulva and about the buttocks, frequently recurring morning diarrhoea, pain in the left iliac region, fetid foot-sweats; often the uncovered parts sweat, while the covered parts are dry and hot. Their parents, one or both, have a greasy skin, and warts and moles, and crave salt, and the little one will show these hereditary symptoms.

Stammering: *Mercurius* is a very important remedy for a stuttering which comes out of hesitancy. Often there is a trembling of the mouth and tongue. The person may feel quite agitated at being asked a question and become overly excited, hurried, and embarrassed. *Stramonium* is more appropriate for a violent, choppy type of stammering, where the words seems to shoot out with harshness. She may exert herself a long time before uttering even a word.

Hyoscyamus may be tried when *Stramonium* fails.

Bovista: Stammering in children

Causticum: When due to or aggravated by excitement or vexation.

Lachesis: Stammering on certain letters.

Bufo: Gets angry when incoherent speech is not understood. [Source: Dr. Bishamber Das]

Vaccination: To give *Aconitum* for the fever after vaccination is injurious, as shown in many cases. The best remedy, confirmed by hundreds of cases, against bad consequences of vaccination, is *Silicea*. It is serviceable for eruptions, swelled glands under the arm, or boils on the head; for very red, inflamed and suppurating swelling of the arm, extending sometimes to the shoulder-joint, which brings the child in great danger and even for convulsions, which follow one or two weeks after vaccination. [Source: *Constantine Hering*]

Worms: Claiming to eradicate the tendency to worms by *Cina* is not proper. It helps clear the acute condition, but for tendency to worms, *Cicuta*, *Silicea*, *Sulphur*, *Merc Sol* and *Zincum* should be thought of. [Source: *Dr. K. N. Mathur*]

Teucrium is the remedy for ascarides or pin-worms. There is much irritation caused in the rectum. Hughes prefers the tincture or lower dilutions, saying that it rarely fails in this condition. Another remedy for pin-worms is *Sinapis Nigra*. [Source: *W. A. Dewey*]

Cases

Aloes Socotrina: I was called to treat a child five years of age suffering with a most obstinate form of constipation since birth. He had to be forced and held to the stool crying and screaming all the while being totally unable to pass any faeces even after an enema. I then gave a few doses of *Aloe* 200th and cured the whole trouble quickly and permanently. [Source: *Dr. E.B. Nash*]

Lachesis: Boy, 3, treated by sulfanilamide by suburban doctor for streptococcus throat. Local condition and fever controlled, but child dwindling, low persistent fever, very low white count. Can't bear top button of shirt closed, wakes from sleep or nap, cross and miserable. Left tonsil swollen and purplish, pain on empty swallowing, desires cold drinks, choking on eating. Pulse 120; yellowish faeces; mitral systolic murmur (recent). *Lachesis* 1M, one dose. No fever after second day. Normal rosy checks returned. Pulse 108. Throat better and choking gone. In one-week murmur gone, pulse 90, child active and gaining; thriving steadily ever since. [Source: *Elizabeth Wright Hubbard*]

Generalities

Abscess

- deep seated
- different parts of body after septic fever
- fall from
- formation, tendency
- muscles deep in
- non healing, repeated
- physical exertion after
- stitch abscess or to retain stitch
- tubercular abscess after repeated incisions

Staphylococcin.

Calc. Hypophos.

Pyrogen.

Symphytum.

Calc. Sulph.

Calc. Carb.

Calc. Hypophos., Penicillin, Sulphuric Acid.

Carb. Acid. , Calc. Hypophos.

Sulphur Acid.

Calc. Carb., Koch's Lymph, Tub.

Abscess of organs

- chronic
- discharge, bringing to
- fistula
- hard and painful gradually change to doughy consistency
- succession of

Anthracinum, Illecebrum, Pyrogen.

Syphilinum.

Myristica Sebifera.

Calc. Sulph.

Hipposasinum.

Syphilinum.

Actinomycosis

Mercury, Natrum Silicofluor., Proteus Bach.

Conium.

Adenoma; uterus, testis; schirrhous tumour

Adhesions

- pleuritis after
- to reduce after operation

Funiculus Umbilicalis, Phytolacca, Plumb. Met., Thiosinaminum.

Ranunculus Bulbosus.

Calc. Fluor.

Ageing early

Psorinum.

Aggravation after midnight

Aconite, Am M., Ant T., Arsenicum, Aur., Bry., Calc C., Cann S., Cantharis, Caps., Carb An., Caust., Chel., Coc C., Coffea, Croc., Cup., Dros., Dulc., Ferrum, Gels., Graphites, Hepar, Ign.,

	Iodium, Kali M., Kali N., Mag C., Mang., Mercurius, Mezer., Mur Ac., Nat S., Nux V., Par., Phosphorus, Phos Ac., Phyt., Platina, Podo., Puls., Ran S., Rhododendron, Rhus T., Rumx., Sambucus, Scilla., Sepia, Sil., Staphysagria, Sulph., Sulph Ac., Tarax., Thuj., Viol O.
<i>AIDS</i>	Anthracinum, Ars. Album, Ars. Iodide, Calc. Carb., Corydalis, Hepar, Nitric Acid, Sulphuric Acid, Syphilinum, Thyroidinum, Thuja.
<i>AIDS-specific</i>	Hydrastis, Nitric Acid, Syphilinum.
<i>Ailments from</i>	
- anger, internal spasms	Colocynth.
- bad eggs	Carbo Veg.
- dehydration	Carbo Veg., Cinchona.
- exertion; easy sprains from slight exertion with swelling of joints	Ledum.
- grief or loss	Causticum, Ignatia, Natrum Mur.
- head injuries	Arnica, Hypericum, Natrum Sulph.
- heat of a fire	Glonoine.
- humiliation	Ignatia, Lycopodium, Staph.
- loss of sleep; headache	Cimicfuga, Cocculus, Nux Vomica.
- rains; exposure to drenching rains	Phos, Rhus Tox, Sepia.
- sexual abstinence	Conium.
- sunstroke; chronic effects of	Natrum Carbonicum.
- surgical operations, shock from	Strontium Carbonicum.
- vaccination	Silicea, Thuja.
<i>Ailments, with pus formation</i>	Calc. Carb., Silicea.
<i>Air, sea and car sickness</i>	Cocculus, Conium.
<i>Air sickness</i>	Belladonna.
<i>Air, travel</i>	Aconite Nap., Cocculus.
<i>Air, travel, pain and blockage in ears; middle ear effusion</i>	Capsicum.

Alcoholism

- acute
- aggressive persons, in
- alcohol abuse, consequences of
- flatulence and piles, with
- habit, in broken down patients
- old alcoholics
- psychosis, alcoholic
- sleeplessness with
- withdrawal symptoms in

Allergic reactions

- antibiotics
- chromium, metal allergy
- citrus fruits
- contact
- cow's milk
- detergents
- dye allergy
- eggs to
- flour
- food colours to
- latex, allergy
- multiple
- petroleum products
- potatoes and cabbage of
- skin, of the

Acorn Kernels, Agave, Piscidia, Selenium, Strophanthus Hisp., Strychnin Nit., Sulphuric Acid, Syphilinum, Tuberculinum.

Apocynum.

Para-Benzoquinonum.

Nux Vom.

Quercus Glandium Spiriticus.

Carbo. Sulph.

Asarum.

Avena Sativa, Capsicum, Nux Vomica, Passiflora, Sulphuric Acid.

Avena Sativa.

Phosphorus, Syphilinum.

Apis, Cutis Suis, Fumaric Acid, Galphimia, Histamine, Kali Chlor., Nat Pyruvicum, Phos., Puls, Sanguisuga.

Apis, Bacterium Coli, Erythromycin, Medorrhinum, Penicillin, Psorinum, Succinic Acid, Sulphur, Tautopathy, Tetracycline.

Chromium Met.

Medorrhinum.

Apis Mel., Ledum, Tuberculin.

Lac-Vac, Tuberculinum.

Sycotic Co.

Sulphur, Tuberculinum.

Calc. Carb., China Ars.

Sycotic Co.

Ornithogalum.

Solanum Lycopersicum.

Anthracinum, Carcinosis,

Medorrhinum, Thuja.

Anthracinum.

Mag. Carb.

Anthracinum, Histaminum, Radium Brom.

- sugar	Tuberculinum.
<i>Alternating conditions</i> (metastasis) (eg. Rheumatism after checked diarrhea or piles alternating with rheumatism)	Abrotanum.
<i>Alternating states</i>	
- chill and heat	Arsenicum Album, Mercurius.
- delirium and colic	Plumbum.
- diarrhoea in summer and headache in winter	Podophyllum.
- diarrhoea in summer and eczema in winter	Petroleum.
- headache and foot sweat	Mercurius, Silicea.
- laughing and weeping	Coffea, Ignatia, Nux Moschata, Pulsatilla.
- pain and numbness	Gnaphalium.
- sciatica in summer and croupy cough in winter	Staphisagria.
- violent mania and disposition to silence	Veratrum Album.
<i>Anaphylactic states</i>	Antipyrine, Bacillus No. 7, Bacillus Proteus, Tetanus Antitoxin.
- antibiotics, use of frequently	Tub. Bov.
<i>Aluminum, utensils; toxins</i>	Cadm. Oxidatum.
<i>Anaesthesia, vapours side effects, or antidote</i>	Acetic Acid.
<i>Anaesthesia after</i>	
- not awakening as fast as they should; tend to bleed easily, sensitive to loud noises; nervous preoperatively or historically	Phosphorus.
- slow awakening and body feels cold to the touch, gums blue	Carbo Vegetabilis.
- sore, painful, do not want to be touched, bruising	Arnica.

- weakness, ennui, lethargy, anger, just not themselves post operatively	Staphysagria.
<i>Antidote to scorpion and serpent bite</i>	Guaco.
<i>Annual, return of symptoms</i>	Vipera.
<i>Awkward, position</i>	Tarentula Hisp.
<i>Bee sting</i>	Apis Mel., Carbolic Acid.
<i>Bleeding, disorder; coagulation deficiency</i>	China, Crotalus H., Lachesis, Phos.
<i>Bleeding, frank</i>	Phosphorus.
<i>Bleeding, from any part</i>	Erigeron.
<i>Bleeds, easily</i>	Arnica.
<i>Blood purifier</i>	Echinacea Ang.
<i>Body weight, gain to</i>	Alfalfa, Gentiana Lutea, Oleum Jacoris.
<i>Body weight, regulation of</i>	Thyroidinum.
<i>Bone disorders</i>	Calc. Fluor, Calc. Hypophos., Calc. Phos., Fluoric Acid, Hecla Lava, Merc Praecipitatus Ruber, Symphytum, Syphilinum.
- accelerate healing	Calc. Phos.
- brittle bones	Calc. Carb.
- caries	Mercurius.
- caries, purulent/nasal	Aurum Met., Symphytum.
- caries, violent, nocturnal complaints, with	Asafoetida.
- caries, palate and nasal	Aurum Met.
- caries, sternum	Conium.
- curvature, bones of	Calc. Carb.
- cysts	Syphilinum.
- defective formation	Calc. Carb.
- defects any where	Anthracinum, Hecla Lava.
- diseases with suppuration	Calc. Hypophos.
- fistula	Calc. Fluor, Phosphorus, Strontium Carb., Succinic Acid., Tuberculinum.
- fractures	Arnica, Symphytum.
- fractures, condition after	Osteomyelitis Nosode.
- fractures, heal slow to	Calc. Phos., D.N.A., Succinic Acid., Thyroidinum.

- fractures, nonhealing Calc. Phos.
- fractures, non union of Calc. Ars., Calc. Iod., Calc. Phos.,
Thyroidinum.
- fractures, pain at site of Eupatorium, Symphytum.
- fractures, pain all over the Terminalia Arjuna.
body with, owing to fall
- fractures, stimulation of Calc. Phos.
callous formation in
- fragility; syphilitic Phos.
- icy needle-like sensation Aranea Diadema.
- injuries Symphytum.
- necrosis of bones Hecla Lava, Medorrhinum, Psorinum,
Tuberculinum, Symphytum.
- ossification weak in Succinic Acid.
children
- osteitis Asafoetida.
- osteochondrosis Abrotanum, Cortisone, Syphilinum.
- osteogenesis Parathyroidinum.
imperfecta tarda
- osteomyelitis Merc Sol., Staphylococcus.
- osteoporosis Cortisone, Fluoric Acid.
- pains, bone Aur. Met., Asafoetida, Eupatorium Per.,
Merc. I R, Silicea, Sulphur.
- pain aching Stillingia, Syphilinum.
- pain, trunk, finger tip Kali. Bich.
covers
- periostitis Asafoetida, Manganum Sulph., Rhus
Tox.
- periostitis, local Ruta.
- periostitis with sensitivity Mezereum.
to touch
- rib pain, after pleuritis Abrotanum.
- rickets Calc. Carb., Calc. Phos., Hedera Helix,
Silicea.
- softening, of bones Calc. Carb.
- suppuration, bones Arundo Donax, Asafoetida, Vitrium.
- suppuration, chronic Calc. Ars., Calc. Iod.
- swellings, bony Calc. Fluor.
- tuberculosis of bone Anthracinum, Drosera.

- tubular bones, long bones	Stillingia Silvatica.
pain in, poorer in wet weather	
- ulceration	Calc. Carb., Syphilinum.
<i>Brucellosis</i>	Brucella Melitensis.
<i>Bruises, any where, anytime</i>	Bellis Perennis.
<i>Bruises, bones, cartilages, tendons; insertions of tendon and cartilagenous joints</i>	Ruta.
<i>Bubonic plague</i>	Hippozaeninum.
<i>Bulbous, excrescences</i>	Alumina.
<i>Burns</i>	Urtica Urens.
- pains	Cantharis.
- refuses to heal	X-Ray.
<i>Burning</i>	
- burning, brain, skin, stomach, chest, etc./in various parts	Phos.
- intense and intolerable	Anthracinum.
- mucus membranes	Cantharis.
- sensation in the body	Ars. Alb., Medorrhinum.
- soles and top of head	Sulphur.
<i>Bursting, sensation</i>	Phos., Vipera.
<i>Cachexia</i>	Funiculus Umbilicalis, Pancreas.
- cancer of	Thuja.
- tuberculosis with	Kreosote.
<i>Calcareous, deposits</i>	Urtica Urens.
<i>Calcification</i>	Calc. Renalis.
<i>Calcium, deposits/fat deposits</i>	Calc. Fluor, Crataegus.
<i>Calorificient</i>	Nat. Mur.
<i>Cancer</i>	Ars. Iod., Calc. Carb., Cad. Iod., Hydrocyanic Acid., Morgan Bach., Phytolacca, RNA.
- detoxification	Aqua Marina.
- epithelial, cancer	Acetic Acid.
- glands, cancerous	Scrophularia Nodosa (local application), Sempervivum (local application).

- malignancy, obscure Ars. Alb., Hydrastis.
- osteosarcoma Syphilinum.
- pain Citric Acid, Lupulin (local application).
- paint, on cancer or for Hydrastis.
- gargling
- sarcoma inoperable Cuprum Sulph (local application).
- surgery, wounds slow Ubiquinone.
- to heal with chronic
- suppuration after
- tumours occurs in relaxed Calc. Fluor.
- elastic fibre
- ulceration, cancerous Asterias Rubens.
- ulcers that bleed, cancerous Phos.
- ulcerated and painful Rajania Subsamara.

Cartilage

- cartilage, floating Rhus Tox.
- rib cartilage, painful Arg Met.
- rib cartilage, third left, pain Pix Liquida.
- of the

Cartilaginous, growth

Calc. Flour.

Cartilaginous, lumps

Sulphur.

Catarrhal flow

Achyranthes Aspera, Aconite, Ammon Nit., Azadarichta Indica., Kali Sulph., Luffa Operculata, Medo., Nat Caccodylate, Sambucus Nigra, Sycotic Co.

- acute Arum Triphyllum.
- chronic Ammon Iod., Baryta Oxalsuccinica.
- descending Sanguinaria.

Changeability; symptoms keep changing

Carcinosin, Cimicifuga, Lac Caninum, Kali Bi, Medorrhinum, Moschus, Pulsatilla, Tuberculinum.

Change of symptoms after each remedy

Tuberculinum.

Change of symptoms, rapid

Berberis Vulg.

Chilly patient

Calc. Carb.

Chloroform, side effects, can be antidoted by

Phosphorus.

<i>Chlorosis</i>	Calc. Ars., Ferrum Met.
<i>Chlorosis, young girls; anaemic, pale face</i>	Calc. Carb.
<i>Cholestrol, increased</i>	Carduus Mar., Cholestrinum, Lathyrus, Lyco., Nat. Sulph., Nux Vomica, Phos., Pulsatilla.
<i>Cicatrical, tissues, adhesion, strictures, tumour</i>	Sulphuric Acid., Thiosinamin.
<i>Coagulation, difficult; blood</i>	China, Phos.
<i>Cold, attack frequent</i>	Streptococcin.
<i>Cold, attack from every exposure to cold</i>	Calc. Carb.
<i>Coldness, body and parts of, specific</i>	Camphor.
<i>Congestion</i>	Morgan.
<i>Collagen disorders</i>	D.N.A., Funiculus Umbilicalis, Penicillin, Sarothamnus Scoparius, Triamcinolon.
<i>Collapse</i>	Agaricus Phalloides, Carbo Veg., Merc Cyanatus, Veratrum Alb.
- dizziness and nausea, with	Cocculus.
- heart beat, strong with	Convallaria Majalis.
<i>Connective tissue</i>	Anthracinum, Hydrocotyle, Silicea.
- function disturbances	Hypophysis.
- inflammations	Rhus Tox.
- suppuration	Calc. Sulph., Phosphorus.
<i>Constriction, circular muscular fibres of (Throat, Heart, Vagina etc.)</i>	Cactus Grandiflorus.
<i>Contracture</i>	
- aponeuroses	Tuberculinum, Tuberculinum Residuum.
- flexor muscles	Psorinum, Syphilinum.
- ligaments	Tuberculinum.
- ligaments rigid, stiffness aggravated by lifting, motion	Gettysburg Aqua.
- muscles	Tuberculinum.
<i>Cramps, on body or limbs</i>	Calc. Carb.

<i>Creatinine, increased</i>	Ars. Alb., Carcinotin, Serum Ang., Lyco., Terebinthin, Thlaspi B.P.
<i>Cyst</i>	Nat. Fluoricum, Silicea, Staphysagria.
<i>Cystic growth, tendency</i>	Calc. Carb.
<i>Cysts, sebaceous</i>	Calc. Fluor., Thiosinamin.
<i>Damp, climate, agg.</i>	Calc. Sulph.
<i>Debility</i>	Baryta Iod., Glycerinum, Streptococcinum.
- first physical due to loss of fluids and then mental	China Off.
- general	Streptococcinum.
- mental and physical	Acid. Phos.
- with perspiration	Iodium.
- vegetable due to	Hydrastis.
<i>Degenerative, diseases, heart, kidney</i>	Cadm. Oxidatum.
<i>Discharges fetid</i>	Cistus Canadensis (locally, as a wash).
<i>Disinfectant</i>	Cinnamomum Oil (aqueous solution), Echinacea (local application).
<i>Diathesis</i>	
- utero-rheumatic diathesis	Caulophyllum, Cimicifuga.
<i>Down's syndrome</i>	Desoxyribonucleic Acidum, Morgan Pure, Pertussin, Toxoplasma Gondii.
<i>Draft, great sensitivity to</i>	Medorrhinum.
- sensitivity to contact, with	China.
- slightest (causes pain)	Calc. Phos.
<i>Drug de-addiction</i>	Avena Sativa, Nux Vom, Passiflora Incarnata.
<i>Drunkards, chronic drunkards, weakness</i>	Cadmium Sulph.
<i>Dust, agg.</i>	House Dust, Ipecac, Pollaninum, Pothos foet.
<i>Emaciation</i>	Calc. Phos., Ferr. Ars., Hydrastis, Iodum, Nat. Mur., Tuberculinum.
- above downwards	Lycopodium, Nat. Mur.
- eating well, though	Iodum.
- gradual drying up	Arg. Met.
- legs, beginning in	Abrotanum, Pinus Silvestris.
- organic cause without any	X-ray.

- progressive, with loss of Calc. Carb.
appetite
- rapid Phos., Uranium Nit.
- thinness; constitutional, B.C.G.
especially tuberculous types
- weakness general Cubeba.
- Endurance none, though* Calc. Carb.
- looks plumpy*
- Energy, lack of* Picric Acid.
- Eosinophilia* Ars. Iodide, Bacillinum, Blatta,
Cuprum Oxa., Galphimia, Iris Ver.,
Strychninum Ars.
- tropical Ars. Iodide, Bacillinum, Blatta, Cuprum
Oxal., Iodium, Iris Ver., Sepia, Spongia,
Strychnin Ars.
- E.S.R. raised* Drosera, Tuberculinum.
- Epithelioma* Ars. Iod., Lapis Albus, Muriatic Acid.
- Exertion, agg.* Calc. Carb.
- Exertion, physical* Carbolic Acid.
- Exhaustion* Aletris Farinosa, Ars. Alb., Cadmium
Sulph., Carbo Veg., Coccus, Ferr.
Ars., Ferr. Phos., Senecio Aureus.
- coitus after Kali. Phos.
- loss of vital energy in Carbo Veg.
general, and also in
neoplasm phases
- Exhaustion, sheer could drop* China, Conium, Picric Acid.
- in, tracks*
- Exostosis* Calc. Carb.
- tendency Calc. Carb.
- Exudate, serous* Ars. Alb.
- Fat, to make people fat* Sabal Serrulata.
- Fainting in young girls* Linaria.
- Fatigue, chronic fatigue;* Arg. Nit.
mental, physical
- Fatigue, weakness; tired* Arnica M.
- Fatty, degeneration of liver,* Phos.
heart, kidney

<i>Fibromas</i>	Fraxinus Americana, Funiculus Umbilicalis.
<i>Fibrositis</i>	Apis, Causticum, Formica, Morgan Bach, Proteus Bach, Sycotic Co.
<i>Fibrositis, neck, shoulder, back</i>	Sycotic Co.
<i>Fibrous dysplasia</i>	Calc. Fluor., Hecla Lava, Mercury.
<i>Fissures, nose wings, anus, joints</i>	Causticum.
<i>Fistula, any type</i>	Calc. Carb., Carbolic Acid, Streptococcin.
<i>Fistula, in deep muscles</i>	Calc. Carb.
<i>Fluid imbalance, water retention and obesity</i>	Hypothalamus.
<i>Fluid, loss of</i>	Ars. Alb.
- exhaustion after	Phosphorus.
<i>Fluid retention</i>	Cortisone, Cynara Scolymus, Kali Aceticum, Solidago.
- various origins, of	Apocynum.
<i>Food and drinks</i>	
- acids, longing for	Conium.
- acid and fatty food, intolerance of	Pulsatilla.
- alcohol ameliorates	Gels., Conium, Granit M.
- alcoholic drinks, longing for	Staphysagria.
- alcohol intolerance of	Cerevisa, Conium, Vinum Badense.
- beer, longing for	Phosphoric Acid, Pulsatilla.
- beer, intolerance of	Alcohol.
- bread, aversion to	Nitric Acid.
- cheese, great desire	Cistus Can.
- coffee, allergic to	Cantharis.
- coffee habit	Angustura Vera.
- coffee, ailments from	Chamomilla, Gratiola off., Ignatia, Nux Vomica, Oxalic Ac., Thuja.
- cold drinks with unquenchable thirst in between, longing for	Secale Cor.
- cold, raw food	Silicea.

- disgust and aversion to	Nux Vom.
- egg, allergy	Calc. Carb., Chin. Ars., Ferr. Met.
- egg, craving	Calc. Carb.
- eggs/fish aggravates	China Ars.
- fat, inability to absorb or digest, after jaundice	Gaertner Bach., Pulsatilla (after jaundice).
- fats and salt, longing for	Nitric Acid.
- fats and sour foods, intolerance of	Pulsatilla.
- fish, allergy; shell fish	Urtica Urens.
- ice, ailments after drinking too much ice water in hot climate	Ars. Alb.
- liquid food; strong craving for	Calc. Ars.
- meat, aversion to	Muriatic Acid.
- milk, aggravates	Aethusa, Calc. Carb., Carica Papaya., Lac. Def.
- pork agg.	Pulsatilla.
- pork, craving, for	Crotalus Horridus.
- raw vegetables, ill effects of	Ars. Alb.
- rice, raw-eats	Alumina.
- salt things, craving	Calcarea carb.
- smell and sight of, aversion to	Colchicum, Vaccinium.
- sour, highly flavored, pungent things, craves	Hepar sulph.
- sour refreshing things; craves	Carbo Animalis.
- sugar, irresistible desire	Arg. Nit.
- sugar, sweet, craving	Carcinosin.
- sweets, agg.	Arg. Nit., Oxalic Acid.
- sweet, agg. gastric complaints	Oxalic Acid.
- sweets, craving	Arg. Nit., Thyroidinum (Thyroid weakness), Sulphur.
- tea, general ill health following habitual use	Ferr Met.

- tobacco, craving Caladium, Daphne Indica, Plantago.
- tobacco, hypersensitivity to Asclepias Tuberosa, Ignatia.
- tobacco addiction history Lobelia Infalata.
- of, hunger aggravation and chilliness with
- tobacco addiction history Tabacum.
- with cardiac complaints
- tobacco, reduces craving for Caladium, China.
- tobacco, longing for Daphne Indica.
- tomato, allergy Solanium Lycopersicum.
- warm drinks that are drunk Ars. Alb.
- in sips, longing for
- unknown things, longing for China.
- vinegar, craving Sepia.
- water, aversion to Ammonium Carbonicum, Stramonium.
- unknown things, longing for China.
- vinegar, craving Sepia.
- water, aversion to Ammonium Carbonicum, Stramonium.
- watery fruits and melons, ill effects of Ars. Alb.
- wheat; desire for and agg. Lycopodium, Lachesis, Natrum Mur.
- Abuse of*
- cod liver oil Hepar Sulph.
- condiments Nux Vomica.
- drugs in general Aloe, Hydr, Nux V, Teucrium.
- salt Arsenicum Album, Carbo Vegetabilis, Natrum Mur., Nitri Spiritus Dulcis., Phosphorus.
- sugar Merc V., Nat. P.
- Gait, staggering, walking while, as if intoxicated* Phos.
- Gangrene* Anthracinum, Bothrops Lanceolatus, Echinacea, Kreosote, Lachesis, Proteus Bach, Saccharum Officinale (local application), Secale, Sulphuric Acid.
- circulatory disorders with Aesculus, Nat Pyruvicum.
- diabetic Anthracinum, Ars. Alb., Lachesis, Nat Pyruvicum, Secale Cor.

- diabetic, when ulcers sensitive to touch Asafoetida.
- dry Leprominium, Psorinum.
- dry/wet (Bacterial infection) Echinacea, Sulphuric Acid.
- inflammation with sepsis Crotalus.
- moist Vipera Torva.
- pains in Ars. Alb., Stramonium.
- Raynaud's gangrene Secale Cor.
- senile Adrenalin, Anthrax., Ars. Alb., Ergot, Secale Cor., Vipera Torva.
- traumatic, best remedy Lachesis.
- wet Anthracinum.
- ulcer following Carbo Animalis.
- wound after Lachesis.
- Gardeners* Bellis Perennis.
- Gas poisoning* Veratrum Viride.
- Genital adipose syndrome* Corticotrophin.
- Glands* Aur. Met., Calc. Carb., Cad. Iod.
- calcification Parathyroidinum.
- cervical Calc. Carb., Carbo Animalis.
- cervical; indurated Calc. Fluor.
- hardening Lapis Albus.
- involvement Cadmium Iodide
- lymphatic Pyrogen, Scrophularia Nodosa.
- lymphatic, bead-like Tuberculinum.
- lymphatic, enlarged Streptococcinum, Syphilinum, Tuberculinum.
- mesenteric Toxoplasma Gondii.
- metastasis, going from one gland to another Pulsatilla.
- non-suppurative Toxoplasma Gondii.
- suppurating glands Rhus Tox.
- swelling Asterias Rubens, Bacillinum, Bromium, Calc. Ars., Calc. Carb., Cistus Can., Iodium, Phytolacca, Spongia, Thuja.
- swelling, acute Belladonna.
- swell every time patient takes cold Ailanthus, Mercury.

- swelling, scrofulosis Baryta Iod., Calc. Chlor., Chamomilla, Ferr. Iod.
- swelling, suppression of
 skin diseases or menstrual
 diseases, after Ferr. Iod.
- swollen, hot and painful Rhus Tox.
 with erysipelatous tissue
 around
- tuberculous cervical glands Drosera.
- tubercular in neck Ars. Iod., Calc. Carb., Cistus Can., Mer. Sol., Tub. Bov.
- Glandular, fistula* Silicea.
- Growth and development disorders* Hypothalamus, Thymus Gland.
- weakness of muscles and
 joints in children Abrotanum.
- Gluttony* Sepia.
- Glycogen storage disorder* Carduus M., Gaertner Bach, Glycerine, Lyco, Nat. Phos., Phos.
- Gullain Barre syndrome* Arg. Nit., Gelsemium, Sarco Lactic Acid., Secale Cor., Syphilinum, Vipera.
- Gumma* Calc. Carb., Carduus Marianus, Chelidonium, Hydrangea, Kali Iod., Leuticum, Merc. Sol., Syphilinum.
- Haemoglobin, low* Ferr. Phos., Lecithin., Nat. Phos., Vanadium, T.N.T.
- Haemoglobin, and R.B.C. low* Calc. Ars.
- with spleen and liver
 enlarged Calc. Ars., T.N.T.
- Haemophilia* Arnica, Crotalus Horr., Lachesis, Phosphorus, Vanadium.
- and arthritic joints; due to
 bleeding Oxalic Acid.
- Hangover* Platinum Mur.
- Heat stroke* Amyl Nitrosum, Cortisone.
- consequences of Melilotus.
- Heat; remedies Aesc, Allium Cepa, Aloe, Ambra, Apis, Arg. Nit., Asaf., Aur. Iod., Aur. M., Bar. Iod., Bry., Calad, Calc. Iod., Cal Sul.,
- predominantly aggravated
by heat

	Cocc Cacti, Comoc, Crocus, Dros., Fer. Iod., Fluoric Ac., Grat., Ham., Iod., Kali Iod., Kali Sul., Lach., Led., Lil T., Lyc, Nat. Mur., Nat. Sul., Niccol, Op., Picric Ac., Plat., Ptelia, Puls., Sabina, Secale, Spongia, Sul., Sul. Iod., Thuja, Tuberc, Ustilago, Vespa, Viburnum.
<i>Hot flushes</i>	Amyl Nitrosum, Sulphuric Acid.
<i>Height, rapid growth in height in young people</i>	Kreosotum.
<i>Hemangiomas or blood related tumors</i>	Flouricum Acid.
<i>Hemostatic remedy</i>	Geranium Maculatum.
<i>Hereditary, sycosis</i>	Ars. Iod., Nat Sulph., Silicea.
<i>High attitude, ill effects of</i>	Coca Erythroxylin.
<i>Histoplasmosis</i>	Sabina.
<i>HIV infection (See AIDS)</i>	Ceanothus Americanus (If platelets are low), Nit. Acid, Phos, Syphilinum, Vipera.
<i>Hodgkin's disease</i>	Ars. Iodide, Calc. Carb., Calc. Fluor., Cistus Can., Conium, Drosera, Gun Powder, Scrophularia Nodo, Syphilinum,
<i>Hydrogenoid constitution</i>	Nat. Sulph., Sycotic Co., Thuja.
<i>Hydrophobia</i>	Anagallis.
<i>Immune deficiency diseases, AIDS</i>	Aurum Mur., Nat., Silicea.
<i>Infection, anaerobic acute</i>	Pyrogen.
<i>Infectious diseases</i>	Aconite, Belladonna, Echinacea Ang., Nat. Oxalaceticum.
- chronic, lingering	Medorrhinum.
- development difficult, with	DI-Malicum Acid.
- E. Coli, Infections	Eupat. Purpur.
- repeated in children/adults	Carcinosin.
<i>Infectious mononucleosis</i>	Ailanthus, Carcinosin, Cistus, Feldspar, Iodium, Tuberculinum.
<i>Inflammation</i>	Echinacea Ang.
- chronic	Kali Mur., Kali Phos.
- connective tissue, of	Rhus Tox.

- gangrene and sepsis, with	Crotalus Hor.
- internal organs	Apis Mel.
- rademacherian remedy for inflammation	Nat. Nit.
- surface (erysipelas)	Belladonna.
<i>Instruments blunt; leave deep impression</i>	Bov.
<i>Iodine deficiency symptoms</i>	Calc. Iod., Fucus Vesiculosus, Silicea, Spongia, Thyroidinum.
<i>Jarring</i>	
- aggravation due to contact and	Belladonna.
- sensitivity to	Apis Mel.
<i>Labourers</i>	Bellis Perennis.
<i>Laprotomy, after</i>	Bismuthum (vomiting), Nux Vom., Staphysagria.
<i>Lassitude, half dead half alive feeling</i>	Tanacetum Vulgare.
<i>Laxative misuse</i>	Bacterium Pyocyaneus, Nux Vom.
<i>Lipoma</i>	Apis Mel., Calc. Fluor., Ferr. Pic., Kali Iod., Lapis Alb., Ruta, Thiosinamin, Thuja.
<i>Lumps/nodules</i>	Ruta.
<i>Lymphatic system, disturbance of</i>	Calc. Carb.
<i>Lymph glands enlarged; similitude of malignancy with localized groups of lymph glands</i>	Carcinosin.
<i>Lymphangioma</i>	Vipera.
<i>Lymphangitis</i>	Ars. Alb., Calc. Carb., Cist. Can., Crotalus Horridus, Streptococcin.
<i>Lymphangitis, everywhere</i>	Cadm. Iodide.
<i>Lymphoma</i>	Ars. Iod., Baryta Iod., Calc. Carb., Thuja.
<i>Maggots</i>	Carbo Animalis, Carbolic Acid.
<i>Malnutrition</i>	Gaertner Bach., Lyco., Silicea.
<i>Marasmus</i>	Abrotanum, Medo., Silicea, Zinc Met.
- preventive	Abrotanum, Calc. Phos., Gaertner Bach., Silicea.

<i>Mechanical injuries, bad effects of, tendency to gangrene with</i>	Sulphuric Acid.
<i>Mediastinum, peculiar pain in</i>	Gaultheria Procumbens.
<i>Medication, too much, we must antidote</i>	Nux Vom., Sepia.
<i>Miasms</i>	
- cancer	Arsenicum, Cadmium sulph, Conium, Hydrastis, Phytolacca, Carcinosisin.
- psora	Calcarea Carbonica, Graphites, Lycopodium, Nux Vomica, Sulphur, Psorinum.
- sycosis	Medorrhinum, Natrum Sul., Pulsatilla, Sepia, Staphisagria, Thuja.
- syphilis	Arsenicum, Aurum, Fluoric Acid., Kali Iodatum, Lachesis, Mercurius, Nitric Acid., Syphillinum.
- tubercular	Calc Phos., Phosphorus, Phos. Acid., Sil., Tuberculinum.
<i>Mixed miasms</i>	Tuberculinum.
<i>Mononucleosis</i>	Calendula (gargles).
<i>Mononucleosis, never well since</i>	Gelsemium, Phos. Acid.
<i>Mountain, sickness</i>	Bell., Coca.
<i>Mucocutaneous borders, ulceration and fissures of</i>	Nitric Acid., Paeonia Officinalis.
<i>Mucosal catarrh</i>	Aconite, Betula Alba, Myrica Cerifera, Sulphuric Acid.
<i>Multiple myeloma</i>	Thalidomide.
<i>Muscular, pains < at night</i>	Phytolacca.
<i>Myalgia</i>	Arnica, Formic Acid.
<i>Myositis</i>	Calc. Fluor.
<i>Nervous illnesses, organic</i>	Nat Pyruvicum, Serotonin.
<i>Neurasthenia</i>	Ambra Grisea, Arg. Nit., Damiana, Kali Phos., Picric Acid., Zinc Pic.
- deficient memory, from excessive venery, with	Anacardium.
- exhaustion from too close business application	Picric Acid.

- spinal	Tarentula Hisp.
<i>Never well since</i>	
- abdominal or eye surgery	Staphysagria.
- mental exertion	Kali Phos., Silicea.
- mononucleosis	Carcinosin, Cistus Canadensis.
- shock or fright from a family tragedy	Opium.
- vaccination	Thuja, Sulphur, Silicea.
<i>Nicotine abuse, consequences of</i>	Nux Vom.
<i>Nodes, bones on; skull and shin bones</i>	Phytolacca.
<i>Nodules</i>	Ruta.
<i>Non reaction due to irritable weakness</i>	Agaricus, Ambra Grisea, Asafoetida, Camphor, Castoreum, China, Coca, Coffea, Cypripe Diurn, Musk, Scutellaria, Tarentula, Valeriana, Zinc Ox.
<i>Numbness, parts, fingers in etc.</i>	Plumb. Met.
<i>Nutrition, faulty</i>	Calc. Phos., Gaertner, Silicea, Vanadium.
<i>Obesity</i>	Calotropis, Carlsbad, Fucus V, Phytolacca.
- constitutional	Calc. Carb., Graphites.
- endocrinal	Cimicifuga, Hypothalamus, Pituitrin.
- excessive	Apocynum, Calc. Iodide, Thyroidinum.
- fatty deposits around abdomen	Amm. Mur.
- flabby	Lac. Def.
- operation after	Calotropis, Silicea.
<i>Odour filthy</i>	Psorinum.
<i>Oedema or dropsy</i>	Adonis Ver., Aegle Folia, Amm. Benz., Apis Mel., Apocynum, Calc. Ars., Cortisone, Digitalis, Gallium Apar., Helleborus, Hippozaeninum, Hydrographis Spinosa, Lac. Def., Liatrius Spicata, Medorrhinum, Mercurius, Nitri Spiritus Dulcus., Psorinum.

- anaemia from Senecio Aur.
- anasarca Apis, Arsenicum, Asclepias, Bryonia, Eupatorium, Helleborus, Hepar Sulph.
- ascites Apis, Apocynum, Arsenicum, Bryonia.
- ascites and anasarca Oxydendron, Strophanthus.
- acute, inflammatory Apis Mel.
- angioneurotic Antipyrine, Apis, Bacterium Proteus, Bovista.
- body soreness of, with Ampelopsis.
- bronchial asthma, with Ant. Ars., Kali Nit.
- cardiac Crataegus, Lac. Def.
- cardiorenal Asclepias Syriaca, Rauwolfia Serpentina, Squilla.
- chest of, diarrhea and Merc. Sulph.
- dyspnea, with
- choking of breath and Lac. Vac.
- hysteria, with
- collapse and impaired renal Acetanilidum.
- function, with
- dry skin, constant urge Cahinca.
- to urinate and burning
- micturition, with
- edema glottis Apis, China, Stramonium.
- edema pulmonum Kali hydroiodatum, Kali Phosphoricum, Tartarus Emeticus.
- eyelids and face, of Amm. Benz.
- eyelids upper, of Kali Carb.
- hepatic Asclepias Syriaca, Lac-Def.
- hydrocephalus Apis, Cuprum, Helleborus, Sulphur, Zincum.
- hydropericardium Apocynum, Spongia.
- hydrothorax Apocynum, Bryonia, Helleborus, Kali Carb., Senega, Sulphur.
- infectious disease or Helleborus.
- malaria, after
- legs of Ferr. Met.
- legs of, in CA cervix Nat. Phos.
- menstrual disturbances Ferr. Met., Pulsatilla.
- from

- nephropathies with	Apocynum.
- nephritis, scanty urine and prostate pathology with	Oxydendron.
- nephritis after, sensorial apathy with	Nitri Spiritus Dulcis.
- palpitations and fear, as if death is near, accompanied by	Phaseolus.
- renal	Ampelopsis, Cortisone, Lac. Def., Vaccinotoxinum.
- renal, diarrhea and pain lower back with	Liatris Spicata.
- renal, hayfever and pain in kidney with	Solidago.
- renal, soreness of body and	Ampelopsis.
- rheumatism, palpitation and nephritis history of,	Adonis Vernalis.
- sweats, foot	Mag. Mur.
- thyroid disorders and excessive perspiration	Pilocarpine.
- urine retention from prostate swelling of, with	Chimaphila.
<i>Offensive</i>	
- body odour	Psorinum.
- foot sweat	Chloralum (local application).
<i>Old age complaints</i>	Alumina, Ambra Grisea, Baryta Carb., Carbo Veg., Caust., Conium, Fluoric Acid., Galium Aparine, Opium.
<i>Old age prevention</i>	Syphilinum, Thiosinamin, Vanadium.
<i>Operation, after; pain, tenderness at the spot</i>	Staphysagria.
<i>Opium, habit</i>	Berberis Vulgaris.
<i>Orifices of the body</i>	
- fissures at all	Beryllium Met., Graphites.
<i>Osteogenesis, imperfecta</i>	Calc. Carb., Hypophos., Phos., Hecla Lava.
<i>Oxygen carrier</i>	Ars. Nit., Carbo Veg., Carcinotin, Nat. Carb., Vanadium.

<i>Oxygenation</i>	Aspidosperma, Carbo Veg., Laurocerasus, T.N.T., Vanadium.
<i>Pains, agg. every night upto morning</i>	Syphilinum.
<i>Pain better by lying on painful side</i>	Bryonia, Calcarea, Chamomilla, Colchicum, Colocynth, Pulsatilla, Sepia.
<i>Pains, death of</i>	Tarentula Cubensis.
<i>Pains, of cancer</i>	Anthracinum, Ars. Alb., Crotalus horridus, Cubensis, Echinacea, Tarentula Hypericum, Vipera (open cancer).
<i>Pains, shifting and changing sides</i>	Lac. Can.
<i>Pain, unbearable</i>	Aconite, Arsenicum, Chamomilla, Coffea, Hepar, Hypericum, Ignatia, Phytolacca, Piper Methysticum.
<i>Pain, violent behaviour from pain</i>	Aurum, Chamomilla, Hepar.
<i>Papillomata</i>	Calc. Carb.
<i>- tendency</i>	Calc. Carb.
<i>Periodicity</i>	Aranea diadema.
<i>Photo sensitivity</i>	Proteus Bach.
<i>- sun aggravates</i>	Nat. Mur., Ruta.
<i>Physical exertion ameliorates</i>	Hepar, Ignatia, Lilium Tigrinum, Rhus Tox, Sepia.
<i>Poison ivy, antidote</i>	Tanacetum Vulgare.
<i>Poisoning</i>	Anacardium, Rhus Tox.
<i>Polyps</i>	Calc. Hypophos., Calc. Iod., Lemna Minor, Medorrhinum.
<i>- mucosal</i>	Bellis Per, Calc. Carb.
<i>- preventive</i>	Calc. Hypophos, Formica Rufa., Nitric Acid. (After surgery).
<i>Poor reaction following acute illness</i>	Carbo Veg., Sulphur, Tuberculinum.
<i>Pre-psyosis</i>	Encephalodor.
<i>Primary complex</i>	Ars. Iodide, Bacillinum, Calc. Carb., Drosera, Tuberculinum.
<i>Prostration, sudden, rapid</i>	Ars. Alb.

<i>Prostration, tiredness/ weakness after influenza, acute infection</i>	Carbo Veg.
<i>Proud, flesh</i>	Sil.
<i>Pulsation, all over body</i>	Aurum Met.
<i>Pulsation, sensation; throughout body</i>	Glonoine.
<i>Pulse, slow (Low B.P.)</i>	Camphor.
<i>Pyæmic, (pus forming) state</i>	Calc. Carb.
<i>Radiation, sickness</i>	Cadmium Sulph., Phosphorus.
<i>Radiation injury</i>	
- radiation therapy history of, with joint pains and better by warm bath	Radium Bromatum.
- x-rays and radium by	Causticum.
<i>Resistance to infection, lessened</i>	Cortisone.
<i>Rheumatism of the chest muscles and intercostal neuralgia</i>	Ranunculus Bulb.
<i>Rheumatic conditions brought by exposure to water; rain and damp conditions</i>	Dulcamara.
<i>Rheumatism, muscular</i>	Cimicifuga Racemosa.
<i>Rickets</i>	Calc. Carb.
<i>Sarcomas</i>	Gaertner and Morgan, Thuja.
<i>Sarcomas, giant cell</i>	Calc. Fluor., Symphytum.
<i>Scheuermann's disease</i>	Fluoric Acid., Parabenzoquinonum.
<i>Scleroderma</i>	Thyroidinum.
<i>Scrofula</i>	Abrotanum, Bacillinum, Calc. Carb., Kali Carb., Kali Iod., Silicea, Sulphur.
- scrofula, psoric	Calc. Carb.
<i>Sea shore amel.</i>	Medorrhinum.
<i>Sea sickness, car sick/train sick</i>	Tabacum.
<i>Senile, sclerosis</i>	Ars. Alb., Aurum Met., Baryta Carb., Baryta Mur., Plumb Met.
<i>Sensitive, touch, smell, odour, noises</i>	Phos.

<i>Septic, eczema, abscess, pyaemias, pustules.</i>	Hippozaeninum.
<i>Septic, symptoms, in infectious diseases</i>	Streptococcin.
<i>Serous fluid, chest/joints</i>	Bry., Sulph.
<i>Serum sickness, chronic phase</i>	Crotalus, Streptococcin, Crotalus.
<i>Septicemia</i>	Crotalus Horridus, Echinacea, Hydrophis Cyanocinctus, Penicillin, Pyrogen, Streptococcin.
- gram negative	Streptomycin.
- lymphatic glands affection, with	Rhus Tox.
- neonatal	Toxoplasma Gondii.
- septic conditions	Anthracinum, Arnica, Carbolic Acid, China Ars., Echinacea, Hepar Sulph., Indol, Lachesis, Pyrogen, Skatol, Vaccininum, Variolinum.
- threatened gangrene, in	Merc Sol.
<i>Shock, surgical operations after</i>	Strontium Carb., Veratrum Album.
<i>Sjogren's syndrome</i>	Tuberculinum Marmorek.
<i>Smoke, hypersensitivity to</i>	Ignatia.
<i>Soreness, extensive of muscle, bones and integuments as if beaten to pulp</i>	Badiaga.
<i>Spastic muscular contractions</i>	Cuprum Met.
<i>Spider, bite/poison</i>	Carb. Acid., Ledum.
<i>Spring aggravates</i>	Crotalus.
<i>Steven Johnson syndrome after/during allergy</i>	Apis, Kali Iod., Ruta.
<i>Streptococcus, infection</i>	Ailanthus Glandulosa.
<i>Stretching sphincters or tearing parts during operation pains</i>	Staphysagria.
<i>Stretching, constant for hours.</i>	Amyl. Nit., Teucrium.

<i>Sun stroke</i>	Belladonna, Glonoine.
- headache every summer as sequelae of sun stroke	Nat Carb.
<i>Suppuration, to promote</i>	Myristica.
- pus viscous and thin, foul- smelling	Asafoetida.
<i>Suppression</i>	
- brain disease from suppressed eruptions	Cicuta Virosa.
- heart disease from suppressed haemorrhoids or menses	Collinsonia.
- rheumatism from suddenly checked diarrhea or other secretions	Abrotanum.
- mania from suppressed neuralgia	Cimicifuga.
<i>Sweat</i>	
- abnormal	Pilocarpus Mic.
- between shoulder blades, shirt sticking to back, dark downy hair on back	Tub. Bov.
- feet	Baryta Carb, Calc Carb, Mag Mur., Psorinum, Silicea.
- feet and axillae	Tellurium.
- foul odour	Butyric Acid.
- hand	Calc Carb, Thuja.
- hand, cold	Nux Vom.
- hand, foul-smelling	Petroleum.
- head on; exertion <	Calc. Carb.
- increase in	Ammon Mur.
- night	Pilocarpus Mic.
- palms on the	Bufo.
- profuse, nocturnal	Chaulmoogra.
- slight effort, with	Iodium.
- spots in	Calc. Carb.
- sudden exertion	Calc. Carb.
<i>Sweat, between shoulder blades, shirt sticking to back, dark downy hair on back</i>	Tub. Bov.

<i>Sweat, pronounced and awfully malodorous foot sweat</i>	Butyric Acid.
<i>Sweat, head on - exertion <</i>	Calc. Carb.
<i>Systemic Lupus Erythmatosus</i>	Ars. Alb., Lyco., Nitric Acid., Thuja.
- joints pain, with	Formica In (inj.), Ruta.
<i>Temperature, rapid effect on it</i>	Streptococcin.
<i>Thirst, icy cold water for</i>	Phos.
<i>Time of aggravation</i>	
- 1-2 a.m. and 1-2 p.m.	Ars.
- 2-4 a.m.	Kali Carb.
- 3 a.m.	Calcarea.
- 3-5 a.m.	Sulphur.
- 4-5 a.m.	Nux Vom.
- 6 a.m.	Arnica, Hepar, Nux Vom.
- 7 a.m.	Bovista, Bryonia, Eupat., Podophyllum.
- 7-9 a.m.	(Fever) Eupat., Podophyllum.
- 9-10-11 a.m.	Nat. Mur., Stann.
- 10-11 a.m.	China S., Nat. Mur.
- 11 a.m.	Cactus, Baptisia, Nat. Mur., Nux Vomica, Sulphur.
- 12 noon regularly	Lachesis.
- 3 p.m.	Angust., Ant Tart., Apis, Ced.
- 3-4 p.m.	Belladonna.
- 4 p.m.	Apis, Lycopodium, Pulsatilla.
- 4-8 p.m.	Lycopodium.
- 5 p.m.	Kali Carb., Pulsatilla, Rhus, Thuja.
- 6 p.m.	Hepar, Rhus., Silicea.
- 7 p.m.	Lycopodium, Rhus.
<i>Tired, always</i>	Tuberculinum.
<i>Tired, always wants rests</i>	Phos.
<i>Tired; cannot work after</i>	Cocaine.
<i>Novocain</i>	
<i>Tired, patients</i>	Calc. Carb.
<i>Tonic after exhausting diseases</i>	Avena Sativa.

Touch

- aversion to being touched out of ticklishness Ignatia, Kali Carbonicum, Medorrhinum, Zincum.
- impelled to touch things Belladonna, Carcinosis, Hyocyamus, Lycopus, Mercurius, Sulphur, Thuja.

*Trauma, pelvic organs**Travel, sickness**Trembling, in old people**Tuberculoma**Tuberculosis*

- bone Phosphorus.
- glands, family history Ars. Iodide, Bacillinum, Kali Carb. Silicea.
- intestine Calc. Carb., Drosera.
- lungs Calc. Carb., Drosera.
- bones and joints Ars. Iodide, Calc. Carb., Phallandrium.
- prevention Drosera.
- primary complex Calc. Carb.

Tumors

- antrum; malignant Ars. Iodide, Calc. Fluor., Cal. Iodide, Hecla Lava, Selenium, Scrophularia, Thiosinaminum, Vanadium.
- around the neck, fatty Hecla Lava, Symphytum, Thiosinaminum.
- bone of, with hodgkin's Baryta Carb.
- lymphoma spread all over the body Kali Iod., Merc Bin Iod.
- cystic Apis M., Arurum Met., Calc. Sulph., Symphytum.
- debility, increased hunger and past history of suppression of eczema or menses with Ferr Iod.
- enchondroma Calc. Flour.
- encysted tumour Calc. Fluor., Nitric Acid.
- ganglion Bacillinum, Benzoid Acid., Calc. Fluor., Cobaltum, Ferrum Picric, Natrum Taurocholicum, Ruta, Sulphur, Symphytum, Thiosinamine.
- hard, indurated Conium.

- steatoma	Baryta Carbonica.
<i>Ulcers, pressure from like bed sores, ill fitting shoes, shooting pain with</i>	Paeonia.
<i>Uraemia</i>	Sulfanilamide.
- chronic	Botulinum.
<i>Uric acid, diathesis</i>	Benzoic Acid., Berberis, Ledum, Lyco., Nat. Phos., Ocimum Canum, Thlaspi Bursa Pastoris, Urtica Urens.
<i>Vaccination; ailments after</i>	Apis, Ars., Echi., Hep., Kali-Chl., Maland., Sil., Sulph., Thu.
- convulsions	Sil.
- cough	Thu.
- diarrhoea	Ant-T., Sil., Thu.
- emaciation, upper limbs	Maland., Thu.
- eruption, leg, pustules	Sulph.
- eye inflammation	Thu.
- felon, run-around	Thu.
- nausea	Sil.
- paralysis, lower limbs	Thu.
- respiration, asthmatic	Thu.
- respiration, asthmatic, children	Thu.
- stomach pain	Thu.
- suppuration, fingers, nails	Thu.
- swelling, shoulder	Apis, Thu.
- swelling, upper arm	Sil., Sulph., Thu.
- walking, gressus vaccinus	Iod., Sec.
<i>Vaccination, does not take</i>	Thuja.
<i>Vaccination, small pox; distress as fever, pain, ulcer, suppuration</i>	Arnica.
<i>Vital force, low, ebb-tide, of</i>	Cadm. Phos. (with jaundice and cachexia.)
<i>Vitamins, any condition arises, of lack of vitamins.</i>	Sulphur.
<i>Vitamins, avitaminotic; not getting any vitamins if only cooked meat is eaten</i>	Sulphur.

<i>Volkman's syndrome</i>	Tuberculinum Residuum.
<i>Wasting, diseases</i>	Vanadium.
<i>Wasting, muscles, of until he becomes skeleton (Emaciation)</i>	Plumb. met.
<i>Water, softners</i>	Cadm. Oxidatum.
<i>Weakness</i>	
- analgesics after	Salicyclic Acid.
- lack of strength, with	Selenium.
- old people, in	Ambra Grisea, Baryta Carb., Conium, Selenium.
- physical	Baryta Carb.
- from nursing, delivery	Calc. Carb.
- general; cancer history in family	Carcinosin.
- sexual intercourse, after; patient avoids	Calc. Carb.
- stimulants ameliorate	Phosphorus.
- tiredness, with	Cadm. Sulph.
- in women; menses, too early, too profuse, too copious; sinks down at every menstruation	Carbo. Animalis.
<i>Weight, loss</i>	Arg. Met., Ars. Alb., Gaertner Bach., Nat. Mur., Tuberculinum, Vanadium.
<i>Winter aggravation</i>	Acon., Alumina, Am C., Arg M., Arsenicum, Aur., Bryonia, Camph., Carbo Veg., Caust., Chamomilla, Dulcamara, Helleborus, Hep., Ipecac, Kali P., Nitricum, Acidum, Nux Moschata, Nux V., Petr., Psorinum, Rhus Tox., Sabad, Sep., Stront., Verb.
<i>Wounds</i>	Arnica, Calendula, Hamamelis.
- difficult to heal	Calendula (local application), Cortisone.
- lacerated	Staphysagria.
- small, bleeding	Kreosote, Phosphorus.
- suppurating	Aristolochia Clematis, Echinacea.

Remedy Hints

Abrotanum: Emaciation yet with good appetite. Ill effects of suppressed conditions, especially in gouty subjects. Cross, irritable, anxious, depressed. Face wrinkled, cold, dry, pale. Blue rings around dull-looking eyes. [Source: *William Boericke*]

Abrotanum is a powerful remedy and must not be repeated. It acts many weeks in waves and cycles. [Source: *Dr James Tyler Kent*]

The changing of one so-called disease into another always calls attention to *Abrotanum*. Inflammation of the parotid (mumps) changing to testis or mammae is generally cured by *Carbo Vegetabilis* or *Pulsatilla*, but *Abrotanum* has cured when these remedies have failed. [Source: *James Tyler Kent*]

Abscess: Opening the abscess with a lancet is always injurious in the end, even if a temporary relief follows at first. A natural opening keeps the air out, an artificial one induces the air to rush in. Under skilful homoeopathic treatment, it is hardly ever necessary or advisable to open the abscess with the lancet. *Hepar* or *Mercurius* hastens the suppuration. *Hepar*, 3rd trit., in water, will hasten the breaking open quite sufficiently. [Source: *Constantine Hering*]

Acetic Acid: Emaciation, weakness, anaemia, loss of appetite, burning thirst and copious pale urine are a combination calling for *Acetic Acidum*. Also, bad effects from stings; diabetes with great thirst, weakness, pallor and loss of flesh; haemorrhage after labor with pale skin and milk impoverished. [Source: *J.N. Shinghal*]

Aconitum Napellus: The sudden inflammations that come with thick discharges would never be *Aconite*. (J.T. Kent)

You should remember *Aconite* in incarcerated hernia, when inflammation has started in the strangulated bowel, with burning pain in the affected area. Also, vomiting of bile, great anxiety and cold sweat. [Source: *E. A. Farrington*]

Allium Cepa: Symptoms begin on the left side and go over to the right (*Lachesis*). Very sensitive to odour of flowers. Doubles up with colic pain (*Mag Phos*, *Colocynth*). A wonderful remedy for traumatic neuritis, often met with in a stump after amputation. Strong craving for onions, cannot take any other nourishment. Chilly crawls down the back; especially at night, with frequent urination. Fear that pains will become unbearable; pain in temples aggravated by winking. Sore and raw spots

on feet, especially heel, from friction. Worse evening, warm room. Better open air, cold room. [Source: *H. C. Allen, J.N. Shinga*]

Alstonia Constricta: Debility due to lack of digestive power after exhausting fevers accompanied by gone sensation in stomach, sinking in abdomen, dirty white tongue at base, nausea worse in morning, food remains long in stomach. [Source: *Dr. J.H. Clarke*]

Alumina: It effects tissue changes slowly. While the patient himself with deep seated psoric affections feels better generally after the remedy, it will be months before his symptoms go away. He may say: “I feel better, but my symptoms all appear to be here. I can eat better and sleep better.” Then it would be unwise to change the remedy. [Source: *J.T. Kent*]

The action of *Alumina* is slow in developing and the remedy must not be changed quickly. Paralyzes the bowel in the same way as lead, to which it is an antidote. Worse warmth of room, potatoes, starch, salt. [Source: *Robin Murphy*]

Ambra Grisea: For persons with advanced age who complain of impairment of function, such as weakness, coldness and numbness, usually of single parts, especially one sided complaints, *Ambra Grisea* is considered a great remedy. The third potency can be repeated with advantage. [Source: *Dr. P. Rajagopalarao*]

Ambra Grisea often takes the place of *Carbo Veg* and *Petroleum*, especially when one or the other of these seems indicated but does not act. Should not be given in evening as it causes aggravation. [Source: *Dr. S K Banerjea*]

Ammonium Carbonicum: Generally useful in great prostration with falling temperature. Poisoning by charcoal fumes (*Arnica*, *Bovista*). Patients requiring this drug are generally listless and lethargic. [Source: *Dr. T. F. Allen*]

Next to *China* I consider *Ammonium Carbonicum* the best remedy for anaemia caused by loss of blood.

Ammonium Muriaticum: One symptom of this remedy that has proved to be a valuable keynote for its administration is, ‘Sensation of coldness in the back, between the shoulders’. It is generally found in chest affections. It is as reliable a keynote as is the burning between the shoulders of *Lycopodium* or *Phosphorus*. [Source: *E.B. Nash*]

Sluggish persons who are corpulent, but disproportionately thin as to the limbs. Sciatica with pains worse for sitting, somewhat relieved

while walking and entirely relieved by lying down. Chronic sprains. Pain in left hip making the patient limp. Chills and fever every seven days. Violent cough that fills the mouth with saliva. Face flushes during animated conversation. Neuralgic pains in amputated limbs (*Cepa, Staph*). [Source: *E. A. Farrington*]

In chronic pain from sprains, give *Ammonium Muriaticum*. [Source: *Subrata K. Banerjee*]

Antimonium Crudum: *Antim Crudum* is the best antidote to the effects of sour wine.

For blotches, weals, and fever produced by shell-fish. A dose every three or four hours. [Source: *Joseph D. Laurie*]

Apis Mellifica: *Apis* has cured scarlatina albuminuria after *Cantharis, Digitalis* and *Helleborus* failed.

Apocynum Cannabinum: This remedy should be borne in mind in cases of persistently slow pulse (50 to 60), in acute affections of men much addicted to smoking. In cases of hydrothorax, following pleurisy, or in cases of relapse after the previous exhibition of *Bryonia*, bear this remedy in mind. [Source: *Henry C. Allen*]

Dropsy alternating with diarrhoea is a great keynote of *Apocynum*. Dropsy following haemorrhage. Prostrated, chilly, anaemic, great thirst with scanty urine and dry skin. The first sign the remedy is working is increased flow of urine, after having been scanty. It is worse from cold (opposite *Apis*). [Source: *J.N. Shinghal*]

Aranea Diadema: The most characteristic features of this remedy are, the tendency to a periodic recurrence of the symptoms at exactly the same hour, the general tendency to coldness (he feels cold to the bone) and the decided aggravation during cold-damp or rainy weather. Also, he feels as if parts were enlarged. [Source: *Willard Pierce*]

Argentum Nitricum: Convulsion preceded by great restlessness. Complaints appear gradually and cease gradually. Left sided complaints. Splinter like pains while swallowing in sore throat. Splinter like sensation in uterus while walking.

It is a valuable remedy for the chronic nervous results of alcoholic stimulants, or from excessive sexual indulgence, with great restlessness, fear of being alone, depression of spirits and general aggravation after eating. [Source: *Willard Pierce*]

Arnica Montana: *Arnica* is useful for those cases where pus is burrowed deep in the tissues, the result of injuries especially bruises and contusions. [Source: *George Royal*]

Arnica should never be applied hot or at all externally, when abrasion or cuts are present. [Source: *William Boericke*]

Be careful in giving *Arnica* in an accident with internal haemorrhage, because when *Arnica* is not indicated, everything aggravates. [Source: *A. Geukens*]

Bodily exhaustion from over-exertion; in addition to *Arnica* in potency, a hot bath in which *Arnica* tincture has been mixed (a teaspoon to the gallon). [Source: *Dr. J. H. Clarke*]

Some of us prescribe it always, with relief to the patient, after a vaccination. Unlike *Thuja*, which aborts the process entirely, *Arnica* simply relieves the discomfort, leaving the pustules to take their usual course.

Arnica Montana is the best remedy in many cases of Pleurodynia. I have cured many cases with one dose of the 200th and pain would often cease in a few minutes. My first remedy, nearly always. *Arnica* is also a good choice in mental shock where the patient has had a violent shock and can't get over it. Prof. Walter M. Williamson says, when rheumatism begins low down and works up, *Arnica* will cure. [Source: *J. A. Wakeman*]

Arsenicum: Hahnemann gives us an important foot note. "That symptoms of a not very important character, and, otherwise, trivial affections induce a sudden and complete sinking of the strength, is a very important and characteristic peculiarity of *Arsenicum*." Guernesey adds, "Exhaustion is not felt by the patient when lying still, but as soon as he moves, he is surprised to find himself so weak." [Source: *Dr. M.L. Tyler*]

No remedy is more restless than *Arsenicum*. In typhoid there is no remedy that prostrates more than *Arsenicum*. [Source: *E.B. Nash*]

Use *Arsenicum* in low attenuations in gastric; intestinal and kidney disease; higher in neuralgia, nervous disease, and skin. But if only surface conditions call for it, give the lowest potency: 2nd to 3rd trit. [Source: *William Boericke*]

Arsenicum is an excellent remedy after the abuse of ice, ice-cream, ice-water, sour beer, vinegar; also in persons suffering from the effects of excessive chewing of tobacco. [Source: *H. R. Arndt*]

Arsenicum is not pathologically indicated for more serious states like pneumonia and no sooner the restlessness is controlled, *Lyc*, *Phos*, or *Sulph* must be administered (by indications) if the life of the patient is to be saved. [Source: *V. R. Bhatia*]

Aurum Arsenicum: The depression of *Aurum Metallicum* and the anxiety of *Arsenicum* are often present in cases needing this remedy. Cancer based on a tuberculosis miasm or syphilitic constitution. The first effect of the remedy is a rapid increase in appetite. Peristaltic contractions of stomach and intestine are excited and absorption accelerated. [Source: Robin Murphy]

Avena Sativa: It is one of the most valuable means for overcoming the bad effects of the morphine habit. In most cases in which the habitué has not used more than four grains daily, the opiate may be abruptly discontinued, and even substituted, without any serious results. If a larger quantity has been taken for some time, it is better to gradually reduce the daily dose. *Avena* should be given in fifteen drop doses three or four times a day, well diluted. [Source: Dr. E.P. Anshutz]

Drug addictions. Bad effects of morphine or heroin addiction. Addicted to cocaine, marijuana, nervines, tranquilizers or sedatives. [Source: Robin Murphy]

Bacillinum: Bacillinum should not be given below the 30th and not repeated frequently. One dose a week is often sufficient to bring reaction. [Source: Dr. William Boericke]

Bambusa Arundinacea: In 1997, Berndt Schuster conducted a proving of a species of bamboo, *Bambusa Arundinacea*, the key mentals were: deserted, forsaken, alone in the world, she is poor and helpless in the world everything is insecure, meaningless, wrong and everything will fail, held captive by a life situation, desires change and support. One important physical symptom was: painful wooden stiffness felt in the bones, joints and muscles. Worse after rest and better for warmth.

Baryta Muriaticum: It is one of our deep acting constitutional remedies. Many cases of aneurism have been benefited by it. It has cured most stubborn cases of epilepsy. The patient desires open air, yet the open air often increases the symptoms. Dread of bathing, like *Sulphur*. Often worse in cold air and from becoming cold. [Source: J.T. Kent, *The Critique*, Vol. XV Jan-Dec, 1908]

Bismuth Subnitricum: Solitude is unbearable. Children cling desperately to their parent's hand out of terror of being alone, even for a few minutes. Inflammation of alimentary canal. Acute stomach pains in which even water is vomited as soon as it reaches the stomach. Craves cold drinks. Gums swollen, tongue white, metallic or sweetish taste. Slow digestion with fetid belching.

Blatta Orientalis: It has cured bad cases of general dropsy, after *Apis*, *Apocyanum* and *Digitalis* failed. [Source: Henry C. Allen]

Bromium: If used below the 6th, should be prepared freshly.

Bryonia Alba: Has several times lately been useful in unusual conditions, two cases of gall-stone colic and a like number of abortions. The symptoms were ones familiar to all of us and are simply cited to show that it is very important indeed to disabuse our minds of the idea that certain remedies are of necessity called for in certain diseases. [Source: C M Boger]

Do not take lime juice while taking *Bryonia*, as it is inimical to acids and lemons. [Source: J.T. Kent]

Bufo Rana: Its greatest use has been in epilepsy with seizures that occur at night during sleep or during menses. Falls down with a blood curdling scream. Epileptic attacks followed by headache. Also used in panaritium (infected finger) with red line running from inflammation. Breast Cancer. [Source: Robin Murphy]

Cadmium: *Cadmium* salts are our most valuable units against carcinosis or carcinoma (late stage). The pathogenesis of *Cadmium Sulph* has all the weakness and all the blood changes that correspond to a late cancer condition. [Source: Dr. A.H. Grimmer]

Cadmium Oxydatum: Cooking in Aluminium vessels has deleterious effects on health. *Cadmium Oxide* in potency is reputed to be the most rapid antidote to the bad effects of eating food cooked in Aluminium vessels. [Source: S.M. Gunavante]

Indispensable and unequalled as an antidote to the alumina toxins which stem from the use of aluminum cooking utensils, as well as from the toxins resulting from water softeners in which aluminum chloride is used. [Source: Dr. A.H. Grimmer]

Caladium: It can help in cases where smoking has brought about deterioration in health, i.e. in lungs, memory, vascular system and sexual ability. *Caladium* should not be prescribed for excessive desire, but rather where there is aggravation from smoking. [Source: George Vithoulkas]

Sweet perspiration that attracts flies. [Source: Dr. H.C. Allen]

Calcareo Carbonica: The adult *Calcareo Carbonica* patient can be so thin that you do not think of them as the pale fat-faced *Calcareo Carbonica*. [Source: Margery Blackie]

Calcareo Fluorica: It needs some time before manifesting its effects. It should not be repeated too frequently. [Source: William Boericke]

Calcareo Iodatum: This salt is to be thought of in acute exacerbations of chronic “*Calcareo*” diseases; the patient is often thin with dark hair, instead of blond and fat. Very susceptible to cold. [Source: *John L. Moffat*]

It has cured goitre, even exophthalmic goitre. It has cured convulsions, clonic epileptiform, with falling. It has cured Hydrocephalus. [Source: *J.T. Kent*]

Calcareo Phosphoricum: Large doses of *Calcareo Phosphoricum* are useless and are injurious. Prolonged administration has produced nephritic colic and passage of small calculi. For the aged, this remedy should not be given in lower potencies. [Source: *Dr. M. Fayazuddin*]

Calcareo Silicata: Lacks vital heat, aversion to and worse from bathing. Extreme sensitiveness to drafts. Emaciation. Better lying on back in bed. Great weakness on least exertion. Bones sore to touch. Confusion on waking, after eating, after exertion. Worse consolation. Delusions about dead people, hears their voices and answers them. Offensive cold sweat of feet. It has cured epithelioma, lupus, cataract, hydrocele. It greatly mitigates patients suffering from epilepsy, making the fits lighter and farther apart. [Source: *James Tyler Kent*]

Calendula: After burns, *Calendula* hinders and prevents gangrene, promotes granulations and prevents disfiguring scars. Favours cicatrization with the least possible suppuration; prevents exhaustion from loss of blood and excessive pain with delirium.

Camphor: Be cautioned against using *Camphor* without a clear indication of its necessity. Where too much has been taken, it produces terrible anguish and burning at the pit of the stomach, so great as to drive the sufferer almost to despair. A few globules of *Phosphorus* will promptly antidote the *Camphor* and relieve the patient. [Source: *Carroll Dunham*]

Camphor is a principal antidote in all poisonings by vegetable substances, and particularly, sharp, acrid, burning poisons, which cause inflammation and redness. In all cases of poisoning, if the patient suffers from vomiting and diarrhoea, is pale, cold as ice, and almost senseless, in such cases, if you do not know what kind of poison has been taken, you should prefer giving camphor. It will often suffice to let the patient smell it, or it may be rubbed on his skin, or given by drops on sugar. It is the principal remedy for poisons from insects. [Source: *Constantine Hering*]

Camphor is not to be given if there is perspiration, or should not be given as soon as perspiration begins. [Source: Dr. K.N. Mathur]

Coldness, frenzy and heat often intermingle. Great coldness of surface with a desire to uncover. Great heat or sweat with aversion to uncover. [Source: James Tyler Kent]

Cantharis: *Cantharis* 200 given internally quickly cures the inflamed and horrible swelling that may follow animal and insect bites. [Source: Dr. M.L. Tyler]

Most of the deaths occurring soon after receipt of burns or scalds are due immediately to shock. A potency of *cantharides* in water, given in repeated doses, combined with a local application of the same substance reduces the death list amazingly and is unequalled as a curative agent. [Source: Edmund Carleton]

Capsicum: In chronic splenitis *Capsicum* generally proves one of the most efficient remedies, both if the spleen is simply very sensitive and likewise if it is swollen and indurated, particularly after fever and ague. [Source: Dr. G.H.G. Jahr]

Carbo Veg: It is a wonderful remedy in septic conditions-blood poisoning, especially after surgical operations and after shock. It is a useful remedy in septic conditions; in scarlet fever; in any disease which takes on a sluggish form, with purplish and mottled appearance of the skin. [Source: James Tyler Kent]

Carbo Veg. is indicated after surgical shock, when the patient goes into collapse, and is in danger of dying from the shock of the operation. This is before inflammation sets in, for there is not vitality enough to arouse an inflammation. [Source: James Tyler Kent]

Think of *Carbo Veg* in those cases in which disease seems to be engrafted upon the system by reason of the depressing influence of some prior derangement (*Psorinum*). Thus, for instance, the patient tells us that asthma has troubled him ever since he had the whooping cough in childhood. [Source: E.B. Nash]

Carbolic Acid: Terrible pains that come on suddenly, last a short time and disappear suddenly. Frontal headache as if a rubber band stretched tightly over forehead. Burns that ulcerate with ichorous discharge. Putrid discharges. Constipation with horribly offensive breath. Marked acuteness of smell. [Source: H.C. Allen]

Carboneum Sulphuratum: It is our most useful remedy in patients broken down from the long use of alcoholic stimulants. Weakness and

suffocation from ascending stairs. Bathing brings on many symptoms. Many symptoms are worse after breakfast. It is a most useful remedy to restrain the growth of cancer (like *Graphites*) and it has cured lupus. [Source: *James Tyler Kent*]

Lack of vital heat. Diminished sensibility of arms, hands and feet. Hallucinations of sight and hearing. Changeable mood. Better in open air. Sensitive to warm, damp weather. First attenuation. [Source: *William Boericke*]

Carcinosin: Blue sclera, sleepless, obstinate, very sympathetic, loves to dance, better after a short sleep, fastidious, sensitive to music, anticipatory anxiety, prolonged fear, enjoys watching a thunderstorm, children weep if reprimanded, tears at the skin around the fingernails, cafe au lait complexion, strong reaction to sea air. [Source: *Dr. D.M. Foubister*]

Causticum: Where a patient tells you he has never been well since a severe burn, it may have been years ago, give him *Causticum*. Mind: despondent, over-sympathetic, conscience stricken as if he had committed a crime. Worse: Dry cold air, wind, draft, coffee, fat, exertion, darkness, 3-4 a.m. Better cold drinks, damp weather, warmth of bed. [Source: *Dr. S.R. Phatak*]

Most of the symptoms of *Causticum* are aggravated from drinking coffee. Do not allow your patient to drink it while taking *Causticum*. [Source: *C.M. Boger*]

Cedron: With *Cedron*, all symptoms come at regularly stated times, precisely at the same moment and on the same day. Adapted to persons of a voluptuous disposition, excitable, nervous temperament. Indicated in malaria, neuralgia. Pain in eyeball. [Source: *Dr. N.M Choudhuri*]

Cereus Bonplandii: Great desire to work and to be doing something useful. Loathing of life at and before menses, delusion she is weighed down by an incubus, is under a powerful influence. Occipital headache and pain through globe of the eyes and orbits. Pain in chest through heart, with pain running toward spleen. [Source: *William Boericke, H L Chitkara*]

Chamomilla: It is usually not a remedy to suggest itself in abscess, yet it has proved valuable in promoting the formation of pus in chronic abscesses where *Hepar Sulph* has failed to act promptly, and in making the pains more bearable.

Chelidonium Majus: The juice is yellow coloured which corresponds to the yellowishness of the skin, conjunctiva as in cases of jaundice. Specially

indicated in liver disorders, indigestion, flatulence, constipation, cholelithiasis. Miasm: psora. Center of action is right side, liver, portal system with congestive inflammation, lungs: right sided pneumonia with dyspnoea. Right ovary. Right malar bone.

Chemotherapy After-Effects: Swelling, burning, stinging on the site of chemotherapy intravenous needle insertion - *Apis* 30, t.i.d. Swelling and burning went away within 10 minutes after the 1st dose. 80% overall improvement after 2 days. Also *Ipecac* 30 was the only remedy required for nausea after chemotherapy.

Cinchona: Ascites from the loss of blood, from venesections, etc., yields to *Cinchona* as by a miracle. [Source: *Samuel Lilienthal*]

Cinchona is useful *only* when debility or anaemia comes from loss of fluids. You may use it for the results of haemorrhage from mouth, lungs or uterus, or when long lasting diarrhoea has exhausted the patient. It may even be used when the condition has proceeded further than a simple debility and hydrocephalus has developed. [Source: *E.A. Farrington*]

Cocculus Indicus: It is a valuable remedy in hernias, umbilical and especially inguinal, and it is particularly indicated when the abdominal muscles are weak and it seems as if a hernia would easily take place. Worse on the right side. [Source: *Willard Pierce*]

Cocculus is our most valuable remedy as a prophylactic against car sickness, or for sick headache caused by riding or reading in the cars. I do not recall a single failure with it when used in the 30th for two days before taking a trip on a steam railroad. [Source: *Willard Pierce*]

Coffee: It happens sometimes, that the most violent pains are increased very much by the smallest dose of the suitable remedy; in such cases give a spoonful of black coffee, and as soon as the aggravation has ceased, repeat the remedy. If made worse again, repeat the coffee, and so on until the improvement is permanent. A homoeopathic physician of the right stamp, a great master, wrote to the author, that he has given remedies in this way with the greatest success, *Colocynthis* and coffee for colic, *Pulsatilla* and Coffee for rheumatic pains in the limbs; and *Mercurius* and coffee for faceache. [Source: *C. Hering*]

Colchicum: It has nausea at odour, sight or even thought of food. Vomits mucus and bile. Complaints of head, bowel, liver and stomach are worse for motion. Chilly and better for heat. Burning or icy coldness in stomach. Pain moves from one joint to another. Memory weak, forgetful. Arthritis, gout, ailments after loss of sleep.

Conium: Patients requiring *Conium* often improve from wine or stimulants, though persons susceptible to *Conium* cannot take alcoholic stimulants when in health. (*Allen*)

‘Sweats day or night as soon as one sleeps or even when closing the eyes’, is a characteristic found under no other remedy that I know of. [*Source: E. B. Nash*]

Conium is of great utility in treating the effects of sexual excess. It has melancholy, averse to society, yet fears to be alone. May also be given when this mental condition arises from celibacy. [*Source: E. A. Farrington*]

The strongest characteristic I know is its peculiar vertigo, which is much aggravated by turning the head sidewise. Turning over in bed is the same. Many cases of lumps in the breast have disappeared under its action. Even cancerous affections of breasts (*Asterias Rubens*), uterus and stomach have been helped or cured, especially if originated in a blow or injury to the part. Pains of *Conium* are burning, stinging or darting and may make one think of *Apis*. [*Source: E. B. Nash*]

Contusions: In contused wounds, if whole pieces of flesh are torn off, *Calendula* helps much more rapidly and reliably than *Arnica*, only the external use must not be continued too long. Even in gun-shot wounds, where the whole limb is shattered *Calendula* is indispensable. [*Source: Dr. G.M.G Jahr*]

Cravings: In chronic disease you should stop the chronic craving. It has something in it that is detrimental to the patient. The very reverse is true in acute craving; these (acids, lager beer etc.) should be supplied in typhoid, in gestation (if not craved before) as these cravings are on a nutritive plane and medicine does not supply it rapidly enough. Only momentary cravings must be supplied. In the pregnancy, the mother must not be indulged if she had the craving all along before pregnancy; but if not and it is a craving incident in the state of pregnancy, let her have it. [*Source: J.T. Kent Unpublished Materia Medica, Dr. Ahmed N. Currim*]

Cuprum Metallicum: Baehr claims that *Cuprum* will cure most cases of chorea. It is indicated where the choreic movements start in the muscles of the fingers and toes and extend to the limbs. [*Source: W.A. Dewey*]

A prominent indication for *Cuprum* is that the skin is oversensitive, particularly in the region of the stomach and fourth and fifth dorsal vertebrae. [*Source: R. W. Nelson*]

Cuprum is invaluable for convulsions in Scarlatina before the eruption breaks out, or after its sudden disappearance, with screams, rolling of

the eyes, distortions of the face, mouth, and of all the flexor muscles. Convulsions begin in the fingers and toes, and then spread all over the body; great restlessness; vomiting; delirium; sopor. [Source: *Temple S. Hoyne*]

Mental and bodily exhaustion from over exertion of mind, or loss of sleep. This is similar to *Cocculus* and *Nux Vomica*. The other symptoms must decide between them. [Source: *Dr. E.B. Nash*]

Cyclamen: Chilly with aversion to open air. Silent grief and desires solitude. Self reproach. Feels forsaken. Thirstless, salty taste in mouth. Worse from fat, pork, butter, rich food. Visual disturbances and migraine. Purging and vomiting. Better from menses and during motion. Ill effects of grief and terror of conscience. [Source: *Frans Vermeulen*]

Cynodon Dactylon: It cures haemorrhage from any orifice of the body. Use mother tincture 5 drops in a little water every three hours. [Source: *Dr. T.P. Chatterjee*]

Dioscorea: The colic, which is relieved by standing erect or bending backwards, the opposite of *Colocynth*. For cases of broken down, nervous systems, with nocturnal emissions, even cases partially demented, I know of no remedy that can compete with it. [Source: *A. M. Gushing, The Medical Advance*]

Drainage Remedies: Drainage serves the dual role of organic stimulation and elimination of toxins.

Skin – *Calendula*, *Cyrtopodium*, *Petroleum*

Mucus Membranes – *Hydrastis*, *Sedum Acre*

Stomach – *Condurango*, *Ornithogallum*

Rectum – *Hura*, *Ruta*, *Scrofularia*

Liver – *Cardus Mar*, *Chelidonium*, *Cinchona*, *Conium*, *Taraxacuum*, *Solidago*

Pancreas – *Senna*

Kidneys – *Berberis*, *Formica Rufa*, *Sarsaparilla*, *Solidago* [Source: *Dr. E.A. Maury*]

Dropsies: In cases of dropsy we usually use *Apis Mel* which gives much relief but is slow in action and does not cure. Another remedy from Indian medicines, namely *Boerhavia Diffusa* Q, cures even chronic cases.

Drosera: I've used *Drosera* for growing pains in children. I've also had great success with this remedy when treating the spasms of multiple sclerosis.

Dulcamara: Ailments from wet weather, change of weather from warm to cold. Worse before storms, cold air, perspiration, suppressed discharges. Better moving about, warm dry weather. Cough after exertion. Burning thirst for cold drinks. Domineering, strong minded, possessive and quarrelsome. [Source: *F. Vermeulen*]

Dulcamara should not be given before or after *Acetic Acid*, *Belladonna* or *Lachesis*. [Source: *H.C. Allen*]

Dysentery Co: A patient had tachycardia in the night, mostly after midnight. *Dysentery Co* 1M, 1 dose was given which relieved. *Dysentery Co* is the Bach bowel nosode. There is nervous tension, anticipatory anxiety, palpitation from anticipation. Physically, it acts on the pylorus, causing spasm and retention of digested contents. Wakes midnight to 1 a.m. with pain in stomach relieved by vomiting mucus. Duodenal ulcer with nervous tension.

Echinacea: It has been used for appendicitis, but remember that it promotes suppuration. A neglected appendix with pus formation would probably rupture sooner under its use. [Source: *William Boericke*]

It is a specific for the condition of the system which sets up the boil habit. I never have found a case so bad, and I've had some very severe ones, that an ounce and a half of *Echinacea* taken in ten-drop doses four times a day, would not cure. Try it in your cases of stomatitis with depraved conditions of the system, both internally and locally. It has done me valuable service in cases of old ulcers and unhealthy sores, both as local and internal treatment. Then in your typhoid cases, with the characteristic indication, it is simply a wonderful remedy, I have seen it step in and restore normal conditions when it seemed impossible for remedies to act quick enough to prevent a fatal termination. [Source: *Dr. W. H. Ramey, Medical Gleaner*]

Evade Surgery: In the nasal tract, polyps will yield to *Calcarea Carbonica*, *Sanguinaria*, *Phosphorus* or *Teucrium*.

Gall bladder surgery can be indefinitely postponed very often with *Calcarea Carbonica*, *Bryonia*, *Chelidonium*, *Podophyllum*, *Magnesia muriatica*, or even *Colocynth*.

Ovarian cysts yield to *Colocynth*, *Lycopodium*, *Lachesis*, *Podophyllum* or *Thuja*.

Lycopodium and *Sepia* prevent hernia development better than trusses.

Many prolapsed operations can be averted by *Sepia*, *Murex* or *Lilium Tigrinum*.

Even in strangulated hernia, *Nux Vomica* will sometimes relax and reduce the hernia while the operating room is being prepared. [Source: Dr. Elizabeth Wright Hubbard]

External Applications: *Ichthyolum*: Equal parts of mother tincture and water, warmed and applied over rheumatic joints to relieve pain.

Calcarea Chlorinate: Useful as local application for boils and carbuncles.

Plantago Major: It is a most useful local remedy for relieving neuralgias, earaches, facial neuralgias, especially left side.

Family Juglandaceae: All the *Juglandaceae* seem to produce a condition of the blood in which that fluid becomes dark and pitch-like in colour. They all cause haemorrhages. *Juglans Regia*, or the walnut, is useful for menses coming too soon, and composed of nothing but black coagula.

Ferrum and Acetic Acid: *Ferrum* and *Acetic Acid* are dangerous in many cases of advanced tuberculosis, owing to their power of inducing haemorrhages.

Ferrum Metallicum: *Ferrum* is one of our best remedies for cough with vomiting of food. It is also one of the very few remedies having a red face during chill, and has more than once led to the cure of intermittent fever on that symptom. [Source: W.A. Dewey]

Ferrum Metallicum should never be given in syphilis as it always aggravates the condition. [Source: Dr. HC Allen]

Ferrum Phosphoricum: *Ferrum Phosphoricum* given in that stage of inflammation described as “dilatation of the blood vessels”, prevents further extension of the disease. Thus in engorgement of the lungs, it prevents the subsequent pneumonia. Whenever the discharge contains blood and you have not the asthenic fever that belongs to *Aconite*, you may depend upon *Ferrum Phos*. [Source: E.A. Farrington]

Ferrum Picrum: The symptom that especially calls for it, is failure of an organ under exertion; e.g. The voice that fails after public speaking. Second and third trituration. [Source: William Boericke]

Fluoric Acid: This remedy affects the right ear, right side and nape of the neck, right side of the back, teeth of the left side, left hypochondrium and left side of the abdomen. [Source: H.N. Guernsey]

Fragaria: For anaphylaxis from strawberry allergy, explore *fragaria* in high potency. Tongue swollen, strawberry tongue, urticaria, petechial and erysipelatous eruption.

Fumes and Gases: *Carbo Veg* is the best single antidote to fumes and gases which reduce the power of the blood cells to exchange carbonic acid (CO₂) and Oxygen. *Acetic Acid* antidotes fumes of charcoal and gas. [Source: Dr. Grimmer, Dr. H. C. Allen]

Gelsemium: For the weak, slow pulse of old age there is no remedy oftener useful than *Gelsemium*. [Source: E.B. Nash]

Gelsemium is our first remedy in cases of prostration and exhausted state that results from the heat of the sun.

When called to a person who feels he has cold chills running up the spine, yet to the touch is hot, there is no remedy equal to *Gelsemium*.

If called to a person whose head is hot, extremities cold, no particular pain, stupor, dull, desires to be let alone, *Gelsemium*.

Many persons have a headache for months, just enough to be annoying, top and back of head, *Gelsemium* three times a day will relieve in a short time.

When you find a person subject to spasms of glottis, no remedy equals *Gelsemium*.

Persons will come stating that they wake up in the night with a nervous feeling in fleshy part of the legs and arms; cannot go to sleep; muscles in continuous motion not a cramp, but a nervous feeling of unrest not troubled during the day. *Gelsemium* upon retiring and upon awakening will soon relieve.

In a large per cent of cases of insomnia from mental overwork, feel as though could not get themselves together, or remain still long enough to quiet down, want of nervous control, *Gelsemium*. [Source: J. E. King, *The Hahnemannian Advocate*, 1902]

Gender Aversion: Some remedies have aversion to men, some to women, but these remedies may be averse to either men or women: *Conium*, *Lycopodium*, *Natrum Muriaticum*.

Glonoine: This distressing complaint comes on from the motion of the vessel in riding in boats and a few people are affected in the same way by riding in the cars, or from swinging. *Glonoine* 3 has proven to be efficacious in several ocean voyages. Give every half hour, till relieved. Usually, we found one or two doses relieved. We have found that seasickness may be avoided by taking a dose of the pellets when first feeling the fullness in the head. [Source: Morton M. Eaton]

Glycerinum: Used homeopathically, dynamized, it seems to act deeply and long, building up tissue. Of great use in marasmus, diabetes and mental and physical debility. General sense of exhaustion, profuse and

frequent urination with increased specific gravity and sugar. Fermentation in stomach. 30th and higher potencies.

Gunpowder: Septic suppuration. I think this remedy should be in every first aid kit. Its cardinal constituents are sulphur, carbon, and nitre or saltpetre. The Indians of North America and Canada have found in it a remedy for snake-bites. The shepherds of East Anglia, use it extensively in treating their flocks and themselves for wounds and blood – poisoning of many kinds, and for protecting themselves against wound infection. [Source: Dr. J.H. Clarke]

Hamamelis Virginica: Of great value in open, painful wounds and weakness from loss of blood after operations. It supersedes the use of morphia. Q, 200C [Source: Subrata K. Banerjee]

Helianthus Annus: Babesiose also called Piroplasmose, is caused by *Babesia bigeminba*, a blood parasite transmitted by ticks. The acute form is easy to recognise; high temperature, apathy, yellow eyes and urine with coffee colour. For this deadly sickness, there is a vaccine that doesn't protect completely and often results in a chronic form, more difficult to recognise. The vaccine contains *Babesia Bigemina*. The parasite destroys the red blood-cells, and haemoglobin is set free, making the kidneys and liver toxic and damaging the spleen. I have often achieved considerable success after the sickness or after the vaccination, with *Helianthus Annus* 5 CH for a week, which cleanses the liver, kidneys and spleen. [Source: Jacques Millemann]

Helleborus: It is an excellent remedy in post-scarlatinal dropsies, which come on very rapidly. Here the coffee grounds sediment may or may not be present. The choice is sometimes not easy between this remedy and *Apis Mellifica*. [Source: Dr. E.B. Nash]

Heloderma: The poison differs in so many points from all present known venoms. In the first place it is alkaline, and all other poisons of reptiles are acid. Second, its effect is not always sudden but is lasting, causing sickness for months and death even after a year. It does not seem to excite but to depress. [Source: E.P. Anshutz]

Hepar Sulph: There is no other remedy I know that has amelioration so strongly in damp weather as *Hepar Sulph*. [Source: E.B. Nash]

Homarus (The Lobster): Aggravation from milk. Persons have been known to die after eating lobster and thereafter drinking milk. Wakened at night by the necessity to pass wind. Felt as though he could not move, but on moving felt better. No appetite, worse after sleep, in the morning,

on drawing a long breath. Better from motion, passing wind, after eating, from inhaling cold air. [Source: Dr. J.H. Clarke]

Hydrophobinum: Louis Klein has related *Hydrophobinum* to compulsive disorders, family abuse issues and feelings of torment, ridicule and isolation. Agoraphobia and other phobias, especially to dogs. History of animal bite or anti rabies vaccination. [Source: Dr. Roger Morrison, Desktop Guide]

Hyoscyamus: It is one of our best remedies for hiccough occurring after operations on the abdomen. [Source: E.A. Farrington]

Hypericum: A shoemaker may stick his awl into the end of his thumb or a carpenter may stick his finger with a brass tack and he does not think much of it, but the next night shooting pains extend up the arm with much violence. The allopathic physician looks upon that as a serious matter, for he sees lockjaw or tetanus ahead. When these pains come on *Hypericum* will stop them, and from this stage to advanced states of tetanus with opisthotonos and lock-jaw *Hypericum* is the remedy. [Source: James Tyler Kent]

A wound will sometimes yawn, swell up, no tendency to heal, look dry and shiny on its edges, red, inflamed, burning, stinging, tearing pains; no healing process. That wound needs *Hypericum*. [Source: James Tyler Kent]

Hypericum given at intervals of 20 minutes for 12 hours or longer seems to control the pain of laparotomy. [Source: Dr. P. Rajagopalarao]

Hysterical Spasms: One of the most effective remedies for these spasms, which sometimes not only simulate eclampsia but likewise epilepsy, is *Ignatia Silicea* is my great remedy for hysterical spasms, if *Ignatia* is not sufficient. [Source: Dr. G.M.G Jahr]

Icy Cold Pains: *Arsenicum* has burning pains, but *Saccharum Lactis* has icy cold pains. Swan regards cold pains as a keynote. One such sensation is extreme cold passing in a fine line from center of pubes to a point 2-3 inches above.

Ignatia: Hahnemann says: "It is best to administer *Ignatia* in the morning, if there is no occasion for hurry. When given shortly before bedtime it causes too much restlessness at night" (Materia Medica Pura).

In half of the cases coming to you because they think they have swallowed a fishbone and can feel it sticking in their throat when they swallow, it is a mistake, for they have done no such thing, even if they have been eating fish. In a majority of the rest of the cases there is no bone to be

found. But in nine-tenths of all the cases, *Ignatia* given internally will cure the cause of the irritation. [Source: Dr. Williard Pierce]

The chief characteristic of *Ignatia* is the unexpectedness of its conditions of amelioration and aggravation. When they are in sorrow they want to be left alone. When they have a chill they have thirst. While with fever they have none, but want to be covered up warmly. There is great sensitiveness of the surface, which instead of being aggravated by contact and by pressure, is relieved by it. This contradiction of symptoms, the so-called “contrariness,” is a general characteristic of *Ignatia* both mentally and physically. [Source: Williard Pierce]

Incompatible Foods: Vinegar: Patients on *Belladonna* or *Borax* should avoid vinegar, as it retards the action of those remedies.

Wine: Patients on *Arnica*, *Benzoicum Acidum*, *Borax*, *Zincum*, *Selenium*, *Rannunculus* and *Angophora* should avoid wine.

Coffee: Patients on *Lacticum Acidum* should avoid coffee, as it aggravates the symptoms. [Source: J H Clarke]

Insect Bites: *Natrum Muriaticum* 6x cures rapidly. Moisten the painful spot and apply thereto *Natrum Mur* 6th trituration, rubbing it in. Pain ceases at once. [Source: Boericke and W.A. Dewey]

Ipecac: It is the antidote to *Opium* poisoning and has been of great value in weaning the system of Morphine habit. When symptoms correspond, the potencies of *Opium* may antidote bad effects of opium drugging. [Source: Dr. H. C. Allen]

Jaundice and Rh Incompatibility: If jaundice is due to rhesus incompatibility or appears after a blood transfusion, *Crot. Horridus* is often indicated. [Source: Katja Schutt]

Kali Carbonicum: You will seldom find *Kali Carb* indicated when there is a full round pulse. [Source: E.A. Farrington]

Kali Hydriodicum: We use this remedy for severe pains in the bones, where the bones swell. In violent headaches where the cranium swells up in hard lumps, the pain being very intense. [Source: H.N. Guernsey]

Kali Iodatum: During an acute disease, if the physical symptoms seem to be minor, but the pain is unbearable, think of *Kali Iodatum*.

Kali Muriaticum: For eczema, albuminoid and other eruptions resulting from vaccination with bad lymph (*Thuja*); also from suppressed menses or other deranged uterine function. With these conditions you always get

enlargement and sometimes suppuration of the glands which drain the affected area. [Source: Dr. George Royal]

Kali Mur is useful in burns of all degrees and can also be used externally. The 3x dissolved in water will frequently give instant relief of the pain of severe burns. [Source: Boericke and W.A. Dewey]

The principal general characteristic symptoms are a white or gray coating at the base of the tongue, white or gray exudations, glandular swellings, discharges or expectorations of a thick, white fibrinous slime or phlegm from any mucus surface, flour-like scaling of the skin and torpor of the liver. Worse by fats, rich food, open air, drafts, heat of bed, during menses. [Source: Boericke and W.A. Dewey]

Kalmia: It is especially useful when gout or rheumatism shifts from the joints to the heart, especially after external applications to the joints. The heart pains are sharp, taking away the breath, and the patient almost suffocates, so severe are they. The pains shoot down into the abdomen or stomach. The pulse is slow, almost as slow as that calling for *Digitalis*.

When we find the combination of rheumatism and neuralgia. The patient describes severe pain. Sudden acute severe arthritis. Cardiac disorders resulting when superficial pathology (e.g. rheumatism) is suppressed. Pains extend downward, facial neuralgia, stiffness around eyes and lids, chest pain radiating to left hand/arm. Valvular heart disease. Complements *Spigelia*. [Source: Roger Morrison]

Karwinskia: *Karwinskia*, a plant found in Mexico (Rhamnaceae family), presents as flaccid paralysis which increases ending in quadriplegia. Ascending progressive paralysis, painless, mostly left sided. Nausea, vomiting, diarrhoea followed by intestinal paralysis, dyspnoea ending in respiratory paralysis. Buzzing in both ears. Bedsores. Proved by Luis de Legarreta, 1961.

Lac Defloratum: If you find fear of narrow places, extreme chilliness, aversion to and aggravation from milk, violent headaches and complications of pregnancy, think of *Lac Defloratum*. [Source: Frans Vermeulen]

Lac Remedies: *Lac Vaccinum Defloratum* (Skimmed Cow's Milk): Fear of narrow places, aversion to company, sadness ameliorated by conversation, delusion that her friends are dead and she will have to go to a convent, suicidal and meditates on easiest way, aversion to and aggravation from milk. Chilly, worse cold, draft, loss of sleep, noise, motion.

Lac Vaccinum (Cows's Milk): Nervous and depressed. Symptoms appear on both sides simultaneously (in *Lac Caninum* sides alternate). Frequent discharge of large quantities of clear urine. Blindness comes and goes. Rheumatic pains in knee. Flat white ulcers on tongue, also slimy mucus. Sharp pain on each side of sternum.

Lac Felinum (Cat's Milk): Fear of pins, pointed things, illusion that pointed objects will run into her eyes. Morbidly conscientious with every little fault judged a crime. Sharp pain through center of left eyeball. Headache with pain in left eyeball extending to vertex. Desire to eat paper. Worse lying on left side.

Lac Humanum (Human Breast Milk): Tinus Smits sees the basic problem as lack of incarnation, homesickness for the astral world and anxiety about the responsibilities of physicality. Detached feeling, not centered, his energy is easily disturbed by the energy of other persons or the surroundings. There is no real clarity of mind. Indifference to suffering. Helpful to others in order to be accepted and not alone. Having two wills. Alternating sides. Sadness during menses, craves sweets and starches, chocolate, salt, bacon, ginger (eating disorders). Thirstless. Cracks in corners of mouth, nausea from odor of food, chilly. Pain in chest from sternum to back. [Source: J.R. & R. Ullman, M. Blackie, Rajan Sankaran, Robin Murphy, Tinus Smits]

Lachesis: In malignant Scarlatina, during the decline of the eruption, a typhoid condition often supervenes, probably from the absorption of the ichorous discharge from the throat. This condition is characterized by prostration, quick feeble pulse, low muttering delirium, and jactitation. In this stage *Lachesis* is an invaluable remedy, especially when the patient is worse in the afternoon, and after awaking from sleep.

Lachesis as the first prescription in the 200th potency may provoke immediate aggravation. It is better to open with the 30th or 1M potency. [Source: Dr. T.P. Chatterjee]

Lachesis ought not to be repeated frequently. If well indicated, a single dose should be allowed to exhaust its action. [Source: William Boericke]

Physically, *Lachesis* resembles *Phosphorus* and *Sepia* in being slim and lithe. The fingers tend to be long and thin, the facial features generally sharp or hawkish, the lips thin, the mouth wide, refined. The upper eyelids often droop slightly, giving a characteristic snake appearance. [Source: Philip M. Bailey]

Lapis Albus: I have used the remedy in many cases of scrofulous enlargement of the cervical glands, and find that it is almost specific

where the glands have a certain amount of elasticity and pliability about them, rather than a stony hardness, such as might call for *Calcareo Fluorica*, *Cistus* or *Carbo Animalis*. [Source: Dr. E.P. Anshutz]

Lapis Albus must not be given to persons who have previously suffered from malarial diseases or other intermittent, as it engenders relapses of those diseases. [Source: Dr. E.M. Hale]

Laurocerasus: Hartmann claims that this is one of the most important remedies in treating apoplexy when it occurs suddenly *without prodroma*; the patient falls suddenly into a comatose state out of which he cannot be aroused; palpitation of heart, cold moist skin, convulsions of the muscles of the face are symptoms which should be present. [Source: W. A. Dewey]

Laurocerasus is often overlooked in lack of reaction, when the well chosen remedy does not act. Here it vies with *Sulphur* and *Opium*. [Source: Elizabeth Wright Hubbard]

Ledum: Coldness, Injured parts: *Ledum Palustre* (normally injured parts are hot.). Wounded parts feel cold to touch, and to the patient, and yet the pains are relieved by cold. There is coldness of the body generally, or of some parts only. As if cold water were poured over them. [Source: Adolph Von Lippe, Dr. M.L. Tyler]

For mosquito bites, *Ledum*.

Ledum 200 is a specific for scorpion sting. Repeat every five minutes till stinging comes down. Also, for all insect bites, take *ledum* in a routine way. *Apis* 30 if there is rapid swelling after bites. [Source: Dr. V K Krishnamoorthy]

Ledum helps prevents infections after puncture wounds. Its use in preventing tetanus and Lyme disease have been established. It may also be useful for Hepatitis C and AIDS when they are introduced through a puncture wound. While there is no research on this yet, it seems prudent to try it. Medical personnel exposed to such risks, should take note, since there are few other options.

Lycopodium: I am myself very fond of *Lycopodium* in cases of suspected tuberculosis in young men, where yet there is no evidence of tubercular deposit. [Source: Dr. Hering]

Lyssin: The sight or sound of running or pouring water aggravates all complaints. Wounds bluish. Cannot bear heat of sun. Convulsions from light, from slightest touch or current of air. Desire to urinate on seeing running water. Difficulty swallowing. Violent temper. Defends against imaginary insults, imagines he is abused. [Source: H.C. Allen, H.L. Chitkara]

Magnesium Muriaticum: People who need *Magnesia Muriatica* have a dissatisfaction which shows vividly in the sour facial expression. Sensitive to confrontation and always trying to make peace. They want others to be happy and satisfied. Strong sense of duty and take on too many tasks. Restless, unable to relax and suffer tremendously with sleep difficulties. Aggravation from lying down applies to all symptoms, physical and mental. Chilly, but likes open air. Craves sweets and veggies.

Magnesium Phosphoricum: It is a wonderful remedy for spasmodic hiccoughing. I have sometimes given *Mag Phos.* for hiccoughing when I could not get any other symptoms to prescribe on. [Source: *J T Kent*]

Shock followed by severe pain in head and nape with fever often comes after tetanus shots. *Mag Phos* will bring comfort. [Source: *Dr. A.H. Grimmer*]

Manganum: It is a wonderful remedy for bedridden women who love to keep still, and it is said of them that they love to lie in bed. [Source: *James Tyler Kent*]

Manganum Aceticum: They like to be of service, to help those who have a hard time. Inclined to deny themselves basic comforts, e.g. Mother Teresa. Pain extends to ears, every part of body feels sore when touched, cough better lying down, ascending paralysis, deafness in damp weather. Wants to lie down in bed which improves all troubles. Better lying down, open air, sad music. Worse – cold wet weather, touch, night, motion, bending backward. [Source: *Jan Scholten, Robin Murphy*]

Medulla Ossium: *Medulla ossium* (a homeopathic preparation of bone marrow) in C4 potency, 10 drops twice a day, greatly stimulates the manufacture of red and white blood cells and eliminates the anaemia or leucopenia. Even given preventively during chemotherapy it works nicely. [Source: *Tinus Smits*]

Mercurialis Perennis: This common plant has some strange and rare symptoms: Conscious of having a nose; feels as if she had two noses; vertigo doing downstairs, pain as if a band tied tightly across the forehead. Throbbing and orgasm in all the veins. Warmth in spleen.

Mercurius: It is one of our good remedies in abscess. It comes in after *Belladonna* when pus has formed. It favours the formation of pus especially in the lower potencies, and is especially indicated in glandular abscesses; the pus is unhealthy, greenish in tint, and quite thin and fluid. [Source: *W. A. Dewey*]

Mercurius will restrain and sometimes cure epithelioma. I knew one case cured by the proto-iodide, an ulcerated, indurated lump in the breast as large as a goose egg, with knots in the axilla, blueness of the part, and no hope. [Source: Dr. J.T. Kent]

Mercurius Iodatus Ruber:

Mercurius Iodatus Ruber (Mercurius Bin-iodide) glandular swellings, also when such swellings occur during, or follow Scarlet Fever. [Source: E. Harris Ruddock]

Mercurius Iodatus Ruber: Left sided sore throat. Worse empty swallowing, after sleep. Dark red fauces, swollen tonsils or glands yet little exudate. Stiff muscles of throat and neck.

Mercurius Iodatus Flavus: Right sided sore throat (or starts on right and goes to left). Swelled tonsils. Better from cold drinks. Tongue coated thickly, yellow at base. [Source: Dr. C.M. Boger]

Millefolium: The haemorrhage is painless, and the blood very light coloured and fluid. In painless drainings from the uterus (or nose or lungs) after labor, after abortion, or when an abortion threatens, if the blood be bright and there are no pains in the joints, *Millefolium* does good. [Source: Carroll Dunham]

Ailments from over-lifting, over exertion, or a fall. Bright red, painless haemorrhage without fever (from lungs, bronchi, larynx, mouth, nose, stomach, bladder, uterus or mechanical origin, from wounds.) Preventive in post-partum haemorrhage. Follows well after *Aconite* and *Arnica*. [Source: H.C. Allen]

Morphine and Chamomilla: When an allopath gives Morphine to an oversensitive patient, it may relieve her pain for a little while, but on will come the awful eructations, and she will retch and vomit, and continue to retch when there is nothing to vomit. *Chamomilla* will stop that, the first dose, in a few minutes, and it is the only remedy you will need. [Source: James Tyler Kent]

Muriatic Acid: It is useful in the last stages of dropsy from cirrhosis of the liver. [Source: Dr. E.A. Farrington]

Natrum Muriaticum: A little symptom complex that means *Natrum Mur* only, is: Hates sympathy, fuss and company, craves salt, loathes fat. [Source: Dr. M.L. Tyler]

Natrum Sulphuricum: Most homeopaths would suggest *Hypericum* for the ailments from spinal tap, but the etiology is not injury to the nerves. The problem is trauma to the cerebrospinal fluid. The remedy is *Natrum*

Sulphuricum. Ailments from spinal tap: *Nat Sulph*. You will not find this information in any repertory or materia medica. As I understand it, this indication for *Natrum Sulphuricum* is related to its use in concussions, which also involve injury of the cerebrospinal fluid. [Source: Dr. Sarabhai Kapadia]

Nitric Acid: In regard to the sticking pain as from splinters; ‘This is a grand keynote of *Nitric Acid* and will serve to indicate wherever it is found. It requires a touch or movement to elicit it. When it occurs in the throat it requires the act of swallowing to set it up; in the anus, the passage of stool; in ulcers, the touch of a dressing. It may occur in any part of the body; in in-growing toenails.’ [Source: Dr. J. H. Clarke]

Nitric Acid is dissatisfied, never pleased, haggard and anxious expression, highly irritable in the morning, very sensitive to noise, cannot forget a wrong done to him. Usually thin and nervous. Pain as from splinters, blisters in mouth, on genitals, bleed easily. Chronic offensive corrosive nasal discharge. Craves fat and salt. The main anxiety is for cancer. You will have to get the information from relatives because he does not realize that his disease has become a philosophy for him. [Source: George Vithoulkas]

Nosodes: If a case of an acute disease is slow in convalescence, apt to relapse, a dose or two of its nosode will work wonders. For example, *Pneumococcin* for lobar pneumonia that is slow to resolve, or *Morbillinum* for a case of measles where chest catarrhal symptoms are persistent. [Source: Dr. Charles E. Wheeler]

Nux Vomica: Hahnemann advises a dose of *Nux Vomica*, as the best remedy to allay the general hypersensitiveness of patients who always complain of aggravation of their condition even on receiving very small doses.

Okoubaka: It is useful for poisoning from insecticides, flea powder, mist from paints, rancid food, meat or sausage. Also, acts to drain residual toxins following serious illness.

Onosmodium: Difficulty in focusing the eyes, but also difficulty in focusing in his life and finding his life’s work. Strong preoccupation with sex. A broken down state, listless. Migraine, impotence, chronic fatigue. [Source: Roger Morrison]

Opium: With respect to the cure of the bodily mania for drinking, there is no doubt that Poppy-juice (*Opium*) stands at the head of all the remedies of this class. The results of the provings of this very vigorous substance give us an image of this disease with respect to both the body and to

the soul, such as no other medicine affords. With incipient drinkers the repeated use of this remedy alone will give great results, as in such cases it is sufficient of itself to extinguish not only the ill effects of intoxication, but also to induce a sort of repugnance to spirituous liquors in general. [Source: C.M.F. Boenninghausen]

Passiflora: It has cured tetanus in hot countries. It has to be given in large doses. [Source: W.A. Dewey]

Pathological Prescriptions: Dr. Burnett found *Calcarea Sulph* to be the remedy that might help cleft palate and hare lip. Dr. Kent and other swear by *Naja*, *Spongia* and *Calcarea Flour* to help build up heart valves. Remedies like *Calcarea Hypophosphorica*, *Hecla Lava*, *Phosphorus* etc have helped bony deformities in back, legs etc. [Source: S. P. Koppikar]

Phosphoric Acid: In fainting after a meal, after *Nux Vom*, explore *Phosphoric Acid*. (worse exertion, loss of fluids, listless, confused). [Source: H C Allen]

Oversensitive to music which causes stitches in the ear, violent pains in head, violent headache from music, toothache aggravated from music, ear pains, stitching, from music. [Source: *Complete Dynamics – Roger van Zandvoort, Eduard van Grinsven*]

Most of the pains are only felt during rest and are much ameliorated by motion. (*Rhus Tox.*) [Source: Dr. Adolph Lippe]

Phosphorous: It corresponds more closely to combined nephritic and cardiac inflammation than any other remedy, also to those cases due to absorption of poisonous excrementitious matters — the products of malignant diseases.

I would not advise you to give *Phosphorus* in well-marked tuberculous patients. If tubercles have been deposited in the lungs, you should hesitate before giving it, unless the picture calling for it is so strong that you cannot possibly make a mistake. The same is true of *Sulphur*. After tubercles have been deposited, you must be careful how you use the drug. [Source: E. A. Farrington]

Picric Acid: From loss of energy after burns, consider *Picric Acid*. [Source: Louis Dion]

Picric Acid is a remedy we should not forget in all cases of neurasthenic exhaustion. Anaemia, due to nervous debility, is its clinical sign.

Pilocarpus: It has a reputation for the metastases in mumps, whether to testes or mammae; when the swelling suddenly subsides, as a result of a chill, and worse troubles supervene. *Pilocarpus* also acts as prophylactic. [Source: Dr. M.L. Tyler]

Platina: The pains begin slightly, increase gradually and decrease in the same slow, gradual manner. [Source: *Dr. Adolph Lippe*]

Plumbum: It is the only effective remedy for diseases with a history of lead poisoning. Progressive muscular atrophy. Stool is hard black balls. Colic with vomiting. Also, the 200th cures intestinal obstruction. Give Q. [Source: *Dr. TP Chatterjee*]

Prophylaxis: When we find in a family a case of infectious typhoid fever, the same remedy, which has been given the patient in accordance with his symptoms, will also be sure to protect those in the house from infection, as it destroys the natural disposition thereto. For homeopathic prophylactics we see the following of much utility: Scarlet fever (*Belladonna*), Small pox (*Variolinum*), Cholera (*Cuprum Aceticum 3x*), Measles (*Pulsatilla*), Diphtheria (*Mercurius Cyanatum*), Whooping cough (*Drosera*), Sea sickness (*Apomorphinum*), Yellow fever (*Crotalus Hor*), Tuberculosis (*Tuberculinum*), Gonorrhoea (*Medorrhinum*).

Protocol After Bite of a Lyme Tick: 1st day – *Ledum* 200; 2nd day – *Hypericum* 200; 3rd day – *Borrelia Burgdorgeri nosode* 30c, once a day for one week and then once a week for one month.

Psorinum: Hay fever appearing regularly every year at the same day of the month; with an asthmatic, psoric or eczematous history. Patient should be treated the previous winter to eradicate the diathesis and prevent summer attack.

Enuresis from vesicle paresis; during full moon, obstinate cases, with a family history of eczema.

Is an indispensable remedy if debility remains after violent acute diseases; if profuse perspirations remain after typhus fever; in consequences of suppressed itch, especially after large doses of *Sulphur*; if the patient is hopeless, despairing of his recovery. Great aversion to have the head uncovered, even in the hottest weather does he persist in wearing a fur cap. [Source: *Dr. Adolph Lippe*]

Psorinum is very useful for weakness or debility during convalescence from severe acute diseases. The patient sweats profusely when taking the least exercise. Choice may have to be made between *Psorinum* and *China*. Loss of fluids, blood, suppuration, etc., would decide in favour of the latter and itching eruptions or tendency thereto, before or during the sickness, the former. [Source: *E.B. Nash*]

Where the character of an affection has been disguised by successive administration of many homoeopathic remedies, which, without curing, have only altered the symptoms, a single dose of *Psorinum* a few days before giving the medicine is indicated.

Pulsatilla: A peculiarity of *Pulsatilla* pains generally, is that they are often confined to one half of the body, like those of *Ignatia*, *Thuja*, *Spigelia*, *Valeriana* and *Silicea*. [Source: Carroll Dunham]

Affections consequent on the abuse of Iron. Pressure, or tying up tightly, relieves the headaches. (*Arg Nit*, *Apis*) Increased inclination to micturate, < when lying. One-sided sweats. Inflamed parts bluish. (*Lachesis*, *Tarantula Cub.*) Pulsations through the whole body. Metastasis of mumps to mammae or testicles. Chronic affections following cases of badly managed measles. [Source: E. B. Nash]

Dilatation of the right side of the heart. Pain in testicle extending to spermatic cord and groin. Varicocele, hydrocele, orchitis. Constipation with much ineffectual urging (*Nux*) and sensation of inadequate emptying of rectum. Easy vomiting from emotional upset. Vicarious nosebleed. Hayfever, usually accompanied by amelioration of all other symptoms. [Source: Dr. Douglas Gibson]

Pulsatilla is a hot-blooded patient, but after using that remedy a while you notice that the patient goes to the other extreme and becomes chilly, and wants much clothing; the heat is taken out of the case. *Silicea* is the natural follower of *Pulsatilla*, and you would be astonished to know how often a patient leaving *Pulsatilla* runs toward *Silicea*. [Source: Dr. James Tyler Kent]

Pyrogen: All of us have cases coming for treatment in which a comparatively small cut or injury has produced great swelling, sometimes with discoloration. The patients are usually alarmed about themselves and fear blood poisoning. *Pyrogen* will dissipate the entire trouble in 24 hours; the wound usually returns to a normal colour and the patients are relieved, be their fears well grounded or otherwise. [Source: C M Boger]

If a patient is not well since abortion, parturition or dental extraction, consider *Pyrogenium*. [Source: Dr. D.P. Rastogi]

Radium: Dr. Copeland and others have warned against the sixth potency of *Radium*, as it is too strong and produces overwhelming aggravations. [Source: Dr. NM Choudhuri]

Radium Bromatum: When we find a combination of skin problems and arthritic complaints, consider this remedy. Also consider when rheumatic conditions follow radiation treatment. Warm blooded, < night, < heat of bed.

Ranunculus Bulbosus: It is decidedly the best remedy for intercostal rheumatism. It has sharp, stitching pains and a sore spot in the chest. These are worse from any motion or even breathing. [Source: Dr. E.A. Farrington]

Rhodendendron: Worse before a storm and during cold damp or windy weather, getting wet, night towards morning, rest. Fear of thunder, forgets what he's talking about, brain as if in a fog. Sensitive to electric changes. Tinnitus with vertigo. Rheumatic tearing pain in limbs with swollen joints. Pains wander from joint to joint, pain in bones, testes painful. Cannot sleep unless legs are crossed. [Source: Dr. M.L. Tyler]

Nervous, depressed, sensitive to electric storms and fear of thunder. Omits words when writing, loses the thread when talking. Shifting pains with stiffness (forearms, hands, toes), cold extremities. Cannot sleep unless he crosses the legs. Perspiration with itching and odour of spice. Pupils unequal. Worse from cold, damp, wind, before and during a thunderstorm, touch, pressure, rest, night. Better warmth, moving, after a storm. [Source: Dr. Douglas Gibson]

Rhus Toxicodendron: It is one of the best remedies for sepsis I have found. Whether for prophylactic or curative purposes. Where the condition develops rapidly and the symptoms appear, especially the restlessness, diarrhoea and tongue, *Rhus Tox* will seldom fail. [Source: George Royal]

Rhus Tox is a very useful remedy in acute suppurations, especially in suppurative conditions about the eye. It has proved curative in abscesses about the parotid and axillary glands. The pus is bloody and serous, the pain is intense, and the swelling is dark red. *Rhus* corresponds very closely to septicaemia. [Source: W.A. Dewey]

Robinia: Heartburn worse at night. Intensely sour eructation and vomiting which set teeth on edge. Dread of everything somber and black. Dreams of disputes, scolding, anger and cruelty. Fears disgrace. Worse from motion, touch, lying down, rising from horizontal.

Sabina: It follows well after *Thuja* in condylomata and sycotic affections. [Source: S K Banerjee]

Saccharum Officinalis: Dr Tinus smits saw the essence of *Saccharum Officinalis* as lack of self love, leading to a fear that the person does not deserve his mother's love and that he will be abandoned by her. There is a desire for any kind of sweets, especially chocolate, licorice and pastries. There is a great need for cuddling, exaggerated sucking of fingers and biting of nails, putting everything in the mouth and touching everything. Dr. Smits found *Saccharum* effective for certain ADHD children.

Sambucus Nigra: We are often led to the choice of this remedy, when we find a great deal of perspiration, occurring with any other trouble. Aggravations from uncovering, while lying down, while resting.

Sanguinaria: About twenty-three years ago my attention was called to *Sanguinaria* as an antidote for Rhus poisoning. Since that time I have never needed another remedy for uncomplicated rhus poisoning. [Source: Dr. A. P. Randall -The Medical Counselor – January, 1896.]

Sarcolactic Acid: Remember *Sarcolactic Acid* in epidemic influenza with violent retching and greatest prostration, when *Arsenicum* fails. [Source: William B. Griggs]

Sarracenia: In an epidemic of small pox in Wavre, *Sarracenia* was given to two thousand persons. All who took it escaped the disease. Two hundred cases were treated with *Sarracenia* without a death. Aborts the disease and arrests pustules. Better in fresh air and out of bed. Worse midnight and 3pm, trying to walk, cold air (aggravates bone pains). Melancholy, anxious, forgetful. Transient pain in bowels. Tincture and lower potencies. [Source: Robin Murphy]

Secale Cor: Varicose ulcer, bed sore, burn ulcers which refuse to heal with burning sensation, better by cold and worse by heat or cover, desire to uncover, though cold to touch gives a good response to *Secale Cor*. [Source: William Boericke]

Sepia: The eyelids pain in the morning when awaking, as if they were too heavy, and as if he could not keep them open. Very important in stiffness of eyelids. Small, red pimples on forehead; rough forehead (pimples extend to the face), canine hunger and sensation of emptiness in the stomach. Herpes, scaling on the elbows. Itch and scabs on the hands. Soldiers' itch. [Source: Dr. Adolph Lippe]

Silicea: In necrosis of bone, *Silicea* is perhaps our most valuable remedy. Its use has accomplished astonishing cures, even when the disease had progressed to open ulceration. Let it be given continuously for weeks and even months. If there is not a clear improvement in four or six weeks give a lower attenuation, even as low as the 3rd. [Source: Morton M. Eaton]

You will use a lot of *Silicea* when you want to open an abscess. But you want to be careful, because you may be opening it up for three years. [Source: George Vithoulkas]

Has a wide therapeutic use. It is a deep acting remedy. In phthisis it must be used with care. It may cause the absorption of scar-tissue, liberate the disease walled-in to new activities (J. Weir). It is also called the Biochemic 'knife'. For this, the lower potency should be used. Such is the case with *Mercurius*. But they do not follow each other well.

What Lime is to a delaying ossification, *Silicea* is to osteomalacia. *Silicea*, by first regulating the digestive and assimilative functions, corrects the

composition of the blood and not only secures a reabsorption of the gelatinous mass, but even a perfect ossification. This remedy likewise renders efficient service in cases of hereditary disposition. [Source: *Dr. Baehr*]

Sol: It is prepared by exposing lactose to the Sun's rays. The patient is better in cloudy weather and worse from sunlight. Spasms coming with sunrise and ceasing with sunset. Excitement, anxiety, trembling at heart. Anxiety if approached. Anxiety at pit of stomach. Violent headache from vertex to forehead. Painfulness if sunshine strikes the bare head. *Sol* may be indicated in burns, skin cancer, lupus, radiation sickness, sunburn and sunstroke. [Source: *Robin Murphy*]

Stannum: Great weakness in chest, almost can't talk. Exhaustion of mind and body. Pains increase and decrease gradually. Worse from warm drinks, talking, in daytime, going down stairs (up okay). Sad before menses and better when flow starts. Feels like crying all the time but worse from weeping. Sleepiness from music. [Source: *Dr. H.C. Allen*]

The exhaustion of *Stannum* is so great that the slightest exertion becomes a great source of aggravation. Whenever a patient tells you that he becomes short of breath after talking for a few minutes on the phone, think of *Stannum*. [Source: *George Vithoulkas*]

Stramonium: I consider *Stramonium* the best remedy for threatened hydrophobia. Even after the symptoms have developed, I would push *Stramonium* tincture in five-drop doses till I obtained some kind of result. For in addition to all the symptoms which belong to the hydrophobia group, we have 'expressions of terror' under face and dribbling of glossy saliva 'under mouth'. [Source: *George Royal*]

Streptococcinum: It is indicated in streptococcal infections when these symptoms are present - sensitive to noise, light, drafts, but amelioration from fresh air. Can't bear pressure on abdomen while lying. Sensation as if his spine is vibrating. Infected, pus-filled tonsils. Swelling of glands in neck. Tongue coated white with red tip. Migraine with vomiting of bile. [Source: *Alan V. Schmukler*]

Sulphapyridine: *Sulphapyridine* in potency antidotes the bad effects of the Sulphonamide group of drugs. [Source: *Dr. Foubister, Constitutional Effects of Anesthesia, Brit. Hom Journal, April 1959*]

Sulphur: 'In the early days of vaccination it was found that the action of *Sulphur* was decidedly adverse to the receptivity of vaccines. According to Dr. Tierney, Dr. Jenner failed in vaccinating thirty soldiers, all under treatment by *Sulphur*'. [Source: *Robin Murphy*]

If carelessly and wrongly given, *Sulphur* may precipitate the disease you wish to cure. [Source: *E. A. Farrington*]

Never use *Sulphur* in the acute abdomen. Its propensity to create pus and increase its development is well known. [Source: *Dr. H.A. Roberts*]

No remedy is better able than *Sulphur* to effect the reabsorption of an exudation that has already existed for a time, and in our opinion this proposition applies to all inflammatory processes. [Source: *Bernhard Baehr*]

Sulphur dreads the cold in hot weather and the heat in cold weather. [Source: *Dr. Constantine Hering*]

Sulphuric Acid: One part with three parts of alcohol, 10 to 15 drops, thrice daily, if taken for three or four weeks subdues the craving for alcohol. [Source: *Dr. Hering*]

Sulphuric Acid is one remedy for chronic alcoholism. It corresponds to inebriates on their last legs, who are pale and shrivelled and cold, whose stomach will not tolerate the slightest amount of food. They are hasty in everything, and have a great and constant craving for brandy. [Source: *W.A. Dewey*]

Tremendous sensitivity to fumes and smoke. Chemical sensitivity syndrome and environmental illness can be cured with this remedy. [Source: *Roger Morrison*]

Consider *Sulphuric Acid* for people who tend to bruise easily, with yellowish brownish bruise that remains long after *Arnica*.

Follows well after *Arnica* in bruises of soft tissues. [Source: *Subrata K. Banerjea*]

Syphilinum: One of the general qualities of *Syphilinum* is its frequent suitability for inveterate alcoholics, particularly if the tendency is inherited. The drug is more confidently given when other *Syphilinum* symptoms are present, but if the case be not clear, and no other remedy is obviously similar, *Syphilinum* should have preference. [Source: *Charles Wheeler*]

Tabacum: *Petroleum* and *Cocculus* sometimes help seasickness, but *Tabacum* is a broad remedy that seems to cover most of the symptoms. [Source: *Dr. K.N. Mathur*]

Tabacum 200 stops intense hankering for tobacco, after it has been given up. [Source: *T P Chaterjee*]

Tarentula Cubensis: I have used *Tarentula Cubensis* with success in syphilitic buboes, painful boils, and all kinds of abscesses where pain

or inflammation predominates. Its power to relieve pain in these cases is wonderful, acting we might say as an anodyne. [Source: R. E. Dudgeon]

It is often used in carbuncle, is also useful for the pain of death, to soothe the last struggles. [Source: William Boericke]

Tarentula Cubensis, causes a perfect picture of carbuncle even to the sloughing. It may be used effectually when there are great prostration and diarrhoea with intermitting fever of evening exacerbation. In relieving the atrocious pains accompanying this condition, it acts almost like magic. [Source: E.A. Farington]

Tela Araneorum: By the use of this remedy a patient laboring under organic disease of the heart and hydrothorax obtained great relief and refreshing sleep, who had not before slept for three nights. To one suffering much pain from cancer it afforded ease and comfortable sleep. For a patient in phthisis pulmonalis affected with distressing agitation of mind, it answered like a charm, and soon induced great sleep like a moderate dose of opium. [Source: E.P. Anshutz]

Terebinthina: It is one of our best anti-haemorrhagic remedies. Haematuria, haemoptysis, and haemorrhage from the bowels, especially in typhoid, and even in purpura haemorrhagica it may do splendid work. One of the chief characteristics for its use is the smooth glossy red tongue. [Source: E. B. Nash]

Theridion: Every sound seems to penetrate through the whole body, causing nausea and vertigo. Sound penetrates to teeth. Vertigo on closing eyes. Bites tip of tongue during sleep. Pain in bones as if they were broken. Craves oranges, bananas, wine, brandy, tobacco and acid fruit and drinks. Useful in angina pectoris, rickets, caries, necrosis, cancer of liver and lungs, TB, seasickness etc. [Source: Dr. M.L. Tyler]

Another use you may make of *Theridion* is in the sea sickness of nervous women. They shut their eyes to get rid of the motion of the vessel, and they grow deathly sick.

Thuja: A common remedy for neuralgia is *Thuja*. There is always a history of repeated vaccinations; recurrent chronic neuralgia of long-standing duration following within a short period of an unsuccessful, usually, vaccination. Face ache arising from left cheek-bone near the ear extending through teeth to nose, and through temples into head. Painful spots burn like fire and are sensitive to the sun rays. [Source: Dr. Dorothy Shepherd]

If both *Nux Vomica* and *Lycopodium* seem to fit, but neither works, try *Thuja*.

It has strange odours of fish-brine, garlic, honey. The *Thuja* patient has too much hair. Women with moustaches and coarse black hair on the limbs. It is waxy and greasy looking and pallid, like the buds of the cedar. Children with irregular teeth which decay early. Dreams of falling, the dead and levitation. [Source: Dr. E.W. Hubbard]

The three main precursors to the chronic conditions of *Thuja* are: suppressed gonorrhoea, suppressed warts, vaccination. [Source: Roger Morrison]

Thuja can assist healers who work on the psychic plane to relate more easily with the spirit world; and equally significant, to remain grounded when dealing with energies from different dimensions of reality. [Source: Catherine R. Coulter]

Tilea Europea: Pain causes patient to sweat. The more intense the pain, the more the patient sweats. A keynote of *Tilea Europea*. [Source: C M Boger]

Uranium Nitrate: From my vast clinical experience, I can state that *Uranium Nitrate* 30 one dose before and after chemotherapy nullifies the side effects of chemotherapy in the majority of cases. Cancer is an acute exacerbation of chronic illness, so we need to give more than one remedy depending upon the state of the person. In my experience, giving only one remedy and waiting does not help cancer cases. Homoeopathy acts best at preventing recurrence of cancer. In initial stages it has a very good scope, however at stage 2 and beyond, Homoeopathy acts best in conjunction with modern medicine for such severe pathologies. [Source: Dr. Sujit Chatterjee]

Valeriana: An hysterical remedy with rheumatic symptoms. Insomnia, excitable, restless, irritable with mood swings. Worse at rest and better moving about. Sciatica worse sitting and standing-better walking about or with the leg raised on a chair. Pain in heel and Achilles tendon. Aggravation from milk. [Source: Roger Morrison]

Vegetable Analogues of Mineral Remedies:

Kali Iodatum: Phytolacca

Sulphur: Aloes

Phosphorus: Ceba

Magnesia Carb.: Chamomilla

Ferrum Met.: Cinchona

Calcarea Carb.: Belladonna

Cuprum Met.: Ipecacuahna

Alumina: Bryonia

Mercurius: Mezereum

Kali Sulph: Pulsatilla [Source: E.B.Nash]

Veratrum Viride: Rapid in removing contamination of the constitution after an envenomed wound, sting, or bite. The wound may be so slight as almost to escape notice, but a sore or fester forms, which soon assumes a threatening aspect, becomes bluish, and discharges a thin ichor, inflammation, spreading rapidly from it; up the arm or leg, as the case may be. A dose every half hour, then every hour until relief is obtained. [Source: Joseph D. Laurie]

The delirium of *Veratrum Viride* is a most furious one and is found in many of the conditions cured by the drug. You will find it in bronchitis, pneumonia, nephritis and metritis, calling for *Veratrum Viride*.

Vespa Crabro: Affections of left ovary, with tenderness, frequent burning micturation, pain in sacrum extending up back. Anxiety, low spirited. [Source: Dr. J. H. Clarke]

Viscum Album: It stimulates the thymus and hence maturation of immune-competent lymphocytes, the main factor in tumour resistance. Slows down tumour growth and largely relieves the pain. 1X - 3X most useful. Sold as Iscador. [Source: Dr. Sultan Bihari]

Warning on Fistula in Ano: It is a dangerous thing to operate upon a fistula in ano. It is a very serious matter. If it is closed up, and that patient is leaning towards phthisis, he will develop phthisis; if he has a tendency towards Bright's disease that will hasten it; if it threatens to break down in any direction; his weakest parts get affected and he breaks down.

Zincum Metallicum: Indicated principally in diseases of the brain and spine, especially when, in children, it depends upon the suppression of an exanthem or upon teething, and in adults when a neurasthenic state prevails, usually the result of anxious overwork. Convulsions of children due to teething or eruptive fevers, epilepsy of young children. [Source: H. R. Arndt]

Zinc, is indicated rather by the constitutional rather than the local symptoms. There must be pronounced failure of the nutritive organs, anaemia and a weakened circulation to make this drug curative. [Source: Alfred W. Woodward]

Comparisons

Abrotanum: Marasmus most pronounced in lower extremities. Emaciates from below upwards (opposite of *Natrum Mur.*, *Sanicula*, *Lycopodium*). Marasmus most noticeable in the legs, whereas in *Natrum Mur.* it's the neck. Skin is flabby and hangs loose. Ravenous hunger, losing flesh while eating. Diarrhoea alternates with rheumatism. [Source: Dr. M.L. Tyler]

Ailments from Colds: If catarrh results from a cold, and the patient can neither smell nor taste, give *Pulsatilla*. For cold in the head from wet feet, give *Allium Cepa*. When a person, while perspiring freely, gets drenched by a shower of rain, give *Rhus*. Should no relief be experienced within ten or twelve hours, and if the patient had previously over-exerted himself, give *Bryonia*. [Source: Constantine Hering]

Alcoholism: Three remedies that have been used successfully in combating the craving for spirituous liquors are *Sulphur*, *Nux Vomica* and *Arsenicum*. [Source: W. A. Dewey]

To help restore liver function after prolonged over-indulgence in alcohol, *Carduus Marianus* tincture five drops every six hours. To reduce the desire or craving for alcohol, *Quercus Glandium Spiritus* tincture, 10 drops ever 6 hours. [Source: Dr. Collin B. Lessell]

Allergies: *Tuberculinum* and *Sulphur* are the head remedies for removing allergy to milk, milk products, eggs, sardines etc. *Sulphur* for allergy to feathers and chocolates. For eczema from wheat allergy, if *Tuberculinum* and *Sulphur* fail, try *Psorinum*.

Natrum Muriaticum covers allergy to egg, starches, milk, honey, ragweed pollens, onions, wheat, animal food etc. *Sulphur* covers allergy to feathers, chocolates, feathers, hair dyes (which produce eczema). *Tuberculinum* 200 should be used for ill effects of hair dyes when *Sulphur* fails. [Source: Dr. Bishamber Das]

Apparent Death: *Carbo Veg*: Face blue, head hot with hot perspiration, body is cold. Bloating in abdomen. Prior to collapse, much belching and desire to be fanned.

Antimonium Tart: Face pale blue with cold sweat. Rattling of mucus in airways. Prior to collapse nostrils flare; quivering of chin.

Cuprum: Muscles of hands, feet, jaw contracted. Skin blue. Foam at mouth.

Camphora: Icy coldness of body, breath cold. Prior to collapse patient refused covers. [Source: Alan Schmukler]

Aurum Metallicum: Dealing with Gold cases we must take care to differentiate them from other similar drug pictures. *Mercurius* for instance has the same salivation and bad smell from the mouth; *Kalium Bichrom*, the same perforated ulcers in the nose with the same tough and yellowish mucous; *Asafoetida*, the same flatulence and evil smelling secretions; *Arsenicum* the same enlarged glands with general anaemia and weakness. In all these and similar conditions the *mental* symptoms are decisive. The typical melancholia is the indispensable key symptom for Gold. If the patient does not show it, Gold will prove a failure. [Source: Dr.W. Karo]

Bad Effects of Antibiotics: Where diarrhoea develops after antibiotics, consider *Nitric Acid* 30. Where oral or vaginal thrush develops, study *Borax* 30. When cutaneous allergic response arises, give *Sulphur* 6c once daily. Placing the patient with drug rash on a total fruit juice elimination diet for several days, assists removal of the drug.

Belladonna and Glonoine: *Belladonna* is worse bending the head backwards. *Glonoine* is better bending the head backwards. Both crave cold drinks, but *Belladonna* wants lemons. *Glonoine* loses his way in well known streets. *Belladonna* has striking, biting, spitting and kicking.

Bellis Perennis: *Bellis perennis* has long had a reputation for being superior in the treatment of soft tissue injury. In major operations, I used *Arnica* along with *Staphysagria* pre and post operatively for many years – *Staphysagria* for its remarkable effect in dealing with pain in a cut wound. I changed to *Bellis Perennis* with *Staphysagria*, and so far as I can judge this was an improvement.

Burns: For the fever which sometimes accompanies burns, give *Aconite*. *Arnica* should not be used in injuries of this kind. In convulsions arising from severe burns, *Chamomilla* has proved beneficial. Extensive burns are sometimes attended by diarrhoea or costiveness, but nothing should be done for either, unless the latter lasts longer than four or five days. The diarrhoea is essential to the preservation of life, and ought not be interfered with, unless it continues for weeks after the burn has been cured. If the diarrhoea is attended with pains in the bowels, give *Pulsatilla*, afterwards *Sulphur*. *Calcarea*, if it is more frequent between noon and midnight. *Arsenicum* if more towards morning and in the forenoon. In most cases it will disappear of itself, if you drink plenty of cold water, and take frequent exercise in the open air. If hands and feet become much swollen, give *Calcarea*. [Source: Constantine Hering]

Cancer Remedies:

Aconitum Lycotonum: Swelling of glands; Hodgkin's disease, generalized lymphadenitis.

Cadmium Phosphate: Bleeding in cancer of prostate. Frequent urination++rawness and soreness of urethra, urine mixed with blood and pus. Desire to be left alone. Chilliness and coldness. Fatigue, lassitude, indifference.

Cadmium Sulph: Cancer, black vomit (least thing touches lips, vomiting, all signs pointing towards downtrend. > rest of *Bryonia*. Exhaustion and irritability of *Arsenicum*.

Cholesterinum: Obstinate cases of cancer of liver tending towards malignancy. Burning. Insomnia. Pain in liver < jar (patient has to hold his hand on liver when walking).

Cinnamonum Xeylanicum: Cancer, when pain and fetor are conspicuously present. It reduces the cancer pains and offensive odour of the cancer. Agg: any physical exertion, even talking. Weakness (+++).

Conium Maculatum: Past history of trauma to breast. Tumour-stony hard with burning and stinging pains, weakness. Hard and painful to touch. Stitches in nipples. Painless stage of cancer; shrivelled breast. Suppressed sexual desire/menses.

Erigeron: Cancer prostate, operated, recurrent haematuria, backache, pain in right renal area. Pain relieved by hot compress [Source: Dr. Subrata K. Banerjee]

Mistletoe: *Viscum Album* slows down tumour growth and largely relieves pain. 1x to 3x most useful. Gives best results with 3-5 drops of 1x. *X-ray*– Cancer in persons who had repeated exposures to X-ray. Leukemia. Burns that become carcinomatous and refuse to heal. [Source: Dr. S. M. Bihari]

Carbo Animalis: The patient may resemble *Sulphur* in temperament and physical symptomatology, except for being chilly. Affected organs become slowly indurated, purplish and cause great burning, especially when touched. Cold at night in bed. Malignancy, Chronic Fatigue Syndrome, Cataract, Pancreatitis etc. [Source: Dr. Roger Morrison]

Carbo Veg and Cinchona: *Carbo Vegetabilis* has more pronounced cold breath, throat, mouth, teeth and extremities and greater desire to be fanned than has *Cinchona*, while the latter has greater ringing of the ears than the former has. [Source: Edmund Carleton]

Carbo Veg vs Strontia Carb in Shock: *Carbo Veg*: Hot patient; wants to be fanned; eructations ameliorate.

Strontia Carbonicum: Chilly patient; flushes of heat but won't be uncovered; amelioration from heat and light. [Source: P. Vakil]

Chamomilla: The pains of *Chamomilla* are oftener aggravated by heat than otherwise, but are not, like *Pulsatilla*, ameliorated by cold. In fact, the cold air often brings on troubles, for which this remedy is specific. [Source: E. B. Nash]

Coal Tar Derivatives: As antidote to coal-tar derivatives (e.g. Aspirin) which have been used to suppress headaches, *Carbo Veg* is effective or *Mag Phos* if the suppression has brought on neuralgia. *Digitalis* in potency is the best antidote to the depressant effects of coal tar drugs on the heart. [Source: Dr. Grimmer]

Common Symptoms: Vomiting and diarrhoea by themselves are common complaints, but when found together at the onset, suggest *Arsenicum Album*. Headache, fever and vomiting, considered separately, have little value in prescribing; but when considered together very often lead to *Veratrum Viride*. [Source: Dr. L. D. Dhawale]

Ebola: Dr. Vickie Menear, M.D. and homeopath, found that the remedy that most closely fit the symptoms of the 1914 “flu” virus, *Crotalus Horridus*, also fits the Ebola virus nearly 95% symptom-wise! Dr. Menear found the following remedies indicated in Ebola: *Crotalus Horridus*, *Bothrops*, *Lachesis*, *Phosphorus*, *Mercurius Corrosivus*.

Electric Shock: If the patient is not breathing, begin mouth to mouth resuscitation. If there is no heartbeat, begin cardiopulmonary resuscitation. The following remedies may help. Place the remedy between the lips and teeth.

Arnica: For electric shock with or without stoppage of the heart. Give the highest potency you have.

Phosphorus: Pale face, weak pulse.

Cantharis: For burns from electricity. [Source: Alan V. Schmukler]

Fainting:

Aconite and *Opium* faint only when frightened.

Pulsatilla faints when placed in a closed space without ventilation.

Sulphur and *Phosphorus* faint from hunger around 11 am.

Alumina faints when compelled to stand.

Conium, *Podophyllum* and *Sulphur* faint at stool.

Alumina faints at the sight of blood (also *Nux Vom*, *Nux M.* and *Verat A*).
Stramonium faints in dark places.

Fatigue Remedies: After any very weakening fatigue, or after all great exhausting exertions, *Arsenicum* will give relief. If the exertion had been accompanied by much lifting and stretching, or if it had caused perspiration, and the body cooled too quickly by cold air or water, give *Rhus Tox*. Should fatigue produce a sensation of faintness, or actual fainting, give *Veratrum*. If no food had been taken for a long time, *Coffea*. For great weakness, in consequence of profuse perspiration, give *China*. If the fatigue is so great that it causes internal pains and restlessness, sleep does not refresh, everything pains at the slightest touch, walking relieves a little and the beating of the pulse is felt all over the body, give *Natrum Muriaticum*. If there are symptoms of internal heat, such as hot breath and quick pulse, give *Aconite* and if not relieved by this, *Bryonia*.
 [Source: Constantine Hering]

Ferrum Phos and Belladonna: *Ferrum Phos* may present a very similar picture to *Belladonna*, including intense heat of the skin, but differs chiefly in that *Ferrum Phos* has the mental alertness of *Phosphorus* and responsiveness to every environmental influence, in marked contrast to the lack of interest in the environment of *Belladonna*. The face of *Ferrum Phos* tends to flush up, alternating with pallor. Circumscribed redness of the cheeks is found in *Ferrum Phos*; the face of *Belladonna* is uniformly red, except sometimes there is a circumoral pallor. The pulse of *Belladonna* is full and bounding, that of *Ferrum Phos* is nearly always soft. Finally, if there is still a doubt, it is worthwhile to remember that *Ferrum Phos* covers a later pathological stage, as for example in Otitis Media, when pus has definitely formed. [Source: Dr. Donald Foubister]

Flu: Tuberculinum Bovinum: In relapsing, unsatisfactory cases. Great changeability, restless weakness, pungent sweat and breathlessness. After two or three doses, another remedy should be watched for. A family background of tuberculosis would be a pointer.

Pyrogenium: Serious septic cases. Restlessness is intense and there are icy chills and the pulse is out of proportion to the fever (high fever/ low pulse or the reverse).

Opium: Cures some grave cases like *Baptisia*, but more chesty. Hot sweaty, sleepy, very ill but strangely uncomplaining. Imagines he is away from home (*Bryonia*) and that there is nothing wrong with him (*Arnica*). Acuteness of hearing in spite of semi-stupor. Especially in elderly patients with obstinate constipation.

Cuprum Metallicum: Grave cases. Violent cramping colic and cramps in hands and feet with bluish face and thin bloody discharge from nose and lungs. Violent suffocating spasms in chest; cough better from cold drinks.

Veratrum Viride: Faintness and sweating similar to *Veratrum Album*, but much greater congestion to the head and a dark red face. Often a red streak down center of the tongue and bad, sweetish taste. Thirst similar to *Phosphorus*.

Ipecacuahna: Has rattling in chest and wheezing (*Antim Tart*), and nausea in early bronchitis, but not so ill as when *Antim Tart* is needed, and the condition comes earlier in the disease. [Source: Dr. T. D. Ross, *Homeopathy The Rational Art of Medicine*, Vol 7, No. 9, Sept. 1957]

Fluoric Acid and Silicea: *Fluoric Acid* will prevent the manifestation of disease in sycotic subjects, will prevent formation of fig warts. It cures fig warts. *Fluoric Acid* not only antidotes the abuse of *Silicea*, but also follows *Silicea*. *Silicea* is a long acting and slow medicine and does its best in a single dose. [Source: Dr. James Tyler Kent]

Gelsemium and Baptisia: Both *Gelsemium* and *Baptisia* have intense muscular soreness and prostration, drowsiness and nervous excitement with prostration and a feeling of expansion, as though the head or some part of the body were enormously enlarged. *Gelsemium* usually precedes *Baptisia* when there are malaise and muscular soreness, and the patient suffers from chills and crawls, which go down the back.

Gratiola: It is a great remedy for nervous prostration; marked lassitude, with mental and bodily weakness. Closely related to *Coffea* and *Nux Vomica* and especially useful for the weakness of the will and neuralgic pains in coffee drinkers. Better in the open air, but chilly in a warm room. Fear of the future. Complaints from pride. [Source: J T Kent]

Haemorrhages: Regarding haemorrhages, *China* has bleeding from any or every outlet or orifice of the body. *Carbo Veg*, *Ferrum*, *Crotalus Horridus*, *Phosphorus* and *Sulphuric Acid* also claim attention here. [Source: E.B. Nash]

Oozing blood suggests *Lachesis*, *Phosphorus*, *Hamamelis*, *Ferrum Phosphoricum*, *Carbo Veg*. [Source: Dr. D.P. Rastogi]

It is rarely the case that any haemorrhage proves immediately fatal, except from injury or following pregnancy and confinement. Looking backward, I cannot recall a single case. The patient should be kept very quiet and as much of the mental excitement quieted as is possible.

Aconite: If the pulse is full and strong with excitement of mind and fear of not recovering. Haemorrhage from the throat or lung in acute disease or from organic heart disease.

Arsenicum: Weak, exhausted, anaemic condition with pain, burning and cutting about the stomach and bowels. Thirst for small quantity of water with nausea and vomiting. In ulcer or cancer of stomach.

Arnica: Haemorrhage after injury, fall, blows or concussion. Feet and hands cold, head hot. Also in typhoid.

Belladonna: Nosebleed, with throbbing and fullness about the head and face which is flushed. Patient sensitive to anything like noise or light. Inclined to stupor with sudden starting.

Bryonia: Useful when the bleeding of the nose is rather passive, or if it occurs in threatened typhoid. Also for vicarious haemorrhage with suppression of menses.

China: The loss of blood has reduced the patient greatly, sight dim, with roaring in the ears, face pale and bloodless.

Hamamelis: Has been used in the form of tincture, especially in venous haemorrhage.

Ipecac: Symptoms somewhat similar to *China*, with nausea perhaps vomiting and cutting pain about the stomach. In uterine haemorrhages after labor or miscarriage, especially if the blood is bright red with persistent nausea.

Phosphorus: Every cut or wound bleeds persistently. Nosebleed or other haemorrhages which recur often and no visible cause for the same, with much difficulty to control, even slight ones.

Pulsatilla: Haemorrhages at change of life, patient constantly chilly and weeping. Haemorrhages vicarious in young women with suppressed menses from getting the feet wet. [Source: Myron H. Adams]

Hair: Unruly eyebrows or too wiry hair suggests *Medorrhinum*.

Bushy, wiry, crinkly or unruly hair suggest the sycotic miasm.

Sudden excess of hair on limbs suggests *Medorrhinum* or *Thuja*.

A single white streak in the hair is often psoric. Early graying hair suggests *Lycopodium* (if in spots, *Psorinum*).

Loss of hair in young people (unless after an acute illness), especially in patches, suggests the syphilitic miasm, as does early or irregular graying.

Matted hair – *Mezereum*, *Natrum Mur* or *Psorinum*. Easy tangling suggests *Borax*, *Fluoric Acid*, *Graphites*, *Psorinum* or *Zincum*. [Source: *E.W. Hubbard*]

Hiccough: Hiccough is often of little account, lasting but a few moments; but in other cases it is persistent for days. In slight attacks a little sugar, or a drink of water will often arrest it; but in severe cases more is required.

Belladonna: Is specially indicated when there is a flushed face in those children who are teething, and hence liable to spasms. Some sore throat is also a strong indication for this remedy.

Ignatia: Is indicated by restlessness, loss of sleep, general prostration, headache, etc.

Veratrum Album: Is indicated by great prostration.

Nux Vomica: Is useful where there is present indigestion, irritable mood and where the attack seems to be due to weariness, loss of sleep, excessive debauch, or occurs after lingering illness.

Homeopathy for Carpenters:

Arnica: Top remedy for any bruising injury, ragged cut, head injury, broken bones.

Hypericum: For banged-up fingers and toes that are very painful. Follows *Arnica* in head or spine injuries.

Ledum: For puncture wounds. May help prevent tetanus. Follow with *Hypericum* if much pain.

Silicea: For splinters that are too deep to reach. Causes the body to expel them, even if they've been there for years. Do not use *Silicea* if you have any kind of surgical implant.

Hydrophobia: According to Hahnemann, *Belladonna* is the surest preventive in Hydrophobia. Several cases of genuine Rabies, said to have been cured by this drug, are quoted in Hempel's *Materia Medica*.

In Hydrophobia, *Belladonna* has been repeatedly proved to be equally and powerfully efficacious, *both as a preventive and curative medicine*. *Hyoscyamus* is indicated when convulsions are severe and long, not much inclination to bite or spit, but a desire to injure those round. Threatening of suffocation on attempting to satisfy the thirst. *Stramonium*: severe convulsions whenever the eye becomes fixed on bright objects, or whatever reminds the patient of water, *Gelseminum*: Rigidity of the muscles, spasm and clutching at the throat. [Source: *Joseph D. Laurie*]

Injury: Injuries to glands may respond to *Conium Maculatum*.

Pelvic injury may respond to *Bellis Perennis*.

In head injuries, consider *Arnica*, *Helleborus*, *Cicuta*, *Natrum Sulph*.

Aristolochia: Bisters or wounds due to tight fitting shoes (*paemonia*), bites, horseback riding, rowing, garden work etc.

Ruta: Formation of nodules after as sprain.

Allium Cepa: Stinging pain in stump after operation. [Source: R. B. Bishambar Das]

Kali Remedies:

Kali Bromatum in the adolescent is often useful for acne appearing at that period.

Kali Arsenicum for exophthalmic goitre. They are quarrelsome, discontented, jealous; the mental symptoms recur every third day.

Kali Ferrocyanatum rivals *Sepia* in the uterine sphere. These people are chlorotic and debilitated; they suffer from dysmenorrhœa, dyspepsia and fatty degeneration of the heart.

Kali Iodatum is one of our great goitre remedies and it also has atrophy of testes and mammæ. Life seems insupportable to this patient; he awakens at night to dread the return of dawn. [Source: Herbert A. Roberts]

Kali Sulph: It is the chronic of *Pulsatilla*, resembles it in a number of symptoms and being deeper acting, is sometimes useful to complement that remedy. Better in open air, worse in a heated room, yellow or greenish discharges, evening aggravation of fever, loose cough with rattling mucus, wandering rheumatic pains. [Source: E.B. Nash]

Lycopodium: An occasional dose sometimes aids *Berberis* in curing. Acts better when preceded by some other antipsoric. The action of *Lycopodium* is facilitated by *Carbo Veg* on 6th or 8th day. *Chelidonium* often cures after *Lycopodium* is apparently indicated but fails. [Source: Dr. Subrata K. Banerjee]

Magnesium Carbonicum: *Magnesium Carbonicum* is to exhausted nerves, what *Cinchona* is to exhaustion from loss of fluids. A state of nervousness induced by excess cares and worries. Sensitive to touch, cold air. [Source: Robin Murphy]

Measles: In measles, *Pulsatilla* is not the remedy if there is any high fever. So do not give it in the beginning when the fever is high. Begin with *Aconite* or *Gelsemium*, as indicated by the symptoms.

Multiple Stings: Be careful not to check the inflammation from the stings or bites of insects too quickly, when they are numerous; the consequences are the same as when an eruption of the skin is too suddenly checked; rather give *Aconitum* and some hours later *Arnica*. If not better the next day, *Natrum Muriaticum*. [Source: Constantine Hering]

Natrum Carbonicum: If the mental symptoms of a case are *Natrum Mur*, and the physical symptoms are *Lycopodium*, consider *Natrum Carbonicum*. [Source: Louis Dion]

Neuralgia: Severe darting, stabbing, or burning pain along a nerve trunk or its branches, chiefly affecting those of the head and face, recurring in paroxysms, at regular or irregular intervals.

Facial Neuralgia: *Belladonna*, *Arsenicum*, *Aconite*, *Coloc*, *Spigelia*, *Phosphorus*.

Gastrodynia and Enteralgia: *Nux Vomica*, *Arsenicum*, *Colocynth*.

Neuralgia of the heart: *Belladonna*, *Cactus*, *Spigelia*, *Verbascum*.

Sciatica: *Arsenicum*, *Colocynth*, *Aconite*, *Rhus Tox*.

Pleurodynia: *Ranunculus Bulbosa*, *Arnica*, *Aconite*, *Arsenicum*, *Cimicifuga*.

From mechanical injuries: *Arnica*, *Aconite* [Source: E. Harris Ruddock]

Pain Remedies:

Kalmia: pain from above downwards.

Ledum: pain from below upwards.

Kali Brom and *Ignatia*: pain in small spots can be covered by a finger.

Ars, *Phos*, *Sulph*: burning pain.

Bryonia, *Kali Carb*: stitching pain.

Arum Triphyllum: pricking pain at the lips or nose.

Borax: pain in the joints better by eructations.

Bryonia, *Coff*, *Puls*: pain ameliorated by cold water.

Allium Cep, *Mag Phos*, *Hypericum*: pain in the stump after amputation.

Poisoning: If we see a case soon after the swallowing of poison, this poison must be either removed or neutralized - acids by alkalies and alkalies by acids. Chronic consequences require *Calcareo Carb*. after acids; *Nitric Acid* after alkalies; *Nux Vomica*, *Arsenic* after ethereal oils; *Hepar Sulph* after metals.

Radiation Burns: *Cadmium Iodide* is the most effective antidote to X-ray and radium burns, competing with *Phos*, for radium poisons and *Fluoric acid* and *Silicea* for X-ray abuses. *Phosphorus* is by far the first antidote to all forms of radiation, be it radium, X-ray or atomic radiations. [Source: Dr. Grimmer]

Remedies for Welders:

Arnica: For any traumatic injury.

Cantharis: Top remedy for burns.

Phosphorus: Use after *Arnica* for electric shock.

Carbo Veg: For the effects of breathing hot air. [Source: Alan V. Schmukler]

Remedies in Dropsy: *Digitalis* may be used with profit in a number of forms of dropsy. You may give it in anasarca when the surface of the skin is bluish, rather than of the alabaster-like appearance characteristic of renal dropsies. In dropsies of the chest, a remedy often forgotten is *Mercurius Sulphuricus*. Especially is this remedy useful when the chest dropsy occurs from heart or liver disease. When it acts well, it produces a profuse watery diarrhoea with great relief to the patient. [Source: E. A. Farrington]

Resuscitation: In cases of drug over-dosage, if the patient is not breathing, make sure the airway is clear and begin mouth to mouth respiration. If there is no heartbeat, begin Cardio-pulmonary Resuscitation.

Gelsemium: Listless, eyelids droop, limbs heavy, pupils dilated, jaw dropped, eyes glassy.

Nux vomica: Twitching, spasms, seizures, irritability. Worse from noise.

Opium: Stupor, labored breathing, pupils contracted, dry mouth.

[Source: Alan V. Schmukler]

Scurvy: Scurvy is a disease resulting from a deficiency of vitamin C. Homeopathic remedies are still useful in treatment. *Phosphorus* is the main remedy; other remedies according to the indications are: *Ferrum Phos*, *Rhus Tox*, *Ruta*, *Mercurius Viv*. [Source: Hahnemannian Monthly Vol. 2 1917, G. Harlan Wells]

Sea-Sickness: *Opium* has given the quickest relief, and may be repeated whenever the symptoms increase. In some cases *Cocculus* is better. *Nux Vomica* will often be of service, especially if the stomach was disordered before going on board, or is so by the manner of living on boardship. *Bryonia* is serviceable for that giddy, unsteady feeling often experienced

on shore by those who have recently come from a voyage. [*Source: Constantine Hering*]

For the sickening picture of an acute ptomaine poisoning, with severe aggravation on opening the eyes. [*Source: Dr. Robert L. Redfield*]

Sepia vs Sulphur: Both remedies have pale or yellow face, but red spots on the cheeks decide for *Sulphur*. The facial eruption of *Sepia* is around the lower lip and on the nose; that of *Sulphur* more on the upper lip. *Sepia* acts on the tendo achilles; *Sulphur*, on the sole of the foot. [*Source: A Comparative Study of Sepia and Sulphur, Edward Rushmore, The Medical Advance, August 1887*]

Spleen Remedies: *Aconite*: In inflammations of this organ the chief remedy is *Aconite*, which often arrests the disease in a short time, even if the patient vomits blood, or which at least modifies the disease so that *Arnica* will remove the rest. [*Source: Jahr*]

Ceanothus: Dr. Hale considers the spleen as the special seat of action of this drug. Dr. Burnett recommends it to be given whenever there is complaint of deep-seated pain in the side, even when no tenderness or enlargement of the spleen can be made out.

Arnica: Has proven a useful remedy following injuries; splenitis with typhoid tendency. Apathetic and does not consider himself very sick vomiting of blood pains in the spleen.

Arsenicum: Splenitis, acute or chronic, induration of the spleen especially in malarial fevers. Diarrhoea, stools watery, bloody, undigested.

Bellis Perennis: Region of spleen so swollen that the false ribs seem forced out.

Bryonia: Severe pain in the region of the spleen, increased by movement and especially by walking, but subsides when at rest. [*Source: Bayes*]

Capsicum: In chronic splenitis *Capsicum* generally proves one of the most efficient remedies, both if the spleen is simply very sensitive and likewise if it is swollen and indurated, particularly after fever and ague. [*Source: Jahr*]

Carbo Veg: Pressing pinching in the region of spleen; quick, lightning-like stitches; abdomen bloated. So weak can hardly walk. [*Source: Lilienthal*]

Nux Moschata: Enlarged spleen, loose bowels; stitches in spleen, must bend double; abdomen enormously distended; dropsy. [*Source: Lilienthal*]

Ranunculus Bul: Sensation of soreness in the hypochondrium, especially to the touch; pulsation in left hypochondrium; abdomen feels sore and bruised. This remedy was thought highly of by C. Von Bonninghausen and C. Dunham, as a spleen remedy of value.

Stroke: Severe apoplectic attacks are fatal in a short time. If the patient lives till the homoeopathic physician can reach him, then *Opium* will be the remedy if pupils are contracted, the pulse slow and full, and the face red; or *Lachesis* when the pulse is weak and small, and the face purplish-pale. Other remedies may be indicated by a carefully taken anamnesis and by the symptoms present. [Source: *The Homoeopathic Recorder*, Vol. LVIII – 1943]

Sulphuric Acid: It is useful as a traumatic remedy. It may be used for bruises of soft parts after *Arnica*; in bruises of glands after *Conium*; in injuries of bones after *Ruta* and when there are long-lasting black and blue spots with soreness and stiffness. [Source: *E. A. Farrington*]

Suppression: In tonsillitis, acute or chronic, which seems to have come as the result of a suppressed foot sweat we would immediately think of *Baryta Carb.*, notwithstanding *Silicea* has more troubles arising from such suppression than any other remedy, and *Silicea* has not nearly the same affinity for the throat that *Baryta* has. [Source: *E B Nash*]

Surgical Operations with much Cutting: If afterwards with prostration, coldness, oozing blood, you will think of *Carbo Veg*, but it will not help. The situation needs *Strontium Carb*. Dr. Kent says, “*Strontium Carb is the Carbo Veg of the surgeon.*”

Traumatic Injury: *Actea Racemosa*: Straining and soreness of muscles of entire body, as in skating, rowing, running, football, etc. *Symphytum*: pain is jagging, pricking, as if the end of the bone is sticking into flesh. To facilitate the union of fractured bone. [Source: *W.A. Dewey*]

Tubercular History: Chilly patient with tubercular history: *Bacillinum*; Hot patient with tubercular history: *Tuberculinum* [Source: *Dr. D.P. Rastogi*]

Tuberculinum: If *Tuberculinum* produces a fearful aggravation, *Calcarea Carbonica* or *Calcarea Phosphorica* in a lower potency may check the effect. [Source: *M. Fayazuddin*]

Tuberculinum's insomnia is often ameliorated by food, the symptom ‘Cannot get to sleep from hunger’ being well known (also *Phos*, *Ignatia* and *Lycopodium*, any of whom may be driven to midnight snacks).

This miasmatic type has a capricious appetite, or can eat much but remain thin [Source: Catherine R. Coulter]

Vaccination: *Antimonium Tart*, when *Thuja* fails and *Silicea* is not indicated. Worse warmth, lying, damp cold weather. Thirst for cold water little and often, craves apples fruit and acids. Tongue has thick white coating. [Source: Dr. H. C. Allen]

Where acute and violent symptoms of blood poison come on soon after vaccination, no remedy can compete with *Malandrinum*. For chronic problems, *Thuja*. [Source: Dr. A.H. Grimmer]

Apis: Sudden puffing up of whole body.

Malandrinum: Dry rough skin remaining for years after vaccination.

Silicea: Abscesses or convulsions (also *Thuja*). Abscess in axilla, whole arm swollen, backache, nausea.

Mezereum: Eczema and itching.

Sarsaparilla: Blood purifier after vaccination. Itching eruptions on face and skin.

Sulphur: When *Sulphur* symptoms prevail.

Sepia: When *Sepia* symptoms prevail.

To prevent side effects *Hypericum/Ledum*. [Source: Dr. K. N. Mathur]

Want of Reaction: When the patient does not seem to respond, consider these remedies:

Psorinum, Sulphur: Psoric complications.

Carbo Veg: Cold breath and knees.

Opium: Painlessness, drowsiness.

Capsicum: In persons of lax fiber.

Valerian, Ambra G.: In nervous affections. [Source: E. B. Nash]

Wounds: When bleeding is profuse, and the wound appears likely to leave a severe scar, *Calendula* is to be preferred to *Arnica*. *Bellis* is to be preferred to *Arnica* when there is the slightest tendency to erysipelas (acute streptococcus infection). *Aconite* is necessary, in alternation with *Arnica*, if the patient be robust and strong, or fever runs high. *Chamomilla* if copious suppuration ensues, the pain becomes very severe and the wound shows no disposition to heal. *Hepar Sulph* should follow *Chamomilla*, if it does not affect material alteration. *Silicea* should be administered after *Hepar*, if it does not induce healing. *Sulphur*,

in alternation with *Silicea*, if *Silicea* alone has not been followed by healing. [Source: Joseph D. Laurie]

Cases

Acetic Acid: Last week, I was sitting with friends having a few snacks, one of which was potato chips garnished with onion and vinegar. After a couple hours there started irritation and scraping sensation in the nasopharyngeal zone and soon after onset of cold developed. My head and eyes felt heavy. The nose started running. I was thinking of choosing between *Gelsemium* and *Arsenic*. Then I suddenly thought about those vinegar chips and took *Acetic Acid* 30. Immediately I felt the cure coming. The scraping sensation of the throat started improving. Load on eyes and head became lighter. Water from nose stopped and in a couple of hours I was pretty normal. For skeptics or agnostics it not only proves the efficacy of the remedy but also the law of ‘Similia Similibus Curentur’. A malady produced by vinegar had to be cured by vinegar.

Anantherum Muricatum: Male patient, age 36 with painful wart on sole of foot. The pain was like a needle entering the skin. Aggravation during walking. I took the whole case in detail and gave remedies for 6 months, but they didn’t help. The patient repeatedly said, ‘Please do something for my pain, I’m feeling it will take my life’. Another symptom was strong desire for travel, which he had told me in our first meeting. I took those two rubrics: ‘fear death; pain from’ and ‘travelling, desire for’, and came up with *Anantherum Muricatum*. Before this, the remedy was unknown to me. I gave it in 200 potency and in one week the pain was gone. The wart on his foot resolved in reverse order and normal skin came in its place. [Source: Dr. Milind V. Parekh]

Apocynum Cannabinum: Woman 40 years of age with cyst in right kidney. When she was treated with *Terebinthina* 6C the cyst disappeared, but later her uterus was affected and there was heavy bleeding. The second remedy prescribed was *Apocyanum* 6C. The cyst in uterus also disappeared. The patient is very happy and has had no more complications. ‘*Apocyanum* is a remedy possessing alternating conditions, one of which usually involves the kidney, haemorrhages from the uterus.’ [Source: George Vithoulkas]

Arnica Montana: Here’s a great one for sports injuries: if you are a basically healthy person and have a serious acute injury, like a pulled muscle, take in water: 1 tsp from 4 oz cup (4 oz stock bottle) *Arnica* 30c, then 200c, then 1M, each, 4 hours apart. I did this once when I

pulled my thigh muscle while playing soccer. The muscle swelled up and turned hard as a rock. By the time I was through the *Arnica* it was back to normal again! I learned this tip from a Swiss-French homeopath and very few people in this country know about it. [Source: Dr. Luc De Schepper]

Calcarea Renalis: Every time I took a dose of *Calcarea Renalis*, I found that the so-called tartar on the teeth became detached a few days afterwards. A nodosity, hard as a stone, which had appeared on the extensor tendon of the right middle finger about nine months ago, and which threatened to increase, disappeared. I consider the tartar on the teeth, calculi renalis and arthritic nodosities very similar morbid products. [Source: Dr. Bredenoll]

Calcarea Sulphurica: Hering tells us that *Calcarea Sulphurica* resembles *Hepar*, but acts more intensely and more deeply, and is often useful after *Hepar* has ceased to act. It is chiefly useful for inflammations and suppurations; for effects of blows, etc. For the eye, after an injury by a splinter, like *Aconite*, *Silicea*, and *Symphytum*. For otitis, after a blow on the ear. The pus discharged is thick yellow, as is also the nasal discharge. [Source: *The Southern Journal of Homeopathy* January 1888 – C.E. Fisher M.D. Editor]

Case of Tetanus: Dr. G. H. Moser writes in *The Clinique* of a case of tetanus from stepping on a rusty nail. The first physician called used two tubes of anti-tetanic serum and other measures and pronounced the case hopeless. Dr. Closer was then called and as a sort of forlorn hope gave *Echinacea* 6, 15 drops, every two hours, and 40 drops of *Passiflora Q*, every two hours. The patient recovered. [Source: *Hahnemann Monthly* Vol 28 -1893]

Causticum: A young woman was severely burnt all down one side of her neck and body. She was operated on for three hours. She held her own for four days but on the fifth, she began to slip. The surgeon held out little hope. I gave her *Causticum* 10M every two hours. She immediately began to improve and had less pain and got on quite amazingly. [Source: Dr. Margery Blackie]

Curare: Because of my work on Myasthenia Gravis last year I was approached by a desperate father whose son Edson, 18 years old, was suffering from Myasthenia Gravis and allopathic medications no longer worked. Our recommendation was that Edson take *Curare* 30 CH, 10 drops 3x/day and gradually abandon the use of allopathic drugs. After two months Edson, called me and reported that he was fine and had stopped the allopathic medicines. The boy's father attested to his son's

current state of health without symptoms of Myasthenia Gravis. [Source: Dr. Claudio Martins Real]

Gelsemium: Mrs. H. P. C., pregnant five months. Sick headache, pains ascend from neck, accompanied by profuse urination. Sleepy faintness, sometimes fainting, better from motion in open air. Constipated; much flatulency. Deep yellow, acrid, adhesive leucorrhoea. Formerly had diarrhoea from emotions. Has lately returned from the tropics; *Gelsemium* cured. After delivery the child showed severe brain symptoms, rubbing the head, screaming constantly and vomiting hard curds of milk. *Aethusa* helped for a little while. I now found great dread of downward motion present, sleeplessness also appeared, part of the mother's *Gelsemium* state seemed to show in the infant. For this it received *Gelsemium* with prompt relief. We are accustomed to look upon the symptom as distinctive of *Borax*, but from several late experiences, I am persuaded that it is equally characteristic of *Gelsemium*, provided of course that the other symptoms confirmed the choice. [Source: C. M. Boger]

Natrum Muriaticum: A lady came to see me with these symptoms; in bed at night she began to shudder and shiver, and on getting into bed and lying down, she would shiver to such a degree that her teeth chattered, and the movements of her body shook the bed. She had suffered for years. Dynamized *Natrum Muriaticum* cured these cold shakes promptly and permanently. [Source: J. Compton Burnett]

Nux vomica: A large, robust, active woman of forty had a right inguinal hernia as large as two fists. It was reduced with difficulty. She never wore a truss. A dose of *Nux Vomica*, 30c every week, cured the hernia in eight months. There was no recurrence during the remainder of a long life. [Source: Edmund Carleton]

Nux Vomica and Picric Acid: *Nux Vomica* resembles *Picric Acid* somewhat in the brain fog, sour eructations and aggravation towards morning. *Nux* is distinguished by the prominence of gastric symptoms. [Source: Dr. E.A. Farrington]

Vanadium: Homeopath, James Compton Burnett once treated a case of fatty liver, atheroma of the arteries with the symptoms - much pain corresponding to the course of the basilar artery; large, deeply pigmented patches on forehead, and profound adynamia. Potentized *Vanadium* restored the patient, who was seventy then, and at eighty he was " hale and hearty."

Miscellaneous Tips

Acute Case Taking:

Here are the basic questions to be answered:

What changed since you got sick?

When did it start?

Do you know what caused the problem?

What are the symptoms? (physical and mental)

Do they extend from one place?

What are the sensations? (burning, aching, stinging, itching etc.)

What are the locations of the symptoms?

What are the modalities? (What makes it better or worse?)

What are the concomitants? (What symptoms occur together?)

Acute Prescribing: Knowledge of a patient's constitutional remedy is one of the quickest aids to acute prescribing. Thus, the sore throats of *Sepia* will often call for *Sabadilla*. In the *Sepia* patient with cold and sinusitis, *Nux* followed by *Pulsatilla* will be indicated. The *Argentum Nitricum* patient often presents symptoms of *Gelsemium* in acutes. During acutes, the *Lycopodium* patient is often helped by *Pulsatilla*. [Source: M.L. Dhawale]

Ailments from Multiple Causes: There are often several causes, and one remedy is not suitable for them all. In this case give one remedy after another; select first one for the worst symptoms, or still better, for the symptoms which appeared last, or the cause which acted last. Always give but one remedy, and only when this does no more good, another one. [Source: Constantine Hering]

Alcoholism: Alcoholics are always hypoglycaemic. Part of the recovery is to eat regular meals to keep the blood sugar from dropping. Next the meals should be high in protein; lay off the carbohydrates, especially sugar and white flour products as they will just encourage him to want to drink. Get into protein shakes. All people who are convalescing need to be doing this - A cup or two of raw milk in a blender, one banana, one tablespoon or two of protein powder (they're now saying whey protein is the best), one tablespoon of lecithin granules, half a tsp. of powdered vitamin C, one teaspoon of

coconut oil, some chunks of pineapple. Mix it all up in a blender for 30 seconds. This should be done three times a day. This will stop the craving for alcohol. [Source: *Elaine Lewis*]

Alternating Remedies: More than once it has happened to me that two related remedies competed so closely that a choice was difficult, and each had some concomitant symptoms of the case that the other did not possess. In these I saw the best results when I continuously alternated with both and with not too long intervals, so that always the one was given before the other had fully exhausted its action. The improvement increased and often no other medicines were necessary to complete the cure. [Source: *C. V. Boenninghausen*]

The manner of alternation employed by Hahnemann was that which is in conformity with the change of symptoms, the remedy being changed *only* when the symptomatic indications called for it. Confirmation of this statement maybe found in footnote to § 40, and in § 169, 171, 248, 272, etc. [Source: *Augustus Korndoerfer*]

Anti-Psoric: The best time for taking an antipsoric is the morning, before breakfast and the patient ought then to wait about an hour before eating or drinking anything. [Source: *S. Hahnemann*]

Autism and Isopathy: The key to the healing of autism with homeopathy is not the classical homeopathic approach, but Isotherapy, using a homoeopathic remedy made from a safe preparation of the toxic causative agent. [Source: *Tinus Smits*]

Autopathy in Eczema: Homeopath Jiri Cehovsky reports on a case of lifelong eczema in a woman of 43. The symptoms were entirely relieved after treatment with her own potentized saliva. [Source: *Jiri Cehovsky*]

Avoid During Homeopathic Treatment: §260. Coffee, Chinese tea or other herb teas, beer containing medicinal vegetable substances unadapted to the condition of the patient, so-called cordials prepared from medicinal spices, all kinds of punch, spiced chocolate, scented water and perfumes of various kinds, highly odorous flowers cultivated in the chamber, medicated tooth-powder or washes, perfumes inclosed in bags or cushions, highly seasoned food, spiced pastry or ices, raw medicinal herbs in soups, pot-herbs, tender shoots with medicinal properties, old cheese and tainted animal fowl, or the flesh and fat of pigs, ducks or young veal, and acid food, etc., all of which produce collateral medicinal effects, are candidly to be kept from patients. [Source: *Samuel Hahnemann*]

Basic Axioms: Remedies operate as by contagion. He caught the disease, and catches the cure.

Leave names of diseases out when prescribing. They are only for the foolish and for the boards of health. The disease is not to be named but to be perceived; not to be classified but to be viewed, that the very nature of it may be discovered.

Susceptibility is only a name for a state that underlies all possible sickness and all possible cure.

When a dose is too large to cure, man receives it as sickness.

The tendency of the human mind to run after things visible, that can be felt with the fingers, leads one to adopt foolish theories like the Bacteria doctrine and the Molecular theory. [Source: James Tyler Kent]

Boenninghausen's List of Antipsoric Remedies: *Agaricus, Alumina, Ammonium Carb, Ammonium Mur., Anacardium, Arsenicum Alb., Aurum, Baryta Carb., Belladonna, Borax Ac., Bovista, Calcareo Carb, Carbo Animalis, Carbo Veg., Causticum, Clematis, Colocynth, Conium, Digitalis, Dulcamara, Euphorbium, Graphites, Guaicum, Hepar Sulph., Iodine, Kali Carb., Lycopodium, Magnesium Carb., Magnesium Mur., Manganum, Mezereum, Muriatic Acid, Natrum Carb., Natrum Mur., Kali Nit., Nitric Acid, Petroleum, Phosphorus, Phosphoric Acid, Platinum, Rhododendron, Sarsaparilla, Senega, Sepia, Silica, Stannum, Strontium, Sulphur, Sulphuric Acid, Zincum.* [Source: Herbert A. Roberts]

Boenninghausen Compared to Kent: Boenninghausen: Generalization on a grand scale, prime importance of modalities, high evaluation of concomitants, importance of physical generals, use of mentals for differentiation.

Kent: Prime importance of the mental state, limited generalization, physical generals (and modalities) relegated to second stage, characteristic particulars considered at final stage. [Source: Dr. L.D. Dhawale]

Bowel Nosodes: Bowel nosodes are prescribed by symptom similarity; when the apparently indicated remedy fails to act; or, when several drugs seem indicated, but none is clearly the simillimum; or, in an old case where several remedies have helped but none has cured. The selection of potency is guided by the same principles as other remedies. When the patient has received a homeopathic remedy within the preceding month, it is safer to give a low potency. In advanced pathology the 6th potency can be given daily. When used in high potency, it is wise not to repeat a bowel nosode within three months. [Source: Dr. K.N. Mathur]

If I find a percentage of non-lactose fermenting organism in a stool greater than 50%, the administration of a bowel nosode is contraindicated, and produces a vital depression of the patient. Do not repeat a bowel nosode within three months. [Source: *John Patterson*]

Cancer: The blood will show marked increase in leucocytes, deficient red cell oxyhaemoglobin, marked excess of carbonates, corresponding deficiency of chlorides and phosphates, deficiency of potassium ions, excessive increase in sodium ions. The urine will show excess carbonates and absence of phosphate and chloride.

Case Taking: One of the most important questions that you can ask during taking the case is, “What does your husband (or wife or boss or friend) complain about you?” It’s a shortcut question that actually gets you some of the best information. When we analyze a case, we have to find the side that they are not going to volunteer upfront in the nice face.

Characteristic Symptoms: The great prescribers were famous for their knowledge of characteristic materia medica. Adolph Lippe possessed this faculty to an extraordinary degree and many tales of his remarkable accomplishments have been told. Passing through the ward of a hospital one day he observed a woman who had been an inmate for many months, without improvement in her condition. He stopped and observed her. “Dat voman wants zinc,” he said. Zinc cured! [Source: *Correct Methods of Choosing the Indicated Remedy*, Daniel E. S. Coleman, *Hahnemannian Monthly*, Vol.2, 1917]

Chronic Disease: A great chronic disease may be cured in the space of one or two years, provided it was not mismanaged to the extent of having become incurable. In young robust persons half this space of time is sufficient. [Source: *Samuel Hahnemann*]

Look for the picture of the chronic ailment following recovery from an acute condition. [Source: *H.A. Roberts*]

Cloned Remedies: Dr. Samuel Swan, who deals in homoeopathic remedies in high potencies in New York, says in his catalogue; ‘In order that all should have the benefit of high potencies, the plan of sending grafts has been adopted; if a graft is put in a vial of any size and the vial filled with unmedicated pellets and corked, the whole mass will be medicated in half an hour’. He indicates on the same page of this catalogue that when a vial of medicine is nearly emptied the physician can fill it up with unmedicated pellets which will become medicated by being in company with the pellets previously contained in it, thus presumably acting in a manner similar to the grafts spoken of in the

paragraph quoted above. He says, 'You will not have to purchase the remedy a second time'. [Source: *John B. Roberts*]

Cold Exposure: A person who has recovered from freezing, must avoid the heat of the stove and of the fire for a considerable time, as serious maladies, particularly disease of the bones, are liable to result therefrom. [Source: *Constantine Hering*]

Colour of Saliva: A blue colour has been observed in slow poisoning cases by lead. Yellow, even greenish saliva has been found in liver complaints and jaundice. [Source: *C.G. Raue*]

Colour Preference: Colour preference is just another good symptom, like a food modality or a general or mental amelioration/aggravation. Every homeopath irrespective of school or doctrine can use it. It supplements the repertories. The colour preference is a clinical symptom and comes from good cases. Cases cured or deeply ameliorated by the same remedy have shown to prefer the same or similar colours. Ask the patient to let go of purposes and just dive into the colours as such, choose one which feels good, which pleases the eye, where they like to dwell and get a feeling of well-being. [Source: *Dr. Ulrich Welte – Colours in Homeopathy*]

Confusing Symptoms: For certain patients we find, in trying to take their case, no 'head or tail' to it. It is mixed. The suffering and pain is now here, now there. The symptoms are contradictory, as we term them. This condition should always call attention to *Pulsatilla* and it will often clear up and cure the case. *Ignatia* also has these ever-changing, hysterical and contradictory symptoms. [Source: *E.B. Nash*]

Constitution: Ultimately the constitutional peculiarity is bound to reveal itself in a form pointing to its remedial counterpart. Nature calls for relief in her own language which it behoves us to learn properly. It is contained in the symptom picture but many times we are forced to look for it elsewhere. [Source: *C.M. Boger*]

Certain constitutions (Blondes, Brunettes, Thin or Fat Constitutions) are mentioned in connection with a remedy as being best suited to it, but it must not be inferred that no action will result in others when the symptoms agree. [Source: *James Tyler Kent*]

Constitutional Remedy: The constitutional remedy is found by a series of symptoms absolutely new to that patient. [Source: *C. M. Boger*]

Correct Potency: Different potencies of a remedy may be tested to see which is most appropriate, by placing one or two globules (# 20 or 40) in the crevice between two fingers. A mild heat is felt from the correct

potency, while there is no feeling from the other potencies. [Source: *Dr. Sultan Alam M. Bihari*]

Cravings: Many people choose foods intellectually, for nutrition rather than taste. When asked what foods they crave, they answer with foods that are good for them. Instead, you could ask, ‘If you were in a perfect world, where you could eat any food without harm, what would you crave?’

Dangerous Manifestations: When a patient is coming down with severe internal troubles, it is not uncommon for unhealthy looking boils to come out, or carbuncles or erysipelas blotches. It is always serious when these are not immediately followed by relief to the patient. [Source: *JT Kent*]

Deep Acting Remedies: One may have to start a case of heart failure with remedies like *Crategus* or *Cactus* and restore the function and vitality of the organ first and follow up with more constitutional remedies later. As the symptoms are reversed over time, one introduces deeper acting remedies. The same situation is met when treating the advanced states of tuberculosis where deep acting plant remedies with heavy mineral contents, anti-miasmatic minerals and nosodes can be very dangerous. One often has to start with plant remedies like *Sanguinaria* to reduce the tubercles and cavitations and then move toward deeper acting remedies after the fevers, sweats and coughs are removed.

Deficient Reaction: When notwithstanding the carefully chosen remedy and the patient’s faultless diet, the sick condition has not at all changed, the cause usually lies in want of receptivity, which we must seek to remove either by repeated small doses or by medicines recommended for deficient reaction. [Source: *Dr. Boger C.M.*]

Desire Warm: In patients who desire warm food and drink, consider liver problems. [Source: *Louis Dion*]

Direction of Cure: In addition to the tenets of Herings’s Direction of Cure, cure should proceed from the more dangerous, destructive miasm to the less dangerous miasm—from Syphilis to Sycosis, from Sycosis to Psora, from Syphilis to Psora. [Source: *Dr. Praful Vijayakar*]

In Hering’s direction of cure, the movement downwards is in the same system, the same disease and the same miasm. If a skin eruption disappears from the face and joint pain starts, this is not above downwards. Rather, the disease has shifted from one layer to another. In a case of paralysis of the hand and leg, the hand must improve first. If with the help of physiotherapy, the leg movement starts first, there will be permanent deformity in the hand. [Source: *Dr. Narendra Mehta*]

Discharge: In a cure, the discharge may not come back at the original place but from some other mucous membrane. [*Source: G. Miller*]

Duration of Cure: A constitution cannot be radically changed for the better in a week or a month. Hahnemann demanded at least two years for the cure of a chronic case. When such a case comes for treatment, refuse to take it unless the patient will promise all the time required. A patient may be told that his immediate condition may be ameliorated, but he must not consider himself cured and may experience a return of symptoms. [*Source: J.H. Clarke*]

Enzyme Inhibitor: Cancer specialist Dr. Max Gerson forbid soy bean products for cancer patients, as they contain a substance which inhibits proteolytic enzymes. [*Source: Robert W. Stickle*]

Fasting: Loss of appetite during acute disease or a weakened state of the system should be respected, for thrusting food into the stomach in spite of its dictates will generally give rise to more serious symptoms. [*Source: E. Harris Ruddock*]

Fractures: Don't forget to at once examine the pulse at the wrist and ankle in fractures of the humerus and femur, to ascertain if an artery has been injured. Don't keep elderly patients in bed trying to secure union in hip fractures. They are almost sure to develop pulmonary oedema, pneumonia, sloughing from pressure of splints, or from bed sores, and nearly all of them die. [*Source: G. Harlan Wells, Hahnemannian Monthly Vol. II, 1917*]

Gall Stones and Vitamin E: When hamsters were given a diet deficient in vitamin E, all developed cholesterol gall stones. When the vitamin was given again, the stones dissolved. Animals given large amounts of cholesterol or saturated or unsaturated fats developed no gallstone as long as vitamin E was adequate. [*Source: Adelle Davis, Let's Get Well*]

Gestures During Sickness: If a child refers a persistent pain to the stomach, and there is no tenderness on pressure, disease of the spine is indicated.

In hip joint disease, the pain will be referred to a point inside the knee.

In appendicitis the patient does not touch the skin at all when asked to locate the pain. He simply holds the palm of his hand over the diseased area.

In the pain caused by the descent of renal calculi and gall-stones, he follows their course with the top of the thumb or index finger. [*Source: The Medical Counselor, January, 1896*]

Grit: If a doctor has not the grit to withstand the cries of the family, the criticisms of the friends, the threatening of his pocketbook and of his bread and butter, he will not practice Homoeopathy very long. [*Source: James Tyler Kent*]

Hahnemann on Polypharmacy: Know that two, not to speak of three or more substances, when mingled together do not produce the same result that might be expected from them if given singly and at different times. [*Source: Samuel Hahnemann*]

Hahnemann on Treating Burns: The exact opposite of cold water is the best remedy for severe burns. Thus the experienced cook has learned by experience the remedy for burns. He holds the burnt spot so near to the hot glow of the incandescent coals, that the burning pain is thereby at first increased, and he holds it for some time in this situation, until the burning pain becomes considerably diminished and almost entirely removed in this high temperature. He knows, if he does so, that the epidermis will not even rise and form a blister, not to speak of the skin suppurating. On the contrary, after thus bringing his hand near the fire, the redness of the burnt spot, together with the pain, will often disappear in a quarter of an hour. It is healed all at once. [*Source: Samuel Hahnemann*]

Healing by Touch and Induction: Animal Magnetism: This healing force, which has been frequently, foolishly denied or reviled, is a marvellous gift of God to man, by which a well-intentioned man exerts his strong will over a patient with or without touching him or even at some distance, in such a way that the vital force of the healthy mesmerizer, gifted with this power dynamically flows into the patient (as the pole of a strong bar magnet acts on a bar of unmagnetized steel). *Aphorism 288.* [*Source: Samuel Hahnemann*]

Healthy Humans: Experiments on animals, vivisection and autopsy can never reveal the inherent power of medicine; the healthy human body alone is the fit subject for such experiments. [*Source: Samuel Hahnemann*]

High Potencies: It is well for you to realize that you are dealing with razors when dealing with high potencies. [*Source: James Tyler Kent*]

Homeopathic Aggravation: Homeopathic aggravation should not be medicinal i.e. there should not be any new symptoms; it should be only the existing symptoms to be aggravated. [*Source: Dr. P. N. Banerjee*]

Homeopathic Suppression: The suppression of individual symptoms maybe done quite as effectively by the use of homeopathic remedies as by conventional drugs. It will mask the true fundamental picture of

the disease, to the point where it will be incurable. Suppression drives diseases in, masks symptoms, makes protein changes in the form of the disease and blocks the natural exit of the disease. [Source: *Dr. Elizabeth Wright Hubbard*]

Homeopathy for Allergies: It is typical for patients who respond well to homeopathy to be able to go back to eating or being exposed to substances that bothered them prior to treatment. [Source: *Judyth Reichenberg-Ullman*]

Hypersensitive: For hypersensitive patients use low or medium potencies. [Source: *Stuart Close*]

Incompatibles: ‘I do not believe in incompatibles as some do. I should give *Causticum* after *Phosphorus*, *Silicea* after *Mercurius* and *Rhus Tox* after *Apis*, if I found it indicated.’ [Source: *E.B. Nash*]

Inducing Vomiting: When poisons or indigestible substances have been taken into the stomach, it sometimes becomes necessary to remove them as speedily as possible. This treatment violates no principle of homeopathy, any more than does the removal of a sliver from the finger with a pair of forceps.

Tickling the fauces and throat with a feather, or passing a finger down the throat, are familiar and efficient means of inducing vomiting in many instances.

Warm Water Emetic: Drinking several glasses of warm water (not hot water) is usually an efficient means of causing free vomiting.

Mustard Emetic: Mix a teaspoon of ground mustard in a teacup of warm water and let the patient drink all of it at once, and if vomiting is not produced in fifteen minutes, repeat the treatment.

Salt Emetic: Put a teaspoon of salt in a teacup of warm water; drink at once, and repeat in fifteen minutes if found necessary. [Source: *Morton M. Eaton*]

Inhalation: I may now openly confess that in very painful diseases, e.g. in toothache, tic douloureux, convulsions and the like, where we desire to give relief as quickly as possible, I have for a long time used almost exclusively this method, which often instantaneously brings the desired relief, especially when only the highest potencies are used for this purpose. [Source: *C. M. F. Von Boenninghausen*]

Instinct of the Stomach: A person who has contracted a bilious fever from anger and vexation, longs for nothing so much as fruit. Who tells him that this is almost the only thing that can do him good? I might

give you many more examples of the expression of the instinct of the stomach. We understand it under the terms appetite and repugnance, two very important but much neglected monitors for our well being. If we would only study this voice of nature often enough, we would obtain a great facility in understanding its feeblest manifestations. We should be enabled thereby to escape a large number of diseases, and in many cases to attain to long life without difficulty. But we find that this small voice of nature is only audible to persons who live upon very simple articles of food. [Source: *Samuel Hahnemann – Lesser Writings*]

Intercurrent Remedy: Don't leave your intercurrent remedy too soon; it may be the curative remedy. [Source: *F.E. Gladwin*]

Interpretation of Symptoms: If a patient is complaining of occipital headache, make sure you check the blood pressure. Occipital headaches are common in early hypertension. If patient is hypertensive, don't treat it as an isolated event with just the symptoms of headache – look for the underlying stress factors for hypertension.

Headache on vertex is very common in females who are anaemic. Get the Hb and Complete Blood Count of such patients done and if found anaemic, give appropriate supplements along with the indicated medicine.

Calf pain and recurring cramps is also often indicative of nutritional deficiency (Na, Ca or Mg). Keep this in mind if a patient (usually female) comes to you with such one sided complaints. Treating them for the symptoms alone won't give curative results in such cases. Add appropriate supplements to their diet.

Light Therapy: Homeopathy is one of numerous energy therapies. Light is another, and each colour has different effects. Yellow light stimulates the intestines. For ordinary constipation, obtain a clean glass jar and fill with pure water. Wrap it entirely in yellow plastic and expose it to the sun's rays for about an hour. Dose: half a cup. [Source: *Let There Be Light – Darius Dinshah*]

Long Acting Drugs: We have no long acting drugs. The continued favourable condition depends on the quality of the vital force and its harmonious action. [Source: *H.A. Roberts*]

Lower Potencies: In cases where only pathological changes are prominent, low potencies are required. Where three or four remedies seem equally indicated, it means that finer indications are wanting, and again only lower potencies are indicated. [Source: *S.P. Koppikar*]

Magnets: Both magnetic poles are equally powerful, but they are opposite in therapeutic action. The doses can be regulated by increasing or reducing the duration of application. If the effect is too violent, the application of a plate of polished zinc will serve as an antidote. [*Source: Hahnemann, §288*]

Mercury: Metallic Mercury has been found in every tissue of the body of those who have taken it as a medicine. Once introduced into the system, it remains. In cats that had been rubbed with Mercurial ointment, C. Esterlen found globules of *Mercury* in the pancreas, liver, spleen, lungs, heart, mesenteric glands, kidneys, etc., and also in the bile, milk, urine and saliva. [*Source: Carroll Dunham*]

Miasms and Food: A comparison of the desires of the stigmatic influences is of much help in selecting the remedy: psora desires hot foods; syphilis prefers cold food; sycosis wants the food either hot or cold. Psora desires meats, but the combination of psora and syphilis, in the tubercular diathesis, has an aversion to meats.

Miasms: Psora is relieved by perspiration, syphilis aggravated by it. Dread of labor, of being alone, of the dark, is psora. Dread of the night is syphilis. Timidity is necessarily psoric, just as ostentation is sycotic and desire to kill syphilitic. The pains of psora are better from warmth, those of syphilis are better from cooling and those of sycosis are better from dryness. Syphilitic pain dreads the coming of the night and the summer; psora, the coming of the winter and the cold; sycosis, the falling barometer and the coming storm. Falling barometer however, makes the syphilitic patient's bones ache. In sycosis, the nails are ribbed or ridged, but tubercular nails are thin as paper. A dry unhealthy skin will be of psoric nature, while an oily skin with copious perspiration and tendency to form excrescences will be sycotic. Skin which is ulcerated with a tendency towards degeneration will present the syphilitic condition. [*Source: Dr. Y. R. Agrawal*]

Milk and Alcohol: Every Homoeopath knows, or ought to know, that every remedy which has aversion to spirituous liquors among its indications also shows aversion to milk or troubles from its use, and vice versa. [*Source: C. M. F. Von Boenninghausen*]

Minerals Tests: Blood tests for Ca, Mg and Fe don't reveal the truth, since they test only a momentary aspect of the blood and depend on many factors. The problem with this "lack" of minerals is that it is mainly in the cells and not in the blood. So if the patient has an apparently good level of calcium, for example, he still might need Calcium to restore it at the cellular level. I've found that signs like Weihe pressure points, face

colour, nail variations, muscle cramps or other body symptoms are much more accurate than blood tests.

Modalities: Do not go against the modalities in a case. Modalities are the things that make the complaint better or worse. If a person's itchy rash isn't better for hot applications, don't give *Rhus Tox*. If a person's rash isn't aggravated by hot bathing, don't give *Sulphur*! If a person is better for a good night's sleep, don't give *Lachesis*. If a person says, 'I love warm, stuffy rooms,' don't make *Pulsatilla* your first choice. It's hard to imagine what could be more important in a case than the modalities (except, of course, for finding the cause). Be sure and ask for them. When someone tells you their complaint—and I don't care what it is—first try to find out the cause, what caused it, because you may be able to use an 'ailments from' rubric to solve the case, which might make the symptoms, themselves, irrelevant; then, if discovering the cause does not open up the case for you, ask them, 'What makes it better or worse?' I don't care what they say is wrong with them. Sometimes we can be overwhelmed when we hear a case! So much is wrong. It sounds so serious. Just remember to say, 'What caused it?' Then, 'What makes it better? What makes it worse?'. Give examples - heat, cold, motion, cold drinks, hot drinks, lying down, hot or cold applications, sympathy/company, massage, pressure, sleep, etc. There's almost nothing you can do if all you have is the name of the illness. But for example, if someone says, 'I have a headache that's better for hard pressure,' that could be *Bryonia*. Now, try to think of a remedy that's worse for hard pressure—that's the remedy not to give.

More Law of Cure: Under proper treatment, the symptoms should move from the more dangerous miasm to the less dangerous miasm; from syphilis to sycosis to psora, or from syphilis to psora. Eg. In treating asthmatic bronchitis, if ringworm develops on the skin, it is a bad sign, as the disease has traveled from Psora to Sycosis. [Source: Dr. Narendra Mehta]

New Symptom: If the symptoms for which a remedy is given are removed and a new symptom appears, withhold the hand if you wish the case to go on to recovery. [Source: Dr. Lippe]

Nosode: When a nosode comes out in repertorizing use it with a care. It invariably proves to be the similimum. [Source: EW Hubbard]

Observation: 'Astute observation is a prime necessity for the homeopath. There is a saying that if the patient says one thing and the gesture is contrary, believe the gesture'. [Source: Dr. Elizabeth Wright Hubbard]

Pace of Action: Observe the rapidity with which remedies affect the human system; there are some that are long, deep acting. *Natrum mur* is one of these. It operates very slowly, bringing about its results after a long time, as it corresponds to complaints that are slow, that are long in action. This does not mean that it will not act rapidly; all remedies act rapidly but not all act slowly; the longest acting may act in acute diseases, but the short acting cannot act long in chronic diseases. Get the pace and periodicity of remedies. In *Acon*, *Bell* and *Bry* we have three different paces, three different motions, three different forms of velocity; so in *Sulph*, *Graph*, *Natr Mur*, *Carbo Veg*, - a different form, a different development. [Source: James Tyler Kent]

Partial Antidote: The antidotal relationship between drugs may be general or partial, thus, *camphor* antidotes the effects of *cantharis* only so far as these concern the mucous membrane of the urinary tract, while the same tissue elsewhere is not antidoted by it. [Source: William Boericke]

Pathognomic and Characteristic Symptoms: A pathognomic symptom is the distinguishing symptom of a disease or condition, e.g., the peculiar rash and odour of measles, the primary and secondary fever of smallpox, etc. A characteristic symptom is the distinguishing symptom of a drug. It is to the drug what the pathognomic symptom is to the disease, e.g. aggravation of all the symptoms by means of sleep under *Lachesis*.

Poison Ivy, Oak, Sumac: Contact with the toxin from these plants produces an itching burning rash and sometimes small blisters. Symptoms develop anywhere from a few hours to a week after exposure. The reaction can be prevented or reduced by washing the area with soap and water within an hour of exposure. Contaminated clothes should also be washed.

Posology: The more chronic the affection, the longer must be the interval between the administration of the drugs.

Posology and Similitude: Regarding posology I will give you my rule; the dose depends upon the degree of similitude. The greater the similitude the higher the dilution and the less frequent the administration; the smaller the degree of similitude the lower the dose and the more frequent the repetitions of the dose. [Source: J. Compton Burnett]

Potency: Each person has an optimum potency. If the optimum is 12c, then start at 6c, until not effective, then go to 12c. At 200c, an aggravation may occur. By starting at 6c, a tolerance is built and the healing is gentle, rapid and permanent. The healing crisis is not necessary or wanted. [Source: Robin Murphy]

Psora: Psora alone never causes structural changes. The shape of the psoric face is that of an inverted pyramid. Hair and scalp are dry and lusterless. It becomes gray too early, or white in spots. It kills the psoric patient to stand still. He must walk instead of standing, even if he is on his feet but a brief time. [*Source: Herbert A. Roberts*]

Psora spends its action largely upon the nervous system. The greatest force to rouse the evils of the psoric dyscrasia is grief or sorrow. Psoric patients are mentally alert and easily fatigued. They dread to undertake any exertion. They fear their health will fail, that they will be incurable, or that they will be dependent. Psoric manifestations are ameliorated by the eliminative functions of diarrhoea, perspiration or urination. [*Source: H.A. Roberts*]

Psora and Sycosis Compared: When the psoric speaks or writes he does it very quickly. There is such a flow of thoughts that he can hardly follow it with his tongue or pen. The psoric cannot concentrate on his work, because his thoughts get ahead of his work. The sycotic is unable to collect his thoughts or decide on the most appropriate word, hence the slowness in speaking and writing. He reads and re-reads several times but cannot retain the idea. [*Source: Y.R. Agrawal*]

Referred Pain: Frequently pain occurs, not in the part diseased, but in a distant one. Inflammation of the liver generally first shows itself by pain in the right shoulder; inflammation of the hip-joint, by pain in the knee; stone in the bladder, by pain at the end of the penis; disease of the heart, by pain down the left arm. [*Source: E. Harris Ruddock*]

Removal of Pathology: From the homeopathic standpoint much of pathology is protective. Abscesses, ulcers, tumours should not be removed by surgery until after the sick constitution has been cured. Its removal before cure means the vital force will seek another outlet, either by recurrence in the same form or by more deep-seated trouble. It requires keen judgment to decide when a case has gone too far to be relieved by remedies. [*Source: Dr. Elizabeth Wright Hubbard*]

Repetition: Perceptible and continued progress of improvement in an acute or chronic disease, is a condition which, as long as it lasts, invariably counter-indicates the repetition of any medicine whatever. Under these circumstances every new dose of any medicine, even of the last one that proved beneficial, would disturb the process of recovery. [*Source: Samuel Hahnemann*]

Before repeating a remedy, wait minutes or hours in acutes, days, weeks, or months in chronic diseases. Never repeat while amelioration holds. [*Source: Dr. M.L. Tyler*]

Never repeat your remedy so long as it continues to act. Never repeat the dose in a proving, while symptoms are manifest from the dose already taken. [*Source: H.A. Roberts*]

Sulphur, *Hepar*, and *Sepia* excepted, the other antipsorics, seldom admit of a favourable repetition of the same drug. One antipsoric having fulfilled its object, the modified series of symptoms generally requires another remedy. [*Source: S. Hahnemann*]

Retrospective Prescribing: A child had measles when he was 5 years old; now he is deaf in one ear. You take the case, give the indicated remedy and it doesn't work. Then you give him the remedy he needed at the time he had measles, even though there are no symptoms of the remedy present. [*Source: Robin Murphy*]

Route of Administration: If you don't want to give a remedy by mouth, the inside of the nose works fine and may even give faster results. Moisten a q-tip with a water potency or have the patient dip a finger in the water potency and touch the septum inside the nose.

Doctor Gallavardin treated drunkenness, frequently without the patient knowing he/she was being dosed. Remedies would be put in food or drink. He said, 'Many readers will be astonished that a remedy in the 200th or 1M administered in food or drink should nevertheless manifest its remedial properties. Experiments prove that remedies remain unaltered even when administered in the midst of a hearty meal'.

Salt Enema: The daily use of the high normal salt enema, in typhoid fever, is an adjuvant worthy of consideration. It will often reduce a high temperature with greater safety than a remedy.

Second Prescription: Never leave a remedy until you have tested it in a higher potency, if it has benefited the patient. [*Source: J.T. Kent*]

Sensations: The sensations indicate the tissues involved. For example, a sharp, shooting, lightning-like pain indicates a nerve. A pulsating pain, an encapsulated organ. A sharp, splinter-like pain indicates an ulcerated mucous membrane or skin. [*Source: George Royal*]

Sensitive Patients: Sometimes very sensitive patients will do well on a high potency if they have been prepared for it by the use of a lower one. [*Source: S.M. Gunavante*]

Sensitivity to Remedies: I have known temperaments so intensely *Aconite* or *Belladonna* that they could not take these remedies except in the high and highest potencies, and then only in single doses at long intervals. Why should this be thought incredible? Carpenter, in his

Physiology, tells of a person who was so susceptible to *Mercury* that she was salivated by sleeping with her husband, who had taken *Mercury*. [Source: *E. B. Nash*]

Septic focus Inhibits Remedy: It is necessary to eliminate the presence of a septic focus before prescribing a nosode, because a septic focus in either an acute or chronic case interferes with the action of the remedy. In acute cases after an operation, a stitch abscess or deep seated infected blood clot may interfere with the remedy. Also, an ear infection where there is mastoid involvement or a dental abscess, can interfere with the action of the remedy.

Skin Clues: In acute diseases, if the skin becomes moist, especially after giving a remedy, it is a most favourable sign. In sub-acute or chronic diseases when the skin becomes cold, with a perspiration that is cold, clammy and profuse, the situation may be full of danger, especially if the pulse is weak and irregular. [Source: *Myron H. Adams*]

Strictures: It has been said that our medicines are not capable of curing strictures, but they sometimes do cure strictures. If they can cure the patient it is marvellous how nature will take up all that inflammatory tissue and the canal become normal. This thing has been seen many times in stricture of the urethra and stricture of the rectum. [Source: *James Tyler Kent*]

Sycosis: Sycosis is the miasm believed to follow gonorrhea and may be inherited or acquired. It may also arise from vaccination (vaccinosis), allergic reactions to drugs or insect bites and chronic infective states. Any patient who has reacted badly to a vaccination should receive a single dose of *Thuja* 30, to prevent an acquired sycosis. [Source: *Dr. Colin B. Lessell*]

Symptom Value: Hahnemann's central idea is fundamental, that the further an outstanding symptom seems removed from the ordinary course of disease, the greater is that symptom's value in determining the remedy. [Source: *C. M. Boger*]

Symptoms: Hahnemann wrote of a morbid influence resulting in a mistuned vital force, and this 'mistunement' is then expressed through various limiting symptoms. The morbid influence may be described through a 'story' of past stresses, whereas the resulting symptoms express how a person's vital force has become imbalanced. The limiting symptoms of the imbalanced vital force form a solid foundation for choosing the homeopathic prescription. When choosing a remedy for a client, it's easy to be confused into matching the remedy with the

‘morbific story’ (abuse, trauma, abandonment, etc.) rather than the limiting symptoms which developed as a result. In order to avoid losing sight of what needs to be cured: 1) be careful to distinguish between the morbific story and the person’s symptoms, and 2) also distinguish between limiting symptoms (fears, anger, grief, attendant physical complaints) vs. non-limiting symptoms (sympathetic, affectionate, caring, energetic, etc.). The focus must remain on the constellation of limiting and maladaptive symptoms which are not serving the ‘higher purposes of one’s existence’. [Source: *David Johnson*]

Symptoms of Latent Sycosis: Fixed ideas, suspicious, jealous, cruel, fits of anger, can’t remember recent events, forgets words he has just read, suicidal. Alopecia or baldness in circular spots. Redness of nose. Rheumatic diathesis. Thick, ridgy and corrugated fingernails. Leucorrhoea smelling like fish brine. Slow recovery from acutes. Worse from damp weather, spices, meat, wine. Better from appearance of warts and return of old ulcers, sores. [Source: *Dr. Harimohan Choudhury*]

Teething: Teething is a crisis, and the things that are within will come out at the time, just as there are troubles that are likely to come out at the time of puberty and at the climacteric period.

Totality of Symptoms: We take a case and find fourteen symptoms. Only *three* of these symptoms appear under *Colocynth*, but they are all of the highest rank, the first one because it is peculiar, the second because it is a modality, and the third because it has been verified a thousand times. *All* of the fourteen symptoms are found under *Nux vomica*, but all of them in the lowest rank. We say *Colocynth* has the ‘totality of symptoms’. [Source: *George Royal*]

Types of Acutes:

1. Those that are miasmatic, which are true diseases (e.g. measles, scarlet fever, whooping cough). These acute miasms have a distinct course to run. Chronic miasms are the fundamental cause of the acute miasms.
2. Those that may be called mimicking sickness: Living in damp houses, grief, bad clothing etc., external causes, such as when removed, the patient recovers. [Source: *James Tyler Kent*]

Uncommon Symptoms: The symptoms of the patient minus those common to the disease he is suffering from. [Source: *James T. Kent*]

Valuable Symptoms: After an organic disease has become established, secondary modifications of health take place, which do not offer valuable symptoms for purposes of prescribing the curative remedy. Really

valuable guiding symptoms will be in the earlier state of the patient, before the organic changes have taken place; thus, in the treatment of an organic kidney disease, a curative remedy would more likely be found in the earlier symptoms that preceded the development of the dropsy, anaemia, etc. [Source: *William Boericke*]

Venereal Diseases: Venereal diseases also have been radically healed by Homoeopathy much more surely, with less trouble and without any sequelae; for without disturbing or destroying the local manifestation it heals the internal fundamental disease from within. [Source: *Samuel Hahnemann*]

Water Doses: When a remedy must be repeated, it should be in water, and succussed. Here are Hahnemann's words: "*It is inadmissible to repeat, even once, exactly the same dose of medicine without modifying it, let alone many times. The vital force does not accept such identical doses without opposition*". He also tells us that when using LM's to treat chronic disease, if we put our remedies in water and succuss: "*The same well-chosen medicine can now be given daily, even for months if necessary*". [Source: *Dr. Samuel Hahnemann*]

Wrong Direction: If you prescribe for a rheumatism of the knee, feet or hands and relief takes place in the rheumatism, but the patient is taken down with internal distress that settles in the region of the heart or spine, a transference has taken place from circumference to centre, and the remedy must be antidoted at once, otherwise structural change will take place in that new site. [Source: *James Tyler Kent*]

Tips for Animals and Plants

Anthracinum: This nosode has proven a great remedy in epidemic spleen diseases of domestic animals, and in septic inflammation, carbuncles, and malignant ulcers.

Castor Equi: 'I have had several cases of asthma, related to horses that have been cured by *Castor equi*. This remedy comes from the rudimentary thumb-nail of the horse'. [Source: *Dr. David Wember*]

Epilepsy in Pigeons: Pigeons are sometimes attacked by a disease called, perhaps improperly, epilepsy. It manifests itself by the contortions or unnatural workings of the muscles of the throat, and if touched the birds seem to be in pain. The disease oftener attacks the female than the male. Its cause is unknown. *Belladonna* covers the symptoms best. [Source: *The Poultry Doctor, Boericke & Tafel*]

Fowl Tips: Asthma: Canary and other singing birds are often troubled with asthma. The breathing is easily heard, and especially after the exertion of flying. *Corallium rubrum*, a half dozen pellets dissolved in the water-cup effects a speedy cure. *Spongia* is also indicated; *Ipecac*, in case of too much flesh, *Bryonia* in asthmatic panting of old age. A little plantain seed is said to aid recovery in obstinate cases. This disease is often mistaken for croup.

Tumours: Domestic fowls are sometimes attacked with tumours, which anyone will recognize at a glance. Isolate the fowl and dissolve a dozen pellets of *Arsenicum* each day in its water cup if it is supposed the tumour is a natural growth, or, if caused by injury, *Hepar Sulph*. Cauliflower-like excrescences or seedy warty growths require *Thuja*.

Vessicles: Small vesicles, or pimples about the size of a pinhead, and pearl-like, will sometimes be found on the neck, comb and wattles of fowls. They hunt in sunny places, droop their wings and grow lean. On the seventh day the vesicles ripen and improvement sets in or the fowl dies. Isolate the affected ones. *Nitric acid* is the best remedy. Dissolve in the water cup a dozen or more pellets each day until cured.

Mercurius Corrosivus: The most valuable remedy for dysentery in Oxen is *Mercurius Corrosivus*, which is specially adapted for those cases which are characterized by severe straining, protrusion of the end of the bowel, discharge of pure blood, or of slimy mucus mixed with blood, and of hardened excrement, frequent urgings to relieve the bowel, symptoms

of belly-ache before, during, and after each action. (Other remedies to be considered are *Colocynth*, *Ipecac*, *Arsenicum*, *Phosphoric acid*). [Source: James Moore]

Monte's Abscess: An English Bull Dog named Monte developed a large lump on the side of its neck. It was first treated by an allopath who drained it under anaesthesia. A month later the abscess was still not better. I examined the wound and sensed that there was a foreign body in it. I gave *Silicea* 200 twice a day for three days. After 5 days an awn popped out of the abscess, after which it healed nicely! [Source: Dr. Arthur Young]

Passiflora: I have seen wonderful effects of it in relieving tetanus. Some ten years ago I was called to see an old lady, who was having 'fits'. While examining her, convulsions came on, affecting mainly the trunk muscles, and drawing the head back. I gave her instantly a dose of *Passiflora*. The convulsions subsided, and she has never had one since. I have used *Passiflora* in treating tetanus in horses – a disease usually considered as inevitably fatal to that noble animal. It has never failed to cure the horse. My son, Dr. J. H. Phares, many times prescribed *Passiflora* for tetanus in horses, with one invariable result – prompt, perfect, permanent cure. [Source: Dr. E.P. Anshutz]

Phosphorus for Plants: The plant is very thirsty and wilts easily in dry spells. Roots have shrivelled skins, feeling as though they are loose around the core of the root. Very dry; yellow with a brown core. In cereals, the leaves turn purplish, legumes become bluish green and stunted. Most plants, however, turn dark green with red or purple tints. Generally all diseases where the plants show watery cells and their concomitant problems. Leaves may brown around edges, or they may yellow and fall. [Source: *Considera -The Plant Not the Pest*]

Problems of Dog: In treating the aging heart and cardiac weakness from serious illness, we use equal parts of *Crataegus* 1x and *Cactus* mother tincture. Five to ten drops, three times daily.

Psychic Symptoms of Animals:

Dogs that bite without barking: *Belladonna*

Dogs that bark and bite: *Stram*, *Veratrum A*, *Bell*, *Cantharis*

Horses that bite: *Belladonna*, *Chamomilla*

Horses that are afraid: *Puls*, *Sulph*, *Lycop*, *Natrum m*.

Cows that do not let themselves be milked: *Nux vomica*, *Calc. C*, *Puls*, *Silicea*, *Caust*. [Source: Dr. Jean-Pierre Gallavardin]

Rabies Vaccine: Veterinarian Richard Pitcairn has noted that *Lachesis* is almost a specific in the treatment of rabies vaccine reactions in animals. [Source: Roger Morrison]

Remedies for Fowls: Everyone knows that babies during dentition, or teething, often get very sick. Something analogous occurs with young fowls when their down begins to be replaced with feathers; i.e. their 'teething' period. To the best of our knowledge this complaint has never been classified and named. We have called it 'feathering', because the word, if homely, is certainly descriptive. Most poultry raisers have at some time carried a lot of young chicks or turkeys safely through infancy only to have them, when feathers begin to sprout, perversely die. This will happen even where the care food and housing is of the best. What is the matter? When young fowls of this age begin to droop and die they should be carefully examined to make sure that lice are not the cause. If no lice be found there is a plain call for medicine. The condition described is so vague that no remedy can be with certainty prescribed, but the probabilities are that a helpful one will be found among the three following - *Calcarea Carb.*, *Chamomilla* or *Hepar Sulph.* In general, *Calcarea* when there seems to be arrested growth; *Chamomilla* when there is foul evacuation, and *Hepar* when the chick looks scrofulous or, so to say, mangy. A fourth remedy may be added, *Aconite*, when there is restlessness, 'crying', and a general feverish condition. Administer the remedy, a dozen or more pellets, in the water cup or food of the fowls; in the latter case dissolve in water and mix thoroughly. [Source: *The Poultry Doctor*; Boericke & Tafel, 1920]

Remedies for Plants: There exists no other remedy that meets cases of nematodes better than *Teucrium Marum*. Also for Cabbage Root Fly, and flowering and fruit setting problems.

For blistering or burn of leaves, or crimson pink leaves, *Belladonna* is indicated.

For dry and harsh bark – *Calcarea Fluorica*. [Source: Kaviraj Vaikunthanath]

Remedies for Singing Birds: Caged singing birds are subject to attacks of hoarseness; in other words they catch cold from being exposed to draughts, the same as men do. There are a number of remedies for this ill, and they are easily administered by dissolving half a dozen pellets of the chosen one in the bird's water cup. If the bird sneezes and is evidently just taking cold, *Aconite* is the remedy, but if it is plainly hoarse, tries to sing but has little voice, and that rough in sound, give *Causticum* or *Hepar Sulph.* If there is great hoarseness, watery eyes, yet occasionally

the voice breaks out clear, give *Pulsatilla*. [Source: *The Poultry Doctor, Boericke & Tafel, 1920*]

Sepia for Dog: The female *Sepia* will consistently bite and drive away any male during the fertile period. In these cases, *Sepia* 6x, needs to be given for about for three weeks (tds) before the animal is due to come on heat. *Sepia* is not exactly pleasant company. This type will not tolerate children or small puppies. [Source: *H.G. Wolff, MVSC*]

Swelled Crop in Poultry: Caused by eating too much or from something that prevents the food from passing out of the crop, as the passage from the crop to the gizzard may be clogged with long dry grass old rags, or other substances. The hen ruffles her feathers, throws her head back and her crop feels packed ready to burst. Fasting and gentle manipulation generally cures. *Nux vomica* or *Arsenicum* will aid in giving relief.

Swollen Head of Hens: The heads of hens will often swell greatly and be very hot. Exposure to draughts of air, however, is a fruitful cause of both swelled heads and swollen eyes. *Spongia* has given relief in many cases but *Belladonna* is the indicated remedy for this trouble. *Bryonia* also will relieve. [Source: *Boericke and Tafel, The Poultry Doctor*]

Symphytum: Healthy but loose teeth that cause no pain can be treated with *Symphytum* 3. *Symphytum* 3 must be added to the food at least twice a day for three weeks. This will make the teeth holdfast again. (Loose painful teeth are caused by damaged roots and therefore have no chance.) [Source: *H.G. Wolff*]

Thrush in Poultry: Consists of small vesicles or white specks on the membrane of mouth, tongue, etc. There are several remedies for this condition of sore mouth or Stomatitis; among them may be named in their order

Nitric acid if there is a general yellowish appearance; *Mercurius viv.* If red, spongy, bleeding; *Staphisagria* if pale, white and readily bleeding; and *Thuja* if there appears to be a fungus-like growth. [Source: *Boericke and Tafel, The Poultry Doctor*]

Uterine Prolapse in Cows: There are as far as I know two main causes and of course two different remedies. After birth the cow goes on pushing madly. It's often a fleshy, sound heifer. Kent's repertory has a rubric - "Female, prolapsus uteri straining from" with one single remedy - *Aurum*. It works wonderfully. When you arrive, give the cow some granules of *Aurum* C5 between lip and gum, then loosen your tie, pick off the placenta and you'll see that the huge purple mass gets smaller and smaller and light pink. You can then push it back, even

without epidural anaesthesia, and fill it with fresh water to get rid of every remaining fold, which would let the cow push again. The other aetiology, mostly on elder, worn-out cows, is due to relaxed fiber. Then *Sepia* becomes useful. If the cow goes on pushing, you can add *Aurum* (congestion and intolerance to pain). Don't try this on sows! The prolapsed uterus is too long, veins and arteries are too much stretched and this causes deadly circulatory disturbances. [Source: *Jacques Millemann*]

Weak joints: Weak joints in an older dog (hind legs wouldn't support); the dog's weight is 75 lbs. *Calc-p*, *Calc-fl*, *Sil* all as 6X. 2 tablets each, q.d., crushed and poured into the mouth. Noticeable improvement after 1 week.

Worms in Horses: *Ferrum Sulphuricum* renders excellent service when the appearance and condition of the animal is degraded by worms. It corrects the disorder of the mucous membrane of the intestinal canal, and thus renders the latter part an unfit and barren habitat for parasites. [Source: *James Moore*]

Bibliography

1. Adams Myron H. Practical Guide to Homeopathic Treatment Designed and Arranged for the Use of Families, Prescribers of Limited Experience and Students of Homeopathy. Boericke & Tafel; 1913.
2. Agrawal Y R. Comparative Study of Chronic Miasms. New Delhi: B Jain Publishers; 1995.
3. Allen HC. Keynotes and characteristics with comparisons of some of the leading remedies of the Materia Medica, 4th Indian ed.: Kolkata: Roy Publishing House; 1977.
4. Allen J H. Diseases and Therapeutics of the Skin. New Delhi: B Jain Publishers; 2005.
5. Allen T F. Handbook of Materia Medica and Homeopathic Therapeutics. New Delhi: B Jain Publishers; 2005.
6. Allen H C. The Therapeutics of Intermittent Fever. New Delhi: B Jain Publishers; 2005.
7. Allen, T F. The Encyclopedia of Pure Materia Medica. New Delhi: B Jain Publishers; 2009.
8. Anshutz E P. Sexual Ills and Diseases. Philadelphia: Boericke & Tafel; 1896.
9. Anshutz E P. New Old and Forgotten Remedies. New Delhi: B Jain Publishers; 2007.
10. Arndt H R. A System of Medicine Based Upon the Law of Homeopathy. Philadelphia: Hahnemann Publishing, 1885-86.
11. Assilem Melissa Matridonal Remedies of the Humanum Family.
12. Baehr B. The Science of Therapeutics According to the Principles of Homeopathy. Boericke & Tafel; 1872.
13. Bailey P M Homeopathic Psychology. New Delhi: B Jain Publishers; 2007.
14. Banerjee S K. Success of Homeopathy – Authentic Cures. New Delhi: B Jain Publishers; 2010.
15. Barker J. Ellis. From Heal Thyself. Homeopathic Publishing Company. 1943.
16. Barthel H, Klunker W. Synthetic Repertory. 3 Volumes. 3rd Edition. 1987.

17. Berjeau J. P.H. Homoeopathic Treatment of Syphilis, Gonorrhea, Spermatorrhea and Urinary Diseases. Boericke & Tafel.
18. Bhatia V R. Influenza and Its Homeopathic treatment. New Delhi: B Jain Publishers; 2001.
19. Bihari Sultan. Homoeopathic Insight Into Cancer. New Delhi: B Jain Publishers; 2002.
20. Blackie M. Classical Homeopathy. Beaconsfield Publishers; 1986.
21. Blackwood A L. A Manual of Materia Medica. reprint ed. New Delhi: IBPP.
22. Boenninghausen. The Lesser Writings of Boenninghausen. New Delhi: B Jain Publishers; 2010.
23. Boericke & Dewey. The Twelve Tissue Salts of Schussler. Hahnemann Publishing.
24. Boericke Francis E. Three Lectures on Homoeopathic Pharmaceutics 1878.
25. Boericke W. New Manual of Homoeopathic Materia Medica with Repertory. 3rd Revised and Augumented Ed. New Delhi: B Jain Publishers; 2010.
26. Boericke W. A Compendium of the Principles of Homoeopathy. New Delhi: B Jain Publishers; 2004.
27. Boger C M. A Synoptic Key of the Materia Medica. New Delhi: B Jain Publishers; 2001.
28. Boger C M. The Homoeopathic Therapeutics of Diphtheria. New Delhi: B Jain Publishers; 2002.
29. Boreland D. Homeopathy in Practice. Beaconsfield Publishers; 1982.
30. Borland D. Digestive Drugs for the Alimentary Tract. Beaconsfield Publishers; 1921.
31. Bredenoll. The Homeopathic Examiner. 1846.
32. Burnett J C. Fifty Reasons for Being a Homeopath. New Delhi: B Jain Publishers; 2005.
33. Burnett J C. The Change of Life in Women and the Ills and Ailings Incident. New Delhi: B Jain Publishers; 2007.
34. Carleton Edmund, Homoeopathy in Medicine and Surgery (1913). New Delhi: B Jain Publishers; 2013.
35. Cehovsky Jiri Get Well with Autopathy. Alternativa; 2012.
36. Chapman J B, Biochemistry : A Domestic Treatise on the Application of Schuessler's Twelve Tissue Remedies. 1897.

37. Chaterjee T P. My memorable Cures. New Delhi: B Jain Publishers; 2001.
38. Chaterjee T P. My Random Notes on Some Homeopathic Remedies. New Delhi: B Jain Publishers; 2000.
39. Chauhan D. A journey into the Human Core. Philosia Publication.
40. Chitkara HL. Materia Medica of the Mind. New Delhi: B. Jain Publishers; 2010.
41. Choudhuri N M. A Study on M.M. and Repertory. New Delhi: B Jain Publishers; 2001.
42. Choudhury H. Indications of Miasm. New Delhi: B Jain Publishers; 2011.
43. Coulter C. Homeopathic Education-The Unfolding Experience. Ninth Publishing House; 2008.
44. Croserio, Simon Felix Camille. Homoeopathic Manual of Obstetrics. 1786-1855.
45. Currim Ahmed N. J.T. Kent Unpublished Materia Medica. New Delhi: B Jain Publishers; 2011.
46. Das Bishamber. Select Your remedy. New Delhi: B Jain Publishers; 2001.
47. Das Eswara. Synopsis and Homoeopathic Aetiology. New Delhi: B Jain Publishers; 2005.
48. Dewey W A. Practical Homoeopathic Therapeutics. New Delhi: B Jain Publishers; 2005.
49. Dhawale ML. Principles and Practices of Homeopathy. Part 1. Mumbai: Institute of Clinical Research; 1967.
50. Dunham C. Lectures on Materia Medica. New Delhi: B Jain Publishers; 2013.
51. Eaton Morton M. Eaton's Domestic Practice For Parents And Nurses. Philadelphia: Boericke & Tafel; 1882.
52. Farrington E A. Lectures on Clinical Materia Medica. 4th ed. New Delhi: B Jain Publishers; 1991.
53. Farrington E A. Lesser Writings with Therapeutic Hints. New Delhi: B Jain Publishers; 1991.
54. Fayazuddin M. Caution on the Use of Remedies. Faiz Homoeopathic Publishing House; 1976.
55. Foubister DM. Carcinosis. New Delhi: B Jain Publishers; 1990.
56. Foubister D. Tutorials on Homoeopathy. Beaconsfield Publishers.

57. Gallavardin. The Homoeopathic Treatment of Alcoholism. New Delhi: B Jain Publishers; 1999.
58. Gallavardin Jean-Pierre. Repertory of Psychic Medicines. New Delhi: B Jain Publishers; 1999.
59. Ghegas Vassilis. The Classical Homeopathic Lectures. Volume A. May 1987.
60. Grandgeorge D. The Spirit of Homeopathic Medicines. North Atlantic Books; 2007.
61. Gray B. Homeopathy Science or Myth. North Atlantic Books; 2000.
62. Gross H, Comparative Materia Medica. New Delhi: B Jain Publishers; 1990.
63. Guernsey H N, Notes of Lectures on M.M. Delivered at Hahnemann Medical College of Philadelphia.
64. Gunavante S M. Introduction to Homoeopathic Prescribing. New Delhi: B Jain Publishers; 2000.
65. Hahnemann S. Lesser Writings. New Delhi: B Jain Publishers; 2007
66. Hahnemann S. The Chronic Diseases – Their Specific Nature & Homeopathic Treatment. New Delhi: B Jain Publishers; 2007
67. Hale E M. M.M and Special Therapeutics of the New Remedies. Chicago: American Book Co.; 1885.
68. Hartmann F. Therapeutics of Acute Diseases.
69. Hering C. The Homoeopathic Domestic Physician. Philadelphia: Boericke & Tafel; 1904.
70. Herscu Paul. The Homeopathic Treatment of Children. New Delhi: B Jain Publishers; 2010.
71. Houghton H C. Lectures on Clinical Otology. New York Homoeopathic Medical College; 1885.
72. Hughes R. A Manual of Pharmacodynamics. 5th edn. New Delhi: B Jain Publishers; 2005.
73. Idarius B. The Homeopathic Childbirth Manual. Idarius Press USA.
74. Jahr G.H.G. The Clinical Guide or Pocket Repertory for the Treatment of Acute and Chronic Diseases. University of Michigan Library.
75. Jahr G.H.G. The Most Important Results of More Than Forty Years' Practice. New Delhi: B Jain Publishers; 2001.
76. Kapadia S. Homeopathic Reminiscences. Sarabhai Homoeopathic Foundation.

77. Kaviraj V D. Homeopathy for Farm and Garden. Narayana Verlag. 2015.
78. Kent J T. Lectures on Homoeopathic Materia Medica. New Delhi: B Jain Publishers; 2004.
79. Kent J T. Lesser Writings. New Delhi: B Jain Publishers; 2004.
80. Kent J T. Lectures on Homoeopathic Philosophy. New Delhi: B. Jain Publishers; 2011.
81. Kent J T. Repertory of Homoeopathic Materia Medica. New Delhi: B Jain Publishers; 2006.
82. Koppikar S P. Koppikar's Clinical Experiences. B. Jain Publishers; 2009.
83. Korndoerfer Augustus. The Single Remedy and The Minimum Dose.
84. Laurie J. The Parent's Guide: Containing The Diseases of Infancy and Childhood and Their Homoeopathic Treatment. University of Michigan Library.
85. Laurie J D. An Epitome of The Homoeopathic Domestic Medicine. J. Leath., 1851.
86. Lessell C B. The Dental Prescriber. BHA Book Service; 2009.
87. Lessell Colin. The World Traveller's Manual of Homoeopathy. C W Daniel Co Ltd; 1993.
88. Lilienthal, S. Homeopathic Therapeutics. New Delhi: B Jain Publishers; 1995.
89. Lippe A. Key Notes and Red Line Symptoms of the Materia Medica. New Delhi: B Jain Publishers; 2009.
90. Lockie, Geddes. The Complete Guide to Homeopathy: The Principles and Practice of Treatment with a Comprehensive Range of Self-Help Remedies for Common Ailments. Dk Pub; 1995.
91. Lockie A. Family Guide to Homeopathy. Touchstone; 1993.
92. Loutan G. Repertory of Themes.
93. Master F J. The Bedside Organon of Medicine. New Delhi: B Jain Publishers; 2009
94. Mathur K N. Principles of Prescribing. New Delhi: B Jain Publishers; 2010.
95. Mathur K N. Systematic M.M. of Homoeopathic Remedies. New Delhi: B Jain Publishers; 2008.
96. Maury E A. Drainage in Homoeopathy. Random House UK; 1996.

97. Mehta N. The Follow-Up – Understanding the follow-up in deep seated diseases. 2005.
98. Moffat, John L. Homoeopathic Therapeutics in Ophthalmology. New Delhi: B Jain Publishers; 1998.
99. Moore J. Hand Book of Veterinary Homoeopathy. London: James Epps & Co.; 1873.
100. Moore J. Horses Ill And Well: Homoeopathic Treatment of Diseases and Injuries. London: James Epps & Co.
101. Morgan L W. Homeopathy and your child. Healing Arts Press; 1992
102. Morrell P. Hahnemann And Homeopathy. New Delhi: B Jain Publishers; 2000.
103. Morrison R. Desktop Guide. Hahnemann Clinic Pub; 1993.
104. Moskowitz Richard Homeopathy for Pregnancy and Childbirth. New Delhi: B Jain Publishers; 2000.
105. Murphy R. Homoeopathic Medical Repertory. 3rd ed. New Delhi: B Jain Publishers; 2009.
106. Murphy R. Lotus Materia Medica, 2nd ed. New Delhi: B Jain Publishers; 2009.
107. Murphy Robin Organon Philosophy Workbook. H.A.N.A; 1994.
108. Nash E B. Leaders In Homoeopathic Therapeutics. New Delhi: B Jain Publishers; 2000.
109. Nelson R. W. A Clinical Assistant: Being An Index Of Diseases, Their Symptoms, And Homoeopathic Treatment.
110. Oilman E, The Clinique - A Study of Conium Maculatum.
111. Peters John C. Treatise on Internal Diseases of the Eyes. National Library of Medicine; 1856
112. Phatak S R. Materia Medica of Homoeopathic Medicines. New Delhi: B Jain Publishers; 2007.
113. Pierce W, Plain Talks on Materia Medica with Comparisons. New Delhi: B Jain Publishers; 2009.
114. Rajagopalarao P. Clinical Tips in Homoeopathy. New Delhi: B Jain Publishers; 2010.
115. Rajagopalarao P. Most valuable Tips from Masters of Homeopathy. New Delhi: B Jain Publishers; 2005.
116. Ramakrishnan A U. A Homeopathic Approach to Cancer. Ninth Publishing House.
117. Raue C G. Special Pathology and Diagnostics with Therapeutic Hints. 1882.

118. Roberts H A. The Principles And Art Of Cure By Homœopathy. New Delhi: B Jain Publishers; 2008.
119. Roberts J B. Modern Medicine and Homoeopathy. 1895.
120. Royal G. Textbook of Homeopathic Materia Medica. Philadelphia, Boericke & Tafel; 1920.
121. Rozencwajg J. Homeopathy and Mental Health Care.
122. Ruddock E H. The Homeopathic Vade Mecum of Modern Medicine and Surgery. 1869.
123. Rueckert T J. Treatise on Internal Diseases of the Eyes. Radde; 1856.
124. Sankaran R. The Substance of Homoeopathy. Santa Cruz, Bombay: Homeopathic Medical Publishers; 1994.
125. Sault D. A modern Guide and Index to the Mental Rubrics of Kent's Repertory. Emryss Publisher.
126. Schmukler Alan V. Homeopathy An A to Z Home Handbook. Llewellyn Publications; 2006.
127. Scholten J. Homeopathy and the Elements. Homeopathic Educational Services; 2007.
128. Schutt K. Homeopathy and Surgery.
129. Shepherd D. Heal Thyself. 1944.
130. Silvestri Kenneth Homeopathy and Mental Health Care: Integrative Practice, Principles and Research. Homeopathic Educational Services; 2010.
131. Singhal J N. Graphic Pictures of Selected Remedies. New Delhi: B Jain Publishers; 2005.
132. Singhal J N. Homeopathy Quick Bed-Side Prescriber. New Delhi: B Jain Publishers; 2007.
133. Sirker K K. A Keynote Repertory of Materia Medica. Jain, 1980
134. Smits T. Autism – Beyond Despair - Cease Therapy. Emryss Publishers; 2010.
135. Stickle R W. Cancer – One Man's Fight to Control Malignancy.
136. Gupta S C. Precautions in Homoeopathic Remedies. New Delhi: B Jain Publishers; 2008.
137. Tyler M. Homoeopathic Drug Pictures. New Delhi: B Jain Publishers; 2006.
138. Ullman J R. Ritalin Free Kids. 2nd edn. Three Rivers Press; 2000.
139. Underwood B F, Headache and its Materia Medica. 1889.

140. Vakil P. Textbook of Homoeopathic Therapeutics – Diseases of the Cardiovascular System. New Delhi: Indian Books & Periodicals Syndicate.
141. Vermeulen F. Synoptic Materia Medica. New Delhi: B Jain Publishers; 2012.
142. Vijayakar P. The End of Myasmatism.
143. Vithoulkas G. Materia Medica Viva. New Delhi: B Jain Publishers; 2007.
144. Vithoulkas G. The Essence of Materia Medica. New Delhi: B Jain Publishers; 2010.
145. Vithoulkas G. Talks on Classical Homeopathy. New Delhi: B Jain Publishers; 2007.
146. Welte U. Colors in Homeopathy. Narayana Verlag 2003.
147. Wheeler C. An Introduction to the Principles and Practice of Homoeopathy. British Homoeopathic Association, 1920.
148. Whitmont E, Psyche and Substance. New Delhi: B Jain Publishers; 2007.
149. Wolff H G. Homoeopathic Medicine for Dogs. Daniel Company; 1998.
150. Wolff H G. Your Healthy Cat. North Atlantic Books; 1991.
151. Woodward A W. Constitutional Therapeutics - The Patient Not the Disease.