

SYSTEMATIC MATERIA MEDICA

of
Homoeopathic
Remedies

with
Totality of Characteristic
Symptoms, Comparisons and
Various Indications of Each Remedy

K.N. Mathur

Systematic Materia Medica of Homoeopathic Remedies

MATHUR K. N.

Foreword

- When a person of the caliber of Dr. K.N. Mathur writes a book one waits with abated excitement at going through it. He has more than justified his reputation in writing the Systematic Materia Medica. Though he has laboured hard laboured hard over this book for the last two years but it is based on a long experience of thirty years both as a practitioner and a teacher.

- As I have written elsewhere, the study of the Materia Medica is like examination of a well-cut gem. It sheds a different and new lustre when examined from its different facets making it an existing and enriching experience towards the goal of a total understanding of the dimensions as well as the central core of a total understanding of the dimensions as well as the central core of a remedy. Dr. Mathur in his Materia Medica has tried to portray a multifaceted presentation embodying the glimmer witnessed by the great stalwarts in Homoeopathy. He has dug deep into available literature in Homoeopathy and availed himself of the experience of his predecessors and presented it in his own pragmatic style thus adding a new dimension to the study of Materia Medica and making it a good reference text-book.

- At my suggestion he has also added references to recent research by giving with the drugs the Emanometric group of Boyd and the related bowel nosode whenever known.

- Even though Kent is right in that, "All who would memorize the Materia Medica must ignominiously fall", but that cannot be made a cover for a student's laziness in its study. It is true that the thousands of symptoms of a drug found in the provings cannot be committed to memory and to that extent a close and careful repertory analysis becomes necessary. However, even after the best of Repertories have been seen the Materia Medica remains the Supreme Court of appeal to finally decide on the prescription. And in all fairness to Kent he has also written that "The continuous study of Materia Medica by the aid of a full

repertory for comparison is the only means of continuing in a good working knowledge". The dictum of Dr. Tyler to study one drug every day and two on a Sunday is well worth following if one wishes to attain a high rate of success in prescribing. As Hahnemann has written that, "He (Homoeopathic Physician) may avail himself of the existing repertories with a view of becoming approximately acquainted with the true remedy, but in as much as those repertories only contain general indications, it is necessary that the remedies which the physician finds indicated in those works should be afterwards carefully studied in the Materia Medica".

- M/s. B. Jain Publishers (P) Ltd. have by now become justly famous for ferreting out and publishing many good Homoeopathic books including classical works that had for long been out of print. They have thus succeeded in making available very useful literature at normal prices. In the same way this Materia Medica of over one thousand pages is presented to the profession at a throw-away price.

- It has been my privilege to be the first one to go through this manuscript and the great benefit and pleasure I have had in doing so I wish all Homoeopaths and students to share with me.

- 1, HANUMAN ROAD,
- NEW DELHI-110001.
- 25TH DECEMBER, 1972.
- DIWAN HARISH CHAND
- M. B, B.S. , L.R. C.P. (EDIN),
- D.T. M. & H. (L'POOL), F.F. HOM.
- (LOND), D-HT (U.S. A.) ETC.

Dr. k.n. mathur

Life sketch

- On 10th April, 1906, a great Homoeopath was born at Allahabad in the family of educationist, doctors and a highly cultured family of Mathur Kayasthas; he was Dr. K.N. Mathur (Kailash Narain Mathur) M.B. ,B. S, M.F. Hom. (London).

- Dr. K.N. Mathur was the youngest son of Shri Kirpa Narain who was the Inspector of Schools at Allahabad. His brother Tara Chand was the vice-chancellor of Allahabad University; Secretary, Education Department; Government of India's Ambassador to Iran; member of the Rajya Sabha; and the author of the book "India's Fight for freedom". He was also a close associate of Pandit Jawahar Lal Nehru. His other brothers were Sarv-Shri Suraj Narain, Panna Lal, Raj Narain and Prakash Narain.

- He took his M.B. , B.S. degree from Lucknow Medical College in the year 1933, and was married to the daughter of late Dr. Mukand Lal who was at that time a Civil Surgeon in Delhi; and was famous for his surgical cases. At the call of the nation during the World War II Dr. K.N. Mathur joined the emergency Military Commission in 1939 and continued to serve the Army till 1948. During this period he felt that Allopathy could deal very well where Surgery was required, but it could not cure the chronic, organic and miasmatic diseases. He was prompted by his eldest brother Shri Suraj Narain to study the other Systems of Medicine which could prove better and he started the study of Homoeopathy.

- He worked ceaselessly for promoting Homoeopathic understanding, its uplift and for its due recognition from the Government. As Secretary of the Delhi Homoeopathic Medical Association for 10 years, he organised meetings and sought interviews with proper Government authorities, including the President of India, along with Dr. Rajinder Narain, Dr. K.G. Saxena, Dr. P.N. Bhatnagar, Dr. Rup Narain, Dr. Yudhvir Singh, Dr. Diwan Harish Chand and Dr. Jugal Kishor.

- In the year 1958, he went to England and did M.F. Hom. On returning to India in 1960 he joined the A.H. Medical College, Kottayam in Kerala as Professor of Pathology and Medicine. After 5 years with College, at the call of Dr. Yudhvir Singh, he came back to Delhi and organised Nehru Homoeopathic College and Hospital at Defence Colony, New Delhi.

- He taught a large number of students and imbibed in them the highest ideals of a Physician to cure the patient quickly, gently, and permanently. At the instance of Dr. S.B. Tawakly, his relation and close disciple, he started writing books and articles.

- His articles like "Need to Revise the Organon", etc. were highly appreciated even in the foreign countries like U.S. A., Switzerland, France, Canada, etc. and were published in the International Homoeopathic League Magazines etc.

- He was the author of following books: 1. Diabetes Mellitus, 2. Organon 3. Repertory, 4. Pathology, 5. Systematic Materia Medica, 6. Principles of Prescribing.

- He died on 28th January, 1977, due to sudden heart failure, leaving behind his wife Smt. Charan Mathur, brother Shri Prakash Narain and innumerable number of friends, pupils and relations.

- PUBLISHERS

Publishers preface to the second edition

- In compliance with the request of many physicians from every corner of the globe, we have undertaken to publish a second edition of Dr. K.N. Mathur's Systematic Materia Medica with some additions and corrections made to it by Dr. Mathur during his life time. The first edition and its three reprints were printed from the typed manuscript through offset process. The present edition is a newly composed one and an Index to Remedies has been added to it which was lacking in the previous edition. It is our pleasant duty to be able to submit to the Profession a new and improved edition, and trust that the Profession will accept it with the same avidity as manifested on previous occasions.

- The publishers wish to express their most grateful appreciation for the assistance given by Dr. M.T. Santwani in compiling the Index and Dr. P.S. Rawat in editing the present edition.

- New Delhi:

- 31st. December, 1978.

- PUBLISHERS

Preface to the first edition

- This book is the result of my study of Homoeopathy and practice of medicine for the last 30 years. I have found that the study of materia medica is the most important one for the success in treating difficult and chronic cases. Many lay practitioners who were Padris, lawyers, School

teachers or in the Clerical line achieved great success as homoeopaths. Von Boenninghausen. Cyren Scott, R. Upcher, Raphael Roche. E.J. Barker, K.C. Bhanja, N. Ghatak and hundreds of such homoeopaths became renowned practitioners at home and abroad.

- But the tragedy is that the mastery over materia medica is not an easy task. The main reasons are :

- 1. There are more than 500 remedies to master.
- 2. Each remedy has innumerable symptoms.
- 3. A large number of symptoms in each remedy are common to many remedies.
- 4. Indications of each remedy are vague.
- 5. One remedy is found curative in many diseases.
- 6. Many remedies are indicated in one disease.
- 7. There are many materia medicos but none of them is up-to-date.
- 8. Each materia medica is based on a certain point of view, hence there is no standard materia medica.
- 9. Complete information of each drug is not given in a proper way.
- 10. Collected experience of different stalwarts of homoeopathy was never undertaken in a materia medica.

- I have tried to remove these defects in this materia medica. But it meant that I should study materia medicos of Hahnemann, Boenninghausen, Herring, Allen, Clarke, Kent, Hughes, Boericke, Roberts, Tyler, Guernsey, Nash, Farrington, Boger, George Royal, Pulford. Pierce and our own Indian authors.

- The first reaction was a shock. Materia Medica looked like an ocean whose each wave is a homoeopathic remedy. There is no use mastering materia medica. Repertory is the best guide for the selection of the Simillimum. But experience has shown that repertorisation too has its limitation. Selection of rubrics is not an easy task, most often the patient does not give the important ones, you have to dig them out.

Repertorisation may help in symptomatic sickness in which guiding symptoms belonging to the Generals, Keynote Characteristics or concomitant symptoms are available; but what about selection of the remedy in specific diseases, miasmatic diseases or one sided diseases in which there is paucity of symptoms?

- Anyhow, I felt that a standard and upto date materia medica is a necessity which should be presented in a systematic way so that new generation of homoeopaths who have not much time to go through all old materia medicos may derive maximum benefit after studying this materia medica. It is useful for the students of homoeopathy as well as of modern medicine, teachers, examiners as well as the practitioners of homoeopathy. The proof of the pudding can only be given by those who have eaten, digested and assimilated it. One of the reasons why homoeopathy is disappearing from its old citadels is that we have not revised our materia medica or presented it in a form more interesting and instructive for the new generation of homoeopaths. People want straight-forward and downright information so that they are on a sure footing we have time for zigzagging and trials. We want bluecoats.

- I have full faith in homoeopathy; but we must be on guard not to slip back into the ditch of speculation from which Hahnemann saved us. The experience of successful homoeopaths should be collected for the advancement of homoeopathy. The Science and art of homoeopathy cannot flourish if screeches are kept by its followers. There could be no homoeopathy if Hahnemann kept his observations and discoveries secret from the profession. I request the senior and junior homoeopaths to send their suggestions and indications of remedies they found useful for the profession for the advancement of homoeopathy to B. Jain Publishers (P) Ltd., St. 10th 1921, Chuna Mandi, Paharganj, New Delhi which will be quoted in 2nd edition of this book.

- I am indebted to Shri Prem Nath Jain, Mg. Director of M/s B. Jain Publishers (P) Ltd., for his encouragement and full co-operation given to me in the printing, publishing and advertising this book.

- I am thankful to Dr. S.P. Verma for going through the manuscript very thoroughly for avoiding the printing mistakes.

- I have full confidence that it will serve the purpose for which it was intended. Future alone shall give the verdict.

- 2863 Chehalpuri,

- Delhi.

- Dated : November 5, 1972.

- K.N. Mathur.

Introduction to systematic materia medica

- Homoeopathic Materia Medica is the outcome of the desire to cure the patient rapidly, gently and permanently. The first rational question for this kind of therapy was "How the drugs cure the patient"? The answer that came to Hahnemann's mind was 'Experience that yourself'. The Cinchona experiment gave the answer. The law of 'Similia Similibus Curentur' was discovered and verified on hundreds of patients by Hahnemann and his colleagues. Drugs were proved from all available and imaginable sources e.g. , vibrations, radiations, X-Rays, magnetic poles, radium, minerals, compounds, acids, alkalies, vegetables, condiments, Atmospheric gases, animal products, diseased tissues, blood serum and even the germs that produce diseases. The result of these provings was an infinite collection of medicinal forces to meet the challenge of the infinite number of natural and artificial diseases. Our Materia Medicos contain the provings of all our experiments and personal experience on all these drugs.

- The first Materia Medica was prepared by Dr. Hahnemann himself. Most of the drugs were proved by Hahnemann and his colleagues, both on men and women. The provings contained symptoms in the form of altered sensations and functions felt by the proffers after taking a drug. The symptoms were collected as they appeared according to the time factor and according to the schema of Hahnemann. According to the parts of the body and the organs involved in those parts. The symptoms according to the schema were recorded in the following manner :

- 1. Mind, 2. Inner Head, 3. Outer Head, 4. Eyes, 5. Ears, 6. Nose, 7. Face, 8. Mouth and Throat, 9. Stomach, 10. Abdomen, 11. Rectum and Anus, 12. Urinary Organs, 13. Male Sexual Organs, 14. Female Sexual Organs, 15. Respiratory Organs, 16. Chest, 17. Neck and Back, 18. Upper Extremities, 19. Lower Extremities, 20. Nervous System, 21. Skin, 22. Sleep, 23. Fever. Besides these symptoms Hahnemann has given in his Materia Medica Pura something about the drug and its method of preparation and a few remarks which he observed during the treatment of patients with the drug e.g. , the temper, humour and the make up of the patient.

- Each drug proving contained thousands of symptoms collected from a number of proffers both males and females. Many symptoms of each drug were found common to a number of drugs, but a small number of symptoms were found to be peculiar to a particular drug alone. Many symptoms were unqualified, but some symptoms were qualified and characteristic. Some drugs showed definite affinity for the mind or some organs of the body, others showed definite pathogenesis. All these findings produced a problem for the selection of a drug for the diseases of a patient. Hence the second question that Hahnemann had to answer was "How to select the Simillimum"? Hahnemann handed over the task to his legal adviser Von Boenninghausen who was helping him and contributing his experiences to the homoeopathic literature, especially on the subject of "Evaluation of symptoms for the selection of the Simillimum".

- Boenninghausen classified the characteristic symptoms of the drugs on the following basis :

- 1Qvis : Characteristic symptoms belonging to the personality of the patient.

- 2Quid : Characteristic complaints of the patient.

- 3Ubi : Characteristic symptoms belonging to the location of the disease.

- 4Cur : Characteristic symptoms belonging to the cause of the disease.

- 5Quando : Characteristic symptoms belonging to the modality of time.

- 6Quando : Characteristic symptoms belonging to the modality of circumstances, and

- 7Quibus Auxillis : Characteristic symptoms belonging to concomitants.

- The selection of the drug depended upon the totality of characteristic symptoms of the above variety found in the patient according to Boenninghausen. He prepared his Repertory on the basis of Characteristic symptoms which was revised and improved by Boger and Roberts and published in the present form. "It is universally acknowledged as a master piece of homoeopathy.

- Meanwhile a new school was founded by the sponsors of Keynote Characteristic Symptoms. Drs. H.C. Allen², E.B. Nash³, H.N. Guernsey⁴, Pulford⁵ and others⁶. They attached special importance to these peculiar, queer, rare and striking symptoms which Hahnemann recommended in para 153 of his Organon. Materia Medica prepared by these stalwarts of Homoeopathy have shown the special value of these symptoms in cases treated on the basis of these keynote characteristic symptoms.

- Dr. James Tyler Kent thought that according to Hahnemann the sick individual is to be cured. Therefore, the symptoms belonging to the whole patient are of the greatest importance. He therefore classified characteristic symptoms into two classes :

- 1. The General Characteristic Symptoms: Consisting of (a) Mental General Symptoms. (b) Physical General Symptoms and (c) Modality General Symptoms, and

- 2. The Particular Characteristic Symptoms: consisting of characteristic symptoms belonging to the parts of the body and organs. These symptoms belong to locations, modalities and concomitants as recommended by Boenninghausen.

- Kent's famous "Repertory of the Homoeopathic Materia Medica"⁷ is accepted as the A-one. He advises homoeopaths to collect all the General Characteristic Symptoms of the patient and place them in 1st class and then collect all the particular characteristic symptoms and place them in 2nd class. Repertorise the 1st class symptoms first; if one remedy comes out, select the remedy as the Simillimum and prescribe it. If two or more remedies look similar then repertorise the Particular Characteristics Symptoms placed in 2nd class and see which of the remedy appearing in the 1st class is supported by the repertorisation of the 2nd class symptoms. Thus one remedy will come out which corresponds to the totality of characteristic symptoms. This remedy according to Kent is the Simillimum for the patient.

- Drs. Richard Hughes, Hempel and Burt believed in the pharmacodynamics based upon the record of symptoms found in the provings, poisonings, and experiments on animals found in the provings, poisonings, and experiments on animals. The Encyclopaedia of Drug Pathogeny⁸ gives importance of symptoms, signs and pathological

changes produced by each drug. They attached importance of drug similarity to acute and chronic diseases as it was considered by Hahnemann, who saw the resemblance of Scarlet fever in Belladonna, of Cholera in the Ars alb., Verat alb. And Cuprum, of Whooping Cough in Drosera, of Measles in Pulsatilla, of Small pox in Ant tart., of Psora in anti-psoric drugs, of Syphilis in anti-syphilitic drugs and of Sycosis in anti-psoric drugs. The discovery of nosodes was hailed as they were considered to be the cause of acute and chronic diseases. Variolinum, Influenzinum, Diphtherinum, Pertussin, Pyrogenium, anthracinum, etc. were found to be very useful in curing acute diseases. Tuberculinum, bacillinum, Medorrhinum, Syphilinum, Carcinosis, etc. were found very useful in curing chronic diseases.

- Dr. George Royal like Dr. James Compton Burnett found drug-affinity to organs of the body and pathological symptoms of the organs of greatest importance in the selection of the Simillimum in such cases where pathological symptoms are present and the characteristic general, keynote and particular symptoms are insignificant. According to him diseases may be classified as 1. Functional diseases, 2. Inflammatory diseases, 3. Irritant diseases and 4. Organic diseases with structural changes. Grouping of symptoms on the basis of organ and pathology is essential for the selection of Simillimum, especially in one sided diseases. We must know whether symptoms belongs to the mind, nerves, muscles, skin, organs, blood, glands, mucous and serous membranes or to the tissues of the body. And we should know the pathological basis of symptoms given by the patient. Unless we are sure of these we do not know "What is to be cured" and our selection of the Simillimum will be off the mark.

- Dr. Burnett says in his famous book "Curability of Tumours by Medicines"⁹ "If the range of action of the remedy be not coincident with the disease itself a real cure does not result, no matter how many symptoms you may silence. To cure diseases by remedies, the remedy must stand in some relationship to the disease process itself, no matter whether the symptoms reveal the process or not. If the symptoms spell out the morbid process the symptoms suffice. No drug is capable of curing a morbid state homoeopathically unless it is capable of producing one like it. The future of homoeopathy belongs to homoeopathic

pathologists and to really cure the great diseases (with pathologico-anatomical basis) we must have remedies homoeopathic to such morbid anatomy, at any rate at its earlier stages".

- Dr. Constantine Hering, who is called the father of homoeopathy in U.S. A., discovered the "law of direction-of-cure" for the treatment of chronic diseases. According to this law, Chronic disease should be treated-1. In the reverse direction in development of its symptoms i.e. , the symptoms developed last should be treated first. 2. The symptoms of vital organs should be treated before the symptoms of the peripheral organs. Hence the symptoms of heart should be treated before the symptoms of the joints. The mental symptoms should be treated before the nervous symptoms. 3. The symptoms of head should be treated before the symptoms of the extremities.

- It is difficult to realise the importance of symptoms unless one knows all this cumulative knowledge that places us on the shoulders of Hahnemann, Boenninghausen, Hering, Kent, Allen, Clarke, Burnett. George Royal and other stalwarts of homoeopathy to have a more realistic view of homoeopathy and how to prepare a systematic materia medica. On the experience of these masters of homoeopathy I have classified the indications of a remedy in the following manner:-

- 1. Constitutional Indication :- It is based on the general characteristic symptoms found in the provings of the remedy. Dr. M.L. Tyler, Sir John Weir and others call it the drug picture of the remedy. In fact, it is the Kent's indications of the remedy.

- 2. Specific Indication is the term borrowed from Dr. John Henry Clarke. It is same thing as Homoeopathic indication of the drug. We include in this the following varieties of symptoms:- 1. Keynote symptoms, 2. Totality of characteristic symptoms, 3. Symptoms belonging to the causes and miasms.

- 1. Biochemic Indications:- Symptoms and signs suggested by Schussler, Boericke, Dewey, Mittra etc. for the selection of the tissue remedies.

- 2. Organonpathic Indication:- These are the signs and symptoms belonging to the drug-affinity and pathology of the different organs of the body as discovered and experienced by Paracelsus, Raden, Acher, Burnett, Boger and George Royal.

- In Order to individualise the remedy from other similar remedies I have given the rubrics in which other drugs having the same symptoms could be kept in mind as given in H.C. Allen's "Keynotes of Leading remedies"¹⁰. This information helps us in the selection of the Simillimum without going to the repertory in acute and simple cases.

- I have chosen the name of his materia medica "Systematic Materia Medica" because I have given all the relevant information about each remedy in a systematic manner. The information about each remedy is given in the following way:-

- 1. Name of the remedy.
- 2. Synonyms of the remedy.
- 3. Source of the remedy.
- 4. Habitat of the remedy whenever necessary.
- 5. Preparation of the remedy.
- 6. Proved by the Homoeopath.
- 7. Remarks about the remedy.
- 8. Indications of the remedy.
- 9. Dosage.
- 10. Repetition.
- 11. Duration of action.
- 12. Relationship of the remedy.
- 13. Comparison with other remedies.
- 14. Totality of characteristic symptoms consisting of
 - A. Causes and Diseases
 - B. Complaints and Characteristics
 - C. Generals and Modalities.

- I hope this information will enable the students and practitioners to do justice in the individualisation of the remedy from the other similar remedies and make it easier to select the Simillimum, the object of this Materia Medica.

- K.N. Mathur
- 2863, Chehalpur,
- Delhi
- Dated: November 5, 1972.

List of abbreviations

- Aggravation agg.
- Amelioration >
- Causes =
- With c
- Haemorrhage Hge
- Mucous Membrane m m
- Serous Membrane s m
- Right side Rt
- Left side Lt
- Mother Tincture M T
- Decimal potency X
- Centesimal potency C
- Boericke & Dewey B & D
- James Compton Burnett Burnett
- Cyrus M. Boger C.M. B.
- John Henry Clarke Clarke
- George Royal G.R.
- James Tyler Kent Kent
- Henry C. Allen H.C. A.
- Samuel Hahnemann Hahnemann
- Constantine Hering Hering
- Richard Hughes Hughes
- Adolph Lippe Lippe
- J.J. Garth Wilkinson G.W.
- Thomas Wildes T.W.
- Timothy F. Allen T.F. A.

Bibliography

- Hahnemann S. -Materia Medica Pura. (2267)
- Boenninghausen C. Von -Lesser Writings. (2077)
- Hering C. -Guiding Symptoms of Materia Medica 10 vols. (2277)
- Allen T.F. -Encyclopaedia of Pure Materia Medica. 12 vols. (2008)

- Allen H.C. -Keynotes and Characteristics with comparisons.
(2001)
- Kent J.T. -Lectures on Homoeopathic Materia Medica (2333)
- Clarke J.H. -A Dictionary of Practical Materia Medica 3 vols.
(2159)
- Pierce W.I. -Plain talks on Materia Medica. (2419)
- Boericke W. -Pocket Manuel of Homoeopathic Materia Medica.
(2087)
- George Royal -Text Book of Homoeopathic Materia Medica.
(2252)
- Robert H.A. -A Study of Remedies of Comparisons. (2446)
- Farrington E.A. -Comparative Materia Medica.(2236)
- Guernsey H.N. -Keynotes on Materia Medica. (2260)
- Hughes R.E. -Pharmacodynamics. (2288)
- Nash E.B. -Leaders in Homoeopathic Therapeutics (2389)
- Otto Leeser -Materia Medica of the Inorganic Remedies. (2355)
- Pulford, Drs. A and D.T. -Keynotes to Materia Medica. (2428)
- Tyler M.L. -Drug Pictures. (2529)
- Boger C.M. -A Synopic Key of the Materia Medica. (2078)
- Dewey W.A. -Practical Homoeopathic Therapeutics (2189)
- Anshutz E.P. -New Old and Forgotten Remedies. (2015)
- Bhanja K.C. -Master key to Homoeopathic Materia Medica.
- Ghose S.K. -Clinical Experience with Some Rare Nosodes.
- Banerjee N.K. -Realistic materia Madica with Therapeutics
Repertory. (2024)
- Das Gupta D.C. -Characteristic materia Medica.
- Boericke & Dewey -Twelve Tissue Remedies. (2089)
- Carey G.W. -Biochemic System of Medicine. (2135)
- Mittra B.N. -Tissue Remedies. (2569)
- Bernoville & Nabel -Tuberculosis.
- Bharadwaj H. -Causation.
- N.B. Nos. in brackets are Book Code Nos. of the books published by
and available at B. Jain Publishers (Pvt) Ltd.

Materia medica

Abrotanum

- Synonyms : *Artemisia abrotanum*. Southernwood.
- Source : It is a plant belonging to the natural order of Compositae.
- Habitat : Grows on sunny hills in Southern Europe and cultivated in gardens. About 3 feet high; leaves covered with whitish silky hairs: taste bitter.
- Preparation : Mother tincture is prepared from the fresh leaves, higher potencies are prepared from the mother tincture.
- Proved by Dr. Gatchell.

Indications

- It is a SPECIFIC remedy in the following conditions:
- 1. Marasmus of children: especially of lower extremities only; skin flabby, loose, hangs in folds.
- 2. Emaciation: Losing flesh while eating well; face wrinkled; cannot hold head up; unable to stand.
- 3. Hydrocele of children.
- 4. Metastasis of mumps to the testicles or mammary glands.
- 5. Suppressed conditions: Rheumatism after suddenly checked diarrhoea; suppressed rheumatism from extremities to heart.

Aggravation of haemorrhoids when rheumatism improves.

- 6. Oozing of blood and moisture from the navel of the newborn.
- DOSAGE : 3rd to 30 C or higher.
- REPETITION : May be repeated till response is noted. Single dose of higher potencies.
- DURATION OF ACTION. Not definite.

Relationship

- REMEDIES THAT PRECEDE WELL : *Hep* in furuncles. *Acon.* *Bry.* In pleurisy.

Comparison

- Marasmus of children with marked emaciation, especially of legs : *Abrot.*, *Iod.*, *Sanic.*, *Tub.*
- In marasmus head weak cannot hold it up: *Abort.*, *Aeth.*, *Calc P.*
- Revenous hunger; losing flesh while eating well : *Abort.*, *Iod.*, *Nat-m.*, *Sanic.*, *Tub.*

- Itching chilblains : Abrot., Agar., Rhus v.
- Face old, pale, wrinkled : Abrot., Kreos., Op.
- Rheumatism alternates with dysentery : Abrot., Kali bich.
- Great emaciation; skin becomes shrivelled, lies in folds: Abrot., Iod., Nat-m., Sanic., Sarsap.

- Extreme emaciation of entire body : Abrot., Iod., Syphil
- Emaciation rapid and pronounced: Abrot., Cal p, Con, Iod, Nat m.

Causes & diseases

- Suddenly checked diarrhoea = Rheumatism.
- Suppressed secretions
- Marasmus of lower extremities.
- Rheumatism.
- Gout.
- Itching chilblains
- Hectic fever.
- Furunculosis
- Pleurisy.
- Hydrocele of boys.
- Metastasis of mumps to testicles.
- AFFINITIES; Nutrition, Nerves, Veins.

Complaints & characteristics

- Alternate constipation and diarrhoea.
- Alternate rheumatism and dysentery.
- Painful contraction of the limbs from cramps or after colic.
- Gout with pricking sensation.
- Very lame and sore all over.
- Rheumatism alternating with haemorrhoids.
- Great weakness with rapid emaciation.
- Distended veins, piles protruding, burn on touch.
- Bloated abdomen.
- Nightly backache.
- Exudations into pleural joints.
- Oozing of blood and serum from umbilicus of the new born.
- Nose bleed of youths.
- Sensation as if stomach is hanging or swimming in water.
- Indigestion with vomiting of offensive fluid (Clarke).

Generals & modalities

- Child is ill-natured irritable, cross and despondent; violent, inhuman; would like to do something cruel Face old, pale, wrinkled.
- Head weak cannot hold it up.
- Children unable to stand.
- Affections of newborn.
- AGGRAVATION; Cold air, Wet, Checked secretions, Fogs, Night.
- AMELIORATION, Loose stool, Motion.

Aceticum acidum

- Synonyms: glacial Acetic Acid, Acidum Aceticum Glaciale. Formula CH_3COOH .
- Source: It can be purchased from a chemist shop.
- Preparation: Lower dilutions are prepared with distilled water from which higher potencies are prepared in alcohol.
- Proved by Drs. C. Hering, Berridge.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. For complaints of pale, sickly people (Kent). Pale, Lean persons with lax, flabby muscles; face pale waxy (Allen).
 - 2. Who have inherited phthisis and suffer from chronic weakness, anaemia and emaciation; with chronic dry hacking cough and night sweats. (Kent).
 - 3. Patients who suffer from loss of memory, confusion of mind, apprehensive, peevish and suffer from attacks of anguish (Kent).
 - 4. Patients who cannot sleep lying on the back, rests better lying on the belly (Am c).
- It is a SPECIFIC remedy in the following conditions:
 - 1. Great prostration after injuries; after surgical shock; after anesthetics; charcoal gas.
 - 2. Bad effects from stings and bites. (Led).
 - 3. Fainting spells in weak anaemic subjects.
 - 4. Haemorrhage: from every mucous outlet; metrorrhagia; vicarious menses; haematemesis; haemoptysis.
 - 5. Traumatic epistaxis (Arn m).

- 6. Profuse bleeding from piles.
- 7. No thirst in fever. (H.C. A.)
- 8. Thirst: intense, burning, insatiable, for large quantities in dropsy; diabetes; and chronic diarrhoea; phthisis; typhus.
- 9. Sour belching and vomiting of pregnancy with profuse salivation day and night.
- 10. Oedema of extremities with diarrhoea.
- 11. Chlorosis with scanty menses.
- 12. Laryngeal diphtheria.
- 13. Hectic fever, skin dry and hot; red spot on left cheek and drenching night sweats.
- 14. Marasmus and other wasting diseases of children.
- DOSAGE : 3rd 30th.
- REPETITION : Not to be repeated often.
- DURATION OF ACTION : 14 to 20 days (G.M.).

Comparison

- Marasmus of children: Abrot, Acet ac, Arg n, Ars. Bacill, Calc p, Calc sil, Iod., Nat m, O.J. As, Sanic., Sulph., Thy., Tub.
- Lying on abdomen ameliorates : Acet ac, am-c c.
- Dropsy with thirst : Acet ac, Apoc.
- Dropsy general (anasarca) : Acet ac, Apis, Apoc, Ars a, Blatta o, China, Conval, Dig, Hell, Kali c, Lach, Lyc, Phos, Tereb.
- Anasarca, skin pale, waxy, earth coloured : Acet ac, Ars a.
- In early months of pregnancy, can lie comfortably only on stomach : Acet ac, Podo.

- Prostration after injuries : Acet ac, Sulph ac.
- Surgical shock : Acetic ac, Strontium carb.

Causes & diseases

- Surgical shock.
- Anaesthetics.
- Charcoal gas.
- Injuries.
- Sting.
- Bites.
- Anaemia.
- Chlorosis.

- Diabetes.
- Tuberculosis.
- Diphtheria.
- Croup.
- Dropsy.
- Haemorrhage.
- Marasmus of children.
- affinities; Nutrition, M. M, Circulation, Nervous, System, G.I. Tract.

Complaints & characteristics

- Great prostration after injuries;
- Surgical shock, anaesthesia (Chloroform, Phos)
- Charcoal vapours gas.
- Fainting spells in weak anaemic girls.
- Profuse bleeding from piles.
- No thirst with fever (Apis, Puls).
- Great thirst; in dropsy; diabetes; chronic diarrhoea phthisis; typhus.
- Oedema with diarrhoea.
- Chlorosis with scanty menses.
- Sour belching and vomiting during pregnancy with profuse salivation.

- Diarrhoea: copious, exhausting; with great thirst; with dropsy, with typhus, with phthisis; with night sweats.

Generals & modalities

- Face pale waxy.
- Pale, leach person with lax flabby muscles.
- Marasmic children.
- AGGRAVATION; Lying on back.
- AMELIORATION; Lying on belly.

Aconitum napellus

- Synonyms : Wolf's bane, Monkshood.
- Source : A plant belonging to natural order of Ranunculaceae.
- Habitat : The plant grows in the mountain districts all over Europe.
- Preparation : The Mother tincture is prepared from the entire plant except the roots. It is collected during the flowering season.
- Proved by Hahnemann published its pathogenesis in 1805.

Indications

- It is a CONSTITUTIONAL remedy for the patients:
 - 1. Who are fearful; afraid to go out into a crowd where there is any excitement or many people; to cross the street; great fear and anxiety in mind with ailments; life is rendered miserable by fear; is sure his disease will prove fatal; predicts the time of his death.
 - 2. Who are anxious, restless, do everything in great haste; must change position often; everything startles him; remains disquiet.
 - 3. Music is unbearable, makes her sad.
 - 4. Disposed to mental, nervous troubles, congestions, haemorrhage, neuralgias.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Aphonia, Tonsillitis, Croup, Laryngitis, Bronchitis, Pneumonia, pleurisy, Otitis and other inflammatory diseases from exposure to cold winds or cold air.
 - 2. Retention of urine from shock.
 - 3. Amenorrhoea in plethoric young girls after fright.
 - 4. Complaints after hair cut.
 - 5. Pains are unbearable, they drive him to despair or crazy; worse at night, make him toss about in agony; facial neuralgia, toothache, orchitis, pleurisy, pericarditis, etc.
 - 6. Asthma from active hyperaemia of lungs.
 - 7. Fever: skin dry hot; face red, or pale and red alternately; burning thirst for large quantities of cold water; with intense, nervous restlessness, anxiety and fear; whole body burning hot.
 - 8. Convulsions of teething children with high fever.
 - 9. Haemorrhages: bright red blood; with anxiety and fear of death.
 - 10. Dysentery: when Merc though indicated fails.
 - 11. Incarcerated hernia with vomiting of bile, great anxiety and fear of death.
 - 12. Ailments: with vanishing of sight suddenly; fainting; red face becomes pale on rising from recumbent position; hot dry skin; unconquerable anxiety, restlessness; anxiety with fear, fear of death; predicts the time of death.
 - 14. Sciatica attended with or succeeded by numbness of the affected parts.

- 15. Ailments from bad effects of fear still remaining (Hyos, Op).
- DOSAGE: 1st to 3rd potencies in congestive conditions and inflammatory fever. Sixth potency for neuralgias, 12th and 30th when there is nervous excitement and fear of death.

- REPETITION : It must be repeated frequently in acute condition.

- DURATION OF ACTION : 6 to 48 hours.

Relationship

- COMPLEMENTARY : Arn, Coff, Sulph (high)

- REMEDIES THAT FOLLOW WELL: Ars, Bell, Bry, Cact, Calc, Canth, Hep, Ipec, Puls, Rhus t, Sil, Spig, Spong, Sulph.

- ANTIDOTES : Acetic ac, Paris, Vinum.

- ACONITE ANTIDOTES : Bell, Cham, Coff, Nux v, Petr, Sep, Sulph, Verat

a.

- BOYD'S DRUG GROUP: 1.

Comparison

- Anxiety with fear : Acon, Anac, Ars, Caust, Ign, Psor, Sec.

- Fear or death : Acon, Ars, Calc, Cimic, Gels, Lac c, Nit ac, Phos, Plat.

- Anguish: Acon, Ars, bell, Calc, Cann I, Caust, Dig, Hep, Plat.

- Complaints from fright : Acon, Ign, Nat m. Op. Ph ac, Phos, Puls, Lyco, Sil.

- Predicts the time of death : Acon, Arg n.

- Apoplexy : Acon, Arn, Bell, Gels, Lach, Op.

- Congestions: Acon, Aesc, Aloe, Bell, Cact, Chin, Ferr, Glon, Meli, Nux-v, Phos, Puls, Sulph, Ver-vir,

- Faints after fright : Acon, Gels, Ign, Op.

- Formication external: Acon, Arn, Colch, Nux-v, Plat, Rhus t, Sec, Sep, Spig.

- Imperceptible pulse: Acon, Camph, Carb v, Colch, Cupr, Sil, Verat, Gels.

- Irregular pulse : Aconite, Ant c, Ars, Chin, Dig, Lach, Nat m, Ph ac, Phos, Sec, Stram, Verat.

- Small pulse : Acon, Ars, Camph, Carb v, Cupr, Dig Sec, Sil Stram, Verat.

- Rising agg : Acon, Bell, Bry, Cocc, Dig, Lyco, Nux v, Op, Rhus t, Sil, Sulph.

- Shock from injury : Acon, Arn, Camph, hyper, Lach, Op, Verat.

- Pains attended or succeeded by numbness of affected parts : Acon, Cham, Kalm, Plat.

- Aphonia after exposure to cold wind : Acon, Arum t, Hep.
- Tonsillitis after riding in cold wind : Acon, Bell, Hep, Rhus t.
- Unbearable pains : Acon, Cham, Coff.
- Haemorrhage: bright red blood: Acon, Ip, Millef, Sab.
- Ailments after anger and anxiety : Acon, Ars, Ign, Nux v.
- Bad effects of fear still remaining : Acon, Hyos, Op.

Causes & diseases

- After anger and anxiety
- Dry cold icy winds = cough, croup, fever.
- Atmospheric changes.
- Cold air while in perspiration.
- Checked perspiration.
- Complaints from fear = suppression of menses.
- Heat of sun.
- Music = sadness.
- Shock from injury
- Cough, croup,
- Acute bronchitis.
- Pneumonia.
- Pleurisy.
- Acute military
- T.B.
- Cerebral
- Apoplexy.
- Facial neuralgia.
- Hysteria with fear of crowd
- Acute inflammatory fevers.
- Rheumatic fever.
- Toothache.
- Facial neuralgia.
- Pericarditis.
- Angina pectoris.
- Acute gastritis
- Acute peritonitis.

- Acute dysentery.
- Thermic fever.
- Insomnia.
- Measles.
- Acute conjunctivitis.
- Milk fever.
- Suppression of lochia.
- Incarcerated hernia.
- Acute nephritis.
- Acute attack of asthma.
- Acute Cerebral Meningitis.
- Paraplegia.
- Summer hepatitis.
- Somnambulism.
- Sudden blindness.
- AFFINITIES; Mind, Brain, Nerves, Heart, Circulation, Serous membranes, Sadness, M.M.
- Complaints & characteristics
- Sudden and violent complaints.
- Acute stage of congestions.
- Ailments with great fear and anxiety of mind.
- With great nervous excitability, afraid to go out, to go into a crowd where there is any excitement or many people, to cross the street.
- agonized tossing about. Restless, anxious, does every thing in great haste; anguish; must change position often; every thing startles him.
- Pains are intolerable, they drive him crazy.
- He becomes very restless at night; shrieking with pain.
- Mental anxiety, worry, fear accompany the most trivial complaint.
- Faint or giddiness from rising from bed.
- Fever: Skin dry and hot; face red or pale and red alternately; intense nervousness; tossing about in agony.
- Convulsion: of teething children.
- Twitching of single muscles.
- Child gnaws its fist; frets and screams; skin hot and dry with fever.
- Sudden and violent onset of diseases.
- Sensation of tingling, crawling of insects.

- Taste bitter except water.
- Sadness: during chill; during heat.
- Haemorrhage with anxiety, fear and restlessness; bright red.
- Facial Paralysis from exposure to dry, cold winds.
- Loss of sight while in hot weather.
- Emotional or nervous tension with ailments Sun erythema.
- Ailments with, anger with anxiety; anger with fright; anguish; anxiety in a crowd; ecstasy; nervous excitement; fear of death.

Generals & modalities

- Vigorous plethoric, sedentary rosy and chubby children.
- Craves large quantity of water which agrees.
- Excitable, highly sensitive women.
- Fear of dark, crowds.
- Fearful of death, predicts death.
- Anxious.
- Suspicious.
- Screams with pain.
- Music is unbearable makes her sad.
- AGGRAVATION; Evening, Night, Lying on affected side, on rising, music, during inspiration.
- AMELIORATION; Open air; when sitting still; after perspiration.

Cimicifuga racemosa

- Synonyms: *Cimicifuga racemosa*, black Cohosh.
- Source: It is a plant belonging to the natural order of Ranunculaceae.
- Habitat : The plant is found in Canada, Georgia and Western States of America.
- Preparation : Tincture of the roots is used as mother tincture from which higher potencies are prepared.
- Proved by Dr. C.J. Hempel of Philadelphia in 1856.

Indications

- It is a SPECIFIC remedy for the following conditions:-
- 1. Rheumatic sore throat.
- 2. Habitual abortion at the 3rd month in women of hysterorheumatic constitution.

- 3. Epilepsy in which the aura was a "waving sensation in the brain" (Clarke).

- 4. It ensure safe delivery in women who have previously borne only dead children from no discoverable cause, given in daily doses of 1x for two months before term (Clarke).

- 5. Rheumatic dysmenorrhoea.

- 6. Puerperal mania or melancholia, tries to injure herself.

- 7. Excessive muscular soreness after exertion.

- 8. Convulsion or shivering in the first stage of labour with rigid os.

- 9. Hysterical symptoms alternate with rheumatic symptoms.

- 10. False labour like pains: severe after pains.

- 11. Cerebrospinal meningitis with restriction and stiffness of neck.

- 12. Menstrual disorders are worse during menses; the more the flow the greater the suffering.

- DOSAGE: tincture to 30th potency. 1x to ensure live birth and safe delivery M.T. 15-30 mm for Tinnitus.

- REPETITION: bears repetition well.

- DURATION OF ACTION: 8 to 12 days (Clarke).

Relationship

- ANTIDOTES OF THE REMEDY: Acon, Bapt, Caul, Gels, Puls.

Comparison

- Unable to sleep after business embarrassments, must get up: Act r, Amb g, Sep.

- Delirium: talks constantly about his business; desires to get out of bed and go home : Act r, Bry, Hyos.

- Puerperal insanity : Aur, Bell. Cimic, Cupr, Hyos, Lyco, Plat, Puls, Stram, Verat a.

- Fears she will become insane : Act r, Calc c, Cann i, Sanic, Puls.

- Fear of death : Acon, Ars, Calc, Cimic, Gels, Lac c, Nit ac, Phos, Plat.

- Sensation as if the calvarium (skull) was opening and shutting: Act r, Cann i.

- Sighing : Calc p, Cimic, Ign.

- Chorea, hysteria or epilepsy at puberty, during establishment of menstrual functions : Act r, Caul, Puls.

- Cough : in spasmodic paroxysms caused by a dry spot in throat: Act-r; in larynx - Con.

- Ailments worse during menses : Act r, Ham, Puls, Tub.
- Despondent, hopeless; thinks her disease incurable; nothing worth living for, could weep at any moment : Act r, Aur, Calc c, Lac c, Lach.
- Menses worse at night in bed causing hysteria : Ac r, Caul, Mag-m.
- Muscular pains from needle work, type writing, piano playing : Act.

Ran b.

Causes & diseases

- Abortion at 3rd month.
- Rheumatic dysmenorrhoea.
- Puerperal mania.
- Ciliary neuralgia.
- Inframammary pains.
- Spasms hysterical or epileptic.
- Rheumatic pains in neck and back.
- Chorea with jerking of the muscles with late menses.
- Jerking of muscles pressed or laid upon at night preventing sleep.
- Mental symptoms develop after rheumatism subsides.
- Prolapse of uterus with bearing down pains in hysterorheumatic women.
- Rheumatic stiffness of the back and very sensitive spine.
- Numbness of the limbs.
- Heart action ceases suddenly, impending suffocation.
- Contraction in neck and back due to stiffness of the muscles.
- AFFINITIES; Mind, Nerves, Cerebro-spinal, Eye balls, Ovaries, Uterus, Heart, Joints, Occiput, Nape, Chest, Front of things, Fright, Disappointed love, Business failure, Over exertion, Child-bearing, Angina pectoris, Hyperpyrexia, Melancholia, Meningitis, Pleurodynia, Pregnancy disorders, Sciatica, Sleeplessness, Spinal irritation, Stiff-neck, Tinnitus aurium, Tremors, Vomiting of Pregnancy.

Complaints & characteristics

- Fear she is going crazy.
- Sensation as if a heavy black cloud had settled all her over.
- All is darkness and confusion.
- Sensation of waves starting from pit of stomach and spreading all over the body with trembling.
- Feels stiff, lame and contracted, sore, bruised all over.

- Sharp, lancinating electric like pains. In various parts, darting from side to side in uterine region.
- Excessive muscular soreness after dancing, skating or other violent muscular exertion.
- Heart troubles from reflex symptoms of uterus or ovaries.
- Palpitation from least exertion or motion.
- Irregular, exhausting, delayed or suppressed from suppressed emotions, cold, fever, any excitement.
- Rheumatic dysmenorrhoea.
- Pregnancy: Nausea, sleeplessness, false labour like pains; sharp pains across abdomen.
- Labour: Shivers in first stage; Convulsions from nervous excitement.
- Rigid os.
- Pains severe, spasmodic, tedious; agg by least noise or excitement.
- Lochia is stopped from excitement.
- After pains worse in groins.
- Pain with soreness all over the body.
- Headache; sharp and shooting better in open air and from cold; worse during menses.
- Sleeplessness from soreness of the back muscles.
- Angina with numbness of the left arm.
- Tremors all over; shivers run all over body with complaints.
- Epilepsy with waving sensation in the brain.
- Headache with crazy feeling; due to ovarian disorders;
- Pain in eyeballs worse slightest motion; better pressure.
- Palpitation from least motion.
- Very sensitive to cold.

Generals & modalities

- Hysterorheumatic, changeable mood.
- Alternate mental and physical complaints.
- Sensitive to cold and damp weather.
- Chilly: wants warm clothing in winter.
- Sometimes soreness is great, sometimes jerking and sometimes numbness.
- Full of fear, anguish and restlessness.
- Fear of death.

- Suspicious.
- Excitable.
- Fretful and apprehensive.
- Feels grieved and troubled.
- AGGRAVATION; During menses, the more profuse the flow the greater is the suffering. Increase of mental symptoms during menses.
- Slightest exertion, using arms in sewing, typing, piano playing.
- Taking cold.
- Second
- Excitement
- Morning
- Afternoon
- Evening
- AMELIORATION; Night, Warmth, Eating, Open air, Pressure, Continued Motion, Grasping things. (Boger), Rest.

Aesculus hippocastanum

- Synonyms : Horse Chestnut, Kastana.
- Source : Nuts of the Italian oak.
- Habitat : The plant Italian oak flourishes well in temperate climates.
- Preparation : Mother Tincture is prepared from the hulled nut pounded and mixed with alcohol.
- Proved by Helbig 1844 Buchman 859 etc. Dr. E.M. Hale also proved the remedy later on.

Indications

- It is a short acting medicine. It is a SPECIFIC remedy for the following conditions:
 - 1. Haemorrhoids: blind, bluish, large, walking aggravates, with pain in rectum after stools; with constipation; with fullness, burning and itching in rectum.
 - 2. Pains : rheumatic; flying, shooting, wandering; shooting along the nerves; better from warmth.
 - 3. Leucorrhoea: acrid, dark yellow with backache.
 - 4. Ailments with lumbo-sacral backache worse on walking or stooping.

- 5. Raw sensation and burning with catarrhal troubles of nose and throat.

- DOSAGE : It is chiefly used in low potencies: 3rd to 6th potency.

- REPETITION : Can be frequently repeated.

- DURATION OF ACTION : A few hours.

Relationship

- COLLINSONIA FOLLOWS WELL: Nux vomica antidotes Aesculus.

Comparison

- Constipation from sluggish liver: Aesc-h, Aloe, Nux-v, Sulph.

- Blind Haemorrhoids : Aesc, Coll Ign, Nux-v, Puls, Rhus t, Sulph.

- Bluish Haemorrhoids : Aesc, Carbo-v, Lach, Mur ac, Sulph.

- Chronic Haemorrhoids : Aesc, Coll, Merc-I Rub, Nux v, Sulph.

- External Haemorrhoids : Aesc, Aloe, ham, Lach, Mur ac, Ratanhia, Sulph.

- Large haemorrhoids : Aesc, Aloe, Carb an, Ham, Kali c, Nit ac, Nux-v, Sulph.

- Walking agg haemorrhoids : Aesc, brom, Carb an, Caust, Mur ac, Sulph.

- Walking amel haemorrhoids : Ign.

- Wiping after stool agg Haemorrhoids : Aesc, Graph, Mur ac, Paeon.

- Sensation of heat in rectum : Aesc, Aloe, Sulph.

- Itching in rectum : Aesc, Agar, Graph, Lyco, Nit ac, Nux v, Phos, Puls, Sulph.

- Pain in rectum : Aesc, Am c, Caust, Graph, Ign, Lyco, Paeon, Puls, Sulph, Thuja.

- Pain in rectum after stool : Aesc, Aloe Ign, Merc, Nit ac, Mur ac. Ratanhia, Sulph.

Causes & diseases

- Congestive.

- Gastric.

- Billious.

- Catarrhal.

- Rheumatic.

- Gouty.

- AFFINITIES; Veins, Liver, Naso-Pharynx Abdomen (R) Rectum, Mucous membranes, Occiput, Region, Anal affections, Back affections,

Constipation, Cough, Haemorrhoids, Headache, Hernia, Liver affections, Lumbago, Sacrum, pain in, Taste altered, Throat affections, Prolapse of uterus.

Complaints & characteristics

- Sensation of fullness in veins and hands and feet.
 - Formication, tingling, itching.
 - Pains flying, shooting, Wandering (Puls, Kali bi).
 - Heaviness and lameness in back.
 - Paralytic feeling in arms, legs and spine.
 - Rectum sore, with fullness, burning and itching (Sulph).
 - Fullness of rectum, and intense pain in anus for hours after stool (Aloe, Ign, Mur-ac, Sulph).
 - Burning, pricking, stinging, constricted and dry sensation in throat with frequent inclinations to swallow (Apis, Bell).
 - Dryness and heat in rectum, as if full of small sticks.
 - Knife like pains shoot up the rectum.
 - Shooting pains along nerves.
 - Lumbo sacral backache, worse on walking or stooping.
 - Back gives out during pregnancy, prolapsus.
 - Venous congestions, especially portal and haemorrhoidal.
 - Haemorrhoids blind, painful, sore, burning, itchy, purplish, rarely bleeding.
 - Constipation; hard dry stool, difficult to pass.
 - Prolapsus uteri, worse from walking.
 - Leucorrhoea, acrid, dark yellow with backache.
 - Mucous membrane of mouth, throat rectum are swollen, feel dry and raw.
 - Coryza: Thin watery, burning, rawness and sensitive to inhaled cold air.
 - Follicular pharyngitis: violent burning raw sensation, dryness and roughness of throat.
 - Conjunctivitis with burning and lachrymation.
 - Gastric ulcer, heart burn, sour eructations and vomiting after eating (Ferr, Ars, Phos).
 - Indigestion, sluggish digestion.
- #### Generals & modalities

- Sluggish.
- Despondent.
- Gloomy.
- Irritable.
- Cross.
- AGGRAVATION; Morning, on wakening, During and after sleep, Rest and lying, Closed and warm room, Walking, Stooping.
- AMELIORATION; Cool open air, Pains better from warmth, Exercise, From bleeding in piles, Summer.

Aethusa cynapium

- Synonyms : Dog parsley, Fool's Parsley.
- Source : A common weed which resembles parsley. It is about a foot high. The juice from the leaves is acrid in taste. It belongs to the natural order of Umbelliferae.
- Habitat : It is abundant throughout Europe.
- Preparation : The Mother tincture is prepared from the whole plant when in flower.
- Proved by it was first proved by Nening, one of Hahnemann's fellow provers in 1828.

Indications

- Prostration and sleepiness immediately after vomiting, diarrhoea, cramps and convulsions are the most certain indications of the remedy.
- DOSAGE : 3rd to 30th potency is commonly used.
- 6th potency is very effective.
- REPETITION : It should be repeated after each stool, vomit or convulsion.

- DURATION OF ACTION : indefinite.

Relationship

- COMPLEMENTARY : Calc Carb.

Comparison

- Dentitional diarrhoea : Aeth, Calc, Calc p, Cham, ferr p, Ip, Kreos, Mag c, Merc, Phos, Podo, Puls, Rheum, Sil, Sulph.
- Milk diarrhoea : Aeth, Calc, Cinch, Lyco, Bry, Mag c, Mag mr, Nat c. Sep, Sulph, Val.
- Sleepiness after vomiting : Aeth, Ant, Cupr, Dig, Ip.

- Sleepiness after vomiting : Aeth, Ant, Cupr, Dig, Ip.
- Sleepiness after diarrhoea : Aeth, Nux v.
- Exhaustion after stools : Aeth, Aloe, Ars, Cinch, Crot tig, Kali br,
- Epileptic convulsions followed by deep sleep : Aeth, Hyos, Kali-br, Lach, Op.
- Epileptic convulsions followed by prostration : Aeth, Chin ars, Cic, Hydrocy ac, Sec, Sil, Strych, Sulph.
- Neck weak, unable to support head : Abrot, Aeth, Calc p, Cocc, Nat-m, Vrat.
- Valeriana : Child vomits: curdled milk in large lumps; same in stools (Aeth); as soon as it has nursed, after mother has been angry.
- Ant Tart: Vomiting: in any position except lying on right side; until he faints: followed by drowsiness and prostration. Cholera with diarrhoea, cold sweats and sleepiness.
- Ars alb : Diarrhoea, vomiting, restlessness and cold sweats.
- Varat alb : Profuse diarrhoea, vomiting sweat on forehead, prostration and collapse.
- Calc Carb : Diarrhoea during dentition, in fat and flabby children, with head sweating during sleep.

Causes & diseases

- Summer.
- Dentition.
- Improper feeling.
- Milk.
- Indigestion.
- Cholera infantum.
- Diarrhoea.
- Spasms,
- Epilepsy.
- Rickets.
- AFFINITIES; Brain, Nerves, Digestion, Occiput, Neck, Glands, Liver, Brain fag, Convulsions, Excoriation, Hiccough, Idiocy, Vomiting, Intolerance of Milk.

Complaints & characteristics

- Complaints with prostration and sleepiness (Ant-t, Nux-m, Op).

- Sleeps immediately after vomiting, diarrhoea, spasms and convulsions. Indigestion of babies who vomit milk with curd and immediately become sleepy.
- Summer diarrhoea.
- Dentitional diarrhoea with sleepiness.
- Infantile cholera with vomiting, diarrhoea, dehydration, prostration with sleepiness, with expression of great anxiety and pain, pale hippocratic face and sunken eyes.
- Stool contains yellow greenish slime.
- Absence of thirst. (Apis, Puls; Op. Of Ars alb)
- Sudden Vomiting with prostration and sleepiness.
- Epileptic convulsions with eyes turned downwards, red face, pupil fixed and dilated, foam at the mouth, lock jaw, clenched thumbs.
- Complaints with features of pain and anxiety.
- Indigestion with regurgitation of food an hour or so after eating; copious greenish vomiting.
- Herpetic eruption on end of the nose.
- Hungry after vomiting.
- Gastric symptoms accompanied with a peculiar expression of great anxiety and pain.

Generals & modalities

- Children who cannot bear milk.
- Teething children.
- Improperly fed babies.
- Rickety children who cannot stand and are unable to hold up the head (Abrot, Calc p).
- Idiocy of children.
- Incapacity to think, confused, brain troubles.
- Examination funk.
- AGGRAVATION; Hot weather eating Milk after vomiting, after stool, after spasm, during summer, during dentition, Over exertion
- AMELIORATION; By walking gently in open air.

Agaricus muscarius

- Synonyms : Amanita Muscarius, Fly Agaric, bug Agaric. It is a well known fungus that grows on flies and bugs.

- Source : Parts of Europe, America and Asia.
- Proved by Dr. Stapf, a disciple of Hahnemann and two years later by Hahnemann himself. It was also proved by the Austrian society. (1869)

Indications

- It is the CONSTITUTIONAL remedy for patients:
 - 1. Who are chilly, awkward and subject to chorea.
 - 2. Children who are late in learning to walk and talk due to slow development of brain and nervous system.
 - 3. Nervous girls prior to puberty, who suffer from convulsions when scolded, excitement and shock.
 - 4. Silly boys and girls, say foolish things, sing and whistle at an inopportune time, makes verses and prophecies; of changeable disposition (Kent), sluggish in morning, brighten up in the night.
 - 5. Hysterical girls who faint after intercourse.
 - 6. Who are extremely sensitive to cold air (Calc c, Kali c, Psor).
 - 7. Old people with weak indolent circulation.
- It is a SPECIFIC remedy for the following condition:
 - 1. Frost bite and chilblains with aggravation from heat, with itching (Abrot)
 - 2. Epilepsy from suppressed eruptions.
 - 3. Chorea, jerking, twitching, trembling, blepharospasms, nystagmus, involuntary movements while awake cease during sleep. Paretic conditions with trembling and twitching of muscles after debauchery.
 - 4. Headache of drunkards; delirium tremens. (Ran b).
 - 5. Tubercular diathesis.
 - 6. Urticaria: burning, itching, redness of various parts; parts red, swollen and hot.
 - 7. Ataxia; uncertainty in walking stumbles over every thing in the way.
 - 8. Complaints appear diagonally; upper left and lower right side.
 - 9. Nervous troubles after sexual excesses.
 - 10. Delirium of typhoid with great loquacity. (Lach, Stram).
 - 11. Pain in heels.
- DOSAGE: 6th to 200th or higher; in skin conditions lower potencies; in mental and spinal conditions 30 and higher potencies.

- REPETITION : bears repetition in acute diseases.
- DURATION OF ACTION : 40 days (Clarke).

Relationship

- REMEDY FOLLOWS WELL AFTER : Bell, Calc, Merc, Opium, Puls, Rhus t, Sil.

- REMEDY PRECEDES WELL : Bell, Calc, Cupr, Merc, Opium, Puls, Rhus t, Sil. Tar h.

- BOYD'S DRUG GROUP : VIII.

Comparison

- Late learning to walk : Agar, Bar c, Calc c, Calc p, Caust, Nat m Sanic, Sil.

- Late learning to talk : Agar, Bar c, Calc p, Nat m, Nux m Sil.

- Growing pains in children : Agar, Calc p, Guaiac, Phos ac.

- awkwardness wardness : Agar, Aeth, Apis, Bov, Nat m, Tar h.

- Very sensitive to cold air : Agar, Calc c, Hepar s, Kali c, Psor.

- Nervous prostration after sexual intercourse : Agar Calc c, Con, Kali p, Lyco, Nat m, Nat p, Nux v, Ph ac, Phos, Sel, Sep, Sil, Staph, Sulph.

- Faints after coition : Agar, Dig, Nat p, Sep.

- Epilepsy after suppressed eruptions : Agar, Psor, Sulph.

- Complaints appear diagonally, upper left and lower right side : Agar, Ant t, Stram.

- Delirium of alcoholism : Agar, Act r, Can ind, Hyos, Kali p, Lach, Nux v, Op. Stram.

- Chorea : Myg, Tar h, Zinc.

- Itching Chilblains : Abrot, Agar.

- Rheumatic pains in muscles of neck and back from using arms of hands in sewing, typewriting. Piano playing : Agar, Act r, Ran b.

- Much flatus with small stool : Agar, Aloe.

- Spasmodic contractions and twitchings of single sets of muscles: Agar, Croc, Ign, zinc.

- Burning, sore pain n heels when sitting, standing or walking in open air : Agar, Caust, Cycl, Phyt, Val.

- Great loquacity, jumps from one idea to another : Agar, Lach, Stram.

- Affects left shoulder and right hip joint : Agar, Ant t, Stram, Ledum.

- Bearing down sensation as if everything would come out of vulva: Agar, Nat c, Lit t, Murex, Sep.

- Twitching of eye lids, systagmus : Physost, Agar.
- Burning in small spots : Agar, Phos, Ran b.
- Prolapse of uterus and vagina with oppression of breathing : Agar, Bell, Lit t, Murex, Sep, Sanic.
- Sensation as if stomach and abdomen were hanging down relaxed : Agar, Ipec, Staph, Tab.
- Pain in heels : Agar, Caust, Cysl, Led, Mang, Phyt, Val.
- Delirium, Raving : Agar, Bell, Canth, Hyos, Lyco, Nit ac, Op, Sec c, Stram, Verat a.
- Mania A Potu (Delirium tremens) : Agar, Ars a, Lach, Nat m, Nux-m, Nux v, Op, Starm, Strych.
- Rage (Fury, mania) : Agar, Bell, Canth, Op, Stram, Ver a.

Causes & diseases

- Alcohol.
- Frost. Sun.
- Coition.
- Fright.
- Excitement.
- Sexual excess.
- Over exertion.
- Blood poisoning.
- Suppressed eruption =Epilepsy.
- Asthenopia from prolonged eye strain.
- Sexual intercourse=fainting =nervous
- Prostration.
- Alcohol=delirium tremens.
- Acne rosacea.
- Blepharospasm
- Bunion.
- Chilblain.
- Chorea.
- Cough, Cold.
- Cramp.
- Delirium tremens.
- Dysmenorrhoea.
- Epilepsy.

- Hysteria.
- Gangrene.
- General paralysis.
- Hyperpyrexia.
- Itching.
- Lumbago.
- Numbness.
- Nystagmus.
- Phthisis.
- Rheumatism.
- Spinal irritation.
- Trembling.
- Twitchings.
- Typhoid fever.
- Typhus.
- Irritable heart of tea and coffee drinkers.
- AFFINITIES; Spinal cord, Nerves, Heart, Circulation, Occiput, Lumbar

region.

Complaints & characteristics

- Mental and nervous disorders with involuntary movements while awake, cease during sleep.
- Chorea: from simple motion and jerks of single muscle to dancing of whole body.
- Sensation as if ice needle were piercing the skin.
- Sensation of creeping and crawling.
- Burning, itching, redness of various parts, ear, nose, face, hands and feet.
- Parts, red, swollen and hot.
- Pain: sore, aching in lumbar and sacral region; during exertion in the daytime and while sitting.
- Icy coldness after itching and scratching.
- Great sensitiveness of the body to pressure and cold air.
- Violent bearing down pains in females during menopause.
- Delirium: of high fevers and alcoholism.
- Pains are accompanied by sensation of cold, numbness and tingling.
- Vertigo in the sun and by walking.

- Leucorrhoea with much itching.
- Cough ends in a sneeze.
- Rolling of head in brain affections and fever.
- (Apis, Apis, Bell, Helleb, Podo, Zinc)
- Headache of the drunkards.
- Faints: after coition.
- Trembling of legs in hysterics (G.R.)

Generals & modalities

- Child late in learning to walk and talk.
- Child slow in learning, cannot remember, makes mistakes.
- Nervous girls who have convulsions from being scolded.
- Silly and foolish persons who sing or whistle at an inopportune time.
- One who is mild and placid becomes self-willed, obstinate and conceited.
- Patient is clumsy and awkward.
- Patient is tired and sluggish in the morning till noon, becomes quick and poetical especially at night.
- Patient is extremely nervous and sensitive to cold.
- Slender nervous, restless women, with dragging sensation as if parts would drop out.
- Extremely sensitive to cold air.
- Old people with weak indolent circulation.
- AGGRAVATION; After eating, After coitus, Colds air, Mental application, Before a thunder storm (Phos, Psor), At rest and indoor, Alcohol, During menses, Morning, Pressure.
- amelioration; Gentle motion.

Ailanthus glandulosa

- Synonyms : Tree of Heaven.
- Source : It is tree belonging to the natural order of Simarubeae.
- Habitat : It is indigenous to Molucca Islands from where it was introduced to U.S. A. as a shade tree. It is a very poisonous tree.
- Preparation : Mother tincture is prepared from fresh opening flowers. Higher potencies are prepared from the mother tincture.
- Proved by H. Minton and J.T. Alley (1861).

Indications

- It is a CONSTITUTIONAL remedy in patients with low power of resistance for zymotic fevers.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Malignant scarlet fever; regular rash does not come out but in its place roseola like red spots make their appearance; the condition is attended with dreadful tumefaction in the throat and bleeding from gums and nose; face is purple and besotted, eyes are congested; stupor and prostration; decomposition of blood is going on rapidly; oozing blood is black. The patient can be aroused with difficulty from stupor. Blisters may be formed here and there over the body. Foul odour comes from the mouth. Such a state may be found in Typhoid, Diphtheria. (Kent).
 - 2. Low state in fevers: with pain in the back of neck; feeling as if a snake crawled up the leg; electric thrill from brain to extremities; sudden and extreme prostration; vomiting; chill at 8 A.M. ; during chill hunger, pain in neck, upper part of back and hip joint; chill is preceded by malignant eruption on face and forehead. Irregular patchy livid eruption, in patches; small vesical, or a blue tint; disappearing on pressure; with remittent fever, foul odour from mouth, sore throat; dullness of mind or stupor; weak heart; cold sweat. (Kent).
- DOSAGE : 30 C to 200 C.
- REPETITION : May be repeated till the response to the remedy is observed.

- DURATION OF ACTION : Not definite.

Relationship

- ANTIDOTES : Aloe, Nux v, Rhus t.

Comparison

- Eyes suffused, dilated : Ailan, Bell, Hyos, Stram.
- Face purple, Bloated : Ailan, Bapt.
- Offensive odour from mouth : Ailan, Ant cr, Ars a, Bapt, Carb ac, Diph, Kali p, Merc cy, Nit ac, Phyt, Tereb.
- Throat inflamed, purple, much swollen : Ailan, Lach.
- Painful swallowing : Ailan, Bapt, Caps, Hyos, Ign, Kali chl, Lac c, Lach, Merc c, Nit ac, Phyt, Stram.

- Stupor or stupefaction : Apis, Bapt, Bry, Helleb, Hyos, Op, Phos ac, Phos, Ailan, Rhus t, Stram, Verat a.

- Suppressed eruptions, ill effects : Ailan, Apis Ars a, Bry, Camph, Cic, Cupr, Helleb, Op, Sulph, Tub, X-ray, Zinc m.

Causes & diseases

- Malignant diseases.

- Scarlet fever.

- Diphtheria.

- Typhoid fever.

- Blood poisoning.

- Sepsis.

- AFFINITIES; Mind, Blood, Throat, Skin, Parotid glands, Cerebrospinal meningitis, Nervous, sensitive persons, Bilious temperament, Stout & robust.

Complaints & characteristics

- Stupefaction or stupor with eruptive fevers Sudden and extreme prostration with fevers.

- Face purple and bloated.

- Foul odour from mouth.

- Eyes congested.

- Throat inflamed, much swollen and purple.

- Eruptions suppressed, patchy and bluish in Colour.

- Remittent fever.

- Bleeding from gums, nose, eyes in eruptive fevers, black blood.

- Eruptions disappear from pressure but return slowly if the pressure is released.

- Mottled skin.

- Crawling over body.

- Chill at 8 A.M.

- Sitting up.

- =vomiting, dizziness.

- Motion=staggering.

Generals & modalities

- Adynamic persons.

- AGGRAVATION; Suppression of eruptions; Raising up; Slight of food.

- AMELIORATION; Hot drinks; Lying on right side.

Allium cepa

- Synonyms : It is a common vegetable plant with rounded bulb of many concentric coats and is used in cooking food. It belongs to the natural order of Liliaceae.

- Habitat : It is found all over the world.

- Preparation : The mother tincture is prepared from the fresh red bulb.

- Proved by Dr. Constantine Hering in 1847.

Indications

- Acrid nasal discharge with profuse bland lachrymation is the most characteristic symptom of this remedy. It is not a very long or deep acting remedy, hence it is useful in acute conditions. In chronic cases deep acting anti-psoric remedies are required to root out the dispositions like Hay fever and Polypus of nose, etc.

- DOSAGE : 3rd to 30th potencies are commonly used.

- REPETITION : It works in single dose in acute conditions. For nasal-polypus it may be repeated weekly if indicated.

- DURATION OF ACTION : 24 hours to 7 days.

Relationship

- COMPLEMENTARY : Phos, Puls, Thuja.

- FOLLOW WELL: Sang, Psor.

- ANTIDOTES: Arn, Cham, Verat a.

Comparison

- Acrid watery discharge dropping from tip of nose: All c, Amm mur, Ars a, Ars iod, Arum t, Fer iod, Graph, iod, Kreos, merc, Nit ac, Nux v.

- Copious discharge from the nose : All c, Ars a, Kali iod, Nat mur, Phos.

- Hay fever(annual) : All c, Arund, Nat mur, Psor, Sabd.

- Nasal Polypus : All c, Calc carb, Calc phos, Graph, Kali bi, Lemna minor, Merc iod rub, Phos, Psor, Sang, Sang nit, Sep, Sil Sulph, Teucr, Thuja.

- Colic from cold : Acon, All c, Cham, Coloc, Nux v.

- Catarrhal headache : All c, Hydras, merc, Puls, Sticta.

- Coryza better in open air : All c, Iod, Nux v, Tellur.

- Coryza during diphtheria : Arum t, Kali bi, Ammon c, Ars, Nit ac.

- Euphrasia : Bland coryza with acrid lachrymation.
- Arsia : Watery, profuse, acrid, excoriating, violent, right sided, burning, coryza from being chilled while over heated (Carbo v, Pulse, Sil.).
- Ammon mur : Watery, acrid, hot, Profuse, coryza corroding the lip (Ars, All c) with sensation of coldness in the back, between scapulae, in fat and sluggish persons.
- Arum t : Watery, acrid, violent attack, fluent, left sided, excoriating inside of nose, alae and upper lip.
- Nose feels stopped up inspite of the watery discharge.
- Coryza during diphtheria - Arum t, Kali bi, Ammon c, Ars, Nit ac.

Causes & diseases

- Getting wet; cold damp winds.
- Over eating cucumbers, salad.
- Allergic to peaches.
- Damp cold winds.
- Trauma.
- Amputation.
- Forceps delivery.
- AFFINITIES; Eyes, Nose, Throat, Larynx, Mucous-membranes, Stomach, Nerves, Anal fissure, Cold, Coryza, Traumatic neuritis, Whitlow, Hay Fever of August, Left to Right.

Complaints & characteristics

- Acrid coryza with bland lachrymation.
- Raw felling in nose with sneezing.
- Coryza from left to right and blockage of nose.
- Polypus of nose Congestive headache with coryza and photophobia; ceases during menses, returns when flow disappears.
- Influenza with headache, photophobia, coryza, lachrymation, rawness in larynx.
- Hay fever annually in August with violent sneezing, redness in eyes, bland lachrymation, agg. Morning.
- Catarrhal laryngitis.
- With rawness in larynx with tickling, cough.
- Pain in larynx as if cough would tear it.

- Catarrhal hoarseness, agg, from lying down at night, larynx raw and painful.
- Cough spasmodic with cutting pains in pharynx, tickling, with coryza and bland lachrymation.
- Spring catarrh: after damp winds.
- Acrid nasal discharge burns and corrodes nose and upper lip.
- Nasal polypus (Teucrium, Sang, Sang Nit, Psori Calc c, M.I. R).
- (Colic: from cold; by getting feet wet; over eating cucumbers (Coloc); salad; of children, of haemorrhoidal persons; agg, from sitting; amel, from moving about.
- Neuralgic pains in a line; on face head, neck and chest.
- Whitlow with red streaks up the arm; pains drive to despair; in child bed.
- Acute catarrhal inflammations of mucous membranes with increased secretion.
- Eyes: burning, biting, smarting as if from smoke, must rub them, watery and suffused; capillaries injected and excessive lachrymation.
- Generals & modalities
- Evening, Warm room sitting.
- AMELIORATION; Cold room. Cool open air, moving about.

Aloe socotrina

- Synonyms : Socotrine Aloes.
- Source : It is a plant belonging to the natural order of Liliaceae.
- Habitat : It is found growing upon the shores of the Indian Ocean and the Island of Socotra.
- Preparation : The Mother tincture is prepared from the inspissated juice from the leaves of the plant.
- Proved by Dr. Helbig of Germany in 1833 but Drs. Hering, Raue and others added a great deal to the first report.

Indications

- It is a SPECIFIC remedy for the following conditions:
- 1. Diarrhoea: sudden, imperative; with much flatus; early morning driving the patient out of bed; after beer; after oysters; involuntary with passing of flatus; unreliable sphincter ani; with jelly like stool; alternates with headache; rumbling before stool.

- 2. Constipation: stool has to be removed mechanically; causes headache, passes hard stool involuntarily.
- 3. Haemorrhoids: like bunch of grapes; better from cold application; with prolapse of rectum.
- DOSAGE : In dysentery low potencies from 3 C to 6 C are used. But when the characteristic symptoms re present even in 200th potency it acts well.
- REPETITION : It may be repeated in acute conditions frequently. Dr. J.H. Clarke recommends 2 hourly repetition of Aloe 3 in dysentery in his Prescriber.

Relationship

- COMPLEMENTARY : Sulphur.
- ANTIDOTES : Camphor, Opium, Nux v, Sulphur.

Comparison

- When Passing flatus sensation as if stool would pass with it: Mur ac, Nat mur Nat Phos, Olean, Phos ac, Podo, Verat a.
- Passes involuntary hard stool : Aloe, Bell.
- External piles : Aesc, Aloe, Ham, Lach, Mur ac, Ratanhia, Sulphur.
- Strangulated piles : Aloe, Bell, Lach, Paeon.
- Diarrhoea after eating: Aloe, Ars a, China, Chin Ars, Coloc, Crot t, Lyco, Nat ars, Podo, Puls, Trom.
- Diarrhoea early morning driving out of bed: Aloe, Kali bi, Phos, Podo, Psor, Rumex, Sulph, Tub.
- Diarrhoea after beer : Aloe, Chin, Kali bi, Sulph.
- Diarrhoea after oysters : Aloe, Lyco, Brom, Bry, Podo, Sul ac.
- Diarrhoea with much flatus : Aloe, Arg n, Nat m.
- Headache from constipation : Aloe, Bry, Collin, Op.
- Stool has to be removed mechanically : Aloe, Calc c, Sanic, Selen, Sep, Sil.
- Rumbling before stool : Aloe, Crot t.
- Involuntary stool knows not whether flatus or faeces escape : Aloe, Iod, Mur ac, Nat m, Oleand, Podo.
- Headache alternates with diarrhoea : Aloe, Podo.
- Jelly like stool : Aloe, Podo.
- Sudden imperative diarrhoea : Aloe, Sulph, Psor.
- Desire for stool while eating : Fer m.

Causes & diseases

- Allergic to beer (Kali bi)
- Allergic to Oysters (Lyco, brom)
- Disposed to congestions;
- Piles.
- Prolapse.
- Haemorrhage.
- Flatulence.
- Mucous colitis.
- Diarrhoea.
- Dysentery.
- Colic.
- Circulatory disturbances.
- Hot head and cold extremities, burning in palms and soles, hot hands and cold feet.
- Enlargement of veins.
- Fullness in veins.
- Stiffness in body.
- AFFINITIES; Veins, Rectum, Liver, Head, Lumber region, Female organs,

Complaints & characteristics

- Headache : congestive; agg. from heat; amel. from cold; from constipation alternating with lumbago.
- Diarrhoea : has to run for stool immediately after eating or drinking early morning; with want of confidence in sphincter ani; jelly like mucus.
- Flatulence : before stool passes; without stool; with sensation as if stool would pass with it; offensive; burning; copious much flatus with small stool burning in anus after passage of flatus
- Stool : solid stool and masses of mucus pass involuntarily; before stool rumbling, violent sudden urging, heaviness in rectum; during stool tenesmus and much flatus; after stool faintness; gushing thin, yellow offensive excoriating stool; in diarrhoea lumpy marble like stool.
- Jelly like stool.
- Haemorrhoids : blue, like bunch of grapes; amel, from cold applications; bleeding, sore tender; hot; with prolapse of rectum during stool.

- Colic : cutting, cramping pains in abdomen; driving him for passing stool.

- Constipation : no desire for several day's; passes flatus without stool; agg. his mental state; relief of all symptoms from passing stool; itching and burning in anus preventing sleep; itch appears each year as winter approaches (Psor).

- Dysentery : With cutting pains in abdomen driving him for stool ; jelly like mucus in stool; mucous colitis, with lax sphincter.

Generals & modalities

- Indolent weary persons.

- Averse to mental or physical labour.

- Old people.

- Dissatisfied and angry about himself when constipated.

- Life is a burden.

- Irritable.

- Hates people.

- Hates people.

- AGGRAVATION; Early morning Sedentary life. (in bed), Hot damp summer, After eating or drinking, Standing or walking, Heal.

- AMELIORATION; Application of cold water, Cold weather, Passing flatus or stool.

Alumen

- Synonyms : Common Alum, Sulphate of Aluminium potassium, potash alum, Phitkari.

- Source : It is a chemical compound.

- Habitat : It is found as a mineral, like salt. It is easily purchased from a grocery shop.

- Preparation : The pure crystals are triturated with sugar of milk, 2x solution may be prepared by dissolving alum one part in 100 parts of water (1/100). Higher dilutions are prepared in alcohol from 3x dilution.

- Proved by Dr. C. Hering in 1845 (7 provers with 3 and 12 C dilution).

Indications

- It is not a well proved remedy according to Dr. Kent, because the general mental symptoms are missing. Dr. Kent, regards it an anti-psoric remedy because it heals chronic and deep seated tissue diseases. It is

indicated in indurations, ulceration's, cancerous, haemorrhagic. Catarrhal conditions and when the healing power is feeble or lacking in the patient. It is a Psora-sycotic remedy.

- DOSAGE: For physiological purpose like stopping haemorrhage externally a solution of alum serves the purpose. Powdered alum 10 grains on tongue, said to arrest an attack of asthma (Boericke). The very highest potencies have proved efficacious.

- REPETITION: Single dose of high potency occasionally.

- DURATION OF ACTION : Not definitely known.

Relationship

- ANTIDOTES : Cham, Ipec, Nux v.

Comparison

- Indurations : Alumen, Alumina, Arg met, Aur met, bad, Cal f, Carb an, Chin, Clem, Con, Lach, Mag mur, Phos, Rhus tox, Sel, Sep, Sil, Staph.

- Indurated Glands : Alumen, Alumina, Bad, Baryta carb, Bar mur, Brom, Cal, Calc iod, Calc fl, Carb an, Clem, Con, Iod, Phyto, Spong, Sulph.

- Ulcers : Alumen, Alumina, Anthr, Arg n, Ars a, Ars iod, Asaf, Carbo v, Hep, Kali be, Kali chl, Kali s, Kreos, Lach, Lyco, Merc, Nit ac, Phyto, Puls, Sil, Sulph.

- Cancerous affections : Alumen, Alumina, Ars a, Aur m, brom, Cadm, Carb ac, Carbo an, Con, Kali ars, Kreos, Lyco, Nit ac, Phos, Phyto, Sil.

- Lupus : Alumen, Alumina, Ars a, Lyco, Thuja.

- Scirrhus : Alumen, Ars a, Aster, Carbo an, con, Graph, Lapis alb, Sil.

- Hypertrophic tonsillitis : Baryta c, Calc carb, Cal iod, Sulph, Baryta mur, Hep s, Lyco, Psor, Sang, Sil.

- Gastric Ulcer : Alumen, Arg n, Ars a, Calc ars, Hydras, Kali bi, Kali c, Lyco, Merc c, Nit ac, Nux v, phos, Uran nit.

- Paralysis from apoplexy : Alumen, Caust, Crot h, Gels, Lach, Nux v, Op, Phos, Plb.

Causes & diseases

- Indurations : of glands, tonsils, tongue, uterus.

- Ulceration's : of mouth, stomach, intestines, cervix, urethra, vagina, eyes, ears, veins.

- Catarrh : of throat, lungs, vagina, urethra, mucous membranes.

- Lupus of nose. Cancer, epithelioma.

- Scirrhus.

- Scorbutic gums.
- Paresis : of tongue, rectum, bladder, muscles.
- Paralysis : vasomotorial, hysterical.
- Haemorrhoids : Polypus of nose, left side.
- Lead colic with retraction of abdomen.
- Bad news.
- Spinal weakness.
- Deep seated chronic diseases.
- Operations on eyes, teeth.
- AFFINITIES; Tissues, M.M. , Nerves, Veins.

Complaints & characteristics

- Hypertrophic tonsillitis, enlarged uvula.
 - Gastric ulcer with vomiting of every thing he eats with haematemesis.
 - Long lasting pains after stools.
 - Ulcers with indurated base.
 - Lung abscess or cancer with haemoptysis.
 - Haemorrhage from bowels.
 - Varicose veins.
 - Chronic yellow vaginal leucorrhoea Gonorrhoeal urethritis.
 - Bleeding and receding gums.
 - Constipation with loss of urging for stool, no desire for stool for days, marble like masses pass, but rectum still feels full.
 - Lack of force in passing urine.
 - Voice is entirely lost.
 - Pressing pain on head with burning sensation, relieved by icy cold applications on head, with hard pressure.
 - Palpitation on lying on right side.
 - Vertigo on lying on back with weakness in the pit of stomach, after opening eyes and turning on right side.
 - With awkwardness, coldness of spine, numbness, crawling, tingling, constriction, and burning sensation.
 - Constipation : from cancer of rectum and uterus (Clarke).
- #### Generals & modalities
- Susceptible to colds.
 - Old people with bronchial catarrh.

- Lack of healing.
- AGGRAVATION; Lying on right side, Lying on back and turning on right side, Opening eyes.
- AMELIORATION; Icy cold applications on head, Hard pressure.

Alumina

- Synonyms : Pure Clay, Aluminium Oxide- Al_2O_3 .
- Source : Chemically prepared Aluminium Oxide from pure muriate of lime.
- Preparation : Chemically prepared and triturated with sugar of milk like other insoluble substances.
- Proved by Hahnemann. It was chemically prepared in pure form by Hahnemann who gives the method of preparation of Alumina in Materia Medica Pura with the provings of the remedy.

Indications

- IT IS A DEEP ACTING ANTIPSORIC AND ANTI-SYCOTIC REMEDY, VERY USEFUL TO START WITH IN CHRONIC CASES.
- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Constitutions deficient in animal heat (Calc c, Sep, Sil.)
 - 2. Chilly persons worse in winter; in cold air.
 - 3. Who are anxious, apprehensive; feel guilty conscience; hasty, impulsive, anxiety about future.
 - 4. Who are sad, constantly sad.
 - 5. Who are confused, as to his personal identity.
 - 6. Suicidal: cannot look at blood or knife.
 - 7. Who think they are going crazy or mad.
 - 8. Who are hypochondriacal.
 - 9. Who have craving for indigestible things (Cic, Psor); acids; chalk; charcoal; cloves; coffee; starch.
 - 10. Potatoes disagree.
- 1. Paretic conditions : of rectum; straining to pass a soft stool; urine passes slowly; is retained and dribbles involuntarily.
- 2. Locomotor ataxia: inability to walk with eyes closed, in darkness; tottering and falling when closing eyes (Arg n, Gels).

- 3. Constipation : of nursing children, from artificial food; of old people; of pregnancy, from inactivity of rectum with no desire or ability to pass stool until there is a large accumulation; must strain greatly; stool hard knotty; soft, clayey, adhering to parts.
- 4. Acrid and profuse leucorrhoea; worse during day time.
- 5. Allergy to salt, wine, vinegar, pepper immediately produce cough.
- 6. Subacute and catarrhal conjunctivitis with smarting marked dryness and burning; granular lids.
- 7. Sore throat of public speakers; inclination to clear throat; relaxed uvula.
- 8. Snuffles with constipation in infants.
- 9. Catarrhal laryngitis from talking in open air.
- 10. Lupus, epithelioma, indurations, thickening of mucous membranes, fissures and ulceration.
- DOSAGE : 6th to 30th potency in acute conditions; 1M to CM in chronic conditions.

- REPETITION : Single dose acts for a long time. To be repeated only when the symptoms call for it.

- DURATION OF ACTION : Lutze-40 days; Clarke-40 to 60 days.

Relationship

- COMPLEMENTARY : Bry, Fer.
- REMEDIES THAT FOLLOW WELL: Arg, Bry Lach, Sulph.
- REMEDY IS ANTIDOTED BY : Cham, Ipecac, Puls.
- REMEDY ANTIDOTES : Cham, Lach and Iod poisoning.
- BODY'S NOSODE GROUP: Morgan.

Comparison

- Constipation with soft stool: Alum Hepar, Nux m, Sep.
- Constipation during pregnancy : Alum, Nat s, Nux v, Plumb, Plat, Sep.
- Constipation from inactivity of rectum : Alumen, Alumina, Op,
- Constipation from dryness of rectum : Aesc, Alumen, Alumina, Bry, Lyco, Nat m, Op, Plat, plumb, Pyrog, Sel, Sulph.
- Constipation in infants, bottle fed : Alum, Nux v, Op.
- Constipation in old people : alum, Ant cr, Hydras, Lyco, Op, Sel, Sulph.

- Acrid and profuse Leucorrhoea : Alum, Am c, Ars a, Aur, Calc c, Con, Graph, hydras, Kreos, Merc, Nat m, Sep, Puls.
- Intolerable itching when getting warm in bed : Alum, Ars a, Kali ars, Merc, Mez, Nat s, Olean, Psor, Rumex, Sulph, Tub.
- Itching followed by bleeding, pains and burning : Alum, Ars a, Croton, Psor, Sep, Sulph.
- Agg. full moon : Alum, Calc c, Graph, Sabad, Sil.
- Agg. new moon : Alum, Caust, Clem, Sil.
- Amelioration in open air : Alum, Mag c, Puls, Sab, Acon.
- Menses exhausting : Act r, Alum, Cocc, Carb an, Verat a.
- Offensive sweat of feet : Alum, Amm m, Graph, Psor, Sanic, Sil.
- Hoarseness of professional singers, public speakers : Alum, Arg m, Arg n, Arum t.
- Great weakness of lower extremities, with trembling, cannot walk with eyes closed : Alum Arg n.
- Gait unsteady, muscles refuse to obey the will : Alum, aster, Gels.
- Enlarged tonsils with cough, worse after slight cold : Alum, Bar c.
- Craving for indigestible things : Alum, Calc c, Cic, Psor.
- After appearance of menses so weak she can hardly speak : Alum, Carb an, Cocc.
- Soft stool voided with difficulty : Alum, Carb v.
- Least contradiction angers : Anac, Cocc, Ign, Fer m, Alum.
- Morning sickness during menses-very weak and prostrated : Alum, Carb an, Cocc, Graph, Sil.
- Ulceration of septum, with large flakes of hard mucus: Alum, Kali bi, Sep, Teucr.
- Skin symptoms are better in hot weather : Alum, Petr.
- Times passes too slowly : Alum, Arg n, Can ind, Med.
- Constipation, no desire until there is a large accumulation : Alum, Melitot.
- Diarrhoea : great straining but little passes, as if faeces remained and cannot be expelled : Alum.
- Feels as if guilty of a crime : Alum, Ars, Aur, Chel, Dig, Psor.
- Regurgitation of ingesta in mouthfuls : Alum, Phos.
- Stool adhere to rectum and anus like soft clay : Alum, Plat.
- Constipation during pregnancy : Alum, Sep.

- Constipation during pregnancy : Alum, Sep.
- Aggravation from drinking wine even in small quantity : Alum, Con, Zinc.

Causes & diseases

- Suppressed yellow nasal discharge=headache with nausea and vomiting.
- Periodical headache.
- Asthenopia.
- Trachoma, granular lids.
- Hairs fall out.
- Purulent otorrhoea.
- Indurations.
- Lupus.
- Epithelioma.
- Ulcers in the fauces, secreting yellowish bad smelling pus.
- Chronic sore throat.
- Haemorrhage from all mucus membranes.
- Paralytic condition of both flexors and extensors.
- Locomotor ataxia.
- Numbness of soles.
- Fulgrating pains (Al met).
- Fissures (Caust, Graph, Nit ac).
- Impotency from sexual exhaustion.
- Prostatic hypertrophy.
- Suppressed gonorrhoea in women (Puls, Thuj). Hoarseness and loss of voice from fatigue Gastric ulcer.
- Indigestion from the simplest food.
- Acidity: sour and bitter eructations. Lead colic.
- AFFINITIES; Spinal cord, Rectum, Anus, Mucous membranes, Skin.

Complaints & characteristics

- Inactivity of rectum.
- Constipation : no desire for and no ability to pass stool; great straining even for soft stool.
- Ineffectual (Nux v, China, Anac, Plat, Sil, Ver a).
- Constipation of infants, pregnant and old people.

- Stool hard knotty, like laurel berries, covered with mucus, soft clayey adhering to parts.
- Has to strain in at stool in order to urinate.
- Diarrhoea when she urinates.
- Faints and tired, must sit down.
- Talking fatigues.
- Vertigo : objects go round, inability to walk, except with eyes open, and in the day time; tottering and falling when closing eyes (Arg n, Gels).
- Dryness of mucous membrane with catarrhal conditions.
- Paralytic weakness.
- Slowness, clumsiness, paresis and difficulty in swallowing.
- Leucorrhoea : Acrid and profuse, running down to the heels (Syph); worse during the day time; better by cold bathing.
- Exhausted after menses.
- After menses : exhausted physically and mentally, scarcely able to speak (Carbo an, Cocculus).
- Abnormal appetite : craving for chalk, charcoal cloves, coffee acids and indigestible things (Calc, Cic, Psor).
- Potatoes disagree.
- Crawling sensation.
- Itching when getting warm. Sensation of dried white of an egg on the face;
- Cobweb on the face (Alumina, borax, bar c).
- Burning with discharge of urine.
- Cough soon after waking in the morning, dry and hacking, with frequent sneezing, from elongated uvula, tickling in larynx, involuntary urine with cough.

- Chronic dryness of skin, inability to sweat.

Generals & modalities

- Constitutions deficient in animal heat.
- Chilly.
- Spare, dry, thin subjects; dark complexion.
- Mild, cheerful disposition.
- Confusion of his personal identity; confusion of intellect.
- Impulsive.
- Impatient.

- Thinks he is going crazy.
- Sad.
- Apprehensive.
- Anxiety about future.
- Guilty conscience.
- Neuraesthetic.
- Tired out people.
- Children wake up in morning in a bewildered state. (Alumina, Aesc, Lyco).
- Psoric, broken down feeble constitution.
- Scrofulous constitution.
- Catarrhal constitution.
- AGGRAVATION; Warmth; Room, Bed, From salt, wine, vinegar, pepper, spirituous drinks (Zinc), Potatoes Dry cold weather, Winter, On alternate days, New and full moon, Early on awaking.
- AMELIORATION; From wet weather (Caust), Warm drinks, while eating, Mild summer.

Ambra grisea

- Synonyms : Ambergris.
 - Source : A gray substance from whale's sperm, used as perfume or medicine. It is often found floating upon the sea.
 - Habitat : Found upon the shores of the Baltic, Madagascar or Sumatra. The best specimens are found in Boston and other whaling ports.
 - Preparation : Prepared in the form of Trituration up to 3 C or in alcoholic potentisations.
 - Proved by Dr. Hahnemann in 1827 and his friend Count de Gersdorf.
- Indications
- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Who are averse to presence of strangers; the presence of even a nurse is unbearable during stool.
 - 2. Who are sad, weepy; melancholic; sit for days weeping.
 - 3. Who have business embarrassments, are unable to sleep, must get up.

- 4. Who are prematurely old; they suffer from mental weakness, forgetfulness, trembling, tottering; depressed state alternating with vehemence of temper.
 - 5. Young girls who are excitable, nervous and weak; shy, bashful, and blush easily.
 - 6. Old people with nerves worn out, with broken down constitution.
 - 7. Lean thin emaciated people, who take cold easily.
 - 8. Who are aggravated from excitement, company, music, anxiety, presence of many people, exertion.
 - It is a SPECIFIC remedy for the following conditions:
 - 1. Anxiety neurosis.
 - 2. Melancholia.
 - 3. Psychoneurosis; hysteria; dementia praecox; neurasthenia; senile dementia.
 - 4. Vertigo of old people, worse in the morning after sleep and after eating.
 - 5. Whooping cough, but without crowing inspiration.
 - 6. Asthma on attempting coition; of old people and children; feeble tremulous ones.
 - 7. Ranula with foetid breath.
 - 8. Metrorrhagia from undue exertion; sexual excitement.
 - 9. Ailments worse after eating : with distension of abdomen and great flatulence; with cough and gagging.
 - 10. Erratic symptoms (Ign, Nat m).
 - 11. Cough : spasmodic; of nervous origin; with frequent eructations and hoarseness; from anxiety, thinking, excitement, music.
 - 12. Palpitation: from slight exertion, excitement, music with trembling and quivering; with numbness of parts.
 - DOSAGE : 30 and higher potencies.
 - REPETITION : Bears repetition.
 - DURATION OF ACTION : Clarke-40 days.
- Relationship
- REMEDIES THAT FOLLOW WELL : Lyco, Puls, Sep, Sulph.
 - ANTIDOTES : Camph, Coff, Nux v. Puls, Staph.
 - REMEDY ANTIDOTES : Nux v, Staph.
 - BODY'S DRUG GROUP : V.

Comparison

- Excitable persons : Acon, Ambra g, Anac, Arg n, Aur, Bell, Cham, Coff, Graph, Hyos, Kali br, Lac c, Lach, Mosch, Nat m, Nit ac, Nux v, Op, Ph ac, Phos, Puls, Strych.

- Nervous affections-trembling : Agar, Ambra g, Ant t, Apis, Arg m, Arg n, Ars a, Caust, Cic, Cimic, Cocc, Con, Gels, Lach, Merc, Op, Plat, Puls, Stram. Sulph, Zinc.

- Great sadness with weeping : Ambra g, Caust Cic, Graph, Ign, Kali br, Lac c, Lyco, Nat m, Puls, Rhus t, Sep, Sulph, Verat a.

- Prematurely old : Ambra g, Bar c, Bufo, Kali c, Lyco, Sel.

- Non-reaction from irritable weakness : Amb, Agar, Asaf, Camp, China, Coca, Coff, Hypr, Santo, Tarent, Val,, Zinc.

- Music aggravates : (Sensitive to music) Ambra g, Cham, Graph, Lyco, Nat c, Nat m, Nux v, Phos, Ph ac, Sep, Tar h.

- Embarrassed from company-aversion to company : Ambra g, Anac, Cham, Cic, Gels, Ign, Nat m, Nux v.

- Presence of people intolerable during stool : AMBRA.

- Presence of people intolerable during urination : NAT MUR.

- Erratic symptoms : Amb, Ign Nat m.

Causes & diseases

- Mental shock or dementia excitement.

- Senile dullness of vision, and hearing.

- Haemorrhagic discharge from nose in the morning.

- Menorrhagia.

- Constipation of old people.

- Menses appear seven days before time, followed by horrible itching of the genitals.

- Soreness and itching of the labia.

- Asthma on attempting coition.

- Dyspnoea from any little exertion.

- Nervous affections of old people.

- Unable to sleep from business embarrassments, must get up (Act r, Sep).

- Ranula with foetid breath (Thuj).

- Discharge of blood between periods at every little accident, long walk, hard stool etc.

- Leucorrhoea; thick bluish white mucous, only at night (Caust, Merc, Nit ac).

- Palpitation, cough, asthma, from anxiety music, excitement, exertion.

- Numbness and feeble circulation with loss of muscular power.

- AFFINITIES; Mind, Nervous system, Female organs.

Complaints & characteristics

- Vertigo of old age: worse in morning; after sleep; after eating; with feeling of weight on vertex.

- Has to lie down on account of vertigo and feeling of weakness in stomach.

- One sided complaints.

- Complaints with numbness.

- Headache worse on exertions better from rest and lying.

- Dryness of mouth without thirst.

- After eating cough and gagging.

- Erratic symptoms (Ign, Nat m).

- Left leg cyanotic during menses with oedema, with pressing pain in the leg.

- Lying down agg uterine symptoms.

- The presence of others, even the nurse is unbearable during stool.

- Frequent ineffectual desire which makes her anxious.

- Violent cough in spasmodic paroxysms, with eructations and hoarseness; worse from talking or reading aloud (Dros, Phos).

- Evening without, morning with expectoration (Hyos).

- Whooping cough but without crowing inspiration.

- Sensation of coldness in abdomen.

Generals & modalities

- Prematurely old people.

- Dreamy state of mind, trembling, tottering.

- Forgetfulness.

- Jumps about from one topic to another.

- Asks questions without waiting to hear the answer.

- Alternation of depression of spirits with Vehemence of temper.

- Periods of excitability are followed by periods of depression and a state of indifference.

- He gets up with confusion, dullness and dreamy state of mind and towards evening he takes on symptoms of insanity.
- Presence of others embarrasses.
- Great sadness.
- Melancholy, loathes his life and wants to die, sits for day's weeping.
- Mental prostration.
- Lean and nervous persons.
- Music is intolerable.
- Hysterical women.
- Children and excitable young girls.
- Susceptible to cold.
- AGGRAVATION; In the morning, After eating, warm drinks, warm room, warm milk, After drinking, From music, From company, Excitement, After walking, Anxiety, Exertion, Conversation, Lying down, Reading or talking a loud, Presence of many people,
- AMELIORATION; Cold drinks, Cold food, Rising from bed.

Ammonium carbonicum

- Synonyms : Smelling salt, Hartshorn, Sal Volatile, Carbonate of Ammonium.
- Source : It is a chemical salt
- Habitat : It can be purchased from a chemist's shop.
- Preparation : The pure salt is triturated with sugar of milk and potencies are prepared up to 3 C, from which liquid potencies are prepared with alcohol to higher and highest potencies.
- Proved by Dr. Hahnemann published the provings of the drug in the 1st edition of Materia Medica Pura.

Indications

- It is a long and deep acting remedy.
- It is useful in adynamic conditions, constitutional conditions and specific conditions.
- It may be a life saving remedy for the dangerously ill patients suffering from consumption, malignant small pox, gangrenous tonsillitis and blood poisonings. (Kent)
- It is an ADYNAMIC remedy for the following conditions (Kent):

- 1. Lack of reactions to indicated homoeopathic remedies in infectious diseases.
- 2. Ailments with great prostration; great dyspnoea, coldness, puffiness of face.
- 3. Last stages of consumption.
- 4. Malignant scarlatina with somnolence, starting from sleep.
- 5. Threatened paralysis of brain; faint development of rash due to defective vitality.
- It is a CONSTITUTIONAL remedy for the following patients:
 - 1. Who are chilly; susceptible and sensitive to cold; readily catch cold in winter; delicate women who must have the "smelling bottle" continually at hand; snuffles of infants with long lasting coryza.
 - 2. Stout fleshy women of sedentary habits.
 - 3. Children dislike washing.
 - 4. Old people with bronchial diseases.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Diphtheria or Scarlatina when nose is stopped up, child cannot sleep because it cannot get its breath.
 - 2. Putrid sore throat, tendency to gangrenous ulceration of tonsils; glands engorged.
 - 3. Scurvy: spongy gums, raw lips and cracks in the corners of lips.
 - 4. Nose bleed : Haemorrhagic Diathesis-when washing face after eating; non-coagulating black blood from uterus.
 - 5. Leucorrhoea and other discharges acrid excoriating.
 - 6. Cholera like symptoms at the commencement of menses (Bov, Ver a).
 - 7. Cardiac weakness with palpitation, dyspnoea worse on exertion; hacking cardiac cough without expectoration; on ascending even a few steps; worse in a warm room; angina pectoris, oedema of lungs; heart failure.
 - 8. Emphysema and Asthma with cardiac weakness; fungus infections of lungs with dyspnoea.
 - 9. Menses: too early, profuse; preceded by griping colic; acrid, make the thighs sore.
 - 10. Toothache: colic; sadness; fatigue; yawning and chilliness with menses.

- 11. Complaints from charcoal fumes.
- 12. Complaints from snake bite (Ars a, Lach, Thuj); stings of insects.
- 13. Purpura haemorrhagica.
- 14. Ailments of right side; worse during menses; better from lying on abdomen or painful side.
- DOSAGE : Low potency. In snake bite the volatile salt should be applied on the part bitten.
- Dr. Pierce used it in 3rd potency.
- But it works well in 6th to 200th potencies.
- REPETITION : It may be repeated in acute diseases; but in chronic diseases a single dose of high potency is recommended by Dr. J.T. Kent.
- DURATION OF ACTION : Lutze -acts over 36 days; Clarke-acts for 40 days.

Relationship

- REMEDY IS FOLLOWED WELL BY : Bell, Calc c, Lyco, Phos, Puls, Rhus t, Sep, Sulph.
- incompatible : Lach.
- REMEDY IS ANTIDOTED BY : Arn, Camph, Hep.
- REMEDY ANTIDOTES THE EFFECTS OF SNAKE BITE, STINGS OF INSECTS: Rhus tox and charcoal fumes.
- BOYD'S DRUG GROUP : IV.

Comparison

- Scurvy : Amm c, Carbo an, Carbo v, Caust, Merc, Mur ac, Nat m, Nit ac, Nux v, Staph, Sulph.
- Obstruction of nose at night: Am c, Calc c, Lyco, Puls, Nux v, Samb, Sticta.
- Prostration with low temperature : Amm c, Ant t, Camph, Verat a,
- Purpura haemorrhagica : Amm c, Arnica, Carbo v, China, Crot h, Ham, Lach, phos, Sec c, Sulph ac, Tereb, Vipera.
- Emphysema : Amm c, Ant ars, Ars a, Cup ars, Curare, Lach, Naphth.
- Troubles from charcoal fumes : Amm c, Arn, Bov.
- Children dislike washing : Amm c, Ant cr, Sulph.
- Breathing stops as soon as he falls asleep, must get up and walk; Grind, Lac c, Op.
- Dysmenorrhoea with vomiting and purging : Bov, Carbo v, Ver a.
- Amelioration lying on belly : Acet ac, Amm c.

- Ailments from charcoal vapours : Arn, Amm c, Bov.
 - Nose feels stopped up inspite of water discharge : Amm c, Samb, Sinap.
 - Stoppage of right nostril or first right then left with constant blowing of nose : Amm c, Borax, Lac c, Mag m.
 - Diarrhoea before and during menses : Amm c, Bov.
 - Malignant scarlatina and variola : Amm c, Carb ac.
 - Middle of lower lip cracked : Amm c, Hep s, Nat m.
 - Diseases of people inclined to obesity : Amm c, Calc c, Caps, Graph.
 - As soon as he falls asleep the breathing stops : Amm c, Grind, Lac c, Lach, Op.
 - Sensation as if breath would stop when lying down, must get up and walk : Amm c, Grind, Lac C, Lach.
 - Nose stopped at night, must breathe through the mouth : Amm c. Nux v. Lyc. Samb.
 - Constipation: stool dry, hard difficult, crumbling : Amm c, Mag m, Nat m.
 - Snuffles of infants : Amm c, Nux v, Samb.
 - Exhausting diarrhoea with cold sweats : Amm c, Bov, Ver alb.
- Causes & diseases
- Feeble heart.
 - Angina pectoris.
 - Oedema of lungs.
 - Heart failure.
 - Asthma, Emphysema.
 - Fungus infection, and their symptoms.
 - Scurvy.
 - Poisoning from charcoal fumes.
 - Acridity.
 - Anaemia from loss of blood.
 - Purpura Haemorrhagica.
 - Haemorrhagic diathesis.
 - Blood poisoning.
 - Malignant variola.
 - Malignant scarlatina.
 - Ulceration's tend to gangrene.

- Diphtheria.
- Whitlow
- Putrid sore throat.
- Gangrenous ulceration of tonsils with great prostration.
- Snake bites.
- Alcoholic drinks.
- Beginning of cerebro-spinal.
- Fever with adynamic state.
- Eye troubles, excoriation of lids from acrid discharges.
- Ear troubles.
- Menstrual troubles.
- Leucorrhoea.
- Catarrh.
- Consumption.
- Cough
- Threatened paralysis of brain.
- AFFINITIES; Heart, Circulation, Blood, Respiration, Lungs, Bronchi,

Right side.

Complaints & characteristics

- Feeble heart with dry cough, palpitation on exertion.
- Cardiac dyspnoea, Cyanosis.
- Suffocative dyspnoea in asthma, in warm room relieved by open cold air.
- Spongy and bleeding gums, the teeth become loose.
- Toothache from change of weather, or temperature.
- All secretions are acrid and excoriating, saliva, tears, stools, leucorrhoea, cracked lips.
- Black blood, fluid blood that does not coagulate, from nose.
- Defective vitality.
- Lack of development of rash.
- Nose bleed when washing face (Arn, Mag c).
- Nose bleed after eating, when stooping, left side lymph glands enlarged, stopping of nose mostly at night, snuffles of children, must breathe through mouth (Hep, Nux v, Samb, Stict.)
- Breathing stops as soon as he falls asleep.
- Affects right side.

- Bursting headache (Bell, Glon).
 - Sparks before the eyes with headache, double vision, aversion to light, large black spot floats before the eyes after sewing; burning in eyes, conjunctivitis; cataract cured.
 - Hardness of hearing, discharge of acrid fluid from the ears.
 - Cholera like symptoms at the start of menses (Bov, Verat), prostration after menses.
 - Menses premature, abundant, blackish often in clots, preceded by griping and colic; toothache, sadness, fatigue and yawning with menses.
 - Acrid and excoriating leucorrhoea.
 - Bronchial catarrh amel by lying on abdomen.
 - Weakness of chest, prostration and coldness, last stage of consumption with dyspnoea.
 - Deep seated periosteal pains, aching in bones.
 - Cough : dry form tickling in throat as from dust every morning 3-4 a.m. (Kali c).
 - Satiety after eating a little food. (Lyco).
 - Unclean-lines of bodily habits.
 - (Gallavardin)
- Generals & modalities
- Infant's snuffles.
 - Children dislike washing.
 - Chilly patient.
 - Ill humour during wet stormy weather.
 - Stout fleshy women of sedentary habits.
 - Delicate women readily catch cold in winter.
 - Lack of reaction in acute diseases.
 - Old people (with bronchial catarrh).
 - AGGRAVATION; Cold wet weather, Washing, During menses, 3-4 a.m. Exertion, Ascending stops, Warm room (asthma) , After eating, Cloudy days, (Boger).
 - AMELIORATION; Lying on abdomen. (Nit ac.) lying on painful side, Dry weather, Open air (asthma), Pressure, Eating, Lying on right side.

Ammonium muriaticum

- Synonyms : Ammonium Chloride, Sal Ammoniac. Formula NH_4Cl .
- Source : It is a chemical salt composed of Ammonium radicle and Chlorine radicle. It forms white crystals soluble in water, 1 in 3 and alcohol 1 in 60.
- Habitat : It can be purchased from a chemist's shop.
- Preparation : Dilutions are prepared in distilled water like Ammon carb.
- Proved by : First proved by Nenuing 1833; later Dr. Hahnemann added 84 of his own provings.

Indications

- It is a CONSTITUTIONAL remedy for the patient.
- 1. Who are fat and sluggish; body large and fat but legs too thin. (H.C. A.)
- 2. Sensitive to cold: susceptible to acrid coryza.
- 3. Who are anxious, fretful and sensitive to certain persons.
- 4. Pale, sickly feeble women; worse during menses; diarrhoea and vomiting during menses.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Coryza : watery, acrid, corroding the lip (H.C. A.)
 - 2. Chronic sprains. (C.M. B.)
 - 3. Sore throat : with profuse glairy catarrhal secretion.
 - 4. Ailments : with a feeling of coldness between the shoulder blades, or sore sprain (C.M. B.)
 - 5. Contraction of Hamstring tendons, which seems tight when walking, but better by continued motion.
 - 6. Sciatica : worse sitting; somewhat relieved by walking; entirely relieved by lying down; legs feel contracted with painful jerks; feet feel as if asleep.
 - Left sided.
 - 7. Leucorrhoea : Like white of an egg, preceded by griping pain about the navel; brown, slimy, painless; after every urination (H.C. A.)
 - 8. Haemorrhoids: sore and smarting; with burning and stinging in rectum for hours after stool.
 - (Aesc, Sulph); especially after suppressed leucorrhoea. (H.C. A.)
 - DOSAGE : 3rd to 30th C or higher.
 - REPETITION : Bears repetition well.

- DURATION OF ACTION : Clarke-20 to 30 days.

Relationship

- REMEDY FOLLOWS WELL : Ant cr, Coff, Merc, Nux v, Phos, Puls, Rhus

t.

- REMEDY IS ANTIDOTED BY : Cham, Coff, Hep a. Nux v.

- BODY'S DRUG GROUP : IV

Comparison

- Feels as if the tendons and muscles are contracted: Caust, Cimex, Amm mur, Nat m.

- Tension and shortening of muscles : Amm mur, Caust, Cimex, Guiac, Nat m.

- Leucorrhoea like white of an egg : Alum, Amm mur, Borax, Calc c.

- Menses flow only at night, cease when walking : Amm mur, Mag carb, Kreos.

- Offensive foot sweat : Alum, Amm mur, Graph, Psor, Sanic, Sil.

- Watery acrid coryza corroding the lip : All c, Ars a, Ars iod, Kreos, Arum t, Graph, iod, Merc, Nit ac, Amm mur.

- Burning and stinging in rectum for hours after stool : Aesc, Sulph.

- Emaciation most marked in lower extremities : Abort, Iod, Amm mur, arg n, Sanic, Tub.

- Stools crumbling at verge of anus : Amm mur, Mag mur, Nat m.

- Haemorrhage per rectum during menses : Amm mur, Amm carb, Bov, Calc c.

- Sore ulcerative pains in heels : Amm mur, Caust, Cycl, Led, Mangan, Phyto.

- Sciatica : Coloc, Gnaph, Ars a, Rhus t, Bry, Phyto, Amm mur, Puls, Bell, Nux v, Sulph.

Causes & diseases

- Capsular cataract.

- Non descript sore throat.

- Swelling of sub-maxillary and parotid glands.

- Painful haemorrhoids.

- Dry cough from constant tickling in the larynx; going towards phthisis, with fast pulse, copious night sweats latter part of night.

- broncho-pneumonia.

- Chronic sprains.

- Contraction of Hamstring tendons which seem tight when walking and better by continued motion.
- Sciatica is worse when sitting, better when walking entirely relieved when lying.
- Neuralgic pains, in stumps of amputated limbs.
- Stitching pains in ulcerated heels.
- Shooting and tearing in tips of fingers and toes.
- AFFINITIES; Mucous membranes, Liver, Blood, Female organs, Tips of fingers and toes between scapulae.

Complaints & characteristics

- Watery acrid coryza corroding the lip (All c, Ars a, Arum t, Kreos) with loss of smell.
- Obstinate constipation with much flatus; Diarrhoea and vomiting during menses;
- No two stools alike (Puls);
- Stools requires great effort in expulsion.
- Stools crumble from the verge of anus (Mag mur).
- Haemorrhoids : sore and smarting; Burning and stinging in the rectum for hours after stool (Aesc, Sulph)
- Especially after checked leucorrhoea.
- Leucorrhoea like white of an egg, preceded by griping pain about the navel; after every urination.
- Sensation of coldness in the back, between scapulae (Lach), with catarrhal symptoms.
- Hamstrings feel painfully short when walking; tension in joints as from shortening of muscles (Caust, Cimex).
- Offensive sweat of the feet (Alum, Graph, Psor, Sanic, Sil).
- Neuralgic pains in the feet.
- menses more profuse at night (Bov).
- Blood is black and clotted (A M M C)
- Boiling sensation in blood vessels all over the body.
- Burning and excoriation of mouth and lip (Am c).
- Hard stool covered with mucus.
- Cough is worse when lying on back.
- Chronic cough of old people.

- Pain in left hip as if tendons are too short.
- Intermittent fever with absence of thirst in all stages. (Choudhuri)

Generals & modalities

- Fat and sluggish persons.
 - Body large and fat but legs too thin.
 - Sensitive to cold.
 - Persons is anxious, fretful, and antipathic to certain persons.
 - Adapted to pale, sickly, feeble women.
 - AGGRAVATION; Periodically: 2 to 4 a.m. , During menses; after stools; after urination; when walking erect; night; in bed; sitting, open air, Morning (Head, Chest) Afternoon (Abdomen) Evening (Skin, Fever, limbs).
 - AMELIORATION; Open air; continued rapid motion; rubbing the part
- Warm bath, Walking Crooked.

Anacardium orientale

- Synonyms : Marking nut, Malacca Bean, oriental Anacardium, Balador.
- Source : The crushed seed of marking nut is the source of the drug. The seeds are heart shaped which differ from kidney shaped. A. Occidental.
- Habitat : The small tree of the marking nut grows in tropics and East Indies, especially Malacca.
- Preparation: The juice of the crushed seeds of making nut is used in preparing dilutions in water as the juice is soluble in water. The higher potencies are prepared with alcohol after 3 C.
- Proved by : Dr. Hahnemann (1885) published the provings in "Chronic Diseases (p ix and pp 277-301) vols. Book No. 2265, B. Jain Publishers (P) Ltd.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients :
 - 1. Persons full of hatred; disposed to be malicious; seems to be bent on wickedness; hae irresistible desire to curse and swear.
 - 2. Persons with absence of all moral restraints.
 - 3. Persons with absence of all moral restraints.

- 4. Persons who are clairaudient, hear voices from far away or of the dead persons, suffer from hallucinations.

- 5. Persons of changeable personality.

- 6. Want of confidence in himself and others.

- It is SPECIFIC remedy in the following conditions:

- 1. Mental disorders : schizophrenia; paranoia, mania, melancholia with its guiding symptoms; having two wills, one urging him to do what the other forbids; irresistible desire to curse and swear with illusions, delusions, hallucinations; sudden loss of memory.

- 2. Hypochondriasis : with haemorrhoids and constipation.

- 3. Headache : relieved entirely when eating.

- 4. Fright before examination; nervous exhaustion from over-studies (Nat c).

- 5. Warts on palms of hands (Nat m).

- DOSAGE : 6th to 200th potency.

- REPETITION : 30th potency is repeated daily for several weeks in internal piles.

- DURATION OF ACTION : Acts over 30 days (Lutze), 30 to 40 days (Clarke).

Relationship

- REMEDIES FOLLOWS WELL : Lyco, Plat, Puls.

- REMEDIES PRECEDE WELL : Lyco, Plat, Puls.

- REMEDY IS ANTIDOTED BY : Clem, Coff, Crot t, Ran b, Rhus t, Jug cin.

- REMEDY ANTIDOTES : Rhus tax.

- BOYD'S DRUG GROUP : VI

Comparison

- Aversion to company : Anac, Bar c, Carb a, Cham, Cic, Gels, Ign, Nat m, Nux v.

- Inactivity of rectum, even soft stool requires great straining : Anac, Alumen, Alumina, Plat, Sil, Ver a.

- Constipation with ineffectual urging: Anac, Lac def, Nux v.

- Easily excited by any emotion, especially by contradiction : Anac, Aster rub, Con, Ign, Fer m.

- Cannot endure least suggestion : Anac, Helon.

- Oversensitive to pain, smell, taste, hearing and touch: Anac, Aur m,

- Very forgetful : Anac, Can ind, Kali brom, Lac c, Agn c, Caust, Nat m, Lyco, Nux m, Plumb.
- Absent minded, makes purchases and walks away without them: Anac, Agn c, Caust, Nat m.
- Choking in swallowing things go down the wrong way : Anac, Can sat.
- Speaks hastily when angered : Anac, Cocculus.
- Disposed to curse, strike, swear, to think obscene things : Anac, Lac c, Lil tig.
- Vomiting of pregnancy relieved by constant eating : Anac, Chel, Petr, Sep.
- Headache relieved by eating : Anac, Kali phos, Psor.
- Apathetic, indifferent, low spirited, weak memory due to sexual abuses : Anac, Aur, Nat m, Phos ac, Staph.
- Headache with sensation of an iron hoop around head : Anac, Sulph, Tuberculinum, Cact.
- Causes & diseases
 - injuries to tendons.
 - After sexual excesses.
 - Nervous exhaustion and loss of memory, from over-studies; after severe illness.
 - Rhus poisoning.
 - Mental disorders:
 - Religious mania.
 - Melancholia.
 - Melancholia.
 - Paranoia.
 - Hypochondriasis.
 - Hysteria.
 - Insanity.
 - Schizophrenia.
 - Illusions of smell.
 - Examination funk.
 - Loss of memory.
 - Epilepsy.
 - Delusions: mind and body separated.

- Hallucinations: sees demons; hears voices.
- Alternations of illusions and delusions.
- Tetanus.
- Paralytic weakness.
- Hardness of hearing.
- Chronic dry coryza.
- Dyspepsia.
- Elephantiasis.
- Stiffness of neck.
- Self abuse.
- Skin diseases: eczema neurotic.
- intense itchy eruptions; yellow vesicles.
- Wartson palms (Nat m).
- Checked eruptions.
- AFFINITIES; Mind, Nervous system, Muscles, Joints, Stomach, Skin,

Palms, (Clarke)

Complaints & characteristics

- Symptoms go from right to left (Lyco, Lac c)
- Symptoms disappear while eating.
- Sudden loss of memory; everything seems to be in a dream; patient is greatly troubled about his forgetfulness.
- Hypochondriasis, with haemorrhoids and constipation.
- Headache : relieved entirely when eating.
- Sensation : as of a hoop or band around a part (Cact, Carb ac, Sulph).
- Gastric and nervous headaches of sedentary persons (Arg n, Bry m, Nux v); when lying down in bed at night; worse during motion and work.
- Fright before examination.
- Plug in inner parts.
- Empty all gone sensation in stomach relieved by eating.
- Great desire for stool, but with the effort the desire passes away without evacuation.
- Rectum seems powerless, paralysed with sensation as if plugged up.
- Apt to choke when eating and drinking.
- Nausea and vomiting of pregnancy relieved by eating.
- Weakness of all senses.

- Intermittence of symptoms.
- Spells of sleeplessness.
- Concentration difficult.

Generals & modalities

- Changeable personality.
- Disposed to be cruel, malicious, bent upon wickedness.
- Strange temper: Mischievous laughs at serious matters and is serious over laughable things.
- Moody.
- Low spirited.
- Cowardly.
- Reverted mind.
- Irritable.
- Frustrated.
- Morose, sulky.
- Anxious.
- Fearful.
- Lack of confidence in himself and others.
- Forgetful.
- Feels as though he had two wills, one commanding him to do what the other forbids.
- Desire to curse and swear.
- Irresolution.
- Fear of being poisoned.
- Suspicious.
- Want of moral restraint.
- Offended easily.
- Absent-minded.
- Confused, unfit fit for business.
- Imbecile.
- Dreams of fire; dead bodies. Alternations of moods and understanding.
- When walking is anxious from being pursued.
- Hysterical.
- AGGRAVATION; Mental excitement, Mental exertion, Anger, Fright, case, Fasting, Long after eating, Stepping hard, Open air, Cold.

- AMELIORATION; Soon after eating, Rubbing, During digestion, Aversion to company, Hot bath.

Anthracinum

- Synonyms : Anthrax Poison.
- Source : It is a nosode, from the spleen of the infected sheep from anthrax bacillus.
- Preparation : The mother tincture is prepared from an alcoholic extract of the anthrax poison from the spleen of infected sheep.

- Proved by Dr. Lux.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Succession of boils or carbuncles.
 - 2. Gangrenous ulcers, Carbuncles, Whitlows with horrible burning pains; with black or blue discolouration; with sloughing and discharged of ichorous offensive pus.
 - 3. Dissecting wounds with a tendency to become gangrenous, with specific fever.
 - 4. Suspicious insect-bites with enlargement of lymphatic glands.
 - 5. Septic fever with fainting, prostration, sinking pulse and delirium.
 - 6. When Ars a or the best selected remedy fails to relieve the burning pain of carbuncle or malignant ulceration.
 - 7. Haemorrhages; black thick tar like blood, rapidly decomposing.
 - 8. It is one of the leading remedies for plague.
- DOSAGE : 30 C to 200 C.
- Repetition : Bears repetition well.
- DURATION OF ACTION : Not definite.

Relationship

- REMEDIES THAT PRECEDE WELL : Ars a, Ph ac.
- REMEDIES THAT FOLLOW WELL : Aur m. Nat (periosteal swelling of lower jaw) Sil (cellulitis).
- ANTIDOTES : Apis, Camph, Ars a, Rhus t, Sil, Lach, Carb v., Puls, Kreos.

- BODY'S DRUG GROUP : VI.

Comparison

- Septic fever : Anthr, Ars a, gun powder, Pyr.

- Burning pains : Anthr, Ars a, Apis, Lach, Sec c, Euphorb, Tar c.
- Malignant pustules : Anthr, Lach, Pyr.
- Putrid discharges : Anthr, Carb ac, Psor, Pyr.
- Tendency to blood boils : Anthr, Croth, Tar c.
- Malignant ulcers, carbuncle, gangrene : Anthr, Ars a, Canth, Carb an, Carb v, Crot h, Lach, Sec c, Sil.

Causes & diseases

- Sepsis.
- Carbuncle.
- Malignant ulcer.
- Haemorrhages.
- Septic fever.
- Whitlow.
- Gangrene.
- Malignant erysipelas.
- Dissecting wounds.
- Insect stings.
- Epidemic spleen diseases of cattle, horses and sheep.
- Bad effects from inhaling foul odours.
- Eczema.
- Acne.
- Boils.
- Bubo.
- Swollen glands.
- Cellulitis.
- Small-pox.
- Ulcers.
- Whitlow.
- Black or blue blisters.

Complaints & characteristics

- Septic fever with fainting, rapid loss of strength; sinking pulse and delirium (Pyr).
- Burning pains when the best selected remedy fails.
- Complaints with ulceration, sloughing and intolerable burning.
- Haemorrhages : blood oozes from mouth, nose, anus or sexual organs; black thick tar like, rapidly decomposing (Crot h).

- Whitlow : the worst cases with soughing and terrible pain; malignant pustules; black or blue blisters; often fatal in 24 hours or 48 hours (Lach, Pyr).

- Carbuncle : with horrible burning pains; discharge of ichorous offensive pus.

- Dissecting wounds, especially with tendency to gangrene; with septic fever and marked prostration (Ars a, Pyr),

- Suspicious insect stings; if swelling changes colour and red streaks from the wound map out the course of lymphatic (Lach, Pyr).

- Septic inflammation from absorption of pus or other deleterious substances, with burning pain and great prostration (Ars, Pyr).

- Horribly offensive gangrenous ulcers.

Generals & modalities

- Rapid and profound prostration.

Antimonium crudum

- Synonyms : Sulphide of Antimony, Black Antimony, stibnite, $Sb_2 S_3$, Antimonium nigrum pruificatum.

- Source : It is a chemical compound of Antimony and Sulphur, Grayish crystalline powder is obtained by purification of native antimony sulphide.

- Habitat : Antimony-sulphide is found in crude form as a mineral in some parts of Italy, and other parts of Europe.

- Preparations : Triturations of Antimony-Sulphide are prepared with sugar of milk.

- Proved by Caspari, one of the fellow provers of Hahnemann and Hahnemann in 1828. It is one of the Anti-psoric remedy given in "Chronic Diseases" (pp 302-320)

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:

- 1. Children: who are fretful, peevish, cannot bear to be touched or looked at.

- 2. Sulky children who do not wish to speak or be spoken to; angry at every little attention.

- 3. Who have loathing for life with lingering fever.

- 4. Who suffer from melancholia with great sadness and weeping; slightest thing affects her; abject despair, suicide by drowning.
- 5. Who have irresistible desire to talk in rhymes or repeat verses.
- 6. Who have sentimental mood in the moonlight, especially ecstatic live.
- 7. Who have longing for acids and pickles.
- 8. Gouty persons who are worse from sour wine; cold damp weather; cold bathing; river bathing; from stimulants of any kind; better from lying down and applied heat; but much worse from over heating; with troublesome haemorrhoids.
- 9. Hysterical girls who suffer from unrequired affections; dreamers.
- 10. Who are allergic to bread, fats, pork, pastry, sour wine, acids, sweets.
- 11. Who are averse to cold bath.
- It is a SPECIFIC remedy in the following conditions:
 - 1. Headache : after river bathing; from taking cold, alcoholic drinks; deranged digestion, acids, fat, fruits; suppressed eruptions.
 - 2. Gastric and intestinal affections; from bread, pastry acids, vinegar, cold bathing; over heating; hot weather.
 - 3. Large horny corns on soles of feet; very sensitive when walking.
 - 4. Aphonia from becoming overheated.
 - 5. Ailments from sunburn; overheating; warm weather.
 - 6. Diarrhoea from sour wine.
 - 7. Callosity from pressure on feet from pressure of shoes.
 - 8. Ailments with milky white coating on the tongue.
 - 9. Changeable symptoms: gouty symptoms on extremities suddenly stop followed by gastric symptoms; symptoms go from one side to other; they change locality.
 - 10. Suppressed menses from cold bath.
- Dosage : Lower potencies from 6th to 12th advised in syphilitic affections.
- Higher potencies from 30 to 200 advised in gastro-intestinal and mental characteristic symptoms.
- REPETITION : To be given in single dose and not repeated unless required, when constitutional symptoms call for it.
- To be repeated in syphilitic affections in lower potencies.

- DURATION OF ACTION : 4 weeks (Clarke).

Relationship

- COMPLEMENTARY : Squilla.

- REMEDIES THAT FOLLOW WELL : Merc, Puls, Sulph.

- antidotes : B

- ANT CR ANTIDOTES : stings of insects.

Comparison

- Fretful children : Ant cr, Ant t, Ars a, Cham, Cina, Lyco, Mag c,

- Carving for acids, pickles, sour things : Ant cr, Ant t, Ars a, Hep s,

Mag c.

- Sour food and drinks disagree : Ant cr, Carbo v, Dros, Nat m, Phos

ac.

- Vinegar disagrees : Ant cr, Carbo v.

- Pastry disagrees : Ant cr, Lyco, Puls.

- Pork disagrees : Ant cr, Carb v, Cycl, Puls.

- Fats disagree : Ant cr, Hydr, Lyco, Nat m, Nit ac, Puls.

- Acids gag : Ant cr, Ant t, Ferr m, Merc cor, Nux v, Phos, Sep.

- Bathing agg : Ant cr, Bellis, Calc c, Caust Rhus t, Sep, Sulph.

- Heat of sun agg : Ant cr, Bell, Bry, Cact, Gels, Glon, Lych, Lyssin, Nat c, Nat m, Puls, Sel.

- Cold drinks agg : Ant cr, Acon, Aloe, Alum, Ambra Amyl, Ant t, Apis, Arg n, All c, Cinch, Glon, Kali iod, Kali s, Lyco, Mag c, Merc-ir, Nat c, Picr ac, Puls, Sabad, Sec c, Sep, Tab, Tar h.

Causes & diseases

- Cold bath.

- River bathing.

- Sour wine.

- Vinegar, Bread.

- Pastry, pickles.

- Over eating.

- Over heating.

- Hot weather, Heat of the sun or stove.

- Damp weather.

- Rheumatism; Rheumatic symptoms alternate with gastro-intestinal symptoms (Kali bi, Puls, Lac can).

- Gout.

- Typhoid,
 - Lingering fevers, remittent or intermittent with headache, coated tongue, catarrhal symptoms, suppressed eruptions, prostration, but thirstlessness without restlessness.

- High fever with fluctuating temperature.
- Prolapse of uterus with bearing down sensation.
- Menstrual disturbances.
- Induration of uterus, ovaries liver.
- Watery diarrhoea with lumps of stools.
- Finger nails growing in splits.
- Alternating diarrhoea and constipation.
- Old people with morning diarrhoea.
- Pulse hard and rapid.
- Ailments of flabby persons.
- Child vomits after nursing and refuses to be nursed.
- Stuffy nose.

- AFFINITIES; Mind, Digestive tract, Stomach, Skin, Soles, Changing sides,

Complaints & characteristics

- Ailments attended with headache.
- Catarrhal conditions, gastric symptoms prostration, without restlessness (Cad s).

- Sick headaches amel by prolonged vomiting by lying down, rest and open air, agg by moving about, radiated heat, heated room, light and at night, due to river bathing, cold, sour wine, summer heat, acid fruits, fats deranged digestion, suppressed eruptions.

- Gastric complaints from over eating, with thick milky white coated tongue, longing for pickles which disagree.

- From bread and pastry vinegar, sour wine, hot weather, overeating.
- Loss of voice from becoming over-heated or cold bath.
- Ailments from sun burn.
- Whooping cough : agg from being over-heated; from cold washing.
- Diarrhoea due to summer or heat; cold bath; from sour wine;

Haemorrhoids agg from cold bath, sour wine; sour food.

- Cough : hacking, in diminishing paroxysms, agg from being heated, cold bath, sour food.

- Suppressed menses from cold bath.
- Concomitants.
- Milky white coated tongue.
- Nostrils and labial fissures sore, cracked and crusty.
- Constant discharge of flatus up and down.
- Belching, tasting of ingesta.
- Mucus: in large quantities from posterior nares by hawking; from anus, ichorous oozing, staining yellow.

- Mucus piles.
- Distended stomach, vomiting.
- Colic, tympanitis, tenesmus enlarged liver, jaundice.
- Sweats from slightest exertion.
- Ulcers, warts, callosities, painful corns when walking.
- When symptoms reappear or go from one side to other.
- Bad nails, bad hair.
- Pustules with red base and sensitiveness.
- HORNY WARTS.
- Chancre with characteristic white tongue.

Generals & modalities

- Hysterical girls, sentimental mood in moon light, ecstatic love; talks in rhymes.

- Sudden attacks of fainting.
- Thought and smell of food disturb.
- Great sadness with weeping.
- Sad and irritable.
- Abject despair, suicide by drowning; loathing of life; has no desire to live.

- Anxious lachrymose mood; slightest thing affects her (Puls).
- Fear of death.
- Aversion to cold bath.
- Longing for pickles which disagree.
- Child is fretful, peevish, cannot bear to be touched or looked at; sulky, does not wish to speak or be spoken to (Ant t, Cina, iod, Sil).
- Angry at every little attention
- AGGRAVATION; After over eating; cold bathing, sour wine, heat of the extremes of cold or heat, damp weather, summer night, stove, heat

of open fire, Overeating, Ascending stairs, Cold water on head, Sweats, Acids.

- AMELIORATION; Open air, during rest, after a warm bath, Prolonged vomiting.

Antimonium tartaricum

- Synonyms : Tartar emetic, Tartarate of Antimony and potash.
- Source : it is a chemical salt of Antimony and Potassium-formula $2(K[Sbo]C_4H_4O_6)H_2O$.
- Habitat : Can be purchased from a chemist in the market.
- Preparation : The salt is triturated with sugar of milk to prepare 3 C potency. The higher potencies are prepared with alcohol from 3 C.
- Proved by Dr. Hahnemann and Dr. Hencke.

Indications

- It is a constitutional remedy for the following types of patients:
 - 1. Who have great sleepiness or irresistible inclination to sleep with nearly all complaints.
 - 2. Children who want to be carried during their illness.
 - 3. Children will not let you feel the pulse; cry and whine, if any one touches them; want to be left alone when sick; peevish.
 - 4. Who have hydrogenoid constitution; are susceptible to damp cold weather.
 - 5. Desire for apples, fruits and acids generally.
 - 6. Infants and children allergic to milk, vomit immediately.
- It is a specific remedy for the following conditions :
 - 1. Vertigo alternates with drowsiness.
 - 2. Broncho-pneumonia or respiratory diseases with flapping of nostrils.
 - 3. Ailments from bad effects of vaccination when Thuja fails and Silicea is not indicated.
 - 4. Asphyxia neonatorum.
 - 5. Foreign bodies in trachea or larynx.
 - 6. Jaundice with pneumonia.
 - 7. Resolution stage of pneumonia with rattling in chest.
 - 8. Acute chest illness of children with face pale and sickly, covered with cold sweat, the eyes are sunken; nostrils are dilated and flapping; rattling of phlegm in the chest; child is in a comatose condition.
 - 9. Catarrhal disease in broken down old persons, having lack of reaction; worse in cold damp weather; white expectoration with dyspnoea, must sit up.

- 10. Gouty complaints worse in cold damp weather; gouty arthritis.
- 11. Gonorrhoeal ophthalmia (Arg n).
- 12. Rheumatic pains in the teeth with rheumatic pains in the joints.
- 13. Gastric complaints with loathing of food, nausea and vomiting; inability to digest; with thirstlessness; desire for acids and sour fruits; aversion to milk.
- 14. Bleeding ulcers in the stomach with other characteristic symptoms of the remedy.
- 15. Dropsy of lower extremities with gastric or catarrhal symptoms.
- 16. Chicken pox, small pox; pustular eruptions leaving a bluish red mark.

- DOSAGE : The lower potencies sometimes aggravate.
- It acts well from 30th the C.M. potencies.
- REPETITION : Should be repeated in acute conditions till the action of the drug is noted.
- DURATION OF ACTION : 2 weeks (Lutze); 20 to 30 days (Clarke).

Relationship

- COMPLEMENTARY : Ipec.
- REMEDY IS FOLLOWED WELL BY : Bar c, Camph, Carbo v, Ipec, Sil, Sulph, Tereb.
- REMEDY IS FOLLOWED WELL BY : Bar c, Camph, Carbo v, Ipec, Sil, Sulph, Tereb.
- REMEDY IS ANTIDOTED BY : Asaf, China, Cocc ind, Con, Merc., Op, Puls, Rhus t, Sep.
- REMEDY ANTIDOTES : Bar c, Bry, Camph, Caust, Iod, Sep, Vace, Variol.

- BODY'S DRUG GROUP : VI.

Comparison

- Complaints appear diagonally: upper left and lower right: Ant t, Agar, Stra, Led.
- Child is fretful, peevish, does not wish to speak or be spoken to: Ant t, Ant cr, Iod, Sil.
- Fan like motion of Alae nasi Ant, Brom, Lyco.
- Danger of suffocation from mucus in bronchi : Ant t, Ipec.
- Cyanosis : Ant t, Camph, Arab v, Cupr, dig, Lach, Lauroc, Op, Verat a.

- All the ailments are accompanied by drowsiness and sleepiness:

Ant t, Nux m, Op.

- Eructations tasting like rotten eggs : Arn, Ant t, Graph, Psor.
- Ailments from bad effects of vaccination : Ant t, Sil, Thuja.
- Ailments from living in damp houses : Ant , Aran d, Ars a, Dulc, Nat s, Tereb, Rhus t, Calc c, Nux m.

- Damp cold weather agg : Amm c, Ant t, Calc c, Dulc, Merc, Rhus t, Phyto, Nat s.

- Lying on right side ameliorates : Ant t, Nat m, Phos, Sulph, Tab,
- Pustular eruptions : Ant t, Cicuta, Rhus t, Ars a, Staph, Sulph, Hep s, Calc s, Thuj, Variol.

- Expectoration white : Ant t.
- Expectoration yellow : Ammoniacumin lung troubles.

Causes & diseases

- Asphyxia neonatorum.
- Foreign bodies in trachea & larynx.
- Icterus with right sided pneumonia.
- Chicken pox, small pox.
- Bad effects of vaccinosis.
- Bad effects of living in damp houses.
- Allergic to milk, vomits.
- Convulsions after suppressed eruptions.
- Cholera morbus with diarrhoea and cold sweats.
- Pustular eruptions over the whole body.
- Apparent death from drowning, from mucus in bronchi, from impending paralysis of lungs, from foreign bodies in larynx or trachea, with drowsiness or coma.
- Resolution stage of pneumonia with rattling in chest.
- Asthma: worse 3 a.m. , must sit up in bed, dyspnoea on falling asleep.
- Pneumonia with jaundice.
- Oedema of lings with dyspnoea and cyanosis, cold perspiration and drowsiness.
- Impetigo contagiosa.
- Dropsy: of lower extremities.

- AFFINITIES; Mucous membranes, Respiratory tract, Circulation, Heart, Stomach, Skin, Bowels, Sleep Lumber region.

Complaints & characteristics

- Broncho-pneumonia with flapping of alae nasi.
- Chest troubles with suffocation due to rattling of mucus in larynx or bronchi, relief from expectoration, sitting up.
- Tongue coated thick white with reddened papillae and red edges.
- Vomiting : in any position except lying on right side until he faints, followed by drowsiness and prostration.
- All complaints are accompanied with prostration and sleepiness (Nux m, Op). Complaints appear diagonally; upper left and lower right.
- Eructations tasting like rotten eggs.
- Cholera with drowsiness.
- Child fretful before whooping cough.

Generals & modalities

- Hydrogenoid constitution; susceptible to wet weather.
- Patient is sleepy or drowsy with complaints.
- Patient is prostrated with complains with sleepiness.
- Face cold, blue, pale, covered with cold sweats.
- Child wants to be carried, child is fretful and peevish does not want to speak or be spoken to.
- Extraordinary craving for apples.
- Patients lack reaction.
- Patients have catarrhal disposition.
- Patient is chilly.
- Fear of being alone.
- Cough of children in damp weather.
- AGGRAVATION; In damp cold weather, lying down at night, warmth of room, change of weather in spring (Kali s, Nat s), Anger aggravates cough, Motion, Touch, Being looked, at Lying on affected side, At night, Cough worse at 4 p.m.
- AMELIORATION
- Cold open air; sitting upright; lying on right side (Tab), expectoration.
- Motion.

Apis mellifica

- Synonyms : Apium Virus, Honey bee poison.
- Source : The whole honey bee, or drop of poison secreted from point of the sting.
- Habitat : The honey bee is found all over the world.
- Preparations : The live bees are put into a bottle and irritated by shaking, dilute alcohol is poured five times their weight and kept closed for eight days; shaking the bottle twice a day. The tincture is then poured off, strained and filtered, which represents the mother tincture.
- The Mother tincture may be prepared from a drop of the poison secreted by the bee if the bee is held in a forceps and the drop of poison poured in a tube or watch glass.
- Proved by Dr. Frederick humphreys in 1852.
- It is a sarcoid being prepared from animal products.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Who are warm blooded; worse in warm and closed room (Puls).
 - 2. Children, girls and women, who though generally careful become awkward and let things fall while handling them (Bov).
 - 3. Irritable, nervous, fidgety persons hard to please.
 - 4. Who have a weeping, disposition; cannot help crying; discouraged and despondent.
 - 5. Who are extremely sensitive to touch (Bell, Hep, Lach).
 - 6. who are worse after sleeping, touch and pressure, heat of bed and at 3 p.m. and better from sitting erect, changing position, walking, uncovering and cold bathing.
 - 7. Jealous persons, women especially widows.
 - 8. Persons who are apathetic, are absent minded, cannot concentrate; are listless, fault finding, joyless, suspicious or indolent.
 - 9. Sad and melancholic.
 - 10. Foolish persons.
- It is a SPECIFIC remedy for the following conditions:
 - Ailments from jealousy, fright, rage.
 - Vexation, bad news, mental shock.

- 2. Bad effects of acute exanthema imperfectly developed or suppressed; measles, scarlatina, urticaria.
 - Suppressed eruptions.
- 3. Oedema: pitting on pressure; marked under the eyes; of hands and feet; dropsy without thirst.
- 4. Pain: burning, stinging, sore; suddenly migrating from one part to other.
- 5. Diarrhoea: in eruptive diseases especially if eruption be suppressed; of drunkards; involuntary from every motion; with anus wide open (Phos).
- 6. Albuminuria after scarlatina when Canth, Dig, and Helleborus have failed.
- 7. Meningitis with sudden shrill piercing screams, rolling of head from side to side; opisthotonos, or head drawn back, gnashing of teeth.
- 8. Chemosis of conjunctive with sharp pains.
- 9. Right sided trouble: right sided ovarian cyst, hydrocele.
- 10. Synovitis with burning, sore, stinging pains; worse from warm applications.
- 11. Sore throat with constrictive sensation.
- 12. Intermittent fevers: chill at 3 a.m. , chill with thirst; feels worse in a warm room.
- 13. Menstrual troubles in women with constitutional or characteristic symptoms of Apis.
- 14. Scirrhus or open cancer with enlarged indurated glands with characteristic and constitutional symptoms of Apis.

- DOSAGE : 6 to 200 C.

- DURATION OF ACTION : Uncertain.

- REPETITION : Bears repetition well in low potencies.

- REPETITION : Bears repetition well in low potencies.

Relationship

- COMPLEMENTARY REMEDIES : Nat m, Ars a, Puls.

- INIMICAL : Rhus t,

- ANTIDOTES : Nat m, Ipec, Lach, Carbolic ac (Kent)

- APIS ANTIDOTES : Canth, China, Digit.

Comparison

- Warm blooded : worse in warm and closed room : Apis, Arg n, Calc s, Carb s, Croc, Iod, Kali iod, Kali s, Lyco, Nat m, Nat s, Plat, Puls,
 - Right sided affections : Apis Arg m, Bell, Chel, Coloc, Lyco, Graph.
 - Puffy swellings : Apis, Arg m, Bell, Chel, Coloc, Lyco,
 - Thirstlessness : Apis, Ars t, Ant cr, Chin, Colch, Colch, Gels, Hell, Nux m, Phos ac, Puls, Sabad.
 - Burning sensation : Apis, Ars a, Arum t, Bry, barb v, Caust, Iris, Merc, Nat m, Phos ac, Phos, Ratanhia, Rhus t, Sec c, Sep, Sil, Sulph.
 - Agg touch : Acon, Apis, Arn, Bell, Bry Cham, Cinch, Colch, Cupr m, Hep, Kali c, Lach, Lil t, Nit ac, Nux v, Ran b, Sil, Sping, Strych, Tar h, Ther.
 - Agg pressure : Acon, Apis, Hep, Lach, Merc c, Nux v, Ther.
 - Agg after sleep : Apis, Cocc, Lach, Op, Spong.
 - Burning pricking, stinging, dry constricted fauces : Apis, Aesc, Bell.
 - Headache amel by pressure or tight bandaging : Arg n, Apis, Puls.
 - Boring head into the pillow : Apis, Bell, Hell, Podo.
 - Children awake suddenly, screaming and grasping sides of cradle without apparent cause : Apis, borax, Cina, Stram.
 - Awkwardness-lets thins fall from hand : Agar, Aeth, Apis, Bov, Hell, Ign, Lach, Nat m, Nux v, Tar h.
 - Diphtheria : profound prostration from very onset of attack-Apis, Ailanth, Carb ac, Diph.
 - Constant desire to urinate without amelioration (scanty, a few drops) : Apis, Canth, Equis.
 - Threatening effusion in brain troubles : Apis, Hell, Tub.
 - Dropsy form suppressed exanthemata : Apis, Hell, Zinc.
 - Incontinence of urine with urging, cannot get out of bed quick enough : Apis, Kreos, Petros.
 - Urticaria after violent exercise : Apis, Calcc, Hep, Nat m, Sanic, Urt.
- U.
- Great dryness of mouth: Apis, Lach, Nux m, Puls.
 - Diarrhoea with anus wide open : Apis, Phos, Sex c.
 - Ascites in organic lesions, of kidneys, after scarlatina : Apis, Hell, Lach, Tereb.
- Causes & diseases
- Shock from bad news.
 - Ailments from disappointments.

- Anger, rage, vexation, jealousy, fright, suppressed rash, suppressed urticaria, getting wet.

- Exanthematous fevers, small pox, scarlet fever measles, erysipelas.

- Cerebrospinal fever.

- Diphtheria.

- Tonsillitis.

- Pharyngitis with oedema.

- Eczema, urticaria, oedema anasarca.

- Ovarian cysts.

- Hydrocele, meningitis.

- Pericardi-tis

- Pleurisy.

- Diarrhoea.

- Dysentery.

- Chemosis.

- Staphyloma cornea.

- Ophthalmia.

- Opacities.

- Amenorrhoea,

- Dysmenorrhoea, Menorrhagia.

- Ovarian cysts and tumours.

- Dysuria.

- Irritable bladder.

- Boils and carbuncles with burning and stinging pains.

- Convulsions worse from heat (Op).

- Retention of urine in nursing infants.

- Stops abortion.

- AFFINITIES; Mind, Eyes, Ovaries, Kidneys, Bladder, Fauces, Serous cavities, Skin, Right sided, Heart, Blood Respiration Nerves.

Complaints & characteristics

- Thirstlessness with fevers; with dropsy.

- Extremely sensitive to touch.

- Burning, stinging and sore pains.

- Suddenly migrating pains from one part to another.

- Oedema : puffy, bag like swelling under eyes with thirstlessness.

- Urine scalds the urethra when passed.

- Incontinence of urine with great irritation of the parts, can scarcely retain the urine a moment.

- Diarrhoea : of drunkards; in eruptive fevers if the rash is suppressed; involuntary; anus remains wide open.

- Constipation : sensation in abdomen as if something tight would break if much effort is used.

- Right sided affections of testicles and ovaries.

- Intermittent fevers :

- Chill at 3 p.m. ; chill with thirst.

- Feels worse in a warm room.

- Joints swollen, oedematous, hot, waxy, painful to touch and pressure.

- Albuminuria with tubal casts in urine.

- Sudden shrieks with unconsciousness.

- Migratory complaints from one part to other.

- Side-right; right to left (Lyco).

- Rolling of head from side to side.

- Head drawn back; opisthotonos; gnashing of teeth; shrieks in sleep.

- Complaints come with violence and suddenly.

- Sensation of constriction; could not swallow solid food.

- Sensation of tightness.

- Stinging pains with inflammations and oedematous conditions.

Generals & modalities

- Children and girls become awkward.

- Jealous women and widows hard to please Nervous persons with trembling, jerking, twitching.

- Childish.

- Warm blooded persons.

- Apathetic, suspicious, fault-finding, indolent, joyless, ambitions.

- Weeping disposition.

- Depression of spirits.

- Sadness and melancholy.

- Foolish.

- AGGRAVATION; Later afternoon, 3 to 4 p.m. , Heat of bed, Warm and closed room, Touch and pressure, After sleep, Lying down, Hot bath, Suppressed eruptions.

- AMELIORATION; Cold bath, Cold applications, Changing position, Motion Sitting erect (Bell), Uncovering, Cool open air, Plight expectoration.

Apocynum cannabinum

- Synonyms : Indian hemp, Spreading dogbane, American hemp.
- Source : it is a plant belonging to the natural order of Apocynaceae.
- Habitat : It grows in most parts of the United States and Canada.
- Preparation : Mother tincture is prepared from the root and higher potencies from the mother tincture.
- Proved by Dr. Black of England, Dr. J. Henry of U.S. A. and Dr. Marcy (in 3rd potency).

Indications

- It is a CONSTITUTIONAL remedy for patients:
 - 1. Who are chilly, sensitive to cold air and drinks, vomits cold drinks; aggravated from cold, wants to be covered.
 - 2. Who cannot sweat, skin is dry; urine is scanty; all secretions are diminished; there is no out throw of water; the constitution takes in water but lets out none.
 - 3. Who are thirsty, great thirst for cold water, but cold does not agree, it is vomited before it gets warm in the stomach, he is ameliorated from the drinks.
 - 4. Who are worse from lying down, must sit up especially in case of hydrothorax.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Dropsy of serous membranes; with thirst; after scarlet fever, typhoid, typhus, cirrhosis of liver; abuse of quinine; dropsy of pericardium, thorax, peritoneum, extremities genital organs.
 - 2. Acute hydrocephalus, with open sutures; stupor, one sight lost; constant and involuntary motion of one arm and one leg; forehead projected. (Allen).
 - 3. Amenorrhoea in young girls, with dropsical condition of abdomen and extremities. (Allen).
 - 4. Metrorrhagia: continued or paroxysmal flow; fluid or clotted; nausea, vomiting, palpitation; pulse quick and feeble when moved.

(Allen).

- 5. Diarrhoea alternating with dropsy.
- Dropsical condition relieved by diarrhoea. (Kent).
- 6. Paralysis of extremities with urging to urinate; numbness and tingling in the extremities and finally entire loss of power (Kent).
- 7. Cough short and dry or deep and loose, during pregnancy. (H.C.

A.)

- 8. Retention with great urging: scanty urine with scanty sweat.
- Enuresis.
- Urinary troubles are exceedingly troublesome. (Kent).
- 9. Ailments from impaired functions of skin, kidneys, bowels, uterus and all tend to dropsy. (Kent).
- 10. Brain affection with anuria.
- 11. Heart weak, feeble and irregular, usually slow, urine scanty, great thirst but drinking cold water disagrees, causes nausea, vomiting; stomach irritable food; great distention after eating; loose stools.

(Pierce).

- 12. Vital depression, fainting when raising head from pillow. (H.C.

A.)

- DOSAGE : Tincture 3 to 10 days 3 times daily for dropsy.
- One drachm of decoction in 40 oz of water for acute alcoholism.
- REPETITION : Bears repetition well.
- DURATION OF ACTION : Short acting.

Relationship

- No definite relations with other remedies.

Comparison

- Dropsy-Genera : Acet ac, Apis, Apocy, Ars a, Blatta o, Chin, Conval, Dig, Helleb, Kali c, Lyco, Phos, Scilla, Tereb, Liatris.
- Hydrocephalus : Am c, Apis, Apo, Ars a, Aur, Bry, Calc, Calc p, Dig, Helleb, Lyco Sulph, Sil.
- Hydrothorax : Ant t, Apis, Apoc, Ars a, Bry, Canth, Colch, Dig, Helleb, Kali iod, Lyco, Sulph.
- Hydrothorax with sweats : Merc.
- Dropsy with thirst : Acet ac, Apoc, Ars, Acon.
- Dropsy without thirst : Apis, Helleb.

- Blatta orientalis has cured had cases of general dropsy after Apis, Apoc and Dig failed (Haynes.)

- Dropsy from heart diseases : Adon v, Apis, Apoc, Arn, Ars a, Ars iod, Aur m, Cact, Caffeine, Collin, Conval, Crat, Dig, Iod, Kalm, Liatris, Merc d, Stroph.

- Dropsy from kidney diseases : Apis, Apoc, Ars a, Aspar, Chimaph, Dig, Merc d, Plumb Tereb.

- After scarlet fever: Apis, Apoc, Ars a, Helleb, Hep s, Tereb.

- Dropsy from liver disease : Apoc, Ars a, Card m, Chel, Lyco.

Causes & diseases

- Dropsy from heart, kidney or liver disease.

- Dropsy after scarlet fever, typhoid fever, typhus fever.

- Dropsy after abuse of quinine.

- Acute hydrocephalus.

- Hydrothorax.

- General anasarca.

- Uterine haemorrhage.

- Cardiac debility.

- with scanty urine and scanty sweat with great thirst.

- Enlarged prostate.

- Diabetes insipidus.

- Suppressed menses with dropsy.

- Climacteric haemorrhages.

- AFFINITIES; Urinary organs, Heart, Digestive tract, Uterus.

Complaints & characteristics

- Dropsy with thirst.

- Hydrocephalus with constant and involuntary motion of one arm and leg; one sight lost; open sutures.

- Amenorrhoea with dropsical condition.

- Bed-wetting of old men.

- Desire for cold drinks which disagree and are vomited; hot drinks agree and retained, in dropsical condition.

- Diarrhoea alternating with dropsy.

- Paralysis with urinary disorders.

- Scanty urine with scanty sweat in dropsical conditions.

- Uraemic vomiting.

- Brain affections with anuria.
 - Vital depression; fainting when raising head from pillow (H.C. Allen) retention of urine with great urging.
 - Diarrhoea, worse immediately after eating.
 - Many symptoms are worse after sleep.
- Generals & modalities
- Chilly, sensitive to cold.
 - Who cannot sweat.
 - Cold water disagrees but hot drinks agree.
 - Must sit up, lying aggravates.
 - Bewildered.
 - Cannot think.
 - AGGRAVATION; Cold drinks, Cold weather, Uncovering, Lying, After sleep
 - AMELIORATION; Sitting up, Warmth.

Argentum metallicum

- Synonyms : Silver Metal, pure silver.
- Source : Pure silver can be obtained from the market.
- Habitat : It is a metal found in mines in India and many parts of the world.
- Preparation : Silver leaf is triturated with sugar of milk to prepare 3 C potency from which alcoholic potencies of higher denominations are prepared in the usual way.
- Proved by Hahnemann 1813.

Indications

- It is deep and long acting remedy.
- It is an Anti-psoric and Anti-sycotic remedy.
- It is a CONSTITUTIONAL remedy for the ailments of patients:
 1. Who are very anxious and apprehensive about their health.
 2. Indisposed to talk in society due to incompetence.
 3. Imbecility from disorders of intellect and memory.
 4. Who are nervous and of broken down constitution; suffer from loss of muscular power and trembling.
 6. Constitutional effects of onanism.

- 7. Who are chilly, Want to be kept warm; pains are better from warmth.

- It is a SPECIFIC remedy for the following conditions:

- 1. Ailments from anger, fear, fright, onanism and abuse of mercury.

- 2. Hoarseness of professional singers, public speakers; worse from talking, singing, reading aloud.

- Total loss of voice.

- Alternation in timber of voice.

- Raw spot over bifurcation of trachea.

- 3. Exhausting fluent coryza with sneezing.

- 4. Cough with easy expectoration of a grey viscid mucous looking like boiled starch.

- Laughing excites cough.

- When reading has to hem and hawk.

- 5. Atrophy of penis from onanism and emissions: impotency from lack of erections.

- 6. Right sided headaches better from tight bandaging.

- 7. Chronic gonorrhoeal orchitis; yellow greenish urethral discharge in gonorrhoea.

- 8. Crushed pain in the testicles. Affinity for the right testicle.

- 9. Cervical erosion or ulcers; uterine cancer.

- Prolapse with pain in left ovary.

- 10. Ovarian cysts and tumors; affinity for left ovary.

- 11. Affections of mucous membranes, of nose, throat, larynx, eye lids, ears, eustachian tubes; bones cartilage's, joints; genito-urinary tract and nervous system for which silver has special affinity.

- 12. Albuminuria, diabetes and enuresis.

- 13. Ailments with thickenings, infiltration's, indurations cysts, tumors, ulceration's and epithelioma.

- 14. Rheumatic complaints from cold damp weather.

- DOSAGE : 6TH TO HIGHEST POTENCIES.

- repetition : Should not be repeated frequently as it is a deep acting remedy.

- DURATION OF ACTION : 2 TO 3 WEEKS (Lutze); 30 days (Clarke).

Relationship

- REMEDIES THAT PRECEDE WELL : Calc c, Puls, Sep.

- REMEDIES THAT FOLLOW WELL: Alum, Platina.
- REMEDY IS ANTIDOTE BY : Merc, Puls.
- REMEDY ANTIDOTE : Merc.

Comparison

- Desire for company : Arg n, Ars, Bism, Hyo, Kali c, Lac c, Lyc, Phos.
 - Chill : Arg m, Agar, Ars a, Bar c, Calc c, Calc p, Caust, China, Dulc, Ferr, Graph, Hep, Kali c, Nit ac, Nux v, Phos, Ran b, Rhus t, Sep, Sil.
 - Chronic laryngitis of singers, the high notes produce cough : Arg m, Arg n, Alumen, Arum t, Stann.
 - Periodicity : Alum, Arg m, Ars, Cedr, Chin, Chin s, Ip, Nat m, Nit ac, Sep. Sil.
 - Inflammation of cartilage : Arg m, Nat m.
 - Inflammation of periosteum : Arg m, Fl ac, Kali iod, Merc, Mez, nit ac, Ph ac, Psor, Ruta, Sil, Staph.
 - Headache better from tight bandaging: Apis, Arg m, Arg n, Bell, Bry, Glon, Ign, Mag m, Pic ac, Sil.
 - Shocks on going to sleep : Agar, Arg m, Ars, Nit ac.
 - Cough worse from singing, talking, laughing: Alum, Ambr, Arg m, Arg n, Arum t, Caust, Cimic, Cina, Con, Dros, Hyos, Phos, Spong, Stann.
 - Hoarseness, aphonia : Acon, Alum, Arg m, Arg n, Arum t, Carb v, Caust, Dros, phos, Rhus t, Selen, Spong, Wyeth,
 - Orchitis : Apis, Arg m, Arg-n, Aur, Bar c, Brom, Clac f, Calc iod, Carb-an, Clem, Con, Graph, Lyc, Merc, nit ac Phyto, Puls, Rhodo, Rhus t, Sil, Spong, Staph.
 - Ovarian Cyst : Apis, Arg m, Aur iod, Aur m nat, Bov, Con, Graph, Iod, Lach, Lit t, Lyc.
 - Cancer cervix or uterus : Arg m, Arg n, Ars a, Ars iod, Con, graph, Hydr, Kreos, Lach, Lyc, Murex, Phos, Sep, Sil, Thuj, Nit ac, Cad iod, Cad s.
- #### Causes & diseases
- Ailments from abuse of mercury.
 - Onanism=Seminal emissions.
 - Climacteric hemorrhages.
 - Hoarseness of professional singers and public speakers and total loss of voice.
 - Laughing excites cough.
 - When reading has to hem and hawk.

- Disorders of articulations and their component elements.
- Eustachian tubes.
- Cartilage of tarsal, ear and nose.
- Atrophy of penis from onanism and emissions.
- Impotency, lack of erection.
- Vertigo on seeing running water.
- One sided headaches mostly right sided amel by bandaging.
- Thickening of the lids, blepharitis.
- Thickening of the nasal septum.
- Albuminuria.
- Diabetes.
- Enuresis.
- Chronic gonorrhoeal orchitis.
- Yellowish, greenish, gonorrhoeal discharge.
- Ovarian cysts and tumours.
- Cervical erosion of ulcers.
- AFFINITIES; Mind, Nerves, Cartilage, Mucous membranes, Larynx,

Testes-right, Ovary, left.

Complaints & characteristics

- Throat and larynx feel raw or sore on swallowing or coughing.
- Raw spot over bifurcation of the trachea worse on using voice, talking or singing.
- Cough with easy expectoration of grey gelatinous viscid mucus looking like boiled starch.
- Alternation in timber of voice with singers and public speakers (Arum t).
- Exhausting fluent coryza with sneezing.
- Prolapsus; with pain in left ovary and back, extending forward and downward.
- Crushed pain in the testicles.
- Affinity for right testicle and left ovary.
- Larynx.
- Bones, cartilage's, joints, Mucous Membranes Genito urinary tract, and nerves, diabetes: with great hunger even after a meal, extreme dryness of mouth.
- Polyuria with swelling of ankles (Clarke)

- Prolapse uterus with pain in left ovary.
- Left sided headache as if on brain substance.

Generals & modalities

- Anxious about his health.
- Loss of balance from fear, anger, fright.
- Hysterical.
- Imbecile, cannot reason.
- Loss of memory, Apprehensive.
- Tall, thin, irritable persons.
- Constitutional effects of onanism.
- Indisposed to talk in society due to incompetence.
- Broken down nervous constitution.
- Trembling and loss of muscular power.
- Shocks all over the body on going to sleep.
- AGGRAVATION; Rigging in a carriage talking, singing, reading aloud, towards noon, mental strain cold and damp weather, 3 to 5 A.M. , Touch, Pressure, Lying on back; sitting; stooping at night; entering warm room; sun.

Argentum nitricum

- Synonyms : Silver nitrate, Formula AgNO_3 Lunar caustic.
- Source : It is a chemical compound of silver and nitric acid. It can be obtained from a chemist's shop.
- Preparation : The salt is triturated with sugar of milk upto 3 C. higher alcoholic potencies are prepared from 3 C potency.
- Proved by Dr. Hahnemann and re-proved by Dr. J.O. Muller of Vienna in 1845.

Indications

- It is both Anti-psoric and Anti-sycotic remedy.
- It is a medium, long and deep acting remedy.
- It is useful in both acute and chronic diseases.
- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Who are anxious, suffer from anxiety neurosis, are easily excited from emotions, suspense, anticipation, diarrhoea from anticipation going to any exciting place, when ready for church or opera, breaks out often in a sweat from anxiety.

- 2. Neuraesthetic : mental exertion aggravates; brain fog; headache from mental exertion.
- 3. Fearful : from being alone, desires company; frightened easily; apprehensive of some serious diseases; predicts time of death.
 - Dreads a crowd. (Acon).
- 4. Impulsive : wants to do things in a hurry; time passes slowly.
- 5. Nervous : does not undertake any things in a hurry; time passes slowly.
- 6. Who is excitable, angered easily; strange notions and ideas; does foolish things.
 - Strange impulses, thoughts and fears.
- 7. Who are sad and melancholic.
- 8. Who are confused and have defective memory.
- 9. Who are warm blooded: want cold, open air, cold drinks, cold food; suffocates in warm clothing's, till ventilated or closed rooms; feels suffocated if other people are in the room.
 - Craves wind blowing on his face, bathing with cold water, open air.
- 10. Chilly when uncovered, yet feels smothered if wrapped up.
- 11. scrawny, feeble dried-up-looking women.
- 12. A child looks like an old man.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Ailments from long continued mental exertion.
 - 2. Eye strain from sewing; diseases due to defective accommodation in warm blooded persons.
 - 3. Diarrhoea: after drinking; after eating candy or sugar; with much noisy flatus; green mucus in stools; as soon as he drinks.
 - 4. Emaciation : progressive; most marked in lower extremities; dried-up, old looking patients; marasmus.
 - 5. Headache : congestive with fullness and heaviness; from mental exertion; from dancing; haemicrania, ending in bilious vomiting; agg from mental labour; amel by pressure or tight bandage.
 - 6. Acute granular conjunctivitis; scarlet red like raw beef; discharge profuse muco-purulent; ophthalmia neonatorum.
 - 7. Gastric complaints with belching and flatulence.
 - 8. Impotence; erection fails when coition is attempted.

- 9. Great weakness of lower extremities, with trembling, cannot walk with eyes closed; locomotor ataxia.
- 10. Chronic laryngitis of singers; the high notes cause cough.
- 11. Sore throat; with sensation as if sticks in the throat when swallowing.
- 12. Gonorrhoea : painful erections; orchitis or ovaritis from suppressions of discharge.
- 13. Ulceration's, warts, condyloma, dropsy, haemorrhages with characteristic symptoms of Arg n.
- DOSAGE : Lower aqueous dilutions as local application in ophthalmia neonatorum.
- In gastric ulcer freshly prepared 1% solution of silver nitrate should be given in a half glass of hot water before meals (Underwood).
- Clarke uses lower potencies, but Kent advises higher and highest potencies.
- REPETITION : It may be repeated when the symptoms call for it.
- DURATION OF ACTION : Clarke-30 days.

Relationship

- REMEDIES THAT PRECEDE WELL : Bry Caust, Spig, Spong, Verat.
- REMEDIES THAT FOLLOW WELL : Calc c, Kali c, Lyco, Merc, Puls, Sep, Sil.
- REMEDIES THAT ARE INIMICAL : Coff, Vespa,
- ANTIDOTES : Ars a, Nat m, Nit ac, Phos, Puls, Rhus t, Sep, Sil.
- THE REMEDY ANTIDOTES : Ammonium causticum, Kali iod, Op.
- BODY'S DRUG GROUP : V.
- BOWEL NOSODE GROUP : Dysentery Co.

Comparison

- Desire for company : Apis, ARG N, ARS A, BISM, gels, HYOS, KALI C, LAC C, LYC, PHOS, Stram.
- Inability to walk, except with eyes open, and in the day time, tottering and falling when closing eyes : Alumina, Arg n, Gels.
- Gastric ulcers : Arg n, Ars a, Calc ars, Hydr, Kali bi, Kreos, Lyco, merc c, Nit ac, Phos, Uran n.
- Craves fresh air in coldest weather : Amyl n, Arg n, Lach, Sulph.
- Aphonia from singing : Arum t, Arg n, Caust, Phos, Sel.

- Gastric and nervous headaches of sedentary persons : Anac, Arg n, Bry, Nux v.
 - Impatient, can not do things fast enough : Arg n, Aur m.
 - Time seems too long : Arg n, Can i.
 - Eructations after eating which ameliorate : Arg n, Carb s, Carbo v, Kali c, Sulph.
 - Violent palpitation from incarcerated flatus : Arg n, Coca, Nux v.
 - Empty eructations : Am c, Ant cr, Arg n, Bism, Carbo v, Caust, Ip, Iod, Kali bi, Lyco, Pic ac, Puls, Sulph, Tar h.
 - Nervous, dread of appearing in public : Arg n, Gels.
 - Loud eructation : Arg n, Asaf, Plat.
 - Sensation of a splinter or plug in the throat : Arg n, Hep, Nit ac.
 - Eructations with large quantities of wind : Arg n, Carbo v, Lyco, Phos.
 - Headache amel be bandaging the head tightly : Arg n, Lac def, Puls.
- Arg nit warm blooded where as Arg met is a chilly remedy.

Causes & diseases

- Fear, Anxiety=epilepsy.
- apprehension=diarrhoea.
- Eating sugar=diarrhoea.
- Sexual excesses=impotency.
- Nervous excitement=loss of voice.
- Dancing=headache.
- Eye strain=defective accommodation.
- Acute granular conjunctivitis ophthalmia neonatorum with mucopurulent discharge.
- High notes=cough.
- Chronic laryngitis of singers.
- Boy's complaints after using tobacco (Ars, Ver a).
- Vertigo with weakness of limbs and trembling and nausea.
- Palpitatio agg from lying on right side, from nervous excitement, at menstrual periods.
- Paralytic weakness, cannot walk with eyes closed; ataxia.
- Loss of control of sphincters.
- Vomiting and stool at the same time.
- Stupor with dilated pupils.
- Thick tenacious mucous discharge from throat.

- AFFINITIES; Mind, Cerebro-spinal nerves, Abdominal Mucous membranes, Stomach; bowels, Eyes, Throat, Urethra Periosteum, Skin, Left side.

Complaints & characteristics

- Complaints appear gradually and cease gradually (Plat, Stann, Stron c, Syph).

- Left sided complaints (Agar, Arg m, Arg n, Lach, Lil tig, Rumx, Thuj).

- Splinter like pains while swallowing in sore throat (Hepts, Nit ac).

- Convulsions preceded by great restlessness.

- Headache : congestive with fullness, nervous gastric, hemicrania, ending in bilious vomiting, agg by mental exertion or physical exhaustion; amel from tight bandaging (Apis, Puls).

- Eructations accompany most gastric complaints.

- Flatulent dyspepsia belching after every meal.

- Diarrhoea : green mucous after eating and drinking, with much noisy flatus.

- Diarrhoea as soon as he drinks (Ars a, Crot t, Tromb).

- Urine passes unconsciously day and night (Caust).

- Impotence : erections fail when coition is attempted (Agn, Calad, Selen).

- Coition painful in both sexes followed by bleeding from vagina (Nit ac).

- Metrorrhagia in young widows sterile women, with nervous erethism at change of life (Lach).

- Great weakness of lower extremities with trembling.

- Walks and stands unsteadily, especially when thinks himself unobserved.

- Epilepsy; from fright; at the time of menses; preceded by dilated pupils; followed by restlessness and trembling of hands, (Clarke).

Generals & modalities

- Dried up, old looking patients.

- Emaciation most marked in lower extremities.

- Impatient, impulsive, wants to do things in a hurry (Aur m, Sulph ac).

- Time passes slowly (Can l, Nux m).

- Anxious, irritable and nervous (Aur m, Lil tig).

- Warm blooded, oxygenoid, craves fresh air even in winter.
- Chilly when uncovered yet feels smothered when covered up.
- Fear of being alone, fear of death when alone.
- Desires company.
- Obstinate.
- Sad, despondent.
- Craves sugar which is harmful.
- Hysterical.
- Apprehensive.
- AGGRAVATION; Cold food, Ice creams, Sugar, Cold air, Emotional excitement, anxiety, suspense, mental exertion, Riding, After eating and drinking, Rising from sitting.
- AMELIORATION; Cool open air Stimulants, Air blowing on his face, Tight bandage on head, Washing with cold water, Eructation Sitting, Bending double.

Arnica montana

- Synonyms : Leopard's Bane.
 - Source : It is a plant which grows in mountains of northern hemisphere.
 - Habitat : It is a plant which grows in mountains of northern hemisphere.
 - Habitat & Description : It belongs to the natural order of composite. The stem is hairy with radical leaves and orange flowers. The root has a faintly aromatic smell. The roots, leaves and full blown flowers are collected at the flowering time; special care is taken to remove Arnica fly larvae as they are poisonous.
 - Preparation : The whole plant is used in the preparation of the mother tincture, potencies of higher denominations are prepared from the mother tincture.
 - Proved by Dr. Hahnemann.
- Indications
- IT IS A SHORT ACTING REMEDY.
 - It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Sanguine plethoric persons of very red face and lively expression.
 - 2. Nervous persons who cannot bear pain.

- 3. Persons who remain long impressed by even slightest mechanical injuries.

- 4. Apathetic persons who say "there is nothing the matter with him" even when he is seriously ill, sends the doctor away and wants to be left alone.

- 5. Patients : who worry and exaggerate trivial symptoms.

- 6. Patients : sullen morose, don not speak a word, do not want to be talked to.

- 7. Patients : who are fearful but fear remains at night after an accident. (Fear persists day and night-Op).

- 8. Horror of instant death with cardiac distress at night.

- It is a SPECIFIC remedy for the following conditions:

- 1. Bad effects of mechanical injury even of remote origin.

- Bruised pain, soreness, haemorrhage, extravasation of blood, epistaxis after a fall or blow from a blunt weapon.

- 3. Concussion with stupor, meningitis, shock after head injury (Nats).

- 4. Black eye, retinal haemorrhage from a blow to the eye; or severe cough.

- 5. Apoplexy: helps in the absorption of blood after Op high.

- 6. Paralysis: left sided with pulse full and strong; sighing, muttering and stertorous breathing; with unconsciousness.

- 7. Gout of great toe: with great fear of being touched or stuck by a person coming near him.

- 8. Prevents post-partum haemorrhage and puerperal complications if given just after delivery.

- 9. Hypertrophy of heart from heart strain and over work.

- 10. Retention of urine from injuries or constant dribbling of urine after labor.

- DOSAGE : In all recent affections it may be given in lower potencies, but for the remote effects of injury we must ascend the region of infinitesimals. (Hughes).

- Higher potencies are found useful in "Nausea" and vomiting with disgust for food, diarrhoea and dysentery (Underwood).

- REPETITION : To be repeated in recent injuries till a favourable response is noticed.

- For injuries long ago single dose of higher e.g. 200 C.

- In apoplexy lower potencies must be repeated for some days.

Relationship

- COMPLEMENTARY REMEDIES : Acon, Ipec, Verat a, Hep s, Hyper, Rhus t.

- REMEDIES THAT PRECEDE WELL : Acon, Apis, Ham, Ipec, Verat a, Op l cerebral accidents.

- REMEDIES THAT FOLLOW WELL : Bell, Bry, Calc c, Calad, Cact, Cham, Chin, Con, Ruta, Sul ac.

- antidotes : Camph, Cic, Ferr, Ign, Seneg.

- ARNICA ANTIDOTES : Am c, Cic, cinch, Ferr, Ipec.

- BODY'S DRUG GROUP : X

Comparison

- Nervous, can not bear pain, whole body over sensitive : Arn, Cham, Coff, Ign.

- Apoplexy : See Aconite.

- Nose bleeds when washing face : Am c, Arn, Mag c.

- Nose bleeds from injury : Acet ac, Arn.

- Bed sores in typhoid fever : Arn, Bapt, Mur ac, Pyro.

- Cough with rawness and soreness in chest, inability to expectorate: Arn, Caust, Kali c.

- Nausea and vomiting from riding a boat or a car : Arn, Bry, Cocculus, Nux m, Tab.

- Black eye from injury or cough : Arn, Led, Nux v.

- Soreness as if bruised : Arn, Bapt, China, Nux m, Phyt, Pyro, Rhus t, Ruta, Staph, Ham.

- Ailments from spirituous liquors: or charcoal vapours-Arn, Amm c, Bov.

- Hastens absorption of intra-ocular haemorrhage : Arn, Calend, Ham,

- Convulsions with extreme coldness of body except head which may be hot : Arn, Hell.

- No desire to pass urine after labour : Arn, Hyos, Op.

- Haemorrhage of mechanical origin : Arn, Millef.

- Cough after a fall from a height : Arn, Millef
- Bed feels hard : Arn, Bapt, Bry, Pyrog.

Causes & diseases

- Pleurisy or pneumonia from sudden exposure to cold (Acon, Arn, Ran b).
- Bruised or soreness after fall or blow.
- Black eye from injury to eye or cough.
- Ailments from spirituous liquors or charcoal vapours bad effects from mechanical injuries, even of remote origin Concussion with stupor from head injury (Nat s).
- Blunt injuries or fall=haemorrhage, meningitis, extravasation of blood, epistaxis.
- Retinal haemorrhage.
- Gout or rheumatism with great fear of being touched or stuck by persons coming near him.
- Tendency to small painful boils, one after another, extremely sore.
- Apoplexy; helps absorption of blood (Calend, ham) with unconsciousness.
- Involuntary evacuation from bowels and bladder.
- Paralysis left sided with pulse full and strong, stertor, sighing, muttering.
- Prevents postmortem haemorrhage puerperal complications and soreness of the parts.
- Retention or incontinence of stool after labour (Op).
- Fright causes mental shock, fear of death and heart symptoms

Hypertrophy of heart from over work.

- Typhoid septicaemia.
- AFFINITIES; Blood, Blood vessels, Capillaries, Musculus, Nerves,

Digestive Organs.

Complaints & characteristics

- Sore, lame, bruised feeling as if beaten.
- Every thing on which he lies seems too hard.
- Must move continually to obtain relief from pain (Rhus t).
- The head is hot but the body is cold (Bell, Glon, Ver v).
- Heat of upper part of body coldness of lower.

- Apathetic to his condition, says there is nothing the matter with him.
- Cannot walk erect on account of bruised feeling in pelvic region.
- Belching, eructations, foul, putrid, like, rotten eggs.
- Constipation: rectum loaded, faeces will not come away; ribbon like stool from enlarged prostate or retroverted uterus.
- Dysentery : with ischuria, fruitless urging; long intervals between stools.
- Stupor with involuntary discharges.
- Coma with insensibility.
- Lies as if dead, must change the side on which he is lying due to soreness of the side laid on.
- Falls asleep when answering a question in toxic, condition,
- Retention of urine from injuries or over work.
- Constant dribbling or urine after labour.
- Motion of foetus is very painful Offensive eructations.
- flatus and stools.
- Mental symptoms alternate with uterine symptoms.
- Coldness of nose.

Generals & modalities

- Nervous women; sanguine plethoric persons; lively expression and very red face; persons who remain long impressed by even slight mechanical injuries.
- Nervous persons who cannot bear pain.
- Sullen morose does not speak a word, does not want to be talked to.
- Worries, exaggerates trivial symptoms.
- Apathetic, says there is nothing the matter with him; sends back the doctor even when he is seriously ill; wants to be left alone.
- Fear remains only at night after an accident (fear persists day and night Op).
- Horror of instant death with cardiac distress in night.
- Arnica patient bleeds easily.
- AGGRAVATION; Rest, lying long on left side, least touch, Wine, Damp, cold, Blowing nose, Injuries, bruises shock jarring labour over exertion, After sleep, Motion old age.

- AMELIORATION; Open air, cold bathing, Uncovering, changing position when sitting erect, lying down with head low, Lying outstretched.

Arsenicum album

- Synonyms : White oxide of Arsenic, Arsenious Oxide, Arsenious Acid,

- Formula : As_2O_3

- Source : It is a chemical compound of arsenic and oxygen.

- Habitat : It is a compound of a white odourless and tasteless powder.

- Description : It is available from a chemist shop, but being a poison it cannot be sold to any ordinary person.

- Preparation : The drug is triturated with sugar of milk upto 3 C.

- Alcoholic preparations of higher denominations are prepared from 3 C.

- Proved by Hahnemann

Indications

- It is one of the most frequently used remedy in both acute and chronic diseases.

- It is a short acting medicine and not very deep in its action, therefore when it has relieved the acute symptoms a complementary or miasmatic remedy should be given to cure the sick individual.

- It is a CONSTITUTIONAL remedy in patients:

- 1. Who are extremely fastidious, critical and tidy.

- 2. Who are chilly, worse from cold, cold drinks, cold food, better from heat and covering.

- 3. Who are anxious, restless, fearful, depressed and melancholic.

- 4. Who are vexed easily, irritable, peevish and full of anguish,

- 5. Who are allergic to ice cream, fruits, bad meat, fish strong cheese.

- 6. Teething children are pale, weak fretful, want to be carried rapidly.

- 7. Who are worse after midnight (1 to 2 A.M. or P.M.).

- 8. Who cannot bear the smell or sight of food (Colch, Sep).

- It is SPECIFIC remedy for the following conditions:

- 1. Ailments from alcohol, chewing tobacco, sausage poisoning, dissecting wound, bites of venomous insects, anthrax, sea bathing, ptomaine poisoning, malaria, abuse of quinine, iodine, climbing mountains.
- 2. Ailments from care worry, grief fright and shock.
- 3. Ailments with great prostration and rapid sinking of vital forces, rapid emaciation, despair of recovery; worse when alone; aggravated form physical exertion.
- 4. Burning pains relieved from warm applications.
- 5. Vomiting and diarrhoea with anxiety and restlessness from ice-cream.
- 6. Cholera : with cold perspiration, thirst for small quantities of water extreme prostration, cadaveric appearance foul stool and vomit, restlessness, anxiety and fear of death.
- 7. Dropsy : with thirst for small quantities of water, restlessness, anxiety and prostration.
- 8. Anaemia: cancerous affections; collapse; fainting; inflammations; gangrene; ulcers; psoriasis; scabies; urticaria; coryza; hay fever; aphthae; fissured tongue; diphtheria; dysentery; diabetes; leucorrhoea; asthma; pneumonia; pericarditis; phthisis; syphilis: with constitutional and characteristic symptoms of Ars a.
- 9. Delirium: with depression, restlessness, fear of death, fear of being alone and strong suicidal tendency. (Talcott).
- 10. Acute nephritis following exanthemata; with convulsions; puffiness of face, mental anguish and suppressed urine; with uraemic delusions (Canth, Merc cor, Ver vir).
- 11. Herpes zoster: pains burning, shooting, sticking; worse at night; with restlessness, thirst for small quantities of water, black colour of the exudate.
- 12. Anaemia : after acute fevers, haemorrhages with inability to retain food or drink due to irritability of stomach; great restlessness.
- DOSAGE : Lower potencies are used in malignant tissue and blood diseases e.g. , anaemia, leukaemia, cancer, malarial cachexia, psoriasis etc.
- Higher potencies are used in nervous and mental ailments.

- Highest potencies act brilliantly when the general and keynote characteristic symptoms are present.
- It should not be used in patients with very low vitality even if the characteristic symptoms of the remedy are present as it may produce, rapid death without pain.
- REPETITION : The remedy may be repeated frequently in rapidly developing diseases; e.g. , in cholera low potencies of Ars a, may be repeated every 10 minutes till the condition improves.
- DURATION OF ACTION : It may act over 30 days in chronic conditions.

Relationship

- COMPLEMENTARY REMEDIES : All s, Carbo v, Phos, Nat s, Thuja.
- REMEDIES THAT PRECEDE WELL : Apis, Aran d, bell, Cact, Cham, Chel, Chin, Fer m, Ipec, Kali bi, Merc, Nux v, Rhus t.
- REMEDIES THAT FOLLOW WELL : Acon, Agar, Arn, Bell, Cham, Chin, Ipec, Lach, ver a, Cad s.
- REMEDY IS ANTIDOTED BY : Camph, Carb v, Chin, Ferr, Hep, iod, Ipec, Lach, Nux v, Op, Tab, Verat a.
- REMEDY ANTIDOTES : Carbo v, Chin, Ferr, Graph, Iod, Ip, Lach, Merc, Nux v, Verat a.
- BODY'S DRUG GROUP : VI.
- BOWEL NOSODE GROUP : Dysentery Co.

Comparison

- Collapse in cholera : Ars a, Camph, Carb v, Frat.
- Malignant and septic conditions : Ars a, Carb ac, Lach, Sec c, Anthr, Pyrog.
- Boy's complaints after using tobacco : Ars a, Arg n, Verat a.
- Complaints return annually : Ars a, Carbo v, Lach, Sulph, Thuja.
- Cannot bear the smell or sight of food : Ars a, Nit ac, Phos, Plat.
- Fear of robbers : Ars; Fear of poverty-Bry; of insanity-Calc, Cann I, Cimic, Manc, Puls.
- Fear of dogs : Bell, Chin; of evil-Calc, Chin s, Psor; of something well happen-Caust, Puls.
- Fear of crowd : Acon; of darkness - Cann I, Phos, Stram; of thunder storm-Phos; of misfortune-Chin s, Psor.

- Sleeps better lying on back : Ars a; Cannot sleep lying on back, lies on belly-Acet ac.
- Thirst for small quantities of water : Ars. Complete absence of thirst-Aeth, Apis, Puls.
- Acrid watery discharge dropping from tip of nose : All-c, Ars-a, Ars Todd, Arum t, Lac c.
- Headache : worse from heat, better from cold applications : Aloe, Ars a.
- Burning pain of Carbuncle : Anthr, Ars a, Tar c.
- Diarrhoea as soon as he drinks : Arg n, Ars a, Crot t, Tromb.
- Anguish: he sits, then walks, then lies, never long in one place: Ars a, Bism.
- Vomiting of water as soon as it reaches stomach : Bism.
- Vomits food and water : Ars a.
- Cholera: when vomiting predominates with great prostration: Ars a, Bism, Verat a.
- Aphthae: in mouth, prevents child from nursing; with hot mouth, dryness and thirst : Ars a, Borax.
- Fear of death: believes the disease is incurable: Ars a, Cact g, Gels, Lac c, Podo, Plat.
- Lung disease: upper third of right lung: Calc c, Ars a; Upper left-Myr c, Sulph.
- Menstruation, leucorrhoea, diarrhoea, all exhausting : ars a, Carb an.
- All offensive-Psor.
- Desire for very hot drinks, unless almost boiling, stomach will not retain them : Ars, Chel, Casc.
- Bad effects: from mountain climbing or ballooning : Ars a, Coca.
- Nausea or faintness from the odour of cooking fish, eggs or fat meat : Ars a, Colch, Sep, Stann.
- Dropsy : Ars a, Apis, Colch, Apocy, Blatta o, Dig, fl ac, Kali c.
- Diarrhoea while eating or nursing : Ars a,, Arg n, Crot tig.
- Bad effects from living in a damp, cold basement or a milk daily : Aran, Ars a, Dulc, Nat s.
- Great aversion to being alone : Ars a, Bism, Lyc, Kali c.
- Better in warmth of bed : Ars a.

- Worse in warmth of bed-Led, Mag c, Merc.
- Tongue: mapped like ringworm on sides : Ars a, Lach, Nat m, Merc, Nit ac, Tarax.
- Morbid fear of cholera : Ars a, Nit ac.
- Burning of every organ or tissue of the body : Ars a, Phos, Sulph.
- Asthma, relief from sitting up : Ars a.
- Relief from lying down, arms stretched apart : Psor.
- Diarrhoea from ice cream, cold drinks or cold food : Ars a, Bry, Puls.
- Great restlessness, anxiety apprehension : Acon, Ars a, Rhus t.
- Vomits as soon as drinks reach the stomach : Ars a, Bism, Phos, Sanic.
- Burning as if sparks of fire falling on the patient : Ars a, Sec c.
- Amelioration from lying on right side with head high : Ars a, Cact, Spig, Spong.
- Sensation of worse by burning : Ars a, Verat a.
- Diarrhoea with cold sweat on forehead and prostration : Ars a, Tab, Verat a.
- Anger with anxiety : Acon, Ars a, Ign, Nux v.
- Desires to be carried : Ant t, Cina, Cham, Ars a.
- Anxiety when alone : Ars a, Phos.
- Anxiety at night : Ars a, Puls.
- Anxiety with fear : Acon, Anac, Ars a, Caust, Ign, Psor.
- Anxiety about salvation : Ars a, Lach, Lil t, Verat a.
- Desires Company : Arg n, Ars a, Bism, Hyos, Kali c, Lac c, Lyc, Phos, Stram.
- Censorious (Critical) : Ars a, Sulph.
- Despair of recovery : Ars a, Calc c, Psor.
- Loathing of life : Ant cr, Ars a, Aur, Chin, Merc, Nat m, Phos, Thuj.
- Restlessness at night : Ars a, Caust, Kreos, Lyc, Merc, Puls, Rhus t, Sulph.
- Anxious restlessness : Ars a, Kali ars, Kali c, Nat c, Tar h.
- Melancholia : Ars a, Aur, Calc c, Cimic, Con, Cycl, Ign, Kali br, Lac c, Lil t, Lyc, plat, Puls, Ver a.
- Rapid emaciation : Abrot, Ars a, Bar c, Iod, Lyc, Nat m, Nit ac, Phos, Sil, Tub.

- Aggravation from physical exertion : Alum, Ars a, Bry, Calc c, Gels. Nat c, Nat m, Pic ac, Stann.
- Cold food agg : Ars a, Dulc, Lach, Lyc, Nux v, Rhus t, Sil.
- Fruits agg : Ars a, Bry, Chin, Colc, Nat s, Puls, Ver a.
- Bad meat agg : Ars a, Carb v, Crot h, Lach, Puls, Pyrog.
- Warm drinks amel : Ars a, Nux v, Rhus t.
- Inflammations : Acon, Ars a, bell, Bry, Canth, Echin, Lach, Puls, Sil.
- Gangrene : Anthr, Ars a, Canth, Lach, Sec c, Sil.
- Blackness of external parts : Ars a, Cupr, merc, Op, Sec c, Ver a.
- Burns : Canth, Ars a, Caust, Pic ac.
- Cancer : Ars a, Brom, Cadm, Calc s, Carb ans, Con, Lyc, Nit ac, Phos, Phyto, Sil.

Causes & diseases

- Chewing tobacco.
- Alcoholism.
- Sea bathing.
- Sausage poisoning.
- Dissecting wounds.
- Stings of venomous insects.
- Anthrax poison ice.
- Ice cream.
- Ptomain poisoning.
- Abuse of quinine, Iodine.
- Malaria.
- Climbing mountains.
- Care.
- Grief, Fright.
- Shock
- Gastric disorders form; cold fruits, ice creams, ice water, sour beer, strong cheese.
- Diarrhoea after eating and drinking Excessive exhaustion from least exertion.
- Dropsy or anasarca with thirst, debility restlessness.
- Broken down condition from malaria and quinine.
- Tendency haemorrhage, catarrh, ulcers, gangrene, carbuncle.
- Syphilitic ulcers.

- Catarrhal discharges after suppressions in broken down conditions (Calc c, Sulph).

- Epithelioma of nose and lips.

- Diphtheria: the discharge becomes gray and shrivelled, looks withered with prostration.

- Amenorrhoea in prostrated, nervous, anxious, anaemic women.

- Diabetes. T.B.

- Heart disease.

- Atrophy.

- Fainting.

- Hay asthma.

- Herpes zoster.

- Lupus.

- Urticaria.

- Worms.

- AFFINITIES; Mind, Nerves, Heart, Blood, Lymphatic, Spleen, Respiration Lungs, Right apex, Mucous membranes, Skin.

Complaints & characteristics

- Great prostration with rapid sinking of the vital forces.

- Ailments with anxiety, fear of death, restlessness, anguish, peevishness irritability, vexation, depression, despair, indifference, melancholy.

- Great thirst; drinks often, but little at a time; Violent unquenchable thirst.

- Discharges are watery, acrid, excoriating, putrid.

- Burning pains are relieved by warmth.

- Diarrhoea : after eating and drinking, followed by great prostration, dark coloured and offensive.

- Haemorrhoids with stitching pains when walking or sitting, relief from warmth.

- Breathing asthmatic: must sit up or bend forward, unable to lie down for fear of suffocation.

- Cold and clammy perspiration.

- Headache alternating with rheumatic joints.

- Chilly with rheumatic complaints and warm blooded with headaches.

- Involuntary diarrhoea and urine in zymotic diseases.
 - Cholera : patient is cold, covered with cold sweat, and cadaveric appearance with foul urine and stool and vomit, prostration.
 - Burning pain, burning thirst, burning eruptions.
 - Burning and stinging pains in cancer of uterus and mammae.
 - Leucorrhoea acrid corroding, thick and yellow.
 - Intermittent fevers with irregular chills, with aching in bones
- Generals & modalities

- Extremely fastidious Sad, Loathes life, wants to die, suicidal.
- Patient is chilly, craves company, fears to be alone, wants warmth, covering.
- Desire of recovery.
- Teething children are pale, weak, fretful and want to be carried rapidly.
- Rapid emaciation.
- Thirsty in acute conditions but thirstless in chronic; large quantity of water not tolerated by stomach.
- Patient is oversensitive, extremely tidy.
- AGGRAVATION; Night, Midnight, After midnight, 1 to 2 a.m. or p.m. , From cold, cold drinks, cold food; cold air, When lying on affected side or with the head low, ascending, exertion, Infections, Bad meat, Drinking, Tippling tobacco, Eruptions Symptom.
- AMELIORATION; Warmth; warm applications amel burning pains, Headache is relieved by cold applications, and cold bath, Lying with head high.

Arsenicum iodatum

- Synonyms : Iodide of Arsenic. Formula AsI_3 .
- Source : it is a chemical compound of Arsenic and Iodine, Arsenic Triiodide.
- Habitat : It is found in orange coloured crystals. It is soluble in water and alcohol. It can be purchased from a chemist shop.
- Preparation : The drug is triturated with sugar of milk to prepare 3c potency, or potencies may be prepared by dilution in water upto 3c as it is soluble in water. Higher potencies are prepared in alcohol.
- Proved by First proved by Dr. E.W. Beebe.

Indications

- IT IS A REMEDY OF WIDE RANGE AND GREAT POWER (CLARKE)
- It is a SPECIFIC remedy for the following conditions:
 - 1. Conditions due to tubercular diathesis: pulmonary tuberculosis; scrofulous ophthalmia; abscess; leucorrhoea; emaciation; psoriasis.
 - 2. Conditions due to hay fever: with yellow thick discharge alternates with or follows a thin water discharge both acrid and excoriating.
 - 3. Conditions due to Syphilis: Ulceration's of eye.
 - 4. Influenza: with catarrhal symptoms of eye, ear, nose and throat (G.R.).
 - 5. Otitis: with foetid corrosive discharge (G.R.).
 - 6. Deafness due to hypertrophied conditions of eustachian tubes. (G.R.).
 - 7. Ear ailments after scarlet fever (G.R.).
 - 8. Lumps in mammary: painful and tender to touch; nipple retracted (G.R.).
 - 9. Acrid leucorrhoea (G.R.).
 - 10. Heart diseases: with chronic cough; with degenerative changes and loss of strength (Clarke).
 - 11. Dropsy with enlarged cervical glands (K.N. Mathur).
- DOSAGE : In pulmonary tuberculosis 4x triturations are found to be very useful.
- In myocardial weakness of heart Clarke recommends Ars iod 3x thrice daily, immediately after food.
- It is generally given in low potencies 2x to 4x.
- The powders should not be dissolved in water as the iodine is liberated by doing so.

- In hay fever Dr. Pierce recommends 6c potency.

- REPETITION : It is to be repeated frequently.

- DURATION OF ACTION : Short.

Relationship

- COMPLEMENTARY : Phos.

- REMEDY FOLLOWS WELL : Conium is sensitive lump in breast, Sulphur in pulmonary tuberculosis.

- REMEDY ANTIDOTES : Millef (producing diarrhoea).

- Remedy is antidoted by Bryonia if it produces pain and acid dyspepsia (pyrosis).

- BODY'S DRUG GROUP : VI.

Comparison

- Acrid (excoriating) discharges : All c, Amm c, Ars a, Ars iod, Arum t, Aur m, Ferr iod, Graph, Iod, Kreos, Merc compounds, Nit ac, Nux v, Sulph.

- Aggravation from both heat and cold : Ars iod, Caust, Ant cr, Arg n, Merc, Mag mur, Ipec, Nat c, Nat m, Lach, Puls, Sep.

- Induration of glands : Alum, Ars iod, Aur, bad, bar c, bar m, Clem, Con, Iod, Kali chl, Lapis alb, Lyco, Phyto, Psor, Rhus t., Sil, Spong, Sulph.

- Hay fever : All c, Ars a, Ars iod, Aral r, Arum t, Badiaga, Euph, Gels, Kali iod, Naja, Arund, Brom, Carbo v, Dulc, Kali bi, Nat m, Nux v, Psor, Sabad, Sang, Kali ars, Sang n, Sil, Sticta, Wyetha.

- Emaciation : Abrot, Ars a, Ars iod, bar c, Calc, Chin, Calc iod, Calc p, Ferr, Graph, Hell, Hydr, Iod, Lyco, Nat m, Nit ac, Phos, Plumb, Sel, Sil, Stann, Sulph, Tub.

- Marasmus of children : Abrot, Arg n, Ars a, Ars iod, Bar c, Calc c, Calc p, Hydr, Iod, Kreos, Lyco, Mag c, Nat m, Ol j a, Plumb, Psor, Sil, Tub.

Causes & diseases

- Pneumonia that fails to clear up.

- Otorrhoea with acrid purulent, discharge.

- Scrofulous conditions, anaemia.

- Indurated glands.

- Emaciation.

- Phthisis pulmonalis.

- Ophthalmia.

- Malaria.

- Syphilis all stages.

- Ulceration of throat.

- Aneurysm of aorta.

- Hydrocele.

- Dropsy.

- Pericarditis.

- Hydrothorax.

- Indurated glands.

- Breast cancer.
- epithelioma lip.
- Enlarged liver and spleen.
- Skin affections.
- Psoriasis.
- Ichthyosis.
- Eczema.
- Pruritus.
- Urticaria.
- Syphilitic eruptions.
- Addison's disease.
- Induration of testes.
- Ovarian and breast tumours.
- Cancer uterus, lips.
- Leucorrhoea acrid, bloody, burning, copious, after menses, thick or thin, yellow.
- Menses absent, suppressed late and painful.
- Asthma from 11 p.m. to 2 a.m.
- Whooping cough.
- AFFINITIES; Mucous membranes, Nose, Lungs, Glands, Heart, Digestive tract, Left side, Nerves skin.
- Complaints & characteristics
- Heart symptoms due to chronic lung diseases.
- Discharge excoriating, thick and yellow, e.g. , nasal, otorrhoea, leucorrhoeal, diarrhoea.
- Painful and tender tumours, glands.
- Myocardial Weakness due to syphilitic affection or due to rheumatism.
- Hay fever and asthma with symptoms of Ars a in a chronic form; must sit up in bed with anxious restlessness and prostration; worse at midnight and sensitive to cold.
- Acrid honey like nasal discharge.
- Angina-pectoris.
- Severe paroxysms of palpitation or attacks of syncope during endocarditis.
- Hydro-pericardium with great irritability.

- Pulsation through whole body, with prostration.
- Right sided symptoms.
- Sensitive to pain.
- Short breath with lung and heart affections.
- Alternate diarrhoea and constipation.
- Complaints with burning.
- Coryza with obstruction of nose.
- Marked periodicity.
- Fever : internal heat with external coldness, with no sweat and desire to uncover.

- Annual attack of hay fever, with acrid nasal discharge.

Generals & modalities

- Emaciated children and adults.
- Lack of reaction.
- Sensitive to both heat and cold.
- Emaciated children and adults due to scrofula (T.B.).
- Anger and irritability with all complaints: and extreme anxiety, fear and restlessness, unable to study.
- AGGRAVATION; Weather Dry Cold Windy foggy, Cold winds, cold bath Exertion physical, Lying; lying on painful side, Warmth, warm room, warm wraps, Walking fast, ascending, exercise; during menses, Wet weather, When hungry, Apples, Tobacco smoke.
- AMELIORATION; From eating, Open air, Rest, Uncovering

Arum triphyllum

- Synonyms : Indian turnip, Memory root.
- Source : It is a plant of the natural order of Araceae, and belongs to mustard family.
- Habitat : It has fleshy globular root which is used as vegetable and for feeding cattle. The juice from the root is acrid in taste.
- Preparation : Dr. Hale tells us that the juice does not make a stable tincture in pure alcohol but distilled water to which sufficient alcohol is added may preserve its properties. Higher potencies are prepared from the mother tincture.
- Proved by Dr. Lippe is one of the greatest authorities on this remedy.

Indications

- IT IS A DEEP ACTING REMEDY.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Typhoid fever or other ailments; with constant picking of nose and lips until it bleeds.
 - 2. Aphonia: complete after exposure to cold winds (Acon, Hep s). Speaking continuously or acting in winter.
 - 3. Diphtheritic paralysis : liquids come out from the nose from paralysis of the palate.
 - 4. Nasal catarrh : acrid, ichorous discharge excoriating inside of nose and upper lip (Ars a, All c).
 - 5. Children refuse food and drinks on account of soreness of mouth and throat; are sleepless.
 - 6. Clergyman's sore throat: worse from talking or continuous speaking; voice hoarse, uncontrollable, changing.
 - Of orators, actors, singers.
 - 7. Threatened uraemia in typhoid fever: urine scanty or suppressed.
 - 8. Eczema of scalp in children suffering from catarrhal affections of eyes, nose and throat.
 - 9. Dysphagia: difficulty in swallowing from sore mouth with swollen glands.
 - 10. Burning in throat and trachea.
- DOSAGE : Dr. H.C. Allen says "It should not be given low or repeated often, as bad effects often follow".
 - The higher potencies are most prompt and effective. Dr. W.I. Plerce say "I use Arum triphyllum 1st or 3rd dilution.
 - In typhoid cases with picking of lips until they bleed Arum tri 200c in single dose has given a very good response in my cases.
- REPETITION : Single dose acts best in the high potencies. Dr. Allen warns us against repetition of the remedy.
- DURATION OF ACTION : Clarke-1-2 days.
- REMEDY FOLLOWS AFTER : Hep s, Nit ac, Caust, Seneg.
- REMEDY IS ANTIDOTED BY : Butter milk, gum removes the pungent effects on mouth.
- INCOMPATIBLE REMEDY : Calad.

Comparison

- Aphonia from cold wind : Acon, Hep s, Arum t.
- Aphonia from singing : Arg n, Caust, Phos, Sel, Arum t.
- Hoarseness of professional singers, public speakers actors : Alum, Arg m, Arum t.
- Alternation in timber of voice in singers and public speakers : Arg m, Arum t.
- High notes cause cough in singers : Alum, Arg m, Arum t.
- Cracked and bleeding tongue : Arum t, Borax.
- Clergyman's sore throat : Arum t, Arg m, Dros.
- Bone pains as if the bones would break : Arn, Ars, Arum t, Bry, Eupat perf, Nux v, Rhus t.

Causes & diseases

- Typhoid fever, Diphtheria, Scarlet fever, Dengue fever.
- Acrid coryza, hay fever.
- Hoarseness, voice disorders, aphonia.
- Sore mouth, sore throat Carphologia delirium, picking lips.
- Eczema of scalp.
- Catarrhal affections of nose, eyes and lids.
- Left sided nose affections, must breathe through mouth Sore mouth with difficulty in swallowing and swollen glands.
- Liquids come out from the nose in diphtheritic paralysis of the palate.
- Yellow corn meal like stool in typhoid.
- Left sided pneumonia and phthisis.
- Burning in throat and trachea.
- AFFINITIES; Mucous membranes, Brain, Throat, Larynx Mouth, Kidneys, Blood, Skin.

Complaints & characteristics

- Constant picking at the nose until it bleeds; boring with finger into the side of the nose.
- Picks lips until they bleed; corners of mouth sore, cracked, bleeding.
- Bites nails until fingers bleed.
- Patient picks and bores into the raw bleeding surface though very painful: screams with pain but keeps up the boring in Diphtheria, scarlatina, Typhoid.

- Acrid, ichorous discharge, excoriating inside of nose, alae nasi and upper lip (Ars, Cepa).

- Coryza; fluent; nostrils raw.

- Nose feels stopped up inspite of the watery discharge.

- Sneezing agg. at night.

- Children refuse food and drink on account of soreness of mouth and throat; are sleepless.

- Saliva profuse acrid, corrodes the mucous membrane; tongue and buccal cavity raw and bleeding.

- Clergyman's sore throat; worse from talking, speaking.

- Voice hoarse, uncontrollable, changing continuously of orators, actors, singers.

- Aphonia : complete after exposure to cold winds (Acon, Hep s).

- From singing (Arg n, Caust, Phos, Sel).

- Can hardly talk from mucus in nares.

- Scanty or suppressed urine threatened uraemia in typhoid or scarlatina.

- Headache agg in warmth, heated room, wrapping up.

- Aching in bones as if the bones would break.

- Putrid odour from the mouth Strawberry tongue.

Generals & modalities

- Cold wet winds.

- Talking.

- Singing.

- Speaking.

- continuously.

- Acting.

- Lying.

- Lying down.

- Heat.

Asa foetida

- Synonyms : Devil's Drug

- Source : It is a foetid gum resin, with garlic like odour from the root of *Ferula asafetida*.

- Habitat : Asafoetida grows in Persia, India and Nepal. It can be purchased from a grocer's shop.

- Preparation : It is soluble in alcohol, hence the mother tincture is prepared from alcohol. Higher potencies are prepared from the mother tincture.

- Proved by Dr. Franz with the help from Dr. Hahnemann in 1822.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:

- 1. Patients with puffed, venous, fat, flabby and purple face, purple when out in the cold, purple when excited; they get no sympathy when sick because they look so well.

- 2. Extremely nervous, sensitive to pain, numbness associated with pain, numbness here and there, choreic motions, constantly chewing and working frothy slime out of mouth, with swollen tongue, speech unintelligible, grinding of teeth.

- 3. Hysterical patients: faint easily in a closed room from excitement, from any disturbance; globus hystericus, sensation of a ball rising in the throat; spasms of oesophagus and trachea; dryness and burning in throat; spasms of diaphragm; hiccough; pulsation's visible in the pit of stomach; eructations smelling like garlic, tasting rancid or putrid; flatus does not pass downwards but always upwards.

- Hysterical asthma, attacks of dyspnoea after coition.

- Obstinate titillating cough at night.

- Stitches in chest.

- Hysterical flatulence.

- 4. Hysterical women : disposed to miscarriage, haemorrhages breasts filled up with milk when not pregnant; deficiency of milk a few days after delivery.

- 5. Hypochondriacal patients with flatulence and eructations.

Indications

- It is a SPECIFIC remedy for the following conditions:

- 1. Syphilitic affections of the eye, iritis; syphilitic ozaena; periosteitis; bone pains worse at night; caries of bones; hypersensitive to touch.

- 2. Bad effects of mercury given to syphilitic patients.

- 3. Ailments from checked skin affections.

- 4. Pains worse at night: from syphilis, gout, rheumatism, hysteria.

- 5. Ozaena with foetid discharge from the nose.

- 6. Bone diseases: from syphilis; worse at night; hypersensitive to touch.
- 7. Ulcers: syphilitic, with foetid discharge; from checked skin affections.
- 8. Rancid and explosive belching.
- DOSAGE : Lowest to highest potencies.
- REPETITION : May be repeated in acute conditions in low potencies.
- Single dose in chronic conditions of high potency.
- DURATION OF ACTION : Clarke-20 to 40 days.

Relationship

- REMEDY IS FOLLOWED WELL BY : China, Merc, Puls.
- REMEDY ANTIDOTES : Alcohol, Ant t, Caust, Merc, Puls.
- REMEDY IS ANTIDOTED BY : Camph, Caust, China, Merc, Puls, Valer.

Comparison

- Puffed, venous dark red face : Asaf, Aur, Carb an, Carbo v, Lach, Puls.
- Hypersensitive to touch : Asaf, Bell, Chin, Ferr, Hepar s, Lach, Sil, Spig, Zinc.

- Hyperaesthesia : Asaf, Asar, Bell, Cham, Chin, Coccul, Coff cr, Hep s, Mosch, Nux v, Valer.

- Globus hystericus : Asaf, con, Gels, Ign, Lyco, Mag mur, Nux m, Mosch, plat, Sep, Valer, Zinc val.

- Hysteria with flatulence : Arg nit, Asaf, Ign, Lyco, Mag mur, Nux m, Plat, Sep, Valer.

- Hystero-epilepsy : Asaf, Bufo, Cim, Gels, Lit tig, Tar h, Ver vir.

Causes & diseases

- Ulceration with burrow.
- Periosteitis.
- Bone pains.
- Hypochondriasis.
- Syphilitic ulcers corneal, bone disease.
- Iritis.
- Caries of bones.
- Offensive otorrhoea with boring pains in mastoid bone.
- Syphilitic ozaena, caries of nasal bones (Aurum) pulsation in the pit of stomach.
- Obstinate constipation.

- Haemorrhagic disposition.
- Miscarriage.
- Cancer.
- Milk disorders, Milk in breast, of unpregnant women.
- Deficiency of Milk in nursing women.
- AFFINITIES; Mind, Nerves, Gullet, Digestive tract, Periosteum, Ears, Nose, Tibia, Left side.

Complaints & characteristics

- Discharge from nose and ulcers very offensive.
- Ulcers on eye balls; iritis with burning and stitching pains worse at night.
- Flatus pressing all upwards.
- Hiccough like contraction of the diaphragm.
- Uterine ulcer, sensitive and painful.
- Nervous asthma.
- Rheumatism in nervous patients.
- Enormous accumulation of flatulence all pressing upwards.
- none downwards.
- Ball rising to throat (Ign).
- Extremely sensitive to touch (Chin, Hep s, Lach).
- Reverse peristalsis of stomach and oesophagus.
- Loud eructation of wind from stomach.
- Extreme sensitiveness Offensive eructations.
- Terrible throbbing pulsation's after eating.
- Nightly pains.
- Pressing pains from within outwards.
- Dificient milk with over-sensitiveness.
- Diarrhoea extremely offensive with meteorism and regurgitation of food.

- Liquid stools of most disgusting smell.

- Attack of dyspnoea after coition (Ambra).
- Obstinate titillating cough agg at night.

Generals & modalities

- PERSONS WITH PUFFY VENOUS, DARK RED FACES.
- Subject to sudden inflammations but do not rally quickly.
- Milk in breasts though not pregnant.

- Hysterical and Hysterical and Hypochondrical persons.
- AGGRAVATION; Worse at night, touch, rest, warm wraps after eating, left side, in room, warm applications, from cough.
- AMELIORATION; Motion in open air, Pressure.

Asarum europaeum

- Synonyms : European snake root, Asarabacca, Hazelwort, Wild Nard.

- Source : It is plant of the Natural Order of Aristolochiaceae.
- Habitat : It grows in the mountainous woods in Europe.
- Preparation : The mother tincture is prepared from the root and the whole plant in alcohol. & The root alone is better than the whole plant:- (1982).

- Proved by Dr. Hahnemann, in 1817.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Chilly persons who are worse in cold dry weather and feel better in damp wet weather (Caust); always feel cold.
 - 2. Who are oversensitive of nerves, scratching of linen or silk, crackling of paper is unbearable (Ferr, Tar h, Therid).
 - 3. Nervous, anxious people; excitable or melancholy; cold shivers fro any emotion.
 - 4. Unconquerable longing for alcohol.
- It is a SPECIFIC remedy in the following conditions:
 - 1. Craving for alcohol.
 - 2. Asthenopia.
 - 3. Darting pain in eyes after operations.
 - 4. Nervous deafness with catarrh.
 - 5. Coryza with sneezing in nervous persons.
 - 6. Nausea: in sneezing or constant; agg after eating, clean tongue; of pregnancy.
 - 7. Ailments with great faintness and constant yawning.
 - 8. Eye troubles relieved by bathing them in cold water.
- DOSAGE : 3rd to 30th potency.
- REPETITION : May be repeated when symptoms cal for it.
- DURATION OF ACTION : Clarke-8-14 days.

Relationship

- REMEDY IS FOLLOWED WELL BY : Bism, Caust, Puls, Sil.
- REMEDY ANTIDOTES : Citrus Lemonum.
- REMEDY IS ANTIDOTED BY : Acet ac, Camph, Vegetable acids and vinegar.
- OVER SENSITIVENESS OF NERVES : Ferr m, Tarax, Therid, Asaf, Apis, Hep s, Lach, Nux v, Sil, Asar.
- IMAGINES HE IS HOVERING IN AIR LIKE A SPIRIT : Asar, Lac c, Cann ind, Lach, Nux m.
- NAUSEA OF PREGNANCY : Asar, Ipec, Kreos, Lac ac, Lac vac def, Nux m, Nux v, Phos, Psor, Puls, Sep, Tab, Thyr.
- CRAVING FOR ALCOHOL : Ars a, Asar, Bar c, Lach, Nux v, Op, Ran b, Sel, Sulph, Nux v.
- BETTER IN DAMP WET WEATHR : Alum, Asar, Caust, Hep s, Med, Mur ac, Nux v.
- WORSE DRY COLD WEATHER : Agar, Alum, Asar, Aur m, Caust, Kali c, Nux v, Petr.

Causes & diseases

- Cold shivers from any emotion.
- Catarrh with deafness.
- After a debauch.
- When walking in the morning feels horrible sensation of pressing or digging in stomach.
- Hysterical disposition.

- AFFINITIES; Nerves, Mucous membranes, Female organs.

Complaints & characteristics

- Sensation as if ears were plugged up with some foreign substance.
- When reading, sensation in eyes as if they would be pressed as under or outward : relieved by bathing them in cold water.
- Cold air or cold water very pleasant to eyes;
- Sun shine light and wind are intolerable.
- nausea: in attacks with clean tongue (Ip); worse after eating; of pregnancy, Great faintness and constant yawning, Dysmenorrhoea with intense backache in a nervous fidgety woman so severe that she could not move; it often rose to the dorsal region, when it would take away her breath was cured by Dr. Deschere with Asar 50 c (Clarke).

Generals & modalities

- Nervous, excitable people; anxious; melancholic.
- Hypersensitive to noise.
- Desire for alcoholic drinks.
- Scratching of silk or linen or paper is unbearable.
- Easily excited.
- Perspires on single parts gets icy cold.
- Always feel cold, chilly
- AGGRAVATION; In icy cold or clear fine weather. (Caust), Penetrating sounds, Emotions.
- AMELIORATION; Cold bathing of face eyes with cold water. (Fl-ac) Bathing with cold water, In damp wet weather (Caust).

Aurum metallicum

- Synonyms : Gold, Aurum Foliatum au.
- Source : It is a metal found in mines in many parts of the world.
- Habitat: Gold can be purchased in the form of gold Foliatum or leaves.
- Preparation : It is triturated with sugar of milk to produce 3c. Higher potencies are prepared with Alcohol as 3c is soluble in alcohol.
- Proved by Dr. Hahnemann in 1818. Gold as a medicine was used by the Arabian physicians for melancholia, foul breath and pain of heart and palpitation. As Hahnemann knew Arabic and came to know these medicinal properties of gold, he tried to prepare potencies of gold and proved it and found the Arabian physicians were right in using gold on the basis of these symptoms.

Indications

- It is the CONSTITUTIONAL remedy for the following types of patients:
 - 1. Sanguine, ruddy people, with black hair and eyes, restless, anxious about the future.
 - 2. Pining boys: low spirited, lifeless, weak memories; lacking in boyish go; testes undeveloped, mere pendent shreds.
 - 3. Profound melancholy; desire to commit suicide; hateful and quarrelsome; life is a burden; with hepatic or testicular disorder; after abuse of mercury, with enlargement of liver.

- 4. Over-sensitive : least contradiction excites wrath (Con); to pain, to smell, taste, hearing, touch (Anac).
- 5. Broken-down constitutions by the bad effects of mercury and syphilis.
- 6. Person having no confidence in himself: thinks he cannot succeed in any thing; pessimistic.
- 7. Chilly persons: worse in cold air; when getting cold; in winter.
- It is a SPECIFIC remedy in the following conditions:
 - 1. Ailments from fright, anger, contradiction, vexation, dread or reserved displeasure.
 - 2. Syphilitic and mercurial affections of bones; otorrhoea with excessively foetid discharge; caries of palatine and mastoid bones; worse at night.
 - 3. Heart disease from rheumatic affection; with liver enlargement, oedema, rheumatism gone to heart from extremities with depression loathing of life, suicidal disposition.
 - 4. Rheumatic affections of joints; worse in cold air; violent tearing pains in bones; worse at night; in old syphilitic patients.
 - 5. Exophthalmia with enlargement of heart.
- DOSAGE : 3rd to 30 potencies are commonly used; but higher potencies are also effective when the mental, characteristic symptoms call for it.
- REPETITION : It may be repeated in organopathic diseases; but for constitutional diseases single dose of high potency is enough unless symptoms call for it.

- DURATION OF ACTION : Clarke-50 to 60 days; Lutze-Over 6 weeks.

Relationship

- REMEDY IS FOLLOWED WELL BY : Acon, Bell, Clac, Lyco, Merc, Nit ac, Puls, Rhus t, Sep, Sulph.
- REMEDY ANTIDOTES : Chronic effects of alcohol, Kali iod, Merc, Spig, Lach.
- REMEDY IS ANTIDOTED BY : Bell, Camph, China, Cocc ind, Coff, Cupr, Merc, Puls, Spig.
- BODY'S DRUG GROUP : 2.

Comparison

- Suicidal disposition : Aur met, Aur mur, Nat s; But lacks courage- Chin, Nux v, Nit ac; thoughts-Aur, Hep s, Ign, Merc, Nat s, Psor, Puls, Rhus t, Ant cr.

- Bad effects of mercury : Sadness-Aur m, Aur mur, Hep s, Nit ac, Staph.

- Anger from contradiction : Aur m, Ign, Lyco, Sep, Bry, Ferr m, Nux v, Sil.

- Violent anger: Aur m, Anac, Cham, Hep s, Nit ac, Nux v, Staph, Tar h.

- Guilty conscience : Alum, Ars a, Aur m, Chel, Digit, Psor.

- Desires death : Aur m, Lac c, Nat m, Chin, Rhus t, Sil, Sulph.

- Despair of salvation : Ars a, Aur m, Lach, Lil tig, Verat a.

- Throbbing of carotids : Aur, Bell Cact, Glon.

- Rheumatism setting in the heart after jumping from joint to joint: Aur, Bry, Kalm, Rhus t, Laur, Abrot, Calc c, Led, Cact, Spig.

Causes & diseases

- Ailments after contradiction, fright, mortification.

- Mercury.

- Syphilis.

- Rheumatism.

- Disorder of intellect.

- Disorders of Bones, Periosteum, Glands, Eyes, Ears, Nose, Thyroid, Testes, Ovaries, uterus, Cervix, Menses.

- Repeated abortions.

- Melancholia.

- AFFINITIES; Mind, Nerves, Circulatory system, Heart, Bones=Nasal, Skull, Patellae, Joints, Glands, Liver, Kidneys.

Complaints & characteristics

- Complaints with profound melancholy.

- Pains wander about from joint to joint and finally settle in heart.

- Cardiac dyspnoea.

- Cardiac and liver dropsy.

- Rheumatic endocarditis.

- Rheumatic Arthritis.

- Unbearable pains.

- Caries bones.

- Parotitis, Adenitis.

- Protruding eyes, floating specs and dots.
- Chronic Otitis Media.
- Mastoiditis.
- Destruction of nasal bones.
- Exophthalmic goitre.
- Induration.
- Seminal emissions.
- Cysts of ovaries.
- Induration, epithelioma.
- Leucorrhoea.
- Cancer of wings of nose and lips.
- Condylomata
- Hydrocele Falling of hairs.
- Hemipia, sees only the lower half.
- Foetid discharge from ears.
- Foul breath at puberty.
- Violent palpitation: Angina pectoris.
- Great oppression in chest from walking fast or ascending up stairs.
- Albumen in urine.
- Lumps in mammae.
- Fatty degeneration of heart.
- Visible beating of carotids and temporal arteries.
- (H.B. P.) (Bell, Glon).
- Pulse small feeble, rapid and irregular.
- Anxiety with congestion of blood to head, after exercise.
- Face cyanotic, gasps for breath, can hardly speak above a whisper.
- Swelling of feet and limbs.
- Much perspiration.
- Scanty urine.
- No thirst with fever.
- Cannot lie down; must sit bent forward with heart trouble.

Generals & modalities

- Suicidal tendency (Naja).
- Self condemnation.
- Depressed.
- Pessimistic.

- Anxious.
- Obstinate.
- Irritable.
- Impulsive Lack of affection.
- Wants to die.
- Restless.
- Oxygenoid.
- Anxious about future.
- Pining boys, low spirited, lacking in boyish go, testes undeveloped.
- Tired of life Hateful.
- Quarrelsome.
- Impatient.
- Oversensitive, to contradiction, pains, smell, taste, hearing and touch.
- round the anus.
- AGGRAVATION; Worse at night, straining, over-reaching, walking fast, ascending up stairs, menstrual period.
- AMELIORATION; Better from open air, warmth in pains, Rest.

Aurum muriaticum natronatum

- Synonyms : Sodium Chloroaurate. Formula- Na Cl , Au Cl_3 , $2\text{H}_2 \text{O}$.
 - Source : It is a double salt of gold chloride and sodium chloride.
 - Preparation : Triturations are prepared from the salt with sugar of milk.
 - Proved by Not proved Dr. C. Hering collected clinical symptoms.
- "Burnett considers it to have more power over uterine tumours than any other gold preparation" (Clarke).

Indications

- It is a SPECIFIC remedy for the following conditions:
- 1. Uterine tumours.
- 2. Chronic uterine diseases-Leucorrhoea, Dysmenorrhoea, Prolapse of uterus, Bearing down sensation.
- 3. Indurated cervix.
- 4. Habitual abortion, from Syphilitic disease.
- 5. Premature labour.
- 6. Climacteric haemorrhage from uterus.

- 7. Suppressed gonorrhoea in females.
- 8. Swelling of left testicle in males; ovarian dropsy in females.
- 9. Sterility.
- 10. Hysteria.
- 11. Nervous dyspepsia with tendency to diarrhoea after eating.
- 12. Arteriosclerosis: High Blood Pressure.
- 13. Palpitation of young girls.
- 14. Periosteal swelling on lower jaw.
- 15. Liver trouble with coated tongue, white stool and pain in right shoulder.

- DOSAGE : 2x to 6x and 6c.
- REPETITION : May be repeated.
- DURATION OF ACTION : Not definite.
- IT IS AN ANTI-SYPHILITIC AND ANTI-SYCOTIC REMEDY.

Comparison

- Uterine tumours : Cancer-Arg m, Ars iod, Ars a, Aur m nat, Caltha, Carb an, Carcin, Con, Graph, Hydr, Kali bi, Kreos, Lapis alb, Phos, Sec c, Sil. Thuj.
- Chronic metritis : Aur mur, Aur m nat, Con, Helon, Plat, Sep.
- Ulceration of cervix : Arg m, Arg n, Ars a, Aur m nat, Carb ac, Hydr, Kreos, Merc c, Sep, Vesp.
- Ovarian dropsy : Apis, Ars a, Ars iod, Aur m nat, Coloc, Con, Iod, Lyc, Coph.
- Jaundice : Acon, Aur m nat, Berb v, Bry, Ceon, Chel, Card m, Cinch, Cholest, Dig, Hydr, Lept, Lyco, Merc, Nat s, Nit ac, Nux v, Phos, Puls, Podo, Vipera.

Causes & diseases

- Syphilis-ataxia.
- Psoriasis-Prevents congenital syphilis to the new born.
- Uterine tumours.
- Indurated os.
- Sterility.
- Uterine cancer.
- Ovarian cysts.
- Habitual abortion from uterine induration.
- Chronic ophthalmia.

- Scrofulous ophthalmia.
- Mercurio-syphilis.
- Destruction of nasal bones.
- Dropsy from induration of abdominal organs.
- Caries of bones.
- Deep-spreading syphilitic ulcers of skin.
- AFFINITIES; Male organs, Female organs, Eyes, Bones, Nasal, Skin.

Complaints & characteristics

- Palpitation in young girls.
- Leucorrhoea, jaundice after vexation.
- Foetid odour from mouth.
- No appetite with jaundice.
- Faeces look like whitish clay with jaundice.
- Suppression of urine with dropsy.
- Beating of carotid and temporal arteries with H.B. P.
- Rheumatic and gouty pains in chronic cases.
- Excessive perspiration with fevers.
- Puerperal Mania with sexual excitement, ovarities, gastro-intestinal irritation and suicidal impulses.

Generals & modalities

- Mercurio-syphilitic constitution.
- Carbo-nitrogenoid constitution.
- Clarke irritable, sanguine, bilious persons.

Baptisia tinctoria

- Synonyms : Wild Indigo.
- Source : It is a plant which grows in woods and hills of United States of America.
- Habitat : It belongs to the Natural Order of Leguminosae.
- Preparation : Mother Tincture is prepared from the root and bark of the plant.
- Proved by Baptisia was first used by the Eclectics and introduced into homoeopathic Materia Medica by Dr. Thompson in 1857.

Indications

- It is a SPECIFIC remedy for the following conditions:

- 1. Typhoid Fever : rapid prostration; foetid exhalations and discharge; breath, stool, urine, perspiration, ulcers.
 - With sopor or stupor, falls asleep while being spoken to or in the midst of his answer.
 - Cannot go to sleep because she cannot get herself together head and body feel scattered about in the position the patient lies, the parts rested upon feel sore and bruised; decubitus in typhoid.
- 2. Influenza : rapid prostration; great soreness of body; the parts rested upon feel sore and bruised.
- 3. Diarrhoea of children, especially when very offensive.
- 4. Dysentery of old people; stool offensive.
- 5. Sore throat: can swallow liquids only; least solid food gags.
- Gangrenous sore throat and mouth.
- Cancrum oris.
- Sore mouth of children and mother.
- Putrid sore throat.
- 6. Painless sore throat : tonsils, soft palate and parotids dark red, swollen.
- 7. Diphtheria: rapid development; great prostration; soreness of body; can swallow liquids only; offensive discharges.
- 8. Paralysis of deglutition: from diphtheria, scarlet fever or typhoid fever.
- 9. Appendicitis: great soreness in the right iliac fossa; so sore and tender, no bigger than a fist.
- 10. Involuntary urine and stool in acute infectious diseases.
- 11. Trembling of tongue and trembling of hands in acute infectious fevers.
- 12. Brain fag: aversion to mental exertion and want of power to think.
- 13. When Ars a has been improperly given or too after repeated in typhoid or typhus Baptisia relieves the bad effects.
- 14. Puerperal fever: from stoppage of lochia; with prostration; soreness of body; foetid discharges and stools.
- DOSAGE : Drop doses of the mother tincture to 200 is found to act very well..

- When the characteristic symptoms are not present lower potencies or mother tincture is indicated; but when the characteristic symptoms are present higher potencies act remarkably.

- REPETITION: Mother tincture drop doses and low potencies are to be repeated daily; but high potencies act very well in single dose.

- DURATION OF ACTION : Not specified

Relationship

- After Bapt : Crot h, Ham, Nit ac and Tereb, act well in haemorrhage of typhoid and typhus.

- Remedy precedes well : Ars.

- Remedies that follow well : Ham, Nit ac, Tereb.

- REMEDY IS ANTIDOTED BY : Phyto, Sanguinaria.

- REMEDY ANTIDOTES : Ars when improperly given in typhoid.

- BOYD'S DRUG GROUP : VI.

Comparison

- Parts rested upon feel sore and bruised : Bapt, Pyrog, Arn, Nux m, Ruta.

- Inability to swallow any thing but liquids : Bapt, Bar c, Sil.

- Sopor or stupor, but easily aroused when spoken to : Bapt, Diph, Sulph.

- Patient lies in a semi-stupid condition; eyes dull besotted: Apis, Bapt, Diph.

- Tendency to bed sores : Bapt, Nux m, Arn, Mur ac, Pyrog.

- Head feels as if scattered about : Bapt, Stram.

- Very offensive diarrhoea of children : Bapt, Carbo v, Kali phos, Podo, Psor.

- Prostration mental and physical: Bapt, Carbo ac, China, Can, gels, Helon, Kali phos, Lach, Lyco, Nux v, Phos ac, Phos, Pic ac, Selen.

- Answers the question but stupor returns quickly : Arn, Bapt, Hyos, Plumb.

- Confusion- as if intoxicated : Bapt, Carb Sulph, Carbo v, Glon, Nux m.

Causes & diseases

- Aphthous stomatitis.

- Ulceration's foul Zymosis-Typhoid.

- Influenza, Dengue, Diphtheria, Puerperal fever.

- Sepsis, Gangrene, Cancrum oris.
- Paralysis of organs of deglutition.
- Involuntary urine and stool.
- After confinement lochia stops.
- Appendicitis.
- Tremulous tongue and limbs.
- Paralytic weakness.
- AFFINITIES; Mind, Nerves, Blood, Mucous, Membranes, Digestive tract, Left side.

Complaints & characteristics

- Rapid development of zymotic fevers like typhoid, influenza, diphtheria, puerperal fever and gangrenous complaints.
- Foetid breath.
- Foetid discharges.
- Putrid ulceration of mouth.
- Fauces dark red.
- Painless sore throat.
- Face flushed, dark red.
- Looks as if intoxicated or stupid.
- Sopor or stupor: Falls asleep while being spoken to or in the midst of his answer.
- Want of power to think.
- Perfect indifference.
- Great prostration both mental and physical.
- Ulceration of mucous membranes.
- Decomposition of fluids.
- Offensive diarrhoea of children.
- Can not go to sleep because she can not get herself together; heat and body feels scattered.
- About in the bed; tosses about to get the pieces together, e.g. thought she was three persons, could not keep them covered (Petr).
- Concomitants with diphtheria, mental confusion, delirium and unconsciousness; inability to swallow solids: besotted face with horrible odour from mouth (G.R.).

Generals & modalities

- Rapid prostration Sopor.

- Stupor.
- Confusion as if intoxicated.
- Delirium.
- Excessive drowsiness.
- AGGRAVATION; Humid heat, Fogs, In room, Pressure, On awaking

Baryta carbonica

- Synonyms : Barium carbonate. Formula-BaCO₃.
- Source : It is a white, odourless, tasteless powder almost insoluble in water.
- Habitat : Composed of barium and carbonic acid. It can be purchased from a chemist shop.
- Preparation : Trituration of the salt is prepared in sugar of milk upto 3c. Higher alcoholic preparations are made from 3c as in this state it is soluble in alcohol.
- Proved by Dr. Hahnemann.

Indications

- IT IS A VERY LONG AND DEEP ACTING REMEDY.
- It is a CONSTITUTIONAL for the following types of patients:
 - 1. Who are dwarfish; in body and mind; mentally backward; late in development and coming into usefulness; late in learning to talk; late in learning to read; late in learning how to walk even with pretty good limbs; grown up girls with childish manner in doing things; playing with dolls and saying foolish things, backward, forgetful inattentive.
 - Old people with childish behavior.
 - Tardiness in development of brain.
 - Dwarfishness after and acute illness.
 - Premature old age.
 - (Kent).
 - 2. Children bashful, afraid of strangers, timid; do not want to play.
 - Habitual colic of children who do not thrive with enlarged mesenteric glands.
 - (Clarke)
 - 3. Who are chilly; sensitive to cold; want to be well wrapped; great sensitiveness to cold.
 - Sensitive to extremes of heat and cold.

- 4. Old maids with scanty menses; deficient heat; always chilly.
- 5. Who are of psoric or tubercular disposition; scrofulous children who do not grow.
- 6. Apoplectic tendency in old people, who are childish.
- 7. Constitutional tendency to quinsy.
- 8. Who are worse when thinking of their disease.
- 9. Who suffer from gouty complaints; toes and soles sore; soles painful when walking.
- 10. Who have offensive sweats.
- 11. Who have masturbated and suffer from seminal emissions together with cardiac irritability and palpitation or dyspepsia.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Threatened idiocy; child cannot be taught for he can not remember; forgetful; inattentive; memory deficient.
 - 2. Repeated attacks of tonsilitis from taking cold, with enlargement of lymph glands.
 - Suppurating tonsilitis from cold.
 - 3. Scrofulous ophthalmia, cornea opaque; photophobia; glands around ears painful and swollen; granular lids.
 - 4. Coryza with swelling of upper lip and nose.
 - 5. Inability to swallow anything but liquids.
 - Sensation of a plug in the throat.
 - Gagging and choking with a little food.
 - 6. Chronic cough with elongated uvula or enlarged tonsils.
 - 7. Eruptions with glandular swellings.
 - 8. Paralysis of tongue in old people.
 - 9. Coarse rattling in chest of old people (Ammoniacum).
 - 10. Haemorrhoids protrude every time he urinates (Mur ac.)
 - 11. Tabes mesenterica; abdomen swollen and tender; frequent attacks of colic; general emaciation.
 - 12. Complaints of old drunkards.
- DOSAGE : 3rd to 200th potency.
- 30 is commonly used; but when the constitutional symptoms are present 200th and even higher potencies act very well.
- REPETITION : May be repeated in acute conditions till symptoms call for it.

- When constitutional symptoms are present single dose of higher potency is enough.

- "Baryta is slow in action, bears repetition" (Boericke).

- DURATION OF ACTION : Clarke-40 days.

Relationship

- COMPLEMENTARY REMEDIES : Dulc, Sil, Psor.

- REMEDIES THAT PRECEDE WELL : Ant t, Can, Phos, Puls, Rhus t, Sep, Sil, Sulph.

- REMEDIES THAT FOLLOW WELL : Ars a, Sil, Sulph.

- INIMICAL : Calc.

- ANTIDOTAL REMEDIES : Ant t, Bell, Camph, Dulc, Merc, Zinc.

- BODY'S DRUG GROUP : VI.

Comparison

- Childish behavior : Bar c, Cic.

- Dull children : Arg n, Bar c, Calc p, Calc c, Sulph.

- Forgetful : Bar c, Carb s, Cloche, Lyco, Merc, Petr, Ph ac, Phos, Plat, Anac, Lac c, Glon, Can ind.

- Imbecility : Ambr, Anac, Bar c; Bar m, Bufo, Con, Hyos, Lach, Lyco, Nux m, Nux v, Op, Ph ac, Pic ac, Sil, Sulph, Stram, Verat a.

- Irresolution : Bar c, Hell, Ign, Lach, Onos, Op.

- Weakness of memory for words: Bar c, Plumb.

- Timid : Bar c, Calc c, Calc s, Gels, Kali c, Lyco, nat c, Phos, Plb Sep, Sulph.

- Sensation of cobwebs on the face : Bar c, Bar, Brom, Graph.

- Matted hairs with crusts and vermins : Plica polonica bar c, Psor, Sars, Tub.

- Acute idiocy-Helleb; Chronic idiocy : bar c. Med.

- Chronic tonsillitis with hardness of hearing : Bar c, Hep s, Lyco, Plumb, Psor.

- Leucorrhoea, two weeks after menses for 3 to 4 days : Bar c, Bov, Con, Mag m.

- Dwarfish children : Bar c, Medo.

- Diseases of first and second childhood: Bar c, Millef, Op.

Causes & diseases

- Matted hairs, crusts and vermins on scalp.

- Baldness-crown of head.

- Apoplexy.
- Headaches.
- Tendency for tonsillitis.
- Aneurism.
- Swelling of glands with induration.
- Ulcers with indurated base.
- Fatty tumours, lupus, sarcoma, cancer.
- Scrofulous disposition.
- Gouty disposition.
- Apoplectic tendency in old people, followed by paralysis.
- Paralysis of tongue.
- Paralytic condition of sexual organs.
- Atrophy of testicles.
- Impotence.
- Dwindling of ovary.
- Impotence.
- Sterility.
- Chronic aphonia.
- Cataract (Calc p, Agar, Sil, Calc f. Con, Caust, Mag c, Lyco, Sep, Sulph).
- Submaxillary glands
- AFFINITIES; Mind, Nerves, Glands, Throat, Tonsils, Prostate, Heart, Nutrition, Blood-vessels, Lung.
- Complaints & characteristics
- Retarded brain after acute illness like measles, typhoid, mumps, scarlet fever etc. Emaciation after acute illness.
- Premature old age after acute diseases old age creeps upon him.
- Complaints of old drunkards.
- Headache of old people who are childish.
- Inability to swallow any thing but liquids (Bapt, Sil) Suppurative tonsillitis.
- Hypertrophic tonsillitis, agg from slight cold Calc, Calc p, Calc iod, Posr).
- Swelling & induration of cervical and inguinal glands.
- Offensive foot sweats, toes and soles get sore.
- Throat affections after checked foot sweat.

- Graph, Psor, Sanic, Sil).
- Craving, appetite but feeling of satiety after a few mouthfuls (Lyco).
- Rheumatic stiffness and aching of whole body in damp weather.
- Slightest exertion makes him tired and sleepy.
- Chronic cough of tonsillar children.
- Sore throat from cold.
- Baldness in young people.

Generals & modalities

- Patient is sensitive to cold and heat both extremes.
- Susceptible to cold.
- Emaciated.
- Physically and mentally weak.
- backward, forgetful, inattentive.
- Dwarfish.
- Old people childish.
- Childish behavior.
- Imbecility.
- Late learning to walk.
- Tardiness in development of brain (Borax, Nat m).
- Tardiness of development of organs; a single organ fails to mature.
- Bashful, timid, afraid of strangers.
- Child does not want to play.
- Lack of ability to think.
- Scrofulous persons specially when fat.
- Old maids with scanty menses.
- Deficient heat, always chilly.
- AGGRAVATION; Thinking of symptoms of his disease (Ox ac), Lying on painful side, left side, After meals, From cold, cold washing, damp weather, warm food, sun (headache), near warm stove (headache), raising arm, mental emotion, company, After eating so weak that he cannot raise his hands, (Clarke), Lying on left side, Cold to feet, to head.
- AMELIORATION; When unmindful of his disease, Walking in open air, Alone, Cold food Warm wraps.

Baryta muriatica

- Synonyms : barium chloride; formula Ba Cl₂, 2H₂ O.

- Source : It is a chemical salt consisting of colourless crystal - line relates with bitter saline taste. Soluble in water.

- Habitat : It can be bought from a chemist shop.

- Preparation : As it soluble in water dilutions potencies can be prepared in water on alcohol.

- Proved by Dr. Hahnemann 1824.

Indications

- It is a CONSTITUTIONAL remedy for the following type of patients:

- 1. Stupid, idiotic, hard of hearing children with open drooling mouth and nasal vice.

- 2. Dread of bathing.

- 3. Scrofulous children.

- 4. Degenerative disorders of old people.

- It is a SPECIFIC remedy in the following conditions:

- 1. In every form of mania as soon as the sexual desire is increased. (Clarke).

- 2. Epilepsy, convulsions with imbecility.

- 3. Chronic suppurative otitis media after scarlet fever; (Kent) with enlarged and indurated submaxillary glands.

- 4. Aneurysm, Atherosclerosis, arteriosclerosis producing cerebral and cardiac complaints.

- 5. Ailments with enlargement of lymph glands.

- 6. Ailments with sexual disorders.

- 7. Ailments with pancreatic disorders, fatty stools.

- DOSAGE : It acts both in low and high potencies.

- Low potencies are good in organopathic disorders; high in specific dynamic conditions.

- REPETITION : bears repetitions of dosage well.

- DURATION OF ACTION : undefined.

Relationship

- REMEDIES THAT PRECEDE WELL : Ars a.

- REMEDIES THAT FOLLOW WELL:

- REMEDY IS ANTIDOTED BY : Absinthe in vomiting.

- BOYD'S DRUG GROUP : IV

Comparison

- Scrofulous affections : Bar c, Bar m, Ars a, Ars iod, Aurums, Bac, Calc, Caust, Iod, lapis alb, Ol j as, Sil, Tub.
- Sclerotic Degeneration : Bar m, Plumb, Aur mur.
- Aneurysm : Bar c, Bar m, Lyco, Ars iod, Kali iod, Lach, Verat v.
- Arteriosclerosis : Am iod, Aur m, Aur mur, Bar c, Bar m, Carduus M, Glonine 2 xc, Plumb iod, Sumbul, Stron iod.
- High blood pressure : bar-m, Aur m, Aur mur, Glon, Viscum, Verat Vit, Stron c, Stron iod.
- Convulsions with increased sexual passion : Bar mur, Con, Lyco. Nux v.
- Deafness- of old people: Bar c, Bar m, Cic, Petr, After scarlet fever Bar c, Br m, Lyco.
- Idiocy : Aeth, Bar m, Calc p, Hell, Phos, Tub.
- Imbecility : Anac, Bar c, Bar m, Bufo, Con, Hyos, Lach, Lyco, Nux m, Op, Phos ac, Pic ac, Sil, Sulph, Verat a.
- Pancreatitis : Bell, Calc ars, iod, Iris, Ba m, Merc, Phos, Puls.
- Tinea capitis : Bac, Bar m, Chrs ac, Graph, Kali s, Mex, Petr, Psor, Sep, Tellur, Tub, Viola tr.
- Tonsillitis hypertrophic : Alum, Bar c, Bar m, bar iod, Calc iod, Iod, Kali bich.
- Induration of glands : Alum, Aur m, Aur mur, Bold, bar c, bar m, Bell, Brom, Calc c, Calc f, Carb n, Clem, con, iod, Phyto, Spong, Sil, Tub.

Causes & diseases

- Mental weakness.
- Insanity.
- Enlarged glands, painful.
- Sexual excitement.
- Aneurysm, Tendency for convulsions.
- Epilepsy.
- Nymphomania.
- Clonic spasms.
- Formication all over the body.
- Bleeding from M.M. and from Ulcers.
- Inflammation and Induration of glands.
- Left sided paralysis.
- Left sided complaints.

- Dropsy after sear fever.
- Eruptions of scalp, eczema, crusts.
- Scrofulous ophthalmia, corneal ulcer.
- Deafness.
- Otitis after scarlet fever, catarrh of eustachian tubes.
- Asthma.
- Nasal catarrh with fever, frequent sneezing.
- Enlarged submxillary glands with otorrhoea.
- Bleeding gums.
- Looseness of teeth with salivation.
- Taste disorders.
- Recurrent tonsillitis from colds.
- Checked gonorrhoea=orchitis.
- Impotency.
- Sterility.
- Cough of scrofulous children, spinal curvatures.
- Dreams: amorous, anxious frightful, vivid.
- Urticaria.
- Burning ulcers.
- AFFINITIES; Mind, Nerves, Glands, Male and Female organs, Pancreas, Heart, Blood Vessels.
- Complaints & characteristics
- Sensation of internal fullness; burning n many parts; cutting pains in internal parts, digging pains.
- Gnawing.
- Painless symptoms are common.
- Pain is the exception.
- Insanity with strong sexual excitement, mania.
- Gone feeling at epigastrium.
- Vertigo when walking.
- Facilitates expectoration.
- Below stomach to left a hardness from which paroxysms of dyspnoea come.
- Increase of uric acid in urine.
- Special affinity for parotid glands and pancreas (Iris).
- Ear ache is ameliorated by sipping cold water.

- Offensive otorrhoea.
 - Icy coldness of body with paralysis.
 - Paresis after influenza and diphtheria.
 - Cerebral affections due to arteriosclerosis.
 - Vertigo.
 - Headache of old people.
 - High systolic pressure with low diastolic pressure=cerebral and cardiac symptoms.
 - Indurated and narrow cardiac orifices with pain immediately after eating.
 - Bronchial affections of old people with cardiac dilatation.
- Generals & modalities
- Extreme lassitude, compelled to be down.
 - Anxious about future.
 - Easily angered.
 - Concentration difficult
 - Fear of evil, of men.
 - Warm blooded patient.
 - Stupid, idiotic, hard of hearing children with open drooling mouth and nasal voice.
 - AGGRAVATION; Ascending stairs, Cold and cold air, In fall and spring, Before and during menses, During sleep, Standing, Wet weather.
 - AMELIORATION; Supping cold water.

Belladonna

- Synonyms : Deadly nightshade, Atropa belladonna.
 - Source : It is a plant belonging to the Natural Order of Solanaceae.
 - Habitat : It grows in shady places in Europe specially Greece, Italy and Britain.
 - Preparation : Tincture of the whole plant is prepared when the plant begins to flower.
 - Proved by Dr. Hahnemann.
- Indications
- It is a polycryst remedy of medium duration and depth.
 - It is a CONSTITUTIONAL remedy for the following types of patients:

- 1. Who are lively and entertaining when well, but violent and often delirious when sick.
- 2. Who are plethoric, vigorous and intellectual people.
- 3. Chilly persons: great liability to take cold; sensitive to draft of air especially when uncovering the head.
- 4. Who have reactive excitability; reaction to medicine is so quick and so sudden that they at once feel relieved. (Kent).
- 5. Who are hypersensitive to touch, motion, jar, light and noise, extremes of heat and cold.
 - They are worse from lying down, objects; uncovering the head.
 - They feel better by rest, standing or sitting erect; when room.
- 6. Who are of tuberculous disposition.
 - It is a SPECIFIC remedy for the following conditions:
 - 1. Ailments with rush of blood to head and face.
 - 2. Violent delirium; disposition to bite, spit, strike and tear things; breaks into fits of laughter and gnashes the teeth; wants to bite and strike the attendants; tries to escape.
 - 3. Hallucinations: sees ghosts, hideous faces and various insects; black animals, dogs wolves; fears from imaginary things, wants to run away from them.
 - Delusions horrible.
 - Convulsions come on suddenly; with high fever; during teething; with hot head and cold feet.
 - 4. Pains: come suddenly, last indefinitely and cease suddenly; renal colic.
 - 5. Headache: congestive, with red face, throbbing of brain and carotids; agg from slight noise, jar, motion, light lying down least, exertion; better from pressure light bandaging (Arg nit), wrapping up, during menses.
 - 7. Tonsillitis after riding in a cold wind.
 - 8. Appendicitis: pain in right ileo-caecal region; agg by slightest touch, even of the bed cover.
 - 9. Scarlet fever; rash of a uniform, smooth, shining scarlet redness.
 - 10. Prolapse of uterus: sensation as if the contents of abdomen would issue from the vulva; better from standing and sitting erect; worse from lying down.

- Contraindicated in typhoid, suppurations, slow developing conditions.

- DOSAGE : It acts from first to 200th potency.

- In cases with mental and keynote symptoms higher potencies act very well in inflammatory and spasmodic conditions lower potencies are preferred.

- REPETITION : Must be repeated frequently in acute diseases.

- DURATION OF ACTION : Clarke-1 to 7 days.

Relationship

- COMPLEMENTARY : Calc c.

- REMEDIES THAT PRECEDE WELL : Ars a, Cham, Cup, Hep, Lach, Merc, Nit ac, Phos.

- REMEDIES THAT FOLLOW WELL : Acon, Ars a, Cact, Calc, Carbo v, Cham, Chin, Con, Dulc, Hep s, Hyos, Lach, Merc, Mosch, Mur ac, Nux v, Puls, Rhus t, Sep, Sil, Stram, Sulph, Valer, Verat a.

- INCOMPATIBLE REMEDIES : Dulc, Acet ac.

- ANTIDOTES : Acon, Camph, Coff, Hep s, Hyos, Op, Puls.

- REMEDY ANTIDOTES : Acon, Cup, Fer, Hyos. Plb, Merc.

- BOYD'S DRUG GROUP : v.

Comparison

- Complaints appear suddenly and cease suddenly : Bell, Cact, Carb ac, Ign, Kali bi, Mag phos, Nit ac, Petr, Strych, Tub.

- Agg bending forward : Bell, Kalmia, Nux v.

- Agg during dentition : Aeth, Bell, Calc c, Calc p, Cham, Kreos, Phyto, Pod, rheum.

- Agg hair cut : Acon, Bell, Glon.

- Agg uncovering head : Bell, Sil, Caps, Dros, Hep s, Kali bi, Mag phos., Rhus t.

- Agg light : Acon, Bell, Con, Lyssin, Graph, Nux v, Phos.

- Agg lying down : Ars a, Bell, Con, Glon, Hyos, Lach, Lyco, phos, Puls, Rhus t. Rumex. Trifol.

- Agg during menses : Am c, Arg n, Bell, Bov, Cimic, Graph, Kali c, Nux v, Puls, Sep, Vib op.

- Agg noise : Acon, Bell, Bor, Calad, Cinch, Coff, Colch, Ign, Nux v, Spig, Tar h, Ther.

- Agg overheating: Acon, ant cr, Bell, brom, Bry, Glon, Lyco, Nux m, Nux v.
- Agg right side : Agar, Am c, Anac, Apis, Bell, Bry, Caust, Chel, Kali c, Lyco, Mag phos, Merc, Phyto, Sang, Tar h.
- Agg after vaccination : Bell, Ant t, Sil, Thuja, Sulph.
- Agg hot weather : Acon, ant cr, Bell, Bry, Gels, Glon, Lach, Nat c, Nat m, Pod, Puls, Sulph.
- Amel standing erect : Ars a, Bell, Diosc, Kali phos.
- Amel warmth of bed : Bell, Graph, Hep s, Psor, Sanic, Sil.
- Amel rest : Aesc, Bell, Bry, Cadm s, Colch, Nux v, Strych phos.
- Rhus of blood to head and face : Amyl n, Glon, Melilotus.
- Sleepy but cannot sleep : Bell, Cham, Op.

Causes & diseases

- Exposure to cold when head is uncovered.
- Riding in cold wind.
- Exposure to sun.
- Cold bath.
- Hair cut.
- Nervous hyperaesthesia, hypersensitive to all influences.
- Gall stone colic.
- Spasms.
- Convulsions.
- Maniacal excitement.
- Delirium.
- Sees ghosts, wild things.
- Dreams of horrible things.
- Pupils dilated in stupor, rolls the head, eyes staring, brain cry.
- Meningitis with C>S. fever, Scarlet fever.
- Milk fever, puerperal fever.
- Mania.
- Vertigo.
- Flashes of light and flicerings before the eyes.
- Dimness of vision or actual blindness.
- Apoplexy of retina protruding eyes.
- Strabismus after conjunctivitis.
- Haemorrhage of hot blood.

- Circulatory diseases.
- Jaundice with hepatitis and duodenal catarrh.
- Checked secretion=fever.
- Maddening headache with checked catarrh.
- Facial paralysis.
- Laryngitis with loss of voice.
- AFFINITIES; Brain, Nerve centers, Blood vessels, Capillaries, Mucous membranes, Eyes, Mouth, Throat, Skin, Right side, Organs.

Complaints & characteristics

- Locations-Right sided complaints.
- Rush of blood to head and face.
- Headache, congestive, with red face, throbbing of brain, and carotids; agg from slight noise, jar, motion, light, lying down and least exertion; amel from pressure, bandaging, warping up, during menses.
- Pains in right ileocaecal region, agg by least touch, even of the bed cover; heart, blood vessels, brain, nerve.
- Centers, M.M. , lungs.
- Sensations: Pains come suddenly, last indefinitely and cease suddenly; Dryness, burning, constriction, spasms, throbbing cutting head, twitching.
- Dryness of mouth without thirst.
- Suddenness and great violence in all complaints.
- Starting like electric shock.
- Heat: violent heat develops in inflammatory conditions.
- Intermittent fever and not TYPHOID FEVER Inflammation-Redness grows dusky, dark red face becomes mottled throat scarlet red. Vaso0-motor paralysis, Intense congestion develops to scarlet to blueness.
- Burning intense burning with inflammatory conditions.
- Skin is burning hot in fevers.
- Inflammation of bladder with burning.
- Burning in liver in hepatitis.
- Trio of symptoms "Heat, redness and burning;
- Complaints go down from head.
- Swelling: Inflammatory Swellings are extremely sensitive to touch, with bursting sensation, throbbing pains, throbbing in carotid and temporal arteries.

- Head hot, cold extremities.
- Sensitive to pain-pains are tearing, shooting, burning, stinging, smarting and pressing; motion, light, jar, cold draft, better from wrapping.

- Craving for lemons in fevers.
- Aversion to noise, company, light, jar.
- Tenderness to touch and pressure in inflammatory conditions.
- Gnashes teeth.
- Bites.
- Spits.
- Fear of imaginary things.
- Barks, Tries to escape.
- Pulse full and bounding.
- Convulsions during teething.

Generals & modalities

- Adapted to bilious, lymphatic, plethoric constitutions.
- Persons who are lively and entertaining when well, but violent and often delirious when sick.
- Reactive excitability.
- Women and children with light hair and blue eyes, fine complexion, delicate skin, sensitive, nervous, threatened with convulsions.
- Great liability to take cold.
- Sensitive to draft of air, especially when uncovering the head.
- Intellectual people
- Great excitement.
- Destructive.
- AGGRAVATION; Cold winds, draft of air, heat, Sun, summer, light-noise touch, motion, uncovering the head, lying on painful side, while drinking checked sweat after 3 p.m. ; night; after midnight, Lying down, Looking at bright shining objects, Bending the head forward, stooping.
- AMELIORATION; Rest, dark room, Standing or sitting erect, warm room, covering head, equalising circulation.

Benzoicum acidum

- Synonyms : Benzoic acid-formula-C₆ H₅ CO. OH.

- Source: It is a coal tar product, or obtained by sublimation from gum benzoin.

- Preparation : triturations are prepared with sugar of milk and higher potencies are prepared with alcohol.

- Proved by : Dr. Jeanes of Philadelphia in 1838.

Indications

- It is a SPECIFIC remedy in the following condition:

- 1. Gout and other ailments: with strong, offensive, urinous odour of urine; urine dark brown; nodosities (Berb v, Lith c, Lyc), cracking on motion in knee joint.

- 2. A gouty, rheumatic diathesis engrafted on a gonorrhoeal or syphilitic patient (Allen).

- 3. Enuresis nocturnal: of delicate children.

- 4. Prostatic enlargement of old men with dribbling of urine, strong characteristic odour; excesses of uric acid.

- 5. Diarrhoea of children: white, very offensive, exhausting liquid stools, running right through the diaper (Pod); urine offensive and of a deep red colour.

- 6. Pains: Tearing stitching, in large joints of big toe; redness and swelling of joints; gout worse at night.

- 7. Useful after: Colch fails in gout.

- 8. Useful after abuse of Copaiva in suppression of gonorrhoea.

- 9. Neuralgias worse from suppression of urinary deposits.

- 10. Changing, alternating and metastating symptoms of gout.

- DOSAGE : Low and high potencies.

- REPETITION : Bears repetition when symptoms call for it.

- DURATION OF ACTION : Not definite.

Relationship

- WHEN FOLLOWS WELL : after Colchicum in gout, Copaiva in gonorrhoea and Kali nit in enuresis when they fail.

- BOYD'S DRUG GROUP : V.

Comparison

- When gouty symptoms go to stomach : Ant cr, Nit ac, Benz ac, Sang.

- Urine smells like horse's urine: Strong smell-Benz ac, Nit ac, Copaiva, Fer, Zinc.

- Gouty symptoms alternate with swelling of tongue or sore throat :
Benz ac, bell, Caust, Equiset, Lupul, Phos, Phaseolus, Rhus ar, Sulph,
Uran.

- Gout-Joints : Arg m, Arn, Benz ac, Bell, Bry, Calc, Caust, Colch, Kali c,
Led, Lyco, Mag c, Merc, Psor, Rhus t, Sab, Sep Spong, Staph, Sulph.

- Watery white stool : Benz ac, Nux m, Phos ac, Puls.

- Thin liquid stool : Alum, Ant cr, Apoc, Benz ac, Calc c, Colch, Croc tig,
Gamb, Graph, Lyco, Nat s, Oland, Phos ac, Podo, Sulph, Thuja, Verat.

- Putrid odour : Ars, Asaf, Bapt, Benz ac, Carb v, Kali p, Olnd, Podo,
Psor, Sil, Tub.

- Red urine : Benz ac, Bry, Sep, Stram.

- Urine strong offensive odour : Asaf, Benz ac, Chin s, Iod, Mosch, Nit
ac.

- Renal calculi : Bell, Benz ac, Berb v, Calc c, Canth, Coloc, Lith, Lyco,
Pareir, phos, Sars, Sil.

- Sand in urine : Am c, Benz ac, Led, Lyco, Phos, Sars, Sel, Sil.

Causes & diseases

- Suppressed gonorrhoea after abuse of Copaiva.

- Gouty, rheumatic diathesis.

- Nodosities, with concretions in joints, Arthritis affecting all joints,
especially knees, crackling on motion.

- Gout agg, at night, excesses of uric acid in urine.

- Useful after failure of Colchicum in gout.

- Gout at night going from left to right great toe.

- Great toe tumefied and red.

- Migrating and metastating symptoms of gout.

- Slightly elevated, wartlike round surfaces around anus.

- Gouty trouble of liver, stomach and kidneys.

- Nephritic colic.

- Asthma with inflammatory rheumatic complaints.

- Cough followed by expectoration of green mucus.

- Hard frequent pulse.

- Swelling of knee.

- trembling with palpitations of heart.

- Awaken with difficulty of breathing.

- pulsation all over.

- Syphilitic rheumatism.
- Ulcers upon skin and mucous membranes.
- AFFINITIES; Kidneys, Bladder, Urine, Heart, Joints, Bowels, Left side.

Complaints & characteristics

- Urine dark brown with strong offensive odour, horse urine, or of a deep red colour.
 - Diarrhoea of children white, very offensive, exhausting liquid stools running right through the diaper (Pod) Enuresis nocturna of delicate children.
 - Dribbling of urine of old men with enlarged prostate.
 - Cough: with the expectoration of green mucus (Nat s).
 - Extreme weariness, lassitude.
 - Pains tearing, stitching, in large joints of big toe: redness and swelling of joints.
 - Pains change place constantly but remain most constant about the heart.
 - Pain in extremities alternate with palpitation of heart.
 - Palpitation of heart agg. at night while lying down.
 - Every time he takes a little cold, the urine become scanty and he is full of dull headaches especially in the occiput.
 - Sense of smell diminished.
 - The pains in the joints cease suddenly from taking cold, from stormy weather and on comes sudden, swelling of the tongue (Merc) Extensive ulceration's of tongue, with deeply chapped or fungoid surface or sore throat.
 - Stools copious watery exceedingly offensive.
 - Retention of urine in infants.
 - Loathing sickness at stomach nausea with gagging.
- #### Generals & modalities
- Delicate children.
 - Child cross.
 - Inclined to dwell on unpleasant things; If he saw anyone deformed it made him shudder.
 - Alternation of profound sleep with profound periods of wakefulness.
 - Anxiety while sweating.

- So long urine is full of deposits the patient is at his best.
- AGGRAVATION; At night, On motion, From wine, Change of weather From cold, from suppression of deposits in urine.
- AMELIORATION; From discharge of deposits in urine, Heat, Profuse Urine.

Berberis vulgaris

- Synonyms : Barberry.
- Source : It is a plant of the natural order of Berberidaceae. The plant is 3 to 8 feet high. Branches well supplied with horns; leaves bristly. Flowers hang in clusters. Fruit, small, oblong scarlet colour with pleasant acid taste.
- Habitat : The plant grows in Europe, especially it is indigenous to Great Britain.
- Preparation : Mother tincture is prepared from the bark of the root.
- Proved by : It was first proved by Dr. Hesse of Germany in 1834.

Indications

- It is a SPECIFIC remedy in the following condition:
 - 1. Renal colic : pain starts in the region of one or both kidneys, travels along the ureters into the bladder and thence through the urethra, with burning in the bladder and urethra.
 - Worse on left side; attended with pain in the spermatic cord and drawing of the testicles; worse from slightest motion.
 - 2. Lithic, gouty and rheumatic complaints; with burning and soreness in the region of kidneys; numbness, stiffness and lameness.
 - 3. Dysmenorrhoea: pain radiating in every direction and going down the thighs. (G.R.)
 - 4. Lumbago with urinary symptoms: (G.R.); with stiffness in the back making it difficult to rise from a seat, so that the hand must assist in rising; pain extends from back round the body, down leg; with red sediment in urine, severe prostration.
 - 5. Cutting, burning pains in the balls of the feet on stepping, on standing, with most of the weight on the heels, she had no pain.
 - Pain in feet on stepping (Cys).
 - (Clarke)

- 6. Biliary colic, followed by jaundice; clay coloured stools; colic from gall stones.

- 7. Fistula in ano with bilious symptoms and itching of the parts.

- 8. Many rapidly changing or alternating complaints.

- (Boger).

- Wandering pains; radiating pains from a particular point.

- (Kent)

- 9. Polypus of the vocal cord, red, with sessile base when Thuja failed (Ozanam).

- 10. Burning in vagina (Kent).

- DOSAGE: Tincture to 6th potency in organopathic disorders.

- Higher potencies when the keynote characteristic symptoms are present.

- RECEPTION : It is to be repeated in specific and organopathic disorders.

- Single dose of higher potency when keynote characteristic symptoms are present.

- DURATION OF ACTION : Not definite.

Relationship

- REMEDY IS FOLLOWED WELL BY : Calc c, Calc p, Lyco.

- REMEDIES THAT PRECEDE WELL : Bry, Kali bi, Rhus t, Sulph.

- REMEDY IS ANTIDOTED BY : Bell, Cham.

- BOYD'S DRUG GROUP : VIII.

Comparison

- Fistula ano, alternating with chest symptoms : Berb v, Calc p, Sil.

- Frequent and intolerable urging to urinate, with severe pain at close of urination : Berb v, Equiset, Sars, Thuja, Med.

- Renal colic with sensation of passing of calculus : Berb v, Lyco, Medo, Ocim c.

- Priapism, glands drawn up : Berb v, Selen.

- Renal colic left sided : Berb v, Calc c, Tab.

- Violent burning and drawing pains in kidney, bladder and urethra : Berb v, Canth, Can sat, Tereb.

Causes & diseases

- Rheumatic diathesis.

- Gouty diathesis.

- Lithic Diathesis.
- Bilious Diathesis.
- Flatulent Diathesis.
- Neuralgic Diathesis.
- Dysmenorrhoeic
- Diathesis.
- Renal colic.
- Lumbago.
- Gall stones.
- Gravel.
- jaundice.
- Joint affections.
- Oxaluria.
- Polypus.
- Fistula in ano.
- Uraemic state.

- AFFINITIES; Kidneys, Bladder, Ureters, Liver, Digestive tract, Lumbar region, Joints, Uterus, Spermatic Cord.

Complaints & characteristics

- Complaints with urinary symptoms Dysmenorrhoea with pains radiating down the thighs and in every direction with scanty menses.
- Pain in sacrum agg from movement with urinary symptoms darting and shooting pains.
- Pain in feet on stepping (Cycl).
- Burning and pricking pains in anus (Lyco, Thuj).
- Gall stone colic followed by jaundice.
- Aching in small of back agg sitting or lying.
- Neuralgia under finger nails with swelling of finger joints.
- Renal colic travels along ureter into the bladder and thence through the urethra with burning in bladder and urethra.
- neuralgia of spermatic cords and testicles.
- Pain in small of back as if bruised or crushed with stiffness making it difficult to rise from a seat, so that hand must assist in rising.

- Wandering pains in the nerves and nerve sheaths with cardiac symptoms.

- Sensation as if head was becoming larger.
- Feels as if he had a cap on the head or numbness of scalp.
- Pains last a moment and pass a way.
- Diarrhoea; mush like yellowish discharges.
- Clay coloured stools.
- Burning pain in vagina.
- Gurgling or bubbling sensation.

Generals & modalities

- Sallow complexion (Iod, Sep); Pallid and sickly.
 - Feeble constitution.
 - Old and worn out.
 - Prematurely old and wrinkled, men and women.
 - Aversion to darkness (Am mur, Calc c, Carb an, Stram, Val).
 - Sees ghosts, imaginary forms coming round him.
 - Melancholy, apathy and prostration of mind.
 - AGGRAVATION; Motion, Jarring, Stepping hard, Rising from sitting
- Fatigue, Urinating.

Borax veneta

- Synonyms : Biborate of Soda.
- Source : It is a chemical compound of Sodium having the formula $\text{Na}_2\text{B}_4\text{O}_7 \cdot 10\text{H}_2\text{O}$. It is available in the market at any chemist shop.
- Preparation : Triturations are prepared with sugar of milk.
- Proved by : Dr Hahnemann.

Indications

- IT IS REMEDY OF MEDIUM DURATION OF ACTION.
- It is a CONSTITUTIONAL remedy for the complaints of patients:
 - 1. Who have fear and anxiety from downward motion: going down stairs, going downward in the aeroplane, down the hill.
 - 2. Children awake suddenly, screaming and grasping sides of cradle, without apparent cause, as if frightened by a dream.
 - 3. Excessively nervous persons, easily frightened by the slightest noise or an unusual sharp sound, a cough, sneeze, a cry, lighting a match etc. (Asar, Calad).

- 4. Persons allergic to smoking red nose.
- 5. Young women with shining red nose.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Aphthous stomatitis: white patches with red areola; during dentition; hot mouth, hot urine making the child cry when urinating.
 - 2. Entropion: eye lashes turn inward causing inflammation of eye especially at the outer canthus where the margin of lids are very sore.
 - 3. Blepharitis: with margin of lid very sore; agglutination of lids after sleep.
 - 4. Leucorrhoea : profuse, albuminous, starchy, with sensation as if warm water were flowing down; for two weeks between menses, acrid; like the white of an egg.
 - 5. Sore mouth from plate of teeth; aggravation after eating salty or sour food.
 - 6. Slightest injuries suppurate.
- DOSAGE : 3x to 200.
- Locally usefully as an application in pruritus in the form of lotion.
- Restores voice in sudden hoarseness if taken by in v grains in crude form and makes the voice clear and silvery.
- REPETITION : Bears repetition well in skin affections.
- DURATION OF ACTION : Acts for 7 to 8 weeks. (Lutze). 30 G. Miller).

Relationship

- REMEDIES THAT FOLLOW WELL : Ars a, Calc c, Lyc, Nux v, Sil.
- REMEDIES INIMICAL : Acet ac, Virum.
- ANTIDOTES : Cham, Coff.

Comparison

- Occasional show of menses every few days between : Borax, Bovista.
- Diarrhoea from downward motion : Cheam, Borax, Sanic.
- Violent palpitation from heart strain : Borax, Coca, Arnica, Caust.
- Leucorrhoea: ten days after menses : Borax, Bovista, Von.
- Vertigo: on descending: Borax, Ferr met, Sanic.
- Children : fear of falling, gasp the carb of seize the nurse : Borax, Gels, Sanic.
- Sensation of cobwebs on forehead, tries hard to brush it off : Bor, Bar c, Brom, Graph, Ran s.

- Leucorrhoea acrid corrosive offensive, worse between periods : Bor, Bov, Kreos.

- Fear of falling downstairs: Borax, Lac can.
- Child cries before urinating: Borax, Lyco, Sars.
- Faint and weak especially when going down stairs: Bor, Stann.
- Aphthae of mouth, gums or entire buccal cavity; gums bleed easily; ulcers painful; offensive breath: Borax, Sulph ac.
- Children awake suddenly screaming: Apis, Cina, Borax, Stram.
- Nervous persons easily frightened from slightest noise: Asar, Calad, Borax.

- Hairs frowsy and tangled, cannot be combed smooth : Borax, Fluor ac, Lyc, Psor, Tub.

- Stoppage of right then left nostril with constant blowing of nose: Am c, Bar, Lac can, Mag mur.

- Cracked and bleeding tongue : Arum t, Borax.
- Sore mouth from plate of teeth : Alumen, Borax.
- Slightest injury suppurates : Calend, Hep s, Merc, Sil, Phyto.

Causes & diseases

- Aphthae from plate of teeth and worse from eating salty or sour things.

- Salivation especially during dentition.

- AFFINITIES; Nutrition, Nerves, Mucous membranes, Mouth, Skin, Kidneys, Bladder,

Complaints & characteristics

- Aphthous stomatitis; sore mouth; prevents child from nursing (Merc, Sil ac); excessive salivation during dentition; with greenish stools.

- Child screams before passing urine.

- Entropion: eye lashes turn inward and inflame the eye.

- Hairs become frowsy and tangled; cannot be combed smooth (Fluor ac, Lyc, Psor Tub).

- Stoppage of nose first right then left, with constant blowing of nose (Am c, Lac c, Mag mur).

- Skin : unhealthy, slight injury suppurates (Calend, Hep s, Merc, Sil).

- Tendency to wild hairs.

Generals & modalities

- Young women of shining red nose.

- Excessively nervous person frightened by slightest noise.
- Children: awake suddenly screaming without apparent cause.
- (Apis, Cina, Stram).
- Persons with dread of downward motion; fear of falling downstairs.
- AGGRAVATION; Downward motion, From sudden slight noise, Smoking, Damp cold weather before urinating.
- AMELIORATION; Pressure, Holding painful side with hand, 11 P.M.

Bovista lycoperdon

- Synonyms : Warted puff ball, Lycoperdon bovista.
- Source : It is a globular fungus, when ripe becomes filled with black dust that breaks the husk which contains it, with a slight noise. Corresponding to this signature "bloatedness" puffy condition of body surface, a sense of "enlargement, flatulent distention and noisy passage of flatus" are leading features of the Bovista pathogenesis.
- Habitat : Italy where it is eaten before it is ripe, and all over Europe.
- Preparation: Potencies are prepared by trituration with sugar of milk upto 3C; Higher potencies are prepared with alcohol.
- Proved by It was first proved by Hartlaub one of the disciples of Hahnemann in 1828. The entire fungus was used to prepare the trituration.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Stammering children.
 - 2. Awkward persons, inclined to drop things from hands; objects fall from powerless hands.
 - 3. Chilly persons, sensitive to cold.
 - 4. Sweats in axilla smell like onions.
 - 5. Intolerance of clothing around the waist.
 - 6. Old maids with palpitation.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Asphyxia due to charcoal fumes (Amm c).
 - 2. Haemorrhage after extraction of teeth.
 - 3. Acne due to cosmetics.

- 4. Urticaria: on excitement; with rheumatic lameness, palpitation and diarrhoea; when Rhus tax seems indicated but fails to cure chronic urticaria; worse from bathing.

- 5. Discharge from nose and all mucous membranes very tough, stringy and tenacious (Kali bich).

- 6. Diarrhoea before and during menses (Armm c).

- 7. Menses flow only at night, not in the day time (Mag c).

- 8. Traces of menses between menstruation; metrorrhagia.

- 9. Intolerable itching at tip of coccyx, must scratch till parts become raw and sore.

- 10. Excessive haemorrhage at the climacteric period.

- DOSAGE : From lowest to highest potencies.

- REPETITION : Bears repetition well.

- DURATION OF ACTION : Clarke-7 to 14 days.

Relationship

- REMEDIES THAT PRECEDE WELL : Rhus tax.

- REMEDIES THAT FOLLOW WELL : Alum, Calc c, Sep, Verat a.

- INCOMPATIBLE : Coff.

- REMEDY IS ANTIDOTED BY : Camph.

- Remedy antidotes the effects of. Tar applied locally.

- BOYD'S DRUG GROUP : V.

Comparison

- Stammering children : Bov, Ign, Stram, Spig, Bell.

- Tough stringy, tenacious discharges : Bov, Kali bitch, Hydr.

- Awkwardness : Aeth, Apis, Bov, Nat m, Tar h, Agar.

- Diarrhoea before and during menses : Am c, Amc m, Ars a, Bov, Puls, Verat a.

- Menses flow only at night, not in the day time : Bov, Mag c.

- Predisposition to haemorrhage : Arn, Both, Bov, Cinch, Crot h, Fer, Ip, Lach, Millef, Phos, Sab, Sec c.

Causes & diseases

- Diabetes.

- Effects of local application of tar.

- Suffocation from gas.

- Haemorrhage after extraction of teeth, from wounds, epistaxis.

- Ovarian cyst.

- Warts and corns with shooting pains.
- Haemorrhagic diathesis.
- Eczema with formation of thick crusts.
- Acne aggr summer due to cosmetics.
- Urticaria on excitement; with rheumatic lameness, palpitation and diarrhoea.

- Urticaria on waking in the morning worse from bathing.
- Puffiness of skin or bloatedness.
- Noisy flatus and flatulent distension.
- Urine reddish and scanty.
- AFFINITIES; Skin, Heart, Uterus, Kidneys, Nervous system.

Complaints & characteristics

- Diarrhoea before and during menses.
- Menses flow only at night, not in day time.
- Occasional show every few days between periods; with painful bearing down (Sep).

- Great weakness of joints and weariness of hands and feet.
- Intolerable itching at tip of coccyx, must scratch till parts become raw and sore.

- When Rhus tax seems indicated in urticaria chronic but fails.
- Colic causing the patient to bend double (Coloc) but ameliorated by eating.

- Sleep disturbed by burning and itching; from anxious frightful dreams.

- Headache when waking from sleep.
- Frequent desire to urinate, even immediately after urinating.
- Enlarged feeling in head and heart.
- Leucorrhoea acrid, thick, tough, greenish, follows menses.

Generals & modalities

- Stammering children.
- Old maids with palpitation.
- Intolerance of clothing around the waist.
- Sweats in axilla smell like onions.
- Awkwardness: drops things from hands.
- Bloated condition, deep impression on finger from using blunt instruments.

- AGGRAVATION; Early morning, On waking, Cold food, Hot weather, Full moon, Coffee, Wine, During menses.

- AMELIORATION; Hot food, Bending double, Eating,

Bromium

- Synonyms : Bromine.

- Source : It is an element. It forms a leading constituent in the mineral waters of Kreutazch and Woodhall.

- Habitat : It is found in the waters of many springs as well as in sea water. It is found together with Iodine in the ash of sea weed and in sponges.

- Preparation : it is prepared with distilled water upto the 2nd potency and then higher potencies are prepared with alcohol.

- Proved by : Dr. Hering in 1838.

Indications

- IT IS A RARELY USED DRUG.

- IT IS A DEEP AND LONG ACTING DRUG.

- It is a CONSTITUTIONAL remedy for the following types of patients:

- 1. Sailors who suffer from asthma as soon as they go ashore; they are well on sea.

- 2. Patients who are allergic to dust.

- 3. Persons who are warm blooded; susceptible to heat; complaints develop after being heated.

- It is a SPECIFIC remedy for the following conditions:

- 1. Left sided affections of throat, larynx, glands, testicles and ovaries.

- 2. It has cured croup after failure of Iod, Hep s, Spong, Phos.

- 3. It has cured hard goitre after Iodium failed.

- 4. Cancer in persons having grey earthly colour of face.

- 5. Induration of glands-parotid, sublingual, maxillary, thyroid, testicles and ovaries.

- 6. Left sided diphtheria; malignant type.

- 7. Hay fever from dust, handling old books from the shelf.

- 8. Hypertrophy of heart from gymnastic in growing boys; in girls from hard exercises; oppression of heart from exertion.

- 9. Much rattling of chest but no choking; danger of suffocation from mucus in larynx.

- 10. Complaints come with great violence and with great prostration.

- 11. Hoarseness and aphonia from being over heated.

- DOSAGE: if used below 6th it should be freshly prepared, 6, 30 and 200 are most frequently used.

- REPETITION : May be repeated in acute conditions.

- DURATION OF ACTION : Clarke-20 to 30 days.

Relationship

- REMEDIES THAT PRECEDE WELL : Iod, Phos, Spongia.

- REMEDIES THAT FOLLOW WELL : Arg n, Kali c.

- ANTIDOTAL : Amm c, Camph, Mag c, Op.

- BOYD'S DRUG GROUP : 1.

Comparison

- Worse when heated : Am c, Ant cr, Brom, Bry, Calc s, Carb v, Glon, Iod, Kali c, Kali s, Puls, Sil.

- Induration of glands : Bad, Bar m, Bell, Brom, Calc c, Calc f, Clem, Con, Iod, Phyt, Spong, Sulph.

- Left sided symptoms : Arg n, Asaf, Asar, Brom, Caps, Cina, Clem, Kreos, Lach, Mez, Olnd, Phos, Sel, Sep, Squil, Stann, Sulph.

- Cancerous affections : Ars a, Brom, Carbo an, Con, Lyco, Nit ac, Phos, Phyt, Sil.

- Fan like motion of alae nasi : Ant t, Brom, Lyco.

- Stony hard induration of glands : Calc f, Brom, Iod.

- Croup : Acon, ant t, Brom, Chlorum, Dros, Hep s, Iod, Phos, Spong.

- Sensation of cobwebs on the face : Bar c, Borax, Brom, Graph.

- Danger of suffocation from mucus in bronchi : Ant t, Brom.

- Danger of suffocation from mucus in larynx : Brom.

- Hypertrophy of heart from gymnastics in growing boys : Brom.

- Hypertrophy of heart from Calisthenics in young girls : Caust.

Causes & diseases

- Sickness due to being heated; hoarseness, loss of voice, headache, violent coryza.

- Induration of glands-parotid, sublingual, submaxillary, thyroid testicles, ovaries.

- Enlargement of glands with ear troubles.
- Tuberculosis affecting the glands.
- Stony hard swelling of the gland.
- Cancer.
- Ulcers.
- Diphtheria begins in the throat goes into the larynx.
- Most malignant type of diphtheria.
- Left sided diphtheria.
- Haemorrhoids, sore intensely painful.
- Oysters=diarrhoea.
- Laryngeal troubles.
- Tickling in larynx.
- Constant sore pain in larynx.
- Cough due to irritation in larynx.
- Spasms in the glottis.
- Much rattling mucus in larynx.
- Dust irritates the nose and larynx causes sneezing, nasal catarrh,

hoarseness.

- Hypertrophy of heart from gymnastics in growing boys.
- Membranous dysmenorrhoea.
- Physometra; loud emission of flatus from the vagina.
- Membranous and diphtheritic croup.
- Diphtheria: where the membrane forms in larynx; beginning in

bronchi, trachea or larynx and extending upwards.

- Exertion=oppression at heart.

Complaints & characteristics

- Heat of the head.
- Icy coldness of limbs.
- Dyspnoea with great sweating.
- Palpitation with nausea, headache, nervous excitement.
- Complaints come with great violence and with great prostration.
- Must go to stool after eating.
- Black faecal stools.
- left sided affections; Left ovary and left testicle, left parotid gland

left sided diphtheria.

- Sensation of cobweb on the face.

- Asthma of sailors as soon as they go ashore, better as soon as they are at sea.

- Cough gets immediately worse from dust, handling old books from the shelf.

- Dyspnoea: cannot inspire deep enough; as if breathing through a sponge.

- Danger of suffocation from mucus in larynx.

- Cold sensation in larynx on inspiration (Rhus t, Sulph).

- Much rattling of mucus during cough but no choking.

- Croupy symptoms with hoarseness during whooping cough : gasping for breath.

- Migraine left sided agg from stopping.

- Headache agg from drinking milk.

- Cough agg from entering a warm room.

Generals & modalities

- Persons who are susceptible to heat and dust.

- Cancer affection in persons having gray, earthy colour of the face.

- Persons with light blue eyes, flaxen hair, light eye brows, fair delicate skin, blonde, red checked scrofulous girls.

- AGGRAVATION; Hot damp weather, After eating, after acids, Tobacco smoke, Dust, When at sea shore, Cold air, Heat of sun, Over-heating, Evening till midnight.

- AMELIORATION; Shaving, When at sea, Ridding on horseback, Nosebleed, Motion.

Bryonia alba

- Synonyms : White bryony, Wild Hop, Vitis Alba.

- Source : It is a high climbing perennial plant growing wild in Germany and France. It belongs to the natural order of Cucurbitaceae.

- Habitat : Europe especially in Germany and France.

- Preparation : Mother tincture is prepared from fresh roots before the tree is in flowers.

- Proved by : First proved by Hahnemann and reproved by Austrian Society of Homoeopaths.

Indications

- IT IS A SHORT ACTING REMEDY.

- IT IS FREQUENTLY USED IN ACUTE DISEASES.
- It is a CONSTITUTIONAL remedy for the following types of cases:
 - 1. Children dislike to be carried or to be raised.
 - Fretful.
 - 2. Children desire things immediately which are not to be had, or which when offered are refused.
 - Peevish.
 - 3. Patients are irritable, inclined to be vehement and angry.
 - Nerves.
 - 4. Who have black hair, dark complexion, firm muscular fibre, dry, slender people.
 - 5. Who are worse from slightest motion and better from rest; although restless, wants to keep quiet and still.
 - 6. Who are anxious, angered easily, obstinate.
 - 7. Who are warm blooded: worse from warmth, summer; better from cool open air, cold water, cold food.
 - 8. Who are plethoric and venous in their make up, face is puffed and purplish.
 - 9. Who are of a sluggish nature, complaints develop slowly.
 - 10. Who are fearful: fear of death, fear of poverty.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Ailments from: chagrin, anger, mortification, fright, chilling when overheated.
 - Exposure to cold.
 - When warm weather sets in after cold days.
 - Cold drinks or ice in hot weather.
 - Suppressed discharges; menses; rash of acute exanthema.
 - Beans, peas, cabbage, bread, flatulent food, fruits.
 - 2. Complaints are WORSE from slightest motion, exertion, jar, swallowing, coughing, sneezing, ascending, motion of ship, lying on painless side, rising from lying, stooping, motion of eyes.
 - 3. Complaints are BETTER from: lying on painful side, when quiet, during rest, pressure, dark room, cool open air, cold water, cold food.
 - 4. Ailments are attended with: dryness of mucous membranes with thirst for large quantities of water; constant motion of left arm and left leg; pressure as from stone at pit of stomach relieved by eructation;

delirium talks constantly about his business; desires to get out of bed and go home; vicarious menstruation; nose-bleed when menses should appear; vertigo on stooping; throbbing in head; tongue coated thick, whitish yellow; nausea and vomiting; urine dark and scanty; high fever with profuse sweat which ameliorates.

- 5. Acute meningitis: from suppressed rash of exanthematous fevers with constant chewing motion of mouth; face congested, puffy; temperature high, copious sweats; dry lips, thirst for large quantities of water; not restless; uncovers the body.

- 6. Delirium: from acute infectious fevers: talks constantly about his business; desire to get out of bed and go home; constant motion of left arm and leg.

- 7. Headache: in morning after rising or on first opening eyes; commencing in the morning, gradually increasing until evening; from ironing, with constipation, on coughing, when stooping as if brain would burst through forehead.

- 8. Pains : stitching, tearing; worse by motion, inspiration, coughing, at night; better from absolute rest and lying on painful side.

- 9. Acute pleurisy: when the fever has somewhat abated, pains are stitching or tearing, worse from coughing, movement, sneezing even breathing is painful.

- It comes in after Aconite.

- Friction rub present.

- 10. Acute inflammation of mammae: hot and painful heavy, stony hard; must support the breast; pain worse from slightest motion.

- 11. Cough : dry, spasmodic; with gagging and vomiting; with stitches inside of chest; with headache, worse after eating, drinking, entering a warm room; a deep inspiration.

- 12. Constipation: no inclination from inactive rectum, stool large, hard, dark, dry, as if burnt; on going to sea.

- 13. Diarrhoea: during a spell of hot weather; bilious, acrid with soreness of anus; like dirty water; of undigested; food; from cold drinks when overheated; from fruits, worse in morning on moving even a hand or foot.

- 14. Diabetes: dryness of lips and mouth, thirst for large quantities of water, persistent bitter taste in mouth; from warmth and exertion,

beans, peas, cabbage, bread, fruits and flatulent food disagree.

- 15. Acute hepatitis: liver is congested, inflamed and enlarged; stitching pains in the right hypochondrium, worse from motion or changing position; better from lying on the right or painful side; jaundice brought on by a fit of anger.

- 16. Acute pericarditis: of rheumatic origin, stitching pains worse from movement; better from lying on painful side; friction rub is present.

- 17. Pneumonia: it comes after Acon, Ferr p. Ver vir.

- The patient is not restless; cough is moist, sharp stitching pleuritic pains worse from coughing and any movement; tongue dry and coated, thirst excessive; with delirium or constipation.

- 18. Acute rheumatism: joints red hot and swollen; painful on slightest motion; touch and pressure aggravate; pains stitching or tearing in character, copious exudation in joint, with perspiration which relieves.

- 19. Typhoid fever: develops sluggishly; with headache, dry mouth, tongue coated, thirst for large quantities of water, lies quietly, not restless, with delirium, constipation, soreness of body; likes cool open air; worse in warm and closed room.

- 20. Tuberculosis: dry teasing cough as if the head and chest would burst; sharp stitching pains in the sides; inability to take a deep breath on account of aggravation of pains.

- DOSAGE: It acts in lower as well as in higher potencies.

- Lower potencies are indicated in gout, rheumatism, inflammatory troubles.

- Higher potencies are indicated in diseases of gastrointestinal tract and in cases where its constitutional symptoms are present.

- REPETITION. It is a short acting remedy and bears frequent repetition.

- DURATION OF ACTION : Clarke-& to 21 days.

Relationship

- COMPLEMENTARY : Alum, Rhus t.

- REMEDIES THAT PRECEDE WELL : Acon, Amm c, Nux v, Op, Rhus t, Sulph.

- REMEDIES THAT PRECEDE WELL : Alum, Ars s, Bell, Cact, Carbo v, Drosera, Hyos, Kali c, Mur ac, Nux v, Phos, Puls, Rhus t, Sabad, Sep, Sil, Sulph.

- INCOMPATIBLE : Calc c.
- REMEDY ANTIDOTES : Rhus t.
- BODY DRUG GROUP : IV.

Comparison

- Not restless : Bry, Cadm s. Nux v, Gels.
- Better lying on painful side : Ambra, Amm c, Bor, Bry, Calc c, Coloc, Puls.
- Worse from slightest motion : Arn, bell, Bry, Colch, Nux v.
- Fretful, child wants different things but petulantly rejects them: Ant t, Bry, Cham, Cina, Staph, Kreos, Rheum.
- Thirsty, drinks large quantity of water : Acet ac, Bry, Ars a, Nat t, Phos, Sulph, Verat a.
- Vomiting Immediately after drinking : Ars a, Bism, Bry, Cadm.
- Headache across the forehead worse by every footstep : Anac, Arg n, Bry, Nux v.
- Acute hydrocephalus with constant and involuntary motion of left arm and leg : Apocy,, Bry.
- Vertigo when rising after stooping : Bell, Bry, Petr.
- Toothache better by holding cold water in mouth : Bism, Bry, Coff. Puls.
- Toothache if anything warm is taken into the mouth : Bism, Bry, Cham, Coff.
- Desires many things; but rejects every thing offered : Ant t, Bry, Cham, Cina, Staph.
- Child is afraid to speak or move for fear of bringing on a paroxysm of coughing : Bry, Cina.
- Irritable children : Ant cr, Ant t, Bry, Cham, Cina, Kreos, Sil, Staph.
- Vertigo, as if intoxicated upon rising in bed, or by motion of carriage : Bry, Cocc.
- Toothache relieved by holding ice cold water in the mouth, but returns when water becomes warm : Bix, Bry, Coff, Caust, Nat s, Puls, Sep.
- Every motion aggravates pain : Bry, Colch.
- Cough spasmodic with gagging, retching and vomiting : Bry, Dros, Kali c.

- Catarrhal rheumatism aggravated from sudden changes in hot weather : Bry, Dulc.
- Diarrhoea from change from warm to cold weather : Bry, Dulc.
- Cough with sore chest, must support it with hands : Bry, Eupat, Nat c.
- When attempting to clear the throat of an offensive mucus in the morning gagging until he vomits the breakfast just eaten : Bry, Euph.
- Pains better from lying on painful side : Bry, Ign, Puls.
- Pains worse from lying on painless side : Kali c, Nux m.
- Liquids more painful than solids when swallowing : Bell, Bry, Ign, Lach.
- Breast painful and inflamed, must hold them firmly when going up or down stairs : Bry, Lac c.
- Sick headache in morning on rising : Bry, Lac, Def.
- Constipation with faeces dry and hard : Bry, Lac, Def, Sulph.
- Unrefreshing sleep, more tired on rising than when retiring : Bry, Con, Hep s, Mag c, Op, Sulph.
- Affections of right side of body, head ear, face, chest, ovary, sciatic, nerve : Bell, Bry, Chel, Kali c, Mag phos, Lyco, Podo.
- Pneumonia right lung with great soreness of chest, during cough holds chest with both hands.
- Left chest : Nat s.
- Rheumatism from exposure to draft of air while heated : Acon, Bry, Nux a.
- From impaction of faeces : Plat, Plumb, Ver a.
- Thinks she is not at home : Bry Op.
- Bed feels hard : Arn, Bry, Pylrog, Bapt.
- Headache better from lying : Bry, Gels, Sil.
- Cough going from warm to cold air : Phos.
- From going cold to warm air : Bry.
- Thirst for large quantities of cold water : Bry, Podo, Aco, Ver a.
- Vertigo: when rising from bed feels faint : Bry, Phyto.
- Tumefied breast hard as old cheese : Bry, Lac c, Phel, Phyto.
- Constipation at sea : Bry.
- While travelling : Plat.
- Diarrhoea from cold food, drinks or ice cream : Ars a, Bry, Puls.

- Intercostal rheumatism worse from motion or turning the body: Bry, Ran b.

- Affects serous tissues : Bry.
- affects fibrous tissue : Rhus t, Rhod.
- Dreams of working hard at his daily occupation : Bry, Rhus t.
- Desire to escape in delirium : Bell, Bry. Op, Rhus t, Stram.
- Constipation; stool hard knotty, dry as if burnt : Bry, Sulph.
- Sensation as if the brain was loose in forehead and falling from side to side : Bell, Bry, Rhus t, Spig, Sulph.
- Acute rheumatism with high fever, full, hard rapid pulse, severe pains in joints and muscles : Bry, Salic ac, Verat vir.
- Automatic motion of hands and head, or one hand and head: Apoc, Bry, Hell., Zinc.

Causes & diseases

- Chagrin, anger, mortification fright.
- Chilling when over heated, cold drinks or ice in hot weather.
- Exposure to draft, cold wind (Acon, Hep).
- Suppressed discharges: menses rash of fevers.
- Alcohol, beans and peas (Lyco), bread (Puls) cabbage (Lyco, Petr), fruits (Ars a, Bryo, Chin, Colo, Nat s, Puls, Verat a).
- Gout, Rheumatism; Bilioussness.
- Brain affections : apoplexy, delirium, hydrocephalus, meningitis, screaming.
- Nervous affections pains, myalgia, hiccough, constant motion of left arm and leg.
- Stiff neck.
- Sensory organs eye symptoms, toothache, earache.
- Gastro-intestinal disorders.
- Hiccough, vomiting, bilioussness, jaundice, dyspepsia, constipation.
- Diarrhoea.
- Respiratory disorders; colds, cough, pleurisy, pneumonia, whooping cough, bronchitis.
- Fevers all types : Influenza, Measles, meningitis, Typhoid, Rheumatic fever.
- AFFINITIES; Blood circulation, Serous membranes; Pleura, Pericardium, Meninges, Synovial, Peritoneum, Nerves, Muscles, Right

side, Cellular Tissue.

Complaints & characteristics

- All complaints worse from motion and exertion.
- Cannot sit up, gets faint or sick or both.
- Pains stitching.
- Tearing, worse at night, agg by motion, inspiration, coughing; amel by absolute rest, and lying on painful side (Ptel, Puls).
- Excessive dryness of M.M. of entire body with great thirst, for large quantity of water.
- Delirium : talks constantly about his business; desires to get out of bed and go home (Act r, Hyos).
- Constant motion of left arm and leg (Apoc, Hell).
- Headache: when stooping, as if brain would burst through forehead; from ironing (Sep); on coughing; commencing in the morning gradually increasing until evening; from constipation (aloe, Collin, Op).
- Pressure as from stone at the pit of stomach, relieved by eructation (Nux v, Puls).
- Constipation : inactive, no inclination; stool large, hard, dark, dry, as if burnt; on going to sea (Plat).
- Diarrhoea : in hot weather; bilious, acrid with soreness of anus; like dirty water; of undigested food; from cold drinks when overheated; from cold drinks when overheated; from fruits or sour kraut; agg in morning on moving even a hand or foot.
- Mammae heavy, of a stony hardness; pale but hard; hot and painful; must support the breasts (Phyto).
- Cough : dry, spasmodic, with gagging and vomiting (Kali c); with stitches in side of chest; with headache agg after eating, drinking, entering a warm room, a deep inspiration.

Generals & modalities

- Children peevish, dislike to be carried or to be raised.
- Fretful, wants different things, when offered petulantly rejects them.
- Exceedingly irritable.
- Anxious, obstinate, angered easily, nervous, bilious, sluggish, warm blooded, slender.
- Dark or black hair.

- Dark complexion.
- Firm muscular fibres.
- Dry skin.
- AGGRAVATION; Slightest motion, Jar, Exertion, Coughing, Warmth, Summer, Fasting, Drinking, lying on painless side, Ascending Rising from lying, Sneezing, swallowing, Morning, During sleep, Stooping, Closing eyes, Motion of eyes, suppressed eruptions, Vegetables, Acids, Vexation.
- AMELIORATION; Lying on painful side, When quiet, During rest, Cool open air, Pressure, Dark room, Cold water, Cold food, Eructations, Drawing knees up.

Cactus grandiflorus

- Synonyms : Night blooming cercus.
- Source : It is flowering plant belonging to the natural order of cactaceae.
- Habitat : The plant is found in Mexico and West Indies Islands.
- Preparation : Mother tincture is prepared from youngest and tenderes stems, flowers collected in summer.
- Proved by : Dr. Rubini of Naples, Italy in 1864.

Indications

- It is an ORGANOPATHIC remedy for the cardiovascular disorders, having the following symptoms:
 - 1. Sensation of a cord tightly tied round the heart felt in the lower part of left chest.
 - 2. Heart feels as if clasped and unclasped rapidly by an from band; as if bound, had "no room to beat".
 - 3. Palpitation: day and night; worse when walking and lying on left side; at the approach of menses.
 - 4. Temporal arteries much swollen and hard to touch.
 - 5. Cardiac weakness with coldness of extremities, numbness of left arm.
 - 6. Pulsation's are left in brain and all over.
 - 7. Choking in throat, cannot tolerate a tight collar on the neck (Lach).
 - 8. Bleeding haemorrhoids with cardiac symptoms: with constipation.

- 9. Hypostatic congestion of lungs with cardiac debility; cannot lie down, must get up; could only breathe with shoulders elevated and lying on back.
- 10. Periodical attacks of suffocation, with fainting; cold sweats.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Apoplexy with congested face, flushed and purple and pulsation's are felt in the brain and all over the body.
 - 2. Headaches: right sided; pulsating; congestive with sensation of constriction or a band around the head; pressing like a heavy weight on vertex climacteric; periodical.
 - 3. Rheumatism has left joints and has involved the heart.
 - 4. Vertigo from congestion of blood to the head.
 - 5. Globus hystericus; sensation of a lump choking the throat.
 - 6. Ailments; with sensation as if the whole body is caged, each wire being twisted tighter and tighter; with sensation of constriction of throat chest, heart, bladder, rectum, uterus, vagina; with fear of death, believes the disease is incurable.
 - 7. Fever paroxysms return at 11 A.M. and 11 P.M.
- DOSAGE : Tincture and low potencies.
- REPETITION : To be repeated when the symptoms call for it.
- DURATION OF ACTION : Short, not definitely known.

Relationship

- REMEDIES THAT PRECEDE WELL : Acon, Arn, Ars a, Bell, Bry, Cham, Gels, Ipec, Lach, Nux v, Rhus t.
- ANTIDOTES : Acon, Camph, China, Eup perfoliatum.
- REMEDY ANTIDOTES : Amyl nit in cardiac conditions.
- BODY'S DRUG GROUP : VI.

Comparison

- Sensation : as of a hoop or band around a part : Cactus, Anacard, Carb ac, Sulph.
- Sensation as if heart was grasped in a vice : Cact, Lit t.
- Menses only during day, cease lying : Coctus, Caust, Lit t.
- Heart diseases with haemorrhoids : Cact, Collin, dig.
- Sensation of constriction : Bell, Cact, Chin, Colo, Mag p, Nat m, Nit a, Nux v, Plat, Plumb, Sulph.

- Angina Pectoris : Amyl n, Ars a, Bryo, Cact, Gon, Latrod, Naja, Nux v, Spig, Spon, Tab.

- Pains with a constriction sensation : Cact, Iod, Mag phos, Sulph.

- Pains: constricting, seems to tighten the whole: body-Cact, Medo.

- Headache: as of a heavy weight pressing upon the head at every step : Cact, Glon, Lach, Menyanthes it.

- Sensation: as if a band around head: Cact, Carb ac, Spig, Sulph.

- Amelioration from lying on right side with head high: Ars a, Cact, Spig, Spong.

Causes & diseases

- Apoplexy with congested face.

- Haemorrhage from nose, lungs, stomach, rectum, bladder (Crot h, Millef, Phos)

- Headache and neuralgia, congestive, periodic, right sided.

- congestions.

- Constrictions.

- (Bell, Chin, Colo, Mag phos, Nat m, Nit ac, Nux v, Plat, Plumb, Stram).

- Contractions.

- Agar, Bell, Caust, Cic, Merc, Nux v, Psor, Puls, Rhus t.

- Rheumatism.

- Acute inflammatory Conditions.

- Rheumatism has left the joints and involved the heart.

- Cardiac and renal oedema.

- Violent clutching and constricting pains.

- Angina without anxiety.

- Irregular circulation.

- Hot here cold there.

- Vertigo from congestion.

- Mental exertion=heat in head in those who try to break off from coffee habit.

- Globus hystericus.

- A lump or a ball coming up into the throat.

- Hypostatic congestion of lungs due to cardiac weakness and failure.

- Can not lie down must sit up.
- Could only breathe with shoulders elevated and lying on back.
- Periodical attacks of suffocation with fainting and cold sweat.
- Congestion of blood.
- AFFINITIES; Circulation, Heat, Circular muscles, Chest, Head, Nerves, Blood, Disappointment in Love, Sun, Damp.

Complaints & characteristics

- Whole body feels as if caged, each wire being twisted tighter and tighter.
- Constriction : of throat, chest, heart, bladder, rectum, uterus, vagina; often caused or brought on by slightest contact.
- Oppression of chest, as from a great weight; as if an iron band prevented normal motion.
- Headache, pressing like a heavy weight on vertex; climacteric pulsating headaches, right sided.
- Sensation of a cord tied around lower part of chest, marking attachment of diaphragm.
- Heart feels as if clasped and unclasped by an iron hand : as if bound "had no room to beat".
- Pains every where darting, springing like chain, lightning and ending with a sharp, vice like grip, only to be again renewed.
- Menstrual flow ceases when lying down (Bov, Caust).
- Palpitation : day and night; worse when walking and lying on left side (Lach); at the approach of menses.
- Fever paroxysm returns at 11 A.M.
- Rush of blood to the part with constriction.
- Congestive chill with hot head and cold body.
- Constriction like hour-glass contraction in the uterus.
- Dreams of falling, Wakes up startled, and frightened.
- Right sided complaints.
- She goes into cramps with great numbness of left arm with cardiac complaints.
- Cyanosis with cardiac troubles.
- Tingling and crawling in left hand.
- Congestive type of fevers.
- Oedema of left hand only

- Indigestion with heart symptoms.
- Suffocation with fainting, cold sweat and loss of pulse (Clarke).
- A swarm of hornets were going from pectoral region to heart in case of Angina Pectoris cured from Cact 30 (Clarke).

Generals & modalities

- Fear of death; believes the disease incurable (Ars a).
- Taciturn, unwilling to speak a word or to answer, sadness and irresistible inclination to weep.
- Sensitive to noises.
- AGGRAVATION; 11 A.M. , 11 P.M. , Lying on left side; After eating, & Periodically, Walking, Fasting, Going up-stairs, Exertion, Night, Sun's rays, Heat, Damp.
- AMELIORATION; Open air, Pressure on vertex.

Cadmium sulphuratum

- Synonyms : Cadmium sulphuratum; Cadmium Sulph.
- Source : It is found in mines associated with Zinc salts. It is a compound of Cadmium and sulphur. Its formula is Cd S.
- Preparation : Triturations are prepared with sugar of milk from which higher potencies are prepared with alcohol.
- Proved by Dr. Petros in 1854 and later by Dr. Hardenstein in 1878.

Indications

- IT IS ANTI-PSORIC REMEDY OF HIGH RANK.
- IT IS A LONG AND DEEP ACTING REMEDY.
- IT IS A CROSS BETWEEN BRYONIA AND ARSENIC (CLARKE).
- It is a CONSTITUTIONAL remedy for the prostrated, anxious and chilly patients, who want to be perfectly quiet and averse to motion.
- It has exhaustion and stomach inability one desire to keep quiet of Arsenic and of Bryonia (Kent).
- It is a SPECIFIC remedy for the following conditions:
 - 1. Yellow fever with black vomiting; prostration but worse from motion, with headache.
 - 2. Paralytic weakness of one side of the body, one arm and leg after an apoplectic attack (Caust, Phos).
 - 3. Opacity of cornea.
 - Night-blindness.

- 4. Ptosis one sided.
- 5. Carcinoma of stomach : acidity; nausea with black vomit; burning and cutting pains in stomach; tenderness over stomach; violent thirst; cold sweat.
- 6. Cerebro-spinal fever, typhoid fever with irritable stomach; Kala Azar; with nausea and persistent vomiting; anxious, prostrated but wants to keep quiet; does not want to be bothered; seriously ill patients.
- 7. Gastric symptoms of pregnancy; in old drunkards; burning in stomach; when vomiting in not checked by Ars a.
- 8. Cholera infantum: with cold perspiration, thirst for large quantities of water; nausea and vomiting but quiet and worse from motion.
- 9. Ailments with numbness; crawling sensation; hyperaesthesia or anaesthesia especially in paralysed parts.
- 10. Bad effects of influenza Cadmium met (Gutmann).
- DOSAGE : 6th to 200 C.
- REPETITION : May be repeated till response is noted.
- DURATION OF ACTION.

Relationship

- REMEDIES THAT PRECEDE WELL : Ars a, Ip, Bell.
- REMEDIES THAT FOLLOW WELL : Bell, Carb v, Lobel inf.

Comparison

- Opacity cornea : Arg n, Cad s, Calc c, Con, Sulph.
- Prostration : Ars a, Cad s, Carb v, Anthr, Pyrog.
- Worse from motion : Bry, Bell, Cad s, Cimic, Cocc, Gels.
- Vomiting from gastric ulcer or cancer-Cad s, Ars a, Carb ac, Kreos.
- Vomiting from gastric irritation : Ant cr, Ars a, Bism, Fer met, ip, Cad s, Nux v, Phos, Puls, Verat a.
- Vomiting of pregnancy : Thyroid, Lac v def, Lac ac, Symphoricarpus r, Cad s.
- Vomiting coffee ground like : Arg n, Ars a, Cad s, Merc cor, Phos,
- Yellow fever : Ars a, Cad s, Carb v, Lach, Phos.

Causes & diseases

- Sun.
- Grief.

- Draught of air.
- Anxiety.
- Cold wind.
- Alcohol.
- Cholera.
- Typhoid fever.
- Kala Azar.
- Yellow fever.
- Gastric ulcer.
- Gastric Cancer.
- Corneal opacity.
- Facial paralysis.
- Meningitis Nasal polypus.
- Ozaena.
- Apoplexy.
- Chilblains.
- AFFINITIES; Stomach, Respiration.

Complaints & characteristics

- Nausea : intense distressing; excited by anything touching the lips.
- Vomiting : simplest things; of pregnancy; of gastric irritation from ulcer stomach, cancer stomach, cholera, yellow fever, alcoholism, coffee ground, black, acid, bilious vomit.

- Burning in stomach.
- Heart burn.
- Acrid eructations.
- Facial paralysis from cold (Caust), one sided.
- Ptosis of lid one sided from cold wind.

Generals & modalities

- Prostrated.
- Quiet; averse to motion.
- Thirsty.
- Chilly.
- Icy coldness.
- Anxious.
- AGGRAVATION; After sleep, Least motion, Walking, Stimulants, Cold air, Sunshine, Morning, When swallowing, Ascending stairs, After grief.

- AMELIORATION; Eating, Rest, Scratching.

Caladium seguinum

- Synonyms : American Arum, Arum Seguinum, Caladium Seguinum, Dumb Cane (South America).
- Source : It is a plant belonging to the natural order of Araceae.
- Habitat : It grows in North and South America.
- Preparation : The mother tincture is prepared from the fresh whole plant.
- Proved by Dr. E.W. Berridge.

Indications

- It is a SPECIFIC remedy for:-
- 1. Impotency due to sexual excess in males.
- 2. Prostration of mind with loss of memory due to tobacco and sexual excess.
- 3. Relaxed penis with sexual excitement, no erection even after caress of during embrace; impotence with mental depression.
- 4. It is also indicated in pruritus vaginae that induces onanism or during pregnancy, from worms entering vagina in little girls.
- 5. It is also a valuable remedy for insect bites which itch and burn intensely.
- 6. It is also said to have removed the craving for tobacco and after effects of its abuse.
- 7. Caladium and Selenium follow well after Agnus C in weakness of sexual organs or impotence.

- DOSAGE : 3rd to 30th.
- REPETITION : Bears repetition well.
- DURATION OF ACTION : Clarke-30 to 40 days.

Relationship

- COMPLEMENTARY REMEDIES : Nit ac.
- REMEDIES THAT PRECEDE WELL : Agn c.
- REMEDIES THAT FOLLOW WELL : Acon, Caust, Puls, Sep, Sel.
- INCOMPATIBLE REMEDIES : Arum t.
- REMEDIES THAT ANTIDOTE : Carbo v, Hyos, Ign.
- BOYD'S DRUG GROUP : III.

Comparison

- Complete impotence, no sexual power or desire : Agn c, Calad, Sel.
- Impotence: Erection fails when coition is attempted : Agn c, Arg n, Calad, Selen.
- Sexual excitement and passion with impotence and relaxed penis : Calad, Lyco, Sel.
- Excessively nervous, easily frightened by the slightest noise : Asar, Borax, Calad, Nat m, Psor.
- Pruritus vaginae : Induces onanism (masturbation) in girls : Calad, Orig, Zinc.
- Aversion to motion : Bry, Cadm s.

Causes & diseases

- Sexual excesses=mental prostration and loss of memory.
- Tobacco poisoning=mental prostration and forgetfulness.
- Muttering delirium.
- Semi=consciousness or stupefaction with exhaustive type of remittent fevers.
- Tobacco heart.
- Destroys craving for tobacco.
- Mosquito and insect bites burn and itch intensely.
- Crawling and creeping sensation.
- Sensation of a fly crawling on the face.
- Sweetish odour perspiration which attracts flies.
- Suppressed gonorrhoea resulting in impotency.
- Pruritus vaginae; induces onanism (Orig, Zinc); during pregnancy, due to worms entering vaginae in little girls, causing masturbation and nymphomania.
- AFFINITIES; Genitals, Nerves, Skin, Mucous membranes.

Complaints & characteristics

- Impotence with mental depression : relaxed penis with sexual desire and excitement.
- No erections, even after caress; no emission, no orgasm during an embrace (Calc, Sel).
- Tantalizing craving for the opposite sex with no ability to perform coitus.
- Erections wanting : penis relaxed when excited (Calad., Con, Graph., Lyc.).

- Awake all night with lascivious thoughts.
- Can not sleep if there is the least noise.
- Aversion to motion : dreads to move (Bry.).
- Erections when half asleep in the morning, ceasing when fully awake.
- Kept awake by crawling.
- Sleeplessness from pruritus in the genitals.
- Falls asleep and continues to dream of the same subject where he left off.
- Eructations, frequent, of very little wind as if stomach were full of dry food.
- Nocturnal emissions without sexual dreams.

Generals & modalities

- Absent minded people.
- Prostration of mind.
- Loss of memory.
- Inability to perform intellectual work.
- Very sensitive to noise; slightest noise startles from sleep (Asar., Nux v. Tar. H.)
- Confused when gets up in the morning.
- Fearful.
- Nervous and excited, neurasthenic and hysterical persons.
- Warm blooded.
- Patient want to lie down always.
- AGGRAVATION; Sexual excess, Tobacco, Motion, Lying on left side, On falling to sleep sudden noises.
- AMELIORATION; Cool air, After short sleep, Sweating.

Calcareo arsenicosa

- Synonyms : Arseniate of lime.
- Source : It is a chemical compound of Calcium and Arsenic, Formula 3 Ca O, as O_3 .
- Preparation : Triturations are prepared with sugar of milk and the salt.

- Proved by Dr. C. Hering in 1848.

Indications

- It is a CONSTITUTIONAL remedy for the complaints of persons:
 - 1. Fleishy women when approaching menopause complaining of palpitation; desire company.
 - 2. Complaints of drunkards after abstaining; but craving for liquor.
 - 3. Emotional persons get palpitation of heart from slightest emotion.
 - 4. Complaints of persons suffering from albuminuria.
- It is a SPECIFIC remedy in the following conditions:
 - 1. Epilepsy: from valvular diseases of heart; fit preceded by rush of blood to the head; aura felt in region of heart; flying sensation; palpitation with sweating.
 - 2. Acute nephritis; fever very high 103° to 105°F; great restlessness; delirium; great thirst; vomiting; urging to urinate; urine bloody; highly albuminous; with extreme tenderness to pressure in kidney region (G. R)
 - 3. Enlarged liver and spleen in infants and children.
 - 4. Renal dropsy.
 - 5. Vertigo with violent rush of blood to head.
 - Burning pain in cancer of pancreas.
 - 7. Passes urine every hour with albuminuria.
 - 8. Angina: worse from slightest exertion; before epileptic attack.
 - 9. Great depression of mind; with anxiety in persons suffering from albuminuria.
 - 10. Anaemia with albuminuria; with palpitation; pale face and blue rings under the eyes.
- DOSAGE: 6 to 30 c.
- REPETITION : May be repeated till its response is noticed.
- DURATION OF ACTION : Not definite.

Relationship

- REMEDIES THAT FOLLOW WELL : Con, Glon, Op., Puls.
- ANTIDOTES : Carb v, Glon, Puls.

Comparison

- Rush of blood to head and left chest : Amyl nit, Calc ars, Glon.
- The slightest emotion causes palpitation of heart : Calc ars, Lith c.
- Craving for alcohol : Asar, Calc ars.
- Palpitation from least mental exertion : Calc, ars.
- Worse from least exertion : Iod.

- Albuminuria : Apis, Ars a, Aur m, Calc ars, Glon, Hell, Lac def, Lyco, Merc c, Nat ars, Nat c, Nat m, Nat Phos, Ph ac, Plumb, Rhus t, Tereb.

Causes & diseases

- Slightest emotion=palpitation.
- Epilepsy.
- Chronic Malaria.
- Infantile enlargement of liver and spleen.
- Acute nephritis.
- Chronic albuminuria.
- Dropsy.
- Anaemia.
- Cancer of uterus.
- Pancreatic disease.
- Cancer of pancreas; relieves burning pains of cancer of pancreas.
- Removes inflammatory products in veins of lower extremities.
- Angina pectoris.
- AFFINITIES; Mind, Thermic Centers (G. R) Nerves, Heart, Liver, Spleen, Blood, Kidneys.

Complaints & characteristics

- Mental troubles with confusion, delusions, illusions and great depression.
- Complaints of drunkards after abstaining.
- Dyspnoea with feeble heart.
- Epilepsy with rush of blood to the head before attack; aura felt in the region of heart, dying sensation.
- Ailments with chilliness; with albuminuria.
- Vertigo : with rush of blood to the head.
- Headache : better by lying on painful side; weekly headaches; benumbing headache mostly around ears.
- Dyspepsia : stomach region distended; belching with saliva and beating of heart.
- Acute nephritis : with high fever, restlessness, delirium, great thirst, vomiting, urging to urinate kidney region sensitive to pressure; urine passes every hour; urine contains albumen.
- Palpitation from slightest emotion : constricting pain in the region of heart; with feeling of suffocation: pain in back extending to arms.

Generals & modalities

- Fat women around menopause.
- Desire for company.
- Depressed.
- AGGRAVATION; Slightest exertion.

Calcareo carbonica

- Synonyms : Calcareo Ostrearum, Calcium Carbonate, Carbonate of lime, formula Ca CO₃.

- Source : Hahnemann prepared the remedy from the inner, snow white portion of oyster shells, the middle layers selected so that it might be as free as possible from extraneous substances.

- Preparation : Trituration was prepared with sugar of milk upto 3 C from which alcoholic potencies were prepared.

- Proved by Hahnemann.

Indications

- It is one of the leaders of the most frequently used remedies.

- It is a deep and long acting remedy.

- It is mainly an anti-psoric remedy.

- It acts from infancy to old age.

- It is nutritional remedy.

- It is a CONSTITUTIONAL remedy for the following types of patients:

- 1. Children: with big head and late closure of fontanelle; sweats from the head while sleeping, wets the pillow; big abdomen; curved legs; pale, fat and flabby, late learning to abdomen; curved legs; pale, fat and flabby, late learning to stand and walk; bones soft, develop very slowly; rickety; curvature of spine; difficult and delayed dentition; great longing for eggs; aversion to milk and meat; craving for indigestible things; grinding of teeth.

- 2. Girls who are fleshy, plethoric and grow too rapidly; menstruation too early, too profuse, too long lasting, with subsequent amenorrhoea and chlorosis with menses scanty or suppressed.

- 3. Women: menses too early, too profuse; feet habitually cold and damp, as if they had on cold damp stockings, continually cold in the bed; the least mental excitement causes profuse return of menstrual flow; fears she will lose her reason or that people will observe her mental confusion; toothache during pregnancy. (Meg c, Sep).

- 4. Youth: lung diseases of tall, slender, rapidly growing; upper third of right lung; defective assimilation; imperfect ossification; restless; nervous, full of fear, emotional; lack of confidence; intellectually weak; cannot calculate; full of anxiety and worry; forced to dwell on things

which he cannot put aside; fear of misfortune: forgetfulness and misplacing of words; fear of insanity; melancholia.

- 5. Persons of chilly disposition, worse in winter, cold air, cold water; from washing, cold wet weather; disposed to acidity of digestive tract, sour eructation, sour vomiting, sour stool, sour odour of the whole body (Hep s., Rheum); sweats from single parts; desires to be magnetised.

- Longing for fresh air when in a room which ameliorates.

- 6. Old people become weary of life; insane in affections and intelligence; full of fear and despair; obstinate; easily tired mentally and physically, melancholic.

- It is a SPECIFIC remedy for the following conditions:

- 1. Ailments from exertion=pain in abdomen, headache, pain in hips, limbs palpitation.

- Diarrhoea from milk headache, from onanism.

- Strains, fright, mental excitement over-lifting.

- 2. Ailments from suppressed eruptions, suppressed menses, suppressed sweats, suppressed catarrh, defective assimilation of calcium.

- 3. Rickets, tubercular diathesis acidity, bone diseases, dyspepsia, epilepsy, hydrocephalus, leucorrhoea, menstrual disorders, polypus, rheumatism, warts and worms. (Clarke).

- 4. Uraemic or other diseases brought on by standing on cold damp pavements or working while standing in cold water; modelers or workers in cold clay (Kumhars & Bhobies), (H.C. A.).

- 5. Constipation: stool has to be removed mechanically (Aloe, Sanic, Sel., Sep., Sil.)

- 6. Painless hoarseness worse in the morning.

- 7. Ailments of mucous membranes, glands, bones, muscles and female generate organs. (G.R.).

- 8. Milk defect: when the flow of milk is excessive and the child does not like it or does not thrive on it Calc-c, modifies the quantity and quality of milk. (G.R.).

- 9. Membranous dysmenorrhoea with guiding symptoms of Calc-c. (G.R.).

- 10. Round worms: with enormous appetite and diarrhoea (G.R.).

- DOSAGE : 6 to 30 in acute diseases.

- High and highest potencies may be given when the constitutional symptoms call for the remedy.

- REPETITION : May be repeated in higher potencies but not in the same potency.

- DURATION OF ACTION : Clarke-60 days.

Relationship

- COMPLEMENTARY: Bell, Rhus-t.

- REMEDIES THAT PRECEDE WELL : Nit ac, Puls, Sulph.

- REMEDIES THAT FOLLOW WELL : Lyco, Nux v, Phos, Kali c, Sil.

- REMEDIES THAT ARE INCOMPATIBLE : Bar c, Bry, Nit ac, and Sulphur after Calc c.

- ANTIDOTES: Camph, Nit ac, Nux v.

- REMEDY ANTIDOTES : Acet ac, Bism, Chin.

- BOYD'S DRUG GROUP: IV.

Comparison

- fontanelle remain open : Apis, Apoc, Calc c, Calc p, Sil, Sulph, Zinc m.

- Head sweats profusely while sleeping : Calc c, Sil, Sanic.

- Acidity of digestive tract : Hep s, Rheum, Arg n, Calc c, Carb v, Nat c, Ni ac, Net p, Nux v, Puls, Robin, Sulph, Sul ac.

- Coldness of single parts : Calc c, Kali bi.

- Rawness of soles of feet from perspiration : Calc c, Graph, Sanic.

- Stools have to be removed mechanically : Aloes, Sanic, Sel, Sep, Sil.

- Craves indigestible things : Alum, Calc c, Cic, Nit ac, Psor.

- Chilly : Ars a, bar c, Calc c, Calc p, Caust, China, Dulc, Ferr, Graph, Hep, Kali c, Mag ph, Nit ac, Nux v, Phos, Psor, Ran b, Rhus t, Rumx, Sep, Sil, Spig, Stron.

- Wet cold weather agg : Calc c, Calc p, Dulc, Guaiac, Merc, Rhus t.

- Mental exertion agg: Anac, Arg n, Calc c, Cocc, gels, net c, Nux v, Phos, Pic ac, Sil.

- Agg before menses : Am c, Bov, Calc c, Gels, Lach, Puls, Sep.

- Milk agg : Aeth, Ant t, Calc c, Carbo v, Cinch, Mag c, Nit ac, Sep, Sil.

- Full moon agg: Alum, Calc c, Graph, Sabad, Sil.

- Extremely sensitive to cold air : Calc c, Kali c, Psor, Agar, bar c.

- Constitutions deficient in animal heat : Alum, Calc c, Sil, Led, Sep.

- Sensation of coldness in abdomen : Ambr, Calc c.

- Children who grow too rapidly : Calc c, Croc, Phos, phos ac.
- Intolerance of tight clothing around the waist : Bov, Calc c, Lach Sulph.
- Children slow in learning to walk : Clac p, Calc c, Sil.
- Leucorrhoea in little girls : Cauloph, Calc c, Cina, Puls, Sep.
- Glandular swellings : Calc c, Con, Psor.
- Stools almost white : Calc c, Dig, Cinch.
- Burning spot on vertex : Calc c, Graph, Sulph.
- Cold spot : Sep, Verat a.
- Diarrhoea of children with sour smell : Calc c, Hep s, Mag c.
- Clay coloured stool : Calc c, Hep s, Pod.
- Great weakness and loss of breath on going upstairs : Calc c, Iod.
- Despondent, could weep at any moment : Act r, Aur m, Calc c, Lac can, Lach.
- Very hungry, as hungry after eating as before : Casc, Calc c, Cin, Lyoc, Stront c.
- Persons suffering from hepatic affections : Calcc, Lyc, Phos, Sulph.
- Great tendency of head to sweat : Calc c, Meg mur, Sanic, Sil.
- Complaints from standing in cold water or working in cold clay: Calc c, Mag phos.
- Craving for salt : Calc c, Nat m, Med, Caust.
- Headache worse from ascending : Calc c, Menyanth.
- Headache with icy coldness of hands and feet : Calc c, Menyanth, Sep.
- Leucorrhoea of children from atony : Calc c, Millef.
- Great liability to take cold : Calc c, Kali c, Nat m.
- Urticaria especially after violent exercise : Apis, Calc c, Hep s, Nat m, Sanic, Urt.
- Thirst or hungry, yet as soon as they begin to eat or drink they loose all desire : petrosel (Rev of Calc c).
- Imperfect assimilation of food : Calc c, bar c, Sil.
- Diarrhoea from milk : Calc c, Nat c, Nat c, Nic, Sulph.
- Sweats from scalp : Calc c, Rheum, Sanic Sil.
- Spraining of a muscle or tendon : Calc c, Nux v, Rhus t.
- Constipation : required to be removed mechanically : Aloe, Calc c. Sanic, Sel, Sep, Sil.

Causes & diseases

- Inability to digest lime.
- Rickets, osteomalacia.
- Bones soft, curvature of bones.
- Imperfect ossification.
- Hydrocephalus.
- Acidity of digestive tract.
- Diseases due to standing in cold water, workers in cold clay.
- Children who are given lime water.
- Cold moist winds, over-lifting.
- Physical and mental strain, fright, Alcohol, Self abuse, Suppressed, sweats, Suppressed, sweats, Suppressed menses, Suppressed eruptions.
- Defective assimilation.
- Mental excitement=profuse flow of menses.
- Disposed to congestion head and chest, Disposed to congestion head and chest, Disposed to chlorosis and anaemia, Relaxation of muscles veins.
- Induration of glands.
- Tubercular disposition, Indurated ulcers, Disposition to tumours, fatty cysts, cancer.
- Abscess, pyaemic state, injury to periosteum, reabsorption of pus, disposition to polypi, exostoses disposed to rheumatism.
- Susceptible to fright, chagrin and excitement.
- Mental symptoms from sexual excesses.
- Out of breath from physical exertion, ascending upstairs.
- Vertigo and sweating from exertion.
- Corneal opacity.
- AFFINITIES; Nutrition, Glands: Cervical Mesenteric, Bones, Blood, Right Lung Heart, Skin, Chest.

Complaints & characteristics

- Internal congestion with external coldness.
- Feet may be icy cold in winter or become hot and burning in summer.
- Craves indigestible thins in children and women during pregnancy, lung diseases of tall slender rapidly growing youth.
- Blisters on the soles of feet.

- Sweats of single parts; head, Scalp, nape of neck, chest, axillae, sexual organs, hands, knees and feet; Offensive foot sweat.
- Stool has to be removed mechanically.
- Painless hoarseness in the morning.
- Desire to be magnetized.
- Sense of constriction as if clothes were too tight.
- Sees faces on closing eyes.
- Despair of recovery.
- Fear of insanity.
- Irritability after coition.
- Profuse menses, leucorrhoea, diarrhoea, sweat and urine.
- Toothache during pregnancy.
- Nasal polypi which bleed.
- Gall stone colic with profuse sweat on head.
- Tuberculosis of hip joint.
- Rheumatoid arthritis of fingers.
- Aversion to meat, Enlargement of liver with ascites or jaundice.
- Tired easily.
- Must go into a dark room and lie down for the relief of headache.
- Headache is accompanied with nausea and vomiting; periodical 7 to

14 days.

- Chronic sore throats
- Rawness of nates of infants fed with milk.
- Stubborn constipation.
- Disposition to worms.
- Sterile women.
- Tendency to grow warts, pedunculated growths which bleed.
- Tubercular cavities sweetish expectoration.
- Gouty affections of the joints.
- Late going to sleep.
- Grinding of teeth.
- Sleeplessness with cold extremities.

Generals & modalities

- Infant with big head open fontanelles, sweating from head while sleeping, wets the pillow.

- Big abdomen, curved legs, emaciated neck, aversion to milk, likes eggs.

- Pale, fat and flabby.

- Late in learning to stand and walk.

- Late and difficult fretful, teething; child cross and susceptible to cold.

- Easily tired mentally and physically.

- Full of anxiety, worry; he thinks he is going insane He is forced to dwell upon things that he cannot put aside.

- He cannot calculate, late, cannot do deep thinking.

- Great disturbance of emotions, He has lost his mental depth.

- He is intellectually weak.

- He has lost his confidence.

- mania for work.

- Whispering, low spirited and melancholic.

- Wants to die; old people become weary of life.

- Insane in affections and intelligence.

- Full of fear and despair.

- Obstinate.

- Restless, nervous, mental depression, fear of misfortune, susceptible to cold; chilly patient.

- AGGRAVATION; Morning (Awaking) Before failing asleep.

- On washing with cold water.

- Cold air.

- Cold wet weather.

- Getting wet, After eating.

- After mental Exertion : physical.

- Lifting weights.

- Spraining parts.

- Ascending.

- Letting limbs hang down.

- Milk.

- Dry fruits.

- Sexual excess.

- Suckling the child.

- Pressure clothes Dentition.

- Stretching the affected part.
- AMELIORATION; Dry weather, Lying on painful side. (Bry, Puls), Morning, After rising, After breakfast, Emission of flatus, In the dark.

Calcarea fluorica

- Synonyms : Calcium fluoride, Fluoride of Lime. Formula Ca F_2 .
- Source : It occurs in nature in mineral Fluospar.
- Preparation : Pure Fluoride of lime is triturated with sugar of milk according to instructions given in the homoeopathic pharmacopoeias.
- Proved by Dr. J.B. Bell.

Indications

- It is a BIO-CHEMIC remedy for the following conditions:
 - 1. Bone diseases: bony excrescences, exostoses periosteal growths and tumours of bone, mastoid necrosis, malnutrition of bones, cracking of joints, rice bodies in cartilages.
 - 2. Cysts, Cystic tumours, ganglion.
 - 3. Cephaloematoma.
 - 4. Cataract; blur before the eyes after exerting the vision. Corneal ulcer with hard edges.
 - Corneal opacities.
 - 5. Adenoids and thick yellowish green discharge from nose.
 - 6. Scanty enamel of teeth.
 - 7. Indurated tonsils when Bar c fails.
 - 8. Nodules in breast, indurated testes, nodular testes.
 - Hydrocele.
 - Uterine fibroid.
 - 9. Indurated cervical glands, indurated glands of stony hardness.
 - 10. Indolent fistulous ulcers, secreting thick yellow pus.
 - 11. Varicose veins and varicose ulcers.
 - 12. Enlargement and hypertrophy of heart, aneurysms.
 - 13. Whitlow (3x) (B & D).
 - 14. Cracks in the palms of the hands or hard skin. (B & D).
 - 15. Syphilis: hard chancre.
 - 16. Gouty nodes.
 - 17. During pregnancy it favours easy confinement. (B & D).
 - 18. True croup. (B & D).

- 19. Lumbago, worse during rest and better from heat after Rhus t had failed. (Kent)
- 20. Hodgkin's disease (Clarke).
- DOSAGE: Schuessler recommends the 12 decimal trituration, but 3x and 6x have been found very efficient.
- REPETITION: Bears repetition well.
- DURATION OF ACTION : Not definite.

Relationship

- After Bar c in indurated tonsils.
- After Rhus t in lumbago.
- After Calc c or Bry in arthritis.
- After Silicea in whitlow, bony lesions.
- After Calc p in anaemia.
- After Capsicum in mastoid necrosis.

Comparison

- Indurations: Calc f, Calc iod, bar iod, Hecla l, Asterias R, Conium, Phyto, Carb an, Merc proto iod, Sil.
- Ozaena : Cadm, Calc p, Nit ac, Kali bi, Aur, Hep s, Aur mur nat, Ars iod, Nat c, Syph.
- Chronic abscess : Calc f, Fluor ac, Merc, Olj as, Sil, Sulph.
- Tardy development of bones : Calc c, Calc p, Calc fl, Sil.
- Exostosis : Calc fl, Hecla l, Kali bi, Kali iod, Phos, Plumb ac.
- Chronic suppuration of middle ear : Calc fl, Calc s, Hep s, Kali bi, Kali s, Merc, Psor, Puls, Sil, Thuja.
- Varicose veins : Calc fl, Hama, Puls, Vip.
- Tumours : Calc fl, bar m, Con, M.I. R., Hydr, Phyto, Plumb, Lod, Thuja.

Causes & diseases

- Hoarseness after reading aloud.
- Hacking cough after eating, from tickling in the larynx in cold air.
- Indurated cervical glands.
- Indurated glands; cellular tissues; cellular tissures; nodules in the course of a tendon; recurrent fibroid in hollow of the knee.
- Bony formations; exostosis, bony infiltration's in the periosteum, rice bodies in cartilage's.
- Cephalaeatoma.

- Tumours of eyelids. Partial blindness.
- Cataract.
- Blur before eyes, vision.
- Ulceration's of cornea with hard edges.
- Adenoids.
- Thick green discharge from the nose.
- Offensive catarrh of long standing.
- Scanty enamel of the teeth.
- Large indurated tonsils after Bar C fails.
- Suppurations.
- Syphilis.
- Hunterian chancre.
- Varicose and enlarged veins.
- Ganglion at the back of wrist.
- AFFINITIES; Elastic Fibres, Veins, Glands, Periosteum, Left side.

Complaints & characteristics

- Pain in liver at night worse lying on painful side, better from motion.
 - Cutting pains in liver better walking.
 - lumbago worse during rest better from heat after Rhus t has failed
- Pain in back extending to sacrum.
- Diarrhoea in gouty subject.
 - Itching of anus as from pinworms.
 - Haemorrhoids bleeding, painful and hard.
 - Strong smelling urine.
 - Nodular-testes.
 - Dwindling of testes.
 - Uterine fibroid.
 - Mammae.
 - Post-partum haemorrhage.
 - Uterine displacement.
 - Gum-boil.
 - Group.
 - Felon (3x).
 - Suppurations in bones.
 - Gouty enlargement of finger joints.

- Fissures and cracks.
- Whitlow.
- Varicose ulcers.
- Carbuncles.
- ichthyosis.
- Keratosis.
- Xanthoma.
- Cystic tumours.

Generals & modalities

- Sensitive to cold draft, to changes in the weather and to damp weather.
- Patient is sad and miserable.
- Great depression.
- AGGRAVATION; Beginning Motion cold; wet, During rest, Damp weather, Drafts, changing weather sprains.
- AMELIORATION; Moving a little, Heat and warm applications, Water drinks, Rubbing, Fomentation.

Calcarea iodata

- Synonyms : iodide of Lime. Calcium Iodatum.
- Source : It is a chemical compound of Calcium and Iodine. It can be purchased in pure form from a chemist shop.
- Preparation : Triturations are prepared with sugar of milk from which higher potencies are made.
- Proved by Dr. W. Jas. Blakelley.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Enlargement of tubercular glands especially the mesenteric and cervical.
 - Child emaciated, abdomen enormously enlarged.
 - Hectic fever with cough; expectoration green and purulent. (G.R.).
 - 2. Enlargement of Thyroid gland about the time of puberty.
 - 3. Uterine fibroids.
 - 4. Mollities Ossium.
 - 5. Enteritis and entero-colitis of tubercular, emaciated children after attack of cholera infantum. (G.R.)

- 6. Flatulent dyspepsia.
- 7. Group.
- 8. Adenoids.
- 9. Enlargement of tonsils with little crypts.
- 10. Tumours of breast: nodular, freely moveable, very tender to touch and excruciatingly painful when moving the arms; worse before menses. (G.R.).
- 11. Varicose ulcers (Boericke).
- 12. Pneumonia with green purulent expectoration.
- 13. Night sweats with dry skin.
- DOSAGE : 3x to 6x (G.R.).
- REPETITION : Bears repetition well.
- DURATIO OF ACTION : Not definite.

Relationship

- Sulph iod follows Cal iod Well.

Comparison

- Induration of glands : Ars iod, Bar c, bar iod, Calc c, Calc fluor, Con, Brom, Iod, Carb an, cist c, Lapis alb, Merc iod f, M.I. R., Phyt, Rhus t, Spong, Thyr, Thub.
- Puberty goitre : bar-i, Bell, Brom, Calc c, fluor ac, Hydr, Iod, Ichoth, Spong, Thyr.
- Fibroid uterus : Acon, Hydr, Calc iod, Calc f, Kali iod, Plat, Sec c, Trill.
- Tabes mesenterica : Ars, Bar c, Calc ars, Calc iod, Calc p, con, Iod, Sil.

Causes & diseases

- Tuberculosis.
- Pneumonia.
- Croup.
- Adenoids.
- Cholera infantum followed by enteritis of enterocolitis.
- Glands enlarged or indurated.
- Mesenteric glands.
- Tumours of breast.
- Uterine fibroid.
- Mollities Ossium.
- Flatulent dyspepsia.
- Polypi of nose and ears.

- Crusta lactea.
- Tinea.
- Favus.
- AFFINITIES; Glands, Lymph, Thyroid, M.M. , Skin.

Complaints & characteristics

- Hectic and high fever.
- Dry skin with night sweats.
- Diarrhoea: frequent green stools; watery, mushy with much flatus.
- Puberty goitre.
- Breast tumours; nodular; freely moveable; very tender to touch; painful when moving the arms; worse before menses.
- Headache while riding against cold wind.
- Enlarged tonsils are filled with little crypts.
- Chronic cough with green purulent expectoration.
- Indolent ulcers, accompanying varicose veins.
- Falling out of hairs.

Generals & modalities

- Dark complexioned people or children.
- Disposed to tuberculosis.
- Child dark very emaciated; nothing but skin and bones; abdomen enormously enlarged.
- child looks like a young robin before its feathers are grown.
- Flabby children subject to colds.
- AGGRAVATION; Before menses, Riding against cold Wind.

Calcareo phosphorica

- Synonyms : Calcium Phosphate, Phosphate of lime, formula $\text{Ca}_3[\text{PO}_3]_2$. Precipitated Phosphate of Calcium.
- Source : Hering prepared this by dropping dilute phosphoric acid into lime water as long as a white precipitate was formed. This was washed with distilled water and dried on a water bath.
- Preparation : Triturations of precipitated phosphate of lime is prepared with sugar of milk as directed in our pharmacopoeia.
- Proved by Dr. Constantine Hering and Dr. Wilhelm Heinrich Schussler.

Indications

- It is a CONSTITUTIONAL remedy for the diseases of children:
- 1. Who are thin, emaciated in neck, sunken abdomen, rickety, late closure of skull bones, late standing and walking, dentitional diarrhoea and deformed bones.
- 2. Girls at puberty, tall, growing rapidly, tendency of bones to soften or spine to curve.
- 3. Persons with tendency to emaciate, albuminuria, phosphaturia, anaemia, polypi, spermatorrhoea, scrofula and non union of fractured bones.
- 4. It is a specific biochemic remedy for hydrocephalus, bright's disease, chorea, consumption, fistula, rheumatism rickets, spina bifida and enlarged tonsils when its characteristic symptoms are present.
- CONTRA INDICATIONS: Large doses are useless and even injurious.
- Prolonged administration has produced nephritis colic and passage of small calculi.
- Low potencies are contraindicated in old people.
- DOSAGE : 3x to 200 potency.
- Low triturations in bone diseases and on biochemic indications.
- High potencies for characteristic and constitutional symptoms.
- REPETITION : Bears frequent repetition.
- DURATION OF ACTION : (Clarke) 60 days.

Relationship

- COMPLEMENTARY REMEDIES: Hep s, Ruta, Sulph, Zinc m.
- REMEDIES THAT PRECEDE WELL : Ars a, Chin, Iod, Merc.
- REMEDIES THAT FOLLOW WELL: Rhus t, Sulph.
- BODY'S DRUG GROUP : V.

Comparison

- In newborn, bleeding from navel : Abrot, Calc p.
- Tardy closure of fontanelles : Calc c, Calc p, Sil, Sulph.
- Sweating of head during sleep : Calc c, Calc p, Merc, Podo, Sanic, Sil.
- Bone affections : Tardy development : Calc c, Calc p, Calc fl, Sil.
- Slow union of fractures : Calc p, Symphytm.
- Caries of teeth : Calc p, Fl ac, Mag phos, Sil.
- Fistula ano : Berb, Calc p, Calc s, Caust, Fl ac, Graph, Lach, Nit ac, Ratan, Sil, Tub.

- Headache of school children due to mental work: Calc p, Nat m, Ph ac, Pic ac, Tub.
- Emaciation of neck: Abrot, Calc p, Iod, nat m, Sanic, Sars.
- Unable to hold head up : Abrot, Aeth, Calc p.
- Ailments from disappointment in love : Calc p, Aur, Ign, nat m, Phos ac.
- Feels complaints more when thinking about them: Calc p, Helon, Oxalic ac.
- Debility remaining after acute diseases : Psor, Calc p.
- Nasal polypi : Ant t, Aur, Calc c, Calc p, Cepa, lemna m, Lyco, Nit ac, Phos, Sang, Sang nit, Teucr.

Causes & diseases

- Overgrowth-Lifting.
- Ascending.
- Over-study, mental exertion.
- Sexual excesses.
- Grief, Fear, Vexation.
- Disappointed love.
- Unpleasant news.
- getting wet.
- Operation for fistula.
- Dentition.
- Puberty.
- Scrofula.
- Anaemic.
- Rickets.
- Hydrocephalus.
- Brain fag.
- Bright's diseases.
- Chorea.
- Consumption.
- Dentitional troubles.
- Diabetes.
- Dyspepsia.
- Emissions.
- Epilepsy.

- Enuresis.
- Fistula ano.
- Fracturea.
- Gonorrhoea.
- Hydrocele.
- Leucorrhoea.
- Lumbago.
- Nymphomania.
- Phosphomania.
- Rheumatism.
- Spermatorrhoea.
- Spina bifida.
- Sore throat, tonsils enlarged.
- polypus of nose.
- AFFINITIES; Nutrition, Brain, Nerves, Bone. Glands, Periosteum,

Abdomen.

Complaints & characteristics

- Oozing of bloody fluid from navel of infants.
- Dentitional diarrhoea.
- diarrhoea of scrofulous children.
- Acne in anaemic girls.
- Involuntary sighing.
- Non-union of bones, promotes callous formation.
- Headache of school girls from mental exertion.
- Fistula ano alternating with chest symptoms.
- Colic pains in abdomen at every attempt to eat.
- Growing pains in bones at night.
- Electric shock.
- Epileptic spasms.
- Convulsions in children during dentition.
- Fluent coryza in cold room, stopped in warm room.
- Teeth late coming in or decay soon.
- Ice cream and fruits disagree, may produce diarrhoea.
- Pain in abdomen better by passing flatus.
- Colic followed by diarrhoea.
- Tabes mesenterica with diarrhoea.

- Painful protruding piles.
- Fistula in tuberculous patients.
- Chronic gonorrhoea and gleet.
- Gonorrhoeal rheumatism worse in every cold weather.

Generals & modalities

- Children: thin emaciated neck, sweaty head, deformed bones, sunken abdomen.
- Slow learning to walk.
- Girls at puberty, tall, rapidly growing, tendency of bones to soften or spine to curve.
- Acne.
- Thin and spare subjects instead of fat.
- Chilly.
- Sensitive to cold.
- Sensitive to Jar.
- Dreads mental exertion.
- Craves salt bacon and smoked meat.
- Infant wants milk all the time.
- AGGRAVATION; Exposure to damp Cold, changeable weather, East winds, Melting snow, Mental exertion, Thinking about his complaints, Pressure of hat in summer, Warm dry atmosphere, Lying After supper, Passing wind, Dentition.
- AMELIORATION; Lying down.

Calcarea sulphurica

- Synonyms : Calcium sulphate, Calcii Sulphas, Gypsum, plaster of Paris. Formula CaSO_4 .
- Source : It is found in nature as Gypsum and dissolved in spring water. It is in the pure form a chemical compound of Calcium and sulphuric acid.
- Proved by Dr. C. Hering in 1847, Dr. Clarence Conant of U.S. A. in 1873 and W.H. Schussler.

Indications

- It is a BIOCHEMIC remedy introduced by Dr. Schuyssler.
- Dr. Kent finds it a very deep and long acting homoeopathic remedy.

- He considers it to be an anti-psoric remedy resembling Sulphur, Psorinum and Tuberculinum when well elected remedies act only for a short time.

- It is a CONSTITUTIONAL remedy for the following types of patients:

- 1. Who are warm blooded; worse from being over heated; warm wraps; warm room; want to uncover; better in open air. (Kent)

- 2. Who are susceptible to both heat and cold. (Kent)

- 3. Who are disposed to convulsions due to hysterical, epileptic or epileptiform diathesis. (Kent).

- 4. Drunkards with broken down constitution (B & D).

- 5. Who are disposed to convulsions due to hysterical, epileptic or epileptiform diathesis. (Kent)

- It is a SPECIFIC remedy for the following conditions:

- 1. The presence of pus with a vent (B & D): boils, abscess, wounds, fistula, sinus, tonsillitis, otitis media, purulent diarrhoea, suppurations of renal tract, empyema, by bones, carbuncles, gonorrhoea, pneumonia, glandular swelling, ulcers.

- 2. High blood pressure with suppurative conditions in warm blooded persons. (My personal observation).

- 3. Complaints from straining muscles and tendons.

- 4. Ailments with yellow, thick and lumpy mucous discharge; leucorrhoea, otorrhoea, gonorrhoea, from nose and throat etc.

- 5. Malignant growths after ulceration has set in.

- 6. Small pox complicated with suppurations.

- 7. Painless abscesses about anus in cases of fistula.

- DOSAGE: Schussler recommends 6x to 12x potencies.

- Kent recommends 30 to 1 m potencies.

- REPETITION : Bears repetition well in low potencies.

- Single dose of high potency.

- DURATION OF ACTION : Indefinite.

Relationship

- REMEDIES THAT PRECEDE WELL : Kali mur, Nat s, Sil.

- REMEDIES THAT FOLLOW WELL : Fluoric acid.

- ANTIDOTE : Kali mur.

Comparison

- Dry eruptions : Ars a, Ars I, Aur, Aur m, bar c, Calc c, Calc s, Led, Mez, Phos, Sep, Sil, Verat.
- Eczema : Ars a, Calc c, Calc s, Cic, Crot tig, Dulc, Graph, Hep, Mez, Olnd, Petr, Psor, Rhus t, sulph, Thyr, Tub.
- Ringworm : Ars t, Bov, Calc c, Calc s, Clem, Dulc, Graph, Lyco, Merc, nat m , Rhus t, Sep, Sil, Sulph, Tell, Tub.
- Pustules : Ant t, Ars a, Calc s, Rhus t, Staph, Sulph, Hep s, Sil.
- Urticaria : Apis, Ars a, Astac, Calc c, Calc s, Carb s, Caust, Chlol, Cop, Culd, Hep s, Led, Nat m, Rhus t, Sulph, Urt u.
- Otitis purulent : Calc c, Calc s, Hep, Kali bi, Kali c, Kali s, Lyco, Merc, Psor, Puls, Sil.
- Thick pus from ear : Calc c, Calc s, Hydr, Kali bi, Puls, Sil.
- Yellow pus from ear : Ars a, Calc c, Calc s, Hydr, Kali bi, Kali s, Merc, Nat s, Puls.

Causes & diseases

- Over lifting Straining muscles and tendons=lameness of back.
- Onanism and sexual excesses.
- Mental exertion.
- Pyogenic infections.
- Repeated abortions.
- Badly treated pneumonia.
- Sleepless from thoughts.
- Boils, to abort them or control suppurations.
- In all cases of suppurations, when the discharge continues too long.
- Gonorrhoea, suppurative discharge from urethra.
- Bubo, carbuncles, fistula.
- Corneal ulcer, other Ulcers.
- Crusta lactea.
- Cysts, sinus with pus.
- Polypoid fibroids.
- Broken down constitutions from drunkenness growths.
- Caries of bones.
- Epilepsy, Convulsions.
- Haemorrhages.
- Lupus vulgaris.

- AFFINITIES; Connective tissues, Glands, Mucous membranes, Bones, Skin.

Complaints & characteristics

- Pimples and pustules on the face.
- Chronic otitis media.
- Suppurating sore throat.
- painless abscesses about the anus.
- Burning of soles of feet in consumption.
- thick yellow discharge from mucous membranes.
- Vertigo with nausea.
- Chronic and periodical headache.
- Headache from being heated, pain in agg by jarring.
- Swollen parotid glands.
- When well selected remedies act only for a short time.
- Dry eczema in children.
- Hectic fever caused by formation of pus.
- Purulent diarrhoea.
- Ophthalmia neonatorum.
- Septic tonsillitis.

Generals & modalities

- Patients is absent minded, irritable, easily angered, vexed, aversion to answer question, anxiety about future, aversion to company, warm blooded, oxygenoid desires open air.

- Sensitive to both heat and cold.
- Wants to uncover.
- Wants to keep still not restless (Cass, Bry) fearful.
- Hysterical despair of recovery impatient.

- AGGRAVATION; Drafts, Touch, Exertion, Warmth and over heating, Warm room, Warm wraps, After stimulants.

- AMELIORATION; Cool open air, After dinner Eating.

Camphora officinalis

- Synonyms : Camphor. Formula $C_{10}H_{16}O$.

- Source : It is gum obtained from Laurus camphora tree, belongs to the natural order of lauraceae.

- Habitat : The tree grows in Central China, Japan and Formosa Islands.

- Preparation : All parts of the tree furnish camphor. T. wood is cut up in chips, exposed to the vapour of boiling water in vessel covered with a rude condensing apparatus. The gum dissolved in rectified spirit and potencies are made from the moth tincture.

- Proved by Dr. Hahnemann.

Indications

- It is a SPECIFIC remedy for:

- 1. Removing the too violent action of very many drugs whether unsuitably employed or given into large doses (Hahnemann).

- 2. It removes the poisonous or irritant effects of insect bites tobacco and mushrooms.

- 3. It is valuable in shocks of cholera, pneumonia, head injuries, heart conditions with icy coldness without desire to cover.

- CONTRAINDICATIONS : Camphor is not to be given if there perspiration (Allen) or should not be given as soon as perspiration appears.

- DOSAGE: Tincture in drop doses.

- Tincture to highest potencies.

- Tincture to 30 potency in cholera.

- REPETITION : To be repeated frequently.

- DURATION OF ACTION : Very short, one day (Clarke).

Relationship

- REMEDY ANTIDOTES : Am c, Canth, Carb v, Cup, Luco Sqil, Nat m, worm medicines, tobacco, bitter almonds.

- Fruits containing prussic acid.

- Mushroom poisoning.

- Snake bite, insect bites.

- ANTIDOTAL REMEDIES : Op, Spirit nit dulcts, Dulc and Phos.

- REMEDIES THAT FOLLOW WELL : Ant t, Ars a, Bell, Cocc ind, Rhus t, Ver a.

- BOYD'S DRUG GROUP : 1.

Comparison

- Profound prostration, collapse; surface pale and bathed in cold sweat : Camph, Carbo v, Ver a, Carbo ac.

- Body icy cold but can not bear to be covered : Camph, Med, Sec c, Laur.

- Diarrhoea from drinking impure water : Camph, Zingib.

- Cholera Asiatica : Camphor-dry icy cold body but does not want to cover. Verat alb-icy coldness of body with cold perspiration on the forehead, violent vomiting and profuse diarrhoea.

- Cup meticy coldness of body with cramps in abdomen and calves.

Causes & diseases

- Bad effects of shock from injury.

- All sequelae of measles.

- Antidotes all vegetable medicines, tobacco, fruits containing prussic acid, mushrooms.

- Diarrhoea from cold.

- Summer diarrhoea.

- Shock from injuries.

- Angina pectoris.

- Convulsions.

- Collapse.

- Influenza.

- Measles.

- Hyperpyrexia.

- Shivering.

- Sun stroke.

- Suppressed urine.

- Asphyxia neonatorum (Ant t, Laur).

- AFFINITIES; Digestive Tract, Nerves, Male organs, Urinary organs, Cerebrospinal nerves Nose.

Complaints & characteristics

- Shock : Cold pale face, blue lips; profound prostration; surface cold to touch, yet cannot bear to be covered; throws off all covering (Med, Sec c).

- Skin and breath cold (Ver a, Jatr).

- Tongue cold, flabby, trembling.

- Nose cold and pointed Sudden attacks of vomiting and diarrhoea.

- First stage of cholera morbus and Asiatic; cholera with great coldness of the surface, sudden prostration of the vital force; no sweat.

- Malarial fever in congestive chill, pulse weak, extremely small, scarcely perceptible.
- Measles and scarlatina when eruption does not appear, with cold blue face but child would not cover.
- Simple sleeplessness.
- Chronic paroxysmal coryza.
- Excessive strangury with retention of urine, occurring in cholera, suppressed gonorrhoea; causing priapism.
- Depression in cold stage and excitement in hot stage.

Generals & modalities

- Physically and mentally weak, irritable.
- Exceedingly sensitive to cold air Entire body painfully sensitive to touch.
- Anxious and restless.
- Fears to be left alone.
- AGGRAVATION; Suppression, Vexation, Shock, Cold, Drafts, When half asleep, Mental exertion, Inattention.
- AMELIORATION; Uncovering, When thinking of his symptoms, Free discharges, Warm air, Open air, Sweat, Cold drinks.

Cannabis indica

- Synonyms : Indian Hemp, Hindi-Bhang, Ganja; Arabic Hashish.
- Source : It is a plant belonging to the natural order of Cannabinaceae.
- Habitat : It is indigenous to India but also grown in tropical regions throughout the world.
- Preparation : Mother Tincture is prepared from young leaves and twigs from which higher potencies are prepared.
- Proved by the American Provers Union in 1839.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. It is indicated in the first stage of gonorrhoea with frequent micturition with burning pain, erection violent and painful.
 - 2. In mental and physical disorders in cases in which the characteristic symptoms of the remedy are present.

- 3. Ailments with forgetfulness; forgets what he intends to speak; illusions of time and space; crowding of thoughts in his brain.

- 4. Delirium tremens.

- DOSAGE: Tincture to 3rd attenuation (Pierce).

- I have used CM potency in the first stage of gonorrhoea, and sometimes never have to use the second remedy (Nash).

- REPETITION : To be repeated when given in mother tincture or low potency.

- Single dose of high potency is enough.

- DURATION OF ACTION : Short action.

Relationship

Comparison

- Time passes slowly; an hour seems half a day : Cann I, Alum, Arg nit, Med, Nux m.

- Time passes too quickly : Cocc, Ther.

- Vanishing of thoughts, uses wrong words; does not recognise well known streets : Cann I, Lach, Nux m.

- Gay, mirthful : Cann I, Coff, Croc, Lach.

- Confusion of mind : Cann I, Can s, Cocc, Lach, Nux v, Nux m, Onos, Op, Petr, Rhus t, Sep, Sil. Strych.

- Delusions, imaginations, hallucinations, illusions : Arg n, Bell, Cann I, Can s, Cocc, Hyos, Ign, Lach, Petr, Ph ac, Sabad, Stram, Sulph.

- Absent minded : Apis, Cann I, Caust, Cham, Hell, lavch, Mez, nat m, plat, Puls, Sep, Ver a.

- Fancies, Pleasant : Cann I, Op.

- Laughing immoderately : Cann I, Ign, Stram.

- Speech incoherent : Bry, Cann i, Hyos, Lach, Phos, Rhus t, Stram,

- Suspicious : Acon, Ars a, bar c, Bry, Cnn I, Cic, Dig, Lach, Lyco, Puls, Rhus t, Stram, Sulph.

- Thoughts persistent : Cann I, Nat m.

Causes & diseases

- Mental disorders.

- Catalepsy.

- Clairvoyance.
- Delirium tremens.
- Delusions.
- Epilepsy.
- Mania.
- Stammering.
- Dementia.
- Gonorrhoea.
- Chordee.
- Satyriasis.
- Migraine.
- Headache.
- menorrhagia.
- Prostatitis.
- Urinary disorders.
- Exophthalmic goitre.
- Uraemic headache.
- Sterility.
- Dysmenorrhoea.
- Humid asthma.
- AFFINITIES; emotions, Mind Nerves, Genito-urinary organs.

Complaints & characteristics

- Very forgetful : forgets his last words and ideas.
- Forgets what he intends to speak.
- Inability to recall any thought or event on account of other thoughts crowding his brain. (Anac, Lac c,).
- Constantly theorising (Sulph).
- Laughs immoderately at every trifling word spoken to him.
- Full of fun and mischief, then perhaps moaning and crying.
- Great apprehension of approaching death.
- Excessive loquacity.
- Exaggeration of time and distance; illusion of size, things seem too small or too large.
- Time seems too long, a few seconds seems ages (Arg n).
- Distance seems immense, a few yards seem miles.
- Sensation as if the calvarium was opening and shutting (Act r).

- Sensation of swelling in the perineum or near the anus.
- As if sitting on a ball (with great quantities of ropy mucus in urine-Cinchona).
- Noise like a crash or explosion in head.
- Wants to sleep but cannot.
- Tingling of affected parts, in paralysed parts.
- Grinding of teeth during sleep.

Generals & modalities

- Sensitive to noise can hear a whisper in adjoining room.
- AGGRAVATION; Urinating, Draftiness Exertion, Talking Walking, coffee, Tobacco, Alcohol, Lying down quietly, During menses, backache is agg. lying on right side.
- AMELIORATION; Deep breathing amel stitches in heart with oppression (Allen), Walking about out of doors, Fresh air, Cold water, (Allen) Rest.

Cannabis sativa

- Synonyms : European or American Hemp.
- Source : It is botanically similar to Cannabis Indica and belongs to the natural order of Cannabinaceae.
- Habitat : It grows in Europe, America and temperate portions of Asia.
- Preparation : Mother tincture is prepared from male and female flowering tops. Higher potencies are prepared from the mother tincture.
- Proved by Dr. Hahnemann.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. First stage of gonorrhoea with purulent discharge, phimosis and burning in urine, the perineal region is so tender that the patient cannot bear to walk with legs close together.
 - Complications of gonorrhoea.
 - 2. It has cured many cases of urethral carbuncle and phimosis.
 - 3. Patients with its characteristic sensation "as if drops of cold water were falling on head, from anus, from heart" are greatly benefited by it.
- Patients with characteristic symptoms of the drug are relieved by the drug.

- DOSAGE : It acts from low to highest potencies.
- In stuttering 30th, in acute gonorrhoea 3x and in chronic cases 30 or 200.

- REPETITION : Bears repetition well.
- DURATION OF ACTION : (Clarke) 1 to 10 days.

Relationship

- REMEDIES THAT FOLLOW WELL : Bell, Hyos, Nux v, Op, Puls, Rhus t,
- ANTIDOTES : Comphor, Merc.
- Lemon juice for the bad effects of crude doses.
- BOYD'S DRUG GROUP : V.

Comparison

- Gonorrhoea first stage : Cantharis, Cannt, Cann s, Cop, Cub, Hep, Hydr, Mers, nat s, Nit ac, Puls, Sil, Thuj.
- Apt to choke when eating and drinking: Cann s, Anac, Kava, Nit ac.
- Violent burning and drawing pains in kidney, bladder and urethra : Berb, Can s, Canth.

- Phimosis : Merc, Nit ac, Sep, Sulph, Rhus t, Sabina, Thuj.
- As if some thing alive in abdomen : Can s, Croc s, Thuj.
- When swallowing thins to down the wrong way : Anac, Can s.
- Confusion as if in a dream : Can l, Can s, Sarbo v, Lec, Phos.
- Exaggeration of time : Cann l, Can s, Nux m.

Causes & diseases

- Gonorrhoea .
- Pneumonia.
- Pleurisy.
- Tetanus.
- Cystitis.
- Nephritis.
- Priapism.
- Urethral carbuncle.
- Phimosis.
- Sterility.
- Hysteria.
- Sammering.
- Asthma.
- Corneal opacity.

- Cataract from nervous disturbance, abuse of alcohol, tobacco.
- Gonorrhoeal ophthalmia.
- Postmortem haemorrhage.
- AFFINITIES; Uro-genital tract, Eye.

Complaints & characteristics

- Acute inflammatory stage of gonorrhoea; oedema of prepuce.
- Urethra very sensitive, to touch or pressure, cannot walk with legs closed together, it hurts the urethra.
- Pain extending from orifice of urethra backward, burning biting, posteriorly more sticking while urinating.
- Tearing pains along urethra in a zigzag direction.
- Obstinate constipation, causing retention of the urine; from constriction of anus.
- Choking in swallowing, things go down the wrong way (Anac).
- Dyspnoea of asthma, where the patient can only breathe by standing up.
- Contraction of fingers after a sprain.
- Sensation as if drops of water falling on or from single parts; on head, from the anus, stomach or heart.
- Dislocation of patella on going upstairs.
- Leucorrhoea in girls (Sep).
- Threatened abortion.
- Asthma with bladder trouble.
- Numbness of finger tips.
- Opening and shutting sensation.
- Aversion to meat.
- One cheek red the other pale.

Generals & modalities

- Mental confusion.
- Misunderstands.
- AGGRAVATION; Lying down, Going up-stairs.

Cantharis vesicatoria

- Synonyms : Cantharis Vesicatoria, Blister fly, Spanish fly.

- Source : The flies are killed by exposing them to fumes of boiling vinegar. They are then dried. They are powdered in pestle and mortar.

- Habitat : The blister flies are found in Spain, Italy, Hungary and Russia as well as India.

- Preparation : The powdered flies are triturated with sugar of milk or mother tincture is prepared in alcohol. Higher potencies are prepared from trituration or mother tincture.

- Proved by Dr. Hahnemann and reproved by others in U.S. A. The provings are given in full in Allen's Encyclopedia.

Indications

- It is a SPECIFIC remedy in the following conditions:

- 1. Burns before blisters form and when they have formed with burning sensation.

- External applications give relief immediately.

- 2. Renal calculus with passing of urine drop by drop with burning sensation; constant pulling of the penis.

- 3. First stage of gonorrhoea with constant urging to urinate passing a few drops at a time with blood and intolerable burning in urethra, with chordee.

- 4. Erythema from exposure to sun rays.

- 5. Vesicular erysipelas, vesicles all over the body sore and suppurating.

- 6. Inflammations rapidly developing into gangrene.

- 7. Nymphomania.

- 8. Hydrophobia: renewal of convulsions at the sight of dazzling objects or water.

- 9. Stoppage of urine in cholera with facea hippocratica.

- 10. Retention of placenta.

- 11. Puerperal mania sexual type.

- 12. Sudden loss of consciousness with red face.

- 13. Promotes fecundity and expulsion of moles, placenta, dead foetus and foreign bodies from uterus.

- DOSAGE : 3x to 30c for internal use.

- 1x to 2x in water or vesaline for external use.

- If skin is broken alcohol preparations should not be used; dilution in boiled water promptly relieves the burning and pain.

- REPETITION : Bears repetition well.
- DURATION OF ACTION: (Clarke) 30 to 40 days.

Relationship

- COMPLEMENTARY : Camphor.
- REMEDIES THAT FOLLOW WELL : Bell, Merc, Phos, Puls, Sep, Sulph.
- INIMICAL : Coffea.
- ANTIDOTES: Acon, Apis, Camphor, Kali nit.
- REMEDY ANTIDOTES : Effects of alcohol, Bism, Coffee, Merc, Op.

Comparison

- Renal colic either side with urging and strangury : Canth.
- Left side : Berb, Tab.
- Dysentery : fluid mucus, like scrapings of intestines with great tenesmus : Canth, Carb ac, Colch.
- Constant desire to urinate but a few drops : Apis, Canth.
- Constant desire to urinate on seeing running water : Canth, Lyssin, Sulph.
- Sudden urging to urinate : Canth, Petrosel.
- Satyriasis : Canth, Pic ac, Phos.
- Promotes expulsion of moles or foreign bodies from uterus : Canth, Sab.
- Violent burning and drawing pains in kidney, bladder and urethra : Berb, Can s, Canth.

Causes & diseases

- Gonorrhoea.
- Retention of urine.
- Renal calculus.
- Suppression of urine.
- Strangury.
- Cholera.
- Ulcerative colitis.
- Dysentery.
- Nymphomania.
- Erotomania.
- Satyriasis.
- Cholera.
- Ulcerative colitis.

- Dysentery.
- Nymphomania.
- Erotomania.
- Satyriasis.
- Chordee.
- Hydrophobia.
- Gangrene.
- Fainting fit.
- Erysipelas.
- Membranous dysmenorrhoea.
- Retained placenta.
- Puerperal convulsions.
- Burns.
- Sun burns.
- AFFINITIES; Genito-urinary organs, Membranes; (mucous, serous,) skin, Bladder, Pharynx Brain, Pleura, Lower Bowel Right side.

Complaints & characteristics

- Constant urging to urinate, passing but a few drops at a time which is mixed with blood.
- Burning, cutting pains in urethra during micturition in renal calculus.
- Stoppage of urine in cholera.
- Stool : passage of white or pale red, tough mucus, like scrapings from the intestines, with streaks of blood (Carb an, Colch).
- Sexual desire: increased in both sexes, preventing sleep.
- Violent priapism with excessive pain.
- Bloody nocturnal emissions.
- Intolerable urging before, during and after urination.
- Violent pains in bladder.
- The slightest touch or approach aggr mental symptoms.
- Violent spasms reproduced by touching larynx; aggr from dazzling objects and by water.
- Moaning and violent with barking.
- Inflammations rapidly develop into gangrene.
- Gangrenous pneumonia.
- Sudden loss of consciousness with red face.

- Vesicular eruptions are sore, of face with large blisters and gangrenous tendency.
- Eruptions burn when touched, with acrid discharge that burns.
- Before the blisters form or when they have formed with burning sensation.
- Erythema from exposure to sun rays.
- Tenacious mucus in the air passages (Kali bi, Bov.).

Generals & modalities

- Oversensitiveness of all parts.
- Disgust for every thing, drink, food, tobacco.
- Drinking even small quantity of water increases pain in bladder.
- Hippocratic countenance with suppressed urine.
- Delirious with sexual ideas and talks.
- AGGRAVATION; From drinking coffee, Touch, Approach, Urinating, Larynx Drinking cold water, Seeing running water, Bright clyects.
- AMELIORATION; Rubbing, Cold or cold applications, Warmth, Rest.

Capsicum annuum

- Synonyms : Red Pepper. Hindi-Lal Mirch.
- Source : It is the fruit of a plant belonging to the natural order of solanaceae.
- Habitat : It is found all over the world as well as India.
- Preparation : The ripe red fruits are taken. Tincture of the pods is prepared from which higher potencies are prepared according to the rules of homoeopathic pharmacy.
- Proved by Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy in the following types of patients:
 - 1. Fat, flabby, relaxed, easily exhausted, indolent, dread of any kind of exercise, desire to be let lone; want to lie down and sleep.
 - 2. Lack of reactive force; lack of response to Simillimum.
 - 3. Children always chilly; refractory, clumsy, fat, dirty, red face but cold touch; homesick.
 - 4. The patient is allergic to red paper.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Mastoiditis.

- 2. It is good for the drunk persons when give in material doses.
- Tinct.
- Capsicum m xxx in water to brace him up to is home.
- DOSAGE : Mother tincture to 200 potency.
- REPETITION : Can be repeated when the symptoms call for it.
- DURATION OF ACTION : (Clarke) 7 days.

Relationship

- REMEDIES THAT PRECEDE WELL : Bell, Lyco, Puls, Sil.
- FOLLOWS WELL : China.
- ANTIDOTES : Camp, China, Calod, Sulph.
- REMEDY ANTIDOTES : Effect of alcohol, Bism, Coff, Crot t, Merc. Op,

Quinine.

- BOYD'S DRUG GROUP : VI.

Comparison

- Pains are agg by slightest touch but amel by hard pressure : Caps.

Cinch, Plumb.

- Lack of reaction : Ambr, Am c, Calc c, Caps, Carb v, Con, Gels, Hell, Hydr, Laur, Med, Olnd, Op, Ph ac, Psor, Sulph, Tarent.
- Caries mastoid process : Aur, Caps, fl ac, Hep s, Nit ac, Sil.
- Pain in throat on coughing : Arg m, Caps, Nux v, Phos.
- Pain in throat when not swallowing : Caps, Ign.
- Awkwardness : Agar, Apis, Bov, Calc c, Caps, Hell, Ip, Lach.
- Burning pain during diarrhoea : Aloe, Caps, Iris, Merc, Sulph.
- Burning pain during dysentery : Ars, Caps, Carb v, Coloc.

Causes & diseases

- Mastoid abscess.
- Ulcers on lips, tongue, flat, sensitive, spreading, with lardaceous base.
- Dipsomania.
- Dysenterty.
- Haemorrhoids.
- Chronic gonorrhoea.
- Pain in prostate gland after gonorrhoea.
- Chronic hoarseness.
- Gout.
- Rheumatism.

- Lack of reaction.
- Malaria with great thirst and shivering after every drink.
- Allergic to red chillies.
- AFFINITIES; Mastoids, Bones, Mucous, Membrane, Blood, Throat, Kidneys.

Complaints & characteristics

- Mastoiditis : painful swelling behind the ear, extremely sore and sensitive to touch.
- Tonsillitis : with burning, smarting pain; intense soreness constriction of throat with burning; tonsil inflamed, dark red swollen.
- Cough : nervous, spasmodic, in sudden paroxysms; as if head would fly to pieces.
- With every explosive cough there escapes a volume of pungent foetid air.
- Pain in distant parts on coughing (bladder, knees, legs, ear, back).
- Constriction : in fauces, throat, nares, chest, bladder, urethra, rectum.
- Complaints of persons who desire to be let alone, want to lie down and sleep.
- Complaints of children who are chilly, fat,. Clumsy dirty, refractory and disinclined to work or think.
- After stool tenesmus and thirst.
- Drinking causes shuddering.
- Smarting and burning in anus and rectum.
- Violent tenesmus in rectum and bladder at the same time.
- Burning as if red pepper has been applied to the parts.
- Pain in head, as if it would burst, while coughing.

Generals & modalities

- Fat and flabby, relaxed constitutions.
- Red faced children of beer drinkers and pepper eaters, with poor reactions.
- Red face and varicose conditions.
- Over-stimulated children of over stimulated men.
- Face looks rosy but cold to touch.
- Face is studded with a fine system of capillaries.
- Plump and round with no endurance, plethoric.

- The end of the nose is red, cheeks red, eyes red; easily relaxed individuals.
- Homesick children Tired and lazy persons.
- Chilly persons, sensitive to cold want to be in a warm room.
- Easily offended and insulted.
- Obstinate.
- Cheeks alternately red or pale; after emotions cheek red.
- Children are clumsy and awkward.
- Persistent thoughts of suicide, loathes life but does not want to kill himself.
- Gouty constitutions with crackling and stiff joints.
- Clumsy, weak, easily give out.
- Phlegmatic diathesis.
- Lack of reactive force especially with fat people, easily exhausted, indolent, dread of any kind of exercise.
- Persons inclined to be jovial, yet get angry at trifles.
- AGGRAVATION; Draughts Open air, Uncovering, Dampness, Bathing, Touch, Empty swallowing.
- AMELIORATION; eat, while eating.

Carbo animalis

- Synonyms : Animal charcoal.
- Source : Made from Charred Ox-hide.
- Preparation : Charred Ox-hide is powdered. Triturations are prepared with sugar of milk and higher potencies are prepared for 3C triturations.

- Proved by Hahnemann in 1827.

Indications

- It is a CONSTITUTIONAL remedy for persons who are:
 - 1. Chilly, easily affected from cold, and suffer from lack of vital heat.
 - 2. Lack of reaction; do not respond to homoeopathic remedies.
 - 3. Old persons who have distended veins and sluggish circulation suffer from cyanosis and great debility.
 - 4. Persons disposed to anaemia, indurations, cancer, tuberculosis, and suffer from debilitating or exhausting discharges.
 - 5. Persons who are easily strained from lifting even small weights.

- It is a SPECIFIC remedy for:
 - 1. Bad effects of spoiled fish, and decayed vegetables; and ptomaine poisoning.
 - 2. Pains of cancer.
 - 3. Lumps in mammae.
 - 4. Indurated glands, ulcers, veins, cervix.
 - 5. Sprains of joints especially ankle.
 - 6. Tuberculosis with offensive night sweats, which colour the linen yellow.
 - 7. Acne rosacea.
- DOSAGE : 3x to 200. 3x for insolation in aural polypt.
- REPETITION : Bears repetition well.
- DURATION OF ACTION : Clarke-60 day.

Relationship

- COMPLEMENTARY : Calc p.
- REMEDIES THAT FOLLOW WELL : Ars a, Bell, Bry, Nit ac, Phos, Puls, Sep, Sil, Sulph.
- ANTIDOTES : Ars a, Camph, Nux V.
- BOYD's DRUG GROUP : VIII.

Comparison

- After menses: exhausted physically and mentally, scarcely able to speak : Alum, Carb an, Coc.
- Acne rosacea, leaves unsightly scars : Kali brom, Carbo an.
- Ankle easily turn when walking : Carb an, Led, Med.
- Easy dislocation and spraining of ankle: foot bends uned--: Carbo an, Nat m, Nat c.
- Sensation of coldness about the heart : Carbo an, Kali m, Nat m, Petr.
- Indurations : Bad, Calc f, Carbo an, Carb v, Con, Sil.
- Indurations of glands : Bad, Bar m, Brom, Calc c, Calc f, Carbo an, Clem, Con, Iod, Phyto, Spong, Sulph.
- Cancerous affections : Ars a, Brom, Carbo an, Con, Lyco, Nit ac, Phos, Phyto, Sil.
- Cancerous glands : Carbo an, Con.
- Cancerous scirrhus : Carbo an, con, Sil.

Causes & diseases

- Induration of glands, buboes, lump formation in mammary glands, indurated ulcers.

- Ulceration's.

- benign suppurations change into ichorous or malignant conditions.

- Cancer cervix with burning in vagina.

- Fistulous openings indurated and burn.

- Ichorous and acrid discharges from cancerous ulcers.

- pain of cancer.

- Copious leucorrhoea.

- Offensive uterine discharges.

- Menses are black and offensive.

- Bad effects from spoiled fish, and decayed vegetables (Carb v, Cepa).

- AFFINITIES; Nutrition, Glands, Veinlets.

Complaints & characteristics

- Menses, leucorrhoea, diarrhoea are all exhausting.

- After appearance of menses so weak she can hardly speak.

- (Alum, Cocc).

- Glands : indurated, swollen, painful; in neck, axilla, groin, mammae.

- Pains lancinating, cutting burning.

- Headache : as if head had been blown to pieces; has to sit up and hold it together.

- Hearing confused; can not tell from what direction a sound comes.

- A stitching pain remains in chest after recovery from pleurisy (Ran b).

- Whenever the patient puts the child to the breast she has a sensation of the emptiness of the stomach; sinking in the pit of the stomach and she must take the child away.

Generals & modalities

- Broken down constitutions.

- Aversion to open dry cold air, patient is chilly.

- Easily sprained from lifting, even small weights, straining and over lifting easily produce great debility.

- Ankles turn when walking.

- Joints weak; easily sprained by slight exertion (Led).

- Diseases of elderly persons with marked venous plethora, blue cheeks, blue lips and great debility.
- Lack of reaction.
- Circulation feeble, stagnated, vital heat sinks to a minimum; cyanosis, (Ant t, Carb v).
- A yellow brown saddle over the bridge of the nose. (Sep).
- AGGRAVATION; Slight causes, After shaving, Slightest touch, After midnight, Loss of fluids, Dry Cold air, After menses, Sprain, Straining, Lifting, Quinine, Lying on right side, Old age, After menses.
- AMELIORATION; Warm room.

Carbo vegetabilis

- Synonyms : Vegetable charcoal.
- Source : Hahnemann employed birch wood charcoal for the preparation of Carbo Vegetabilis.
- Preparation : The wood is thoroughly heated to redness. Triturations are prepared from the wood ash with sugar of milk to 3rd trituration from which higher potencies are prepared.
- Proved by Hahnemann.

Indications

- It is a SPECIFIC remedy in the following conditions:
 - 1. Collapse condition with coldness, sweating, pale face, feeble pulse, cold tongue, cold breath, cyanosis needing oxygen, wants to be fanned.
 - 2. Shock after surgical operation, trauma, electric shock, allergic or due to acute and serious diseases-cold body, pale face, cold breath, perspires profusely and wants to be fanned.
 - 3. Passive haemorrhages in delicate and feeble persons.
 - 4. Fainting in anaemic and debilitated persons.
 - 5. Bad effects from fatty, rich food, alcohol, wine, debauchery, putrid fish or meat.
 - 6. Acute diseases e.g. pneumonia, bronchitis, dysnoea in old persons.
 - 7. Metastasis of mumps to mammae or testicles. (Puls).
- It is a CONSTITUTIONAL remedy for patients who are:
 - 1. Weak persons with low vitality due to loss of blood (China).

- 2. Premature persons enfeebled by acute diseases.
- 3. Old persons with feeble circulation.
- 4. Women at the turn of life-menopause.
- 5. Who are susceptible to warm and wet weather.
- 6. Who are sensitive to any irregularity in their diet.
- 7. Who are of scorbutic, flatulent and allergic dispensation.
- 8. Chronic diseases in persons of low vitality due to lack of reaction.
- It is an ANTI-MIASMATIC remedy in the following conditions:
 - 1. Bad effects of some exhausting illness. (Cinch, phos, Psor).
 - 2. Asthma from measles or pertussis of childhood.
 - 3. Remote effects of injuries long ago.
 - 4. Ulcers or other diseases taking a chronic course after bad effects of typhoid, typhus.
 - 5. Bad effects of mercury or quinine, suppressed malaria.
- DOSAGE : Low triturations intestinal disorders.
- Mid potencies in specific conditions.
- High and highest potencies in constitutional and miasmatic conditions.

- REPETITION : Low and mid potencies are to be repeated.
- High and highest potencies are given in single doses.
- DURATION OF ACTION : (Clarke) 60 days.

Relationship

- COMPLEMENTARY : Kali c, Dros.
- REMEDIES THAT FOLLOW WELL : Aco, Ars, Chin, Lyco, Nux v, Puls, Phos, Sep, Sulph, Verat a.

- ANTIDOTES : Ambra, Ars a, Camph, Cof, Lach.
- REMEDY ANTIDOTES : Chin, Merc, Lach.

Comparison

- China : belching gives no relief.
- Causticum : Hoarseness agg in morning, amel in damp weather,
- Lachesis : Desires fan from a distance.
- Stront carb : Shock after surgical operation (Kent).
- Alum : Soft stool voided with difficulty.
- Arg n : Symptoms of imperfect oxidation.
- Puls : Fats disagree.
- Putrid diarrhoea : Bapt, Carb ac, Pod, Psor, Carb v.

Causes & diseases

- Asthma dates from measles or pertussis of childhood.
- Indigestion from drunken debauch.
- Bad effects of long ago injury.
- Bad effects of long ago injury.
- Bad effects of typhoid.
- Excessive discharges.
- Ailments from quinine, suppressed malaria, abuse of mercury, spoiled fish. (Carbo an).
- Fats (Puls, Kali Mur).
- Meats alcohol.
- Getting overheated.
- (Ant cr).
- Loss of vital fluids.
- Lifting.
- Haemorrhage from m.m. (Cinch, Phos).
- Indigestion from late suppers and rich food.
- Sluggish ulcers.
- Blood stagnates in the capillaries, state of shock.
- Pulse irregular almost imperceptible.
- Intermittent fevers.
- Varicose ulcers; burning and oedema in legs.
- Gangrenes develop due to feeble circulation.
- Parts get numb on the side laid on.
- Dropsy after loss of vital fluids.
- Low forms of fever, typhus, typhoid and yellow fever.
- Prolonged cold spells with lack of reaction.
- Lack of reaction.
- Lack of reaction after violent illness.
- Surgical shock (Stron c).
- Acidity.
- Acne.
- Angina Pectoris.
- Aphonia.
- Asthma.

- AFFINITIES; Mucous membranes, Digestive Tract, Stomach, Heart, Circulation, Veins, Blood, Occiput Collapse, Debility, Dyspepsia, Flatulence, Putrid diseases, Pregnancy disorders, Oppression of chest, Scurvy, Sleep. Disorders, Tympanites Ulcers.

Complaints & characteristics

- Epistaxis daily for weeks worse from exertion with pale face before and after haemorrhage.

- Passive bleeding.

- After haemorrhage, pale face, with cold sweats.

- Looseness of teeth, easily bleeding gums.

- Weak digestion : simplest food disagrees; excessive accumulation of gas in stomach and intestines; worse lying down.

- Sensation as if stomach would burst after eating or drinking.

- Eructations give temporary relief.

- Hoarseness : worse in evening, damp air, warm wet weather.

- Putrid diarrhoea, with putrid flatulence. (Bapt, Podo, Psor).

- Frequent, involuntary stools.

- Cadaverous smelling, followed by burning .

- Soft stools voided with difficulty.

- Last stage of disease with copious cold sweats, cold breath, cold tongue, voice lost.

- This remedy may save life in collapse condition.

- collapse (Camph, Carbo ac, Ver a).

- Fearful and horrible dreams.

- One sided chill Complaints return annually. (C. V, Lach, Sulph, Thuj).

- Dyspnoea with cyanosis (Ant t, Carb an).

- Headache from Pressure of hat (Calc p. Nat m, Nit ac).

- Attacks of fainting from least exertion (Sulph, Ver a).

- Extreme debility during and after menses, can hardly speak (Alum, Cocc, Ver a).

- Number of limbs Burning pains.

- Falling out of hair following child birth.

- Chill with brittle nails.

- Excoriating leucorrhoea Enuresis after first sleep.

- Weak digestion in nursing women.

- Fear of ghosts.

- Aversion to darkness.
- Indolence.
- Topor peevishness Easily angered.

Generals & modalities

- Cachectic persons with exhausted or weakened vitality.
- Persons who have never fully recovered from the exhausting effects of some previous illness.

- Weakness of memory and slowness of thoughts.
- Broken down constitutions.
- Patients crave things that make them sick.
- Old toppers crave whisky or brandy.
- Want clothing loose around abdomen.
- DESIRE TO BE CONSTANTLY FANNED RAPIDLY.
- Awakens from sleep due to cold limbs due to feeble circulation.
- Want of susceptibility to well selected remedies (Op, Laur, Caps, Val, Sulph, Psor).

- External coldness with internal burning and heat.
- Premature old age in middle aged people.
- Menopause with flushes of heat mounting upwards.
- Longing for whisky and tobacco (Asar Carb ac).
- AGGRAVATION; Suppressed discharges Pressure of clothes Flatus, Butter, pork, fat food, Abuse of quinine, brandy, Mercury, Singing or reading aloud, Warm and damp weather, After menses, Lying down Cooling of overlifting, Extreme Weather Worse hot air inhaled from fire, Worse overheatings, Worse change of weather.

- AMELIORATION; Eructation, Discharge of flatulence per ano, Being fanned.

Carbolicum acidum

- Synonyms : Carbolic acid, phenol. Formula - C_6H_5OH .
- Source: It is a chemical compound, can be purchased from a chemist shop in the pure form.
- Preparation : The solution is prepared in rectified Spirit.
- Proved by Dr. Bacmeister of Chicago in 1869.

Indications

- It is a SPECIFIC remedy in the following conditions:

- 1. Irritable bladder in old persons with frequent urination at night due to prostatic nature.

- Use 1x.

- 2. On attack of influenza fever 3x, and 30th potency for residual debility (Cad m).

- 3. Ailments with putrid discharges-putrid diarrhoea, leucorrhoea, putrid suppurations, gangrene, lochia, vomit breath.

- 4. Cholera cases with symptoms of Verat alb but it fails.

- 5. Malignant variola with putrid odour.

- 6. Pains come suddenly last for a short time and disappear suddenly. (Bell, Mag p).

- 7. Lacerated wounds from blunt weapon; bones bare, crushed; much sloughing of soft parts. (Calend).

- 8. Burns tend to ulceration and ichorous discharge. (Allen).

- 9. Collapse: surface pale and bathed in cold sweat, with dysentery.

- 10. Vomiting of sea sickness, of drunkards or cancer stomach.

- 11. Antidote for honey-bee-sting causing urticaria and general symptoms. (Kent).

- DOSAGE : 1x-for frequent urination at night in prostate cases and whooping cough.

- 3x-in influenza fever.

- 3 to 30th potency.

- REPETITION : May be repeated when symptoms call for the remedy.

- DURATION OF ACTION : Not definite.

Relationship

- In poisoning by Carbolic acid Vinegar locally and internally.

- Carbolic ac antidotes the severe symptoms of bee-sting.

- FOLLOWS WELL : Kali bi-after Carbo ac has removed the scrapings in dysentery.

- INCOMPATIBLE : Lachesis.

Comparison

- Pains come suddenly, last for a short time and disappear suddenly : Bell, Mag phos, Carb ac.

- Sensation : as of a hoop or band around a part : Cact, Carbo ac, Sulph, Nit ac, Sping.

- Whitlow: the worst cases, with sloughing and terrible burning pain : Anthr, Ars a, Carbo ac, Lach, Tar c.

- Dysentery with white mucus; scrapings of intestines : Canth, Carbo ac, Colch.

- Diphtheris with profound prostration from the very onset of the attack : Ailanth, Apis, Carbo ac, Diph.

- Rapid formation of bed sores : Pyrog, Carbo ac.

Causes & diseases

- Injuries: lacerated wound.

- Influenzal attack.

- Cancer stomach.

- Cholera when Verat a, is indicated but fails.

- Puerperal fever with offensive discharge.

- Nervous dyspepsia.

- Erysipelas.

- Gangrene with foul odour.

- Diseases with foulness.

- AFFINITIES

- Mucous membranes.

- Heart.

- Throat.

- Stomach.

- Bowels.

- Lungs.

- Respiration.

Complaints & characteristics

- PAINS COME SUDDENLY, LAST FOR A SHORT TIME.

- DISAPPEAR SUDDENLY.

- Profound prostration.

- Collapse : surface pale and bathed in cold sweat (Camph, Carbo v, Ver a).

- Malignant scarlatina and variola (Am c; with foul odour).

- Putrid discharges from mouth, nose, throat, rectum and vagina (Anthr, Psor Pyrog).

- Vomiting : of drunkards, in pregnancy, sea sickness, cancer of dark olive green fluid (Pyrog).

- Dysentery : fluid mucus membranes, and great tenesmus (Canth).
- Diarrhoea : stool thin, involuntary, black, of intolerable odour.
- Constipation : with horribly offensive breath (Op, Psor).
- Leucorrhoea : acrid, copious, green foetid.
- Lacerated wounds from blunt instruments; bones bare, crushed, much sloughing of soft parts (Calendula).
- When burns tend to ulcerate and ichorous discharge.
- Diphtheria with foetid breath regurgitation on swallowing liquids, little pain.
- Irritable bladder in old people with frequent urination at night of probably prostatic nature; use 1x.
- Pricking like needles all over the body.
- Dull, heavy, frontal headache, as if a rubber band were stretched over the head from temple to temple (Gels, Platina, Sulph.).

Generals & modalities

- Very marked acuteness of smell.
- Desire for stimulants whisky and tobacco. & Asar, Carbo v).
- Physical exertion, even much walking brings on abscesses in some part, but generally in the right ear (R.T. Cooler).
- Offensive breath.
- AGGRAVATION; Jar, Reading, Pregnancy, Combing hair (Bry, Chin, Ign, Sel).

Carboneum sulphuratum

- Synonyms : Carbon Bisulphide. Formula C S 2nd.
- Source : A clear liquid with characteristic odour. Available from chemists in pure form.
- Preparation : Solution in rectified spirit is used for preparing dilutions and potencies according to the rules of homoeopathic pharmacy.

- Proved by H.H. Crippen in 1891.

Indications

- It is a specific remedy in the following conditions in persons who are sensitive to both heat and cold and their complaints are aggravated by both heat and cold.

- 1. Rheumatic complaints especially wandering pains, joint pains stiffness etc, without fever.
- 2. Passive haemorrhages.
- 3. Very sore and inflamed piles.
- 4. Tubercular affections of larynx, glands, testes and ovaries.
- 5. Cancer of uterus.
- 6. Impotency and sterility.
- 7. Anaemia with scanty or no menstrual flow.
- 8. Epilepsy, hysteria.
- 9. Disorders of eyes, ears, intestines, bladder, rectum, skin.
- 10. Dropsical swelling with liver affections.
- 11. Lack of response to homoeopathic remedies.
- DOSAGE : Low to mid potencies.
- REPETITION : Bears repetition well.
- DURATION OF ACTION : Not definite.

Comparison

- Menieres disease : Caust, Carb s, China, Nat salic.
- Flatulence : Carb Sulph, China, Carb v, Lyco.
- Opening and shutting sensation in head : Can ind, Carb s.
- Hair sensation in throat : Kali bi, Sil, Sulph.
- Sensitive to both heat and cold : Carb s, Merc, Caust, Sep, Nat c.
- Atrophy of tests : Carbo ac, Iod, Kali iod, Staph.
- Seminal discharge too soon : Graph, Lyco, zinc, Calad, Carb s, Con.

Onos, Phos. Sel.

- Sexual passion wanting : Agn c, Carb s, Kali bi.
- Atrophy of ovaries : Bar mur, Carb s. Con. Iod.
- Cancer uterus : Ars a, Carb s, Con, Graph, Hydr, Kreos, Lach, Lyco,

Murx, Sep, Sil, Thuja.

Causes & diseases

- Exposure to cold while sweating.
- Psoric.
- Gouty.
- Rheumatic.
- Haemorrhagic.
- Passive.
- haemorrhoidal.

- Scrofulous.
- Phthisical.
- Catarrhal.
- Indurated glands.
- Recurrent styes.
- Goitre.
- Oedema.
- Worms.
- Impotency.
- Sterility.
- Epileptic.
- Atrophy of testes and ovaries.
- Anaemic.
- Contraction of muscles and tendons.
- Sciatica from cold.
- Skin disorders with itching.
- Ulcers.
- AFFINITIES; Sex organs, Veins, Skin, Liver.

Complaints & characteristics

- Wandering pains.
- Numbness of single parts laid on.
- Discharges are acrid, bloody, purulent and yellow.
- Constipation with much belching.
- Dysentery with bloody mucous stools.
- Involuntary stool during urination.
- Inactivity of rectum.
- Very sore piles.
- Urging to urinate at night.
- Albuminous urine.
- Seminal discharge too soon during coition.
- Seminal emissions at night.
- Tuberculosis of glands.
- Larynx, testes, ovaries.
- Cancer uterus.
- Round and tape worms.
- Paralysis of bladder.

- Retention of urine.
- Pityriasis of nose, Ulceration of lips.
- Acne rosacea.
- Dropsical swelling of limbs with liver affections.
- Cramps, backache.
- Rheumatism of shoulders.

Generals & modalities

- Sensitive to heat and cold, worse from heat of summer and cold of winter.

- Worse from standing.
- Lack of vital heat.
- Sensitive to every change of weather especially to warm, damp weather.

- Dwarfishness of body and mind (Bore) Frightened easily.
- Very excitable.
- Forgetful.
- Imbecile.
- Memory weak.
- Restless during night.
- Moody, changeable.
- Frightful dreams.
- AGGRAVATION; Wine, Change of weather, Warm damp weather, Cold feet, winter, Fatty food, Milk, At night from slightest motion, Jarm Before, during after menses, Heat of summer, Warm wraps, room, bed, After Scratching.

Carduus marianus

- Synonyms : St Mary's Thistle; Silybum Marianum Gaertn.
- Source : It is a plant belonging to the natural order of Compositae.
- Habitat : Europe.
- Preparation : Tincture is prepared from the roots.
- Proved by It was a medicine in use since older times. Revived by Rademacher 1848. Proved. Dr. Bachmann in 1879.

Indications

- It is a SPECIFIC remedy for the following conditions:

- 1. It is an organopathic remedy for liver disorder: Jaundice from infective hepatitis; hyperaemia of liver; bileless stools.
 - Gall stones with enlarged liver; colic with bilious vomiting.
 - Dropsy due to liver disorders; cirrhosis of liver.
 - Loss of appetite.
 - Constipation with biliousness; alternating with diarrhoea.
 - Cholecystitis with tenderness; with bitter taste in mouth.
 - pain in right hypochondrium when lying on left side; dragging pain.
 - Pain in right lobe of liver worse from motion.
 - Enlargement of liver in transverse direction (Vertical Chelid).
 - Liver cough.
 - Pain in right deltoid region.
 - Melancholia and mental depression from liver disorder.
- 2. hemorrhagic piles.
- 3. Ailments from alcoholic preparations; influenza affecting liver.
- 4. Miner's asthma.
- 5. Prolapse of rectum or anus.
- 6. Rectal cancer=profuse diarrhoea.
- 7. Eruptions on lower part of sternum. (Burnett)
- 8. Preventive for gall stones.
- 9. ankylostomiasis.
- 10. Varicose ulcers.
- DOSAGE : Tincture and lower potencies.
- REPETITION : Bears repetition well.
- DURATION OF ACTION : Short action.

Relationship

- Similar to Bry, Nux v, Merc, Chelid, Chionanthus, Podoph, cholesterinum, Plel, Trif, Mag mur.

Comparison

- Infective hepatitis : Acon, Bry, Nux v, Puls, Rhus t, Merc, Card m.
- Biliary colic : Bell, Berb v, Calc m, Chel, Chion, Cinch, Coloc, Hydr, Nux v.
- Bleeding piles : Acon, Aesc, Am c, Card m, Collin, Ham, Millef, Nux v, Phos, Sab, Sulph.
- Cirrhosis of liver : Ars iod, Aur mur, Calc ars, Card m, Lyc, Merc, Nit ac, Phos.

- Congestion of liver : Aesc, Aloe, Berb v, Bry, Card m, Chel, Cinch, Hydr, Kali m, Lach, Lept, Lyc, Mag m, Merc d, Merc, Nit ac, Nux v, Phos, Pod, Sep, Sulph.
- Gall stone (cholelithiasis) : Berb v, Calc c, Card m, Chion, Cholest, Cinch, Diosc, Hydr, Nux v, Tarax.
- Worse lying on right side : Card m, Mag m, Merc, Rhus t.
- Amelioration lying on left side : Card m, Mag m, Merc, Rhus t.
- Amelioration lying on left side : Card m, Ign, Mur ac, Nat m, Stann.
- Bitter taste : Ars a, Acon, Bry, Card m, Hydr, Lyc, Mag c, Chelid, Cinch, Coloc, Nat m, Nat s, Nux v, Podo, Ptel, Puls, Sip, Sulph, Tarax.
- Biliousness : Bry, Card m, Chel, Chion, Cinch, Hydr, Lept, Lyc, Merc, Nat s, Nux v, Pod, Ptel, Puls, Sulph, Tarax.
- Appetite lost : Abies n, Ant or, Ars a, Card m, Chel, Cinch, Hydr, Ign, Ip, Lyc, Nux v, Puls.

Causes & diseases

- Alcohol.
- influenza.
- infective, hepatitis.
- Nose bleed.
- Gall stone disease.
- Enlarged liver.
- Cholecystitis.
- Cirrhosis of liver.
- Bleeding piles.
- Prolapse of anus and rectum.
- Cancer rectum, with diarrhoea.
- Gall stones.
- Dyspepsia.
- AFFINITIES; Liver (R), Spleen, Veins.

Complaints & characteristics

- Dull frontal headache.
- Contractive feeling above eyebrows.
- Vertigo with tendency to fall forward.
- Taste bitter: appetite lost; tongue furred.
- Nausea, retching.
- Vomiting of green acid fluid.

- Colic from gall stones.
- Pain and uncomfortable fullness in the region of liver.
- Jaundice with fever, clay coloured stools and golden yellow urine.
- Alternate diarrhoea and constipation.

Generals & modalities

- Despondency; mental depression.
- Forgetful.
- Apathetic.
- Aversion to salt and meat.
- Sensitive to cold.
- AGGRAVATION; Lying on left side, Stooping, Pressure, Touch Motion, Bear, Eating Lying on back.
- AMELIORATION; Sitting up.

Caulophyllum thalictroides

- Synonyms : blue Cohosh.
- Source : It is a perennial herb belonging to the natural order of Berberidaceae.
- Habitat : grows in rich woods in most parts of U.S. A.
- Preparation : Mother tincture is prepared from the fresh roots of the plant. Higher dilutions and potencies are prepared from the mother tincture.
- Proved by Dr. Burt of U.S. A.

Indications

- It is a SPECIFIC remedy of the following conditions:
 1. To tone up uterus and prevent habitual abortion in hysteric women.
 2. Exhausting leucorrhoea.
 3. False pains before labour.
 4. Delayed labour due to rigid os.
 5. Unbearable after pains.
 6. Protracted lochia.
 7. Excessive bleeding in abortions and labour.
 8. Leucorrhoea causing sterility.
 9. Leucorrhoea in little girls.

- 10. Spasmodic affections, hysteria and epilepsy developing during puberty at the establishment of menstrual functions.

- 11. Rheumatism of small joints-carpel and metacarpal joints.

- 12. Spasmodic dysmenorrhoea.

- DOSAGE : Low potencies.

- REPETITION : Should be repeated at short intervals intervals in emergencies.

- At long intervals to stop tendencies.

- DURATION OF ACTION : Not definite.

Relationship

- REMEDY THAT PRECEDES WELL : Gels.

- INCOMPATIBLE REMEDY : Coffea.

Comparison

- Delayed labour : Actaea r, Caul, Puls, Visc a.

- Drooping of upper eye lids, cannot keep them open : Caulo, Caust, Gels, Graph (of both lids-Sep.)

- Cramps in stomach, abdomen and pelvis : Caulo, Colo, Mag phos.

- Retained placenta from atony of uterus : Caulo, Sabina, Viscum a.

- Intense after pains : Caulo, Sab, Sec c.

- Arthritic nodosities of joints, especially of fingers : Caulo, Colch, Lyco, Staphis.

Causes & diseases

- Diseases develop during establishment of menstrual functions at puberty.

- Chorea.

- Hysteria.

- Epilepsy.

- Habitual abortion from uterine debility.

- Drooping of eye lids; upper eye lids heavy, has to raise them with fingers (Gels).

- neuralgic, spasmodic hysteric and rheumatic affections.

- Paraplegia after child birth (Boger).

- AFFINITIES; Female organs, Nerves, Muscles, Neck, Lower Limbs, Small joints.

Complaints & characteristics

- Ailments during pregnancy, parturition and lactation.

- Rheumatism of small joints.
- Erratic pains changing place every few minutes.
- Painful stiffness of affected joints.
- Pains are intermittent, paroxysmal, spasmodic.
- Leucorrhoea : acrid, exhausting with moth spots on forehead (Sep) in little girls preventing pregnancy.
- Spasmodic rigid os, delays labour, needlelike pricking pains in cervix.
- Labour pains short irregular spasmodic tormenting.
- Useless pains in beginning of labour; no progress made; produces efficient pains.
- After pains : spasmodic, across lower Abdomen; extend into groins.
- After long exhausting labour.
- Haemorrhage after hsty labour, from want of tonicity; passive after abortion.
- Lochia protracted, passive oozing for days from relaxed organs (Sec c).

Generals & modalities

- Excitable women Disposed to spasms and hysterical complaints.
- AGGRAVATION; Pregnancy, Suppressed menses, Open air, Evening.

Causticum

- Synonyms : Potassium Hydrate.
- Source : A mixture of caustic lime and bisulfate of potash.
- Preparation : The mixture is soluble in spirit, Higher potencies are prepared from the mother tincture.
- Proved by Dr. Hahnemann.

Indications

- It is a SPECIFIC remedy for the following conditions:
- 1. In facial paralysis especially of right side, paralysis of tongue, paralysis of single parts from exposure to cold winds, after diphtheria, typhus or typhoid.
- 2. Ptosis-drooping of the upper eyelids.
- 3. Bad effects of burns.
- 4. Epilepsy at the onset of puberty or suppressed eruptions (Caulop).

- 5. Aphonia: worse in the morning.
- 6. Rheumatic contractions and shortening of muscles.
- 7. Warts flat or horny, on eye lids, tip of nose, face, tips of fingers.
- 8. Ailments from long lasting grief, loss of sleep, fear.
- 9. Enuresis-passes urine involuntarily during first sleep.
- 10. Torticollis-stiffness of neck from exposure to cold.
- DOSAGE : pierce recommends 3rd.
- Boericke recommends 3rd to 30th potency.
- In constitutional affections higher and highest potencies cure.
- REPETITION : Acts best in single dose but may be repeated when symptoms call for it.

- DURATION OF ACTION : (Clarke)-50 days.

Relationship

- COMPLEMENTARY : Carbo v, Colo, petrosel.
- FOLLOW WELL : Ant t, Arum t, Kali iod, Lyco, Nux v, Puls, Rhus t, Sep, Sil, Sulph.
- INCOMPATIBLE : Acet ac, Coff, Phos must not be used before or after Caust (Allen).
- ANTIDOTES : Asaf, Coff, Coloc, Guaia, Nux v.
- REMEDY ANTIDOTES : Merc Sulph used for scabies and have spoiled the case.

- Lead poisoning due to holding type in mouth of compositors.

- BOYD'S DRUG GROUP : IV.

Comparison

- Intertrigo during dentition : Caust, Lyco.
- Convulsions with dentition : Cham, Stan, Caust.
- Ailments from loss of sleep : Caust, Cocc, Ign.
- Involuntary urination when coughing : Puls, Squil, Verat a, Apis, Nat m, Phos, Kali c, Caust.
- Drooping of upper lids, can not keep them open : Caust, Caulo, Gels, Graph (of both lids-Sep).
- Patient improves for a time then comes to a "stand still" : Caust Psor, Sulph.
- Warts : Ant cr, Bar c, Calc c, Caust, Calc pic, Dulc, ferr pic, Mag s, Nat c, Nat m, Nat s, Nit ac, Sep, Sil, Staph, Sulph, Sul ac, Thuja, X-ray.

Causes & diseases

- Mental diseases from care, grief, sorrow.
- Melancholia with weeping.
- Ailments from loss of sleep, sudden emotions.
- Gradual decrease of muscular power and paralysis.
- Paralysis after diphtheria.
- Right sided paralysis.
- Twitching of muscles.
- Contractor of tendons and muscles.
- Ankylosis.
- Stiffness of joints.
- Ailments from suppressed eruptions.
- Remote effects of burns, never well after burn.
- Old injuries reopen.
- Paralysis from exposure to cold wind or draft.
- After typhoid, typhus gradually appearing.
- Rheumatic affections.
- Contractions and stiffness; Torticollis shortening of tendons and muscles.
- Warts : large, jagged, often pedunculated, bleeding easily; excluding moisture; small, on eye lids, face, all over the body, on the nose.
- chorea, epilepsy at the age of puberty from fright, from being chilled; worse during menses.
- Complaints from cold bath.
- Insanity from long lasting grief, injurious effects of fear and prolonged vexation.
- Scrofulous ophthalmia with ulceration of cornea.
- Deafness of catarrhal origin.
- Nerve deafness.
- Fissures.
- Scorbutic gums.
- Galloping phthisis.
- Poliomyelities.
- AFFINITIES; Brain, Nerves. Muscles of bladder and respiration, Larynx, lumps Mucous membrane, Face, Skin, Right side.
- Complaints & characteristics
- Intertrigo during dentition.

- Rawness or soreness of scalp, throat, respiratory tract, rectum, anus, urethra, vagina, uterus.
- Constipation : frequent, ineffectual desire (Nux v).
- Stool passes better when the person is standing; impeded by haemorrhoids; tough and shining like grease; in children with nocturnal enuresis.
- Urine involuntary; when coughing, sneezing, blowing the nose.
- Cough with rawness and soreness of chest; with inability to expectorate, sputum must be swallowed; relief by swallow of cold water.
- Cough on expiration, with pain in hips; remaining after pertussis with expectoration chiefly at night.
- Hoarseness with rawness; aphonia worse in morning.
- Menses : too early too feeble only during the day; ceases on lying down.
- Drooping of upper eye lids; can not keep them open.
- Lightning like pains of locomotor ataxia.
- blinding headaches followed by paralysis.
- Vision gradually grows weaker until it is lost.
- Retention or passes urine involuntarily.
- Disappearance of milk during nursing period due to anxiety.

Generals & modalities

- Children with dark hair and eyes; slow in learning to walk. (Calc p).
- Unsteady walking and easy falling of little children.
- Delicate and sensitive.
- Depressed melancholic hopeless, anxiety and fear.
- At night, unable to get an easy position or lie still a moment.
- Must move constantly but motion does not relieve.
- Can not cover too warmly, but warmth does not ameliorate.
- Faint like sinking of strength, weakness and trembling.
- Patient improves for a time then comes to a stand still.
- Hysterical persons cannot endure heat or cold.
- Chilly persons.
- Rheumatic troubles from cold winds.
- AGGRAVATION; Morning, evening open air, draft, Fine weather

Motion of carriage

- AMELIORATION; Warm air, Damp wet weather.

Chamomilla

- Synonyms : Matricaria chamomilla.
- Source : A plant with white flowers with yellow disc belonging to the natural order of Compositae.
- Habitat : All over Europe.
- Preparation : The whole fresh plant is taken when in flowers to prepare the mother tincture. Higher potencies are prepared from then mother tincture.
- Proved by Hahnemann.

Indications

- It is a SPECIFIC remedy in the following conditions.
- 1. Diarrhoea of nursing children; stool green watery, corroding and offensive.
- 2. Diarrhoea of children during dentition.
- 3. Toothache worse from warm application.
- 4. Convulsions during dentition.
- 5. Violent rheumatic pains drive him out of bed at night compel him to walk about.
- 6. Infantile earache.
- It is a CONSTITUTIONAL remedy for:
 - 1. Children who are exceedingly irritable, peevish, fretful, snappish, cannot return a civil answer, quiet only when carried, want this or that and become angry when refused or when offered, petulently reject it, too ugly to live with, cross and spiteful.
 - 2. Patient cannot endure any one near him, is cross, cannot bear to be spoken to, averse to talking, answers peevishly, oversensitive to pain, pain drives him to despair, aggravated by heat; great aversion to wind and open air; sleepy but cannot sleep; burning soles at night, puts feet out of bed.
 - 3. In Cases spoiled by the use of opium or morphine; in complaints of children.
 - 4. Convulsions of children from nursing, after a fit of anger in mother.
- CONTRAINDICATION. Mental calmness contraindicates Chamomilla.
- DOSAGE : Pierce-1st for the adults and 6th for the children.

- Hahnemann recommends 12th attenuation.
- Higher potencies when constitutional symptoms are present.
- REPETITION : Should be repeated till response to the remedy is noticed.

- DURATION OF ACTION : (Clarke) 20 to 30 days.

Relationship

- COMPLEMENTARY : Bell in diseases of children, Mag carb, Puls.
- INCOMPATIBLE REMEDIES : Nux v, Zinc.

Comparison

- Nervous, cannot bear pain : whole body oversensitive : Arn, Cham, Coff, Ign.

- Sleepy but cannot sleep : Bell, Cham, Op.

- Desires many things but rejects when offered : Ant t, Bry, Cina, Cham, Staph.

- Oversensitive-all senses : to light, noise, smell, taste and touch: Bell, Coff, Cham, Op.

- Pains attended or succeeded by numbness of the affected parts: Acon, Cham, Kalm, Plat.

- Sour smell of the body with difficult dentition : Cham, Kreos, Rheum.

- Crushed pain in inflamed testicle : Aur, Cham, Rhod.

Causes & diseases

- Dentitional ailments.

- Narcotics.

- Coffee. & Complaints from anger.

- Toothache from coffee.

- Diarrhoea from cold, anger, after tobacco, downward motion.

- After a fit of anger in mother, convulsions of children from nursing (Nux v).

- Use of opium in complaints of children which have spoiled the case is restored by Chamomilla.

- Antidotes the influences of-coffee narcotics as opium.

- AFFINITIES; Emotions, Mind, Nerves, Mucous membranes, Digestive tract, Liver, Women, Children, Left side.

Complaints & characteristics

- Unbearable pains, drive him to despair, agg by heat; agg evening, before midnight, before midnight; with numbness of the affected parts.
- Toothache if anything warm is taken into the mouth, on entering warm room during menses or pregnancy.
- Diarrhoea : during dentition in child bed.
- Stool green watery, corroding like chopped, eggs and spinach hots very offensive, like rotten eggs.
- Nipples inflamed tender to touch (Helon, Phyto).
- Infant's breasts tender to touch.
- Milk runs out in nursing women (runs out after weaning (Con).
- Violent rheumatic pains drive him out of bed at night, compel him to walk about (Rhus t).

Generals & modalities

- New born.
- Children during dentition:
 - Peevish, irritable, over sensitive to pain, driven to despair(Coff) snappish, cannot return a civil answer.
 - Child exceedingly irritable, fretful, quiet only when carried; impatience; wants this or that and becomes cross when refused but when refused but when given petulently rejects it.
 - Too ugly to live.
 - Cross and spiteful.
 - Piteous moaning of child because he cannot have what he wants; Whining restlessness.
 - Patient can not endure any one near him.
 - Averse to talking.
 - Answers peevishly.
 - One cheek red and hot; the other pale and cold.
 - Oversensitive to open air.
 - Great aversion to wind, especially about ears.
 - Sleepy but cannot sleep (Bell, Caust,. Cham, Op, Gels).
 - Burning soles at night, puts, feet out of bed. (Sulph, Sang).
 - AGGRAVATION; Anger, Evening, Evening before midnight, Open air, Draft, Cold damp, Nercotics, Eructations, Coffee, Dentition, Alcohol.
 - AMELIORATION; From being carried, Fasting, Warm wet weather. (Mild) Heat, Sweating Cold applications.

Chelidonium majus

- Synonyms : Celandine.
- Source : It is a perennial plant having yellow flowers.
- Habitat : Germany, France and U.S. A.
- Preparation : The fresh whole plant is taken during flowering season. Mother tincture is prepared in rectified spirit or alcohol. Higher dilutions and potencies are prepared from mother tincture.
- Proved by Hahnemann.

Indications

- It is a SPECIFIC remedy for the following conditions
 - 1. Migraine-right sided, worse from warmth and motion, better from vomiting bile.
 - 2. Pneumonia of right lung with jaundice.
 - 3. Jaundice with itching and clay coloured or white stools.
 - 4. Ailments: with constant pain under the lower and inner angle of right scapula; with desire for very hot drinks; cold drinks are vomited; from change of weather.
 - 5. Melancholia from liver disorder.
 - 6. Ulcers with a history of liver disease or tubercular diathesis.
 - 7. Right sided affections worse from motion, head and lying on the painful side; better by eating.
 - 8. Gall-stones with pain under the right shoulder blade.
 - 9. Constipation: stools hard round balls like sheep's dung (Op, Plumb).
 - 10. Ailments with tongue coated thickly yellow, with red edges, showing imprint of teeth.
 - DOSAGE : Pierce, recommends 3rd.
 - Boericke recommends tincture and lower attentions.
 - REPETITION : Bears repetition well.
 - DURATION OF ACTION : (Clarke)-7 to 14 days.
- ### Relationship
- COMPLEMENTARY : Bry, Lyco, Sulph.
 - REMEDIES THAT FOLLOW WELL : Ars a, Ipec, Led, Lyco, Nux v, Sep, Sulph.
 - ANTIDOTAL : Acon, Cham, Coff, bad effects of coffee, wine.

- REMEDY ANTIDOTES : Bry.
- BOYD'S DRUG GROUPS : VIII.

Comparison

- Amelioration by eating : Anac, Chel, Iod, Sep, Murex, Phos.
- Chalky stools : Dig, Chel. Pod.
- Right sided affections : Bell, Bry, Chel, Kali c, Mag p, Lyco, Pod.
- Tongue: large flabby, shows imprint of teeth : Chel, Merc, Pod, Rhus t.
- Stitches in lower lobe of right lung extending to back : Chel, Merc, Kali c.
- Constipation : stools hard, round black balls : Chel, Op, Plumb, Thuja, Verat a.
- Sinking, empty, all gone sensation in stomach : Chel, Phos, Stan, Sep, Sulph.

Causes & diseases

- Hepatic, gastric and abdominal complaints.
- Ailments: brought on or renewed by change of weather. Old putrid, spreading ulcers with a history of liver diseases or of a tubercular diathesis.
- Rheumatic complaints from change of weather.
- Liver enlarged and tender.
- Right supraorbital neuralgia.
- Opacity of cornea.
- Headaches from heat, worse from warm room, motion and warm applications.
- Bilious, sick headache with vomiting of bile worse from motion and heat; want to lie perfectly quiet in a dark room and better from vomiting bile.
- Humid asthma worse from every change of weather.
- Intermittent fever coming in the after noon and evening.
- affinities; Right side, Liver.(Portal system) Mucous membranes, Lung. (Lower) Right side, Right ovary, Right malar bone, Occiput, Kidneys, Knees.

Complaints & characteristics

- Constant pain under the lower and inner angle of right scapula.
- Complaints lessen after dinner.

- Tongue coated thickly yellow, with red edges, showing imprint of teeth (Pod).

- Periodic neuralgia right side with excessive lachrymation; tears fairly gush out (Rhus t).

- Constipation : stools hard, round balls like sheep's dung (Op. Plumb).

- Alternate constipation and diarrhoea Diarrhoea : at night slimy, light-gray; bright yellowish; brown or white, watery, pasty; involuntary.

- Hepatic diseases or jaundice, with pain in right shoulder.

- Pneumonia of right lung with liver complications or jaundice.

- Pains worse by motion (Bry).

- Gall stones with pain under the right shoulder blade.

- Shooting stabbing pain extending to back.

- Spasmodic cough ; small lumps of mucus fly from mouth when coughing (Bad, Kali c).

- Complaints attended with nausea and vomiting.

- Pains are ameliorated by heat.

- Persistent pain in stomach : worse from motion, better by eructation and food.

- Jaundice with itching of skin.

- Drowsiness after eating.

- Desires to lie down after meals.

- Neuralgia over the right eye.

- Fan like movement of Alae nasi in chest affections (Lyco).

- Whitish stools.

- Rheumatism of feet with remittent fever.

- Right sided rheumatic sciatica.

Generals & modalities

- Desire very hot drinks, unless almost boiling stomach will not retain them (Ars a, Casc).

- Jaundice; face, forehead, nose, cheeks remarkably yellow; Yellow-gray colour of the skin.

- Right sided affections; right eye, right lung, right hypochondrium, right hip and leg, right foot cold as ice, left natural.

- Bilious people.

- Anxious sad, weeping despondency, melancholia.

- Slow pulse.
- Patient is worse from motion but can not lie on the painful side.
- Aversion to cheese.
- aggravation; Heat. Warmth, Hot applications, Warm room, Motion, Touch, Change of weather, Very early in the morning, 4 A.M. and 4 P.M. Cough, Cold winds.
- AMELIORATION; Rest, Eating, Dinner, Pressure, Hot food, Bending backward.

Chininum arsenicosum

- Synonyms : Arseniate of Quinine. Formula-2 $C_{20}H_{24}N_2O_2 As H_3. 4 H_2O$.
- Source : It is a salt of Quinine and Arsenic. It can be purchased from a chemist's shop.
- Preparation : Triturations are prepared of the salt with sugar of milk, from which higher potencies are prepared.
- Proved by Philadelphia Clinical Society at the instigation of Dr. William H. Bigler. Earlier Proved by. Dr. Muler (Allen)

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Chilly persons; sensitive to cold; worse from cold and susceptible to cold; want to be warm, want warm drinks and warm food; warm room ameliorates. (Kent)
 - 2. Complaints come on in windy stormy weather.
 - Hydrogenoid constitutions.
 - 3. Weakly constitutions; cold pale emaciated people; want to lie down; standing aggravates; sensitive to touch; weakness from walking; walking in open air aggravates; weakness with trembling.
 - Weakness after haemorrhage, chronic diarrhoea, prolonged suppurations. (Kent).
- It is a SPECIFIC remedy for the following conditions:
 - 1. Asthmatic attacks which recur periodically, with great prostration. (Boericke).
 - 2. Diarrhoea from eggs, cannot digest eggs or fish. (Kent)
 - 3. Diphtheria with great prostration, putrid odour from mouth; great pain on swallowing.

- 4. Malarial fever; extreme sadness during chill and fever; periodical attacks; with great prostration; liver and spleen enlarged. (Kent).

- 5. Headache worse from mental exertion; hammering headache; catarrhal headache, worse with coryza; worse coughing, jarring; after eating; during menses; periodical, every two weeks; dull heavy frontal and occipital headache (Kent)

- 6. Scrofulous ophthalmia worse after 1 A.M. , large ulcers on each eye; gushing tears (Kent)

- 7. Diarrhoea: from taking cold; from cold drinks; after eating; after fruit, eggs, fish; in hot weather; with intermittent fever.

- 8. Angina pectoris with dropsical symptoms; cardiac dyspnoea and circulatory weakness after acute infections; early myocardial degeneration.

- Suffocative attacks occurring periodically .

- Short breath on ascending.

- Palpitation worse from slight exertion.

- 9. Urine albuminous, copious at night; with sugar. (Kent)

- 10. Hyperchlorhydria alternating with hypochlorhydria. (Boericke).

- 11. Tonic for weakness after acute diseases, haemorrhages; loss of vital fluids; nervous prostration.

- 12. Profuse sweat, great prostration, weak pulse, alternating high and low temperature in puerperal fever, septic fevers, malignant diphtheria, malaria, scarlet fever or influenza. (G.R.)

- DOSAGE : #x-3 grains-every two hours in acute conditions (G.R.)

- REPETITION : Bears repetition well.

- DURATION OF ACTION : Not definite.

Comparison

- Profuse perspiration : Ant t, Ars a, Carb v, Chin, Chin ars, Fer ars, Hep s, Kali ars, Kali c, Merc, Nat m, Ph ac, Psor, Samb, Sil, Tub, Verat a.

- Cold perspiration : Am c, Ant t, Ars a, Camph, Carb v, Chin, Chin ars, Ferr m, Hep s, Ip, Lyc, Merc c, Sec c, Sep, Verat a, Verat v.

- Scrofulous ophthalmia : Calc c, Caust, Chin ars, Euph, Graph, Puls, Sulph.

- Cardiac dyspnoea : Acon, Ferr, Adren, Cact, Calc ars, Chin ars, Dig, Glon, Lber, Laur, Naja, Spig.

- Anaemia from malaria : Alston, Ars a, Chin ars, Nat m.

- Anaemia from vital drains : Calc p, Chin, Chin ars, Ferr, Helon, Kali c, Nat m, Phos ac, Phos.

Causes & diseases

- Cold.
- Windy and stormy weather.
- Eggs=diarrhoea.
- Malaria.
- Diphtheria.
- Scarlet fever.
- Puerperal fever.
- Influenza.
- Scrofulous ophthalmia.
- Asthma.
- Sepsis.
- Masturbation.
- AFFINITIES; Blood, Skin, Alimentary canal, Heart.

Complaints & characteristics

- Profuse sweat.
- Great prostration.
- Rapid weak pulse.
- Dyspnoea.
- Periodical complaints.
- Headache every two weeks; during menses.
- Urine : albumen, sugar, profuse.
- Angina pectoris with dropsical symptoms.
- Hyper-chlorhydria.
- Chronic malaria with liver and spleen enlargement.
- Frontal and occipital headache: worse during coryza, menses: periodical; worse from exertion: throbbing.
- Phthisis with attacks of periodical suffocation.
- Night sweats.
- Oscillating temperature.
- High and low temperature while sweat continued all the time with great prostration. (G.R.)

Generals & modalities

- Great debility.

- Emaciation.
- Chilly.
- Pale.
- Trembling
- AGGRAVATION; Cold, windy stormy weather, Standing, Ascending stairs Walking, Exertion, Motion, Jarring, Coughing, Cold drinks, Hot weather, Eating fruits, fish, eggs, Periodical.
- AMELIORATION; Warm room, Warm drinks, Warm food.

Cicuta virosa

- Synonyms : Wather Hemlock, Cow-bone.
- source : It is a perennial plant with white flowers.
- Preparation : Tincture of the fresh root at the time of flowering is prepared. Higher dilutions and potencies are prepared from the mother tincture.
- Habitat : It grows wildly all over Germany and France on the banks of ponds and lakes.
- Proved by Hahnemann.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Spasms of teething children or from worms, with distortion of limbs.
 - 2. Convulsions; with opisthotonos and unconsciousness; preceded by malaise, vesicular eruptions; followed by prostration.
 - 3. Puerperal convulsions continue after delivery or during labour.
 - 4. Epilepsy with lock-jaw, recurring first at short then at long intervals; during the intervals mild gentle and placid; followed by hiccough or great prostration.
 - 5. Remote effects of concussions and injury to spine especially spasms. (Nat s).
 - 6. Tetanus from getting splinters into flesh (Bell).
 - 7. Barber's itch.
 - 8. Eczema capitis: exudations form into a hard lemon coloured crust.
- It is a CONSTITUTIONAL remedy for the:

- 1. Ailments of children who have an abnormal appetite for charcoal, chalk and indigestible things.
- 2. Grinding of teeth during teething period.
- DOSAGE : Pierce recommends 3rd. Boericke recommends 6th to 200 potency.
- REPETITION : Repeat the remedy when symptoms call for it. Cic 3c. 10 drops every 15 minuet during convulsions (G.R.)
- DURATION OF ACTION : Not define.

Relationship

- REMEDIES THAT FOLLOW WELL : Bell, Hep s, Puls, Sep, Rhus t.
- ANTIDOTES : Arn, Coff, Tab.
- REMEDY ANTIDOTES : Opium.
- BOYD'S DRUG GROUP : VIII.

Comparison

- Abnormal appetite for chalk, charcoal and indigestible things : Alum, Cic, Psor.
- grinding of teeth : Cic, Cina, Spig.
- Disposed to talk continuously : Cic, Lach, Stram.
- Convulsions of Cic spread from the extremities to centre, convulsions of Cup m spread from the extremities to centre, convulsions of Sec c begin in face.
- In convulsions of Nux v the patient is very irritable whereas the patient is mild gentle and placid in case of Cic v.
- Tetanus caused by spinters under the nails : Bell, Cic, hyper, Led.

Causes & diseases

- Worms, teething.
- Puerperal affections.
- Concussions of the brain and spine=spasms, tetanus, lock-jaw, epilepsy, epileptiform convulsions, vertigo; hysterical convulsions.
- Trismus and tetanus from getting spinters into flesh.
- Brain diseases from suppressed eruptions.
- Any irritation in throat or oesophagus will cause violent convulsions in this region, from swallowing a fish bone.
- Fright will bring on convulsions (Op, Ign, Acon).
- Cerebro-spinal fever convulsions worse from touch.

- Epithelioma of lips.
- Swelling of maxillary glands.
- Eczema of cheeks, capitis, Barber's itch or sycosis menti.
- Impetigo.
- Hiccough.
- Opium=convulsions.
- Strabismus.
- Ailments after convulsions.
- AFFINITIES; Brain, Nerves, G.I. Tract, Skin.

Complaints & characteristics

- Spasms of teething children or due to worms.
- Convulsions: violent; with frightful distortion of limbs and whole body; with loss of consciousness; with opisthotonos; renewed from slightest touch, noise or jar.
 - Followed by, prostration, hiccough; Puerperal convulsions: with frequent suspension of breathing for a few moments as if dead; upper part of the body most affected; continue after delivery.
 - Epilepsy: with swelling of stomach as from violent spasms of diaphragm; screaming; red or bluish face; a warning aura in stomach; with lockjaw and loss of consciousness and distortion of the limbs; frequent during the night, recurring, first at short, then at long intervals.
 - Pustules which run together, forming thick yellow scabs on head and face.
 - Eczema: no itching Exudation forms into a hard lemon coloured crust.
 - Convulsions spread above downwards; the little convulsions of the head, eyes, throat spread down the back to the extremities with violent contortions.
 - Grinding of teeth during dentition (Cina, Spig). With wonderful distortions. (G.R.) Jerking, vertigo, reeling and falling to the ground.
 - Screams from pain, before convulsion.
 - Eyes, Strating, pupils dilated and insensible; diplopia.
 - Spasms of throat.

Generals & modalities

- Abnormal appetite for coal, chalk and indigestible things; child eats them with apparent relish (Alum, Psor).

- During dentition. Grinding of teeth or gums; lock-jaw.
- memory blank for hours or days.
- Childish behaves. (Bar c)
- Disposed to talk.
- Every thing confused and strange.
- Wants to be alone.
- In between convulsion he is placid.
- AGGRAVATION; Tobacco smoke, Touch, Jar, Noise, Injuries; to brain (Nat-s) Dentition.

Cina maritima

- Synonyms : Worm seed, Artemisia contra.
- Source : It is a plant having small green yellow flowers belonging to the natural order of compositae. The unexpanded flower heads are called seeds.
- Preparation : Mother tincture is prepared from the seeds. Higher preparations are prepared from the mother tincture.
- Proved by Hahnemann.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Children suffering from worms especially Ascarides with grinding of teeth and boring at nose.
 - 2. Ailments of children having characteristic and general symptoms of the remedy.
 - 3. Whooping cough after Drosera has removed the severe symptoms or when whooping cough is worse when awaking from sleep.
 - 4. Enuresis nocturna in fretful children.
 - 5. Has cured aphonia from exposure when Acon, Phos and Spong have failed.
 - 6. Santonine sometimes cures in worm affections when Cina seems indicated but fails (Mar v, Spig).
 - 7. Strabismus from worms.
 - DOSAGE : Pierce recommends 30th potency.
 - Boericke-for nervous and irritable children-30th to 200th potency.
- Nash-It is more efficacious for worms in the 200th or higher potencies than the lower potencies.

- REPETITION : Bears repetition well.
- DURATION OF ACTION. (Clarke) 14 to 20 days.

Relationship

- REMEDIES THAT FOLLOW WELL : Calc c, Chin, Ign, Sil, Stan.
- ANTIDOTES : Camph, Caps, Chin, Ipec.
- REMEDY ANTIDOTES : Caps, Chin, Merc.
- BOYD'S DRUG GROUP : V.

Comparison

- Children awake suddenly, screaming without apparent causes: Apis, Borax, Cina, Stram.

- Children want this or that and become angry when refused or when offered petulently reject it : Bry, Cham, Cina, Kreos.

- Convulsions of children from the irritation of anus : Cina, Hyos, Sabad.

- Suffers from hunger, anxious and worried if he does not eat : Cina, Iod, Sulph.

- A hungry after eating as before eating : Casc, Calc c, Cina, Lac c, Lyco, Stront c.

- Walking at night feeling hungry : Cina, Lyco, Psor.
- Dislikes even favourite playthings : Cina, Rheum, Staph.
- Worm affection of children : Cina, Sabad, Sil, Spig, Teucr, Tereb.
- Worms with foul breath : Cina, Spig, Tereb.

Causes & diseases

- Children suffering worms.

- Grinding of teeth, boring at nose, sleeps on belly or on mothers shoulder.

- Ascarides.

- Anaemia with characteristic symptoms of Cina.

- Asthenopia; asthma; colic; convulsions; dentition; diarrhoea; enuresis; affections of eye.

- Hydrocephaloid.
- Intermittent fever, irregular.
- Leucorrhoea.
- Spasms.
- Strabismus.
- Twitching.

- Milky urine.
- Whooping cough.
- Irritation of anus.
- AFFINITIES; Brain, Nerves of spine, Abdomen, Stomach, Thermic centre. (G.R.), Eyes Left side.

Complaints & characteristics

- Canine hunger: hungry soon after a full meal, craving for sweets and different things; refuses mother's milk.
- Urine turbid when passed, turns milky and semi-solid after standing; white and turbid; involuntary.
- Cough: dry with sneezing; spasmodic, gagging in the morning; periodic, returning spring and fall.
- Child is afraid to speak or move for fear of bringing on a paroxysm of coughing (Bry).
- In pertussis after Drosera has relieved the severe symptoms.
- Complaints concomitant to yawning.

Generals & modalities

- Irritable children very cross, want to be carried, do not want to be touched, averse to caresses.
- Desires many things; but reject everything offered.
- The child wants something but does not know what.
- Does not like to be looked at, does not like strangers.
- Worse after eating even a moderate meal.
- Putiful weeping when awake, starts and screams during sleep.
- Face is pale; sickly white and bluish appearance around mouth; sickly, with dark rings under the eyes; one cheek red the other pale (Cham).
- Wakes up frightened.
- AGGRAVATION; Night, During sleep, Before midnight, Strangers, Open air, cold air, Touch Cold water, Caresses, Vexation, Yawning, Staging Full Moon.
- AMELIORATION; Being carried, Lying on abdomen on mother's shoulder, Wiping eyes (and nose).

China officinalis

- Synonyms : China, Yellow Peruvian bark, Cinchona Officinalis.

- Source : Bark of Cinchona tree.
- Habitat : Peru in South America where the Cinchona tree grows wildy.
- Preparation : Mother tincture is prepared from the Cinchona bark. Higher potencies are prepared from the mother tincture.
- Proved by Hahnemann.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Debility : from loss of vital fluids, haemorrhages; exhausting diarrhoea.
 - Debilitating sweats in malaria.
 - 2. Haemorrhage: disposed to haemorrhage; with ringing in ears, fainting, loss of sight.
 - 3. Colic: from gall stones; at certain hour each day; after eating, worse at night, better bending double.
 - 4. Neuralgia: pains are agg by slightest touch, but amel by hard pressure.
 - 5. Dropsy: after acute diseases like Malarial fever, haemorrhages.
 - 6. Intermittent fever: from malaria: paroxysms antedipated from two to three hours each attack; returns every 7 or 14 days; every other day; sweats all over at night.
 - During apyrexia there is great debility, ringing in ears and other concomitant symptoms.
 - 7. Flatulence: excessive; belching gives no relief; agg after eating fruits (Puls); uncomfortable distention in abdomen with a wish to belch up, but belching or stool does not relieve.
 - 8. Headache: as if the skull would burst, face flushed; from occiput to whole head; agg sitting or lying, must stand or walk.
- DOSAGE : Tincture to stop craving for alcohol. 6th for Gallstone colic and jaundice.
- High potencies work when low potencies fail in very acute conditions.
- REPETITION : When symptoms call for the remedy otherwise single dose is enough.
- DURATION OF ACTION : (Clarke)-7 days.

Relationship

- COMPLEMENTARY REMEDY : Ferr m.
- REMEDIES THAT FOLLOW WELL : Arn, Ars, Asaf, bell, Calc p, Carbo v, Merc, Lach, Phos ac, Puls, Sulph, Verat a.
- INCOMPATIBLES : Dig, Sel.
- ANTIDOTES : Arn, Ars, Calc, Carbo v, Eup per, Fer, Ipec, Lach, Merc, Nat m, Nux v, Puls, Rhus t, Sep, Sulph, Verat a.
- REMEDY ANTIDOTES : Ars a, Cup, Fer, Ipec.
- BOYD'S DRUG GROUP : V.

Comparison

- Bad effects of exhausting diseases : Carbo v, Cinch, Phos, Psor.
- Sweats day and night, as soon as one sleeps, or even when closing the eyes : Cinch, Con.
- Dropsy; after haemorrhage; suppressed intermittents; abuse of quinine : Carb v, Cinch, Ferr m.
- Bad effects from loss of blood : Cinch, Ham.
- Sensitive to slightest touch but relief from hard pressure : Cinch, Caps, Plum, Chin, Sulph.
- Ailments in anaemic persons after loss of vital fluids : Cinch, Kali c, Phos ac, Phos, Psor.
- Flatulence in abdomen not relieved by belching : Cinch, Lyco.
- Flatulence entire abdomen : Cinch; upper abdomen-Carbo v: Lower abdomen-Lyco.
- One foot hot, the other cold : Cinch, Dig, Ipec, Lyco.
- Diarrhoea from pears: Cinch, Verat a; Onions: Thuja; Ice cream-Ars, Bry, Puls.
- Diarrhoea from milk : Calc c, Nat c, Nic, Sulph.
- Diarrhoea from Oysters : Brom, Lyco.

Causes & diseases

- Loss of fluids; haemorrhages; excessive lactation; Diarrhoea; suppurations; malaria suppressed, alcoholism; after climacteric; onanism; Dropsy after acute diseases.
- bad effects of tea.
- Tobacco habit.
- Gall-stone.
- Pears-diarrhoea, colic; traumatic fever.
- Amblyopia;

- Anaemia; Appetite disturbed, bilious attacks, constipation, debility diarrhoea.

- Dropsy.
- Dyspepsia.
- Noises in ears.
- Emissions.
- Haemorrhoids.
- Headache.
- Hectic fever.
- Hipjoint disease.
- Impotence.
- Intermittent fever.
- jaundice.
- Lactation.
- Liver disorders.
- Menstrual disorder.
- Perspiration excessive.
- Self abuse.
- Sleep disorder.
- Spermatorrhoea.
- Suppressed coryza.
- Mercury.

- AFFINITIES; Blood, Circulation, Nerves, Liver, Spleen, Mucous membranes, Thermic center. (G.R.), Secretions, Digestive organs.

Complaints & characteristics

- Headache : as if the skull would burst (Glon).
- Intense throbbing of head and carotids face flushed; from occiput over whole head; agg sitting or lying; must stand or walk; after haemorrhages or sexual excesses.
- Toothache while nursing the child.
- Colic: at a certain hour each day, worse at night and after eating; better bending double.
- Haemorrhages; of mouth, nose, bowels or uterus; long continued; with ringing in ears, with fainting, loss of sight, general coldness, some times convulsions.

- Pains are agg by slightest touch but amel by hard pressure (Caps, Plumb).
- Intermittent fever: paroxysm anticipated from two to three hours each attack (Chin s); returns every seven or fourteen days; never at night; sweats profusely all over on being covered or during sleep (Con).
- Convulsions from bleeding during Labour. (Sec c).
- Congestions after haemorrhage.
- Dropsy after haemorrhages.
- Periodicity in neuralgias, and intermittent fevers.
- Bloating of abdomen.
- Haemorrhage from nose.
- Concomitants: Debility, twitching and jerking of limbs epileptiform convulsions, paralytic weakness, rush of blood to head, ringing in the ears; darkness before eyes; fainting on slightest provocation; sense of weight in hepatic and splenic regions; excessive sensitiveness of all the nerves.

Generals & modalities

- Face pale hippocratic; eyes sunken and surrounded by blue margin; pale sickly expression as after excesses.
- Excessive flatulence of stomach and bowels; fermentation, borborygmus; belching given no relief.
- After eating fruits (Puls).
- Great debility trembling, aversion to exercise; sensitive to touch, to pain to draft of air; entire nervous system extremely sensitive.
- Nervous.
- Longing for sour things.
- Unrefreshing sleep or constant sopor agg after 3 A.M. wakens early.
- One hand icy cold, the other warm (Dig, Ipec, Puls).
- Apathetic, indifferent, taciturn, despondent, gloomy, has no desire to live, but lacks courage to commit suicide.
- Broken down constitutions from excessive discharges. (Carbo v).
- Chilly persons always taking cold.
- Breaks out into perspiration upon least exertion.
- AGGRAVATION; Vital losses, Touch, Jar, Nose, At night, Slightest touch, Wet weather.

- AMELIORATION; Deep hard pressure loose, White fasting Loose clothes.

Cistus canadensis

- Synonyms : Raockorse, Ice plant, Frostweed.
- Source : it is a plant belonging to the natural order of Cistaceae.
- Habitat : It grows at the pine rock, New Heaven U.S. A.
- Proved by Dr. J.H. Bute in 1836 under the supervision of Dr. C.

Hering.

Indications

- IT IS AN ANTIPSORIC AND A DEEP ACTING REMEDY. (KENT)
- It is a CONSTITUTIONAL remedy for the following type of patient:
 - 1. Who are susceptible to cold, excessively sensitive to cold air; sensation of coldness in various parts; want to remain warm; worse from inspired air; drafts and cold water.
 - Aborts cold that centers in posterior nose.
 - 2. Who have a scrofulous constitution; scrofulous enlargement of lymph glands; lupus on the face; chains of cervical glands on both sides of neck; suppuration of glands; scrofulous ulcer on the back; night sweats; copious sweats with exhaustion, in chilly persons.
 - 3. Who suffer from exhaustion from exertion, dyspnoea, sweating and coldness that we find in Calcareae. (Kent)
 - It is a SPECIFIC remedy for the following conditions.
 - 1. Swelling, induration and suppuration of glands.
 - 2. Otorrhoea: foetid with enlargement of parotid glands and cervical glands, with cracks, fissures and bleeding; in chilly persons, as a sequela after eruptive conditions. (Kent)
 - 3. Catarrhal conditions of mucous membranes with thick yellow offensive mucus; chronic and troublesome catarrh.
 - 4. Headache: from mental exertion; fasting relieved by eating; great prostration with headache; cold sweats with headache.
 - 5. Cracking and bleeding of fingers in winter from washing in cold water. (Kent)
 - 6. Eczema about the ears or on the face, in chilly persons, with enlargement of glands.
 - 7. Chronic diarrhoea with enlarged glands in chilly persons.

- 8. Old, deep seated eating ulcers about the ankle and shin with copious crid discharge, formication and swollen glands, aggravation from bathing and cold open air; comfortable when very warm.

- 9. Scrofulous ophthalmia in chilly persons with enlargement of glands.

- 10. Malignant disease of the glands of the neck.

- 11. Pyorrhoea alveolaris (Caust, Merc c, Kreos, Staph); spongy gums.

- 12. Naso-pharynx and throat susceptible to cold and catarrh.

- 13. Ailments with formication, sensation of crawling, tingling and creeping like ants without eruptions.

- 14. Cracked skin; canthi; lips finger tips in winter; in chilly persons.

- DOSAGE : 6c to 200c.

- REPETITION : Single dose of high potency.

- DURATION OF ACTION : Not definite.

Relationship

- REMEDIES THAT FOLLOW WELL : Bell, Carb v, Mag c, Phos.

- INIMICALS : Coff.

- ANTIDOTES : Rhus t, Sep.

Comparison

- Extremely sensitive to cold air : Calc c, Cist c, Kali c, Psor.

- Headache from fasting relieved by eating : Cist c, Lyc, Iod.

- Burning in the nose when the nasal discharge is removed : Aesc, Ant cr, Cist c.

- Burning in the nose from the acrid discharge : Ars a.

- Swelling of glands : Bad, Barytas, bell, Braom, Calcareas, Carbo an, Cist c, Con, Dulc, Graph, Mang, Hep s, Iod, Kali iod, Lapis alb, Mercuries, Phyt, Rhus t, Sil, Spong, Sulph, Thuj, Tub.

- Suppuration of glands : Calc c, Calc s, Cist c, Crot h, Dulc, Hep s, Kali iod, Lach, Lyc, Merc, Nit ac, Pyrog, Rhus t, Sil, Sulph, Syph, Tub.

- foetid discharge from ears : Aur, Cist c, Merc, Psor, Sulph, Tell.

- Cracked skin of hands from wetting : Calc c, Cist c, Rhus t, Sep, Sulph.

- Cracked skin in winter : Calc c, Cist c, Merc, Psor, Sanic, Sep, Sulph.

- Cracked tips of fingers : Cast c Graph, Petr.

Causes & diseases

- Cold air.

- Draft.
- Winter.
- Tuberculosis.
- Cancer of glands.
- Chronic diarrhoea, in chilly persons.
- Scrofulous ophthalmia.
- Eczema about ears.
- Pyorrhoea alveolaris.
- AFFINITIES; Glands: cervical, mammary. (L) naso pharynx, Throat,

Lungs, Skin.

Complaints & characteristics

- Tingling and crawling on skin without eruptions.
- Headaches with great prostration and cold sweats.
- Foetid otorrhoea with enlargement of glands.
- Tubercular affections in chilly persons.
- Post nasal catarrh and sore throat from cold air.
- Thick yellow offensive mucus in catarrhal disorders.
- Cracks on fingers in winter (Petr, Graph).

Generals & modalities

- Chilly persons susceptible to cold.
- Sensitive to cold air.
- Exhausted from slightest exertion, climbing stairs.
- Disposed to cold and catarrh.
- Disposed to tuberculosis (Mang).
- Disposed to inflammation and suppuration of glands.
- Disposed to cancer of gland.
- AGGRAVATION; Cold air, Draft, Mental exertion Touch.

Cocculus indicus

- Synonyms : *Cocculus*.
- Source : A strong climbing shrub having purple small round berries belonging to the natural order of menispermaceae. Picrotoxin is found in the berries.
- Habitat : India and Malaya.
- Preparation : The dried fruit is taken, powdered and mother tincture is prepared. Higher potencies are prepared from the mother

tincture.

- Proved by Hahnemann.

Indications

- It is a SPECIFIC remedy for the following conditions:

- 1. Motion sickness car, best sickness; acts as a prophylactic if taken two days before the trip in 30th potency.

- 2. Bad effects of loss of sleep.

- 3. Bad effects of continued worry and anxiety; anger; grief.

- 4. Vomiting of pregnancy with vertigo.

- 5. Diphtheritic paralysis; paralysis of throat, lower extremities.

- Paralysis after septic conditions.

- 6. Ailments of drunkards.

- 7. Hernia with incarcerated flatulence, especially umbilical when

Nux v fails.

- 8. The thought and smell of food will nauseate the patient (Ars.

Colch).

- 9. Mental derangements with vertigo.

- 10. Exhausting menses, scarcely able to speak (Alum, Carbo an,

Graph, Ver a).

- DOSAGE : 30 to 200.

- REPETITION : Single dose.

- DURATION OF ACTION : (Clarke)-30 days.

Relationship

- REMEDIES FOLLOW WELL : Ars a, Bell, Hep, Ign, Lyco Nux v, Puls,

Rhus t, Sulph.

- INCOMPATIBLE : Coff.

- ANTIDOTES : Camph, Cham, Coff, Ign.

- REMEDY ANTIDOTES : Cham, Cup, Ign, Nux v.

- BOY'S DRUG GROUP : VI.

Comparison

- After pains extend to the shins : Carbo v, Cocc.

- Ailments from loss of sleep : Caust, Cocc, Ign, Colch, Cup m, Lac def,

Nit ac, Nux v.

- When reading, the letters seem to turn, go up or down or disappear : Cic, Cocc.

- Thought and smell of food agg : Cocc, Colchi.

- Better walking : Cocc, Cycl, Cact, Fer m.
- After whooping cough : Bronchial catarrh; Laryngeal tuberculosis-Dros.

- Least contradiction angers : Anac, Cocc, Ferr m, Ign.
- Nursing the sick agg : Cocc, Nit ac.
- Crackling of joints on motion : Cocc, Graph, Nit ac.
- Leucorrhoea in place of menses : Cocc, Nux m.
- Car or boat sickness : Cocc, Petr, Sanic.
- Exhausting menses scarcely able to speak or stand : Alum, Carbo an, Cocc, Graph, Verat a.

Causes & diseases

- Riding in carriage, boat, car=nausea or vomiting.
- Loss of sleep, night watching, mental excitement=trembling.
- Anger=bad effects Grief=bad effects Anxiety, disease, peculiar to drunkards.
- Complaints from nursing; worn out by anxiety, worry and loss of sleep.

- Causes congestive headaches, nausea, vomiting and vertigo.
- Locomotor ataxia with staggering and numbness.
- Paralytic rigidity, stiffness of joints relieved after bending.
- Spasms.
- Electric shocks.
- Attacks of paralytic weakness with pain.
- Paralysis of face and limbs; of lower extremities after diphtheria; after sepsis.

- Nervous prostration in typhoid fever.
- Umbilical hernia with constipation After Nux v failed.
- Paralytic pain in small of back.
- Uterine haemorrhage from loss of sleep with mental excitement.
- AFFINITIES; Brain, Sensorium, Nervous, Muscles, Blood, Female Sexual organs, Occiput, Lumber region, One side.

Complaints & characteristics

- Headache : in nape and occiput; extending to spine; as if tightly bound by cord; with nausea as if at sea; at each menstrual period agg lying on back of head.
- Sick headache from carriage, boat or train riding.

- Vertigo, as if intoxicated upon rising in bed, or by motion of carriage (Bry).

- Extreme weakness, scarcely able to stand from weakness of lower limbs during menses (Alum, Carbo an).

- Haemorrhoids after each period.

- Leucorrhoea in place of menses or between periods (Iod, Xan); like washing of meat; like scum, ichorous bloody; during pregnancy.

- Loss of appetite with metallic taste.

- Trembling of arms and legs from excitement, exertion or pain.

- Convulsions from loss of sleep.

- Sensation: in abdomen as of sharp stones, cutting and rubbing.

- Sensation of hollowness in head and other parts (Ign).

- Faints with colic, from pains, moving the body.

- Anxious, frightful dreams.

- Loathing of food.

- Nausea and gagging from the thought and smell of food (Colchicum).

- Concomitants Attacks of paralytic weakness.

- Great distention of abdomen with incarcerated flatus; vertigo; numbness; fainting spells.

Generals & modalities

- Unmarried women; childless women; Romantic girls; Sensitive girls; Book-worms; Rakes; Onanists; Onanists; Persons debilitated by sexual excesses; cannot bear contradiction; easily offended; every trifle makes him angry; Speaks hastily (Anac) Time passes too quickly.

- Great lassitude of the whole body; It requires exertion to stand firmly; feels too weak to talk loudly.

- The least jar is unbearable.

- Patient cannot endure motion; wants plenty of time to move head to remove to think or to do anything.

- Tremulous, tired excitable.

- Awkward; drops things.

- AGGRAVATION; Boat, car, carriage, riding motion, Thought and smell of food, during menses, rising up, Lying on back of head, Excitement, Loss of sleep, Drinking, Talking, Pregnancy, Exertion, Pain, Noise Anxiety cold. Eating Open air.

- AMELIORATION; Lying quiet, Warm room.

Coffea cruda

- Synonyms : Coffee
- Source : Unroasted Coffee Bean.
- Habitat : Coffee plant is indigenous to arabia, India and tropical countries.

- Preparation : Mother Tincture is prepared from the raw seeds of the plant. Higher potencies are prepared from the mother tincture.

- Proved by Dr. Hahnemann.

Indications

- IT IS A SHORT AND SUPERFICIAL REMEDY MOSTLY USED IN ACUTE CONDITIONS.

- It is a CONSTITUTIONAL remedy for the following types of patients:

- 1. Tall, lean, stooping persons, dark complexion, sanguine, choleric temperament.

- 2. Oversensitive persons: all senses more acute, sight, hearing, smell, taste, touch (Bell, Cham, Op).

- 3. Persons: who weep from delight; alternate laughing and weeping.

- It is a SPECIFIC remedy for the following conditions:-

- 1. Ailments from bad effects of sudden emotions or pleasurable surprises e. g, news about a lottery reward etc.

- 2. Ailments: with alternate laughing and weeping.

- 3. Pains: very severe; seem almost insupportable, driving patients to despair; tossing about in anguish. (Acon).

- 4. Headache: from over-mental exertion, thinking, talking; one sided, as from a nail driven into the brain, as if brain were torn or dashed to pieces; worse in open air.

- 5. Toothache: intermittent, jerking; relieved by holding ice water in the mouth, but returns when water becomes warm.

- 6. Sleeplessness: wide awake condition; impossible to close the eyes; physical excitement through mental exaltation.

- 7. Ailments from narcotic medicines.

- 8. Pain in face when writing (Templeton).

- 9. Neuralgias: with nervous excitability and intolerance of the pain.

- 10. Delirium Tremens: with excitement and sleeplessness.

- DOSAGE : 30 to 200c.
- REPETITION. Single dose is enough.
- May be repeated when the symptoms call for it.
- DURATION OF ACTION: One to two day.

Relationship

- COMPLEMENTALY : Aconite.
- ANTIDOTES : Cham, Ign, Nux v
- THE REMEDY ANTIDOTES : Cham, Coloc, Nux v, Puls.
- INIMICALS : Canth, Caust, Cocc, Ign.

Comparison

- Hypersensitiveness : Bell, Cham, Op, Coff.
- Intolerance of pains : Acon, Cham, Coff.
- Headache one sided as if a nail driven into the brain; Coff, Ign, Nux

v.

- Hasty eating and drinking: Bell, Coff, Cepa.
- Toothache relieved by holding ice water in the mouth: Bism, Bry, Caust, Coff, Nat s, Puls, Sep.
- Toothache amel by cold; Bry, Coff, Ferr p.
- Ailments from fea, fright or joy : Gels Coff.
- Headache, as if a nail was driven out through the side, relieved by lying on it : Coff, Ign, Nux v, Thu.
- Sexual organs easily excited, from touch, pressure of friction by walking; Cann, Coff, Lac c, Murex, Plat.

Causes & diseases

- Sudden surprise.
- Unexpected joy.
- Sleeplessness from rush of ideas.
- Narcotics.

- AFFINITIES; Mind, Nerves; Cardiac, Circulation, Sexual organs, Women.

Complaints & characteristics

- Headache : from mental over exertion, thinking, talking; one sided, as from a nail driven into the brain; ,as if brain were torn or dashed to pieces; worse in open air.
- Toothache: relieved by holding ice water in mouth, but returns when water becomes warm.

- From warm things.
- Alternate weeping and laughing.
- Weeping from delight.
- Unusual activity of mind and body Sleepless, wide awake condition, impossible to close the eyes; with mental activity.
- Hasty eating and drinking.
- Pain driving patient to despair.

Generals & modalities

- Persons oversensitive.
- Persons who cannot tolerate pain.
- Persons: full of ideas; quick to act.
- Persons of sanguinecholeric temper.
- AGGRAVATION; Sudden mental emotion, Excessive joy, Cold open air Narcotics, Noise, Touch, Mental exertion, Warm water in mouth, Warm things in mouth, & AMELIORATION; Lying down, Rest, Ice water in mouth.

Colchicum autumnale

- Synonyms : meadow Saffron.
- Source : Colchicum autumnale belongs to the natural Order of Melanthaceae of the Liliaceae group of plants.
- Habitat : It grows widely in the temperate climate of Europe, blooming in autumn.
- Preparation : Mother tincture is prepared from bulbs of the drug collected in the spring. Higher potencies are prepared from the mother tincture.
- Proved by Stapf, one of Hahnemann's disciples.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Prevention and cure of acute rheumatic pericarditis.
 - 2. Suppression of urine in patients suffering from typhoid fever with tympanites and great prostration.
 - 3. Gouty diabetes, the uric acid reappearing as the sugar disappears.
 - 4. Rheumatism appears on disappearing of uric acid from urine; pains are unbearable, wandering pains, pain as if bruised, extreme weakness, powerlessness and stiffness of the parts.
 - Rheumatism affecting the valves of the heart after disappearance from the joints; at the beginning of acute rheumatism.
 - 5. Gouty persons with extreme irritability of temper; thought and smell of food nauseates, chilly, worse from becoming cold and better from warmth; worse from motion, damp cold weather.
 - 6. Bowel disorder: with white mucus in stool; jelly like stools; Scrapings of intestine in large quantities; with violent tenesmus and tenderness of abdomen.
 - 7. Dropsy from liver and kidney affection; with albuminuria; after scarlet fever. Cures when Apis and Ars a fall (Allen).
 - 8. In ailments of persons in whom external impressions, light, strong odours, contact, bad manners make him almost beside himself; from grief or misdeeds of others; loathing even the sight and smell of food.

- DOSAGE : 3rd to 30 potency. (Boericke). George Royal recommends 3rd, 6th and 12th potencies.

- REPETITION : Needs repetitions.

Relationship

- In colchicum poisoning give Ammon causticum in sugar water to antidote it.

- ANTIDOTES : Bell, Camph, Cocc, Nux v, Puls, Spig, Honey and sugar.

- REMEDIES THAT PRECEDE WELL : Apis, Ars a, Carb v, Acon, Arn.

- REMEDIES THAT FOLLOW WELL : Lycopodium, Benzoic acid.

- BOYD'S DRUG GROUP : VII.

Comparison

- Rheumatic metastasis to heart : Abrot, Aur m, Cactus, Colch, Kalmia.

- Can not bear the sight and smell of food : Ars a, Colch., Sep.

Causes & diseases

- Grief.

- Misdeeds of others.

- Bad effects of night watching.

- Suppressed sweat=paralytic condition.

- Dropsy after scarlet fever.

- Great weakness or dropsy after acute diseases.

- Nausea from odours.

- Urinary disorder: burns when it passes; retention of urine; scanty urine with dropsy; inky urine; loaded with albumen; suppression of urine.

- Mental disorders: delirium, depression of mind; comprehension difficult; prostration of mind.

- Eye affections: rheumatic iritis; acrid lachrymation causing redness of the eye lids.

- Kidney affections.

- Constitutions abused by alcohol (Led).

- Bad effects of loss of sleep (Cocc, Colch, Nit c, Nux v).

- Gout often mistaken for bunion (Led, Rhod).

- Cholera: rice water stools, nausea, vomiting, body cold, cold sweats but wants abdomen uncovered (Sec c, Tab); with suppressed urine.

- Arthritic nodosities of finger joints (Caulo, Lyc, Staph).

- AFFINITIES; Digestive Tract, Heart, Pericardium, Circulation, Kidneys, Skin.

Complaints & characteristics

- Pains go from left to right.
- Pains affect the bones and deeper tissues, when air is cold.
- Bruised pains with soreness.
- Flatulence: the abdomen is immensely distended with gas, feeling as if it would burst.
- Tympanites, abdomen sensitive to touch.
- Burning or icy coldness in stomach and abdomen.
- Cold feeling in abdomen (Tab, Ver).
- Autumnal dysentery, discharges from bowels contain white sherry particles in large quantities; white mucus (Nux m); scrapings of intestines (Canth, Carb ac).
- Urine: dark, scanty or suppressed; in drops with white sediment, bloody, brown black, inky; contains clots of putrid decomposed blood, albumen, sugar.
- Affected parts very sensitive to contract and motion.
- Arthritic pains in joints; patient screams with pain on touching a joint or stubbing a toe.
- Often cures dropsy after Apis and Ars a. fail.
- Disposition to vomit is less when the lies perfectly still; every motion renews it.
- Rheumatism: tendency to move from one joint to another; from below upwards or from above downwards; with swelling, or without swelling; changing about from place to place.
- Rheumatic troubles end in cardiac trouble with valvular troubles.
- Great tenderness and soreness with colic, agg from eating better from bending double.
- Diarrhoea or dysentery: stools jelly like, coagulated mucus, very painful stool with great soreness in abdomen.
- Bloody discharges from the bowels with deathly nausea, white mucus with violent tenesmus.
- Icy coldness over the stomach.

Generals & modalities

- Roubust, vigorous constitutions; old People.

- External impressions, light noise, strong odors contact, bad manners, make him almost beside himself (Nux v, Terb).
- Smell painfully acute; nausea and faintness from the odour of cooking food especially fish, eggs or fat meat (Ars a, Sep).
- Aversion to food; loathing even the sight or the smell of it.
- Dreads to move due to aggravation from motion (Bry).
- Chilly.
- Disposed to nausea and vomiting, flatulence, great prostration
Bright's disease, dropsy, paralysis.
- AGGRAVATION; Slight exertion Cold damp weather, Extreme heat of summer, Motion, Becoming cold, Strong odours, Eating, Whole night sundown to sunrise.
- AMELIORATION; Heat weather and wrapping up being warm, bending double (Coloc, Mag p, Chin), Sitting, Rest.

Collinsonia canadensis

- Synonyms : Collinsonia Canadensis, Stone Root.
- Source : It is a plant belonging to the Natural Order of Labiatae.
- Habitat : It grows wild in Canada and U.S. A.
- Preparation : The mother tincture is prepared from the fresh roots of the plant. Higher potencies are prepared from the mother tincture.
- Proved by Dr. William H. Burt of Illinois of U.S. A.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Bleeding piles or non-bleeding piles with constipation of obstinate type; with sensation of sticks in the rectum.
 - 2. Piles in women which develop during or after pregnancy.
 - 3. Pruritus with soreness of the genitals with piles during pregnancy.
 - 4. Palpitation in patients subjects t piles.
 - After heart symptoms are relieved old piles reappear.
 - 5. Dropsy from cardiac disease. Collinsonia may be indicated when Cactus, Digitalis and other remedies fail.
 - 6. Has cured colic after Colocynth and Nux v had failed.
 - 7. Dysmenorrhoea in women subject to piles.
- DOSAGE : pierce recommends 3rd potency.

- Boericke recommends-tincture to 3rd attenuation; higher potencies where there is organic heart affection.

Relationship

- ANTIDOTE : Nux v.

Comparison

- Headache from constipation : Aloe, Bry, Collin, Op.
- Aggravation from 4 to 9 P.M. : Collin, Mag Phos.
- Piles : Aesc, ham, Aloe, Nux v, Ign, Sulph, Collin.
- Piles during menses : Carb v, Graph, Ign, Lach, Puls, Sulph, Collin.
- Piles during pregnancy : Collin, Pod, Sulph.
- Pruritus, valva or vagina during pregnancy : Ambr, Calad, Collin,

Sep.

- Blind piles : Aesc, Collin, Ign, Nux v, Sulph.
- Swollen and protruding piles : Aesc, Aloe, Am c, Carb v, Caust, Collin, Diosc, Mur ac, Nux v, Sulph.
- Pain piles : Aesc, Aloe, Ars a, Bell, Caps, Caust, Cham, Collin, F.P. Ham, Lach, Lyco, Mur ac, Nit ac, Nux v, Ratanh, Sil, Sulph.
- With constipation : Aesc, Coloin, Nux v, Sulph.
- With heart disease : Cactus, Collin, Dig.
- With tenesmus in pregnant females : Collin.

Causes & diseases

- HAEMORRHOIDS due to pelvic and portal congestion.
- Dysmenorrhoea from pelvic congestion.
- Ailments in persons suffering from piles.
- Has cured colic after Colic and Nux v had failed.
- After heart is relieved piles reappear.
- Dropsy from cardiac disease.
- Heart action persistently rapid but weak.
- AFFINITIES; Anus, Rectum, Veins, Bowels, Uterus, Liver, Heart,

Pharynx.

Complaints & characteristics

- Bleeding from piles, with constipation, palpitation.
- Sensation as if sticks, sand or gravel had lodged in rectum.
- Alternate constipation and diarrhoea.
- Dysentery with tenasmus in persons suffering from Haemorrhoids.

- Constipation : stool sluggish and hard with pain and great flatulence: with congestive inertia of lower bowel.
- Pruritus in pregnancy with haemorrhoids; unable to lie down.
- Tenesmus in pregnant females.

Generals & modalities

- Persons who get worse from slightest mental emotion or excitement.
- Congestion of pelvic viscera, with haemorrhoids, especially in later months of pregnancy.
- AGGRAVATION; Piles during suppressed, Mental emotion, excitement 4 to 9 P.M. , Night, Pregnancy Cold.

Colocynthis

- Synonyms : Squirting Cucumber, Colocynth Cucumis, Bitter cucumber, Bitter apple.
- Source : it is a perennial plant belonging to the Natural order of Cucurbitaceae.
- Habitat : It grows in Egypt and tropical countries.
- Preparation : Mother tincture is prepared from the dried fruit, deprived of its rind and seeds.
- Proved by Hahnemann.

Indications

- It is a SPECIFIC remedy in the following condition:
 - 1. Neuralgic pains better from pressure and heat.
 - 2. Pains of iritis and Glaucoma, when the pains extend into the head and are better by pressure.
 - 3. Sciatica: Shooting pain, like lightning shocks, down the whole left lower extremity, left hip, left thigh, left knee into popliteal fossa; crampy pain in hip, as though screwed in a vice; lies upon the affected side; better from heat and pressure.
 - 4. Colic better from bending double or pressing something hard against the abdomen; from anger; from eating cheese; from gastric disorder; griping pains; spasmodic pains; alternates with vertigo; with cramps in calves; with diarrhoea; worse at night and after eating.
 - 5. Diarrhoea from grief, indignation or anger.
 - 6. Diabetes with milky, gelatinous or colloid urine.

- 7. Ailments from anger: colic, diarrhoea, suppressed lochia, vomiting, suppressed menses.
- 8. Ailments in extremely irritable and impatient persons who become angry or are offended on being questioned; irritable; throw things out of the hands.
- DOSAGE : Boericke-3rd to 200th potency.
- Nash-200c acts best in insomnia.
- REPETITION : Single dose may remove the ailment or a dose may be needed after the attack has subsided.
- DURATION OF ACTION : (Clarke)-1 to 7 days.

Relationship

- COMPLEMENTARY REMEDY : Merc in dysentery with much tenesmus.
- REMEDIES THAT FOLLOW: Bell, Bry, Caust, Cham, Merc, Nux v, Puls, Staph, Caust, Colo and Staphysag follow each other well.
- ANTIDOTES : Camph, Cham, Coffea, Caust, Op, Staph.
- REMEDY ANTIDOTES : Caust.
- BOYD'S DRUG GROUP : VIII.

Comparison

- Ailments after anger with indignation : Colc, Staph, Bry.
- Anger with silent grief : Coloc, Ign, Lyc, Nat m, Phos ac, Staph.
- Anger when obliged to answer : Arn, Coloc, Nat m, Nux v, Phos ac.
- Better bending double : Cinch, Coloc.
- Vertigo in turn being the head to left : Coloc, Con.
- Spasmodic affections of stomach and intestines : Coloc, Mag c, Mag phos.
- Colic amel from heat, rubbing and hard pressure : Coloc, Mag phos Plumb.
- Gnaphalium : Sciatica-Intense pain along right sciatic nerve, darting, cutting, from right hip joint down to foot; agg, lying down motion, stepping; Amel by sitting; with numbness.
- Bryonia : Sciatic pains worse from slightest motion, but better from rest and lying down; in warm blooded patients of irritable temper.
- Rhus tox : Sciatic pains worse from rest and first motion but better from continued motion; in persons subject to rheumatic ailments from cold and wet weather.

- Ammon mur : Sciatica with agg. off pains while sitting and better from walking or lying down.

- Pain in left hip as if the tendons were too short; leg feels contracted; painful jerks; sensations as the feet a numb.

- Plumbum : Sciatic pains are lightning like paroxysmal, crampy along the sciatic nerve with atrophy of the leg muscles.

- Bell : Sciatica due to inflammatory neuritis, worse from touch, motion, jar, better from rest, sitting erect and warmth; with rush of blood to head and face.

- Ars alb : Sciatica of neuralgic type, worse at midnight, from cold, when lying of the affected side; better from heat; in persons who are very anxious, restless, irritable and debilitated.

- Cham : pains after anger; toss about with pain.

Causes & diseases

- Affections from anger with indignation=colic, vomiting diarrhoea, suppression of menses.

- AFFINITIES; Nerves. (large) Sciatic, Digestive Tract. (Naver) Hot days and cold nights, Cataract, Colic, Diabetes, Diarrhoea, Dysentery, Dysmenorrhoea, Glaucoma, Headache, Neuralgia, Ovarian affections peritonitis, Rheumatism, Sciatica, Toothache, Tumours, Intesting.

Complaints & characteristics

- Neuralgic pains better by pressure and heat.

- Colic better from bending double.

- Great tenesmus with dysentery.

- Vertigo from turning the head quickly to the left side; from stimulants.

- Sciatica: crampy pain in hip; as though screwed in the vice; lies upon affected side.

- Shooting pain, like lightning shocks, down the whole left lower extremity.

- Pains: are worse after eating or drinking; better from heat and pressure (Mag Phos.).

- agonizing pains.

Generals & modalities

- Extremely irritable, impatient, becomes angry or offended on being questioned.

- Irritable; throws things away.
- Anger with silent grief.
- Vexation.
- AGGRAVATION; Anger and indignation; Mortification caused by offense (Staph, Lyc), Cheese agg colic.
- AMELIORATION; Bending double; Heat and Hard pressure.

Conium maculatum

- Synonyms : Poison Hemlock.
- Source : It is a plant having small white flowers belonging to the natural order of Umbelliferae.
- Habitat : It is found in Asia, Europe and U.S. A.
- Preparation : The mother tincture is prepared from the entire fresh plant excepting the roots.
- Proved by Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy by:
 - 1. Widows and widowers having suppression of sexual desires, Hysterical persons.
 - 2. Persons exhausted mentally going towards imbecility.
 - 3. Persons with tendency to develop paralysis slowly.
 - 4. Persons with tendency to develop cancer, indurations, stony hard glands and fibroids in uterus.
- It is a SPECIFIC remedy in the following conditions:
 - 1. Vertigo from turning the head while lying in bed or rising up; in old people; associated with numbness.
 - 2. Prostatic hypertrophy in old people, with great difficulty in voiding urine; flow intermits, then flows again.
 - 3. Malignant affections of glands.
 - 4. Cancer formation after bruises and injuries of glands.
 - 5. Glandular indurations of stony hardness; of mammae, testicles and ovaries.
 - 6. Paralytic ptosis of upper eye lids.
 - 7. Impotence with great sexual desire.
 - 8. Ailments from blows, contusions, over-work, excitement sexual excess or abstinence.

- DOSAGE : Medium and potencies, in single doses, 6th to 30th.
- Repetition : may be repeated in lower potencies, but single dose in high potencies.

- DURATION OF ACTION : (Clarke)-30 to 50 days.

Relationship

- COMPLEMENTARY REMEDY : Bar m.

- REMEDIES THAT PRECEDE WELL : Arn, Ars a, Calc c, Lyc, Phos, Puls, Psor.

- REMEDY THAT FOLLOWS WELL : Calc ars.

- INCOMPATIBLE REMEDIES : Psor.

- ANTIDOTES : Coff, Nit ac.

- REMEDY ANTIDOTES : Nit ac.

- BOYD'S DRUG GROUP : IV.

Comparison

- Cough during pregnancy : Apoc, con; threatening abortion-con, Kali brom.

- Easily excited by emotion or contradiction : Anac, aster, Con, Aur.

- Takes cold from exposure of feet-Con, Cup, Sil.

- Nipples painful and tender : Con, Helon, Lac c.

- Breasts painful and tender before and during menses : Con, Lac c.

- Remote effects of trauma : Arn, Crot t, Ham, Con, Bellis, Ruta.

- Unrefreshing sleep : Bry, con, Hep, Op, Sulph.

- Sweats as soon as he closes his eyes to sleep : Cinch, Con; During waking hours-Samb.

- Styes on upper lids leaving hard nodosties in their wake : Con, Staph, Thuja.

- Emaciation rapid and pronounced; losing flesh while eating well Abrot, con, Iod, Nat m, Tub.

- Agg from drinking even small quantity of wine : Alum, Con, Zinc.

Causes & diseases

- Ailments from taking oold.

- Grief ending in paralysis or imbecility.

- Wine or alcoholic drinks.

- Excitement=headache;=mental depression.

- Headache;=mental depression.

- Headache from looking at moving objects.

- Inability to accommodate visual changes.
- Defective accommodation=double vision, blurred vision.
- Ulcers of cornea.
- burning in eyes when reading.
- Paralysis of eye lids.
- Paralysis of the eye muscles.
- Swelling of glands: parotids, cervical, with cancerous affections; stony hard glands.
- Paresis followed by paralysis of oesophagus with difficulty in swallowing; lump in throat.
- Broken down condition, tired life, nervous.
- Cancer or ulcer stomach.

- Bad effects of suppressed sexual desire.
- Induration of testes or ovaries.
- Atrophy of glands, mammary.
- Uterine fibroids.
- Ill effects of bruises and shocks to spine.
- Cancer formation after injuries.
- Strictures and stenosis.
- AFFINITIES; Sexual organs, Glands, Mammae, Ovaries, Nerves, Muscles.

Complaints & characteristics

- Painless complaints: ulcers and paralytic conditions.
- Numbness of scalp; numbness with pains; numbness with weakness; paralysis with numbness.
- Vertigo: worse from stooping; turning the head; lying of bed and turning the eyes.
- Impotency with great sexual desire; emissions without dreams; painful ejaculations.
- Cough: in spasmodic paroxysms caused by dry spot in larynx; with itching in chest and throat: worse at night, when lying down, and during pregnancy (Caust, Kali brom).
- Menses: feeble, suppressed; too late, scanty, of short duration; with rash of small red pimples over body which ceases with the flow; stopped by taking cold; by putting hands in cold water.

- Leucorrhoea: ten days after menses (Bor, Bov); acrid, bloody, milky; profuse; thick intermits.

- Sciatica, agg lying down; amel by limbs hanging down.

- Menopause with high blood pressure, flushes of heat in the body, but passes cold liatus.

- Sweats: profusely; as soon as he closes eyes to go to sleep.

Generals & modalities

- Excitable; hysterical: unable to sustain mental effort; memory weak; imbecility.

- Insanity of passive nature.

- Attacks of sadness recurring every 14 days.

- Aversion to light without inflammatory defect in the eyes.

- Photophobia.

- Tottering gait in middle aged men.

- Sweats copiously during sleep; even from closing the eyes.

- Old men and women, old bachelors and maids.

- Widowers and widows.

- Debility of old people.

- Indolence: takes no interests in any thing.

- Memory weak.

- Morose; easily vexed; quarrel-some; will not bear contradiction.

- Dreads being alone, yet avoids society (Kali c, Lyc).

- AGGRAVATION; Seeing moving objects Alcohol, Raising arms Turning in bed, Turning eyes, Rising up in bed, At night, Celibacy, Sexual Excesses cold; Taking After exertion, Injury Old age, Lying; Head low

- AMELIORATION; Limbs hanging down, Motion of affected part, When walking.

Crataegus oxyacantha

- Synonym : hawthorn, May thorn, White thorn.

- Source : It is a plant belonging to the natural order of Pomaceae.

- Habitat : It grows in England, Europe and U.S. A.

- Preparation : The fresh berries are pounded to a pulp and macerated in two times their weight of alcohol to prepare the mother tincture.

- Proved by Dr. Cowperwatte of Chicago in 1900. Dr. green of Ireland cured many heart patients with this secret remedy at that time.

Indications

- It is an ORGANOPATHIC remedy specific for the following conditions:

- 1. Gasping for breath, dyspnoea, rapid pulse with cardiac dropsy

(Dr. M.C. Jennings) 1896.

- It is a heart tonic.

- 2. Functional heart trouble due to anaemia, dyspepsia or dysentery

(Dr. Jennings).

- 3. Cardiac neurosis having cardiac weakness attended with nervous irritability.

- Cardiac symptoms in irritable, excitable, depressed or melancholic patients.

- (Dr. anshuta).

- Nervous prostration with dyspepsia with heart failure.

- 4. Angina pectoris, pain shooting from left chest to left arm with rapid, weak, irregular or intermittent pulse; with fear, palpitation and dyspnoea (Dr. Joseph Clements).

- 5. Expression of anxiety so significant of heart disease in nervous patients who need quietude and calmness or need tranquillisers. (Dr. T.C. Duncan).

- 6. High blood pressure with disturbed sleep (Dr. Mc Cann).

- Insomnia of aortic suffers (Boericke).

- Arteriosclerosis (Boericke).

- 7. Attacks of dyspnoea with slow pulse (Dr. Anshutz). (Dig).

- 8. Pain under left clavicle.

- 9. Cardiac dropsy with extreme dyspnoea.

- 10. Cardiac weakness during infectious diseases.

- 11. Excessive perspiration after acute illness.

- 12. Cold extremities, pallor, irregular pulse and breathing.

- DOSAGE: Mother tincture 5 to 20 drop doses 3 to 4 times a day.

- DURATION OF ACTION : Short.

- REPETITION : Bears repetition well.

Comparison

- Chronic Aortitis : Adon v, Adren, Ant ars, Ars iod, Aur, Crat, Lyc, Spig, Stroph.

- Atheroma of arteries : Am iod, Ars iod, Aur iod, Bar c, Bar m, Cact, Calc f, Crat, Glon, Kali iod, Plumb iod, Stron iod, Vanad.

- Arteriosclerosis : Am iod, Plumb iod, Bar m, Glonine (2x), Aurum met 30, Carduus m Q, Sumbul.

- Intermittent pulse : Apocy, Cact, Carb v, Crat, Dig, Iberis, Kali c, Nat m, Sip, Spig, Stroph.

- Cardiac debility : Adon v, Am c, Ars a, Ars iod, Aurum, Cact, Calc ars, Carb v, Crat, Dig, Hydroc ac, Iberis, Spart, Spig, Stroph.

Causes & diseases

- Infective & toxic diseases involving heart.

- Arteriosclerosis.

- Early rheumatic heart.

- Cardiac dropsy.

- Fatty degeneration of heart.

- Angina pectoris.

- Myocarditis.

- Falling compensation.

- Collapse of typhoid.

- AFFINITIES; Heart, Nerves.

Complaints & characteristics

- Giddiness, tachycardia, dyspnoea.

- Very feeble and irregular heart action.

- Very nervous with pain in back of head and neck.

- Haemorrhage from bowels.

- Cold extremities with pallor

- Irregular pulse and irregular breathing pain n left side of chest below the left calvicle.

- Dyspepsia and nervous prostration with heart failure.

- Cardiac cough. (Naja)

- Pulse accelerated, irregular, feeble intermittent.

- Insomnia of aortic suffers.

- Excessive perspiration.

- Excessive perspiration.

- Blueness of fingers and toes.

Generals & modalities

- Cross, irritable patients with cardiac symptoms.

- Apprehensive.
- Despondent.
- Very nervous and irritable.
- AGGRAVATION; Excitement, Exertion, Warm room.
- AMELIORATION; Fresh air, Quietness Resi.

Crotalus horridus

- Synonyms : Poison of Rattle snake.
- Source : Venom of the Rattle snake belonging to the natural order of Crotalidae.
- Habitat : North America.
- Preparation : Trituration of sugar of milk saturated with the venom.
- Proved by : Dr. Constantine Hering and five others assisting and report published in 1837.

Indications

- It is a SPECIFIC remedy in the following conditions:
 - 1. Septic zymotic fevers with haemorrhage of dark blood.
 - 2. Malignant jaundice; purpura haemorrhagica; cancer of uterus with dark fluid offensive blood.
 - 3. Boils, carbuncles, gangrene surrounded by purple discolouration, oedema and burning sensation.
 - 4. Malignant diphtheria with bleeding from nose or mouth.
 - 5. Haemorrhage from stomach when all other medicines fail, in broken down constitutions.
 - 6. Puerperal fever with offensive lochia.
 - 7. Yellow fever, plague, bad effects of vaccinosis with adynamic state when selected remedies fail.
- DOSAGE : 3rd to 6th potency (Boericke).
- Even in 30th potency it acts in my experience (in a case intractable haemorrhage from ulcer stomach). (Mathur)
- REPETITION : It may be repeated till the response is effective; may be repeated if symptoms recur.
- DURATION OF ACTION : Not definite.
- ANTIDOTES : Lach, Camph, Coff, Alcohol.
- BOYD'S DRUG GROUP : No. 2.

Comparison

- Haemorrhages : blood oozes from mouth, anus, sexual organs; black rapidly decomposing : Anthr, Crot h.
- Haemorrhage: from nose, lungs, stomach, rectum, bladder: Cact, Con, Mill, Phos.
- Diphtheris with collapse, almost at the very beginning : Crot h, Diph, merc cy.
- Blood non-coagulable from nose or from bowels: Crot h.
- Haemorrhagic diathesis : Crot h, Kreos, Lach, Sec c.
- Haemorrhage from bowels in typhoid or typhus : Crot h, Mar c, Nit ac, variol.
- Tongue smooth as if varnished; fiery red : Crot h, Pyrog, Terebinth.
- Diarrhoea profuse and putrid; discharged with great force: Crot h, Gamb, Sec c.
- Haemorrhage of black blood from all the outlets of the body: Crot h, Mur ac, Nit ac, Nit ac, Tereb, Sulph ac.

Causes & diseases

- Apoplexy in broken down constitutions.
- Malignant haemolytic jaundice.
- Purpura haemorrhagic.
- Malignant diphtheria.
- Malignant diphtheria.
- Malignant diphtheria.
- Malignant scarlatina with vomiting or diarrhoea.
- Blood poisoning.
- Yellow fever with vomiting.
- Dissecting wounds; insect stings; bad effects of vaccination.
- malignant disease of uterus; with dark, fluid offensive blood.
- Genuine collapse from septic, zymotic, haemorrhagic and toxic affections or exhausted vital force.
- Convulsions and paralysis.
- Muttering delirium.
- Suppressed menses=pustules and pimples.
- Phlegmasia alba dolens or white leg.
- Boils, carbuncles, abscesses with burning and violent pains with oedema surrounding them that pits on pressure; oozing black blood

that will not coagulate, surrounding skin of purplish colour (Ars a, Anthr, Lach, Sec c).

Complaints & characteristics

- Tongue fiery red, smooth and polished (Pyro); intensely swollen.
- Yellow colour of conjunctiva; Keratitis.
- Oedema or gangrene of fauces, or tonsils; pain agg from empty swallowing.
- Prostration of vital force, pulse imperceptible.
- Vomiting : bilious with anxiety and weak pulse; Every month after menses; cannot lie on right side, or back without instantly producing dark green vomiting; black or coffee ground colour.
- Diarrhoea: stools black, thin like coffee grounds; offensive; from contaminated food; from high game; during cholera, typhoid, typhus or yellow fever.
- Intestinal haemorrhage; blood dark.
- fluid, non-coagulable; from septic or zymotic diseases.
- Vicarious menstruation, in debilitated constitutions (Dig, Phos).
- Menopause: intense flushings and drenching perspiration; faintness and sinking at stomach; prolonged menorrhagia, dark, fluid, offensive blood, profound anaemia.
- Bilious headache every few days; bursting headache.
- Epistaxis in zymotic fever.

Generals & modalities

- Broken down constitutions; Inebriates Exhausted vital force.
- Persons with haemorrhagic diathesis.
- Periodicity of complaints in spring.
- Patient sleeps into the aggravation; (Lach) headache.
- Trembling of tongue; grinding of teeth; twitching of muscles, burning in throat; sliding down in bed.
- Loquacity.
- Can not lie on right side or back without vomiting.
- AGGRAVATION; Slightest touch, jar, motion, Spring; Change to warm weather, Alcohol, Lying on R. Side Falling to sleep.
- AMELIORATION; Light, Motion.

Croton tiglium

- Synonyms : Croton oil seed.
- Source : It is a plant belonging to the natural order of Euphorbiaceae.
- Habitat : Grows wildy in India and Sri Lanka.
- Preparation : Mother tincture is prepared from the oil from the seeds

- Proved by Dr. Harmann of Germany.

Indications

- It is a SPECIFIC remedy for the following conditions:
- . Vesicular eczema with pustules with intense itching but the skin is so tender that he is unable to scratch; feels better by gentle rubbing.
- 2. Diarrhoea: sudden, stool comes out like a shot; chronic infantile diarrhoea; yellow watery stool; as soon as the patient eats or drinks; even while eating; from fruits and sweetmeats, during summer.
- 3. Cough: as soon as the head touches the pillow a spasmodic paroxysm of cough sets in; feels suffocated, must walk about the room or sleep in a chair.
- 4. Cough symptoms alternating with skin symptoms.
- 5. Ailments with characteristic diarrhoea.
- 6. Drinking cold water while heated=complete loss of voice.
- DOSAGE : Erd to 30th potency.
- REPETITION : May be repeated after every stool or paroxysm of cough.

- DURATION OF ACTION : (Clarke) 30 days.

Relationship

- REMEDY IS ANTIDOTED BY : Ant t, Ana c, Clem, Rhus t, Ran b.
- REMEDY ANTIDOTES : Rhus t.
- REMEDY THAT FOLLOWS WELL : Rhus t.
- BOYD'S DRUG GROUP : 2.

Comparison

- Diarrhoea: has to hurry to closet immediately after eating or drinking : Aloe, Croton t.
- Diarrhoea as soon as he drinks : Ars a, Arg n, Croton t, Trom.
- Diarrhoea gushing out like a shot : Aster r, Croton t, Grat, Gum, Jatrorrhiza, Thuja.
- Diarrhoea while eating or drinking : Croton t, Ferr m.

- Sensation as if eyes were drawn backwards into the head; Croton, Paris quad.

- Vesicular eruptions intermingled with pustules : Croton, Sep.

- Drawing pains : as if a string were attached behind the nipple pulling backward : Croton, Plb.

- Vesicular eruptions : Anagallis, Croton, Anacardium, Rhus toxicaria, China, Petroleum, Sep.

Causes & diseases

- Inflammatory disorders of eyes, around the eyes and upon the lids vesicles and pustules; pustules on the cornea; granular lids; conjunctivitis; iritis; congestion causes redness and rawness in eyes; with sensation as if the eyes were drawn backwards into the head (Paris quad).

- AFFINITIES; Mucous membranes, Bowels, Eyes, Skin, Scrotum Face.

Complaints & characteristics

- Diarrhoea: stools come out like a shot; yellow watery stool: as soon as he eats; drinks or even while eating; constant urging to stool followed by sudden evacuation, which is shot out of the rectum (Gambogia, Granum, Podagracea, Thuja).

- Swashing sensation in intestines, as from water, before stool.

- Sensation as if abdomen is full or gurgling water Cholera infantum, acute and chronic diarrhoea.

- Vesicular eczema: with intense itching of skin, but so tender that he is unable to scratch; ameliorated by gentle rubbing; eczema over whole body; intense itching of genitals of both sexes.

- Troublesome eczema of scalp in infants; either purely vesicular or intermingled with pustules; the skin is sensitive of touch.

- One after the other crop of pustules and vesicles comes out and while one place is clearing off another is vesicular (Sep).

- Vesicular eruptions with gushing diarrhoea.

- Alternation of vesicular eruption and diarrhoea.

- Cough: as soon as the head touches the pillow (Hyoscyamus) Violent spasmodic paroxysm of cough sets in; with suffocation, dyspnoea or choking; must walk about the room; or sleep in a chair.

- Cough alternates with eczema.

- Great nausea with gushing diarrhoea; with vanishing of sight; with vertigo; (Ipec) worse after drinking; vomiting is seldom and scanty.

Generals & modalities

- Alternating internal and external disorders.
- Eczema alternating with diarrhoea, or Eczema alternating with cough.
- Pain in mammary gland; as if a string is attached behind the nipple pulling backwards; drawing, stinging pain; keeps her walking the floor night and day.
- AGGRAVATION; Diarrhoea; after eating, drinking or nursing; motion; during summer; from fruits and sweetmeats; while eating,
- AMELIORATION; Cough; walking sleeping on a chair, Itching; gentle rubbing.

Cuprum arsenicosum

- Synonyms : Arsenite of copper; Cuprum Arsenicosum. Formula CuHAsO_3 .
- Source : it is a chemical compound of copper and arsenic.
- Preparation : Triturations are prepared from the pure salt with sugar of milk from which higher potencies are prepared.
- Proved by Dr. Blakely.

Indications

- It is a SPECIFIC remedy in the following conditions:
 - 1. Uraemia; urine albuminous; scanty; obstinate hiccough; repeated convulsion; great restlessness; marked thirst; cramps in muscles; icy coldness of body; rectal temperature high. (G.R.)
 - 2. Cholera; infantum; morbus; icy coldness of the whole body; with cramps and obstinate hiccough; intense thirst; nausea and vomiting after eating; burning; colicky pains in abdomen; collapse from vomiting and purgings; convulsions. (G.R.)
 - 3. Chorea: trembling of the whole body especially on attempting to walk; with spasms in the extremities; quivering impossible to control; from shock or fright. (G.R.)
 - 4. Diabetes Mellitus; urine contains acetone and albumen; suddenly the urine becomes scanty causing drowsiness and threatening coma.

- 5. Acute nephritis after scarlet fever; with scanty albuminous urine; repeated convulsions; great restlessness; icy cold skin rectal temperature high.

- Nephritis of pregnancy.

- 6. Varicose ulcer with a tendency to become gangrenous in diabetic patients. (G.R.)

- 7. Ailments with cramps; violent pain in stomach; hiccough vomiting of water; convulsions; trembling on attempting to walk; cramps in calves of legs worse after mid night only relieved by getting out of bed and standing.

- 8. Bronchial asthma with emphysema.

- DOSAGE : 3x to 18x (George royal).

- REPETITION. Bears repetition well.

- DURATION OF ACTION : Short.

Comparison

- Cholera with cramps : Camph, Sec c, Sulph, Cup ars.

- Hiccough : Cic, Cup ars, Cup m, Cycl, Ign, Kali br, Mag p, Nux v, Sulph ac.

- Nephritis from pregnancy : Cup ars, Merc c.

- Nephritis with uraemic symptoms : Carb ac, Cup ars, Op, Morph.

- Uraemic convulsions : Carb ac, Cic, Cup ars, Glon, Helleb, Hydrocy ac, Kali br, Merc c, Op, Plumb.

Causes & diseases

- Cholera morbus.

- Cholera infantum.

- Entero-colitis.

- Diarrhoea.

- Dysentery.

- Gastro-intestinal disturbances after influenza and Typhoid.

- Uraemic convulsions.

- Convulsions preceded by gastro-intestinal symptoms.

- Bronchial asthma with emphysema.

- Diarrhoea in phthisis.

- Diabetes Mellitus.

- Ulcers.

- Gangrene.

- AFFINITIES; Nerves, Muscles, Digestive Tract, Themic Centers, (G.R.).
Complaints & characteristics

- Complaints with icy coldness, burning, vertigo, nausea; cramps; obstinate hiccough; intense thirst; marked tenesmus of bladder and rectum.

- Pulse small, weak, compressible; tremulousness; entire body covered with cold moisture especially in cholera.

- Vomiting and purging with cramps and collapse.

- Obstinate hiccough.

- Chorea: trembling of the whole body on attempting to walk; spasms in the extremities, quivering, impossible to control; from shock or fright; with great prostration.

- Urine; contains acetone; suddenly becomes scanty from profuse; patient becomes drowsy and coma is threatening alternating, moist and dry skin in uraemic condition.

- Spasmodic asthma: with blue face; constriction of throat, marked dyspnoea: retching and vomiting.

- Pneumonia: when there is want of reaction; much rattling in chest, marked dyspnoea; coldness of body and cold sweat.

- Acute nephritis after scarlet fever, albumen in urine, repeated convulsions, much thirst, icy coldness of skin; temperature 98°F in axilla but 104°F in rectum.

- Varicose ulcers of the leg with a tendency to become gangrenous in diabetic patients.

Generals & modalities

- Nervous trembling, intense anguish of mind and body.

- Diabetic, uraemic prostrated, cold perspirations.

- Spasms.

- AGGRAVATION; Touch, Pressure, Motion, Damp weather.

- AMELIORATION; Rest, Warmth.

Cuprum metallicum

- Synonyms : Copper.

- Source : It is a metal which is easily available.

- Preparation : Triturations of copper filings are prepared with sugar of milk. Higher potencies are prepared from 3c in alcohol.

- Proved by Hahnemann.

Indications

- It is a SPECIFIC remedy in the following conditions if the characteristic symptoms are present:

- 1. Cholera.
- 2. Whooping cough.
- 3. Convulsions.
- 4. Cramps.
- 5. Dyspnoea.
- 6. Asthma.
- 7. Epilepsy.
- 8. Fainting.
- 9. Hysteria.
- 10. Spasms of larynx.
- 11. Insanity.
- 12. Sudden blindness.
- 13. Senile gangrene.
- 14. Meningitis.
- 15. Paralysis.
- 16. Spasms.
- 17. Diabetes.
- 18. Bad effects of fright.
- 19. Suppressed exanthema.
- 20. Suppressed menses, leucorrhoea.
- 21. Suppressed foot sweats, discharges.
- DOSAGE : 6th to 200.
- REPETITION : Should be repeated after the paroxysm.
- DURATION OF ACTION : (Clarke)-40 to 50 days.

Relationship

- COMPLEMENTARY REMEDY: Calc.

- REMEDIES THAT FOLLOWS WELL : Apis, Ars a, bell, Caust, Hyos, Puls, Stram, Verat a, Zinc.

- ANTIDOTES : Aur, bell, Cham, Cic, Nux v, Ver a.

- REMEDY ANTIDOTES : Aur, Op.

- BOYD'S DRUG GROUP : V.

Comparison

- Takes cold from exposure of feet : Con, Sup, Sil.
- Mental and physical exhaustion from loss of sleep : Cocc, Cup, Nux

v.

- Ailments from suppressed foot sweats : Cup, Graph, Psor, Sil.
- Too weak to develop exanthemata : Cup, Sulph, Tub, Zinc.
- Cramps during coition : Cup m-As soon as he begins the act preventing coition, (Graph, Sulphur-during coition).
- Cholera : Cup-With cramps and convulsions.
- Camph-Extreme coldness; aversions to be covered up.
- Verat a: Copious vomiting, copious sweat, copious stools.
- Ars a: restlessness, wants to be covered, extreme debility; thirst for small quantities of water.
- Shrieking : Apis, Camph, Cic, Cup, Hyos, Kali c, Lyco, Plat, Stram, Verat a. before convulsions-Cic, Cup.

Causes & diseases

- Mental and physical exhaustion from over exertion of mind and loss of sleep (Cocc, Nux v).
- Bad effects of repercussed eruptions, resulting in brain affections, spasms, convulsions, vomiting.
- Bad effects of suppressed sweats (Sil, Zinc).
- Puerperal convulsions.
- After fright or vexation.
- Epilepsy: from a fall or blow upon the head (Nat s); from getting wet.
- Cramps preventing coition in old men.
- Young men become prematurely old from vices; from strong drinks; from late nights and various abuses.(Graph).
- Suppressed leucorrhoea=cramps, convulsions.
- Fistula suppressed.
- Suppressed discharges.
- Suppressed inflammations=insanity.
- Suppressed diarrhoea.
- Suppressed eruptions.
- paralysis after convulsions.
- Meningitis from congestion of vessels.

- Cold bath suppresses menstrual flow=spasms, hysterical convulsions.

- AFFINITIES; Nerves, Cerebrospinal axis, digestive Tract, Muscles, Blood, Epigastrium, Abdomen.

Complaints & characteristics

- Spasms and cramps: in groups of muscles; appear periodically.

- A strong sweetish metallic taste in the mouth with flow of saliva (Rhus).

- Cholera: with cramps in abdomen and calves of legs.

- Convulsions, with blue face and clenched thumbs, and hands.

- Cramps in the extremities; with pain in calves and soles and weariness of limbs.

- Clonic spasms, beginning in fingers and toes, and spreading over entire body; during pregnancy; from metastasis from other organs to brain (Zinc).

- Epilepsy: aura begins in knee and ascends; agg at night during sleep; about new moon; at regular intervals; with every menses.

- Paralysis of tongue; with imperfect stammering speech (Caust).

- Cough: better by drinking cold water (Caust); has a gurgling sound.

- Whooping cough: suffocating, spasmodic; unable to speak; breathless; blue face, rigid, stiff; three attacks successively.

- Vomiting of food after regaining consciousness (Can).

- Cataleptic spasm with each paroxysm.

- After pains; severe, distressing, calves soles.

- Convulsion with flexion and extension.

- Spasmodic asthma.

Generals & modalities

- Delirium.

- Talking on all sorts of subjects incoherently.

- Congestion of brain.

- Jerking and twitching of muscles.

- Eyes roll upwards and outwards or upwards and inwards.

- Shrieking. (Hyos).

- Appears as if the patient is dead; or in a state of ecstasy.

- Breathing stops as if he will never breath again.

- Dyspnoea, constriction; spasmodic breathing.

- Rattling in chest.
- As if transfixed with a knife Impulsiveness.
- Spasms of blood vessels.
- Senile gangrene.
- Sudden blindness.
- Urine scanty and albuminous.
- Violence and suddenness.
- AGGRAVATION; At night, in bed, Cold air, cold wind, Suppressions - inflammation discharges, sweats, eruptions, exanthema.
- AMELIORATION; Cold water ameliorates spasm, cough, nausea, vomiting.

Cyclamen europaeum

- Synonyms : Sow-bread.
 - Source : It is a plant belonging to the natural order of Primulaceae.
 - Habitat : It is found in Europe.
 - Preparations : The mother tincture is prepared from the root gathered in spring.
 - Proved by Hahnemann and later by the Vienna Society.
- Indications
- It is a CONSTITUTIONAL remedy for:
 - 1. Anaemic or chlorotic women with scanty menses or amenorrhoea; who suffer from palpitation and heart symptoms.
 - 2. Persons who desire solitude; hysterical; alternating moods, weep alone; thinks she is alone in the world and prosecuted by every one.
 - 3. Persons having aversion to bread, butter, greasy food, meat, beer and pork.
 - It is a SPECIFIC remedy for:
 - 1. Ailments from suppressed grief; terrors of conscience; bad act committed.
 - 2. Eye troubles : diplopia, convergent strabismus, dimness of vision, flickering, glittering objects, black specs or flies, countless stars; with headache or sick stomach.
 - 3. Hiccough during pregnancy.
 - 4. Suppressed menses with vertigo and headache.
 - DOSAGE : Low and mid potencies; 3x to 30.

- REPETITION : Mostly in single dose when constitutional symptoms are present.

- Lower potencies may be repeated in specific conditions.

- DURATION OF ACTION : (Clarke) 14 to 20 days.

Relationship

- REMEDIES THAT FOLLOW WELL : Phos, Puls, Sep, Sulph.

- ANTIDOTES : Camph, Coff, Puls.

Comparison

- Chlorosis : Cycl, Ferr, China.

- Sensation as if something alive in abdomen : Cyst, Croc, Nux m, sulph, Thuj.

- Pain in heels : Agar, Caust, Cycl, Led, Mang, Phyt, Valer.

- Headache with scintillation's : Cycl, iris, Kali bi.

- Diplopia : Aur, Cycl, Gels, Hyos, Nat m, Nit ac.

- Dim vision during headache : Cycl, Iris, Sulph.

- Dim vision during vertigo : Cycl, Ferr, Gels, Nux.

- Dim vision on waking : Cysl, Puls.

- Flickering vision : Bell, Carb s, Cycl, Graph, Lach, Nat m, Phos, Sep, Sulph, During headache-China, Cycl, Nat m.

- Foggy vision : Ars a, Calc c, Caust, Chin, Croc, Cycl, Gels, Merc, Phos, Puls, Sulph, Zinc.

- Spots in vision : Cycl, Kali c, Phos, Sulph.

- Suppressed menses : Bell, Con, Cycl, Graph, Kali c, Lach, Lyc, Puls, Sep, Sulph.

- Aversion to company : Anac, Bar c, Cham, Cycl, Gels, Ign, Nat m, Nux v.

Causes & diseases

- Suppressed grief.

- Terrors of conscience; from duty not done; bad act committed.

- Anaemia.

- Chlorosis.

- Scanty menses.

- Headache.

- Digestive troubles.

- Menstrual troubles.

- Squint.

- Amblyopia.
- Diplopia.
- Hemipopia.
- Hiccough.
- Complaints after weaning.
- Complaints from being overheated.
- Ailments of women, with scanty menses, or suppressed menses.
- Uterine haemorrhage.
- AFFINITIES; Females sex Organs, Vision, Digestive, Tract, Cerebro-spinal axis, Blood.

Complaints & characteristics

- Headache in anaemic patients with flickering before eyes; or dim vision on rising in morning.
- Flickering before eyes, flery sparks, as of various colours, glittering needles, dim vision of fog or smoke.
- Pains pressive, drawing or tearing of parts where bones are near the surface.
- Menses; too early, too profuse, black and clotted; Membranous; better during flow.
- Burning sore pains in heels.
- When sitting standing or walking in open air.
- Hiccough during pregnancy.
- Dry or fluent coryza worse in a warm room, entirely relieved in open air.
- After menses milk in the mammae in non-pregnant women.
- Palpitation and anaemic murmurs.
- Chill not ameliorated by warm clothing; chill and heat alternate.

Generals & modalities

- Great sadness, morose, peevish, irritable ill humoured; inclined to weep; desire for solitude; aversion to open air.
- Pale chlorotic women with deranged menses.
- Satiety after a few mouthfuls (Lyc), food then becomes repugnant causes nausea in throat and palate.
- Saliva and all food has a salty taste; Pork disagrees.
- Aversion to bread and butter or greasy food, meat, beer.

- Wakes early in the morning unrefreshed and can not go to sleep again; feels too weak to get up.
- Disinclined to and easily fatigued.
- Desire for lemonade Craving for inedible things.
- Sardines.
- Alternations of mood.
- Joyous feeling with irritability Thinks she is alone in the world and prosecuted by every one.
- AGGRAVATION; Fresh air Cold, Evening, Sitting, Exertion, Coffee, Pork, Meat, butter, After eating Morning, At night in bed, Being overheated, Standing,
- AMELIORATION; Walking about-pain in heels, Warm room, Indoors, Rubbing parts, Cold water-headache, During Menses Weeping.

Digitalis purpurea

- Synonyms : Foxglove.
- Source : It is a plant having flowers like thimble of ladies. It belongs to the natural order of scropulariaceae
- Habitat : It is cultivated in Europe and U.S. A.
- Preparation : Mother tincture is prepared from the leaves of the second year of the plant. Higher potencies are prepared from the mother tincture.
- Proved by Hahnemann.
- It was used as a specific heart remedy before Hahnemann by the orthodox medicine.

Indications

- It is a SPECIFIC remedy in the following conditions:
 - 1. Heart troubles with slow and intermittent pulse and enlarged tender liver; with sensation as if heart would stop if the moved; with cyanosis.
 - 2. Jaundice with clay coloured stools and slow pulse.
 - 3. Dropsy with suppressed urine and slow pulse.
 - 4. Prostatic enlargement with frequency of urine.
 - 5. Acute gonorrhea with phimosis.
 - 6. Involuntary seminal emissions during sleep even without dreams.
 - 7. Vertigo with slow pulse.

- DOSAGE : 3rd to 30 c.
- REPETITION : May be repeated till the patient shows the response to the remedy.

- DURATION OF ACTION : (Clarke) 40 to 50 days.

Relationship

- REMEDIES THAT FOLLOW WELL : Bell, Bry, Cham, Lyco, Phos, Puls, Sep. Sulph, Verat a.

- INCOMPATIBLE : Chin.

- ANTIDOTES : Apis, Camph, Calc c, Nit c, Nux v, Op.

Comparison

- Palpitation from least motion : Act r, Dig.
- Palpitation from least mental exertion : Calc ars.
- One hand icy cold, the other warm : Chin, Dig, Ipec, Puls, Lyco.
- Vicarious menses in debilitated constitutions : Crot h, Dig, Phos.
- Fears unless on the move the heart will cease beating : Gels.
- Fears heart would stop beating if she moved : Dig.
- Pulse intermittent : Chin, Dig, Merc, Nat m, Ph ac, Sec c.
- Pulse irregular : Acon, Ant c, Ars a, Chin, Dig, Lach, Nat m, Ph ac, Sec c, Stram, Verat v.

- Pulse irregular and slow : Dig, Kalm, Verat v.

- Pulse slow : Dig, Gels, Kalm, Sep.

- Clay-coloured stools : Card m, Chel, Chin, Dig, Lyco, Merc, Nat s, Ph ac.

- Liver har : Ars a, Chin, Dig, Graph, Iod, Mag mur, Phos, Rat.

- Enlarged liver : Chel, Chin, Dig, Lyco, Mag m, Nat s, Nit ac, Thuja.

- Cyanosis : Camph, Carb v, Dig, Lach, Laur, Cupr, Op, Verat a.

- Dropsy : Ant c, Apis, Ars a, Card m, Chin, Colch, Dig, Graph, Hell, Iod, Med, Olnd, Op, Spig, Tereb.

Causes & diseases

- Faints on slightest provocation.

- Palpitation from grief.

- Congestion, enlargement and soreness of liver.

- Jaundice with slow pulse, clay coloured stools.

- Enlarged prostate with constant teasing to pass urine.

- Dribbing of urine.

- Retention of urine.

- Retention of urine.
- Dropsy with suppression of urine.
- Spermatorrhoea and nightly emissions from masturbation.
- Gonorrhoea, acute or chronic, with phimosis.
- Nausea with cardiac troubles, jaundice and liver troubles.
- Pneumonia of old people; with prune juice expectoration.
- AFFINITIES; Heart; Muscle Circulation, Liver, Lungs, Stomach, Genito, Urinary organs, Occiput, Vagus.

Complaints & characteristics

- Pulse very slow, weak; intermitting every third, fifth or seventh beat; full and irregular.
 - Stools: White pasty chalky; delayed and involuntary.
 - Enlarged, sore, painful liver.
 - Cyanosis: of lips, tongue and skin.
 - Dropsy : with suppression of urine; of internal and external parts; with fainting when there are organic affections of the heart.
 - Weak heart without valvular complications.
 - Faintness or sinking at the stomach; exhaustion; extreme prostration; feels as if he was dying.
 - Sensation as if heart would stop beating if she moved.
 - Nightly emissions, with great weakness of genitals after coitus.
 - Feels as if he would fly to pieces, anxiety, feels that something is going to happen.
 - Cardiac cough with slow pulse; cough with expectoration of "boiled starch" Cardiac dyspnoea with slow pulse and enlarged liver.
 - Fear of suffocation at night; as soon as he drops into sleep he feels suffocated hence he fears to go to sleep.
 - Suffocation from hypostatic congestion of lungs.
 - Vertigo with slow pulse.
- #### Generals & modalities
- Face pale, deathlike appearance, bluish and red.
 - Respiration irregular, difficult, deep sighing.
 - The fingers "go to sleep "frequently and easily.
 - Fatal syncope may occur when being raised to upright position.
 - Great weakness of chest; cannot bear to talk.

- Sudden flushes of heat, followed by great nervous weakness; occurring at the climacteric; by least motion.
- With cardiac troubles there is sadness, melancholy, despondency and restlessness.
- Dreams of falling; fearful dreams.
- Starting during sleep; electric shocks during sleep.
- AGGRAVATION; Sitting erect, During sleep, Exertion, Motion, Talking, Emissions, Excitement.
- AMELIORATION; Eating when stomach is empty, Open air, Pressure, Frequent micturition,

Dioscorea villosa

- Synonyms : Wild Yam, Colic root.
- Source : It is a creeper plant belonging to the natural order of Dioscoreaceae; leaves are heart shaped and somewhat pointed; flowers small greenish yellow in colour.
- Habitat : U.S. A. and Mexico.
- Preparation : Mother tincture is prepared from the fresh root.
- Proved by Dr. A.M. Cushing.

Indications

- It is a SPECIFIC remedy in the following conditions:
 - 1. Flatulent colic; after meals; with relief from belching; constant distress in navel and hypogastric region with paroxysms of pain at regular interval, better from rising up and walking, standing erect or bending back, worse from bending double.
 - 2. Whitlow: early stage, with sharp pricking and agonising pains.
 - 3. Gall stone colic, radiating pains; relief from belching.
 - 4. Renal colic radiating up to the kidney or down to the testicle.
 - 5. Right sided sciatica worse from motion; better when perfectly still.
 - 6. Angina-pectoris with flatulence.
 - 7. Seminal emissions in sleep.
- DOSAGE : Tincture to 3rd potency, up to 30c.
- REPETITION : Bears repetition well.
- DURATION OF ACTION : Not definite.

Relationship

- Precedes Sil in whitlow.
- Follows well after Colocynth if it fails in flatulent colic.
- Nux vom in distention of abdomen after over-eating.
- Flatulent Colic : Aloe, Arg n, Carb v, Cham, Cina, Cinch, Coloc, Diosc, Lyco, Mag p, Nux v, Raph.
- Biliary or Gall stone colic : Bell, Berb, Calc c, Card m, Cham, Chion, Cinch, Coloc, Diosc, Ipec, Lyco.
- Colic from gastric disorder : Carb v, Cinch, Coloc, Diosc, Ipec, Lyco, Nux v, Puls.
- Renal colic : Berb, Calc c, Diosc, Lyco, Sars, Tab, Tereb.
- Sciatica, right sided, shooting : Bell, Bry, Caust, Coloc, Diosc, Mag phos, Gnaph, Spig.
- Pain : amelioration from motion, walking : Ars, Diosc, Ign, Puls, Rhus t.

Causes & diseases

- Colic intestinal, flatulent colic.
- Flatulent distention.
- Flatulent dyspepsia from tea.
- Gall stone colic.
- Liver disorders.
- Renal colic.
- Sciatica right sided.
- Whitlow at the onset.
- Anginal pains.
- Seminal emissions.
- Causes: Tea drinking.
- Excess in eating Fasting.
- Errors in diet.
- Onanism.
- AFFINITIES; Nerves, Cold, Abdominal, Sciatica, Gall Bladder, Right side.

Complaints & characteristics

- Colic: in abdomen about umbilicus
- Violent twisting colic, occurring in regular paroxysms, as if intestines were grasped and twisted by a powerful hand.

- Worse from bending forward and while lying; better on standing erect or bending backwards.
- Emissions during sleep: vivid dreams of women all night (Staph).
- Knees weak; genitals cold with great despondency (Staph).
- Whitlow; early when pains are sharp and agonising, when pricking is first felt; nails brittle.

- Pains in abdomen radiate and extend to back; with desire to walk.
- Gall stone colic pains radiate into chest and arms, with terrible eructations.

- Renal colic: pains shooting up into the kidney to down into the testicles or legs; with cold clammy sweat.
- Dysmenorrhoea with shooting in different directions.
- Sciatica of right side, shooting down the leg when moving the limb; with entire relief when keeping perfectly still.

Generals & modalities

- Persons of feeble digestive powers old or young.
- Subject to flatulence and violent colic.
- Tea drinkers.
- Disposition to paronychia.
- AGGRAVATION; bending double Tea, Eating, Lying, Early morning from 2 A.M. onwards, On waking, While lying Tea.
- AMELIORATION; Belching, Standing erect, Bending back, Walking about in open air, Stretching, Rising, Pressure.

Diphtherinum

- Synonyms : Homoeopathic Diphtheria Antitoxin; a nosode of Diphtheria.
- Source : Diphtheria membrane.
- Preparation : Trituration of diphtheric membrane is prepared with sugar of milk from which higher potencies are prepared.
- Proved by Skinner, Frash, Allen H.C.

Indications

- It is a SPECIFIC remedy for the following conditions:
- 1. Diphtheria: painless with paucity of charact erratic symptoms.

- 2. Diphtheria with prostration, sopor or stupor, but easily aroused when spoken to.

- 3. Malignant diphtheria, breath horribly offensive; temperature subnormal or irregular, extremities cold; marked debility; lies in semistupor conditions; eyes dull and besotted; collapse almost at very beginning.

- 4. Post diphtheria paralysis, after Caust and Gels fail.

- 5. Adynamic diphtheria: when the patient from the beginning seems doomed, and the most carefully selected remedy fail to relieve or permanently improve.

- 6. Prophylactic against Diphtheria in epidemics.

Relationship

- REMEDIES THAT PRECEDE WELL : Merc cy, Bapt, Apis, Kali bi, Lac c, Lach, Lyc, Chlor, Croto h, Caust, Gels, Nux v, Sec c, Ail.

Comparison

- Laryngeal diphtheria : Chior, Diph, Kali bi, Lac c, Spong.

- Collapse almost at the very beginning : Croto h, Diph, Merc cy.

- Epistaxis or profound prostration from onset : Ail, Apis, Carb ac, Diph.

- Malignancy from the very beginning : Diph, Lac c, Merc cy.

- Painless sore throat, swallows without pain with putrid discharge from the throat, and offensive breath : Bapt, Tig.

- Post diphtheritic paralysis : Arg n, Caust, Coc, Diph, Gels, phos, Plumb, Nux v, Sec c.

- Nasal diphtheria : Am c, Kali bi, Lyco, Merc cy, Nit ac.

- Extension left to right : Lac c, Lych, Sabad.

- Extension right to left : Lyc.

- With croup : Brom, Kali bi, Hep s, Spong.

- With drooling of saliva : Lac c, Merc cy.

- With spasms of glottis : Mosch, Samb.

- With scanty urine : Apis, Ars a, Canth, Lac c, Merc cy, Tuja.

Causes & diseases

- Diphtheria.

- Strumous diathesis.

- Scrofula.

- Tuberculous.

- Psoric.
- AFFINITIES; Blood, Throat.

Complaints & characteristics

- When the attack of diphtheria from the onset tends to malignancy (Merc cyn, Lyc c).
- Painless diphtheria; no characteristic symptoms; only common symptoms are present.
- Dark red swelling of tonsils and palatine arches; parotid and cervical glands greatly swollen; breath and discharges from nose, throat and mouth very offensive; tongue swollen, very red, little coating Diphtheric membrane thick dark gray, pulse weak and rapid; temperature low or subnormal, extremities cold and marked debility; patient lies in a semi-stupid condition; eyes dull, besotted (Apis, Bapt).
- Epistaxis or profound prostration from the very onset of attack (Ailan, Apis, Carb ac).
- Collapse almost at the very beginning (Crot, Merc cy).
- Swallows without pain, but fluids are vomited or returned by nose; Laryngeal diphtheria, after Chlor, Kali bi, or Lac c fail.
- Post-diphtheric paralysis, after Caust, Gels fail.

Generals & modalities

- Exhausted vitality Vital reaction every low.
- Susceptible to diphtheria patient too weak, apathetic or too prostrated to complain; sopor or stupor, but easily aroused when spoken to (Bapt, Sulph).
- Pulse weak, rapid.
- Breath horribly offensive.
- When the patient from the beginning seems doomed, and the most carefully selected remedies fail to relieve or permanently improve.
- AGGRAVATION; Lying, Cold, Milk.

Drosera rotundifolia

- Synonyms : Sundew, Moorgrass.
- Source : it is a plant having round leaves, belonging to the natural order of Droseraceae.
- Habitat : Europe and America.

- Preparation : The tincture is prepared from the entire fresh plant gathered at the commencement of flowering.

- Proved by Hahnemann, Dr. Curie. Tyler M.L.

Indications

- It is one of the SPECIFIC remedies for the following conditions:

- 1. Whooping cough; spasmodic with gagging and vomiting.

- 2. Cough: barking, hoarse, titillating; worse from singing, laughing, lying down; as soon as pillow touches head; worse after midnight.

- 3. Cough after measles; laryngeal tuberculosis following whooping cough.

- 4. Cough from tickling in larynx, as from a feather.

- 5. Laryngeal and pulmonary tuberculosis.

- 6. Glandular tuberculosis.

- 7. Sinusitis with history of tuberculosis.

- 8. Bone and joint tuberculosis.

- 9. Tubercular pleurisy.

- 10. Sciatica with history of tuberculosis.

- 11. Growing bone pains in tubercular children.

- 12. Exophthalmic goitre or simple goitre with history of tuberculosis.

- 13. Abdominal tuberculosis.

- 14. Hoarseness and aphonia.

- 15. Epileptic attacks, with rigidity and twitching of limbs ending in haemoptysis and sleep.

- DOSAGE : Single dose of Drosera 30 in whooping cough (Hahnemann).

- Repeated doses of Drosera in lower potency in tuberculosis.

- Single dose of Drosera in high potency.

- REPETITION : May be repeated in lower potencies.

- DURATION OF ACTION : (Clarke)-20 to 30 days.

Relationship

- COMPLEMENTARY REMEDY : Nux v.

- REMEDIES THAT PREDECE WELL : Samb, Sulph, Verat a.

- REMEDIES THAT FOLLOW WELL : Calc c, Cinch, Con, Puls; Cina after Dros in whooping cough has relieved the severe symptoms.

- ANTIDOTES : Camph.

Comparison

- Violent cough : worse talking or reading aloud : Ambr, Dros, Phos;
Excited by laughing-Arg n, Dros, Phos, Stann.

- Nocturnal cough worse from lying down, relieved by sitting up:
Dros, Hyos.

- Cough worse lying on left side : Dros, Phos, Stann.
- Laryngeal phthisis : Dros, Mang, Spong, Stan.
- Barking cough : Dros, Spong, Verb.
- Spasmodic cough : Dros, Cina, Hyos, Ipec, Nat m, Rumex.

Causes & diseases

- Diseases prevailing during the epidemic of shopping cough.
- Tubercular diathesis.
- Cough after measles.
- Whooping cough.
- Laryngeal tuberculosis.
- Bone tuberculosis.
- Joint tuberculosis shoulder, hip.
- Gland tuberculosis, cervical, abdominal, submaxillary.
- Hypertrophic ileocaecal tuberculosis.
- Spinal caries.
- Scoliosis.
- Tubercular scars.
- Tubercular pleurisy.
- Exophthalmic or Goitre with tubercular family history.
- Rheumatoid arthritis with tubercular history.
- Asthma with history of tuberculosis.
- Insanity with history of tuberculosis.
- AFFINITIES; Respiratory organs, Larynx, Chest, Bones, Glands, Lungs.

Complaints & characteristics

- Cough: worse from drinking singing, laughing weeping; lying down, after midnight.

- Nocturnal cough of young persons in phthisis; bloody or purulent sputum.

- Deep sounding, hoarse, barking cough (Verab), worse after midnight, during or after measles; spasmodic with gagging, retching and vomiting (Kali c, Bry).

- Constant, titillating cough in children; begins as soon as head touches pillow at night (Bell, Croton, Hyos, Rumex.)
- Whooping cough with violent paroxysms which follow each other rapidly, is scarcely able to get breath.
- During cough; vomiting of water, mucus and often bleeding at the nose and mouth.
- Sensation of feather in larynx, exciting cough.
- Constriction and crawling in larynx; with hoarseness and yellow or green sputa.
- Laryngeal phthisis following whooping cough.
- Pain in long bones with tubercular diathesis.
- Inflexibility of ankle joints, they are very stiff.
- Paralytic pain in right hip joint and thighs.
- Soreness of all limbs on which he sleeps, as if the bed were too hard (Bapt, Arn, Pyro, Rhus t).

Generals & modalities

- Clergyman's sore throat with rough scraping, dry sensation deep in the fauces; voice hoarse, deep, toneless, cracked requires exertion to speak.
- Peevish; a trifle puts him out of humour.
- Anxiety in solitude, wants company.
- anxiety as if his enemies would not leave him quiet.
- Thoughts of committing suicide by drowning.
- Restlessness; cannot concentrate for a long time.
- AGGRAVATION; Singing, Drinking, Laughing, Lying down, Talking, Weeping, Lying on left side, Evening and after mid night, Getting warm in bed, Acids; Rest, Pressing pains agg pressure, After measles.
- AMELIORATION; After rising from bed, Scratching, Open air, Walking, motion.

Dulcamara

- Synonyms : bitter sweet.
- Source : It is a climbing shrubby growing in moist places. The taste of the leaves is first sweet then bitter. It belongs to the natural order of Solanaceae.
- Habitat : Europe and U.S. A.

- Preparation : Mother tincture is prepared from the fresh green stems gathered before flowering.

- Proved by Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for persons:

- 1. Who are susceptible to cold wet weather, change from hot to sudden cold in environments.

- 2. Disposed to rheumatic, catarrhal, skin troubles from being chilled.

- It is a SPECIFIC remedy for the following conditions:

- 1. Dropsy after suppressed sweats, suppressed eruptions, or from exposure to cold.

- 2. Warts, fleshy, large, smooth on face or back of hands and fingers.

- 3. Ailments of persons who live in damp cold basements, ice cream factories, air conditioned rooms or milk dairy.

- DOSAGE : 2nd to 30th potency.

- REPETITION : May be repeated in lower potencies. Single dose of higher potency. 200 to C.M.

- DURATION OF ACTION : Clarke-30 days.

Relationship

- COMPLEMENTARY REMEDIES : Bar c, Kali s.

- REMEDIES THAT PRECEDE WELL : Bry, Calc c, Lyco, Rhus t, Sep.

- REMEDIES THAT FOLLOW WELL : Bell, Calc c, Lyco, Rhus t, Sep.

- INCOMPATIBLE : Bell, Lach.

- ANTIDOTAL REMEDIES : Bry, Camph, Calc c, Cup.

- REMEDY ANTIDOTED BY : Cup, Merc.

- AILMENTS FROM LIVING IN DAMP BASEMENTS : Aran d, Ars, Nat s, Dulc.

- AGGRAVATION FROM COLD AND WET WEATHER: Aran, Ars iod, Dulc, Nat s.

- AGGRAVATION FROM SUDDEN CHANGES IN HOT WEATHER : Bry, Dulc.

- SUPPRESSED MENSES : Bell, Con, Cycl, Dulc, Psor, Rhus t, Sep, Sil, Stram, Sulph.

- SUPPRESSED SWEAT : Bell, Bry, Calc c, Chin, Colch, Dulc, Psor, Rhus t, Sep, Sil, Stam, Sulph.

- SUPPRESSED ERUPTIONS-DIARRHOEA : Bry, Dulc, Hep s, Lyco, Mez, Psor, Sulph, Urt u.

Causes & diseases

- Cold damp rainy weather.
 - Sudden changes in hot weather.
 - Perspiration being suppressed from cold.
 - Living or working in a damp, cold basement or a milk dairy (Aran, Ars a, Nat s.).
 - Exposure to cold=urticaria, catarrhal ailments.
 - Anasarca=after ague, rheumatism or scarlet fever.
 - Dropsy-after suppressed sweat, suppressed eruption, exposure to cold.
 - Diarrhoea-from taking cold in damp places, or during damp foggy weather; change from warm to cold weather (Bry).
 - Catarrhal rheumatism=by exposure to cold damp rainy weather or sudden change in hot weather.
 - Skin affections from exposure to cold, damp rainy weather or from sudden change in hot weather.
 - Fever: from being chilled, suppression of sweats, with aching in bones, trembling in muscles, with loss of memory, dazed state and confusion.
 - AFFINITIES; Mucous membranes of eyes bronchi bladder, Loins, Back, Muscles, Skin, Lymphatics.
- Complaints & characteristics
- Urticaria over whole body, no fever; itching burns after scratching; worse from warmth, better in cold.
 - Rash before menses (Con).
 - Thick brown yellow crusts on scalp, face, forehead, temples, chill with reddish borders, bleeding when scratched.
 - Warts, fleshy, large, smooth; on face or back of hands and fingers (Thuja).
 - Increased secretion of mucous membranes.
 - Rheumatism: joints are inflamed, red, swollen and sensitive to touch, from suppressed perspiration or from cold wet weather.
 - Catarrhal conditions of eyes from exposure to cold.

- Nasal catarrh with thick yellow mucus; snuffles, stopping of nose in cold wet weather.

- Phagedenic ulcers of the mucous membranes.

- Vesicular eruptions develop into ulcers (Ars a).

Generals & modalities

- Mental confusion; cannot find the right word for anything.

- Restless, irritable, scrofulous constitutions.

- Skin is delicate, sensitive to cold, liable to urticaria.

- Patient is susceptible to change of weather from warm to cold (Bry) dry to moist, suddenly cooling the body while perspiring.

- Suited to persons working in ice cream factory, cold storage, air conditioned rooms.

- AGGRAVATION; Evening, night, Rest, Cold air, Cold in general, Cold wet weather, Being chilled while hot, Suppressed menses, Suppressed eruption, Suppressed sweat.

- AMELIORATION; Moving about, (Ferr m, Rhus t).

Eupatorium perfoliatum

- Synonyms : Boneset. Thoroughwort.

- Source : A perennial herb with white flowers and the leaves growing at right angles to those immediately above or below. It belongs to the natural order of Compositae.

- Habitat : It grows wild in Canada and U.S. A.

- Proved by Drs. Williamson and Neidhard in 1846.

Indications

- It is a SPECIFIC remedy for the following conditions:

- 1. Dengue fever.

- 2. Malarial fever.

- 3. Rheumatic fever.

- 4. Malarial Cachexia.

- 5. Broken down constitution from alcohol.

- 6. Ailments with bone pains; great soreness of whole body; cannot twist chest because of soreness of back of sternum.

- DOSAGE: Tincture to 3rd attenuation.

- REPETITION : Bears repetition well.

- DURATION OF ACTION(Clarke) 1 to 7 days.

Relationship

- COMPLEMENTARY REMEDY : Bry.
- REMEDIES THAT FOLLOW WELL : Nat m, Sep, Tub.

Comparison

- At night, unable to get an easy position or lie still a moment: Caust, Eup p, Rhus t.
 - Sore all over as if bruised : Arn, eup p, Mea,
 - Great restlessness; must move constantly to relieve the soreness of parts : Arn, Eup p, Pyr.
 - Bruised feeling, as if broken, all over the body : Arn, Bells, Eupat p, Pyrog.
 - Great prostration in influenza epidemic- : Eup p, Lac c.
 - Cough with soreness of chest, must support it with hands : Bry, Eup p, Nat c.
 - Jaundice with pain in right shoulder : Chel.
 - Jaundice with soreness all over the body : Eupat p.
 - Jaundice with pains shooting across lower abdomen from right to left : Lyc.
 - Jaundice, liver region painful, better rubbing, clay coloured stools : pd.
 - Malarial fever with blue lips and nails : Eup p, Nat m, Nux v, Ver a.
 - Malarial with gastric symptoms : Ant cr, Ars a, Eup p, Ipec, Lyco, Nux v, Puls.
 - Malarial with headache : Ars a, Chin s, Cinch, Eup p, Nat m, Nux v.
 - Malarial with pain in bones and soreness : Aran, Caps, Chin s, Cinch, Eup p, gels, Nat m.
 - Malarial with thirst before chill : Cinch, Eup p.
 - Malarial with bilious vomiting : Eup p, Ipec, Lyc, Nat m, Nux v,
 - Malarial with backache : Eup p, Nat m.
 - Malarial with burning heat : Ars a, Caps, Eup p, Ipec, Nux v.
- ## Causes & diseases
- Dengue fever.
 - Influenza.
 - Rheumatism.
 - Malarial fever.
 - Biliousness.

- Gouty swelling of big toe.
- AFFINITIES; Bones of Occiput, Chest, back, Limbs, Liver, Stomach, Bronchi.

Complaints & characteristics

- Bruised feeling as if broken, all over the body; SORENESS OF BONES.
- Bone pains affecting back, head, chest, limbs especially the wrists, as if dislocated.

- Painful soreness of eyeballs with coryza.
- Aching in every bone and great prostration in epidemic of influenza.

- Pains come quickly and go quickly. (Bell, mag-p, Eup per)
- Vertigo: sensation as if falling to the left.
- Cough. Chronic loose with hectic fever; chest sore, must support it with hands (Bry, Nat c), better from lying on knees and hands.
- Following measles or suppressed intermittent fever; worse at night.
- Fever: chill 7 to 9 A.M.

- One day at noon the next day; bitter vomiting at close of chill; Drinking hastens chill and causes vomiting; bone pains before and during chill.

- Insatiable thirst before and during chill and fever; knows chill is coming because he can not drink rough.

- Intermittent fever: quotidian, tertian, or quartan fever; prodromal symptom is insatiable thirst; yawning, stretching, vomiting, backache and bone pains are concomitant symptoms with malarial fevers.

- During heat rarely and thirst.
- The sweat is usually absent or very scanty.
- Pain is sternum "on breathing in cold air" in influenza (Templeton).
- Periodical headaches, every 3rd or 7th day.
- Rheumatic affections with perspiration and great soreness of muscles and bones.

Generals & modalities

- Suited to old people; Worn-out Constitutions especially from alcohol.

- Cachexia from Malarial fevers.
- Gouty constitutions.

- AGGRAVATION; Cold air, Periodically third or seventh day, left side, Motion, Chill 7 to 9 A.M. , Night, Morning.

- AMELIORATION; Conversation, Lying on knees and hands; Fall, Vomiting of Bile Sweating.

Euphrasia officinalis

- Synonyms : Euphrasia Officinalis, Eye bright.

- Source : A little plant belonging to the natural Order of Scrophulariaceae.

- Habitat : The plant is found all over Europe.

- Preparation : The mother tincture is prepared from the whole plant without the roots during the flowering time.

- Proved by : Hahnemann.

Indications

- It is a SPECIFIC remedy in the following conditions:

- 1. Ailments with acrid lachrymation and bland coryza, influenza, Measles, Headache, colds, Blepharitis, Acute conjunctivitis; prostatic trouble.

- Third nerve paralysis; Amenorrhoea, Whooping cough.

- 2. Eye affections: Staphyloma, pannus, granular lids catarrhal conjunctivitis, corneal ulcer, Iritis, Plois.

- 3. Measles with acrid lachrymation and bland coryza.

- 4. Cancer of nose.

- 5. Falls, injuries.

- 6. Nasal catarrh with lachrymation.

- DOSAGE : 3rd to 6th potency.

- Euphrasia lotion for eye troubles.

- REPETITION : bears repetition well.

- DURATION OF ACTION : Not definite.

Relationship

- REMEDIES THAT FOLLOWS WELL : Acon, Alum, Calc c, Con, Lyco, Merc, Nux v., Phos, Rhus t, Sil.

- ANTIDOTES : Camph, Caust, Puls.

Comparison

- Cough only in day time : Euph, Ferr m.

- Acrid lachrymation : Ars a, Euph, Merc c, Sulph.

- Bland Coryza : Calc c, Euph, Puls.
- Corneal ulcer : Apis, Calc c, Euph, Con.
- Burning tears : Apis, Calc c, Euph, Con.
- Swollen lids : Apis, Arg n, Ars, Euph, Kero, Merc, Nat c, Nit c, Nit ac, Rhus t.
- Pannus : Apis, Arg n, Caust, Euph, Graph.
- Lachrymation with cough : Euph, Nat m, Puls, Squil.
- Lachrymation during coryza : All c, Carb v, Euph, Nux v, Tell.
- Conjunctivitis from injuries : Arn, Euph, Symph.
- Acute conjunctivitis : Acon, Alum, Apis, Arg n, Ars, Bell, Euph, Rhus t, Sulph.
- Catarrhal conjunctivitis : Acon, All c, Bell, Dulc, Euph, Merc, Psor, Puls.

Causes & diseases

- Bad effects from falls, contusions, mechanical injuries of external parts.
- Headache: bursting with dazzling of eyes from sunlight.
- Rheumatic iritis.
- Ulceration of cornea.
- Pannus.
- Acute conjunctivitis.
- amblyopia with inflammation of conjunctive and lids.
- Blepharitis.
- Paralysis of the 3rd nerve.
- Sneezing, fluent coryza.
- Bland nasal discharge with acrid lachrymation.
- Measles, Influenza, Cold air and windy weather=fluent coryza.
- AFFINITIES; Mucus membranes of eyes, nose, Chest.

Complaints & characteristics

- Profuse acrid lachrymation with bland coryza.
- The eyes water all the time, are agglutinated in the morning; margins of the lids red, swollen, burning.
- Profuse fluent coryza in morning with violent cough and abundant expectoration, worse from exposure to warm south wind.
- When attempting to clear the throat of an offensive mucus in the morning gagging until he vomits the breakfast eaten (Bry).

- Profuse expectoration of mucus by voluntary hawking, worse on rising in morning.
- Amenorrhoea, with catarrhal symptoms of eyes and nose.
- Profuse acrid lachrymation.
- Menses painful, regular, lasting only one hour; late scanty, short, lasting only one day.
- Pertussis; excessive lachrymation during cough.
- Cough only in day time (Fer, Nat m).
- Headache with coryza and lachrymation.
- Violent cough from tickling in larynx.
- Coryza worse in the open air.

Generals & modalities

- Chilly patient.
- Disposed to catarrh.
- AGGRAVATION; Sunlight, Wind in the morning, In bed, Indoors Evening, Warmth, Moisture, After exposure to warm wind, When touched (Hep s).
- AMELIORATION; Open air, At night while lying down, Winking, Wiping Eyes.

Ferrum metallicum

- Synonyms : iron.
- Source : Pure iron.
- Preparation : Trituration are prepared from pure iron with sugar milk according to the directions given in the Homoeopathic pharmacopoeia.

- Proved by Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for the following kinds of patients:
 - 1. Anaemic persons who flush easily and the face becomes red.
 - 2. Anaemic persons with plaeness: red parts become white.
 - 3. Irritable person who cannot tolerate slightest noise: even the crackling of paper drives him to despair.
 - 4. Persons with haemorrhagic diathesis; blood bright red, coagulates easily.
 - 5. Excitable persons who get angry from least contradiction.

- 6. Persons allergic to eggs and sour things.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Diarrhoea: while eating or drinking.
 - 2. Sudden vomiting without nausea; vomit sour, acid; during eating; can sit down and eat again.
 - 3. Prolapse of rectum of children.
 - 4. Dropsy: after loss of vital fluids, blood, from suppressed malaria, by the abuse of Quinine.
 - 5. Ailments: pains, asthma, indigestion etc., relieved by walking slowly about; but rapid motion aggravates the complaints worse after midnight.
 - 6. Rheumatism of left shoulder with inability to raise the arm.
- CONTRA-INDICATIONS. ferrum met: should never be given in syphilis, it always aggravates the condition. (H. C. Allen).
- DOSAGE : 3rd to 30th potency.
- REPETITION : Single dose.
- DURATION OF ACTION : (Clarke)-50 days.

Relationship

- COMPLEMENTRY : Alum, China, Ham.
- REMEDIES THAT FOLLOW WELL : Acon, Bell, Chin, Con, Lyco, merc, Phos.

- INCOMPATIBLE REMEDY : Acet ac.
- ANTIDOTES : Ars, Chin, Ip, Puls.
- REMEDY ANTIDOTES : Ars, Chin, Cup, Iod.
- BOYD'S DRUG GROUP : V.

Comparison

- Face flushes at the slightest emotion : Amyl n, coca, Fer m,
- Oversensitive to noise : Asar, Fer m, Tar, Ther.
- Deranged menses with pale face : Cycl, Ferr, Puls.
- Pertussis: cough only in day time : Euph, Ferr; Nat m.
- Flushes of heat with menses : Ferr, Glon, Sang.
- Fever: red face during chill : Ferr, Ign.
- Rheumatism of left shoulder : Ferr; Right shoulder- Med, Sang.
- Worse raising the arm-Sup, Rhus t.
- Stool undigested : Cinch, Ferr m, Podo.

Causes & diseases

- Loss of vital fluids.
- Fear.
- Anxiety.
- Abuse of brandy, Tobacco, Tea.
- Spasms of stomach=vomiting without nausea.
- Anaemia.
- Asthma.
- Biliousness.
- Cough.
- Cramps.
- Constipation.
- Diarrhoea.
- Enuresis Nocturna.
- malarial fever, Goitre, exophthalmic.
- Haemorrhages.
- Palpitation.
- lienteria.
- Menstrual disorders.
- Pregnancy disorders.
- Spasms.
- Shoulder affections.
- Vertigo.
- AFFINITIES; Vaso-Motors, Circulation, Blood-vessels, Brain, Nerves, Mucous membranes, Blood, Spleen Digestive Left Deltoid.

Complaints & characteristics

- Vertigo: with balancing sensation, as if on water; on seeing flowing water; when walking over water as when crossing a bridge; on descending (Bor, Sanic).
- Headache: hammering, beating, pulsating pains, must lie down; with aversion to eating or drinking.
- For 2 to 4 days every 2 to 3 weeks.
- Menses: too early, too profuse, too long lasting; with fiery red face; ringing in ears; intermittent; flow pale, watery, debilitating Haemorrhagic diathesis: blood bright red, coagulates easily (Fer p, Ipec, Phos).
- Canine hunger or loss of appetite, with extreme dislike for all food.
- In mouthfuls, without nausea.

- Vomiting: immediately after midnight; of in gesta, as soon as food is eaten; leaves table suddenly and with one effort vomits every thing eaten, can sit down and eat again.

- Vomit sour and acid. (Lyc, Sul ac).

- Diarrhoea: undigested stool at night; while eating or drinking (Crot t); painless with good appetite; of consumptives (Rumex).

- Constipation: from intestinal atony; ineffectual urging; stool hard, difficult, followed by backache or cramping pain in rectum.

- Prolapse rectum of children.

- Itching of anus at night.

- Cough only in the day time (Euph) relieved by lying down; better by eating (Spong).

- Dropsy: after loss of vital fluids; abuse of quinine suppressed malaria (Carb v, Cinch).

- Rheumatic pain and paralytic weakness of left shoulder and deltoid.

- Sensations: hammering, beating, weakness.

Generals & modalities

- Persons of sanguine temperament; pettish, quarrelsome; easily excited; least contradiction angers (Anac, Coc, Ign); irritable; slight noises like crackling of paper drive him to despair (Asar, Tar).

- Delicate girls constipated with low spirits.

- Women who are weak, delicate, chlorotic, yet have a fiery red face.

- Extreme paleness of face, lips and mucous membranes which becomes red and flushed on the least pain, emotion or exertion.

- Red parts become white; (Val); face, lips, tongue and mucous mouth.

- Always feels better by walking slowly about, although weakness obliges the patient to lie down.

- Disposed to haemorrhages.

- Intolerance of eggs.

- AGGRAVATION; Raising arms, Emotions, At night, sudden motion, Eating, At rest especially while sitting still, While sweating overheating, cold washing, Midnight.

- AMELIORATION; Walking slowly about, Gentle Motion In summer, Pressure, After evacuation, Solitude.

Ferrum phosphoricum

- Synonyms : Ferri phosphate, ferric phosphate, Phosphate of Iron.

Formula $\text{Fe}_3\text{P}_2\text{O}_8$, FePO_4 , $12\text{H}_2\text{O}$.

- Source : It is a chemical compound of Iron and phosphoric acid.
- Preparation : The pure phosphate of iron is prepared by trituration with sugar of milk as directed in the homoeopathic pharmacopoeias.
- Proved by J.C. Morgan in 1876. (Pierce) W.H. Schussler proved it as a Biochemic Remedy.

Indications

- It is a SPECIFIC remedy for:
 1. First stage of all inflammatory affections.
 2. Bright red haemorrhages from any orifice.
 3. Congestive headaches, vertigo, sore throat relief from cold applications.
 5. Acute otitis media.
 6. Cerebral haemorrhage : face pale and flushed alternating mucous membranes pale; pulse rapid and thready; in anaemic persons (G.R.)
- DOSAGE : Schussler recommends 3x to 12x triturations.
- Kent recommends higher potencies in chronic diseases and considers it to be a deep acting remedy.
- REPETITION : It is to be repeated in acute conditions.
- DURATION OF ACTION : Not definite.

Relationship

- Intercurrent or compatible remedies
- CALC FL : in Haemorrhoids.
- CALC S : in Hip joint disease.
- CALC PHOS : in chlorosis.
- KALI MUR : in croup, pneumonia, palpitation.
- KALI PHOS : in colic, gangrene.
- NAT S : in diabetes.
- ANT TART : in capillary bronchitis.
- REMEDY ANTIDOTES : Strontium bromide producing "Violent dysuria night and day. (R.T. Cooper)
- BOYD'S DRUG GROUP : V.

Comparison

- Congestion to head : Acon, Bell, Bry, Cal, Ferr, Phos, Gels, Glon, Lach, Sang, Sulph.
- Headache from anaemia : Ars a, Chin, Ferr Phos, Nat m, Phos ac,
- But cold air ameliorated : Chin, Ferr Phos, Nux v.
- Acute bronchitis : Ant t, Ars a, Bry, Ferr p, Hep, Ip, Phos, Sil, Kali c,
- Pneumonia : Acon, Ant t, Ars a, Bry, Carb v, Chel, Ferr p, Hep, Lyco, Merc, Phos, Puls, Rhus t, Sulph, Verat vir.
- Acute phthisis pulmonalis : Ferr Ph, Puls, Sil, Ther.
- Haemoptysis : Acon, Am c, Arn, Ars a, Crot h, Ferr m, Ferr p, Ip, Nit ac, Phos, Millef, Sec c, Stann, Sulph, Bell Dulc, Croc, Nux v.

Causes & diseases

- Becoming cold, cold drinks.
- Lifting and straining muscles.
- Sprains.
- Congestion=haemorrhage.
- Mechanical injuries.
- Ill effects of sun heat.
- Anaemia, chlorosis.
- Congestion to head and organs with fever.
- Fullness of head.
- Haemorrhages, epistaxis.
- Delirium tremens.
- Puerperal mania.
- Congestive stage of conjunctivitis, retinitis, otitis.
- Rhinitis.
- Sore throat, Pneumonia, Gastritis, Hepatitis.
- Congestive stage of fevers.
- Articular rheumatism.
- Rheumatic pain in right shoulder.
- One joint after another is affected without leaving the first; with high fever.
- Rheumatism with copious sweat but sweat does not relieve pain; thirst; restlessness; soft full pulse.
- Rheumatism of right deltoid.
- Right sided pleurisy.
- Cerebral haemorrhage.

- AFFINITIES; Blood, Venous, Lungs, Ears, Circulation, Heart, Brain, Thermic centre, Nerves, Mucous membranes, Bones.

Complaints & characteristics

- Numbness of parts, Strong pulsation.
- Strong full frequent pulse.
- Tossing about in fever.
- First stage of all inflammations, cold.
- Pains that are worse from motion and better from colds.
- Headache : congestive gouty, of children better by cold applications, wrapping the head agg.

- Acute otitis media.
- Vomiting of undigested food.
- Sour eructations.
- Expectoration of pure blood in pneumonia.
- Haemoptysis.
- Incontinence of urine from weakness of sphincter.
- Bronchitis of young children.
- Cough with vomiting of food.
- Prolapse rectum of children.
- Prolapse rectum of children.
- Prolapse of uterus.
- Sudden urging to urinate must hasten or urine will escape.
- Alternating flushed and pale face.
- Pulse is rapid thready.

Generals & modalities

- Anger even to violence.
- Aversion to company.
- Hysterical girls.
- Lack of vital heat.
- Over-sensitive to pain.
- Unable to concentrate mind.
- Fearful.
- Forgetful.
- Irritable.
- Alternating moods.
- Full blooded and robust but nervous sensitive and anaemic.

- Oxygenoid.
- Susceptible to chest troubles.
- Predisposed to gout.
- Takes cold easily.
- Aversion to meat and milk.
- AGGRAVATION; Cold air; Physical exertion, After eating; rest in bed; standing 4 to 6 A.M.

- AMELIORATION; Pressure, Slowly walking about, After rising, After evacuation, Solitude, Cold, Bleedings, Lying down.

Fluoricum acidum

- Synonyms : Hydrofluoric acid; Formula: HF.
- Source : The acid can be purchased from the chemist shop.
- Preparation : Dilutions are prepared in distilled water up to 3rd potency from which higher potencies are prepared in alcohol.
- Proved by Dr. C. Hering.

Indications

- It is a CONSTITUTIONAL remedy for:
 - 1. Warm blooded persons who are worse from heat, warm room, warm air, covering, warm food and drinks, tea and coffee.
 - Feel better in open air, cool rooms, after eating.
 - 2. Low minded persons, lustful, indifferent to their family and children.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Syphilitic gummatous ulcers.
 - 2. Beginning stage of gonorrhoea with phimosis, priapisms and intense uncontrollable sexual desire.
 - 3. Venous troubles: varicose ulcers, varicose veins, haemorrhoids.
 - 4. Feebleness of circulation: numbness, indolent ulcers, necrosis and gangrene formation, fistula of anus, dentition, lachrymal tract; caries of spine, teeth and long bones.
 - 5. Sycotic diseases; deformed nails, falling of hairs, fig warts, gleet, offensive, acrid discharge from ears, offensive ozaena.
 - 6. Mental and nervous debility from vicious practices, by secret vice.
- DURATION : 6th to 30th potency.

- REPETITION : May be repeated till the response is noticed.
- DURATION OF ACTION : (Clarke) 30 days.

Relationship

- COMPLEMENTARY REMEDY : Sil, Coca, Phos.
- REMEDIES THAT PRECEDE WELL : Ars, in ascites of drunkards; Kali c in hip disease; Coff, Staph in sensitive teeth; Sil, Symph in bone disease; Spongia in goitre; Phos ac in diabetes. Puls, Sil, Fl ac-follow one after another.

- REMEDIES THAT FOLLOW WELL : Graph, Nit ac, Sulph.
- BOYD'S DRUG GROUP : IV

Comparison

- Goitre : Brom, Iod, Kali c, Spong.
- Old cachectic people who suffer from gouty complaints : Bar c, Fl ac.
- Hair becomes frowsy and tangled, cannot be combed smooth : Fl ac, Lyc, Psor, Tab.
- Indifferent even in one's family; to those whom she loves best : Fl ac Ph ac, Sep.

- Varicose veins : Arn, Calc c, Carb v, Fl ac, Ham, Puls, Sulph.
- First stage of gonorrhoea : Can s, Canth, Fl ac.

Causes & diseases

- Alcoholism.
- Gonorrhoea.
- Sycosis.
- Phimosis.
- Fig warts.
- Offensive ozaena.
- Acrid discharges.
- Nail disorders.
- Hair falling.
- Necrosis of bones.
- Circulation is feeble.
- Apoplexy.
- Ulcerations.
- Fistula in ano.
- Dental fistula.
- Fistula lachrymalis.

- Old cicatrices become red around edges, and threaten to become open ulcers (Caust, Graph).
- Caries and necrosis, especially of long bones.
- Psoric, syphilitic, abuse of mercury or silica.
- Rapid caries of teeth.
- Varicose ulcers.
- Tendency to become gangrenous (Crot h).
- Ulcers: red edges and vesicles; decubitus (bed sores)
- Copious discharges; Worse from warmth, better from cold.
- Nervous debility from masturbation, debauchee, seminal emissions.
- Mental exhaustion from overwork or from vices.
- Paralysis with trembling with numbness in the soles of feet.
- Haemorrhoids with prolapse.
- Tendency for indurations.
- Syphilis.
- Dry cutaneous eruptions upon the body.
- AFFINITIES; Fibrous tissues, Bones, Teeth, Mastoid, Veins, Skin,

Nails, Hair.

Complaints & characteristics

- Headache congestive with heat and fullness, occipital; worse from motion.
- Violent pains like streaks of lightning to a small spot.
- Whitlow with terrible throbbing pain.
- Complaints of old age or premature old age.
- Complaints of young people who look old.
- First stage of gonorrhoea with priapism phimosis and intense uncontrollable sexual desire (Canth).
- Insanity with reticence and silence.
- Whole left side of the head retarded in growth, left eye seems smaller.
- Dropsy of drunkards from deranged liver.
- Numbness of limbs.
- Cold drinks aggravate toothache.
- Warm drinks aggravate diarrhoea.
- Perspiring hands.
- Complains to old age.

- Whitlow.
- Coccygodynia.
- Hydrocele.
- Goitre.
- Naevus

Generals & modalities

- Patient is warm blooded, perspires from palms and soles.
- Burning heat in palms and soles.
- Oily pungent smelling sweat on genitals.
- Body feels heated without fever.
- Varicose veins in women who have borne many children.
- Aversion to members of her own family.
- No love for her children.
- Low mindedness.
- Craves cold water and is continually hungry.
- All gone sensation in stomach.
- Weakly constitutions.
- AGGRAVATION; Heat, Warm room, Night, Warm covering, Inward heat, Tea and coffee, Warm drinks, Constipation, Delayed menses, Delayed micturition, Worse wine, red wine, (Alcohol), Sour foods.
- AMELIORATION; Headache from micturition, Eating, Cool room, Open air, Cold washing, Bathing Rapid motion, Short sleep, Bending head back.

Gelsemium sempervirens

- Synonyms : Yellow Jasmine, Chambeli (Hindi).
- Source : A climbing plant with yellow flowers having delicious odour. It belongs to the natural order of Loganiaceae.
- Habitat : Mostly found in upper India, Europe and U.S. A.
- Preparation : The mother tincture is prepared from the fresh roots at the time of flowering.
- Proved by Dr. John H. Henry of Philadelphia in 1852 and Dr. E.M. Hale of Chicago.

Indications

- It is a polycryst remedy frequently used in acute diseases.

- It is not a deep acting remedy and therefore it is followed by deep acting remedies in chronic diseases.

- It is a CONSTITUTIONAL remedy for children, young boys and girls, nervous men and women, highly emotional, hysterical, fearful, timid, apprehensive people and those who lack vital force due to self abuse or alcohol.

- It is a SPECIFIC remedy for mental disorders, brain diseases, nervous diseases, paralysis, eye diseases, deafness, fevers, neuralgias, hay fever, jaundice, rheumatism, vertigo, headache, angina pectoris and heart disorders; ptosis of eyelids, menstrual disorders and male sex disorders; when the guiding characteristic symptoms, general characteristic symptoms are present or when the history of causation is present.

- DOSAGE : 3x to 1M.

- REPETITION, Bears frequent repetition.

- DURATION OF ACTION. (Clarke) - 30 days.

Relationship

- COMPLEMENTARY REMEDY : Arg n.

- REMEDIES THAT FOLLOW WELL : Bapt, Cactus, Ipec.

- ANTIDOTES : Chin, Coff, Dig.

Comparison

- Inability to walk, tottering and falling when closing eyes : Arg n, Gels, Alum.

- Diarrhoea when going for church or opera from excitement : Arg n, Gels.

- Gait unsteady; muscles refuse to obey the will : Alum, Aster r, Gels.

- Face, flushed, dusky, dark red, with a stupid besotted drunken expression : Bapt, Gels.

- Frontal headache with heavy dull feeling as if a rubber band were stretched tightly over the forehead, from temple to temple : Carb ac, Gels, Plat, Sulph.

- Ailments: exhausting; with heavy eyelids, has to raise them with the fingers : Coul, Gels, Caust, Graph, (of both lids-Sep)

- Bad effects of sudden emotions, exciting or bad news : Coff, Ign, Gels.

- Post diphtheritic paralysis : Caust, Gels, Diph.

- Irritable, easily angered, does not want to be disturbed : Gels, Kali bi, Lac def.

- Incoordination of muscles : Kali brom, Gels.

- Cannot bear heat of the sun : Gels, Glon, Lach, Lyssin, Nat m.

- Stool involuntary after fright : Gels, Op.

- Great prostration of muscular system; impaired locomotion : Gels, Physost.

- Sun-stroke, head full, throbbing of arteries, sensitive to sound; double or partial vision : Gels, Glon, Vert v, Bell, Nat c.

- Paralysis : Acon, Arg n, Caust, Cocc, con, Cup, Dulc, Gels, Kalm, Merc, Nat m, Nux v, Phos, Plum, Rhus t, Sulph, Zinc.

- Cerebrospinal fever : Agar, Apis, bell, Cic, Cimic, Crost h, Gels, Glon, Hell, Nat s, Op, Ver v.

Causes & diseases

- Fright.

- Anger.

- Bad news; sudden and depressing emotions.

- Anticipation: going for the church, opera, examination, public platform.

- Self abuse, masturbation.

- Heat of sun, heat of stove.

- Gas light.

- Warm or cold, damp weather.

- Thunderstorm.

- Alcohol.

- Hair cut.

- Mechanical injuries.

- Ailments with complete relaxation, prostration.

- Sensation of a band around the head above the eyes; seems intoxicated when trying to move, with dizziness, dullness and drowsiness.

- Scalp sore to touch.

- Brain affections: C.S. Fever; Convulsions, hysteria, nervous disorders; prostration; trembling, ptosis, loss of voice.

- Eye troubles: amaurosis, astigmatism; diplopia; nystagmus; detachment of retina.

- Deafness.
- Dengue Fever.
- Measles.
- Colds, Hay fever.
- Heart diseases.
- Menstrual disorders.
- Paralysis.
- Neuralgia.
- Rheumatism.
- Sexual disorders of males; impotency.
- Sun stroke.
- Toothache.
- AFFINITIES; Nerves, Muscles, Blood, Brain, Mucous, membranes,

Sexual organs.

Complaints & characteristics

- Vertigo, spreading from the occiput (Sil); with diplopia, dim vision, loss of sight; seems intoxicated when trying to move.
- Headache: preceded by blindness (Kali bi); better by profuse urination, lying with head high, pressure, bad rest; stimulants; worse by mental exertion, smoking, heat of sun, lying with head low, eating, physical exertion, motion of eyes, tobacco, beginning in cervical spine; pains extending over head with bursting sensation in forehead and eye balls.
- Fever: from heat of sun or summer; with prostration, vertigo, headache, great heaviness of the eye lids, cannot keep them open.
- Chill without thirst, chill along the spine, running up and down in rapid wavelike succession from sacrum to occiput.
- Angina pectoris: fears that unless on the move, heart will cease beating (Opp-Dig).
- Paralysis: from sudden emotions, post diphtheritic, infantile; of ocular muscles, ptosis, hysterical flaccid; chest muscles, eye muscles, face, motor nerves, throat and vocal cords, with thick speech, aphonia, prostration, trembling and inco-ordination of muscles.
- Sleeplessness of brain workers and worried people.
- Seminal emissions: persons who do masturbation; followed by great prostration; with relaxed state; cause nervous debility and

trembling of hands.

- Sunstroke: high fever, headache, delirium, cerebral congestion.

Generals & modalities

- Children : fearful, excitable, sensitive, nervous, fear of falling, grab the nurse.

- Onanists of both sexes.

- Apprehensive anticipation of any unusual ordeal, preparing of church, theatre, to meet and engagement bring on diarrhoea; stage fright, nervous, dread of appearing in public (Arg n).

- Examination funk.

- Fear of death (Acon, Ars).

- Utter lack of courage; timid.

- Women of nervous hysterical temperament.

- Desires to be quiet, to be left alone; does not wish to speak, have anyone near her, even if he be silent. General depression from heat of summer.

- Weakness and trembling.

- Complete relaxation and prostration; paresis and paralysis. Slow pulse of old age (Dig).

- Dull, dizzy, drowsy, confused.

- Lack of vital reaction.

- AGGRAVATION; Sun, Heat, Summer, Gas light, Cold, damp weather, Heat of summer, Thunder storm, Periodically, Sudden emotions, Dentition, Excitement bad news, When thinking of his ailments, When spoken to of his loss, Tobacco smoking, When appearing in examination or about to perform and unusual act in life (ordeals).

- AMELIORATION; Bending forward, Profuse urination, open air, stimulants, closing eye lids, Sweating Shaking, Mental effort.

Glonoinum

- Synonyms : Nitro-glycerine, Glyceryl trinitate.

- Source : It is a chemical compound having the formula $C_3H_5(NO_2)_3$. It can be purchased from a chemist or prepared according to the directions given in chemistry formulary books.

- Preparation : Alcoholic preparations are made from the pure nitro-glycerine. One part of pure Nitro-glycerine is dissolved in nine parts of

95% of alcohol making our strongest preparation called 1x in decimal or centesimal scale.

- Proved by Dr. Constantine Hering in 1848-49.

Indications

- IT IS A SHORT ACTING REMEDY.

- It is a SPECIFIC remedy in the following acute conditions:

- 1. Cerebral haemorrhage: violent palpitation of heart which are visible as shaking the chest; restlessness and twitching of muscles.

- 3rd potency every 15 minutes.

- 2. Epilepsy: aura-violent pulsating headache, worse in warm room, before the fit, followed by unconsciousness.

- Face is pale and bright red by turns.

- Throbbings of heart beat felt all over body especially the head.

- Glon 6 every 1/2 hourly when pulsation's are felt in the head, before the fit, and Glon 30, 3 hourly after the fit till feels normal.

- 3. Sunstroke : with violent headache; pounding sensation with every heart beat; grasps the head with his hands to stop pounding; worse by shaking the head and by stooping.

- In acute cases give low potency at short intervals i.e. , 6th potency every 1/2 hourly till feels normal but in chronic cases higher potency at longer intervals i.e. 30 or 200c.

- 4. Vertigo : with pulsating pain in head; with flushing of face; intoxicated feeling and fainting; vertigo caused by shaking the head; agg from stooping.

- 5. Headache : from heat of the sun or working under gas light; menstrual; climacteric; from acute congestion of head, bursting; throbbing; pulsating; holds head with both hands; worse from lying down; after profuse uterine haemorrhage, in place of menses; worse from jar and stooping.

- Migraine.

- 6. Thermic fever : from excessive heat of the sun; face pale with high fever; heat hot and extremities cold; with beating of carotid and temporal arteries; with cerebral congestion.

- Cerebo-spinal fever.

- 7. Convulsions : during dentition (Bell, Cham, Cina) from cerebral congestion.

- 8. Exophthalmic goitre : with carotid pulsation or violent palpitation; with bursting headache with rush of blood to the face.
- 9. Angina Pectoris : sharp pains in heart with laborious action; throbbing in carotids; blood seems rush to heart and rapidly to head.
- 10. Bad effects of mental excitement, fright, fear-causing, palpitation; headache, sleeplessness.
- DOSAGE : 3rd to 200c.
- REPETITION : Frequent in acute conditions.
- DURATION OF ACTION : One day. (G. Miller).

Relationship

- ANTIDOTES : Acon, Caph, Coff, Nux v.
- BOYD'S DRUG GROUP : 1.

Comparison

- Headache : sensation of fullness, as if forehead would burst : Bell, Am c, Glon.
- Intense surging of blood to face and head : Amyl n, Bell, Glon, Mel.
- Visiobel beating of carotid and temporal arteries : Aur met, Bell, Glon.
- Headache : climacteric : Cact, Glon, Lach.
- Rush of blood to head and left chest : Amyl n, Calc ars, Glon.
- Cannot bear heat of sun : Gels, Glon, Lach, Lyssin, Nat c.
- Headache : as of a heavy weight pressing upon the head at every step : Cact, Glon, Lach, Menyanth.
- Headache from sun or working under gas light : Glon, Lach, Nat c.
- Sun stroke, head full, throbbing of arteries, sensitive to sound: double or partial vision : Glon, Gels, Vert vir.
- Congestion of head from suppressed menses : Bell, Cimic, Ferr, Gels, Glon, Lach.
- Menstrual headache : Cimic, Croc, Cycl, Glkon, Nat m, Puls, Sang, Sep.
- Double or partial vision : Gels, Gon. Ver v.

Causes & diseases

- Bad effects of mental excitement, fright, fear, mechanical injuries; from the hair cut.
- Head troubles from working under gas light, when heat falls on head, walking in the sun.

- Sun-headache.
- Sunstroke.
- Headache from suppressed menses.
- Apoplexy, cerebral haemorrhage.
- Convulsions from cerebral congestion.
- Meningitis, cerebrospinal fever.
- Flushes of heat at the climacteric.
- Flushes of heat with menses.
- Meningitis during dentition (Bell).
- Children get sick when sitting before an open fire or falling asleep there.

- AFFINITIES; Brain, Vaso-motor (Circulation, Head, forehead, Heart) nerves, Mastoids, Respiration.

Complaints & characteristics

- Alternating pale and flushed face.
- Violent pulsating headache with brain troubles.
- Cerebral congestion or alternate congestion of head and heart.
- Head : feels enormously large; as if skull were too small for brain.
- Sun headache increases and decreases every day with the sun (Kalm Nat c)
- Terrific shock in head, synchronous with the pulse.
- Throbbing pulsating headache; holds head both hands; could not lie down, the pillow would beat.
- Bursting headache: rush of blood to head.
- Violent palpitation with throbbing carotids; heart action laboured, oppressed; blood seems to rush to heart and rapidly to head.
- Congestion of head before convulsions.
- Threatened apoplexy. (G.R.)
- Congestion of retina.
- Cerebral congestion during pregnancy.
- Eclampsia with flushed face, staring eyes, full hard pulse, urine copious and loaded with albumen, with unconsciousness. (G.R.)
- Dysmenorrhoea with unconsciousness. (G.R.)

Generals & modalities

- Plethoric, florid.
- Nervous temperament.
- Warm blooded.

- Sensitive women.
- Persons readily affected.
- AGGRAVATION; In sun, exposure to heat, gas light; Over-heating, Hot weather, Jar, Stooping, Ascending pressure of hat, Having the hair cut, Motion (Shaking, Bending head back) Injuries, Wine, Suppressed Menses, Fruits.
- AMELIORATION; Open air, Elevating head, Cool things, Bathing etc.

Graphites

- Synonyms : Black lead, plumbago.
- Source : Amorphous carbon.
- Preparation : Triturations are prepared from the finest English drawing pencil's lead.

- Proved by Dr. Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for the following persons:
 - 1. Children : impudent, teasing laugh at reprimands.
 - 2. Women inclined to obesity, who suffer from habitual constipation; history of delayed menstruation; scanty menses; morning sickness during menses; very weak and prostrated; sad, despondent, music makes her sad; timid, hesitates, unable to decide and thing.
 - 3. Chilly persons; takes cold easily, sensitive to draught of air.
 - 4. Persons of both sexes; decided aversion to coitus.
- It is a SPECIFIC remedy in the following condition :
 - 1. Eczema : from which oozes a watery, transparent sticky honey like fluid.
 - 2. Leucorrhoea : acrid, excoriating, occurs in gushes night and day, before and after menses.
 - 3. Cataleptic condition : conscious but without power to move or speak.
 - 4. Diarrhoea due to suppressed rash; of intolerable odour.
 - 5. Ailments : with cracks and fissures; eruptions between fingers and toes; nails brittle, crumbling, deformed; rush of blood to head with flushings; flatulence and distension; offensive and acrid discharges; sweat staining clothes yellow; , cobwebs sensation of face and forehead.

- 6. Ailments : from grief, fear, over-lifting, bathing, being overheated, suppressed foot sweats and suppressed rash.
- DOSAGE : In specific conditions 6c to 30c.
- In constitutional indications-high potencies 200 c and above.
- Locally as an ointment of 3x for cracks and skin diseases.
- REPETITION : Single dose of high potency is enough, to be repeated when the symptoms call for it.
- DURATION OF ACTION : 40 to 50 days (Clarke).

Relationship

- COMPLEMENTARY REMEDIES : Ars a, Caust, Ferr m, Hep s, Lyc.
- REMEDIES THAT PRECEDE WELL : Calc c, Lyc, Puls, Sep, Sulph.
- REMEDIES THAT FOLLOW WELL : Nat s, Sil.
- ANTIDOTES TO GRAPHITES : Acon, Ars a, Nux v.
- GRAPHITES ANTIDOTES : Ars a, iod, Rhus tox.
- BOYD'S DRUG GROUP : VI.
- Miasmatic Group : Anti-psoric, slightly Anti-sycotic but not at all anti-syphilitic.
- It is one of the remedies belonging to very long and deep acting remedies in our materia medica.

Comparison

- Offensive sweat of feet : Alum, Amm mur, Graph, Psor, Sanic, Sil-Tub.
- Throat affections after checked foot sweat : Bar c, Graph, Psor, Sanic, Sil.
- Sensations of cobwebs of face : Bar c, Borax, Brom, Graph, Ran s.
- Rawness of soles of feet from perspiration : Calc c, Graph, Sanic.
- Drooping of eyelids, cannot keep them open : Caul, Caust, Gels, Graph, Sep, Syph.
- Leucorrhoea before and after menses : Graph. Before menses-Sep. After menses--Kreos.
- Leucorrhoea 10 days after menses : Borax, Bov, Con.
- Rash before menses : Con, Dulc, During profuse menses-Bell, Graph.
- Old cicatrices become red around edges and threaten to become open ulcers : Caust, Graph, Fl ac.
- Ailments from suppressed foot sweat : Cup m, Graph, Psor, Sil.
- The slightest injury suppurates : Graph, Hep s, Merc, Phyt.

- Persons inclined to obesity : Am c, Graph, Caps, Calc c, Kali br.
- Chilly persons : Ars a, Bar c, Calc c, Calc p, Caust, Chin, Dulc, Graph, Hep s, Kali c, Nit ac, Nux v, Phos, Psor, Pyrog, Ran b, Rhus t. Rumex, Sabad, Sep, Sil, Spig, Stron c.

- Exaciation of affected parts : Graph, Led.
- Herpes in bends of knees : Hep s, Graph, Nat m.
- Hardness of hearing better in carriage or train : Graph, Nit ac.
- Constipation of good natured women : Graph, Phyt.
- Nipples, Sensitive, Sore, Fissured : Graph, Phyt, Ratan.

Causes & diseases

- Becoming cold or overheated.
- Bathing.
- Indiscretion of diet.
- Straining from overlifting causing weakness of muscles and tendons.
- Sudden suppression of eruption causing chronic diseases.
- Suppression of rash causing diarrhoea.
- Suppression of foot sweat causing ailments.
- Ailments from; fear, grief.
- Masturbation and sexual excesses.
- Suffering parts emaciate.
- Cracks or fissures in ends of fingers, nipples, labial commidures, of anus, between the toes.
- Unhealthy skin (Thuja); Every injury suppurates.
- old cicatrices break open again; hard cicatrices remaining after mammary abscess, retarding flow of milk.
- Cancer of breast from old scar or repeated abscesses.
- Eruptions upon the ears; between fingers; and toes; and various parts of the body.
- Eczema with honey like discharge.
- The nails brittle, crumbling deformed, painful, sore, as if ulcerated and crippled.
- Imperforated anus.
- Scrotal hernia in flabby child.
- Aphthous patches; white painful ulcers due to deep seated digestive disorders.
- Cystic tumours on eyelids.

- Styes.
- In growing eye lashes.
- Lumpy goitre.
- Barbers itch.
- Induration of ovaries and mammae.
- affinities; Mind, Sex organs, Skin: folds, behind ears, angles, flexures, orifices, Mucous membranes, Nutrition, Circulation, Glands, Eyes.

Complaints & characteristics

- Burning round spot on vertex (Sulph).
- Sensation of cobwebs on face and forehead (Bar c, Borax, Ran s).
- Diarrhoea of intolerable odour from suppressed rash.
- Chronic constipation: stool large, hard; with mucous threads; sore pain in anus after stool. (Merc, Ratan, Nit ac, Sulph).
- Phlegmonous erysipelas of face, with burning stinging pains; commencing on right side going to left (Lac c, Lyc); after application of iodine.
- Leucorrhoea with excoriating discharge.
- Alternate appearance of skin and digestive symptoms.
- Morning sickness during menses.
- All discharges are offensive and excoriating.
- Offensive perspiration (Carb v, Kali ars, Kali, Phos, Psor).
- Left sided ailments (Lach, Lit t, Spig, Thuja).
- Left sided headache (Nat m, Nux v, Onosm, Spig).
- Photophobia with copious lachrymation: vanishing of sight during menses.

- Great sexual excitement: ejaculation comes instantly after intromission; impotency after secret vice and sexual excesses.

- Enlarged, hard painful tubercular glands.
- Psoriasis of hands.
- Horny callosities of palms.
- Ingrowing toe nails (Nat m, Mag p, Caust, Sil).
- Entire inability to perspire in many chronic disease.

Generals & modalities

- Children impudent teasing, laugh at reprimand.
- Chilly persons: take cold easily.

- Susceptible to bath cold and becoming over-heated.
- Cannot tolerate warm room desires open air.
- Oxygenoid.
- Fat, flabby, relaxed.
- Dislikes draft of air, likes to be covered heavily with an open window.
- Aversion to meat, fish, salt, sweets cooked food; Aversion to coition in both sexes.
- Changing mood, sad, despondent; thinks about death and salvation; music makes her weep.
- Weakness of mind and slowness of thought Fidgety.
- Obesity with scanty menses.
- Caustious, timid, hasty, hesitates, unable to decide any thing.
- Women at climacteric disposed to flatulence and constipation.
- Hears better in a noise; when ridding in a carriage or train.
- AGGRAVATION; Cold drafts, Bathing, Night, Before midnight, Fats, During and after menses, Physical exertion, Wet feet, Hot drinks, Light, Scratching, Warmth of bed, Empty swallowing, Music.
- AMELIORATION: Dark, Open air, after walking to, Wrapping up, After eating, Hot milk.

Guajacum officinale

- Synonyms : Resin of Lignum Vitae. Guaiacum officinale.
- Source & Habitat : Gum resin of Lignum Vitae, a large tree growing in South America and West Indies. It belongs to the natural order of Zygophyllaeae.
- Preparation : Mother tincture is prepared in alcohol from which higher potencies are prepared.

Indications

- It is a very deep acting remedy even deep enough to cure the symptoms of and turn into order a constitution that is rheumatic, gouty and has inherited phthisis. (Kent)
- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Rheumatic people and their complaints are worse from motion, exertion and warmth. (Kent)
 - 2. Who are subject to diarrhoea; catarrhal trouble; bronchitis.

- It is a SPECIFIC remedy for the following conditions:
- 1. Rheumatism; with drawing, tension and contraction of muscular fibres; sore swollen joints; joint pains worse from warmth and more comfortable when cool; limbs contracted and stiff; rheumatic pain in one side of head; rheumatic stiffness of back of neck and back; rheumatic pains in upper arms and shoulder; hands and fingers; curved and stiff fingers; shortening of the hamstrings; rheumatism of joints aggravated from heat and motion. (Kent)
- 2. Tonsillitis : worse from warm drinks, with much burning; follicular with violent burning in throat. (Under-wood) Prevents suppuration.
- 3. Lumbago : with stiffness; worse from warmth and motion.
- 4. Phthisis : with extremely offensive expectoration; with increasing exhaustion; progressive emaciation; phthisis pituitosa (exudative) in rheumatic or gouty patients, with night sweats.
- Recurrent pleurisy.
- 5. Dry hard cough with fever relieved by expectoration. (Kent)
- 6. Arthritis deformans.
- 7. Secondary syphilis complicated with mercurial miasm; syphilitic sore throat.
- 8. Stiff neck and sore shoulders; worse in cold wet weather.
- 9. Promotes suppuration of abscesses.
- 10. Membranous dysmenorrhoea.
- DOSAGE : Tincture to 6th attenuation (Boericke).
- REPETITION : bears repetition well.
- DURATION OF ACTION : 40 days (G.M.)

Relationship

- REMEDIES THAT FOLLOW WELL : Calc c, Merc.
- ANTIDOTE : Nux v.
- It is an antipsoric, antisyphilitic, anti-phthisical and anti-mercurial miasmatic remedy.

Comparison

- Joint pains of rheumatism worse from warmth : Guaiac, Led, Lac c, Puls.
- Anti-mercurials : Aur, Carb v, Hep s, Kali iod, ah, Nat s, Nit ac, Phyt, Staph, Sulph, Guaiac, Mez, Sars, Zinc.

- Pressure agg : Agar, Apis, bar c, Cina, Hep s, Iod, Guaiac, Lach, Lit t, Lyc, Merc, Sil.
- Agg from cold wet weather : Am c, Ant t, Aran, Calc c, Dulc, Guaiac, Mang ac, Merc, Nux m, Phyt, Rhus t.
- Expectoration offensive : Ars a, Bor, Calc c, Guaiac, Lyc, Nat ars, Nat c, Phel, Sang, Stann.
- Warmth agg : Alum, Apis, Ars iod, Iod, Glon, Guaiac, Led, Puls, Sec c, Sulph.
- Rheumatic affections with contraction of the flexors and stiffness of joints, tension and shortening of muscles : Am m, Caust, Cimex, Guaiac, Nat m.

Causes & diseases

- Rheumatism.
- Arthritis deformans.
- Gout.
- Phthisis.
- Recurrent tonsillitis.
- Syphilis secondary.
- Exophthalmos.
- Mercury, abuse of Rapid growth.
- Exertion.
- Pneumatic heart.
- AFFINITIES; Joints, Ligaments, Glands, Tonsils, Ovaries, Lungs, Skin, Chest.

Complaints & characteristics

- Rheumatic pains worse from motion, exertion and warmth; cold wet weather.
- Paroxysmal pain in face, head and neck every day at 6 P.M. lasting until 4 A.M.
- Tonsillitis worse from warm drinks.
- Recurrent suppurative.
- Contraction of the flexors and stiffness of joints; tension and shortening of muscles.
- Growing pains.
- Gnawing or sticking pains.
- Aching sore neck; pains from head into neck. (C.M. B)

Generals & modalities

- AGGRAVATION; Heat, Touch, Motion, Exertion, Warmth, Cold wet weather, Touch, 6 P.M. to 4 A.M. , Rapid Growth, Mercury.
- AMELIORATION; Cold applications (Locally), Apples.

Hamamelis virginiana

- Synonyms : Witch Hazel.
- Source : A shrub having greenish yellow flowers and belongs to the natural order of Hamamelaceae.
- Habitat : It is indigenous to U.S. A. and Canada.
- Preparation : Mother tincture is prepared from the fresh bark of the young twigs or fresh roots of the plant.
- Proved by Dr. H.C. Preston introduced by Dr. C. Hering, in 1850.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Venous haemorrhage from every orifice of the body; nose, lungs, bowels, uterus, bladder; intraocular vessels; blood dark, profuse, non-coagulable; escapes in gushes; idiopathic, traumatic, vicarious.
 - 2. Nosebleed: profuse; ameliorates headache with high blood pressure. (Mel).
 - 3. Traumatic conjunctivitis (black eye) from injury or severe coughing.
 - 4. Haemoptysis: venous, without effort or coughing.
 - 5. Haemorrhage from piles followed by prostration out of all proportion to the amount of blood lost (Hydr).
 - 6. Chronic effects of mechanical injuries (Arn, Bellis, Con, Nat s).
 - 7. Rheumatism articular or muscular with bruised soreness of affected parts. (Arn).
- DOSAGE : Mother tincture to 3c. External application of mother tincture.

- REPETITION : Bears frequent repetition well.
- DURATION OF ACTION : 1 TO 7 Days (Clarke).

Relationship

- COMPLEMENTARY REMEDY : Ferr m in haemorrhages.
- ANTIDOTES : Arn, Puls, Camph, Chin.

Comparison

- Haemorrhage after tooth extraction : Bov, Ham, Kreos.
- Epistaxis : Ham, Bov, Am c, Ip, Mill, Tril.
- Contused wounds : Arn, Ham, Mill.
- Intense soreness of affected parts : Arn, Calend, ham, Led.
- Non-coagulable blood : Ham, Crot h.
- Profuse nosebleed ameliorates headache-(high blood pressure):

Ham, Mel.

- All sufferings worse at menstrual period : Act r, Ham, Puls.
- Prostration out of all proportion to the amount of blood lost from piles : Ham, Hydr.

- Bad effects of loss of blood : Cinch, Carb v, Ham.
- Hasten absorption of intra-ocular haemorrhage : Arn, Calend, Ham.

Causes & diseases

- Injuries from falls, checks haemorrhage, removes pain and soreness (Arn).

- Chronic effects of mechanical injuries (Arn, Con).

- Traumatic conjunctivitis; black eye; extravasation of blood into chambers of eyes; from severe coughing; with intense soreness (Arn, Calend, Led).

- Uterine Haemorrhage from jolting while riding over rough roads.

- Prostration out of all proportion to the amount of blood lost (Cinch).

- Bad effects of loss of blood. (Cinch).

- Wounds: incised, lacerated, contused.

- Varicose veins.

- Bleeding Haemorrhoids.

- Phlebitis.

- Varicose ulcers with stinging, pricking pain.

- Venous haemorrhage from any part of the body; nose, lungs, bowels, uterus, bladder.

Complaints & characteristics

- Bruised soreness of affected parts; Rheumatism: articular and muscular.

- Nosebleed: flow passive, long lasting blood non-coagulable (Crot h); profuse; ameliorates headache (Mel); idiopathic, traumatic, vicarious,

dark, grumous from ulceration of bowels (Crot h); uterine, active or passive; vicarious menses; with no mental anxiety.

- Haemoptysis : with tickling cough, venous blood; without effort or coughing; sometimes monthly for years.

- Haemorrhoids : bleeding profusely; with burning, soreness, fullness, heaviness; as if back would break; urging to stool; bluish colour; anus feels sore and raw.

- Menses : flow dark and profuse; with soreness in abdomen; after a blow on ovary or a fall; all sufferings worse at menstrual periods (Act r, Puls).

- Blood escapes in great gushes (Bell, Ip, Ham.)

- Vicarious haemorrhages-Bry, Phos, Senecio.

Generals & modalities

- Chilly; takes cold easily from every exposure.

- Subject to varicose veins.

- Venous constitution: feels braced up in winter, and goes down in the Spring (Lach, Sec c).

- AGGRAVATION; Warm, moisture, Injury Bruises, Pressure Air, Open Cold Humid, Jar, Motion, Touch.

Helleborus niger

- Synonyms : Christum Rose, Black Hellebore, Veratrum Nigrum.

- Source : It is a plant with rose like flowers, belonging to the natural order of Ranunculaceae.

- Habitat : Found in Europe; mountainous, central and southern parts and U.S. A.

- Preparation : The mother tincture is prepared from root gathered after flowering.

- Proved by Dr. Hahnemann.

Indications

- It is a SPECIFIC remedy for the following conditions:

- 1. High fever with stupor; meningitis; cerebrospinal fever with crise-encephalique; vacant staring; boring head into pillow; rolling from side to side; automatic motion of one arm and leg; greedily swallows cold water; bites spoon, but remains unconscious; boring his nose with finger.

- 2. Convulsions with extreme coldness of body, except head or occiput which may be hot.
- 3. Diarrhoea: during acute hydrocephalus, dentition, pregnancy; involuntary; white jelly like mucus or like frog spawn.
- 4. Brain troubles: with urine suppressed; red, black, scanty, urine with coffee-ground sediment.
- 5. Dropsy after scarlatina, malarial fever, suppressed exanthemata; with suppressed urine albuminous urine.
- 6. Brain symptoms during dentition (Cham, Hyos).
- 7. In concussion of brain after Arnica has failed (Hup, Cic).
- 8. Paralysis more or less complete with brain trouble.
- DOSAGE : Tincture to 3rd potency (Boericke).
- Medium to high potencies in acute conditions.
- In post scarlatinal dropsy 10 to 15 drops of mother tincture (Hughes).
- REPETITION : Mother tincture to be repeated in drop doses.
- Single dose of medium and high potency.
- DURATION OF ACTION : (Clarke) 20 to 30 days.

Relationship

- COMPLEMENTARY : Zinc.
- REMEDIES THAT FOLLOW WELL : Bell, Bry, Chin, Lyc, Nux v, Phos, Sulph, Zinc.
- ANTIDOTES : Camph, Chin.
- BOYD'S DRUG GROUP : X.

Comparison

- Grinding of teeth : Apis, Bell, Con ind, Cic, Cina, hall, Phyt, Phell, Sant, Spig, Tub, Zinc.
- Tries to escape : bell. Hell.
- Boring the head into the pillow : Apis, Bell, Hellm, Podo.
- Constant motion of left arm and leg : Apoc, Bry, Hell.
- Aggravation of disease from 4 to 8 P.M. : Hell, Op.
- Dropsy after scarlatina : Apis, hell, Lach, Tereb.
- Stupefaction : Apis, Bapt, Bell, Bry, Cocc, Hell, Hyos, Op. Phac, Phos, Rhus t, Stram, Verat.
- Dullness of senses : Hell, Nux m, Op.

Causes & diseases

- Cerebrospinal fear.
- Acute meningitis.
- Typhoid stupor.
- Hydrocephalus develops rapidly.
- Tubercular meningitis; with criaeencephalique; paralysis more or less complete.
- Epilepsy with consciousness.
- Traumatic tetanus.
- Melancholia Insanity.
- Ring worm.
- AFFINITIES; Mind, Brain, Sensorium, Meninges, Kidneys, Muscles, Muscles, Mucous and serous membranes.

Complaints & characteristics

- Brain symptoms during dentition (Bell, Podo).
- Diarrhoea during dentition; pregnancy; white jelly like mucus; like frog spawn; involuntary.
- Vacant, thoughtless staring: eyes wide open; insensible to light; pupils dilated, or alternately contracted and dilated.
- Looks and starts but cannot answer.
- Soporose sleep, with screams, shrieks, starts.
- Automatic motion of one arm and leg (Apoc, Bry, Zinc).
- Convulsions with extreme coldness of body, except heat or occiput which may be hot. (Arn)
- Greedily swallows cold water: bites spoon, but remains unconscious.
- Chewing motion of the mouth; corners of mouth sore, cracked; nostrils dirty and sooty, dry Constantly picking his lips, clothes, or boring into his nose with his finger, Boring head into pillow; rolling from side or side; beating head with hands.
- Complete unconsciousness: stupor; with high fever; lacks wildness.
- Urine: red, black, scanty, coffee-ground sediment; suppressed in brain troubles; albuminous.
- Dropsy: of brain, chest, abdomen; after scarlatina, malarial fever; Anaemia; suppressed exanthemata; with suppressed urine.
- Twitching of the muscles of the face; wrinkled forehead; nostrils dilated with brain troubles.

Generals & modalities

- Irritable, easily angered; does not want to be disturbed (Gels, Nat m).
- Consolation agg. (Ign, Nat m, Sep, Sil).
- Melancholic: woeful; despairing; silent; with anguish; after typhoid; when menses fail to return after appearing.
- AGGRAVATION; From evening until morning (Syph), From uncovering 4 to 8 p.m. (Lyco), Cold air, Dentition, Puberty, Exertion, Suppressions, Suppressed eruptions,
- AMELIORATION; Strong attention.

Helonias dioica

- Synonyms : unicorn Plant, Blazing Star, Chamaelirium luteum.
- Source : It is a plant growing wild in marshy place. It belongs to the natural order of Melanthaceae.
- Habitat : It is indigenous to North America.
- Preparation : The mother tincture is prepared from the fresh roots.
- Proved by First (partially) proved by Dr. Tully in 1832. Dr. S.A. Jones in 1871.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patient:-
 - 1. Who are irritable, fault finding, cannot endure least contradiction.
 - Feel better when occupied and not thinking of her disease.
 - 2. Debilitated women: who are worn out with hard work; after abortion, miscarriages or excessive haemorrhage with prolapse of uterus.
 - Tired backy females.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Bad effects of abortions, miscarriages, haemorrhages albuminuria, diabetes.
 - 2. Anaemia due to excessive loss of blood during menses.
 - 3. Menstrual disorders: too profuse, passive flow; dark, clotted, offensive; breast swollen, nipples painful and tender; debilitating.
 - 4. Diabetes insipidus or mellitus: With great thirst, restlessness, emaciation in irritable and melancholic patients; with rheumatic complaints.
 - 5. Prolapse or malposition of uterus: from atony; from anaemia due to loss of blood; from albuminuria with backache; from leucorrhoea; with consciousness of womb, which is sore and tender.
 - 6. Melancholia: profound deep mental depression.
- DOSAGE : Tincture to 3rd dilution.
- repetition : Should be repeated daily to get the required effects.
- DURATION OF ACTION : Short duration.

Relationship

Comparison

- *Aletris Farinosa* : Similar to *Helonias* in tendency to prolapse, leucorrhoea with debility, emaciation and debility from loss of vital discharges; ;but it is especially indicated in vomiting of pregnancy; want of appetite with uterine disorders; sterility; habitual tendency to abortion.

- It is most suited to chlorotic girls and pregnant women.

- *Hydrastis Canadensis* : Similar to *Helon* for leucorrhoea with debility; pruritus in vulvovaginal region due to acrid discharge from uterus.

- But it is especially indicated in adherent placenta; sore mouth and sore nipples of nursing women.

- Loss of appetite, dyspeptic symptoms and constipation in phthisical persons; ropy, thick yellow leucorrhoea; puritus in debilitated women.

- *Lilium tigrinum* : Prolapse, antiversion, retroversion, sub-involution with bearing down sensation; with palpitation, depression, weeping and headaches.

- *Sepia* : Prolapse of uterus and vagina with bearing down sensation as if everything would escape through vulva (*Bell*, *Kreos*, *Lit t*, *Nat c*, *Podo*, *Helon*); must cross limbs to prevent protrusion.

- Leucorrhoea yellow, greenish with much itching.

Causes & diseases

- Bad effects of abortions and miscarriages; loss of blood.

- Diabetes: first stage: with restlessness; emaciation, great thirst; irritability and melancholy; with rheumatism.

- Albuminuria: acute or chronic: during pregnancy; with great weakness, languor drowsiness; unusually tired, yet knows no reason.

- Ailments with restlessness, must continually move about.

- Debility from prolapse of uterus; protracted illness and defective nutrition.

- Congested kidneys from suppressed menses with backache extending down the legs.

- Backache after miscarriage.

- AFFINITIES; Female organs, Kidneys, Mind, Muscles.

Complaints & characteristics

- Sensation of soreness and heaviness in pelvis (Lappa): consciousness of a womb, feels it moves when she moves, it is so sore and tender (Lys).

- Menses: too early, too profuse, from uterine atony in women enfeebled by loss of blood: when patients lose more blood than is made in intermenstrual period; flow passive, dark, clotted, offensive.

- Breasts swollen, nipples painful and tender (Con, Lac c.).

- Sudden temporary loss of vision on turning the head.

- Headache better mental diversion.

Generals & modalities

- Women: irritable, fault finding cannot endure least contradiction, or receive least suggestions. (Anac).

- Always better when occupied, when not thinking of the ailment (Calc p, Oxal ac).

- Women: worn out with hard work, mental or physical; overtaxed muscles burn and ache; so tired cannot sleep.

- Profound melancholy; deep mental depression.

- Tired backy females.

- AGGRAVATION; Motion, Touch, Pressure of clothes.

- AMELIORATION; Mental diversion, doing something, Holding abdomen.

Hepar sulphur

- Synonyms : Sulphuret of Lime, Hepar sulphuris calcareum.

- Formula : CaS .

- Source : It is prepared by fusing the calcined middle layers of oyster shells with flowers of sulphur.

- Preparation : Triturations are prepared from the impure sulphide of calcium, from which higher potencies are prepared according to the directions given in the Homoeopathic pharmacopoeia.

- Proved by Dr. Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for:

- 1. Persons: who are extremely susceptible and sensitive to cold; chilly; who cannot tolerate the air if the door is opened; cannot bear to be uncovered; takes cold from slightest exposure to fresh air.

- 2. Persons: who are oversensitive; the slightest cause irritates him; cannot tolerate pain, causes fainting.
 - The skin is very sensitive to touch, cannot bear even clothes to touch affected parts.
- 3. Patients are peevish, angry at the least trifle; hypochondriacal; unreasonably anxious; oversensitive to persons and the places.
- 4. Patients are highly impulsive; sudden impulses crop up; it becomes a mania to set fire to things.
- 5. Persons with tendency to suppuration in parts of the body; with irritability of temper.
 - Suppurative tonsillitis, otitis media, corneal ulcer, leucorrhoea, whitlow, suppuration in the bones, necrosis and caries.
 - It is a SPECIFIC remedy in the following conditions:
 - 1. Syphilitic affections; when mercury has been abused; when the patient has the temperament and oversensitive state of Hepar sulph; when there is offensive odour from the mouth, of the patient suffering from syphilitic affections of mouth, nose and throat; primary chancre, suppuration of buboes and gummas, with foetid and purulent discharge.
 - 2. Croup: from exposure to dry cold wind; worse in morning and evening, until midnight; barking cough with hoarseness and rattling of mucus; worse from cold air, cold drinks; better from warmth.
 - 3. Asthma: after suppressed eruption; wheezing, rattling and threatened suffocation.
 - 4. Ailments: with profuse, sour, offensive perspiration; worse from lying on painful side; cold air; uncovering; eating and drinking cold things; better from warmth, wrapping the head and damp wet weather.
 - DOSAGE : First to 200 C.
 - Lower potencies promote suppuration whereas the higher potencies abort the suppuration.
 - 6x is of great use in removing the bad effects of mercury (Bryce).
 - High potencies of Heps are contraindicated in encysted tubercle in the lungs (Kent).
 - High potencies are found useful when constitutional symptoms are present.
 - REPETITION : Low potencies bear repetition well.
 - High potencies are to be given in single doses.

- DURATION OF ACTION : (Clarke) - 40 to 50 days.
- COMPLEMENTARY : Calendula.
- ANTIDOTES : Ars, Bell, Cham.
- FOLLOWS WELL : Bell, Bry, Nit ac, Sil, Spong.
- REMEDY ANTIDOTES : Merc, Iod, Cod liver oil.

Causes & diseases

- Bad effects from abuse of mercury.
- Exposure to dry cold winds=cough, croup.
- Hoarseness & rattling.
- Suppressed eruptions-asthma (Psor).
- syphilitic affections of nose, soft palate; throat and larynx.
- Boils, carbuncles, septic tonsillitis, corneal ulcers, hypopion, whitlow; suppurative affections, of ears; skin.
- Skin affections: eczema, erysipelas, pruritus, phthysical lesions of lungs, glandular enlargement.
- Mastoiditis.
- Toothache.
- Foetid diarrhoea.
- Obstinate gonorrhoea.
- Leucorrhoea.
- Suppurating bubo.
- Plague.
- Snuffles of infant with stoppage of nose.
- (Am c, Nux v, Samb, Sticta).
- Recurrent attacks of tonsillitis (Bar c, Psor).
- Group and croupy affections (Chlor, Brom, Iod, Spong).
- Sudden hoarseness.
- Euph, Nux m).
- Hasten suppuration (Lach, Merc, Graph, Phyto, Sil).
- Colic after abdominal operation (Bis, Staph).
- Skin exceedingly sensitive to atmospheric changes.
- (Kali c, Psor, Sulph).
- AFFINITIES; Nerves, Connective tissues, Respiratory tract, Glands, Kidneys, Skin, Flexers, Bridge of nose (Kali bi).

Complaints & characteristics

- Cough: croupy, choking, strangling; from exposure to dry cold wind; when any part of the body is uncovered.

- Asthma: after suppressed eruption (Psor), breathing anxious, wheezing, rattling; shortness of breath; threatens suffocation; must bend head back and sit up.

- Croup: after exposure to dry cold wind (Acon); deep rough barking cough, with hoarseness and rattling of mucus; worse in morning, before mid-night, cold air and cold drinks.

- Tonsillitis, when suppuration threatens; with sensation of a splinter, fishbone or plug in the throat (Arg n, Nit ac.).

- Chronic hypertrophy, with hardness of hearing.

- (Bar c, Lyco, Plumb, Psor).

- Urine flow impeded; voided slowly, without force, drops vertically; is obliged to wait a while before it passes; Bladder weak, is unable to finish, seems as if some urine always remains.

- (Alum, Sil).

- Sensation of a splinter in throat when swallowing.

- Aphonia from exposure to cold wind (Acon, Arum t).

- Sour smell from the body; sour eructations, sour vomiting, acidity of the digestive tract (Calc c, Rheum, Mag c, Sul c).

- Pains extend from throat to ears.

- (Kali bi, Lac c).

- Unrefreshing sleep.

- Oozing of moisture from anus having odour of fish brine (Caust, Med.).

- Has to wait for a long time to urinate if others are present.

- (Nat m, Mur ac).

Generals & modalities

- Chilly persons: extremely sensitive to cold air; cannot bear to be uncovered; takes cold from slightest exposure to fresh air.

- Patient is peevish; angry at the least trifle; hypochondriacal; unreasonably anxious.

- Over-sensitive, physically and mentally; slightest causes irritate him; quick hasty speech and hasty drinking Disposed to suppuration (Graph, Merc, Calc s, Sil) every little injury suppurates.

- Middle of the lower lip cracked (Am c, Nat m).

- Eye balls: sore to touch, pain as if they would be pulled back into head.

- (Olean, Paris q), Sweats: profusely day and night without relief; perspiration, sour, offensive; easily, on every mental or physical exertion (Psor, Sep).

- Skin very sensitive to touch, cannot bear even clothes to touch on the affected parts (Lach).

- Child kicks the clothing in coldest weather.

- (Hep, Sanic, Sulph).

- AGGRAVATION; Cold air, Uncovering eating or drinking cold things, Touching affected parts, lying on painful side. (Led, Kali c), (Abuse of mercury, Cough agg from putting the hand out of cover, (Bar c, Rhus t).

- AMELIORATION; Warmth in general (Ars), Wrapping up warmly, especially the head (Psor, Sil), In damp wet weather (Caust, Nux v).

Hydrastis canadensis

- Synonyms : Golden Seal; Orange root.

- Source : A perennial plant belonging to the natural order of Rannunculacea.

- Habitat : U.S. A. and Canada.

- Preparation : The mother tincture is prepared from the fresh roots of the plant.

- Proved by Dr. E.M. Hale.

Indications

- It is a CONSTITUTIONAL remedy for:

- 1. Phthisical subjects-especially marasmic children: dyspeptic ailments, catarrhal troubles and constipation.

- 2. Broken down constitutions from excessive abuse of alcohol.

- 3. Tendency to liver affections; jaundice, hepatitis and cancer.

- 4. Cancerous diathesis: cancer, of lips, skin, mammae, cervix, uterus, liver.

- It removes the pain, offensiveness, the discharge and improves the general condition of the patient.

- It is SPECIFIC remedy for the following conditions:

- 1. Catarrhal conditions of nose, throat, bronchi, lungs, gastrointestinal tract and vagina: with viscid, tenacious, ropy yellow discharge.

- 2. Ailments: with large tongue showing imprints of teeth.

- 3. Small-pox: used internally and externally.

- 4. Ulceration's of skin, fissured nipples, cracked lips and tongue, anus, cervix, stomach, indolent ulcers.

- 5. Pruritus of vulva with leucorrhoea.

- 6. To fatten patient cured with Tuberculinum.

- DOSAGE: Mother tincture and low dilutions.

- aqueous solution for external applications on small-pox.

- REPETITION : Bears repetition well.

- DURATION OF ACTION : Short.

Relationship

- It antidotes the bad effects of Potassium chlorate, Mercury preparations.

- Antidote: Sulphur removes the effects of hydrastis.

- Remedy follows well after Tub.

Comparison

- After haemorrhage from piles, prostration out of all proportion to the amount of blood lost : Hum, Hydr.

- Empty feeling in stomach not relieved by eating: Ign, Hydr, Sep, (opp, Anac).

- Ropy discharges : Hydr, Kali bi, Lyss, Myrica.

- Throat constantly filled with thick gray mucus from posterior nares : Hydr, Med, Spig.

- Gastric and liver affections : Berb, Brym, Chel, Chim, Cholest, Hydr, Merc, Nux v, Pod, Tarax.

Causes & diseases

- Cachectic or malignant dyscrasia from excessive use of alcohol; with marked derangement of gastric and hepatic functions.

- Cancer: hard adherent; skin mottled, puckered; pains knife like sharp, cutting.

- Nipples retracted.
- Syphilitic sore throat.
- Atonic dyspepsia.
- Catarrhal affections of nose, throat, bronchi, lungs, gastrointestinal, urethral and vaginal tracts.
- Small pos.
- Jaundice and liver enlargement; cancer liver.
- Gall stones.
- Metrorrhagia Pruritus vulva with profuse leucorrhoea.
- Scirrhus of uterus, of breasts.
- Goitre of puberty and pregnancy.
- Anus fissured pain after stool.
- Second stage of gonorrhoea.
- Alcoholism.
- Corns.
- Fistula.
- Lumbago.
- Lupus.
- Sciatica.
- Syphilis.
- AFFINITIES; Mucous membrane; Nasal cavities; Bile ducts; Liver; Stomach; Intestines, Uterus, Vagina, Skin, Muscles.

Complaints & characteristics

- Sore mouth, tongue large, shows imprints of teeth; especially in nursing women.
- Leucorrhoea: ropy, thick, viscid, yellow, hanging from os in long strings.
- Pruritus.
- Profuse discharge of thick, yellow, stringy mucus from nasal passages. (Cor r).
- Hawks yellow, viscid mucus from posterior nares and fauces; Ulceration after mercury or chlorate of potash.
- Dirty, yellow, slimy, flabby, indented tongue.
- Cannot eat bread and vegetables, bitter taste, weak digestion After stools long lasting pain.

Generals & modalities

- Debilitated persons.
- Broken down from excessive use of alcohol.
- Phthisical subjects with constipation.
- The face is dull, heavy yellowish white in colour.
- Lose of appetite; weight in stomach with fullness or gone feeling of constant type; worse after meal.
- Forgetful: cannot remember what he is reading or talking.
- Irritable: disposed to be spiteful.
- Gloomy, taciturn, sure of death and desires it.
- Old age.
- AGGRAVATION; Air: Inhaling; Cold; Dry winds, Open, At night, Warmth, Touch of clothing is uncomfortable, Motion, Slight bleedings washing, Old age.
- AMELIORATION; Rest, Pressure.

Hyoscyamus niger

- Synonyms : Henbane.
- Source: A biennial plant having straw yellow flowers, belonging to the natural order of Solanaceae.
- Habitat : it is a native of Europe, Western Asia and U.S. A.
- Preparation : Mother tincture is prepared from the whole fresh plant.
- Proved by Dr. Hahnemann.

Indications

- It is a short but deep acting remedy; after it has relieved the symptoms long acting constitutional or miasmatic remedies are required to cure the sick individual.
- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Who are fearful: fear of being alone; poison; being bitten; being sold; to eat or drink; to take what is offered, susceptible to fright.
 - 2. Who are suspicious: of some plot against them.
 - 3. Who are jealous, hysterical, love lorn, Lunatic.
 - 4. Who are full of lascivious mania, exposes the person; lie naked in bed and chatters; sings obscene songs.
- It is a SPECIFIC remedy for the following conditions:

- 1. Mental diseases: phobias, mania, melancholia, schizophrenia with characteristic symptoms of Hyos, vulgar, foul, incoherent speech; becomes naked; full of violence, strange, imaginations and delusions.
- 2. Delirium : with high fever; restlessness; jumps out of bed and tries to escape; makes irrelevant answers; thinks he is in the wrong place; talks of imaginary things; but has no wants and makes no complaints.
- 3. Delirium tremens: from excessive use of alcoholic drinks.
- 4. Convulsions: of children from fright, with sudden shriek, then insensible; with unconsciousness; after eating vomiting suddenly; from the irritation of intestinal worms (Cina); during labour or during puerperal state.
- 5. Spasms: without consciousness; every muscle of the body twitches, from eyes to the toes, with restlessness.
- 6. Bad effects of unfortunate love: without sexual gratification (Con).
- 7. Hysteric; epileptic fit with inclination to laugh; fearfulness; jealousy; rage or violence.
- 8. Hysteria: changeable moods; alternating excitement and depression; loss of speech; retention of urine; involuntary urine or diarrhoea; cough worse on laying down; with increased cerebral activity; jerking and twitching of muscles of the face; full of jealousy.
- 9. Sleeplessness : of excitable or irritable persons; from business embarrassments (Act r); often imaginary.
- 10. Paralysis of bladder: after labour; with retention or incontinence of urine; no desire to urinate in lying-in women (Arn, Op).
- 11. Typhoid fever: with high fever and delirium; grasping at flocks or picking bed clothes; involuntary stool and urine; tries to become naked.
- 12. Hydrophobia: fear of water; running water; with high fever and delirium (Bell, Ars a, Hydrophobium, Stram).
- DOSAGE : 3rd dilution to 200c.
- REPETITION : Single doses are preferred.
- DURATION : Single doses are preferred.
- DURATION OF ACTION : (Clarke) 6 to 14 days.

Relationship

- REMEDIES THAT FOLLOW WELL : Phos in lasciviousness; Nux v, and Op, in haemoptysis of drunkards; Bell, Puls, Stram, Verat, follow well generally.

- Hyos follows well after Bell in deafness, after apoplexy.

- ANTIDOTES : Bell, Camph, Chin, Stram, Citric ac.

- REMEDY ANTIDOTES : Bell, Plumb, Stram.

Comparison

- Bell : Violent delirium; fear of imaginary things, tries to escape, convulsions without consciousness, with cerebral congestion.

- Stram : Hydrophobia, delirium, furious mania, convulsions with consciousness.

- Praying beseeching, entreating.

- Phos : Lascivious, fear of thunder, being alone, muttering delirium.

- Lach : Jealous, disappointed love, trembling tongue, great loquacity.

- Epilepsy.

Causes & diseases

- Unfortunate love.

- Fright, fear.

- Intestinal worms.

- Puerperium.

- Cerebral congestion.

- Febrile state lower than Bell and Stram violence is lower than Stram, and bell.

- In delirium Hyos occupies a mid place between Bell and Stram; lacks the constant cerebral congestion of bell and the fierce range and mechanical delirium of Stram.

- Spasms without consciousness, every muscle in the body twitches, from eyes to the toes.

- Diseases with increased cerebral activity; Hysteria.

- Delirium tremens; Delirium with restlessness, jumps out of bed, tries to escape; makes irrelevant answers; thinks he is in the wrong place; talks of imaginary doings; but has no wants and makes no complaints.

- Hydrophobia: fear of water, fear of running water in insanity and delirium of fevers.

- Nymphomania.
- Hysterical.
- Loss of speech, changeable moods, alternate states.
- Schizophrenia.
- AFFINITIES; Mind, Brain, Nerves, Muscles, Eyes; Face, Blood.

Complaints & characteristics

- Convulsions: of children from fright or irritation of intestinal worms (Cina).

- During labour; During the puerperal state; after meals; child vomits; sudden shriek, then insensible with unconsciousness; in women at the menstrual period, with jerking and twitching of muscles.

- Convulsions during sleep.

- Lascivious mania: immodesty, will not be covered, kicks off the clothes, exposes the persons, sings obscene songs; lies naked in bed and chatters.

- Fever: pneumonia scarlatina: rapidly becomes typhoid; sensorium clouded staring eyes, grasping at flocks or picking bed clothes teeth covered with sordes, tongue dry and unwieldy in voluntary stool and urine; subsultus tendinum.

- Intense sleeplessness of irritable excitable persons from business embarrassments, often imaginary.

- Cough: dry, nocturnal, spasmodic; worse when lying down, relieved by sitting up (Dros); worse at night, after eating, drinking talking, singing (Dros, Phos).

- Paralysis of bladder: after labour, with retention or incontinence of urine; no desire to urinate in pregnant women (Arn, Op.)

- Eye complaints after typhoid fever with brain affections.

- Night blindness, double vision, congestion of retina.

- Full of imaginations, hallucinations religious turn of mind, delusion.

- Mutters absurd, things to himself.

- Cries out suddenly.

- Speech; hurried, obscene, vulgar, incoherent, insane.

- Trembling tongue; Busy doing absurd things, tears things.

Generals & modalities

- Persons of sanguine temperament; who are irritable, nervous; hysterical.

- Fears: being alone; poison; being bitten; being sold; to eat, to drink; to take what is offered; suspicious of some plot.
- Bad effects of unfortunate love; with jealousy, rang, incoherent speech or inclination to laugh at every thing.
- AGGRAVATION; Emotions: Fright; jealousy; Touch, At night.
- AMELIORATION; Sitting up, Stooping.

Hypericum perforatum

- Synonyms : St. John's Wort.
- Source : It is a herbal plant having yellow star-shaped flowers, belongs to the natural order of hypericaceae.
- Habitat : It is found in Europe, Asia and Africa. Often cover whole fields.
- Preparation : The mother tincture is prepared from the whole fresh and blooming plant.
- Proved by Dr. Geo. F. Mueller of Germany.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Excessive painfulness: in crushed fingers; punctured, gun shot, lacerated, incised wounds after operations or amputations.
 - 2. Preserves integrity of torn and lacerated tissues when almost entirely separated from the body (Calend).
 - 3. Injuries to spinal cord; concussions; pain after a fall on coccyx; lumbar puncture; convulsions after injury to head.
 - hypericum removes pain and their bad effects.
 - 4. Removes nervous depression following wounds or surgical operations.
 - 5. Removes bad effects: of shock, of fright, of mesmerism.
 - 6. Removes pain and bad effects of rat bite; nerve injuries.
 - 7. Prevents tetanus after traumatic injuries.
 - 8. Arrests ulceration and sloughing of wounds.
 - 9. Removes headache after a fall on occiput.
 - 10. Asthma: from foggy weather.
 - 11. Piles bleeding and excessively painful.
 - 12. Toothache; bunions and corns when pain is excruciating due to involvement of nerves.

- DOSAGE : Tincture to 3rd potency; external application of the lotion is useful.

- REPETITION : Should be frequently repeated till pain and bad effects of injuries are removed.

- DURATION OF ACTION : Ars a, Short.

Relationship

- ANTIDOTED BY : Ars a, Cham.

- The antidotes bad effects of mesmerism.

- COMPLEMENTARY : Amica.

Comparison

- Arnica m : Spinal concussion, shock from injury.

- Nat s : Epilepsy after head injuries.

- Cicuta v : Chronic effects from concussion of brain and spine: spasms, trismus; tetanus from getting splinters into flesh.

- Ledum p : punctured wounds; rat bites; discolorations after injuries.

- Calendula : Traumatic or idiopathic neuroma; neuritis from lacerated wound, injuries to parts rich in sentient nerves with excruciating pain.

- Physostigma : Traumatic or idiopathic tetanus worse by slightest breath of air. (Lyc, Nux v, Strych).

Causes & diseases

- Mechanical injuries: of spinal cord; bad effects of spinal concussions.

- Pains after a fall on coccyx.

- Punctured wounds.

- Incised wounds.

- Lacerated wounds.

- Sore painful wounds of long duration.

- Injuries: from treading on nails, needles, pins, splinters (Led).

- From rat bites.

- Nervous depression following wounds; surgical operations; removes bad effects of shock; of fright; of mesmerism.

- Prevents or modifies tetanus after injuries; sloughing and ulceration to develop.

- Spinal injury; after a fall; slightest motion of arm or neck extorts cries; spine very sensitive to touch.
- Preserves integrity of torn and lacerated tissues when almost entirely separated from the the body (Calend).
- Bad effects of fright, bites, wounds and shock.
- AFFINITIES; Spinal nerves, Coccyx, Meninges, Vertex, Inter-scapular.
- Complaints & characteristics
- Vertigo: sensation as if head becomes suddenly elongated; at night, with urging to urinate.
- Headache: after a fall on occiput, with sensation as if being lifted up high into the the air; great anxiety lest she falls from this height.
- Bunions and corns with nerve involvement; excruciating pain when touched.
- Convulsions; after blows on head or from concussion of brain.
- (Cic, Nat s).
- wounds are sensitive to touch
- Violent labour pains and after pains.
- Abdominal pain after laparotomy.
- Asthma worse in foggy weather better from copious expectoration.
- Whooping cough worse from 6 to 10 P.M. .
- Bleeding piles with tenderness.
- Toothache better lying on affected side and keeping quiet.
- Generals & modalities
- Sensitive to cold.
- Worse in cold air, in damp and foggy weather.
- AGGRAVATION; Injury Jar, Touch, Exertion, Fogs, Cold, Dampness, Closed room, Motion.
- AMELIORATION; Bending head, backwards, Lying on Face.

Ignatia amara

- Synonyms : St. Ignatius Bean.
- Source : A large shrub or climbing tree; having fragmented white flowers; belonging to the the natural order of Loganiaceae.
- Preparation : The mother tincture is prepared from the seeds of the tree.

- Proved by Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for:

- 1. Children : delicate and sensitive who when scolded and sent to bed become sick or have convulsions in sleep; convulsions during first dentition or spasm after fright.

- 2. Women or girls : sensitive, excitable, refined, highly educated, over-tired, nervous, hysterical, who give contradictory symptoms and are worse from tobacco and coffee.

- They want to be left alone, to weep in seclusion; they have changeable mood; laughing to weeping; involuntary sighing; inconsistent, impatient, irresolute and quarrelsome; easily offend; oversensitive to pain; pain in circumscribed spots; complaints return at precisely the same hour; globus and clonus hystericus; swallowing of liquids difficult but swallowing of solids easy.

- 3. Persons mentally and physically exhausted by long concentrated grief, emotional tensions.

- It is a SPECIFIC remedy for the following conditions:

- 1. Ailments due to bad effects of anger, grief, sorrow, disappointed love, bad news, shame, vexation, reserved displeasure, mortification, and home sickness.

- 2. Headache, as if a nail was driven out through the side, relieved by lying on it (Coff, Nux v, Thuja).

- 3. prolapse ani from moderate straining at stool; worse when the stool is loose.

- 4. Intermittent fever: red face during chill; chill with thirst; heat without thirst and aggravated by covering.

- 5. Haemorrhoids: with prolapse with every stool, have to be replaced; aggravation of pain hours after stool (Rat, Sulph).

- 6. Constipation: with excessive urging; felt more in upper abdomen; with great pain, dreads to go to stool; of hysteric origin; in habitual coffee drinkers.

- DOSAGE : Tincture to 30th potency. For lesions of spinal cord and brain and nervous system higher potencies are recommended.

- REPETITION : Lower dilutions can be repeated; but the higher potencies are to be give in single dose.

- DURATOION OF ACTION : 9 days. (Clarke)

Relationship

- COMPLEMENTARY REMEDY : Nat m.

- REMEDIES THAT FOLLOW WELL : Ars a, Bell, Calc c, Chin, Lyco, Rhus t, Sep, Sil, Sulph.

- INCOMPATIBLE : Coff, Nux v, Tab.

- ANTIDOTES : Arn, Camph, Coff, Puls, Cham, Zinc.

- BOYD'S DRUG GROUP : IV.

- BOWEL NOSODE GROUP : Proctus.

Comparison

- Pain in anus after stool for hours : Aesc, Aloe, Ign, Mur ac, Sulph, Rat.

- Burning, spasmodic constriction and pain worse between acts of deglutition : Caps, Ign.

- Frequent and extreme changes in emotions : Croc, Ign, Nat m,

- Spasmodic contractions and twitchings of single muscles : Croc, Agar, Ign, Zinc.

- Least contradiction angers : Anac, Coc, Ign, Ferr m.

- Stammering with distorted face : Bov, Ign, Spig, Stram.

Causes & diseases

- Bad effects of anger; grief; disappointed love; homesickness; shame, mortification; reserved displeasure; disappointment in life-ambitions; bad news; vexation.

- Tobacco-headache.

- Affections of anus.

- Disorders of appetite.

- Chorea.

- Hysterical globus, clonus, convulsions.

- Debility.

- Dentition.

- Depression of spirits.

- Epilepsy.

- Fainting.

- Flatulence.

- Hysterical joints.

- Intermittent fever.

- Melancholia.
- Haemorrhoids.
- Headache.
- Numbness.
- Paralysis.
- Prolapse rectum.
- Tenesmus.
- Sleep disorders.
- Sore throat.
- Toothache.
- Tumors.
- Voice lost.
- Yawning.
- AFFINITIES; Mind, Brain, Nervous system, Sensorium, Cerebro-Spinal

Axis.

Complaints & characteristics

- Contradictory symptoms.
- Roaring in ears better by music; piles better when walking; sore throat better by swallowing; empty feeling in stomach better by eating; cough is worse the more he coughs; cough on standing still, during a walk.
- Spasmodic laughter from grief; sexual desire with impotency.
- Thirst during a chill; no thirst in fever; Colour changes in the face when at rest;
- Mental conditions change rapidly, in an almost incredibly short time, change from joy to sorrow; from laughing to weeping; headache, as if a nail was driven out through the side, relieved by lying on it.
- In talking or chewing bites inside of cheek.
- Sweats on face; on a small spot: only while eating.
- Constipation with excessive urging; in coffee drinkers.
- Prolapse ani from moderate straining at stool; with loose stool.
- Haemorrhoids: prolapse with every stool, have to be replaced, worse for hours after stool.
- (Rat, Sulph).
- Pain in small circumscribed spot.
- (Kali bi).

- Fever: red face during chill; shill with thirst; heat without thirst, worse by covering.

- Complaints return at precisely at the same hour.

- Laryngismus stridulus that can be heard all over the house.

Generals & modalities

- Sensitive, delicate children; when reprimanded, scolded and sent to bed, get sick, or have convulsions in sleep; convulsions in the first period of dentition, spasms from fright.

- Sensitive, excitable, refined, highly educated, overtired, nervous, hysterical girls and women, who have no control over their affections, fall in love with undeserving persons.

- Suffer from fainting fits; jerking, twitchings, convulsions, nervousness, cramps, sleeplessness, headaches, sudden weakness, paralytic symptoms, numbness.

- Moody; exhausted by long concentrated grief.

- Involuntary, sighing.

- Desires to be alone.

- Finally sensitive mood.

- Delicate.

- Inconsistent impatient, irresolute, quarrelsome.

- Easily offended.

- Oversensitive to pain.

- Melancholy; silent grief.

- Brooding over sorrows.

- AGGRAVATION; Consolation (Nat m, Sep, Sil), Coffee, tobacco, brandy, after meals, Strong odours, mental emotions, grief, slight touch, winter, walking fast, Air; Open; Cold. Odors. T

- AMELIORATION; If alone, Warmth, Hard pressure, Swallowing, Walking, Change of position.

Insulinum

- Synonyms : Insulin.

- Source : It is found in islets of langerhans in pancreas of animals hence it is a sarcoid.

- Preparation : Triturations are prepared from the insulin.

- Proved by Dr. William F. baker, Dr. S. K. Ghosh of Calcutta.

Indications

- It is a SPECIFIC remedy in the following conditions:
- 1. Enlarged liver with suppurative conditions e.g. , chronic suppurative tubercular glands with enlarged liver.
- 2. Enlarged liver with chronic diarrhoea.
- 3. Enlarged liver with chronic eczema.
- I cured a child on this symptoms.
- 4. Infantile liver without tenderness.
- 5. Ailments with emaciation, debility, enlarged liver, when well selected remedies fall.
- DOSAGE : Dr. Ghosh recommends 30 to 200c potencies.
- Dr. Boericke recommends 3x to 30x.
- REPETITION : Only a few doses are to be given, one dose daily till the response to the remedy is noticed.
- DURATION OF ACTION : Not definite.

Comparison

- Enlarged liver : Calc ars, Card m, Chel, Chin ars, chionanth, Cinch, Dig, Kalmegh, Med, Morgan co, Iod, Lach, Lept, Lyc, Mag m, Merc, Nat s, Phos, Sel, Tarax, Vip.
- Enlarged painful liver : Calc ars, Kalmegh, Nat s.
- Thyroid : Chronic diarrhoea in marasmic children.
- Morgan co : Diarrhoea : fermentative with liver troubles, in acute and chronic cases of infants.
- Medorrhinum : Infantile liver: with various digestive disturbances with burning of palms and soles.
- Carduus m : Gallstone disease with enlarged liver; enlargement in transverse direction.
- Tenderness of liver; cirrhosis of liver with dropsy; piles and varicose ulcers with enlargement of liver; infective hepatitis.
- Cholestrinum : Obstinate liver engorgement with tenderness; jaundice; gallstones; cancer liver; insomnia due to liver disorders.
- Nat Sulph : Hepatitis with jaundice and vomiting of bile; liver sore to touch with sharp stitching pains; hypersensitive to tight clothing around waist; worse lying on left side; bitter taste, acid dyspepsia, heart burn and flatulence; hydrogenoid constipation.

- Myrica : Liver disorders: aching pain in liver, fullness; drowsiness, despondency, dull heavy headache worse in morning, ash coloured stools, slow pulse, jaundice with symptoms of liver disorder is accompanied by thick nasal and post-nasal tenacious mucus difficult to detach.

- Cancer liver with jaundice (Burnett)

- Kelmegh : Infantile liver, painful to touch, loss of appetite, loose bilious stools or constipation; jaundice; intermittent fever.

- Liver enlargement after malaria and kala-azar.

Causes & diseases

- Enlarged liver with chronic sepsis.

- After Typhoid; or Pneumonia.

- Chronic functional derangement of liver.

- Chronic suppurative otitis with liver enlargement.

- Chronic diarrhoea of children with enlarged liver and debility.

- Infantile liver without jaundice.

- Prolonged greenish diarrhoea continuing after an attack of dysentery.

- Chronic intestinal troubles with diarrhoea and enlarged liver.

- Chronic dyspepsia with loose motions resistant to emetine.

- Ulcers and suppurative ailments with enlarged liver.

- Scrofulous ulcers and sinuses when Bacillinum or Olj, Aselli fail, improve on Insulin.

- Enlarged liver with dyspepsia, diarrhoea; chronic ulcers; bed sores; chronic otorrhoea; mastoiditis; intractable eczema; allergic eczema; suppurative scrofulous glands.

- Acne, Erythema with itching eczema.

- Acute dermatitis with chronic diarrhoea and liver trouble.

- AFFINITIES; Liver, Tissues, Mucous Membranes, Skin, Ears.

Complaints & characteristics

- Liver is enlarged but not painful.

- Tongue coated white.

- Fever intermittent.

- Foul breath from mouth.

- Hunger pains of duodenal ulcer patients.

Generals & modalities

- Patient is debilitated.
- Asthenia.
- Broken down constitution from infectious or suppurative diseases.
- Patients have craving for sweets.
- Emaciation with loose bowels.

Iodium

- Synonyms : Iodine.
- Source : Iodine is an element found abundantly in sea water. Pure Iodine can be purchased from a chemist shop.
- Preparation : One part of Iodine is dissolved in ninety-nine parts of alcohol. From this dilution potencies are prepared.
- Proved by Dr. Hahnemann.

Indications

- It is a very deep and long acting remedy.
- It is useful in both acute and chronic diseases.
- It is a CONSTITUTIONAL remedy for the following types of Patient:
 - 1. Who are emaciated with ravenous hunger; eats freely and well yet loses flesh all the time; feel better from eating; when stomach is full; must eat every few hours otherwise feel anxious and worried.
 - 2. Who are cachectic, with profound debility; great weakness and loss of breath on going upstairs; during menses.
 - 3. Who are warm blooded: worse from external heat, warm room; they feel better in cool atmosphere, open air.
 - 4. Who are restless; must keep busy, must do some thing; must keep in constant motion or go insane (Talcott); despondent, apprehensive and restless.
 - 5. Who are impulsive: impulse to run (Clarke); impulse to kill (Kent); wants to hurry.
 - 6. Who have dark hair; dark eyes; dark yellow tawny skin; are excitable and restless (G.R.).
 - 7. Who are torpid and sluggish. (Farrington).
- It is a SPECIFIC remedy for the following conditions:
 - 1. Insanity: mania to tear things, to run, to be busy, to walk night and day; cannot keep still must keep in constant motion or go insane;

impulsive wants to kill herself; suicidal tendency; fear of people, shuns every one.

- Melancholia.
- 2. Chronic congestive headache of old people.
- 3. Eye diseases from syphilis's; scrofula, thyrotoxicosis, bright's disease, acute dacryocystitis.
- 4. Acute nasal engorgement associated with high blood pressure (Bericke).
- 5. Scorbutic gums bleed easily; ptyalism.
- 6. Eustachian deafness.
- 7. Thyrotoxicosis, goitre with sense of constriction; loss of flesh inspite of good appetite and eating well; trembling; worse from heat and better in cool room.
- 8. Liver and spleen sore and enlarged with jaundice; with salivation.
- 9. Pancreatic disease with fatty diarrhoea and salivation.
- 10. Loss of sexual power with atrophy of testes; testicular hypertrophy is followed by atrophy.
- 11. Hydrocele; Hydro-cephalus; Pericarditis.
- 12. Dwindling of mammary glands; extreme weakness during menses; acrid leucorrhoea.
- Ovarian cyst; chronic menorrhagia and metrorrhagia; induration of cervix. (G.R.)
- 13. Tachycardia; palpitation from least exertion; fatty degeneration of an hypertrophied heart (Iod, Ars a, Phos, Strych, Phos) (G.R.)
- 14. Pericarditis complicating pneumonia (Bry) (B.R.).
- 15. Pericarditis complicating rheumatism (Colchicum) (G.R.).
- 16. Cough from itching behind the sternum or low down in the lungs, in persons having scrofulous diathesis.
- 17. Hypertrophy and induration of glandular tissues followed by atrophy; thyroid, mammae, ovaries, testicles, uterus, prostate or lymph glands; with emaciation of the body.
- 18. Cancerous degeneration of the cervix; cutting pains in abdomen and haemorrhage at every stool.
- 19. Croup: membranous, hoarse dry cough, worse in warm wet weather; with wheezing and sawing respiration (Spong) (Allen).

- 20. Constipation, with ineffectual urging better from drinking cold milk.

- 21. Expulsion of lumbrici when Santonin had failed. (Clarke)

- 22. Loss of appetite from nervous shock, producing rapid emaciation and vomiting. (Clarke).

- DOSAGE : It acts in all potencies from lowest to highest.

- REPETITION : Bears repetition well calling for its symptoms.

- DURATION OF ACTION : (Clarke) - 30 to 40 days.

Relationship

- COMPLEMENTARY REMEDIES : Bad, Lyc.

- REMEDIES THAT PRECEDE WELL : Hep s, Merc, Ars a.

- REMEDIES THAT FOLLOW WELL : Kali bi, Arg n, Lyc, Merc sol, Phos,

Puls.

- ANTIDOTES : Camph, Coff, Phos, Spong, Sulph.

- REMEDY ANTIDOTES : Ars a, Arg nit, Calc c, Merc.

- BOYD'S DRUG GROUP : VIII.

Comparison

- Warm blooded : Apis, Arg n, Iod, Kali iod, Kali s, Nat m, Nat s, Plat, Puls, Sec c, Sulph, Aloe, Cold iod, Bry, Calc s, Lach, Fl ac, Lyco, Spong, Thyroid.

- Emaciation rapid and pronounced; losing flesh while eating well : Abrot, Calc c, Cor, Iod, Nat m, Sanic Tub.

- Eating ameliorates : Alum, Anac, Chel, Ign, Iod, Nat c, Nat m, Petr, Phos, Psor, Spong.

- Fasting aggravates : Croc, Iod.

- Scrofulosis-Ars, Ars iod, Bac, Barytas, Calc c, P, s, fl, Con, Dros, Fl ac, graph, Hep, Hydr, Iod, Nit ac, Ruta, Sil, Tub.

- Exophthalmic goitre : Ars, Ars iod, Aur, Bad, Bar c, Bell, Brom, Cact, Calc c, Ferr iod, Fl ac, Glon, Iod, Nat m, Spong, Thy.

Causes & diseases

- Marasmus of children with marked emaciation of legs.

- Hypertrophy and induration of glandular tissue thyroid, ovaries, testes, uterus, prostate or other glands whereas breasts may dwindle and become flabby.

- Hypertrophy of glands with emaciation of the body.

- Hard Goitre; feels better after eating; with emaciation; feels worse in warm room.

- Croup: membranous, hoarse, dry cough, worse in warm, wet weather; with wheezing and sawing respiration. (Spong).

- Diphtheria: when diphtheric exudations are present in stool.

- Exophthalmos with cardiac disturbances.

- Scrofulous affections of eye.

- Oedema of face under the eyes. (Apis).

- Hydrocephalus, Pericarditis, Hydrocele.

- Nasal catarrh with loss of smell; ulceration.

- White grayish or ash coloured exudations come upon the mucous membranes.

- Enlarged tonsils.

- Enlarged liver and spleen.

- Incontinence of urine in old people.

- Impotency due to atrophy of testicles.

- Tumors of ovary.

- Leucorrhoea is acrid, corrosive, staining and corroding linen.

- Dyspnoea.

- Palpitation worse from least exertion.

- Cancerous degeneration of cervix; cutting pains in abdomen and haemorrhage at every stools.

- Chronic pancreatitis.

- Cirrhosis of liver.

- Chronic gastric carcinoma.

- AFFINITIES; Thyroid, Pancreas, Mesenteric, Testicles, Mammæ, Lymph glands, Larynx, Lungs. (R. Apex or base), Heart, Mucous membranes, Skin, Blood vessels, Nerves, Connective tissue.

Complaints & characteristics

- Ravenous hunger; losing flesh while eating well (Abort Iod, Nat m, Sanic, Tub); suffers from hunger, must eat every few hours; anxious and worried if he does not eat. (Cina Sulph).

- Empty eructations from morning to night, as if every particle of food was turned into gas (Kali c).

- Constipation with ineffectual urging better by drinking cold milk.

- Stomach: sensation of fasting " all gone" comes on only when stomach is empty and is amel, by eating (Chel, Anac).
- Cough with itching in chest and throat. (Con, Ign).
- Pains: with a constricting sensation. (Cact, Mag p, Sulph).
- When passing flatus sensation as if stool would pass.
- (Aloe, Mur ac, Olean. Nat m, Podo).
- Throbbing and pulsation's in head or all over the body.
- Indigestion from overeating sour eructations with belching.
- Vomiting and diarrhoea combine in emaciation.
- Diarrhoea of emaciated scrofulous children.
- Worm troubles: tape and round worms.
- Itching: low down in the lungs, behind the sternum, causing cough, extends through bronchi to nasal cavity.
- (Cocc, Con, Phos).
- Child grasps the larynx (Cepa).
- Face pale and cold, especially n fleshy children.
- General weakness and loss of appetite in thin patients, after nervous stock.
- Obstinate constipation with marked abdominal distension.
- Enlarged and tender lymph glands.
- Tubercular.
- Attacks of diarrhoea with frothy stools in cases of pancreatitis.
- Chronic jaundice with clay coloured stools or fermented stools.

Generals & modalities

- Child is fretful, peevish, sulky does not wish to speak or be spoken to (Ant t, Ant cr, Iod, Nat s, Sil).
- Persons formerly suddenly become emaciated (Samb, Tub.)
- Warm blooded worse from heat.
- Skin about neck wrinkled, hangs in fold (Abort, Nat m, Sanic Sars).
- Extreme emaciation of entire body (Abort, Syph).
- Persons intensely scrupulous in all their dealings and somewhat timid.
- (D.M. Borland).
- Mental state: anxiety, apprehension impulsive, impatient melancholic.
- Impulses to kill (Ars a and Hep s, Nux v) without any cause.

- Gouty constitution.
- AGGRAVATION; Heat, Room; Air; Wraps, Warmth, In warmroom, Wrapping up the head, Lying on painful side, (Hep, Kali c), When quiet (Rest) Exertion, Ascending, Fasting, Touch and pressure, Night.
- AMELIORATION; Motion, Moving about, Walking, Open air, Cool room, After eating, Milk amel constipation, Cold, Air; Bathing.

Ipecacuanha

- Synonyms : Ipecac.
- Source : A small shrub growing in moist shady woods with small white flowers; belongs to the natural order of Rubiaceae.
- Habitat : Brazil.
- Preparation : Mother tincture of triturations are prepared from the dried roots of the plant.
- Proved by Dr. Hahnemann.

Indications

- It is a SPECIFIC for the following conditions:
 - 1. Asthma: violent attack; with constriction in chest, wheezing cough, suffocation, dyspnoea.
 - One of the first remedies in an acute attack.
 - 2. Malarial fever: with persistent nausea and vomiting, periodical attacks; suppressed by quinine.
 - Dumb ague.
 - 3. Haemorrhages: Epistaxis, Haematemesis, haemorrhoidal, menstrual; profuse; of bright red colour; sudden; violent.
 - 4. Dysentery with nausea and vomiting; with green mucus and blood; in autumn; cold nights after hot days.
 - 5. Cholera; when the prominent symptoms are nausea and vomiting.
 - 6. Whooping cough: convulsive cough or spasmodic with rigidity; with nausea and vomiting; bleeding from nose or mouth.
 - 7. Gallstone colic with nausea, retching and vomiting, cutting flatulent colic about umbilicus.
 - Colic from cold drinks or ice cream.
 - 8. Hoarseness and aphonia after an attack of cold.

- 9. Granulations of the lids have been cured by the instillation of the dilutions.

- 10. It is an antidote to morphia habit, when give in drop doses.

- DOSAGE : Mother tincture to 30 potency. When characteristic symptoms of nausea and vomiting are present, higher potencies give good results.

- In haemorrhages medium potencies will act better. (Underwood).

- REPETITION : be as repetition well.

- DURATION OF ACTION : (Clarke) 7-10 days.

Relationship

- COMPLEMENTRY : Cup, Arn.

- REMEDIES THAT FOLLOW WELL : Ant t, Arn, Ars, Bell, Bry, Cact, Calc c, Chin, Cup, Nux v, Phos, Podo, Puls, Tab, Verat a.

- ANTIDOTES : Arn, Ars, Nux v, Tab, Morphia habit in 5 m of M. r for every gram of Morphia.

- REMEDY ANTIDOTES : Ant cr, Alum, Chin, Cup, Ferr, Op, Tab.

- BOYD'S DRUG : VIII.

Comparison

- One hand icy cold the other warm : Cinch, Dig, Ipec, Puls, Lyco, Acon, Sab.

- Haemorrhagic diathesis: blood bright red, coagulates easily-Ferr p, Phos.

- Dyspnoea on going up or down stairs : Ipec, Lob.

- Sense of relaxation of stomach with nausea : Ipec, Staph, Tab.

- Ant t : Vomiting in any position except lying on right side; followed by drowsiness.

- Ars a : Vomiting and diarrhoea after ice cream, ice water, alcoholic drinks etc.

- Ars : Nausea with clean tongue worse after eating; of pregnancy.

- Bism : Vomiting; of water as soon as it reaches the stomach; with convulsive gagging and inexpressible pain after laparotomy; with purging; offensive stool.

- Carbolic ac : Vomiting of drunkards, in pregnancy, seasickness, and cancer of olive green colour.

- Cocculus : Nausea or vomiting from riding in a carriage, boat or train (Arn, Nux m, Petr).

- Colch : Nausea and faintness from the odour of cooking food (Ars, Sep).

- Dros : Spasmodic cough with gagging, retching and vomiting (Bry, Kali c).

- Ferr m : Vomiting of ingest as soon as the food is taken; leaves the table suddenly and with one effort vomits every thing; can sit down and eat again.

- Kali bi : Vomiting of ropy mucus and blood in ulcer stomach.

- Kali c : Cough spasmodic with gagging or vomiting of ingest.

- Kreos : Vomiting: of pregnancy; in malignant affections of stomach.

- Lac vac def : Vomiting of pregnancy (Thyr, Ghosh).

- Lob infl : Vomiting with nausea, profuse sweat and prostration.

- Tab : Vomiting with cold sweat from slightest movement; sea sickness; from all over the body.

- Verat alb : Violent vomiting with profuse diarrhoea, with cold perspiration of forehead.

Causes & diseases

- Malarial fever; intermittent fever; with nausea.

- Suppressed malaria from quinine.

- Ice cream-colic.

- Indigestible food.

- Morphia.

- Intermittent dyspepsia; every other day at the same hour.

- Stomach feels relaxed, as if hanging down (Ign, Staph); clutching, as from a hand, each finger sharply pressing into intestines; worse from motion.

- Gall stone colic with constant retching and vomiting.

- Irritation of skin between the acts of vomiting with desire to scratch.

- Suppressed eruptions by colds settle in the chest; with stomach and bowel symptoms; with thirstlessness and nausea.

- Escarlet rash is slow to come out with nausea and vomiting.

- Convulsions; in pregnancy; whooping cough; in children; in hysterical women.

- Frightful spasms, affecting the whole of the left side, followed by paralysis

- Tetanus: with flushed redness of face and rigidity of body.
- Copious menses: of bright red colour.
- Cerebrospinal meningitis with vomiting.
- Opisthotonos (Cic) with nausea and vomiting.
- Laryngismus stridulus.
- Aphonia.
- Antidote to opium.
- Bites of Insects, Bees, Wasp stings (Led).
- AFFINITIES; Mucous membranes, of stomach and intestines, (Digestive), Respiratory, organs. (Lungs), Blood, Nerves, Umbilical region, Antidotes.

Complaints & characteristics

- CONCOMITANT SYMPTOM IN MOST DISEASES CONSTANT NAUSEA WITH CLEAN TONGUE.

- Nausea with profuse saliva; vomiting of white glairy mucus in large quantities; with vomiting without relief; sleepy afterwards; worse from stooping.

- Colic: about umbilicus cutting pain from flatulence.

- Biliary; autumnal dysentery; cold night after hot days. (Colch, Merc).

- asiatic cholera, where the predominant symptoms are nausea and vomiting.

- Haemorrhage; active or passive; bright red; from all the orifices of the body; uterine, profuse, clotted; heavy oppressed breathing during haemorrhage; stitches from navel to uterus.

- Cutting pains across abdomen from left to right. (Lach).

- Asthma; hay asthma; with bronchial catarrh; from sudden weather changes or damp weather (Nat s); suffocates and gags when he coughs; has to sit up at nights to breathe; the attacks are common and frequent.

- Cold: in children; nose is stuffed up at night; goes down followed by hoarseness and suffocation.

- Stoppage of nose with loss of smell.

- Difficult breathing from least exercise; violent dyspnoea with wheezing and anxiety about the stomach.

- Whooping cough: child losses breath, turns pale, stiff and blue; strangling with gagging and vomiting of mucus; bleeding from nose or

mouth. (Indigo).

- Pain in bones as if they are torn to pieces.
- External coldness with internal heat.

Generals & modalities

- Patients oversensitive to heat and cold.
- Marked periodicity.
- Violent attacks of vomiting; convulsions; epistaxis; haematemesis;

Coics; toothache; whooping cough.

- Oppressed breathing.
- Wheezing and rattling without expectoration.
- Green diarrhoea, green diarrhoea, green vomit.
- Complaints have spasmodic, rigid and convulsive character.
- Restlessness temporary.

- Thirstlessness (Apis, Puls, Gels).
- Warmth, Damp; room.
- Slightest motion.
- Winter and dry weather.
- Autumn.
- Cold nights after hot days.
- Stooping agg vomiting.
- Suppression of eruptions.
- Fruits, salad and fats, over-eating mixed or rich foods; Bees.
- Periodically.
- Quinine.
- AMELIORATION; Open air.

Kalium arsenicosum

- Synonyms : potassium arsenite, fowler's Solution.
- Source : It is a chemical compound of Potassium and arsenic.

Formula $As_2 O_3 K_2O$. Can be purchased from a chemist's shop.

- Preparation: Triturations are prepared with sugar of milk from which higher potencies are prepared.

- Proved by Dr. Jonathan Hutchinson. (Clinical)

Indications

- It is a SPECIFIC remedy for the following conditions:

- 1. Eczema: any part of the body except scalp; intense itching, worse undressing, night and from warmth.

- Skin becomes dry, inelastic and muddy; dry scaly eruptions with little moisture; scratching increases the amount of moisture.

- 2. Psoriasis: begins on arms and legs; spreading all over the body; itching is intense; worse from warmth, at night and from undressing.

- 3. B (G. R) 3 x morning and evening

- 4. Right sided herpes with intense itching and worse from undressing or warmth.

- 5. Ailments with following concomitant symptoms:

- Head feels larger.

- Protrusion of eyeballs.

- Burning and numbness of tongue.

- Sensation of a ball rising from the pit of the stomach to throat causing suffocation, red hot iron in the rectum.

- DOSAGE : 3x-3grs twice daily in epithelioma lips (G. R).

- 3rd to 30th potency. (Boericke)

- REPETITION : Bears repetition well in low dilutions.

- High potencies need not be repeated.

- DURATION OF ACTION : Not definite.

Relationship

- REMEDY IS ANTIDOTED BY : Kali iod.

Comparison

- Eczema-worse from warmth of bed : Alum, Canth, Clem, Graph, Kali ars, Led, Lyc, Merc, Mez, Psor, Rhus t, Sulph.

- Worse undressing : Dulc, Kali ars, Rumex.

- Psoriasis : Ars a, Borax, Graph, Kali ars, Kali brom, Kali sulph, Rad brom, Psor, Thyroid, Sulph, X ray.

- Globus hystericus : Ambra, Aqul, Asaf, Ign, Kali ars, Kali phos, Nux m, Val.

Causes & diseases

- Herps, right sided.

- Eczema.

- Psoriasis.

- Epithelioma of lower lip.

- Ulcer leg, black.

- Bright's disease.
- Dropsy.
- Exophthalmos.
- Chronic deafness.
- Neuresthenia.
- Varicose veins, varicose ulcers.
- AFFINITIES; Skin, Cardiovascular system, Veins, Blood.

Complaints & characteristics

- Palpitation with nephritis.
- Burning in throat.
- Sensation of a ball rising from the pit of stomach to throat causing suffocation.
- Sensation as of a red hot iron in rectum.
- Head feels large.
- Burning and numbness of tongue.
- Eruption on any part of the body except the scalp.
- Intensely itchy eruptions.
- Right sided herpes.
- Itching worse from heat of the bed, while undressing, at night.
- Herpes: papules, then vesicles followed by pustules which become dry and form scabs.
- Psoriasis begins on arms and legs spreading all over the body, with excessive itching: worse from warmth.
- Eczema with little moisture, excessive itching; worse from warmth; in chilly patients.
- Left sided headache.

Generals & modalities

- Restless.
- Nervous.
- Anaemic.
- Aversion to open air.
- Chilly sensitive to cold.
- Cannot get warm even in summer.
- Mind symptoms worse every 3rd day.
- Jealous.

- AGGRAVATION; Warmth, Warmth of bed, At night, Touch, Noise, Cold feet, 1 to 3 A.M. ,

- AMELIORATION; Rainy day.

Kalium bichromicum

- Synonyms : Potassium Bichromate. Formula- $K_2Cr_2O_7$.

- Source : It is a chemical compound of Potassium and Chronic acid.

The salt is available from chemist's shops.

- Preparation : Triturations are prepared with sugar of milk. Higher potencies are prepared from 3c in alcohol.

- Proved by Dr. Drysdale of London. A year later the Austrian Society published the results of their provings.

Indications

- It is a SPECIFIC remedy in the following conditions:

- 1. Catarrhal disorders: with thick, viscid, ropy mucous discharge which adheres to the parts and can be drawn into long strings.

- Concomitant with any other disease.

- 2. Rheumatism alternating with gastric symptoms; with dysentery.

- 3. Pains: in small spots, can be covered with the point of finger.

- 4. Pains: shift rapidly from one part to another; appear and disappear suddenly; appear every day at the same hour.

- 5. Ulcers: of stomach or cancer stomach; better eating; ropy saliva; syphilitic chancre; ulcer of the palate; of nasal septum.

- 6. Chronic suppurative otitis media with perforated tympanum; with ropy stringy discharge.

- 7. Diphtheria: with characteristic discharge from the throat; prone to extend downwards to larynx.

- 8. Headache: blurred vision or blindness precedes the attack; must lie down; aversion to light and noise, sight returns as headache increases.

- 9. Allergy to bear: produce diarrhoea, or vomiting.

- 10. Sexual desire absent in fleshy people.

- 11. Flatulence worse soon after eating.

- 12. Epilepsy with ropy, stringy saliva.

- DOSAGE : In syphilitic conditions.

- 2nd to 6th trituration.
- In rheumatic and neuralgic conditions mid potencies up to 200c give good results.
- For external application in ulcers a solution of one grain to 8 ounces of distilled water is found to be very useful. (Hughes)
- REPETITIONS : Bears repetition well.
- DURATION OF ACTION : (Clarke)-30 days.

Relationship

- COMPLEMENTARY REMEDY : Ars a.
- REMEDIES THAT FOLLOW WELL : Ant t, Berb, Puls.
- INCOMPATIBLE : Clac c.
- ANTIDOTES : Ars, Lach, Puls.

Comparison

- Pain at a spot : Ign, Kali bi, Lit t.
- Pains shift rapidly from one part to other : Kali bi, Kali s, Lac c, Puls, Apis, Mang, Ign.
- Pains appear and disappear rapidly : Bell, Ign, Kali bi, Mag phos.
- Ulceration of septum of nose : Alum, Kali bi, Sep, Teucer.
- Headache: blindness precedes the attack : Gels, Kali bi, Lac d.
- Sight returns as headache increases : Iris, Kali bi, Nat m, Lac d.
- Discharges from nose and all mucous membranes very tough, stringy, tenacious : Bov, Kali bi, Myrica, Canth, Hyd.
- Coldness of single parts : Calc c, Kali bi.
- Pains extend from throat to ears : Hep, Kali bi, Lac c,
- Tongue: thick yellow coating at the base : M.I. F, Kali bi.
- Distress in stomach while eating or just after eating : Kali bi, Nux m.
- Uvula large, dropsical almost translucent : Kali bi, Apis, Phyt, Rhus t.

Causes & diseases

- Bear.
- Malt liquors.
- Hot weather.
- Cold weather.
- Cold nights after hot days.
- Spring.

- Catarrhal affections of the mucous membranes of eyes, nose, mouth, throat, bronchi, gastrointestinal and genito urinary tracts.
- Rheumatism with inflammation of joints; wanders from joint to joint.
- Round ulcer of stomach better by eating.
- Diphtheria.
- Syphilitic chancre.
- Syphilitic ulcers.
- Siptic and zymotic fevers.
- Epilepsy with ropy saliva.
- Headache: one sided; with vertigo; with retching and vomiting from warmth and pressure.
- Worse from motion, stooping, night or morning.
- Eczema of scalp: with yellow thick, gluey substance.
- Corneal ulcer.
- Granular lids with pannus.
- Chronic suppuration of middle ear with perforated tympanum.
- Perforation of the septum of the nose.
- Ulceration of septum.
- Shooting pains in the malar bones.
- Ulceration of the lip.
- Impetigo.
- Prolapse uteri.
- Chronic morning diarrhoea.
- Vomiting of pregnancy.
- Hypertrophy of heart with palpitation.
- The bones feel sore to touch or on deep pressure.
- Rheumatic pains in elbow.
- Sciatica: worse in hot weather; better by motion; worse from changes in weather; better from flexing the leg.
- AFFINITIES; Mucous membranes: Air passages; Nose; Pharynx; Stomach; Duodenum. Skin, Fibrous tissue Ligaments Joins, Circulation, Kidneys, Root of nose, tongue of Penis, etc.

Complaints & characteristics

- Craves beer, which makes him sick, brings on diarrhoea. (Aloe, Chin, Gamb, Lyc, Sul).

- Nausea and vomiting of drunkards.
 - Discharge of a tough, stringy mucus, which adheres to the parts and can be drawn into long strings.
 - The bones all over the body feel bruised.
 - Rheumatism alternating with gastric symptoms; one appearing in the fall and the other in the spring.
 - Rheumatism and dysentery alternate.
 - Neuralgia every day at the same hour.
 - Pains: in small spots, can be covered with point of finger (Ign); shifts rapidly from one part to another (Kali s., Lac c, Puls); appear and disappear suddenly (Bell, Ign, Meg p).
 - Coryza: fluent, excoriating, with loss of smell.
 - Snuffles and nasal catarrh in damp cold weather.
 - Strawberry tongue, cracks on tongue; coated thick and yellow at the base; ropy saliva.
 - Oedematous uvula.
 - Sore throat with shooting pains extending to ears.
 - Intense pain in the root of the tongue, when putting the tongue out.
 - Pain in liver extending to the shoulder (Crot h); from motion; associated with gallstones.
 - Tenesmus after stool; burning in anus after stool; soreness of anus; piles; prolapse of rectum.
 - Cough: violent rattling, with gagging from viscid mucus in the throat; worse when undressing (Hep).
 - Croup: hoarse, metallic; tough mucus in the throat; better lying down.
 - Headache: blurred vision or blindness precedes the attack.
 - Aversion to light and noise; sight returns as headache increases.
- Generals & modalities
- Fat, chubby short necked children, disposed to croup and catarrhal affections.
 - Chilly persons.
 - Lack of vital heat.
 - Liable to take cold in open air.
 - Wants to be wrapped up and covered warmly.

- Pulsations all over the body.
- Sexual desire absent in fat people.
- AGGRAVATION; Spring, Cold damp weather, Morning & Night after sleep 2 to 3 A.M. , Periodicity, Heat of summer, Hot weather, Beer, Alcohol, Undressing, Suppressed catarrh.
- AMELIORATION; Heat, Motion, Skin symptoms in cold weather, Open air, Eating, Vomiting, Short sleep.

Kalium bromatum

- Synonyms : Potassium Bromide. Formula K Br.
- Source : It is a chemical compound of potassium and Bromine. The pure salt is available at chemist shops.
- Preparation : Triturations are prepared with sugar of milk. Higher potencies can be prepared in alcohol from 3c trituration.
- Proved by Drs. Hoering and Hermerdinger of Germany in 1833.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Acne: scimplex, rosaceae; bluish red pustule; leaves unsightly scars in young fleshy persons of gross habits. (Carb an, Eugenia Jambos).
 - 2. Stammering children; slow difficult speech (Bov, Stram).
 - 3. Epilepsy; at new moon, headache follows an attack.
 - 4. Night terrors of children, screams, cries, moans, grinds teeth during sleep; horrible dreams.
 - 5. Spasms: from fright, anger or emotional causes in nervous persons; during teething, shopping cough, Bright's disease, during parturition.
 - 6. Sleeplessness with restlessness due to worry, grief, loss of property or reputation, from business embarrassments.
 - 7. Diabetes in nervous persons; with spermatorrhoea.
 - 8. Colics of infants at about 5 A.M.
 - 9. Nervous cough; almost incessant, threatening abortion.
 - 10. Loss of memory; forgets how to talk.
 - 11. Uncontrollable weeping and profound melancholic delusions.
 - 12. Loss of sensibility of entire body; with numb feeling in the head.
- DOSAGE : Crude salt to third trituration.
- REPETITION : Bears frequent repetition.

- DURATION OF ACTION : Not definite.

Relationship

- REMEDY THAT PRECEDES WELL : Eug j in Acne.

- ANTIDOTES : Camph, helonias, Nux v, Zinc.

Comparison

- Epilepsy: Bufo, Cup m, Oenanthe, Indigo, Kali brom, Silicea, Nux v, Cic, Hyos, Stram, Agar, Bell, hydrocyanic acid, Caust, Hep s, Sulph.

- Loss of memory : Aeth, Anac, Bar c, Cann ind, Con, Kali br, Lac c, Lyc, Nat c, Nat m, Phos ac, Phos, Picr ac, Sel, Sulph.

- Somnambulism : Art v, Can ind, Kali br, Kali p, Phos, Sil, Zinc m.

- Night terrors : Cina, Cic, Kali br, Kali p, Stram, Tub.

- Stammering : Bell, Caust, bovista, Kali br, Merc, Nat c, Nux v, Phos, Spig, Stram.

- Stuttering : Cann sat.

Causes & diseases

- Worry.

- Grief.

- Business embarrassments.

- Anger.

- Fright.

- Self abuse.

- Emotional disturbances.

- Sexual excesses.

- Financial losses.

- Acne, Aphasia, Apoplexy, Chordee, Colic, Cholera infantum.

- Diabetes, Emissions, Epilepsy, Impotence.

- Nightmares.

- Somnambulism.

- Stammering.

- Inconsistence of urine.

- Acute mania.

- Melancholia.

- Delusion.

- Neuraesthesia.

- Anaesthesia.

- Dentitional disorders.

- Whooping cough.
- AFFINITIES; Mind, Nerves: Brain; Spine; Sexual organs, Skin, Larynx.

Complaints & characteristics

- Loss of sensibility: fauces, larynx; urethra; entire body.
- Staggering uncertain gait; feels as if legs were all over sidewalk.
- Fits of uncontrollable weeping and profound melancholic

delusions.

- Loss of memory; forgets how to talk; absent minded; had to be told the word before he could speak it (Anac).

- Night terrors of children (Kali p).

- Grinding of teeth in sleep, screams, moans, cries.

- Horrible dreams, cannot be comforted by friends, somnambulism (Sil, Zinc).

- Spasms: from fright, anger or emotional causes, in emotional causes, in nervous plethoric persons; during parturition; teething, whooping cough, Bright's disease.

- Epilepsy: congenital, syphilitic, tubercular; usually a day or two before menses; at new moon; headache follows attack.

- Reflex irritation of brain before hydrocephaloid effusion.

- Colic in infants: daily about 5 A.M.

- Nervous cough during pregnancy; dry, hard, almost incessant, threatening abortion (Coc).

- Stammering; slow, difficult speech (Bov, Stram).

- Acne simplex, indurate, rosacea; bluish red pustules on face, chest, shoulders; leaves unsightly scars (Carb an); in young fleshy persons of gross habits.

Generals & modalities

- Children.

- Fat people.

- Nervous, restless; cannot sit still, must move about or keep occupied (10 d).

- Hands and fingers in constant motion; fidgety hands; twitching of fingers.

- Depressed, low spirited, anxious, feels as if they would lose their minds.

- Restlessness and sleeplessness, worry, grief, loss of property or reputation, from business embarrassments (Hyos).
- AGGRAVATION; Periodically, At night, 2 A.M. , Hot weather, Summer, Stooping (Vertigo) Lying down (Cough), Emotions, Mental exertion, New moon, Puberty, Sexual excesses.
- AMELIORATION; When busy,

Kalium carbonicum

- Synonyms : Potassium carbonate. Formula : K_2CO_3 .
- Source : It is a chemical compound of Potassium and Carbonic acid, it is soluble in water but insoluble in alcohol. It is available at chemist's shop.
- Preparation : Triturations are prepared with sugar of milk from which higher potencies are prepared according to the directions laid down in homoeopathic pharmacopoeia.
- Proved by : Dr. Hahnemann.

Indications

- IT IS DEEP AND LONG ACTING REMEDY.
- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Who are chilly; highly sensitive and susceptible to cold, cold air, cold weather, cold and wet weather; neuralgias worse from cold; relief from covering, warmth.
 - 2. Who want company and averse to being alone.
 - 3. Who are hypersensitive to touch; starts when touched ever so lightly, especially on the feet.
 - Violently ticklish in the soles of the feet. (Kent)
 - 4. Who are inclined to obesity (Am c, Calc c, Caps, Graph).
 - 5. Who are disposed to oedema: baglike swelling between the upper eyelids and eyebrows from whooping cough; dropsy in old people; dropsy developing slowly in heart patients who suffer from dyspnoea on exertion.
 - Dropsy from liver troubles.
 - 6. Who feel the state of anxiety in the stomach; when frightened it always struck to her stomach; if the door slams it is felt in the region of stomach.

- 7. Broken down constitutions: pale, anaemic, poor digestion, acidity, dyspepsia, neuralgias, dropsy, flatulence and liver troubles, lack of reaction.

- 8. Who have never been well after that pneumonia.

- Who have never been well after that pneumonia.

- 9. Who feel badly, week before menstruation: backache before and during menses.

- 10. Who are worse between 2 and 4 A.M.

- It is a SPECIFIC remedy for the following conditions:

- 1. Bad effects of abortions, miscarriages or after labour.

- 2. Bad effects of excessive coition and emissions causing weakness of eyes, impotency, trembling and nervousness.

- 3. Excessive sleepiness during or after meals.

- 4. Attack of asthma between 2 and 4 A.M. ; better from sitting bent; elbows resting on knees.

- 5. Recurrent attacks of colic relieved by Colocynth require Kali c. for a complete cure. (Kent)

- 6. Backache: with threatened abortion; delayed labour, goes down to the thighs and legs; wants the back pressed; while walking feels as if she must give up and lie down.

- Backache relieved by sitting down and pressure.

- 7. Cough: spasmodic with gagging or vomiting of ingesta.

- 8. Toothache: only when eating, throbbing; worse when touched by anything warm or cold.

- 9. Pains stitching, darting, worse during rest and lying on affected side. (Opposite Bry)

- 10. Anaemia after loss of blood or vital drains (Cinch, Phos ac, Phos, Psor).

- 11. Threatened abortion with backache worse on standing and walking better from sitting and pressure.

- 12. Tubercular diathesis: with sensitivity and susceptibility to cold, pains worse during rest and lying on the affected side; backache before and during menses; acid dyspepsia; flatulence and liver troubles.

- DOSAGE : 30 and higher potencies. (Boericke)

- Not to give potencies in advanced cases of gout, rheumatism and phthisis or Bright's disease. (Kent)

- REPETITION : Single dose is recommended because it is a deep acting remedy.

- DURATION OF ACTION : (Clarke)-40 to 50 days.

- BOYD'S DRUG GROUP; VII.

- BOWEL NOSODE GROUP : Bacillus No 7.

Relationship

- COMPLEMENTARY REMEDIES : Carb v, Nat m.

- REMEDIES THAT PRECED WELL : Kali s, Phos, Spig, Stann.

- ANTIDOTES : Camph, Coff.

Comparison

- Chilly: worse by cold : Ars a, Bar c, Calc c, Caust, Chin, Dulc, Ferr m, Graph, Hep s, Kali c, Mag c, ma phos, Nit ac, Nux v, Phos, Psor, Ran b, Rhus t, Rumex, Sabad, Sep, Sil, Spig.

- Fear of being alone : Arg n, Ars a, Con, gels, Hyos, Kali c, Lyc, Phos.

- Worse after eating : Aloe, Ars, Bry, Calc c, Caust, Coloc, Kali bi, Kali c, Lyco, Nat m, Nux v, Phos, Puls, Sep, Sil, Sulph.

- Cabbage agg : Bry, Kali c, Lyco, Petr.

- Lying on painful side agg : Acon, Ars, Bar c, Hep, Iod, Kali c, Nux m, Phos, Sil.

- Right sided affections : Agar, Am c, Bell, Bry, Caust, Chel, Kali c, Lyco, Mag p, Merc, Sang.

Causes & diseases

- Cold.

- Over-strain.

- Masturbation.

- Coition, sexual excesses.

- Abortions.

- Labour.

- Haemorrhages.

- Loss of vital fluids.

- Tuberculosis.

- Pneumonia.

- Gout.

- Anaemia: from loss of blood or vital fluids.

- Hip joint disease of right side; the pain extends from hip to knee.

- Dropsy due to liver disease or fatty degeneration of heart.

- Impotency: loss of semen after an embrace; atony of ejaculatory muscles.
- Recurrent attacks of colic relieved temporarily by Colocynth require Kali carb for complete cure.
- Right sided affections, especially of lungs from tuberculosis.
- Violent palpitations.
- AFFINITIES; Muscles ligaments, Heart; Lumber, Lungs, Serous and Mucous membranes, Chest region, Lumbar region, Eyes, Blood, Left side.

Complaints & characteristics

- Pains: like hot needles, sticking, stinging, burning; flying in every direction; cutting like knives; worse during rest; lying on affected side.
- Backache: after abortion; labour; metrorrhagia; while walking feels as if she must give up and lie down; before and during menses.
- Weakness of back, limbs of muscles and heart.
- Feels badly weak before menses.
- Labour pains insufficient; violent backache; wants the back pressed (Caust).
- Bag-like swelling between upper lids and eyebrows with lung diseases.
- Weak eyes: after coition, pollution, abortion, measles.
- Stomach: distended, sensitive; feels as if would burst; excessive flatulence; every thing she eats or drinks appears to be converted into gas (Iod).
- Nose bleed when washing the face in the morning (Am c, Arn).
- Toothache only when eating; throbbing; worse when touched by anything warm on cold.
- Cough: dry, paroxysmal; spasmodic with gagging or vomiting of ingesta; with loose viscidmucus or pus which must be swallowed; hard white or smoky masses fly from throat when coughing (Bad, Chel).
- Asthma, relieved when sitting up, bending forward or by racking; worse from 2 to 4 A.M.
- Difficult swallowing; sticking pain in larynx as of a fish bone (Hep s, Nit ac), pain in back when swallowing; food easily gets into wind pipe.
- Sticking pains independent of respiratory pneumonia, phthisis or cardiac trouble; worse lying on affected side.
- Heart: tendency to fatty degeneration. (Phos).

- Constipation: stool large hard, prolapse of rectum must be pushed back; piles burn like fire.

Generals & modalities

- Chilly persons: susceptible to cold, cold winds, cold weather, cold drinks and cold food.

- over-sensitive to cold air, cannot bear to be touched, especially on the feet.

- Great aversion to being alone.

- Full of fear of death, future, ghosts; feel the impact of fear on stomach.

- Apprehensive; what if this or that happens.

- Allergic to cabbage.

- Rheumatic competence from damp weather.

- Deposed to flatulence.

- Fat people (Am c, Alc c, Graph, Caps).

- Old people, with dyspepsia, paralysis dropsy.

- Weeps when telling her sickness. (Puls, Med, Sep).

- Broken down constitutions, cold sweats upon slightest exertion.

- Ticklish persons, especially when soles are touched.

- Climateric flushings.

- AGGRAVATION; Cold, cold air, draft, cold weather, winter, damp weather, chilled after overheating, over exertion, 2 to 4 A.M. , before and during menses, Lying on painful side, Loss of vital fluids, After abortion, After labour, After exertion.

- AMELIORATION; Warmth, Open air, Dry Warm weather, Sitting bent forward or with elbows on knees: While moving.

Kalium iodatum

- Synonyms : Potassium Iodide. Kali hydriodicum. Formula: K1.

- Source : It is a chemical salt of Potassium and iodine. It is available at chemists in pure form.

- Preparation : Trituration are prepared with sugar of milk up to 3c. Higher potencies are prepared in alcohol.

- Proved by Dr. Hartlaub and Dr. Trinks of Germany. Many toxicological and clinical symptoms are included in Allen's encyclopaedia.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. In all stages of syphilis, especially tertiary symptoms; nodes.
 - 2. Fungus diseases-Ring worm, Thrush. Actinomycosis.
 - 3. Tuberculosis-during the change of connective and fibroid tissues into tubercles and infiltrations.
- Kali Iodatum liquefies the deposits of foreign matter and eliminates them.
- 4. It removes the deposits of mercury and lead from the body hence it is an antidote to these substances and their bad effects.
- 5. It is an anti-allergic remedy and acts in allergic conditions pleurisy-with-effusion, hydrothorax, salivation of pregnancy, profuse lachrymation in hay fever, asthma, dysentery with tenesmus with jelly, like mucus in stools; oedema; sinusitis with coryza.
- 6. Conditions in which there is excessive growth of connective tissues, e.g. , prostate; tumours, indurated ulcers; cysts of lids; fibromas.
- 7. Conditions in which effects products of acute diseases are left in the tissues: pneumonia, bronchitis, erysipelas.
- 8. Ailments: with diffused sensitiveness to touch and pressure, with soreness of head or other parts of the body; tenderness of hepatic region.
- 9. Ailments with acrid discharges: acrid coryza; acrid leucorrhoea; acrid lachrymation.
- 10. Painful conditions: backache; sciatica; terrible pain at the root of the tongue; worse at night, lying on painful side, damp weather; better in open air and motion.
- DOSAGE : 3x to 200c.
- REPETITION: A few doses may be repeated till the response to the remedy is noticed.
- DURATION OF ACTION : Short.

Relationship

- REMEDY THAT PRECEDES WELL : Merc.
- REMEDY THAT FOLLOWS WELL : Nit ac.
- antidotes : Aur, Hep s, Nit ac, Ars, Chin, Rhus t.
- REMEDY ANTIDOTES : Merc, Lead poisoning.
- BOYD'S DRUG GROUP : VIII.

Comparison

- Antinomycosis : Kali iod, Nit ac.

Causes & diseases

- Syphilis: all stages; gummatous ulcers; nodes.
- Tuberculosis: changes in fibroid and connective tissue producing infiltration: with perspiration.
 - Fungus diseases: thrush, ring worm.
 - Rickets.
 - Rheumatism: in neck, back, heels and soles; joints swollen.
 - Gout.
 - Glandular swellings; submaxillary, thyroid, testicles with tenderness.
 - Purpura haemorrhagia.
 - Ozaena with perforated septum.
 - Catarrhal diseases.
 - Pleurisy with effusion, with constant cough and marked dyspnoea.
 - Hydrothorax.
 - Plumonary oedema.
 - Fibroid tumours.
 - Metritis.
 - Sub-involution.
 - Hypertrophy of uterus.
 - Tumours of breast & uterus.
 - Pneumococcal, meningits.
 - Acne rosacea.
 - Condyloma.
 - Enlarged lymphatic glands.
 - Inflammatory affections after pneumnoia, bronchitis, erysipelas due to effect products.
 - Bad effects of Mercury.
 - Infiltrations.
 - Oedema and dropsy.
 - Pneumonia.
 - Bright's disease.
 - Foot and mouth disease of cattle.
 - Aneurysm.

- AFFINITIES; Lymphatic glands, Thyroid, Nose, Eyes, Lung: Upper Lobe, Periosteum, Frontal Sinus.

Complaints & characteristics

- Salivation in pregnant women.
- Coryza: profuse, watery, acrid with pain in frontal sinus, pharyngeal catarrh: expectoration like soap suds.

- Laryngeal catarrh: with dry cough, soreness, rawness of throat; voice lost.

- Dyspnoea: on ascending stairs.

- Soreness in the middle of chest agg evening; extending to amel shoulder, becoming erect, moving about; with oppression.

- Temperature and emaciation less marked than Iodum.

- Neuralgic pains: agg at night.

- Diffused sensitiveness.

- Scalp is painful on scratching, as if ulcerated.

- Swelling of thyroid gland with rapid growth; sensitive to touch and pressure.

- Sensitive syphilitic nodes.

- Neuralgic and inflammatory conditions with marked sensitiveness of the affected parts.

- Sore gums; soreness in hepatic region.

- Acrid discharges: acrid coryza; acrid leucorrhoea; greenish, copious and like soap suds expectoration.

- Walking agg all heart symptoms.

- Rheumatic heart.

- Terrible pain at the root of the tongue.

- Loss of appetite, indigestion, flatulence and bloating as great as Lycopodium; cold agg these symptoms.

- Tinnitus aurium throbbing, pulsative noises.

- Emaciation with good appetite.

Generals & modalities

- Warm blooded.

- Pale delicate persons: those who flush easily; inability to think.

- Big heads and emaciated limbs.

- Cannot ride in jointing, conveyances.

- Big teeth and small jaws.

- AGGRAVATION; Heat, Warm room; warm clothing, at night; cold milk; damp weather; after coitus; touch, sun set to sun rise (Syph), Lying on painful side, Seaside, Cold Foods, Jolting.
- AMELIORATION; Open air, Motion, Cool air.

Kalium muriaticum

- Synonyms : Postassium Chloride, Kali Chloratum, Chloride of Potash. Formula KC1.
- Source : Occurs in nature in mines of Stassfurth in Germany. It is purified chemically and used in the preparation of the drug.
- Preparation : The pure chloride is triturated with sugar of milk in decimal triturations from which higher potencies are prepared according to homoeopathic pharmacy rules.
- Proved by C. Hering and W.H. Schussler.

Indications

- It is a SPECIFIC remedy for the following diseases:
 - 1. Acute infectious diseases at the exudative stage-Small pox, Chicken pox, Measles, Diphtheria, Acute bronchitis, Acute rheumatic fever. Hip joint disease, Gonorrhoea, Orchitis.
 - 2. Catarrhal conditions of eyes, ears and throat.
 - 3. Sprain with swelling of the joints; pains worse from motion.
 - 4. Epilepsy from suppressed eczema.
 - 5. Blisters from burns.
 - 6. Complaints from eating fats or rich diet.
- It is a BIOCHEMIC remedy in the following conditions:
 - 1. Ailments with white or gray coated tongue.
 - 2. Ailments with milky white or gray, slimy, thick or viscid discharges.
 - 3. Ailments with gastro-intestinal derangements or vomiting.
 - 4. Ailments of epithelial membranes, throat, eustachian tubes and middle ear.
 - 5. Ailments with inflammatory enlargement of lymph glands-pumps, tonsilitis.
 - 6. Preventive for Scarlet fever.
- DOSAGE : Schussler recommends 6x to 12x decimal triturations.

- In diphtheria he recommends a gargle of the 3x, 1 to 15 grains in tumbler of water.

- REPETITION : Bears repetition well.

- DURATION OF ACTION : Short.

Relationship

- Calcarea Sulph antidotes Kali mur (Darbari).

- Other Biochemic remedies are compatible with Kali mur.

- Useful Combinations from my own experience:

- FEVERS WITH WHITE OR GRAY COATED TONGUE: F.P. 3x and K.M. 3x every hour.

- ADENOIDS : C.P. 12x and K.M. 6x twice daily.

- BURNS : F.P. 3x, K.M. 3x, N.M. 3x, N.P. 3x hourly.

- BILIOUSNESS, NAUSEA AND VOMITING: K.M. 3x and N.S. 3x hourly.

- AGNIA PECTORIS : F.P. 3x, K.M. 3x, K.P. 3x and M.P. 3x 1/2 hourly.

- INFLUENZA : F.P. 3x, K.M. 3x, N.S. 3x hourly.

- EPILEPSY : K.M. 3x and K.P. 3x before attack.

- Preventive.

- CATARACT : K.M. 6x, C.F. 6x and N.M. 30x twice daily.

Causes & diseases

- Diphtheria.

- Mumps.

- Tonsillitis.

- Sore throat.

- Adenoids.

- Infective hepatitis, with jaundice.

- Diarrhoea from fatty food.

- Gonorrhoea.

- Orchitis from suppressed gonorrhoea.

- Puerperal fever.

- Inflammatory fever second stage.

- Small-pox, Chicken pox, Measles, Pneumonia, Acute Bronchitis,

Rheumatic fever with swelling joints.

- Second stage of hip-joint disease.

- Epilepsy after suppression of eczema or other eruptions.

- Sprains with swelling.

- Copious white dandruff.

- Scorbutic gums.
- AFFINITIES; Epithelium throat, Eustachian tubes, Middle ear, Lymph glands, Shoulder, right, Occiput (L) Muscles Joints, One side, agg. left Crosswise.

Complaints & characteristics

- Ailments with tongue coated grayish white.
- Closed eustachian tubes with snapping and noises in the ear.
- Inflammatory or catarrhal diseases in the second stage of exudation, with white or grayish mucous discharges.
- Bitter taste with obstinate constipation.
- Biliousness, indigestion and dyspepsia with tongue coated gray or white.
- Dysentery with slimy stools.
- Haemorrhoids with clotted blood.
- Leucorrhoea white or gray bland, thin or thick.
- Asthma with gastric symptoms.
- Embolism with gastric symptoms or coated grayish tongue.
- One sided complaints (left).
- Backache amel by lying.

Generals & modalities

- Persons who cannot tolerate fats and pastry.
- It is a sluggish remedy for sluggish symptoms and sluggish constitutions, being anti-sycofulous anti-sycotic and anti-syphilitic.

- Mucous membranes.
- Middle ear.
- Eustachian tubes.
- Throat.
- Lymph glands.
- Muscles.
- joints.
- Right shoulder.
- AGGRAVATION; Open air, Cold draft, Cold drinks, Heat of bed, Night, Lying, Motion, Dampness, Sprains, Fats, rich foods, During menses, Binding hair.

- AMELIORATION; Cold drinks, Rubbing, Letting hair, down Wraps.

Kalium phosphoricum

- Synonyms : Potassium Phosphate, Phosphate of Potash. Formula: $K_2 H P O_4$, be purchased from a chemist shop.

- Source : It is a chemical compound of Potassium and Phosphoric acid. It can be purchased from a chemist shop.

- Preparation : Triturations are prepared with sugar of milk as directed by the rules of homoeopathic pharmacy.

- Proved by W.H. Schussler. Provers Union, Chicago under Dr. H.C. Allen, in 1892, a partial one.

Indications

- It is a CONSTITUTIONAL remedy according to Dr. J.T. Kent and found useful for patient:

- 1. Who are warm blooded: worse in warm and closed room and better in cool open air.

- 2. Who are excitable, angered easily and obstinate: mental exertion aggravates.

- 3. Changeable disposition: excitement after depression or vice-versa; hysterical; alternating moods; weepy.

- 4. Fearful: fear at night; of death; of falling and of people.

- It is an ANTI-MIASMATIC remedy:

- 1. Anti-psoric for ailments from suppressed eruptions.

- Complaints dating back to suppressed eruptions. (Kent).

- 2. Anti-sycotic for ailments from suppressed gonorrhoea.

- Orchitis after suppressed gonorrhoea. (Kent)

- It is a BIOCHEMIC remedy according to Schussler:

- 1. It has an affinity for: the skin; mucous membranes; respiratory organs; nervous system and brain.

- 2. Skin: profuse desquamation of epidermis; promotes falling of the crusts and formation of healthy skin after small-pox; prevents suppression of rash.

- Profuse easy sweat.

- Ulcers ooze thin yellow watery secretions.

- Cancer, epitheliomata with thin yellow watery exudations.

- Dandruff, falling of hairs.

- Eczema.

- Lupus.
- 3. Mucus membranes: nasal catarrh with yellow slimy discharge; foetid discharge; nose stopped up.
- Eye complaints: conjunctivitis, corneal ulcer, cataract, muscae volitantes.
- Ears: eustachian tube and middle ear catarrh.
- Lips: warts on lips; epithelioma of lips.
- Mouth: aphthae; excessive salivation, yellow slimy tongue, tonsillitis, pharyngitis with yellow slimy discharge.
- Vagina: leucorrhoea, yellow, greenish, excoriating, burning, itchy.
- Urethra: gonorrhoea, yellowish thin discharge, burning.
- Lungs: coarse rattling in chest; asthma; this remedy has saved many people from phthisis. (Kent)
- Nervous system : epilepsy, hysteria when characteristic and constitutional symptoms are present.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Mental disorders depending upon a state of depression.
 - 2. It is a specific remedy for neurasthenia or other ailments due to or accompanied with neurasthenia.
 - Brain fag.
 - 3. It is a specific remedy for putrid discharges or ailments accompanied with putrid discharges.
 - 4. It is a specific remedy for nervous debility after any acute illness; or any ailment with great prostration.
 - 5. Feeble pains in labour; with bring quick and easy delivery.
 - 6. Hysteria, vertigo, sleeplessness, mental depression, insanity, when its characteristics symptoms are present.
- DOSAGE : The lower potencies seem to work best.
- Schussler recommends 2x or 3x.
- Dr. J.T. Kent "The high and highest potencies have served the best, and it should be used in the single down."
- REPETITION : To be repeated frequently in low potencies especially in mental diseases.
- Single dose of high potency in constitutional disorders.
- DURATION OF ACTION : Not definite.

Relationship

- COMPATIBLE REMEDIES : In enuresis alternate Kali phos with Ferr phos.

- In prolapse of rectum alternate Kali phos with Ferr phos and Calc fluor.

- In albuminuria alternate Kali phos with Calc phos.

- In dysmenorrhoea of nervous women alternate Kali phos with Mag phos.

- IN DREAM : like mental state of the insane Kali phos is to be followed by Cyclamen.

- BOYD'S DRUG GROUP : V.

Comparison

- Mental disorders : Anac, cimicifuga, conium, Ign, Hyos, Sil, Stram, Staphisagria.

- Putrid discharges of stools : Ars a, Asaf, Bapt, Carb ac, Carbov, Kali p, Olnd, Podo, Psor, Sil, Tub.

- Neuraesthesia : Alfalfa, Arg n, Avena s, Gels, Cinch, Helon, Kali p, Lecith, Phos, Phos ac, Picr ac, Strych phos, Tar h, Zinc, Phos, Zinc Picr.

- Facial paralysis : Caust.

- Dropping of eye lids : Caust, Gels, Kali phos, Sep.

- Better from gentle motion : Ferr m, Kali phos, Puls.

- Pulsatilla : Warm blooded: worse in hot and closed room; better in cool open air; mild gentle, yielding, weepy; with thick bland discharges.

- Kali sulph : Warm blooded: worse in hot closed room; better in cool open air; irritable; obstinate: with yellow slimy discharges.

- Calc sulph : Warm blooded: worse in warm and closed room; better in cool open air; with suppurations.

- Kali phos: Warm blooded, neuraesthetic, putrid stools, better from gentle motion.

Causes & diseases

- Neuraesthesia.

- Hypochondriasis.

- Hysteria.

- Confusion.

- Delirium tremens.

- Delirium in high fevers.

- homesickness.

- Imbecility.
 - Insanity.
 - Melancholia.
 - Grief.
 - Prolonged sorrow.
 - Bad news.
 - Disappointment in love.
 - Brain fag.
 - Irritable.
 - Laughs and cries.
 - Shrieks.
 - Suspicious.
 - Depression with excitement.
 - Paralysis of one side of face.
 - Muscular debility after acute diseases.
 - mental aberrations.
 - Puerperal mania.
 - Mental disorders with indigestion.
 - Somnambulism.
 - Forgetful.
 - Urine albuminous, offensive, high specific gravity.
 - Sugar in urine.
 - Seminal emissions.
 - Disposed to abortion in neuraesthenic women.
 - Feeble pains during labour.
 - Cerebral anaemia.
 - Dropping of eye lids.
 - nerve deafness.
 - Offensive otorrhoea.
 - Paralysis of any part of the body.
 - Nervousness without any cause.
 - AFFINITIES; Nerves: Brain, cord, Exertions, One side,
- Complaints & characteristics
- Putrid discharges, putrid stools, putrid haemorrhages putrid gangrene.
 - Ailments with great Prostration.

- One sided symptoms.
- Nervous palpitation.
- Vertigo after eating, better in open air.
- Headache from eye strain, better from wrapping up.
- Dim vision after coition.
- Scorbutic spongy gums.
- Grinding teeth in sleep.
- Disorders of appetite.
- Sleeplessness with worry.
- Angina pectoris in neuraesthenics.
- Noisy offensive flatus.
- Amenorrhoea with depression and nervous debility.
- Intense sexual desire after menses.
- Incontinence of urine from nervous debility.
- Polyuria from nervous debility.
- Asthma in neuraesthenic persons.
- Neuralgic pains with great depressions.
- Lascivious dreams.
- Marasmus with putrid stools.
- Cold aggravates pains.
- Typhoid fever with putrid stools.
- Foul leucorrhoea.
- Cholera with rice stools.
- (Ars a, Jatro, Verat).
- Asthma agg from least food.
- Cough with yellow sputum.
- Urine yellow.
- Depression with dyspnoea on exertion.

Generals & modalities

- Oversensitive, nervous, delicate, worn out from long sufferings, much sorrow and vexation and prolonged mental work.
- Extremely, excitable.
- Broken down from sexual excesses and vices, loss of fluids Flies into passion and can hardly speak.
- Aversion to answer.

- Apprehensive anxiety.
- Cruel to baby and husband.
- Perverted affections.
- Aversion to company.
- Night terrors of children Fearful.
- Impatient.
- AGGRAVATION; Cold air, becoming cold, cold drinks, Physical exertion ascending stairs, After over eating Milk, Walking fast, Winter, Uncovering head, Slight noise, When alone, Excitement worry Bad news, Puberty.
- AMELIORATION; From heat, Eating, Gentle motion, Company, Sleep.

Kalium sulphuricum

- Synonyms : Potassium sulphate. Sulphate of potash. Formula: K_2SO_4 .
- Source : It is a chemical salt of Potassium and Sulphuric acid. Can be purchased from a chemist's shop.
- Preparation : Triturations are prepared with sugar of milk. Higher potencies are prepared in alcohol from 3c.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. It is a specific remedy for oxaluria. (Dr. Hermann)
 - 2. It is indicated in eruptive, intermittent, influenzal and typhoid fevers; patients who are worse in evening, warm room and are thirstless.
 - Obstinate cases of chronic intermittent fever. (Kent)
 - 3. In catarrhal conditions of ear, nose, throat, eustachian tubes, lungs, intestines, urinary and genital tracts; patients with yellow Mucous discharge, or greenish discharge, worse in warm room and especially in the evening; they are better in cool open air.
 - 4. Complaints of patients who have a yellowish slimy coated tongue.
 - 5. Wandering pains of rheumatic nature in warm blooded patients.
 - Loose cough with rattling of mucus in chest.
 - 6. Violent itching of anus.
 - 7. Post scarlatinal nephritis.

- 8. It is anti-sycotic remedy useful in orchitis after suppressed gonorrhoea.
- 9. Jaundice with yellow slimy tongue, worse in evening in warm blooded patients.
- 10. Mental symptoms from sexual excesses.
- DOSAGE : 3x to 12x on biochemic indications. Higher potencies on general indications.
- REPETITION : Low potencies are to be repeated frequently.
- High potencies are repeated occasionally.
- DURATIO OF ACTION : Not definite.

Relationship

- Kali sulph is indicated when.
- Ferr phos fails to produce perspiration.
- Mog phos fails to relieve pains.
- Kali mur fails when it is indicted in alternation with Calc fluor in piles; in alternation with Kali mur in croupy hoarseness.
- COMPLEMENTARY TO : Puls, Dulc.
- REMEDY THAT FOLLOWS WELL : Kali carb.

Comparison

- Wandering pains : Kali bi, Kali s, Lac c, Puls, Mang, Led.
 - Anti-sycotic : Arg m, Arg n, Kali s, Med, Nat s, Nit ac, Sep, Staph, Thuj, Sycotic co.
 - Worse in warm and closed rooms and better from cool open air: Amyl nit, Arg n, Lach, Med, Puls, Sulph, Kali s, All c, Alum, Mag c, Sabin.
 - Becomes heated easily : Ant cr, Bry, Iod, Kali c, Kali s, Puls, Sil.
 - Worse in evening : Acon, Cham, Euph, Lyco, Nit ac, Phos, Puls, Sep.
 - Muco-purulent-discharges : Calc c, Calc s, Hep s, Kali bi, Kali c, Kali s, Lyco, Merc, Psor, Puls, Sil, Staphylococcin.
 - Scabies- Ars a, Carb s, Carb s, Caust, Kali s, Psor, Sel, Sep, Sulph.
 - Thirstlessness : Ant t, Apis, Chin, Colch, Gels, Nux m, Phos ac, Puls, Sabad, Kali s.
 - Puls patient is mild, gentle and yielding, whereas Kali s patient is easily angered, obstinate and very irritable.
 - Kali bi patient is chilly, whereas Kali s patient is warm blooded.
- #### Causes & diseases
- Suppressed eruptions.

- Suppressed Gonorrhoea.
- Post scarlatinal nephritis.
- Sexual excesses=mental symptoms.
- Eye strain.
- Epilepsy.
- Lupus.
- Epithelioma.
- Phthisis.
- Dropsy.
- Rheumatic pains.
- Catarrhal inflammation of nose, ear, throat, intestinal tract, urinary tract.
- Gonorrhoea.
- Leucorrhoea.
- Syphilis-gumma.
- Tuberculosis ulcers.
- Oxaluria.
- Infective hepatitis.
- Enlarged liver.
- Cataract.
- Black floating specs.
- Toothache.
- Disposed to abortion.
- Scabies.
- Urticaria.
- Eruptive fevers.
- Remittent fevers.
- Typhoid fever worse from evening to midnight, thirstless and worse in warm and closed rooms.
- Shaking chill, in evening, 5 P.M. to 6 P.M.
- AFFINITIES; Epithelium, Respiratory tract, Skin, Glands,
- Complaints & characteristics
- Wandering pains, Yellow mucous discharges.
- Yellow slimy tongue.
- Pains in limbs worse in closed rooms.
- Complaints intermit and change location.

- Vertigo on looking and rising.
- Heaviness in abdomen after eating and relieved by discharge of flatus.
- Chilliness with complaints (Puls).
- Pulsation all over body with complaints.
- Great rattling in chest with cough.
- Fever worse in evening.
- Croupy hoarseness.
- Obstinate constipation.
- Tympanitis better from discharge of flatus.
- Chronic diarrhoea with yellow slimy coated tongue.
- Sexual desire diminished or entirely lost.
- Whooping cough with yellow expectoration.
- Small pox-to promote falling off of crusts and formation of healthy skin.

- Suppressed eruptions in measles, small pox.
- Ulcers on legs.
- Frightful dreams.
- Desquamative eruptions (Am c, bell, Kali s, Mez, Olnd, Psor, Sep).

Generals & modalities

- Patient is easily angered, obstinate and very irritable.
- Aversion to work, business and company.
- Concentration of mind difficult and want of self-confidence.
- Extremely excitable.
- Alternating mood.
- Changeable disposition.
- Oversensitive to noise.
- Warm blooded.
- Restless.
- Becomes heated easily.
- AGGRAVATION; Warmth; Air Noise; consolation, Evening, Evening to midnight, Warm and close room, After eating.
- AMELIORATION; Cool open air, Eructations, Discharge of flatus.

Kalmia latifolia

- Synonyms : Mountain laurel.
- Source : It is an evergreen shrub, having large and showy flowers blooming in may and June. It belongs to the natural order or Ericaceae.
- Habitat : It is a native of North America.
- Preparation : Mother tincture is prepared from the fresh leaves when the plant is in flowers.
- Proved by Dr. C. Hering.

Indications

- It is a SPECIFIC remedy in the following conditions:
 - 1. Sun headache: begins at sun rise, worse at noon and leaves at sunset (Nat m).
 - 2. Pains: shooting in down ward direction; attended or succeeded by numbness; Angina with numbness of left arm; Sciatica with numbness of the part.
 - 3. Rheumatism, changes places suddenly; worse from least movement.
 - Deltoid rheumatism especially right.
 - 4. Cardiac disorders with very slow pulse; fluttering of heart with anxiety; tobacco heart.
 - 5. Rheumatism goes from joints to heart.
 - 6. Continued fevers with tympanites.
 - 7. Vision impaired and pain in eyes with albuminuria or Bright's disease.
 - 8. Heart symptoms with albuminuria; with pregnancy.
 - 9. Post-hepatic neuralgia. (Mez, Ran b).
- DOSAGE : Tincture to 6th potency.
- REPETITION : Bears repetition well.
- DURATIN OF ACTION : Short.

Relationship

- COMPLEMENTARY REMEDY : Benzoic ac.
- REMEDIES PRECEDE WELL : Nux v, Spig, Thy, Lith c, Lyco, Nat m, Puls.
- REMEDIES THAT FOLLOW WELL : Spig.
- ANTIDOTES : Acon, Bell.
- BOYD'S DRUG GROUP : V.

Comparison

- Sun headache : Bell, Cact, Ferr p, Gells, Kalm, Lach, Glon, Nat c, Nat m, Sang, Stram.

- Sun headache: increases and decreases every day with the sun: Kalm, Nat c, Nat c, Nat m, Spig, Tab.

- Rheumatism ascends from below up : Led.

- Rheumatism descends from above downward : Kalm, Cact.

- Vertigo from looking downwards : Kalm, Spig; looking up-Puls, Sil.

- Rheumatism affection of heart : Kalm, Led, Naja, Spig, Aur m.

- Suppressed rheumatism from joints involves heart : Abrot, Aur, Bry, Calc c, Cact, Kalm, Led, Rhus t.

- Severe stitching pain in right eye and orbit : Kalm, (left eye-Spig).

- Pains attended or succeeded by numbness of affected parts : Acon, Cham, Kalm, Plat.

Causes & diseases

- Chill.

- Exposure to cold.

- Wind.

- Sun.

- Rheumatism or Gout involving the heart.

- Sun headache.

- Anti-syphilitic, Anti-sycotic and Anti-psoric.

- Bright's disease with disturbances of vision, occurring during pregnancy.

- Stitching or tearing pains in eyes in pregnancy or with albuminuria.

- Syphilitis-heart.

- Herpes-zoster.

- Post-herpetic neuralgia.

- Neuralgia after suppression of eruption, herpes-zoster, suppression of Ring worm.

- AFFINITIES; Spinal nerves Eyes, Face, right side, Heart, Circulation, Joints, Deltoid right, Skin, Head tight, Left chest; Arm.

Complaints & characteristics

- Pains: sticking, darting, pressing, shooting in a downward direction (Cact); attended or succeeded by numbness of affected parts (Acon, Cham. Plat).

- Stitching pain in right eye and orbit (left eye Spig); stiffness in muscles, pains agg when turning the eyes (Spig): begins at sun rise and leaves at sun rise and leaves at sun set (Nat m).

- Vertigo when stooping or looking down, (Spig).
- Pulse slow, scarcely perceptible (35 to 40 per minute).
- Face: pale and cold extremities.
- Pain in heart region with inability to lie on left side.
- Bone pains: as if periosteum would be torn out; worse before midnight.
- Neuralgia of face worse night when lying down.
- Flushing of face with vertigo.
- Anxious expression of face with rheumatism.
- Pains come suddenly and go suddenly.
- Rheumatism that goes from the upper to lower limbs.
- Prolonged weakness after confinement, from pain; these pains are threatening to leave their parts and go to heart.
- Rheumatism: pains intense, change place suddenly; going from joints hot red swollen; worse from least movement.

Generals & modalities

- Subjects disposed to Gout, Rheumatism, nephritis, Albuminuria.
- AGGRAVATION
- Motion.
- Lying on left side; leaning forward; looking down.
- Sun rise to Sun set.
- becoming cold.
- Night on going to bed.
- AMELIORATION
- Eating cloudy weather headache.
- Continued motion.

Kreosotum

- Synonyms : Kreosote, wood tar.
- Source : It is a product of destructive distillation of wood tar.
- Habitat : Europe and America. Where beach wood is indigenous.
- Preparation : Mother tincture is prepared from the solution of Kreosote in rectified spirit.

- Proved by Dr. Syrbius of Germany and Dr. Wahle of Italy.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Children : Old looking, wrinkled (Abrot).
 - 2. Children : scrofulous or psoric; rapid emaciation (Iod).
 - 3. Children irritable, restless, pale face and sour smell, worse during dentition, with early decay of teeth.
 - 4. Girls : Very tall for their age; over grown; poorly nourished. (Allen).

- 5. Women : menses flow on lying down, cease on sitting or walking about.

- It is a SPECIFIC remedy in the following conditions:

- 1. Ailments in which : acrid discharges, profuse haemorrhage from small wounds, pulsations all over the body, from excitements are found in the patient. (Kent)

- 2. Gangrenes, wounds, ulcers with putrid discharge.

- 3. Cancer stomach : worse from warm food and better from cold diet; haematemesis, sour and acrid vomit in irritable persons.

- 4. Diabetes : with profuse pale urine, containing sugar; sudden urging; must pass urine or it will escape, inability to hold urine; with acrid discharges.

- 5. Leucorrhoea : acrid, corrosive, offensive; worse between periods; stiffens like starch; stains linen yellow.

- 6. Congenital syphilis; with painful dentition, teeth begin to decay as soon as they appear; gums bluish red, soft, spongy, bleeding inflamed, scrobutic, ulcerated.

- 7. Enuresis nocturna: during first sleep from which child is aroused with difficulty; with copious pale urine; with caries of teeth and acrid lachrymation.

- 8. Violent corrosive itching of pudenda and vagina.

- Profuse bleeding after tooth extraction (Ham, Tril, Phos).

- DOSAGE : 30 O 200c.

- REPETITION : Single dose is the rule.

- DURATION OF ACTION : 15 to 20 days. (Clarke)

Relationship

- ANTIDOTES : Acon, (vascular erethism): Nux v (violent pulsations).

- REMEDIES THAT FOLLOW WELL : Ars a, Bell, Calc c, Kali c, Lyco, Nit ac, Nux v, Phos, Rhus t, Sep, Sulph.

- INCOMPATIBLE : Carb v, Chel, Carb ac.

- BOYD'S DRUG GROUP : VIII.

Comparison

- Burns : Canth, Ars, Kreos, Caust, Carb ac.

- Child exceedingly irritable, peevish, wants this or that and becomes angry when refused or when offered, petulently rejects it : Bry, Cham, Cina, Kreos.

- Irritability in children : Ant c, Ant t, Bry, Cham, Kreos, Sil, Staph;

- Leucorrhoea before menses : Sep.

- Before and after menses : Graph.

- After menses : Kreos.

- Haemorrhagic diathesis: small wounds bleed profusely and easily; Crot h, Kreos, Lac c, Phos.

- Migraine during menses : Lac def, Kreos, Sep.

- Menses on lying down : Kreos, Mag c.

- Menses flow only when moving about : Caust, Lil t.

- Menses cease when walking : Arn mur, Kreos, Mag c.

- Flow more during day : Puls.

- Difficult dentition, child irritable, restless, pale face and sour smell- Cham, Kreos, Rheum.

- Toothache in carious tooth : Kreos, Mez.

- Enuresis : Wets the bed as soon as the child goes to sleep-kreos, Sep.

Causes & diseases

- Bad smells-vomiting.

- Sprains.

- Cough-involuntary urine.

- Haemorrhagic diathesis: small wounds bleed freely; flow passive, in epistaxis, haemoptysis, haematuria; in typhoid followed by great prostration; dark oozing after the extraction of tooth (Ham).

- Congenital syphilis with dentitional troubles.

- Acquired syphilis with skin troubles.

- Enuresis nocturna.

- Suppression of menses in a girl of 20 with imbecility.

- Epithelioma.
- Gangrene.
- Ulcers.
- Summer diarrhoea of infants.
- Cholera infantum.
- Diabetes: inability to hold urine; must hurry or the urine will escape; sugar or urine.
- Copious pale urine; sudden urging.
- Dentitional troubles.
- Caries of teeth and bones.
- left sided ailments.
- Putrid discharges.
- Cough compels sitting up all night.
- AFFINITIES; Mucous membranes: Digestive tract; Female organs; Gums and teeth; Stomach, Blood.
- Complaints & characteristics
- Corrosive, foetid, ichorous discharges from mucous membranes.
- Itching, so violent towards evening as to drive one almost wild with eruptions.
- Painful dentition; teeth begin to decay as soon as they appear; gums bluish red, soft, spongy, bleeding, inflamed, scorbutic, ulcerated.
- Severe headache before and during menses (Sep).
- Menses: too early, profusely, protracted; pain during, but worse after menses.
- Flow on lying down, cease on sitting or walking about; cold drinks relieve, menstrual pains.
- Flow intermits, at times almost ceasing, then commencing again (Sulph).
- Coitus followed by blood flow the next day.
- Vomiting: of pregnancy; sweetish water with ptialism; of cholera; during painful dentition; incessant with cadaverous stool; in malignant affections of stomach.
- Incontinence of urine: can only urinate when lying; copious, pale; great urging cannot get out of bed quick enough; (Apis, Petros); during first sleep (Sep), from which child is aroused with difficulty.
- Smarting and burning during and after micturition (Sulph).

- Leucorrhoea acrid, corrosive, offensive; worse between periods (Bov, Bor); stiffens like starch, stains the linen yellow.
 - Lochia: dark, brown, lumpy, offensive, acrid; then freshens up again (Con, Sulph).
 - Violent corrosive itching of pudenda and vagina.
 - Ailments with foetid leucorrhoea.
 - Imbecility with suppressed menses.
- Generals & modalities
- Over-grown very tall for her age. (Phos).
 - Children: old looking, wrinkled (Abrot); scrofulous or psoric; rapid emaciation (Iod).
 - Vitality greatly depressed.
 - Irritable persons.
 - Emotions and excitement is attended with pulsations.
 - Every emotion is attended with tearfulness.
 - Acrid tears.
 - Haemorrhage after coition.
 - SYNDROME
 - 1. Excoriating discharges smart and burn.
 - 2. Profuse bleeding from small wounds.
 - 3. Pulsation all over body after excitement and emotions.
 - AGGRAVATION; Lying, Summer Eating cold things (Cancer stomach), Open air, During menses, Cold bath, cold weather, Pregnancy, Standing (Leucorrhoea), Walking, Touch, Dentition, 6 P.M. to 6 A.M.
 - AMELIORATION; Eating hot food (Cancer stomach), Sitting (Leucorrhoea), Warmth, Sneezing, Motion.

Lachesis mutus

- Synonyms : Surukuku Snake Poison. Trionocephalus lachesis.
- Source : poison obtained from the snake of South America, belonging to the natural order of Ophidia.
- Preparation : Tincturations are prepared from the snake poison with sugar of milk.
- Proved by Dr. C. Hering in 1828. Who handled the deadly snake himself and gave out the symptoms himself after coming to consciousness. Introduced into our Materia Medica in 1837.

Indications

- It is a CONSTITUTIONAL remedy for patients who are: drinks and warm room.
 - 1. Warm blooded : who are worse in summer, sun's rays, hot drinks and warm room.
 - 2. Susceptible to emotions: grief sorrow, fright, vexation, jealousy, disappointed love.
 - 3. Disposed to haemorrhagic diathesis, apoplexy, erysipelas climacteric disturbances.
 - 4. Broken down constitutions.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Diphtheria: left sided, goes from left to right side; in warm blooded persons, worse in warm room and by hot drinks; with dark purple appearance of the throat; worse after sleep; intolerance of any tight clothing on the neck.
 - 2. Fevers: typhoid, typhus, malaria, septic; returning annually or in spring or summer; with stupor or muttering delirium; tongue trembles when protruded; conjunctive yellowish or orange colour, perspiration cold stains yellow.
 - 3. Bad effects of poisonous wounds, post-mortem room wounds; suppressed discharges, coryza: coryza, menses; alcohol, mercury, cinchona. Acids.
 - 4. Ailments from sun's rays, spring summer, onanism, jealousy emotions.
 - 5. Diseases; begin on left side and go to the right side; left ovary, left testicle, left throat, left eye, etc.
 - 6. Diseases; begin on left side and go to the right side; left ovary, left testicle, left throat, left chest, left eye, etc.
 - 6. Ailments with dark, bluish, purple appearance, tent to malignancy; boils, carbuncles, ulcers with much pain, bed sores, malignant pustules.
 - 7. Epilepsy: comes on during sleep; from loss of vital fluids. Onanism, jealousy.
 - 8. Climacteric ailments with rush of blood to head; intolerance of tight clothes about neck or waist; great sensitiveness to touch.

- 9. Ailments: worse after sleep or aggravation wakes him from sleep, with great loquacity; constipation without urging; pains relieved by flow of menses; great mental and physical exhaustion; rush of blood to head; weight and pressure on vertex; like lead in occiput.

- 10. Piles: strangulated; with stitches shooting upward; with scanty menses.

- DOSAGE : 30 to C.M.

- REPETITION : Single dose is the rule.

- DURATION OF ACTION : 30 to 40 days. (Clarke)

Relationship

- COMPLEMENTARY REMEDIES : Hep s, Nit ac, Salamand.

- REMEDY THAT FOLLOWS WELL : Nat m.

- INCOMPATIBLES : Acet ac, Am c, Carb ac.

- ANTIDOTES : Ars, Bell, Calc c, Carb v, Cham, Coff, Led, Merc, Nux v, Op, Phos ac.

- REMEDY ANTIDOTES : Anthr, Apis, Ars a, Crot h, Kali bi.

- BOYD'S DRUG GROUP : 2.

Comparison

- Headache ceases during menses; returns when flow disappears: All c, Lach, Zinc.

- Losses breath when falling asleep, must awake to get breath: Am c, Grind, Lach, Op.

- Craves fresh air; opens clothing, removes bed covering and opens windows in coldest weather : Amyl n, Arg n, Lach, Sulp.

- Felon or whitlows; worst cases: with sloughing and terrible burning pain : Ars, Carb ac, Anthr, Lach.

- Burning pain : Ars, Carb ac, Anthr, Lach.

- Cannot bear the heat of sun; worse from over-exertion in the sun: Ant cr, Lach, Nat m, Nat c, Glon.

- Extreme sensitiveness to touch : Apis, bell, Hep s, Lach, Carbo a.

- Aggravation after sleep : Apis, Lach, Op.

- Metorrhagia at climacteric : Arg n, Lach.

- Complaints return annually : Ars a, Carb v, Lach, Sulph, Thuja.

- Intolerance of tight clothing around the waist : Bov, Calc c, Lach, Sulph, Sep.,

- Headache at climacteric : Cact, Glon, Lach.

- Palpitation-day and night; worse when walking and lying on left side : Cact, Lach.
- Pains go from left to right side : Colch, Lach, Ipec.
- Lach-skin is cold and clammy; Croth-skin is cold and dry.
- Constant prostration with extraction of tongue like a snake : Cup m, Lach.
- Flushes of heat at climacteric : Amyl n, Bell, Gon, Lach.
- Skin very sensitive to touch : Cinch, Hep s, Lach.
- Involuntary sighing : Ign, Lach.
- Croup worse on lying down : Aral, Lach.
- Heart: as if suspended by a thread : Kali c, Lach.
- Post climacteric diseases of women : Kreos, Lach.
- Throat: sensitive to touch externally : Lach, Lac c.
- Sensation as if breath would leave her when lying down: must get up and walk : Am c, Grind, Lach, Lac c.
- Left sided complaints : Lach, Lil t, Thuja.
- Diphtheria, worse after sleep and from hot drinks : Lach.
- Diphtheria, worse from sleep and cold drinks : Lyco.
- Diphtheria, cannot drink hot fluids : Phyt, Lach.
- Menstrual pains better when flow begins : Lach, Mag phos, Zinc.
- Constriction and inertia of bowels with ball like stools : Lach, Med.
- Burning of hands and feet, wants them uncovered and fanned-Lach, Med, Sulph, Phos, Sang, Sanic.
- Headache: as of a heavy weight pressing upon the head at every step-Cact, Glon, Lach, Meny.
- Suffering during climacteric : Murex, Lach, Sep, Sulph.
- Tongue mapped, with red insular patches, like ringworm on sides: Ars a, Lach, Nat m, Merc , Nit ac, Tarax.
- Vanishing of thoughts; does not recognise well known streets : Can l, Lach, Nux m.
- Patient awakened with dry tongue : Lach, Nux m.
- Hastens suppuration : Hep s, Lach, Merc, Phyt, Sil.
- Diphtheria: especially of throat, goes from left to right side : Lach, Lac c, Sabad.
- Dyspnoea develop during sleep or sleeps into the attacks : Lach, Samb.

- Haemorrhagic diathesis, bleeding for weeks: Lach, Phos, Sec c.
- Worse after sleep or sleeps into aggravation : Lach, Spong, Apis, Op, Stram.

- Disposed to talk continuously : Cic, Lach, Stram.
- Fears the terrific suffering from exhaustion on awaking : Lach, Syph.
- bluish colour of abscess, whitlow, boils : Lach, Tar c.
- Dropsy after scarlatina : Apis, Hell, Lach, Tereb.
- Vertigo on closing eyes : Therid, Lach, Thuj.
- Jealous : Apis, Hyos, Lach, Staph.

Causes & diseases

- Injuries, sprains.
- Grief, sorrow, fright, vexation, jealousy, disappointment in love, mental emotions.

- Suppressed menses.
- Alcohol.
- Climacteric.
- Loss of vital fluids.
- Onanism.
- Poisonous wounds, postmortem-room wounds.
- Malaria, suppressed malaria, Quinine.
- Typhoid.
- Diphtheria.
- Typhus.
- Apoplexy.
- Epilepsy.
- Erysipelas.
- Schizophrenia.

- AFFINITIES; Mind, Nerves: vasomotor, Pneumogastric sympathetic, cutaneous, Blood, Circulation, Heart, Throat, Female organs (ovaries), Vertex, Left side; than right, Females.

Complaints & characteristics

- Fever: annual; every spring; intermittent; remittent; typhoid; typhus; malaria; with stupor; with muttering delirium; with trembling tongue, falling of lower jaw; with jaundice; with cold perspiration; with great debility.

- Diseases begin on the left side, and go to the right side: Tonsillitis, Diphtheria, testicular and ovarian affections, chest affections.
- Great sensitiveness to touch: throat, stomach, abdomen.
- Intolerance of tight bands about neck or waist.
- All symptoms especially mental worse after sleep or aggravation wakes him up from sleep; sleeps into aggravation.
- Headache: of drunkards, haemorrhoidal patients, prone to apoplexy or erysipelas congestive; pressing or bursting pain in temples; worse from motion, pressure, stooping, lying, after sleep; dreads to go to sleep because she awakens with such a headache.
- Diphtheria: left sided; goes from left to right side; worse after sleep; from warm drinks; swallowing fluids than solids; dark purple appearance; with prostration out of all proportion to appearance of throat.
- Rush of blood to head from mental emotions; after alcohol; suppressed menses; at climacteric.
- Weight and pressure on vertex: like lead in occiput.
- Burning vertex.

Generals & modalities

- Warm blooded persons, worse from heat, in summer, warm room.
- Extremes of heat or cold cause great debility.
- Unhappy, distressed, anxious, sad; worse in morning on walking.
- Persons of melancholic temperament; disposition to low spirits and indolence.
- Thin and emaciated persons.
- Those who have been changed both mentally and physically by their illness.
- AGGRAVATION; Morning, Heat; Spring; Summer; Sun; Room; After sleep, sleeps into aggravation, during sleep, Left side, In the spring cloudy weather, Warmth: bath, hot drinks, Swallowing, Empty; Liquids, Pressure or constriction, Climaxes, Closing eyes, Sensitive to: slight touch or pressure of clothes; Neck, waist Nose,
- AMELIORATION; Open air, Hard pressure, Bathing part, Appearance of discharges (Free secretions) Cold drinks.

Lac caninum

- Synonyms : Bitch milk.
- Preparation : Triturations are prepared from bitch milk from which higher potencies are prepared in alcohol.

- Proved by Reising, Bayard, Swan and Berridge.

Indications

- IT IS A DEEP ACTING ANTIPSORIC REMEDY.

- 1. Who are very forgetful and absent minded; make purchases and walk away without them. (Agn c, Anac, Caust, Nat c).

- 2. Who cannot concentrate the mind to read or study; in writing use too many words or not the right ones; omits final letter or letters in a word.

- 3. Who are nervous, restless, highly sensitive organisms.

- 4. Who are despondent, hopeless; think their disease incurable; have not a friend living; nothing worth living for; could weep at any moment (Act r, Aur, Clac c, Lach).

- Chronic blue condition, every thing seems dark.

- 5. Who are cross, irritable.

- 6. Who fear to be alone; of dying; of becoming insane; of falling down stairs.

- 7. Who are disposed to attacks of rage, cursing, swearing at slightest provocation.

- 8. Who are very hungry; as hungry after eating as before. (Casc, Calc c, Cina, Lyc, Stront).

- 9. Who are highly sensitive to touch especially the sexual organs are easily excited from touch, pressure, or friction by walking (Cinn, Coff, Mur ac, Plat).

- 10. Child : cross irritable; cries and screams all the time especially at night. (Jal, Nux v, Psor).

- It is a SPECIFIC remedy for the following conditions:

- 1. Hysteria: feels as though snakes were on her back; with very strange symptoms; feels walking in air; while lying does not seem to touch the bed; very sensitive to touch; erratic pains; breasts sore and swollen before and during menses; passes gas from vagina; constant urging to urinate; irritable bladder.

- 2. Rheumatism: pains wander from side to side and go back to the first side; from below upwards; erratic; constantly flying from one part to another; and finally affecting the heart.

- 3. Sore throat: begins as a tickling sensation of a lump; suddenly shifts to the other side; changes side in a few hours or days; throat sensitive to touch externally; constant inclination to swallow, painful, almost impossible; pains extend to ears (Hep s, Kali bi); and cough are apt to begin and end with menstruation.

- 4. Diphtheria: symptoms change repeatedly from side to side; shining glazed appearance of diphtheritic deposit; paralysis, post-diphtheritic.

- 5. Nasal catarrh: coryza with discharge of thick white mucus; alternating nostrils; discharge acrid, nose and lips raw.

- 6. Backache: intense, unbearable, across suprasacral region, extending to right natis and right sciatic nerve; worse by rest and first motion; spine from base of brain to coccyx very sensitive to touch or pressure.

- 7. Breasts inflamed, painful, worse by least jar; must hold them firmly when going up or down stairs.

- 8. Serviceable in almost all cases when it is required to dry up the milk.

- 9. Palpitation violent when lying on left side, better turning to right side.

- 10. Erratic type of symptoms. Constantly flying from one part to another.

- DOSAGE : 30 and highest potencies.

- REPETITION : It generally acts best in single and high potency.

- DURATION OF ACTION : Not definite.

Comparison

- Illusion of a mouse running from under her hair : Actr, Aethusa, Lac c.

- Deficient secretion or suppression of milk in nursing women: Asaf, Lac c, Lac d, Agn.

- Irresistible desire to curse and swear : Anac, Lac c, Lit t, Nit ac.

- Pain suddenly migrating from one part to another: Apis, Kali bi, Lac c, Puls, Mag phos, Mang, Phyto.

- Imagines he is hovering in the air like a spirit : Asar, Lac c, Val.
- Stoppage of nose, with constant blowing of nose changing sides at short intervals : Am c, Bor, Lac c, Plumb.

- Very forgetful : Anac, Kali brom, Lac c, Lyc, Plumb.
- Breasts sore, hard and painful before and during menstruation: Con, Lac c, Kali c, Merc.

- Diphtheria from the onset tends to malignancy: Diph, Lac, Mer cy.
- Laryngeal diphtheria : Chlor, Diph, Kali bi, Lac c.
- Great prostration in epidemic influenza : Eupat perf, Lac c.
- Breasts swollen, nipples painful and tender : Con, Helon, Lac c.
- As soon as he falls asleep the breathing stops: Am c, grind, Lac c,

Op.

- Bearing down sensation in abdomen and pelvis: Lac c, Lit t, Mure x, Sep.

- Sore throat with constant desire to swallow : Lac c, Lyss, Merc.
- Menses: preceded by sore throat : Mag c, Lac c.
- Passes gas from vagina : Lac c, Lyco, Nux m.
- Constant desire to move but motion aggravates pains : Lac c, Merc,

Phyt.

- Breast: hard as old cheese, neither heals nor suppurates: Bry, Lac c, Phel, Phyt.

- Symptoms constantly changing : Lac c, Puls, Sanic.

Causes & diseases

- Breast painful Chancre.
- Diphtheria.
- Dysmenorrhoea.
- Gonorrhoea.
- Headache.
- Leucorrhoea.
- Neuralgia.
- Ovarian affections.
- Rheumatism.
- Sciatica.
- Sore throat.
- Ulcers.
- Uterine affections.

- Vaccinosis.
- Warts.
- Backache; intense, unbearable, across suprasacral region, extending to right natis and right sciatic-nerve; worse by rest and on fast moving (Rhus t).
- Spine aches from base of brain to coccyx, very sensitive to touch or pressure (Chin s, Phos, Zinc).
- When walking on air; when lying does not seem to touch the bed (Asar).
- Pain in back worse stooping; better leaning back.
- Diphtheritic paralysis.
- Hysteria with strange symptoms.
- Hypersensitive to touch.
- Constant urging to urinate; irritable bladder.
- Pain in ovaries better the flow of bright red blood.
- Membranous dysmenorrhoea.

- AFFINITIES; Mind, Nerves, Throat, Female organs, Breasts,
- Complaints & characteristics
- Symptoms, erratic pains constantly flying from one part to another (Kali bi, Puls); Changing from one side to another coming back to the first side; in few hours or days.
- Coryza with discharge of thick white mucus.
- Nasal catarrh alternate from one side to another.
- Discharge acrid, nose and lips raw (Arum t, Ceba).
- Diphtheria and tonsillitis; symptoms change from one side to the other repeatedly Sore throat and cough are apt to begin and end with menses; yellow white patches; pains shoot to ears.
- Throat sensitive to touch externally (Lach), constant inclination to swallow, painful, almost impossible (Merc).
- Pains extend to ears (Hep, Kali bi). begin on left side (Lach).
- Shining, glazed appearance of diphtheritic deposit, chancre and ulcer.
- Sinking at epigastrium; faintness in stomach.
- Menses: too early; too profuse; flow in gushes bright red and stringy.

- Breasts swollen, painful, sensitive before and during menses. (Con).
- Sensation as if breath would leave her when lying down; must get up and walk (Am c, Grind, Lach).
- Palpitation violent when lying on left side, better turning on right side (Tab).
- Breasts: inflamed, Painful worse by least jar and towards evening, must hold them firmly when going up or down stairs (Bry) Serviceable in drying up milk (Asaf).

- Sexual organs easily excited from touch.

- Erratic symptoms.

Generals & modalities

- Nervous, restless, highly sensitive persons.
- Absent minded; very forgetful; makes purchases and walks away without them.
- In writing uses too many words or not the right words; omits final letter or letters in a words; cannot concentrate the mind to read or study; very nervous.
- Despondent, hopeless; thinks his disease incurable; has not a friend living; nothing worth living for; could weep any moment.
- Cross, irritable; child cries and screams all the time, especially at night.
- Fears to be alone; of dying of, becoming insane; of falling down stairs.
- Chronic blue condition; every thing seems so dark that it can grow no darker.
- Attacks of rage, cursing and swearing at slightest provocation.
- Intense ugliness; hateful.
- Very hungry, cannot eat enough to satisfy; as hungry after eating as before (Casc, Calc c, Cina, Lyc, Stront).
- Allergy to milk.
- AGGRAVATION; & Drunks Touch, Jar, During menses, Morning one day, next day evening (Eup per).
- AMELIORATION; Open air.

Lac vaccinum defloratum

- Synonyms : Skimmed cow's Milk.

- Preparation : Dilutions are prepared in alcohol from which higher potencies are prepared.

- Proved by Dr. Laura Morgun under Dr. Swan. Clinically proved by Dr. S.K. Ghosh of Calcutta.

Indications

- It is a SPECIFIC remedy for the following conditions:

- 1. Complications of pregnancy.

- (a) Vomiting obstinate.

- (b) Acidity after conception.

- (c) Constipation.

- (d) Neuralgias with frequent and profuse urination.

- (e) Headaches.

- (f) Renal colic.

- (g) Gall bladder colic: jaundice; liver enlarged and tender.

- 2. Complications of Diabetes:

- (a) Hyperglycaemia.

- (b) High blood pressure.

- (c) albuminuria.

- (e) constipation.

- (f) Asthenia.

- (g) Neuritis.

- 3. Headache : menstrual; periodical; intense throbbing; begins in forehead, extends to occiput, in morning on rising, with nausea, vomiting, blindness; with obstinate constipation (Spig, Iris, Sang); worse noise, light, motion (Mag mur, Sil); better tight bandage (Arg n, Puls), with great prostration, copious pale urine.

- 4. Constipation: with ineffectual urging (Anac, Nux v); faeces dry and hard (Bry, Sulph); with great straining; obstinate; with lacerated anus, painful extorting cries.

- 5. Globus hystericus: sensation of a ball rising from stomach to throat, nausea, vomiting, diarrhoea, itchy eruptions.

- 6. Allergy to milk: in children; causing increased susceptibility to cold, nausea, vomiting, diarrhoea, itchy eruptions.

- 7. Nutritional and metabolic disorders: obesity or emaciation.

- 8. Suppression of menses: from putting hands in cold water; drinking a glass of milk.

- DOSAGE : 30 to 1 M.

- REPETITION : Single dose is the rule; may be repeated when the symptoms call for it.

Comparison

- Deficient secretion or suppression of milk in nursing women : Agn c, Asaf, Lac c, Lac d.

- Blindness precedes the attack of headache : Gels, Kali bi, Lac d, Psor.

- Sight returns as headache increases : Lis, Nat m, Lac d.

- Coryza from putting hands in water : Lac c, Phos.

- Obstinate constipation-Lac c, Lac d, Syph, Tub.

- Headache with blindness and obstinate constipation-Spig, Iris, Sang.

- Headache during menses : Lac d, Kreos, Sep.

- Globus hystericus : Asaf, Kalmia, Lac d, Thyr.

- Bad effects of loss of sleep : Cocc, Lac d, Nit ac.

Causes & diseases

- Rheumatic pains, neuralgic pains, better from warmth.

- Acidity.

- Constipation.

- Diarrhoea from milk.

- Asthma with cardiac dyspnoea, dropsy.

- T.B. lungs with deposits in apices.

- Suppressed malaria.

- Gall bladder colic.

- Renal colic.

- Diabetes mellitus with high blood pressure; emaciation; neuritis; albuminuria.

- Sciatica.

- Metabolic diseases, mal-assimilation, nutritional deficiencies, allergy to milk.

- Car sickness.

- Blindness.

- obstinate constipation.

- Obesity:

- Fatty degeneration.

- Advanced albuminuria.
- Bright's disease.
- Fainting spells.
- Heart affections.
- Defective lactation.
- Anaemia.
- AFFINITIES; nutrition Blood, Heart, Head (left), Thigh (outer).

Complaints & characteristics

- Headache: periodical menstrual, with copious flow of urine; with nausea and vomiting; dim vision before headache; with pulsations in temples; better from tight bandage, pressure, rest, lying down, with obstinate constipation; worse from least motion, light noise, milk.
- Nasal catarrh from cold; allergy to milk.
- Vertigo: on turning in bed, on moving the head on pillow.
- Globus hystericus sensation of a large ball rising from stomach, to throat causing sense of suffocation.
- Vomiting of pregnancy: with acidity and constipation; with colics (Gall bladder), renal colics; with rheumatic and gouty pains: with polyuria; with jaundice; excessive vomiting; with complications.
- Leucorrhoea: profuse; yellow, worse before and after menses.
- Suppression of menses from cold.
- Palpitation from least excitement of exertion.
- Pulsations of the heart and flushes of heat in the left side of the face and neck.
- Short dry cough: worse in cold air or cold room.
- Skin: sensitive to cold: wants to bathe with hot water he peptic eruptions; itching of skin; burning after scratching.

Generals & modalities

- Chilly patient: susceptible to cold.
- Infants are susceptible to mild.
- Susceptible to wet weather.
- Aversion to work.
- Sad , weepy, desires death.
- Depression.
- AGGRAVATION; Cold wet, Least cold, Draft, Milk, Loss of sleep, Weekly.

- amelioration; Warmth, Rest, Lying down, In a dark room, Pressure of bandage.

Laurocerasus

- Synonyms : Cherry laural.
- Source : It is a plant belonging to the natural order of Rosaceae.
- Habitat : It is indigenous to Europe and America.
- Preparation : Mother tincture is prepared from the young fresh leaves.

- Proved by Jorg, Hartamb.

Indications

- It is a CONSTITUTIONAL remedy for patients who suffer from:
 - 1. Lack of reaction to well selected homoeopathic remedies, the improvement is partial and temporary.
 - 2. Lack of vital heat; body is cold due to feeble circulation, feeble pulse, cyanosis, cold tongue subnormal temperature, but averse to warm covering (Sec c).
- It is a SPECIFIC remedy for the following conditions:-
 - 1. Heart failure: due to the abuse of digitalis in maximum doses.
 - 2. Cyanosis neonatorum with asphyxia.
 - 3. Feeble heart: feeble, irregular pulse; cold skin; cyanosis; suffocation; worse sitting up; wants open air, relief from lying down; cardiac cough; constriction in larynx; fainting spells; numbness of parts pressed upon; slightest exertion aggravates all symptoms; clubbing of fingers.
 - 4. Suppression or retention of urine associated with cardiac failure.
 - 5. Paralysis from feeble circulation of blood.
 - 6. Cholera infantum: with green watery stools; when drinks gurgle down the oesophagus and there is general coldness, blueness and fainting spells.
 - 7. Complaints from deep sorrow or fright.
 - 8. Spells of profound sleep, with snoring and stertorous breathing. (Op).
 - 9. Chorea after every excitement.
 - 10. Haemorrhage at climacteric.
- DOSAGE : 3rd to 200 c.

- REPETITION : In constitutional conditions single dose of high potency is the rule.

- In case of feeble heart a few doses of low dilutions are useful.

Relationship

- ANTIDOTES : Camph, Coffea, Ip, Op.

- COMPATIBLE : Bell, Phos, Puls, Verat a.

Comparison

- Lack of reaction : Ambr, Am c, Calc, Caps, Carb v, Crot h, Con, Gels, Hell, Hydr ac, Laur, Med, Olnd, Op, Phos ac, Psor, Sulph.

- Asthma dyspnoea, worse from sitting up; better from lying down: Laur, Psor but Psor is worse from open air where as Laur is better from open air.

- Coldness of body but does not want to be covered: Am c, Camph, Laur, Led . Sec c.

- Lack of vital heat: Led, Laur, Sep, Sil.

- Asphyxia neonatorum : Ant t, Camph, Laur, Op.

- Asphyxia with cholera : Hydr ac, Laur.

- Laryngismus stridulus : Ign, Gels, Laur, Spong.

Causes & diseases

- Heat failure due to abuse of Digitalis.

- Complaints from deep sorrow or fright.

- Chorea after every excitement.

- Lock jaw.

- Disorders of vision.

- Cholera infantum with green watery stool; when drinks gurgle down the oesophagus and there is coldness, blueness and fainting spells.

- Suppression or retention of urine.

- Involuntary urination.

- Mitral regurgitation.

- Whooping cough with feeble heart.

- Cyanosis neonatorum.

- Paralysis of limbs, with feeble circulation.

- AFFINITIES; Mind, Brain, Nerves, Heart, Circulation, Throat. (Gullet)

Respiration, Chest.

Complaints & characteristics

- Coldness of body; but external heat is objectionable (Am c, Camph, Led, Sec c).

- Fainting spells with twitching of the limbs, gasping for breath.
- Spells of profound sleep with snoring or stertoroid breathing.
- Must lie down in spells of suffocation's; but dry hacking cough comes on as soon as he lies down.

- Stupefying pains in the head with pulsation's.
- Mouth and tongue dry; tongue cold and numb, stiff and swollen.
- Spasmodic contraction of throat and oesophagus.
- Drinks roll audibly down the oesophagus and through the intestines.

- Emptiness in stomach after eating (Dig), as if he is still hungry.
- Loathing of food; vomiting of food with cough.

- Violent pain in stomach with cold skin, cramps in stomach.
- Pain in liver as though an abscess were forming.
- Urinary complaints associated with cardiac troubles, as palpitation, suffocation, fainting spells.

- Menses: with fainting and coldness; pain in sacrum; profuse and thin.

- Clamateric with dark and clotted haemorrhage.
- Heart troubles with constriction of larynx.
- Laryngismus stridulus.
- Feeble heart: with irregular circulation, fluttering heart, blue cold skin, feeble pulse; lying ameliorates the oppression.
- Cardiac cough; clutching of heart with palpitation.

Generals & modalities

- Lack of reaction.
- Want of animal heat.
- Face is blue, sudden, bloated, expressionless, jaundice.
- Formication of the face.
- AGGRAVATION; From warm covering, Closed room, Sitting up, Exertion cold.
- AMELIORATION; Lying down, Open air, Eating, Lying with head low, Hand over heart, Sleep.

Ledum palustre

- Synonyms : Wild rosemary.
- Source : It is a plant belonging to the natural order of Ericaceae.
- Habitat : It is indigenous to the damp regions of Northern Europe, Canada and U.S. A.
- Proved by Hahnemann and Dr. Teste.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Who are full-blooded and plethoric, of a robust character, they have red faces, are fleshy and strongly built; predisposed to haemorrhages. (Kent)
 - 2. Who are chilly during acute diseases (chronic diseases-Psor).
 - Lack of animal or vital heat; feel cold all the time.
 - 3. Though parts are cold to touch but not cold subjectively to the patient.
 - 4. Broken down constitutions by alcohol; with craving for whisky.
 - It is a SPECIFIC remedy for the following conditions:
 - 1. Black eye: ecchymosis of lids and conjunctiva, from injury to eye from a blunt weapon; boxing or blow on the eye.
 - 2. Haemorrhage into anterior chamber of eye after iridectomy operation.
 - 3. Punctured wounds by a needle, nail, awl or any sharp instrument.
 - 4. Insect bite from: bees, wasp, mosquitoes, scorpion, rat or cat.
 - 5. Long remaining discolouration after injuries; black or blue.
 - 6. Easy spraining of ankles and feet (Carb an).
 - 7. Gout: begins in lower limbs and ascends; joints become seat of nodosities and "gout stone"; which are painful; after abuse of colchicum.
 - 8. Rheumatism: pains are sticking, tearing throbbing; worse by motion; at night; by warmth of bed and covering (Merc, Puls); better or relieved by holding feet in ice water (Puls, Sec c).
 - Affects left shoulder and right hip joints.

- 9. Ball of toes painful, swollen, tendon stiff, worse on stopping and walking.

- Pain in heels as if bruised.

- 10. Swelling: of feet, upto knees; of ankle with unbearable when walking, as from a sprain or false step.

- DOSAGE : 3rd to 200th potency.

- REPETITION: Single dose.

- DURATION OF ACTION: 30 days. (Clarke)

Relationship

- REMEDY THAT PRECEDES WELL : Arn.

- REMEDIES THAT FOLLOW WELL : Acon, Bell, Bry, Chel, Nux v, Puls, Rhus t, Sulph.

- INCOMPATIBLE : Chin.

- ANTIDOTES : Camph.

- REMEDY ANTIDOTES : Apis, Chin, Whisky, Alcohol, Insect poison.

- BOYD'S DRUG GROUP : V.

Comparison

- Conjunctival or retinal haemorrhage, with extravasation from injuries or cough : Arn, led.

- Bloody nocturnal emission : Canth, Led, Merc, Petr, Sars.

- Joints weak; easily sprained by slight exertion : Carbo an, Led, Nat c, Nat m.

- Intense soreness after injuries : Arn, Calend, Ham, Led.

- Punctured wounds : Hyper, Led.

- Gout and rheumatism: Led, Kalm, Rhod, Spig.

- Better from warm air but worse in warmth of bed : Mag c, Led, Merc.

- Gout of great toe with fibrous deposit often mistaken for bunion: Colch, Led, Rhod.

- Want of vital heat: Led, Sep, Sil; in acute diseases-Led; in chronic diseases-Sep, Sil, Psor.

- Pains in heels : Agar, Caust, Cycl, Led, Mang, Phyt.

Causes & diseases

- Abuse of alcohol.

- Punctured wounds: by nails or pointed things.

- Bites and stings of rats, cats and insects.

- Injury to eye causing ecchymosis of conjunctiva or haemorrhage to interior chamber from a blow or iridectomy.
- Lingering black or blue discolouration of the parts after injury.
- Rheumatic and Gouty diathesis.
- Bad effects of Colchicum.
- Acute and chronic arthritis.
- Whitlow.
- Ascites.
- Asthma.
- Pimples on face.
- Carbuncles.
- Chronic bronchitis and emphysema the aged.
- Prevents tetanus (Hypr).
- AFFINITIES; Fibrous tissues: Joints (small); Tendons: Eyes; Heels: Ankles, Capillary, Circulation, Skin: Lungs, Periosteum, Blood, Nerves, Left side.

Complaints & characteristics

- Diagonal complaints, left shoulder and right hip.
- Affected parts tend to emaciate.
- Rheumatism or gout begins in feet and goes upwards.
- Ball of great toe swollen and painful on walking.
- Ankles pain easily (Carb an).
- Heels painful as if bruised.
- Soles painful and sensitive, can hardly step on them (Ant cr, Lyco, Sil).
- Intense itching of feet and ankles, worse from scratching and heat of bed (Merc, Puls, Rhus)
- Warmth of bed intolerable on account of heat and burning of limbs.
- Swelling of feet upto knees: with unbearable pain when walking as from a sprain.
- Joints become the seat of nodosities and "Gout stone" which are painful.
- Pains are sticking, tearing, throbbing; rheumatic, worse by motion; at night, by warmth of bed and bed covering (Merc); relieved only when holding feet in ice water (Sec c); can sleep only after a cold both.

- Red pimples or tubercles on forehead and cheeks as in brandy drinkers, stinging when touched.
 - Great coldness and chattering of teeth during fever.
- Generals & modalities
- Chilly.
 - Lack of vital heat in acute diseases.
 - Though chilly, yet he cannot bear Warmth of bed which aggravates his symptoms; great general coldness not relieved by heat.
 - AGGRAVATION; Warm covers; Warmth of bed, Motion, Alcohol (wine), Night, Scratching at night, Lying down. & cough), Injury, Eggs.
 - AMELIORATION; Cold bath, When holding feet in ice water, Cool air, Lying down (suffocation.), Eating (headache).

Lilium tigrinum

- Synonyms : Tiger lily.
- Source : It is a plant commonly grown in gardens. It belongs to the natural order of Liliaceae. It was introduced to West from China and Japan.
- Preparation : Tincture of fresh stalk, leaves and flowers is prepared in alcohol, from which higher potencies are prepared.
- Proved by Dr. William e. Payne of Maine in 1867, under the guidance of Dr. Carrol Dunham.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Who are profoundly depressed in spirits, can hardly avoid weeping, worse from consolation.
 - 2. Who are tormented about their salvation with uterine troubles.
 - 3. Who are fearful and very timid but indifferent about what is being done for her.
 - 4. Who are disposed to curse, strike, and think of obscene things; mental symptoms alternate with uterine complaints.
 - 5. Who are listless yet cannot sit still: restless yet does not want to walk; must keep busy to repress sexual desire.
 - 6. Who are afraid of being alone; fears she is incurable; fear of some impending calamity or diseases; fear insanity; fear of heart disease.

- 7. Who desire to do things in a hurry, yet has no ambition, displays aimless hurried motion.
- 8. Who is warm blooded, worse in warm room and better in fresh air and rest.
 - It is a SPECIFIC remedy for the following conditions:
 - 1. Mental diseases : insanity, melancholia, hysteria; with feelings of tormentation about their salvation; disposed to curse, swear and foul language; impulsive, wants to do things in a hurry, is aimlessly busy; weeps easily; with uterine disease; worse when alone.
 - 2. Uterine diseases : prolapse, retrogression, anti-version, involution with bearing down sensation; mental symptoms; palpitations; headaches, constipation; constant desire to defecate or urinate.
 - 3. Nymphomania : must keep busy to repress sexual desire.
 - 4. Cardiac troubles; with extremely rapid heart beat, 150 to 170 beats per minute; with sharp pain in left chest, awakens at night; pulsations over whole body as if blood would burst through the vessels; palpitation; fluttering; faint and anxious feelings; sensation as if heart was grasped in a vice; fear of incurable heart disease; worse lying on either side; inability to walk erect.
 - 5. Melancholia : with profound depression of spirits, can hardly avoid weeping very timid and fearful; despair from recovery; despair of salvation.
 - 6. Pains in small spots; after constantly shifting pains.
 - 7. Haemorrhoids: after delivery, sore to touch; protruding with burning.
 - 8. Dyspnoea in warm room and feels suffocated in a crowded room, church or theatre.
 - 9. Ailments from sexual excesses; sexual excitements, causing confusion of mind with palpitation. (Kent).
 - 10. Menstrual irregularities with irritable heart; menses flow only when moving about; ceases to flow when ceases to walk.
 - DOSAGE : Middle and higher potencies. 30c (Clarke).
 - REPETITION : Single dose.
 - Takes along time to act and show its action; watch the action of the remedy for one to two weeks, (Boericke).

Relationship

- ANTIDOTES: Platina, Nux v.

Comparison

- Bearing down pains as if every thing would come out: Bell, Kreos, Lit t, Sep.

- Bearing down pains in uterus : Agar, Bell, Cham, Cimic, Lit t, Murx, Nat c, Plat, Sabin, Sec c, Sep, Stann.

- Bearing down pains during : Bell, Lit t, Puls, Sep.

- Pressing on vulva ameliorates : Lit t, Murx, Sep.

- Nymphomania : Hyos, Lach, Lil t, Orig, Plat, Stram, Ster r.

- Fear of insanity : Calc c, Cann l, Cimic, Lil t, Manc, Puls, Sep, Lac c.

- Despair of religious salvation : Ars a, Aur, Lach, Lit t, Verat a.

- Laustful : Canth, Hyos, Lach, Lilt, Orig, Phos, Pic ac, Plat, Staph.

- Pulsatilla : Warm blooded, worse in warm room, crowded room, desire for company.

- Argent nit : Aimless hurried motion; impulsive, wants to do things in a hurry; anxious, irritable, nervous. (Aur, Lit t).

- Aur Met: Prolapse from weight of uterus; Lit tig-prolapse from relaxation of ligaments.

- Helonias: Profound melancholy with uterine disease, (Lil t).

- Pyrogen: Pulse abnormally rapid, out of all proportion to temperature (Lil t).

- Kali bichrom : Pains in small spots; constantly shifting. (Lil t, Ign).

- Cactus: Sensation as if heart was grasped in a vice. (Carb ac, Lil t, Sulph).

- Anacardium O: Disposed to curse, and swear (Lil t, Lac c, Nit ac).

- Lachesis : Left sided complaints. (Thuj, Lil t).

- Sepia : Bearing down pains, must support the parts from prolapse, with aversion to sex (Lil t-has nymphomania).

- Lycopodium : Solitude is unbearable, wants company (Kali c, Lil t).

- Causticum : Menses only during day, cease lying (Cact, Lil t).

- Crocus sat : Nervous or menstrual headache before, during and after flow (Lach, Lil t, Sec c).

Causes & diseases

- Angina pectoris with pain in right arm.

- Heart affections.

- Asthenopia.

- Astigmatism.
- Diarrhoea.
- Dysentery.
- Hysteria.
- Affections of ovaries and uterus.
- Pruritus vulva.
- Frequency of urination.
- antiversion
- Sub-involution.
- Prolapse of uterus.
- Displacements.
- Uterine fibroids.
- Nymphomania.
- AFFINITIES; Female, Organs, Heart, Circulation, Nerves, Rectum;

Bladder.

Complaints & characteristics

- Complaints of the left side of the body (Ceonanth; Lach, Ox ac, Thuj).
- Pain in small spots; constantly shifting (Kali bi).
- Frequently urging to urinate; if desire is not attended to sensation of congestion in chest.
- Bearing down sensation; in abdomen and pelvis, as though all organs would escape (Lac c, Sep); better supporting vulva with hand; with palpitation.
- Menses: early, Scanty, offensive; flow only when moving stops walking (Caust).
- Sensation as if heart was grasped in a vice (Cact), as if blood had all gone to the heart; feels full to bursting; inability to walk erect.
- Pulsations over whole body, and full distended feeling as if blood would burst through the vessel (Aesc).
- Palpitation: fluttering; faint, hurried, anxious sensation about apex; sharp pain in left chest, awakens at night; irregular pulse.
- Extremities cold and covered with cold sweat; worse after eating, lying on either side.
- Rapid heart beat, 150 to 170 per minute; out of proportion to temperature.

- Constant desire to defecate and urinate with prolapse uterus, from pressure in rectum.

- Weak and atonic condition of ovaries, uterus and pelvic tissues, resulting in anteversion, retroversion, subinvolution (Helen, Sep); Slow recovery after labour; nearly always with constipation, from inactivity.

- Burning palms and soles accompany other complaints. (Sulph).

Generals & modalities

- Tormented about her salvation (Lyc, Sulph, Verat a); with uterine or ovarian troubles.

- Consolation agg.

- Profound depression of spirits, can hardly avoid weeping; is very timid and fearful; in different about what is being done for her.

- anxious about the disease; fears the symptoms indicate an organic affection; marked in both sexes.

- Disposed to curse, scanty, dark, strike; to think obscene things. (Anac, Lac c); alternates with uterine irritation Listles, yet cannot sit still; restless yet does not want to walk; must keep busy to repress sexual desire.

- Desire to do something in hurried manner, yet has no ambition; aimless hurried motion (Arg n).

- Fears being alone, of insanity; of heart disease; fears she is incurable; some impending calamity or disease.

- AGGRAVATION; Consolation, Warm room, Standing.

- AMELIORATION; Fresh air, Rest.

Lobelia inflata

- Synonyms : Indian tobacco.

- Source: It is a plant belonging to the natural order of Lobeliaceae.

- Habitat : It is indigenous to India, Canada and Southern U.S. A.

- Preparation : Mother tincture is prepared from the fresh plant in alcohol.

- Proved by Dr. Jeanes of U.S. A.

Indications

- It is a CONSTITUTIONAL remedy for patients:

- 1. Who are allergic to tobacco.

- 2. Fleshy people with light hair, blue eyes and fair complexion.

- 3. Who cannot bear even a soft pillow over sancrum.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Bad effects from alcohol, tea, tobacco.
 - 2. Ailments with deathly nausea, vomiting, cold sweat and great prostration.
 - 3. Nausea and vomiting of pregnancy; morning sickness; agg from smell and sight of food (Ars a, Colch, Sep); with profuse flow of saliva.
 - 4. Asthma : spasmodic with dyspnoca, suffocation and oppression of chest; in fleshy and fat people; better by walking (Fer m).
 - 5. Ailments : with sensation as if thousands of needles were pricking her skin within outward (Clarke).
 - 6. Foreign bodies in larynx or oesophagus.
 - 7. Remove poisons lodged in stomach by producing vomiting, (Clarke).
 - 8. Remove adynamic condition after producing vomiting and extreme prostration; found useful for pulmonary tuberculosis, whooping cough, migraine, angina pectoris, scanty and irregular or delayed menses, hysteria, loss of appetite. (Clarke).
 - 9. Removes spasmodic condition of urethra to allow sound passed with ease in old gonorrhoeal cases. (Clarke).
 - 10. Rigid os accompanied by dyspnoea with labour pains.
- DOSAGE : Mother tincture to 30th.
- REPETITION : May be repeated in lower potencies.
- DURATION OF ACTION : Short.

Relationship

- ANTIDOTED by Ipecac.

Comparison

- Sudden pallor with profuse sweat: Lob, Tab.
- Bad effects after drunkenness and debauch : Agar, Lob, Nux v, Ran.
- Debauchers of a thin, irritable, nervous disposition; prone to indigestion and piles : Nux v.
- Debauchers with light hair, blue eyes : Lob.
- Vertigo with nausea : Ant cr, Cocculus, Lob.
- Sudden pallor with profuse sweat : Tab, Lob.
- Extreme nausea and vomiting: Ant t, Ipec, Lob.

- Extreme nausea and vomiting with profuse cold sweat on face: Lob, Tab, Verat a.

- Dyspnoea from constriction in chest: Ars a, Phos, Lob.

Causes & diseases

- Ailments from suppressed discharges.

- Suppressed eruptions.

- Asthma: millers: nervous; spasmodic; preceded by formication; with constriction of throat; with gastric derangements; with nausea, vomiting weak stomach, vertigo and cold knees; amelioration by walking.

- Pulmonary tuberculosis.

- Whooping cough.

- Migraine.

- Scanty and delayed menses.

- Body ice.

- Psoriasis.

- Angina pectoris.

- Gastric troubles with profuse salivation; and nausea.

- Effort to move=fainting.

- Rapid movement=dyspnoea and suffocation.

- Going up or down the stairs egg dyspnoea.

- Cold egg dyspnoea.

- Morning sickness of pregnancy.

- Alcohol, tobacco, tea.

- Wetting feet.

- Suppression.

- AFFINITIES; Vasco-motor, Nerves, Stomach, Respiration, Secretions, Heart, Epigastrium.

Complaints & characteristics

- Gastric derangement: extreme nausea and vomiting; morning sickness.

- Spasmodic asthma: without cough or expectoration.

- Whooping cough with dyspnoea, threatening suffocation.

- Headache: gastric with nausea, vomiting and great prostration; following intoxication; worse afternoon until midnight; sudden pallor with profuse sweat.

- (Tab) worse from tobacco.
- Vomiting: face bathed with cold sweat; of pregnancy; profuse salivation; (Lac ac); at night (Merc); chronic with good appetite; with nausea, profuse sweat and marked prostration.
- Faintness, weakness of an indescribable feeling at epigastrium, from excessive use of tea or tobacco.
- Dyspnoea: from constriction of middle of chest; worse with every labour pain, seems to neutralise the pains; worse by exposure to cold or slightest exertion, going up or down stairs (Ipec).
- Sensation of congestion, pressure or weight in chest, as if blood from extremities was filling it, better by rapid walking.
- Sensation as if heart would stand Still; deep seated pain at base, (at apex-Lil t.).
- Sacrum: Extreme sensitiveness; cannot bear the slightest, touch, even of a soft pillow; sits leaning forward to avoid contact with clothes.
- Vertigo with nausea (Anvor, Coccul), sensation as if thousands of needles were pricking her.

Generals & modalities

- Fleshy people.
- AGGRAVATION; Cold bathing, Suppressions, Slightest motion, Touch, Cold, Tobacco, (Ign), Exertion, Sleep; After.
- AMELIORATION; Chest pain by walking rapidly, Eating a little.

Lycopodium clavatum

- Synonyms : Club moss; Wolf's foot.
- Source : It is small plant growing in hilly pastures and heaths in all parts of the world; belonging to the natural order to Lycopodiaceae.
- Preparation : Trituration of spores of the moss with sugar of milk up to 12x, from which higher potencies are prepared in alcohol.
- Proved by Dr. Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Infants; baby cries all day, sleeps all night; constipated; red sand on child's diaper; child cries before urinating.
 - 2. Children: weak, emaciated; with well developed head but puny sickly bodies; waking at night feeling hungry.
 - Irritable; peevish and cross on waking; ugly, kick and scream; easily angered; cannot endure opposition or contradiction; seek disputes; are beside themselves.
 - 3. Woman; weeps all day, cannot calm herself; very sensitive; even cries when thanked; constipation since puberty; since last confinement; dryness of vagina; burning during and after coition; physometra; foetus appears to be turning somersaults.
 - 4. Man : dread of men, of solitude; fear of being alone; irritable and melancholic; avaricious, greedy, miserly, malicious, pusillanimous.
 - Complexion pale; dirty, unhealthy, sallow, with deep furrows, looks older than he is.
 - Impotence of young men, from sexual excess; penis small cold, relaxed; old men with strong desire but imperfect erections; falls asleep during an embrace; premature emissions.
 - 5. Extremes of life, children and old people; predisposed to lung and liver affections.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Ailments: affecting right side or extending from right to left side; worse from 4 to 8 P.M. ; better from warm food and drinks; from uncovering the head; loosening the garments; deep seated, progressive, chronic diseases; with canine hunger, headache if he does not eat.

- 2. Ailments from fright, anger, mortification, vexation with reserved displeasure.

- 3. Impotence in young men from onanism or sexual excesses.

- 4. Bad effects of onions, bread, wine, spirituous liquors, tobacco smoking and chewing.

- 5. Diphtheria: right sided; goes from right to left; descends from nose to right tonsil; worse after sleep and from cold drinks.

- 6. Catarrh: dry nasal; nose stopped at night, must breathe through the mouth; snuffles; Child starts from sleep rubbing his nose; catarrh of root of nose and frontal sinuses; with formation of crusts and elastic plugs.

- 7. Malarial fever: with sour vomiting between chill and heat.

- 8. Acid dyspepsia : with sour eructations, heartburn, water brash and sour vomiting.

- 9. Flatulence: excessive; fullness not relieved by belching; a few mouthfuls fill up to the throat, and he feels bloated distention especially in lower abdomen.

- 10. Pneumonia: with fan like motion of alae nasi; twitching of forehead, affecting base of right lung and difficult expectoration; neglected or maltreated.

- 12. Hernia: right hernia : right sided, especially in children.

- DOSAGE : Lowest to highest potencies.

- REPETITION : For purposes of aiding elimination the 2nd and 3rd attenuations of the tincture, a few drops 3 times a day, have proved affections (Boericke).

- Higher potencies act well in single dose.

- DURATION OF ACTION : 40 to 50 days (Clarke).

Relationship

- COMPLEMENTARY REMEDIES : Graph, Chel, iod, Lach, Med.

- REMEDIES THAT PRECEDE WELL : Calc c, Carb v, Lach, Sulph.

- REMEDIES THAT FOLLOW WELL : Anac, bell, Bry, Colch, Dulc, Hidr, Hyos, Kali c, Nux v, Phos, Puls, Sep, Sil, Stram.

- A dose of Carb v every 8th day facilitates action of Lyc.

- incompatible REMEDIES : Coff.

- ANTIDOTES : Acon, Camph, Caust, Cham, Op, Graph, Puls.

- REMEDY ANTIDOTES : Chin.

- BOYD'S DRUG GROUP : V.

Comparison

- Anger from contradiction : Aur, Ign, Lyc, Sep.
- Desires company: Arg n, Ars a, Bism, Hyos, Kali c, Lac, Lyc, Phos.
- Confusion in warm room : Lyc, Puls.
- Cowardice: Gels, Lyc.
- Raving delirium: Agar, Bell, Canth, Hyos, Lyco, Nit ac, Op, Sep c, Stram, Verat a.
 - Fear of being alone : Arg n, Ars a, Hyos, Kali c, Lyc, Phos.
 - Fear of men : Lyc, Nat c, Hyos, Rhus t.
 - Forgetful : Bar c, Cocc, Lyc, Merc, Petr, Ph ac, Phos, Anac, Kali br, Lac c, Glon; of words while speaking-Arn, Cann l, Lyc, Med, Nat c, Sep, Stram.
 - Complaints from fright : Acon, Ign, Lyc, Nat m, Op, Phos, Puls, Sil.
 - Lamenting : Aur, Lyc, Verat a, Verat v; about future-Lyc.
 - Mistakes in writing : Lach, Lyc, Thuja; confounding letter- Lyc.
 - Alternating moods: Alum, bell, Bov, Ferr m, Ign, Iod, Lyc, Plat, Sars, Sul ac, Zinc.
 - Changeable or variable mood : Ign, Lyco, Nux m, Puls, Sars, Zinc.
 - Ailments from mortification : Coloc, Ign, Lyc, Nat m, Ph ac, Staph.
 - Mental symptoms from sexual excesses: Clac c, Lyc, Nux v, Ph ac, Phos, Sep, Staph.
 - Shrieking during sleep : Borax, Lyc, Apis, Puls, Zinc.
 - Shrieking before urination : Borax, Lyc.
 - Weeping aloud : Lyc; weeping from joy-Coff; weeping from music-Graph; weeping when telling of her sickness-Puls, Sep; weeping when thanked: Lyc.
 - Has to read a sentence twice before he can comprehend : Agn c, Lyc, Phos ac, Sep.
 - Constipation of old people : Alum, Op, Lyc.
 - Hemipia : sees only the left half : Lith c, Lyc.
 - Gouty nodosities : Benz ac, Berb v, Led, Lith c, Lyc, Caul, Colch.
 - Fan like motion of alae nasi : Ant t, Brom, Lyc.
 - Impotence : with mental depression; relaxed penis, with sexual desire and excitement : Calad, Calc, Lyc, Sil.
 - Satiety after a few mouthfuls : Cycl, Lyc.
 - Vomiting sour, acid : Fer m, Lyc, Sul ac.

- Chronic hypertrophic tonsillitis with hardness of hearing : Bar c, Hep s, Lyc, Plumb, Psor.
- Tormented about her salvation : Lil t, Lyc, Sulph, Ver a.
- Affections of right side of the body : Bell, Bry, Chel, Kali c, Mag p, Lyc, Pod.
- Ravenous hunger immediately after eating : Cina, Lyc, Med, Psor.
- Cough with blood daily at 4 P.M. : Millef, Lyc.
- Diarrhoea from oysters : Brom, Lyc, Puls.

Causes & diseases

- Tobacco chewing and smoking.
- Spirituous liquors.
- Wine.
- Oysters.
- Onions.
- Fright.
- Anger.
- Mortification.
- Vexation.
- Reserved displeasure.
- Anxiety.
- Masturbation.
- Overlifting.
- Riding in a carriage.
- Malarial miasm.
- Deep seated, progressive chronic diseases.
- Skin prone to inter trigo during dentition (Causticum).
- Chronic hypertrophic tonsilitis with hardness of hearing.
- (Bar c, Hep s, Plumb, Psor).
- Physometra (Lac c, Lyc, Nux m).
- Dandruff, hair fall out in clouds (Phos).
- Hair, dry, lusterless, tangle easily, glue together. (Psor).
- Arthritic nodosities of joints, especially of the fingers (Caul, Colch, Staph).
- Soreness in folds of skin (Sulph).
- AFFINITIES; Brain, Sex organs, Digestive tract; Urinary tract, Lungs, Liver, M.M. , Skin, Throat, Nutrition,

Complaints & characteristics

- Baby cries all day sleeps all night.
- Complaints are right sided; extend from right to left.
- Pneumonia: right sided; with deep furrows on forehead: fan like motion of alae nasi.
- Sunffles: stoppage of Nose, breathes through mouth (Am c, Hep s, Nux v, Samb).
- Diphtheria, Tonsillitis; right sided, extending from right to left; worse from cold drinks and on walking in the morning.
- Acid dyspepsia with sour vomiting.
- (Fer m, Sulph ac).
- Disorders of appetite with easy satiety; flatulence; a few mouthfuls fill up to the throat; fullness not relieved by belching (Cinch).
- Headache if he does not eat; waking at night feeling hungry.
- Constipation: of infants and old people; with ineffectual urging.
- Right sided hernia in children; right sided renal colic; right sided pain extending to left side.
- Red sand in urine: child carries before urinating; pain in back relieved by urinating.
- Impotence of young men; from onanism or sexual excesses; old men with strong desire but imperfect erections; premature emissions; relaxes penis with sexual desire and excitement.
- Foetus appears to be turning somersaults.
- One foot hot the other cold.
- Sour vomiting between chill and heat.
- Colic at 4 P.M. (Coloc).
- Coition prevented by dryness of vagina (Lyco, Nat m).
- Constipation; painful, of infants and children; after Lyco and Nux v fail, give Verat a).

Generals & modalities

- Children weak emaciated with well developed head but puny, sickly bodies; precocious weakly children.
- Complexion pale dirty, unhealthy sallow, with deep furrows on forehead, looks older than he is.
- Thin withered, full of gas.

- Lack of vital heat.
- Avaricious, greedy, miserly, malicious, pusillanimus.
- Irritable; peevish and cross on walking; ugly, kicks and screams; easily angered; cannot endure opposition or contradiction; seeks disputes; is beside himself, weeps all day, cannot calm herself; very sensitive even cries when thanked.
- Dread of men; of solitude; irritable and melancholic; fear of being alone (Bism, Ars, Kali c, Lil t, Lac, Phos).
- Absent minded, reduced power of insight, cannot recollect; has to read a sentence twice before he can comprehend (Agn c, Phos ac, Sep).
- Tormented about her salvation (Lil t, Sulph, Verat a).
- Ravenous hunger immediately after eating (Cina, Med, Psor).
- Loss of memory (Anac, Lac c, Kali br, Nux m).
- AGGRAVATION; Pressure of cloths 4 to 8 p.m. , Eating; ever so little, on awaking (temper, cough), Cold drinks (diphtheria), Warmth (headache), Lying on right side (liver) troubles), Bread, Wind.
- AMELIORATION; Loosening the clothing, Warm drinks, Passing urine (Pain in back), Damp weather (Rheumatism), Erections, Motion.

Lyssinum

- Synonyms : Hydrophobinum; Saliva of a rabid dog.
- Preparation : Trituration of the drops of saliva of a rabid dog is prepared with sugar of milk
- Proved by Dr. C. Hering in 1833.
- Indications
 - It is a SPECIFIC remedy for the following conditions:
 - 1. It acts as a preventive for hydrophobia.
 - 2. Headaches: from bites of dogs whether rabid or not, worse by noise of running water or bright light.
 - 3. Diabetes: with constant desire to urinate on seeing running water.
 - 4. Prolapse uteri : chronic.
 - 5. Ailments : with tough, ropy, viscid, frothy saliva in mouth and throat with constant spitting (Hydr).
 - 6. Ailments of persons who cannot bear heat of sun. (Glon).

- 7. Ailments worse from the sight, sound of running water or pouring water.

- 8. Ailments with fear of becoming mad after dog bite.

- DOSAGE : 30 to 1M potencies.

- REPETITION : Single dose or when the symptoms call for it.

Relationship

- REMEDIES THAT PRECEDE WELL : Arg n, con, Gels, Hyos, Stram, Lach.

- REMEDIES THAT FOLLOW WELL : Gels, Nat c, Nat m, Lach.

- ANTIDOTES : Agave, Cocc, Nux v.

- The remedy antidotes the effects of bite of non-rabid animals.

Comparison

- Cannot bear heat of sun : Ant a, Gels, Glon, Lach, Lyssin, Nat m.

- Vertigo as and when crossing a bridge : Ferr m, Lyssin.

- Sore throat with constant desire to swallow : Lyssin, Lac c, Merc.

- Aggravation from looking at bright shining objects : Bell. Lyssin,

- Constant desire to urinate on seeing running water : Canth, Lyssin,

Sulph.

- Consciousness of a womb, feels it move when she moves, it is so sore and tender: Helon, Lys, Murex.

- Bluish discolouration of wounds : Lach, Lyssin.

- Tough, stringy saliva : Hydr, Lyssin, Kali bi.

- Dryness of vagina, Painful during coition : Lyc, Lyssin, Nat m.

- Extreme sensitiveness of vagina : Plat, Thuj.

- During pregnancy : unable to drink water : sight of it causes vomiting; must close her eyes while bathing : Lyssin, Phos.

- Idiopathic or traumatic tetanus; brought on or worse by slightest breath of air from a person passing : Hyper, Lyssin, Nux v, Physos, Strych.

Causes & diseases

- Abnormal sexual desire.

- Convulsions from dazzling or reflected light from water or mirror; from even thinking of fluids; from slightest touch or current of air.

- Headache from bites of dogs, whether rabid or not.

- AFFINITIES; Nerves, Throat, Sexual organs, Kidneys.

Complaints & characteristics

- Cannot bear heat of sun.

- Bluish discolouration of wounds.

- Saliva : tough, ropy, viscid, frothy in mouth and throat with constant spitting. (Hydr).
 - Sore throat, constant desire to swallow (Lac c, Merc).
 - Difficulty in swallowing, even spasms of oesophagus from swallowing liquids; gagging when swallowing water.
 - Constant desire to urinate on seeing running water (Canth, Sulph).
 - Urine: Scanty, cloudy, containing sugar.
 - Prolapse uteri sensitiveness of vagina, rendering coition painful.
 - Pouring water aggravates all complaints.
 - Fear of becoming mad, Lysophobia.
 - Mental emotions or mortifying news always makes him worse.
- Generals & modalities
- AGGRAVATION; Sight or sound of water, Bright, dazzling light, Heat of sun, Carriage riding, Drafts.
 - AMELIORATION; Banding Backward, Gentle Rubbing.

Magnesium carbonicum

- Synonyms : Carbonate of Magnesia. Formula - $MgCO_3 \cdot 3H_2O$.
 - Source : It is a chemical compound of magnesium and carbonic acid. It is available in the market.
 - Preparation : Triturations are prepared with sugar of milk; from which higher potencies are prepared.
 - Proved by Dr. Hahnemann.
- Indications
- It is a **CONSTITUTIONAL** remedy for persons:
 - 1. Infants: of phthisical tendency going towards marasmus, with sour smell from the body; milk passes undigested as such; green water, frothy like a frog pond's scum; milk disagrees.
 - 2. Children: of tubercular parentage; inordinate craving for meat; having white putty like stools.
 - 3. Women: with menstrual disturbances : menstrual flow only at night or when lying, ceases when walking; acrid, dark, pitch like blood, difficult to wash; preceded by sore throat.
 - 4. Persons worse from change of temperature; worse from warmth of bed.
 - It is a **SPECIFIC** remedy for the following conditions:

- **1. Acidity**; heartburn; sour belching, sour eructations and sour vomiting; sour vomiting of pregnancy; when crude magnesia has been used to neutralise acidity by allopaths.
- **2. Colic** : spasmodic affections of stomach and intestines with increased secretion from mucous membranes.
- **3. Pains**: neuralgic, lightning-like, insupportable during rest, must get up and walk.
- **4. Toothache** during pregnancy; worse at night, sensitive teeth.
- **Ailments from** cutting wisdom teeth (Chionanthus).
- 5. Ailments : return every three weeks; worse during menses; worse from rest.

- **DOSAGE** : 3rd to 30 c.
- **REPETITION** : Single dose.
- **DURATION OF ACTION** : 40 to 50 days (Clarke).

Relationship

- **COMPLEMENTARY REMEDY** : Cham.
- **REMEDIES THAT FOLLOW WELL** : Caust, Phos, Puls, Sep, Sulph.
- **ANTIDOTES** : Ars a, Cham, Merc, Puls, Nux v, Rheum.

Comparison

- **Feels better in open air**: Acon, Alum, Mag c, Puls, Sab.
- **Nose bleed** : when washing the face : Am c, Mag c.
- **Menses flow only at night** : Bov, Mag c.
- **When lying down** : Kreos, Mag c.
- **Diarrhoea of children** with sour smell : Calc c, Hep s, Mag c.
- **Menstrual blood dark, clotted, difficult to wash** : Med, Mag c.
- **Child has a sour odour despite** careful washing: Hep s, Mag c,

Rheum, Sulph ac.

Causes & diseases

- After **abuse of crude magnesia**, potentised Mag c removes the acidity of stomach.
- **Tubercular diathesis in children.**
- **Marasmus of children.**
- **Hernia.**
- **Prolapsus.**
- **Toothache of pregnancy.**
- **Nausea and vomiting of pregnancy.**

- Bony tumours; soft and cystic.
- Ailments from cutting wisdom teeth.
- Effects of shocks, blows or mental distress.
- Corneal ulcers leaving corneal opacities.
- Cataract.
- Pyorrhoea.
- Epileptiform convulsion or spasm.
- **CAUSATIONS**; Vexation.

- **Mental distress.**

- Shocks.
- Blows.
- Dentition,
- Cutting wisdom tooth.
- Pregnancy.
- Injudicious feeding.
- Milk=diarrhoea.
- Walking stops menstrual flow.
- affinities; Malar Bones, Nutrition, Digestive tract stomach;

Intestines; Liver, Nerves: dental; facial.

Complaints & characteristics

- **Diarrhoea**: preceded by cutting; doubling up colic; occurs regularly every three weeks; stools: green frothy, like scum of a frog pond; white tallow like masses are found floating in stool; the milk passes undigested in nursing children.

- **Pains**: neuralgic, lightning-like, worse on left side; insupportable during repose, must get up and walk (Rhus t).

- Left sided affections.
- (Lach, Lil t).
- Pain on vertex as if the hair were pulled (Kali nit, Phos).

- **Toothache**: during pregnancy; worse at night; roots of the teeth become painful with change of weather; before and during menses; the hollow teeth are very sensitive and painful.

- **Constipation**: has to strain to expel; stool large, dry and hard; crumbling unrefreshing sleep,

- The whole body feels tired and painful especially the legs and feet; aching restlessness.

- Spasmodic affections of stomach and intestines (Col, Mag phos); increased secretions from mucous membranes.

Generals & modalities

- **Child**: tendency to go into marasmus; does not thrive inspite of feeding; phthisical; sour smell of whole body; inordinate craving for meat; milk is not digested, passes as such in the stool or in the form of soft white putty; green frothy, like scum on a frog pond; emaciation on the back of head as from atrophy of cerebellum.

- **Girls**: face pale, waxy, sickly and sallow; muscles are lax; get tired and sweat easily; disturbed in every change of weather; worse at the beginning of menses; cold in heat with menses or coryza;

- **Menses**: preceded by sore throat; labour like pains; cutting colic; backache; weakness and chilliness;

- Flows only At night or When lying, ceases when walking (Am m, Kreos) acrid,, dark, pitch like; difficult to wash off.

- **Worn-out women**: nervousness induced by excess of the cares and worries of life; bad effects of mental distress and shock; due to exhausted nerves; sensitive, spare and thin.

- Sensitive, spare and thin.

- Sensitive to cold winds and cold weather.

- Persons of irritable disposition, nervous temperament, sensitive, lax fibbers, exhausted nerves.

- **AGGRAVATION**; Night, Rest, Noise, Cold drafts, Colds winds; drafts Change, of weather, Milk, Strachy food, After fruits, Artificial foods, From uncovering, Eating warm food, Kneeling aggravates vertigo.

- **AMELIORATION**; Motion, Walking about, Open air, After eating warm soup, Flow of menses.

Magnesium muriaticum

- Synonyms : Chloride of Magnesium. Formula $Mg Cl_2$.

- Source : It is a chemical compound made up of Magnesium and Chlorine.

- Preparation : Magnesium chloride is Soluble in water; the potencies are prepared from the solution or trituration with sugar of milk.

- Proved by Dr. Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for:

- 1. Children; puny, rachitis; crave sweets; during dentition cannot digest milk; worse immediately after eating; much sweating of head.

- 2. Girls and women: hysterical; loss of smell and taste; oversensitive to noise; eructations like rotten eggs; lack of sensation that the urinary bladder is full or she is passing water; great excitement at the menstrual periods; palpitation and cardiac pain while sitting, better by moving about; arms "go to sleep" when waking in the morning; having ovarian or uterine disorders.

- 3. Persons : worse from sea or salt water bath; worse from going to sea; lying on right side; disposed to cold but feel better in open air; rest aggravates, motion ameliorates.

- It is a SPECIFIC remedy for the following conditions:

- 1. Headache; bursting; sensitive to noise, worse motion, open air; better tight bandaging the head, from lying down, every six weeks.

- 2. Stomach disorders; bad taste, continual rising of white froth into the mouth; eructations tasting like rotten eggs; indigestion for milk.

- 3. Liver disorders: enlarged, tender on pressure; worse lying on left side; sensation of liver being dragged while lying on right side; pressing pain in liver, when walking.

- 4. Constipation: of infants during dentition; stools large and hard, difficult to pass; crumpling at the verge of anus.

- DOSAGE : 3rd to 200 C.

- REPETITION : Single dose.

- DURATION OF ACTION : 40 to 50 days (Clarke).

Relationship

- REMEDIES THAT FOLLOW WELL : Bell, Lyc, Nat m, Nux v, Puls, Sep.

- ANTIDOTES : Ars a, Camph, Cham.

- BOYD'S DRUG GROUP : V.

Comparison

- Stools crumble from the verge of anus: Am m, Mag m, Nat m, Sanic.

- Stoppage of right nostril or first right then left with constant blowing of the nose : Am c, Borax, Lac c, Mag m.
- Great sensitiveness to noise : Ign, Mag m, Nux v, Ther, Nit ac.
- Sick headache worse from noise, light motion : Lac def, Mag m, Sil.
- Great tendency of head to sweat : Calc c, Mag m, Sil, Sanic.
- Headache better from pressure and wrapping up warmly : Mag m, Sil, Stront c.
- Leucorrhoea after menses for 3 to 4 days : Bar c, Bov, Mag m, Con.
- Menses causing hysteria : Act r, Caul, Mag m.
- Pain in liver worse from lying on right side : Mag m, Merc, Kali c.

Causes & diseases

- Complaints from going to sea.
- (opp or Brom - when they come on shore).
- Congestion of chest from sea bathing.
- Fissures burn like fire.
- Tape worms.
- Hysterical and spasmodic troubles Toothache unbearable when food touches the teeth.
- Pain in liver: pressing with tenderness; when walking; large; hard.
- Constipation: stool large, hard, difficult to pass; crumbling at the verge of anus.
- Palpitation and cardiac pains while sitting, agg by moving about.
- Menses with great excitement; flow black clotted; spasms and pains worse on back when walking; extend into thighs.
- Metrorrhagia: worse at night in bed with hysterical symptoms.
- Leucorrhoea: after exercise; with every stool; with uterine spasm.
- affinities; Nerves, Liver, Digestion, Uterus, Rectum, Women.

Complaints & characteristics

- Anxiety: in the room; at night; on bed on closing the eyes; repetition of thoughts; better in open air.
- Vertigo: in morning on rising; better from walking in open air.
- Headache is better from wrapping up the head (Sil) with tight bandage (Arg n, Lac def, Puls); every 6 week.
- Jaundice worse in warm room; better by open air.
- Disordered stomach eructations tasting like rotten eggs; water-brash, vomiting; inability to digest milk.

- Liver troubles: right lobe of liver sore painful on lying on right side; he is uncomfortable by lying on left side; sensation as if liver is dragged to left side.

- (Nat s, Ptelea).
- Great flatulence with colics.
- Constipation of infants, during dentition.
- Chalky stools.
- No power to expel the contents of bladder; lack of sensation of fullness of bladder or passing of urine.
- Bearing down pains in hysterical girls and women.
- Shocks through the body, like electric shocks; twitching and jerking, cramps in calves at night.
- Burning of the soles at night.
- Foot sweat.
- Numbness of arms in morning on awaking.

Generals & modalities

- Chilly but desires open air.
- Persons subject to indigestion.
- Children: during dentition are unable to digest milk; milk passes undigested in stools.
- Children: puny rachitic, crave sweets.
- Hysterical girls and women: sensitive to noise; with uterine troubles.

- AGGRAVATION

- Sea: bathing or with salt water, going to sea.
- Lying on right side warm room, pressure on liver.
- Closing the eyes.
- Immediately after eating.
- amelioration; In headache, pressure or tight bandage over head, Motion, Open air cool (except in headache), Hard pressure Lying Bent, Hanging down.

Magnesium phosphoricum

- Synonyms : Magnesium Phosphate, Phosphate of Magnesia.
- Formula $Mg HPO_4, 7H_2O$.

- Source : Two parts of sulphate of magnesia are dissolved in 32 parts of distilled water, mixed with a solution of three parts of phosphate of Soda in 32 parts of distilled water and set aside to crystallize, the salt separates in the course of 24 hours in crystals of prisms and needles. Magnesia phos can be purchased from a chemist shop in pure form.

- Preparation : This salt is triturated with sugar of milk to prepare decimal triturations, according to the rules of homoeopathic pharmacy.

- Proved by Dr. W.H. Schuster and Drs. W.P. Wesselhoeft and J.A. Gann of U.S. A.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Who are thin, emaciated and highly nervous.
 - 2. Who are chilly: are afraid of cold air, cold bathing and uncovering worse from cold air, cold draft, cold bathing and washing; better from warmth and pressure.
 - 3. Who are languid, tired, exhausted; unable to sit up.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Affections of right side of the body; head, ear, face, chest, ovary, sciatic nerve.
 - 2. Ailments of teething children; spasms or convulsions without fever.
 - 3. Headache: begins in occiput and extends over head (Sang, Sil); of school girls; face red flushed; from mental, emotional exertion or hard study; worse 10 to 11 A.M. or 4 to 5 P.M. , better from warmth and pressure.
 - 4. Neuralgia: of face, supra or infra orbital; right sided; intermittent, darting, cutting; worse from cold air; better from warmth and pressure.
 - 5. Toothache; at night; rapidly shifting; worse from eating, drinking, especially cold things; better from warmth and pressure.
 - 6. Pains: sharp, cutting, stabbing; shooting, stitching, lightning like in coming and going; intermittent, paroxysm becoming almost unbearable, driving patient to frenzy; rapidly changing place; with constricting sensation; cramping; in neuralgic affections of stomach abdomen and pelvis.
 - 7. Spasms or cramps of stomach, with clean tongue; as if a band was drawn tightly around the body.

- 8. Colic: flatulent, forcing patient to bend double; better from warmth, pressure and rubbing; of cows and horses when Colocynth fails.
- 9. Dysmenorrhoea: worse before menses; better after flow; pains darting like lightning, shooting; right sided; better from warmth and pressure.
- 10. Cramps: of extremities; during pregnancy; of writers, piano or violin players.
- DOSAGE: Schussler recommends 6x trituration.
- Dr. J.C. Morgan advises 30 x in water and frequent doses in colic.
- Even in C.M. Potency it works in dysmenorrhoea.
- REPETITION : Should be repeated frequently from half to one hour according to the acuteness of the disease.
- DURATION OF ACTION : Not definite.

Relationship

- Compatible remedies.
- M.P. and K.P. in Hysteria, Hydrophobia, Epilepsy, Mania.
- M.P. and C.P. in teething troubles, bone pains, convulsions during teething without fever.
- M.P. and N.S. in Biliary colic, flatulent colic, Flatulent constipation, Bilious vomiting, Asthma worse in damp weather, Chorea with constipation, Trembling of hand on writing.
- M.P. and K.M. in Dyspepsia, Hiccough, constipation, Diarrhoea, Asthma with gastric symptoms.

Comparison

- Right sided complaints: Bell, Bry, Chel, Kali c, Lyc, Podo.
- Pressure ameliorates: Bry, Chin, Colo, Con, Dros, Lil t, Mag Mur, Mag phos, Meny, Plumb, Puls, Sil.
- Warmth ameliorates : Ars a, Hep s, Kali ars, Kali c, Lyc, Mag phos, Nux m, Nux v, Rhod, Rhus t, Samb m, Sil Stront c, Zinc.
- Pains with constricting sensation : Cac, Iod, Mag p, Sulph.
- Cramping pains in abdomen and pelvis : Caul, Colocynth, Mag p.
- Pain rapidly changing place: Kali bi, Lac c, Puls, Mag p.
- Headache begins in occiput and extends over head : Mag p, Sang, Sil, Spig.
- Colic better from hard pressure: Colocynth, plumb, Mag p.

- Dysmenorrhoea better after flow begins: Mag p, Lach, Zinc.

Causes & diseases

- Exposure to cold wind Causes neuralgia of the face.
- Cramps from prolonged exertion.
- Stiffness, numbness awkwardness and deadness of a nerve from prolonged exertion.
- Violent cramps in dysentery and cholera.
- Brain troubles after suppressed diarrhoea.
- Complaints from standing cold water or working in cold clay.
- Ailments of teething children; spasms during dentition without fever.

- Headache from Mental exertion, hard study or emotion.
- After catheterization enuresis.
- Cramps during pregnancy, of writers. Piano or violin players.
- AFFINITIES; Nerves, Muscles, Face, Head, Right side.

Complaints & characteristics

- Infant's Clic, Convulsions during dentition without fever.
- Shooting pains along the nerves.
- Paroxysmal pains better by heat and pressure.
- Violent attack of headache better from pressure and warmth and in the dark room Spasms and jerking about the eyes producing strabismus.
- Violent supra and infraorbital pains better from warmth and pressure.
- Affections of right side of body; head, ear, face, chest, ovary, sciatic nerve.

- Pains sharp, cutting, stabbing, shooting stitching; lightning like in coming and going (Bell), intermittent, paroxysmal becoming almost unbearable, driving patient to frenzy; rapidly changing place (Lac c, Puls, Kali bi); with a constricting sensation (Cact, Lod, Sulph); cramping, in neuralgic affections of stomach abdomen and pelvis (Caul, Colo).

- Headache: begins in occiput and extends over head (Sang, Sil).
- Of school girls; face red flushed; worse 10 to 11 A.M. or 4 to 5 P.M. better by warmth and pressure.
- Toothache: at night rapidly shifting; worse from eating, drinking cold things, better by warmth.

- Menses : early, flow dark, stringy with premenstrual pains but relief after the flow; right sided, better from warmth and pressure.

- Enuresis: nocturnal; from nervous irritation; urine pale copious.

- Dysmenorrhoea: better after flow begins.

Generals & modalities

- Patients suffer from neuralgias, colic, spasms and nervous troubles and feel better from warmth and pressure.

- Great dread of cold air, or uncovering of touching affected part; of cold bathing or washing; of moving.

- Patient is languid, tired, exhausted; unable to sit up.

- Lack of vital heat.

- Persons thin, dark complexion and highly nervous

- AGGRAVATION; Lying on R. side periodicity, Cold air Cold draft, Cold bathing or washing, Motion, Milk, Touch, Night, Exhaustion.

- AMELIORATION; HAS BATHING, Bending double, Heat, Warmth, pressure, Rubbing.

Manganum-act. + -c. (old abbr.)

- Synonyms: Acetate or carbonate of manganese. Latin for Manganese. Mn.

- Source : It is a metal like iron found in mines in the form of manganese ore.

- Habitat : It is found in iron mines in association with iron.

- Preparation : Triturations are prepared from Manganous Acetate with sugar of milk, from which higher potencies are prepared.

- Proved by Dr. Hahnemann (of Mang acet and Mang mur), Dr. Lembke (of Mang mur and Mang acid) and Dr. H.C. Allen (of Kali permangan).

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:

- 1. Who are worse in cold damp weather; before a storm.

- 2. Who feel better on lying down, but when they get up all kinds of complaints appear again. (Kent).

- 3. Who are anxious, apprehensive, fearful and restless but perfectly comfortable while lying.

- They like to lie down always and become bed-ridden patients.

- Bed ridden women (Kent).
- 4. Who are irritable and low spirited like Sulph and Graph. (Kent).
- 5. Women at the climacteric period suffer from flushes of heat.
- 6. Boys when the voice is changing and especially when associated with catarrh and effort to clear the voice. (Pierce)
 - It is a SPECIFIC remedy for the following conditions;
 - 1. Disposed to anaemia, chlorosis, pernicious anaemia; becomes bedridden, pale, weak, emaciated; worse from exertion; scanty menses; loss of voice; headaches; ulcers.
 - Dysmenorrhoea of the anaemic.
 - History of delayed menses.
 - 2. Disposed to tuberculosis, tabes mesenterica with emaciation, enlargement of lymph glands, tubercular laryngitis; cough is ameliorated by lying down; all symptoms subside on lying down.
 - Laryngitis with rawness and soreness.
 - 3. Hoarseness from cold damp weather.
 - 4. Eye strain from sewing, reading fine print, (Ruta, Bry, Nat m).
 - 5. Ears: catarrhal condition with increasing deafness; pains from teeth or throat extend to ears; earache from cold and damp weather; paroxysmal cough from scratching the auditory canal; catarrh of the eustachian tube; stinging pains in the larynx that shoot to the ears. (Kent).
 - 6. Bruises that remain sore for a long time and Arnica fails are relieved by it.
 - 7. Bones sensitive all over after typhoid fever; bones are sore from walking.
 - 8. Articular rheumatism that shifts from joint to joint; crosswise; with aggravation of the pain at night.
 - Worse in cold damp weather. (Dulc, Rhod, Rhus t). (Pierce)
 - 9. Ulcers : worse from cold damp weather; better from bending double.
 - 11. Liver disorders: Gall- stone colic: worse from motion and exertion; in cold damp weather and better from bending double and lying down.
 - 12. Bowels are never regular; he has constipation or diarrhoea; passes much flatus with the stool.

- 13. Prolapse of rectum of uterus in weak anaemic women.
- 14. Hoarseness and loss of voice in cold damp weather; hems and hawks; constantly tries to clear the throat from accumulated mucus; rawness and soreness of throat; laryngitis (Arg m, Phos, Sil, Sulph).
- 15. Recurrent complaints.
- 16. Asthmatic persons allergic to feather pillow. (Boericke).
- DOSAGE: 3rd to 30th potency.
- REPETITION : May be repeated in lower potency till the reasons is observe. Single dose of high potency is the rule.
- DURATION OF ACTION: 40 days (G.M.)

Relationship

- REMEDIES THAT FOLLOW WELL : Puls, Rhus t, Sulph.
- REMEDIES THAT PRECEDE WELL : Arn m, Arg n, Phos, Sil.
- ANTIDOTES : Camph, Coff, Merc.

Comparison

- Pernicious anaemia : Ars a,. Mangan, Phos, Pic ac, Thyr.
 - Laryngeal tuberculosis: Arg n, Ars iod, Calc c. Caust, Dros, iod, Mang, phos, Selen, Spong, Stann, Tub.
 - Amelioration from lying down: Bell, Bry, Mangan, Nat m, Pic ac, Puls, Stann.
 - Ailments from cold wet weather: Calc c, Duls, Mangan, Merc, Rhus t.
 - Hot flushings at climacteric: Amyl n, Cimic, Glon, Ign, Lach, Mangan, Sang, Sep, Sulph, Sumbul.
 - Soreness: Arnica, Bapt, Bry, Caust, Chin, Crmic, Eup Perf, Nit ac, Nux v, Phyt, Mang, Rhus t, Ruta, Sil, Sulph.
 - No cough at night: Bry, Euphr, Mang.
 - Dysponoea ameliorated by lying down : Euphr, Mang.
 - Tendency to tuberculosis: Arg m, Graph, Mang, Phos, Stann, Dros, Cist c.
 - Irritable and low spirited : Graph, Sulph, Mang.
 - Gall Stone colic : Bell, Berb v, Calc, Card m, Cinch, Coloc, Ip, Lyc, Mang.
- #### Causes & diseases
- Cold damp weather.
 - Before storm.

- Climacteric.
- Eye strain.
- Typhoid sequelae.
- Colic.
- Tuberculosis.
- Pernicious anaemia.
- Rheumatism.
- Psoriasis.
- Periostitis.
- Rheumatism of feet.
- Gall stones.

- AFFINITIES; Eyes, Eustachian tubes, Inner ear, Trachea, Lower limbs, Periosteum, Joints, Skin, Ankles; shins, Blood, Gall bladder Head.

Complaints & characteristics

- Pains extend to ears from other parts.
- Painful deep soreness, when touched.
- Very sensitive bones.
- Flow of saliva with colic.
- History of first menses late.
- Raw dry larynx.
- Hoarseness and aphonia.
- Weak uncertain legs.
- Ulcers after fever.
- Pruritus of diabetics.
- Hot flushes of menopause.
- Exaggerated reflexes.
- Progressive para plegia.
- Wasting, feeble and staggering gait.
- Toothache: worse from any thing cold: pain extends to ears.
- Deafness worse in damp weather.
- Amenorrhoea or dysmenorrhoea of anaemic women.
- Gall stone colic.

Generals & modalities

- Pale, weak, sore, emaciated anaemic persons.
- Bed-ridden.

- Boys when the voice is changing asthmatic persons allergic to feather bed.
- AGGRAVATION; Varies with the weather Feather bed or pillow, Speaking, Reading, Reading, Laughing, Touch, Cold and damp Weather, Night, Change of weather.
- AMELIORATION; Lying down, Expectoration, Open air.

Medorrhinum

- Synonyms : Nosode of Gonorrhoea, Glinicum.
 - Source : Gonococcus obtained from acute stage of urethritis and chronic stage of gleet.
 - Preparation : Attenuation of the virus is prepared in water from which higher potencies are prepared.
 - Proved by Dr. Swan.
- Indications
- It is a nosode from Gonorrhoea.
 - It is an anti-sycotic and antipsoric remedy of deep and long acting nature.
 - It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Children: pale, rachitic; dwarfish and stunted in their growth; mentally full and weak; concentration difficult.
 - 2. Who cannot speak without weeping.
 - 3. Who are afraid of darkness; fear of insanity.
 - 4. Who have despair of recovery from their illness.
 - 5. Who become worse from thinking about their disease.
 - 6. Who suffer from the disease from day light to sun set (Opposite of Syph).
 - 7. Who feel better on lying on knee chest position, better at sea side, better in wet weather, better from lying on abdomen.
 - It is a SPECIFIC remedy for the following conditions:
 - 1. Fiery red rash developing about anus in babies a few days old. (Thomas Wildes).
 - Baby's water (urine) scalds terribly. (T. W).
 - 2. Cholera infantum with opisthotonos; vomiting and diarrhoea of extremely weak and emaciated children; foul smelling stool passed involuntarily; ichorous discharges from rectum.

- Acute bowel troubles of rickety children (Gilbert).
- 3. Mongolism of children; with history of gonorrhoea in parents; with characteristic symptoms of medorrhinum.
- Offensive body odours of sycotic children (Clarke); marasmus in infants (Kent).
- 4. Ailments of women whose breasts and nipples are very sensitive and sore to touch; breasts cold as ice especially the nipples, while the rest of the body warm especially during menses (H.C. Allen).
- 5. Ailments from gonorrhoea, suppressed gonorrhoea or inherited gonorrhoea; gonorrhoeal rheumatism, neuralgias, sciatica; infantile marasmus, enuresis, tendency for sciatica; infantile marasmus, enuresis, tendency for masturbation, backwardness; ovarian tumours, salpingitis, abortions, sterility, peritonitis; orchitis, condyloma, warts, gleet, impotency, sterility, epithelioma of wing of nose, lips, nasal polypi; asthma; skin diseases. (Kent).
- 6. Ailments with the following concomitant symptoms; burning of hands and feet, wants, them not only uncovered but fanned; enlargements of lymph glands; spinal curvatures or pronounced traces of rickets; insatiate craving for liquor which before she hated; with albuminuria with some pus cells: can pass stool by leaning far back, intense restlessness and fidgety legs and feet.
- 7. Sciatica: left sided; pain worse early morning; better at sea side.
- 8. Asthma: better from lying on knee-chest position; better when at sea side; during wet weather.
- 9. Renal colic with sensation of passing of calculus.
- DOSAGE : High and highest potencies.
- REPETITION : Single dose is the rule.
- DURATION OF ACTION : Not definite.

Relationship

- ANTIDOTES BY : Ipec, (dry cough).
- COMPATIBLE: Sulph.
- REMEDIES THAT PRECEDE WELL : Lycopodium, Thuja, Nat s, Sab, Sil.
- BOYD'S DRUG GROUP : VII.
- BOWEL NOSODE GROUP: Morgan.

Comparison

- Gonorrhoea suppressed : Agn c, Aur, Benz ac, Clem, Daph, Med, Merc, Mez, Nat s, Nit ac, Puls, Sars, Sep, Sulph, Thuja.
- Bubbling sensation in kidneys: bear v, Med.
- Surface cold to touch, yet cannot bear to be covered; throws off all coverings: Camph, Med, Sec c.
- Burning of soles at night, puts feet out of bed : Puls, Med, Sulph, Cham, Sang, Sanic, Lach.
- Menses: acrid, dark, pich like difficult to wash off: Mag c, med.
- Easily offended at trifles : Ign, Med, Petr.
- Unbearable pain at the conclusion of urination : Berb v, Equis, Med, Thuja, Sars.

Causes & diseases

- Suppressed or uncured gonorrhoea and its bad effects.
- Hereditary gonorrhoea.
- The following diseases in person having history of gonorrhoea; gout, rheumatism, neuralgic, diseases of spinal cord and meanings ending in paralysis.
- Cancer.
- Chronic diseases of women; ovaritis, salpingitis, pelvic cellulitis, fibroids, cysts and malignant growths of Ovaries and uterus.
- Mongolism.
- Cholera infantum.
- Pin worms.
- Sciatica.
- Deafness.
- Marasmus; pinning children; fiery red rash developing about the anus in babies a few days old.
- Scalding urine in babies.
- Glandular enlargements.
- Habitual abortions.
- Epithelioma of lips.
- Cauliflower like excrescences.
- Sterility.
- Pernicious anaemia.
- Warts.
- Condyloma.

- Cerebro-spinal meningitis.
- Disseminated sclerois.
- Tinea capitis with foetid ichor.
- Paralysis.
- Psoriasis palmaris.
- Rickets.
- Angina pectoris: pains from apex to base.
- AFFINITIES; Mind, Nerves, Blood, Sexual organs: breasts, nipples,

Meninges, Skin, Lips.

Complaints & characteristics

- Pains: arthritic, arthritic, rheumatic, due to suppressed gonorrhoea (Daph, Iod,, Clem); constricting, seem to tighten the whole body (Cact); sore all over as if bruised (Arn, Eupat).
 - Complaints better at sea side; rheumatism; excessive flatulence; skin troubles.
 - Complaints better in wet weather: Complaints better on lying on knee-chest position.
 - Asthma.
 - Complaints worse day light to sunset:
 - Pains.
 - Rheumatism: soreness of balls of foot under the toes.
 - Nocturnal enuresis: worse by overwork, over-play; extremes of heat and cold.
 - Breasts and nipples sore and sensitive to touch; cold as ice to touch, especially nipples, rest of the body Warm; during menses.
 - Asthma: better at sea side; in wet Weather; on knee, chest position and protruding tongue; can inhale, but no power to exhale.
 - Cough: from Sweats; worse lying on stomach; or on knee-chest position.
 - Complaints with burning of hands and feet, wants them uncovered and fanned.
 - Itching: not better by scratching; worse towards night; worse when thinking of it.
 - Masturbation in children.
 - Albuminuria when urine contains some pus well.
- Generals & modalities

- Children: pale; rachitic; dwarfish and stunted in growth. (Bar c).
- Mentally dull and weak.
- Craving for salt, ice, liquor, sweets cannot speak without weeping.
- Fear of darkness.
- Time passes too slowly.
- (Cann ind, Arg n).
- Fears going insane (Manci).
- Melancholy with suicidal thoughts.
- Loss of memory; loses thread of conversation.
- Hopeless of recovery.
- Difficult concentration.
- Illusions & delusions.
- AGGRAVATION; When thinking of the disease, Damp; cold-Touch, Early morning, 3-4 A.M. , Thunder storm before day light to sunset close room, Covering, Least movement, Desires, Sweets, Stretching out, Leaning head forward, Salt bath.
- AMELIORATION; Damp weather, Lying on stomach, Knee chest position, Sea sore, After sunset, Leaning far back (constipation)

Mercurius solubilis

- Synonyms : Merc Vivus-Hydrargyrum, Argentum vivum, Metallic mercury, Quick silver. Formula Hg. Solubilis Hahnemann. Merc oxydulatus niger. Black oxide of Mercury.
 - Mer Viv : Obtained from native mercuric sulphide found in mines.
 - Merc Sol : Devised by Hahnemann. By precipitating mercury from its solution in Nitric acid by means of caustic ammonia.
 - Preparation: Triturations are prepared with sugar of milk. Higher potencies are prepared from 3 C of each drug.
 - Proved by Merc Viv by Dr. C. Hering. Mere Sol by Hahnemann.
- Indications
- The pathogenesis of Mercury is found in the provings of Merc Viv and Merc Sol, two slightly different preparations, but not different enough to make any distinction in practice. (Kent).
 - It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Who are susceptible to cold damp weather.
 - 2. Who are sensitive to both cold and heat.

- 3. Who are aggravated from lying on right side.
- 4. Who have profuse salivation, wet the pillow in sleep; show imprints of teeth on the tongue; tongue is large and flabby.
- 5. Who have foul odour from mouth and body.
- 6. Who perspire easily and perspiration aggravates his symptoms.
- 7. Who suffer from great weakness and trembling from least exertion.
- 8. Who have a combination of the above symptoms.
- It is a SPECIFIC REMEDY for the following conditions:
 - 1. Abscess, aphthous stomatitis, balanitis, bone diseases, bobo, chicken pox, chancre, colds, condylomata syphilitic or gonorrhoeal, catarrh, dentitional troubles, diarrhoea, dysentery, dyspepsia, glandular swellings, gout, gum boil, heat affections, herpes, jaundice, lumbago, measles, phimosis, toothache, tremors, ulcers.
 - When constitutional characteristic or concomitant symptoms of Merc are present.
 - 2. Toothache: pulsating; shooting into face or ear; worse from cold water; worse at night with profuse salivation and spongy gums.
 - 3. Cough: dry and fatiguing racking; in two paroxysms worse at night; in the warmth of bed and lying on right side.
 - 4. Diarrhoea of infants: green stools; slimy and offensive; excoriating the anus.
 - 5. Dysentery: acute; stools bloody, slimy greenish; with pain and tenesmus; never get done feeling; with cutting colic; worse at night.
 - 6. Coryza : with sneezing; worse raw smarting sensation, profuse fluent; worse damp weather. (Boericke).
 - 7. Fever: great thirst with moist mouth; profuse perspiration with out relief; worse at night; in warm room and warm bed.
 - 8. Whooping cough with nose bleed. (Boericke).
 - 9. Syphilis: iritis; ulcers; primary and secondary syphilis with glandular enlargements; bone pains; worse at night and damp weather.
 - 10. Infective hepatitis: fever with profuse perspiration which does not relieve but aggravates; with jaundice; excessive salivation with thirst; worse lying on right side; sensitive to both heat and cold.
 - Icterus neonatorum.

- 11. Paralysis agitans, chorea, parkinsonian disease, tremors and nervous debility with other characteristic symptoms of Merc.
- 12. Otitis: with thick yellow, foetid discharge; ruptured drum; worse at night and warmth of bed.
- 13. Leucorrhoea: acrid, burning, itching; with rawness; pruritus worse from contact of urine which must be washed off.
- Specific or non-specific vaginitis with greenish excoriating discharge. (G.R.).
- 14. Urinary troubles: constant desire, but little urine passed; must urinate at least every hour, day and night with burning in urethra on beginning to urinate; urine passes involuntarily if he does not hurry. (G.R.)
- 15. It has affinity for diseases of glandular organs; parotid, tonsil, liver, spleen and kidneys; worse at night and warmth of bed; with excessive salivation; tongue having imprints of teeth.
- DOSAGE : Low potencies hasten suppuration.
- High potencies abort suppurations; give better results in gastrointestinal disorders.
- REPETITION: Single dose is the rule in chronic cases.
- After every stool in dysentery.
- Repetition at interval of few days in syphilitic disorders.
- DURATION OF ACTION : 1 to 3 days.

Relationship

- COMPLEMENTARY : Badiaga, Kali iod (syphilis).
- REMEDIES THAT PRECEDE WELL : Bell, Hep s, Lach, Sulph.
- REMEDIES THAT FOLLOW WELL : Bell, Shin, Dulc, Hjep s, Nit ac, Sulph.
- ANTIDOTES : Aur - suicidal mania, caries of bones especially of patella and nose.
- Hep s- Mental symptoms.
- Nit ac - Bone pains, periostitis, ulcers of throat.
- Chelidonium- chronic salivation, Kali iod-syphilitic affections and mercurialism, repeated nasal catarrh.
- Asaf - extreme sensitiveness, bone affections. Bell-abuse of merc.
- Carbo veg-abuse of merc.
- Chin- ptyalism.

- Iod-glandular enlargement.
- Lach-metrorrhagia.
- Lyco-metrorrhagia.
- Maz-neuralgias.
- Staph-depressed system, spongy gums, ulcers on tongue.
- REMEDY ANTIDOTES: Ant cr. Ars a.
- BOYD'S DRUG GROUP : VIII.
- BOWEL NOSODE GROUP : Gaertner.

Comparison

- Tongue: Large, flabby, shows imprints of teeth: Chel, Podo, Rhus t, Merc, Hydr.,
- Mapped tongue: Ars a, Lach, Nat m, Nit ac, Merc, Tarax.
- Painful mammae, as if they would ulcerate at every menstrual period : Con, Lac c, Merc.
- Leucorrhoea only at night : Ambr, Caust, Merc., Nit ac.
- Children refuse food and drink on account of sore mouth : Arum t, Merc.
- Skin : unhealthy, slight injury suppurates: Borax, Calend, Hep s, Graph, Lach, Merc, Petr, Sil.
- Bloody nocturnal emission : Canth, Led, Merc, Petr, Sars.
- Constant pain under the lower and inner angle of right scapula : Chel, Kali c, Merc.
- Pneumonia of right lung with liver complications : Chel, Merc,
- Loss of appetite with metallic taste : Cocc, Merc.
- Pain shoots to ear : Lac c, Merc.
- Pains worse at night, and by warmth of bed covering: Led, Mag c, merc, Sulph.
- Sore throat with constant desire to swallow : Lac c, Lyss, Merc.
- Aggravation : Lying on right side-Mag c, Merc, Kali c.
- Throat sore and swollen, deglutition of either liquids or solids impossible: Med, merc.
- Pain in periosteum of long bones worse at night and damp weather: Merc, Mez, Phyt.
- Constant desire to move but motion aggravates pains : Lac c, Merc, Phyt.
- Pains from darkness to day light: Merc, Phyt, Syph.

Causes & diseases

- Sugar.
- Insect stings.
- Vapours of Arsenic or Copper.
- Syphilis.
- Gonorrhoea.
- Mumps.
- Diphtheria.
- Tonsillitis.
- Acute dysentery.
- Infective hepatitis.
- Nephritis.
- Paralysis agitans.
- Epilepsy.
- Chorea.
- Melancholia.
- Corneal ulcer.
- Aphthous stomatitis.
- Ulcers irregular in shape, edges undefined, lardaceous base surrounded with a dark halo; apt to run together.

- AFFINITIES; M.M. , Salivary glands, Tonsils, Crowns of teeth, Liver, Kidneys, Bones, Joints, Skin, Right side.

Complaints & characteristics

- Intense thirst with profuse saliva in mouth.
- Crowns of teeth decay, roots remain.
- Quantity of urine voided is larger than the amount of water drunk.
- Frequent urging to urinate.
- Mammae painful at every menstrual period, as if they would ulcerate.
- Loss of appetite with metallic taste.
- Sore throat with constant desire to swallow.
- Toothache; pulsating; shooting into face or ears; damp weather; at night; warmth of bed; with profuse salivation.
- Tongue: large, flabby, shows imprint of teeth; painful with ulcers
- Dysentery: stool slimy bloody, great tenesmus during and after and not relieved by stool; followed by "cannot finish" sensation.

- Leucorrhoea : acrid, Burning, itching with rawness; worse at night.
- Cough: dry fatiguing: in two paroxysms; worse lying on right side.

Generals & modalities

- Sensitive to both heat and cold anxious.
- Depression of spirits.
- Forgetful.
- Apprehensive.
- Irritable
- Impatient.
- Talks hurriedly.
- AGGRAVATION; Night, Damp weather warm days and cold damp nights, Warmth of bed, Warm room Lying on right side, Perspiration, HEATED IF BED OR FIRE.
- AMELIORATION; Rest in bed, Moderate temperature.
- CONCOMITANTS
- Great weakness
- Trembling of hands.
- Foul breath.
- Ptyalism.
- Metallic taste.

Mercurius corrosivus

- Synonyms : Corrosive Sublimate. Mercuric chloride. Formula HgCl_2 .
- Source : It is a compound of Mercury and Chlorine. Bichloride of mercury.
- Preparation : It is available from a chemist's shop. Triturations are prepared from the salt with sugar of milk, from which higher potencies are prepared.
- Proved by Buchner and Massalot.

Indications

- Its action is very similar to the of Merc Sol only much intensified, with great violence and excitement. (Pierce).
- It is a SPECIFIC remedy for the following conditions:
 - 1. Gonorrhoeal conjunctivitis, worst cases with 6 C every 3 hours (G.R.) Syphilitic eye affections with burning; scrofulous affections of eyes of similar nature. (Clarke).

- 2. Retinitis of Bright's disease; ulceration of cornea; choroiditis; Kerato-iritis with adhesions; with intense inflammation and destruction of tissue. (G.R.)
- 3. Syphilitic, violent stomatitis; large aphthous patches in mouth.
- 4. Constriction of throat; any attempt to swallow solid or liquids causes violent spasm and immediate ejection. (Clarke)
- 5. Severe form of dysentery; high temperature; great thirst; severe chill after drinking; stool almost clear blood; constant urging to stool; tenesmus not relieved by stool tenesmus of bladder.
- 6. Albuminuria in early pregnancy.
- Bright's disease; fever with high temperature; urine albuminous; intense burning of urethra; urine scanty or suppressed.
- 7. Gonorrhoea: second stage, with continuous tenesmus.
- 8. Ailments : with tibial pains; vesical tenesmus; perspiration before and after stool, most pronounced on lower part of body and thighs; cutting colic below umbilicus; burning at the anus, offensive sweats and worse at night, lying on right side.
- 9. Affections of antrum of high more; of bones; syphilitic and tubercular affections of eyes; cancrum oris; affections of gums; throat and kidneys; with characteristic and concomitant symptoms.
- 10. Stitching, rending, tearing pains, here and there, especially in chest. (Kent).
- DOSAGE: Low to 30c or higher.
- REPETITION: Can be repeated after every stool in dysentery.
- Single dose is the rule.
- DURATION OF ACTION : Two to three weeks.

Relationship

- CRUDE DRUGS IS ANTIDOTED BY WHITE OF AN EGG.
- DYNAMIC ANTIDOTE: Merc s, Sil.
- GENERAL ANTIDOTE : Merc Viv.
- REMEDIES THAT FOLLOW WELL : Rhus t, Sep, Sulph, Thuja.

Comparison

- Iritis: Aur, Kali iod, Merc c.
- Pure blood in dysentery : Bapt, Ham, Merc c, Variol.
- Tenesmus relieved by stool : Nux v.
- Tenesmus not relieved by stool : Merc c.

- Tenesmus of bladder : Canth, Lil t, Merc c.
- Dysentery worse in autumn : Acon, Colch, Ip, Merc c, Merc v, Sulph.

Causes & diseases

- Syphilis
- Scrofula.
- Dysentery.
- Bright's disease.
- Gonorrhoea.
- AFFINITIES; Rectum Bladder, Kidneys, Eyes, Throat, Mouth, Bones

(Flat).

Complaints & characteristics

- Bone pains worse at night.
- Violent effect.
- Burning internal; throat, stomach, rectum, neck of bladder.
- Construction of throat, neck of bladder, rectum.
- Cracks: angles of mouth, palms soles.
- Dysphagia.
- Never get done feeling Bloody stools with tormenting tenesmus; not better by stool.
- Hot urine passed drop by drop.
- Albuminuria.
- Ulcers with coroding, acrid pus.
- Gonorrhoea: second stage, greenish discharge, at night: great burning and tenesmus.

Generals & modalities

- Constitutional Symptoms of Merc in violent form.
- AGGRAVATION; After urinating, Stool and swallowing, Night, Cold, Autumn, Hot days; cold nights, Acids.

Mercurius cyanatus

- Synonyms: Merc Cynatus, Cyanide of Mercury. Formula $\text{Hg}(\text{CN})_2$.
- Source: It is a chemical compound, a bicianide of Mercury. It can be purchased from a chemist's shop.
- Preparation : Triturations of the salt are prepared with sugar of milk, from which higher potencies are prepared.

- Proved by merc cyanatus has never been regularly proved, and what we know about it are the symptoms recorded from the four cases of poisoning that are found in Allen's Encyclopedia; and a few clinical reports from its use as a medicine. (Pierce).

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. It is one of the best remedies in malignant type of Diphtheria.
 - 2. When nose is also involved in Diphtheria.
 - 3. Diphtheria with extreme prostration.
 - Collapse even at the onset; cannot stand up from weakness.
 - 4. Diphtheria with fauces intensely red; gangrenous; great difficulty in swallowing, foetid breath, with phagedenic ulcerations.
 - 5. Diphtheria with epistaxis.
 - Diphtheria of nose and larynx.
 - 6. Membranous croup. (H.C. A)
 - 7. Pseudo-membranous formation extends all over fauces and down throat (H.C. A)
 - 8. Diphtheria with following concomitant symptoms: coldness, cyanosis, sweating, trembling, haemorrhagic tendency, tongue brown or black, profuse salivation, nausea.
 - 9. It may be used as a preventive remedy when the genus epidemicus for Diphtheria corresponds. (H.C. A)
 - 10. Ulcerations of mouth have a gray membrane. (Boericke)
 - 11. Necrotic destruction of soft parts of palate and fauces. (Boericke)
 - 12. Acute nephritis with great debility and chilliness; urine painful, albuminous, scanty; suppression of urine hiccup, nausea and vomiting, (Boericke)
- DOSAGE : 30 to 200.
- REPETITION : One or two doses are enough.
- Watch for the response: if there is good response the remedy need not be repeated; but if it fails, select another more suitable remedy of Diphtherinum.

- DURATION OF ACTION: Not definite.

Relationship

- REMEDY THAT FOLLOWS WELL : Diphtherinum.

Comparison

- Malignant diphtheria from the onset : Diph, Lac c, Merc cy.
- Nasal Diphtheria: Am c, Kali bich, Lyc, Merc cy, Nit ac.
- Diphtheria with drooling of saliva: Lac c, Merc cy.
- Diphtheria with scanty urine: Apis, Ars a, Canth, Lacc, merc cy, Naja.
- Collapse almost at the very beginning: Crot h, Diph, Mer cy.
- Laryngeal Diphtheria: Brom, Diph, Hep s, Kali bich, Merc cy, Spong.
- Diphtheria with extension downwards: Kali bich, Merc cy.
- Diphtheria with croup : Brom, Iod, Kali bich, Merc cy.

Causes & diseases

- Membranous croup.
- Ulcerations of mouth have a gray membrane.
- Necrotic destruction of soft parts of palate and fauces.
- Acute Nephritis.
- AFFINITIES; Mouth, Throat, Glands, Capillaries, Nerves, Kidney,

Larynx.

Complaints & characteristics

- Malignant from the very onset.
- Collapse almost from the very beginning.
- Pseudo-membranous formation extends all over fauces and down the throat.

- Worse swallowing.
- Worse speaking.

Generals & modalities

- With extreme prostration.
- With epistaxis, haemorrhages.
- With foetid breath.
- With gangrenous throat.
- With phagedenic ulceration's.
- With cyanosis.
- With sweating with drooling of saliva.
- With drooling of saliva.
- With tongue brown or black.
- With painful, albuminous and scanty urine.
- With enlargement of glands.

- With rapid prostration.
- With weak heart.
- AGGRAVATION; Swallowing, Speaking.

Mercurius dulcis

- Synonyms: Calomel. Subchloride of Mercury. Mercurious chloride.
Formula Hg_2Cl_2 .

- Source : It is a chemical compound of Mercury and Chlorine. Can be purchased from a chemist's shop.

- Preparation : Triturations are prepared with sugar of milk from which higher potencies are prepared.

- Proved by Dr. T.F. Allen.

Indications

- It is a CONSTITUTIONAL remedy for pale scrofulous children with enlarged cervical glands.
- Pallid as a corpse with flabby bloatedness of appearance (Clarke).
- It is a SPECIFIC remedy for the following conditions:
 - 1. Scrofulous ophthalmia, ulceration of cornea, chronic blepharitis.
 - Conjunctiva red.
 - 2. Catarrh of the eustachian tube. (Allen).
 - 3. Ear troubles of scrofulous children (Boericke). Deafness with stoppage of eustachian tubes.
 - 4. Cirrhosis of liver especially in the hypertrophic form; use 1x. (Jousset)
 - 5. Cyclic vomiting of infants (Cup ars, Iris), (Boericke)
 - 6. Catarrhal inflammation of middle ear (Kali mur). (Allen).
 - 7. Deafness of old age. (Allen).
 - 8. Catarrhal affections of nose, throat and pharynx from mercurial amalgam fillings. (Allen)
 - 9. Diarrhoea: of infants or children; stool grass green, profuse causing soreness of anus. (Allen)
 - 10. Acute affections of prostate gland after maltreated stricture of urethra. (Allen)
- DOSAGE: 1x in cirrhosis of liver and for constipation.
- 1x for application in eye troubles 3x to 6x is generally used.
- REPETITION : Bears repetition well.

- DURATION OF ACTION : Short.

Comparison

- Catarrhal inflammation of middle ear: Kali mur, Merc dul.
- Deafness of old age: Kali mur, Merc dul.
- Obstructed eustachian tube : Kali mur, Merc dul, Petr.

Causes & diseases

- Meningitis Otitis.
- Eustachian catarrh.
- Deafness.
- Acute prostatitis after maltreated stricture from gonorrhoea.
- AFFINITIES; Ears, Eustachian tubes, Tonsils, Liver, G.I. Tract, Mucous

Membranes, Pleura.

Complaints & characteristics

- Catarrhal inflammation of mucous membranes of eyes, middle ear, eustachian tubes.

- Deafness: from old age; catarrhal trouble of ears, nose, pharynx and throat; from mercurial amalgam fillings.

- Eustachian tube closed.
- Otorrhoea in psoric children.
- Diarrhoea: of children; stool grass green; like chopped eggs; profuse, causing soreness of anus.

Generals & modalities

- Pallid, flabby, catarrhal and bilious.
- Tendency to sweat.
- AGGRAVATION; Acids.
- AMELIORATION; Cold drinks (Apis, M.I. F., Phyt).

Dd merc-i-f, merc-i-r.

- Synonyms : Merc Iodide Flavus. Protoiodide of Mercury Green Iodide of Mercury. Hg I (or Hg₂ I₂).

- Merc. Iodide rubber.
- Bin-Iodide of Mercury Iodide. Hg I₂.
- Source: Both are chemical compounds of Mercury and Iodine. Merc iodide flavus is Mercurous iodide Hg I whereas Merc iodide rubber is Mercuric iodide Hg I₂.

- Both the salts of Mercury can be purchased from a chemist's shop.
- Preparation : Trituration of both the salts are prepared with sugar of milk, from which higher potencies are prepared.
- Proved by American Society of Homoeopaths.

Indications

- Both the remedies are anti-psoric, anti-syphilitic remedies.
- Comparative indications are given below which belong to the category of specific indications of each drug.

Merc iodide flavus

- Right sided affection of throat with greatly swollen sub-maxillary glands.
- Diphtheria right sided, fauces dark red; cheesy exudate with offensive breath; sensation of a lump; constant, inclination to swallow.
- Worse by warm drinks.
- Tongue : thick yellow coating at base.
- Syphilitic chancre with swelling of inguinal glands, no disposition to suppurate.
- Syphilitic iritis.
- Mammary tumours: with gastric disturbances; warm perspiration.
- Post nasal catarrh.
- Catarrh of eustachian tubes.
- Catarrh of frontal sinuses.
- AFFINITIES; Throat, right side, glands.
- AGGRAVATION; odours, Rising up, Warm drinks, Lying on left side.
- AMELIORATION; Open air.

Merc iodide ruber

- Left sided affection of throat, with swollen glands.
- Diphtheria left sided, fauces dark red; ulcers on fauces; exudation easily detached, greenish tough lumps from pharynx or posterior nares.
- Stiffness of muscles of throat and neck.
- Chronic suppurating buboes; hard chancres.
- Most effective in syphilitic conditions. (G.R.)
- Closure of eustachian tube, opening with a pop.
- Toothache: left lower bicuspid; worse at night and cold water.

- Earache: left sided; worse from touch and pressure.
- Tubercular pharyngitis.
- AFFINITIES; Throat, left side, Glands. Cellular tissue
- AGGRAVATION; Empty swallowing, After sleep.
- DOSAGE : Merc Iodide Flalvus-3 C to 200 C.
- High potencies are advised for syphilitic chancre.
- Merc Iodide Ruber-3C to 30C.
- REPETITION : Single dose of high potency is the rule.
- DURATION OF ACTION : Not definite.

Comparison

- Diphtheria right sided : Apis, Lyc, Merc i.f. , Lac c.
- Diphtheria left sided: Lach, Merc i.r. , Lac c.
- Diphtheria goes from right to left: Lyuc, Lac c.
- Diphtheria goes from left to right : Lyc, Lac c.
- Diphtheria, goes from one side to another and returns to the same side : Lac c.
- Diphtheria, white membrane : Apis, Ars a, Kali bich, Kali chil, Lac c, Lach, Lyc, Merc, Merc cy, M.I. F., M.I. R., Nit ac, Phyt, Diphth.
- Diphtheria gray membrane: Phyt, M.I. F.
- Diphtheria pearly membrane : Lac c
- Diphtheria wrinkled membrane : Ars a.
- Diphtheria yellow membrane : Merc cy, M.I. F. Nat Phos.
- Diphtheria extending to nose : Kali bi, Lyc, Merc c, Merc cy.
- Diphtheria extending to uvul : Phyt.
- Merc cyanatus : Diphtheria with great and sudden prostration.
- Malignant diphtheria with intense redness of fauces and great difficulty of swallowing.
- Putrid gangrenous with phagedenic ulceration; membranous croup.
- Diphtherinum : malignant from the onset (Merc cy, Lac c).
- Painless; symptoms entirely objective.
- Temperature low or abnormal; pulse weak and rapid, marked debility; offensive breath; parotid and cervical glands greatly swollen; membrane thick, dark gray, or brownish back; swallows without pain but fluids are vomited by the nose; post diphtheritic paralysis after Caust, Gels fail; when carefully selected remedies fail.

- Kali Bichrom : Yellow coated or dry red tongue; tough tenacious or ropy exudation; pain extending to neck and shoulders. (Dewey)
- Apis mel : With great oedema; swallowing is most difficult; membrane grayish; stinging pains in the throat; suppression of urine may be present as complication. (Dewey)
- Nitric ac: Diphtheria with white membrane; excoriating discharges; great prostration; nasal diphtheria (Am c, Kali bi, Lyc, Merc cy, Nit ac); sticking pain in throat; foetid breath; pulse intermittent; swallowing difficult and painful.
- Phytolacca: Gray membrane; pains shoot from throat into ears on swallowing; great pain at root of tongue when swallowing; burning; dryness in throat; sensation of a lump; cannot drink hot fluids (Lach); parotid and submaxillary gland indurated.
- Arsenic alb : Restless, thirsty for small quantities of water, extreme prostration; fear of death; foetid breath and other characteristic symptoms of Ars a in diphtheria.

Mezereum

- Synonyms : Daphne Mazereum, Spurge Olive.
- Source : It is a shrub 3 to 4 feet high with very fragrant red flowers. It belong to natural order of thymel thymelaceae.
- Habitat : it is a native of Northern and Central Europe.
- Preparation : Mother tincture is prepared from the bark of the shrub.

- Proved by Dr. Hahnemann.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Deafness due to suppressed itchy eruptions of the scalp (C. Dunham).
 - 2. Eczema and itchy eruptions after vaccination; intolerable itching; worse from touch and scratching, heat of bed; with copious exudation.
 - 3. Toothache: in carious teeth (Kreos); worse at night; relief from drawing in air; worse from slightest touch.
 - 4. Ulcers with thick, yellowish-white scabs, under which thick yellow pus collects; vesicles appear around the ulcers, itch violently, burn like

fire; shining, fiery-red areola around; linen sticks to the ulcers, they bleed when the dressing is torn away.

- 5. Syphilitic periosteitis in long bones; worse at night and touch and damp weather.

- 6. Neuralgic pains after herpes zoster.

- 7. Thick leather-like crust over the head under which thick and white pus collects; hair is glued and matted together; pus after a time is ichorous, becomes offensive and breeds vermin.

- 8. Epidemics occurring in January and February often call for Mezereum.

- 9. Bad effects of mercury or alcohol; injury to sacrum and coccyx when Arnica fail.

- 10. Constipation after confinement; large and hard stools.

- It is a CONSTITUTIONAL remedy for:

- 1. Persons who are undecided or irresolute and of phlegmatic temperament.

- 2. Persons who are hypochondriacal and despondent.

- 3. Persons who are indifferent to every thing and every one.

- 4. Persons who become angry at trifles and perfectly harmless things, but are soon sorry for it.

- 5. Persons who have apprehensiveness at pit of stomach, as when expecting very unpleasant news.

- 6. Persons who are hypersensitive to cold air on the ears; sensitive to sudden change of weather; worse in evening and at night.

- DOSAGE : 6 to 200 or higher.

- REPETITION : Single and minimum dose.

- DURATION OF ACTION : 30 to 60 days.

Relationship

- REMEDIES THAT FOLLOW WELL : Calc c, Caust, Ign, Lyco, Merc, Nux v, Phos, Puls.

- ANTIDOTES : Acids, Acon, Bry, Camph, Kali iod, Merc, Nux v, Rhus.

- BOYD'S DRUG GROUP : VIII.

Comparison

- Toothache in carious teeth : Kreos, Mez.

- pain in periosteum of long bones, worse at night in bed, least touch and in damp weather : Merc, Mez, Phyt.
- Crowns intact, roots decay : Mez.
- Crowns of teeth decay, roots remain : Merc and Thuj.
- Decay on edges : Staph.
- Bad effects of Merc are antidoted by : Aur, Hep s, Lach, Mez, Nit ac, Sulph and a high dose of Merc.
- Suppurating eruptions on the scalp; oozing a sticky offensive fluid: Graph, Mez, Psor.
- Herpes zoster: preceded or followed by intercostal neuralgia: Mez, Ran b.

Causes & diseases

- Suppressed eruptions causing: otorrhoea, degeneration of the drum, deafness, perforating ulcer of soft palate.
- Offensive ozaena, offensive catarrh of nose and throat.
- Periosteitis, rheumatism.
- Neuraesthesia Melancholia, insanity.
- Neuralgias: sciatica, facial, brachial, relieved by external application of heat but worse afterwards, worse at night.
- Inflammatory rheumatism: worse from warmth of bed, and at night; worse down the bones; bursting sensation in when the nose.
- Eczema and itching after vaccination.
- Constipation: after confinement; after confinement; stools large and hard; preceded by chills and followed by stitches up the rectum.
- Ailments from: suppressed menses.
- Headaches better from wrapping the head.
- Prosopalgia relieved by heat of stone.
- Toothache relieved by drawing in air.
- Stooping relieves headache.
- Ailments from anger, mercury, vaccination.
- AFFINITIES; Skin, Nerves, Bones, Head, Face, Jaws, Mucous membranes, Mouth, Stomach, One side.

Complaints & characteristics

- Skin troubles and itching eruptions worse from warmth and after washing.
- neuralgias worse from damp and cold weather.

- Large ulcers surrounded by pustules; with thick yellowish-white scabs, under which thick yellow pus collects.
- Vesicles around the ulcers itch violently, burn like fire (Hep); shining, fiery red areola around; linen or charpie sticks to.
- Eczema: intolerable itching, worse in bed and from touch; copious serious exudation.
- Toothache: in carielongated, dull pain when biting on them and when touched with tongue, worse at night; better with mouth open and drawing in air; root decay (oop of Merc).
- Headache, violent after slight vexation: painful on the slightest touch; right sided.
- Neuralgic burning pains after herpes zoster.
- Pain in periosteum of long bones, worse at night in bed, lest touch, in damp weather (Merc, Phyt).
- Bones, especially long bones, inflamed, swollen; nightly pains going from above downwards; after venereal diseases; caries, exostoses.
- Tumours soften from within out.
- The head is covered with thick leather-like crust under which thick and white pus collects here and there; hair is glued and matted together; pus after a time is ichorous, becomes offensive and breeds vermin.
- Apprehensiveness at pit of stomach as when expecting some very unpleasant news.
- Affection go above downwards; from within outwards; and from right to left (Lyc).

Generals & modalities

- Hypochondriacal and despondent; indifferent to every thing and every one; angry at trifles and perfectly harmless things, but is soon sorry for it.
- Child scratches face continuously, which is covered, with blood; eruptions moist; itching worse at night; inflammatory redness of face.
- Complaints of light haired, irresolute persons of a phlegmatic temperament.
- Hypersensitiveness of ears to cold air.
- Night Warmth of bed; Fire etc.
- Cold air; Drafts, Damp.

- Cold washing.
- Motion.
- Touch.
- Bad effects of Mercury.
- Evening until midnight.
- Warm food.
- Least touch.
- Vaccination.
- AMELIORATION; Open air, Heat of stove, Wrapping up head (Nerves, Bones) Stooping, Eating.

Millefolium

- Synonyms : Yarrow, Achillea millefolium.
- Source : It is a herb belonging to the natural order of Compositae.
- Habitat : It grows in Europe and U.S. A. along roadsides or dry pastures.

- Preparation : Mother tincture is prepared from the whole plant.
- Proved by Nenning, one of the Hahnemann's provers.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Profuse, bright red haemorrhages; painless; without anxiety; without fever; without nausea; due to injury or fall from a height; due to pulmonary tuberculosis-haemoptysis from a ruptured vessel; from wounds.
 - After violent exertion, labour, abortion or miscarriage.
 - Post-partum haemorrhage.
 - During menses.
 - 2. Suppressed menses with colic pain in abdomen.
 - 3. Ailments from over-lifting, over-exertion or a fall.
 - 4. Haemoptysis in haemorrhoidal patients.
 - 5. Preventive in post-partum haemorrhages.
 - 6. leukorrhea of children from atony.
 - 7. Cough from suppressed menses or haemorrhoids; after a fall from a height; after violent exertion; with oppression and palpitation.
- DOSAGE : Low potencies-tincture to 3rd potency (Boericke).
- It acts equally well in 30 c potency.

- REPETITION : It bears repetition well.
- Single dose may be enough.
- DURATION OF ACTION: 1 to 3 days (Clarke).

Relationship

- ANTIDOTES : Ant t relieves the vertigo of Millefolium, Ars iod relieved the diarrhoea of Millefolium.

- INCOMPATIBLE: Coffea.
- REMEDY ANTIDOTES : Arum mac.

Comparison

- Haemorrhage from every mucous outlet: Fem, acet ac, Mill, Cact, Crot h, Phos.

- Injuries : Arn, Mill, Sulph ac.
- bright red haemorrhages : Erig, Ip, Mill, Tril p.
- Diseases of first and second childhood : Bar c, Mill, Op.
- Phthisis after mechanical injuries to chest: Mill, Ruta.

Causes & diseases

- Ailments: from over-lifting, over exertion, a fall (Arn, Ham).
 - haemorrhage from injuries; of wounds.
 - Haemoptysis after injury; in phthisis, in haemorrhoidal patients; from a ruptured vessel.

- Preventive in postpartum haemorrhage.
 - Suppressed menses or haemorrhoids cause cough with sing of bright blood; with oppression and palpitation.

- Cough after a fall from a height (Arn).
- Cough after violent exertion; with blood daily at 4 P.M. (Lyc).
- Suppressed menses.
- Suppressed milk.
- Suppressed lochia.

- AFFINITIES; Capillaries, Veins, Lungs; Nose, Uterus.

Complaints & characteristics

- Vertigo: when moving slowly, but not when taking violent exercise
 - Haemorrhage: painless, without fever; bright red fluid (Acon, Ipec, Sab); from nose, mouth, larynx, bronchi, lungs, stomach, bladder, rectum, uterus.

- Profusely bleeding wounds.

- Painless haemorrhage from uterus after abortion, labour, miscarriage; post-partum haemorrhage.
- Menses: early, profuse, protracted.
- Suppressed menses with colic pain in abdomen.
- Haemorrhage without any fever, fear, excitement, nausea.
- Congestion of head.
- Leucorrhoea of Children from atony (Calc c) Painless haematuria.

Generals & modalities

- Suited to the aged; atonic; women and children.
- Disposed to profuse, haemorrhage of bright red blood.
- AGGRAVATION; Injury, Stooping, Violent exertion, Lifting, Coffee, Haemoptysis.
- AMELIORATION; Bleeding, Lying down-nausea, Violent exercise=vertigo, Wine, Discharges.

Murex purpurea

- Synonyms : A Millusk, Purple-fish.
- Source : It is a kind of sea-snail having purple colouring matter near the neck; it belongs to the natural order of Gastropoda.
- Habitat : It is found in the Adriatic and mediterranean seas.
- Preparation : Trituration or tincture of fresh juice is used to prepare potencies.
- Proved by Dr. Petroz of Spain in 1848.

Indications

- It is a CONSTITUTIONAL remedy for persons:
 - 1. Who are violently excited sexually from least contact of parts; excessive desire for an embrace.
 - 2. Persons of melancholic temperature with great depression of spirits.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Sore pain in uterus; with consciousness of a womb.
 - 2. Sufferings during climatcteric: great depression.
 - 3. Frequent and profuse menses; irregular, profuse with large clots.
 - 4. Prolapse of uterus in sexually excitable women with bearing down sensation as if internal organs would be pushed out; must sit down and cross limbs to relieve pressure.

- 5. Leucorrhoea aggravated by mental depression, happier when leukorrhea is worse.

- 6. Ailments with sinking, all gone sensation in stomach.

- 7. Diabetes with nocturnal polyuria and excessive hunger.

- DOSAGE : 3 c to 30 c.

- REPETITION : Single dose is enough.

Comparison

- Crossing limbs ameliorates : Lit t, Murx, Sep.

- Bearing down pains, worse in the morning: Bell, Lil t, Murx, Sep.

- Menopausal affections : Crot h, Graph, Lach, Mang, Murx, Psor, Sep.

Sulph.

- Nymphomania: Grat, Hyos, Lach, Murx, Nux v, Orig, plat, Stram.

- Sexual desire increased in women : Aster, Lil t, Murx.

- Sexual organs easily excited, from touch, pressure, on sitting, or friction by walking : Cinn, Coff, Murx, Plat.

- Cannot bear lest touch, not even sheet on genitals : Murx, Mur ac, Plat, Orig.

- Diseases of women attended with sudden prostration, sinking and faintness : Murx, Nux m, Sep.

- All gone feeling in the epigastrium, relieved by eating : Anac, Chel, Murx, Phos, Sep.

Causes & diseases

- Abortion, Climacteric disorders, Diabetes, Dysmenorrhoea, Leucorrhoea, Menorrhagia, Nymphomania, Pregnancy disorders, Prolapse uterus, benign tumours in breasts; pain in breasts during menstrual periods.

- AFFINITIES; Female, sexual organs, Kidneys.

Complaints & characteristics

- Complaints during climacteric (Lach, Sep, Sulph).

- Sore pain in uterus, a distinct sensation of a womb (Helon, Lyss).

- Bearing down sensation, as if internal organs would be pushed out, must sit down and cross limbs to relieve pressure.

- Menses : irregular, early, profuse, protracted, large clots.

- Leucorrhoea: aggravates mental depression, happier when leucorrhoea is worse.

- Excessive secretion of urine, frequent necessity to rise at night to urinate and hungry craving for food.

- Constant urging to urinate.

Generals & modalities

- Melancholic temperament.

- Great depression of spiritus.

- Sinking, all gone sensation in stomach (Sep).

- Least contact of parts, causes violent sexual excitement.

- Violent excitement in sexual organs and excessive desire for an embrace.

- nervous lively, affectionate women.

- Hypochondriasis.

- AGGRAVATION; Least touch, Exertion, After sleep, Must lie down but lying down aggravates all symptoms.

- AMELIORATION; During leucorrhoea, Least touch, Pressure, Support, Sitting, Climacteric.

Muriaticum acidum

- Synonyms : Hydrochloric Acid, Formula-HCL.

- Source : It can be purchased from a chemist shop.

- Preparation : First dilution with distilled water.

- Proved by : Dr. Hahnemann.

Indications

- It is a SPECIFIC remedy for the following condition:

- 1. Vertigo : worse lying on right side.

- 2. Typhoid fever : last stage; the fever is not very high but there is great debility; muttering delirium; sordes on teeth; foul breath; paralysis of tongue and sphincters of bladder and rectum; involuntary stool when passing urine; lower jaw hangs down; slides down in bed; pulse intermits every third beat; foetid stools : unconscious.

- 3. Malignant affections of mouth; studded with ulcers, deep, perforating; offensive, foul breath; intense prostration.

- 4. Haemorrhoids: swollen, blue; sensitive and painful to touch; too sore to bear least touch.

- 5. Diarrhoea: stool involuntary while urinating; on passing wind; cannot urinate without having the bowels move at the same time.

- 6. Aphthous stomatitis and sore mouth of infants.
- 7. Ailments with muscular debility; paralysis of tongue; paralysis of sphincters of rectum and bladder; soreness of anus or soreness of genitals; palpitation of heart is felt in the face.
- DOSAGE : First to 3rd potency (Boericke).
- 30 c is found to be effective.
- REPETITION : Lower potencies may be repeated till response is observed.

- DURATION OF ACTION : 35 days. (Clarke)

Relationship

- REMEDIES THAT PRECEDE WELL : Bry, Merc, Rhus t.
- REMEDIES THAT FOLLOW WELL : Calc c, Kali c, Nux v, Puls, Sep, Sil.
- FOR LARGE DOSE : Soda bi carb.
- REMEDY antidotes : Op.

Comparison

- Stool followed by fullness of rectum and intense pain in anus for hours : Aesc, Aloe, Ign, Mur ac, Sulph.
 - When passing flatus, sensation as if stool would pass with it : Aloe, Olnd, Mur ac, Nat m.
 - Bed sores in typhoid : Arn, Bapt, Mur ac, Pyr.
 - Haemorrhoids protrude every time he urinates : Bapt, Bar c, Mur ac.
 - Stool involuntary, knows not whether flatus or faeces escapes : Aloe, Iod, Mur ac, Nat m, Olean, Podo.
 - Affects especially the mucous outlets of body : Crot h, Mur ac, Nit ac, Sul ac, Tereb.
 - Continued fever with extreme prostration : Ars a, Mur ac, Phos ac.
 - Phos ac : Mental prostration is followed by muscular weakness.
 - Ars a : Restlessness with debility and rapid emaciation.
 - Mur ac : Muscular weakness comes first preceded by restlessness without mental weakness.
 - Oedematous uvula : Apis, Kali bi, Kali iod, Lach, Mur ac, Nit ac, Phos, Sulph ac, Tab.
 - Diarrhoea after beer : Aloe, Chin, Gamb, Lyc, Mur ac, Sulph.
 - Lower jaw hangs down : Lyc, Mur ac, Op.
 - Prolapse of rectum and anus during vomiting : Mur ac, Podo.
- Causes & diseases

- Typhoid, Typhus, Yellow fever, Puerperal fever, Intermittent fever, Scarlet fever, Diphtheria, Whooping cough, Noma, Stomatitis, liver enlargement, ulcers, Anal fissure, haemorrhoids.

- Bleeding, Eczema solaris, Freckles, Cancer, Epistaxis, bowel disorders, urinary disorders, paralysis of tongue, paralysis of sphincters of bladder and rectum.

- Dysentery.

- Bed sores, Carbuncles, prolapse ani, Scurvy.

- Haemorrhages.

- AFFINITIES; Blood, Mucous Membranes, Tongue, Mouth, Anus, Heart, Veins.

Complaints & characteristics

- Fevers : with great prostration, restlessness; as soon as he sits down his eyes close; lower jaw hangs down; slides down in bed; with deep stupid sleep, unconscious while awake; loud moaning or muttering; tongue coated at edges, shrunken, dry leather like; involuntary foetid stool while passing urine; pulse intermits every third beat; paralytic weakness of tongue; sphincters of bladder and rectum.

- Malignant affections of mouth: noma; studded with ulcers, deep perforating; having a black or dark base; offensive foul breath: intense prostration.

- Vertigo: on lying on right side relieved on turning to left side, with liver disorders.

- Copious sweat on turning from left to right side in bed.

- Diarrhoea : stool involuntary while urinating; on passing wind (Aloe).

- Cannot urinate without having the bowels move at the same time.

- Worse after eating.

- Haemorrhoids: swollen, blue; sensitive and painful to touch; too sore to bear lest touch; even the sheet is uncomfortable, Haemorrhoids appear suddenly in children.

- Prolapse of anus while urinating.

- Anus is very sensitive with or without haemorrhoids.

- Anus very sore during menses.

- Cannot bear least touch on genitals (Murex).

- Muscular weakness; Urine passes slowly; bladder weak, must wait a long time; has to press so that anus protrudes, involuntary flow of urine in low fevers.

- Itching of scrotum not ameliorated by scratching.
- Numbness and coldness of fingers at night.
- Burning of palms and soles.
- Emptiness in abdomen in the morning.
- Headache: worse moving the eyes; lying on right side; with liver disease.

- Lying on right side aggravates vertigo.
- Motion aggravates vertigo.
- Uncovering relieves fever.

Generals & modalities

- Irritable; peevish; disposed to anger.
- Cannot bear the thought and sight of meat. (Nit ac).
- Taciturn.
- AGGRAVATION; In damp weather, Before midnight, Lying on right side, While perspiring Touch, Rest, After sleep.
- AMELIORATION; Lying on left side, Warmth.

Naja tripudians

- Synonyms : Cobra virus.
- Source : It is cobra venom.
- Habitat : Cobra snake is indigenous to India.
- Preparation : Triturations are prepared from Cobra venom with sugar of milk, from which higher potencies are prepared according to homoeopathic pharmacopoeia.
- Proved by Dr. Russel and Stock including Gillow, pope, and Drysdale.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Angina Pectoris: severe stitching pains in cardiac region; pain extending to nape of neck, left shoulder and arm with anxiety and fear of death; worse from exertion carriage riding.
 - 2. Asthma : cardiac with dyspnoea and inability to lie down, better sitting up; beginning with coryza; with constriction of throat.

- 3. Heart disease: from acute rheumatism; simple hypertrophy; valvular endocarditis; from bad effects of diphtheria; with dry irritating cough; worse lying on left side; worse from exertion; inability to speak with choking; pulse irregular in force but regular in rhythm; after acute infectious diseases.

- 4. Suicidal insanity, brooding constantly over imaginary troubles.

- 5. Collapse of cholera : with pulselessness and difficulty in breathing.

- 6. Ailments predominantly on left side; worse on lying left side, head hot, extremities cold and blue; difficulty of breathing from exertion : constriction in throat; aggravation from lying down and amelioration from sitting up, sweating of palms of hands; loss of speech.

- 7. Hay fever : with flow of water from nose for a few minutes, then intense sneezing which ameliorates the breathing, followed by dryness in lungs with difficulty of breathing, worse on lying down.

- DOSAGE : 6 c to 30 c.

- REPETITION: Single dose; repeat when symptoms call for it.

- DURATION OF ACTION : Not definite.

Relationship

- ANTIDOTE TO THE EFFECTS OF BITE : Ammonia.

- NAJA IN POTENCIES : Tab.

Comparison

- Suicidal tendency with depression : Aur, Naja.

- Constantly dwelling on suicide : Aur, Naja.

- Loss of speech : Dulc, Gels, Caust, Hyos, Naja, Lauro.

- Falling of lower jaw : Lach, Naja.

- Diphtheria beginning on left side : Lac c, Lach, Naja, Sabad.

- Diphtheria : dark purple appearance: Lach, Naja.

- Rheumatic affections of heart : Kalmia, Led, Naja, Spig.

- Heart affections : Acon, Ars a, Cact, Dig, Kali c, Naja, Kalmia, Spig, Spong, Iberis.

- Amelioration on lying on right side: Ant t, Naja, Nat m, Phos, Sulph, Tab.

- Aggravation on lying on left side : Arg n, Cact, Calad, Calc, Iberis, Kali c, Lyc, Naja, Phos, Plat, Ptel, Puls, Spig, Viscum.

Causes & diseases

- Insanity.
- Simple hypertrophy of heart.
- Damaged heart after infectious diseases.
- Angina pectoris: pains extending to nape of neck, left shoulder and arm with anxiety and fear of death.
- Valvular diseases of heart not due to congenital origin.
- Congestive headache.
- Asthma with dyspnoea inability to lie down.
- AFFINITIES; Heart, Nerves, Brain, Throat, Respiration, Left side: left ovary, left temple, left arm.

Complaints & characteristics

- Pain in left temple or left orbital region extending to occiput with nausea and vomiting.
- Complaints go from left of right (Lach).
- Ptosis of both lids.
- Hay fever: much sneezing; with running of water from nose; inability to lie down at night; suffocating spells after sleeping; dryness of larynx.
- Asthma beginning with coryza.
- Cardiac asthma.
- Collapse of cholera with gasping for breath.
- Diphtheria with threatening paralysis or failure of heart.
- Angina pectoris : severe stitching pain in cardiac region; worse lying on left side; worse walking; worse by riding.
- Cardiac cough: dry irritating, hacking (Cact, Lauro, Spong) with acute rheumatic carditis; or chronic organic lesions of heart; from exertion. (Cact).
- Inability to speak with choking.
- Nervous chronic palpitation especially after public speaking.
- Cardiac symptoms with hysteria, neurasthenia, and other diseases.
- Head hot but extremities are cold and blue.
- Head symptoms are worse in a warm room.
- Copious sweating of hands and feet.
- Fullness and puffiness of hands and feet.
- Profound sleep with stertorous breathing.

- Sensation of a lump in throat; with choking.

Generals & modalities

- Tense, excitable.
- Suicidal tendency.
- Broods constantly over imaginary troubles. Depressed.
- Aversion to talking.
- Melancholy.
- Dreads to be left alone.
- Fear of rain.
- Blurred speech, loss of speech.
- Marked surging of blood upwards.
- Marked dyspnoea.
- Inability to lie on left side.
- Very susceptible to cold.
- Sensitive to tight cloth on neck (Lach).
- Exhaustion and trembling of muscles.
- Nervous.
- Eyes wide open, staring, fixed, insensible to light (Bell, Op, Hyos, Stram).
- Pulse irregular in force but regular in rhythm.
- AGGRAVATION; Damp wet, weather, After sleep, By eating, Stimulants, Alcohol, Lying on left side, Motion, Exertion, Touch, Riding in a carriage, At 3 p.m. , At night.
- AMELIORATION; Walking or riding in open air, Lying on right side.

Natrium arsenicosum

- Synonyms : Sodium Arseniate. Formula- $\text{Na}_3 \text{AsO}_4 \cdot 12\text{H}_2\text{O}$:
- Source : It is a chemical compound of Sodium and Arsenic. It can be purchased from a chemist's shop.
- Preparation : Trituration are prepared from the salt with sugar of milk from which higher potencies are prepared in alcohol.
- Proved by State Homoeopathic Society of pennsylvania.
- Provings registered in Allen's Encyclopedia. Dr. J.T. Kent.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:

- 1. Who are chilly: worse from cold; in cold air; becoming cold; cold and wet weather; warm air ameliorates; takes cold easily.
 - Worse from cold drinks and cold food. (Kent)
- 2. Who are anaemic : worse from exertion; worse from ascending; weakness, emaciation and dropsy of limbs; desire to lie down and not to be disturbed, yet lying aggravates. (Kent)
 - 3. Who are allergic to fruits milk, pork, vinegar and wine. (Kent).
 - 4. Who are aggravated from anger; mental exertion; sensitive to noise, startled easily; anxious; restless; fearful.
 - It is a SPECIFIC remedy for the following conditions:
 - 1. Headache: with coryza; worse after eating; from becoming heated; from jar; from light; before and during menses; from mental exertion; from stooping; tobacco smoke; from wine; after sleep; periodical; paroxysmal; pulsating; above the eyes extending to temples; goes from right temple to left; worse from pressure. (Kent).
 - 2. Facilitates the termination of the cold and conserves strength and appetite (Cartier)
 - 3. Coryza : fluent or dry; alternating fluent and dry; worse in open air; with cough; with frequent violent sneezing; obstruction of nose at night; with formation of cruris in the nose.
 - 4. Sore throat: dark, purplish swollen, oedematous; red and glassy; pain on empty swallowing but no pain on swallowing food or drink.
 - Oedematous uvula hangs down like a water bag. (Kent)
 - 5. Abdominal complaints: from flatulence and liver affections; ameliorated after stool and after passing flatus. (Kent)
 - 6. Diarrhoea: drives him out of bed; from becoming cold; worse after eating; from cold drinks; after milk; after vegetables; during menses.
 - 7. Urinary disorders: urging to urinate at night; constant; frequent, Urine: albuminous; burning; dark, pale; copious at night; clear as water; offensive; with mucus, phosphates; specific gravity decreased; 1 o 1 o (Kent)
 - 8. Miner's asthma from coal dust.
 - Pulmonary diseases or phthisis from coal dust.
 - 9. Rheumatic or gouty pains; sciatica worse from walking.
 - 10. Skin troubles: Herpes; urticaria, prurigo; worse from scratching; ulcers; psoriasis.

- DOSAGE : 3rd to 30th potency.
- REPETITION : bears repetition well in low potencies.
- Should be stopped as soon as the response to the remedy is noticed.
- DURATION OF ACTION : Not definite.
- Relationship
 - Not definite.
- Comparison
 - Psoriasis: Ars a, Chrysoph ac, Psor, Thyroid, Kali ars, Mang ac, Nat ars, Kali s.
 - Miner's asthma : Card m, Nat ars.
 - Amelioration from passing flatus : Aloe, Arm, Calc phos, Ox ac, Nat ars.
 - Aggravation from tobacco smoke : Acon, Cic, Cocc, Ign, Nat ars, Staph.
 - Diarrhoea after milk: Aeth, Calc c, cinch, Mag c, Mag mur, Nat ars, Nat c, Lac d, Sep, Sulph.
- Causes & diseases
 - Cold air.
 - Cold wet weather.
 - Cold drinks and food.
 - Fruits.
 - Milk.
 - Pork.
 - Vinegar.
 - Wine.
 - Coal dust.
 - Coryza.
 - Sore throat.
 - Asthma.
 - bronchitis.
 - Phthisis.
 - Rheumatism.
 - Gout.
 - Urinary disorders.
 - Skin disorders.

- Allergic disorders.
- Diarrhoea from cold drinks.
- headache from wine and tobacco smoke.
- Itchy eruptions.
- Urticaria.
- Psoriasis.
- Malaria.
- Oedema.
- ulcers.
- Neuraesthesia.
- Hysteria.
- affinities; Nerves, Blood, G.I. tract, Liver, Urinary organs, Skin.
- Mucous Membranes.

Complaints & characteristics

- Nasal catarrh with headache; with cough; alternate dry and fluid discharge; with sneezing.
- Miner's asthma from coal dust.
- Phthisis from working in coal mines.
- Abdominal troubles relieved from passing flatulence and stools.
- Headache worse from pressure and tobacco smoke.
- Diarrhoea: worse after eating; from cold drinks; milk; fruits.
- Constant and frequent urging to urinate at night.
- Rheumatic pains worse in winter, cold wet weather.
- Sore throat: worse from vinegar, purplish red; pain on empty swallowing but no pain on eating or drinking.
- Uvula dropsical (Kali bich).

Generals & modalities

- Emotional: worse from anger; mental exertion.
- Nervous: sensitive to noise, startled easily.
- Anaemic: worse from exertion, ascending.
- Allergic to cold, tobacco smoke.
- AGGRAVATION; Anger, Mental exertion, Ascending, Cold drinks, Cold food, Cold air, Winter, Lying down, Pressure.
- AMELIORATION; Warm air, Passing of flatus, Passing stool.

Natrium carbonicum

- Synonyms : Sodium carbonate. Formula $\text{Na}_2\text{CO}_3, 10\text{H}_2\text{O}$.
- Source : The salt can be purchased from a chemist's shop.
- Preparation : Trituration or solution is prepared from which higher potencies are prepared.

- Proved by Dr. Hahnemann.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Great debility from heat of summer: chronic effects of sunstroke causing recurrent headaches during summer.
 - Sun headache every day with sun.
 - Bad effects of working under gas light headache.
 - 2. Examination funk due to over-study; headache; comprehension difficult.
 - 3. Headache: from slightest mental exertion; sensation as if head is too large and it would burst. (Allen)
 - 4. Diarrhoea from milk with aversion to milk.
 - Milk and fat cause sour eructations, sometimes vomiting, palpitation and heart distress.
 - 5. Sterility due to lack of retention of semen due to excessive discharge of mucus from vagina; discharge of mucus after an embrace. (Allen)
 - 6. Nasal catarrh: extends to posterior nares and throat; mucus dropping into throat from posterior nares; hawking of much thick mucus from throat; profuse discharge during day, stopped at night. (Allen)
 - 7. Easy dislocation and spraining of ankle (Led.) (Allen)
 - 8. Indigestion is aggravated from vegetables and starchy foods. (Clarke)
 - 9. Ulceration of cornea with burning and dryness of conjunctiva. (G.R.)
 - 10. Paralysis of the left lower extremity with tingling.
- DOSAGE : 6th potency (Boericke); 6 c to 200 c.
- REPETITION : Single dose; to be repeated when symptoms call for it.
- DURATION OF ACTION : 30 days. (Clarke)

Relationship

- REMEDIES THAT PRECEDE WELL : Sep.

- REMEDIES THAT FOLLOW WELL : Calc c, Nit ac, Nux v, Puls, Selen, Sulph.

- ANTIDOTES : Ars a, Camph.

- REMEDY ANTIDOTES: Chin.

- BOYD'S ANTIDOTES : V.

- BOWEL NOSODE GROUP : Morgan pure.

Comparison

- Cough : chronic; loose with hectic fever; chest sore, must support it with hands: Bry, Eup perf, Nat c.

- Head troubles : headache; from heat of sun; gas light; cannot bear heat about head: Ant cr, Glon, Lach, Nat c.

- Sun headache increases and decreases every day with the sun: Glon, Kalm, Nat c.

- Music is intolerable : Graph, Nat c, Sab.

- Inability to think : Nat c, Nat s, Aeth.

- Ailments which are worse before and during storm: Nat c, Petr, Phos, Psor.

- Diarrhoea from milk : Calc c, Nat c, Niccolum, Sulph.

- Worse before an electric storm : Nat c, Phos, Psor, Rhod, Sil.

- Warts: with sore pains; flat, smooth on palms of hand: Nat c, Nat m, Rutta.

- Back of hands: Dulc.

- Sinking, or all gone sensation 10 or 11 a.m. : Sulph; relieved by eating- Nat c.

- Nervous excitability and over-sensitiveness: Borax, Nat c, Nat m.

Causes & diseases

- Great debility from heat of summer; chronic effects of sunstroke.

- Exhaustion from least effort.

- Anaemia: emaciation with pale face and blue rings around the eyes with great debility.

- Easy dislocation and spraining of ankle (Led); so weak that it gives way; foot bends under (Carb an, Nat m).

- Cold drinks when over-heated.

- Milk-diarrhoea.

- Sun's rays.

- Gas light.

- Heat.
- Change of temperature.
- Electric states.
- Over-study.
- Strains.
- Suppression of sweets.
- Storms.
- AFFINITIES; Mucous Membranes.
- Digestive organs.
- Ankles.

Complaints & characteristics

- Headache in summer due to chronic effects of sun-stroke; from mental exertion; working under gas light (Glon, Lach); with tension in nape of neck or occiput before menses; head feels too large, as if it would burst.

- Nasal catarrh: extends to posterior nares and throat; constantly hawking to clear the throat; dropping into the throat from posterior nares.

- Profuse discharge during day, stopped at night. (Nux v).
- Bearing down as if everything would come out (Agar, Bell, Lil t, Murac, Nat c, Sep); heaviness worse sitting, better by moving.
- Discharge of mucus from vagina after an embrace, causing sterility.
- Takes cold easily; violent sneezing; recurrent colds.
- Sinking sensation 10 to 11 a.m.
- Boring fingers into ears and nose relieves.
- Indigestion is aggravated by vegetables and starchy food.
- Jerking of hands during sleep.

Generals & modalities

- Aversion to open air.
- Dislike for mental or physical exertion.
- Inability to think or to perform any mental labour.
- Comprehension slow, difficult.
- Intolerable melancholy and apprehension; is solely occupied with sad thoughts.
- Attacks of anxiety and restlessness during a thunder-storm (Phos); worse from music (Sab).

- Aversion to milk diarrhoea from it.
- Fear of people; aversion to certain person; members of the family.
- Examination funk, due to mental exertion.
- Hypochondriacal dyspeptic.
- AGGRAVATION; Music, In the sun, Excessive summer heat.
- Mental exertion.
- Thunder-storm.
- Milk, Damp weather.
- Change of weather.
- Rest.
- Alternate days.
- During full moon.
- AMELIORATION; Eating amel sinking, Pressure, Rubbing, Scratching, Wiping with hand Moving.

Natrium muriaticum

- Synonyms : Sodium Chloride, Chloride of Sodium, Common Salt, Table Salt, Formula: Na Cl.

- Source : It is a chemical compound of sodium and Chlorine. It is found in nature in the form of rocks of salt in north west border or Pakistan, dissolved in sea water and lakes, in atmosphere and cells and fluids of plants and animals.

- Preparation : The pure salt is used. It is dissolved in water in the proportion of 1 to 9 parts. Further dilutions are prepared from this in water or alcohol to highest potencies according to homoeopathic pharmacy.

- Proved by Dr. Hahnemann; it was reproved by the Australian Society of provers and W.H. Schussler.

Indications

- It is a very long and deep acting remedy.
- It is a Bio-chemic remedy of highest importance.
- Deficiency of this salt produces malnutrition, emaciation and anaemia. (Boericke & Dewey)
- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Backward children who are late in walking and talking. (Kent)

- 2. Irritable children: child cross when spoken to; ,crying from slightest cause; gets into a passion about trifles, especially when consoled with. (Allen)
- 3. Chlorotic girls with delayed menses and headaches; greasy skin and shiny face; mapped tongue.
- 4. Women having weepy disposition but are worse from consolation.
- 5. Persons loosing flesh, especially in neck while eating well.
- 6. Persons: awkward, hasty, drop things from nervous weakness (Allen).
- It is a SPECIFIC remedy for the followed conditions:
 - 1. Bad effects: from acid food: bread; excessive use of salt; quinine, cautery with the silver nitrate; of anger; grief; fright; vaxation; mortification or reserved displeasure. (Staph).
 - 2. Malarial fever: when chill comes at 10 or 11 A.M. Chronic diseases having he history of malarial fever treated with quinine.
 - 3. Splenomegaly with scanty menses (The author cured a girl of 16 years on this symptom).
 - 4. Hay fever: brought on by exposure to hot sun or intense summer heat; sensation of a worm crawling in the nostril.
 - 5. Warts on palms of hands.
 - 6. Eczema; raw, red, inflamed, especially in edges of hair; worse from eating too much slat, at sea shore or from ocean voyage.
 - 7. Urticaria, acute or chronic; over whole body; especially after violent exercise.
 - 8. Melancholia : of puberty, pregnancy or menopause; with sadness and weeping throbbing and heavy pain in the occiput; chilliness, restlessness, palpitation and constipation; in anaemic patients; with dry mouth and patchy tongue; hopeless about future. (G. R)
 - 9. Headache : of anaemic school girls; from sunrise to sunset left sided; as if bursting; with red face, nausea and vomiting before, during and after menses; beginning with blindness; from eye strain; with zigzag dazzling light in eyes; hammering in brain during fever better from perspiration. (Allen)
 - 10. Paralysis, spinal irritation, impotence after sexual excesses. (Allen)

- 11. Hysteria: alternate weeping and laughter; menses delayed and painful; profuse, greenish, acrid leucorrhoea itchy and burning; fluttering of heart; with a weak faint feeling heart pulsation s shake the body; dreams of robbers in the house, will not believe on waking until search is made, with painful contractions of the hamstrings; sensation of a hair on the tongue.

- CONTRA-INDICATIONS. It should never be given during fever paroxysm (J.H. Allen).

- Cannot be often repeated in chronic cases without an intercurrent remedy.

- DOSAGE : Schussler recommends 6th potency. H.C. Allen recommends higher potencies above 30 c.

- REPETITION . Low potencies may be repeated but higher potencies are given in single dose.

- DURATION OF ACTION : 40 to 50 days. (Clarke)

Relationship

- COMPLEMENTARY REMEDIES : Apis, Caps, Ign, Sep.

- REMEDY IS CHRONIC OF : Ign, Verat alb.

- REMEDIES THAT PRECEDE WELL : Apis, Bry, Calc c, Hep s, Kali c, Puls, Ign,

- REMEDIES THAT FOLLOW WELL : Sep, Thuja.

- ANTIDOTES : Apis, Ars a, Camph, Sprit gly nit, Phos.

- REMEDY ANTIDOTES : Apis, Arg n, Chin s.

- BOYD'S DRUG GROUP : V.

- BOWEL NOSODE GROUP : Proteus.

Comparison

- Face is oily, shiny, as if greased : Nat m, Plb, Thuja, Sel.

- Liable to take cold : Calc, Kali c, Sil, Nat m.

- Craving for salt : Calc c, Caust, Nat m, Phos.

- Cracks in middle and corners of mouth: Ant cr, Condur, Nit ac, Am.

C.

- Ravenous hunger, losing flesh while eating well : Abrot, Iod, Nat m, Sanic, Tab.

- Sensation as if stool would pass when passing wind : Aloe, Olnd, Mur ac, Nat m.

- Worse from over exertion in sun : Ant cr, Lah, Nat m.

- Eye strain from sewing, better in open air: Nat m, Ruta.
- Headache of school girls : Calc p, Nat m, Psor.
- Excessive lachrymation during cough, cough only in day time: Euph, Ferr, Nat m.
- Weepy but consolation agg : Ign, Nat m, Sep, Sil.
- Sight returns as headache increases : Iris Kali bi, Nat m, Lac d.
- Severe stitching pain in right eye and orbit, begins at sunrise, agg at noon and leaves at sunset: Kalmia, Nat m.
- very forgetful, absent minded, makes purchases and walks away without them : Agnus c, Anac, Caust, Nat m, Lac c.
- Cannot bear heat of sun : Gels, Glon, Lach, Lyssin, Nat m.
- Absent minded : Apis, Cann ind, Caust, hell, Lach, Mez, Nat m, Nux m, Plat, Puls, Sep. Ver a.
- Ailments with silent grief : Ign, Lyc, Nat m, Staph.
- Hypochondriacal anxiety : Nat m, Phos.
- Cannot pass urine in presence of others, even a nurse : Nat m.
- Cannot pass stool in presence of others even a nurse : Ambra g.
- Confusion : Bell, Bry, Calc c, Cann ind, Cocc, Glon, Lach, Nat m, Nux m, Op.
- Consolation agg : Ign, Nat m, Sep, Sel.
- Mental exertion agg : Arg n, Calc c, Ign, Lach, Lyc, Nat c, Nat m, Nux v, Sel, Sep, Sil, Staph.
- Fear of thunderstorm, : Nat c, Nat m, nit ac, Phos, Rhod, Sep.
- Ailments from grief : Aur, Caust, Cocc, Ign, Lach, Nat m, Phos ac, Staph.
- Silent grief : Ign, Nat m, Puls.
- Hysteria: Asaf, Cimic, Cocc, Gels, Ign, Nat c, Nat m, Nux m, Nux v, Plat, Puls, Sep, Tar h, Val, Verat.
- Indifference : Apis, Chin, Hell, Lil t, Nat c, Nat m, Op, Phos ac, Sep, Staph.
- Indifference to pleasure : Hell, Nat m, Op, Sulph.
- Insolent: Chel, Chin, Graph, Nat m, Nit ac, Nux v, Sep, Sulph.
- Loathing of life: Ant cr, As a, Aur, Chin, Nat m, Phos, Thuj.
- Delirium tremens : Agar, Ars a, Lach, Nat m, Nux m, Nux v, Op, Stram, Strych.
- Ailments from mortification : Ign, Lyc, Nat m, Staph.

- Sadness during chill and heat stage of fever; sadness but cannot weep: Nat m, Nux v.

- Startled easily : Borax, Kali c, Nat c, Nat m, Phos.

- Slow learning to talk : Nat m, Bar c.

- Thoughts persistent : Cann ind, Nat m.

- Weeping agg from consolation: Nat m, Sep, Sil.

Causes & diseases

- Bad effects of anger grief, fright, vexation, mortification, reserved displeasure.

- Excessive use of salt, acid food, bread.

- Malaria and Quinine.

- Cauterisation with silver nitrate.

- After farinaceous food=diarrhoea.

- Eye strain= headache, muscular asthenopia.

- Sexual abuse= weak memory.

- Complaints of anaemic persons: vertigo, brain fag, bearing down sensation in women, heat burn with palpitation: painful contraction of the hamstrings.

- Dry vagina= sexual difficulty.

- Sexual excesses= impotence, spinal irritation and paralysis.

- Hysteria with alternate weeping and laughter, with delayed and painful menses, with acrid leucorrhoea, itching and smarting.

- Melancholia : found at puberty, during pregnancy, and menopause; with throbbing, heavy pain in the occiput; with chilliness, restlessness, palpitation and constipation.

- Sad but cannot weep, sadness before menses.

- Diabetes insipidus; great thirst and excessive flow of watery urine.

- Ring worm on tongue (Sanic).

- Skin becomes shrivelled or lies in folds (Abrot, Iod, Nat m, Sanic, Sars).

- AFFINITIES; Brain; Mind, Blood, Heart, Nutrition Muscles, Glands, Spleen, Liver, Digestive tract, Skin.

Complaints & characteristics

- Headache of a anaemic school girls; from sunrise to sunset, as if bursting, with nausea and vomiting; before during and after menses; as if thousand hammers were beating in the brain.

- Beginning with blindness (Iris, Kali bi).
 - From eye strain.
 - With zigzag dazzling like lightning in eyes.
 - From pressure of hat (Calc p, Nit ac).
 - Constipation with sensation of contraction of anus.
 - Stools dry, hard, difficult, crumbling.
 - Lax sphincter, knows not whether flatus or faeces will pass.
 - Sensation of thread on tongue.
 - Intermittent fever; paroxysms at 10 or 11 A.M.
 - Sweat ameliorates fever (Psor, Ver) old and chronic.
 - Suppressed by Quinine.
 - Headache and fainting during chill and heat.
 - Hay fever with sneezing and lachrymation and squiring sensation in nostrills.
 - Micturition: involuntary when walking, coughing, laughing; has to wait a long time to pass urine if others are present; cutting in urethra after micturition.
 - Backache relieved by lying on something hard.
 - Easy dislocation: foot bends under (Nat c, Nat m, Carb an).
 - Sensation of coldness about the heart (Carb an, Kali m, Nat m, Petr).
 - Headache in occipitocervical region (Pic ac, Sil)
 - Profuse perspiration after acute diseases with relief of all symptoms (Calad, Psor).
 - Frightful dreams of robbers (Psor,= sleeplessness.)
- Generals & modalities
- Child slow in learning to walk and talk.
 - Marasmus of children with emaciation of neck, loose skin in folds, with good appetite and summer diarrhoea.
 - Losing flesh while eating well.
 - Awkward, hasty, drops things from nervous weakness.
 - Absent minded.
 - Irritability: child cross when spoken to, gets, into passion about trifles; flares up when consoled.
 - Weepy: marked disposition to weep, cries from slightest cause; sad weepy mood without cause.

- Aversion to company, desires to be alone.
- Aversion to work.
- Face oily, Shiny as if greased.
- Tears stream down the face on coughing.
- Violent sneezing.
- Loss of smell and taste Herpes on lips.
- Deep crack in middle of lower lip.
- Corners of mouth dry cracked and ulcerated.
- Mapped tongue (Lach, Tarax).
- Craving for salt.
- Aversion to bread, any thing slimy like oysters.
- Sweats while eating.
- AGGRAVATION; At 9-11 A. M; Sea shore, or sea air, Heat of sun, Mental exertion Lying down, Crying (Plus, Sep, Stann).
- AMELIORATION; In open air, Cold bathing, Going without regular meals, Lying on right side.

Natrium phosphoricum

- Synonyms : Sodium Phosphate, Phosphate of Soda. Formula $\text{Na}_2\text{HPO}_4 \cdot 12\text{H}_2\text{O}$.
- Source : It is prepared by neutralising Orthophosphoric acid with Soda bi carb. It is also prepared from bone ash.
- Preparation : The pure sodium Phosphate is triturated with sugar of milk and higher potencies are prepared from 3 c according to the directions given in Homoeopathic Pharmacopoeias.
- Proved by Proved under the supervision of Dr. E.A. Farington. Dr. W.H. Schussler proved it Biochemically and included it in tissue salts.

Indications

- It is a SPECIFIC remedy for the following disease and their symptoms:
 - Jaundice, Acidity, Gout, rheumatism, Tubercular glands, Wounds, when its characteristic, biochemic or constitutional symptoms are present.
- It is a BIOCHEMIC remedy when the following indications or symptoms are present:

- 1. Moist creamy or golden yellow coating at the back part of the tongue or back part of the roof of the mouth.
- 2. Sour eructations, sour vomiting, greenish diarrhoea.
- 3. Sterility with acid secretions from vagina.
- 4. Impotency from watery semen, sexual excesses, vices and lack of erections.

- It is a CONSTITUTIONAL remedy when the following symptoms are present:

- 1. The patient has aversion to open air, bathing and company.
- 2. The patient is worse from physical exertion, draft of air, coitus, lying on left side, change in weather, during thunderstorm, fasting, before and during menses.

- Fats, butter, cold food and drinks, milk, sour things, fruits and vinegar do not agree.

- 3. Complaints from physical exertion, mental exertion, sexual excesses and vices, bad news, vexation, music, emissions, after coition and fasting.

- Dosage : In jaundice use 1x (Dewey). Schussler recommends 6x. Dr. Quesse recommends 4x.

- Dr. Morgan, Kent recommend 30 and higher potencies when constitutional symptoms are present.

- REPETITION : To be repeated when specific and biochemic indications are present.

- To be given in single dose when general and constitutional symptoms are present.

- DURATION OF ACTION : Not definite.

Relationship

- Sick headache with vomiting of sour fluids alternate N.P. and F.P.
- Squinting from worm irritation alternate N.P. with M.P.
- Heat and burning of ears with gastric symptoms - alternate with F.P.
- Sour, acid taste in the mouth with canker sore N.P. with K.M. and K.P.
- Dyspepsia with acid rising-alternate : N.P. with F.P.
- Ulcers stomach with vomiting of sour acid fluids : N.P. with F.P. and C.P.
- Gouty complaints : N.P. with N.S.

Causes & diseases

- Sexual excesses and vices= nervousness.
- After coitus.
- Cold, from becoming cold.
- Fasting.
- Complaints after vexation.
- Complaints from bad news.
- mental exertion.
- Sadness after emission, during fear and from music.
- Concentration difficult.
- Delusion in high fever.
- Very excitable.,
- Forgetful.
- Hysterical Indifferent to family.
- Irritable.
- Great prostration of mind.
- Easily startled.
- Suspicious.
- Complaints from acidity, rheumatic affections, gouty complaints.
- Pain in right shoulder.
- Shortening of tendons.
- Stiffness of muscles and joints.
- Trembling of hands and knees after emissions.
- Eye troubles with discharge of golden yellow or creamy matter from the eye.
- Squinting due to worms.
- Scofulous.
- Ophthalmia.
- Tubercular glands.
- Yellow, creamy coating at the back part of the roof of the mouth and the back part of the tongue.
- Hepatic form of diabetes.
- Impotency.
- Sterility with acid secretions from vagina.
- Goitre.
- jaundice use 1x.

- Marasmus of children.
- AFFINITIES; Stomach, Intestines, Sex organs, Nerves.

Complaints & characteristics

- Formication externally and internally.
 - Numbness in single parts.
 - Catarrh of nose with thick yellow purulent discharge.
 - Picks the nose constantly and scales form.
 - Swelling of sub-maxillary glands.
 - Caries of teeth.
 - Looseness of teeth.
 - Grinding of teeth.
 - Tongue coated yellow.
 - Disorders of appetite.
 - Desires alcoholic drinks, beer, pungent food, eggs, fried fish and cold drinks.
 - Stomach s disordered by fat and milk.
 - Vomiting on coughing, sour vomiting.
 - Ulceration of stomach.
 - Anus is excoriated,
 - Involuntary stool with flatus.
 - Green diarrhoea.
 - Pain in rectum after stool.
 - Urging to stool after coitus, in man.
 - Ineffectual urging.
 - Worms in stool.
 - Disorders of urination.
 - Disorders of passion, erection and seminal discharge.
- #### Generals & modalities
- Aversion to open air in anaemic patients.
 - Aversion to bathing company.
 - Muscles are flabby and losing flesh.
 - Butter, cold drinks, cold food, fats, fruits, milk sour things, and vinegar disagree.
 - lack of reaction.
 - Lassitude in morning in hot weather.
 - Constant desire to lie down.

- Prolonged weakness from loss of fluids.
- Oversensitive to pain.
- Shocks through the body; twitching of muscles.
- Paralytic weakness after exertion.
- AGGRAVATION; Morning & night, Draft, Open air, becoming cold, Changes in the weather, Physical exertion, Jar or stepping, Lying on left side, Before and after menses, During thunder storm, Sitting, Fasting, After coitus, after emissions, Binding up the hairs, After eating, Motion, Noise, Rising from lying After sleep, After stooping, Straining eyes, Warm room.
- AMELIORATION; Open air, Pressure.

Natrium sulphuricum

- Synonyms : Sodium Sulphate of Soda, Glauber's Salt. Formula $\text{Na}_2\text{SO}_4, 10 \text{ H}_2 \text{ O}$.
- Source : It is a chemical compound which occurs abundantly in nature; Sea water. Saline springs contain sodium Sulphate.
- Preparations : Pure Sodium Sulphate is triturated as directed in the Homoeopathic pharmacopoeas.
- Proved by Schretter in 1832, Nenning, Von Crauvogl and W.H. Schussler.

Indications

- It is a SPECIFIC remedy for:
 - 1. Mental troubles arising from injuries to head, even epileptic fits from injury to head has been cured by the remedy.
 - 2. Enlargement of liver, gall stones and diseases of liver are worse from lying on left side.
 - 3. Diabetes with urine loaded with bile.
 - 4. Asthma worse in damp weather.
 - Asthma in children asthmatic patients.
 - Exertion= Asthma with looseness of bowels at each attack; with copious greenish sputa.
 - 5. Cerebrospinal fever with head drawn back and pain in the neck muscles.
 - 6. Periodical headache. Migrim ameliorated by vomiting, cold compress, dark room, with salivation, worse eating, noise, light.

- 7. Intermittent fears and colics with vomiting of green bile.
- 8. Loathing of life and suicidal disposition with ailments.
- 9. Epidemic influenza with fluent coryza and sneezing.
- 10. Complaints of sycotic patients who give history of gonorrhoea or have condyloma and venereal warts and fail to be cured by other remedies.
- 11. It is antidotal to the bad effects of Quinine.
- It is a BIOCHEMIC remedy for:
 - 1. Haemorrhages spontaneous or traumatic.
 - 2. Ailments of patients with a dirty greenish brown or greenish gray coating on the root of the tongue.
 - 3. Purulent and catarrhal diseases with green discharges.
 - 4. Vomiting of bile with bitter taste in mouth; jaundice and diseases of liver with tenderness of liver.
 - 5. Gouty symptoms eczema, fistula ano, dropsy, psoriasis, pemphigus and other ailments in bilious and hydrogenoid patients.
 - 6. Crude solution of the remedy was found to be curative in chorea by Rademacher when the patient suffered from chorea with constipation.
- DOSAGE : It is effective from lowest to highest potencies.
- REPETITION : bears frequent repetition in biochemic indications but occasional doses in constitutional indications.
- DURATION OF ACTION : (Clarke) 30 to 40 days.

Relationship

- COMPLEMENTARY REMEDIES : Ars a, Thuja, Med, (Kent)
- REMEDIES THAT MAY BE GIVEN INTERCURRENTLY : Kali mur in Diphtheria.

- Ferr phos and Mag phos in cerebrospinal fever.
- Ferr phos in congestion of liver.
- Calc phos in Hydrocele.
- Kali phos in nightmares of children.
- REMEDY ANTIDOTES : Bell, Thuj.
- BOYD'S DRUG GROUP : VIII.

Comparison

- Diseases due to living in damp houses : Ant t, Aran d, Ars a, Dulc, Nat s, Tereb.

- Hydrogenoid constitution : Aran d, Chin s, Nat s.
- Damp cold weather agg : Am c, Ant, Ars a, Calc c, Dulc, merc, Nux m, Nux m, Med, Rhus t, Nat s, Rhod, Tub.
- Sea shore agg : Aqua m, Ars a, Brom, Nat m, Nat s.
- Cough: with expectoration of green mucus : Benz ac, Nat s.
- Itching in various parts when undressing : Hep s, Nat s, Oleand, Rumex.

Causes & diseases

- Damp weather, living in damp houses.
- Neglected gonorrhoea, malaria, scarlet fever, quinine.
- Head injuries= epilepsy, convulsions, insanity.
- Diarrhoea from: ice-cream, vegetables, fruits, pastry cold drinks.
- Biliousness.
- Condyloma.
- Dropsy.
- Gall stone colic.
- Diabetes.
- Polyuria.
- Phospaturia.
- Enlarged prostate.
- Bleeding piles.
- Greenish leucorrhoea.
- Milk leg.
- Wards.
- Trachoma.
- Hereditary asthma.
- Sycotic pneumonia, lower lobe of left lung, with great soreness of chest.
- Cerebrospinal fever; Spinal meningitis, violent pains at the base of brain with delirium, opisthotonos, spasms with mental irritability.
- psoriasis of palms.
- Oedema of feet.
- Eczema with watery discharge.
- Hip disease.
- Scrating- burnning= exertion= asthma.
- Retaining urine= pain in back.

- Anger= jaundice.
- Suppressed gonorrhoea.

Complaints & characteristics

- Dirty, greenish-gray or brown coating on tongue.
- Frightful dreams.
- Greenish discharges with vomiting of bile.
- Mental effects from injuries to head.
- Complaints worse on right side.
- Pain in liver agg lying on right side.
- Pain in duodenum agg after eating.
- Urging for stool but only flatus passes.
- Diarrhoea involuntary lenteric; painless, morning, with flatus.
- Skin affections appear every spring.
- Nose bleed during menses.
- Toothache better from cold water, cool air.
- Dyspnoea during cloudy weather.
- Rheumatic pains in limbs in wet weather.
- Sharp pain in soles and heels.
- Malarial fever: chill from 6 to 9 p.m.
- Dry heat until 1 A.M. , sweat absent, with vomiting of bile.
- Suppressed malaria (Nat m) itching when undressing.
- Colic-2-5 A.M.
- Asthma 4-5 A.M. ?
- Granular lids (Thuja); must change position but it gives little relief.

Generals & modalities

- Indifferent, depressed, fearful, suspicious, aversion to company loathing of life, suicidal, anxious, impulsive, neuropathic, sad, gloomy bilious, restless, oversensitive, music makes her sad, hysterical fear of crowd.

- Forgetful, inability to think.
- Hydrogenoid constitution.
- Must change position frequently, but it is painful and gives little relief (Caust).
- Dislikes to speak or be spoken.
- Inability to think.

- AGGRAVATION; Wet weather, Warm weather, Spring, After meals, Lying on right side, Rest morning, Pressure of clothes, Touch, Pressure or tight bandage, Lying on left side, Congested but warm room, Cold food and drinks aggravate diarrhoea.

- amelioration; Passing flatus, Dry weather Pressure, Bandage on head, Sitting up, Changing position, Open air, After breakfast, Toothache is relieved by cold water (Cham).

Nitricum acidum

- Synonyms : Nitricum Acidum, Formula HNO_3 .
- Source : Can be purchased from a chemist shop.
- Preparation : Potencies are prepared from watery solution of Nitric acid.

- Proved by Dr. Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for persons:
 - 1. Who are easily irritated by trifling occurrences, are inclined to be peevish, despondent and anxious about themselves.
 - 2. Who are broken down by long suffering, pain and physical diseases.
 - 3. Who are extremely sensitive, suffer from nervous debility and trembling and have feeble reactions.
 - 4. Who are chilly, sensitive to cold and catch cold easily.
 - 5. Who are affected by loss of sleep; long lasting anxiety; over-exertion of mind and body from nursing the sick; anguish from the loss of their dear friend.
 - 6. Who are obstinate; head-strong; hateful; vindictive; inveterate, ill-willed and unmoved by apologies.
 - 7. Old people with great weakness and diarrhoea.
 - 8. Who are sensitive to cold; change of temperature; change of weather; touch; noise of vehicles going along the street.
 - 9. Who are disposed to diarrhoea; haemorrhage; thin acid, offensive discharges; affections of muco-cutaneous junctions warts; ulcers; fissures; fistula ano; ozaena; inguinal hernia in weakly children.
 - 10. Who pass strong smelling urine like horse's urine, containing oxalic acid, uric acid and phosphates.

- It is a SPECIFIC remedy for the following conditions:
 - 1. Ailments; which depend on some virulent poison; from syphilis; mercury; scrofula; bad effects of repeated doses of Digitalis.
 - 2. Warts, condylomata: sycotic or syphilitic; bleeding; with sticking pains.
 - 3. Fissures of rectum with pains during stool and even after stool for hours.
 - 4. Ulcers, cancer at the muco-cutaneous junction worse from touch and contact; bleeding easily; with sticking pains.
 - 5. Petit mal with severe spasms.
 - 6. Gonorrhoea: phimosis, paraphimosis, when the discharge is thin and bloody, later when it is greenish or yellow; old cases of gleet with splinter sensation in the urethra or when urinating.
 - 7. Haemorrhage : blood bright red, profuse or dark; in typhoid or typhus; after miscarriage or post-partum; from over exertion of body.
 - 8. Sore throat : too painful to swallow anything at all; pricking or a splinter like sensation in the throat.
- DOSAGE : From lowest to highest potencies.
- 3x in Actinomycosis (Burnett).
- REPETITION : Single dose of minimum potency; repeat when symptoms call for it.
- 2x, 20 drops in water in He from uterus after miscarriage (H.N. Goons).
- DURATION OF ACTION: 40 to 60 days (Clarke).

Relationship

- REMEDIES THAT PRECEDE WELL : Calc c, Hep, Merc, Nat c, Puls, Kali c, Sulph, Thuj.
- REMEDIES THAT FOLLOW WELL : Calc c, Puls, Arum t.
- INCOMPATIBLE : Lach.
- ANTIDOTES : Calc c, Con, Camph, Hep, Merc.
- REMEDY ANTIDOTES : Calc c, Dig, Merc.
- BOYD'S DRUG GROUP : X.

Comparison

- Irresistible desire to curse and swear : Anac, Lac c, Lit t, Nit ac.
- Apt to choke when eating and drinking : Anac, Can s, Nit ac.

- Coition painful in both sexes; followed by bleeding from vagina: Arg n, Nit ac.
- Hears better: when riding in a carriage; when in a noise: Graph, Nit ac.
- Sensation of a splinter, fish bone or plug in the throat: Arg n, Hep s, Nit ac, Kali nc.
- Prolapse ani from moderate straining at stool, stooping or lifting: Ign, Nit ac, Podo, Rutta.
- Constipation: inactivity, stool lies in rectum, without urging; sensation of constriction of sphincter ani: Caust, Nit ac, Lach.
- Great restlessness, extreme and protracted suffering from loss of sleep: Cocc, Lac d, Nit ac.
- Leucorrhoea only at night: Ambr, Caust, Merc, Nit ac.
- Cannot bear the thought and sight of meat: Mur ac, Nit ac.
- Tongue: mapped, with red insular patches; like ringworm on sides; : Ars a, Lach, Nit ac, Merc, Nat m, Tarax.
- Fever blisters about the lips; lips dry sore, cracked, ulcerated: Nat m, Nit ac.
- Bad effects from loss of sleep: Cocc, Colch, Nit ac, Nux v.
- Loochia : thin, acrid, brown, very foetid: Nit ac, Pyrog.
- Excruciating pains after stool; burning after soft stool: Ratanh, Nit ac.
- Fig warts with intolerable itching and burning; exuberant granulations : Nit ac, Sab, Thuja, Staph.
- Pain in rectum during and long after stool : Nit ac, Sep, Sulph.
- Haemorrhage of black blood from all the outlets of the body: Crot h, Mur ac, Nit ac, Sulph ac, Tereb.
- Anxiety about health : Kali ars, Nit ac.

Causes & diseases

- Loss of sleep.
- Nursing the sick.
- Long lasting anxiety, over exertion of mind and body.
- Anguish from the loss of his dearest friend.
- Some virulent poisons.
- Mercury.
- Syphilis: chancre.

- Iritis.
- Scrofula.
- Phthisis.
- Actinomycosis.
- Anal fissure, fistula.
- Condyloma, Constipation, Corns, Dysentery.
- Ear affections.
- Eye affections; muscae volun ties, diplopia.
- Scurvy.
- Herpes.
- Menstrual disturbances.
- nail affixations.
- Ozaena.
- polypus.
- Renal affections.
- Ulcers.
- Fissures.
- Warts.
- Psora.
- Sycosis.
- Caries of mastoid bone.
- Corneal ulcers.
- Gonorrhoea ophthalmia.
- Dyspepsia.
- Haemorrhoids bled easily.
- Metrorrhagia haemoaturia.
- Bleeding piles, after parturition.
- Recurrent cold in winter.
- Caries of teeth.
- Enlarged liver; spleen.
- Inguinal hernia (Lyc, Nux v).
- Cancer rectum.
- Old cases of gleet.
- Phagedenic ulcers.
- Para-phimosis, phimosis.

- AFFINITIES; Muco-cutaneous junctions: mouth, throat, anus, Prostate, Salivary glands, Liver, Bones, Blood, Skin.

Complaints & characteristics

- Pains: sticking, pricking as from splinters; suddenly appearing and disappearing; on change of temperature or weather; during sleep; gnawing here and there as from ulcer forming.

- Sensation of a splinter in affected parts, ulcers, piles, throat, in growing toe nail worse from slightest contact.

- Discharges are thin bloody, acrid, offensive, dirty yellowish green.

- Affections of muco-cutaneous junctions.

- Diarrhoea : great straining but little passes, as if faeces remained and cannot be expelled; pain as if rectum or anus were torn or fissured.

- Violent cutting pains after stool, lasting for hours.

- Fissures in rectum: tearing spasmodic pains during stool; lancinating, even after soft stool.

- Urine: scanty, dark brown, strong smelling, like horse's urine; cold when it passes; turbid, looks like remains of a cider barrel; contains oxalic acid, uric acid, uric acid, and phosphates.

- Short breath after going upstairs.

- Corners of mouth cracked, ulcerated.

- Painful swelling of the sub-maxillary glands.

- uvula and tonsils oedematous.

- Constant urging even after stool (Merc).

- Shocks on going to steep.

- Anxious, unrefreshing sleep with frightful dreams.

- Haemorrhage: from bowels in typhoid; after miscarriage or post-partum; from over-exertion; bright, profuse dark.

- Ulcers with exuberant granulations; bleed easily.

Generals & modalities

- Broken-down cachetic constitution.

- Anxious about his disease, anxious and depressed in evening.

- Morbid fears; fear of death.

- hopeless, despair.

- Tired of life.

- Quarrelsome, peevish, irritable, hateful, vindictive, inveterate, ill willed, headstrong, unmoved by apologies, obstinate.

- Anger with trembling.
- Very sensitive to rattle of wagons over metalled streets.
- Sensitive to touch, jar, pain.
- Chilly: disposed to cold, sensitive to cold.
- Disposed to diarrhoea.
- Haemorrhages, anaemia, dropsy Nervous trembling.
- Excessive physical irritability.
- Feeble reaction.
- Hydrogenoid constitution.
- Longing for indigestible things-chalk, earth, pungent things.
- Loves fats and salt.
- Aversion to bread and meat.
- Old people with great weakness and diarrhoea.
- Cannot bear the thought or sight of meat.
- AGGRAVATION; Evening and midnight, night, Contact, Tough, Jar, Change of temperature, or weather, Hot weather, During sweat, On walking, while walking, Noise Cold both.
- AMELIORATION; While riding in a carriage, Mild weather, Wrapping up, Steady pressure.

Nux moschata

- Synonyms : Nutmeg.
 - Source : It is a plant belonging to the natural order of Myristicaceae.
 - Preparation : Tincture is prepared from the fresh plant and its nut. Higher potencies are prepared from the mother tincture.
 - Proved by Dr. Helbing of Germany.
- Indications
- It is a CONSTITUTIONAL remedy of the patients:
 - 1. Who are of nervous and hysterical temperament; who have a tendency to faint from slightest pain or seeing blood.
 - 2. Who suffer from dryness of skin and mucous membranes; dryness of mouth; tongue so dry it adheres to roof of mouth; saliva seemed liked cotton; without actual dryness of tongue.
 - 3. She is in a dazed condition of mind; with complete loss of memory, forgets what she has been doing, has no recollection of past

events.

- She lies with eyes closed and yet knows every thing that is going on, but remembers nothing, she performs all her duties and yet seems to be in a dream.

- This condition develops in hysterical persons after a shock; after fear or grief such as loss of a dear friend or relative.

- 4. Who have changeable humour; one moment laughing the other crying; sudden change from grave to gay.

- 5. Who are over-sensitive to light, noise, and smell.

- 6. Absent minded people, chilly people, who are worse from cold and damp and better from warmth.

- It is a SPECIFIC remedy for the following conditions:

- 1. Ailments : with great soreness of all parts upon which one lies.

- 2. All the ailments are accompanied by drowsiness and sleepiness; complaints cause sleepiness; with stupor, insensibility or unconquerable sleep.

- 3. Flatulence: abdomen enormously distended after every meal; painfulness and distress in stomach while eating or immediately after . (Kali bi).

- 4. Complaints of pregnancy : cough; toothache; fainting fit; nausea and vomiting; diarrhoea.

- 5. Dyspepsia of old people with weakness.

- 6. Bed sores in typhoid cases who remain in stupor.

- 7. Sudden hoarseness from walking against the wind.

- 8. Hysteria: with complete unconsciousness; scanty or suppressed urine, dryness of mouth without thirst, fainting fits, reflexes lost and changeable humour, prolonged sleepiness, suppressed menses.

- DOSAGE : First to 30 potency and higher.

- REPETITION : Single dose and when the symptoms call for it.

- DURATION OF ACTION : 60 days (Clarke).

Relationship

- REMEDIES THAT FOLLOW WELL : Ant t, Lyc, Puls, Rhus t, Stram.

- ANTIDOTES : Camph, Gels, Nux v, Valer.

- REMEDY ANTIDOTES : Ars a, Laur, Rhod.

Causes & diseases

- Flatulence after every meal.

- Diarrhoea from boiled milk; cold drinks in summer; during dentition; during pregnancy with sleepiness and fainting.
- Pain, nausea and vomiting; during pregnancy; from warring pessaries.
- Sudden hoarseness worse from walking against wind (Euph, Hep).
- Cough caused by : getting warm in bed being over heated; during pregnancy; bathing, standing in water; living in cold damp places.
- Rheumatic affections: from getting feet wet; from exposure to draft of air while heated (Acon, Bry); worse in cold wet weather, or cold wet clothes (Rhus); of left shoulder. (Fer).
- Backache while riding in a carriage.
- Bad effects of beer; alcohol, mental shock; fright; blighted affections; loss of a friend; grief; suppressed eruptions.
- Bath causes suppressed menses.
- Over-eating.
- Schizophrenia.
- AFFINITIES; Mind, Nerves, Sensation, Female organs, Digestion, Mouth.

Complaints & characteristics

- All complaints are accompanied by drowsiness and sleepiness. (Ant t, Op); complaints cause sleepiness.
- Stupor and insensibility; unconquerable sleep.
- Absence of mind: cannot think;
- Weakness of old age; dyspepsia of old people.
- Weakness of loss of memory, (anac, Lac c, Lyc) of past life.
- Vanishing of thoughts while reading, talking or writing; uses wrong words; does not recognise well know streets (Can ind, Lach).
- Changeable humour; one moment laughing the next craving (Croc, Ign); Sudden change from grave to gay, from grave to gay, from grave to gay, from lively to screne.
- Great dryness of mouth (Apis, Lach); tongue so dry it adheres to roof of mouth; without thirst (Puls).
- Sensation of great dryness without actual dryness of the tongue.
- Great soreness of all the parts upon which one lies (Bapt, Pyr).
- Tendency to bed sores.

- Eating a little too much causes headache; painfulness and distress in stomach while eating or immediately after (Kali bi).
- Fatigued easily, must lie down after the least exertion.
- Numbness tingling, prickling; hysterical Paralysis.
- Aphonia with a dry mouth in hysterical patients.
- Brain affections: sleepy, muddled, as if intoxicated; semiconscious.
- Complaints with drowsiness chilliness and thirstlessness and dryness.

Generals & modalities

- Nervous hysterical temperament.
- People with a dry skin who rarely perspire.
- Oversensitive to light; to noise; to smell; to touch.
- Tendency to fainting; faints on seeing blood; from slight pain.
- Great indifference to every thing.
- Chilly, worse from cold and damp, better from warmth.
- AGGRAVATION; Cold, wet windy weather; weather changes; cold food, water, cold washing, Carriage driving (Cocc), Lying on painful side.
- AMELIORATION; In dry warm weather, Warm room, Wrapping up warmly.

Nux vomica

- Synonyms : Strychnos Nux vomica, poison out.
- Source : It is a tree belonging to the natural order of Loganiaceae.

The fruit is very like an orange in appearance and contains numerous seeds circular and ash-grey in colour. The seeds are intensely bitter and contain Strychnia and Brucia.

- Habitat : Corromandel coast of India, Cochin and China.
- Preparation : Tincture of the seeds with alcohol.
- Proved by Dr. Hahnemann.

Indications

- IT IS NOT A VERY DEEP ACTING REMEDY.
- It is a CONSTITUTIONAL remedy for patients:
 - 1. Who are oversensitive: Oversensitive to noise, light, touch, cold air, surroundings, food, spices, rich food, hot food, over-eating tea, coffee, narcotics, allopathic drugs, wine, alcoholic preparations.
 - 2. Who are irritable, touchy, offended even by harmless words; inclination to commit suicide, but is afraid to die; easily excited or angered.
 - Cannot bear contradiction, trifling ailments and pains are unbearable.
 - 3. Who are sedentary in habits, undergo mental exertion; loss of sleep; anxious, full of worries.
 - 4. Who are chilly, always taking cold which extends from nose to chest, worse from draft of cold air; worse from uncovering; must be covered in every stage of fever.
 - 5. Who have a tendency to faint: from odours; after eating; after every labour pain; in morning.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Ailments : from bad effects of: coffee, alcohol, tobacco, spicy food, overeating, loss of sleep.
 - 2. Convulsions with consciousness; worse from anger, emotions, touch and moving.
 - 3. Pains are tingling, sticking, aching, worse from motion and contact.

- 4. Fever with severe chill, must be covered in every stage of fever, chill is worse from motion.
 - 5. Strangulated umbilical hernia of infants and children.
 - 6. Snuffles of infants; stoppage of nose.
 - 7. Constipation; with frequent unsuccessful desire; sensation as if not finished.
 - 8. Menses : irregular, never at right time; every two weeks; stopping and starting again.
 - 9. Labour pains: violent, spasmodic; cause fainting, urging to stool or urinate.
 - 10. One of the best remedies with which to commence treatment in cases who are drugged by hot and strong medicines.
 - It desensitise their effects.
 - CONTRINDICATED in cases: where the constitutional symptoms are ascent; where there is no desire for stool at all.
 - DOSAGE : First to 30th potency and higher.
 - Lower potencies are indicated in-mental derangements of drunkards; trembling, headaches, gastric derangements, Amaurosis from excessive use of tobacco, vomiting during pregnancy.
 - Higher potencies are indicated in-Hypochondriasis; epilepsy; tetanus; convulsions; constipation.
 - Should not be given in mother tincture in constipation, should not be repeated frequently.
 - Should be given on retiring; before going to bed.
 - REPETITION : Single dose; may be repeated when the symptoms call for it.
 - DURATION OF ACTION : 1 to 7 days (Clarke).
- Relationship
- COMPLEMENTARY REMEDIES: Sep. Sulph.
 - REMEDIES THAT PRECEDE WELL : Ars a, Ipec, Phos, Sep, Sulph.
 - REMEDIES THAT FOLLOW WELL : Bry, Bell, Cact, Calcc, Carbo v, Hyos, Lyc, Phos, Puls, Rhus t, Sep, Sulph.
 - INCOMPATIBLES : Acet ac, Ign, Zinc.
 - REMEDY ANTIDOTES : Hot medicines, tea, coffee, Narcotics, alcoholic preparations, most of the homoeopathic remedies.
 - BOYD'S DRUG GROUP : VIII.

Comparison

- Bad effects after a debauch : Agar, Lob, Nux v, Ran b.
- Snuffles of infants : Hep, Nux v, Samb, Sticta.
- Gastric and nervous headaches of sedentary persons : Anac, Arg n, Bry, Nux v.
 - Conjunctival or retinal haemorrhage, with extravasation, from injuries or cough: Arn, led, Nux v.
 - Constantly dwelling on suicide : Aur m, Naja, Nux v; but afraid to die- Nux v.
 - Vomiting after laparotomy : Bis, Nux v, Staph.
 - Irritable, angry, slender people : Bry, Nux v.
 - Pressure as from stone at pit of the stomach, relieved by eructation : Bry, Nux v, Puls.
 - Very sensitive to noise; slightest noise startles from sleep: Calad, Agar, Nux v, Tarent.
 - Constipation: frequent from nursing after a fit of anger in mother: Cham, Nux v.
 - Convulse of children from nursing after a fit of anger in mother: Cham, Nux v.
 - Violent palpitation: from incarcerated flatus: Arg n, Coca, Nux v.
 - Headache: from mental exertion, thinking, talking; one sided, as from a nail driven into the brain : Coffea, Ign, Nux v, Thuja.
 - Bad manners make him almost beside himself : Colch, Nux v.
 - Mental and physical exhaustion from over exertion of mind or loss of sleep : Cup, Cocc, Nux v.
 - Takes cold easily, sensitive to draught or air: Bor, Calc c, Graph, Hep s, Nux v.
 - Very sensitive to cold air, cannot bear to be uncovered : Hep s, Nux v.
 - Better in damp wet weather : Caust , Hep s, Nux v, Med.
 - Spasms without consciousness : Hyos.
 - Headache relieved by lying on it : Coff, Nux v, Thuja.
 - Fever worse by covering : Ign.
 - Fever worse by uncovering : Nux v.
 - Desires to be alone : Ign, Nux v, Nat m, Petr.

- Child cross, irritable; cries and screams all the time, especially at night: Jalap, Lac c, Nux v, Psor.
- Nose stopped at a night, must breathe through mouth: Am c, Lyc, Nux v, Samb.
- Great sensitiveness to noise : Ign, Mag m, Nux v, Ther.
- Tenesmus of rectum better after stool : Nux v.
- Not better after stool : Merc c.
- Irritable, peevish, disposed to anger and chagrin: Mur ac, Nux v.
- Nasal catarrh: profuse discharge during day, stopped at night: Nat c, Nux v.

- Tendency to faint : Nux v, Sulph.
- Bad effects from loss of sleep : Cocc, Colch, Nux v, Nit ac.
- Tetanus aggravate from slightest breath of air : Hyper, Lys, Nux v, Strych, Physost.

Causes & diseases

- Alcohol, coffee, narcotics.
- Anger.
- Mental exertion.
- Cold air.
- Tea, tobacco.
- Spices.
- Hot medicines.
- Rich food.
- Over-eating.
- Debauchery.
- Sexual excesses.
- Masturbation.
- Loss of sleep.
- Ailments : from spraining, or straining a single part, muscle or tendon (Calc c, Rhus t).
- Morning sickness of pregnancy (Sep)
- Sight and thought of food sickens (Sep, Ars, Colch).
- AFFINITIES; Mind, Nerves, Digestion, Stomach; Liver, Intestines, Rectum, Respiration.

Complaints & characteristics

- Convulsions with consciousness worse touch and motion, anger, emotion.
- Tendency to faint; from odours; after every labour pain; after eating.
- Oversensitive to pain.
- Headache: from chagrin or anger; alcohol; coffee; spices; rich food; loss of sleep with vertigo; with haemorrhoids; congestive; desires to press the head.
- Infra-orbital neuralgia with watering of eyes.
- Optic nerve atrophy from habitual use of intoxicants.
- Nasal catarrh: snuffles of infants; coryza dry at night, fluent by day; worse in warm room, better in cold air; sitting in cold places.
- Eructations: sour bitter; after eating Nausea and vomiting every morning with depression of spirits.
- Nausea constant: after eating; from smoking; and feels "if I could only vomit I would be much better."
- Stomach pressure an hour or two after eating; pyrosis, tightness, must loosen clothing; cannot use the mind for two or three hours after a meal; sleepy after dinner.
- Indigestion: from anxiety, worry, brandy, coffee, drugs, night watching, high living.
- Strangulated umbilical hernia.
- Umbilical hernia of infants.
- Constipation with frequent ineffectual urgings: irregular peristaltic action.
- Alternate constipation and diarrhoea.
- Dysentery : stool relieves pains for a time.
- Menses : irregular never at right time; every two weeks; stopping and starting again; return of old symptoms during and after menses.
- Backache : must sit up to turn over in bed; from sexual weakness, masturbation.
- Must cover to prevent chilliness during fever.
- Cold stage predominates.

Generals & modalities

- Thin, males Bilious, sanguine, irritable, sullen, nervous, extremely sensitive, quarrelsome, fault finding, spiteful, malicious, impatient,

deceptive melancholic.

- Anxious with irritability, hypochondriac drunkards, sedentary habits, studious, dyspeptics, over-drugged, zealous, offended easily.
- No desire to do any work.
- Chilly.
- Intolerant to noise, talk, strong odours, bright light.
- Cannot sleep after 3 A.M.
- Sexual dreams with excitement, and discharge.
- Over sensitiveness of all senses (Cham, Val).
- AGGRAVATION; Mental exertion after eating, over eating, anger, touch, noise odours bright light, Spices, narcotics rich food, Morning (Aloe, Sulph); waking at 4 A.M. , In cold air, Dry weather.
- AMELIORATION; Lying down, While at rest, In evening Damp, wet weather.

Opium

- Synonyms : Poppy, Papaver somniferum.
- Source : Opium is the gummy exudation of the unripe capsule of poppy.
- Preparation : Mother tincture is prepared from the exudation.
- Higher potencies are prepared from the tincture.
- Proved by Dr. Hahnemann.

Indications

- It is one of the remedies for the emergencies and is found to be SPECIFIC for the following conditions:
 - 1. Ailments: from fear, fright, anger; shame, sudden joy, sun, alcohol, charcoal fumes and lead.
 - 2. Apoplexy: of drunkards; from fright; with stertorous breathing, jaw dropped, pupils dilated or contracted, face mottled, purple or not, hot sweat, one sided paralysis.
 - 3. Convulsions: from fright; dentition; approach of strangers; suppressed exanthema; uraemic; cerebro-spinal meningitis; puerperal fever; during sleep and followed by deep sleep; shrieks, screams before and during convulsion; without consciousness; face red; pupils contracted with opisthotonos; head drawn back; kicks the cover off; wants a cool room; worse from hot bath.

- 4. Epilepsy; dating back to a fright, the object comes before eyes and the fear of the fright remains, recent cases; during sleep; with vertigo; with drowsiness; inertia; toppler; absence of sensation; absence of reaction.
 - 5. Delirium tremens: in old emaciated persons; bloated face, stupor, eyes burning, with loud snoring.
 - 6. Delirium: constantly talking; eyes wide open; face red, puffed; eyes glassy; half closed; unconscious; followed by stupor and finally the coma sets in.
 - 7. Ailments; with insensibility; partial or complete paralysis; with great sopor; complains nothing wants nothing; thinks she is not at home; picking of bed clothes during sleep; sleeps with stertorous breathing; with hot sweats; loss of breath on falling asleep; with no desire for stool for days; with retention of urine in bladder.
 - 8. Ulcers : with acuteness of hearing and acuteness of smell; with great sopor; no desire for stool for days; with delirium, constantly talking with eyes wide open; unconscious; diarrhoea involuntary, offensive stool; great weakness and collapse.
 - 9. Typhoid fever: with acuteness of hearing and acuteness of smell; with great sopor; no desire for stool for days; with delirium, constantly talking with eyes wide open; unconscious; diarrhoea involuntary, offensive stool; great weakness and collapse.
 - 10. Paralysis; Lead; of tongue with great difficulty in articulation; of pharynx with inability to swallow; of intestine with tympanic distension; of rectum with no desire for stool or involuntary stools; of bladder and sphincter with retention or involuntary stools; of bladder and sphincter with retention or involuntary urination.
 - DOSAGE : Low to high potencies. 6 c-200 c.
 - REPETITION : Single does; to be repeated when the symptoms call for it.
 - Repeated doses in apoplexy.
 - DURATION OF ACTION : 7 days (Clarke).
- Relationship
- REMEDIES THAT FOLLOW WELL : Acon, Ant t, bell, Bry, Hyos, Nux m, Nux v. Arn in apoplexy.
 - ANTIDOTES : Bell, Camph, Cham, Con, Coff, Merc, Ip, Nux v, Plumb.

- REMEDY ANTIDOTES : Ant t, Bell.
- BOYD'S DRUG GROUP : VIII.

Comparison

- Marasmus face old, pale, wrinkled: Abrot, Op.
- Constipation of old people : Alum, Lyc, Op.
- Great sleepiness with nearly all complaints : Ant t, Nux m, Op.
- Retention or incontinence of urine after labour : Arn v, Hyos, Op.
- Sleepy but cannot sleep : Bell, Cham, Op.
- Headache from constipation : Aloe, Bry, Collin, Op.
- Want of susceptibility to well selected remedies: Carb v, Op, Laur, Val.
- Constipation with horribly offensive breath : Carb ac, Op, Psor.
- Convulsions of children from nursing after a fright in mother : Op.
- After anger: Nux v.
- Constipation : Stool hard, round balls : Chel, Op, Plumb.
- Over-sensitiveness: of all senses; more acute, sight, hearing, smell taste and touch: Bell, Coffea, Cham, Op.
- Haemoptysis of drunkards : Nux v, Op.
- Breathing stops as soon as he falls asleep : Am c, Grin, Lac c, Lach, Op.
- Unrefreshing sleep, more tired on rising than when retiring: Bry, con, Hep s, Mag c, Op, Sulph.
- Sleep with stertorous breathing : Op.
- Sleep without stertorous breathing : Nux m.
- No desire for stool; : Bry, Op. Sulph, Sanic.
- Colic: Alum, Op, Plat, Plumb, Coloc, Bell, Diosc.
- Vomiting: brownish, coffee ground, offensive, stercoraceous with impacted or in intestinal obstruction : Op, Plumb, Pyrog,
- Stool : large, black, carrion like, putrid; from impaction in fevers : Op, Plumb, Pyrog.
- Constipation with complete inertia : Op, Pyrog, Sanic.
- Face like old people; enlarged abdomen; dry flabby skin in children : Abrot, Bar c, Op, Sars.
- Urging to urinate, has to sit for hours after difficult labour : Op, Staph.
- Desire to escape in delirium : Bell, Bry; Op, Rhus t, Stram.

- Convulsions: without consciousness : Bell, Cic, Hyos, Op.
- With consciousness: Nux v, Op, Stram, Strych.
- Constipation stool like round black balls : Chel, Op, Plumb, Verat a.

Causes & diseases

- Ailments from fright; bad effects of fear still remaining (Acon, Hyos).
 - From charcoal vapours.
 - From inhaling gas.
 - Opium poisoning producing persistent diarrhoea.
 - Convulsions or paralysis of brain from retrocession of acute exanthema.
 - Marasmus: child looks like a wrinkled, dried old man.
 - Retention of urine from excessive use of tobacco.
 - Cerebral apoplexy with stertorous breathing, one sided paralysis.
 - Cerebro-spinal meningitis, with opisthotonos; (Cicuta); worse from hot bath (Apis).
 - Epilepsy dating back to fright.
 - Amenorrhoea from fright.
 - Complaints from: sudden joy, anger, shame, sudden fright.(Coffea).
 - Delirium tremens.
 - Lead colic.
 - Diarrhoea during typhoid fever with bloated abdomen Cholera infantum with suppressed diarrhoea, child becomes unconscious with insensible pupils and flushed face.
 - Sleeplessness.
 - AFFINITIES; Mind, Senses, Nerves, Lungs, Digestive Tract, Dysmenorrhoea, Strangulated hernia, Ileus reversed, Peristalsis, Uterine inertia, Puerperal convulsions, Asphyxia neonatorum after Acon (Clarke).
- #### Complaints & characteristics
- Ailments with insensibility: with partial or complete paralysis.
 - All complaints: with great sopor; painlessness, complains of nothing; wants nothing.
 - Spasms of children; from nursing after fright of mother (Hyos); from approach of strangers; from crying; with eyes half open and upturned; screaming before and during spasm. (Apis, Hell); with deep stertorous respiration both on inspiration and exhalation.

- Delirium: constantly talking; eyes wide open, face red, puffed; or unconscious, eyes glassy, half closed; thinks she is not at home.
- Stupor followed by deep coma.
- Picking of bed clothes during sleep (while awake, Bell, Hyos Delirium tremens: with loud snoring.
- Sleep: with stertorous breathing; after convulsions.
- Sleepy but cannot sleep (Bell, Cham).
- Sleeplessness with acuteness of hearing, clock striking and cocks crowing at a great distance keep her awake.
- Loss of breath on falling asleep (Grind, Lach).
- Bed feels so hot she cannot lie on it: must be uncovered, constipation: of children; corpulent good natured women; no desire; from in action or paresis.
- Faeces protrude and recede (Sil, Thu); from lead poisoning; stool hard round black balls (Chel, Plumb, Thu).
- Stool involuntary after fright (Gels); black and offensive from paralysis of spincter.
- Urine: retained with bladder full; postpartum, or from excessive use of tobacco; in nursing children after passion of nurse; in acute illness; paralysis of bladder or spincter.
- Fullness of bladder is not recognised.
- Convulsions or paralysis of brain from sudden retrocession of acute exanthema.
- High fever without feeling of heat.
- Complaints accompanied with perspiration.
- High fever with great thirst and sleeplessness.

Generals & modalities

- Want of susceptibility to remedies; lack of vital reaction, the well chosen remedy makes no impression.
- (Carb v, Laur, Val).
- Ailments of drunkards.
- Ailments of children; first and second childhood (Bar c, Mill)
- Wants to be alone.
- Wants nothing and has no symptoms.
- Opium eaters like whisky drinkers are constitutional liars.

- AGGRAVATION; Heat, Hot bath, During and after sleep, Stimulants, Fright Joy, Cold, Uncovering.

Oxalicum acidum

- Synonyms : Acid of sorrel: Formula $\text{H}_2\text{C}_2\text{O}_4 \cdot 2\text{H}_2\text{O}$.
- Source : It is a crystalline dibasic acid, a poisonous chemical salt used as a disinfectant for the hands of surgeons.
- Preparation : Triturations are prepared with sugar of milk from which higher potencies are prepared.
- Proved by Dr. Charles Neidhard of U.S. A. in 1844.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Who are sensitive to cold.
 - 2. Who are worse from thinking of their complaints, especially pains.
 - 3. Who are worse from exertion.
 - 4. Who are allergic to sour fruits like strawberries, cranberries, apples, tomatoes, grapes. (Kent).
 - 5. Who are allergic to coffee; it produces diarrhoea.
 - 6. Who are worse after eating sugar, starchy food, wine.
 - 7. Who pass oxalate of lime in their urine.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Cardiac complaints: with loss of voice; palpitation alternating with loss of voice; with difficult breathing; sudden forced expiration in angina pectoris; dyspnoea with constriction of larynx; cardiac cough on slight exertion; pain in middle of chest goes to the back; stitching tearing pains behind the sternum going to shoulders and arms; violent palpitation in rheumatic subjects worse when thinking about it; fluttering heart.
 - Palpitation from lying.
 - 2. Pains : violent; in streaks, in streaks, like lightning; in spots; burning; neuralgic; from left lower chest to epigastrium; worse from motion and when thinking of them; tender spot pains on the scalp.
 - Cutting, shooting stitching, tearing pains in many parts.
 - Sores and bruises all over the body.
 - (Kent).

- 3. Burning: in forehead, stomach, abdomen, throat, urethra, hands and feet.
 - 4. Headache: from wine: worse from lying; after sleep; before and during stool; better after stool.
 - 5. Epistaxis with vanishing of sight.
 - 6. Ulcers on gums; gums bleed and are painful in spots; aphthae in mouth.
 - Sour taste, loss of taste; chronic sore throat, has to clear constantly the mucus from the throat.
 - 7. Stomach : eructations sour, tasteless after eating; sugar increases pain in stomach; nausea during pregnancy.
 - Paroxysmal pains in abdomen in the night relieved by passing flatus.
 - Burning in stomach and throat. Pains in abdomen are worse when thinking of them.
 - DOSAGE : 6th to 30th potency.
 - REPETITION : Single dose is the rule for higher potencies.
 - DURATION OF ACTION: Not definite.
- Relationship
- Lime water antidotes the poisonous effects of crude oxalic Acid.
- Comparison
- Oxaluria (Oxalates in urine) : Bnerb v, Ichthyol, Kali s, Nat phos, Nit ac, Nit mur acid, Ox ac, Senna.
 - Thinking aggravates the symptoms : Bar c, Calc p, Caust, Gels, Helon, Med, Nux v, ox ac, Staph.
 - Diarrhoea from coffee : Cist c, Cycl, Ox ac, Thuj.
 - Spot pains : Ign. Kali bi, Lil t, Ox ac.
 - Severe pains drive him frantic : Acon, Bell, Cham, Colocynth, Mag phos, Ox ac, Spig.
 - Degeneration of spinal cord : Alum, Arg n, Aur mur, Bar mur, Ox ac, Phos, Pic ac, lumb, Iod Zinc.
 - Pain in spine : Agar, Arg n, Hyper c, Ox ac, Tar h.
 - Allergic to sour fruits : Ant cr, Ip, Ox ac, Phos ac, Psor.
 - Sweats aggravate : Arg n, Ant cr, Cham, Fl ac, Graph, Ign, Merc, Ox ac, Sel, Sulph.

- Palpitation with dyspnoea : Am c, Cact, Glon, Naja, Ox ac, Phos, Spigh, Spong.
- Nervous aphonia with cardiac disorders: Hydroc ac, Nux m, Ox ac,
- Cardiac cough : Arn, Hydroc ac, Lach, Laur, Naja, Ox ac, Spong.
- Constricted feeling in larynx: Acon, bell, brom, Chlorum, Cupr, Dros, Hydroc ac, Iod, mang ac, Naja, Ox ac, Phos, Spong.
- Pain in chest : Am c, Amyl n, Arn, Ars a, Bell, Bry, Cact, Caust, Ox ac, Phos, Ran b, Sping. Tab.
- Cardiac pain lancinating, tearing : Cact, Iber, Kalm, latrod, Lil t, Ox ac, Phyt, Spig, Syph, Tab.

Causes & diseases

- Coffee= diarrhoea, Stomach disorders.
- Cardiac disorders: angina pectoris, cough, aphonia.
- Oxaluria.
- Aphthae, ulcers.
- AFFINITIES; Digestive Target Navel Nesh: Cord Heat

Complaints & characteristics

- Spot pains.
- Violent pains, shooting, cutting, tearing, lightning like.
- Burning in various parts of the body.
- Headache worse from wine; better after stool.
- Abdominal pain relieved from discharge of flatulence.

Generals & modalities

- Chilly, sensitive to cold.
- Worse form thinking of symptoms.
- Allergic to sour fruits, strawberries, apples, grapes etc.
- Sugar and starch food disagrees, suffer from oxaluria.

Petroleum

- Synonyms : Coal oil, Rock oil.
- Source : Under ground rock soil where petrol is found.
- Habitat : India, Middle East, U.S. S.R. , U.S. A. and other countries where petrol is found.
- Preparation : Trituration and tincture of the rectified oil.
- Proved by Dr. Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for patients:
 - 1. Who suffer from car, sea or travel sickness.
 - 2. Who are disposed to skin diseases in winter and get well in summer.
 - 3. Who are offended easily at trifles; are vexed at every thing; are irritable and of quarrelsome disposition.
 - 4. Who are of chilly disposition, take cold easily and are worse in winter.
 - 5. Who are affected by thunderstorm and are worse before and during thunderstorm.
 - 6. Who are disposed to suppuration; slightest injury suppurates.
 - 7. Who are worse during and after sleep; from warmth; stimulants and while perspiring and better from cold; constant walking.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Headache; occipital, extends to forehead and eyes with loss of vision.
 - 2. Diarrhoea; after cabbage or sour krout; during pregnancy; stormy weather; always in the day time, with constant hunger.
 - 3. Gnawing pains in stomach when empty, relieved by constant eating.
 - 4. Cracks about the end of fingers and on back of hands.
 - 5. Chilblains every winter.
 - 6. Eczema of genitals; small vesicles, which itch, sting and burn.
- DOSAGE : 3rd to 30th and higher potencies.
- REPETITION : Single and high potency is enough.
- To be repeated when the symptoms call for it.
- DURATION OF ACTION : 40 to 50 days (Clarke).

Relationship

- COMPLEMENTARY : Sep.
- REMEDIES THAT PRECEDE WELL : Bry, Calc c, Lyc, Nit ac, Puls, Sil.
- ANTIDOTES : Cocc, Nux v, Phos.
- REMEDY ANTIDOTES : Lead poisoning, Nit ac.
- BOYD'S DRUG GROUP : VIII.
- BOWEL NOSODE GROUP : Morgan Pure.
- REMEDIES THAT FOLLOW ELL : Bry, Calc c, Lyc, Nit ac, Nux v, Puls, Sep, Sil, Sulph.

Comparison

- Dry, tettery, itching eruptions, worse in winter: Alum, Petr,
- Slight injury suppurates : Graph, Hep s, Merc, Petr, Sil.
- Hangnails: skin around the nails dry and cracked: Graph, Nat m,

Petr.

- Imagines all sorts of things; that she is double, lying crosswise etc. :

Petr, Stram.

- Thought she was three persons, could not keep them covered:

Bapt, Petr.

- Bloody, nocturnal emissions : Canth, Led, Merc, Petr.
- Symptoms appear and disappear rapidly : Bell, Mag p, Petr.
- Car sickness: Cocc, Petr, Sanic, Tab.
- Ailments worse before and during thunderstorm: Nat c, Petr, Phos,

Psor.

- Easily offended at trifles : Ign, Med, Nux v, Petr.
- Sea-sickness : Bry, Cocc, Petr, Tab.
- Gnawing sensation in stomach with hunger, relieved by constant

eating: Anac, Chel, Petr, Sep.

- Foul smelling sweats with tenderness of feet : Graph, Petr, Sanic, Sil.
- Heat and burning of soles of feet and palms of hands: Petr, Sang,

Sulph.

- Sensation of coldness about the heart: Carb an, Kali m, Nat m, Petr.
- On attempting to rise from sitting, makes many painful efforts

before he finally succeeds : Aesc, Agar, Petr, Sulph.

- Old gleet discharge with itching and tingling in the urethra and last drop drops after a long time : Agar, Petr.

- Cracking in joints : Caust, Petr.
- Chilblains every winter : Agar, Petr.

Causes & diseases

- Ailments: from riding in a carriage, car or ship (Codd, Sanic); better while in a dark room.

- Ailments from fright; Vexation.
- Chilblains every winter.
- Diarrhoea from cabbage, from suppressed skin eruptions.
- Chronic gonorrhoea or gleet with itching in urethra.
- Itching in eustachian tube, deep inside the ear.

- Chronic sprains of joints.
- Itchy, vesicular pustular eruptions.
- Foetid perspiration of axilla.
- Roughness, cracks of finger tips.
- Chilblains, rhagades; psoriasis; eczema; fissure of skin in winter.
- Eruptions of secondary syphilis.
- Herpes zoster.
- Falling of hair.
- Typhoid.
- Nausea of pregnancy.
- Urticaria.
- Lingering gastric and lung troubles.
- Chronic diarrhoea.
- Chronic eustachian catarrh.
- Hoarseness.
- Trachoma, granular lids, copious discharge, cracks in the lids.
- AFFINITIES; Mind, Nerves, Mucous membranes, Skin, G. I, Tract,

Occiput.

Complaints & characteristics

- Complaints which are worse before and during a thunderstorm (Nat c, Phos, Psor).
- Symptoms appear and disappear rapidly (Bell, Mag phos).
- During sleep or delirium: imagines that one leg is double; that another person lies alongside of him in the same bed; that there are two babies in the bed (Val).
- Occipital headache, nausea, vomiting and vertigo on rising (Bry); while riding in a carriage or in a ship (Tab).
- Pain from occiput overhead to forehead and eyes with transitory blindness.
- Headache; numb; bruised; as if the head is made of wood.
- Pain in stomach whenever the stomach is empty; relieved by constant eating (Anac, Chel, Sep).
- Diarrhoea : yellow, watery, gushing; after cabbage; after sour krout; during pregnancy; stormy weather; always in the day time; ameliorated at night; with constant hunger.
- Cough is worse at night and diarrhoea is worse during day.

- Hunger, immediately after stool.
- Ravenous hunger; must rise at night and eat; relieved by constant eating.

- Diarrhoea with hunger.
- Sore bruised feeling all over the body.
- Left sided parietic conditions.
- Thin and watery oozing from eczema.
- Eczema of genitals.
- Tender and sore nipples; oversensitive to touch of clothing.
- Coldness in parts.

Generals & modalities

- Irritable, quarrelsome disposition. (Nux v).
- Easily offended at trifles, (Ign, Med).
- Vexed at every thing, chilly, disposed to cold catarrh and skin diseases in winter.
- Disposed to car sickness, sea sickness and during pregnancy.
- Susceptible to thunder storm, cabbage, sour krout, suppuration.
- Inability to throw out eruption on the skin.
- AGGRAVATION; Riding in car, carriage ship, Winter, Before or during thunderstorm Vexation, Mental exertion, Cabbage, Eating, Dampness, Passive motion.
- AMELIORATION; Warm air, Dry weather, Lying with head high.

Phosphoricum acidum

- Synonyms : Acid Phos, Acid Phosphoricum. Formula H_3PO_4 HPO_3 or $H_2OP_4O_5$ (Allen)

- Source: Formed by oxidation of phosphorus : can be purchased from a chemist shop.

- Preparation : Dilutions are prepared from the crystals of Phosphoric acid.

- Proved by Hahnemann in the dilution in the drug.

Indications

- It is a CONSTITUTIONAL remedy for patients:
 - 1. For children and young people who grow too rapidly, suffer from rickets, headache, nervous debility, seminal emissions, growing pains.
 - 2. Who have mild yielding disposition.

- 3. Who are disposed to weep easily.
- 4. Who pass phosphates in urine and suffer from mental, emotional and nervous debility; trembling of legs; stumble easily.
- 5. Who become indifferent to affairs of life when sick or debilitated.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Ailments : from loss of vital fluids, phosphates in urine, care, chagrin, grief, disappointed love and affections, home sickness.
 - 2. Debility : after violent acute diseases, night sweats.
 - 3. Typhoid : delirium, muttering; lies in a stupor; unconscious of all that is going on around him; when aroused is fully conscious; answers slowly and correctly and lapses into stupor again.
 - 4. Diarrhoea : painless: non-debilitating; involuntary with flatus; from fear or acids.
 - 5. Headache : from long lasting grief or exhausted nerves; of school girls from eye-strain or over-use of eyes; of students who are growing too fast; aggravated from least motion, noise especially music; better from lying; in occiput and nape of neck, extends from back to front; crushing weight on vertex.
 - 6. Inflammation of bones; scrofulous, syphilitic, mercurial or sycotic.
 - 7. Diabetes : with nervous debility in early stages.
 - 8. Spermatorrhoea with sexual neuroaesthesia.
 - 9. Rickets.
 - 10. Intestinal haemorrhage of typhoid fever.
- DOSAGE : First to 12th potency.
- REPETITION : Bears repetition well.
- DURATION OF ACTION : 40 days ?(Clarke).

Relationship

- REMEDIES THAT PRECEDE WELL : Nux v.
- REMEDIES THAT FOLLOW WELL : Ars a, Bell, Caust, Chin, Ferr m, Fl ac, Lyc, Puls, Rhus t, Selen, Sep, Verat a.
- ANTIDOTE : Camph.
- BOYD'S DRUG GROUP : V.

Comparison

- Debility from the loss of vital fluids : Cinch, Phos ac, Kali c, Psor, Phos.
- Ailments from home sickness : Ign, Phos ac, Caps.

- Mild yielding disposition : Phos ac, Puls.
- Children and young men who grow too rapidly : Calc c, Calc p, Phos ac.
- Headache better from lying down : Bry, Gels, Phos ac, Sil.
- Headache of school girls from eye-strain : Calc p, Nat m, Phos ac.
- Diarrhoea with flatus : Aloe, Nat m, Phos ac.
- Chest weakness from talking or cough : Phos ac, Stann.
- Ailments from grief, disappointed love : Aur m, Calc p, Caust Ign, Phos ac, Lach.

- Patients: apathetic, indifferent : Apis, Op, Phos ac, Sep.
- Bad effects of excessive sexual indulgence: Phos ac, Sep.
- Craving for acids or refreshing things : Phos ac, Verat a.

Causes & diseases

- Loss of vital fluids.
- Sexual excesses.
- Violent acute diseases.
- Care.
- Chagrin.
- Disappointed love.
- Chagrin.
- Grief.
- Sorrow.
- Home-sickness.
- Bed news.
- Over-study.
- Over-lifting.
- Night sweats.
- Phosphates in urine.
- Intestinal inflammation of bones; scrofulous, syphilitic, sycotic, mercurial; Periostitis; pains burning, tearing, as if scraped with a knife.
- Caries, Rickets.
- Growing pains.
- Necrosis in steam after amputation.
- Shock.
- Neuralgia: boring, drawing, digging pains in nerves of extremities.
- Diabetes.

- AFFINITIES; Mind, Nerves, Muscles, Metabolism, Bones, Sexual organs, Melancholia from grief, Cough from tickling of feather in middle of chest, Cough= Headache; nausea and vomiting of food; spurting of urine, Odours= vomiting, Suppressed eruptions, Lead cold=arthritic pains.

Complaints & characteristics

- Delirium : muttering, unintelligible; lies in a stupor, or a stupid sleep, unconscious of all that is going on around him; when aroused is fully conscious, answers slowly and correctly and relapses into stupor.

- Headache.

- Headaches: from long lasting grief or exhausted nerves; of school girls from eye-strain or over-use of eyes; of students who are growing too fast; with crushing weight on vertex; in occiput and nape, extends forwards from behind; agg by least motion, noise, especially music; better by lying (Bry, Gels, Sil).

- Diarrhoea: painless; non-debilitating; from acids; fear; involuntary; with flatus.

- Emissions: frequent profuse debilitating; after coitus; several in one night; abashed, sad, despair of cure.

- Chest: weak from talking and coughing; in phthisis; from loss of vital fluids; too rapid growth; depressing mental emotions.

- Typhoid : with complete apathy and stupor; takes no notice; lies like a log, utterly regardless of surroundings;

- Intestinal haemorrhage, blood dark.

- Urine: looks like milk, mixed with jelly like bloody pieces; decomposes rapidly; profuse urination at night of clear water urine, which forms a white cloud at once; contains phosphates.

- Sensation as if the feet were rising until he stood on had.

- Polyuria with dryness of throat.

- White stools.

- Urine turns milky.

- Excessive flatulence.

Generals & modalities

- Children and young people who grow too rapidly.

- Pale sickly complexion, eyes sunken and surrounded by blue margins.

- Mild yielding disposition.
- Disposed to weep.
- Listless, apathetic, indifferent to affairs of life; prostrated and stupefied with grief.

- Patient trembles, stumbles easily, makes missteps, legs weak, patient is greatly distressed by the culpability of onanism.

- AGGRAVATION; Mental affections, Loss of vital fluids, seminal losses, self abuse, masturbation sexual excesses, Bad news, Depressing emotions, Drafts cold Wind, Music, Talking, Warm room, Lying on left side, Standing.

- AMELIORATION; Warmth, Short sleep.

- Pains amel, by motion or pressure.

Phosphorus

- Synonyms : Phosphorus, yellow, Phos.

- Source : It is an element, of pale yellow colour and a distinct odour; found in volcanic regions. It is found as an ingredient of bones. It is available in the market.

- Preparation : It is dissolved in alcohol and dilutions are made from which higher potencies are prepared.

- Proved by Dr. Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:

- 1. Who are born sick, feeble, anaemic, nervous, want to be magnetised.

- 2. Who grow up too rapidly, slender, fair skin, delicate, fine blonde or red hair.

- 3. Who have quick perception, very sensitive to external impressions, light, noise, odours, touch.

- 4. Who are restless, fidgety, move continually, cannot stand or sit still for a moment, are inclined to stoop, and suffer from nervous trembling.

- 5. Who are weak and easily exhausted, weary of life, full of gloomy foreboding.

- 6. Who have a weak, empty, all gone sensation in head, chest, stomach and entire abdomen.
- Who have longing for acids, spicy things, ice creams and very cold water.
- 7. Who have haemorrhagic diathesis; small wounds bleed profusely from every mucous outlet.
- 8. Who are disposed to phthisis.
- 9. Old people with morning diarrhoea.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Constipation : faces slender, long, dry, tough and hard; voided with great straining and difficulty.
 - 2. Diarrhoea : watery with sago particles; anus remain open; involuntary; during cholera time; morning; old man's diarrhoea; during menses.
 - 3. Cough : going from warm to cold air; worse from laughing, talking, reading drinking, eating; lying on left side.
 - 4. Haemorrhage : metrorrhagia, haemoptysis, epistaxis, haematemesis, vicarious menses; from urethra and anus; metrorrhagia with cancer uterus, frequent and profuse with ringing in ears, fainting loss of sight, general coldness, sometimes with convulsions.
 - Haemorrhagic diathesis; small wounds bleed freely.
 - After tooth extraction.
 - Epistaxis in children who grow up too rapidly.
 - 5. Tubercular deposits begin in apex of lungs usually on the left side.
 - 6. Ailments : after loss of vital fluids; which are worse lying on left side; which are worse before and during thunderstorm; with all gone sensation in abdomen, relieved by eating; with burning pains in small spots; with complaints that appear diagonally, upper right lower left; with vomiting of water as soon as it reaches the stomach, desire for cold water.
 - 7. Aphonia from singing; hoarseness worse in the evenings.
 - 8. Pain : in the chest, intercostal spaces: worse from slightest pressure and lying on left side; excited by cold air.
 - 9. Necrosis of the left lower jaw.

- 10. Fevers with great desire for cold drinks; juicy, refreshing things; ice cream which relieves gastric pains.
- 11. Nasal polypus : bleeding profusely.
- 12. Eye diseases : blindness due to sexual excesses; retinitis, simple or albuminuric; detachment of retina; retinal apoplexy and muscular asthenopia.
- DOSAGE : 3rd to 30th potency or higher.
- Should not be given in too low or in continuous doses.
- REPETITION : Single to be repeated when the symptoms call for it.
- DURATION OF ACTION : 40 days (Clarke).

Relationship

- COMPLEMENTARY : Ars, All c.
- REMEDIES THAT PRECEDE WELL : Calc c, Chin, Kali c, Lyc, Nux v, Pic ac, Rhus t, Sil, Sulph.
- REMEDIES THAT FOLLOW WELL : Ars a, Carb v, Rhus t, Sulph.
- INCOMPATIBLE : Caust.
- ANTIDOTES : Calc c, Camph, Coff, Mez, Nux v, Sep, Tereb.
- REMEDY ANTIDOTES : Camph, Iod, Rhus ven, Terebinth.
- BOYD'S DRUG GROUP : V.
- BOWEL NOSODE GROUP : Gaertner.

Comparison

- Complaints appear diagonally : upper right, lower left- Ambr, Brom, Med, Phos, Sul ac.
- Dry cough: worse on changing air or room : Phos, Rumex, Spong.
- Violent cough in spasmodic paroxysms worse talking or reading aloud: Ambr, Dros, Hyos, Phos.
- Cough : chronic, of years duration, worse morning on waking; evening on lying down : Phos, Tub.
- During menses : diarrhoea and vomiting, bloody discharge from the bowels : Am c, Phos.
- Cough from lying on left side : Phos, Rumex.
- Diarrhoea; involuntary from every motion as though anus was wide open : Apis, Phos.
- Stool gushing out : Gamb, Jatropha, Phos, Podo.
- Laughing excites cough : Arg n, Dros, Phos, Stann.
- Burning pains in small spots : Agar, Phos, Ran b, Sulph.

- Aphonia : from singing : Arum t, Arg n, Caust, Phos, Sel.
- Day blindness: mist before eyes; pressure and smarting in eye balls : Ran b, Phos.
- Fatty degeneration of heart : Aur m, Kali c, Lac def, Phos.
- Thirst; drinks little and often; is vomited as soon as it reaches the stomach : Ars, Bism, Phos.
- Vicarious menses : Bry, Dig, Phos.
- All gone feeling in stomach relieved by eating: Chel, Murex, Phos, Sep, Stann.
- Haemorrhage: from nose lungs, stomach, rectum, bladder: Cact, Croth, Mill, Fer p, Ipec, Phos.
- Desire to be magnetised, which relieves : Phos, Sil.
- Bad effects of exhausting diseases : Carb v, Chin, Phos, Psor.
- Leucorrhoea : with debility which seems to proceed from abdomen or pelvis : Phos, Sep.
- Haemorrhage from any broken down condition of mucous membranes : Carb v, Cinch, Phos, Sec c.
- Hoarseness worse in the evening : Carb v, Phos.
- Metrorrhagia; with cancer uterus: Phos, Thlapsi, Ust.
- Disposition to haemorrhage: with ringing in ears, fainting, loss of sight, general coldness, sometimes convulsions : Cinach, Fer m, Phos.
- Tubercular deposit begins in apex of lungs, usually the left : Phos, Sulph, Therm, Tub.
- Anxiety about future : Bry, Calc, Chin s, Cic, Phos.
- Ailments: especially nose bleed in children who develop too rapidly : Calc c, Croc, Kreos, Phos.
- Infantile diarrhoea : Crot t, Kali br, Phos.
- Itching: extends through bronchi to nasal cavity: Cocc, Con, Iod, Phos.
- Ailments: after loss of fluids or semen particularly in the anaemic : Cinch, Kali c, Phos ac, Phos, Psor.
- Haemorrhagic diathesis: small wounds bleed freely : Crot h, Lach, Phos, Kreos, Sec c.
- Women of a melancholic temperament with freckles and red hair : Lach, phos.

- Spine aches from base of the brain to coccyx, very sensitive to touch or pressure : Chin s, Pic ac, Phos, Zinc.
- Predisposed to lung and hepatic affections : Calc c, Lyc, Phos.
- Red sand in urine, on child's diaper : Lyc, Phos.
- Attacks of anxiety and restlessness during a thunder storm: Nat c, Phos.

- Ailments which are worse before and during and thunder storm : Nat c, Petr, phos, Psor.

Causes & diseases

- Mental exertion.
- Strong emotions.
- Music.
- Strong odours, smell of flower= fainting.
- Sexual excesses, loss of fluids.
- lifting.
- Sprains.
- Wounds.
- Thunderstorm.
- Exposure to drenching rains.
- Washing clothes.
- having hair cut.
- Tobacco= amblyopia.
- AFFINITIES; Brain, Nerves, Spine, Circulation, Blood, Blood vessels, Heart, Lungs, Sex organs, Stomach, Bowels, Bones, Jaw, Spine.

Complaints & characteristics

- Vertigo : after rising of the aged; with faintness.
- Brain fag with coldness of occiput.
- Dandruff, falling out of hairs in large bunches with itching bunches with itching of scalp.
- Black points seem to float before the eyes: green halo about the candle light; letters appear red; diplopia; eyes hollow, surrounded by blue rings.
- Hearing difficult especially to human voice; dullness of hearing after typhoid Fan like motion of nostrils.
- Epistaxis instead of menses; polypi bleeding easily.
- Lids puffy, swollen, oedematous.

- Persistent bleeding after tooth extraction.
- Thirst for very cold water.
- As soon as water becomes warm in stomach, it is thrown up.
- Longs for cold food and drink; juicy refreshing things; ice cream ameliorates gastric pains.
- Regurgitation of ingesta in mouthfuls (Alum).
- Nausea from placing hands in warm water.
- Sneezing and coryza from putting hands in water (Lac d).
- Constipation : faces slender, long, dry, tough and hard; voided with great straining and difficulty (Caust).
- A weak, empty, gone sensation in the abdominal cavity.
- Diarrhoea : as soon as anything enters the rectum; profuse, pouring away as from a hydrant; watery, with sago like particles; sensation as if the anus remained open (Apis); involuntary; during cholera time; in the morning; old people.
- Heaviness of chest, as if a weight was lying on it.
- During pregnancy; unable to drink water: sight of it causes vomiting must close her eyes while bathing (Lyss).
- Cannot talk, larynx is so painful; is dry, raw, rough and sore.
- Cough: going from warm to cold air, agg from laughing, reading, talking, drinking, eating, lying on left side.

- Perspiration has the odour sulphur.

Generals & modalities

- Tall slender persons.
- Sanguine temperament.
- Fair skin, delight eyelashes, fine blonde or red hair.
- Sensitive nature, quick perception.
- Excessive ticklishness.
- Who grow rapidly, are inclined to stoop, are anaemic.
- Nervous.
- Weak.
- Desire to be magnetised.
- Restless, fidgety.
- Move continually, cannot sit or stand still for a moment.
- Diathesis; tubercular, haemorrhagic, nervous, gloomy, weary of life, apathetic.

- Aversion to think.
- Fearful.
- Exhausted easily.
- Indifferent.
- Sensitive to external impressions, light, noise, odours, touch.
- Chilly, open air intolerable.
- Born sick.
- Feeble.
- Emaciated.
- AGGRAVATION; Lying on left or painful side, During a thunderstorm, Weather changes, either hot or cold, Evening before midnight.
- AMELIORATION; In the dark, Lying on right side, From being rubbed or mesmerised, From cold food, cold water.

Phytolacca decandra

- Synonyms : Poke root, Phytolacca decandra.
- Source : It is a plant with large branching roots with numerous flowers, small greenish white in colour; fruits dark, purple berry in cluster; belonging to the natural order or phytolaccaceae.
- Habitat : It is indigenous to U.S. A.
- Preparation : Mother tincture is prepared from fresh roots dug in winter or from the ripe berries or fresh leaves. Higher potencies are prepared from the mother tincture.
- Proved by Dr. Hale introduced the remedy into Homoeopathy.

Indications

- It is indicated as a SPECIFIC remedy in the following conditions:
 - 1. Sore throat: pharynx and tonsils congested and of dark purple colour especially on the right side with difficulty in swallowing.
 - 2. Diphtheria: with burning sensation and dryness in throat; swallowing difficult; sensation of a lump in the throat with constant desire to swallow; tonsils, uvula, and back part of throat covered with ash-coloured membrane; cannot drink hot fluids (Lach); pain shoot from throat into ear on swallowing right sided affections (Lyc, Lac c); with induration of submaxillary glands.
 - 3. Hard and painful nodosities in the breast.

- 4. Mammary abscess; big, stony hard and painful; when suppuration is inevitable; tumefied breast neither heals nor suppurates, is of purple colour and hard as old cheese; hastens suppuration.
- 5. Sore and fissured nipples, worse while nursing; pain radiates over whole body.
- 6. Gouty and rheumatic affections, worse in cold and damp weather.
- Rheumatism of fibrous and periosteal tissue; neuralgias worse at night.
- 7. Pains : flying like electric shocks; shooting, lancinating; rapidly shifting (Lac c, Kali bi, Puls); worse from motion and at night.
- 8. Dentitional troubles : with irresistible desire to bite the teeth or gums together (Podo).
- 9. Ailments : with lame, sore bruised feeling all over body; constant desire to move but motion aggravates pains; occupies a position between Bry and Rhus tox, cures when these fail, though apparently indicated; with stiffness of neck especially right side; with enlargement of glands.
- 10. Angina-pectoris : when pain leaves heart and appears in right arm (Clarke).

- DOSAGE : Tincture to 200 c.
- Tincture to be applied externally in mastitis.
- Ointment useful in malignant ulcers.
- REPETITION : Bears repetition well.
- DURATION OF ACTION : Short.

Relationship

- COMPLEMENTARY REMEDY : Sil.
- ANTIDOTES : Bell, Ign, Mez, Op, Sulph, Coffee for large doses.
- REMEDY ANTIDOTES : Bapt, merc.
- INIMICAL REMEDY : Merc.

Comparison

- Mammae heavy, of a stony hardness; pale but hard; hot and painful; must support the breasts; worse from motion : Bry, Phyt.
- Nipples inflamed, tender to touch : Cham, Helon, Phyt.
- Burning pain in heels, when sitting, standing or walking in open air : Agar, Caust, Cycl, Phyt, Val;

- Pain in periosteum of long bones, worse at night, least touch, damp weather : Merc, Mez, Phyt.

Causes & diseases

- Exposure to cold damp.
- Lemonade.
- Bad effects of mercury.
- Sewer gas poisoning.
- Influenza.
- Mumps.
- Diphtheria.
- Tetanus.
- Gonorrhoea.
- Syphilis.
- Gout.
- Rheumatism.
- Scarlet fever.
- Hastens suppuration.
- (Hep, Lach, Merc, Sil)
- Chlorosis.
- Rheumatism of fibrous and periosteal tissue.
- Rheumatic conditions follow diphtheria.
- Difficult dentition; the child crying, moaning restless, feverish.
- Syphilis, both primary and secondary.
- Chancre, eruptions; ulcerations, sore throat; periositis; headache;

sciatica.

- Barber's itch.
- Venereal buboes.
- Hypopyon.
- Blephritis.
- Corneal ulcer.
- Right sided pain in ear.
- Scar tissue formation.
- Bone diseases and syphilitic affections (Aur, Asaf, Kali iod, Merc,

Phyt, Syph.)

- Flesh feels as if beaten, from the bones (Phyt, Thuj).
- Pain in heels (Agar, Caust, Cysl, led, Mang).

- AFFINITIES; Mammae, Throat, periosteum, Muscles, Connective tissue, Heart, Joints, Nerves.

Complaints & characteristics

- Great pain at the root of the tongue when swallowing.
- Burning in throat, worse from hot drinks.
- Irresistible desire to bite the teeth or gums together during dentition. (Podo).
- Pain flying like electric shocks; shooting, lancinating; rapidly shifting (Kali bi, Lac c, Puls); worse from motion and at night.
- Pains shoot from throat into ears on swallowing.
- Toothache: clench of teeth relieves.
- Angina pectoris; pains shoot to the right arm.
- Vertigo: when rising from bed; feels faint.
- Intense headache and backache; lame, sore, bruised feeling all over; constant desire to move but motion aggravates pain (Bry, Lac c, Merc).
- Sore throat; of a dark red colour; uvula large dropsical, almost translucent (Kali bi, Rhus t.)
- Diphtheria: with burning sensation and dryness or sensation of a lump in the throat with continuous desire to swallow; cannot drink hot fluids: pains shoot from throat into ears on swallowing; parotid and submaxillary glands indurated after diphtheria.
- When child nurses pain goes from nipple to all over body.
- Mammae full of hard, painful nodosities.
- Breast shows an early tendency to cake; is full, stony hard and painful, especially when suppuration is inevitable.
- Mammary abscess.
- Tumefied breast neither heals nor suppurates, is of purple hue and hard as old cheese (Bry, Lac c, Phel).
- Nipples, sensitive, sore, fissured (Graph); worse intensely from nursing.
- Fistulae, gaping, angry ulcers.
- Pus: sanious, ichorous, foetid, unhealthy.

Generals & modalities

- Gouty.
- Rheumatic.

- Susceptible to damp and cold.
- Entire indifference to life; sure she will die.
- Great exhaustion and profound prostration.
- Emaciation, loss of fat.
- Right sided affections.
- AGGRAVATION; Pains from darkness to day light (Merc, Phyt, Syph), When it rains, & Exposure to damp cold weather, At night, Hot drinks, Motion, Swallowing.
- AMELIORATION; Supporting breasts, Lying down; on abdomen, Cold drinks, Bathing.

Picricum acidum

- Synonyms : Picricum acidum, Carbazotic acid. Formula- $C_6H_2(NO_2)_3O$ (Hering).

- Source : It is not a true organic acid but formed from the action of nitric acid on indigo, salicin, phenol, etc, It is a yellow crystalline substance. It is available in the market.

- Preparation : Trituration of the acid are prepared with sugar of milk or dilutions in water from which higher potencies are prepared.

- Proved by Drs. Paris of Paris; L.B. Couch and T.F. Allen of U.S. A.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:

- 1. Who are warm blooded, sensitive to heat, desire cool air; cold air and cold bathing are grateful to him, which ameliorate his head and body condition.

- 2. Who are neurasthenic: brain fag from mental exertion: to complete paralysis; tired heavy feeling all over body, especially limbs, worse on exertion; worse from least mental exertion, motion, study; nervous prostration, with numbness, trembling and heaviness; becomes irritable from any mental exertion.

- 3. Progressive pernicious anaemia, pale lemon coloured face.

- It is a SPECIFIC remedy for the following conditions:

- 1. Headache : of students, brain workers and businessmen; from mental exertion, overstudy, grief or depressing emotions; in occipito-cervical region (Nat m, Sil); with brain fag or burning along the spine; better from rest and sleep.

- 2. Small boils within ears and back of neck. (External ear Merc s).
- 3. Great weakness of spine and back; burning along spine; softening of cord (Phos, Zinc) (H.C. A.)
- 4. Dementia with prostration, sits still and listless. (Boericke).
- 5. Spinal disease with priapism; erections violent, long lasting; satyriasis (Canth, Phos); profuse seminal emissions, followed by great exhaustion; emissions without dreams; easy sexual excitement.
- Diseases of spinal origin (Phos, Pic, ac, Plumb, Zinc).
- 6. Acute ascending paralysis.
- Writer's palsy; Myelitis with spasms and prostration.
- 7. Cerebral softening with lack of will power and disinclination for work. (Boericke).
- 8. Uraemia with complete anuria. (Boericke).
- 9. Vertigo : from mental exertion; standing.
- 10. Diabetes with albuminuria; urine contains phosphates, urates and uric acid; weakness of bladder.
- Great waste of phosphates. (Kent).
- 11. It cures impotency and spermatorrhoea when the mind is unable to control the lustful state. (Kent).
- 12. Locomotor ataxia: with tormenting erections and emissions as soon as he falls asleep.
- 13. Pernicious anaemia. (Mang).
- 14. Jaundice with extreme weakness.
- DOSAGE : 6 to 200.
- REPETITION : To be repeated till the response is observed.
- DURATION OF ACTION : Not definite.

Relationship

- Uncertain.

Comparison

- Neuraesthesia : Am Pic, Anac, Arg n, Avena s, Calc c, Calc p, Cocc, Gels, Helon, Kali p, Lecith, Nat m, Nux v, Onosm, Ox ac, Phos, Pic ac, Scutel, Sil, Strych phos, Tar h, zinc phos, Zinc pic.
- Pernicious anaemia : Ars a, Mang, Phos, Pic ac, Thyr.
- Brain fag (unable to apply mind) : Anac, Gels, Kali p, Phos ac, Pic ac.
- Sexual asthenia : Agn c, Calad, Cimic, Cinch, Graph, Lyc, Phos, Pic ac, Sabal s, Sel, Staph, Zinc pic.

- Debility from jaundice : Crot h, Ferr pic, Pic ac, Tarax.
- Debility from exertion : Ars a, Pic ac, Stann.
- Sexual desire increased (Satyriasis): Camph, Can ind, Canth, Kali br, Nux v, Orig, Phos, Pic ac, Plat, Salix n, Tar h, Zinc pic.
- Priapism with pain: Canth, Pic ac.
- Ill effects of masturbation : Anac, Calad, Calc c, Cinch, Con, Diosc, Gels, Kali br, Lyc, Nux v, Phos ac, Pic ac, Salix n, Staph, Sulph.
- Impotence: Agn, Anac, Arg n, Calad, Cinch, Con, Gels, Lyc, Nux v, Phos ac, Phos, Pic ac, Sabal s, Salix n, Slen, Stryuch, Zinc P.
- Ascending paralysis : Agar, Alum, Ars a, bar c, Con, Gels, Kali c, Lathyr, Led, Mang, Ox ac, Phos, Pic ac, Sec c.
- Anuria (Suppressions of urine): Acon, Apis, Apoc, Ars a, bell, Camph, Canth, Cup ac, Hellb, Kali bi, Kali chlor, Lyc, Merc c, Op, Pic ac, Stram, Tereb, Verat a.
- Phosphatura: Alfal, Avena s, Calc p, Lecith, Nit ac, Pic ac, Phos ac, Uran n.
- Lasciviousness ?(lustful state of mind): Apis, Calad, Con, Fl ac, Graph, Hyos, Lach, Lil t, Orig, Phos, Pic ac, plat, Sel, Staph, Stram. Tar h, Verat a.
- Heaviness in lumbar region : Cimic, Pic ac, Rhus t.
- Facial Paralysis : Caust, Graph, Phos, Pic ac, Zinc pic.
- Paralysis of lower limbs : Agar, Arg n, Ars a, Nux v, plumb, Pic ac, Rhus t, Tar h.

Causes & diseases

- Mental exertion.
- Physical exertion.
- Phosphaturia.
- Seminal emissions.
- Uraemia=anuria.
- Urates, uric acid.
- Diabetes insipidus, mellitus.
- Paralysis agitans.
- Dementia.
- AFFINITIES; Brain, Spinal cord; Lumbar region, Sexual organs, Kidneys.

Complaints & characteristics

- Brain fag.
- Headache of brain workers.
- Boils in ears and back, Progressive pernicious anaemia.
- Ailments with prostration.
- Burning along spine.
- Fatigue with vertigo.
- Seminal emissions without erection.
- Sexual excitement easy.

Generals & modalities

- Warm blooded.
- Neurasthenic, Pale, anaemic.
- Easily exhausted.
- Disinclination to work.
- lack of will power.
- Laustful.
- AGGRAVATION; Exertion, Seminal losses.
- AMELIORATION; Cold, Bandaging, Rest.

Platinum metallicum

- Synonyms : Platinum
- Source : The metal can be obtained from the market. A heavy, soft, whitish metal resembling tin.
- Preparation : Tincturations are prepared from the metal with sugar of milk from which higher potencies are prepared.
- Proved by Drs. Stapf and Gross, pupils of Dr. Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for the following kinds of patients:
 - 1. Hysterical persons : alternately gay and sad; globus hystericus; alternating hyperaesthesia and anaesthesia; mental and physical symptoms alternate.
 - 2. Haughty, arrogant, proud contemptuous; have superiority complex.
 - 3. Trifling things produce profound vexation.
 - 4. Who have satisfy of life.
 - 5. Sanguine women; suffer from menorrhagia.

- 6. Sexually hypersensitive: cannot endure coitus or faint during coitus; excessive sexual development in virgins; (Faints after coitus-Agar).

- It is a SPECIFIC remedy for the following conditions:

- 1. Mental complaints after fright, grief, anger, vexation, disappointments, masturbation.

- Bad effects of lead poisoning.

- 2. Headache : from anger; during menses.

- 3. Pruritus vulva.

- 4. Constipation from inertia of bowels, of bowels, of emigrants; during pregnancy; with frequent unsuccessful urgings; stools adhere to rectum and anus like soft clay.

- Obstinate cases of constipation when Nux v fails.

- 5. Pains : increase and decrease gradually; attended with numbness.

- 6. Epilepsy from onanism.

- 7. Sterility from excessive sexual excitement, faints during coitus.

- 8. Ovarian tumours, menorrhagia, uterine and ovarian diseases in women of haughty, arrogant, hysterical temperament; or concomitant mental symptoms.

- DOSAGE : 6th to 200th and higher potencies.

- REPETITION : Single dose of high potency or when the symptoms call for the remedy.

- DURATION OF ACTION : Indefinite.

Relationship

- REMEDIES THAT FOLLOW WELL : Arg m, Anac, Ign, Lyc, Puls, Rhus t, Sep.

- ANTIDOTES : Puls.

- REMEDY ANTIDOTES : The bad effects of lead.

- BOYD'S DRUG GROUP : VIII.

Comparison

- Sexual organs easily excited from touch or friction: Cinn, Coff, Murex, Lac c, Plat.

- Constipation with unsuccessful urgings : Nux v, Plat.

- Stools soft clayey, adhering to parts : Alum, Plat.

- Stools soft clayey, adhering to parts : Alum, Plat.

- Constipation on going to sea : Bry, Plat.

- Dull heavy, frontal headache, as if a rubber band were stretched tightly over the forehead, from temple to temple : Carb ac, Gels, Plat, Sulph.
- Pains attended or succeeded by numbness of affected part : Acon, Cham, Kalm, Plat.
- Nymphomania : Murex, Lil t, Plat.
- Sudden change from grave to gay; from lively to serene; Croc, Nux m, Plat.
- Painful sensitiveness of sexual organs, cannot wear a napkin: Plat, Staph.

Causes & diseases

- Fright.
- Fit of passion.
- Grief, bereavement.
- Vexation.
- Pride.
- Onanism, masturbation.
- Lead poisoning.
- Inertia of bowels.
- While travelling.
- Pregnancy.
- AFFINITIES; Female organs, Nerves, Brain Rectum,

Complaints & characteristics

- Pains : increase and decrease gradually, (Stann).
- Pains are attended with numbness of parts. (Cham).
- Headache: from anger or chagrin; hysterical; from uterine disease; pains gradually increase and decrease; with numbness.
- Sexual organs exceedingly; sensitive; cannot bear the napkin to touch her; will go into spasms from an examination; vulva painfully sensitive during coitus; will faint during or cannot endure coitus. (Kreos, Lyss, Murex, Thuja).
- Nymphomania: worse in lying in women; Excessive sexual development in virgins.
- Vaginismus, spasms and constriction.
- Menses too early, too profuse, too long lasting; dark clotted, offensive; with bearing down spasms, pains in uterus with twitching.

- Metrorrhagia: flow in black clots and fluid; thick black, tarry or in a grumous mass (Croc)
 - Excessive itching in uterus; Pruritus vulvae (Calad, Orig, Tarent, Croton, Rhus t, Med).
 - Constipation : after lead poisoning; from inertia of bowels; of travelers, emigrants; of pregnancy; with frequent unsuccessful urgings; stools adhere to rectum and anus: in obstinate cases after Nux v has failed.
 - Sheds tears easily (Ign, Nat m, Nux m, Plat, Puls).
- Generals & modalities
- Sanguine temperament.
 - Hysterical subjects, alternately gay and sad; who cry easily.
 - Arrogant, proud, contemptuous and haughty; pitiful looking down upon people usually venerated, a kind of casting them off unwillingly.
 - Mental delusions, as if everything about her were small; all persons physically and mentally inferior, but she is physically larger and superior.
 - Sensation of growing larger in every direction.
 - Satiety of life, with taciturnity and fear of death (Aco, Ars a)
 - Mental symptoms after fright, grief, vexation, pride, onanism.
 - mental symptoms appear as physical symptoms disappear and vice versa.

- Trifling things produce profound vexation (Nux v, Caps, Ign, Staph).
- Remain a long time in sulks.
- Sexual melancholia.
- Illusions of fancy.
- Exalted state and pride.
- AGGRAVATION; Coitus, Touch pressure, Emotions Menses, Pregnancy, Rest, Sitting, Standing, Fasting, Bending backward, Evening and night, In warm room.
- AMELIORATION; Walking in open air.

Plumbum metallicum

- Synonyms : Lead; plumbum metallicum.
- Source : Lead is available in the market.
- Preparation : Trituration are prepared with sugar of milk from which higher potencies are prepared.

- Proved by Drs. Hering, Hartlaub, Trinks and Nenning.

Indications

- It is a SPECIFIC remedy in the following conditions:
 - 1. Marasmus in infants with large hard abdomen and extreme constipation.
 - Cured with Plumb 3C. (Clarke).
 - 2. Stricture after gonorrhoea. (Teste).
 - 3. Retraction of testes and penis in hypogastrium after sexual excesses or suppressed eruptions. (Taste).
 - 4. Infantile uterus causing abortions or miscarriage. (George royal).
 - 5. Post diphtheritic paralysis with hyperaesthesia; could not bear to be touched.
 - Plumb 40M single dose cured the patient. (Nash).
 - 6. Drooping of upper lid with photophobia, profuse lachrymation, congestion of the eye, pupils contracted-Plumb 6x cured (Woodyatt).
 - 7. Suppression of urine with unconsciousness cured by Plumbum (Kent).
 - 8. Contracture of lower limbs with emaciation, extreme constipation; pulling inward sensation in abdomen was cured by single dose of Plumb 200. (Mathur).
 - 9. Bright's disease with colicky pains, constipation, retracted abdomen, vomiting violent, hiccough, albuminuria and high blood pressure. (Boericke).
 - 10. Spasms : clonic tonic from cerebral sclerosis or tumour. (Allen).
 - 11. Diseases due to lead poisoning: lead colic, wrist drop.
 - Constipation due to implication of dry and hard faeces, intestinal obstruction or due to paralysis of the rectum.
 - 12. Ailments : with excessive pain in abdomen, radiating to all parts of the body; neuralgia attended with emaciation of the part; delirium alternating with colic; burning in ulcer or gangrene; lightning like pains; better from being rubbed or pressed hard; hysterical symptoms, globus hystericus, changeable symptoms, beings diseases.
 - DOSAGE : 3x to 200 and higher potencies.
 - REPETITION : Low potencies are to be repeated; higher potencies-single dose.
 - DURATION OF ACTION : 20 to 30 days. (Clarke).

Relationship

- REMEDIES THAT FOLLOW WELL : Ars a, Bell, Lyc, merc, phos, Puls, Sil, Sulph.

- ANTIDOTES : Alum, Bell, Cocc, Hyos, Nux v, Op, Plat, Stram, Sulph ac, Zinc.

Comparison

- Memory impaired : Anac, bar c, Plumb.

- Tinnitus aurium : Chin, Nat salic, Carb sulph, Plumb.

- Constipation: stool hard round balls, black like sheep dung; Chel, Op, Plumb, Ver a.

- Pains are worse from slightest touch but better from hard pressure : Caps, Cinch, plumb.

- Tonsillitis with hardness of hearing : Bar c, Hep s, Lyc, Plumb, Psor.

- Colic: flatulent, forcing patient to bend double better from heat, rubbing and pressure-Colocynth, Mag phos, Plumb.

- Face oily, shiny as if greased : Nat m, Plumb, Thuja.

- Vomiting with impacted or obstructed bowels : Op, Plumb, Pyrog.

- Tendency to abortion: Caul, Cimic, Plumb, Sab, Sec c, Vib o.

Causes & diseases

- Apoplexy : after the cerebral congestion is relieved by Opium, with characteristic constipation or other symptoms.

- Tonsillitis with swelling of sublingual and submaxillary glands: swallowing difficult. (Phyto).

- Neuralgias with emaciation of parts.

- Burning in ulcers, gangrene.

- paralysis: slowly developing; paresis is followed by paralysis; paralysis of single muscle with atrophy, paralysis of extensor muscles; Wrist drop.

- Hypertension and arterio-sclerosis.

- Progressive muscular atrophy.

- Progressive paralysis.

- Hemiplegia.

- Paralytic weakness of throat, oesophagus, rectum, bladder.

- Epilepsy followed by paralysis.

- Lead paralysis, lead colic.

- Painters colic.

- Acute nephritis with blindness and brain symptoms.
- Bright's disease, dropsy.
- Uraemia with coma.
- Strangulated hernia.
- Spasms of throat while swallowing.
- Optic neuritis.
- Glaucoma.
- Eclampsia.
- Sciatica.
- Chorea from spinal disease.
- Marasmus.
- Anaemia, chlorosis.
- AFFINITIES; Brain, Nerves, Kindness, Uterus.

Complaints & characteristics

- Distinct blue line along the margin of the gums.
- Lightning like pains.
- Takes strange attitudes and positions in bed during sleep.
- Jerking and trembling of limbs.
- Excessive and rapid emaciation.
- Complexion: pale, ash coloured, yellow, corpse like, cheeks sunken, expressive of great anxiety and suffering.
 - Face oily, greasy, shiny (Nat m, Sanic, Thuja).
 - Spasms: clonic, tonic; from cerebral sclerosis or tumour;
 - Epilepsy: or epileptiform convulsions; lock jaw; Excessive pain in abdomen: radiating to all parts of the body.
 - Violent colic, sensation as if abdominal wall was drawn by a string to the spine; flatulence, forcing patient to bend double; better by heat and hard pressure (Coloc, Mag p.).
 - Violent vomiting of every thing eaten.
 - Everything eaten turns soar.
 - Intussusception with colic and faecal vomiting.
 - Strangulated hernia, femoral, inguinal or umbilical.
 - Constipation: stool hard lumpy, black like sheep dung (Chel, Op, Ver a), from impaction of faeces or intestinal obstruction; muscular atony of paralysis, from dry and hard faeces when platina fails.
 - Coldness of extremities from physical exertion; walking in open air.

- Sudden loss of vision after fainting (Bell, Hyos, Stram).
 - Growling sensation.
 - Gripping, twisting, cutting colic.
 - Hyperaesthesia and anaesthesia.
 - Undeveloped uterus causing abortions.
 - Spasmodic dysmenorrhoea; vaginismus.
 - Albuminuria without oedema, specific gravity of urine low, 1002; turbid urine.
 - Chronic intestinal nephritis.
- Generals & modalities
- Persons rapidly emaciating.
 - Chilly.
 - Hysterical.
 - Deceptive, changeable, emotional globus hystericus, sensation of a plug in the throat, spasm tonic or clonic, convulsions, contractions; anaesthesia or hyperaesthesia; numbness of parts; head hot and very cold extremities.
 - Imbecility: slow perception; comprehension difficult; sluggish memory; full of imaginations and emotions.
 - Sad and melancholic.
 - Dread of assassination.
 - Mental depression with kidney troubles.
 - AGGRAVATION; Over Exertion, Motion, Walking in open air, At night.
 - AMELIORATION; Hard pressure, Rubbing, Bending double.

Podophyllum peltatum

- Synonyms : May apple, Duck's foot.
 - Source & Preparation : It is a plant, about a foot high, bearing a solitary drooping flower, a larger yellow fruit; the fresh root is gathered before the fruit is ripe for the preparation of the mother tincture. It belongs to the natural order of Berberidaceae.
 - Habitat : It is indigenous to U.S. A.
 - Proved by Dr. Williamson of Philadelphia in 1846.
- Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Diarrhoea : of children; during dentition; of dirty water soaking napkin through; stool green watery; yellow meal like sediment; profuse and foetid; with gagging; involuntary.
 - 2. Prolapse rectum before or with stool with diarrhoea.
 - 3. Prolapse uterus : from over-lifting or straining; from constipation; after child birth; with sub-involution.
 - 4. Suppressed menses in young girls.
 - 5. Difficult dentition with grinding of teeth, rolling head; profuse and foetid diarrhoea.
 - 6. Fever paroxysm at 7 a.m. with great loquacity during chill and heat; sleep during perspiration.
 - 7. Pain and numbness in right ovary running down thighs of that side.
 - 8. Ailments pertaining to right side of the body; right throat, right ovary, right hypochondrium; with depression of spirits, thirst for large quantities of water; violent cramps in feet, calves or thighs; painless stools; early morning diarrhoea; patient constantly rubbing and shaking the region of liver with his hand.
 - 9. Bad effects of mercury.
 - 10. Strabismus from congestion of brain following suppressed diarrhoea.
- DOSAGE : Tincture to 6th potency.
- Higher potencies 30 to 1 M in cholera infantum and children's diarrhoea.

- REPETITION : Bears repetition well.
- DURATION OF ACTION : 30 days. (Clarke).

Relationship

- COMPLEMENTARY : Sulphur.
- ANTIDOTES: Coloc, Lac ac, Lept, Nux v.
- REMEDY ANTIDOTES : Merc.

Comparison

- Prolapse uterus from over-lifting or straining: Aur m, Podo, Rhus t.
- Diarrhoea of children especially when very offensive : Bapt, Carb v, Podo, Psor.
- Boring head into pillow : Apis, Bell, Hell, Podo.

- Diarrhoea of children running right through the diaper : Benz ac, Podo.
- Diarrhoea of children running right through the diaper : Benz ac, Podo.
- Persons subject to hepatic, gastric and abdominal complaints: Chel, Podo.
- Tongue coated thickly yellow, with red edges, show in imprint of teeth : Chelid, Podo, Merc.
- Right sided affection : Chelid, Lyc, Podo, Bell, Kali c, Mag p.
- Constant urging to stool followed by sudden evacuation, shot out of rectum : Crot t, Grat, Podo, Thuj.

Causes & diseases

- Over-lifting.
- Over-straining.
- Abuse of mercury.
- Summer.
- Prolapsed and indurated uterus.
- Ovarian tumour of right side.
- Remittent fever with biliary symptoms.
- Strabismus after suppressed diarrhoea.
- Gall stone colic with jaundice and twisting pains.
- Chronic dysentery with discharges like meat washings, severe tenesmus, burning pains deep in rectum, extremely weak digestion.
- Retraction navel. (Podo, Plumb).
- Delirium during intermittent fever. (Sabad).
- Prolapsus, worse during stool with diarrhoea. (With out diarrhoea Stann).
- Cholera Infantum.
- Prolapse ani.
- AFFINITIES; Rectum, Liver, Intestines, Right side; Throat, Scapula, Ovary.

Complaints & characteristics

- Diarrhoea of children: during teething; after eating; while being bathed or washed; of dirty water soaking napkin through (Benz ac); early morning; with gagging; with sinking in abdomen or rectum; very offensive.

- Stool : green, watery, foetid, profuse; gushing out (Gamb, Jat, Phos); chalk like, jelly like; undigested (Cinch, Ferr m); yellow meal-like sediment; prolapse of rectum before or with stool.

- Constipation alternating with diarrhoea. (Ant cr.)

- Constipation; stool clay coloured, hard dry, difficult. (Chelid).

- Headache alternates with diarrhoea; in winter diarrhoea in summer.

- Painless cholera morbus; Cholera infantum (Phyt). Violent cramps in feet, calves, thighs with watery, painless stools.

- Difficult dentition: moaning; grinding the teeth at night; intense desire to press the gums together (Phyt); head hot and rolling from side to side (Bell, Hell).

- Prolapse uteri: from overlifting or straining; from constipation; after parturition; with sub-involution.

- Clay coloured stool (Calc c, Hep s.)

- Stool delayed, chalky (Chelid, Dig).

- Brain Symptoms during dentition.

- (Bell, Hell, Podo).

- Prolapse ani: from moderate straining at stool; stooping or lifting.

- (Ign, Nit ac, Podo, Ruta).

- Affections of right side of body : head ear, face, chest, ovary, sciatic nerve (Bell, Bry, Chelid, Kali c, Lyc, Podo).

- Tongue : large, flabby, shows imprint of teeth (Chelid, Rhus t, Merc).

- Stool involuntary, knows not weather flatus or faeces escape. (Aloe, Mur ac, Nat m, Olean, Podo).

- Suppressed menses in young girls.

- (Puls, Tub, Thyr, Lyc).

Generals & modalities

- Persons of bilious temperament.

- Depression of spirits, imagines he is going to die (Ars a); digest for life.

- Pendulous abdomen after confinement.

- In early months of pregnancy can lie comfortably on stomach.

- AGGRAVATION; During dentition, 2 to 4 A.M. Early morning, (Aloe, Nux v, Sulph), In hot weather.

- AMELIORATION; Evening.

Psorinum

- Synonyms : A nosode of psora.
- Source : The sero-Purulent matter of a scabies vesicle (Hahnemann).

Pus from a matured pustule on the hands and between the fingers (Hering)

- Preparation: Trituration or dilutions with alcohol, from which potencies are prepared.

- Proved by : Dr. Hahnemann, Gross and Hering.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:

- 1. Infants: pale delicate, sickly; restless, troublesome, screaming all night; body and stools have a filthy odour.

- 2. Children : with a history of eczema in the family suffer from enuresis; suffer from vesical paresis; worse during full moon; eczema of scalp, oozing a sticky offensive fluid or suppurating eruptions.

- Abnormal appetite, craving for acids and indigestible things.

- 3. Girls : acne al forms, simplex, rosacea, worse during menses; from coffee, fats sugar meat.

- Hairs become frowsy and tangled, cannot be combed smooth.

- 4. Women : during pregnancy suffer from obstinate vomiting; leucorrhoea offensive; debility during climacteric.

- 5. Patients : anxious, fearful, full of despair, despondent; chilly, wears a fur cap even in summer; worse before and during a thunder storm; hungry in the middle of night, must have something to eat (Lyc); extremely sensitive to cold air.

- It is a SPECIFIC remedy for the following conditions:

- 1. Catalepsy from worms.

- 2. Ailments from suppressed itchy eruptions, diarrhoea, epilepsy, asthma; slightest emotions; after loss of vital fluids; debility and loss of appetite after acute diseases; profuse perspiration after acute diseases.

- 3. Offensive discharges : diarrhoea, leucorrhoea, menses, perspiration, otorrhoea.

- 4. Headache from suppressed menses; preceded by flickering before eyes, dimness of vision or blindness; by black spots or rings.

- 5. Recurrent tonsillitis from exposure to cold; hypertrophic tonsillitis with hardness of hearing.
- 6. Asthma with dyspnoea, worse in open air, better from lying down.
- 7. Chronic gonorrhoea: that can neither be suppressed or cured by well selected remedies.
- 8. Winter cough alternating with summer diarrhoea.
- 9. Violent itching preventing sleep; worse from warmth of bed r by scratching.
- 10. Lack of appetite after typhoid fever.
- 11. Numbness of legs and arms of left side: worse on going to bed; with sweating easily.
- 12. Ailments with despair of recovery, religious melancholy; despair of salvation.

- CONTRA-INDICATIONS. Psorinum should not be given for psora or psoric diathesis but like every other remedy upon a strict individualisation- the totality of the symptoms-and then we realise its wonderful work (Allen).

- DOSAGE : 200 to highest potencies.
- REPETITION : Single dose of the high potency is enough till symptoms call for it.

- DURATION OF ACTION : 30 to 40 days. (Clarke)

Relationship

- Complementary : Sulph, Tub.
- Psorinum is complementary to Arn m, in blow on ovary, Lac ac, in vomiting of pregnancy, Sulphur in mammary cancer.
- Remedies that follow well : Alum, Bar c, Borax, Carb v, Chin, Hep s, Sulph, Tub.

- ANTIDOTE : Coffea.
- BOYD'S DRUG GROUP : VIII.
- BOWEL NOSODE GROUP : Morgan co.
- HAHNEMANN'S MIASMATIC GROUP : Anti psoric.

Comparison

- Epilepsy from suppressed eruptions : Agar, Sulph, Psor.
- Extremely sensitive to cold air : Agar, Calc c, Kali c, Psor, Bar c, Camph, Hep s, Kali m.

- Nasal polypus : All c, Mar v, Sang, Sang nit, Psor.
- Diarrhoea: driving out of bed early in the morning: Aloe, Psor, Rumex, Sulph.
- Abnormal appetite : craving for acids and indigestible things: Alum, Cic, Psor.
- Amelioration while eating: Alum, Anac, Psor, Kali p.
- Headache relieved when eating: Anac, Psor.
- Offensive sweat of feet : Amm mur, Alum, Graph, Psor, Sanic, Sil.
- Very offensive diarrhoea : Bapt, Carb v, Podo, Psor, Pyrog.
- Tonsillitis from cold, with tendency to suppuration : Bar c, Hep s, Psor.
- Throat affections after checked foot sweat : Bar c, Graph, Psor, Sanic, Sil.
- Hair becomes frowsy and tangled, cannot be combed smooth: Borax, Fl ac, Lyc, Psor, Tub.
- Debility remaining after acute diseases : Calc p, Psor.
- Constitutional tendency to erysipelas : Calend, Psor.
- Bad effects of exhausting diseases : Carb v, Cinch, Phos, Psor.
- Putrid discharges from mouth, nose, throat, rectum and vagina : Anthr, Carb ac, PSOR, Pyrog.
- Patient improves for a time then comes to a stand still: Caust, Psor, Sulph.
- Intense photophobia without inflammation of eyes : Con, Psor.
- Tumours of mammae threatening malignancy : Con, Psor, Aster, Ars a.
- Diarrhoea from suppressed eruption : Graph, Psor.
- Chronic hypertrophic tonsillitis with hardness of hearing: Bar c, Hep s, Lyc, Plumb, Psor.
- Sweats on mental or physical exertion : Hep s, Psor, Sep.
- Ailments of anaemic persons after loss of fluids or semen : Cinch, Kali c, Phos ac, Phos, Psor.
- Child cries and screams all the time especially at night : Jal, Lac c, Nux v, Psor, Rheum.
- Vomiting of pregnancy : Lac d, Lac c, Psor ac, Thyr, Symph.
- Waking at night feeling hungry : Cina, Lyc, Psor.
- Ravenous hunger immediately after eating : Cina, Lyc, Med, Psor.

- Foul breath and body smell : Merc, Psor.
- Dreams of robbers : Nat m, Psor.
- Skin affections reappear every spring : Nat s, Psor.
- Ailments which are worse before and during a thunderstorm : Nat c, Petr, Phos, Psor, Sil.
- Catalepsy from worms : Cina, Psor, Sabad.
- Eruptions on face of young women, especially during scanty menses : Bellis, Calc c, Eug j, Psor, Sang.
- Soreness behind ears with discharge of gray, viscid fluid : Graph, Psor, Sanic.
- Itching eruptions on forehead during menses : Eug j, Sang, Sars, Psor.
- Skin excessively sensitive to atmospheric changes : Hep s, Kali c, Psor, Sulph.
- Chronic alcoholism, they reform but are continuously relapsing: Sulph, Psor, Tub.
- Weak and exhausted from some deep seated dyscrasi; no other symptoms : Psor, Sulph, Sulph ac.
- Craving alcohol in any form hereditary tendency to alcoholism : Asar, Psor, Sulph, Sulph, Tub.

Causes & diseases

- Suppressed itch or other skin diseases; emotions.
- Overlifting.
- Mental labour.
- Stormy weather.
- Thunderstorm.
- Injuries, blows, sprains, dislocations.
- Winter cough.
- Summer diarrhoea.,
- Slight emotions.
- Otitis.
- Chronic otorrhoea.
- Blepharitis.
- Tonsillitis.
- Chronic Gonorrhoea.
- Skin diseases.

- AFFINITIES; Skin folds, Ears, Bowels, Respiration, Right side.

Complaints & characteristics

- Offensive discharges; diarrhoea, leucorrhoea, menses, perspiration have a putrid odour.

- Great weakness and debility: from loss of animal fluids; remaining after acute diseases; independent of or without any organic lesion or apparent cause.

- Profuse perspiration after acute diseases.

- The whole body painful after injury and sprain.

- Driven to despair with excessive itching.

- Headache: from suppressed eruptions, suppressed menses; preceded by flickering before eyes, by dimness of vision on blindness (Lac d, Kali bi); by black spots or rings.

- Eczema of scalp: dry, scales or moist, foetid, suppurating eruptions; oozing a sticky offensive fluid (Graph, Mez).

- Blepharitis with inflamed lids; photophobia; cannot open eyes; lies with face buried in pillow.

- Otitis: oozing an offensive viscid fluid (Graph).

- Otorrhoea: with thin ichorous horribly foetid discharge; chronic after measles or scarlet fever.

- Quinsy, tonsils greatly swollen, difficult, painful swallowing; burns; feels scalded; cutting tearing, intense pains go to ears on swallowing; profuse offensive saliva; tough mucus in throat; must hawk continuously.

- Hawks up cheesy balls, size of a pea, of disgusting taste and putrid odour.

- Diarrhoea: sudden imperative (Aloe, Sulph) stool of putrid smell; involuntary; worse at night from 1 to 4 A.M. ; after severe acute diseases; teething children; when weather changes.

- Constipation: obstinate with backache; from inactivity of rectum; when Sulphur fails.

- Chronic gonorrhoea, that can neither be suppressed nor cured; the best selected remedies fail.

- Asthma with dyspnoea; worse in open air; sitting up (Laur); better from lying down and keeping arms stretched far apart (rev. of Ars a); despondent, thinks he will die.

- Hay fever: appearing regularly every year the same month; with an asthmatic, psoric or eczematous history.
- Patient should be treated for the acute attacks and given antipsoric remedies during latent period to prevent the acute attacks.
- Cough: returns every winter; after suppressed itch, or eczema; chronic of years duration; worse morning on waking and evening on lying down (Phos, Tub); sputa green, yellow or salty mucus; pus like; coughs a long time before expectorating.
- Skin: abnormal tendency to receive skin diseases (Sulph); eruption easily suppurates (Hep s); dry, inactive, rarely sweats; dirty look, as if never washed; coarse, greasy, as if bathed on oil; bad effects from suppression by sulphur and zinc ointments.
- Sleepless from intolerable itching or frightful dreams, of robbers, danger etc. (Nat mur).

Generals & modalities

- Children are pale, delicate, sickly.
- Sick babies will not sleep day or night but worry, fret, cry (Jalap).
- Restless, troublesome, screaming all night; plays all day.
- Body has a filthy smell, even after bathing.
- children: enuresis from vesical paresis; during full moon, obstinate cases, with a family history of eczema.
- Acne: all forms, simplex, rosacea; worse during menses; from coffee, fats, sugar, meat; when best selected remedy fails or only palliates.
- Women: leucorrhoea, offensive; violent pains in sacrum; debility; during climacteric.
- During pregnancy; most obstinate vomiting foetus moves too violently; when best selected remedy fails to relieve.
- Corrects the psoric diathesis of the unborn.
- Anxious, full of fear; evil forebodings.
- Very depressed, sad suicidal thoughts.
- Despair of salvation.
- Religious melancholy.
- Despair of recovery.
- Despondent; fears he will die, that he will fail in business.
- Worse during climacteric.

- Makes his own life and that of those about him intolerable.
- Feels restless before or during thunderstorm.
- Chilly; wants head kept warm; wears a fur cap even in summer; extreme sensitiveness to cold.
- Debility independent of any disease.
- Easy perspiration on walking or slight test exertion.
- Lack of reaction, when well chosen remedies fail to act.
- Hungry in the middle of night; must have something to eat.
- (Cina, Lyc, Sulph.)
- AGGRAVATION; Cold, Open air, Change of weather, Storms, Periodical, Winter, Warmth of bed, Hot sun shine, Drinking coffee.
- AMELIORATION; Warm room, Lying down with arms part, Profuse sweating.

Pulsatilla pratensis

- Synonyms : Anemone, Wind flower.
- Source : It is a plant belonging to the natural order of Ranunculaceae.
- Habitat : It is indigenous to central and northern Europe.
- Preparation : Mother tincture is prepared from the whole plant when it is flowering. Higher potencies are prepared from the mother tincture.

- Proved by Dr. Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Children: pale face, blue eyes, like fun and caresses; weepy; want company; averse to warmth; no two stools alike.
 - 2. Girls fleshy, affectionate, mild gentle, timid; weeps easily; with scanty, too late, intermittent flow; delayed first menses; derangements at puberty; feel uncomfortable in warm and closed room, better in open air.
- Epilepsy with absence or irregularity of menses; milk in breast from tight clothing's.
- Women: weep while giving out symptoms to the doctor; like company and consolation; symptoms ever changing, must have fresh air; threatened abortion, flow ceases and then returns with increased force;

pains spasmodic, excite suffocation and fainting; suppressed menses from wet feet; intermittent, changeable and clotted; chilliness attended with menses; leucorrhoea acid, excoriating, and burning; diarrhoea during or after menses.

- Helps in normalising the malposition of foetus and spurious labour pains; useful in complaints of pregnancy like vomiting, diarrhoea, heart burn and bladder trouble retained placenta.

- 4. Patients, anaemic, chlorotic, who have taken much iron, quinine and tonics, even years before; who are worsely affected by taking rich, fat, indigestible food; worse in the evening at twilight; who feel chilly in warm room, awake unrefreshed after sleep; the first serious impairment of health is referred to puberty." Never been well since"- anaemia, chlorosis, bronchitis; phthisis; symptoms ever changing; pains rapidly shifting from one part to another; pains attended with chilliness; the more severe the pain the more severe the chill; pains appear suddenly and leave gradually; thirstlessness with nearly all complaints; great dryness of mouth in the morning without thirst; all gone sensation in stomach in tea drinkers; discharges thick, bland and yellowish green; want head high on two pillows; lie with hands above head; worse from letting the affected limb hang down.

- It is a SPECIFIC remedy for the following conditions:

- 1. Diarrhoea: only or usually at night; soon as they eat; from fruits, impure water, cold food or drinks; no two stools alike, changeable.

- 2. Styes : especially on upper lid; from eating fat, rich food or pork.

- 3. Toothache: worse from warm things and heat of the room; relieved by holding cold water in the mouth (Bry, Coff); during pregnancy.

- 4. Metastasis of mumps to testicles or mammae.

- 5. Gonorrhoeal orchitis; rheumatism; stricture of urethra, urine passes only in drops.

- 6. Ailments from fats, rich food fruits, getting feet wet, suppressed menses, exposure to cold, pregnancy.

- 7. Otalgia worse at night; better from cold applications.

- 8. Sub-acute conjunctivitis with dyspepsia; worse in warm room.

- 9. Dysentery : with mucus and blood, with chilliness, no two stools alike.

- 10. Cough : from fatty food; urine emitted with cough (Caust); after measles.
 - 11. Urticaria : after rich food; from delayed menses; worse undressing; with diarrhoea.
 - 12. Malarial fever : with absence of thirst in all stages; one sided sweats.
 - 13. Catarrhal conjunctivitis, worse from warm application and better from cold application. (Kali s).
 - 14. Incontinence of urine in young girls who have leucorrhoea; the desire comes on suddenly and they wet their clothes or bed; urine is turbid.
 - 15. Hydrocele with Pulsatilla temperament and characteristic symptoms.
 - 16. Incipient tuberculosis with delayed menses; with cough and loss of weight.
 - 17. Sterility due to profuse chronic leucorrhoea.
 - 18. Phantom pregnancy; woman imagines that she is pregnant with other symptoms of Puls.
 - 19. One of the best remedies to begin with in the treatment of a chronic case.
 - 20. Asthma of children who are allergic to fats, rich food, fruits.
 - 21. Asthma of women with irregular menses.
 - 22. Ailments with chill, weeping easily, thick and bland discharges, changing or contradictory symptoms; worse in evening, worse lying on left side; thirstlessness; desire cool open air.
 - 23. Chronic nasal catarrh : discharge thick yellow greenish, offensive. (Therid, Thuj).
 - DOSAE : From lowest to highest potencies.
 - REPETITION . May be repeated in acute diseases.
 - Single dose of high potency for constitutional ailments.
 - DURATION OF ACTION : 40 days (Clarke).
- Relationship
- COMPLEMENTARY REMEDIES : Ars a, Kali m, Kali s, Lyc, Sil, Sulph ac.
 - REMEDIES THAT PRECEDE WELL : Anac, Ant t, Ars a, Bell, Bry, Calc c, Graph, Ian, Sil, Kali m, Kali bi, Lyc, Nit ac, Nux v, Phos, Rhus t, Sep, Sulph.
 - REMEDY THAT FOLLOWS WEL : Graph.

- ANTIDOTES : Camph, Coff, Ign, Nux v.
- REMEDY ANTIDOTES : Chin, Sulph, Sulph ac, Ign.
- BOYD'S DRUG GROUP : VIII.
- BOWEL NOSODE GROUP : Mutable.

Comparison

- Amelioration open air : Acon, Alum, Mag c, Puls, Sab, Nat m,
- Shortens labor : Caul, Act r, Puls.
- Complete absence of thirst : Aeth, apis, Puls.
- Nasal catarrh worse in a warm room : All c, Puls.
- Amelioration lying on painful side : Amm c, Puls, Bry, Ptel, Ign, Nat m.
- No two stools alike, vary in colour : Amm mur, Puls.
- Weepy, slightest thing affects her : Ant cr, Puls, Apis.
- Weeps telling her symptoms : Ign, Morph, Nat m, Puls.
- Headache better from pressure or tight bandage: Arg n, Apis, Puls, Lac d.
- Great longing for fresh air : Amyl n, Arg n, Puls, Sulph, Calc c.
- Toothache relieved by holding cold water in mouth : Bism, Coff, Caust, Sep, Nat s.
- Pressure as from a stone at pit of the stomach relieved by eructation : Brg, Nux v, Puls.
- Worse from butter, fatty food, pork: Carb v, Puls.
- Abuse of quinine mercury : Carb v, Puls.
- Erratic pains changing place every few minutes : Caul, Puls.
- Urine involuntary: when coughing, sneezing, blowing the nose: Caust, Puls, Squil, Rumex, Nat m, Sil, Verat a.
- Burning soles at night; puts feet out of bed: Cham, Med, Puls, Sulph.
- Complaints after eating fruits : Ars a, Chin, Puls.
- One hand icy cold, the other warm : Chin, Dig, Ipec, Puls, Moschus,
- Pale chlorotic girls with deranged menses : Cycl, Fer m, Puls.
- Excessive cautiousness, timid, hesitates; unable to decide about anything: Graph, Puls.
- Menses delayed from getting feet wet : Graph, Puls.
- All suffering worse at menstrual period : Ham, Act r, Puls.
- Ailments where gastric symptoms predominate : Ant c, Ipec, Puls.

- Pains shift rapidly from one part to another : Kali bi, Kali s, Lac c, Puls, Mag phos.
- Chronic "blue" condition; everything seems so dark that it can grow no darker : Lac c, Lyc, Puls.
- Hysterical nervous temperament : Ign, Puls, Val.
- Marked disposition to weep : Nat m, Puls.
- Great dryness of the mouth with no thirst : Nux m, Puls.
- Aggravation before mid night : Phos, Puls, Rhus t.
- Spinal affections; backache better from walking about: Cobalt, Puls, Rhus t, Zinc.
- Suppressed menses in young girls: Podo, Puls, Tub.
- Hysterical patients who cry easily; alternately gay and sad: Croc, Ign, Puls.
- Worse in warm air or room: Apis, Puls, Sab.
- Symptoms constantly changing: Lac c, Puls, Sanic.
- Mild and easy disposition : Puls, Sep.
- Vertigo from looking up : Puls, Sil.
- Sad, despondent but crying makes her worse : Nat m, Puls, Sep, Stann.

Causes & diseases

- Fats, rich food, pork, sausages, pastry, cakes, ice cream, cold food, or drinks.
- Fruits.
- Tea.
- Abuse of Quinine.
- Abuses of iron.
- Abuses of mercury.
- Abuse of sulphur Getting feet wet.
- Puberty.
- Suppressed menses.
- Retained placenta.
- Mumps.
- Measles.
- Metastasis of mumps to testicles or mammae.
- Metastasis of mumps to testicles or mammae.
- Metastasis of gonorrhoea to testicles.

- Gonorrhoeal rheumatism.
- Acute orchitis or epididymitis.
- Catarrhal otitis.
- Styes.
- Corneal ulcer, Conjunctivitis.
- Ophthalmia neonatorum.
- Hay fever, Leucorrhoea acrid.
- Menstrual disorders, suppressed menses.
- Dyspepsia from rich food.
- Morning sickness of pregnancy.
- Sinusitis.
- neuralgias.
- Varicose veins.
- Fevers.
- Psoriasis.
- AFFINITIES; Mind, Veins, Mucous membranes, Tongue, Stomach, Bowels, Vagina, Urinary organs, Female organs, One side, Skin.

Complaints & characteristics

- Ailments with ever changing symptoms; no two stools alike; no two chills alike; very well one hour, very miserable next; contradictory symptoms; alternating states.
- Pains: appear suddenly, cease gradually or tension increases until very acute and then "lets up with a snap" drawing; tearing; erratic; rapidly shifting from one part to another; accompanied with constant chilliness; the more severe the pain the more severe the chill; on first motion.
- One sided complaints headaches.
- Never been well since puberty.
- Thirstlessness with nearly all complaints: great dryness of mouth in morning without thirst (Nux m).
- Thick, bland, yellowish green discharge from all mucous membranes; leucorrhoea acrid and excoriating.
- Sweat: one side Cold, one side hot.
- Menses: too late, scanty or suppressed particularly by getting feet wet.
- All gone sensation in stomach in tea drinkers.

- Bad taste in mouth in the morning; nothing tastes good or no taste at all.

- Heaviness of stomach after eating.
- Nervousness intensely felt about ankles.
- Feels chilly in a warm room.
- Sleep: wide awake in evening, does not want to go to bed; first sleep restless; sound sleep when it is time to get up; awakes languid, unrefreshed.

Generals & modalities

- Children pale face blue eyes; like fun and caresses.
- Girls: inclined to be fleshy; milked, gentle, affectionate, timid yielding disposition: with scanty and protracted menses.
- Women: weep while giving out symptoms to the doctor; like company and consolation; timid; easily moved to tears and laughter; changeable.

- Mild, affectionate bashful, fleshy, temperament.
- Fearful: to be alone; of darkness: ghosts; dread of opposite sex.
- Anxious about health, highly emotional changeable, weeps or laughs easily; low spirited, seeks consolation; sad, melancholic; religious, mistrustful, suspicious, peevish, fretful, easily angered, contradictory.

- Easily offended.
- AGGRAVATION; Warm and closed room, Hot food and drinks, Sun, After eating, Overloading stomach, Lying on left side, on painless side; with head low, When on left side, on painless side; with head low, When allowing feet to hang down, Towards evening, before midnight, Violent emotions, Sitting up, Beginning motion, Getting wet, Wet weather.

- AMELIORATION; Cool open air, Cold application, Change of position, Gentle, continued motion, Rubbing, Hard pressure, Lying with head high,

Pyrogenium

- Synonyms : A nosode from sepsis.
- Source : Decomposed beef.
- Preparation : Dilutions are prepared from lean beef in water allowed to stand in the sun for two to three weeks.

- Proved by Drysdale, Burnett, Swan, Swan, Yingling, Sherbino, Heath and H.C. Allen.

Indications

- It is a SPECIFIC remedy for the following conditions:

- 1. Fevers : puerperal, septic, typhoid, malarial, diphtheria; with soreness, the bed feels hard, must change position with great restlessness; temperature high; tongue clean, smooth, as if varnished, taste pus-like foetid; pulse abnormally rapid, out of all proportion to temperature.

- Septic fever with pulse and temperature out of rhythm either way (Kent); high temperature in typhoid fever from the beginning.

- Fever with aching in bones not relieved by Eupatorium perf.

- Dry heat, with restlessness, aching in limbs, better from motion and warmth but not relieved by Rhus tox, (Kent).

- Constipation without urging, from impaction of faeces.

- 2. Intestinal obstruction : with persistent vomiting of coffee ground, offensive, stercoraceous matter.

- 3. Diarrhoea : horrible offensive; brown or black; pathless, involuntary; uncertain when passing flatus.

- 4. Constipation : with complete inertia; obstinate from implication; in fevers; stool large black, carrion like; small black balls like olives.

- 5. Dead foetus for days, black; horribly offensive discharge; with retained placenta.

- 6. Lochia : thin, acrid, brown, very foetid; suppressed, followed by chills, fever and profuse foetid perspiration.

- 7. Chronic disease : never well since septic fever following abortion or confinement.

- 8. Heart troubles : with distinct consciousness of heart; purring; throbbing, pulsating constant in ears, preventing sleep; cardiac asthenia from septic conditions.

- 9. Obstinate, offensive varicose ulcers of old persons with skin pale, cold, of an ashy colour.

- 10. When best selected remedy fails to improve the condition of the patient suffering from puerperal fever, septicaemia, surgical condition; ptomaine or sewer gas infection; diphtheria, typhoid or typhus infections.

- It is a dynamic remedy and acts when the indicated remedy fails due to lack of reactivity of vital dynamic of the patient.

- DOSAGE : 6th to 1 M.

- REPETITION : May be repeated till the response to the remedy occurs.

Relationship

- It is complementary of Ars a.

Comparison

- Septic fever, rapid loss of strength, sinking pulse, delirium and fainting: Anthr, Pyrog.

- Decubitus in typhoid: Arn, Bapt, Mur ac, Pyrog.

- Great prostration, with disposition to decomposition of fluids; Bapt, Pyrog.

- Tongue fiery red, smooth and polished : Crot h, Pyrog, Terebinth.

- Exhalations and discharges foetid in typhoid or other acute diseases and ulcers; breath, stool, urine, perspiration foetid : Bapt, Psor, Pyrog.

- Putrid discharges from mouth, nose, throat, rectum and vagina. Bapt, Psor, Pyrog.

- Diarrhoea in septicaemia; from high game, black, coffee-ground, offensive : Crot h, Pyrog.

- Post-partum wound : Ars a, Lach, Pyrog.

Causes & diseases

- Sepsis.

- Ptomaine poisoning.

- Sewer gas infection.

- Dissecting wounds.

- Blood poisoning.

- Cold damp weather.

- Obstinate, varicose, offensive ulcers of old persons (Psor).

- Septic fevers, especially puerperal.

- Latent pyrogenic process, patient continually relapsing after apparent similitum.

- When the best selected remedy fails to relieve or permanently improve diphtheria, typhoid or typhus.

- Violent chill intermingled with heat and sweat.

- Dry heat with marked aching in the limbs, restlessness better by motion and heat (Rhus t).
- Fever with aching in bone (Eupat perf.) Septic fever with pulse and temperature are out of rhythm either way.
- Violent burning in an abscess (Ars a, Anthr, Tar c).
- Chronic complaints that date back to septic condition.
- She has not been well since a puerperal fever.
- Bright's disease that could be traced to septic origin.
- Heart failure in septic and zymotic fevers.
- AFFINITIES; Circulation, Heart, Blood, Muscles.

Complaints & characteristics

- The bed feels hard (Arn); parts laid on feel sore and bruised.
- (Bapt, Arn, Nux m, Bry, Ruta).
- Great restlessness; must move constantly to ameliorate the soreness of parts (Arn, Eup perf).
- Tongue: large flabby; clean smooth as if varnished; fiery red; dry cracked; articulation difficult (Crot h, Tereb).
- Taste: sweetish; terribly foetid; pus-like; as from an abscess.
- Vomiting: persistent, brownish, coffee ground; offensive, stercoraceous; with impacted or obstructed bowels (Op, Plumb).
- Diarrhoea horribly offensive (Psor); brown or black (Lept); painless involuntary; uncertain when passing flatus (Aloe, Olnd.).
- Constipation: with impaction in fevers: stool large, black, carrion like; small black balls like olives (Op, Plumb).
- Foetus or placenta retained, decomposed; dead for days, black, horribly offensive discharge; never well since septic fever, following abortion or confinement.
- To arouse vital activity of uterus.
- Lochia; thin, acrid, brown, very foetid (Nit ac); suppressed, followed by chills, fever and profuse foetid perspiration.
- Distinct consciousness of heart; it feels tired; as if enlarged; purring, throbbing, pulsating constant in ear, preventing sleep; cardiac asthma from septic conditions.
- Pulse abnormally rapid, out of all proportion to temperature (Lil t).
- Skin: pale, cold of an ashy hue (Sec c).
- Fan like motion of alae nasi (Lyc, Ant t).

Generals & modalities

- Disposed to acute zymotic fevers and sepsis.
- Lack of reactivity.
- AGGRAVATION; Becoming cold, In damp and cold weather.
- AMELIORATION; Motion change of position Heat, Hot bath,

Pressure.

Ranunculus bulbosus

- Synonyms : Butter cup.
- Source : It is a medicinal plant belonging to the natural order of Ranunculaceae.
- Habitat : It is indigenous to Europe and Atlantic coast of U.S. A.
- Preparation : Mother tincture is prepared from the whole plant at the time of flowering.
- Proved by Franz, one of Hahnemann's provers who took part in the provings of thirty of Hahnemann's drugs

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Bad effects of over-indulgence of alcoholic stimulants: headache, spasmodic hiccup, delirium tremens (give drop doses).
 - 2. Herpes zoster : preceded or followed by inter-costal neuralgia (Mez, Kalm); vesicles have bluish appearance, with great itching, and burning.
 - 3. Pains : sharp, stitching, shooting, come in paroxysms; from atmospheric changes; from pleurisy, pneumonia, pleurodynia, intercostal neuralgia, herpes zoster; aggravation from touch, motion or turning the body.
 - 4. Ailments from cold air; neuralgias, rheumatic pains, pleurisy, pneumonia; worse from cold, damp or stormy weather; worse in evening; touch, contact, motion.
 - 5. Violent pains over right eye relieved from walking and motion.
 - 6. Chronic sciatica is relieved by applying tincture of the remedy to heels of the affected leg. (Boericke).
 - 7. Women : with fear of ghosts cannot remain alone in the evening.
 - 8. Hay fever : with aggravation of all symptoms in the evening; with burning in eyes and lids; stuffiness of nose; tingling and crawling in

posterior nose; itching in soft palate. (Wyetha).

- 9. Intercostal rheumatism : worse in cold damp, stormy weather, in evenings, motion.

- 10. Day blindness; mist before eyes (Caust, Phos).

- DOSAGE : Mother tincture in drop doses (10 to 30 drops at a time) for bad effects of alcoholism like delirium tremens.

- Mother tincture to be applied to the heels of the leg suffering from chronic sciatica.

- 3rd to 30th potency generally.

- REPETITION : In acute cases a few doses may be repeated till response to the remedy is noticed.

- DURATION OF ACTION : Short.

Relationship

- REMEDIES THAT FOLLOW WELL : Bry, Ign, Kali c, Nux v, Rhus t, Sep.

- INCOMPATIBLE : Acet ac, Staph, Sulph.

- ANTIDOTES : Anac, Bry, Camph, Clem, Puls, Rhus t.

Comparison

- Neuralgias : Acon, All c, Arn, Arg n, Ars a, Bell, Bry, Ced, Cham, Chel, Chin ars, Cimic, Cinch, Coff, Coloc, Gels, Ganaph, Ign, Kali bi, Mag p, Mez, Phos, Phyt, Plat, Puls, Ran b, Rhod, Spig, Stann, Ver a, Zinc v.

- Rheumatic : Cim, Colch, Coloc, Kalm, Phyt, Ran b, Rhod, Rhus t, Sulph, Merc, Rad, Ster.

- Gouty pains : Acon, Arn, bell, Bry, Calc p, Caul, Caust, Dulc, Guiac, Kali c, Lac c.

- Herpes zoster : Ars a, Canth, Caust, Cistus, Dolichos, Mez, Ran b, Rhus t, Tub, Variol.

- Neuralgia persisting after herpes zoster : Ars a, Kalm, Mez, Ran b, zinc m.

- Burning vesicular eruptions : Agar, Apis, Ars a, Ran b, Rhus t, Sec c, Sulph.

- Day blindness : Acon, Bothrops, Lyc, Phos, Ran b, Sil.

- Hay fever : Ambros, Aral, Ars a, Ars iod, Euph, Naph, Psor, Ran b, Sabad, Sang n, Skook c, Stict.

- Itching in nose: Arund, Cina, hydras, Nat m, Ran b, Sabad, Sang, Sant, Teucr, Wyeth,

- Numbness, tingling in nose: Acon, Nat m, Plat, Ran b, Sabad, Sang, Sil, Stict.
- Itching in palate : Arundo, Ran b, Wyeth.
- Delirium tremens : Agar, bell, Can ind, Caps, Kali br, Nux v, Ran b, Stram.
- Bad effects of alcoholic stimulants : Ars a, Asar, Bar c, Lach, Led, Nux v, Op, Ran b, Sel, Sulph, Sil ac.
- Ailments from change of weather: Acon, Bry, Dulc, Lach, Merc, Nat s, phos, Psor, Ran b.
- Ailments worse in evening : Acon, Ambra, Bell, Cepa, Cycl, Helleb, Hyos, Lyc, Merc, Phos, Puls, Ran b, Rumex, Sep, Syphil.
- Ailments worse from motion : Bell, Berb v, Bry, Cimic, Colch, Cocc, Gels, Kalm, Led, merc, Nat m, Nux v, Phyt, Ran b, Sab, Sec c, Spig, Taren h.
- Aggravation from touch : Acon, Apis, Arn, bell, Bry, Cham, Cinch, Colch, Cup m, Hep s, Kali c, Lach, Lil t, Nit ac, Nux v, Ox ac, Plumb, Ran b, Rhod, Sil, Spig, Strych, Tar h, Ther.
- Aggravation from pressure : Apis, Hep s, Lach, Merc, Nux v, Phyt, Ran b, Ther.

Causes & diseases

- bad effects of alcohol= spasmodic hiccough; delirium hiccough; delirium tremens, epilepsy.
- Muscular pains; from needle work, type writing, piano-playing (Act r).
- Pleurisy or pneumonia from sudden exposure to cold.
- Day blindness; mist before eyes; pressure and smarting in eye balls.
- Corns sensitive to touch, smart, burn (Salic ac); on soles of feet (Ant cr); intercostal rheymastism.
- Herpes zoster : preceded or followed by inter-costal neuralgia.
- Bad effects after a debauch (Agar, Lach, Nux v).
- Headache of drunkards.
- Complaints from fright and vexation.
- Sudden exposure to cold while overheated= neuralgic or rheumatic pains or headache; pneumonia, pleurisy.
- Lupus.
- Epithelioma of face.
- Hemipia during pregnancy.

- Glaucoma.
- (Aco, Bell, Gels, Osm, Phos physost, Spig).
- AFFINITIES; Nerves, Muscles, Eyes, Thorax, Skin, Serous membranes, Fingers, Toes, Left side.

Complaints & characteristics

- Day blindness; mist before eyes; pressure and smarting in eye balls.
- (Phos).
- Pains : stitching, sharp, shooting, neuralgic, myalgic; rheumatic in walls of chest, coming in paroxysms; excited or brought on by atmospheric changes; inflammatory; depending upon spinal irritation.
- Muscular pains about margins of shoulder blades.
- Burning in small spots (Agar, Phos) Rheumatic pains in muscles of back and neck, feel, stiff, lame, contracted from using arms in sweeping, typing (Agar, Act r).
- Chest sore, bruised, worse from touch, motion or turning the body (Bry); in wet stormy weather.
- A stitching pain in chest after recovery from pleurisy (Carb an).
- Sudden weakness, fainting; epilepsy.
- Burning pains in cardiac orifice of stomach, neck of bladder, in cornea, in eruptions, in ulcers.
- Pressing pains in forehead; vertex, eyes, temples, root of nose, pit of stomach, shoulder, chest; creeping, crawling,. Tingling.
- Violent pains over right eye; worse lying; better when walking and standing; all other pains worse from motion.
- Pain in right eye; with soreness and in right lower lid.
- Hay fever with burning in eyes and itching of soft palate (Wyeth).
- Vesicular eruptions on face with great burning.
- Vertigo when going into cold air.

Generals & modalities

- Chilly.
- Great depression of spirits and desire to die.
- Fear of ghosts, very irritable and even quarrelsome.
- Touch.
- Contact.
- Motion (Bry) Change of temperature.
- Evening.

- (Puls).
- Breathing.
- Wet and stormy weather.
- Alcohol.
- Debauchery.
- After eating.
- Cold, damp, weather.
- Change of position.
- AMELIORATION; Eructations

Rheum palmatum

- Synonyms : Rhubarb, Rheum Officinale, Rheum palmatum.
- Source : It is a plant whose roots on fracture gives a peculiar aromatic odour. It belongs to the natural order of Polygonaceae.
- Habitat : It is indigenous to China from where it comes in sections of massive root.
- Preparation : Mother tincture is prepared from the roots; higher potencies are prepared from the mother tincture.
- Proved by Dr. Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for patients:
 - 1. Infants : with diarrhoea; stools turn green on standing; stools have a sour odour.
 - 2. Children: with sour diarrhoea; sour smell from the body, not removed even after bathing; dentitional troubles, cry and toss about all night; screaming of children with urging for stool.
 - Child impatient, cries for many things, but petulantly rejects them; fretful at night only; difficult dentition, restless, irritable, peevish; with pale face and sour smell; desires various kinds of food, but cannot eat them; becomes repugnant.
 - Sweats of scalp, constant, profuse, whether asleep or awake, hair is always wet. (Calc c, Sil).
 - 3. Diarrhoea in lying period in women.
- It is a SPECIFIC remedy in the following conditions:
 - 1. Colic : with very sour stool; worse when standing worse at once by uncovering an arm or leg; not ameliorated by stool.

- 2. Diarrhoea during inflammatory rheumatism; desire for stool after a meal; sour stools.

- DOSAGE : 3rd to 6th potency or 30th potency.
- REPETITION : A dose after every stool may be repeated.
- DURATION OF ACTION : Not definite.

Relationship

- COMPLEMENTARY REMEDY : Mag c.
- REMEDY THAT PRECEDES WELL : Ipec.
- REMEDIES THAT FOLLOW WELL : Bell, Puls, Rhus t, Sulph.
- ANTIDOTES : Camph, Cham, Coloc, Merc, Nux v, Puls.
- REMEDY ANTIDOTES : Canth, Mag c.

Comparison

- Sour smell from body, even after bathing : Hep s, Mag c, Rheum.
- Children cry and toss about whole night : Psor, Rheum.
- Sweats of scalp : Calc c, Sanic, Rheum.
- Difficult dentition : Cham, Calc c, Kreos, Rheum, Podo.

Causes & diseases

- Diarrhoea.
- Dysentery.
- Colic.
- Indigestion.
- Headache.
- Dentitional troubles.
- AFFINITIES; Liver, Bile ducts, Bowels, Muscles.

Complaints & characteristics

- Diarrhoea : sour smelling; during dentition.
- Stomach disorders with sour, flat, slimy taste; insipid or nauseous.
- Hunger for various kinds of food, but the first few mouthfuls

nauseate.

- Colic: has to bend double; agg just before stool; not relieved after stool; worse standing.

- Colicky pain about navel; shivering with stool; followed by renewed urging.

- Gripping with cries; worse uncovering any part of the body.
- Stool turning green on standing.
- (Arg n, Sulph).

- Lying on limbs one over the other causes them to go to sleep (Rhod).
- Desire for stool after a meal.
- Before stool pains in abdomen; cutting colic; urging ineffectual; during stool-chilliness, cutting and constricting pains in abdomen.
- After stool-colic, ineffectual straining; worse from any motion.
- Diarrhoea during inflammatory rheumatism.
- Dysentery : after bloody stools have ceased; tenesmus with sour stool.
- Diarrhoea : of infants; during teething; and during lying period in women.

Generals & modalities

- Child smells sour, even after bathing, screaming of children with urging and sour stool.
- Children cry and toss about all night (Psor).
- Child impatient, desires many things, and cries; dislikes even favorite things (Cina, Sanic) Sweat on scalp, constant, profuse; whether asleep or awake, quiet or in motion, the hair is always wet; may or may not be sour (Calc c, Sanic).
- Difficult dentition; child restless, irritable, peevish with pale face and sour smell (Kreos, Cham).
- Desires various kinds of food, but cannot eat them; becomes repugnant.
- AGGRAVATION; At night, Uncovering, Moving about, After eating, Before, during and after stool, Standing.
- AMELIORATION; Warmth, Covering, Lying doubled up, Wrapping up.

Rhododendron chrysanthum

- Synonyms: Snowrose (yellow).
- Source: It is a plant having yellow or golden flowers. It belongs to the natural order of Ericacear.
- Habitat: Siberia, U.S. S.R.
- Preparation: Mother tincture is prepared from the fresh leaves.
- Proved by Seidel, Wahle, Harzog, Helbig and others.

Indications

- It is a CONSTITUTIONAL remedy for the patient:

- 1. Nervous persons who are susceptible to electric storms, thunder, change of weather, cold and windy weather, anxiety and nervousness.
- 2. Gouty patients : who suffer from rheumatic pains, sometimes wandering from joint to joint, aggravated during rest; before and during storms; cold and wet weather; and ameliorated from warm wrapping.
 - He can always foretell a thunderstorm.
- 3. Old people who have suffered long from gout.
 - It is a SPECIFIC remedy for the following conditions:
 - 1. Pains, neuralgias, toothache, facial neuralgia, worse before and during the thunderstorm; worse during rest, wandering pains.
 - 2. Rheumatism : is worse in stormy weather; chronic rheumatism of small joints; rheumatic gout; gouty inflammation of great toe.
 - 3. Orchitis with much swelling of the testicles and crushing pains from cold, sitting on cold stone; after gonorrhoea; with atrophy of testicles; induration of testicles.
 - Hydrocele with the characteristic symptoms of the remedy.
 - 4. Sleeplessness relieved by crossing of legs. (Rheum).
 - 5. Diarrhoea : in damp cold weather; from fruits.
 - 6. All symptoms reappear in rough weather or stormy weather.
 - DOSAGE : 3rd to 200th.
 - REPETITION : Minimum and single dose; to be repeated when symptoms call for the remedy.
 - DURATION OF ACTION : 35 to 40 days (Clarke).
- Relationship
 - REMEDIES THAT FOLLOW WELL : Ars a, Calc c, Con, Lyc, Merc, Nux v, Puls, Sep, Sil.
 - ANTIDOTES : Bry, Camph, Clem, Rhus t.
- Comparison
 - Aggravation before and during thunderstorm : Agar, Gels, Med. Nat c, Phos, Psor, Rhod, Petr, Phyt, Sep, Sil.
 - Orchitis with crushing pains in testicles : Aur m, Arg n, Cham, Rhod, Spong.
 - Rheumatism of small joints : Act sp, Caul, Led, Rhod.
 - Amelioration from wrapping the head warmly : Bell, Graph, Hep s, Psor, Rhod, Sanic, Sil.

- Aggravation during cold, moist and windy weather : All c, Dulc, Euph, Nux m, Rhod.

Causes & diseases

- Stormy weather.
- Thunder, electric storm.
- Catching cold.
- Getting wet.
- Eating fruits.
- Gonorrhoea.
- Pain in bones.
- Bunions.
- Hydrocele.
- Lumbago.
- Neuralgia.
- Rheumatism.
- Gout.
- Toothache.
- Orchitis.
- Sprains.
- Stiff neck.
- Wrist pains.
- AFFINITIES; Small joints, Bones, Fibrous tissues, Testicles, Nerves.

Complaints & characteristics

- Ailments : toothache; rheumatic complaints; gouty complaints; gonorrhoeal complaints; worse from change of weather, thunderstorm or windy weather.

- Acute arthritis: wandering from one joint to another; worse from rest and stormy weather.

- Gout with fibrous deposit in great to joint. (Colch, Led).

- Induration and swelling of testicles after gonorrhoea or rheumatic exposure (Clem).

- Orchitis with sensation in gland as if it is being crushed (Aur m, Cham).

- Rheumatic drawing, tearing pains in all limbs worse at rest and during rough stormy weather (Kalm).

- Cannot get sleep or remain asleep unless legs are crossed.

- One pupil dilated the other contracted.

Generals & modalities

- Nervous persons who dread a storm and thunder.
- AGGRAVATION; Stormy, windy weather Electrical changes in the atmosphere, On approach of thunderstorm, Symptoms reappear with rough weather, Before a storm or an electric storm (Nat c, Phos, Psor, Sil), Touch; rest; standing, Wine.
- AMELIORATION; Wrapping the head warmly. (Sil), Dry heat; sun shine, Exercise.

Rhus toxicodendron

- Snowrose, poison Oak.
- Source: It is a shrub with erect stem, from two to four feet high. The stem is devoid of root-lets; whereas Rhus Radians is four to thirty feet high, has tortuous stem studded with dark coloured root-lets by which it clings for its support. It belongs to the natural order of Anacardiaceae.
- Habitat: it is indigenous to North America, from where it was introduced to England.
- Preparation: Mother tincture of fresh leaves gathered at sunset just before flowering time.
- Proved by & Dr Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for the patient:
- 1. Who are susceptible to cold, wet environments, wearing wet shirts, socks, lying on damp ground or wet sheets; suffer from stiffness, pains or paralytic symptoms.
- 2. Persons of rheumatic diathesis : muscular rheumatism, fibrositis, iritis, stiffness of jaws, crackling in the articulation of jaw when moving it; rheumatic heart with sticking pains of jaw when moving it; rheumatic heart with sticking pains with lameness and numbness of left arm; stiffness of neck with painful tension; aching in small of back while sitting relieved by continuous motion; dull aching pain in right sciatic nerve; stiffness of knees; rheumatic inflammation of sciatic nerve; stiffness of knees; rheumatic inflammation of joints from exposure to cold and damp weather, amelioration from heat, rubbing and continuous motion; with great restlessness, soreness and stiffness.

- It is a SPECIFIC remedy for the following conditions:

- 1. Fevers : Typhoid, Dengue, fever, Erysipelas, Influenza, pleurisy, Measles, Pneumonia, Septicaemia, Scarlet fever, Rheumatic fever, Typhus fever with restlessness, soreness stiffness, lameness; must change position obtain relief from soreness or pain; fever blisters around mouth; tongue dry, sore, red at the tip, takes imprint of teeth; low muttering delirium, great apprehension at night; fears he will die of being poisoned; thirst for water; dry teasing cough worse from exposure to cold and wet weather; lying quietly; better from warmth, wrapping up warmly; cough during chill.

- 2. Ailments : from spraining, straining, over-stretching, over-lifting; lying on damp ground; too much summer bathing in lake or river.

- 3. Paralysis : with numbness of the affected parts; from damp and cold; after exertion; after delivery; sexual excesses; typhoid; paresis of limbs; ptosis, with loss of sensation; right sided hemiplegia; infantile paralysis.

- 4. Prolapse uterus from over-reaching or straining.

- 5. Tonsillitis after riding in cold wind (Acon, Hep s).

- 6. Urticaria after bathing; with fever; with intolerable itching worse from cold air; with rheumatic complaints.

- 7. Cerebro-spinal meningitis with anxiety and restlessness.

- 8. Diarrhoea : in typhoid fever; worse during night; better during day.

- 9. Hoarseness on first beginning to sing, which wears off after singing for a while.

- 10. Hypertrophy of heart from violent exercise; gets out of breath on exertion.

- 11. Eczema : capitis of infants; dry itchy eruptions; worse in winter; cold wet weather, intolerable itching in bed at night.

- 12. Herpes zoster with Rhux tox characteristic symptoms.

- 13. Sprains of ankle with oedema.

- 14. Diphtheria with Rhus tox symptoms.

- DOSAGE : First to 3rd potency every hourly in Rheumatic fever (Clarke) 3rd to 30th in Typhoid, Diarrhoea, Dysentery (Underwood).

- Higher potency in chronic rheumatism, Allergic conditions and skin diseases (Hughes).

- REPETITION : May be repeated frequently in acute diseases with fever, in low potency.

- In chronic diseases higher potency should be taken in single doses depending on the response to the remedy.

- DURATION OF ACTION : 1 t 7 days (Clarke).

Relationship

- COMPLEMENTARY REMEDIES : Bry, Calc c.

- REMEDIES THAT PRECEDE WELL : Arn, Bry, Calc c, Cal p, Clem, Lach, Phos ac, Puls, Sulph.

- REMEDIES THAT FOLLOWS WELL : Ars a, Bry, Cal c, Con, Nux v, Phos ac, Puls, Sulph.

- REMEDIES THAT ARE INIMICAL TO THE REMEDY : Apis m.

- REMEDIES ANTIDOTAL TO THE REMEDY : Anac, Bell, Camph, Cret t, Graph. Mez, plumb, Sulph.

- THE REMEDY ANTIDOTE THESE REMEDIES : Ant t, Ran b, Rhod.

- BOYD'S GROUP : VIII.

- BOWEL NOSODE GROUP : Sycotic Co.

Comparison

- Bad effects of getting wet : All c, Rhus tox.

- Cold from swimming or falling in water : Ant cr, Rhus tox.

- Ophthalmia, lids agglutinated in morning: Apis, Arg n, Merc s, Rhus tox.

- Must move continually to obtain relief fro the pain: Arn, Rhus t.

- Soreness as if bruised: Bapt, Arn, Chin, Phyt, Rhus t, Ruta, Staph, Nux m.

- Prolapse uterus from over =reaching of straining: Aur, Podo, Rhus t.

- Tonsillitis after riding in a cold wine: Acon, Hep s, Rhus t.

- When Rhus t seems indicated but fails to cure urticaria Bovista is indicated.

- Cold sensation in larynx on inspiration: Brom, Rhus t, Sulph.

- Strains or injuries of single muscle: Calend, Rhus t, Ruta.

- At night, unable to get an easy position or lie still a moment: Caust, Eupat perf, Rhus t.

- Rheumatic pains compel him to walk about: Cham, Rhus t.

- Periodical orbital neuralgia, with excessive lachrymation, tears gush out: Chelid, Rhus t.

- Contusions : Con, Arn, Rhus t.
- Acute eczema develops over whole body : Crot t, Rhus t.
- Intense itching of genitals of both sexes: Crot t, Thus t.
- Metallic copper taste in the mouth with flow of saliva: Cup m, Rhus t.

- Amelioration from moving about: Fer m, Rhus t, Mag phos, Sambucus n.

- Cough when any part of the body is uncovered : Hep s, Rhus t.
- Oedematous uvula, much swelling but little redness: Kali bi, Rhus t.
- Backache worse by rest and on first moving : Lac c, Rhus t.
- Intense itching of feet and ankles, worse from scratching and warmth of bed : Led, Puls, Rhus t.

- Tongue large, flabby, shows imprint of teeth : Chelid, Merc, Podo, Rhus t.

- Aggravation in wet damp weather: Merc, Rhus t, Nux m, Calc c.
- Periosteum inflamed, pains burning tearing, as if scraped with a knife: Phos ac, Rhus t.

- Intercostal rheumatism in wet stormy weather : Ran b, Rhus t,
- Rheumatics pains in cold windy weather : Rhod, Rhus t.
- Desire to escape in delirium: Bell, Bry, Op, Rhus t, Stram.
- Aggravation in changeable weather : Rhus t, Psor, Sulph.
- Sensation as if the brain was loose in forehead and falling from side to side: Hep s, Mag c, Rheum, Sulph ac.

- Rheumatism of the shoulder joint worse raising arm alternately: Rhus t, Syph.

- Restlessness of limbs in typhoid: Rhus t, Tarax, Zinc.
- Amelioration from walking about: Cobalt, Puls, Rhus t, Zinc m.

Causes & diseases

- Getting wet; after being over heated.
- Spraining or straining a single part, muscle or tendon.
- Over-lifting; stretching high up to reach things.
- Lying on damp ground.

- Wet rainy weather.
- Slightest anger.
- Over exertion.

- Drinking ice water.
- Beer.
- bruises.
- Sleeping on wet bed sheets.
- Rheumatism.
- Cellulitis.
- Eczema.
- Erysipelas.
- Itchy eruptions.
- Abscess.
- Carbuncles.
- Inflammation of glands.
- Scrofulous.
- Rickety affections; congestions.
- Catarrh.
- Oedema, Fevers: typhoid, remittent and intermittent fevers; zymotic fevers; Herpes zoster; infantile paralysis.
- Paralysis of limbs with loss of sensation, numbness.
- Right sided hemiplegia.
- Chorea; twitching of limbs and muscles.
- Meningitis with high fever, cerebrospinal meningitis.
- Eruptions on scalp; eczema capitis of infants.
- Acute conjunctivitis.
- Styes on lower lids.
- Parotid gland inflammation, mumps, left sided.
- Coryza; stoppage of nose from cold.
- Pharyngitis, Tonsillitis, diphtheria.
- Left sided sciatica from cold damp weather.
- AFFINITIES; Skin, Nerves, Muscles, Glands, Mucous Membranes, Tissues.

Complaints & characteristics

- Vertigo : When standing or walking; worse when lying down; agg, rising from lying, or stooping.
- Headache : brain feels loose when stepping or shaking the head; sensation of swashing in brain; as if torn; from beer, returns from least anger; worse from sitting, lying in cold better from warmth and motion.

- Corners of mouth ulcerated; fever blisters around mouth or on chin (Nat m).

- Tongue : dry, sore red cracked; (Graph).

- Triangular red tip; takes imprint of teeth (Chel, Merc, Podo).

- Bitter taste Inflammation of eyes with oedema of lids and surrounding parts; photophobia; profuse hot gust of tears on opening lids; iritis; glaucoma.

- Drowsy after eating.

- Lameness, stiffness on first motion after rest, or in the morning; relieved by continued motion.

- Great sensitiveness to open air; putting the hand out from under the bed cover brings on cough (Bar c, Hep s).

- Aching in left arm wit heart diseases and numbness.

- Great thirst for cold water with dryness of throat.

- (Acon, Ars a, Bry).

- Abdomen bloated after eating (Chin, Lyc, Nux m, Nux v).

- Diarrhoea: watery, foul, involuntary in typhoid.

- Intense itching of scrotum with eruptions or oedema.

- Threatened abortions from straining on over-exertion.

- Suppression of milk.

- Hoarseness from overstraining voice.

- Small pox eruptions turn back (Ars a).

- Air is passing out sensation through a part of body.

Generals & modalities

- Allergic disposition to cold and wet.

- Extreme, restlessness with continued change of position.

- Rest agg; first movement is painful but continuos movement relieves, but causes exhaustion.

- mental symptoms during fever; typhoid muttering incoherent delirium, answers questions hastily; anxiety, apprehension and fear, worse at night disgust for life; thoughts of suicide yet has fear of death.

- Anxiety as if he had met with some misfortune.

- Fear of being poisoned; great apprehension at night.

- Desires oysters, cold milk and sweets.

- Aversion to meat.

- Cold water disagrees.

- AGGRAVATION; During rest, At night, after midnight; before storms, Cold wet rainy weather, Beginning to move, Drinking cold water.

- AMELIORATION; Continuous motion Moving affected parts, Change of position, Warm dry weather, Warmth to parts, Stretching limbs,

Rumex crispus

- Synonyms: Yellow Dock or Curled Dock.

- Source: It is a common British weed. It belongs to the natural order of Polygonaceae.

- Habitat: Introduced from England to North America where it grows wild.

- Preparation: Mother tincture is prepared from fresh roots.

- Proved by Dr. H.A. Houghton, Student of Hahnemann Medical College, Philadelphia, in 1852; Dr. B.F. Joslin in 1858.

Indications

- It is a CONSTITUTIONAL remedy for patients:

- 1. Who are extremely susceptible to cold air; they want to cover the whole body even the head to make air warmer.

- Ailments from slightest inhalation of cold air; cough; catarrh of nose, throat, larynx, trachea; hay fever, hoarseness, aphonia; urticaria.

- 2. Allergic to meat: causes eructations; pruritus.

- It is a SPECIFIC remedy in the following conditions:

- 1. Cough: dry, incessant, fatiguing; worse from change of air or room; exposure to cold; slightest inhalation of cold air; with tickling in throat; hoarseness; aphonia; involuntary urine with cough; involuntary stool with cough; relief from covering the whole body with warm clothes; worse reading touching larynx.

- 2. Early morning diarrhoea; from 5 to 10 A.M. ; sudden urging driving out of bed in morning; stool painless, profuse, offensive; in patients suffering from advanced phthisis.

- 3. Itching of skin: worse from cold or exposure to cold while undressing; better from warmth.

- 4. Advanced state of tuberculosis: cough worse from talking; lying down especially on left side; inspiring cold air; better from covering whole body and the head to make air warmer and bearable; sharp

stitching pains through left lung; morning diarrhoea; passes urine or stool with violent cough.

- 5. Asthma of consumptives : worse at 2 A.M. , cold.

- 6. Ailments : from tea; meat; exposure to cold; cough only during the day; left sided complaints; distension after meals; aching in left chest; lump in throat; worse by cold; better by warmth; worse lying on left side; better charge of offensive flatus.

- DOSAGE: 3rd to 30th.

- REPETITION: bears repetition well.

Relationship

- REMEDY THAT FOLLOWED WELL : Calc c.

- ANTIDOTAL REMEDIES : Bell, Camph, Con, Hyos, Lach, Phos.

Comparison

- Morning diarrhoea, driving out of bed: Aloe, Nat s, Psor, Rumex, Sulph.

- Hoarseness in cold weather: Carb v, Caust, Rumex, Sulph.

- Hoarseness in evening and night: Carb v, Kali bi, Phos, Rumex.

- Cough begins as soon as head touches pillow at night: Bell, Dros, Hyos, Rumex.

- Involuntary urine with cough : Caust, Puls, Rumex, Sil.

- Itching; worse from cold; better from heat; when undressing or exposure to cold air : Hep s, Nat s, Olean, Rumex.

- Cough: worse lying on left side : Phos, Rumex.

- Cough: worse from changing air or room : Phos, Rumex, Spong.

Causes & diseases

- Cold air.

- Exposure to cold.

- Catarrh of nose, throat, larynx, trachea, bronchi.

- Capillary bronchitis.

- Pneumonia.

- Plumonary tuberculosis.

- Influenza with violent catarrh followed by bronchitis.

- Hoarseness and aphonia due to accumulation of tough, gelatinous mucus; after exposure to cold.

- Rheumatic affections of joints from cold.

- Valuable in advanced phthisis (Seneg, Puls, Ars a, Lyc, Arn, Pyrog, Dros).

- AFFINITIES; Mucous Membrane, Nose, Throat, Larynx, Trachea, Bowels, Skin, Nerves.

Complaints & characteristics

- Catarrh: from nose or throat and other mucous membranes; thin, watery, copious mucous discharge; followed by tough, stringy, tenacious, gluey mucus, with morning diarrhoea.

- Cough : dry, incessant fatiguing; worse changing air or room (Phos, Spong).

- Evening after lying down; touching or pressing the throat pit; lying on left side (Phos); from slightest inhalation of cold air; covers head with bed clothes to make air warmer; little or no expectoration.

- Dry teasing cough from tickling in throat.

- Sensation of a lump in throat; descends on swallowing but returns immediately.

- Raw sensation in Larynx and trachea when coughing (Caust).

- Involuntary urine with cough.

- (Caust, Puls, Sil).

- Involuntary stool with cough.

- Early morning diarrhoea; from 5 to 10 a.m. (Aloe, Nat s, Podo, Sulph): sudden urging, driving out of bed in morning; stools pain less, profuse, offensive.

- Skin; itching of various parts; when undressing; uncovering, or exposing skin to cold air.

- (Hep s, Nat s, Olean); from eating meat.

- Hay fever : coryza fluent, with sneezing, headache; worse in evening and at night, early morning.

- Tubercular diarrhoea.

Generals & modalities

- Extremely sensitive to open air.

- Chilly.

- Susceptible to cold and catarrh.

- Tubercular diathesis.

- Low spirited, sad, irritable, mental excitability.

- Nervous sensitiveness to open air (Nux v).

- AGGRAVATION; Cold air, Change of air, Exposure to cold, Lying down on left side, Undressing, Uncovering.

- AMELIORATION; Warmth, Covering mouth, Wrapping up the head.

Ruta graveolens

- Synonyms : Rue.

- Source : A Common European garden plant belonging to the natural order of Rutaceae.

- Habitat : It is a native of Southern Europe.

- Preparation : Mother tincture is prepared from the whole fresh plant.

- Proved by Dr. Hahnemann.

Indications

- It is a SPECIFIC remedy for the following conditions:

- 1. Lameness after sprains especially of wrists and ankles.

- 2. Eye troubles: from over-exertion of eyes; over-use in bad light, over-reading at night; fine-sewing watch-repairing; anomalies of refraction; asthenopia; burning in eyes like ball so fire; congestion of eyes, spasms of lower lids; paralytic weakness; strabismus; amblyopia; blurred vision; aching in and over eyes.

- 3. Phthisis after mechanical injuries to chest; haemoptysis, with hacking cough.

- 4. After a fall; bruised sensation all over the body especially limbs and joints; the parts laid upon are painful; must change the position.

- 5. Constipation; from inactivity, or impaction following mechanical injuries.

- 6. Prolapse of rectum : on passing stool; after confinement aggravated by stooping; preceding a very difficult stool.

- 7. Injured and bruised bones.

- 8. Cancer rectum.

- 9. Backache: ameliorated by lying on back; pressure; sitting after a long walk; rest and continued motion (Rhus t).

- 10. Sore and sensitive nodes in bones and tendons of muscles after injury.

- 11. Knees give way going up or down stairs.

- 12. Warts; flat smooth on palms with sore pains. (Nat c, Nat m).

- 13. Sciatica: aggravated on lying at night; better in the day on moving.

- 14. Urticaria from eating meat. (Rumex).

- 15. Canglion : on wrist, (Benz ac, Calc fl).

- DOSAGE : 3rd to 200.

- REPETITION : Bears repetition well.

- DURATION OF ACTION : 30 days (Clarke).

Relationship

- COMPLEMENTARY : Calc p (in joint affections).

- REMEDIES THAT PRECEDE WELL : Arnica (bruised pains after injuries) symphytum (injury to bones).

- REMEDIES THAT FOLLOW WELL : Calc c, Caust, Lyc, Phos ac, Puls, Sep.

- ANTIDOTE : Camph.

- REMEDY ANTIDOTES : Merc.

Comparison

- Eye strain from sewing, worse in warm room, better in open air: Arg n, Nat m, Ruta, Onosm.

- Soreness as if bruised: Bapt, China, Phyt, Rhus t, Ruta, Staph, Nux m.

- Strains or injuries of single muscles : Rhus t, Ruta.

- Bad effects of injuries : Arn, Calend, Ruta, Rhus t, Staph, Hyperic, Ham, Bellis, Led, Symph.

- Prolapse ani from moderate straining at stool, stooping or lifting: Ign, Nit ac, Podo, Ruta.

- Walking ameliorates all symptoms: Fer m, Rhus t, Ruta, Iod.

Causes & diseases

- Straining and over-exertion of flexor tendons.

- Periosteal troubles from injuries.

- Bruises leave a hardened spot after injury.

- Overstraining the muscles of the eye causes headache, readiness of eyes and defects of vision (Arg n, Onosm, Nat m), blurring from; over-use in bad light.

- Protrusion of rectum after confinement.

- Pain in back or coccyx as if bruised from a fall or a blow (hypericum).

- Rheumatism.

- Injuries of bones, periosteum joints.
- After a sprain or dislocation.
- (Arn, Rhus t).
- Erysipelas.
- Scrofulous exostosis, periosteitis.
- Constipation from impaction after injuries.
- Prolapse of rectum.
- Involuntary urine.
- AFFINITIES; Eyes, Uterus, Skin bones, Periosteum, Cartilage,

Tendons, Joints.

Complaints & characteristics

- Legs give out on rising from a chair, makes several efforts on rising from a seat. Totters.

- (Con, Phos).

- Tendency to formation of deposits in the periosteum, bones, in tendons and about joints.

- Sensitive, sore and nodular lump on the periosteum as a result of injury.

- Contraction of tendons of sole and toes and fingers.

- Weakness in hips and thighs (Con, Phos).

- Chronic pains in nerves; old neuralgias, facial, orbital, sciatica; worse on lying down at night; comfortable during day.

- (Gnaphalium).

- Eyes hot like balls of fire, after sewing; spasms of lower lids; paralysis of eye muscles; strabismus; asthenopia; amblyopia; from over-exertion of eyes.

- Constipation with prolapse of rectum at stool.

- Hamstrings feel shortened and weak.

- Pain and lameness of ankles with nodules in the tendons.

- Itching which changes place after scratching (Mez).

- All parts of the body upon which he lies are painful, as bruised (Bapt, Pyrog).

- Restless, changes position, frequently when lying (Rhus t).

- Phthisis after mechanical injury to chest (Millef).

- Backache, relieved by lying on back.

- Warts with sore pains; flat smooth on palms of hands (Nat c, Nat m).
- Sensation in bladder as if constantly full even after urinating; could hardly retain urine on account of urging, yet if not attended to it was difficult after words to void it.

Generals & modalities

- Susceptible to cold, wants everything warm.
- Thirst for ice cold water, Phos.
- Inclination to contradict and quarrel.
- Dissatisfied with himself and others.
- Anxious and low spirited, with mental dejection.
- Melancholic disposition towards evening.
- AGGRAVATION; Cold damp weather, Becoming cold, Pains-lying down at night; rest, Over-exertion, Stooping, Over strain of eyes, Sitting.
- AMELIORATION; In the morning and day, From moving, Lying on back in backache, Warmth.

Sabadilla

- Synonyms : Cevadilla, Sabadilla officinarum, asagraea.
- Source : It is a Mexican plant belonging to the natural order of Melanthaceae of Colchicum family.
- Habitat : It is indigenous to Mexico.
- Preparation : Mother tincture is prepared from the seeds.
- Proved by Dr. Hahnemann.

Indications

- It is a SPECIFIC remedy in the following conditions:
 - 1. A routine remedy for pin worms, round worms and tape worms; with itching of anus, alternating with itching of alae nasi or ears; children's diarrhoea with constant cutting pains; headache; canine appetite for sweets.
 - Loathing for food: with nausea and vomiting (Cina, Sil, Spig).
 - 2. Hay fever: spasmodic sneezing, with running nose; copious watery nasal discharge; itching and tingling in nose and soft palate; redness, burning in eyes with lachrymation; severe frontal pains; dryness and roughness of throat.

- 3. Tonsillitis from cold; left sided or goes from left to right side (Lach, Lac c). better from hot drinks (opp to Lach).
- 4. Hysteria: sensation of something hanging loosely in throat, must swallow over it; dryness of fauces and throat; illusions that he is sick; parts shrunk; that she is pregnant; that she has some horrible throat disease; that will be fatal.
- 5. Intermittent fevers: with delirium: with chill, hands and feet icy cold with heat in face; chill at the same hour every day (Ced).
- 6. Twitching, convulsions, catalepsy from worms (Cina, Psor).
- 7. Headache from mental fatigue: worms: too much thinking.
- DOSAGE: Mother tincture to 30th.
- REPETITION: Bears repetition well.
- DURATION OF ACTION: Short.

Relationship

- COMPLEMENTARY: Sep.
- REMEDIES THAT PRECEDE WELL: Bry Ran b,
- REMEDIES THAT FOLLOW WELL: Ars a, Bell, Nux v, Puls.
- ANTIDOTES: Con, Lach, Lyc, Puls.

Comparison

- Diphtheria and tonsillitis beginning on left and extending to right side: Lach, Lac c, Sabad.
- Headache returns every seventh day : Sang, Sabad, Sil, Sulph.
- Worm affection of children: Cina, Sil, Spig, Psor, Naphth, Teucr, Sulph, Sinapis n.
- Headache from too much thinking: Arg n, Nat c, Sabad.
- Hay fever with itching in soft palate: Sabad, Wyeth.
- Coryza with lachrymation: All c, Ars a, Euphr, Sabad.
- Intermittent fever: chill return at the same hour every day: Cedrn, Sabad.
- Aggravation from 4 to 8 P.M. : Coloc, Colch, Lyc, Sabad.
- Amelioration from wrapping up the head: Bell, Hep s, Nux v. Rhus t, Sabad, Sil.
- Hay fever-annual: all c, Arund, Nat m, Psor, Sabad, Sin n.
- Itching inside nose: Arund, Caust, Nux v, Sabad; Sulph.
- Itching in palate: Arund, Kali c, Lac c, Merc, Phos, Ran b, Sabad, Wyeth.

- Sleeps while meditating: Nux m, Phos ac, Sabad.

Causes & diseases

- Worm affection of children (Cina, Sil, Spig).
 - Diphtheria.
 - Sore throat.
 - Tonsillitis.
 - Headache from too much thinking; too close application or attention (Arg n); from worms; with coryza; with sinusitis Hay fever.
 - Imaginary ailments.
 - Erroneous impressions as to the stage of his body.
 - Imagines himself sick, pregnant, or suffering from a fatal disease.
 - A routine remedy in pain worms, round worms, tape worms.
 - (Sab, Sinapis, Nig).
 - Nymphomania from ascarides.
 - Hay fever, allergic to cold; odour of flowers; with itching and tingling in nose and soft palate (Wyeth).
 - Diarrhoea of children with constant cutting 'pains; from worms.
 - AFFINITIES; Mucous Membranes; Nose, Anus, Digestive tract, Nerves, Throat, Lachrymal glands.
- #### Complaints & characteristics
- Nervous complaints, twitchings, convulsive tremblings, catalepsy; from worms (Cina. Psor).
 - Sneezing in spasmodic paroxysms; followed by lachrymation; copious watery coryza; face hot and eye lids red and burning.
 - Allergic to odour of flowers.
 - Delirium during intermittent fever (Podo).
 - diphtheria, tonsillitis go from left to right (Lach, Lac c).
 - Can swallow warm food more easily.
 - Dryness of fauces and throat.
 - Sensation of something hanging loosely in throat, must swallow over it.
 - Illusions: that he is sick; parts shrunken; that she is pregnant when merely distended with flatus (Puls); that she has some horrible throat disease that will be fatal.
 - Sleep while meditating (Nux m, Phos ac).
 - Vertigo under all sorts of conditions.

- Complaints attended with cold sweats (Verat a).
- Cutting pains as from knives in ovary.
- Affects left side mostly, complaints go from left to right side. (Lach).
- Fever: with chill; hands and feet icy cold with heat in face; chill at the same hour every day (Ced).

Generals & modalities

- Nervous, weak, easily startled.
- chilly, highly sensitive to cold air or cold room; cold drinks.
- Allergic to cold.
- Wants to be well wrapped up; wants drinks.
- Disgust for all food, for meat, for sour things, for coffee, for garlic.
- Morbid hunger or loathing of food.
- Hysterical, very imaginative.
- AGGRAVATION; At the same hour every day (Cea), New and full moon, Periodical, every 4th day, Cold air, cold drinks, 4 to 8 p.m. , (Coloc, Colch, Lyc), Odours of flowers, AMELIORATION; Warm food and drink, Wrapping up, Open air, (Puls, Sab),

Sabina

- Synonyms: Savine, janiperus Sabina.
- Source: It is a shrub belonging to the natural order of Coniferae.
- Habitat: It is indigenous to Italy and Southern Europe.
- Preparation: Mother tincture is prepared from the young leaves and new branches containing maximum volatile oil Savin.
- Provided by Dr. Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Gouty persons having pains in joints, gouty nodosities, pains extending from sacrum to pubis; worse from least motion, warm and closed room and better from cool fresh air.
 - 2. Anxious apprehensive persons, music is intolerable, goes through bone and marrow, cause weeping and nervousness.
- It is SPECIFIC remedy for the following condition:
 - 1. Habitual tendency to miscarriage, threatend abortion, ailments after abortion: menorrhagia, inflammation of ovaries, uterus, leucorrhoea.
 - 2. Retained placenta from atony of uterus; intense after pains.

- 3. Promotes expulsion of moles and foreign bodies from uterus.
- 4. Syctotic affections: gonorrhoea, gonorrhoeal warts, condyloma, exuberant granulations, phimosis.
- 5. Dysmenorrhoea: paroxysmal and labour like; relieved by lying on back with limbs extended.
- 6. Menses: too early, too profuse, too protracted; first menses very early in-life; menstrual flow partly fluid; partly, clotted; flow in paroxysms, with colic and labour like pains; pains from sacrum to pubis.
- DOSAGE: 3rd to 30th higher.
- REPETITION: Single dose to be repeated when the symptoms call for it.
- DURATION OF ACTION: 20 to 30 days. (Clarke).

Relationship

- COMPLEMENTARY REMEDIES : Sep, Thuja.
- REMEDIES THAT PRECEDE WELL : Bry, Ran b.
- REMEDIES THAT FOLLOW WELL: Ars a, Bell, Nux v, Puls.
- ANTIDOTES: Con, Lach, Lyc, Puls.
- ANTI SYCOTIC REMEDY.

Comparison

- Amelioration in open air : Acon, Alum, Mag c, Puls, Sab.
- Abortion at third month: Act r, Sab, Sec c.
- Sensation as if something alive is moving in abdomen or other parts of the body: Croc, Sab, Sulph, Thuja.
- Music is intolerable: Graph, Nat c, Sab, Acon.
- Haemorrhage bright red fluid blood: Acon, Ip, Mill, Sab.
- Fig warts after abuse of mercury: Nit ac, Sab, Staph, Thuj.
- Menorrhagia: flow, profuse, gushing, bright red, at least movement: Trill, Sab.

Causes & diseases

- Ailments following abortion; premature labour; haemorrhage from uterus.
- Music produces nervousness, goes through bone and marrow, causes weeping (Thuj).
- Habitual threatened abortion.
- Violent pulsations.
- Vertigo with suppressed menses.

- Gonorrhoea with pus like discharge, inflammation of urethra; warts.
- Sycosis, condyloma.
- Gouty nodosities Suppressed gonorrhoea.
- AFFINITIES; Female organs, Rectum, Nerves, Small joints, Fibrous tissue,

Complaints & characteristics

- Menses: too early; too profuse, too protracted; partly fluid, partly clotted (Fer m); in women who menstruated very early in life; flow in paroxysms; with colic and labour like pains; pains from sacrum to pubis.
 - Menorrhagia; during climacteric, in women who formerly aborted; with early first menses; with labour like pains.
 - Tendency to miscarriage at third month.
 - Discharge of blood between periods, with sexual excitement.
 - Retained placenta from atony of uterus; intense after pains (Caul, Sec c).
 - Promotes expulsion of moles or foreign bodies from uterus (Canth).
 - Inflammation of ovaries or uterus after abortion or premature labour.
 - Drawing pains in small of back, from sacrum to pubis, in nearly diseases.
 - Arthritic pains in joints.
 - Figwarts with intolerable itching and burning.
 - Exuberant granulations (Thuja, Nit ac).
 - Constipation with bleeding piles.
 - Bursting headache, suddenly coming and going slowly.
 - Leucorrhoea after menses, corrosive and offensive.
- #### Generals & modalities
- Women; rheumatic or gouty.
 - Tendency to miscarriage, especially at third month.
 - Music is intolerable.
 - Anxious, apprehensive.
 - Warm blooded, worse in warm and closed room (Apis, Puls).
 - Desires fresh open air.
 - Sexual desire increased.
 - AGGRAVATION; Least motion, Warm air or room,
 - AMELIORATION; In cool, open and fresh air.

Sambucus nigra

- Synonyms: Elder.
- Source: It is a tree belonging to the natural order of Caprifoliaceae.
- Habitat: Sambucus Nigra belongs to Europe whereas Sambucus Canadensis belongs to North America; both bear back-purple berries.
- Preparation: Mother tincture is prepared from fresh leaves and flowers.
- Proved by Dr. Hahnemann.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Snuffles of infants: dry coryza; nose dry and completely obstructed, preventing breathing and nursing.
 - 2. Attacks of dyspnoea: sleeps into the attack; gasps for breath; suffocated with cyanosis; can inhale with ease but no power to exhale.
 - 3. Fever; dry heat, while he sleeps; but profuse sweat over entire body during waking hours; without thirst; dreads, uncovering (Nux v).
 - 4. Bad effects of violent mental emotions; anxiety of grief,
 - 5. Bad effects of excessive sexual indulgence.
 - 6. Allergic to fruits.
 - 7. Follows well after Opium in bad effects of fright.
 - 8. Ailments from abuse of arsenic.
 - 9. Spasmodic conditions of respiratory tract: nose, larynx, lungs, snuffles, angina pectoris, asthma, suffocative spells, laryngismus, croup, paroxysmal, spasmodic cough, whooping cough.
 - 10. Oedema: dropsical swelling in various parts of the body especially legs, instep and feet; nasal mucosa; bronchial catarrh.
 - 11. Ailments during sleep; worse about midnight; must sit up, worse from lying down in bed on left side; head low; worse from cold drinks while overheated; worse from dry cold air.
 - 12. Hydrocele after injury to the part.
 - DOSAE: 3rd to 30th 200th.
 - REPETITION: Single dose symptoms call for it.
 - DURATION OF ACTION: 3 to 4 hours. (Clarke)
- ### Relationship
- REMEDIES THAT PRECEDE WELL : Ars a, Op (effects of fright).

- REMEDIES THAT FOLLOW WELL : Ars, Bell, Con, Nux v, Phos, Rhus t, Sep.

- ANTIDOTES: Ars a, Camph.

- REMEDY ANTIDOTES : Ailments from abuse of arsenic.

Comparison

- Snuffles: Am c, Heps, Lyc, Nux v, Samb, Sticta.

- Wakes up at night with great fear and it is sometime before he can rationalise his surroundings: Aesc, Carb v, Lach, Lyc, Phos, Samb, Spong.

- Inspires easily but cannot exhale: Chlorine, medorrh, mephitis.

- Sleeps into aggravation: Apis, Lach, Op, Samb, Spong, Stram.

- Fruits aggravate: Ars a, Bry, Chin, Nat s, Puls, Samb, Verat a.

Causes & diseases

- Bad effects of violent mental emotions; anxiety; grief or excessive sexual indulgence (Phos ac, Kali p).

- Relieves ailments from abuse of arsenic.

- Asthma with suffocative attacks.

- Snuffles of infants.

- Croup.

- Whooping cough.

- Dyspnoea.

- Spasms of glottis.

- Hydrocele after injury.

- AFFINITIES; Nose, Respiration, Kidneys, Skin.

Complaints & characteristics

- Dry coryza of infants (snuffles); nose dry and completely obstructed, preventing breathing and nursing (Am c, Nux v, Stict).

- Dyspnoea; child awakens suddenly nearly suffocated; face livid, blue, sits up in bed, gasps for breath, which it finally gets; attack passes off but is again repeated.

- Child inspires but cannot expire (Chlorine, Meph).

- Sleep into attack (Lach).

- Attacks of suffocation in last stage of croup.

- Cough: suffocative, with crying children; worse about midnight; hollow deep whooping, with spasms of chest; with regular inhalations but sighing exhalations.

- Cough deep, dry, precedes the fever paroxysm.

- Fever: dry heat while he sleeps; on falling asleep; after lying down; without thirst; dreads uncovering.

- Profuse sweat over entire body during waking hours; on going to sleep, dry heat returns.

- Oedemous swelling of various parts of the body, especially in legs, instep and feet.

- Wakens at night in great fear and it is sometime before he can rationalise his surroundings.

- (Aesc, Carb v, Lach, Lyc, phos, Samb, Spong).

- Nose feels stopped up inspite of the watery discharge (Am c, Arum t, Samb, Sinap).

- Can inhale with ease, but no power to exhale (Med).

Generals & modalities

- Scrofulous children.

- Persons formerly robust and fleshy, suddenly become emaciated (Iod, Tub).

- AGGRAVATION; About or after mid-night During rest, Lying down, Lying with head low, Sleeping, Uncovering, Dry cold air, Cold drinks when over heated,

- AMELIORATION; Moving, Sitting up, Wrapping up warmly,

Sanguinaria canadensis

- Synonyms: Bloodroot, *Sanguinaria Canadensis*.

- Source: It is a plant belonging to the natural order of papaveraceae. The root when cut oozes out dark vermilion coloured juice, which has a bitterish acrid taste and leaves a persistent burning in throat.

- Habitat: It is commonly found in Canada and U.S. A.

- Preparation: Mother tincture is prepared from fresh root.

- Proved by Dr. G. Bute of U.S. A.

Indications

- It is a short and superficial acting remedy hence when it has acted and given relief the constitutional remedy of the patient should be given to prevent return of the ailment or development of some other disease. (Kent).

- It is a SPECIFIC remedy for the following conditions:

- 1. Colds in winter.

- 2. Headache: periodical, weekly; every three days; sick headache, pulsations in head with bitter vomiting, worse by motion; bursting headache as if eyes would be pressed out; begins in occiput, spreads upwards and settles over right eye (Sil); begins in morning, increases during day, lasts until evening; right sided hemicrania (Ced, Chel, Kali bi, Sang, Sil, Tab).

- Right sided supra-orbital (Bell, Bism, Chelid, Iris, Sang, Sil).

- Returns at climateric (Cimic, Cycl, Glon, Sang).

- Migraine (Anac, Bell, Cimic, Cycl, Gels, Ign, Indigo, Iris, Puls, Sang, Seo), relieved by perfect quiet in a dark room, sleep, rubbing, pressure; worse from mental and physical exertion, motion.

- 3. Rheumatic pain: in right shoulder and arm, cannot raise the arm; in places where bones are least covered as tibia, back of hands.

- 4. Cough: spasmodic after influenza, severe cough after whooping cough, worse at night and not ceasing until he gets up and passes flatus; with diarrhoea, with circumscribed red cheeks, with night sweats, with burning in pharynx; from tuberculosis; ending in belching.

- 5. Asthma: with dryness and burning in the larynx, and chest; associated with burning in soles and palms; belching up of acrid fluids.

- 6. Hay fever: sensitive to flowers and odours; burning in nose and throat: as if dry mucous membrane would crack; with hoarseness.

- 7. Leucorrhoea; acrid, foetid, corrosive due to ulceration of cervix.

- 8. Ailments attended with: vasomotorial disturbances, flushes of heat; circumscribed redness of cheeks; determination of blood to ears, head and chest; dryness and burning in nose and throat; acrid discharge in vomit, leucorrhoea, diarrhoea; allergic complaints, from cold, odours of flowers, colds, coryza, diarrhoea, oedema of larynx, dyspnoea with constriction of chest, itching eruptions on face, leucorrhoea, etc.

- DOSAGE : 3rd to 200.

- REPETITION: Single dose and when the symptoms call for it.

- When it has relieved the ailment complementary and constitutional remedy should be given for complete recovery from illness.

- DURATION OF action: not definite.

Relationship

- COMPLEMENTARY: Ant t, Phos.

- REMEDY THAT PRECEDES WELL : Bell, Lach, Sulph.

- REMEDY ANTIDOTE : Op, Rhus t.

Causes & diseases

- Severe cough after whooping cough.
- Asthma after rose cold; worse from odours.
- Climacteric diseases: flushes of heat; leucorrhoea; when Lach and Sulphur fail to relieve.
- Eruptions on face of young women, especially during scanty menses (Bells, Calc c, Eug j. Psor).

- Bronchitis.
- Pneumonia.
- Phthisis with circumscribed red cheeks.
- Narcosis of opium.
- After Bell fails in scarlatina.
- Spasmodic cough after influenza.
- Haemoptysis from suppressed menses.
- Rheumatism of right shoulder, left hip joint and nape of neck.
- Right side neuritis.
- Nasal polypus (Mar v, Sang n, Psor, Teucr).

Complaints & characteristics

- Headache: periodical, bursting as if eyes would be pressed out; begins in occiput, spreads up-wards and settles over right eye (Sil); returns every seventh day (Sab, Sil, Sulph) returns at the climacteric; worse during rest; begins in morning, increases during day, lasts until evening; relieved by sleep, rubbing, pressure, motion, perfect quiet in a dark room.

- Tired headache from mental or physical exertion.
- Neuralgia of face: pain extends in all directions from the upper jaw.
- Rheumatic pain in the right arm and shoulder; cannot raise the arm.

- Right sided affections.
- Pain in places where bones are least covered as tibia, back of hands etc.

- (Rhus ven).
- Cough: dry waking him at night and not ceasing until he gets up in bed and passes flatus; with circumscribed red (Cheeks; with night) sweats; with diarrhoea.

- Ailments attended with circumscribed red cheeks; burning in ears; burning in pharynx, oesophagus, palms and soles; painful enlargement of breasts.

- Phosphates in urine with loss of flesh.

- Asthma with stomach disorders.

- Affinity for mucous membrane of respiratory tract - hay fever, ozaena, nasal polypi, chronic rhinitis, bronchitis pneumonia; pulmonary tuberculosis.

- Vaso motorial disturbances: circumscribed redness of cheeks, flushes of heat, determination of blood to ears, head and chest, burning in palms and soles; burning in palms and soles; burning in throat.

- Allergic complaints; rose colds; hay fever; asthma from odours; diarrhoea as coryza improves; itching in axilla before menses; oedema of larynx; aphonia severe dyspnoea with constriction of chest; eruptions on face; leucorrhoea.

- Acidity of discharges: acrid watery stool, especially in infants; the nates become raw and red. (Kent).

Generals & modalities

- Affinity for mucous membrane of respiratory tract - hay fever ozaena, nasal polypi, chronic rhinitis, bronchitis, pneumonia; pulmonary tuberculosis.

- AGGRAVATION; Sweats, Motion, Touch, Odours, Colds,

- AMELIORATION; Acids, Sleep, Quiet and dark room.

Sanicula aqua

- Synonyms: Sanicula Aqua. Spring Water of Ottawa.

- Source: Spring water containing various salts.

- Habitat: Ottawa, Illinois, U.S. A.

- Preparation: Triturations of the evaporated salts of spring water.

- Proved by Dr. Sherbino and by J.G. Gundlach.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:

- 1. Children: head strong, obstinate, cries and kicks, irritable (Cham, Nit ac, Nux v, Tub), wants to be carried constantly (Ant t, Ars a, Cham, Cina); throws himself backwards, nothing pacifies; does not want to be touched (Ant cr, Ant t, Cina).

- Cross and irritable, next moment laughing, dread of downward motion (Borax), restless, desire to go from place to place (Tab). Sweats profusely during sleep from head and neck.

- (Calc c, Sil), looks old, dirty, greasy, brownish, skin about neck wrinkled, hangs in folds (Abrot, Iod, Nat m, Sars). Pot bellied, rickety. (Calc c, Sep, Sulph).

- Wants to nurse all the time yet emaciates (Abrot, Iod, Nat m, Tub).

- Wants to lie on something hard though emaciated.

- Can't bear cold air on occiput and neck.

- Desire for open air.

- Kicks off clothing even in coldest weather.

- 2. Adults: susceptible to downward motion; riding in cars and boats; having offensive foot sweats; odour of fishbrine in discharges; burning palms and soles; frequent change of physical and mental symptoms.

- It is a SPECIFICA remedy for the following conditions:

- 1. Headache: frontal; worse leaning head forward, reading or writing, warm, closed room; better from leaning head back, in cool open air; from nape of neck to eyes.

- 2. Constipation: no desire until a large accumulation.

- After great straining stool partly expelled, recedes; large accumulation of dry gray balls; must be removed mechanically.

- 3. Car and sea sickness: sudden nausea while eating, vomits all food; vomits water as soon as it reaches stomach. (Ars a, Bism, Phos).

- 4. Air sickness of lift sickness with dread of downward motion (Bor).

- 5. Marasmus: wants to nurse all the time; skin is flabby, hangs loose in folds about neck; marked emaciation especially of legs.

- 6. Dandruff; profuse scaly in scalp, eye brows and beard.

- 7. Acidity: food turns sour, rancid with burning, desire for water which ameliorates and then aggravates.

- 8. Leucorrhoea: with fishbrine or cold cheese odour.

- 9. Diarrhoea: with scrambled eggs, foul odour, turns grassy green, on standing; no two stools alike; excoriates anus (Cham, Lyc, Sulph) as soon as food is taken, must hurry (Fer m, Tromb).

- 10. Eczema: fissured hands and fingers. (Graph, Petr, Psor).

- DOSAGE: 30th to highest potencies.

- REPETITION: Single dose.

Relationship

- IT IS CONSIDERED CHRONIC OF : Chamomilla. (Guernsey)
- BOYD'S DRUG GROUP : II.
- ANTI-PSORIC.

Comparison

- Ringworm on tongue: Nat m, Ran sc, Tarax.
- Drinks little and often, vomits as soon as it reaches stomach: Ars a.
- Stool Recedes: Sil, Thuja.
- Marasmus of legs: Abrot, Iod, Sanic, Tub.
- Skin is flabby, hangs loose in folds in neck: Abrot, Iod, Nat m, Sanic,

Sars.

- Marasmus and other wasting diseases of children: Abrot, Acetic ac, Iod, Sanic, Tub.

- Offensive sweat of feet : Alum, Am mur, Graph, Psor, Sanic, Sil.

- Throat affections after checked foot sweat: Bar c, Graph, Psor, Sanic, Sil.

- Dread of downward motion: Borax, Sanic.

- Child has frequent urination and screams before urine passes:

Borax, Lyc, Sanic, Sars.

- Head sweats profusely while sleeping, wetting pillow far around:

Calc c, Sil, Sanic, Mag m.

- Diarrhoea from downward motion: Cham, Borax, Sanic.

- Vertigo on descending: Borax, Fer m, Sanic.

- Children fear falling-grasp something: Borax, Gels, Sanic.

- Vertigo on descending: Borax, Fer m, Sanic.

- Children fear falling-grasp something: Borax, Gels, Sanic.

- Ravenous hunger, eats well yet emaciates: Abrot, Iod, Nat m, Sanic,

Tub.

- Neck of children emaciates rapidly during summer complaints: Nat m, Sanic.

- Urticaria after violent exercise: Apis, Calc c, Hep s, Nat m, Sanic, Urt

u.

- Ailments from riding in a car or ship: Cocc, Petr, Sanic.

- Tenderness of feet with foul smelling sweat: Graph, Petr, Sanic, Sil.

- Heat and burning of soles of feet and palms: Cham, Puls, Med, Lach, Sang, Sanic, Petr, Sulph.
- Skin of face greasy shiny: Nat m, Plumb, Sanic.
- Constipation with complete inertia: Op, Pyrog, Sanic, Plumb.
- Sweats on scalp may or may not be sour: Calc c, Rheum, Sanic.
- Constipation: stool impacted requires mechanical aid: Aloe, Calc c, Sanic, Sel, Sep, Sil.
- Children: obstinate, headstrong, must be kept warm by external covering: Sanic, Sil.
- Feel hot and kick the clothes at night: Hep s, Sanic, Sulph.

Causes & diseases

- Strains.
- Womb sensitive to jarring.
- Seasickness.
- Constipation.
- Enuresis.
- Rickets.
- AFFINITIES; Nutrition, Female organs, Neck, Rectum, Skin.

Complaints & characteristics

- Constipation: no desire until a large accumulation; after great straining stool partly expelled, recedes (Sil, Thuj); large evacuation of dry gray balls; must be removed mechanically. (Sel).
- Odour of fishbone or old cheese from discharges.
- Burning in palms and soles.
- Offensive foot-sweat (Sil, Psor).
- Eczema, fissured hands and fingers.
- (Graph, Petr, Psor).
- Symptoms increase towards noon, then decrease.
- (Sang, Spig).
- Frequent change of physical and mental symptoms.
- (Lac c, Puls).
- Sudden nausea while eating, vomits all food. (Fer m).
- Cough from laughing, talking.
- (Arg n, Phos).

Generals & modalities

- Child headstrong obstinate, cries and kicks cross, irritable, quickly alternates with laughter, does not want to be touched.
- Head and neck of children sweat profusely during sleep (Calc c, Sil).
- Child kicks off clothing even in coldest weather (Hep s, Sulph).
- Child looks old, dirty, greasy and brownish; skin about neck wrinkled, hangs in folds. (Abrot, Iod, Nat m, Sars).
- Dread of downward motion.
- (Borax).
- Nausea and vomiting from car riding, seasickness.
- Pot bellied; rickety children (Calc c, Sulph Sep.).
- Restless, desire to go from place to place. (Tub).
- Can't bear cold air on occiput and neck.
- Desire for open air.
- Child head strong; obstinate; wants to be carried constantly, cries, kicks and throws himself backwards; nothing pacifies; cross and irritable, next moment laughing.
- (Nux m, Puls, Stram) wants to nurse all the time yet emaciates (Iod); wants to lie on something hard through emaciated.
- AGGRAVATION; Downward motion, Descending, Raising arms, Taking arms backwards, Mis-step, Jar, Walking, Riding car, boat, At noon, Fasting, Cold draughts, Damp weather, AMELIORATION; Leaning head backwards, After breakfast, When stomach full, Vomiting, Open air, Warm wraps on head.

Sarsaparilla officinalis

- Synonyms: Wild liquorice.
 - Source: The rhizome belonging to the natural order of Similaceae.
 - Habitat: The official sarsaparilla radix is imported from Jamaica.
 - Preparation: Trituration and Mother Tincture are prepared from the dried rhizome.
 - Proved by Dr. Hahnemann.
- Indications
- It is an ANTI-MIASMATIC remedy for:
 - 1. Patients suffering from combinations of Psora, Syphilis, Sycosis miasms.

- 2. Patients suffering from syphilis treated by over doses of mercury; or bad effects of crude mercury.

- It is a CONSTITUTIONAL remedy for persons:

- 1. Who are suffering from lithic disposition (stones, gravels, deposits of white sand).

- 2. Who are suffering from suppressed gonorrhoea, and its bad effects; Sycotic skin eruptions.

- 3. Children suffering from marasmus; with face like old persons and shriveled, dry flabby skin.

- 4. Cancer diathesis with nipple affections retracted nipples.

- It is a SPECIFIC remedy for the following conditions:

- 1. Ailments: marasmus, scirrhus of breast, gout with shriveling, wrinkling and hanging in folds of skin; especially shriveling or retraction of nipples; nipples are small, withered and unexcitable.

- 2. Rheumatic pains in bones: worse at night, in damp weather or after taking cold water; after suppressed gonorrhoea.

- 3. Itching eruption on forehead during menses.

- 4. Lithic ailments: severe pain at conclusion of urination; passage of gravels or small stones; passage of white sand; stone in bladder with painful distention and tenderness urine passes freely while standing but dribbles while sitting; child cries before and while passing it.

- Dissolves stones already formed in bladder.

- 5. Renal colic: excruciating pains from right kidney downwards.

- 6. Ulcers circulation: blue or black spots in tibia, back of hands.

- 8. Infants and children suffering from congenital syphilis with marasmus, old looking face, big abdomen and dry flabby skin.

- DOSAGE: 6th to 200.

- REPETITION: Bears repetition well.

- DURATION OF ACTION: 35 days. (Clarke).

Relationship

- COMPLEMENTARY REMEDIES : All c, Merc, Sep.

- REMEDIES THAT PRECEDE WELL : Bell, All c, Heps, Merc, Phos, Rhus t, Sep, Sulph.

- BOYD'S DRUG GROUP : IV.

- ANTI-MIASMATIC FOR ALL THE THREE MIASMS; MERCURIAL MIASM.

Comparison

- Renal colic : Canth, Berb, Lyc, Sars, Tab.
- Child has frequent urination; screams before urine passes: Lyc, Sanic, Sars.
- Bad effects of mercury: Dulc, Hep s, Nit ac, Sars.
- Severe pain at close or urination : Berb, Equiset, Sars, Thuj, Med.
- Matted hairs with crusts and vermin: Bar c, Sars, Tub.

Causes & diseases

- Suppressed gonorrhoea, sycosis.
 - Abuse of mercury.
 - Congenital syphilis; Syphilis.
 - Mixed miasms of psora, syphilis and sycosis.
 - Injury=indolent ulcer.
 - After suppressed gonorrhoea.
 - Rheumatism develops.
 - Gout.
 - Haemorrhoids.
 - Varicose veins.
 - Varicose ulcers.
 - Senile gangrene.
 - Back or blue spots on the back of hands in old people.
 - Oedema of Bright's disease.
 - Marasmus of children from syphilis; Renal colic.
 - Lithiasis.
 - Gravel in urine.
 - Stone in bladder.
 - Bloody urine.
 - Blood in stool, bloody seminal emission (Merc, Led).
 - Cutting in urethra after urination. (Nat m).
 - Rhagades: skin cracked on hands and feet; pain and burning particularly on sides of fingers; skin hard, indurated.
 - Old dry sycotic warts remaining after mercurial treatment.
 - Gouty pains.
 - AFFINITIES; Genito-urinary organs, Skin, Right side,
- #### Complaints & characteristics
- Sensations: as if in a dream: as if he has been hit with a hammer on top of head; as if breast bone is bruised.

- Cannot pass urine while sitting at stool, but flows freely when he is standing.

- Severe, almost unbearable pain at conclusion of urination.
- (Berb, Equist, Med, Thuj).
- Air passes from urethra while urination.
- Excruciating pain from right kidney downwards. (Lyc).
- Sand in urine or diaper; passage of gravel or small calculi in urine.
- Urine irritating, slimy, flaky, sandy, copious or scanty deposits of white sand; passed without sensation.
- (Caust, Hep s).
- Painful distension and tenderness in bladder; urine dribbles while sitting but passes freely when standing.
- Rheumatic pains at night; in damp weather; after taking cold water.
- Headache and periosteal pains from syphilis.
- Syphilitic complaints suppressed by abuse of mercury are relieved by Sars.

- Nipples are small, withered, unexcitable.
- Retraction of nipples; nipple is drawn in like a funnel (Sil).
- Itching eruption on forehead during menses (Eug j, Sang, Psor).
- Herpetic eruptions on all parts of the body; ulcers after abuse of mercury, in syphilis.
- Rash: from exposure to open air; dry, itch like eruption; prone to appear in spring; becomes crusty.

- Obstinate constipation with violent urging to urinate.

Generals & modalities

- Children face like old people enlarged abdomen.
- (Calc c, Sep, Sulph)
- Dry flabby skin, (Bar c, Op, Abrot, Nat m, Sanic).
- Dark haired persons, with lithic or sycotic diathesis., Despondent, gloomy, despair.
- Pains depress him.
- AGGRAVATION; At the close of micturition, Spring, Cold wet, Mercury, Night, Suppressed gonorrhoea, Yawning.
- AMELIORATION; Uncovering neck, chest, Standing.

Secale cornutum

- Synonyms : Ergot of Rye. Rye affected with Ergot diseases. diseases.
- Source: The black hornlike spur into which the grains of Rye are changed by the fungus *Claviceps purpurea* belonging to the natural order of Fungi of Ergot.
- Habitat: Europe.
- Preparation: Mother tincture is prepared from the fresh spurs collected just before harvest.
- Proved by Dr. H.C. Allen.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Women who are: thin, feeble, cachectic, scrawny in appearance, with pale, sunken countenance, blue rings around eyes.
 - Irritable, nervous temperament.
 - 2. Warm blooded persons; worse from heat or warm covering even when the skin is cold or icy cold extremities; better in cold air.
 - 3. Who suffer from suppression of milk, urine, lochia, tears, sweats.
- It is SPECIFIC remedy in the following conditions:
 - 1. Haemorrhagic diathesis: slightest would causes prolonged bleeding; passive haemorrhages, copious flow of thin, black, watery blood; discharge of sanious liquid blood with a strong tendency to putrescence; haemorrhages with tingling, numbness and great debility.
 - 2. To prevent post-partum haemorrhage; dark blood (Bright red blood-Cinnamon).
 - 3. For prolonged and ineffectual labour pains.
 - 4. Collapse of cholera with aversion to cover although the skin is icy cold.
 - 5. Ulcer or gangrene cold to touch but worse from heat; senile gangrene; diabetic, slow development, dry with intense burning.
 - Gangrene of toes.
 - 6. Spasms or convulsions with clenched hands or fingers and toes spread apart or bent backwards; puerperal convulsions.
 - 7. Threatened abortion at the prolonged but ineffectual; irregular; with fainting.
 - Retained urine after labour.
 - 8. False labour pains, prolonged but ineffectual; irregular; with fainting.

- Retained urine after labour.
- 9. After pains: too long and too painful.
- 10. Retained placenta with hour-glass contractions.
- 11. Paralysis with tingling, numbness and pricking; one sided; lower extremities.
- 12. Green pus in boils, carbuncles, leucorrhoea.
- 13. Suppression of milk and dwindling of mammae after confinement.
- 14. Feeble circulation; purplish spots on the withered skin on the back of hands tibia; no blood goes to toes in old scrawny people, producing gangrene.

- DOSAGE: 3x to 200.
- REPETITION: Bears repetition well.
- DURATION OF ACTION: 20 to 30 days. (Clarke)

Relationship

- REMEDIES THT FOLLOW WELL; Acon, Ars a, Chin, Merc, Puls.
- ANTIDOTES: Camph, Op.
- BOYD'S DRUG GROUP: V.

Comparison

- Withered, dried up, old looking patients: Arg n; with scrawny patients-Sec c.
- Burning pains relieved by heat-Ars a; burning sensation relieved by cold: Sal c.
- Ars a wants to cover whereas Sec c dislikes to cover.
- Surface cold to touch, yet cannot bear to be covered; throws off all coverings: Camph, Med, Sec c.
- Cannot bear to be uncovered: Hep s, Nux v.
- Blood dark, non-coagulable: Crot h, Sec c.
- Rheumatic pains in legs ameliorated only when holding feet in ice water: Led, Puls, Sec c.
- Skin: pale cold, of an ashy hue: Pyrog, Sec c.
- Threatened abortion at third month: Sabina, Sec c.
- Ailments following abortion: Sab, Sec c, Helon.
- Uterine haemorrhage, flow partly pale red, partly clotted; worse from least motion: Sab, Sec c.

- Retained placenta from atony of uterus; intense after pains: Caul, Sab, Sec c.

- Aggravation from least motion: Bry, Sec c.

- Crop or small boils with green foetid pus: Sec c, Tub.

- Haemorrhage with putrescence; tingling in limbs: Sec c.

- Haemorrhage with non-coagulable thin and dark: Crot h, Lach, Sec c.

- Haemorrhage with face intensely red: Meli.

- Haemorrhage with fainting: Chin, Ferr m, Phos.

- Haemorrhage with no mental anxiety: Ham.

- Haemorrhage: black, clotted, viscid; hanging long black string from the bleeding surface: Croc s.

- Haemorrhage: blood dark, fluid, offensive in broken down conditions: Crot h.

- Haemorrhagic diathesis; small wounds bleed profusely: Croth, Kreos, Lach, Phos, Sec c.

- Haemorrhagic diathesis: bright red fluid blood: Acon, Ipec, Millef, Sab.

- Flooding with fainting: Trill, Sec c.

- Haemorrhagic diathesis: bright red fluid blood: Acon, Ipec, Millef, Sab.

- Flooding with fainting: Trill, Sec c.

- Bleeding from extraction of tooth: Ham, Kreos, Trill, Sec c, Bovista.

Causes & diseases

- Lifting causes abortion.

- Injury causes gangrene.

- Sexual excesses; walking=giddiness.

- Convulsions with hands either clenched or have the fingers spread widely apart; the muscles of the face twitch; incontinence or retention or urine; spasmodic retching, the stomach is violently contracted.

- Suppression of lochia: tears; milk; sweat.

- AFFINITIES; Blood, Blood vessels, Uterus, Nerves, Limbs,

Complaints & characteristics

- Collapse in cholera and other diseases; skin cold, yet cannot bear to be covered (Camph, Med).

- The skin feels cold to touch yet the patient cannot yet the patient cannot tolerate covering; icy coldness of extremities.
- Threatened abortion, especially at third month (Sabina).
- Prolonged, bearing down, forcing pains.
- During labour: pains irregular; too weak; feeble or ceasing; everything seems loose and open but no expulsive action; fainting.
- Retained placenta with praying.
- After-pains; too long, too painful; hour-glass contraction.
- Suppression of milk; in thin scrawny, exhausted women; the breasts do not properly fill.
- Leucorrhoea; green, brown, offensive.
- Diarrhoea: profuse, watery, putrid, brown; discharged with great force (Gamb, Crot t): very exhausting; painless, involuntary; anus wide open (Apis, Phos).
- Enuresis: of old people; urine pale, watery, or bloody; urine suppressed; urine suppressed.
- Boils: small, painful with green contents, mature very slowly and heal in the same manner; very debilitating.
- Gangrene: dry, senile, worse from external heat.
- Large ecchymosis; blood blisters; often commencement of gangrene.
- Cancerous ulcers with burning pains and bleeding.
- Burning: in all parts of the body, as if sparks of fire were falling on the patient (Ars a).
- Sensation: as if fingers asleep; as if testes being drawn up to inguinal ring.

Generals & modalities

- Women; thin, scrawny, feeble, cachectic appearance.
- Irritable, nervous temperament, pale, sunken countenance.
- Very old, emaciated, feeble persons.
- Women of very lax muscular fibre; everything seems loose and open; no action; vessels flabby; passive haemorrhages, copious flow of thin, black watery blood, the R.B. Cs are destroyed.
- Haemorrhagic diathesis; the slight test wound causes, bleeding for weeks (Lach, Phos); discharge of sanious liquid blood, with a strong

tendency to putrescence tingling in limbs and great debility, especially when the weakness is not caused by previous loss of fluids.

- Haemorrhage with tingling in extremities; Face: pale, pinched, ashy, sunken, hippocratic; drawn with sunken eyes; blue rings around eyes.

- Unnatural, ravenous appetite; even with exhausting diarrhoea; craves acids, lemonade.

- Pulse small, rapid contracted and often intermittent.

- AGGRAVATION; Heat, warmth, from covering, of all affected parts, Warm drinks; before menses, After eating.

- AMELIORATION; Cold air; getting cold, Uncovering affected parts, Rubbing, Cold or wet bandage.

Selenium metallicum

- Synonyms: Selenium. A non-metallic element like sulphur. Se (Atomic weight 79.5)
- Source: Found in association with Sulphur in some localities.
- Preparation: triturations are prepared from the element with sugar of milk, from which higher potencies are prepared.
- Proved by Dr. Constantine Hering.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. General debility: in hot weather; after typhoid, typhus and other exhausting diseases; sexual excesses; in old people; fatigue from slightest mental or physical exertion; sudden sinking of strength; wants to lie down and sleep, especially in hot weather.
 - Legs weak when patient begins to walk after typhoid fever.
 - 2. Hoarseness: from general weakness of vocal cords; from long overuse of voice, as in singers, speakers; voice husky in the beginning, must hem and hawk, to clear the throat of starchy mucus.
 - 3. Constipation; after typhoid fever; from atony of rectum; stool large, hard, dry, impacted, must be removed by fingers.
 - 4. Impotency: after masturbation, sexual excesses, sexual atony of elderly people; increased sexual desire with decreased ability.
 - Penis relaxes on attempting coition; slow weak erection, too rapid emission; weakness after coition.
 - 5. Tubercular laryngitis.
 - 6. Syphilis: psoriasis of palms; falling of hairs.
 - 7. Headache: nervous; neuralgic; from tea, alcoholic drinks, heat of sun; of drunkards; after debauchery; every afternoon.
 - 8. Ailments after itch checked by mercurials or sulphur ointments.
- DOSAGE: 3rd to 200.
- REPETITION: bears repetition well in lower potencies.
- Single dose of high potency is enough in chronic cases.
- DURATIO OF ACTION: 40 days. (Clarke).

Relationship

- REMEDIES THAT PRECEDE WELL : Calad, Nat m, Staph, Phos ac, Calad and Selen follow well after Agnus c in impotence.

- INCOMPATIBLE REMEDY : Chin. (Wine).
- ANTIDOTES: Ign, Puls.
- BOYD'S DRUG GROUP : VII.
- MIASATIC GROUP: Anti-tubercular.
- Anti-Syphilitic.

Comparison

- Complete impotence: relaxation, flaccidity, coldness of genitalia.
- No sexual power or desire: Agnus c, Calad, Sel.
- Impotence: erection fails when coition is attempted: Agnus c, Calad, Selen, Arg n.
- Impotence: with mental depression; relaxed penis, with sexual desire and excitement: Calad, Lyc, Selen.
- No erections even after caress; no emission, no orgasm during an embrace: Calad, Selen.
- Stool has to be removed mechanically: Aloe, Calc c, Sanic, Selen, Sep, Sil.

- Headache from tea: Selen. Thuja.
- Aphonia from singing: Arg n, Caust, Phos, Selen.

Causes & diseases

- Tea=toothache, headache.
- Smoking-hiccough and eructations.
- After eating=pulstations in abdomen.
- After coitus=irritability.
- On attempting coition=penis relaxes.
- Coition=nervous and mental symptoms.
- Masturbation=impotency, sexual neurasthenia.
- Syphilis-falling of hairs.
- Psoriasis of the palms.
- Alcohol-headache.
- Tubercular laryngitis.
- Typhoid=constipation.
- After typhoid; weakness of back and spine.
- After fevers=great debility.
- Sun=debility, headache.
- Exertion=fatigue.
- mental labour-fatigue.

- Itch checked by mercurial or sulphur ointments.
- After typhoid great weakness of spine, fears paralysis.
- AFFINITIES; Nervous system, larynx, Liver, Genito-urinary organs.

Complaints & characteristics

- Lascivious thoughts with impotency.
- Pain over left eye worse walking in sun, strong odours, and tea.
- Hoarseness of singers appearing as soon as they begin to sing or after long use of voice, with frequent necessity to clear the throat.
- Constipation: stool large hard impacted so that it requires mechanical aid; after serious illness; enteric fever.
- Hair fall off, on head, eyebrows, whiskers, genitals.
- Coryza ending in diarrhoea.
- Involuntary dribbling of urine while walking.
- Urine: red, dark, scanty, sandy sediment.
- Impotence; erections slow, insufficient, too rapid emission with long continued thrill; weak ill-humoured after coitus, often involuntary dribbling of semen and prostatic fluid which oozes while sitting at stool; during sleep.
- Gleet (Calad).
- Priapism, glands drawn up (Berb).
- Weak, easily exhausted: from mental or physical labour; after typhoid, typhus, debauchery.
- Irresistible desire to lie down and sleep; strength suddenly leaves him; especially in hot weather.
- Emaciation of affected parts (Graph).
- Depression after 50 years or so. (E.W. H.)

Generals & modalities

- Adject despair, melancholy.
- Very forgetful in business, but during sleep dreams of what he had forgotten.
- Hunger at night; longing for spirituous liquors; craving for alcohol.
- Great aversion to a draft of air, either warm, cold or damp.
- AGGRAVATION; Sun, summer, hot weather, Draft of air, Tea, lemonade or wine, Exertion, mental or physical, Afternoon, Coition; seminal loss, After sleep, All forms of alcohols, Coffee, Touch and pressure.

- AMELIORATION; After sunset, Inhaling cool air, Taking cold water, Taking rest.

Sepia officinalis

- Synonyms: Cuttle Fish.
- Source: It is the brownish black juice in the ink bag of the Cuttle Fish.
- Habitat: Cuttle fish is found in the sea.
- Preparation: Triturations are prepared from the dried liquid from the ink bag of the Cuttle Fish.
- Proved by : Dr. Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for patients:
 - 1. Children: who take cold easily when the weather changes.
 - 2. Women: puffed, flabby, tall, slim, with narrow pelvis almost masculine hips.
 - Dirty, yellow, brown, mottled skin; yellow saddle across nose.
 - Extremely irritable, easily offended permit no opposition.
 - Hysterical, changeable temper, one minute gentle, yielding, the other minute disagreeable, excitable, obstinate.
 - Indifferent, to ones own family and off springs, whom she loved.
 - Dread of being alone; of men; of meeting friends.
 - Indolent, does not want to do any thing, either work or play, even exertion to think.
 - Fearful: of ghosts; about real or imaginary evils.
 - 3. Both male and female have aversion to opposite sex.
 - No endurance for coition, worse after coition.
 - Ailments after coition.
 - 4. Women at climacteric suffer from hot flushes.
 - 5. Persons who are chilly; very sensitive to cold air and suffer from lack of vital heat when they have chronic diseases.
- It is a SPECIFIC remedy in the following conditions when the constitutional keynote or characteristic symptoms are present:
 - 1. Female diseases: menstrual disorders; abortion at 3rd or 5th month; pregnancy disorders; prolapse of uterus or vagina; leucorrhoea;

cancer; cervix or uterus climacteric disorders.

- 2. Skin disorders: eczema, herpes circinatus, pityriasis, versicolor urticaria, pruritus, psoriasis, ringworm, seborrhoea styas, warts.
- 3. Mental disorders: insanity, hysteria, phobias, indifference to one's own offspring's.
- 4. Liver disorders: liver sore and painful relieved by lying on right side; Jaundice.
- 5. Urinary disorders: enuresis during first sleep.
- 6. Intestinal disorder: tobacco dyspepsia; acid dyspepsia; allergy to milk; allergic to the smell of cooking of food, especially during pregnancy.
- 7. Suppressed gonorrhoea, suppressed malaria, phthisis.
- DOSAGE: 30th to 1 M.
- REPETITION: Single dose of high potency is enough.
- It should not be repeated.
- DURATION OF ACTION: 40 to 50 days. (Clarke)

Relationship

- COMPLEMENTARY REMEDIES: Nat c, Nat m, Nux v, Sab, Sabad, Sulph.
- REMEDIES THAT PRECEDE WELL : Sil, Sulph, Puls.
- REMEDIES THAT FOLLOW WELL: Bell, Calc c, Con, Carb v, Graph, Lyc, Nat c, Petr, Puls.
- INCOMPATIBLES: Lach, Puls.
- ANTIDOTES: Acon, Ant cr, Ant t, Rhus t.
- REMEDY ANTIDOTES: Calc c, Chin, Merc, Phos, Sars, Sulph.
- BOYD'S DRUG GROUP: 1.
- BOWEL NOSODE GROUP: Morgan pure.
- Miasmatic GROUP: Anti-psoric, Anti-sycotic.

Comparison

- Absent minded, cannot recollect; has to read a sentence twice before he can comprehend: Agnus c, Lac c, Phos ac, Sep.
- Constipation from inactive rectum: Alum, Sep.
- Unable to sleep after business embarrassments, must get up; Act r, Ambr, Sep.
- Cannot bear the smell and sight of food during pregnancy: Ars a, Colch, Sep.

- Sensation of a lump of ice n vertex, with chilliness: Sep, Verat a.
- Bearing down pains as if the contents of abdomen would issue from the vulva: Agar, bell, Lil t, Murex, Sep.
- But no sexual desire: Sep.
- Headache from ironing: Bry, Sep.
- Sweats of single parts: Calc c, Sep.
- Expectoration salty: Kali iod, Stann, Sep.
- Impacted stool has to be removed mechanically: Aloe, Sanic, Sel, Sep, Sil.
- Want of vital heat, always chilly: Led, Sep, Sil.
- Leucorrhoea with mouth spots on forehead: Caul, Sep.
- Drooping of upper eyelids, cannot keep them open: Caul, Caust, Gels, Graph of both lids-Sep.
- Yellow gray colour of the skin of the palms of hands: Caust, Chelid, Sep.
- Toothache: relieved by holding ice water in the mouth, but returns when the water becomes warm: Bism, Bry, Caust, Coff, Nat s, Puls, Sep.
- Fissures of nipples in nursing women: Graph, Ratanh, Sep.
- Leucorrhoea before menses: Graph, Sep.
- Leucorrhoea before and after menses: Graph.
- Leucorrhoea only after menses: Kreos.
- Suppressed malaria: Nat m, Sep.
- Cold spots: Sep, Verat a.
- Irritable, easily angered; consolation aggravates: Ign, Nat m, Sep, Sil.
- Sweats easily from mental or physical exertion: Hep s, Psor, Sep,
- A weak empty feeling at the pit of stomach ameliorated by eating: Anac, Ign, Hydr, Sep, Sulph.
- Sinking, all gone sensation in stomach: Murex, Sep.
- Ulceration of nasal septum with bloody discharge or large flakes or hard mucus: Alum, Kali bi, Sep, Teucr.
- Incontinence of urine during first sleep from which the child is roused with difficulty: Kreos, Sep.
- Weight and pressure on vertex like lead: Lach, Sep.
- Cannot concentrate mind to read or study; very nervous: Bov, Graph, Lac c, Lach, Nat c, Sep.
- Headache during menses: Kroes, Lac d, Sep.

- Displacements of uterus-antiversion, retroversion, subinvolution:
Helon, Sep.

- Headache with icy coldness of hands: Menyanth, Calc c, Sep.
- Great depression of spirits during climacteric: Lach, Murex, Sep,
Sulph.

Causes & diseases

- Excessive sexual excitement and overindulgence=coldness in
women.

- Over=lifting=dyspepsia.
- Boiled milk=diarrhoea.
- Smell of cooling food=nausea (Ars a, Colch), during pregnancy.
- Pregnancy=constipation.
- Chronic headache=falling of hairs.
- Climatcteric=uterine troubles.
- Complaints from laundry work.
- Nausea from riding in carriage (Coccul, Pertr).
- Faints from getting wet.
- Phthisis from suppresses gonorrhoea.
- Gleet from suppressed gonorrhoea.
- Phimosis (Can s, Merc, Nit ac, Thuj).
- Headache from sexual excesses.
- Neuralgias from tobacco.
- Ring worm (Bacil, Calc c, Tell).
- Warts on genitals.
- Psoriasis (Ars a, Ars iod, Ram b).
- Diseases with sudden prostration and sinking faintness.
- Eczema of back of hands.
- Urticaria (Ast fl, Apis, Chloral, Ars a, Nat m, Sep, Urtica).
- Old cases of suppressed malaria; Sepia brings back the chill.
- Liver disorders, liver enlarged, jaundice.
- Leucorrhoea: yellow, milky; pus like, foetid.
- Enuresis: soon after the child is asleep.
- Disorders of menses.
- Tendency to abort at third or fifth month.
- Pregnancy disorders.
- Climacteric disorders, especially hot flushes.

- Bones caries.
- Chronic gastric affections after anger (Hessa).
- affinities; Female organs.
- Portal system.
- Digestive tract.
- Venous circulation Nerves.
- Skin.
- Pregnancy.
- Abortion.

Complaints & characteristics

- Bearing down sensation as if every thing would protrude from pelvis with prolapse of uterus and vagina; mus cross limbs tightly to prevent it.
- Gone or empty sensation in abdomen, relieved by eating (Cheild, Murex, Phos).
- Sensation of a ball in inner parts ; during menses, pregnancy, lactation, leucorrhoea and all uterine affections; also with constipation, diarrhoea, and haemorrhoids.
- Flushes of heat with anxiety, faintness, oppression and perspiration attended with complaints.
- Throbbing in various parts of the body, are concomitants with complaints.
- Faints easily: from extremes of heat and cold: after getting wet: from riding in carriage; while kneeling at church.
- Complaints of washer women due to standing in water; washing clothes standing; exhausted by anxieties, worries and sexual excesses.
- Backache worse from kneeling.
- Most violent dysmenorrhoea in delicate, sallow girls.
- Compelled to keep her mind at control of urine or she would lose it.
- Apt. to become too warm in the room (Hessa).

Generals & modalities

- Hysterical women.
- Changeable temper.
- One minute gentle, yielding, in another disagreeable, excitable, obstinate.

- Indifferent: even to one's own family; to one's occupation (Fl ac, Phos ac); to those whom she loves best; her own children.
- Great sadness and weeping.
- Dread of being alone; of men; of meeting friends; with uterine troubles .
- Greedy, meserly, (Lyc).
- better from violent exercise.
- Worse from beginning to move, but better by getting warmed up.
- Better from hard pressure.
- Anxiety: with fear, flushes over face, and head; about real or imaginary evils; towards evening; fear of ghosts; fear of insanity.
- Extremely irritable; easily offended (Nux v); permits no opposition.
- Indolent: does not want to do anything; either work or play; even exertion to think.
- Chilly, very sensitive to cold and cold air.
- Lack of vital heat in chronic diseases.
- Women: puffed, flabby: puffed, flabby, tall, slim, with narrow pelvis, almost masculine hips.
- Pale, yellow or dirty yellow brown mottled skin; yellow saddle across nose; both male and females have aversion to opposite sex.
- No endurance for coition, tire, sleepless jerking, congestion of the pelvis after coition.
- AGGRAVATION; Cold air, Wet cold, Snow, Sexual excesses, Before menses, After first sleep (during illness), Driving, (Hessa).
- AMELIORATION; Violent motion, Warmth, Cold drinks, When busy.

Silicea terra

- Synonyms : Silica, Silicic, Oxide. Formula : SiO_2 . Pure Flint or Quartz.
 - Source: It is a chemical compound which is available in the form of pure Silicea.
 - Preparation: Pure Silicea is triturated with sugar of milk up to 3c and higher potencies are prepared with alcohol. For biochemic purpose decimal triturations are used.
 - Proved by Dr. Hahnemann in 1828. Dr. W.H. Schussler.
- Indications
- It is a CONSTITUTIONAL remedy for the following types of patients:

- 1. Rickety children with large head; tardy closure of fontanelles; perspire on head during sleep; face pale; distended abdomen; weak ankles; slow in learning to walk; head strong; obstinate; cry when spoken kindly to them; chilly; oversensitive, nervous, fidgety; anxious nutritionally defective; emaciated somnambulism.

- 2. Adults: anxious, yielding, faint-hearted; chilly; worse from cold; uncovering the head; better from warmth especially from wrapping up the head; takes cold from exposure of feet (Con, Cupr); want of vital heat, always chilly, even when taking active exercise (Led, Sep,).

- Restless, fidgety, starts at least noise; easily fatigued wants to lie down; mental labour fatigues; nervous debility; susceptible to suppuration; every little injury suppurates (Graph, Hep, Merc, Petr); offensive sweats, hastens suppuration (Hep, Lach, Merc, Phyt, Sil).

- Touchy, retiring; nipples are small, withered, unexcitable (Sars).

- It is a SPECIFIC remedy for the following conditions:

- 1. Foreign bodies: promotes expulsion of foreign bodies from the tissues; fish bones, needles, bone splinters.

- 2. Bad effects of vaccination: abscesses and convulsions (Thuj).

- 3. Suppuration with a vent, chronic otitis media, abscesses, fistula.

- 4. Whitlow, blood boils carbuncles, ulcers; fissures ani, great pain after stool.

- 5. Ailments: caused by suppressed foot-sweat (Cupr, Graph, Psor); exposure of the head and back to any slight draft of air; chest complaints of stone cutters with total loss of strength.

- 6. Vertigo: spinal ascending from back of neck to head; as if one would fall forward from looking up.

- 7. Headache; migraine: since some severe disease of youth; ascending from nape of neck to the vertex extending to the right eye (to the left eye -Spig); worse from exposure of head to cold air; better from pressure and warmly wrapping the head. (Mag mur, Stron); better from profuse urination.

- 8. Constipation: always before and during menses; from inactivity of rectum; with great straining, as if rectum was paralysed; when partly expelled, recedes again (Thuj); faeces remain long time in rectum.

- 9. Fistula: lachrymalis; fistula and alternates with chest symptoms (Berb, Calc p).

- 10. Ingrowing toe nails. (Mag. P.a. , Mar v).
- It is a BIO-CHEMIC tissue remedy according to Schussler:
 - 1. It has affinity to: brain and nerves, glands, bones, mucous membranes, skin, hairs, nails.
 - 2. When a deficiency of Silica occurs suppuration is retarded.
 - 3. Imperfect assimilation and defective nutrition of the tissues of the body is due to Silica Deficiency.
- DOSAGE: Schussler recommends the 6x and 12x potencies.
- Kent recommends high and highest potencies when the constitutional symptoms are present.
- It is to be applied externally on ulcers, carbuncles and ulcerated pyogenic parts, for example uterus, in the form of aqueous solution.
- REPETITION: Repeated doses are indicated on specific and biochemic symptoms.
 - Single dose in high potencies, in case of constitutional indications.
 - DURATION OF ACTION: 40 to 60 days. (Clarke).

Relationship

- COMPLEMENTARY REMEDIES: Calc c, Fl ac, Puls, Sanic, Sulph, Thuj.
- REMEDY IS CHRONIC OF : Puls.
- REMEDIES THAT PRECEDE WELL : Bell, Bry, Calc c, Cina, Graph, Ign, Nit ac, Phos.,
- REMEDIES THAT FOLLOW WELL : Ars a, Asaf, bell, Calc c, Clem, Fl ac, Graph, Hep s, Lach, Lyc, Nux v, Phos, Puls, Rhus t, Sep, Sulph.
- If improvement ceases under Sil: A dose or two of Sulphur will set up reaction and Sil will then complete the cure.
- In ulceration around nails: Psorinum.
- INIMICAL REMEDY: Merc.
- ANTIDOTES : Camph, Fl ac, Hep.
- REMEDY ANTIDOTES: Merc, Sulph.
- BOYD'S DRUG GROUP : V.

Comparison

- Bad effects of vaccination: Ars a, Apis, Bell, Hep s, Maland, Sil, Sulph, Thuj, Ant t when Thuja fails and Sil is not indicated. (Allen).
- Takes cold from exposure of feet: Con, Cup, Sil.
- Bad effects of suppressed foot sweats: Cup m, Sil, Zinc.
- Consolation aggravates: Ign, Nat m, Sep, Sil.

- Wrapping the head ameliorates: Hep s, Psor, Sil.
- Rickets : Ars a, Calc c, Calc p, Calc, Sil, Iod, Phos ac, Phos, Sanic, Sil, Tub.
- Imperfect assimilation : Bar c, Calc c.
- Trady closure of fontanelles of head: Calc c, Calc p, Sil, Sulph.
- Tendency for suppuration: Graph, Hep s, Borax, Calend, Merc, Petr, Sil.
- Constitutional deficient in animal heat: Alum, Calc c, Led, Sep, Sil.
- Inactivity of rectum, even soft stool requires great straining: Alum, Anac, Plat, Sil, Ver a.
- Whitlow; deep-seated periosteal pain: Am c, Dios, Sil.
- Offensive sweat of the feet: Alum, Am mur, Graph, Petr, Psor, Sanic, Sil.
- Sulky, does not wish to speak or be spoken to : Ant cr, Ant t, Iod, Nat m, Sil.
- Before Sil in dyspnoea from foreign bodies in the larynx or trachea: Ant t.
- Sensation of a splinter in throat when swallowing: Arg n, Dolich, Hep s, Nit ac, Sil.
- Short cough and chest complaints after operation for fistulae: Berb v, Calc p, Sil.
- Head sweat profusely while sleeping, wetting pillow far around: Calc c, Mag mur, Sanic, Sil.
- Fluoric ac follows will after Sil, Symph in bone disease.
- Vertigo, spreading from the occiput: Gels, Sil.
- Irritable, easily angered; consolation agg: Ign, Helleb, Nat m, Sep, Sil.
- Bladder weak, is unable to finish, seems as if some urine always remains: Alum, Hep, Sil.
- Amelioration from wrapping up the head warmly: Hep s, Psor, Rhod, Sil.
- Faeces protrude and recede: Op, Sil, Thuj.
- Headache amel by lying : Bry, Gels, Phos ac, Sil.
- Nervous, weak desires to be magnetised: Phos, Sil.
- When child nurses pain goes from the nipple to uterus: Puls, Sil.
- Worm affections of children: Cina, Sil, Spig, Sabad.

- Nipples are small, withered, unexcitable: Sars, Sil.
 - Constipation: stool hard, impacted, requires mechanical aid: Aloe, Calc c, Sanic, Sel, Sep, Sil.
 - Vertigo on looking upward: Puls, Sil.
 - Sensation as if a thread were hanging down on tongue: Nat m, Sil.
- Causes & diseases
- Exposure to cold draft to head or back and foot.
 - Cold and damp weather.
 - Vaccination (Ant t, Thuj).
 - Foreign bodies.
 - Suppressed sweats.
 - Suppressed discharges.
 - Stone cutting.
 - Injuries.
 - Loss of fluids.
 - Strains.
 - Bath.
 - Milk.
 - Defective assimilation.
 - Suppressed otorrhoea.
 - Ill effects of small-pox.
 - Short cough or chest complaints after operation after operation for fistula (Berb, Calc p).
 - Disposed to suppuration.
 - Swelling of glands, Gangrene, Malignancy, Fistula, Whitlow, Fistula, Whitlow, Fissures, Deep seated periosteal pain (Am c, Dios).
 - Skin: unhealthy, slight injury suppurates (Calend, Hep s, Merc, Borax).
 - Bladder weak, is unable to finish, seems as if some urine always remains (Alum, Hep).
 - Great tendency of head to sweat (Mag mur, Calc c, Sanic).
 - Faeces protrude and recede (Op, Thuj).
 - Tenderness of feet, bathed in foul smelling sweat (Graph, Petr, Sanic).
 - Worm affections of children.
 - Cina, Sabad, Spig) Nipples retract.

- Crippled nails (Ant cr).
- blood boils.
- Occipital pains.
- Promotes expulsion of foreign bodies from the tissues; fish bones, needles, bones splinters.
- Discharge of blood from vagina every time the child takes the breast.

- AFFINITIES; Nutrition, Children, Brain, Nerves, Glands, Tubes, Eustachian, Lachrymal, Bones, Mucous Membranes, Skin, Complaints & characteristics

- Sensation of a splinter in throat when swallowing (Dolich, Arg n, Hep s, Nit ac).

- Throat affections after checked foot sweat.
- (Bar c).
- Great pain after stool.
- Vertigo spreading from the occiput (Gels); looking upward (Puls, Ther).

- Sensation as of a hair on the tongue (Nat m).
- Constipation: stool large, hard, impacted so that it requires mechanical aid.

- (Aloe, Calc c, Sanic, Sep, Sel).
- From inactivity of rectum.
- Before and during menses.
- Chronic sick headache ascending from nape of neck to the vertex, goes to right eye, agg from cold air, amel, from covering the head, pressure (Mag mur, Storn) and profuse urination.

Generals & modalities

- Child ricketic, large head; tardy closure of skull bones, perspires on head during sleep; pale face.
- Distended abdomen.
- Weak ankles.
- Slow in learning to walk.
- Children obstinate, head strong, cry when spoken kindly to (Ant t, over sensitive-Ant cr, lod).
- Nervous, irritable.
- Restless, fidgety.

- Start at least noise.
- Anxious, yielding, faint hearted.
- Lack of self-confidence; dread of failure.
- Hereditary disturbances.
- Sanguine temperament.
- Liable to sweat.
- Chilly.
- Lack of vital heat.
- (Alum, Calc c, Led, Sep).
- Easily fatigued.
- Mental labour difficult.
- Touchy, retiring.
- Consolation aggravates.
- Lack of stamina.
- Desires to be magnetised.
- Offensive sweats from axilla and feet (Alum, Graph, Psor, Sanic).
- Deficient nutrition.
- Wants to lie down.
- Great weakness and debility.
- Somnambulism. (Kali brom).
- Inactivity of rectum.
- Nipples are small, withered, unexcitable (Sars).
- AGGRAVATION; Cold, Damp, Bathing, During menses, Milk, Consolation, New moon, Lying on painful side, Coition,
- AMELIORATION; Warmth, Wrapping up head, Warm room, Profuse urination, Magnetism.

Spigelia anthelmia

- Synonyms: Pinkroot, Spigelia anthelmia.
- Source: It is a herb with pink root.
- Habitat: Commonly found in South America, southern states of North America.
- Preparation: Mother tincture is prepared from the dried herb.
- Proved by Dr. Hahnemann.

Indications

- It is a SPECIFIC remedy for the following conditions:

- 1. Worm affections: of scrofulous children, who refer to the navel as the most painful part; eye complaint with worm troubles; headache, neuralgias, itching in anus, foetid breath, cardiac symptoms or stammering with worm troubles.

- When Cina and Teucrium fails try Spig or Santonine.

- 2. Neuralgias: left sided; from cold damp weather; prosopalgia, periodical, in orbit, eye, malar bone, teeth; from morning until sunset; pains tearing burning cheek, dark red.

- 3. Rheumatism: pain in knees with heart symptoms.

- 4. Tic-douloureux.

- 5. Glaucoma: left eye.

- 6. Exophthalmic goitre with palpitation.

- 7. Stammering, repeats first syllable three or four times, with worm or abdominal troubles; makes great efforts to speak; distorts the face, (Bov, Ign, Stram).

- 8. Dyspnoea: must lie on right side with head high.

- 9. Toothache from tobacco smoking, better while eating, lying down; worse from cold air or water.

- 10. Palpitation; violent, visible, audible; from least motion; when bending forward; systolic blowing at apex.

- 11. Cancer of rectum or sigmoid colon with atrocious unbearable pains.

- 12. Angina pectoris: worse from motion; chest pains are stitching, worse from cold air or cold wet weather.

- 13. Contraction of fingers. (Guaic, Gels).

- 14. Neuralgia before eruptions of Herpes zoster.

- 15. Occipital headache, spreads over the head and settles over left eye.

- DOSAGE: 6th to 30th; rarely 200th.

- REPETITION: Single dose; to be repeated when symptoms call for it.

- DURATION OF ACTION: Not definite.

Relationship

- REMEDY THAT PRECEDES WELL: Acon.

- REMEDIES THAT FOLLOW WELL : Ars a, Calc c, Cimic, Dig, iris, Kali c, Kalm, Puls, Rhus t, Sep.

- ANTIDOTES: Aur, Camph, Puls.

- REMEDY ANTIDOTES: Merc.

- BOYD'S DRUG GROUP : V.

Causes & diseases

- Warms.

- Chill.

- Cold damp weather.

- Loud speech=head pains.

- Open air=pain in eyes.

- Tobacco.

- Rheumatism.

- Exophthalmic goitre.

- Glaucoma.

- Heart affections.

- Neuralgias.

- Influenza.

- Stammering: repeats first syllable 3 to 4 times; distorts the face.

- (Bov, Ign, Stram).

- Cancer of sigmoid; colon or rectum; with atrocious unbearable pain.

- (Alumen).

- Worm affections of children (Cina, Sabad, Sil, Spig, Teucr, Santonine).

- With foul breath (Tereb).

- Heart pulsations shake the body (Nat m).

- Sensation as if the brain was loose in forehead and falling from side to side.

- (Bell, Bry, Rhus t, Sulph).

- Heartache from base of heart to clavicle or shoulder (Sulph).

- Ptosis (Caust, Gels, Graph, Sep.)

- AFFINITIES; Nerves, Trifacial, Eyes, Neck, Heart, Fibrous tissues, Left side.

Complaints & characteristics

- Vertigo: on looking down (Kalm); turning eyes to see; on stooping; better lying down.

- Headache: occipital, spreads over whole head and settles over left eye; comes on at sunrise, worse at noon and better at sunset (Nat m,

Tab); with watering from the effected eye; with painful stiffness of neck and shoulders.

- Ciliary neuralgia in cold damp weather, with photophobia, stabbing pain around eyes.

- Toothache: from tobacco; in decayed tooth; worse from cold air, water, while eating, returns when thinking about it.

- Stammering, repeats first syllable three or four times with worm or abdominal troubles; distorts the face (Bov, Ign, Stram).

- Prosopalgia: periodical, left sided orbit, eye, malar bone, teeth; from morning until sunset; cheek dark red; during cold rainy weather; from tea.

- Glaucoma: left eye; intolerable pressive pain in eyeballs; could not turn the eye without turning the whole body; eyes sensitive to touch; as if a band round the head.

- Neuralgia: left sided; before eruptions of herpes zoster.

- Angina pectoris: Dyspnoea; must lie on right side with head high.

- Heart symptoms with exophthalmic goitre; with worm affections; constipation; with rheumatic pains in knees; with foul odour from mouth; with whole left side sore; craving for water which relieves.

- Worm trouble: in scrofulous children; child refers to the navel as the most painful part (Granat, Nux m) with stammering; with heart symptoms; with eye symptoms; with foetid breath.

- Palpitation: violent, visible, audible; from least motion; when bending forward; systolic blowing at apex.

- Heart pulsations shake the body (Nat m).

- Chest affections with stitching pains synochronous with pulse; worse motion.

Generals & modalities

- Scrofulous children afflicted with round worms (Cina, Stann).

- Anaemic, debilitated subjects of rheumatic diathesis.

- Persons with body painfully sensitive to touch; painful parts, feel cold; touch sends shudder through the whole frame (Kali c).

- Afraid of sharp pointed things; during pregnancy.

- Restless, anxious about future.

- Gloomy, suicidal mood.

- Easily irritated or offended.

- Disinclination to work.
- Feels better lying on right side with head high.
- AGGRAVATION; Motion, Noise, Jar, Touch, Turning the eyes, From shaking, Commotion, Concussion.
- AMELIORATION; Lying on right side with head high, (Ars a, Cact, Spong).

Spongia tosta

- Synonyms : Roasted Sponge.
- Source: Sponge is a sea animal belonging to the natural order of Coelenterata. It is sold in the market and used for washing the parts.
- Preparation: Mother tincture is prepared from the roasted sponge; 20 grains of roasted sponge is dissolved in 400 drops of alcohol. Higher potencies are prepared from the mother tincture.
- Proved by Dr. Hahnemann.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Heart troubles: associated with palpitation, dyspnoea, marked anxiety, fear of death; wakes up suddenly at night in fright with suffocation and cannot lie down on bed; cardiac dyspnoea, worse lying down, warm room, better from warm drinks; rheumatic endocarditis with hypertrophy of heart; angina pectoris worse from ascending, motion, at night.
 - 2. Severe forms of asthma: with dryness of respiratory passages; dry throat, dry larynx, dry trachea and dry bronchi; seldom rattling, whistling and wheezing; at times great dyspnoea, difficult expectoration, which has to be swallowed; with headache; bending forward ameliorates.
 - 3. Goitre, Hyperthyroidism: eye protruding with heart symptoms; with palpitation, dyspnoea on exertion, with contracting pains, faintness, anxiety, worse in warm room; suffocative paroxysm at night.
 - 4. Sore throat after eating sweet things.
 - 5. Croup: with anxiety, wheezing, worse during inspiration, worse midnight, no exudation, but infiltration.
 - 6. Cough: dry, barking, rasping, ringing, wheezing whistling; from dry cold air; worse from cold water; better from warm food and warm

drinks; every mental excitement aggravates cough; worse from talking, singing, smoking.

- 7. Orchitis: after gonorrhoea or maltreated orchitis.
- 8. Aphonia: from exposure to cold (Acon, Hep s, Phos).
- 9. Ailments: with dyspnoea on lying on left side; must lie on right side with head high.
- 10. Tubercular laryngitis with hoarseness.
- DOSAGE: 6th to 200th potency.
- REPETITION: Bears repetition well.
- DURATION OF ACTION: 20 to 30 days. (Clarke)

Relationship

- REMEDIES THAT PRECEDE WELL : Acon, Hep s, in Croup.
- REMEDIES THAT FOLLOW WELL : Brom, Bry, Carb v, Con, Hep s, Kali bi, Nux v, Rhus t, Puls.

- ANTIDOTE: Camph. When dryness is replaced by rattling in chest-Hep s.

- BOYD'S DRUG GROUP : VI.

Comparison

- Goitre, with spells of suffocation at night: Brom, Iod, Spong.
- Better from warm drinks: Ars a, Nux v, Lyc, Spong.
- Acute laryngitis: larynx too sensitive to touch: Acon, Lach, Spong.
- Laryngismus stridulus: Acon, Bell, Brom, Cup m, Gels Lauroc, Ign, Spong.

- Barking cough: Bell, Dros, Hep s, Spong.

- Croup: Accn, Hep s, Spong.

- Cardiac cough: Naja, Spong.

- Violent palpitation, pain and gasping: Acon, Lycopus, Spig.

Causes & diseases

- Goitre.

- (Brom, Fl ac, Iod).

- Enlargement of glands.

- Tuberculosis.

- Angina pectoris.

- Acute endocarditis.

- Croup: cough with inhalation.

- Orchitis.

- Hypertrophy of heart.
- Laryngismus.
- Laryngitis.
- Thickening of joints after rheumatic fever.
- Cough excited by tobacco, smoke.
- AFFINITIES; Heart valves, Heart, Larynx, Trachea, Bronchi, Nerves, Testicles, Thyroid, Lymph glands.

Complaints & characteristics

- Attacks of dyspnoea awake the patient from sleep at night, he sits up in bed with anxiety, fear of death flushed face, rapid hard breathing as if breathing through a sponge; cannot lie down from suffocation.
- Worse after sleep or sleep into aggravation.
- (Lach).
- Great dryness of mucous membranes of air passages- throat, trachea, larynx, bronchi - dry, as horn.
- Cough; dry, barking, croupy; rasping, ringing wheezing, whistling; everything perfectly dry, no mucous rales, worse drinking cold water.
- Cough: dry, sibilant, like a saw driven through a pine board; worse from sweets, smoking, lying with head low, from cold winds, from reading, singing, talking, swallowing; better, From eating or drinking warm things.
- Every mental excitement agg cough.
- Croup: with anxiety, wheezing; worse during inspiration, before midnight.
- Angina pectoris: with contracting pain, heat, faintness, suffocation, anxiety and sweat; worse after midnight.
- Palpitation: with violent pain and gasping respiration; awakened suddenly after midnight with suffocation and great anxiety; from valvular insufficiency; before or during menses.
- Spermatic cords swollen, painful; testicles swollen, bruised, squeezed; after suppressed gonorrhoea or maltreated orchitis.
- Sore throat worse after eating sweet things.
- Swelling and induration of glands.
- Goitre (Brom).
- Thyroid gland swollen even with chin; with suffocative paroxysms at night.

- Aphonia: from exposure to cold.
- (Acon, Phos, Hep s).
- Dyspnoea: must lie on right side with head high (Cact, Spia, Ars a).
- Symptoms worse after sleep (Apis, Lach, Op, Spong, Stram).

Generals & modalities

- Disposed to thyrotoxicosis with symptoms of anxiety, restlessness, fear of death, palpitation; worse in a warm room; worse after sleep; oppression of breathing, attacks at night, awakes in fright.
- Tubercular diathesis: laryngitis, cervical and other gland enlarged; dry spasmodic cough, worse midnight.
- AGGRAVATION; Ascending Motion Midnight, Sleeps into agg (Lach), Lying with head low, Dry cold wind, When thinking of her symptoms, Touch and pressure, Stooping, Lying on right side, Warm room, At night, Sudden change of atmosphere, Sweets, Full moon.
- AMELIORATION; Descending, Bending forward amel dyspnoea, Warm food and drink, Eating amel cough, Drinking amel cough.

Stannum metallicum

- Synonyms: Tin.
- Source: It is a pure metal found underground in mines. It is available in the market.
- Preparation: Triturations are prepared from the filings of the pure metal with sugar of milk. Higher potencies are prepared from the 3rd trituration.
- Proved by Dr. Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for patients:
 - 1. Who feel weak and faint when going down wards, but can go up well enough (Borax).
 - 2. Women: sad, despondent; feel like crying all the time; but crying makes them worse.
 - 3. Person with extreme exhaustion of mind and body; have to sit down several times while dressing in the morning; especially great weakness is felt in the chest; she is unable to talk due to this weakness; even talking, singing, laughing makes her worse.
- It is a SPECIFIC remedy for the following conditions:

- 1. Headache or other kinds or neuralgic pains: begin lightly, increase gradually to the highest point and then gradually decline.
- 2. Colic: better from hard pressure, or by lying on abdomen with worm trouble.
- 3. Prolapse of uterus or vagina during stool with extreme weakness.
- 4. Convulsions of teething children; from worms; opisthotonos; thumbs are drawn in.
- 5. Dyspepsia with hypersensitiveness to smell; smell of cooking food causes nausea and vomiting (Ars a, Colch, Sep).
- 6. Phthisis: with extreme weakness in chest; cannot talk or is aggravated by talking, laughing, singing; profuse sweetish expectoration; debilitating perspiration; depression of spirits; hoarseness relieved by expectoration.
- DOSAGE: 6th to 200.
- REPETITION : Single dose is enough.
- Repeat when symptoms call for it.
- DURATION OF ACTION : 35 days. (Clarke).

Relationship

- COMPLEMENTARY REMEDY: Puls.
- REMEDIES THAT PRECEDE WELL : Caust, Cina.
- REMEDIES THAT FOLLOW WELL : Bac, Cic c, Phos, Puls, Rhus t, Sel, Sulph, Tub.
- Antidote: Puls.
- BOYD'S DRUG GROUP : VIII.

Comparison

- Complaints appear gradually and cease gradually: Arg n, plat, Stann, Stront c, Syphil.
- Sinking, empty all gone sensation in stomach: Chel, phos, Sep, Stann.
- Worse from going down stairs: Borax, Stann.
- Laughing excites cough: Arg m, Dros, Phos, Stann.
- Convulsions with eruptions of teeth: Caust, Cham, Stann.
- Convulsions with clenched thumbs: Cup, Stann.
- Whooping cough; three attacks of cough successively: Cup m., Stann.
- Chest: weak from talking or coughing: phos ac, Stann.,

- Cough worse lying on left side: Dros, Phos, Puls, Stann.
- Aphonia: after long use of voice, obliged to clear throat frequently of a starchy mucus: Arg m, Sel, Stann.
- Laryngitis of singer: Arg m, Sel, Stann.
- Worms: round; of children: Cina, Sil, Spig, Stann, Sulph, Psor, Santonine, Sabad.

Causes & diseases

- Emotions.
- Fright.
- Masturbation.
- Dentition.
- using voice.
- Warm drinks=cough.
- Talking=weakness.
- Phthisis: with extreme weakness of chest; agg by talking; unable to talk; profuse sweetish expectoration; hoarseness relieved by expectoration; very debilitating perspiration, with depression of spirits.
- Dyspepsia with hyper sensitiveness to smell; smell of cooking food causes nausea and vomiting. (Ars a, Colch).
- Roundworms.
- AFFINITIES; Nerves, Mucous Membranes, Chest, Female organs,

Lungs,

Complaints & characteristics

- Great weakness in chest; worse talking, laughing, reading aloud, singing; so weak, unable to talk.
- Nausea and vomiting; in the morning from the odour of cooking food.
- (Ars a, Colch).
- Headache or neuralgia: pain begins lightly, increases gradually decline (Plat).
- Colic; better from hard pressure or by lying on abdomen, across knee or shoulder (Coloc); with passing of worms.
- Menses: too early, too profuse, sadness before, sadness before menses; pain in malar bones during menses.
- Leucorrhoea: with great debility; weakness seems to proceed from chest (from abdomen, pelvis=Phos, Sep).

- Prolapse of uterus, vagina: worse during stool, with extreme weakness.
- Cough: shattering, strangling; in paroxysms of cough; with empty sensation in chest.
- Expectoration; profuse, like the white of an egg, sweetish, salty, sour, putrid, musty; yellow green pus; during the day.
- Hoarseness: voice, husky, hollow voice, relieved temporarily by coughing or expectorating mucus.
- Sweat: musty odour, after 4 A.M. every morning; on neck and forehead; very debilitating.
- Convulsions: teething children; opisthotonic; the thumbs are drawn in; from worms.

Generals & modalities

- Sad, despondent, feels like crying all the time, but crying makes her worse (Nat m, Puls, Sep).
- Faint and weak, especially when going down stairs; can go up well enough (Borax).
- Sinking, empty, all gone sensation in stomach.
- (Chel, Phos, Sep).
- Extreme exhaustion of mind and body.
- While dressing in the morning has to sit down several times to rest.
- When singing or using voice, aching and weakness in deltoid and arms.
- AGGRAVATION; Laughing, Singing, Talking, Using the voice, Lying on right side, Drinking anything warm.
- AMELIORATION; Coughing, Expectoration amel hoarseness, hard pressure, (Coloc).

Staphisagria

- Synonyms: Stavesacre, Delphinium staphisagria, Larkspur.
- Source: It is a plant belonging to the natural order of Ranunculaceae. It is about a foot high, the flowers are spur shaped, the seeds have a bitter and burning taste.
- Habitat: Southern Europe.
- Preparation: The Mother tincture is prepared from the ripe seeds.
- Proved by Dr. Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Who are affected by suppressed anger, reserved displeasure; after being insulted, they become speechless, sleepless, nervous, suffer from brain fag, colic or irritability of bladder etc.
 - 2. Who suffer from bad effects of masturbation, seminal emissions, coition, causing loss of memory, dullness of mind, depression, indifference, dyspnoea and prostration.
 - 3. Who suffer from pride or envy.
 - They are offended easily.
 - 4. Young newly married women who suffer from constant urging to urinate after coition, or after difficult labour.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Bad effects of cut wounds, operations, lithotomy causing colic, loss of blood; shock.
 - 2. Bad effects of mercury and its preparations causing bone pins, ulcers.
 - 3. Smoking, tobacco cause cough.
 - 4. Head lice : apply mother tincture diluted with water in proportion of one to four.
 - 5. Toothache: during menses; worse from drawing air into mouth or cold drinks.
 - 6. Colic every time he eats or drinks.
 - 7. Painfully sensitive tumours, polypoid growths of piles; so painful that they cannot be touched.
 - 8. Pain after urinating in prostatic troubles of old people.
 - 9. Burning for tobacco.
 - 10. Craving for tobacco.
 - 11. Hypersensitive genitals, vulva so sensitive that she cannot wear a napkin. (Plat).
 - 12. Chalazae on upper eyelids one after another, leaving hard nodosities.
 - Acts as prophylactic against styes.
 - 13. Ailments: with sensation of a ball in forehead sitting firmly there even when shaking the head; with sensation of crawling of worms over him.

- 14. Induration of glands: lymph glands, ovaries, testicles, tonsils.
- Atrophy of testicles, causing impotency with increases sexual desire (Iod).

- DOSAGE: Mother tincture diluted in proportion of one to four in water for external application on head lice. (Clarke)

- 3rd to 200 potencies. 2 drops of tincture night and morning for constipation. (Boericke)

- REPETITION: Bears repetition well.

- DURATION OF ACTION: 20 to 30 days. (Clarke)

Relationship

- COMPLEMENTARY REMEDIES: Caust, Coloc.

- REMEDIES THAT FOLLOW WELL : Calc c, Fl ac, Ign, Kali c, Lyc, Nux v, Puls, Rhus t, Sel, Thuja.

- incompatible: Ran b.

- ANTIDOTES: Ambr, Camph.

- REMEDY ANTIDOTES: Merc, Thuja.

- BOYD'S DRUG GROUP : V.

Comparison

- Ailments from anger, mortification or reserved displeasure: Aur m, Staph, Bry, Coloc, Ign, Lyc, Nat m.

- Vomiting with convulsive gagging and inexpressible pain after laparotomy: Bism, Nux v, Staph.

- Irritable children: Ant cr, Ant t, Bry, Cham, Kreos, Sil, Staph.

- Ailments from grief of misdeeds of others: Colch, Staph.

- Mortification caused by offense: Coloc, Lyc, Staph.

- Vivid dreams of women all night, emissions during sleep: Diosc, Staph, Orig.

- Genitals cold., knees weak with great despondency: Diosc, Staph.

- Sensitive teeth: Coff, Fl ac, Staph.

- Stomach feels relaxed as if hanging down: Ipec, Ign, Staph; with nausea-Ipec, Staph, Tab.

- Warts, condyloma: syctic or syphilitic with sticking pain: Nit ac, Staph; Thuja.

- Masturbation: when patient is greatly distressed by the culpability of the act: Diosc, Ph ac, Staph.

- Constipation: faeces slender, long, dry, tough and hard: Phos, Staph.

- Trifling things produce profound vexation: Ign, Plat, Staph.
- Styes: Puls, Lyc, Staph.
- Child dislikes even favorite play things: Cina, Rheum, Staph.
- Teeth decay at edge of gum and break off, are cupped, edges serrated, dwarfed in size, converge at their tips: Staph, Syphil.

Causes & diseases

- Anger reserved.
- Anger reserved.
- Anger with indignation.
- Anger suppressed.
- Suppressed wrath after insults; morificatio=speechlessness; sleeplessness; fatigue brain fog; irritability of bladder; colic.
- Indignation-headache.
- Masturbation, sexual abuse; onanism and emissions-loss of memory; dullness of mind; low spirited; indifference; despair of future; hypochondriasis; mental effects.
- Ailments from pride, envy or chagrin.
- Coition-dyspnoea, prostration.
- Coition is painful in women due to sensitiveness of parts.
- Coition causes constant urging to urinate in young married women.
- Burning in urethra when not urinating.
- Clean cut wounds.
- Operation-smarting pains; loss of blood; shock.
- Lithotomy-colic.
- Injuries by sharp cutting tools.
- Bed effects from mercury=bone diseases,ulcers, caries.
- Smoking tobacco=cough.
- Head lice; crab lice.
- Syphilis.
- Sycois-fig warts.
- Gouty nodes on fingers.
- Rheumatism.
- Bone disease, ulcers, caries.
- Scrofulous ophthalmia.
- Styes.

- Chalazae on upper eyelids, one after another, leaving hard nodosities in their wake (Con, Thuja).
 - Teeth turn black, show dark streaks through them, crumble, decay on edges.
 - AFFINITIES; Nerves, Sphincters, Teeth, Genito-tissues, Eyelids, Tarsi, Skin, Right deltoid,
 - Complaints & characteristics
 - Sensation of a round ball in forehead sitting firmly there even when shaking the head.
 - Sensation as if worms were crawling over him (Coff, Plat, Apis, Petr, Tar h, Sec c).
 - Trembling of the body from nervous excitement.
 - Nervous weakness; as done up after much hard work.
 - Sensation as if stomach and abdomen were hanging down relaxed (Agar, Ipec, Tab).
 - Toothache: during menses; sound as well as decayed teeth; painful to touch of food or drink, but not from biting or chewing; worse from drawing cold air into mouth; worse from drawing cold air into mouth; worse from cold drinks and after eating.
 - Urging to urinate has to sit at urinal for hours, in young married women; after coition; after difficult labour (Op).
 - Burning in urethra when not urinating.
 - Pain after urinating in prostatic troubles of old men.
 - Prolapse of bladder.
 - Painful sensitiveness: of sexual organs, vulva so sensitive can scarcely wear a napkin.
 - Haemorrhoidal tumours, tumours so sensitive that they can not be touched; polypoid growths sensitive to touch; nerve growth or tumours very sensitive to touch; will go into spasms if touched.
 - Induration: of glands, scrofulous glands, ovaries, testicles; tonsils not large but hard.
 - Diarrhoea: from indignation; anger; cold water, from eating; with flatulence of offensive odour like spoiled eggs.
 - Colic every time he eats or drinks (Coloc).
 - Sleepy all day, sleepless all night, body aches all over.
- Generals & modalities

- Very sensitive to slightest mental impressions; least action of harmless word offends. (Ign).
- Great indignation, about things done by other or by himself; grieves about consequences.
- Was insulted; being too dignified to fight, subdued his wrath and went home sick, trembling, and exhausted.
- Ill humoured, irritable children cry for things which after receiving they petulantly push or throw away.
- Craving for tobacco.
- Persistently dwelling on sexual subjects; constantly thinking of sexual pleasures (Origan).
- AGGRAVATION; Anger, Vexation, insults, Mortification, Quarrels, Grief, Sexual excesses emissions, masturbation, Tobacco, Least touch, Night and morning.
- AMELIORATION; After breakfast, Warmth, Rest.

Stramonium

- Synonyms: thorn apple.
- Hindi-Datura.
- Source: It is a plant belonging to the natural order of Solanaceae.
- Habitat: It grows in the vicinity of cultivation on rank soil where refuse is dumped. It grows in both Eastern and Western hemispheres.
- Preparation: Mother tincture is prepared from the fresh plant in flower and fruit. Higher potencies are prepared from the mother tincture.
- Proved by Dr. Hahnemann.

Indications

- It is a SPECIFIC remedy for the following conditions:
 - 1. Hydrophobia: fear of water; swallowing difficult due to constriction and spasms of glottis; convulsions renewed by sight of bright light from a mirror; sight of water; with violent delirium with red face and great loquacity.
 - 2. Typhoid fever: fever continuous and high muttering delirium; sings, makes verses; desires to escape; head hot, face red, cold extremities; eyes wide open, brilliant; sees animals; desires light and company; fearful.

- 3. Puerperal convulsions: violent; with consciousness; with congestion of head and face and cold extremities; screams aloud; talking continually, beseeching, entreating; praying, incoherent speech.
- 4. Basilar meningitis from suppressed ear discharge.
- 5. Violent headache from walking in the sun.
- 6. Excruciating pain in purulent abscesses.
- 7. Retention of urine, cannot pass it if he ceases to strain; in old men who have lost power over the bladder; urine flows slowly.
- 8. Insanity: mania; with hallucinations, illusions and delusions; see, ghosts, animals, angels; hears voices, talks to spirits; delusions about identity; rapid changes from joy to sadness; furious maniacal delirium with red face and great loquacity; hallucinations terrify the patient.
- 9. Twitchings of single muscles especially upper part of body.
- 10. Suppressed menses produce characteristic mental symptoms.
- 11. Metrorrhagia from retained placenta with characteristic mental symptoms.
- 12. Tetanic convulsions, worse from touch and bright light.
- (Cic, Strych).
- 13. Ailments in which patient desires light and company; feels sleepy but cannot sleep; where pains is expected but the patient does not complain of pain.
- (Op).
- 14. Stammering; has to exert himself a long time before he can utter a word; makes great effort to speak; distorts the face.
- 15. Cardiac affection with irregular pulse; sleep full of dreams of turmoil.
- 16. Child awakens terrified, knows no one; screams with fright, clings to those near.
- DOSAGE: 6th to 200th potency.
- REPETITION: May be repeated according to the pace of the disease, but once the response is observed no need to repeat the dose.
- It is a short acting remedy, hence useful in acute diseases.
- For chronic disease it should be followed by constitutional remedy or anti-miasmatic remedy.

Relationship

- REMEDIES THAT PRECEDE WELL: Bell, Cupr, Hyos, Lyco, Lyc.

- REMEDIES THAT FOLLOW WELL: Acon, Bry, Nux v, Sec c, Pyrog.
- INCOMPATIBLE: Coff.
- ANTIDOTES: Bell, Hyos, Nux v. Op, Tab.
- BOYD'S DRUG GROUP : VIII.

Comparison

- Complaints appear diagonally; upper left and lower right: Agar, Ant t, Stram, Led.

- Prays: Aurum Puls, Stram, Verat a.
- Stram: Prays continuously.
- Sees ghosts, hideous faces and animals: Bell, Stram.
- Aggravation from looking at bright shining objects: Bell, Lyc, Stram.
- Children awake suddenly, screaming and grasping sides of cradle, without apparent cause: Apis, Borax, Cina, Stram, Bov, Kali bron.
- Stammering children: Bov, Ign, Spig, Stram.
- Mental excitability with great loquacity: Agar, Lach, Stram.
- Hydrophobia: Bell, Canth, Hyos, Stram, Lysin, Ars a.
- Mania with lewd, lascivious talk, amorous or religious: Hyos, Stram, Verat c.
- Ailments of young plethoric persons: Acon, Bell, Stram.
- Disposed to talk continually: Cic, Lach, Stram.
- Cannot bear to be alone: Arg n, Ars a, Bism, Hyos, Kali c, Lac c, Lyc, Phos, Stram.
- Desires to escape in delirium: Bell, Bry, Op, Rhus t, Stram.
- Head feels as if scattered about: Bapt, Stram.
- Convulsions with consciousness: Nux v, Stram, without consciousness- Bell, Bry, Op,
- Painlessness : Op, Stram.
- Sleepy but cannot sleep: Bell, Cham, Op, Stram.
- Aggravation after sleep: Apis, Lach, Op, Spong, Stram,
- Belladonna: Chilly, Susceptible to cold, sensitive to cold draft, disposed to congestion, inflammation, rush of blood to head and face, pupils dilated, dry mouth without thirst, pain comes suddenly, ceases suddenly; throbbing of carotids; not suitable in typhoid; sleepy but cannot sleep.

- Tubercular diathesis; desire to escape in delirium convulsions, without consciousness.
 - Worse looking at bright shining objects; uncovering head; sun.
 - Hyoscyamus: Emotional, hysterical, fear of being poisoned; being alone; suspicious of some plot; bad effects of unfortunate love; jealousy; lascivious mania, exposes the person, person, sings obscene songs; convulsions without consciousness; cough spasmodic, worse when lying down; typhoid delirium, picking of bed clothes; involuntary stool and urine, worse during menses; jealous unhappy love; when lying down.
 - Stramonium: Congestion is greater than Hyos but less than Bell.
 - Delirium less furious than Bell, but more violent than Hyos.
 - Disposed to talk continually is not found in Bell and Hyos.
 - Face and head hot and red with cold hands and feet.
 - Sleepy but cannot sleep; painlessness purulent abscess; suppression of eruptions, ear discharges, lochia producing mental symptoms.
 - Desires light and company; hydrophobia.
 - Disposed to insanity; desire to escape in delirium; convulsions with consciousness.
 - Worse after sleep, looking at bright or shining objects; walling in the sun.
 - Cicutia vir-Convulsions: dentitional; from worms; puerperal; epileptic; tetanic; violent, with distortion of limbs; opisthotonos, loss of consciousness.
 - Stychium: Renewed from touch, jar or noise.
 - Tetanic convulsions with opisthotonos, touch noise.
- Causes & diseases
- Fright=hysterical convulsions, screams.
 - Shock=cold sweat, child birth=puerperal convulsions, insanity.
 - Sun=headache.
 - Suppression ear discharge=basilar meningitis.
 - Suppressed menses-mental symptoms.
 - Over study=brain irritation, eye troubles.
 - Hydrophobia (Ars a, Bell, Canth, Hydrophobium).
 - Delirium violent.
 - Typhoid fever.

- Illusions.
 - Delusions.
 - Hallucinations.
 - Insanity.
 - Mania.
 - Chorea.
 - Convulsions.
 - Meningitis.
 - Abscess.
 - Constriction of throat.
 - Retention of urine in old people.
 - Cardiac affections with irregular pulse, sleep full of dreams and turmoil.
 - Metrorrhagia from retained placenta with characteristic delirium.
 - Tetanic convulsions worse from touch and light.
 - Schiopherania.
 - AFFINITIES; Brain, Nervous system, Circulation, Muscles, Sex organs.
- Complaints & characteristics
- Delirium: muttering loquacious, talks all the time; violent; sings, makes verses, raves desires to escape, head and face hot and red with cold extremities; in continued fevers, typhoid; cerebral congestions and insanity.
 - When delirium is not on, the face is pallid forehead wrinkled, looks sickly and haggard.
 - Convulsions with consciousness.
 - (Nux v).
 - Insanity: hallucinations terrify the patient; disposed to talk continually (Cic, Lach); incessant and incoherent talking and laughing; praying, beseeching, entreating; with suppressed menses.
 - Sings amorous songs, utters obscene speech; sees ghosts, animals, angels, hears voices, talks with spirits; delusions about identity; rapid changes from joy to sadness.
 - Furious maniacal delirium with red face and great loquacity.
 - Hydrophobia: Fear of water, with excessive aversion to liquids (Bell, Hydrophob); spasmodic constriction, of throat; convulsions renewed by sight of bright light, of mirror or water.

- Twitching of single muscle or group of muscles, especially upper part of body.
- Vomiting as soon as he raises his head from pillow; from bright light.
- Eyes wide open, prominent, brilliant; pupils widely dilated, insensible; contortion of eyes and eyelids.
- Face hot and red with cold hands and feet; circumscribed redness of cheeks, blood rushes to face; risus sardonicus.
- Awakens with a shrinking look, as if afraid of the first object seen.
- Imagines all sorts of things; that she is double, lying crosswise etc. (Petr).
- Head feels scattered about (Bapt).
- Painlessness where pain is expected (Op).
- No pain with most complaints.
- Stammering: has to exert himself a long time before he can utter a word; makes great efforts to speak; distorts the face (Bov, Ign, Spig).
- Pupils dilated.

Generals & modalities

- Children.
- Plethoric persons.
- Desires light and company, cannot walk in dark room; cannot bear to be alone; worse in dark and solitude.
- Sleepy but cannot sleep.
- (Bell, Cham, Op)
- AGGRAVATION; In the dark, When alone, Looking at bright light or shining objects, After sleep, (Apis Lach, Op, Spon), When attempting to swallow.
- AMELIORATION; Light and company, Warmth.

Sulphur

- Synonyms : Brimstone-Hindi-Gandhak.
- Source: It is an element, occurring in nature as a brittle crystalline solid substance in mines or near volcanoes. It is a compound word consisting of "Sul" meaning salt and "Phur" meaning fire. Hence it means "The salt that burns". It is called "Gandhak" in Hindi because it has a smell of its own, the medicinal properties of Sulphur were known to

Ayurvedic physicians of ancient India who used to prepared and use Makardwaja, a preparation of Sulphur, Mercury and Gold ton their patients. Sulphur is available in the market.

- Preparation: Trituration of "Flower of Sulphur" are prepared with sugar of milk and higher potencies are prepared from 3c. A saturated solution of sulphur in absolute alcohol constitutes the mother tincture.

- Proved by : Dr. Hahnemann. The first proving of Sulphur contained 151 symptoms in materia medica pura. Allen Encyclopedia contains 4,083 symptoms.

Indications

- IT IS A DEEP ACTION ANTI-PSORIC, CONSTITUTIONAL, AND SPECIFIC REMEDY.

- ANTI-PSORIC INDICATIONS:

- It is an Anti-psoric remedy for the following conditions:

- 1. When carefully selected remedies fail to produce a favourable effect, especially in acute diseases.

- It frequently serves to remove the bad effects of psora and rouses the reactive powers of the vital dynamic.

- 2. Complaints that are continually relapsing due to lack of vital dynamic or reactivity.

- 3. Chronic ailments due to suppressed eruptions causing asthma, epilepsy, chorea, convulsions, diarrhoea, insanity, dyspnoea, vertigo, scrofulous ailments.

- 4. Suppression of haemorrhoidal flow causing chronic ailments including heart troubles. (Collins).

- 5. Chronic ailments from suppressed gonorrhoea, i.e. impotency, prostatic troubles. (Med, Thuja).

- 6. Chronic ailments from suppressed eruptions in acute fevers like small-pox, measles, scarlet fever.

- 7. Chronic ailments from suppressed discharges like menses, sweats lochia.

- 8. Drug miasm produced by vaccination.

- (Ant t, Sil, Thuja).

- It is a CONSTITUTIONAL remedy for the following indications:

- 1. Children: dirty, filthy; aversion to bath; big belly with emaciated limbs; put everything in their mouth; watch every one eating; red lips

and other orifices of the body; restless at night; kicks the covers off even in cold weather; causeless weeping; hungry yet emaciated; foul odour from perspiration; disposed to skin diseases, worm troubles and excoriating discharges; scrofulous diathesis.

- 2. Persons of nervous temperament, quick motioned, quick tempered, plethoric skin excessively sensitive to atmospheric changes (Allen).

- The Sulphur patient is a lean, lank, hungry, dyspeptic fellow with stooping shoulders, yet many times it must be given to fat, round, well fed people.

- Persons who lead sedentary life, confined to their rooms in study, in meditation, in philosophical inquiry and who take no exercise, soon find out that they must eat only the simplest food and they end up by going into philosophical mania. (Kent)

- Dirty, shrivelled, red faced people; untidy; not disturbed by unclean lines; oversensitive to filthy odours but he eats filthy substances; he has an exaggerated sense of smell; discharges are of offensive odour, excoriating the tissues over which they flow; excoriating leucorrhoea, saliva, lachrymation, stools.

- 3. Patients are warm blooded; complaints come on from becoming warm in bed; burning sensation is found in congestions; burning here and there is spots; burning in the glands, organs, stomach or in lungs, burning stool, urine and discharges; burning stool, urine and discharges; burning of the soles of the feet and palms of hand. (Kent).

- 4. Standing is the worst position for Sulphur patient; they cannot stand; every standing position is uncomfortable (Allen); cramps in calves and soles at night.

- 5. Sulphur patient is too lazy to rouse himself; too unhappy to live.

- 6. Sulphur patients are disposed to: scrofulous, rachitis, catarrhal, bilious, haemorrhoidal dispositions; tendency to venous and portal congestions; itchy eruptions.

- 7. Sulphur patients are oxygenoid; they suffer from suffocative attacks at night, want the doors and windows open.

- SPECIFIC indications:

- 1. Diarrhoea: after midnight; painless; driving out of bed early in the morning, foul smelling; excoriating anus.

- 2. Constipation: stool hard knotty, dry as if burnt; large; painful.
- 3. Menorrhagia after miscarriage.
- 4. Sick headache every week or every two weeks; prostrating; weakening; with hot vertex and cold heat.
- 5. Chronic alcoholism; they reform but are continually relapsing; dropsy and other ailments of drunkards.
- 6. Third stage of pneumonia when hepatisation fails to relapsing; dropsy and other ailments of drunkards.
- 7. Pleurisy: pericarditis; helps in the reabsorption of the fluid and plastic exudations, in brain or joints when Bryonia or Kali mur fails.
- 8. Sulphur is a specific remedy in the following conditions if the characteristic, constitutional or the anti-miasmatic symptoms are present in the patient.
 - Acne; Adenoids; Alcohol habit; Amenorrhoea; Asthma; boils; Chilblains; Constipation; Consumption; Diarrhoea; Dysentery; Eczema; Eye affections; haemorrhoids Hypochondriasis; Leucorrhoea; Liver disorders; Lumbago; Lupus; Measles; Menstrual disorders; After-effects of miscarriage pericarditis; Pneumonia; pleurisy; pregnancy disorders; Rheumatic disorders; Self abuse; Skin affections; Sleep disorders; Starting; urticaria; Prolapse of uterus; Vaccination; Worms.
- 9. Sulphur should be considered as the remedy in the following conditions:- As a prophylactic remedy in cholera, malaria, recurrent boils.
 - Threatening phthisis.
 - As antidotal to abuse of metals generally.
 - When syphilis and sycosis are complicated with psora.
 - When partial relief comes from remedies which have no definite complementary remedy.
 - To shorten the convalescent period after acute diseases.
 - When worms are suspected as obstruction to cure.
 - When there is history of suppressed eruptions.
 - When there is history of suppressed eruptions.
 - When symptoms are left sided.
 - Should be considered when complaints are relapsing; rheumatic complaints (Roberts).
 - When the benefit action of other remedies come to a halt.

- It makes the same remedy work again.
- (Pierce).
- When there is in the past history ulcers and other ailments traceable to tuberculosis (Ruddock).
- Sulphur, Calc c, Lycopodium follow each other well and they should be considered in this direction in sequence.
- CONTRA-INDICATIONS:
 - 1. Should not be given in advanced cases of phthisis in high potencies. (Kent)
 - 2. Should not be given at night to persons who do not suffer from loss of sleep.
 - 3. Should not be given after Calc or Aur met as it may spoil the case.
- DOSAGE : Crude form-it is useful in cases of scabies in the form of sulphur ointment.
- Low potencies-in asthma, rheumatism early cases of phthisis.
- The 12th potency is a good one to begin treatment with, going higher and higher when the symptoms again call for it.
- Acts in all potencies from lowest to highest according to the susceptibility of each patient.
- 200 or higher potencies in chronic diseases.
- REPETITION: bears repetition well in certain specific diseases e.g. haemorrhoids.
- Single dose of high potencies in chronic conditions or suppressions.
- DURATION OF ACTION: 40 to 60 days (Clarke).

Relationship

- COMPLEMENTARY REMEDIES: Acon, Aloe, Badiaga, Nux v, Psor.
- REMEDIES THAT PRECEDE WELL: Alum, Apis, Bell c, Boxax, Carb v, Graph, Kali c, Nit c, Nit ac, Phos, Podo, Puls, Rhus t.
- REMEDIES THAT FOLLOW WELL : Calc c, Psor.
- ANTIDOTES : Acon, Camphor, Chin, Merc, Puls, Rhus t, Sep.
- REMEDY ANTIDOTES: Chin, Iod, Merc Nit ac, Rhus t, Sep.
- BOYD'S DRUG GROUP: VIII.

- MIASMATIC GROUP: Anti-psoric, Antisycotic.

Comparison

- Epilepsy from suppressed eruptions: Agar, Psor, Sulph.
- Diarrhoea; driving out of bed early in the morning: Aloe, Psor, Rumex, Sulph.
- Intolerable itching of the whole body when getting warm in bed: Alum, Sulph.
- Children dislike washing: Amm c, Ant cr, Sulph.
- Haemorrhoids: with burning and stinging in the rectum for hours after stool: Aesc, Am mur, Sulph.
- Sensation: as of a hoop or band around a part of the body: anac, Cact, Carb ac, Gels, Sulph.
- Canker sores in the mouth: Ant cr, Arg n, Sulph.
- The least mental excitement causes profuse return of menstrual flow: Calc c, Sulph, Tub.
- Diseases of venous system predominate: Carb v, Sulph.
- Dull heavy frontal headache, as if a rubber band were stretched tightly over the forehead, from temple to temple: Carb ac, Gels, Plat, Sulph.
- Patient improves for a time then comes to a stand still: Caust, Psor, Sulph.
- Sensation as if something alive were moving in abdomen, uterus, arms or other parts of the body: Croc s, Sab, Sulph, Thuj.
- Painless diphtheria; no characteristic symptoms; patient too weak, apathetic, prostrated to complain; sopor or stupor, but easily aroused when spoken to : Bapt, Diph, Sulph.
- Hydrocephalus, post scarlatinal or tubercular which develops rapidly: Apis, hell, Sulph, Tub.
- Haemorrhoids with pain after stool, for hours after stool: Ign, Nit ac, Rat, Sep, Sulph.
- Suffers from hunger, must eat every few hours, anxious and worried if he does not eat: Cina, Iod, Sulph.
- Burning and smarting during and after micturition: Kreos, Sulph.
- Headache with burning in vertex during menopause: Lach, Sang, Sulph.
- Great physical and mental exhaustion; trembling in whole body; would constantly sink down from weakness; worse in morning: Lach, Sulph, Tub.

- Fever annually returning; paroxysm every spring: Carb v, Lach, Sulph.
- Constipation faeces dry and hard: Bry, Lac d, Sulph.
- Tormented about her salvation: Lil t, Lyc, Sulph, Verat a.
- Persons predisposed to lung and liver affections: Calc c, Lyc, Phos, Sulph.
- Constant desire to urinate on seeing running water: Canth, Lyss, Sulph.
- Unrefreshing sleep, more tired on rising than when retiring: Bry, Con, Hep, Mg c, Op, Sulph.
- Pains with constricting sensation: Cact, Iod, Mag phos, Sulph.
- Craving for sweets: Med, Sulph.
- Burning of hands and feet, wants the uncovered and fanned: Lach, Med, Sulph.
- For sufferings during climacteric: Lach, Murex, Sep, Sulph.
- Sensation of a band around bones: Carb ac, Nit ac, Sulph.
- Tendency to faint: Nux v, Sulph.
- Constipation: from inactivity, no desire: Bry, Op, Sulph.
- Alternate diarrhoea and constipation: Nux v, Sulph, Verat a.
- Menses never at right time; stopping and starting again: Nux v, Sulph.
- Heat and burning of soles and palms: Petr, Sang, Sulph, Phos, Lach, Med, Cham, Puls.
- Burning of every organ or tissue of the body: Ars a, Phos, Sulph.
- Hungry in the middle of the night, must have something to eat: Cina, Lyc, Psor, Sulph.
- Diarrhoea: sudden, imperative, must run for the stool: Aloe, Psor, Sulph.
- Diarrhoea from milk: Calc c, Nat c, Nic, Sulph.
- Best remedies with which to begin the treatment of a chronic case: Alum, Calc c, Puls, Sulph.
- Headache returns every seventh day: Sabad, Sang, Sil, Sulph.
- Painful enlargement of breasts during climacteric: Sang, Sulph.
- Excoriation of skin about anus: Sanic, Sulph.
- Child kicks off clothing even in coldest weather: Hep s, Sanic, Sulph.

- Erythism followed by perspiration over whole body during climacteric: Lach, Sang, Sep, Sulph, Tub.
- Weak and exhausted from some deep seated dyscrasia; no other symptoms: Psor, Sulph, Sulph ac.
- Craving for alcohol in any form.
- Hereditary tendency to alcoholism: Asar, Psor, Sulph, Sulph ac, Sulph, Tuber.
- Violent stitches in upper left chest; below the scapula; extending to neck: Apis, Myr, Pix l, Sulph, Therid.
- Abdomen protrudes here and there like the arm of a foetus: Croc, Nux m, Sulph, Thuj.
- Tubercular deposit begins in apex of lungs usually the left: Phos, Sulph, Therid, Tub.
- Attacks of fainting from least exertion: Carb v, Sulph, Verat a.
- Cerebral affection: where vital dynamis is too weak to develop exanthemata: Cup, Sulph, Tub, Zinc.

Causes & diseases

- Alcohol=congestion of head; indigestion.
- Cold=suppression of menses.
- Eruptions suppressed=asthma; chorea; diarrhoea; epilepsy; convulsions; headache; vertigo.
- Exanthema suppressed=complications.
- Excitement=sleeplessness.
- Fasting=headache.
- Milk=diarrhoea; indigestion.
- Gonorrhoea suppressed=chronic ailments.
- Menses suppressed=chronic ailment; vertigo.
- perspiration suppressed=chronic troubles.
- Suppressed haemorrhoidal flow=chronic ailments.
- Ailments from exposure to sun; suppressed catarrh; abuse of quinine; onanism; worms; vaccination, abuse of metals generally.
- Eruptive fevers: measles, small pox, scarlet fever.
- Pneumonia: when resolution is delayed.
- Pleurisy: when exudation in acute cases fails to be absorbed.
- Prevents lingering of convalescence after fevers.

- Skin eruptions with itching: eczema, herpes, zoster, prurigo, urticaria, acne, lichen planes, lupus with characteristic Sulphur symptoms.

- Apoplexy: after arnica when the blood is not absorbed rapidly, menorrhagia, has not been well since her last miscarriage.

- A single high dose at new moon (Lippe).

- AFFINITIES; Circulation, Nutrition, Mucous membranes, Joints, Serous membranes, Rectum, Skin, Glands, Vertex.

Complaints & characteristics

- Faint, sinking, all gone sensation at 11 a.m. must have something to eat; in dyspepsia of drunkards; cannot wait for lunch.

- Sensation of burning: on vertex; in stomach, in rectum; in anus; scalding urine; in chest rising to face; of skin of whole body with hot flushes; in spots, between scapulae.

- Constant heat on vertex; cold feet in daytime with burning soles at night, wants to find a cool place for them; puts them out of the bed to cool them off (Med).

- Hot flushes during the day, with weak faint spells, passing off with a little moisture.

- Cramps in calves and soles at night.

- Congestion of blood to single parts: eyes nose, chest, abdomen ovaries, arms, legs or any organ of the body, marking the onset of malignant grow the especially at climacteric.

- Complaints that are continually relapsing; patient seems to get almost well when the disease returns again and again.

- Air hunger; feels suffocated, wants doors and windows open, particularly at night.

- Periodicity of complaints.

- 11 a.m. ; 12 hourly; weekly on Sunday; once a month.

- Movements in abdomen as of a child.

- Diarrhoea; after midnight; painless; driving out of bed early in the morning (Aloe, Psor).

- Constipation: large, painful; afraid to have the stool on account of pain; alternating with diarrhoea.

- The discharge both urine and faeces is painful to parts over which it passes; parts round anus red, excoriated; all discharges excoriating

wherever they touch.

- Lies necked, cannot tolerate covering.
- Keeps feet out of covering.
- Fear of insanity.

Generals & modalities

- Children: dirty filthy; aversion to bath; put everything in their mouth; crave fats sweets, candy; watch every one eating; big belly with emaciated limbs; offensive smell from the body; red orifices, restless at night; kicks the cover off: curvature of spine; discharges burning, acrid excoriating psoric, disposed to skin diseases with itching; thirsty, but eats little; causeless weeping; hungry yet emaciated.

- Scrofulous diathesis.
- Women; menses too early, too profuse and protracted.
- Persons: warm blooded sensitive to atmospheric too unhappy to live; indifferent to external things; to pleasure personal appearance, welfare of others.
- Desire for open air for alcohol.
- Indolent, too lazy to rouse himself Haemorrhoidal tendency.
- Plethoric; venous disposition; standing is the worst position; likes to sit down stooping shoulder.
- Restless at night; anxious on awaking quarrelsome; critical; inquisitive; suspicious.
- Impatient.
- Craving for alcohol; ailments of drunkards, they reform but are continually relapsing.
- Wakeful all night; suffocative attacks at night wants doors and windows open.
- AGGRAVATION; When standing, At rest, Warmth in bed, Washing, Bathing, Changeable weather, Riding, Unpleasant odor, Warm room.
- AMELIORATION; Dry, warm, weather, lying on right side, Open air. Motion,

Sulphuricum acidum

- Synonyms : Sulphuricum Acidum, formula: H_2SO_4 .
- Source: It is available in the market.

- Preparation: Dilutions are prepared from the acid from which higher potencies are prepared.

- Proved by Dr. Hahnemann.

Indications

- It is a SPECIFIS remedy for the following conditions.

- 1. In mechanical injuries: bruises chaffing, livid skin with prostration; tendency to gangrene in old people after injury.

- Painful, gangrenous wounds; said to destroy septic germs.

- 2. Concussion on brain from fall or blow; where skin is cold and body bathed in cold sweats, with shock. (Arn, Nat s.)

- 3. Bruises from injury: after Arnica when pain is present with lived skin and profuse sweat.

- 4. Chronic heart burn, sour eructations, sets teeth on edge.

- 5. Ailments from brandy drinking.

- 6. Ailments of drunkards: sensation of internal trembling, weakness and exhaustion.

- 7. Purpura hemorrhagica: petechiae; blue spots; livid red itching bloches.

- 8. Sterility due to frequent copious menses.

- 9. Craving for liquor is subdued if Sulph ac one part with three parts of alcohol is taken in 10 to 15 drops daily three times a day for 3 or 4 weeks. (Hering)

- 10. Ailments with sensation as if the brain was loose in forehead and falling from side to side.

- DOSAGE: 3rd to 200 on higher.

- REPETITION : Can be repeated in low potencies. Single dose of high potency is enough.

- REPETITION: 30 to 60 days. (Clarke)

Relationship

- COMPLEMENTARY REMEDY : Puls, Sul ac, is complementary of Calend.

- REMEDIES THAT PRECEDE WELL: Arn, Con, Ruta, Arnica is followed well by Sul ac in injuries.

- After Led in ecchymosis.

- REMEDIES THAT FOLLOW WELL: Calc c, Con, Lyc, Puls, Sep, Sulph.

- ANTIDOTES: Ipec, Puls.

- REMEDY ANTIDOTES: In lead poisoning diluted Sulphuric acid if taken as a lemonade removes the chronic bad effects of lead.

- Sulphuric ac antidotes Capsicum.

Comparison

- Great prostration after injuries: Acet ac, Sulph ac.

- Complaints appear diagonally, upper right lower left: Ambr, Brom, Med, Phos, Sulph ac.

- Concussion of the brain: Sul ac, Arn, Nat s, Concussion of spine-Hyper.

- Complaints of drunkards after abstaining; craving for alcohol: Asar, Calc ars, Sul ac.

- Vomiting; sour acid: Ferr m, Lyc, Sul ac.

- Bad effects of Plumbum are antidoted by: Alum, Petr, Plat, Sul ac, Zinc.

- Child has a sour odour despite careful washing: Hep s, Mag c. Rheum, Sul ac.

- Sensation as if brain was loose and falling from side to side: Bell, Bry, Rhus t, Spig, Sul ac.

- Haemorrhage of black blood from all outlets of the body: Crot h, Mur ac, Nit ac, Tereb.

- Weak and exhausted from some deep seated dyscrasia; no other symptoms: Psor, Sulph, Sul ac.

- Hereditary tendency to alcoholism: Asar, Psor, Sulph, Sul ac, Tub.

- Purpura haemorrhagica; fresh ecchymoses in great number from day to day: Sul ac, Tereb.

Causes & diseases

- Bad effects of mechanical injuries, livid skin.

- Prostration.

- Tendency to gangrene following mechanical injuries, especially of old people.

- Aphthae: of mouth gums or entire buccal cavity; gums bleed easily; ulcers painful; offensive breath (Borax).

- Ecchymosis; cicatrices turn blooded or blue, are painful.

- Petechiae: pupura haemorrhagica: blue spots; livid, red, itching blotches.

- Haemorrhage of; black blood from all outlets of the body (Crot h, Mur ac, Nit ac, Tereb).
- Concussion of brain from fall or blow; when skin is cold and body bathed in cold sweats.
- Ailments from brandy drinking.
- Follows well after Arn in bruised pain; livid skin and profuse sweat; after led in ecchymosis.
- AFFINITIES; Digestive tract, Blood, Blood vessels, Left side.
- Complaints & characteristics
- Sensation as if the brain was loose in forehead and falling from side to side.
- (Bell, Bry, Rhus t, Spig).
- Pain of gradual and slow increasing intensity which ceases suddenly at its height, often repeated (Puls).
- Flushes of heat in climacteric years.
- Chronic heart burn sour eructations, sets teeth on edge.
- (Rob).
- Sensation as if trembling all over; without trembling internal trembling of drunkards.
- Water drunk causes coldness of the stomach unless mixed with alcoholic liquor.
- Weak and exhausted from some deep seated dyscrasia; no other symptoms (Psor, Sulph).
- Generals & modalities
- Child has a sour odour despite careful washing (Hep s, Mag c,) Rheum).
- Impatient: feels in a great hurry, every thing must be done quickly.
- Old women at menopause.
- AGGRAVATIONS; Excess of heat or cold, Injuries, Open air, After dinner, Forenoon, Evening, Climacteric, Odour of coffee.
- AMELIORATION; Hot drinks Warmth, Lying on affected side, Pressure.

Syphilinum

- Synonyms : Syphilitic virus, Lueticum, Luesinum.

- Preparation: Triturations are prepared from the Syphilitic virus and higher potencies are prepared from 3c.

- Proved by Drs. Samuel Swan, Skinner Thomas Wildes, E.B. Nash, H.C. Allen., J.T. Kent.

Indications

- It is a SPECIFIC remedy in the following conditions:

- 1. Syphilitic patients who have had chancre treated by local means, and as a result have suffered from throat and skin troubles for years.

- When given in primary chancre it first aggravates then cures the disease.

- 2. Ailments in which all symptoms are worse at night; from twilight to daylight.

- 3. Pains increase and decrease gradually; shifting and require frequent change of position.

- 4. Leucorrhoea: profuse, soaking through the napkin and running down to the heels.

- 5. Acute ophthalmia neonatorum; lids swollen, adhere during sleep: pain intense at night agg from 2 to 5 A.M. ; pus profuse; ameliorated by cold bathing.

- 6. Ptosis: paralysis of superior oblique muscle; sleepy look, from drooping of lids.

- 7. Craving for alcohol in any form. Hereditary tendency in alcoholics.

- 8. Obstinate constipation for years: rectum seems tied up with strictures; when enemata were used the agony of passage was like labour (Lac d, Tub).

- 9. Fissures of anus and rectum (Thuja); prolapse rectum with history of Syphilis.

- 10. When best selected remedy fails to relieve or permanently improved in syphilitic affections.

- DOSAGE: 200 to higher potencies.

- REPETITION: Bears repetition well after a week in 200 potency.

- Single dose of CM in chronic cases.

- In primary chancre one dose of 1 M potency given daily first aggravates the chancre for two weeks then gradually the chancre fades away (Thomas Wildes).

- If after giving Syphilinum the edges of the chancre assume the appearance of proud flesh in the third or fourth week and becomes everted, jagged and angry dark red he gives Lac and CM every night for ten or fourteen days until the sore takes on a more natural appearance, when Syphilinum 1 M is again given to finish the case.

- For any remaining induration Nit ac 30 four times a day is given.

- The attack would come on only at night after lying down or during a thunderstorm, and produces the most intense insomnia, entirely preventing sleep for days and nights together, most of the similar remedies failed.

- Syphilinum C M cured, (H. C Allen)

Comparison

- Thinks she is going crazy: Act r, Manc, Syphil.

- Syphilitic affections of bone: Asaf, Aur, Kali iod, Nit ac, Syph.

- Worse whole night: Aur, Merc, Sulph, Syph.

- Pains increase and decrease slowly: Stann, Syph.

- Anti syphilitic remedies: Ars a, Ars iod, Asaf, Aur, Aur m, Aur m, n, Fl ac, Iod, Kali iod, Kali s, Lach, Led, Merc, Merc c, M.I. F., M.I. R., Nit ac, Phyt, Sil, Still, Syph, Thuja.

Causes & diseases

- Suppressed syphilitic eruptions and mucous patches in the throat are brought back.

- Changeable symptoms of the syphilitic invalids.

- Acute ophthalmia neonatorum.

- Caries and depression of nose.

- Cancerous ulceration of face.

- Lupus of face.

- Caries of cervical and dorsal vertebrae.

- Indurated cervical glands.

- Hodgkin's disease.

- Rheumatism of deltoid, painful on raising arm.

- Syphilitic dyscrasia, hereditary or acquired.

- Frequent abortions.

- Leucorrhoea: watery, acrid, profuse, running down the heels (Alum).

- Ulceration: of mouth nose, genitals, skin.
- Succession of abscesses.
- Falling of hairs.
- Chronic, recurrent, phlectenular inflammation of cornea.
- Teeth crumble, turn yellow.
- (Thuj, Syph).
- AFFINITIES; Nerves, Mucous Membranes, Bones.

Complaints & characteristics

- All symptoms are worse at night; begin with twilight and end with daylight (Merc, Phyt, Aur m, Colch).
- Pains from darkness to daylight; increase and decrease gradually (Stan).
- Shifting and frequent change of position.
- Headache, neuralgic in character, causing sleeplessness and elirium at night; commencing at 4 P.M. , worse 10 to 11 P.M. , ceasing at daylight.
- Great prostration in the morning on waking.
- Complaints worse in cold weather in winter and heat of summer.
- Severe bone-aches at night in bed, ameliorated at day break.
- Excessive flow of saliva, runs out of mouth when sleeping.
- (Merc).
- Insomnia preventing sleep for days and nights together.
- Syphilitic affection of bones (Aur, Asaf, Kali iod, Merc Phyt, Nit ac).
- Progressive emaciation (Abrot, Iod, Tub Syph).
- Tendency to successive abscesses (Hep s, Sil, Psor, Syph).
- Lancinating pains in heart from base to apex.
- (Opposite Med).
- Paralysis of upper lids (Cause, Gels Graph).
- Anal fissures (Nat m, Sanic, Thuj, Nit ac, Syph).
- Dental troubles in syphilitic children (Kreos, Merc).

Generals & modalities

- Adynamic state in syphilitic patients; they take long time to recover from acute diseases like typhoid, pneumonia etc.
- Dwarfish children.
- Extreme emaciation of entire body.
- (Abrot, Iod).
- Hereditary tendency to alcoholism.

- Old looking marasmatic children.
- Crying infants.
- Despair of recovery.
- Fears the night.
- Thinks she is going crazy.
- (Act r).

- AGGRAVATION; Gradual Aggravation then slow Amelioration, At night; after lying down, Sun-down to sunrise, Sea shore, Extreme Cold weather in winter, Extreme Heat of summer, During thunder storm, Every alternate full moon, Producing Tongue.

- AMELIORATION; During day, Walking slowly, Cold bathing, Warmth: Applied heat, Mountains, Changing position, Continued motion, Changing position.

Tabacum

- Synonyms: Tobacco, Nicotiana tabacum Hindi-Tamakhu.
- Source: It is a plant belonging to the natural order of Solanaceae.
- Habitat: It is cultivated all over the world. & It was imported originally from Cuba.
- Preparation: Mother tincture is prepared from the fresh leaves collected before the flowers are developed.

Indications

- It is a SPECIFIC remedy in the following conditions:
 - 1. Ailments characterised by: deathly nausea and vomiting; hiccough; complete prostration of entire muscular system; face pale, blue, pinched, sunken, collapsed, covered with cold sweat; terrible faint, sinking feeling at pit of stomach; from allergy to tobacco.
 - 2. Vertigo: death like pallor, increasing to loss of consciousness; relieved in open air and by vomiting; on rising or looking upwards; on opening the eyes.
 - 3. Sick headache: coming on in early morning intolerable by noon; with deathly nausea, violent vomiting; worse by noise and light; periodical, lasting one or two days.

- 4. Seasickness; deathly nausea, pallor, coldness; worse by least motion and better on deck on in fresh cold air.
- 5. Constipation: inactive bowel or paralysis of rectum; spasms of sphincter; with prolapse ani or years standing.
- 6. Diarrhoea: sudden; urgent with nausea, vomiting, prostration, and cold sweat; with extreme faintness; from excessive smoking.
- 7. Renal colic: left sided; violent spasmodic pains along ureter; with deathly nausea and cold perspiration.
- 8. Cardiac disorders; violent palpitation when lying on left side, goes off when turning to the right; pulse quick, full, large; small intermittent; exceedingly slow;1 feebly, irregular, almost imperceptible; hands and legs icy cold from knee down; body warm; with trembling of limbs.
- 9. Angina pectoris: with pale face, cold sweat; paroxysmal attacks; with deathly nausea and vomiting.
- 10. Paroxysmal complaints asthma, sick headache, vertigo, sneezing.
- 11. Tabacum potentised (200 or 1 M) to relieve terrible craving when discontenting use.
- 12. Cholera infantum: nausea, vomiting, rice water stool, cold body with sweat but the child wants abdomen uncovered.
- DOSAGE : 3rd to 30 and higher.
- REPETITION: Single and high potency.
- After each paroxysm.

Relationship

- REMEDIES THAT FOLLOW WELL : Carb v.
- ANTIDOTES: Ars a, Calad, Cham, Clent, Gels, Ign, Ipec, Lyc, Nux v, Phos, Plant, Puls.

Comparison

- Headache with nausea and vomiting: Ars a, Bry, Cocc, Ipec, Lac d, Lob inf, Sang, Sep, Tab.
- Vertigo on opening eyes : Lach, Tab.
- Renal colic left sided: Berb, Canth, Tab.
- Nausea with faintness: Bry, Cocc, Puls, Nux v, Tab.
- Nausea and with vertigo: Cocc, Puls, Tab, Ther.

Causes & diseases

- Sea sickness.

- Asthma.
- Angina pectoris.
- Coronary occlusion.
- Sick headache.
- Vertigo.
- Hay fever.
- Renal colic.
- Cholera.
- Amaurosis from atrophy of retina or optic nerve.
- Strabismus from brain troubles.
- Vomiting of pregnancy.
- Diseases originating from cerebral irritation; followed by marked irritation of functions of vagi.
- Herpes of anus.
- Prolapse ani.
- Trembling of limbs.
- AFFINITIES; Nerves: Cerebrospinal, vagus, sympathetic; Ganglia; Heart, Glands, Stomach.

Complaints & characteristics

- Vertigo: death-like pallor, increasing to loss of consciousness; relieved in open air and by vomiting; on rising or looking upward; on opening eyes.
- Sick headache early morning, intolerable by noon, deathly nausea, violent vomiting; worse by noise and light; periodical lasting one or two days.
- Sea sickness: deathly nausea, pallor, coldness, pallor, coldness; worse by least motion and better on deck in fresh cold air.
- Constipation: inactive bowel or paralysis of rectum; spasms of sphincter; with prolapse ani.
- Prolapse of anus: of years standing.
- Diarrhoea: sudden, yellowish, greenish, slimy; urgent, with prostration and cold sweats; with extreme faintness; from excessive smoking.
- Renal colic: violent spasmodic pains along ureter; left side (Berb); deathly nausea and cold perspiration.

- Palpitation: violent when lying on left side; goes off when turning to the right.

- Symptoms occur in paroxysms-asthma, sick headache, vertigo, sneezing.

- Ailments with: icy coldness of surface; covered with cold sweat.

- Face pale, blue pinched, sunken, collapsed, with cold sweat.

- Great despondency with indigestion, palpitation, intermittent pulse.

- Dim sighted: sees as through a veil.

- Nausea incessant, as if sea sick; vomiting on least motion; with faintness; better in open air.

- Vomiting; violent, with cold sweat; soon as he begins to move; during pregnancy, when Lactic ac fails (Psor).

- Terrible faint, sinking feeling at pit of stomach.

- Sense of relaxation of stomach with nausea.

Generals & modalities

- Emaciation of cheeks and back.

- Child wants abdomen uncovered, relieves nausea and vomiting; coldness of abdomen.

- Hands icy cold, body warm; legs icy cold from knees down; trembling of limbs.

- Craving for tobacco.

- Pulse; quick, full large; small, intermittent; exceedingly slow; feeble, irregular; almost imperceptible.

- AGGRAVATION; Movement of boat, ship or car, Least motion, Lying on left side.

- AMELIORATION; Open air, fresh cold air, Cold water poured on head, Cold water poured on head, Uncovering the abdomen, Twilight.

Tarentula cubensis

- Synonyms : Spider from Cuba.

- Source : Rotten cuban tarentula (Roberts). "The tarentula cubensis was being shipped into this country (U.S. A) in a container with alcohol to preserve it. The container broke on the way up, the alcohol ran out and the specimen decomposed.

- However a potency was made, and it is the pyogenic effect of the decomposition that is the greatest difference between Tarentula Hispania and the Tarentula Cubensis, for all our higher potencies were made from that stock.

- It is worth consideration, because there you get the mentality of Tarentula Hispania the septic conditions of Tarentula Cubensis". (T.F. Allen).

- Habitat : Tarentula Cubensis is a native of Cuba.

- Preparation: Mother tincture was prepared from the rotten tarantula from Cuba, and the higher potencies were prepared from this tincture.

- Proved by Drs. T.F. Allen, Oscar Hansen of Copenhagen, Nune, Nash, J.T. Kent.

Indications

- It is a SPECIFIC remedy in the following conditions:

- 1. Boils; abscesses; whitlows; anthrax; carbuncles; gangrene; malignant ulcers; affected parts of a bluish colour; with atrocious burning pains, compelling patient to walk the floor for nights. (Ars a, Anthrac).

- 2. Typhoid fever, foetid dark stool, with great prostration.

- 3. Diphtheria malignant type, deposit dark coloured, foetid breath.

- 4. Septic fevers (Pyrogen).

- 5. Whooping cough extremely harassing to the patient.

- 6. Produces euthanasia in the last days of pulmonary tuberculous patients; soothes the agony of death.

- 7. Preventive and curative for bubonic plague.

- DOSAGE: 30 to higher potencies.

- REPETITION: Single dose of high potency is enough.

- Repeat when symptoms call for it.

Relationship

- ANTIDOTES : Bov, Carb v, Cup, Lach.

Comparison

- Death rattle in asphyxia neonatorum: Ant t, Tarent.

- Whitlows, the worst cases with sloughing and terrible burning pain: Ars a, Carb ac, Lach, Tar c.

- Septic fever: Anthrac, Pyr, Tar c, Gun powder, Echin, Pyrog, Ars a.

- Malignant pustule: Anthrac, Lach, Pyrog, Tar c.
- Malignant diphtheria: Ail, Ars a, Carb ac, Diphth, Lach, Merc cy, Pyrog, Tar c.
- Gangrene: Anthrac, Ars a, Carb v, Echin, Euphor, Lach, Sec c, Sul ac, Tar c.
- Lividity (blueness): Ail, Ars a, Carb an, Carb v, Cup, Dig, Lach, Sec c, Tar c.
- Burning : Agar, Apis, Ars a, Canth, Rhus t, Sec c, Tar c.

Causes & diseases

- Ulcers.
 - Boils.
 - Abscesses.
 - Carbuncle on back of neck.
 - Gangrene.
 - Whitlow.
 - Meningitis.
 - Whooping cough.
 - Diphtheria malignant type, Deposit dark colour, foetid stool and great prostration.
 - Last stages of pulmonary tuberculosis.
 - Septic fevers.
 - Typhoid fever.
 - Bubonic plague.
 - Malignant ulcers.
 - Anthrax.
 - Intolerable pruritus vulva.
 - Septic conditions where pain and inflammation predominate.
 - Scirrhus of breasts.
 - Senile ulcers.
 - Toxaemic conditions.
 - AFFINITIES; Blood, Cellular tissues, Nervous system.
- #### Complaints & characteristics
- Ailments with burning sensation.
 - Severe pains, atrocious burning or sharp stinging pains.
 - Great prostration, copious sweats.
 - Diarrhoea.

- Great drowsiness.
- Intermittent fever with evening aggravation.
- Terrible burning, stinging pains.
- Septic swellings with bluish colour.
- Agony of a whitlow of a bluish colour, forcing patient to walk about for nights.

- Headache: intense, as if thousands of needles were pricking in the brain.

- Involuntary micturition on coughing.
- Pain of death.
- Symptoms appears periodically; annually.

Generals & modalities

- Impulsive.
- Impatient.
- Violent anger.
- Disposed to diabetes.
- AGGRAVATION; Night, contact, Touch, Motion.
- AMELIORATION; Smoking, Rubbing affected parts.

Tarentula hispanica

- Synonyms: Lycosa tarantula.
- Source: It is a spider belonging to the natural order of Araneideae.
- Habitat: Spain.
- Preparation: Mother tincture is prepared for the living spiders dissolved in alcohol. Higher potencies are prepared from the mother tincture.

- Proved by Dr. Nunez.

Indications

- It is a CONSTITUTIONAL remedy for the ailments of the patients:
 - 1. Who are relieved by music and dancing.
 - 2. Who are relieved by rubbing or massage of the head or other parts of the body.
 - 3. Who suffer from the same complaints at the same hour or at the same period annually.
 - 4. Who are of hysterical disposition; feign sickness; worse when observed, better when alone; sudden changes in mood; selfish, hateful,

foxy, cunning; fainting, twitching, choking; hyperaesthesia; strange fancies with regard to colours; violence of on-slaught; throws things in hand; pulls hairs; sleepless from excitement; destructive; aversion to red, green and black and all striking colours; angered from contradiction; desire to lie down in the dark and not to be talked to.

- 5. Women: who suffer from nymphomania; with dysmenorrhoea; irregular menses, crampy pains, pruritus vulvae, sexual erethism; worse from coition which does not satisfy; cancer cervix; fibroid tumours; displacements of uterus.

- It is a SPECIFIC remedy in the following conditions:

- 1. Diphtheria: worse on right side; pain in right tonsil extending to the ear; shooting pain in throat; pain and constriction on swallowing; with high fever.

- 2. Diabetes: with grief, anxiety, weakness and bruised pain all through the body; copious urine with emaciation; with characteristic and constitutional symptoms of the remedy.

- 3. Constipation: most terrible and alarming after cathartics enemas failed to effect a movement: with anxiety, restlessness; feels good from massage or rubbing head.

- 4. Insanity: shameless, violent desire to jump, run about, dance, fantastic dancing; strikes her head with her hands, strikes her attendants; cannot relax; sleep impossible; terrible to live with; extremely restless; Ars alb fails to cure the conditions.

- 5. Angina-pectoris: pain in the region of heart which extends to left arm; worse lying on left side.

- 6. Paralysis of the lower limbs with pain in the back on motion.

- 7. Ailments : with well marked periodicity; restlessness; violence; aggravations from cold damp weather; lying on left side and amelioration from open air and rubbing.

- DOSAGE: 30 to 200 and higher potencies.

- REPETITION: Single dose of high potency is enough. To be repeated when the symptoms of the remedy call for it.

Comparison

- Oversensitive of nerves, scratching of linen or silk, crackling of paper is unbearable: Asar, Fer m, Nit ac, Nux v, Ther, Tar h,

- Very sensitive to noise; slightest noise startles from sleep: Asar, Calad, Nux v, Tar h.
- Chorea and hysteria with great hilarity, singing and dancing: Crocc s, Tar.
- Mania: with desire to cut and tear things, especially clothes: Vert a, Tar h.
- Rubbing ameliorates: Canth, Mag phos, Phos, Podo, Tar h.
- Periodicity of complaints: Aram, Ars a, Cact, Ced, Cinch, Eup perf, Ign, Nat m, Tar h, Tela ara.
- Periodicity every year: Ars a, Carb v, Crot h, Lach, Sulph, Thuj, Tar h.
- Aggravation at rest: Arn, Ars a, Cycl, Fer m, Merc, Puls, Rhod, Rhus t, Samb, Sep, Tar h.
- Music ameliorates: Tar h.
- Music aggravates: Acon, Ambr, Graph, Nat c, Nux v, Sab, Sep, Thuj.
- Restlessness: Acon, Agar, Ars a, Bapt, Bell, Cham, Cim, Coff, Ign, Rhus t, Sulph, Tar h.
- Jerking, twitching, starting during sleep: Acon, Aeth, Agar, Apis, Bell, Cina, Hyos, Ign, Lyc, Stram, Sulph, Tar h, Zinc m.
- Fear of touch or contact: Acon, Ant cr, Arn, Bell, Cham, Cina, Cinch, Colch, Hep s, Kali c, Lach, Nux v, Plumb, Spig, Tar h.
- Hysteria: Ambra, Asaf, Cimic, Cocc, Croc, Gels, Ign, Kali p, Mosch, Nux m, Phos, Plat, Puls, Sep, Sumb, Tar h.
- Nymphomania: Can ind, Canth, Hyos, Murex, Orig, Phos, Stram, Tar h, Var a.
- Desires to dance: Agar, Cic, Croc, Hyos, Stram, Tar h.
- Desires to do absurd things: Bell, Cic, Hyos, Stram, Tar h.
- Laughs immoderately at trifles: Anac, Can ind, Croc, Hyos, Mosch, Plat, Stran, Tar h.
- Single: Agar, Croc, Hyos, Stram, Tar h.
- Tears things: Bell, Cimex, Stram, Tar h, Verat a.
- Aimlessly busy: L Arg n, Lil t, Tar h.
- Cruel, violent, inhuman: Anac, Croc, Nit ac, Nux v, Plat, Stram, Tar h, Verat a.

Causes & diseases

- Hysteria.
- hysterio-epilepsy.

- Chorea.
- Nymphomania.
- mania; paroxysms of insanity.
- Kleptomania.
- Pruritis vulva.
- Dysmenorrhoea.
- Angina pectoris.
- Multiple sclerosis with trembling.
- Diabetes.
- Renal colic.
- Cancer cervix.
- Fibroid tumours.
- Dementia precox.
- AFFINITIES; Mind, Brain, Nervous system, Respiration, Heart, Sex

organs.

Complaints & characteristics

- All symptoms are relieved by music and dancing.
- Great relief from rubbing the head; rolls head on pillow.
- Keeps hand in constant motion, constant motion of legs; ludicrous motions, of arms and trunk.
- Symptoms appear periodically at the same hour; at the same day annually.
- Sleepless from excitement before midnight.
- Cough; dry, spasmodic; with retching and gagging, involuntary urine.
- Weakness of legs as if dead.
- Numbness of parts.
- Twitching and jerking.
- Yawning with uneasiness of legs, must move them constantly.
- Pain in heart: shooting from left chest to left arm.
- Strange fancies in regard to colours with; anguish or heart if they see an unpleasant colour.
- Loss of vision in right eye.
- Involuntary micturition when coughing, laughing making any effort.
- Threatening words of destruction and death.
- Cannot relax, wants to be busy.

- Strawberry tongue.
- (Bell, Frog).
- Albumen in urine.
- (Merc c).
- Temperature subnormal.
- Sensation of crawling of insects.

Generals & modalities

- Impulsive children.
- Foxy.
- Destructive.
- Hysterical women.
- Moody; feigns sickness.
- Highly nervous and sensitive persons.
- Hyperaesthesia: least excitement irritates, followed by languid sadness.
- Aversion to company but wants some one present.
- Irritable, throws things.
- Extremely excitable.
- Anxious.
- Fearful, wants to hide.
- Nervous.
- Depression of spirits.
- Extremely restless.
- Pulls hairs, strikes her head.
- Violent anger, pulls hairs.
- Selfish, hateful, cunning.
- uncontrollable sexual erethism.
- Desire to run, jump, dance.
- Unsteady gait.
- Unsteady gait.
- Ungrateful, contented.
- Guided by whims.
- Weeps on consolation.
- Very mischievous and destructive.
- Desires to joke, play, laugh.

- Wants some body to wait for her as she felt that some thing wrong is going to happen to her.
- AGGRAVATION; Touch, Rest, Motion, Must walk about but walking aggravates, At night, Washing head, Wetting hands in cold water, Coition, Light, Noise, Sleep, When observed, Grief, Excitement.
- AMELIORATION; Music, Rubbing, Open air, In the sun, Dancing.

Terebinthinae oleum

- Synonyms : Oil of Turpentine.
- Source: It is distilled from the oleo-resin obtained from pine trees.
- Preparation: Mother tincture is prepared from a solution of the oil in rectified spirit.

- Proved by Drs. Hartlaub and Trinks.

Indications

- It is a SPECIFIC remedy in the following conditions:
 - 1. Ailments with the following concomitants; burning sensation in any part of the body; burning extends from kidneys along ureters; urine has the odour of violets; smooth glossy red, glazed tongue; haemorrhage; ecchymosis; purpura; tympanites, frequent micturition; from living in damp houses or from damp weather.
 - 2. Urinary disorder; strangury; spasmodic retention of urine; haematuria; albuminuria, but few casts; violent burning and cutting in bladder; kidneys and urethra; ascites with anasarca; retention of urine from atony of funds; cystitis; from living in damp dwellings; after diphtheria, scarlet fever or typhoid fever.
 - 3. Worm troubles: from round worms; tape worms segments; with foul breath; choking; dry hacking cough; tickling at anus.
 - 4. Typhoid fever: with tympanites; abdomen extremely sensitive to touch; rapid pulse; bleeding from nose, rectum or haematuria; diarrhoea watery, profuse, foetid, bloody with burning in anus and rectum; cold sweats on lower limbs.
 - 5. Cancer of uterus with burning in uterus; haemorrhage.
 - 6. Congestion of lungs with haemoptysis and burning in chest.
 - 7. Amblyopia from alcohol.
 - 8. Irritable children during dentition of suffering from worms fly into passion.

- 9. Purpura haemorrhagica: if there are fresh ecchymoses in great number from day to day.
- 10. Uraemia: with drowsiness, stupor or coma; with retention of urine; with tympanites.
- DOSAGE: 6th to 200c.
- REPETITION: Single dose of high potency and watch for its response.
- To be repeated when the symptoms call for it.

Relationship

- ANTIDOTE: Phos.
- REMEDY ANTIDOTES: Phos, Merc.
- REMEDY PRECEDES WELL: Merc c.

Comparison

- Haemorrhage in typhus: Alum, Tereb.
- Diseases originating from exposure in damp basements or cellars:

Ant t, Ars a, Aran d, Tereb.

- Tongue: smooth as varnished; fiery red: Crot h, Pyrog, Tereb.
- Haemorrhage of black blood from all outlets of the body: Crot h,

Mur ac, Nit ac, Sul ac, Tereb.

Causes & diseases

- alcohol=blindness.
- Falls and injuries.
- Strains.
- Tooth extraction.
- Damp weater=neuralgia.
- Damp cellars diarrhoea.
- Scarlet fever.
- Albuminuria after scarlet fever.
- Dropsy after scarlet fever.
- haematuria after scarlet fever.
- Purpura haemorrhagica.
- haemorrhoids.
- Haematemesis.
- Bleeding from mucous membranes.
- Tympanites in typhoid fever.
- Suppression of urine.
- Tape worms segments.

- Worms: round worms with foul breath.
- Prophylactic in malarial and African fevers.
- Nephritis after diphtheria, scarlatina, typhoid with albuminuria.
- Sensitive and allergic to turpentine.
- Sciatica.
- unbroken chilblain.
- Bronchial asthma, humid.
- Ecchymoses in increased numbers (Sul ac).
- Any serious disease with urinary symptoms.
- AFFINITIES; Mucous Membranes, Kidneys; Bladder, Bronchi,

Respiration, Heart, Blood.

Complaints & characteristics

- Burning sensation: tip of tongue, mouth, throat, stomach, rectum, anus, sternum, uterus.
- Violent burning and cutting in bladder; tenesmus.
- Violent burning and drawing pains in kidney, bladder and urethra (Berb, Can ind, Canth).
- Abdomen: extremely sensitive to touch; distension, flatulence, excessive tympanitis, meteorism (Colch).
- Tongue smooth, glossy red, as if deprived of papillae, or as if glazed (Pyrog).
- Elevated papillae; coating peels off in patches, leaving bright red spots, or entire coating cleans off suddenly in exanthema; dry and red.
- The urine has the odour of violets.
- Urine rich in albumen and blood, But few if any casts; worse from living in damp dwellings.
- Strangury; spasmodic retention of urine; with bloody urine.
- Haematuria: blood thoroughly mixed with the urine; sediment, like coffee-ground; cloudy, smoky, albuminous; profuse, dark or black, painless.
- Congestion and inflammation of viscera; kidneys, bladder, lungs intestines, uterus; with haemorrhage and malignant tendency.
- Ascites with anasarca, in organic lesions of kidneys; drowsy with retention of urine.
- Extreme sensitiveness to touch with tympanites.

- Tympanitis, rapid pulse and cold sweat of lower limbs associated with acute nephritis or fevers.
- Pain in bowels causes frequent micturition.
- Fits of unconsciousness with inability to control the flow of urine day or night.
- Pain in back with kidney and bladder trouble.
- (Berb).
- Vertigo with vanishing of vision.
- Haemorrhage: dark, passive foetid blood.
- Stupor, coma, uraemia, drowsiness.

Generals & modalities

- Nervous women suffering from amenorrhoea; dysmenorrhoea; headaches.
- Disposition to haemorrhage.
- Great prostration.
- Cold clammy sweat all over.
- Hydrogenoid constitution.
- (Ant t, Aran d, Nat s).
- AGGRAVATION; Damp dwellings, Cold, Night, 1 to 3 A.M. , Touch, Pressure, Lying on left side, Sitting, Walking in open air.
- AMELIORATION; Belching and passing flatus, Stooping, Motion, Turning to right side, Cold water amel burning of anus.

Theridion curassavicum

- Synonyms: Orange spider. Theridion curassavicum.
- Source: It is a spider belonging to the natural order of Araneidae.
- Habitat: It lives on orange trees, chiefly in the island of Curassa in the West Indies.
- Preparation: Mother tincture is prepared from the living spider in rectified spirit, from which higher potencies are prepared.
- Proved by Dr. C. Hering.

Indications

- It is a CONSTITUTIONAL remedy for patients:
 - 1. Who are very sensitive to noise; every shrill sound penetrates the teeth, the whole body; causing nausea and vertigo.

- 2. Nervous women: suffer from sea sickness; they close their eyes to get rid of the motion of the vessel and grow deathly sick.
- It is a SPECIFIC remedy in the following conditions:
 - 1. Vertigo: on closing the eyes; from least noise. & Aural or labyrinthine Meniere's disease.
 - 2. Rickets, caries, necrosis; pains in the bones all over the body, as if broken.
 - 3. Curvature of spine in growing girls. (Calc p).
 - 4. Phthisis florida (Of chronic nature, developing slowly) if given in early stages of the diseases.
 - 5. In scrofula where the best chosen remedies fail to relieve.
 - 6. Extreme nervous sensitiveness; of puberty, during pregnancy and climacteric years.
 - 7. Nausea: from least motion, and especially on closing eyes; from fast riding in a carriage. (Cocc, Tab).
 - 8. Chronic nasal catarrh; discharge thick, yellow, greenish, offensive (Puls, Thuja).
- DOSAGE: 3x to 200 c.
- REPETITION: 3x one drop in water twice daily, in acute diseases.
- Higher potencies in chronic diseases, single dose is enough for a week.

Relationship

- antidote: Acon (sensitiveness to noise).
- Mosch (nausea).
- Graph (more chronic effects).
- REMEDIES THAT PRECEDE WELL: Sulph, Calc c, Lyc.

Comparison

- Hemicrania: worse from closing eyes, worse from noise: Sep, Therid.
- Vertigo and faintness on closing eyes: Lach, Therid, Thuja.
- Cannot bear scartching of linen, silk or crackling of paper: Asar, Fer m, Tarax, Ther.
- Nasal catarrh: thick, yellow or greenish, offensive: Puls, Thuja, Therid.

Causes & diseases

- Sea travelling=sea sickness.
- Riding.

- Washing clothes.
- Angina pectoris.
- bone affections; necrosis; caries.
- Phthisis, scrofula.
- Rickets, curvature of spine.
- (Calc p).
- Vertigo.
- Sea sickness of nervous women; they close their eyes to get rid of the motion of the vessel and grow deathly sick.
- After washing clothes nausea and fainting.
- AFFINITIES; Nerves, Spine, Bone, Left side, chest, Heart.

Complaints & characteristics

- Vertigo: on closing the eyes; from least noise; aural or labyrinthine (Meniere's disease).
 - Headache: when beginning to move, as of a dull heavy pressure behind the eyes; violent, deep in the brain; worse lying down; least motion of head; from someone walking on the floor.
 - Chronic nasal catarrh: discharge thick, yellow, greenish, offensive.
 - (Puls, Thuja).
 - Toothache: every shrill sound penetrates the teeth.
 - Nausea: from least motion and especially on closing eyes; from fast riding in a carriage.
 - Violent stitches in upper left chest: below the scapula, extending to neck.
 - Pain in the bones all over, as if broken.
 - Great sensitiveness between vertebrae, sits sideways in a chair to avoid pressure against spine (Chin s); worse by least noise and jar of foot on floor.
 - Left sided affections.
 - Spine sensitive to touch (Agar).
 - Cannot bear back touched.
 - (Chin s, Tar h, Ther, Zinc m).
 - Frequent copious urination at night.
 - Teeth sensitive to cold water.
 - (Ant cr, Calc c, Staph).
- #### Generals & modalities

- Extreme sensitiveness to noise; worse from least noise; sound penetrates teeth.
- Time passes too quickly.
- Extreme nervous Sensitiveness: of puberty, during pregnancy and climacteric years.
- Girls at puberty tall growing rapidly; tendency of bones to soften.
- AGGRAVATION; Riding in a carriage; car or ship, Noise, Jar, Closing eyes, Touch, pressure, Stooping, Rising, Motion Going up or down stairs, Exertion, Walking, Every night, Cold, After stool, Coitus, Lying down.
- AMELIORATION; Warmth, Warm water amel nausea and retching, Rest,

Thuja occidentalis

- Symptoms: Arbor Vitae, White Cedar, Tree of life.
- Source: It is a tree belonging to the natural order of Coniferae. It attains a height of 20 to 50 feet and a diameter of about 10 to 20 feet.
- Habitat: It abounds in the upper zones of North America, from Pennsylvania northwards.
- Preparation: Mother tincture is prepared from the fresh green twigs of the tree.
- Proved by Dr. Hahnemann.

Indications

- It is a Miasmatic remedy for the following chronic diseases:
 - 1. Anti-Sycotic miasm due to suppression of Gonorrhoea, resulting in the development of fig warts, condylomata and wart like excrescences upon mucous and cutaneous surfaces.
 - 2. Vaccinosis miasm due to the bad effects of small pox vaccine inoculation.
 - This miasm is known to be transferred from the vaccinated mother or nurse, to the infants through their milk.
 - 3. Maltreated Gonorrhoea resulting in gonorrhoeal rheumatism; impotence; prostatitis and other diseases.
- It is a CONSTITUTIONAL remedy for hydrogenoid constitutions, persons susceptible to damp environments, dwelling, damp weather and eating fruits growing on damp soil.
- It is a SPECIFIC remedy in the following conditions:

- 1. Ailments: agg at night; from heat of bed; at 3 A.M. and 3 P.M. ; from cold damp air; from tea, coffee, beer, tobacco, fat, meat and onions.
- 2. Ailments-from-sexual excesses; Sulphur, Mercurial preparations; after snake bites.
- 3. Ailments with the following concomitant symptoms: sensation as if an animal is crying in abdomen; motion as if something is alive in abdomen, protrudes here and there like the arm of foetus; constipation; stool recedes after being partly expelled; early morning diarrhoea, expelled forcibly with much flatus, gurgling as water from a bung hole; sensation as if the limbs were made of glass and would break easily; other characteristic symptoms.
- 4. Malarial fever: chill beginning in thighs; sweats only on uncovered parts or all over except the head, when he sleeps; stops when he awakes; perspiration smelling like honey on the genitals.
- 5. Anus fissured, painful to touch, surrounded with flat warts or moist mucous condylomata.
- DOSAGE: 30 to highest potency.
- Mother tincture to be applied on fig warts and condylomata.
- REPETITION: Bears repetition well in low potencies.
- Occasional doses of high potency.
- DURATION OF ACTION: 60 days. (Clarke).

Relationship

- COMPLEMENTARY REMEDIES: Ars a, Med, Nat s, Sab, Sil, Sulph.
- REMEDIES THAT precede well: Med, Merc, Nit ac.
- REMEDIES THAT FOLLOW WELL: Calc c, Ign, Kali c, Lyc, Puls.
- ANTIDOTES: Camph, Cham, Merc, Puls, Sab, Staph, Sulph.
- REMEDY ANTIDOTES: Merc iod, Nux v, Sulph.
- BOYD'S DURG GROUP: XI.
- ANTI MIASMATIC GROUP: Anti-sycotic, Anti-syphilitic.

Comparison

- Ranula with foetid breath: Ambr g, Thuj, Tar h.
- Bad effects of vaccination; when Thuja fails and Sil is not indicated:

Ant t.

- Worse in afternoon: Bell, Lyc, Puls, Rhus t, Sep, Sil, Thuj, Zinc.
- Worse at 3 P.M. : Apis, Bell, Thuj.

- Complaints return annually: Ars a, Lach, Sulph, Thuj, Tar h.
- Diarrhoea; watery brown gushing out in a violent jet: Croc t, Grat, Gam, Jat, Thij, Podo.
- Enuresis: Benz ac, Cop, Nitr, Fer, Thuj, Caust, Phos.
- Sensation as if something alive moving in abdomen: Croc, Sab, Sulph, Thuj.
- When drinking the fluid descends with a gurgling sound: Ars a, Cup m, Thuj.
- Warts fleshy, large smooth; on face and back of hands and fingers: Dulc, Thuj.
- Severe pain at close of urination: Berb, Epquest h, Sars, Thuj.
- Headache, as if a nail was driven out through the side, relieved by lying on it: Coff, Nux v, Ign, Thuj.
- Left sided ailments: Lach, Lil t, Thuj, Therid.
- Polypi and fungus excrescences in external meatus of ear: Merc, Mar v, Thuj.
- Face oily, shiny as if greased: Nat m, Pib, Thuj.
- Warts with sticking pains: Nit ac, Staph, Thuj.
- Constipation; stools hard, round, black balls: Chel, Op, Plb, Thuj.
- Faeces protrude and recede: Op, Sil, Sanic, Thuj.
- Pain after stool as if splinters of glass were sticking in anus and rectum: Rat, Thuj.
- Music is intolerable: Sab, Graph, Thuj, Acon.
- Fig warts with intolerable itching and burning; exuberant granulations: Sab, Nit ac, Thuj.
- Bad effects of vaccination especially abscesses and convulsions: Sil, Thuj.
- Fig warts with intolerable itching and burning and burning; exuberant granulations: Sab, Nit ac, Thuj.
- Bad effects of vaccination especially abscesses and convulsions: Sil, Thuj.
- Fig warts after abuse of mercury: Nit ac, Staph, Sab, Thuj.
- Fissures in anus and rectum: Syphil, Thuj.
- Vertigo on closing eyes: Lach, Ther, Thuj.
- Chronic nasal catarrh; discharge thick, yellow, greenish, offensive: Pulse, Ther, Thuj.

- Hepatic eruptions; shingles: Graph, Kali Hydr, Mez, Sep, Thuj.
- Ailments from suppressed warts: Merc, Nit ac, Staph, Thuj.
- History of animal poisoning, snake bite: Ars a, Thuj.
- Suppressed gonorrhoea: Med, Thuj.
- Squeezing pain in left testicle: Puls, Thuj.
- Pain in small spots: Anac, Ign, Kali bi, Thuj.
- Rheumatic symptoms worse in damp air: Rhus t, Calc c, Nux m,

Med, Spig.

- Sensation as if urine were constantly running along urethra: Kali bi,

Petros, Thuja.

Causes & diseases

- Vaccination.
- Gonorrhoea.
- Suppressed.
- gonorrhoea.
- Sexual excesses.
- Sun stroke.
- Sulphur.
- Mercury.
- Tobacco.
- Beer.
- Coffee.
- Tea=neuralgia(Sab).
- Sweats.
- Fat meat.
- Onions.
- Lying on left side=anxious dreams.
- Riding-incontinence of urine.
- Ascending-palpitation.
- Music-weeping and trembling.
- Condyloma.
- Gonorrhoeal rheumatism.
- Syphilis.
- Sycosis.
- Vaccinosis.
- Warts on hands.

- Small pox.
- Milk of vaccinated nurse or mother to the infant, history of animal poisoning, snake bite, small pox.
- Melancholia.
- While scaly dandruff; hair dry and falling out.
- Ophthalmia neonatorum, sycotic or syphilitic; large granulations; like warts or blisters; better from warmth and covering; teeth sensitive to cold pyorrhoea.
- Styes, tarsal tumours; chalazae, thick hard knots, like small condylomata; after staphisagria partially ameliorates.
- Eyelids agglutinated at night.
- Chronic otitis; discharge purulent; like putrid meat; granulations, condylomata; polypi, pale red, cellular, bleeding easily.
- AFFINITIES; Mucous Membranes of G.U. tract, G.I. tract, Mind, Nerves, Occiput, Glands, Skin, Left side, Left side, Left Ovary.

Complaints & characteristics

- Fixed ideas: as if a strange persons were at his side; as if soul and body were separated; as if a living animal were in abdomen; of being under the influence of a superior power.
- (Anac).
- Insane women will not be touched or approached.
- Vertigo when closing eyes. (Lach, Ther).
- Headache: as if a nail had been driven into parietal bone (Coff, Ign); or as if a convex button were pressed on the part; worse from sexual excesses; over heating; from tea (Sel); chronic or sycotic or syphilitic origin; left sided.
- Sensation as if body, especially the limbs were made in glass and would break easily.
- Flesh feels as if beaten, from the bones (Phyt).
- Sensation after urinating as of urine tickling in urethra: severe cutting at close of urination (Sars).
- Abdomen: as if an animal were crying; motion as if something alive; protrudes here and there like the arms of a foetus (Croc, Nux m, Sulph).
- Distressing burning pain in left ovarian region, when walking or riding must sit down or lie down.
- (Croc ust); worse at menstrual nixus.

- Piles swollen, pain most severe when sitting.
- Foul smelling semen.
- Diarrhoea: early morning; expelled forcibly with much flatus (Aloe); gurgling as water from a bunghole; worse after breakfast, from coffee, fat food, onions; after vaccination.
- Constipation: violent pains in rectum compel cessation of effort; stool recedes, after being partly expelled (Sannic, Sil).
- Anus fissured, painful to touch, surrounded with flat warts or moist mucous condylomata.
- Coition prevented by extreme sensitiveness of vagina (Plat).
- Skin: looks dirty; brown spots here and there; warts large, seedy, pedunculated (Staph).

Generals & modalities

- Hydrogenoid constitution.
- Disposition to wrap.
- Waxy, shiny face as if greased.
- Sycotic constitution.
- Cancerous cachexia.
- Perspiration sweetish odour and smells like honey.
- Copious sweat on first going to sleep.
- Sleeplessness.
- AGGRAVATION; At night, From heat of bed, In afternoon, 3 A.M. , 3 P.M. motion, From cold damp air, Narcotics, Deep inspiration, Talking.
- AMELIORATION; Lying on affected side, Lying on back, Wrapping up amel pains, Left sided inguinal hernia: after labour; of infants.

Trillium pendulum

- Synonyms: Wake Robin, White Beth Root.
- Source: It is a plant belonging to the natural order of Smilacaceae. This little herb has a single flower usually with 3 outer green segments.
- Habitat: It grows in rich soils in damp rocky and shady woods in U.S. A.
- Preparation: Mother tincture is prepared from oblong tuberous fresh roots.
- Higher potencies are prepared from the mother tincture.

- Proved by Dr. H. Minton. Its clinical symptoms are found in T.F. Allen's Hand Book."

Indications

- It is a SPECIFIC remedy in the following conditions:
 - 1. Haemorrhages: copious, both active and passive; usually bright red; from nose, lungs, kidneys and uterus.
 - 2. Bleeding after extraction of a tooth.
 - 3. Menses: profuse, every two weeks, lasting a week or longer; after over exertion or too long a ride.
 - 4. Flooding with fainting.
 - 5. Menorrhagia: flow, profuse, gushing, bright red; at least movement; from displaced uterus; at climacteric; every two weeks, dark clotted.
 - 6. Haemoptysis: incipient phthisis, with bloody sputa; in advanced stages with copious purulent expectoration and troublesome cough.
 - 7. Profuse uterine haemorrhage at climacteric; flow every two weeks; pale face, faints easily, dim sight, palpitation; obstruction and noises in ears; painful sinking at pit of stomach.
 - 8. Post-partum haemorrhage.
 - 9. Haemorrhage from fibroid tumours in uterus: blood red or dark and clotted. (G.R.)
 - 10. Haemorrhage with a sensation as though the hips and back were falling to pieces and relief from tight bandage, threatened abortion.
- DOSAGE: In several inoperable cases of fibroids the use of the tincture of Trillium or the 1st of the Trillium has checked the haemorrhage, reduced the size of the tumour and made the patient comfortable.

- In one case in which the tumour had been the cause of premature birth its use carried the patient to full time. (G.R.)

- Tincture to lower potencies. (Boericke) 6th potency (Pierce)
- REPETITION: Bears repetition well.
- DURATION OF ACTION: Short acting.

Relationship

- As it is not a constitutional or deep acting remedy hence it has no defined relationship with other remedies.

Comparison

- Haemorrhage, blood bright red: Acon, Bell, Erig, Ferr phos, Ipec, Millef, Phos, Sab, Trill.
- Haemorrhage, dark clotted: Croc, Elaps, Croc h, Sul ac, Thlaspi, Trill.
- Haemorrhage from fibroids in uterus: Acon, Phos, Sul ac, Thlaspi, Trill.
- Specific anti haemorrhagic: Adren, Ham, Erig phos, Ipec, Ficus bengalensis, Ficus Religiosa, Millef, Phos, Thlaspi, Trill.
- Bleeding after tooth extraction: Ham, Kreos, Trill.
- Haemorrhage both active and passive: Ipec, Mill, Trill.
- Menorrhagia profuse, gushing, bright red, at least movement: Sab, Trill.
- Menorrhagia - every two weeks, dark and clotted: Thlaspi, Trill, Ust.
- Sensation as if the bones of pelvis were broken, wants to be bandaged, with haemorrhage: Aesc, Trill.
- Fainting from haemorrhage: Trill.
- Sinking feeling during haemorrhage: Verat alb.
- Thlaspi B. Pastoris: Profuse passive haemorrhage; dark and clotted; large clots.
- Metrorrhagia with uterine colic.
- Menorrhagia exhausting, scarcely recovers from one period before another begins.
- Hamamelis: Haemorrhage: profuse, dark, active or passive from uterus, without any mental anxiety.
- Nose bleed; profuse ameliorates headache; vicarious; of childhood.
- Haemoptysis; without effort or coughing; venous blood.
- Haemorrhage from piles, profuse; with burning, soreness, fullness heaviness, as if back would break.
- Uterine haemorrhage from jolting while riding over rough roads; active or passive.
- Bad effects from loss of blood (Cinch).
- Erigeron can: Haemorrhage: profuse bright gushing worse by motion (Sab).
- Epistaxis with congestion of head and red face (Melilot).
- Haematuria with stone in bladder (Berb, Canth).
- Uterine haemorrhage with painful urination.

- Haematemesis with violent retching and burning in stomach (Phos).
- Crocus sat: haemorrhage: active, of black, stringy, clotted blood from nose and uterus (Elaps).

- Secale cor: Haemorrhage: from fibroids; postpartum; after abortion; at climacteric; from chloriosis; bright red, partly fluid partly clotted, profuse gushing, from chloriosis; bright red, partly fluid partly clotted, profuse gushing, from least motion; menorrhagia with displaced uterus; with severe left sided infra-mammary pains; with black stringy, clotted blood in dysmenorrhoea.

- (Croc).

- From cancer uterus (Phos, Thlaspi).

Causes & diseases

- Over exertion.

- Too long a ride.

- After tooth extraction.

- Climacteric.

- Displaced uterus=menorrhagia.

- Least movement=menorrhagia.

- Haemoptysis from incipient phthisis.

- Standing or walking=bearing down in pelvis.

- AFFINITIES; Female organs, Blood vessels.

Complaints & characteristics

- Blood bright red; profuse; active or passive; dark and clotted; partly fluid partly clotted.

- Flooding with fainting.

- Menses: profuse, every two weeks, lasting a week or longer.

- Menses: every two weeks.

- Sensation as if hips and small of back were falling to pieces; wants to be bound tightly with haemorrhage.

- Sinking at the stomach with haemorrhage.

- Sensation of goneness in abdomen.

- Noises in ears.

Generals & modalities

- AGGRAVATION; Over exertion, Too long a ride, Motion, Climacteric, Sitting erect, After eating.

- AMELIORATION; Open air, Tight if the bones of pelvis were broken, Bending.

- CONCOMITANTS

- As if the bones of pelvis were broken.

- Fainting.

- Sinking feeling at the stomach.

- Dim sight.

- Palpitation.

Thyreoidinum

- Synonyms: Iodothyrium, iodothyrene.

- Source: From thyroid gland of sheep.

- Preparation: Triturations are prepared with sugar of milk, from which higher potencies are prepared.

- Proved by Drs. Hoenigschmied, H.C. Allen, S.K. Ghosh of Calcutta.

Indications

- It is a SPECIFIC remedy in the following conditions:

- 1. Myxoedema with mental aberration, mania, insanity, dementia; with hair disorders.

- Insanity linked with menstrual disorders or puerperium.

- 2. Exophthalmic goitre, goitre.

- 3. Vaso-motorial disorders: flushing of face, vertigo, palpitation, tachycardia, fainting attacks; low blood pressure, palpitation from least exertion.

- 4. Cretinism, Hypothyroidism.

- 5. Undescended testicles in boys.

- 6. Arrested development of children.

- 7. Nocturnal enuresis.

- 8. Diabetes mellitus, diabetes insipidus.

- 9. Skin diseases: eczema, lupus, psoriasis, scleroderma; itching with jaundice.

- 10. Infantile disorders: diarrhoea, vomiting, jaundice, convulsions.

- 11. Dentitional disorders: diarrhoea, convulsions, vomiting.

- 12. Menstrual disorders: irregular menses in young girls, menorrhagia, metrorrhagia, amenorrhoea in fat women, painful

inflammation of joints with each menses; with vasomotorial symptoms; with hysterioepilepsy.

- 13. Pregnancy disorders: abortions at 3rd month (Sab, Cimic, Sec c, Vib op), vomiting, albuminuria, oedema of legs (Lac def), hypertension, vertigo, palpitation, faintings; prevents eclampsia.

- 14. Disorders of labour; primary inertia, secondary inertia.

- 15. Disorders of puerperium; irregular bleedings, deficiency of milk production; intractable diarrhoea; oedema of legs; insanity; vaso-motor disturbances.

- 16. Allergic disorders: rhinitis, conjunctivitis, stoppage of nose, asthma, urticaria, angioneurotic oedema, pruritus vulvae, eczema, dyspnoea; epidemic dropsy; eosinophilia; mucous colitis.

- 17. Glaucoma: with vaso-motor disturbances or due to allergy.

- 18. Enlarged liver and spleen with jaundice in infants.

- 19. Loss of control of the sphincter of bladder.

- 20. Mammary tumours, uterine fibroids.

- DOSAGE-CRUDE DOSES: Cretinism, myxoedema, undescended testicles in boys, ulcers in the legs; obesity.

- Amenorrhoea in obese women-3x. 30 to 1 M. in allergic diseases.

- Persons suffering from skin diseases can bear much larger doses than those suffering for myxoedema.

- CONTRA-INDICATION: Dorment phthisis may lighten up.

- REPETITION: Single dose of high potency.

- Bears repetition well in 30 potency and 3x.

- When crude doses are given watch for toxic effects: rapid pulse, feverishness, headache, pruritus, delirium, general debility, loss of weight and cardiac debility and death.

- DURATION OF ACTION: Not definite.

Relationship

- ANTIDOTE: Ars a.

- REMEDIES THAT FOLLOW ELL: Lac d, Calc c, Sulph, Tub, Gels.

- REMEDIES THAT PRECEDE WELL: Calc p, Kreos, Lach, Gels.

Comparison

- Infantile convulsions without fever: Ign, Mag phos, Zinc m, Thy.

- Exophthalmic goitre: Ars a, Bell, Cact, Ferr m, Glon, Iod, Lyc, Thy.

- Pulmonary oedema: Apis, Ant t, Ars a, Lyc, Thy.

- Infantile jaundice: Cham, Nat s, Thyr.
- Eczema: Dulc, Rhus t, Ars a, Bov, Graph, Anac, Petr, Sulph, Psor, Anthr, Calc s, Calc c, Tub, Thyr.
- Psoriasis: Ars a, Borac, Graph, Kali ars, Kali br, Sulph, Psor, Kali s, Rad br, Thyr, X ray.
- Sterility: Agnus c, Borax, Nat m, Thuj, Thyr.
- Urticaria: Ant cr, Apis, Ars a, Astac, Bombyx, Copaiv, Fragar, Nat mur, Thyr.
- Asthma: Ipec, Ars a, Nat s, Med, Kali c, Thur, Spong.
- Diarrhoea: Acid ph, Chin, Aeth, Mag c, Mag mur, Nat c, Sep, Sulph, Calc c, Calc p, Cham, Podo, Kreos, Thyr.
- General anasarca: Apis, Ars a, Blatta o, Dig, Lyc, Tereb, Thyr, Hell.
- Conjunctivitis with chemosis: Apis, Thyr.
- Eclampsia: Cupr m, Glon, Hyos, Oenanth, Cic, Thyr.
- Eclampsia: Cupr m, Glon, Hyos, Oenanth, Cic, Thyr.
- Vomiting of pregnancy: Amyg pers, Ipec, Lac d, Lac ac, Lob inf, Nux v, Psor, Puls, Seo, Symphori r, Tab, Thyr.
- Puerperal mania: Bell, Canab ind, Hyos, Plat, Stram, Thyr.
- Scanty milk during lactation: Agn, Asaf, Calc c, Lac c, Lac d, Phos ac, Puls, Ricinus, Sil, Thyr.
- Metrorrhagia from fibroids: Calc c, Phos, Acon, Nit ac, Sab, Bov, Trill, Thyr.
- Pruritus vulva: Ambr, Ars a, Calad, Calc c, Conth, Carb v, Graph, Kreos, Lyc, Merc, Plat, Rad br, Rhus t, Sep, Sulph, Tar h, Thyr, Urtica u.

Causes & diseases

- Genetic & familial disorders: diabetes, allergy, metabolic disorders, obesity, nervous disorders, vaso-motorial disorders, sexual disorders, goitre, myxoedma, undescended testicles.
- Infantile disorders: icterus, vomiting, diarrhoea, convulsions, obscure troubles, loss of voice, marasmus, rickets, dentition, several teeth erupting at the same time, defective, growth, defective nervous development.
- Female disorders: irregular and scanty menses; amenorrhoea of obese women (3x); menorrhagia; metrorrhagia: vaso-motor and nervous disturbances during menses or in the intra-menstrual period; inflammation of joints occurring with each menstruation; insanity or

hysteria linked with disorders of menstruation; pregnancy disorders: tendency to abortion at 3rd month; repeated abortions; sterility due to endocrinic disorders; toxæmias of pregnancy, vomiting dyspnoea, oedema of legs, high blood pressure, eclampsia, convulsions; hysteria, mental disturbances.

- Puerperal disorders: irregular bleeding, intractable diarrhoea, oedema of legs, insanity, vaso-motor disorders, metabolic.

- Menopausal disorder: fibroids, tumours of uterus haemorrhages, hysteria, mental disturbances, palpitation, dyspnoea, vertigo.

Complaints & characteristics

- Vomiting: of babies after birth, with retarded growth, projectile, even when the stomach is empty, toxic, with deathly pallor and extreme prostration, with dehydration, scanty urine but without fever: with allergic or diabetic history in the parents.

- Diarrhoea: chronic and obstinate, of under nourished children, marasmic children; with oedema, with vomiting; with loss of appetite or excessive appetite.

- Jaundice: icterus of infants, with vomiting or diarrhoea.

- Convulsions: of infants without fever; of babies born of mother who suffered from eclampsia during pregnancy; puerperal; towards the end of coition due to defective functional response to stimuli of children during dentition without fever.

- Obscure troubles of the new born: loss of voice; defective nervous development, rickets; marasmus, enuresis.

- Oedemas: angio-neurotic, general anasarca; oedema of legs; white leg, urticaria.

- Vertigo palpitation from vasomotor disturbances or nervous troubles; during menopause.

- Dyspnoea: allergic; menopause; nervous from asthma.

- Hysteria: with menstrual troubles, during pregnancy or menopause.

- Insanity: pueral; linked with menstrual disorders in young girls; with vasomotor disturbances or symptoms of metabolic disorders.

- Pruritus vulvae: with menses, during menopause.

- Rhinitis causing excessive sneezing; with oedema of nasal mucosa; with stoppage of nose; worse from cold.

- Conjunctivitis with chemosis and itching.

Generals & modalities

- This built with prominent eyes.
- Marasmic emaciated, rickety.
- Mental irritability, nervous, hysterical tendency, moody, whimsical.
- Obese women with scanty menses.
- Arrested development of children.
- Sexually excited boys and young men.
- AGGRAVATION; Cold, Cold water, Sexual excesses, During menses, During pregnancy, During labour, During puerperal period, During menopause,
- AMELIORATION; Lying on abdomen,

Tuberculinum bovinum kent

- Synonyms: Tubercle bacilli. Mycobacterinum. Tuberculosis Homnis, Bovis and Aviare.
- Source: Sputum of tubercular persons containing Myco-bacterium tuberculosis which are used in preparing Tuberculinum Homnis.
- Preparation of Different Varieties of Tuberculin's.
 - 1. Burnett's bacillinum (originally called Tuberculinum) was prepared by Dr. Heath from tubercular ulcer from cow's lung containing tubercular bacilli which were found microscopically hence it was called Bacillinum. It is a preparation of Bovine tubercular bacilli. In his brilliant book "New Cure of Consumption" Dr. Burnett has give his experiences from the use of the remedy.
 - 2. Dr. Kent's Tuberculin was prepared from the infected lymph-glands of cattle. The tubercular glands were removed from the cattle by a veterinary doctor and potentised by Boericke and Tafel. It is also Myco-bacterium Tuberculosis Bovis.
 - 3. Koch's Tuberculinum was prepared from cultures of Tubercular Bacilli macerated in glycerine broth. It is called Old tuberculin. It was found to be very toxic when given in the form of injections hence was rejected by Dr. Koch. He then macerated the Tuberele bacilli in saline solution and allowed the emulsion to settle down for hours. The preparations from the lower layer was called T.R. (Tuberculin Residue).
 - 4. Koch's lymph is prepared from Old Tuberculin of Koch containing T.B. Homnis. It is prepared by Lambert Nelson. It was found to be very

effective in higher potencies above 200th.

- 5. Tuberculinum Aviare is prepared from infected liver of chicken. Dr. Francois Cartier of France found it useful in broncho pneumonia of children, and persistent cough after influenza and measles.

- 6. Bacillinum Testicum is prepared from tuberculous testicles. It has more affinity to the lower half of body according to Dr. Burnett. He found it useful in affections of Mesenteric glands and testicles.

- 7. Denny's Tuberculinum (Filtered tuberculous bouillon): It is prepared from the clear glycerine bouillon in which tubercle cultures have been grown and from which they have been filtered out. It is not heated or concentrated Dr. Francois Cartier of Paris found it useful in advanced cases of tuberculosis. He gives in 100th. 200th 500th potencies.

- 8. Marmorek antituberculous serum: A serum obtained by injecting animals with young cultures of tubercle germs which have been grown on a leuko toxic serum and obtained from tuberculous patients. Drs. Nabel and Leon Vannier of France use this anti-tuberculous serum to stimulate anti-bodies production in both Tuberculinics (Consumptiveness of Burnett or disposed to tuberculosis) and actually suffering from tubercular infection or manifest tuberculosis, Pulmonary, peritoneal, Osseous, Meningitis and Tuberculous fistulae. They employed the 6th, 10th, or 30th centesimal potencies.

- Proved by Drs. Burnett of England, Kent and H.C. Allen of U.S. A. Nabel, Francois Cartier and Fortier and Fortier Bernoville of France, and many others have taken active part in the provings of Tuberculinums.

Indications

- Tuberculinum Bovinum (Kent)
- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Who give history of tuberculosis in their family, or hereditary alcoholism.
 - 2. Who are of light complexion, blue eyes; tall; slim, narrow chested; active and precocious mentally; weak physically.
 - 3. Who are susceptible to cold, without knowing how or where.
 - 4. Who suffer from rapid emaciation while eating well.
 - 5. Children: who are obstinate, irritable, fretful, peevish, taciturn and sulky.

- Refuse to swallow a pill.
- 6. Children: who have matted hairs (plica polonica), frowsy and tangled, cannot be combed smooth.
- 7. Who tire easily when exposed to sun. (Ant cr).
- 8. Who have unreasoning terror at medical examination or with strangers.
- 9. Who suddenly lose their temper without or slightest cause. (D. Shepherd)
- 10. Female: who from least excitement have profuse return of menstrual flow.
- It is a SPECIFIC remedy for the following conditions:
 - 1. Crops of small boils immensely painful, successively appear in nose; with green, foetid pus.
 - 2. Diarrhoea: early morning, sudden imperative; discharged with great force; offensive; with great weakness and profuse high sweats.
 - 3. Menses: too early, too profuse, too long lasting; tardy in starting; with frightful dysmenorrhoea.
 - 4. Acute cerebral or basilar meningitis with threatened effusion; wakes from sleep frightened; screaming; when other indicated remedies fail.
 - 5. Tubercular deposit begin in apex of lungs usually the left.
 - 6. Relapsing intermittent fevers are not controlled with indicated remedies.
 - 7. Tuberculous glands of the neck in children.
 - 8. Insanity in persons with history of tuberculosis in their family.
 - 9. Ringworm.
 - 10. Tubercular sinuses in bones (Dros).
- DOSAGE: 200 c to highest potencies.
- REPETITION: Bears repetition well after a week.
- DURATION OF action: Not definite.

Relationship

- IT IS COMPLEMENTARY OF: Bell, Calc c, Calc p, Calc iod, Phos, Puls, Sep, Thuj, Thyr.
- It follows well when Sulphur, Psor or the well selected remedy fails to relieve or permanently improve.
- Hydrastis to fatten patients cured with Tuberculinum.

- COMPLEMENTARY REMEDIES : Psor, Sulphur, Therid, Dros, Calc s.
Comparison

- Marasmus of children with marked emaciation of leg: Abort, iod, Sanic, Tub.

- Ravenous hunger; losing flesh while eating well: Abrot, Iod, Nat m, Sanic, Tab.

- Faintly developed eruption from defective vitality; threatened paralysis of brain: Amm c, Tub, Zinc.

- Rapid emaciation: with cold sweat and great debility: Ars a, Tub, Ver a.

- Hairs become frowsy and tangled, cannot be combed smooth: Borax, Fl ac, Lyc, Psor, Tub.

- Least mental excitement causes profuse return of menstrual flow: Calc c, Sulph, Tub.

- Capillary aneurysm: Cald fl, Fl ac, Tub.

- Weakly, delicate psoric children; prone to brain troubles: Bell, Calc c, Hell, Tub.

- Brain troubles during dentition threatening effusion: Apis, Hell, Tub.

- Hydrocephalus tubercular which develops rapidly: Apis, Hell, Sulph, Tub.

- Takes cold from slightest exposure to fresh air: Hep s, Tub.

- Great physical and mental exhaustion; worse in the morning: Lach, Sulph, Tub.

- Suppressed menses in young girls: Podo, Puls, Tub.

- Pilca polonica (matted state of the hair, covered with crusts and vermin) : Phos, Psor, Tub.

- Persons formerly robust and fleshy suddenly become emaciated: Iod, Samb, Tub.

- Flushes of heat during climacteric: Lach, Sang, Sep, Sulph, Thy, Tub.

- Bright redness of lips as if the blood wound burst through: Sulph, Tub.

- Crops of boils one after another: Sulph, Tub.

- Chronic alcoholism, they reform but are continually relapsing: Sulph, Psor, Tub.

- Hereditary tendency to alcoholism: Asar, Psor, Sulph, Sul ac, Syph, Tub.

- Obstinate constipation with stricture in anus; when enema was used the agony of passage was like labour: Lac c, ?Syph, Tub.
 - In cerebral affections: impending paralysis of brain, dynamic is too weak to develop exanthemata: Cup, Sulph, Tub, Zinc.
 - Incipient brain diseases from suppressed eruptions: Hell, Tub. Zinc.
- Causes & diseases
- Tubercular history in the family; tubercular tendency; hydrocephalus; cervical glands enlarged; tabes mesenterica; epilepsy; arthritis; eczema, ringworm.
 - Meningitis.
 - Cholera infantum.
 - Tonsillitis; laryngeal phthisis; bronchopneumonia in children; capillary aneurysm.
 - Crops of boils one after another; hereditary tendency to alcoholism; incipient brain diseases from suppressed eruptions.
 - Insanity.
 - Hodgkin's disease.
 - Hay fever.
 - Asthma.
 - Frightful dysmenorrhoea.
 - Acute cerebral or basilar meningitis with threatened effusion; nocturnal hallucination; wakes from sleep frightened, screaming; when Apis, Hell, Sulph or best indicated remedies fail.
 - affinities; Lungs, Blood, Glands, Larynx, Mind, Head, Occiput,
- Complaints & characteristics
- Takes cold from slightest exposure to cold air.
 - Emaciation rapid and pronounced, losing flesh while eating well.
 - Symptoms ever changing.
 - Complaints with sudden onset and sudden cessation.
 - Headache: chronic, tubercular; pain intense, sharp, cutting from above right eye to occiput; as of an iron hoop around head (anac, Sulph).
 - When the best selected remedy only palliates.
 - School girls headache: worse by study or even slight mental exertion; when using eyes in close work; and glasses fail to relieve; with a tubercular history.

- Diarrhoea; early morning, sudden imperative (Sulph); stool dark, brown, watery, offensive; discharged with great force.
- Crops of small boils, intensely painful, successively appear to nose; green foetid pus.
- Tubercular deposit begins in apex of lungs, usually the left.
- Eczema: tubercular over entire body, itching intense, worse at night when undressing, from bathing immense quantities of white brain like scales, oozing behind the ears, in the hair, in folds of skin with rawness and soreness; fiery red skin.
- Ailments: with great weakness in the morning and profuse night sweats.

Generals & modalities

- Children: blue eyes; precocious mentally; weak physically; sullen, taciturn; irritable obstinate, would not take medicine; grinds teeth; talks in sleep, desires to go out; susceptible to cold; marasmus of children especially of legs; ravenous hunger, losing flesh while eating well; hairs become frowsy, tangled, cannot be combed smooth; plica polonica; weakly delicate psoric children; prone to braintroubles; hydrocephalus develops rapidly; bright redness of lips as if the blood would burst through; cervical glands palpable.
- Girls & women: blondes; tall; menses too early, profuse too long lasting; tardy in starting, with frightful dysmenorrhoea; suppressed menses in young girls; tans easily; flushes of heat during climacteric.
- Refuse to swallow a pill.
- Adults: tall slim, flat narrow chest; active and precocious mentally, weak physically.
- Melancholic, despondent, morose, irritable fretful, peevish, taciturn, sulky; naturally of a sweet disposition, now on the borderland of insanity.
- Every thing in the room seemed strange as though in a strange place. Unreasonable terror at medical examination or with strangers.
- AGGRAVATION; Motion, Music, Before a storm, Standing, Dampness, Droughts, Early morning, After sleep.
- AMELIORATION; Open air.

Valeriana officinalis

- Synonyms: Valeriana, Valerian officinalis.
- Source: It is a herbaceous plant two to four feet high, flowers small, white or tinged with rose colour. The root is a thick rhizome, as thick as little finger, giving off many slender rootlets. It belongs to the natural order of Valerianaceae.
- Habitat: It grows on the banks of ditches and streams all over Europe.
- Preparation: Mother tincture is prepared from the fresh roots; higher potencies are prepared from the mother tincture.
- Proved by Drs. Hahnemann and Franz.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Who are oversensitive of all senses; the intellectual faculties predominate.
 - 2. Who are worse during rest and are relieved by moving about; suffer from nervous restlessness.
 - 3. Who faint easily.
 - 4. Who suffer from changing symptoms and wandering pains from place to place.
 - 5. Who are hysterical; rapidly change in disposition and ideas; paroxysmal respiration; palpitation; tremblings, jerkings, twitchings; globus hystericus; great nervous excitability; sense of exaltation; hysterical contractors.
 - Mental symptoms come on during rest while sitting and lying and go off on walking about.
 - Useful in hysterical troubles when other apparently well indicated remedies fail.
 - 6. Who are hypochondriacal: sensation of great coldness in head; sensation as if a thread were hanging down the throat; feels light as if floating in the air; symptoms of upper and lower limbs alternate frequently; acceleration of pulse and congestion of head; numerous nondescript nervous manifestations that come in spinal irritation aggravated by much exertion.
 - It is a SPECIFIC remedy for the following conditions:
 - 1. Headache from the heat and light of the sun.
 - 2. Complaints from fasting when the stomach is empty.

- 3. Child vomits: curdled milk in large lumps; same in stools; as soon as it had nursed, after mother has been angry.

- 4. Sciatica: pain worse when standing and letting foot rest on floor; when straightening out limb during rest from previous exertion; better when walking. (H.C. A.)

- 5. Hysterical cramps.

- Hysterical flatulency. (Boericke)

- 6. Earache from exposure to draughts and cold. (Boericke)

- DOSAGE: Tincture (Boericke). 3x to 200th.

- REPETITION: Bears repetition well in low potencies and mother tincture.

- DURATION OF ACTION: Short.

Relationship

- REMEDIES THAT FOLLOW WELL: Puls, Phos.

- ANTIDOTES: Bell, Coff, Camph, Puls, Merc.

Comparison

- Want of susceptibility to well selected remedies: Op, Val, Carb v, Laur.

- Burning sore pain in heels, when sitting, standing or walking in open air: Agar, Caust, Phyt, Val.

- Imagines that there are two babies in the bed: Petr, Val.

- Over-sensitiveness of all senses; smell, taste, hearing: Cham, Nux v, Val.

- Faints from slightest pain: Cham, Hep s, Nux m, Val.

- Child vomits curdled milk in large lumps soon on nursing: Aeth, Val.

- Well chosen remedies fail to react due to lack of vitality: Agar, Ambr, Laur, Mosch, Val.

- Backache worse from sitting: Agar, Cob, Val, Zinc.

- Pain in heels, when sitting: Agar, Led, Mang, Phyt, Val.

- Hysteria: Asaf, Aur, Caust, Cocc, Con, Gels, Ign, Lach, Mag mur, Nat m, Nit ac, Nux m, Nux v, Plat, Puls, Sep, Sil, Tar h, Val, Verat a.

Causes & diseases

- Over exertion.

- Light and heat of sun=headache.

- Fasting.

- Injury=spasms.

- Pain=fainting.
- Early bed sore in typhoid.
- Nervous asthma.
- Nervous asthma.
- Neuralgias.
- Palpitation.
- Hysteria.
- Hysteria.
- Hypochondriasis.
- Sleeplessness.
- Epilepsy.
- AFFINITIES; Mind, Spinal nerves, Tendo Achilles, Genito-urinary organs, Nerves, Heels.

Complaints & characteristics

- Feels light as if floating in air.
- Sensation of great coldness in head.
- Sensation as if a thread were hanging down throat.
- Child vomits curdled milk as soon as it had nursed; after mother has been angry.

- Symptoms of upper and lower limbs alternate frequently.
- Darting and tearing pains come and go.
- Backache, worse from sitting, better from walking.
- Neuralgic pains in limbs, better from rubbing.
- Sleepless and restless before midnight.
- Choking on falling asleep.
- All symptoms worse after sleep.

Generals & modalities

- Hysterical women.
- Nervous irritable persons.
- Intellectual faculties, predominant.
- Excitable temper.
- Changeable disposition.
- Oversensitive of all senses.
- AGGRAVATION; Rest, Sitting, Standing, Excitement, Evening,
- AMELIORATION; Changing position, Walking about, Rubbing,

Variolinum

- Synonyms: Nosode of Small pox.
- Source: Discharge from Small pox vesicle.
- Preparation: Triturations are prepared from the matter from the small pox vesicle; from which higher potencies are prepared
- Proved by Drs. Swan, Burnett.

Indications

- It is a SPECIFIC remedy in the following conditions:
 - 1. Preventive against small pox, (Malandrinum too is a prophylactic against small pox and a remedy for the ill effects of vaccination; chronic eczema following vaccination).
 - 2. Acute infectious diseases: Typhoid, Gastro-enteritis, Influenza, Dysentery during spring, when dry and moist atmospheric conditions alternate. (S.K. Ghosh).
 - 3. Rheumatic fever with throat brains. (S.K. Ghosh)
 - 4. Influenza with pain in back and body.
 - 5. Diarrhoea with pain in body.
 - 6. Pain in throat with difficult deglutition.
 - 7. Pain in back with uterine haemorrhage.
 - 8. Haemorrhage from uterus: from uterine fibroid or cancer.
 - 9. Severe and desperate haemorrhage in typhoid.
 - 10. Herpes zoster with backache.
- DOSAGE: 200 to C.M.
- REPETITION: Single minimum dose is effective.
- DURATION OF ACTION: Not definite.

Relationship

- ANTIDOTES : Ant t, Maland, Sarracenia. Thuj, Vac.

Comparison

- Small pox: Ant t, Ars a, Bell, Croto h, Lach, Phos, Rhus t, Sarrac, Maland, Variol, Thuj.
- Backache: Aesc, Ant t, Arg n, Berb, Calc c, Fluor ac, Cimic, Cocc, Helon, Kali c, Nux v, Macrotin, Pic ac, Rhus t, Sep, Staph, Sulph, Variol.
- Pain in throat with difficult deglutition: Bapt, Bell, Caps, Cic, Ign, Lac c, Lach, Merc c, Rhus t, Phyto.

- Uterine haemorrhage-from fibroids: Acon, Aur m. n, Calc c, Calc fl, Calc s, Con, Kali c, Lach, Lil t, Nit ac, Phos, Thuj, Ust, Variol.

- Haemorrhage in typhoid: Croc h, Phos, Alumen, Bapt, ham, Kreos, Lach, Millef, Mur ac, Nit ac, Phos ac, Sec c, Tereb, Variol.

- Ant t: is a specific remedy for small pox when catarrhal and gastric symptoms are present.

- hydrastis: Modifies small pox abolishing its distressing symptoms, shortening its course, lessening its dangers and greatly mitigating its consequences. (G.W.)

- Belladonna: Fever and excessive inflammation after vaccination.

- Thuja: Removes the pains following vaccination from the spot.

- Malandrinum: Removed the growth of scar tissue following vaccination.

- Sarracenia p: Aborts small pox and arrests postulation. (Boericke)

Causes & diseases

- Preventive and curative in small pox.

- Anti-sycotic in tumour cases.

- (Burnett).

- Irido-cyclitis. Circum-corneal congestion of eye.

- (Burnett)

- Uterine haemorrhage due to fibroid uterus or other tumours of uterus, or cancer.

- Desperate haemorrhage in typhoid cases.

- Herpes zoster.

- Contusion of testicles.

- Deafness.

- Inflamed eyelids.

- AFFINITIES; Blood, Spine, Muscles, Metabolism, Throat, Blood vessels, Uterus, Eyes iris.

Complaints & characteristics

- Uterine haemorrhage with backache.

- Infectious diseases: Typhoid, Gastroenteritis, Influenza, dysentery during spring when dry and moist weather alternate.

- Throat pains with rheumatic fever.

- Influenza with pain in the body or back.

- Diarrhoea with pain in the body or pain in the throat with difficult in deglutition.
 - Pain in throat accompanied by other complaints: small pox, influenza.
 - Pain in back concomitant with acute diseases.
 - Worst cases of backache.
 - Severe cold; chill; chilly creepings as if cold water were trickling down the back.
 - Violent fever with extremely hot skin with or without high pulse.
 - Violent headache.
 - Sensations: as if a band tightly encircled head; crazy feeling through the brain; as if throat were closed; as of a lump in right side of throat.
 - Profuse bad smelling sweats.
- Generals & modalities
- Morbid fear of small pox.
 - Tired all over with restlessness.
 - AGGRAVATION; Pains worse from motion.

Veratrum album

- Synonyms: White Hellebore.
- Source: It is a plant belonging to the natural order of Melanthaceae, having white flowers.
- Habitat: Europe, Alps and Pyrenees.
- Preparation: Mother tincture is prepared from the roots; stocks collected early June before flowering. Higher potencies are prepared from the mother tincture.
- Proved by Dr. Hahnemann.

Indications

- It is a CONSTITUTIONAL remedy for the following types of patients:
 - 1. Who are habitually cold.
 - 2. Who are deficient in vital reaction.
 - 3. Children; who are constipated, stool large and hard; when Nux v, and Lyc fail.
 - 4. Young people of a nervous sanguine temperament; inconsolable over fancied misfortune; despair about social position; feels unlucky;

wants to commit suicide by jumping from a height; brooding, indisposed to talk; sad.

- 5. Bronchitis of old people with inability to expectorate that large amount of mucus in the chest.

- 6. Hysterical: thinks she is pregnant, will soon be delivered; coldness of body at menstrual periods; anxious and depressed at the time of menses; sensation as if water drunk ran down outside and did not go down the oesophagus; sensation of a lump of ice on vertex, with chilliness; as if brain is torn to pieces; cannot bear to be left alone yet persistently refuses to talk; attacks of fainting from least exertion; excessive weakness.

- It is a SPECIFIC remedy for the following conditions:

- 1. For ailments with cold sweats on forehead; face pale, blue, collapsed; features sunken hippocratic; red while lying, becomes pale on rising up; worse from least motion; great prostration; thirst for large quantities of cold water and acid drinks.

- 2. Cholera: after fright with profuse sweat, profuse vomiting, profuse diarrhoea; thirst for large quantities of cold water; cramps; great prostration; dehydration.

- 3. Insanity: violent, tears clothes, shrieks, runs about, spits, exposes person, lewd, lascivious talks, sings obscene songs; preaches, talks rapidly, loquacious; praying loudly, religious mania, corporphagia, repents; anxious about salvation, sits brooding, wailing; puerperal insanity; with uterine and menstrual disorders.

- Catalepsy from religious excitement.

- Erotic mania; melancholia; nymphomania in lying women.

- 4. Diarrhoea: from fright; fruits; watery, gushing, with cutting colic; with vomiting, cold perspiration on

- 5. Mental troubles from injured pride, or honor; disappointed love.

- 6. Bad effects of opium eating or tobacco chewing and alcohol.

- 7. Shock from injuries with cold sweats on head and extreme prostration.

- 8. Dysmenorrhoea with vomiting and purging when Amm c, Rbac v, and Bovista fail.

- 9. Intermittent fever where cold stage always predominates; with blueness of finger nails; with cold and clammy sweats before the

paroxysm begins and lasts until the next.

- 10. Whooping cough with involuntary urine; vomiting and diarrhoea.
- 11. Night-blindness preceding menstruation.
- 12. Vertigo with cold perspiration on head, vomiting and diarrhoea.
- DOSAGE: 6 to 30, and higher.
- In diarrhoea 6th and upwards.
- In mental cases 200th and higher.
- REPETITION: Bears repetition well.
- DURATION OF ACTION: 20 to 30 days. (Clarke)

Relationship

- COMPLEMENTARY: Arnica.
- REMEDIES THAT PRECEDE WELL: Arn n, Ars a, Amm c, Bov, Camph, Chin, Carb v, Cupr ars, Ipec.
- REMEDIES THAT FOLLOW WELL: Arg n, Bell, Cham, Carb v, Puls, Rhus t.
- ANTIDOTES: Acon, Camph, Chin, Coff.
- REMEDY ANTIDOTES: Ars a, Chin, Ferr m, Op, Tab; bad effects of alcohol.
- BOYD'S DRUG GROUP: 1.

Comparison

- Inactivity of rectum, even soft stool requires great straining: Anac, Plat, Sil, Alum, Verat a.
- Constipation of children, stool, large, hard, like black balls: Alum, Plumb, Verat a.
- Cholera like symptoms at the commencement of menstruation: Amm c, Bov, Verat a.
- Vomiting with diarrhoea and cold sweats: Ars a, Ant t, Verat a.
- Boys complaint after using tobacco: Ars a, Ant t, Verat a. Arg n.
- Rapid emaciation: with cold sweat and great debility: Ars a, Tub, Verat a.
- Cholera when vomiting predominates; watery stools offensive and prostrating: Ars a, Bism, Verat a.
- Sudden attacks of vomiting and diarrhoea; skin and breath cold: Ars a, Camph, Jatr, Verat a.

- Surface cold to touch, yet cannot bear to be covered: Camph, Med, Sec c.

- Surface cold to touch, likes to be covered: Ars a, Cupr, Verat a.

- Surface cold to touch, likes to be fanned: Carb v.

- Collapse bathed in cold sweat: Camph, Carb v, Carb ac, Verat a, Med, Tab.

- Urine involuntary: when coughing, sneezing, blowing the nose: Caust, Puls, Squill, Verat a, Nat m, Phos, Kali c, Rumex.

- Copious watery diarrhoea: Crot t, Verat a.

- Cold spot on vertex: Sep, Verat a.

- Violent mental state: Bell, Hyos, Stram, Verat a.

- Constipation with excessive urging felt more in upper abdomen: Ign, Verat a.

- Tormented about her salvation: Lyc, Lil t, Sulph, Verat a.

- Profuse perspiration relieves : Nat m, Psor, Verat a.

- Perspiration does not relieve: Merc.

- Alternate constipation and diarrhoea: Nux v, Sulph, Verat a.

- Diarrhoea from eating fruits: Puls, Chin, Verat a.

- Coldness of vertex with headache: Sep, Verat a.

Causes & diseases

- Fright.

- Injured pride or honour.

- Disappointed love.

- Suppressed exanthema.

- Alcohol.

- Tobacco chewing.

- Opium eating.

- Injuries=shock.

- Cholera: with cold perspiration on forehead; vomiting and diarrhoea; cramps; prostration.

- Pain in limbs during wet weather; getting worse from warmth of bed; better from continued walking.

- Pernicious intermittent fever with extreme coldness; thirst, face cold and collapsed.

- Influenza.

- Intermittent fever.

- Mania.
- Insanity.
- Melancholia.
- Hysteria.
- Tetanus, lock jaw.
- Fainting.
- AFFINITIES; Nervous system, Vaso-motor nerves, Capillaries, Heart, Respiratory system, Digestive system, Vertex.

Complaints & characteristics

- Insanity: with tearing clothes; violence; busy at work; anxiety about salvation; praying loudly; erotic, exposes the person; puerperal; muttering; religious mania with desire to cut and tear things; with lewd and lascivious talks; sings obscene songs; preaches; repents; sits brooding, wailing and weeping; with menstrual troubles; insolent; rude, spits; angry; kisses every one; nymphomania; roams about; shrieking, striking; Catalepsy: from religious excitement.

- Collapse: from cholera; diarrhoea, vomiting; face pale, hippocratic.
- Shock: from injuries; with cold sweats.
- Electric like shocks.
- Convulsions of children: from fright, epileptiform, hysterical; puerperal; with tetanic rigidity.
- Faintness: hysterical: after fright, from pain; during menses; during labour; while fasting; with cyanosis.
- Pain: cutting; pressing; as if scraped; bruised, sore.
- Weakness: nervous; sudden; paralytic; perspiration from weakness; after stools; diarrhoea.
- Icy coldness: of face, tip of nose; body, extremities; abdomen.
- Deathly pallor on face.
- Red while lying pale on rising up.
- Thirst intense, unquenchable for large quantities of water; craving for cold, acid refreshing things (Phos)
- Constipation: no desire; stool large hard; round black balls; inactive rectum; frequent desire felt at epigastrium; painful; of infants and children after Lyc and Nux v fail.
- Vomiting: excessive; with nausea and great prostration; worse by drinking; least motion; great weakness after.

- Diarrhoea: frequent, watery, greenish, gushing, with cutting, colic; with cramps; prostrating; after fright; with vomiting; (Ars a); worse from least motion (Bry); with cold sweats on forehead.

- Dysmenorrhoea: with vomiting and purging; exhausting diarrhoea; with cold sweats (Amm c, Bov); so weak can scarcely stand; for two days at each menses.

Generals & modalities

- Faints easily.
- Anxious: with fear; about salvation.
- Violent.
- Sad, weepy, desires to be carried.
- (Ant t, Ars, Cham, Cina, Lyc, Rhus t, Sanic).
- Indisposed to talk.
- Tendency to take cold.
- Tendency for spasms, cramps vomiting, sweats, diarrhoea, shock, convulsions, mania, melancholia, insanity.
- Nervous weakness; sudden weakness.
- Pulse; abnormal; small, frequent soft, imperceptible.
- Deficient in vital reaction.
- Extremes of life.
- Children and old people, young people to nervous sanguine temperament.
- AGGRAVATION; Least motion, After drinking, Before and during menses, During stool, When perspiring, After fright, After stool, Change of weather, Cloudy weather, Wet, cold air, foggy, Eating, Exertion, Beans, peas, beer, cabbage, fat, tea, Fruits, Potatoes, Warm food, & AMELIORATION; Warm food, Covering, Lying, Walking about.

Veratrum viride

- Synonyms: American or false hellebore.
- Source: It belongs to the natural order of melanthacea.
- Habitat: U.S. A.
- Preparation: Mother tincture is prepared from the fresh roots gathered in autumn. Higher potencies are prepared from the mother tincture.

- Proved by Dr. Hale and Dr. Burt.

Indications

- It is a SPECIFIC remedy in the following conditions:

- 1. Ailments in which hyperaemia or congestion is present; acute inflammations.

- Cerebral congestion; cerebrospinal meningitis; congestive stage of pneumonia; congestive headache etc; with characteristic symptoms of the remedy, e.g. flushed face, high temperature, bounding pulse, a red streak down the centre of the tongue; inflammation with violent pains.

- 2. Congestive apoplexy, hot head, bloodshot eyes, thick speech, slow full pulse, hard as iron.

- 3. Acute rheumatism, high fever, full hard rapid pulse; severe pains in joints and muscles; scanty red urine.

- 4. Cerebrospinal fever: dilated pupils; spasms, tetanic convulsions, opisthotonos; cold clammy perspiration; head retracted in convulsions. (Cic).

- 5. Sunstroke, head full, throbbing of arteries, sensitive to sound; double or partial vision.

- 6. Chorea: with continual jerking or nodding of the head; unaffected by sleep.

- 7. Nervous or sick headache: with violent nausea and vomiting; from suppressed menses.

- 8. Hiccough; excessive and painful, with spasms of oesophagus.

- 9. Puerperal fever.

- 10. Vertigo with nausea.

- 11. High blood pressure: induces fall of both systolic and diastolic blood pressure.

- 12. Paroxysms of auricular fibrillation: pulse slow, soft, weak irregular, intermittent.

- 13. Sudden violent congestions of brain or chest with nausea and vomiting.

- 14. Pleurisy: hold side; cannot breathe; stitching pain.

- DOSAGE: First to 6th potency.

- REPETITION: Bears repetition well.

- DURATIN OF ACTION: Short acting.

Relationship

- ANTIDOTE: Hot coffee.
- REMEDY ANTIDOTES: Stychnine.

Comparison

- Puerperal convulsions or delirium: Bell, Cic, Gels, Glon, Hyos, Stram, Ver vir.

- Apoplexy: Acon, Arn, Bar c, Bell, Cocc, Cup, Crot h, Fer, Gels, Ip, Lach, Nux m, Op, Phos, Sil, Ver vir.

- Congestion: Fer phos, Bell, Ver vir.

- Chorea during sleep: Ver vir.

- Ceases during sleep: Agar.

- Pneumonia: Acon, Fer phos, Bry, Ant t, Phos, Lyc, Rhus t, Sulph, Ver vir.

- Scalded tongue: Sang, Ver vir.

- Rheumatic fever: Bry, Salic ac, Ver vir.

- Nodding of head: Lyc, Stram, Ver vir.

- Internal heat with external chill: Acon, Ars a, Camph, Mosch, Verat.

- Puerperal fever: Pyr, Echi, Lach, Lyc, Puls, Rhus t, Sulph, Ver vir.

Causes & diseases

- Sun-stroke.

- Suppressed menses.

- Suppressed lochia.

- Ailments with dreaming about water.

- Sudden motion causes faintness and blindness.

- The lest food, causes vomiting.

- Amaurosis.

- Apoplexy.

- Asthma.

- Chilblains.

- Chorea.

- Croup.

- Hyperpyrexia.

- Hiccough.

- Erysipelas.

- Meningitis.

- Myalgia.

- Pneumonia.

- Puerperal convulsions.
- Puerperal mania.
- Sleep dreamful.
- Sun-stroke.
- Vaso-motor paralysis.
- Dermographia.
- AFFINITIES; Nervous system: Vaso motors medulla, Occiput; Chest; Stomach; Heart, Capillaries.

Complaints & characteristics

- Congestion, especially of base of brain, chest, spine and stomach.
 - Violent pains attending inflammation.
 - Tongue: white or yellow with red streak down the middle; dry moist white or yellow coating, or no coating on either side; feels scalded (Sang).
 - Convulsions: with trembling and jerking or nodding of the head; dim vision.
 - Basilar meningitis or cerebrospinal meningitis with head-retracted; dilated pupils, tetanic-convulsions, opisthotonos; with cold and clammy perspiration's (Nat s, Cic).
 - Sun-stroke: head full; throbbing arteries, sensitive to sound; double or partial vision.
 - (Gels, Glon).
 - Apoplexy: congestive, hot head, blood shot eyes, thick speech, slow full pulse, hard as iron.
 - Nervous or sick headache: congestion from suppressed menses, intense almost apoplectic with violent nausea and vomiting.
 - Acute rheumatism, high fever, full hard and rapid pulse; severe pains in joints and muscles (Bry, Salic ac); with scanty urine.
 - Pneumonia with zigzag temperature; during congestive stage and early hepatization, raises opsonic index against pneumococci.
- #### Generals & modalities
- Full blooded plethoric persons.
 - bloated livid or flushed face.
 - Pulse: suddenly increases and gradually decreases below normal; pulse slow, soft weak; irregular, intermittent.
 - (Dig, Tab).

- Throbbing arteries.
- Twitching of facial muscles (Lyc).
- Hiccough; excessive and painful with spasms of oesophagus.
- Violent electric like shocks in limbs.
- Suppurative fevers with great variation of temperature.

Zincum metallicum

- Synonyms: Zinc. An.
- Source: It is a metallic element.
- Preparation: Triturations of the pure metal are prepared with sugar of milk; from which higher potencies are prepared.
- Proved by Dr. Hahnemann and his associates.

Indications

- It is a SPECIFIC remedy in the following conditions:
 - 1. Convulsions: during dentition with pale face, no heat, no temperature; with rolling of the eyes; gnashing of the teeth.
 - 2. Chorea: from suppressed eruptions; from fright.
 - 3. Ailments from suppressed discharges; gonorrhoea; expectoration; foot sweats; menses; otorrhoea; lochia; milk.
 - Relief from the appearance of discharges; menses, emission, expectoration, urethral discharge, etc.
 - 4. Mental and nervous diseases with fidgety feet; must move them constantly.
 - 5. Cerebral affections with impending paralysis of brain when the vital dynamis is too weak to develop exanthemata.
 - 6. Brain diseases of children with ravenous hunger about 11 or 12 A.M. ; great greediness when eating; cannot eat fast enough.
 - 7. Headache concomitant with blindness; which subsides with headache.
 - 8. Hysterical retention of urine although bladder is filled with urine.
 - 9. Asthma: unable to expectorate but as soon as he can he is relieved.
 - 10. Twitchings and tremblings are present even during sleep.
- DOSAGE: Lowest to highest potencies.
- In suppressed conditions 200th and above.
- REPETITION: Single dose of high potency is the rule.

- DURATION OF ACTION: 30 to 40 days. (Clarke)

Relationship

- COMPLEMENTARY REMEDIES: Calc phos in hydrocephalus.
- REMEDIES THAT PRECEDE WELL: Apis, Bell.
- REMEDIES THAT FOLLOW WELL: Hep s, Ign, Puls, Sep, Sulph.
- INCOMPATIBLE: Cham, Nux v, Should not be used before and after

Zinc.

- ANTIDOTES: Camph, Hep s.
- REMEDY ANTIDOTES: Bar c, Cham.
- BOYD'S DRUG GROUP: VIII.
- It is ant-psoric and anti-sycotic remedy.
- It has medium duration of action.
- It goes to the depth of vital disorder and restores functional

sickness when indicated.

Comparison

- Pain: sore aching in lumbar and sacral region; while sitting: Agar,

Zinc.

- Headache ceases during menses, returns when the flow disappears:

All c, Lach, Zinc.

- Menses copious at night and when sitting: Amm c, Zinc.
- Bad effects of exanthema imperfectly developed or suppressed:

Apis, Zinc.

- Pruritus vagina; induces onanism: Calad, Orig, Zinc.
- Spasmodic contractions and twitchings of single set of muscles:

Agar, Croc, Ign, Zinc.

- Bad effects of suppressed foot sweats: Cup m, Sil, Zinc.
- Clonic spasms: from metastasis, from other organs to brain: Cup m,

Zinc.

- Bad effects from non-developed: Cup m, Zinc.
- Fidgety while sitting at work: Graph, Zinc.
- Spine aches from base of brain to coccyx, very sensitive to touch of pressure: Chin s, Lac c, Phos, Zinc.

- Dysmenorrhoea; pain subsides when flow begins: Mag phos, Lach, Zinc.

- Intense restlessness and fidgety legs and feet: Med, Zinc.

- Excessive sexual irritation driving to masturbation: Murex, Orig, Ustil, Zinc.
- Sudden retrocession of acute exanthema results in paralysis of brain or convulsions: Op, Zinc.
- Softening of spine with burning along spine and great weakness of back: Pic ac, Phos, Zinc.
- Disease of spinal origin: Phos, Pic ac, Plumb, Zinc.
- Hunger, ravenous 11 or 12 A.M. cannot wait for lunch: Sulph, Zinc.
- Automatic motion of hands and head or one hand and head: Apoc, Bry, Hell, Zinc.
- Cannot bear back to be touched: Chin s, Tar h, Ther, Zinc.
- Trembling and jerking of single muscles: Agar, Ign, Zinc.
- Incipient brain diseases from suppressed eruptions: Hell, Tub, Zinc.
- Amelioration from emission in backache: Zinc.
- Aggravation from emission in backache: Cobalt.

Causes & diseases

- Anger.
- Grief.
- Fright.
- Night watching.
- Operations.
- Frost bite.
- Suppression of eruptions; otorrhoea; menses; lochia; milk.
- Suppressed gonorrhoea.
- Puerperal convulsions from suppressed eruptions.
- Whine aggravates all symptoms; intolerance; wine causes headache.
- Intense burning in eyes after operation.
- Hydrocephalus.
- Pterygium.
- Ptosis.
- Rolling of eyes.
- Squinting.
- Amaurosis with severe headache.
- Sudden cessation of diarrhoea followed by cerebral symptoms.

- All female symptoms are associated with restlessness, depression, coldness, spinal tenderness and restlessness of feet.

- Asthmatic bronchitis with constriction of chest; dyspnoea better as soon as expectoration appears.

- Somnambulism

- AFFINITIES; Brains, Nerves, Spine, Blood, Occiput, Orbits

Complaints & characteristics

- Convulsions: during dentition with pale face, no heat, except perhaps in occiput, no increase in temperature (Rav of Bell); rolling the eyes; gnashing the teeth.

- Chorea: from suppressed eruptions; from fright.

- Chilblains painful, worse from rubbing.

- Backache, much worse from sitting, better from walking about (Cobalt, Puls, Rhus t.)

- Cannot bear back touched (Chin s, Tar h, Ther).

- Spinal irritation great prostration of strength.

- Twitching and jerking of single muscles (Agar, Ign, Ver vir)

- Weakness of trembling of extremities; of hands while writing; during menses.

- Can only pass urine while sitting bent backwards.

- During sweats, cannot tolerate any covering.

- Always feels better as soon as the menses begin to flow; it relieves all her sufferings; but they return as soon as the flow ceases.

- Feet sweaty and sore, about toes; foetid, suppressed sweats of feet; very nervous.

- Headache develops with blindness and ceases with its relief.

- Hysterical retention of urine.

Generals & modalities

- Broken down constitutions.

- Oversensitive like Nux to every little noise.

- Feeble children.

- Feeble girls, late appearance of menses.

- Feeble memory.

- Feeble digestion, feeble functions.

- Hysterical Nervous.

- Fidgety feeling in feet, must move them constantly.
- Child repeats all questions before answering them, comprehension weak.
- Brain fag, muscle fag, nerve fag.
- Child cries out during sleep; whole body jerks during sleep; when wakes frightened, starts; rolls the head from side to side; face alternately pale and red.
- Automatic motion of hands and head, or one hand and head (Apoc, Bry, Hell).
- Hunger ravenous about 11-12 A.M. (Sulph).
- Great greediness when eating; cannot eat fast enough.
- Persons suffering from cerebral and nervous exhaustion; defective vitality; brain and nerve power wanting; too weak to develop exanthemata or menstrual function., to expectorate, to urinate, to comprehend, to memorise.
- In cerebral affections: in impending paralysis of brain, where the vismedicatrix-nature is too weak to develop exanthemata (Cup, Sulph, Tub).
- Symptoms of effusion into ventricles.
- Children handle genitals.
- Teeth fail to develop.
- AGGRAVATION; Wine, Exhaustion; Menstrual period, Touch, Suppressions, Between 5 and 7 P.M.
- AMELIORATION; Motion, Appearance of discharges: expectoration; menses; emissions, Hard pressure, Warm open air.