

ALLEN'S KEYNOTE

SKIN

SKIN SECTION EXTRACTED FROM ALLEN

POWERED BY STUDYMEDD



BY DR. BHOJ KUMAR AHIRWAR
GHMC BHOPAL

TABLE OF CONTENTS

KEYNOTE PRESCRIBING

- ABROTANUM
- AGARICUS MUSCARIUS
- AGNUS CASTUS
- ALOE SOCOTRINA
- ALUMINA
- AMMONIUM CARB
- ANACARDIUM ORIENTALE
- ANTHRACINUM
- ANTIMONIUM CRUDUM
- APIS MELLIFICA
- ARNICA MONTANA
- ARSENIC ALBUM
- ARUM TRIPHYLLUM
- BELLADONNA
- BORAX VENETA
- BOVISTA LYCOPERDON
- CALADIUM
- CALENDULA OFFICINALIS
- CAMPHORA OFFICINALIS
- CANTHARIS VESICATORIA
- CARBOLICUM ACIDUM
- CAUSTICUM
- CHELIDONIUM MAJUS
- CICUTA VIROSA
- CROTALUS HORRIDUS
- CROTON TIGLIUM
- DULCAMARA
- FLUORICUM ACIDUM
- GRAPHITES
- HEPAR SULPHUR
- HYPERICUM PERFORATUM

A BOOK BY ELLICURA HOMOEOPATHY

WWW.ELLICURA.COM

TABLE OF CONTENTS

KEYNOTE PRESCRIBING

- KALIUM BROMATUM
- KREOSOTUM
- LACHESIS MUTUS
- MERCURIUS SOLUBILIS
- MEZEREUM
- MURIATICUM ACIDUM
- NATRIUM MURIATICUM
- NITRICUM ACIDUM
- PETROLEUM
- PHYTOLACCA DECANDRA
- PICRIUM ACIDUM
- PLUMBUM METALLICUM
- PSORINUM
- PYROGENIUM
- RANUNCULUS BULBOSUS
- RHUS TOXICODENDRON
- RUMEX CRISPUS
- RUTA GRAVEOLENS
- SABADILLA
- SABINA
- SANGUINARIA CANADENSIS
- SANICULA AQUA
- SARSAPARILLA
- SECALE CORNUTUM
- SEPIA OFFICINALIS
- SILICEA TERRA
- STAPHYSAGRIA
- SULPHUR
- SULPHURICUM ACIDUM
- SYPHILINUM
- TARENTULA CUBENSIS

A BOOK BY ELLICURA HOMOEOPATHY

WWW.ELLICURA.COM

TABLE OF CONTENTS

KEYNOTE PRESCRIBING

- THUJA OCCIDENTALIS
- TUBERCULINUM
- VARIOLINUM
- ZINCUM METALLICUM
- ELECTRICITY
- LAC VACCINUM
- MAGNETIS POLI AMBO
- MAGNETIS POLUS ARCTICUS
- MAGNETIS POLUS AUSTRALIS
- MALANDRIUM
- MALARIA OFFICINALIS
- THYREOIDINUM
- USTILAGO MAYDIS
- VACCININUM
- PROVINGS OF THE X RAY
- BACILLUS MORGAN (BACH)
- BACILLUS PROTEUS (BACH)
- BACILLUS NO.7 (PATERSON)
- SYCOTIC COMPOUND (PATERSON)

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

ABROTANUM

- Itching chilblains (Agar).

Relation :-

- After Hepar in furuncle; after Acon. and Bry. in pleurisy, when a pressing sensation remains in affected side impeding respiration.

AGARICUS MUSCARIUS

- Chilblains, that itch and burn intolerably; frostbite and all consequences of exposure to cold, especially in face.
- Sensation as if ice touched or ice-cold needles were piercing the skin; as from hot needles.
- Burning, itching, redness of various parts; ears, nose, face, hands and feet; parts red, swollen, hot.

Modalities :-

- **Aggravation:** After eating; after coitus; cold air; mental application; before a thunderstorm (Phos., Psor.).

AGNUS CASTUS

- Prevents excoriation, from walking.

Relation :-

- Caladium and Selenium follow well after Agnus in weakness of sexual organs or impotence.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

ALOE SOCOTRINA

- Itch appears each year, as winter approaches (Psor.).

Modalities :-

- **Aggravation** : Early morning; sedentary life; hot, dry weather; after eating or drinking; standing or walking.
- **Amelioration** : Cold water; cold weather; discharge of flatus and stool.

Relation :-

- Like Sulphur in many chronic diseases with abdominal plethora and congestion of portal circulation; develops suppressed eruption.
- Similar : To, Am-m., Gamb., Nux-v., Podo.

ALUMINA

- Dry, tettery, itching, eruption, worse in winter (Petr.); intolerable itching of whole body when getting warm in bed (Sulph.); scratches until bleeds, then becomes painful.

Modalities :-

- **Aggravation** : In cold air; during winter; while sitting; from eating potatoes; after eating soups; on alternate days; at new and full moon.
- **Amelioration** : Mild summer weather; from warm drinks; while eating (Psorinum) : in wet weather (Caust).

Relation :-

- Alumina is one of the chief antidotes for lead poisoning; painter's colic; ailments from lead.
- Complementary : To, Bryonia.
- Follows: Bry., Lach., Sulph.
- Alumina is the chronic of Bryonia.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

AMMONIUM CARBONICUM

- Body red, as if from scarlatina (compare, Ail.).
- Malignant scarlatina with deep sleep; stertorous breathing. Miliary rash or faintly developed eruption from defective vitality; threatened paralysis of brain (Tub., Zinc.).

Modalities :-

- **Aggravation:** Cold, wet weather; wet poultices; from washing; during menses.
- **Amelioration:** Lying on abdomen (Acet-ac.); on painful side (Puls.); in dry weather.

Relation :-

- It antidotes poisoning with Rhus-t. and stings of insects.
- Affects the right side most.
- Inimical: To, Lachesis.

ANACARDIUM ORIENTALE

- Warts on palms of hands (Nat-m.).

Relation :-

- Compare : Rhus-r., Rhus-t. and Rhus-v.
- Symptoms are prone to go from right to left (Lyc.).
- Anacardium follows well: After Lyc. and Puls.
- Anacardium follows, and is followed by Platinum.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

ANTHRACINUM

- In carbuncle, malignant ulcer and complaints with ulceration, sloughing and intolerable burning.
- Dissecting wounds especially if tendency is to become gangrenous; septic fever, marked prostration (Ars., Pyrog.).
- Gangrenous ulcers; felon, carbuncle, erysipelas of a malignant type.
- Malignant pustules; black or blue blisters; often fatal in twenty-four or forty-eight hours (Lach., Pyrog.).
- Carbuncle; with horrible burning pains; discharge of ichorous offensive pus.
- Suspicious insect stings. If the swelling changes color and red streaks from the wound map out the course of lymphatics (Lach., Pyrog.).
- Hering says: "To call a carbuncle a surgical disease is the greatest absurdity. An incision is always injurious and often fatal A case has never been lost under the right kind of treatment, and it should always be treated by internal medicine only."

Relation :-

- When Arsenicum or the best selected remedy fails to relieve the burning pain of carbuncle or malignant ulceration.
- Similar: To, Ars., Carb-ac., Lach., Sec., Pyrog., in malignant and septic conditions.
- Compare: Euph. in the terrible pains of cancer, carbuncle or erysipelas when Ars. or Anth. fail to >.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

ANTIMONIUM CRUDUM

- Disposition to abnormal growths of the skin; fingernails do not grow rapidly; crushed nails grow in splits like warts with horny spots.

Modalities :-

- **Aggravation**: After eating; cold baths; acids or sour wine; after heat of sun or fire; extremes of cold, or heat.
- **Amelioration**: In the open air; during rest; after a warm bath.

Relation :-

- Complementary: Squilla.
- Similar: To , Bry., Ip., Lyc., Puls., in gastric complaints.
- Follows well: After, Ant-c., Puls., Merc., Sulph.

APIS MELLIFICA

- Bad effects of acute exanthema imperfectly developed or suppressed (Zinc.); measles, scarlatina, urticaria.

Modalities :-

- **Aggravation**: After sleeping (Lach.); closed, especially warmed and heated rooms are intolerable; from getting wet (Rhus-t.), but better from washing or moistening the part in cold water.
- **Amelioration**: Open air; cold water or cold bathing; uncovering; pains by coughing, walking or changing position; when sitting erect.

Relation :-

- Complementary : Nat-m.
- Disagrees, when used either before or after Rhus-t.
- Ars. and Puls. follow Apis well.
- Has cured scarlatina albuminuria after Canth, Dig., Hell. failed.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

ARNICA MONTANA

- Tendency to small, painful boils, one after another, extremely sore (small boils in crops, Sulph.).

Modalities :-

- **Aggravation:** At rest; when lying down; from wine.
- **Amelioration:** From contact; motion (Rhus-t., Ruta).

Relations :-

- Complementary: To, Acon., Hyper., Rhus-t.
- Similar: To, for soreness as if bruised, Bapt., Chin., Phyt., Pyrog., Rhus t., Staph.
- Arnica follows well: After, Acon., Apis, Ham., Ip., Verat., is followed by Sul-ac.
- In ailments from spirituous liquors or from charcoal vapors, Arn. is often indicated (Am-c., Bov.).
- In spinal convulsions, compare with Hyper.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

ARSENICUM ALBUM

- Anasarca, skin pale, waxy, earth-colored (Acet-ac.).
- Skin: Dry and scaly; cold, blue and wrinkled; with cold, clammy perspiration; like parchment; white and pasty; black vesicles and burning pain.

Modalities :-

- **Aggravation:** After midnight (1 to 2 a.m. or p.m.); from cold; cold drinks or food; when lying on affected side or with the head low.
- **Amelioration:** From heat in general (reverse of Sec.) except headache, which is temporarily > by cold bathing (Spig.); burning pain > by heat.

Relation :-

- Complementary: All-s., Carb-v., Phos., Pyrog.
- Ars. should be thought of in ailments from: Chewing tobacco; alcoholism; sea bathing; sausage poisoning; dissecting wounds and anthrax poison; stings of venomous insects.

ARUM TRIPHYLLUM

- Desquamation in large flakes; a second or third time, in scarlatina.

Relation :-

- Useful: After Hep. and Nit-ac. in dry, hoarse, croupy cough; after Caust. and Hep. in morning hoarseness and deafness, and in scarlatina.
- Should not be given low or repeated often, as bad effects often follow.
- The higher potencies most prompt and effective.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

BELLADONNA

- Skin: Of a uniform, smooth, shining scarlet redness; dry, hot, burning; imparts a burning sensation to examining hand; the true Sydenham scarlet fever, where eruption is perfectly smooth and truly scarlet.

Modalities :-

- **Aggravation:** From touch, motion, noise, draft of air, looking at bright shining objects (Lys., Stram.); after 3 p.m., night, after midnight; while drinking; uncovering the head; summer sun; lying down.
- **Amelioration:** Rest; standing or sitting erect; warm room.

Relation :-

- Complementary; Calcarea.
- Belladonna is the acute of Calcarea, which is often required to complete a cure.
- Similar: To, Acon., Bry., Cic., Gels., Glon., Hyos., Meli., Op., Stram.

BORAX VENETA

- Unhealthy, slight injuries suppurate (Calen., Hep., Merc., Sil.).

Modalities :-

- **Aggravation:** Downward motion; from sudden slight noises; smoking, which may bring on diarrhea; damp, cold weather; before urinating.
- **Amelioration:** Pressure; holding painful side with hand.

Relation :-

- Borax follows: Calc., Psor., Sanic., Sulph.
- Is followed: By, Ars., Bry., Lyc., Phos., Sil.
- Incompatible; should not be used before or after, Aceticum acidum, vinegar, wine.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

BOVISTA LYCOPERDON

- Intolerable itching at tip of coccyx, must scratch till parts become raw and sore.
- Persons who suffer from tettery eruptions, dry or moist.

Relation :-

- Compare: Am-c., Bell., Calc., Mag-s., Sep. in menstrual irregularities.
- Bovista antidotes, effects of local applications of tar; suffocation from gas.
- When Rhus-t. seems indicated but fails to cure, in chronic urticaria.

CALADIUM

- Mosquito and insect bites burn and itch intensely.

CALENDULA OFFICINALIS

- Ulcers: Irritable, inflammed, sloughing, varicose; painful as if beaten (Arn.). Excessive secretion of pus.

Relation :-

- Complementary: Hep., Sal-ac.
- Similar: To, Hyper. in injuries to parts rich in sentient nerves where pain is excessive and out of all proportion to injury.
- To, Arn. in traumatism without laceration of soft tissue. To Symph., Calc-p., for non-union of bones.
- Sal-ac., prevents excessive suppuration; gangrene.
- Sul-ac. in painful, gangrenous wounds; said to destroy septic germs.
- Acts as well in potency as in tincture, applied locally, and may be administered internally at the same time.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

CAMPHORA OFFICINALIS

- Measles and scarlatina when eruption does not appear; with pale or cold blue, hippocratic face; child will not be covered (Sec.).
- All sequelae of measles.

Modalities :-

- **Amelioration:** When thinking of existing complaint; warm air; drinking cold water.

Relation :-

- Camphora antidotes nearly every vegetable medicine; also tobacco, fruits containing prussic acid, poisonous mushrooms; should not be allowed in the sick room in its crude form.
- Compare: Carb-v., Op., Verat., Sec.
- Note for thought: All our progress as a school depends on the right view of the symptoms obtained by proving with Camphora and Opium. — Hering.

CANTHARIS VESICATORIA

- Vesicular erysipelas; vesicles all over body which are sore and suppurating.
- Erythema from exposure to sun's rays (sunburn).
- Burns and scalds, relieved by cold applications; burns before blisters form and when they have formed. If the skin be unbroken, apply an alcoholic solution of any potency and cover with cotton; this will promptly relieve pain and often prevent vesication. If skin be broken use in boiled or distilled water, and in each case give potency internally.

Relation :-

- Similar: To, Apis, Ars., Equis., Merc.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

CARBOLICUM ACIDUM

- Malignant scarlatina and variola (Am-c.).

Relation :-

- The potencies are made with alcohol (an exception to the rule of preparing acids).
- Compare: Ars., Kreos. in burns; ulcers with unhealthy, offensive discharges, Gels., Merc., Sulph.
- Carbolicum acidum is antidoted by dilute cider vinegar, either externally or internally, when acid has been swallowed accidentally or taken for suicidal purposes.

CAUSTICUM

- Cicatrices, especially burns, scalds, freshen up, become sore again; old injuries re-open; patients say "they never have been well since that burn."
- Warts: Large, jagged, often pedunculated; bleeding easily; exuding moisture; small, all over the body; on eyelids, face; on the nose.

Modalities :-

- **Aggravation:** In clear, fine weather; coming from the air into a warm room (Bry); cold air, especially draft of cold air; on becoming cold; from getting wet or bathing.
- **Amelioration:** In damp, wet weather; warm air.

Relation :-

- Complementary: Carb-v., Petr.
- Incompatible: Phos. Must not be used before or after Phos., always disagrees; the Acids; Coffea.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

CAUSTICUM

- Compare: Arn., must swallow mucus; Gels., Graph., Sep. in ptosis; hoarseness, Rumx. and Carb-v. when < changes to evening; Sulph. in chronic aphonia.
- Causticum antidotes paralysis from lead poisoning (bad effects of holding type in mouth of compositors), and abuse of Merc. or Sulph. in scabies.

CHELIDONIUM MAJUS

- Yellow-gray color of the skin; wilted skin; of the palms of hands (Sep.).
- Old, putrid, spreading ulcers, with a history of liver disease, or of a tubercular diathesis.

Relation :-

- Chelidonium antidotes the abuse of Bry., especially in hepatic complaints.
- Compare: Acon., Bry., Lyc., Merc., Nux-v., Sang., Sep., Sulph.
- Ars., Lyc. and Sulph. follow well, and will often be required to complete the cure.

CICUTA VIROSA

- Pustules which run together, forming thick, yellow scabs, on head and face. Sycosis menti.
- Eczema: No itching; exudation forms into a hard lemon-colored crust.

Modalities :-

- **Aggravation:** From tobacco smoke (Ign.); touch. Relation
- Compare: Hydr-ac., Hyper., Nux-v., Stry.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

CROTALUS HORRIDUS

- Dissecting wounds; insect stings.
- Tendency to carbuncles or blood boils (Anthr.).

Relation :-

- Compare : Elaps, Lach., Naja, Pyrog.
- In Lach. skin cold clammy; Crot-h. cold and dry; Elaps, affections of right lung, expectoration of black blood.

CROTON TIGLIUM

- Intense itching of skin, but so tender is unable to scratch; > by gentle rubbing; eczema over whole body.
- Develops an acute eczema over whole body (Rhus-t.).

Modalities :-

- **Aggravation:** Diarrhea; every motion; after drinking; while eating or nursing (Arg-n., Ars.); during summer; from fruit and sweetmeats (Gamb.); the least food or drink.

Relation :-

- Compare: Kali-br., Phos. in chronic infantile diarrhea; Sil. pain from nipple through to back when nursing.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

DULCAMARA

- Skin is delicate, sensitive to cold, liable to eruptions, especially urticaria; every time patient takes cold or is long exposed to cold.
- Rash before the menses (Con.—during profuse menses, Bell., Graph.).
- Urticaria over whole body, no fever; itching burns after scratching; < in warmth, > in cold.
- Thick brown-yellow crusts on scalp, face, forehead, temples, chin; with reddish borders, bleeding when scratched.
- Warts, fleshy, large, smooth; on face or back of hands and fingers (Thuj.).

Modalities :-

- **Aggravation**: From cold in general; cold air; cold wet weather; suppressed menstruation, eruptions, sweat.
- **Amelioration**: From moving about (Ferr., Rhus-t.).

Relation :-

- Complementary : To, Bar-c., Kali-s.
- Incompatible: With Acet-ac., Bell., Lach. should not be used before or after.
- Follows well: After, Calc., Bry., Lyc., Rhus-t., Sep.
- Similar: To Merc. in ptyalism, glandular swellings, bronchitis, diarrhea; susceptibility to weather changes; night pains; to Kali-s. the chemical analogue.
- For the bad effects or abuse of mercury.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

FLUORICUM ACIDUM

- Varicose veins and ulcers, obstinate, long standing cases, in women who have borne many children.
- Nevus flat, of children (right temple); capillary aneurysm (compare, Calc- f., Tub.).
- Old cicatrices become red around edges, and threaten to become open ulcers (Caust., Graph.).
- Ulcers: Red edges and vesicles; decubitus; copious discharge; < from warmth, > from cold; violent pains, like streaks of lightning, confined to a small spot.

Relation :-

- Complementary: Coca, Sil.
- Follows well: After, Ars. in ascites of drunkards; after, Kali-c, in hip disease; after, Coff., Staph. in sensitive teeth; after, Ph-ac., in diabetes; after, Sil., Symph. in bone diseases; after, Spong. in goitre.

GRAPHITES

- Unhealthy skin; every injury suppurates (Hep.); old cicatrices break open again; eruptions upon the ears, between fingers and toes and on various parts of body, from which oozes a watery, transparent, sticky fluid.

Modalities :-

- **Aggravation:** At night, during and after menstruation.

Relation :-

- Complementary: Caust., Hep., Lyc.
- Graphites follows well: After Lyc., Puls.; after Calc. in obesity of young women with large amount of unhealthy adipose tissue; follows Sulph. well in skin affections; after Sepia in gushing leucorrhea.
- Similar: To Lyc., Puls., in menstrual troubles.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

HEPAR SULPHUR

- The slightest injury causes suppuration (Graph., Merc.).
- In diseases where suppuration seems inevitable, Hepar may open the abscess and hasten the cure
- The skin is very sensitive to touch, cannot bear even clothes to touch affected parts (Lach.—sensitive to slightest touch, but can bear hard pressure, Chin.).
- Skin affections extremely sensitive to touch, the pain often causing fainting.
- Ulcers, herpes, surrounded by little pimples or pustules and spread by coalescing.

Modalities :-

- **Aggravation:** Lying on painful side (Kali-c., Iod.); cold air; uncovering; eating or drinking cold things; touching affected parts; abuse of mercury.
- **Amelioration:** Warmth in general (Ars.); wrapping up warmly, especially the head (Psor., Sil.); in damp, wet weather (Caust., Nux-v., reverse of, Nat-s.).

Relation :-

- Complementary: To, Calendula in injuries of soft parts.
- Hepar antidotes: Bad effects of mercury and other metals; iodine, iodide of potash, cod-liver oil; renders patients less susceptible to atmospheric changes and cold air.
- Compare: The psoric skin affections of Sulphur are dry, itching, > by scratching, and not sensitive to touch; while in Hepar the skin is unhealthy, suppurating, moist, and extremely sensitive to touch.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

HYPERICUM PERFORATUM

- Always modifies and sometimes arrests ulceration and sloughing (Calen.). Crushed, mashed fingertips.

Relation :-

- Compare: Arn., Calen., Ruta, Staph.
- In wounds where formerly Acon. and Arn. were given alternately, Hypericum cures.

KALIUM BROMATUM

- Acne : Simplex, indurata, rosacea; bluish-red, pustular, on face, chest, shoulders; leaves unsightly scars (Carb-an.); in young fleshy persons of gross habits.

Relation :-

- One of the antidotes for lead poisoning.
- Often curative after Eugenia jambos in acne.

KREOSOTUM

- Itching, so violent towards evening as to drive one almost wild (itching, without eruption, Dolichos).

Modalities :-

- **Aggravation:** In the open air, cold weather; when growing cold; from washing or bathing with cold water; rest, especially when lying.
- **Amelioration:** Generally better from warmth. Relation
- Kreosotum is followed well by Ars., Phos., Sulph., in cancer and disease of a malignant tendency.
- Carb-v. and Kreos. are inimical.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

LACHESIS MUTUS

- Boils, carbuncles, ulcers with intense pain (Tarent-c.); malignant pustules; decubitus; dark, bluish, purple appearance; tend to malignancy.

Modalities :-

- **Aggravation:** After sleep; contact; extremes of temperature; acids; alcohol; cinchona; mercury; pressure or constriction; sun's rays; spring; summer.

Relation :-

- Complementary: Hep., Lyc., Nit-ac.
- Incompatible: Acet-ac., Carb-ac.
- In intermittent fever Nat-m. follows Lach. well when type changes.

MERCURIUS SOLUBILIS

- Diseases of the skin; intolerable biting, itching, over body, as from insect bites, < in evening and from warmth of bed; becomes pleasant on scratching.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

MEZEREUM

- Eczema and itching eruptions after vaccination.
- Ulcers with thick, yellowish-white scabs, under which thick, yellow pus collects.
- Vesicles appear around the ulcers, itch violently, burn like fire (Hep.); shining, fiery-red areola around.
- Linen or charpie sticks to the ulcers, they bleed when it is torn away.
- Eczema: Intolerable itching, < in bed and from touch; copious, serous exudation.
- Neuralgic burning pains after zona.
- Child scratches face continuously, which is covered with blood; eruptions moist; itching worse at night; inflammatory redness of face.

Modalities :-

- **Aggravation:** Cold air; cold washing; at night; touch or motion; bad effects of mercury or alcohol.
- Epidemics occurring in January and February often call for Mezereum.

Relation :-

- Compare: Caust., Guaj., Phyt., Rhus-t.

MURIATICUM ACIDUM

- Freckles; eczema solaris.

Relation :-

- Follows well: After, Bry., Merc., Rhus-t.
- Cures the muscular weakness following excessive use of opium and tobacco.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

NATRIUM MURIATICUM

- Hangnails: Skin around the nails dry and cracked (Graph., Petr.); herpes about anus and on borders of hair at nape of neck (in bend of knees, Hep., Graph.).
- Warts on palms of hands (sore to touch, Nat-c.).
- Eczema; raw, red, inflamed, especially in edges of hair; < from eating too much salt, at seashore, or from ocean voyage.
- Urticaria, acute or chronic; over whole body, especially after violent exercise (Apis, Calc., Hep., Sanic., Urt-u.).

Modalities :-

- **Aggravation:** At 10 or 11 a.m.; at the seashore or from sea air; heat of sun or stove; mental exertion, talking, writing, reading; lying down.
- **Amelioration:** In the open air (Apis, Puls.); cold bathing; going, without regular meals; lying on right side (on painful side, Bry., Ign., Puls.).

Relation :-

- Complementary : To, Apis; acts well before and after it.
- Natrium mur. is the chronic of Ignatia, which is its vegetable analogue.
- Is followed by Sepia and Thuja.
- Cannot often be repeated in chronic cases without an intercurrent, called for by the symptoms.
- Should never be given during fever paroxysm.
- If vertigo and headache be very persistent, or prostration be prolonged after Natrium, Nux will relieve.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

NITRICUM ACIDUM

- Warts, condylomata; sycotic or syphilitic; large, jagged, pedunculated; bleeding readily on washing; moist, oozing; sticking pain (Staph., Thuj.).

Modalities :-

- **Aggravation:** Evening and at night; after midnight; contact; change of temperature of weather; during sweat; on walking; while walking.
- **Amelioration:** While riding in a carriage (reverse of Cocc.).

Relation :-

- Complementary: Ars. and Calad.
- Inimical: To, Lachesis.
- Resembles: Ars. in morbid fear of cholera.
- Often difficult to distinguish from Merc.; but is adapted to black-haired people, while Merc. is more useful in light-haired persons.
- Relieves ailments resulting from abuse of mercury, especially if there be erethism; bad effects of repeated doses of Digitalis.
- Follows well: Calc., Hep., Merc., Nat-c., Puls. or Thuj.; but is most effective after Kali-c.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

PETROLEUM

- Painful sensitiveness of skin of whole body; all clothing is painful; slight injury suppurates (Hep.).
- Skin of hands rough, cracked; tips of fingers rough, cracked, fissured, every winter; tenderness of the feet, which are bathed in foul-smelling sweat (Graph., Sanic., Sil.).
- Herpes: Of genital organs extending to perineum and thighs; itching, redness; skin cracked, rough, bleeding; dry or moist.
- Painful, itching chilblains and chapped hands < in cold weather; decubitus.

Modalities :-

- **Aggravation**: Carriage riding (Cocc., Sanic.); during a thunderstorm; in winter (Alum.).

Relation :-

- One of our best antidotes for lead poisoning.
- The skin symptoms are worse in winter, better in summer (Alum.); if suppressed, causes diarrhea.

PHYTOLACCA DECANDRA

- Hasten suppuration (Hep., Lach., Merc., Sil.).

Modalities :-

- **Aggravation** : When it rains; exposure to damp, cold weather.

Relation :-

- Compare : Kali-i., its analogue.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

PICRICUM ACIDUM

- Small boils in any part of body, but not especially in external auditory canal.

Modalities :-

- **Amelioration**: From cold air and cold water.
- **Aggravation**: Least mental exertion; motion; study; wet weather.

Relation :-

- Compare: Arg-n., Gels., Kali-p., Ph-ac., Phos., Petr., Sil.

PLUMBUM METALLICUM

- Yellow skin; dark brown "liver spots" in climacteric years; jaundice, the eyes, skin and urine yellow.

Modalities :-

- **Aggravation**: At night (pain in limbs).
- **Amelioration**: Rubbing; hard pressure. Relation
- Compare : Alum., Plat., Op. in colic; Podo. in retraction of navel; Nux-v., in strangulated hernia; Podo, the vegetable analogue.
- The bad effects of Plumbum are antidoted by Alum., Petr., Plat., Sul-ac., Zinc.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

PSORINUM

- Driven to despair with excessive itching.
- Acne: All forms, simplex, rosacea; < during menses, from coffee, fats, sugar, meat; when the best selected remedy fails or only palliates.
- Skin: Abnormal tendency to receive skin diseases (Sulph.); eruptions easily suppurate (Hep.); dry, inactive, rarely sweats; dirty look, as if never washed; coarse, greasy, as if bathed in oil; bad effects from suppression by sulphur and zinc ointments.
- Psorinum should not be given for psora or the psoric diathesis, but like every other remedy, upon a strict individualization—the totality of the symptoms and then we realize its wonderful work.

Relation :-

- Complementary: Sulphur and Tuberculinum.
- Is followed well: By, Alum., Borx., Hep., Sulph., Tub.
- After: Lac-ac., in vomiting of pregnancy.
- Arn. in traumatic affections of ovaries.
- Sulphur follows Psorinum well in mammary cancer.
- “Whether derived from purest gold or purest filth, our gratitude for its excellent service forbids us to inquire or care.— P.B. Bell.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

PYROGENIUM

- Skin; pale, cold, of an ashy hue (Sec.); obstinate, varicose, offensive ulcers of old persons (Psor.).

Relation :-

- Compare: Ars., Carb-v., Carb-ac., Op., Psor., Rhus-t., Sec., Verat.
- Latent pyrogenic process, patient continually relapsing after apparent simillimum.

RANUNCULUS BULBOSUS

- Shingles preceded or followed by intercostals neuralgia (Mez.); vesicles Ranunculaceae may have a bluish appearance.
- Corns sensitive to touch, smart, burn (Sal-ac.).

Modalities :-

- **Aggravation:** Contact; motion atmospheric changes, especially, wet stormy weather (Rhus-t.).

Relation :-

- Compare: Acon., Arn., Bry., Clem., Euphorbia., Mez.
- Incompatible: With Sulph. and Staph.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

RHUS TOXICODENDRON

- Erysipelas, from left to right; vesicular, yellow vesicles; much swelling, inflammation; burning, itching, stinging.

Modalities :-

- **Aggravation:** Before a storm; cold, wet rainy weather; at night, especially after midnight; from getting wet while perspiring; during rest.
- **Amelioration:** Warm, dry weather, wrapping up; warm or hot things; motion; change of position; moving affected parts.
- The great characteristic of Rhus-t. is that with few exceptions the pains occur and are < during repose and are > by motion.

Relation :-

- Complementary: To, Bryonia.
- Inimical: To, Apis, must not be used before or after.
- Compare: Arn., Bry., Rhod., Nat-s., Sulph.
- Sepia, often quickly > itching and burning of Rhus-t., the vesicles drying up in a few days.
- Rhus-t. is best antidoted by the simillimum; the potentized remedy given internally. The dermatitis should never be treated by topical medicated applications; they only suppress, never cure.

RUMEX CRISPUS

- Itching of various parts; < by cold, > by warmth; when undressing, uncovering or exposing to cold air (Hep., Nat-s., Olnd.).

Modalities :-

- **Aggravation:** Cool or cold air; lying down (Hyos.).
- **Amelioration:** Warmth; keeping mouth covered to exclude cold air. Relation
- Compare: Bell., Caust., Dros., Hyos., Phos., Sang., Sulph.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

RUTA GRAVEOLENS

- Warts; with sore pains; flat, smooth on palms of hands (Nat-c., Nat-m.— on back of hands, Dulc.).

Relation :-

- Compare: Arn., Arg-n., Con., Euphr., Phyt., Rhus-t., Symp.
- After Arnica, it hastens the curative process in the joints; after Symphytum, in injuries of bones.

SABADILLA

- Parchment-like dryness of skin.

Relation :-

- Compare: Coloc., Colch., Lyc., where < is from 4 to 8 p.m.; Puls., Sabad. > in open air.
- Follows: Bry. and Ran-b. well in pleurisy, and has cured after Acon. And Bry. failed.

SABINA

- Fig warts with intolerable itching and burning; exuberant granulations (Thuja., Nit-ac.).

Modalities :-

- **Aggravation:** From least motion (Sec.); warm air or room (Apis, Puls.).
- **Amelioration:** In cool, open, fresh air.

Relation :-

- Complementary: To, Thuja.
- Compare: Calc. Croc., Mill., Sec., Tril-p.
- Follows : Thuja in condyloma and syctic affections.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

SANGUINARIA CANADENSIS

- Eruption of face of young women, especially during scanty menses (Bell- p., Calc-p., Eug-j., Psor.).

Relation :-

- Compare: Bell., Iris, Meli., in sick headache; Lach., Sulph., in climacteric affections; Chel., Phos., Sulph., Verat-v., in chronic bronchitis or latent pneumonia.
- After Bell. fails in scarlatina.
- As a dynamic remedy for the narcosis of Opium.

SANICULA AQUA

- Profuse, scaly dandruff on scalp, eyebrows, in the beard.
- Excoriation of skin about anus (Sulph.); covering perineum and extending to genitals.

Relation :-

- Related to: Abrot., Alum., Borx., Calc., Graph., Nat-m., Sil., and others of our great anti-psorics.

SARSAPARILLA

- Herpetic eruptions on all parts of body; ulcers, after abuse of mercury, in syphilis.
- Rash from exposure to open air; dry, itch-like eruptions, prone to appear in spring; become crusty.
- Itching eruption of forehead during menses (Eug., Sang., Psor.).
- Rhagades: Skin cracked on hands and feet; pain and burning, particularly on sides of fingers and toes; skin hard, indurated.

Relation :-

- Complementary : Merc., Sep., either or which follows well.
- Compare : Berb., Lyc., Nat-m., Phos.
- Frequently called for after abuse of mercury.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

SECALE CORNUTUM

- Gangrene; dry, senile, < from external heat.
- Large ecchymosis; blood blisters; often commencement of gangrene.
- Boils: Small, painful with green contents, mature very slowly and heal in same manner, very debilitating.

Modalities :-

- **Aggravation:** Heat; warmth from covering, of all affected parts, in all diseases worse from heat.
- **Amelioration:** In the cold air; getting cold uncovering affected parts; rubbing.

Relation :-

- Compare: Cinnamon in post-partum hemorrhage; it increases labor pains, controls profuse or dangerous flooding, is always safe, while Ergot is always dangerous.
- Similar: To Arsenicum, but cold and heat are opposite.
- Resembles Colchicum in cholera morbus.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

SEPIA OFFICINALIS

- Herpes circinatus in isolated spots on upper part of body (in intersecting rings over whole body, Tell.).
- Itching of skin; of various parts; of external genitalia; is not > by scratching, and is apt to change to burning (Sulph.).

Modalities :-

- **Aggravation:** In afternoon or evening; from cold air or dry east wind; sexual excesses; at rest; sultry, moist weather; before a thunderstorm (Psor.).
- **Amelioration:** Warmth of bed, hot applications; violent exercise.
- Many symptoms, especially those of head, heart and pelvis, are both < and > by rest and exercise.

Relation :-

- Complementary: Natrium mur.
- Inimical: To Lach., should not be used before or after; to, Puls., with which it should never be alternated.
- Similar: To, Lach., Sang., Ust., in climacteric irregularities of the circulation.
- Frequently indicated after: Sil., Sulph.
- A single dose often acts curatively for many weeks.
- It antidotes mental effects of overuse of tobacco, in patients of sedentary habits who suffer from over-mental exertion.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

SILICEA TERRA

- Unhealthy skin; every little injury suppurates (Graph., Hep., Merc., Petr.).
- Crippled nails on fingers and toes (Ant-c.).
- In growing toe nails (M-arct., Teucr.); panaritium; blood boils; carbuncles; ulcers of all kinds; fistule, painful, offensive, high spongy edges, proud flesh in them.

Modalities :-

- **Aggravation**: Cold; during menses, during new moon; uncovering, especially the head; lying down.
- **Amelioration**: Warmth, especially from wrapping up the head; all the symptoms except gastric, which are > by cold food (Lyc.).

Relation :-

- Complementary: Thuja, Sanicula.
- Compare: Get., Hep., Hyper., Kali-p., Pic-ac., Ruta, Sanic.
- Follows well: After, Calc., Graph., Hep., Nit-ac., Phos.
- Is followed well: By, Hep., Fl-ac., Lyc., Sep.
- Silicea is the chronic of Pulsatilla.

STAPHYSAGRIA

- Eczema: Yellow, acrid moisture oozes from under crusts; new vesicles form from contact of exudation; by scratching one place after itching ceases, but appears in another.
- Fig-warts: Dry, pediculated, cauliflower-like; after abuse of mercury (Nit- ac., Sab., Thuja.).

Modalities :-

- **Aggravation**: Mental affections; from anger, indignation, grief, mortification; loss of fluids; tobacco, onanism; sexual excesses; from the touch on affected parts.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

SULPHUR

- Boils: Coming in crops in various parts of the body, or a single boil is succeeded by another as soon as first is healed (Tub.).
- Skin: Itching, voluptuous; scratching >; "feels good to scratch"; scratching causes burning; < from heat of bed (Merc.); soreness in folds (Lyc.).
- Skin affections that have been treated by medicated soaps and washes.

Modalities :-

- At rest ; when standing; warmth in bed; washing, bathing; changeable weather (Rhus-t.).
- **Amelioration**: Dry, warm weather; lying on the right side (reverse of Stann.).

Relation :-

- Complementary: Aloe, Psor.
- Ailments from the abuse of metals generally.
- Compatible: Calc., Lyc., Puls., Sars., Sep.
- Sulph. Calc., Lyc., or Sulph., Sars., and Sep. frequently follows in given order.
- Calcarea must not be used before Sulphur.
- Sulphur is the chronic of Aconitum and follows it well in pneumonia and other acute diseases.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

SULPHURICUM ACIDUM

- Petechia; purpura hemorrhagica; blue spots; livid, red, itching blotches.

Relation :-

- Complementary: Puls.
- Compare: Ars., Borx., Calen., Led., Ruta, Rheum, Symph.
- In contusion and laceration of soft parts it vies with Calendula.
- Follows well: After, Arn., with bruised pain, livid skin and profuse sweat; after, Led. in ecchymosis.
- Ailments, from brandy drinking.
- Note: Sulphuric acid, one part, with three parts of alcohol, 10 to 15 drops, three times daily for three or four weeks, has been successfully used to subdue the craving for liquor. – Hering.

SYPHILINUM

- Eruptions: Dull, red, copper-colored spots, becoming blue when getting cold.
- When the best selected remedy fails to relieve or permanently improve, in syphilitic affections.
- Syphilitics, or patients who have had chancre treated by local means, and as a result have suffered from throat and skin troubles for years, are nearly always benefited by this remedy at commencement of treatment unless some other remedy is clearly indicated.

Modalities :-

- **Aggravation:** At night, from twilight to daylight. Relation
- Compare: Aur., Asaf., Kali-i., Merc., Phyt., in bone diseases and syphilitic affections.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

TARENTULA

- Abscesses, boils, felons, affected parts of a bluish color (Lach.), and atrocious burning pain (Anth., Ars.); the agony of a felon, compelling patient to walk the floor for nights.
- Malignant ulcers; carbuncle, anthrax; gangrene.

Modalities :-

- **Aggravation:** Motion; contact; touch of affected parts; noise; change of weather.
- **Amelioration:** In open air; music; rubbing affected parts.
- Termini of nerves become so irritated and sensitive that some kind of friction was necessary to obtain relief.

Relation :-

- Similar: To, Apis, Crot-h., Lach., Plat., Myg., Naja, Ther.

THUJA OCCIDENTALIS

- Skin: Looks dirty; brown or brownish-white spots here and there; warts, large, seedy, pedunculated (Staph.); eruptions only on covered parts, burn after scratching.
- Nails: Deformed, brittle (Ant-c.).

Modalities :-

- **Aggravation:** At night; from heat of bed; at 3 a.m. and 3 p.m.; from cold, damp air; narcotics.

Relation :-

- Complementary: Med., Sab., Sil.
- Compare: Cann-s., Canth., Cop., Staph.
- Cinnb. is preferable for warts on the prepuce.
- Follows well: After, Med., Merc., Nit-ac.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

TUBERCULINUM – BACILLINUM*

- Eczema: Tubercular over entire body; itching intense, < at night when undressing, from bathing; immense quantities of white bran-like scales; oozing behind the ears, in the hair, in folds of skin with rawness and soreness; fiery red skin. Ringworm.

Relation :-

- Complementary: Psor., Sulph.
- When Psor., Sulph., or the best selected remedy fails to relieve or permanently improve; follows Psor. as a constitutional remedy in hay fever, asthma.
- Belladonna, for acute attacks, congestive or inflammatory, occurring in tubercular diseases.
- Hydrastis to fatten patients cured with Tub.

VARIOLINUM

- Bears the same relation to smallpox that Antitoxin does to diphtheria.
- An extended clinical record by competent and reliable observers attests its curative value in variola—simple, confluent and malignant—as well as in varioloid and varicella.
- It has done splendid work in all potencies, from the 6th centesimal to the C.M.
- As a preventive of, or protection against, smallpox, it is far superior to crude vaccination and absolutely safe from the sequelae, especially septic and tubercular infection. The efficacy of the potency is the stumbling block to the materialist. But is it more difficult to comprehend than the infectious nature of variola, measles or pertussis? Those who have not used it, like those who have not experimentally tested the law of similars, are not competent witnesses. Put it to the test and publish the failures to the world.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

ZINCUM METALLICUM

- Chilblains, painful, < from rubbing.

Modalities :-

- **Aggravation**: Of many symptoms from drinking wine, even a small quantity (Alum., Con.).
- **Amelioration**: Symptoms: Of chest, by expectorating; of bladder, by urinating; of back, by emissions (< by Cob.); general, by menstrual flow.

Relation :-

- Compare: Hell., Tub., in incipient brain diseases from suppressed eruptions.
- Is followed well by, Ign. but not by Nux-v., which disagrees.
- Inimical: Cham. and Nux-v., should not be used before or after.

ELECTRICITY

- Red pimples on the spot touched by the sparks.
- White vesicles.
- The skin becomes blackish.
- Ecchymosis.

LAC VACCINUM

- Brown crusts, having a greasy appearance, especially in corners of mouth, similar to what are called "butter-sores."

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

MAGNETIS POLI AMBO

- The recent wound commences to bleed again.
- The wound, which is almost healed, commences to pain again like a recent wound.
- Boils break out on various parts of the body, passing off soon.
- Corrosive pain in various parts, for example, below the ankle.

MAGNETIS POLUS ARCTICUS

- Crawling over the skin.

MAGNETIS POLUS AUSTRALIS

- Corrosive itching in the evening, when in bed, on the back and other parts of the body.
- Itching, stinging, tearing, here or there, in the evening, when in bed.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

MALANDRINUM

- Eczema of face and scalp, with burning, stinging, itching.
- Impetigo on extensors of forearms.
- Dry, rough, unhealthy skin remaining for years after vaccination.
- Skin rough, dry, harsh.
- Palms and soles thick; deep rhagades < in cold weather, < from washing with any kind of soap.
- Skin greasy; oily eruption, and hair excessively oily.
- Pustules slow to develop but never ending; as one healed another appeared.
- Eruption in hollow of arms and knees, red scaly with intense itching < when becoming warm.
- Lower half of body affected; greasy skin; greasy eruption.
- Slow pustulation, never ending, as one healed another appeared.
— Burnett.
- Bad effects of vaccinations; has cured cases of unhealthy, dry, rough skin, remaining for years after vaccination in small pox, measles and impetigo. —Clarke.
- Eczema facials; oozing of a viscid fluid; intense burning, much edema; small scales, exfoliated < from bathing at night; : in cold air.— Thompson.
- Impetigo covering back of head, extending over whole back to buttocks and even into vagina, covering labia and extensors of forearms.
- Boils. Malignant pustules.

ELICURA
HOMOEOPATHY
POWERED BY DISSECT-IT

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

MALARIA OFFICINALIS

- Skin, eyes, and face very yellow.
- Skin dry all over; no sweat at all.

THYREOIDINUM

- Flushing of skin.
- Psoriasis: Eruption extended and increased.
- Lupus: Tight feeling, heat, angry redness removed; suppuration increased.
- Eczema: Irritation of skin markedly allayed.
- Teething eczema.
- Syphilitic psoriasis.
- Rupia.
- Scleroderma.
- Peeling of skin of lower limbs, with gradual clearing (eczema).
- Skin of hands and feet desquamated.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

USTILAGO MAYDIS

- Tendency to small boils.
- Boils on nape.
- Skin dry and hot; congested.
- Painful, destructive disease of nails.
- Paraesthesia of the skin; pricking, burning, itching, a marked erythema of skin of the uncovered parts of the body, followed by, a parchment-like, dark brown skin with rhagades < by warmth.
- Copper-colored spots on skin; secondary syphilis; macula.
- Negro, urticaria of six years' standing, troubled more or less all the time; every night itching, scratching parts produce large pale welts on body, arms and legs.

ALLEN'S KEYNOTE SKIN REMEDIES

SKIN RELATED REMEDIES

VACCINUM

- A general eruption similar to cow pox.
- Small pimples develop at point of vaccination with fourth dilution.
- Red pimples or blotches in various parts, most evident when warm.
- Eruption of pustules with a dark-red base and roundish or oblong elevation, filled with pus of a greenish-yellow color, at left side of trunk, between shoulder, on left shoulder, behind right ear, resembling varioloid, some as large as a pea, some less without depression in the centre, coming with a round, hard feel in the skin (like a shot), very itchy.
- Vaccinum 200th quickly > severer symptoms of variola occurring in a child, age, six months; two days before appearance of eruption had been revaccinated (after an interval of eight days) on a nevus near right nipple; deglutition difficult through implication of tongue and fauces; pustules, many of large size, scattered over scalp, face, body and limbs.
- Eruption of small, red vesicles on left upper arm and chest dying off after a few days.
- Pustule filled with matter, with a depression in centre and red halo on left shoulder.
- Pustules suddenly much depressed.
- Eruption all over body of small pustules, some with a central depression, some brown.

ALLEN'S KEYNOTE SKIN REMEDIES SKIN RELATED REMEDIES

PROVINGS OF THE X-RAY

- Reappearance of an old, slight, pimply eruption on left side of forehead.
- Return of a slight eruption on outside of lower legs, burning when scratched, worse after scratching.

Modalities :-

- Aggravation: In bed; towards evening and at night (both mental and physical); in the open air; in the afternoon.

ELIIICURA
HOMOEOPATHY
POWERED BY DISSECT-IT

ALLEN'S KEYNOTE SKIN REMEDIES SKIN RELATED BOWEL NOSODES

BACILLUS MORGAN (BACH)

- It is here that the outstanding action of the Bacillus Morgan group of organisms is to be found. Morgan (Bach) is the nosode indicated where there is congestion of the skin with itching eruption, worse from heat. The type of eruption which characterizes this can be ascertained from a study of the “provings” of well known skin remedies found among the list of remedies associated with the Bacillus Morgan, e.g. Sulphur, Graphites, Petroleum and Psorinum. There are few eczemas of the infant at teething stage or later life, which do not require a dose of the nosode Morgan (Bach). It was found possible to isolate two sub-types of Bacillus Morgan and observe the clinical indications for the use of the respective nosodes.
- **Morgan Pure (Paterson)** is indicated where there is a marked symptom of skin eruption or disturbance of the liver; bilious headache, or actual presence of gallstones.
- **Morgan Gaertner (Paterson)** is also indicated in skin and liver conditions, but it is likely to be more useful where there is evidence of acute inflammatory attack, such as the found in cholecystitis.
- The sub-type Morgan Gaertner (Paterson) has often been found in the stool of patients suffering from renal colic and where X-ray has demonstrated the presence of renal calculus. The nosode Morgan Gaertner (Paterson) should therefore be considered as a possible remedy in cases of renal colic. It is also likely to be of value in treatment in any case which has a 4-8 p.m. modality which is also a characteristic of the group prototype remedy –Lycopodium. For its prototype, Morgan Pure (Paterson) has Sulphur and within the main group represented by Morgan (Bach) you will find the well known trio of remedies mentioned by Kent as working in a cycle of Sulphur, Calcarea and Lycopodium.

ALLEN'S KEYNOTE SKIN REMEDIES SKIN RELATED BOWEL NOSODES

BACILLUS PROTEUS (BACH)

- Angio-neurotic edema, which one associates with the remedy Apis mellifica is found in the proving of the Bacillus Proteus preparation and also a tendency for the production of herpetic eruption at the muco-cutaneous margins.
- There is marked sensitivity to exposure to ultra-violet light.
- Before leaving this “proving” of Proteus (Bach), it may be of interest to you to know that in Great Britain since the war years, there has been a marked increase in the frequency with which one has been able to isolate Bacillus Proteus, and this I associate with long continued “nerve strain”—a factor of considerable importance of the pathogenesis of the type of bowel organism.

BACILLUS NO. “7” (PATERSON)

- Nothing outstanding; sensitive to cold, to draughts and cold damp air.

SYCOTIC COMPOUND (PATERSON)

- Sallow complexion, oily skin, vesicular or varicellar type of eruption of face or body. (After administration of Sycotic Compound (Paterson) to children, a rash, varicellar in type, resembling, and often mistaken for chicken pox may appear.) Warts on muco-cutaneous surfaces.
- Genito-urinary System
- Sycotic Compound (Paterson) has marked action of the whole of the genito-urinary tract causing irritation of mucous membranes from the kidney to the urethral tract; albuminuria; pyelitis; cystitis; urethritis; vulvo - vaginitis; balanitis.

ELLICURA HOMOEOPATHY



HOMOEOPATHIC MATERIA MEDICA

BHMS FINAL (4TH PROFF) HOMOEOPATHIC MEDICINE

Dr. BHOJ KUMAR
BHMS (General Physician)

+918770727112 
www.ellicura.com 
Bhopal 



ELLICURA
HOMOEOPATHY
POWERED BY STUDYMEDD

CLICK THE LOGO TO JOIN

FOR MORE UPDATES JOIN OUR TELEGRAM CHANNEL
@ELLICURA OR. CONTACT US ON +918770727112

WWW.ELLICURA.COM

KEYNOTE PRESCRIBING BY DR. BHOJ

PRESCRIBE YOUR REMEDY WITHIN MINUTES USING THIS EBOOK

Dr. Bhoj's Ebook, Keynote Prescribing. This e-book lists illnesses, symptoms, and prescription drugs in alphabetical order to make prescribing treatments and classifying disorders easy and fast. Here, clinical practice could benefit from using a concise prescription tool. This tool helps practitioners and undergraduate students concentrating on homeopathy feel more sure while giving prescriptions and precluding cures while case-taking.



— BONE/JOINTS

- Severe dull backache in Lumbosacral articulation, Cervical Spondylitis - Aesculus Hipp (backache affecting sacrum and hip)
- Rt. Knee Osteoarthritis with swelling and crackling with high uric acid - Benzoic acid
- Joint pain Fever after, dry cough, lying amelioration - Bryonia
- Degeneration of Joints - Chronic (Calc flour), Acute stiffness (Rhus tox)
- Joint Pain + improper digestion - Calc flour (Rt. side + anything creating/destroying)
- Pain in knee joint (Chronic Lumbago) - Calc flour
- Osteoarthritis/pain in joints - Calcarea flour
- Degenerative changes of disc, pain in back severe - Calc flour
- Pain in knee joint - Calc flour, Nystanthos Arb. Q
- Calcaneal spur, or with swelling, pain - Calcarea flour, Arenia Diadema
- Rheumatoid Arthritis, Rt. knee, Rt. shoulder - Calcarea flour (for fibrous tissue)
- For fracture - Calcarea flour (after) Symphytum stage (Symphytum not given because callous formation already present) [Symphytum - Acute]
- Joint pain/involvement + Sensitivity - Calc mur
- Cyst and dropsy of knee joint, pain - Calc phos
- Pain in elbow joint, bodyache - Calc phos
- Avascular necrosis (Hip joint), pain left side - Calc phos
- For Heal pains without any modalities - Cyclamen Europaeum
- Pain in tail bone - Hypericum
- Rheumatism in Syphilitic phase - Kali iod
- Joint pain, syphilitic affection - Kali iod
- Rheumatic pain swelling on elbow joint - Kali iod, Medorrhinum
- Joints swelling or oedematous, pain - Kali carb
- RA - too much pain (can't grip/hold anything in hands) - Ledum pal, Medorrhinum.
- Rheumatoid arthritis, pain, swan neck deformity, boutonniere deformity - Ledum pal
- Nosode for joints - Medorrhinum
- Osteoarthritis (for lubricating joints) - Nystanthos Arbrotitis
- Chronic lumbago, backache, pain sitting, bending forward amelioration - Rhus t, Calc flour
- Stiffness of joints, pain - Rhus tox, Medorrhinum (intercurrent) if needed
- Rheumatoid Arthritis - Staphysagria, Medorrhinum
- Pain in bones accompanied by Psoriasis - Phytolacca
- Genu Valgum - Sulph iod (psorosyphilitic) medicine - Punar nava (boerhaavia diffusa) Q
- Osteoarthritis, fracture - Symphytum (for callous formation)

Click here to

BUY NOW

A BOOK BY ELLICURA HOMOEOPATHY

POWERED BY STUDYMEDD

Click here to buy now

BUY NOW

TABLE OF CONTENTS

KEYNOTE PRESCRIBING

- BONES OR JOINTS 3
- CORYZA 4
- COUGH 5
- EAR 6
- EYE 6
- FEMALE TROUBLES 7-8
- FEVER 9
- GENERAL DISEASES 10-11
- GERIATRIC DISORDERS 12
- GIT DISTURBANCES 13-14
- HAIRFALL 15
- HEADACHE 15-16
- HERNIA 16
- LIPOMA/CYST/POLYP/GANGLION 16
- MALE TROUBLES 17
- PILES 17
- RESPIRATORY 18
- RENAL 19
- SKIN 20-23
- SLEEP 23
- THROAT 24
- ULCER/WOUNDS 25
- WART 26
- ONE LINE MEDICINE DESCRIPTION 27
- MOTHER TINCTURE 28
- SUICIDAL TENDENCY REMEDIES 29

CLICK HERE

BUY NOW

A BOOK BY DR. BHOJ KUMAR AHIRWAR

POWERED BY STUDYMEDD

ELLICURA PRESENTS 1ST EDITION

KEYNOTE PRESCRIBING

The clinical cases in this book are ones I saw in the clinical practice of Dr. Virendra Rajput. He is an inspiration to us and an extremely fervent homoeopath. He recommended these medications based on his clinical experiences Allen's keynote and Boericke's materia medica. In addition, he has included the lessons and information he learned from his studies and clinical experience. It makes up a very little portion of the medication that was prescribed. As the situation dictates, treatment should be done accordance with GCS (Genetically Constitutionally Similimum), snapshot or therapeutic prescription.

AUTHOR

Dr. Bhoj Kumar Ahirwar, BHMS (GHMC Bhopal) is the author of this book. Under the supervision of Dr. Virendra Sir, he has been writing this book while keeping an eye on the patients and clinical cases that are included. He was the one who collected, wrote, and assembled this data. Over 600 instances were reported. Additionally, few significant points are drawn from the therapeutic knowledge of Dr. Sunirmal Sarkar and Dr. Farokh Master.

Mail us - ellicura@gmail.com
Call - 8770727112

@studymedd @ellicura

POWERED BY ELLICURA

A BOOK BY ELLICURA HOMOEOPATHY

THIS BOOK IS DEDICATED TO ALL MY DEAR HOMOEOPATHY UG STUDENTS.

DR. BHOJ KUMAR AHIRWAR

Price - 349/-

WWW.ELLICURA.COM