

FIND YOUR REMEDY

AN ILLUSTRATED HOMEOPATHIC GUIDE

More than **8000** remedy options for **570** clinical conditions with Potency & Dosage

More than
100000
copies sold

Third Edition



Dr H.S. Khaneja

ILLUSTRATED GUIDE

to the

HOMEOPATHIC TREATMENT

By

DR. HARBANS SINGH KHANEJA

B.Sc., R.M.P. (INDIA), R. Hom. (Canada)

Former Senior Vice President,

*The Homeopathic Medical Association of India,
Punjab State*

THIRD EDITION

HEALTH  HARMONY

An imprint of

B. Jain Publishers (P) Ltd.

An ISO 9001:2000 Certified Company

USA — EUROPE — INDIA

ILLUSTRATED GUIDE TO THE HOMEOPATHIC TREATMENT

Third Edition: 2008
Second Edition: 2003
Reprint Edition: 2002
Reprint Edition: 2001
First Edition: 2000

All rights are reserved. No part of this book may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, mechanical, photocopying, recording or otherwise, without any prior written permission of the publishers.

© Copyright with the Publisher.

Published by Kuldeep Jain for

HEALTH  HARMONY

An imprint of **B. Jain Publishers (P) Ltd.**

AN ISO 9001 : 2000 CERTIFIED COMPANY

1921, Street No. 10, Chuna Mandi,
Paharganj, New Delhi 110 055 (INDIA)

Phones: 91-11-4567 1000

Fax: 91-11-4567 1010; Email: info@bjain.com

Website: www.bjain.com

Printed in India by

J.J. Offset Printers

522, FIE, Patpar Ganj, Delhi - 110 092

Phones: 91-11-2216 9633, 2215 6128

ISBN: 978-81-319-0164-9

PREFACE TO THE THIRD EDITION

It is exciting to be a homeopath as every year brings new ideas, new methods and new remedies to explore. Homeopathy has an invaluable foundation and an historical tradition that remains unchanged, during lapse of centuries. It has solutions to seemingly confusing and complex problems which arise in a clinic and in life. In essence, homeopathy means learning the medical science and letting it grow further and further. Staying informed is vital for protecting health—health of loved ones and health of the patients. Keeping this view, I have prepared this third edition. I had no necessity to change anything and have followed the lines laid out in the previous editions but I have made additions here and there due to a fresh knowledge gained during these years. New chapters “Adultery, Adrenalitis, Athlete’s foot, Autism, Chlorosis, Pelvic floor prolapse, Vulvodynia, etc. and a few new illustrations have been added.

One problem with most patients is that they do not have patience. They may be suffering for years from a disease but want immediate cure. Not frequently, doctors complain that the homeopathic materia medica and repertory are too vast and too time consuming to study for selection of a suitable remedy. This book is unique in the sense that it contains knowledge about medicines, diseases, their cause and their prevention , illustrations to explain, food and general knowledge which makes reading interesting. All this saves valuable time of patients as well as time of physicians.

HARBANS SINGH KHANEJA

3134 Mernitt Avenue,
Mississauga (Ontario),
Canada
L4T 1P3

PREFACE TO THE SECOND EDITION

In preparing the second edition, I have revised the first edition and have made changes that the time rendered necessary. New chapters like Aphthae, Black heads, Buttocks, Cellulitis, Chronic diseases, Crohn's disease, Erythema, Excitement of sexual desire, Osteoporosis, Pains, Sclerosis, Stress and Cancer related diseases like Lymphoma, Hodgkin's disease have been added. Many more illustrations are included. The bulk of the work and old headings stand as it were before. Since the last edition, medical and surgical science has made further advances and hence there are a few changes here and there in almost all the chapters. Homeopathy is a standard law and requires no change. None of the homeopathic remedies have been recalled inspite of the enormous addition in their numbers.

General arrangements are unchanged and nothing has been omitted. On the contrary, great importance has been added. Objections are raised that medical works, like the present, encourage amateur practitioners and are therefore dangerous. They also interfere in the working of legitimate medical profession. These objections are entirely groundless as homeopathic medicines are absolutely harmless even if employed wrongly. The author wishes to call special attention to the chapters of this work which are devoted to hygiene and dietetics. These subjects are primarily important. The homeopathic physician should believe in himself and his knowledge of remedies — this is his key to success.

HARBANS SINGH KHANEJA

3134, Merritt Avenue,
Mississauga (Ontario),
Canada, L4T-IP3.

PREFACE TO THE FIRST EDITION

'The Illustrated Guide to Homeopathic Treatment' has been specially written for the benefit of the students of homeopathy and laymen who want to treat their own diseases. Simple language and easy words have been used for easy understanding.

Illustrations are given where necessary. Diseases have been described for treatment in a non-boring way. This guide is useful as "Teacher's Notes" of practical homeopathic therapeutics. Remedies have been arranged alphabetically for sake of convenience. That is not all. This book will also be found useful by the homeopathic medical practitioners as being a short cut to the repertory of the homeopathic materia medica and for easy selection of a remedy.

No definite and scientific guide is available for the selection of a potency. Some practitioners use high potencies with success while others use low potencies with satisfactory results. I use high potencies in chronic cases and low in acute and recent cases. I consider 30C potency neither low nor high. Thus selection of a potency is a matter of one's own choice and experience. In this book, where Q is mentioned against a remedy, it means mother tincture, where X is mentioned beside the potency, it means potency in decimal scale and where neither of these two are mentioned, it means potency in the centesimal scale and where no potency is mentioned, it means 30 in this scale.

It will be agreed that diseases like death, old age, etc. (about 10% in all) are not curable. Likewise, all the diseases cannot be cured by oral medicines alone. Surgery is required in some cases like fracture of bones, etc. I have given methods of surgery employed by surgeons in some cases because questions about it are generally asked by students as well as patients. Machines like X-rays, ultrasound, scan or magnetic resonance imaging unit (M.R.I), etc, are used in surgical cases and also in some other cases. M.R.I. gives incredible snap shots of the body for detection of bone marrow illness, disorders of ligaments and cartilages and their injuries. It also detects tumors and nervous disorders.

Microscopic and other laboratory tests are useful in their own way like examination of stools for the presence and kind of worms, urine for presence of casts, etc. and blood for its disorders. Use of machines makes it easier for the homeopath to treat the diseases and save the patient from surgery in several cases. It is very important that the cause of disease be known so that, the treatment can be directed at the source of the problem.

Our life depends upon the diet taken. Useful suggestions as to what can be taken and what should not be taken during ailments are given in each chapter. Medical science is a continuous process of study and research. Results of latest studies and research, as collected from various journals and newspapers are incorporated to keep the homeopaths abreast of the latest developments. I hope that this multipurpose book will be found useful by laymen, students, teachers of homeopathy, homeopathic medical practitioners, researchers and all those who love homeopathy.

Harbans Singh Khaneja

3134, Merritt Avenue,
Mississauga (Ontario),
Canada, L4T-IP3.

FOREWORD

It gives me pleasure to acknowledge that I read the pre-released copy of the “*Illustrated Guide to Homeopathic Treatment*” by Dr. Harbans Singh Khaneja. The author has taken pains in compiling and arranging the guidelines for the homeopathic treatment. He has given very valuable suggestions for taking selective foods during ailments. He has also given methods of surgery and has compared the conventional treatment with the homeopathic treatment at places. He has suggested further fields of research for researchers. Naturally, such a work cannot be very perfect and complete, and reference to materia medica, etc. may become necessary in some cases. In my opinion, this book is revolutionary and will prove useful for all the lovers of homeopathy.

Dr. Farokh J. Master

M.D. (Hom.),
Camp Toronto,
Canada.

24th Nov, 1998
Ratan Abad, Ground Floor,
Tukaram Javji Road,
In Bhatia Hospital Lane,
Bombay – 400 007,
India.

Any information given in this book is not intended to be taken as replacement of medical advice. Any person with a condition requiring medical attention should consult a qualified practitioner or therapist.

ACKNOWLEDGEMENTS

It is my pleasant duty to express my gratitude to thousands and thousands of different individuals who came to me for treatment since more than 50 years of my homeopathic practice. They gave me all the practical knowledge and experience. My debt of gratitude also goes to several authors of homeopathic books from whom I acquired the theoretical knowledge.

I remained as the president of the Homeopathic Medical Association, Jalandhar (Punjab) and the senior vice president of its Punjab State Branch for several years. I continue to be a member of the National United Professional Association of Trained Homeopaths in Canada. These two associations deserve my special thanks for enabling me to attend several homeopathic conferences and seminars which added to my knowledge.

My thanks are also due to my wife, Mrs. Harbans Kaur Khaneja who took off all the domestic worries from my shoulders during the years I remained busy writing this book. My thanks are also due to Dr. Jasleen Kaur Khaneja, D.H.M.S. Gold Medalist, for typing the book for me.

HARBANS SINGH KHANEJA

3134, Merritt Avenue,
Mississauga (Ontario),
Canada, L4T-1P3.

CONTENTS

Abdomen	1
Abortion (miscarriage)	3
Abortion producing	5
Abortion, ill effects of	6
Abscess	7
Absent mindedness	9
Abusiveness	9
Acidity	9
Acne	11
Acne face lotion	14
Adenoids	15
Adrenatitis	16
Adultery	17
Aids	18
Air sickness	20
Albuminuria (Proteinuria)	21
Alcoholism	22
Alcoholism - ill effects of	23
Allergy	24
Alopecia	27
Alzheimer's disease	29
Amenorrhea (Absence and suppression of menses)	30
Amoebiasis (Amoebic dysentery)	33
Anemia	35
Anger (Annoyance)	37
Angina pectoris	39
Ankles	42
Annual complaints	43
Antibiotics	43
Antidotes	45
Antiseptic	46
Anus	47
Anxiety	48

Aphthae	50
Apoplexy	51
Appendicitis	51
Appetite - lost	52
Appetite - increased	53
Armpit (Axille)	54
Arrogance	55
Arteries	55
Arthritis - gout (Joint pains)	56
Ascites	60
Asthma	60
Athlete's foot	66
Autism	66
Aversion	67
Backache - Lumbago	69
Backward children (Dwarfishness)	73
Baldness	74
Bathing	74
Beard	74
Bed sores	75
Bed wetting	75
Bee stings	75
Belching	76
Bereavement	76
Bilious attack	76
Birth control	77
Bites	78
Biting	79
Black heads	79
Bladder	80
Bleeding (Hemorrhage)	82
Blemishes	84
Blepharitis (Inflammation of Eyelids)	84
Blindness	85
Blisters	85
Blood	86
Blood clots (Thrombosis)	87

Blood pressure	88
Blood purifier	93
Blood spitting	94
Blood transfusions	94
Bloody urine	95
Blotches	95
Blushing	95
Body odor	95
Boils	96
Bones	97
Boring of nose	101
Brain concussion	101
Brain fag (Mental fatigue)	102
Brain hemorrhage (Apoplexy)	103
Brain inflammation (Encephalitis)	105
Brain tumor (Glioma)	105
Brain undeveloped	107
Breast (Mammae)	107
Normal breast	108
Breast cancer	108
Breath	112
Breathlessness (Dyspnea)	113
Bright's disease	115
Bronchitis	115
Bruises	117
Bubo	118
Bunions	118
Burnings	119
Burns (Scalds)	120
Buttocks (Nates)	121
Cancer	122
Carbuncles	129
Caries (Necrosis)	130
Cataract	132
Catarrh	133
Catheter (Complications of use)	134
Cellulitis	134

Chaps (Cracks)	135
Cheating	136
Chest	136
Chicken pox	138
Chilblains (Frostbite)	138
Child - abnormal	140
Chlorosis (Anemia due to iron deficiency)	141
Choking	142
Cholecystitis	143
Cholera	143
Cholesterol	144
Chorea	147
Chronic diseases	148
Cirrhosis	148
Clairvoyance	149
Claustrophobia (Dread of closed places)	149
Climacteric	150
Clumsiness	150
Coccyx (Last bone in the spine)	150
Coition - Female	151
Coition - Male	153
Coldness	154
Colic	157
Colitis (Inflammation of the large intestines - colon)	159
Collapse	163
Color blindness	163
Coma	164
Complexion	166
Concentration - Lack of	166
Confidence - Lack of	167
Confusion of mind	167
Conjunctivitis (Inflammation of the eyes)	168
Consolation	168
Constipation	169
Constitutions	172
Contradiction	173
Convalescence	173

Convulsions (Unconsciousness with muscular twitching)	174
Corns	175
Coronary thrombosis	176
Coryza (Common cold)	176
Cough	180
Cramps	186
Cravings	188
Crohn's disease	190
Croup	191
Curvature of bones	191
Cystic fibrosis	192
Cystitis (Inflammation of urinary bladder and kidneys)	193
Acute cystitis	193
Chronic cystitis	194
Cysts	195
Dandruff	196
Deafness	197
Death	199
Debility	199
Deceiving	200
Dehydration	200
Delirium	200
Delivery	201
Dentition	202
Depression	203
Diabetes insipidus - Polyuria (Profuse urine without sugar)	206
Diabetes mellitus (Urine containing sugar)	207
Diabetes - Its bad effects	211
Diarrhea	213
Diet	216
Diphtheria	218
Diplopia	220
Dislocations	221
Dreams	221
Dropsy	222
Drowsiness	223
Drugs	224

Dwarfishness	225
Dysentery	226
Dysmenorrhea (Painful menses or delayed menses)	227
Dyspepsia (Indigestion)	229
Dysphagia (Swallowing difficult)	232
Dyspnea	233
Earache (Otalgia)	234
Eardrops	235
Ear fungus	235
Ear noises (Tinnitus)	235
Ears	236
Ear wax	238
Eczema	239
Edema	243
Electric shocks	244
Elephantiasis	245
Emaciation	245
Emissions (Spermatorrhea)	247
Emphysema	250
Encephalitis	252
Endocarditis	252
Endometritis (Metritis) (Inflammation of the uterus)	253
Enuresis (Bed wetting)	255
Epilepsy	257
Epistaxis (bleeding from the nose)	260
Erections	262
Eructations (belching)	263
Erysipelas	265
Erythema (Chafing) (Inflammation of skin due to friction)	266
Escape	267
Esophagus	267
Excitement of sexual desire	268
Exertion (Stamina)	269
Exposure	269
Expulsion of foreign bodies	270
Eyes	270
Face	276

Facial paralysis	278
Fainting	279
Fallopian tubes	280
Falls	281
False labor pains	282
Fatigue (Tiredness)	282
Fatness	284
Fear (Phobias)	284
Feet - Burning	286
Feet - Cold	287
Feet - Swollen	287
Feet - Sweaty	288
Feet - Pains	288
Fevers	289
Fibroids (Fibroma)	293
Fingers	295
Fissures	297
Fistula (Abnormal passage)	298
Flattery	299
Flatulence (Gas or wind trouble)	300
Flesh eating disease (Nectrozing facitis)	302
Food	302
Food poisoning	302
Foreign bodies	303
Fractures	303
Freckles (Lentigo)	305
Frigidity (Impotency in females)	306
Frostbite	307
Fungal diseases	307
Gall bladder	308
Gangrene	310
Gastric troubles	311
Giardiasis	313
Giddiness	313
Glaucoma (Hardening of the eyeball)	313
Gleet	314
Goitre (Enlargement of the thyroid gland)	314

Gonorrhea	316
Gout (Rheumatism)	317
Groin (Inguinal region)	324
Guilt	325
Gums	325
Hair	327
Hair - Premature greying	328
Hair - Unwanted	328
Hands	330
Haste and hurried	331
Hawking	331
Hay fever	332
Head	334
Headache	335
Hearing - Impaired	340
Heart	341
Heart attack (Myocardial infarction)	348
Heels	349
Hematemesis (Bleeding from stomach)	351
Hematuria (Bloody urine)	352
Hemoglobin	353
Hemophilia	353
Hemoptysis (Spitting of blood)	354
Hemorrhage	355
Hemorrhoids (Piles)	356
Hepatitis (Inflammation of the liver)	358
Hernia	359
Herpes	361
Hiccough	363
Hips	364
Hoarseness	365
Homesickness	366
Homosexuality	366
Hormones	367
Hydrocele (Dropsy of scrotum or testicles)	369
Hydrocephalus (Collection of water in the head)	369
Hydrophobia (Rabies)	371

Hyperactivity	371
Hypermetropia (Far sightedness)	372
Hypoglycemia (Low blood sugar)	373
Hypothermia	374
Hysteria	374
Ill-effects	375
Immune system (Lymphatic system)	380
Impotency	384
Indigestion	388
Indigestion due to defective motility (Reflux)	390
Infant's diseases	392
Infertility	393
Influenza	394
Injuries	397
Insanity (Mania)	399
Insomnia (Sleeplessness)	403
Iritis	407
Itch	408
Jaundice	411
Jaw	413
Jealousy	414
Joints	415
Keloid	416
Kidneys	417
Knife - Homeopathic	420
Labor pains	421
Lactation	423
Lameness	426
Laryngitis (Inflammation of the larynx)	427
Laughter	428
Laxative	429
Legs	429
Leucoderma (Vitiligo)	432
Leucorrhea	433
Leukemia	435
Liars	438
Lice	438

Light (Photophobia)	439
Limping	440
Lingual delirium	440
Lips	440
Liver	441
Liver spots	444
Lochia	445
Lumbago (Pain across the loins)	445
Lungs	446
Lupus (Ulcerating skin disease)	448
Mania	450
Marasmus	450
Masturbation	452
Measles	453
Memory	454
Meningitis	456
Meniere's disease	457
Menopause (Change of life)	458
Menorrhagia (Menostasis)	461
Menses	463
Mental development	465
Metrorrhagia	465
Migraine	467
Milk	471
Mind	472
Miscarriage	472
Moaning (Groaning)	472
Moles (Birth marks) (Melanoma)	472
Moods	473
Moonlight	474
Morning sickness	474
Mosquito bites	474
Mountain sickness	475
Mouth	475
Mumps (Inflammation of the parotid glands)	478
Muscles	479
Myelitis (Inflammation of the spinal cord)	481

Myopia (Short sightedness)	482
Myxedema (Imperfect function of the thyroid gland)	482
Nevus (Birth mark)	483
Nail biting	483
Nail mis-shaped	484
Nausea	485
Navel	486
Neck	487
Nephritis (Bright's disease) (Inflammation of the kidneys)	488
Nerves	489
Nervousness	491
Nervous prostration (Neurasthenia - Brain fag)	494
Nervous system	495
Nettle rash	495
Neuralgia	495
Neuritis	497
Nightmares	497
Night walking (Somnambulism)	498
Nipples	498
Nodes	499
Nose	499
Numbness	502
Nymphomania	503
Obesity	504
Odor (Smell)	509
Old age	510
Operation	513
Opium habit	514
Osteoporosis	515
Otorrhea (Discharge from the ears).....	518
Ovaries	519
Ozena	522
Pains	522
Palpitation	529
Pancreas	530
Paralysis	531
Paralysis agitans (Parkinson's disease)	532

Parotid gland	534
Pelvis	535
Penis	536
Peptic ulcers	539
Perspiration (Sweat)	540
Pharyngitis	543
Phlegm (Mucus)	544
Photophobia (Dread of light)	545
Phthisis	545
Piles	545
Pimples	545
Pituitary gland	545
Plague	546
Pleurisy (Inflammation of the pleura)	547
Pneumonia	548
Polio	550
Polypus (Soft tumor)	551
Polyuria	553
Pregnancy	554
Pre-menstrual syndrome	557
Prickly heat	558
Prolapsus	558
Prophylactics	560
Prostate gland	561
Prostatorrhea	567
Pruritus	568
Psoriasis	569
Puberty	572
Purgative	573
Pyorrhea	573
Quarrelsomeness	574
Quinsy (Acute inflammation of tonsils with fever)	574
Rabies (Hydrophobia)	575
Radiation	575
Rash	576
Regurgitation	576
Rejuvenation	577


Restlessness	578
Rheumatism	579
Rickets	579
Ringworm (Herpes circinatus)	580
Sacrum	581
Salivation	582
Scabies	583
Scalds	584
Scalp	584
Scapula	585
Scarlet fever	586
Scars	587
Schizophrenia (Mind)	588
Sciatica	594
Sclerosis	596
Sea sickness	597
Semen	597
Sensations	598
Septic infection (Septicemia)	600
Sexual desire	601
Sexual weakness	603
Shoulder	606
Shyness	607
Sighing	607
Sinuses	608
Skin	609
Skin - Oily	613
Sleep	613
Sleep walking (Somanbulism)	615
Slipped disc	616
Smallpox	618
Smell	619
Smog	619
Sneezing	619
Snoring	620
Snow	621
Snuffles	622

Soles	622
Speech	623
Spermatorrhea	624
Spine	624
Spitting	629
Spleen	630
Spondylitis - cervical	631
Spots	632
Sprains	632
Squint of the eyes	633
Stamina (Vitality)	634
Stammering	635
Stem cells	635
Sterility - Female (Infertility)	636
Sterility - Male	639
Sternum	640
Steroids	641
Stings	642
Stomach	642
Stool	645
Stress	647
Study	649
Styes	650
Summer rash (Prickly heat)	650
Sun allergy	650
Sun headache	651
Sunstroke	651
Suppression of diseases (Ailments due to suppression)	651
Swallowing	652
Syphilis	653
Talkativeness	655
Taste	656
Tea	657
Teeth	657
Temperature	660
Temples (Carotids)	661
Testicles (Male reproductive glands)	661

Tetanus (Lock jaw)	663
Thalassemia	665
Thinking	667
Thirst	668
Throat	668
Thumb	671
Thyroid gland	671
Time of modalities	677
Tinnitus	678
Tired feeling (Fatigue syndrome)	678
Tobacco habit	681
Tongue	682
Tonic	684
Tonsils	687
Tranquilizers	689
Travellers	690
Travelling sickness	690
Trembling (Paralysis agitans - tremors)	691
Tuberculosis	692
Tumors	696
Typhoid fever	699
Ulcers	699
Urethra	702
Urine	703
Urticaria (Nettle rash)	710
Uterus	712
Uvula (An appendant fleshy mass)	716
Vaccination (Administering a vaccine)	716
Vagina	717
Varicose veins	718
Vertigo	719
Vision	720
Vital force	721
Voice - loss	722
Vomiting	723
Vulva	725
Vulvodynia	726

Walking	726
Wars	727
Warts (Papilloma)	729
Water	730
Weakness (Debility)	731
Weather	734
Weeping	737
Weight	737
Wens (Sebaceous cysts).....	738
Whiskers	739
Whitlow (Suppurative inflammation)	739
Whooping cough	739
Worms	741
Worry	742
Wounds	743
Wrinkles	744
Wrists	745
Yawning	746
Youthful looks	747

ABDOMEN




- Abies nig.** 30 (bd) : Sensation of a lump at the cardiac end of the stomach.
- Aceticum acidum,**
Ammonium carb.,
Medorrhinum,
Podophyllum,
Stramonium (tds) : Feel relieved by lying on the abdomen.
- Ambra grisea** (bd) : Sensation of weakness in the abdomen in the old people after passing a stool.
- Apocynum can.** 3x (tds) : Bloated due to dropsy. Has a very quick action. Reduces waist and weight within a month.

Bacillinum 200 (hs)	: Once every 15 days, when abdomen is distended in thin rickety children.
Calcarea carb. (bd)	: Distention of abdomen in fat, scrofulous children. Increase of fats generally. Abdomen is sensitive to slight touch and pressure. Patient cannot bear tight clothing around waist.
Carbo veg. (tds)	: Distention of abdomen with contracting pain which extends to chest. Cannot bear tight clothing around waist and abdomen. Better passing wind.
Cina (tds)	: Distention due to worms.
Colchicum autum. (tds)	: Abdomen bloated with gas. Cannot stretch legs.
Conium mac. (bd)	: Sensation of a lump about the liver region.
Dioscorea (bd)	: Distention due to wind with pain in the belly.
Gnaphalium	: Gurgling sound in the large intestines due to the passage of flatus.
Hedeoma 1x (bd)	: Everything taken into the stomach causes pain.
Helleborus	: Gurgling as if intestines were full of water.
Kalium bich. (tds)	: Cutting pain in the abdomen soon after eating.
Kalium carb. (tds)	: Sensation of a lump in the pit of the stomach.
Lachesis 200 (od)	: Cannot bear even light clothing around the waist.
Bovista 30 (tds)	
Lycopodium (tds)	: Distention of abdomen with or without constipation and due to flatulence.
Lycopodium, Rhus tox. (tds)	: Abdomen is bloated immediately after a light meal.
Magnesium phos. 6x (tds)	: Bloating of abdomen due to pains. Must pass flatus constantly.
Medorrhinum 1M (hs) Repeat after 15 days	: Sleep more comfortably on the abdomen. Feels better lying on abdomen when suffering from oppression of breathing, asthma or dyspnea.
Natrium sulph. 6x Bovista 30, Lachesis 30 (tds)	: Cannot bear tight clothing around the waist.

Oxalicum acidum	: Burning and pain in small spots of the abdomen.
Plumbum met. (bd)	: Sensation of abdomen being drawn to the spine by a string.
Podophyllum (tds)	: Enlarged and hanging abdomen after giving birth to a baby.
Sanicula aqua (bd)	: Pot bellied children.
Selenium met. (tds)	: Sensation of pulsations after eating.
Sepia (tds)	: Pot bellied or hanging down abdomen of women after giving birth to several children. Many brown spots on abdomen.
Silicea 12x (tds)	: Distention of abdomen in children generally with large heads and weak legs.
Staphysagria 200 (od) x 3 days	: Burning pains in the scar after abdominal operation.
Sulphur (od) x 7 days	: Large abdomen of unmarried girls at puberty. Movements in the abdomen as if there is something alive in it.
Tabacum 200 (od) x 3 days	: Wants abdomen uncovered.
Thuja occ., Crocus sativus (tds)	: Hard distention with a feeling as if a living child or an animal were in the abdomen. Sense of fake pregnancy.
Uranium nit., Kalium carb., Dolichos (tds)	: Abdomen bloated with gas. Kalium carb. has abdominal pain due to gas.

ABORTION (MISCARRIAGE)

Aconitum nap. 200	: If the abortion is threatened due to fear and excitement, repeat this remedy every 15 minutes.
Aletris far. Q (bd)	: Habitual tendency to abortion due to weakness and anemia.



- Apis mel.** (bd) : For abortion during 1st and 3rd month of pregnancy.
- Arnica mont.** (tds) : Threatened abortion due to an accident.
- Baptisia** (tds) : Threatened miscarriage from mental depression, shock and low fevers.
- Caulophyllum 3x** (tds) : It is as helpful as Vib-p. in habitual abortions and when it is due to a weak uterus.
- Chamomilla** (tds) : If the abortion is threatened due to mental excitement.
- Crocus sativus** (tds) : Threatened abortion during the 1st month of pregnancy — especially if the blood is dark and stringy.
- Crotalus hor.** 200 (od) : If there is oozing of black blood which does not coagulate. Miscarriage during course of a septic disease or from other blood poisonings.
- Helonias Q** (1 to 3 days) : Use 5-10 drops 1/2 hourly if the abortion is threatened from over-exertion or irritating emotions.
- Ipecacuanha Q** (1 to 3 days): If there is a continuous flow of bright red blood, colic and nausea, give this remedy every 1/2 hour.
- Kalium carb.,
Sabina** (tds) : Threatened abortion in the 2nd month. Habitual abortion every 2nd or 3rd month. Blood is generally dark red and clotted.
- Pulsatilla nig.** (tds) : Discharge of blood is arrested for a little while, then returns with redoubled violence; this ces-

- sation and renewal are often repeated. Passes black blood with labor pains.
- Pyrogenium** 200 (hs) : After effects of abortion, whether induced or
Repeat after 1 week otherwise, like fever, offensive diarrhea, etc.
- Sepia** 200 (hs) : Threatened abortion during 5-7 months of
Repeat every 3rd day pregnancy.
- Secale cor.** (tds) : For abortion, more especially about the 3rd
month with copious flow of black, liquid blood.
- Syphilinum** 1M (hs) : Abortion due to syphilis.
- Thuja occ.** 1M (hs) : It mends the tendency to abortion specially in
women having a gonorrheal history in them-
selves or in their family.
- Thyreoidinum** 1M (hs) : It helps to avoid miscarriage and tendency to
premature labor when the cause is not of a me-
chanical origin. It controls slow oozing from
the uterus. Prevents threatened abortion when
there is thyroid dysfunction.
- Trillium pend.** 3x, (qid) : Checks bleeding of abortion. Very effective
Ficus ind. Q (tds) remedies.
- Tuberculinum** 1M (hs) : Abortion due to tuberculosis.
- Viburnum prun.** Q, (tds) : Its use helps to prevent habitual mis-
Viburnum op. Q (tds) carriages. They also help to prevent abortion
due to an accident or due to drugging.

ABORTION PRODUCING

Several countries have laws that make it illegal to cause an abortion in the healthy females. The following course can be tried only when the continuing of the pregnancy can cause damage to the health of the patient or to the baby when born and that also, keeping in view the law of the land. The course must be taken no later than 9th week after the start of last menstruation.

1. **Gossypium Q + Macrotinum Q** - mixed in equal quantity and given in 40 drops a dose, *thrice daily causes abortion within five days*. If it does not occur in five days, wait for five more days before trying the *second course*. More than two courses are not advisable. Stop the treatment when the bleeding starts.

2. **Carica papaya Q** induces abortion when locally applied to the mouth of the uterus. It causes the cervix to soften and dilate, and the uterus to contract, expelling the fetus.


NOTE: Both the treatments should be given simultaneously.

ABORTION, ILL EFFECTS OF

- | | | |
|--------------------------------|---|---|
| Arsenicum alb., | : | Try either of the remedies when the patient |
| Natrium mur. (bd) | : | has a feeling of guilt having aborted. |
| China off. (tds) | : | For weakness due to excessive bleeding. |
| Kalium carb. (tds) | : | Removes weakness remaining after labor or miscarriage. |
| Nux vomica (tds) | : | Hemorrhage after abortion with sensation as if bowels wanted to move. |
| Pulsatilla nig. Q (tds) | : | It expedites expulsion of the fetus. 10-15 drops in ½ cup of water is sufficient to produce the expulsion. |
| Pyrogenium 200 (hs) | : | When there is fever and a danger of septice-mia. |
| Sabina (tds) | : | Pain in the lower back and genitals. |
| Sepia (tds) | : | Use it when the placenta has not been expelled or has been expelled partially. |
| Thuja occ. 1M, | : | If there is a danger of illness after the miscarriage try either of the remedies according to the symptoms. |
| Psorinum 1M (hs) | : | |
| Trillium pend. Q | : | Give 5 drop doses every two hours if the bleed-ing prolongs in case of an induced abortion. |

NOTE: Women having history of high blood pressure or a history of heart disease should not take treatment for abortion.

ABSCESS



- Acidum fluor.** (tds) : To form healthy granulation after the use of Silicea.
- Anthracinum 1M** (hs)
Repeat. after 1 week : Carbuncles and boils with intense burning and high fever.
- Apis mel.** (tds) : When there is swelling and pain is stinging and burning like the one produced by the sting of a honey bee, but there is no pus.
- Arsenicum alb.** (bd) : Unhealthy abscesses which discharge offensive pus with burning. Restlessness, and fever may be present.
- Belladonna** (tds) : Use it in the early stages when there is not much of swelling but there is redness and throbbing pain. Abscess and inflammation of the breast. The use of Belladonna will cure it. If not cured, use Hepar after it.
- Calcarea carb.** 200 (od) : Abscess in patients of tubercular diathesis.
- Calcarea sulph.** 6x (tds) : Specific for an abscess on the tonsils. It may be tried in other cases when Silicea fails.

-
- Calendula off.** (tds) : If the abscess is septic with yellow thick pus, use Calendula 30 internally and Calendula Q mixed with warm water for washing.
- Gunpowder** 3x (tds) : Boils, herpes and blood poisoning.
- Hepar sulphuris** 3x (bd) : Abscess with thick pus and great throbbing pain. When given high (200) will abort the pus and if given low (3x) will often open up the abscess. It is useful in the abscess near the ear. It is also useful in case of abscess in lungs. In 2x or 3x potency, it hastens suppuration and 1M or 10M potency checks suppuration.
- 200 (od), 1M, 10M (hs)
- Mercurius sol.** (tds) : If the pus has formed and the abscess is taking a septic form. The skin becomes bluish.
- Myristica seb.** (tds) : It often acts better and powerfully in the opening of an abscess. It is known as a homeopathic knife. Very effective for abscess at the end of fingers and phalanges.
- Pyrogenium** 1M (hs) : Recurring abscess, fever and septic conditions are cured by the use of this remedy.
- Repeat after 1 week
- Rhus tox.** (tds) : Abscess near the arm pit or the parotid gland. Pus is mixed with blood. It is useful for suppurating glands. Pus is thin, copious and corroding.
- Silicea** (tds) : Ripens abscess and promotes its suppuration. It helps to heal a boil which is of an obstinate nature.
- Staphysagria** 200 (od) : Use it in the case of an abscess in the lumbar region.
- Symphytum off.** 1M (hs) : After amputation of any part of the body or a limb, if an abscess is formed on the remaining part.
- Repeat every 3rd day
- Tarentula cub.** 200 (od) : It is almost specific for an abscess in the arm-pit. One dose reduces the pain and either opens up the abscess when it is very ripe or aborts it. Hepar also acts likewise in such cases.

ABSENT MINDEDNESS (SEE 'MEMORY')

ABUSIVENESS

- Anacardium ori.** (tds) : Tendency to use violent, abusive language. The patient is generally mentally disturbed and wants to swear and curse. He uses abusive language during debates and discussions.
- Hyoscyamus nig.** 200 (od) : The patient is talkative and uses obscene and filthy language in talking. He will abuse if somebody engages him in arguments or when he suspects that somebody is doing mischief to him.
- Lilium tig.** (tds) : Constant inclination to weep and is depressed. On being consoled, uses abusive and obscene language for the person consoling him.
- Tuberculinum** 1M (od)
Repeat after 1 week : The patient is cruel, destructive and desires to use foul language; curse and swear.

ACIDITY (HEARTBURN)

Heartburn is substernal (behind the chest bone) pain and burning, usually associated with a reflux of gastric juices into the esophagus.

- Acidum phos.** (tds) : Pyrosis with flatulence, diarrhea and debility. Thirst for cold milk. Craves juicy things.
- Acidum sulph.** (tds) : Chronic acidity. Burning in esophagus. Nausea. Vomiting, if it occurs, is very sour, even the teeth feel sour. Eructations are sour. Craves alcohol.

Ammonium carb. (tds)	: Heartburn with pain in the pit of the stomach. Nausea and waterbrash.
Argentum nit. (tds)	: Acidity and sour eructations in nervousness due to anticipation of coming events. Desire for sweets.
Calcarea carb. (tds)	: Acidity with pain in the chest and longing for cold drinks. Heartburn with loud belching. Great desire for eggs.
Capsicum (tds)	: Smarting in the stomach and esophagus as if red pepper were sprayed there. Shuddering after each drink. Intense desire for stimulants.
Carbo veg. (tds)	: Acidity after meals. Flatus is fetid. Much eructations by mouth, which relieve.
Conium mac. 200 (od)	: Heartburn with nausea, worse after going to bed and after few hours of taking meals. Amelioration from eating.
Gentiana lutea	: Abnormal hunger. Acidity, stomach pain and occasional vomiting. Gas in abdomen and pain around naval on touch. Taken half an hour before meals is a good preventive measure.
Iris vers. (tds)	: Hyperacidity. Sour and bitter belching, nausea and vomiting of bitter fluids, etc.
Natrium carb. (tds)	: A little error of diet causes acidity which is relieved by taking alkaline foods like soda biscuits. This remedy suits old dyspeptics who are always belching.
Natrium phos. 6x (tds)	: For an occasional acidity. Flatulence with sour risings. Spits mouthfuls of food. Specially suited to children.
Nux vomica (tds)	: Acidity after about half an hour of taking food.
Pulsatilla nig. (tds)	: Acidity after taking rich fatty food. There is no thirst or very little thirst.
Robinia (tds)	: Acidity worse at night. Vomiting. Acidity of children. Irritating eructations and frontal headache.
Strontium brom. (tds)	: It is an anti-fermentative and neutralizes excessive acidity. Nervous dyspepsia.

NOTE : To avoid acidity:

1. **Do not lie down soon after eating.**
2. **If overweight, lose weight.**
3. **Do not smoke or cut down smoking.**
4. **Avoid fatty and spicy foods, alcohol and foods containing caffeine.**
5. **In general, fruits and vegetables are alkali producing foods.**
6. **A cup full of cold milk without sugar taken during the attack, gives immediate but temporary relief.**

ACNE

(PIMPLES AND BLOTCHES)

Acne is an inflammatory disease of sebaceous (oil) glands. During puberty, sex hormones speed up the secretion of oil from these glands. Problems begin where there is a build up of oil in the narrow gland openings or drainage passages in the skin. It is, therefore, important that the perspiration and other coatings clogging the skin pores be washed off. Acne should not be squeezed as it leads to inflammation and scarring.

Four main types of acne are:

- a. **White Heads:** Round white blemishes that form when hair follicles become clogged.
- b. **Black Heads:** Round, dark blemishes that form when white heads reach the skin's surface and touch air.
- c. **Pimples:** Red, swollen bumps that form when plugged follicle walls break near the skin's surface.
- d. **Deep Cysts:** Pimples filled with pus that form when plugged follicle walls break deep within the skin.

- | | |
|-------------------------------|---|
| Antimonium crud. (tds) | : Pimples on the face and shoulders of fat persons with dry skin and indigestion. |
| Arsenicum brom. (bd) | : Acne rosacea. Violet papules on nose worse in spring weather. Pimples on face, nose, upper lip and chin of young girls. |
| Arsenicum alb. (tds) | : Acne on the nose. |
| Asterias rub. (tds) | : Red pimples on the sides of nose, chin and |

	mouth. Pimples in the period between puberty and maturity.
Belladonna (tds)	: Red pimples. May be burning and may be painful.
Berberis aq. (bd) 10 drops in ½ cup of water	: Dry pimples and blotches. Clears complexion and helps removing marks left after cure of acne and blotches.
Borax 3x (tds)	: Pimples on the nose and the lips which become swollen.
Calcarea carb. 200 (od)	: Little pimples on the roots of the hair which bleed when scratched in fat and flabby girls.
Calcarea phos. 6x (tds)	: Acne of anemic girls at puberty with menstrual troubles.
Calcarea sulph. (tds)	: Pimples and pustules on the face and around ears discharge a yellowish secretion.
Calotropis (tds)	: It heals the ulcers and blotches from the skin and perfects the cure.
Causticum (tds)	: Acne on the nose.
Chelidonium (tds)	: Painful red pimples.
Dulcamara	: Eruptions on hands, arms or face around the menstrual periods.
Eugenia jam. (tds)	: Simple and indurated acne. Painful pimples. Black head pimples. Red pimples and rosy skin on the sides of the nose, chin and mouth. Useful for all ages.
Fagopyrum (tds)	: Red and sore blotches here and there and also on the hairy parts. Itching worse by scratching.
Graphites (od)	: Acne worse during and after periods, with dry skin.
Hepar sulphuris (tds)	: Pimples which suppurate with white pus. May be as large as a pea.
Hydrocotyle 3x (tds)	: Great dryness of the skin. Acne of red color on the face, nose and chin.
Juglans regia (tds)	: Black head pimples. Red pustules.
Kalium ars. (bd)	: Acne pustules worse during menses.


-
- Kalium brom.** (tds) : Itchy pimples on the face, chest and shoulders. Blackheads, pustules with a depressed centre as if papular eruptions of smallpox, with burning and pain. Acne may be associated with increased sexual urge, hormonal changes or puberty. It also helps removal of scars left after cure of acne.
- Kalium mur.** (tds) : Vesicular type of acne - containing thick white contents.
- Ledum pal.** (tds) : Red pimples on forehead and cheeks.
- Magnesium mur.** (tds) : Pimples on face and forehead which appear before the start of menses and when the patient is constipated.
- Medorrhinum** 1M (hs)
Repeat after 1 week : Acne and blotches of red color on the face.
- Mercurius sol.** (bd) : Pimples. Vesicular and pustular eruptions along with the pimples. Skin is always moist with viscid sweats.
- Natrium mur.** 200 (od) : Pimples with an oily skin. Earthy complexion.
- Nitricum acidum** (tds) : Black pores on face, papules worse on the forehead.
- Oophorinum** 3x (tds) : Acne rosacea and other skin disorders during climacteric.
- Pulsatilla nig.** (tds) : Pimples worse at puberty and at the start of menstruation, especially in girls who are overweight and have delayed menses.
- Radium brom.** (bd) : Small pimples with itching, burning, swelling and redness. Great burning is the keynote for the use of this remedy. Acne rosacea, birth marks, moles and ulcers are influenced by its use.
- Sanguinaria** (tds) : Red blotchy eruption on the face and body with a sensation of burning and itching.
- Selenium met.** (tds) : Black pimples and black corns.
- Sepia** (tds) : Pimples on the forehead near the roots of hair.
- Silicea** 6x (tds) : Rose colored blotches. Skin pale and waxy. Patient is chilly.

Streptococcinum 200 (hs) Repeat x 1 week	: Chronic cases resisting treatment.
Sulphur 30 (od)	: Acne in the orifice of the eye.
Sulphur iodatum	: Acne, papules and pustules on the face.
Syzygium jamb. Q (bd), Insulinum 3x (tds)	: Red pimples with violent itching, specially in diabetic patients.
Tarentula cub. (tds)	: Septic, burning, painful and red pimples.
Thuja occ. 1M (hs) Repeat after 1 week	: Blotches (i.e. pimples with pus) worse after scratching. An excellent remedy for acne facialis. The skin is dry.

ACNE FACE LOTION

1. Take 5 ml each of **Berberis aq.** Q, **Ledum pal.** Q **Echinacea** Q and **Bellis per.** Q. Mix all the four with 20 ml of water if skin is oily. In case of dry skin, use mustard oil instead of water. Rub on the face which has previously been washed with soap and water, and dried. It improves the complexion also. Mustard oil contains Rhodallin which dissolves scar tissue.


It is a very useful lotion and may obviate necessity for using any other medicine orally.



2. Put raw egg yolk on the face and let it dry for 10 minutes. Then wash with soap and water. Doing this for a month causes disappearance of acne and lesions.

Egg yolks are an excellent source of vitamin A which has been used for years for treatment of acne. Vitamin A is also present in milk, butter and liver.

ADENOIDS



Hypertrophy of the adenoid tissue (pharyngeal tonsil) that normally exists in the nasopharynx of children.

Agraphis nutans 3x (tds) : Child breathes through mouth and has enlarged tonsils. Adenoids of the throat. Deafness. A good remedy for the disease.

Bacillinum 200,
Tuberculinum 1M (hs) : Weak children with history of TB in the family. Give a dose either weekly and start the treatment with this remedy.
Repeat after 1 week

Baryta iod. 3x (tds)	: Mentally retarded children with frequent attacks of tonsillitis.
Calcarea carb. 30 (bd), 200 (od)	: Obese children, whose head perspires at night and who take cold easily.
Calcarea iod. 3x	: Adenoids with enlarged tonsils and cough.
Calcarea phos. (tds)	: Thin children with large tonsils. Chronic enlargement of the adenoids.
Streptococcinum 200 (hs), Repeat after 1 week	: For after effects of the surgical removal of adenoids.
Sulphur (od)	: Children who have a dread of bathing and are always hungry with nasal polyps.

NOTE : Following treatment cures most of the cases of adenoids:

- 1 : Start the treatment with **Bacillinum 200** - one dose. No medicine for the next 24 hours.
- 2 : After 24 hours, give 2 doses of **Agraphis nutans 3x** and 2 doses of **Calcarea phos. 6x**, alternately.
- 3 : To facilitate breathing at night, the use of the following mixture will prove useful: **Hydrastis Q** = 1ml to be mixed with 6ml of glycerine. A cotton plug drenched in this mixture should be inserted in each nostril for 15 minutes and then removed.


ADRENALITIS

(INFLAMMATION OF ADRENAL GLANDS)

Adrenal gland is a triangular-shaped body adjacent to and covering the upper surface of each kidney and secrete a group of hormones. When the secretion of hormones is high, it results in hypertension and increase of urine volume and when it is low it causes anemia, sluggishness, weakness, weight loss, hypotension, nausea, vomiting, diarrhea and mental changes. When such a deficiency is chronic, it is called Addison's disease.

The cause may be hemorrhage in the gland as a result of infection and it may occur at birth resulting from an injury. The following remedies may be found useful, but the selection of the remedy should be made on the totality of symptoms.

- Adrenalinum** 2x, 3x : By stimulating sympathetic nerve endings, it controls hypertension. It checks capillary hemorrhage, nausea and vomiting. There is a sensation of constriction of chest and thorax.
- Argentum nit.** : It improves the memory and reduces bad mental impulses, fear and habit of doing things in haste.
- Arsenicum alb.** : Its use removes mental fear and anxiety, nausea and vomiting. Helpful in the cure of anemia, specially when there is iron deficiency.
- Iodium** 2x : The atrophy and inflammation of the adrenal glands is removed by the use of this remedy by arousing the immune system of the body.




ADULTERY

- Causticum** : The man or woman is inclined towards adultery. Husband is not sexually faithful to the wife or the wife is not faithful to her husband.

AIDS

(ACQUIRED IMMUNO-DEFICIENCY SYNDROME)



Common AIDS associated diseases and sites.

No case with this label has ever come to me. It is possible that a patient not properly diagnosed and who was unaware of the disease may have come to me. A homeopath treats the diseases on its symptoms only. It is possible that such a patient may have been treated by me on its symptoms. Since the vital force of the patient is rendered deficient and the patient is unable to defend himself against diseases, the following medicines can prove useful taking into account the symptoms.

The following remedies may be used along with the indicated remedy of the disease of the patient.

Camphora (tds) : The patient presents a picture of collapse. The body is icy cold. Strength appears sinking. Pulse is small and weak. Repeated drop doses

- of Camphora Q on a lump of sugar will strengthen the heart and raise his vital force. He will be able to fight the disease. The medicine can be repeated every 5 minutes till the condition of the patient improves.
- Carbo veg.** (tds) : Vital force nearly exhausted. The disease has greatly depleted the patient. He cannot recover from it, and has cold copious sweat, cold breath, cold tongue and loss of voice. The patient appears to be in the last stages of life. In such cases, this remedy may save the life.
- Echinacea Q** (tds)
10 drops in ½ cup of water : It is a great stimulant of the immune system. Maybe used with confidence in conditions of abnormal state of blood, blood poisoning and septic conditions. The patient has the tendency of malignancy in acute and subacute disorders. It increases the WBC count and enhances the macrophage function which destroys foreign invaders in the body.
- Iodium** (tds) : It arouses the defensive apparatus of the system by assembling the mononuclear leucocytes.
- Laurocerasus Q**
10 drops in ½ cup of water : Lack of reaction in chest, heart and lung affections.
- Lobelia purp.** (tds) : Overwhelming drowsiness as produced by the bite of a snake. Intense prostration. Cannot keep eyes open. Vital force becomes very weak with a feeling of paralysis of the body, heart and lungs. Intense chill without shivering.
- Silicea 6x** (tds) : It strengthens the vital and defensive forces. The patient is chilly and likes to keep the head covered. It cures deep-seated diseases and is useful in the cure of AIDS.
- Tuberculinum 200** (hs)
Repeat after 1 week : AIDS patient has low or no recuperative powers. He is always tired. Motion causes intense fatigue. Medicines, even well indicated, fail to improve the health of the patient. Tuberculinum acts in such cases.

NOTE 1 : AIDS is caused by H.I.V. (human immunodeficiency virus) which damages the body's immune system and nervous system and makes it susceptible to the opportunistic infections which would not be a threat to a healthy person.

NOTE 2 : It has been a mystery as to where the AIDS virus came from. It is believed that AIDS originated from Africa. Dr. Kevin Decock of USA who heads centres for disease control and prevention in Atlanta, Dr. Beatrice Hahn of the University of Albania along with Dr. David Ho and others from the Aaron Diamond AIDS Research Centre at Rockefeller University, New York have concluded that the AIDS virus originated from chimpanzees, first in Africa and then spread to the world. They stated it in a conference in Birmingham on 31-1-99.

NOTE 3: AIDS is not a hereditary disease and is not caused by kissing or masturbating. There is a high risk of contacting H.I.V. by an anal or vaginal sex without using a condom.

NOTE 4 : A person cannot get infected by casual contact with an infected person (such as shaking hands), hugging or kissing, being coughed or sneezed upon, swimming in the pool, sitting on a toilet seat and sharing beds, eating food in the same utensils and from insect or animal bite.

NOTE 5: A study published late in the year 2004, revealed that worldwide 38 millions people were infected with H.I.V. and 20 million died from AIDS during that year.

AIR SICKNESS

- | | |
|----------------------------|---|
| Aconitum nap. (tds) | : A person is afraid of travelling by air. A dose will remove his fear. |
| Argentum nit. (tds) | : It removes fear of air raids. |
| Arnica mont. (tds) | : It prevents mental and physical fatigue after travel by air. |
| Belladonna (tds) | : Give one dose as a preventive, 20 minutes before travelling by air and one dose immediately before boarding the plane. |
| Borax (tds) | : Use this when the stomach is upset or there is a fear when the plane descends to land. One or two doses of 30 potency will suffice. |
| Petroleum (tds) | : If in spite of the above treatment there is ringing and cracking in the ears or heaviness in |

the head or nausea or vomiting or heartburn on aviation, give one dose every 30 minutes till disappearance of the discomfort.

ALBUMINURIA (PROTEINURIA)

Albuminuria is the presence of protein in urine, chiefly albumin but also globulin; usually indicative of disease, but sometimes resulting from a temporary or transient dysfunction.

- Acidum phos.** (tds) : Presence of albumin during fever or after fevers. Urine frequent, watery and milky.
- Apis mel.** (tds) : Presence of albumin in urine either in pregnancy or in dropsy is cured by the use of this remedy. In dropsy, urine is scanty and there is swelling of the body.
- Cantharis Q** (tds),
10 drops in ½ cup of water : Urine is burning and is voided in drops. It contains albumin with infection of the kidney.
- Helonias Q** (tds),
10 drops in ½ cup of water : Albuminous and alkaline urine. Contains phosphates and is profuse and clean. It is also useful in albuminuria of pregnancy.
- Mercurius cor.** (tds) : Albuminuria during the first few months of pregnancy.
- Mercurius sol.** (tds) : Frequent urging. Burning in the urethra at the start of urination.
- Phosphorus** (bd) : Albuminuria in the latter period of pregnancy or near the end of pregnancy at full term.
- Serum anguillae** (bd) : It cures albuminuria rapidly when it is due to infection of the kidney and there is diminished amount of urine.
- Terebinthiniae Q** (tds)
10 drops in ½ cup of water : Albuminous urine with burning and drawing pain in urethra.
- Vesicaria Q** (tds)
10 drops in ½ cup of water : Urine contains albumin, blood, clots and pus. There may be smarting, burning sensation along the course of urethra and bladder with a frequent desire to pass urine.

NOTE 1: There are several tests to detect the presence of albumin in urine and they provide results within a few seconds. One of the household tests, which is reliable within certain limits, is the acetic acid test. Fill 3 parts of the test tube with urine and heat it over a burner. The urine will become cloudy - which may be due to phosphate or albumin. Add 2-3 drops of acetic acid. If the cloud disappears, then the urine contains phosphates and if the cloud becomes thicker, albumin is present. Albumin in urine is a simple form of protein soluble in water and salt solutions, and coagulated by heat.

NOTE 2: Presence of readily detectable amounts of serum protein, specially serum albumin in the urine is a sign of renal impairment. It can occur during fever, hypertension, kidney disorders and diseases of heart. Its presence, however, is not always the sign of disease because it can be found in the urine of a normal person after vigorous exercise.


ALCOHOLISM

It may be noted that no help can be given to a patient who has no desire to leave such a habit. In such cases, hospitalisation is necessary to keep a strict watch over the patient so that he cannot consume alcohol. The following medicines may be tried in both the cases when the patient has a desire to abandon the habit or when the patient is admitted in the hospital and is under strict watch.


- | | |
|--|---|
| Acidum sulph. Q (qid) | : 5 drops in a dose in water, four times a day removes craving for wines and brandy. A dose may be given when the craving starts. |
| Angelica Q | : 5 drops in a dose, three times a day produces hatred for alcohol products. |
| China off. Q (bd) | : It removes craving for alcohol in drunkards who wish to reform. Give 10 drops in water twice a day. |
| Phosphorus (tds),
Quercus (tds) | : The use of this remedy takes away the craving for alcohol. |
| Sepia, Kalium bich. (tds) | : Give alternately, four times a day. It takes away the longing for beer. |
| Silicea (tds) | : Cannot tolerate alcoholic stimulants and they cause this or that discomfort. |

- Sterculia a. Q** (tds) : Its use lessens craving for liquors.
10 drops in $\frac{1}{2}$ cup water
- Strychninum nit.** : Removes craving for alcohol, in any form,
3x (tds) when used three times a day for 3 weeks or for
a lesser duration till the craving stops.
- Sulphur 200** (od) : One dose per day in the morning if a person
has a great desire to drink alcohol all the time.
Wants to drink from morning till evening or
till awake.
- Syphilinum 1M** (hs) : One dose a month to correct the hereditary ten-
Repeat after 1 month dency to alcoholism.

ALCOHOLISM - ILL EFFECTS OF



Micronodular cirrhosis



Macronodular cirrhosis

- Arsenicum alb.** (tds) : Helps reduce the ill effects of excessive alcoholism.
- Calcarea ars.** (tds) : Use it for all complaints remaining in drunkards who have now abstained themselves from drinking.
- Carboneum sulph.** (tds) : It is very useful in patients broken down by abuse of alcohol. Impotency, sick headache, color blindness, etc. are cured by this remedy.
- Carduus mar.** (tds) : Liver troubles, pain in liver, constipation alternating with diarrhea, caused by use of alcoholic drinks, specially beer, are corrected by the use of this remedy.

- Chimaphila** (tds) : Its use helps removal of renal and hepatic disorders in chronic alcoholics.
- Gelsemium** (tds) : This remedy is surely indicated when all the complaints of a patient are relieved by the use of alcoholic stimulants.
- Kalium bich.** (tds) : It cures nausea and vomiting after drinking beer. It is specifically useful for ladies. Nux-v. is more useful for men.
- Nasturtium** 200 (od) : Cirrhosis of liver.
- Nux vomica** 200 (od) : It cures restlessness and giddiness after heavy drinking. It also cures vomiting after drinking.
Preferably evening hours
- Pulsatilla nig.** (tds), : Use of either remedy cures vomiting immediately after drinking.
Petroleum (tds)
- Quercus Q** (tds) : Its use removes the bad effects of alcoholism and takes away craving for alcohol. Dose, 10 drops.
- Ranunculus bulb.** (tds) : Cures, coma due to heavy drinking of alcohol and other bad effects of alcohol.
- Secale cor.** (tds) : Insomnia due to the intake of alcohol.
- Silicea** (tds) : The person cannot tolerate any alcoholic stimulant as it produces this and that discomfort.
- Strophanthus Q** (tds) : It is a useful remedy for treatment of patients who have a morbid and uncontrollable craving for alcoholic beverages. Give 5 - 10 drops, three times a day.

NOTE : Alcohol should not be used by pregnant women. Even occasional serving of alcohol can lead to physical deformities, mental retardation, learning disabilities and some other problems in the offspring. There is no safe level of alcohol use during or when planning a pregnancy.

ALLERGY

Allergy is a condition when a person is susceptible to a substance which is harmless to a majority of people under similar conditions of environments, etc. For example, penicillin, one of a group of antibiotics, is borne by some people but it produces allergic conditions and toxic manifestations in others

The main cause is the house dust mite. *Dermatophagoides pteronyssinus*, but allergy may develop to dust-containing animal or human hair (dandruff), cotton or other fibres.



Feather pillow-
invisible infestation

who are sensitive to it. This is a case with several other drugs and medicines - not homeopathic. Such like conditions can continue throughout life, if not treated properly. One simpler method employed for determining allergy is the skin test. A scratch is made, usually on the arm, and the substance of which the allergy test is required, is applied upon it. If it produces an irritation or some other symptoms, that person is allergic to that substance. More accurate methods are available in the clinical laboratories. Homeopathic physicians acting upon the law of “SIMILIA SIMILIBUS CURANTUR” or “let likes be treated by likes” will remove such an allergy by giving minute doses of the same allergen which is the causative factor. “Iron cuts iron” is the universal truth. Allergic reactions are a product of the immune system misreading a harmless protein as a dangerous invader. As a matter of fact, allergic reactions are the immune system’s way of expelling the invader.

- | | |
|--|---|
| Acidum sulph. (tds) | : Air pollen allergy. |
| Ailanthus g. (tds) | : Smell of flowers causes asthma. |
| Allium cepa (tds) | : Allergic coryza with violent sneezing and worse in the “pollen season” i.e., August. Sensitive to the smell of flowers. |
| Antimonium crud. (tds) | : Cannot bear heat of the sun. The patient feels exhausted in warm weather. Gastric troubles increase. |
| Antipyrinum 2x (bd) | : Allergic puffiness of eyelids, face, lips and sometimes penis. |
| Apis mel. 200 (tds) | : For skin allergy which is worse by heat and when there is puffiness with redness and burning. Allergic to heat. |
| Aralia r. (tds), Lycopersicum escu. (tds), Pothos (tds): Dust causes respiratory troubles and asthma. | |

Argentum nit. (tds)	: Skin diseases due to any allergy. Skin withered and dried up.
Arsenicum alb. (tds)	: For skin allergy worse by cold. Allergy to cold drinks.
Arundo, Ambrosia, Arum triph. (tds)	: Allergic watery coryza, sneezing stuffed up feeling in the nose and asthma-like attacks.
Carbo veg., Pulsatilla nig. (tds)	: Allergic to poultry items, aspirin, salt and butter. Milk causes flatulence.
Chininum ars. (tds), Natrium mur. 200 (od)	: Allergy to eggs.
Cocculus ind. (tds)	: Heat of the sun produces rash and vertigo. Sun allergy.
Gelsemium (tds)	: General depression from the heat of sun.
Histaminum 1M (od) for 3 days. Repeat after 15 days	: Allergic to dust, smoke and perfumes. Allergic catarrh and coryza.
Kalium bich. (tds)	: Allergy to beer and whisky.
Lac vaccinum def. 30, Sepia (tds), Sulphur 30 (od), Tuberculinum 200 (hs) Repeat after a week	: Allergy to milk which disagrees.
Lachesis 200 (od) for 3 days: Repeat after 15 days	: Allergic to vinegar, pickles and sour acidic foods.
Magnesium carb. (tds)	: Allergic to milk and meat.
Natrium carb. (tds)	: It removes allergy when milk causes diarrhea.
Natrium mur. 200 (od)	: Allergic to bread, pickles and acidic foods.
Nux vomica (tds)	: Allergic to coffee.
Oxalicum acidum (tds)	: Allergic to coffee.
Petroleum (bd)	: Allergic to cabbage.
Psorinum (hs) Repeat once a week	: Allergy to wheat which causes eczema.
Pulsatilla nig. (tds)	: Allergy to orange juice which causes irritation of the skin. Allergic to pastry and rich ice cream mixed with fruits. Allergy to bakery foods.
Rumex crispus (tds)	: Allergy to meat which causes eructations and itching.

- Sabadilla** (tds) : Sensitiveness of all odors.
- Saccharum off.** (tds) : Allergy to sugar.
- Selenium met.** (tds) : Allergic to lemonade.
- Sepia** (tds) : Allergic to fats and boiled milk which causes diarrhea.
- Sulphur** 200 (hs) or 6x (bd) : Hair dyes produce eczema. Allergic reactions to antibiotics. Allergy to tomatoes, use of which turns face red and starts the cough.
Repeat after 1 week
- Tellurium met.** (bd) : Allergic to rice.
- Thuja occ.** (tds) : Cannot eat onions which cause coryza and ophthalmia. Allergic to music which causes weeping and trembling.
- Thyreoidinum** 3x-6x (bd) : Allergic urticaria. Allergy to lipstick.
- Zingiber off.** (tds) : Allergic to melons.
- NOTE:** The most common causes of allergies are foods. Typically peanuts, walnuts, cashews, shellfish, fish, milk, eggs, some medication, insect stings by bees, wraps, ants, latex, exercise, etc.

ALOPECIA

(BALDNESS)

Complete or partial baldness may occur naturally as a part of the aging process. It may occur as effects of serious illness or it may be hereditary. It can occur also due to the use of certain drugs. Following medicines are useful for the treatment:

- Acidum fluor.** (tds) : Alopecia of old age or of prematurely aged due to syphilis. Falling of hair in patches.
- Alumen** 200 (od),
Selenium met. 30 (tds) : For alopecia i.e., falling of hair of head, eyebrows, eyelashes and other parts of the body.
- Arsenicum alb.** (tds) : Alopecia due to use of metallic arsenic in forms other than potentised. Scalp itches intolerably. Circular patches of bare spots.
- Calcarea phos.** (tds) : Falling of hair in bunches.

Mancinella 200 (od)	: For alopecia neurotica i.e., baldness after a severe acute diseases or at the scar of a healed wound.
Natrium mur. (tds)	: Falling of hair after delivery of a child and its nursing.
Pix liquida (tds)	: Alopecia due to the diseases of the scalp. Scalp itches intolerably and bleeds on scratching.
Sanicula aqua 200 (od), Thuja occ. 200 (od)	: For alopecia furfuracea i.e., baldness which is chronic due to dandruff and lots of itching.
Selenium met. (tds)	: It is useful in baldness of the whole head.
Sepia (tds)	: Falling of hair in pregnancy.
Silicea (tds)	: For premature alopecia i.e., baldness, prematurely.
Thallium (bd)	: Alopecia after serious diseases. There is abnormal and excessive perspiration on the head. Total baldness.
Tuberculinum 200 (hs), Thuja occ. 200 (hs) Repeat after 1 week	: Baldness in sharply defined circumscribed patches i.e., alopecia areata. Falling of hair due to dandruff.
Thymus serpyllum Q	: Helps regrowth of hair. Use externally and internally.
Vinca minor (tds)	: Baldness is sharply defined, circumscribed patches which leave the scalp smooth and white or grey hair may grow on the bald spots like white wool. Hair may knit together.
Wiesbaden (tds)	: The hair grow rapidly and become darker by the use of this remedy. It also helps to cure the falling of hair.

NOTE 1 : Onion slices rubbed on bald spots sometimes cures baldness.

NOTE 2 : Baldness can be due to the following causes:

- a. Age - By the age of 50, approximately 50 % men experience hair loss.
- b. Stress.
- c. Illness.
- d. Major surgery.
- e. Medicines such as those used in chemotherapy, blood thinners, anti-depressants, excessive amount of vitamin A and diseases like diabetes.

ALZHEIMER'S DISEASE

It is a deteriorative mental state commonly known as presenile dementia occurring in the 40-60 years age group. Research has shown that it is developed due to excessive use of soluble aluminium which is generally found in widely used antacids and indigestion drugs, and also cooking utensils. It has been found in greater amounts in the brains of people suffering from Alzheimer's disease. Aluminium is partially blamed for this condition. If not treated early, this disease progressively destroys vital brain cells bringing changes in behavior, difficulty in learning and remembering, impaired judgement, confusion, problems with speech, muscle co-ordination and restlessness. This disease requires constant supervision, care and proper use of intelligently selected indicated remedy as mentioned in the chapter "Schizophrenia" and "Memory".

A characteristic symptom is that the patient remembers the far off and old happenings but forgets the most recent ones. Vitamin E-30C or 200C acts as antidotal to aluminum.

Latest research shows that serious head injuries in early adult life are associated with this disease and may cause dementia in later life. The following symptoms point towards this disease:

1. Extremely suspicious, withdrawn and fearful.
2. Rapid swing in mood - weeping to laughter or anger.
3. Puts the things in wrong places like a watch in the sugar bowl or an iron in the fridge.
4. He/she may wear warm clothes in summer and summer clothes in winter.
5. He may get lost in his own street. He has no regard for time and place.
6. Loss of memory. Forgets the names of familiar persons. Forgets that the carrots were left for cooking on the stove until they are burnt. Cannot find appropriate words at the right occasion.

NOTE 1: Alzheimer's disease produces a set of above symptoms due to destruction of certain nerve cells in the brain. This disease can strike at a younger age also. It has two forms : 1) Sporadic - which is most common and 2) Autosomal dominant (FAD) — which is inherited.

NOTE 2: Lycopodium and Rosmarinus contain a substance called Haperzine which slows down the breakdown of acetylcholine, the brain chemical, vital for maintaining memory. These two remedies along with Gingko and Vitamin E have proved useful in maintaining memory.

NOTE 3: Gingo Q is widely used to improve memory function and to treat Alzheimer's disease.

NOTE 4: According to professor of medicine and neurology of David Geffen school of medicine at UCLA for Curcuma Longa (Turmeric root – Haldi) has powerful antioxidant and anti-inflammatory properties which help ease Alzheimer's disease because of its wide use in India, the disease rates are lowest in the world.

AMENORRHEA (ABSENCE AND SUPPRESSION OF MENSES)

Amenorrhea is absence or abnormal cessation of menses. It may be primary or secondary (due to some other reasons like lactation, emotional, dietary, exercise induced, etc.).


- | | | |
|--|---|--|
| Aconitum nap. (tds), | : | Menses suppressed in plethoric girls. Platinum acts very promptly. |
| Platinum met. (tds) | : | |
| Aconitum nap. (tds) | : | Menstruation stopped suddenly due to a great emotional shock or stress or from exposure to dry, windy, cold weather. |
| Apis mel. (tds) | : | Menses suppressed with head symptoms or due to a tumor in the ovaries. It acts very well specially in young girls when it appears that the menses are about to start but do not. |
| Apocynum can. (tds) | : | Absence of menses in tropical conditions. Women become weak and nervous due to non-appearance of menses. |
| Argentum nit. (tds) | : | A mere spot of blood instead of regular menses. |
| Aristolochia clem. 30 (od) | : | Young women at the helm of their youth lose their menses after hormonal treatment. It combines the properties of Sepia and Pulsatilla. |
| Calcarea carb. (tds) | : | Menses suppressed in fat girls. Breasts become tender and swollen during menstruation. Colic, headache and chilliness before menses. |
| Causticum,
Cyclamen (tds) | : | Menses during day time only; they cease at night. |

-
- Cimicifuga** 3x (tds) : Menses absent or scanty due to complex endocrinal unbalance and emotions.
- Colocynthis,**
Chamomilla (tds) : Menses suppressed from anger.
- Damiana** Q (tds) : Aids the establishment of normal menstrual
10 drops in ½ cup of water flow in young girls.
- Dulcamara** (tds) : Suppression of menses from cold or dampness.
Before appearance of menses, a rash appears
on the skin or sexual excitement.
- Euphrasia** (tds) : Menses last for one hour or a day only.
- Gossypium** Q (tds) : Menses suppressed due to uterine troubles.
20 drops in ½ cup of water Sensation that the flow is about to start but it
does not. It is a powerful remedy and brings
about the menses in most cases.
- Graphites** (bd) : Menses are suppressed, delayed or scanty. This
is usually accompanied by constipation with
ball-like stools.
- Ignatia amara** (tds) : Suppressed menses in patients with very
changeable moods — crying and laughing at
unexpected times or hysterical patients.
- Kalium carb.** (tds) : Menses delayed in young girls. Difficult first
menses. Menses suppressed from fright.
- Lycopodium** (tds) : Young girls with non-development of breasts
and with absence of menses. This remedy will
develop the breasts and make the course to ap-
pear. Menses suppressed from fright.
- Macrostinum** 2x (hs) : 5 drops of it in a little water given every two
hours at the time when the flow was due, but
failed to come on, makes the menses appear.
- Onosmodium** (tds) : Feels as if the menses would appear but it does
not. There is severe intensive pain and aching
in the breasts.
- Opium** (tds) : Menses suppressed from fright.
- Phosphorus** (tds) : Amenorrhea. Bleeding from nose, breasts or
eyes instead of menses. Weeps before menses.
Corrosive leucorrhea instead of menses.


- Pinus lamb.** (od) : Menses suppressed or delayed. Give in 15 drop doses, thrice or four times daily.
- Pituitrinum** 3x (bd) : When the menses fail to appear at puberty and when the breasts are defective in their development.
- Pulsatilla nig.** Q (tds) : Stoppage of menses due to any cause. 5 drop doses of this remedy continued during one or two intervals sets the matter right.
- Sabadilla** (tds) : Menses too late. Come and stop and come again by fits and starts, due to the congestion of the uterus and anemia. Worse cold and cold drinks, better warm food and warm drinks.
- Sabina** Q (tds) ,
10 drops in ½ cup of water : Young girls having no menses for months together. One breast is smaller than the other.
- Saraca indica** Q (tds)
(Joanesia asoca)
10 drops in ½ cup of water : Delayed or irregular menses. Headache due to suppression of menses. Menstrual discharge is scanty, pale, watery, foul smelling and blackish. Amenorrhea at puberty with pain in the head.
- Senecio aur.** 3x (tds) : Menses delayed or suppressed in young girls with backache. Inflammation of throat, chest and bladder before appearance of flow and improves when the flow starts.
- Sepia** (tds) : When menses do not start after the mother has ceased breastfeeding the child. The woman feels troubled mentally. Sepia not only starts the menses but also cures all symptoms due to the suppression of menses.
- Sulphur** (od) : Menses too late, scanty and difficult. Blood thick, black, acrid and makes the parts sore. Menses preceded by headache.
- Thyreoidinum** 3x (bd) : When menses are suppressed due to the over activity of pituitary or thyroid gland.
- Tuberculinum** 200 (hs) : Use it when various indicated remedies fail.
- Viburnum prun.** Q : Amenorrhea or other menstrual irregularities and displacement of uterus in sterile ladies.

AMOEBIASIS (AMOEBIC DYSENTERY)

Amoebiasis cycle




Amoebae invade wall of colon by digestive enzymes




Spread and multiply in submucosa, destroying tissue

Vessels are congested but there is almost no inflammatory reaction.

Necrotic mucosa is cast off



Amoebae spread, digesting submucosa and undermining the mucosa



This disease is generally characterised by dysentery and diarrhea, weakness and prostration. Nausea, vomiting and pains may be present. In chronic cases, ulceration of the colon occurs. The microscopic examination of the stool shows presence of a single cell protozoon *Entamoeba histolytica* or *Giardia lamblia*.

- Aloe soc.** (tds) : A lot of mucus is present with the stools. Copious flatus and pain in the rectum after the stool.
- Atista rad.** 3x : It is useful in dysentery, either ameobic or bacillary. Acute pain around the naval. Passes only blood with stool and if mucus is also present in the stool along with the blood, use *Asista indica*.
- Calcarea iod.** 3x (tds) : Some practitioners recommend it for the disease.
- Emetinum** 1x (tds) : It is specific for the disease. Give in drop doses, four times a day.
- Mercurius cor.** (tds) : Constant cutting pains in the abdomen and intolerable, almost ineffectual pressing, straining and tenesmus; only frequent, scanty discharges of bloody slime, day and night.

- Symphytum off.** 1M : Give one dose fortnightly when ulceration of the large intestines is present.
- Thuja occ.** Q (hs)
10 drops in ½ cup water : It is an excellent remedy for this disease and the treatment should be started with it. No other remedy should be given for the next 24 hours.

ANEMIA

- Aceticum acidum** (qid) : Anemia with pale face and debility. Frequent fainting, vomiting and profuse urination and sweat.
- Acidum phos.** (tds) : Anemia due to grief or loss of seminal fluids.
- Argentum nit.** (tds) : Anemia due to excessive vomiting and indigestion.
- Arsenicum alb.** (bd) : Anemia due to malaria. There is lot of prostration and anxiety. The patient drinks often but little. Anemia due to iron deficiency.
- Calcarea ars.** (tds) : By its use, the hemoglobin and red blood corpuscles increase in a short time.
- Calcarea phos.** 6x (tds) : Anemia of children who are pale but flabby and suffer from tonsillitis.
- Calotropis Q** (tds)
10 drops in ½ cup water : Primary anemia of syphilitics. Heat in the stomach is a good guiding symptom for the use of this remedy.
- Ceanothus Q** (tds) : Anemia due to liver and spleen fault. Violent dyspnea. Bronchitis with profound secretion.
- China off.** 1x (tds),
Calcarea carb. (tds) : If anemia is caused by loss of blood or vital fluids.
- Cuprum ars.** 3x (tds) : Anemia due to iron deficiency.
- Ferrum phos.** 1x,
Ferrum protoxalatum 1x,
Ferrum pic. 1x (tds) : This may be given once daily for a week if the anemia is due to lack of iron. It will cause a rapid increase of hemoglobin. If it does no good, stop its administration and if improvement is noticed, continue it, till cured.
- Graphites** (od) : Anemia with a red face.

- Iridium met.** (bd) : Anemia after exhausting diseases or due to old age or in children growing too fast. It increases red blood corpuscles.
- Kalium carb.** (tds) : Blood lacks red blood corpuscles. The skin is milky white or watery with great debility. Young ladies at the time of puberty have menstrual troubles on account of great weakness. There is bloating of face, eyelids and backache in the lower back. If such conditions occur at menopause, specially the bloating, this remedy is again indicated. This remedy has a profound influence over blood making.
- Lecithinum** 1x - 3x (tds) : It has a favorable influence upon the nutritive conditions of blood. Increases the number of red blood corpuscles and amount of hemoglobin. Loss of flesh and general breakdown may be noticed.
- Natrium cacodyl.** 1x (bd) : It increases the number of red blood corpuscles to double. Give four doses a day.
- Natrium mur.** (tds) : The patient is constipated. The face is pale and there is palpitation. It is also useful for anemia after malaria.
- Nux vomica** (tds) : Anemia due to indigestion, especially in persons of sedentary habits or given to high living or debauchery.
- Ostrya virginica** (tds) : It is of great value in anemia from malaria.
- Petroleum** (tds) : When anemia is accompanied with fever and the patient vomits the food taken.
- Phosphorus** (bd) : Anemia due to kidney diseases and when there is puffiness all over the body.
- Pulsatilla nig.** (tds) : Patients who were heavily and irrelevantly drugged by medication and tonics or due to accidental stoppage of menses. Anemia due to iron deficiency. Abuse of iron tonics.
- Silicea** 6x (tds) : Anemia of infants with tendency to rickets.
- Strophanthus Q** (tds) : Anemia with palpitation and breathlessness.
10 drops in $\frac{1}{2}$ cup of water : It tones up the heart and is safer for the aged.

Dyspnea specially on ascending. Lungs congested.

Strychninum phos. 3x (tds) : An excellent remedy for anemia of the spinal cord. Aching, burning and weakness of the spine is present. Tenderness in the mid- dorsal region on pressure.

Teucrium mar. 10M or CM (hs) : One dose fortnightly will cure anemia which is due to pin worms. It will also eradicate worms.

NOTE 1: Patients suffering from iron deficiency anemia can also increase the amount of iron in the hemoglobin by use of cast-iron cooking vessels. The following foods top in iron content:

- a. Meat, poultry, fish and eggs.
- b. Whole grains, dried fruits (like apricots, prunes and raisins), dark green leafy vegetables, beans, peas, lentils and nuts.

NOTE 2: Coffee and tea with meals interferes in the absorption of iron by the body.

NOTE 3: There are following types of anemia.

- a. **Iron deficiency anemia:** Iron can be obtained from vegetarian foods such as beans, spinach and nuts.
- b. **Pernicious anemia:** It is very rare and it results when body fails to absorb Vitamin B12.
- c. **Other types of anemias:** It can be caused by diseases of hemoglobin molecules, folate deficiency, chronic diseases and problems with bone marrow.

ANGER (ANNOYANCE)

Antimonium crud. (tds) : Cannot bear to be touched or looked at. When done so, feels angry.

Arnica mont. (tds) : Anger following fright.

Arsenicum alb. (bd) : Anger caused by noise or light.

Arum triph. (tds) : Trembling when angry. Must quarrel with somebody or beat and hit children to give vent to his feelings.

Calcarea ars. (tds)	: Anxiety with anger.
Calcarea carb. (tds)	: Anger after coition.
Cereus serp. (tds)	: Wild anger. Low morals. Tendency to swear.
Chamomilla (tds)	: Anger in children who are irritable. They will want this or that and refuse and throw it away when offered. Anger almost furious. Anger results in diarrhea. Perspires when angry.
Colocynthis (tds)	: Abdominal pain after anger. Great indignation and other ill effects of anger.
Conium mac. (tds)	: Trifling matters cause annoyance.
Crocus sativus (tds)	: Anger with violence followed by repentance, laughs a lot, involuntarily.
Ignatia amara (tds)	: Unbearable anger. Headache following anger.
Lycopodium (tds)	: Angry due to a feeling of insecurity and lack of self-confidence. Cowardice with a fear of future events.
Mercurius sol. (tds)	: Sudden anger with an impulse to do violence.
Natrium mur. (tds)	: Ill-effects from anger with fear.
Nux vomica (tds)	: Violent temper. Cannot bear contradiction. Generally irritable and angry. Anger from loud noises which are painful. The anger may lead to indigestion. Very impatient and difficult to live with.
Nux vomica (tds), Aurum met. (tds)	: Anger from least contradiction and disagreement.
Phosphorus (tds)	: It is specially indicated in children who have a wild temper. Always fighting with other children, and even with mother and teachers.
Staphysagria (tds)	: Ill-effects of anger and insults. Colic after anger. Suppressed anger and indignation which results in uncontrollable outbreaks of anger.
Stramonium (tds)	: Anger almost furious.
Tarentula his. (tds)	: Anger which often results in violence. Anger from contradictions.
Tuberculinum 200 (hs) Repeat after 1 week	: Children always angry, become violent on trifles. Persons who never smile and always have an angry look.

ANGINA PECTORIS

(SEE ALSO 'HEART')

Angina pectoris is a severe constricting pain in the chest, often radiating from the precordium (heart) to a shoulder (usually left) and down the arm.

British research team of Cambridge University scientists headed by Prof. Morris Brown said that Vitamin E cuts heart attack risk by 75%. Vitamin E occurs naturally in foods such as vegetable oils, nuts, butter, leafy vegetables and whole grains. Daily average intake of Vitamin E is recommended to be 15 to 30 international units.

- Aconitum nap.** (qid) : Sudden attack of angina with acute pain in the region of heart, arm and left shoulder. Palpitation, pulse full, hard and bounding. Restlessness, constant pressure in the chest obstructing smooth breathing. Cough may be present. It should be given immediately on the onset of the feeling of pain when there is a previous history of the disease in the patient.
- Ammonium carb.** 30 (qid) : Danger of failure of heart due to a prolonged illness. Give a dose every half hour.
- Amylenum nit.** Q (tds) : A little cotton drenched in it may be placed near the nostril of the patient for inhaling. It gives immediate relief after which the indicated remedy can be used.
- Argentum nit.** (tds) : It is best applicable when the heart attack occurs after taking meals. Angina pain is worse at night.
- Arsenicum iod.** 3x (bd) : If this remedy is indicated, give one dose at night and one dose in the morning immediately after food.
- Bryonia alba** Q : Stitching and tearing pains in the heart region greatly aggravated by any motion and better by rest and lying on the painful side. Patient is irritable with all mucous membranes dry. 5 drops on a lump of sugar of milk or sugar every hour. Never give water or liquid during the attack.
- Cactus** Q : Acute pain, suffocation and contraction in heart

- region. 10-15 drops every 15 minutes. Cold sweat, vertigo, dyspnea and flatulence. Acute pain in the heart shooting down the left arm. Pulse weak.
- Cimicifuga** (tds) : Pain in the heart region and the left arm. Heart action ceases suddenly and there is impending suffocation.
- Crataegus oxy.** Q (bd)
10 drops in ½ cup of water : Pain in the region of heart and under the left collar bone. Cardiac cough. Pulse accelerated, irregular and feeble. Valvular murmurs, blueness of the fingers and toes. Sustains heart in infectious diseases.
- Cuprum acet.** (tds) : It may be given thrice daily. It may prove to be of great value.
- Digitalis** (qid) : Angina pectoris with a feeling as if the heart would cease working. Pulse is slow and the patient is worse by movement.
- Gelsemium** (qid) : Palpitation. Pulse soft and slow but increased on motion. However the patient wants to keep in motion, because of the feeling that his heart will stop if he does not move.
- Glonoinum** 30 (qid) : Violent beating of the heart as if it will burst open. Strenuous breathing. Pains radiate in all directions, down left arm with weakness.
- Kalmia lat.** (tds) : Weak, slow pulse. Palpitation, worse leaning forward. Sharp pains take away the breath. Shooting through chest above the heart into shoulder blades. Heart's action tumultuous, rapid and visible.
- Lachesis** 30 (tds) : Shooting pain of the heart and arteries on the left portion of the chest and left arm.
- Latrodectus mac.** 6x (tds) : There may be restlessness, depression and pain after the attack is over. There may be still pain in the chest muscles, left shoulder, back and neck. Pain may extend to the abdomen. This remedy is almost specific in curing this dreaded disease. Continue its use after the attack till all the symptoms disappear. Pains radiate from chest to left arm and fingers — numbness.

-
- Lilium tig.** (tds) : Angina pectoris with pain in the right arm. Suffocation, pulsations all over the body.
- Magnesium phos.** 12x : Use it for nervous, spasmodic palpitation and constrictive pains around the heart. It relieves pains and calms the patient. Give it dry on the tongue and repeat often, every fifteen minutes. Before its use, relief may be obtained by inhaling Aml-ns. Q.
- Naja tri.** : Heart cases without clear cut symptoms. A dose every half hour - two or three doses will relieve speedily if the remedy is useful. After 3 doses, look for another remedy which is indicated. Special symptoms for the use of this remedy is a feeling of weight on the heart. Angina pains extend to the neck, left shoulder and left arm. Fear and anxiety is present. There may be pain in the forehead and temples.
- Pituitrinum** 3x (qid) : In heart attacks of old people, where sometimes it becomes almost impossible to select a well indicated remedy. It has a specific action on anginal attack due to coronary trouble from chronic uremic conditions as well as in allergic subjects where it relieves greatly.
- Secale cor.** (tds) : Angina pectoris is caused by spasms or contractions of the coronary artery which supplies the heart muscles. This medicine lessens the contractions and softens the attacks.
- Spigelia** (qid) : Pressure, oppression, darting, shooting and stabbing pains in the chest and down the left arm. Breathlessness. It is specially indicated in smokers and drunkards.
- Strophanthus** Q : Angina due to weakness of the heart. 10 drops, three hourly or earlier if required.
- Terminalia arjuna** Q (tds) : Angina pectoris, weakness of the heart with palpitation.
10 drops in ½ cup of water
- Veratrum alb.** (tds) : Heart cases of tobacco chewers. There is palpitation, anxiety and rapid audible respiration. Pulse is feeble and irregular. There is a feeling

of extreme coldness. It presents a picture of collapse with blueness of the face. Cold perspiration on the forehead is a good indication for the use of this remedy.

Viburnum op. Q : Angina with cramps in the heart. 5-10 drops, ½ hourly.

DIET : **Special attention should be paid to the diet. Spicy, fried and fatty foods should be avoided. Only vegetarian food should be taken.**

NOTE 1: Chest pains can take many forms - a feeling of heaviness, tightness, crushing pain, pressure, fullness, squeezing and burning. The pain may spread from the chest down one or both arms or upto the neck, jaw or shoulders. The signs are different for women who are more likely to feel “vague” chest discomfort. The signs may come and go.

NOTE 2: 50% of heart attack deaths occur within 2 hours of the first sign.

ANKLES

Ammonium carb. (tds) : Tearing in the bones of ankles and feet.

Apis mel. (tds) : Simple swelling of ankles.

Arnica mont. (tds) : It cures sprains, swelling and black and blue appearance of the skin in a short time.

Bellis per. (tds) : It is an excellent remedy for all sprains of joints.

Calcarea phos. (tds) : Generally weak ankles. Also good for weak ankles of children and in almost all the other cases.

Causticum (tds) : Weak ankles. Walking causes suffering.

Chamomilla (tds) : Violent pains at night. Ankles give away in the afternoon.

Crocus sativus (tds) : Pain in the ankles.

Ledum pal. (tds) : Easy spraining of the ankle.

Manganum acet. (tds) : Growing pains and weak ankles.

Mimosa p. (tds) : Swelling of ankles and legs.

Natrium carb. (tds) : Easy dislocation and spraining of ankles.

	Ankles are very weak. Old sprains are cured by the use of this remedy.
Natrium mur., Silicea (tds)	: Weak ankles give difficulty in walking. It is specially indicated in children who are late in learning to walk.
Propylaminum Q	: Pain in ankles - unable to stand. Use 10-15 drops in a glass of water, a teaspoonful every 2 hours.
Psorinum 30 (bd)	: Ulcer of ankles and lower legs.
Ruta (tds)	: Aching pains in ankles with restlessness.
Strontium carb. (tds)	: Sprain of ankles which is chronic and when there is swelling.

ANNUAL COMPLAINTS

Arsenicum alb., **Naja tri.** and **Urtica urens** may be compared in respect of complaints and diseases which occur annually. **Carbo veg.**, **Lachesis**, **Sulphur** and **Thuja occ.** also have the symptoms that the complaints recur annually. **Urtica urens** has complaints at the same time every year.

Toxicophis has fever and pain annually and sometimes pain changes location with disappearance of first symptoms, after bite of Mucassin snake.

Psorinum has hay fever returning irregularly every year. **Ipecacuanha** has yearly attacks of asthma-like symptoms with difficult breathing and shortness of breathing.

Dose: 1M (hs) before complaints start.

ANTIBIOTICS

Antibiotics are a variety of drugs prepared both from natural and synthetic substances to destroy micro-organisms infecting the bodies of humans, animals, birds and plants, and producing diseases. These are most misused and overused drugs of modern allopathic practice. More or less, every antibiotic drug has side effects because their use disturbs the normal function of the organs in the body and the composition of blood. The patient may develop

disturbances in digestion, discomfort, unsteadiness, diarrhea, sore throat, aphthae, fever, etc. The following medicines may be prescribed to remove the ill-effects of antibiotics. The use of antibiotics should be stopped when any ill-effect is noticed.

- Acidum phos.** (tds) : For general debility after use of antibiotics.
- Antimonium tart.** (tds) : When there is rattling of mucus but little comes up on coughing.
- Borax** (tds) : For thrush of tongue and mouth or vagina.
- Bryonia alba** (tds) : Bronchitis with a lot of thirst. The patient drinks often and in large quantities. Cough is worse in a warm room and the chest is sore. Give every three hours.
- Echinacea Q** : This remedy has antibiotic properties.
- Ipecacuanha** (tds) : For nausea.
- Nitricum acidum** (tds) : Diarrhea is a very common side effect and it is cured by this remedy.
- Pulsatilla nig.** (tds) : Persistent catarrh of the throat and nose.
- Sulphur 200** (hs) : One dose, usually overcomes the so called “drug rash”.
- Thuja occ.** 200 (hs) : It has a specific antibacterial action.
- DIET** : In all such cases, yogurt, garlic capsules and juices are the best diets.

NOTE 1 : In June 2000, Dr. David Haymann issued a warning on behalf of World Health Organization that most antibiotics are becoming useless on account of antibiotic resistant organisms. All major infectious diseases like TB, malaria and pneumonia have developed resistance to current drugs. Gonorrhea is no longer treatable by penicillin in most parts of the world.

NOTE 2 : In homeopathy, all chlorides like Aurum mur., Ammonium mur., Baryta mur., Calcarea mur., Natrium mur. and Zincum mur. are antibiotics. All mercury salts like Mercurius acet., Mercurius aur., Mercurius cor., Mercurius brom., etc. are bactericides but Mercurius iod. in 3x potency is more active than all these remedies. Baptisia is antibiotic to typhoid bacteria and curative in typhoid fevers. Echinacea has antibiotic and anti-fungus properties.

NOTE 3 : *E. coli* and related bacteria are known as enterococci because they live in digestive systems of animals, using their stick hair, called “pili” to cling to cells. They cause food poisoning and other diseases.

ANTIDOTES

Antidote is an agent that neutralizes a poison or counteracts its effects.

Aceticum acidum (bd)	: It is antidotal to all anesthetic vapors and poisonous effects of chapped, seasoned and preserved meat. Do not repeat it too often.
Acidum fluor. (bd)	: Antidote to radiation.
Agaricus mus. (bd)	: Antidotes effects of the alcohol.
Alumen (bd)	: Antidotes lead poisoning.
Arsenicum alb. (bd)	: Antidotes pencillin and carbolic acid.
Carbo veg. (bd)	: Antidotes fumes of gases.
Chamomilla (bd)	: Antidotes the bad effects of excessive coffee drinking.
Graphites (od)	: Antidotes skin troubles from arsenic poisoning.
Insulinum 200 (hs) Repeat after 1 week	: Antidote to insulin.
Ipecacuanha (bd)	: Antidotes the bad effects of quinine and opium poisoning.
Ledum pal. (bd)	: Antidotes the poisons of animals and insects.
Nitricum acidum (bd)	: Antidotes the effects of antibiotics specially mycins which have caused diarrhea.
Nux vomica 200 (od)	: Antidotes stimulants like wine, whisky, tea and coffee.
Phosphorus, Ammonium carb. (bd)	: Antidotes effects of chloroform or other anesthetic drugs.
Pulsatilla nig. (bd)	: It is a better antidote to whisky than even Nux vomica.
Thuja occ. (bd)	: Antidotes tea and vaccination.


Tuberculinum 200 (hs), : Antidotes bad effects of hair dyes.
Sulphur 200 (hs)
 Repeat once a week

ANTISEPTIC

Antiseptic is an agent or substance capable of prevention of infection by inhibiting the growth of infectious agents.

- Calendula off.** Q (bd) : It is a great homeopathic antiseptic and is also a remarkable healing agent. Promotes rapid healing of open wounds. Use internally and externally. Lotion for external use is prepared with one part of Calendula Q mixed with six parts of hot water.
- Cinnamomum** Q (od) : Lotion prepared with 3-4 drops in about 2 litres of hot water is used as an antiseptic agent in the washing of wounds and even cancer parts when the skin is intact. This solution is also used whenever a germicide and disinfectant is needed. It is also used as a vaginal or rectal douche.
- Echinacea** Q (od) : Old ulcers, irritations from insect bites and poisonous plants. Recurrent boils. Apply locally as a cleaning and antiseptic wash.
- Myristica seb.** (bd) : It has a great antiseptic power for inflammation and suppuration of the covering membranes of the bones, wounds, fistula, abscesses, carbuncles and boils. Hastens suppuration and shortens its duration. Acts more powerfully than Silicea and Hepar sulphuris.

ANUS




- Aesculus hip.** 3x (tds) : Long lasting pain in the anus after passing a stool.
- Aloe soc.** (tds) : Itching and burning in anus. Patient is always scratching the anus and feels pleasure in boring the finger in the anus. The itching compels him to sodomy and anal intercourse.
- Anacardium ori.** (tds),
Antimonium crud. (tds),
Silicea (tds) : Constant oozing of moisture from the anus or constant oozing of mucus from it. Hard lumps with watery discharge.
- Calcarea fluor.,** 6x (tds) : Itching of the anus as if caused by crawling of pin worms. Fissure of anus. A painful crack in the anus.
- Calcarea sulph.** (tds) : Painful abscess around the anus and fistula of the anus.
- Cinnamomum Q** (tds) : Hemorrhages from bowels specially when the blood has an offensive odor.
- Cobaltum** (tds) : Constant dropping of blood from the anus. No blood in stools.
- Dolichos** (tds) : Intense itching of anus with constipation and a bloated abdomen.

Ignatia amara (tds)	: Violent itching and crawling in the anus, and in the rectum.
Medorrhinum 1M (hs) Repeat after a week	: Intense itching of the anus worse while thinking of it. Oozing of foul moisture from the anus. Very red rash about the anus of the babies.
Nitricum acidum (tds)	: Anus fissure. Sharp cutting pain during and after stools. Constipation may be present.
Podophyllum (tds)	: Prolapse of the rectum.
Ratanhia (tds)	: Fissure burning like fire. Stool after a lot of straining. Itching of anus. Oozing at anus. Abscess.
Sanguinaria (tds)	: Many diseases of rectum like burning, polypus, chronic catarrh, etc. are influenced by this remedy.
Sanguisuga 6x (tds)	: Bleeding from anus specially when the blood is watery.
Sepia (tds)	: Almost constant oozing from the anus.
Slag (tds)	: Itching of the anus.
Sulphur (od)	: Itching and redness of the anus in children. Diaper rash. Abscess of rectum.

ANXIETY

Anxiety is an apprehension of danger and dread accompanied by restlessness, tension and dyspnea unattached to a clearly identifiable stimulus.

Aconitum nap. (tds)	: Acute anxiety with agonising terrors and fear of death. Frequent palpitations. The patient is inconsolable and restless.
Anacardium ori. (tds)	: Anxiety vanishes on eating.
Argentum nit. (tds)	: Anticipatory anxiety with diarrhea. Hurried, irritable, nervous and lacking in self-confidence.
Arsenicum alb. (tds)	: Intense anxiety with great restlessness. Fears something terrible will happen. He is worse during the night and after midnight. Very chilly, exact and fault finding. He is meticulously tidy.



The nerve signal travels along the axon and signals release of chemicals, such as Serotonin and or Norepinephrine, of the synapse. Normally re-uptake of chemical signal follows.

Blocking of re-uptake with drugs alters levels of synapse chemicals. Research suggests that changes in the chemical re-uptake at the synapse affect behaviour and emotion. Altering levels of Serotonin and Norepinephrine, two synapse chemicals, have been associated with long term anxiety.

- Borax** (tds) : Anxiety leading to nausea with fear of downward motion. He is worse until 11 p.m.
- Bryonia alba** (tds) : Anxious about business even though seriously ill.
- Calcarea carb.** (tds) : The patient thinks that he has done something wrong. He feels uneasy and anxious with palpitations. Fears loss of reason. Desperate of life. Fears insanity. Makes others bored by repeatedly describing ailments.
- Carbo veg.** (tds) : Anxiety is worse felt lying in the bed with eyes closed.
- Causticum** (tds) : Anxiety worse in the evening due to apprehension.
- Gelsemium** (tds) : Anxiety due to fright, fear, emotions, exciting news or forthcoming examination and interview.
- Ignatia amara** (tds) : Anxiety due to any grief.
- Lachesis** (tds) : Nocturnal attacks of anxiety. Cramps in legs from fear.
- Lycopodium** (tds) : Anxiety with lack of confidence. The patient is unable to sleep due to the happenings during the day. Anxiety about forthcoming events.

Manganum acet. (tds)	: Anxiety worse while lying still. Sad music lessens the anxiety.
Natrium mur. (tds)	: Anxious about everything, even have anxious dreams.
Phosphorus (tds)	: Very restless patients who are sensitive. They need security and constant reassurance. Anxious, restless and nervous due to the fear of darkness, thunder, alone or dying.
Pulsatilla nig. (tds)	: Anxiety after bad news or an emotional upset. The patient is weepy, touchy and needs company.
Sepia (tds)	: Anxious towards evening. Dreads to be alone, indifferent to those loved best.
Sulphur (od)	: Anxiety is worse felt in the morning with profuse sweating and fainting spells.

APHTHAE


Acidum mur. (tds)	: Foul smell from the mouth with soreness of teeth and gums.
Acidum sulph. (tds)	: Gums bleed easily. Pyorrhea. Tongue swollen. Excessive salivation.
Arsenicum alb. (tds)	: Burning blisters. Sips water frequently.
Borax (tds)	: Painful whitish blisters in the mouth which bleed easily. Fungus-like growths in the mouth.
Hydrastis (tds)	: Aphthae and ulceration of the oral membrane. Tongue is yellowish in color and there is constipation.
Lachesis (tds)	: Severe form of aphthae. Swollen gums with burning. Gums spongy and bleed easily.
Mercurius sol. (tds)	: Painful blisters with a foul smell from the mouth. Saliva increased.
Nitricum acidum (tds)	: Painful blisters with offensive and acrid saliva.

- Thuja occ.** 1M (hs) : White blisters on the side close to the root of the tongue. Painful and sore. This remedy has a specific antibacterial action and destroys the fungus growths.
- Repeat. after a week

APOPLEXY

(SEE 'BRAIN HEMORRHAGE')

APPENDICITIS



Appendicitis is an inflammation of the vermiform appendix.

- Baptisia CM** (hs) : One dose given in the acute form of the disease may abort the need for surgery.
- Belladonna 200** (tds) : In the early stages of acute appendicitis when the patient tosses about restlessly, he has headache and fever without perspiration. It can be repeated frequently.
- Bryonia alba 10M** (hs) : In acute appendicitis, when the pains are worse from movements and better by lying on the painful right side.
- Dioscorea Q**, 2 hourly : 15 drops in hot water fades the pains of appendicitis.

- Echinacea** 3x (tds), : Any of these two remedies may be used in
Pyrogenium 3x (tds) septic conditions of appendicitis.
- Iris tenax** 2x (tds) : It is very near specific for appendicitis and can
be used when no special indications for other
remedies are present.
- Lachesis** (tds) : Pain of appendicitis or any pain, which is ag-
gravated from the lightest touch, even with a
feather.
- Lycopodium** (tds) : Can be given on the outset of the disease pro-
vided indications for its use are present.
- Natrium sulph.** (tds) : Acute attack with acute pains in the caecal re-
gion. Jaundice usually accompanies. Inflam-
mation and abscess of the appendix and fever.
Cases where appendix was removed surgically
but the pain and fever persisted.
- Psorinum** 200 (hs) : Give it after the acute attack is over to prevent
For 3 days return of the disease.
- Rhus tox.** (tds) : It is a homeopathic knife in case of appendici-
tis.

NOTE: Cases of appendicitis during pregnancy should be immediately referred to the hospital for surgery. Any waste of time can cause abortion or even death. Abdominal pain that has continued without intermission for several hours, specially if associated with vomiting and restlessness can be due to acute appendicitis.

APPETITE - LOST

- Alfalfa** Q (tds), : A mixture of both in an equal quantity;
Gentiana lutea Q (tds) a ten drop dose is a good appetiser.
Before meals
- Antimonium crud.** (qid) : Loss of appetite. Desire for pickles and acidic
things. Eructations, taste of ingesta. Tongue
thickly coated white.
- Aurum ars.** (bd) : It causes rapid increase of appetite specially
in anemia and chlorosis.
- Calcarea carb.** (bd) : Aversion to meat. This remedy will remove it.

China off. (tds)	: Hungry without appetite.
Ferrum phos. (tds)	: Aversion to meat and milk. Sour eructations.
Gentiana lutea Q (bd)	: Simple loss of appetite. Acts as a tonic and increases appetite. Loss of appetite after an illness. Give five drops before each meal.
Ignatia amara 30 (tds)	: Complete loss of appetite for all foods, drinks and tobacco. He has no taste for these things.
Lecithinum 3x (tds)	: Loss of appetite with craving for wine and coffee.
Lycopodium	: Any slight appetite disappears on eating the first mouthful of food, especially cold food.
Nux vomica 200 (od)	: Bitter taste, tongue coated yellow at the back with loss of appetite.
Rhus tox. (tds)	: Loss of appetite for everything, except milk which he craves.
Sanguinaria (tds)	: Craves toffees, gol ghappas, ice cream and things of that sort but does not take bread.
Thuja occ. 200 (od)	: Complete loss of appetite. Dislike for fresh meat, potatoes and onions. Rancid eructations after fatty food.
Vanadium 6 (tds)	: Its use cures loss of appetite due to drug addiction, specially cocaine and alcohol excesses.

APPETITE - INCREASED

Cina (tds)	: Gets hungry soon after eating. Hunger causes digging and gnawing in the stomach. A hunger remedy for children.
Colocynthis (tds)	: Canine hunger. Acidic eructations after eating.
Ferrum met. (tds), China off. (tds)	: Canine hunger alternating with complete loss of appetite. Regurgitation of food and eructations after eating. Wants bread and butter but meat, beer and tea disagree.
Gaultheria Q (bd) 10 drops in ½ cup of water	: Uncontrollable appetite despite eating, causes sickness in stomach and pain.

- Iodium** (tds) : Anxious and worried if he does not eat. Faints if kept hungry for a few hours. Eats often and much but still loses flesh. All symptoms are relieved by eating.
- Lycopodium** (tds) : Wakes up at night feeling hungry — particularly a child. The patient starts eating being hungry, but is full after only a few mouthfuls.
- Natrium mur.** 200 (od) : Feels nice after eating but soon after he feels sleepy and tired.
- Petroleum** (tds) : Hungry immediately after stool.
- Phosphorus** (tds) : Hunger soon after eating. Sour taste. Belching large quantities of wind after eating.
- Psorinum** 200 (hs)
Repeat after a week : Very hungry always. Must have something to eat in the middle of the night.
- Rhus tox.** (tds) : Canine hunger without appetite.
- Sulphur** (od) : Complete loss or excessive appetite. Very weak and faint at about 11 a.m. must have something to eat.
- Vanadium** (tds) : Loss of appetite due to drug addiction.

ARMPIT (AXILLA)


- Baryta carb.** (tds) : Inflammation of the axillary glands.
- Hepar sulphuris** (tds) : Painful abscess with other symptoms of the medicine.
- Juglans regia** (tds) : Itching red pustules or pain with or without swelling.
- Kalium carb.** (tds) : Excessive perspiration under the armpits. Parts of the underwear or shirt under the armpit is always wet.
- Nitricum acidum** (tds) : For offensive perspiration under the armpits.
- Tarentula cub.** (tds) : A very near to specific for painful abscess under the armpit.
- Sulphur** (od) : The perspiration under the armpits smells like garlic.


ARROGANCE

- Lycopodium** (tds) : Headstrong and haughty when ill.
Platinum met. (tds) : Very proud and has a contempt for others.

ARTERIES

- Adrenalinum** 30 (tds) : It contracts arteries.
Cactus Q (bd)
 10 drops in $\frac{1}{2}$ cup of water : Thickening of the coats of the arteries.
Calcarea carb. (tds) : Inflammation of the arteries.
Crataegus oxy. (tds) : Hardness of the arteries. It has a solvent power upon the crustaceous and calcareous deposits in the arteries.
Sumbulus (tds) : A remedy for sclerosed arteries.






- Thiosinaminum** (tds) : Hardening of the arteries.
- Thyreoidinum 3x** (tds) : The use of this remedy dilates arteries.


ARTHRITIS - GOUT (JOINT PAINS)

- Acidum fluor.** (tds) : Corrects the abnormal growth of bones. Absorbs nodes and softens bones. Painful parts are red in color.
- Acidum salicylic.** (tds) : Rheumatism of the knee and the elbow joints with great redness and high fever.
- Acidum tart.** (tds) : Pain in soles and heels.
- Apis mel.** (tds) : Acute arthritis. The affected part is red, shiny and swollen. There is great tenderness to touch; better by applying cold water.
- Arbutus andrachne** (tds) : Arthritis with eczema. Skin troubles move to joints causing rheumatic pains.
- Aristolochia clem.** (tds) : Pain in the bones of the ball and socket joints.


Normal




As site of pressure



Flaking and fibrillation of surface



Loss of cartilage; exposure of bone



At edge of joint Bone forming from cartilage

Outgrowth of irregular bone (osteophyte) forming a lip round the joint margin

-
- Benzoicum acidum** (tds) : Pain and swelling in knees. Gout starting in right great toe with urine of offensive odor.
- Berberis vulg.** 3x (tds) : Four doses do away the swelling and the pain.
- Bryonia alba** (tds) : Joints are swollen, hot and red. Pains are tearing and worse by rubbing, least movement, warmth and in the morning; better by rest.
- Calcarea fluor.** (tds) : Defective bony growths. Ulceration of bones and fistula, worse in cold and better in warmth.
- Calcarea phos.** (tds) : Arthritis of the neck and shoulders with weakness and softness of bones.
- Carboneum sulph.** (tds) : The nape and dorsal spine are stiff and there is a feeling of heavy load between the shoulders. Pains travel from one part to another at regular intervals and are aggravated by every change of weather.
- Caulophyllum** 3x (tds) : Cutting pains in joints specially in the finger joints while closing the fist.
- Causticum** (tds) : Canine hunger. Acidic eructations after eating. Joints stiff; toes or fingers contracted; pains relieved by warmth of bed.
- Chamomilla** (tds) : Arthritis with sensation of pain far more in excess than the actual pain. There is numbness with pain which is worse during the night.
- Colchicum autum.** 3X (tds) : Swelling and pain in finger joints and knees. A useful remedy after post-traumatic arthritis of small joints following surgery or fracture. It is useful in recurring attacks.
- Elaterium** (tds) : Sharp pains in fingers, thumbs, knees and the hollow of the sole. Pains extend down. Arthritic nodules. Gouty pains in the great toe and hip joints.
- Formica rufa** 6x (tds) : Arthritis which is not due to an injury. Start with 3 doses a day and gradually reduce it in comparison with the cure.
- Gaultheria oil** : In 10-20 drops a dose arrest the pains of arthritis.
- Ledum pal.** (tds) : Swelling and stiffness of the joints and in some

- cases arthritic deposits. It is more indicated in chronic cases specially when coccyx is involved and when the skin is of purple color and pains are aborted by cold applications even ice water.
- Natrium phos.** (tds) : Gout of the elbow.
- Phaseolus** (tds) : Gout with diabetes.
- Picricum acidum** (tds) : Arthritis deformans. Pins and needles sensation in the extremities.
- Pulsatilla nig.** (tds) : Gout of the knees. Boring pains in heels towards evening.
- Radium brom.** (tds) : Chronic rheumatic arthritis. Severe pain in all the limbs and joints. Knees and ankles are specially affected. Severe pain in shoulders, arms, hands, fingers, toes, calves, etc. Better open air and continuous motion.
- Rhamnus cal.** (tds) : A positive remedy for muscular pains and rheumatism, worse in the evening.
- Rhus tox.** (tds) : Attacks of gout and rheumatism become worse during winter, rain and dampness. Restlessness, stiffness and tearing pains are worse while at rest. Lumbago. Pains better by motion.
- Sanguinaria** (tds) : Rheumatoid arthritis of shoulder joints.
- Sticta pulm.** (tds) : Rheumatism of the right shoulder blade or joint or wrist or ankles or knee joint.
- Sulphur** (od) : Rheumatic pain in the left shoulder and other gouty symptoms accompanied by itching of the skin. Pains are worse at rest or when standing, warmth of the bed and washing. Better in dry and warm weather. Stiffness of knees and ankles.
- Symphytum off.** 1M (hs), **Ruta Q** (tds) : Joint pains are due to any injury or fracture - simple or compound.
- Thiosinaminum** (tds) : Arthritis of old age and vertigo.
- Thuja occ.** (tds) : Arthritis due to gonorrhea. Cracking in joints.
- Thyreoidinum** 3x (tds) : Rheumatoid arthritis.
- Trimethylaminum** (tds) : Pain in wrists and ankles with fever.

Tuberculinum 1M (hs) : Acute inflammatory arthritis of joints worse by motion, standing, dampness, early morning, after sleep. Better open air.

NOTE: Rheumatoid arthritis affects the joint lining and synovial tissue all over the body and osteoarthritis affects the bone tissue of joints because of wear and tear of aging and gradual destruction of irreplaceable cartilage inside the joints. Rheumatic arthritis is chronic inflammatory disease causing morning stiffness, joint pains, nodules and disfigurement.


ASCITES

(SEE ‘DROPSY’)

ASTHMA


In serious asthmatic attacks, physicians of the old system of medicine utilise steroids. These are no doubt, great as they reduce the life threatening symptoms of asthma. Despite their essential value, however, steroids do not cure the disease and the side effects from their long term use are so serious that even the American Academy of Allergy does not condone their use except in life threatening situations. Inhalers are useful when used correctly for less severe symptoms of asthma as they have less severe side effects generally. Inhalers dry the lung secretions making it difficult for the asthmatics to clear their chest and throat from mucus and clog their breathing passages. This is why homeopathic medicines are more trustworthy and workable under such circumstances. Most commonly a single medicine is not enough to effect a cure and a series of medicines over a period of several months or years are needed. The homeopathic physician should himself bear this in mind and tell the patient accordingly. The medicines should be changed only when it has stopped to do any further good. Asthma is assumed to be due to spasm of muscular coats of smaller bronchi.

Asthma is caused due to the narrowing of the windpipe which results in obstruction of breathing along with cough and expectoration. Allergy to dust, pollens, hay or pollen, mental tensions, depression or anxiety, improper dietary



When asthma strikes

Asthma occurs when the linings of the lung's bronchial airways become inflamed or swollen, usually due to allergies, airborne irritants or cold weather. These airways carry oxygen to the blood, and the length and severity of an attack can be fatal. Because the drugs that treat attacks increase oxygen levels in the blood, helping muscles to work harder and longer, many are banned for Olympic competitors.



Impact on airways

There are four main ways an asthma attack results in blocked airways:

1. Mucus secretion increases.
2. Smooth muscles contract.
3. Blood vessels widen in allergic reactions.
4. Swelling and inflammation.

habits, consumption of unsuitable food or very cold food or cold drinks, very spicy, pungent, dry and oily foods, certain diseases such as cardiac failure, allergic rhinitis and allergic disorders of the skin are known to cause asthma.

The following medicines are generally indicated and may be used according to symptoms:

- | | |
|---|---|
| Aconitum ferox 3C (tds)
Every 2 hour during attacks | : Asthmatic attacks worse after midnight and on motion. Dry, short cough. Should be repeated frequently during the attack. |
| Ambra grisea (tds) | : Asthma on attempting coition. Asthma accompanied by cardiac symptoms. |
| Amylenum nit. Q (od),
Passiflora Q (od) | : During the attack of asthma a teaspoon full of water containing 10 drops of Passiflora Q and smelling of Aml-n. Q on cotton or handkerchief gives immediate relief. |

-
- Antimonium tart.** (tds) : Great rattling of mucus but very little is expectorated. Rapid, short and difficult breathing. Must sit up or lie on the right side for relief.
- Arsenicum alb.** (tds) : Asthma worse midnight. Unable to lie down, fears suffocation. Burning in the chest. Expectoration is scanty and frothy. Wheezing respiration. For treatment give 30 potency and during attack give 200 potency in alternation with *Blatta orientalis* 200. It offers great relief.
- Arum triph.** (tds) : Allergic asthma.
- Aspidosperma** Q (bd) : A tonic for the lungs. Removes temporary obstruction of the oxidation of blood by stimulating respiratory centres. Give a few drop doses till the feeling, "want of breath" is over. It is very useful in cardiac asthma.
- Blatta orient.** Q to 3x, (tds); 200 to 1000 (od) : It is an excellent remedy for asthma. In acute cases acts better in lower potencies - Q to 3x. But in chronic cases it needs higher potencies, 200 to 1000. Patient gets worse in the rainy weather. Cough with much pus-like mucus. When improvement is noticed, discontinue the medicine.
- Bromium** (bd) : Asthma with dry, spasmodic, wheezing and rattling cough. Inspiration very difficult. Feels better near rivers and sea, and worse in dry climate.
- Cannabis ind.** (bd) : Humid asthma. Chest oppressed with deep labored breathing.
- Carbo veg.** (tds) : Asthma in old people. Cough spasmodic with gagging and vomiting of mucus. Bluish face. Offensive expectoration. Asthma due to ill treated and neglected pneumonia. Asthma from abdominal orientation with marked flatulence. Asthma of old or debilitated people.
- Cassia sophera** (tds) : Dyspnea worse during winters. Change of weather, inhaling of dust, cold drinks and exertion. Cough hurts the chest and there is hoarseness.

-
- Cina 200 (od)** : Asthma of children with history of worms.
- Crotalus casc. (tds)** : Embarrassed sternous breathing and semi-consciousness. Cannot take deep breaths. Coughs as soon as he touches the pillow - must get up.
- Cuprum met. (tds)** : A real asthma, cough has a gurgling sound and is relieved by drinking cold water. Suffocative attacks worse 3 AM and cold weather. Vomiting after the attacks.
- Grindelia rob. Q (tds)** : Suffocation by lying in bed. An effective remedy for wheezing and oppression of breathing. Mucus is foamy and difficult to detach. Cannot breathe when lying down. Must sit up to breathe.
- Hippozaeninum (tds)** : Bronchitis or bronchial asthma. Short, irregular and noisy breathing with excessive secretion of mucus which can suffocate.
- Hydrocyanicum acid. (tds)** : Recent and uncomplicated asthma. Noisy breathing. Dry cough with contraction of the throat.
- Hypericum (tds)** : Spasmodic asthmatic attacks with changes of the weather or before storms and in foggy weather, and better on expulsion of copious mucus and profuse perspiration.
- Ipecacuanha (tds)** : Violent wheezing cough. Chest seems full of phlegm but does not come out on coughing. Very useful in children. Child becomes stiff and blue in the face. Given in alternation with Nat-s. in 30 potency often cures asthma of children. During the attack, give in 1x potency in alternation with Acon. 1x. It has proved to be a great palliative. Nausea may or may not be present. Attacks which occur yearly are also cured by the use of this remedy.
- Kalium carb. (tds)** : Asthma from 3-5 AM. Dry hard cough with pain in chest. Expectoration is scanty, tenacious and offensive. Wheezing better in warm climate.
- Lachesis (tds)** : Asthma worse after sleep. The patient sleeps

- into aggravation and is worse after taking pickles and other sour things.
- Linum usitat.** (tds) : It is used in asthma with eczema, skin diseases and difficulties in urinary passages.
- Lobelia inflata** (tds) : Asthmatic attacks are felt in the stomach and are preceded by prickling all over the body.
- Lycopersicum escu.** (tds) : Asthma on breathing the least dust with frequent urination.
- Medorrhinum** (od)
For 3 days : Much oppressed breathing. Hoarseness. Pain and soreness through chest and mammae. Incessant dry cough at night. Asthma better by lying in knee-elbow position.
- Mephitis** 1x (tds) : Asthmatic paroxysms with suffocating feeling and spasmodic violent cough making exhaling difficult.
- Naja tri.** (tds) : The patient grasps the neck during attack. Intense sneezing. Patient cannot lie down. Choking. Sticky mucus.
- Natrium ars.** (tds) : Asthma of children beyond the age of 7 years and before puberty.
- Natrium mur.** (tds) : Asthma at sea shore with tears in the eyes during attack. Shortness of breath especially on going upstairs.
- Natrium sulph.** (tds) : Asthma of children. Dyspnea. Springs up in bed as cough hurts and holds the chest with both hands. Rattling cough worse between 4 and 5 AM. Expectoration is greenish. Fresh cold brings fresh attack. Chronic asthma worse in damp or rainy weather, from living in basements or cellars.
- Nux vomica** (tds) : Attacks occur only in the morning, frequently induced by stomach disorders. Scraping in the throat. Asthma with fullness in the stomach in the morning or after eating. Shallow respiration and oppressed breathing.
- Pothos** (tds) : Asthmatic complaints, worse inhaling the least dust. Asthma relieved by stool.

- Psorinum** 200 (bd)
For 3 days : Asthma with a peculiar symptom of relief by lying on the back with legs spread apart. Sensation of ulceration under the sternum.
- Senega Q** : In old people, who are asthmatic and have to sit up in the bed. Dyspnea. Great accumulation of mucus with much rattling and wheezing. Give 7 to 10 drops in a teaspoon full of water every hour till relieved. Talking hurts, and cough often ends in a sneeze. Difficult raising of tough, profuse mucus in the aged.
- Succinicum acidum** (tds) 3x: Asthma in hysterical persons, due to the inflammation of the respiratory tract with pain in the chest.
- Sulphur** (od) : Dyspnea worse midnight and early morning. Wants windows open and craves open and fresh air.
- Sumbulus** (tds) : Cardiac asthma. Loses breath on any exertion.
- Syphilinum** 1000 (hs) : Chronic asthma in summer with wheezing and rattling. Cough dry, hard and worse at night. Wind pipe sensitive to touch.
- Thuja occ.** 200 (hs)
Repeat after 1 week : Asthma of children. Give one dose a week. On that day no other medicine should be taken. On other days give Nat-s. 30 and Ip. 30 in alternation. This course often cures asthma in children. If given occasionally, prevents recurrence and bronchitis.
- Thymi glandulae ext.** Q (bd)
10 drops in ½ cup of water : A useful remedy of respiratory infections in the children. Dry, nervous asthma with severe spasms but only a little sputum is expectorated.
- Tuberculinum** 1000 (hs)
Repeat once a week : Hard hacking cough, profuse sweating and loss of weight. Rales all over the chest. Deposits begin on apex of lungs. This medicine should be used intercurrently, one dose a day and then wait for the symptoms to develop indicating the medicines to be prescribed. Syphilinum often follows well, advantageously producing a reaction.

Valeriana Q (od) : Choking on falling asleep. Nervous and spasmodic asthma.
 ½ hour before going to bed,
 10 drops in ½ cup of water

ATHLETE'S FOOT

Athelet's foot is a fungus infection of the skin between the toes. It may also appear on the other parts of the body in the form of an itchy rash known as "ringworm." It is caused by excessive perspiration due to a poorly ventilated foot. It can also be picked in the public swimming pools, in sport centers. Sunlight, fresh air, scrupulous hygiene and keeping feet as dry as possible aids cure along with the use of homeopathic remedies as mentioned in the chapter "Fungus Diseases."

AUTISM

It is a condition present in some children. An autistic child has a sense of loneliness and wants to maintain that condition. He/she does not seek or respond to affection. Speech disturbances are frequent. Movements are typically purposeless. Such children are usually not mentally retarded. His/her brother or sister is normal. Sometimes, he has an urge to flap his hands and spin his body round and round. Sometimes he/she bangs his/her head against the wall. He/she has trouble communicating, learning, relating to others, and may be harboring several fears.

According to Dr. Cindy I Graffin, HD (R Hom.) Houston Texas, USA, the disease is largely caused by reaction to vaccines. Treatment is symptomatic. The following remedies are generally indicated and are required to be prescribed for a long time.

Aethusa cyn. : Disconnected. Uneasy, and violent.
Baryta carb. : Lack of focus. Aversion to strangers.
Coffea cruda : Hyperactivity. Irritable and excited.
Hyoscyamus nig. : Quarrelsome. Uncovers body. Purposeless movements. Low muttering speech. No love for near ones.
Kalium brom. : Moves about purposelessly. Can pronounce

	any ord told but cannot speak otherwise. Hand flapping.
Lyssinum	: Dread of running water and bright light.
Rheum	: Inability to play with others. Impatient.
Tarentula his.	: Extreme restlessness. Must keep in constant motion. Sudden mood swings. Destructive. Disconnected. Averse to company.

AVERSION

Abies can. (tds)	: Aversion to pickles.
Acidum fluor. (tds)	: Aversion to parents and wife.
Aconitum nap. (tds)	: Aversion to music. Music makes her sad.
Ambra grisea (tds)	: Aversion to smiling faces.
Ammonium carb. (tds)	: Aversion to water, cannot bear to touch it.
Ammonium mur. (tds)	: Aversion to some particular person.
Anacardium ori. (tds)	: Aversion to work.
Antimonium tart. (tds)	: Aversion to milk as it causes nausea. Aversion to apples.
Argentum nit., Lachesis (tds)	: Aversion to work in melancholia.
Arsenicum alb. (tds)	: Aversion to cold drinks.
Baryta carb. (tds)	: Aversion to bananas and plums.
Cadmium sulph. (tds)	: Aversion to do anything, mental or physical.
Calcarea carb. (tds)	: Aversion to water and washing as it aggravates ailments. It is very helpful when taking cold while bathing, specially in river or pools. Aversion to coffee and boiled food, fats.
Carbo veg. (tds)	: Aversion to cabbage and brandy, fats, milk.
Chamomilla (bd)	: Aversion to coffee.
Cina (tds)	: Aversion to butter, milk but craving for sweets.
Colchicum autum. (tds)	: Total aversion to sight or smell of food, bright light and noise.


Conium mac. (tds)	: Aversion to work but attraction towards playing. During pregnancy aversion to friends.
Cyclamen (tds)	: Aversion to bread, butter and beer.
Ferrum met. (tds)	: Aversion to eggs and sour things.
Glonoinum (tds)	: Aversion to husband.
Graphites (tds)	: Aversion to music which makes her weep. Decided aversion to coitus. Aversion to fish and hot drinks, salty foods and sweets.
Hydrophobinum (tds)	: Aversion to water and dazzling light, and they bring about convulsions.
Ignatia amara (tds)	: Aversion to amusement and extreme aversion to tobacco smoke.
Kalium bich. (tds), Calcarea carb. (tds)	: Aversion to meat.
Lac vaccinum def. (tds)	: Aversion to milk and everybody.
Lobelia inflata, Nux vomica (tds)	: Aversion to tobacco.
Lycopodium (tds)	: Aversion to coffee and meat.
Magnesium carb. (tds)	: Aversion to vegetables generally.
Mercurius sol. (tds)	: Aversion to beef and brandy.
Natrium carb. (tds)	: Aversion to milk which causes diarrhea and wind. Inability to work due to over-study. Aversion to honey also.
Natrium mur. (tds)	: Aversion to bread, butter, hot food, rich food and melons.
Nux vomica (tds)	: Aversion to beer.
Picricum acidum (tds)	: Aversion to marriage and the very talk of marriage.
Platinum met. (tds)	: Aversion to family members. Irristible impulse to kill. Aversion to wise people and advice because of his arrogance and pride. Aversion to her own children. Aversion to women in homosexuals.
Plumbum met. (tds)	: Aversion to work with chronic constipation.
Pulsatilla nig. (tds)	: Aversion to beer, butter, warm and hot drinks. Aversion to women, coiton and marriage.

Radium brom. (tds)	: Aversion to ice cream.
Raphanus (tds)	: Aversion in women to men.
Sabadilla (tds)	: Aversion to cold water, onions, garlic and wine.
Sepia (tds)	: Aversion to family members. Indifferent to those loved best. Aversion to occupation and opposite sex. Aversion to coition.
Silicea (tds)	: Aversion to mother's milk as it causes vomiting. Aversion to pastry and melons. Cooked food.
Stramonium (tds)	: Aversion to water as the very sight of water or anything glittering brings on spasms.
Sulphur (od)	: Aversion to being washed.
Thuja (od)	: Aversion to eating onions.
Zincum met., Graphites (tds)	: Aversion to work. Lethargic.

BACKACHE - LUMBAGO

Lumbago is pain in the mid and lower back.

Aceticum acidum (tds)	: Pain in the back relieved only on lying on the abdomen.
Aconitum nap. (tds)	: Sudden backache on exposure to cold, dry winds. Stiffness and shooting pain in lower back.
Aesculus hip. (tds)	: Backache in the lower region due to constipation and piles. Patient feels better by standing. Backache due to hard work.
Agaricus mus. (tds)	: Stiffness of the whole spine. Immense shooting and burning pains worse stooping. Sensation of cold needles pricking the back.
Ammonium carb. (tds)	: Pain in the lumbar region.
Antimonium tart. (tds)	: Backache from fatigue specially in the lower back. Any movement may cause vomiting.



The spinal cord is a vital part of the central nervous system. Different sections control the functions of various parts of the body.

- | | |
|-----------------------------|--|
| Arnica mont. (tds) | : Backache due to over-exertion or an accident. |
| Berberis vulg. (tds) | : Backache due to stones in the kidney and due to urinal troubles. Pain radiates in all directions with numbness. Pain and numbness in back during menses. |
| Bryonia alba (tds) | : Backache worse from motion and better by rest and pressure. |
| Calcarea carb. (tds) | : Backache on rising from a seat and due to an old injury. It may be given after Arnica has been tried. Backache as a result of bathing in a |

- river or lake. Pain in the lower back and weakness. Back of neck rigid and stiff.
- Calcarea fluor.** 12x (tds) : Chronic backache in the lower part aggravated on beginning to move and ameliorated on continued motion. Worse during rest and better by heat and warm applications.
- Calcarea phos.** (tds),
Natrium mur. 6x (tds) : Backache due to leucorrhea. Better by putting hard things under the back.
- Cannabis ind.** (tds) : Backache after sexual intercourse.
- Causticum** (tds) : Pain in back during menses. Pressing, cramp-like pain in small of back and renal region while sitting, better after rising.
- China off.** (tds) : Backache extending to the hollow of the knee. Worse morning and sitting. Better standing.
- Cimicifuga** (tds) : Rheumatic pains in the back, neck, sacral region extending to thighs. Pain in the scapula and right shoulder. Restlessness and sleeplessness. Pain in the pelvic region. Pains better by warmth and eating.
- Colocynthis** (tds) : Pain in the back, buttock and thighs. Severe burning along the sacrum.
- Conium mac.** (tds) : Backache from coition. Backache due to bruises and shocks to the spine.
- Dulcamara** (tds),
Natrium sulph. (tds) : Backache due to living in damp houses and in dwellers of basements.
- Eupatorium perf.** (tds) : Backache due to pain in the spinal bones.
- Eupionum** (tds) : Severe backache. Pains extend to pelvis. Backache is followed by yellowish leucorrhea which is worse after menses. Backache is relieved by hard pressure.
- Gnaphalium** (tds) : Chronic rheumatic character of the muscles of the back and neck. Worse continued motion, better resting, specially on back. The more chronic the backache, the more indicated this remedy. It is specially useful when the pain is associated with numbness.

-
- | | |
|--|--|
| Hypericum (tds) | : Backache due to injuries to the nerves. Violent pain and inability to walk or stoop after a fall on coccyx. |
| Kalium carb. (tds) | : Backache in the lower part of the back and in pregnant women. Pain is constant and the back and legs give out. The patient has to sit. Sweating. |
| Kalmia lat. (tds) | : Backache with numbness. Pain extends to the scapula. Pains are descending. |
| Lachesis (tds) | : Coccyx and sacrum pain especially on rising from a sitting position. |
| Lycopodium | : Backache in the region of kidneys; worse before urination. Ceases after the flow. Urine slow in coming. |
| Magnesium phos. (tds) | : Pain better by heat and pressure, and worse in cold. |
| Medorrhinum 200 (hs)
Repeat after a week | : Backache from neck to sacrum. |
| Natrium mur. (tds) | : Backache better by hard pressure. The patient walks with hands around his hips and back. |
| Nux vomica (tds) | : Backache in the bed on lying. Must sit up or turn side. Pain is located in the lumbar region. Hemorrhoids may be present. Backache in chilly, constipated patients who lead a sedentary life. |
| Ova tosta 3x (tds) | : Backache with leucorrhea. Sensation as if the spine were broken and wired or tied together with a string. |
| Phytolacca dec. (tds) | : Pains in the lumbar region. Backache especially in the morning on rising. |
| Pulsatilla nig. (tds) | : Backache during menstruation. |
| Cimicifuga (tds) | |
| Rhus tox. (tds) | : Backache resulting from an old injury. Backache due to sprain, exposure, sleeping with damp clothes or on damp ground or getting wet in rains or taking bath when perspiring or over-lifting. Worse rising from a seat and better by movement. |

- Sepia** (tds) : Backache better by belching. Chilly patients. Relief by hard pressure.
- Staphysagria** (tds) : Backache worse in the morning after rising and after sexual excesses or on indignation.
- Sulphur** (od) : Pain between shoulders. Stiffness in the nape of the neck. Backache after physical exertion, cannot straighten up immediately after the exertion. Backache worse standing. Severe pain in the lower back and coccyx. Cannot walk erect. Pain worse night and cold.
- Symphytum off.** (od) : A dose of this remedy in 30 potency - once a day eases backache resulting from violent motion such as wrestling, excessive sexual indulgence, etc.
- Thuja occ.** (bd) : Drawing pain in small of back after prolonged sitting.

BACKWARD CHILDREN (DWARFISHNESS)

- Aethusa cyn.** (tds) : Confused children with impaired memory. Dull in studies.
- Agaricus mus.** (tds) : Child has a weak memory due to slow development of brain. Late learning to walk and talk.
- Baryta carb.** (tds) : Shy children who do not develop properly. Low intelligence due to slow development of brain. Cannot concentrate.
- Baryta mur.** (tds) : Patient walks about with mouth open and appears stupid.
- Calcarea carb.** (tds) : Child does not grow properly. Has a big head and a big belly. Profuse perspiration on the head, wets the pillow. They are slow to understand and slow in learning to walk. Tendency to obstinacy.

- Calcarea phos.** (tds) : Pale, sickly or lean children who do not grow properly. They are late in learning to walk.
- Natrium mur.** (tds) : Child is late in learning to talk.
- Stramonium** (tds) : Restless and angry children. Always crying. Cat-nap sleep. Easily frightened. Look and behave stupidly.
- Syphilinum** 1M (hs) : A dose should be given every month with a gap of 15 days from taking Tuberculinum.
- Tuberculinum** 1M (hs) : Retarded development of a child. The treatment should be started with this remedy and it should be repeated each month.

BALDNESS

(SEE 'ALOPECIA')

BATHING

- Hydrophobinum** (tds) : The person is terribly afraid of water, specially running water and as such does not like to take a bath, particularly in a lake or a river.
- Mephitis** (tds) : The patient wants to bathe in ice cold water.
- Sulphur** (od) : The person wants to remain dirty. He has no inclination to look smart and clean, and hence hates to be washed or bathed.
- Zea italica** Q (od) : The patient has a craze to take a bath again
10 drops in ½ cup of water and again.

BEARD

- Arsenicum iod.** (tds) : Eczema of the beard.
- Hepar sulphuris** 6 (tds) : Pustular eruption on beard.

Sphingurus mar. (tds) : Hair fall out from the beard. Women's face in grown up men without a beard.

BED SORES

Arnica mont. (tds) : Generally indicated in bed sores when a patient is confined to the bed for a long time and feels bruised all over, before ulceration.

Baptisia (tds) : Bed sores specially during typhoid fever.

Typhoidinum 1M (hs) : Bed sores during typhoid fever.
Repeat after a week

NOTE: Bed sores develop on account of lying in one position for a long time such as is necessary in orthopedic or similar problems. Precaution is easier than cure. The patient should be sponged daily with luke warm water and any talcum powder be sprinkled on him after this. If ulcers have developed - Calendula Q - a few drops may be added to the water used for sponging.

BED WETTING (SEE 'ENURESIS')

NOTE : No liquid diet should be given to a patient suffering from enuresis an hour before bed time. In children, parents should take the trouble of getting up once or twice at night to make the children urinate in the urinal. Ten days of this trouble usually breaks this habit. The child should never be rebuked for this bad habit.

BEE STINGS

Apply **Urtica urens Q** or **Ledum pal. Q** at the site of the sting. It will remove burning, pain and swelling within a short time.

BELCHING **(SEE 'ERUCTATIONS')**

BEREAVEMENT

It is an acute state of intense psychological sadness and suffering experienced after the tragic loss of a loved one or some priceless possession.

- Aconitum nap.** (tds) : Grief on account of a sudden loss of a friend or a relative. Extreme restlessness and fear of death.
- Arnica mont.** (tds) : Shock on account of sudden death of a loved one. Sits with head between the knees and desires not to be spoken to and to be left alone.
- Ignatia amara** (tds) : Consequences of suppression of grief. Hysterical mood. Laughing at one time, sighing or crying at another time. She is relieved by passing urine or eating something.
- Staphysagria** (tds) : Chronic grief due to indignation, humiliation and insults.

BILIOUS ATTACK

- Arsenicum alb.** (tds) : Diarrhea due to bilious attack.
- Berberis aq.** Q (tds) : Attack of biliousness. Nausea and vomiting
10 drops in ½ cup of water of bile. Bitter taste.
- Chamomilla** (tds) : Diarrhea due to biliousness. Stools slimy green.
- Chelidonium** (tds) : Bilious attacks relieved by eating.
- China off.** 1x (qid) : Complete suppression of bile with white stools and yellow skin. Four doses of 2 drops each in a day.
- Iris vers.** (tds) : Attack of nausea, vomiting, diarrhea and severe headache.

Manganum sulph. (tds)	: Excess of bile.
Mercurius sol. (tds)	: Dysentery due to biliousness.
Nux vomica (tds)	: Biliousness after over indulging in alcohol.
Pulsatilla nig. (tds)	: Bilious attack after eating fried foods and rich foods. Vomiting of bile.

BIRTH CONTROL

Natrium mur. 200	: Three doses - one each day, on the first, second and the third, after ceasation of menses, acts as an oral contraceptive and makes pregnancy unlikely for one month.
Pulsatilla nig. 200	: Three doses - one each day, on the three days before starting of menstruation. Also gives protection against pregnancy for the next month.

NOTE 1: In females, every month during the menstrual cycle, an ovum is released from the ovary into the fallopian tube where it can be fertilized by the male sperm. It then travels to the uterus. If the egg is not fertilized, menstruation occurs and the lining of the uterus is shed through the vagina. If the egg is fertilized, it is pregnancy. The best way to avoid pregnancy is to avoid the combination of the ovum and sperm. This can be done by man by using a latex condom during intercourse or the woman who uses a cervical cap with a spermicidal gel on it, which blocks the entry of the sperms into the cervical canal. Surgical and some other oral methods are also available.

NOTE 2: Allopathic system has a pill containing progesteron and estrogen which is taken daily in the morning to avoid conception. Now a patch is available containing the same ingredients. This patch can be applied anywhere on the body except breasts. It remains effective for a week. The side effects of both treatments are breast tenderness, headache, nausea, upper respiratory infection, menstrual cramps, abdominal pains, and in some cases, cancer of the breasts.

BITES

(SEE ALSO 'STINGS')

- Aceticum acidum** (tds) : Bad effects from stings and bites are cured by the use of this remedy.
- Apis mel.** (tds) : Bites by bees.
- Arnica mont.** Q (hs) : Apply externally for wasp stings and give Cantharis 200 orally.
- Cedron** Q (bd) : Bites of serpents and poisonous insects are antidoted by this remedy.
- Cistus can.** (tds) : For bites of mad dogs and other mad animals. Locally as a wash to arrest fetid discharge.
- Echinacea** Q (tds) : A general but a good remedy for stings and even bites of venomous animals like snake.
10 drops in ½ cup of water
- Euphorbia prostata** Q (tds) : It is said to be an infallible remedy for bites of snakes specially rattlesnakes. Dose-15 drops every 10 minutes.
- Gauco** : For stings of scorpions. Apply Drona Q (an Indian remedy) locally.
- Golondrina** Q (tds) : An antidote to the snake poison. Its use renders the body immune to the influence of snake venom. Maybe used as a preventive at places where incidents of poisonous snake bites are common.
- Hydrophobinum** 200 (od) x 5 days : Dog bites.
- Hypericum** 3x (tds) : Bites of bugs. There is burning at the site of the bite.
- Indigo tinc.** (tds) : Pure powder of remedy placed on the wound caused by bites of snakes and spiders cures the effects of the poison.
- Iodium** (bd) : For bites of rattlesnake. Crude form for local use and for oral use.
- Lachesis** 200 (od) : For bites of dogs which are not mad. Also for bites of leeches.

- Ledum pal.** Q or 200 (bd) : For bites of all animals, rats, cats, dogs, scorpions, etc. Apply Q locally and give 200 orally. It acts as an anti-tetanus remedy.
- Pulex irritans** (tds) : Flea bites and bites of dust mite. There is prickly itching of the skin.
- Staphysagria** (tds) : Bites of mosquitoes.
- Urtica urens** Q (tds) : A very good remedy for bee stings. Use orally in drops and apply externally at the site of the bite.

BITING

- Ammonium brom.** (tds) : Irritable feeling under the finger nails. Relieved only by biting them.
- Arum triph.** (tds) : Biting of lips and biting of fingers and nails.
- Causticum** (tds) : Biting of cheeks or tongue while eating.
- Ignatia amara** (tds) : Biting inside cheeks while eating or biting of tongue while eating.
- Phytolacca dec.** (tds) : Irresistible desire to bite gums and teeth together.

BLACK HEADS

It is a dark plug usually black or brown of dried sebum (fatty secretion) of the sebaceous gland, which blocks the pores of the skin. A painting with “Thuja occ. Q” and Thuja occ. 30, a dose a day helps its removal.


For details see “Acne and Moles.”

BLADDER

(SEE ALSO 'CYSTITIS')

- Arsenicum alb.** (tds) : Burning pain in urethra on urination with unquenchable thirst of water.
- Berberis vulg.** Q (tds) : Burning and cutting pains in urethra when not urinating. Sensation as if some urine remained after urination. Pain in thighs and loins on urinating, specially in women.
- Calcarea ren.** 30 (tds),
Hydrangea Q (tds) : Stone in the bladder with sharp pains in the loins.
- Cantharis** (tds) : Intolerable urging and tenesmus. Nephritis with burning urine which is passed drop by drop.
- Cauticum** (tds) : Paralysis of the bladder resulting in dribbling of urine and involuntary spurting of urine on sneezing and coughing. Involuntary urination during first sleep at night or from excitement.

BLADDER CONTROL SYSTEM



Conium mac. 200 (bd)	: Much difficulty in passing urine due to the inflammation of the bladder.
Elemuy gauteria Q	: Stone in the bladder.
Eryngium aqua. Q	: Irritable bladder due to enlarged prostate gland or from pressure of uterus.
Gaultheria Q (tds) 5 drops in ½ cup of water	: For stones in the bladder and in the kidneys
Joanesia asoca Q	: Irritable and tender bladder.
Opium (tds)	: Bladder weak, no expulsive power.
Pyrus americana (tds)	: Prolapse of bladder.
Taraxacum Q (tds)	: Cancer of bladder. “Choline” which is a constituent of Taraxacum root gives more encouraging results. Use 2 drachm - dose tds.
Terebinthiniae Q (tds) 10 drops in ½ cup of water	: Burning pains on urinating. Urine is passed drop by drop. Strangury with bloody urine. Urethritis with painful erections. In ladies there is intense burning in the uterine region.

NOTE 1: Smoking is the major cause of cancer of the bladder. More than 85 % of all bladder cancers originate from transitional epithelium. Usually the first and only sign of bladder cancer is presence of blood in the urine. Stones in bladder can also cause bloody urine. Other symptoms include frequent urination, strong urges to urinate and discomfort or burning during urination.

NOTE 2: There are several methods of surgery for removal of cancer and most of them result in impotency in males and physiological changes like alteration in sensation and potential for orgasm in females.

NOTE 3: Drinking about 2-3 litres of fluids like water, soda, etc. each day can cut the risk of bladder cancer to half. The liquids probably flush away the carcinogens and keep urine diluted so toxins make less contact with the bladder wall.

NOTE 4: Some patients come with the following complaints in connection with the urinary bladder:

- a. Increased frequency of urination - more than eight times during 24 hours.
- b. Waking up at night two or more times for urination.
- c. Strong, sudden urge for urination - if not attended, results in voiding of urine.

d. Involuntary leakage of urine - small or large.

The explanation is simple. Body absorbs liquids everytime a person eats or drinks. The kidneys filter out wastes in the form of urine to the bladder. When the bladder is full, nerves in it, send a signal to the brain and it produces an urge for urination. When the person goes to the bathroom for this, the brain sends a message to the large bladder muscles to contract, and to the sphincter muscles surrounding the urethra to relax and let the urine through (see the diagram). This means a person should urinate only when he wants to.

Problems arise when the muscles are too weak or too active or nerve cells do not function properly or if the bladder becomes overactive. Bladder can become overactive from minor nerve damage during surgery or during giving birth to a child. In such cases, there is a sudden urge for urination though there is little amount of urine in the bladder. Men can have problem due to an enlarged prostate. In women, the muscles around the urethra can become weak during pregnancy or while giving birth to a child or during menopause. A small amount of urine may escape on coughing, sneezing, laughing, exercising or lifting heavy weights.

Another reason can be infection of the urinary tract. In such cases, a burning sensation is felt during urination and often a small amount of urine is passed in drops.

Unlike common belief, these problems are not caused due to aging. These can be treated and cured. For this, refer to the chapter Urine.

BLEEDING (Hemorrhage)

- | | |
|--------------------------------|--|
| Aceticum acidum (qid) | : Bleeding from mucous membranes. |
| Acidum sulph., Lachesis | : Bleeding under the skin. |
| Calendula off. Q (qid) | : A very good healing and antiseptic agent. Checks bleeding of wounds and bleeding after tooth extraction. Use externally or internally. |
| Cinnamomum Q (tds) | : It is a very useful remedy in hemorrhages from the nose, bowels, from lungs, hemorrhage occuring after childbirth, etc. 3-4 drops of the |

- oil of *Cinnamomum* in about 3 litres of luke warm water acts as a disinfectant.
- Crotalus hor.** (tds) : Hemorrhages of dark red blood that forms no clots. Absorbs retinal, ear, tongue, urine and lung hemorrhages.
- Ferrum phos.** 6x (qid) : Bleeding of bright red colored blood from any outlet of the body.
- Ficus ind.** Q (tds) : It possesses greater anti-hemorrhagic properties than *Ficus rel.* Blood should be pure red.
- Ficus rel.** Q (tds) : Bleeding of any kind. It will arrest hemorrhage from any part of the body.
- Hamamelis** Q (tds) : Bleeding from veins. Give internally and apply externally.
- Lachesis** (tds) : Bleeding from any part, when the blood is blue, black or dark. If there is continuous bleeding due to a sexually transmitted disease. Bleeding under the skin. Internal hemorrhages.
- Mangifera indica** Q : A very good general remedy for passive bleeding — uterine, renal, gastric, pulmonary and intestinal.
- Millefolium** Q,
Hamamelis Q,
Ficus ind. Q (tds) : Small wounds bleed profusely and for a long time because the blood does not coagulate easily and early. All the three tinctures can be mixed together in equal parts. 10 drops a dose.
- Sanguisuga** 6x (tds) : Bleeding from anywhere, specially from anus when the blood is watery red.
- Trillium pend.** Q (tds) : Checks bleeding after tooth extraction and operation (surgical). Use externally and internally.

Note: Q-10 drops in ½ cup of water.

BLEMISHES

Blemish is a small circumscribed alteration of the skin.

- Caulophyllum 3x (tds)** : Discoloration of the facial skin on account of troubles of menstruation and uterine disorders.
- Cimicifuga (tds)** : Blemishes on the face of a young woman. There are stains and a defective skin color of the face.
- Lycopodium (tds)** : Freckles, itching liver spots; yellow-gray complexion.
- Sepia (tds)** : Yellow spots on the face. Bluishness in married woman having menstrual and uterine disorders.

BLEPHARITIS (INFLAMMATION OF EYELIDS)

- Chrysarobinum (tds)** : Eruptions and itching of the eyelids. Lids are red and covered with dandruff-like scales.
- Hepar sulphuris (tds)** : Throbbing pain in the lids and their inflammation. This will be used in the beginning of the treatment. Petroleum in the middle of the treatment and Chrysarobinum should be tried last of all.
- Petroleum (tds)** : Loss of eyelashes. Lot of itching in the eyelashes. Margins of the lids are swollen and red.

NOTE

hs (stat): One dose only

od : One dose daily

bd : Twice a day

tds : Thrice a day

qid : Four times a day

sos : When needed

Q : Mother Tincture (It should always be diluted in water if taken orally)

x : Decimal Scale

Globules no. 30 - 5 pills to be taken at a time

Globules no. 40 - 4 pills to be taken at a time

Where no letter is mentioned in front of potency, it means centesimal scale.

Where no potency is mentioned, it means 30C is the indicated potency.

BLINDNESS

Blindness is loss of vision. It may be congenital (from birth) or acquired (due to some eye disease, etc.).

Blindness from birth, blindness from smallpox, eruptions in the eyes and blindness due to lightening can be cured by surgical procedures only. Temporary blindness can be treated by the following remedies :

- | | |
|-------------------------------|---|
| Gelsemium (tds) | : Blindness from excessive watering of eyes as from weeping. |
| Lycopodium (tds) | : Blindness at night. |
| Physostigma (tds) | : Night blindness. |
| Ranunculus bulb. (tds) | : Sudden blindness during day or night of the pregnant woman. |


BLISTERS

Blister is a fluid filled , thin walled structure on the skin.

- | | |
|---|--|
| Allium cepa (tds) | : Blisters on feet or heels due to excessive walking or from pinching of shoes. |
| Anthracinum (tds) | : Black and blue blisters. |
| Apis mel. (tds) | : Blisters due to insect bites. |
| Baptisia (tds) | : Blisters in typhoid fever. |
| Cantharis (qid) | : Blisters due to excessive walking or burns. |
| Graphites (od) | : Burning blisters. |
| Hypericum (tds) | : Blisters from scalding with hot water, etc. |
| Ignatia amara (tds) | : Blisters in intermittent fevers when Nat-m. fails. |
| Kalium mur. 200 (bd) | : White blisters in the mouth. |
| Magnesium mur. (tds) | : Blisters on lips. |
| Medorrhinum 1M (hs)
Repeat after 1 week | : Blisters on the inner surface of the lips and cheeks. |
| Natrium mur. (tds) | : Blisters on tongue. Blisters in the mouth or the corner of the mouth. Specially during fever and menses. |

- Natrium phos.** (tds) : Blisters on the tip of the tongue.
- Nitricum acidum** (tds) : Blisters and ulcers in the mouth, tongue and genitals which bleed easily.
- Ranunculus bulb.** (tds) : Blisters formed on the skin by a slight pressure.
- Rhus tox.** (tds) : Blisters in fevers with much itching around.
- Thuja occ.** (tds) : Painful white blister in the mouth and on the tip of the tongue.

BLOOD




Blood forms 7 to 8% of the body weight. Thus an adult weighing 70 kgs. has a blood volume of about 5 litres. Blood is composed of fluid (plasma) in which float red and white corpuscles, fats, various chemical substances, etc. Solids constitute about 22% and the rest 78% or so is water. It provides nutrition and respiration to the body tissues and transports wastes of the tissues to the excretory organs. It maintains body temperature. Various hematological disorders are discussed under separate heads like Anemia, Bleeding, Blood clots, Blood pressure, Hemorrhage, Hemophilia, Leukemia, Menses, Thalassemia, etc. in this book.

Three types of blood cells have the following functions:

1. **Red blood cells or RBC's** : These pick up oxygen and carry it through the body. They also give the red color to the blood and are also called erythrocytes.
2. **Platelets** : They help stop bleeding when there is a cut or an injury and are also called thrombocytes.
3. **White blood cells or WBC's** : They fight infection and are also called leucocytes.

All the three types of cells are made by the bone marrow - a substance found inside the bones.

BLOOD CLOTS (THROMBOSIS)



- Ammonium caust. 3x (tds)** : It is a powerful cardiac stimulant. It should be given by inhalation in cases of fainting in heart diseases or in cases of hemorrhage or blood clots. Internally, 3rd potency.

Aspidosperma Q (qid)	: Blood clots in the pulmonary artery of the lungs are removed by the use of this remedy. 10 drops, 4 times a day.
Ceanothus Q (tds)	: Materially reduces the clotting of blood.
Crataegus oxy. (tds)	: It has a solvent power upon crustaneous and calcareous deposits in the arteries.
Ginkgo biloba Q	: This remedy acts as a blood thinner and platelet activator and absorbs blood clots.
Ginseng Q	: Its use can reduce the blood's ability to clot.
Kalium mur. 12x (qid)	: It is stated to absorb blood clots.
Lilium tig. (tds)	: Frequent palpitation with a feeling as if the heart is squeezed.
Lycopodium (tds)	: Great palpitation all the time, even when asleep. Cramps in the chest.
Mercurius sol. (tds)	: Dying feeling due to weakness of the heart. Pain and palpitation in the cardiac region.
Pituitrinum (tds)	: Checks hemorrhages and aids absorption of blood clots.
Sanguisuga 1x to 6x (tds)	: A leech's saliva contains "Hirudin"—a chemical which does not allow blood to coagulate and thus this remedy is used for reduction of blood clots and reduces the risk of heart attacks.
Secale cor. (tds)	: It is indicated when there is numbness and coldness in extremities and hypertension.

BLOOD PRESSURE

Thousands of people die each year from the effects of hypertension. High blood pressure does not cause a feeling of uneasiness, dizziness or nervousness. As a result, people with high blood pressure live for several years without knowing it and it silently leads to heart attack, stroke or kidney failure and even death. In blood pressure cases, diet plays an important part. In high blood pressure, the patient should avoid the use of salt, alcohol, spices and fried foods. Non-vegetarian foods are not useful. Raw green vegetables or boiled vegetables are a good diet both in high blood pressure cases and low blood pressure cases. Patients should avoid argument and anger. He should be ad-

vised to take a lot of rest and milk containing not more than 2% fat. Using less salt and eating more fruits and vegetables prevent development of high blood pressure. Magnesium suppliments have a small but significant effect on lowering blood pressure. Blood pressure consists of two readings: The pressure when the heart contracts and pumps blood through the arteries is known as systolic pressure, and the resistance that the walls of the arteries exerts between the beats of the heart is called diastolic. Blood pressure is measured and recorded in two numbers, as 128/82. The top reading is called 'systolic' and the bottom reading is called "diastolic" pressure. One's blood pressure is unique to oneself only. Systolic is related to strokes, but heart disease is related both to systolic and diastolic.

There is no best blood pressure but the chart below shows ranges accepted by the medical experts

	Normal	Border line	High
Systolic pressure	139 or less	140 -159	160 or more
over			
Diastolic pressure	89 or less	90 - 104	105 or more

HIGH BLOOD PRESSURE (HYPERTENSION)

Measuring Blood Pressure



Normal below
 140 mmHg Systolic
 90 mmHg Diastolic

High Blood Pressure, i.e.,
 180 mmHg Systolic
 105 mmHg Diastolic



-
- Adrenalinum 2x (tds)** : It causes a very prompt fall in blood pressure and is used as a palliative. It should be used carefully and the blood pressure should be measured before its administration so that the blood pressure does not fall, all of a sudden.
- Aurum iod. (tds)** : High blood pressure in persons suffering from progressive paralysis with mental deterioration.
- Aurum met. (tds)** : High blood pressure with low pressure of pulse. The patient is disgusted with life but is afraid of death.
- Baryta mur. 3x (tds)** : It is a good remedy for high blood pressure of the aged. There is increased tension of the pulse. Systolic is high in comparison to diastolic pressure which is low.
- Cactus (tds)** : Hypertension with heart troubles, accompanied a feeling of constriction in the region of the heart and pain.
- Calcarea carb. (tds)** : For fat, flabby and chilly patients. Sweat on head, palms and soles. Crave eggs.
- Ceanothus Q (bd)** : High blood pressure due to diseases and enlargement of spleen for which it is an excellent remedy.
10 drops in ½ cup of water
- Conium mac. 200 (od)** : Hypertension of bachelors and maids in old age.
- Crataegus oxy. Q (bd),
Passiflora Q (bd),
Rauwolfia Q (bd)** : During the intervening period when Lachesis is administered take five drops each of these three medicines in a little water thrice daily and on the next day take the following treatment. These two treatments are to be taken on alternate days.
- Ferrum phos. 6x (tds),
Kalium mur. 6x (tds),
Calcarea phos. 6x (tds)** : Two grains of each are (total 6 grains) be taken thrice daily for a day and on the next day, the mixture described above should be taken. It should be repeated as stated above. This treatment will control and cure most of the recent cases. Even chronic cases are much benefited. It takes 15 days to 3 months for

- results. Blood pressure should be measured every week and it should not be allowed to fall much below the normal.
- Ginseng Q** (bd)
10 drops in ½ cup of water : Its use improves blood circulation, lowers blood pressure, improves memory and the immune system.
- Glonoinum** (tds) : Throbbing of heart. Each beat is heard in the ears. High blood pressure during menopause or due to suppression of menses. Headache is always present.
- Ignatia amara** (tds) : Development of temporary hypertension following emotional shock.
- Lachesis 1M** (hs)
Repeat after a month : Start the treatment with this medicine and repeat it after a month if the case is not cleared. No other medicine should be taken on this day. In most of the cases, this medicine cures the case.
- Lycopus** (tds) : Lowers the blood pressure of patients having heart disease.
- Natrium mur.** 200 (od) : Due to shock or grief. Thyroid malfunction, diabetes, etc. Craves salt.
- Physostigma** (tds) : Sensation as if a 'cap is gripping the head' has led to a marked relief in several cases of hypertension.
- Pituitrinum** (bd) : Relieves the headache of patients suffering from high blood pressure, checks brain hemorrhage and dissolves blood clots.
- Plumbum met.** (tds) : Hypertension may be due to gout or kidney troubles or from thickening of the arteries. Great paleness of the skin and red blood corpuscles are decreased.
- Uranium nit.** 3x (tds) : High blood pressure during dropsy. Great emaciation is evident.
- Valeriana** (tds) : Lowers the blood pressure of over-sensitive and hysterical persons.
- Veratrum vir.** (tds) : Oppression, sighing, rapid respiration and gasping for breath are the guiding symptoms

for the use of this remedy. It induces a fall in both systolic and diastolic blood pressure.

Viscum alb. (tds) : Systolic high and diastolic low. Lowers high blood pressure.

NOTE 1 : Hypertension is a signal for cardio-vascular danger. It forces small blood vessels to burst. If it happens in the brain, it results in a stroke. Besides it, heart attack can also occur.

NOTE 2 : Moderate exercise holds the blood pressure down. During exercising, heart pumps blood to the body more quickly causing the blood vessels to dilate or widen to accommodate the extra blood flow. The overall effect is to lower pressure throughout the cardio-vascular system.

NOTE 3 : People with high blood pressure have to eliminate smoking and drinking alcohol. They also must control the food quantities and salt ingested.

NOTE 4 : Heart patients with hypertension are benefited when vitamin C is taken in addition to the indicated remedies.

NOTE 5 : Raw onions and garlic in diet help to keep the blood pressure down.

NOTE 6 : A study in England, states that breast fed babies do not develop hypertension in the later years of their life.

LOW BLOOD PRESSURE (HYPOTENSION)

Low blood pressure can occur in shock and collapse, in hemorrhages, infections, fevers, cancer, anemia, neurasthenia, defective functioning of any organ and other wasting diseases and approaching death. So treatment should be according to the symptoms only. One should not be misled by the name low blood pressure. The following remedies will prove useful:

Adrenalinum 2x (tds) : It causes a very prompt rise in blood pressure.

Cactus 200 (bd) : Low blood pressure due to heart disease. Characteristic constrictions as if an iron band around the heart is the guiding symptom for the use of this remedy. Temperature is usually sub-normal.

Caffeinum 3x (tds) : It is used when there is general muscular weakness.

Calcarea phos. 200 (od) : In persons growing too fast.

Camphora 1x (tds) : Low blood pressure with sub-normal temperature. 3 doses at 15 minutes interval. It

- should be given either in pills or on a lump of sugar, but not in water.
- Carbo veg.** (tds) : Low blood pressure due to low vitality.
- China off.** (tds) : Hypotension due to loss of vital fluids like blood or semen and due to dehydration on account of vomiting and diarrhea.
- Crataegus oxy.** Q (tds) : It is a great heart tonic and arrests further fall
10 drops in $\frac{1}{2}$ cup of water in blood pressure.
- Gelsemium** (tds) : With irregular heart beats and palpitations. Feels as if the heart would stop beating if he does not move about.
- Kalium phos.** 200 (od) : Low blood pressure due to nervousness.
- Lycopodium** 200 (od) : It is indicated in irritable persons with urinary or digestive or wind troubles.
- Natrium mur.** 200 (od) : When this remedy is indicated, there will be a craving for salt. For such patients the heat of the sun is unbearable.
- Radium brom.** (tds) : Low blood pressure due to severe pains in different parts of the body, on skin affections particularly when there is conspicuous increase in white blood cells having more than one nucleus.
- Spartum scoparium** 1x (tds): Produces comfort in cases of hypotension and increases the strength of the heart.
- Viscum alb.** 200 (bd) : Low blood pressure due to neuralgia and rheumatism. Weight and oppression of heart, as if being squeezed.

BLOOD PURIFIER

- Capsicum** : It purifies blood and promotes elimination and
(Red chilly) sweat and is a nerve tonic when taken in raw form.
- Echinacea** Q (internal) (bd) : Septic conditions call for the use of this
10 drops in $\frac{1}{2}$ cup of water remedy. It purifies the blood and stimulates the immune system.

Gunpowder 3x(bd) : It is great blood purifier in septic and skin troubles. Clears skin diseases which are obstinate to cure.

BLOOD SPITTING (SEE ‘HEMOPTYSIS’)

BLOOD TRANSFUSIONS

In a large number of major surgical cases like hip replacement, hysterectomy (removal of uterus), prostate, orthopedic, etc., blood transfusion is required to make good the loss of blood. Usually matching blood of another healthy person is used for this purpose. This procedure is risky because the blood donor may have some serious diseases which may have escaped notice at the time of taking the blood. Homeopathy has a solution to avoid the risks. Patients awaiting elective surgeries having no defect in blood, can give their own blood which can be stored to be used later during the operation. This can be done 6-8 weeks before the day of the operation. After giving the blood, the patient should take a dose of **Natrium cocodyl. 1c** in the morning and a dose of **Lecithinum 1c** in the evening daily. This will elevate his red corpuscles count and the amount of hemoglobin. A week before the operation more blood can be taken and stored, if needed. After the operation, **Ferrum phos. 3X**, should be taken four times a day in three grain doses. It will further make up for the iron and hemoglobin loss, if any and will avoid the risk of fever also.

Blood taken from the umbilical cord of new born babies (cord blood) can be used in bone marrow transplants even if it is not a perfect match. This blood is found in the umbilical cord and placenta after childbirth. It is rich in stem cells which have the ability to become any kind of blood cell and can be used to replenish a damaged immune system. It is best for family members and possibly even for donation say doctor researchers. Normally, stem cells are destined to become blood but they can be “reprogrammed” to become any kind of blood cell. These are easily obtainable as they are the by-product of every birth and are usually just thrown away.

NOTE 1 : Donation of one's own blood for personal use is called “autologous donation”. A maximum of four units are collected weekly, the last being one week before the scheduled surgery.

NOTE 2 : Studies show that blood donations from close relatives are more likely to cause a serious immune reaction.

BLOODY URINE (SEE 'HEMATURA')

BLOTCHES (SEE 'ACNE')

BLUSHING

- Amylenum nit.** (bd) : Blushing or flushing of blood to the face on the least excitement either mental or physical. It cures permanently cases of habitual blushing.
- Ferrum met.** (tds) : Face flushes from the least pain, emotion, exertion and excitement.

BODY ODOR

- Calcarea carb.** 200 (od) : Bad smell from the body due to fetid sweat, specially on the forehead.
- Guaiacum off.** (bd) : Bad odor from the body as if never changed. This odor can be felt even after a bath and change of clothes.
- Hepar sulphuris** (tds) : Body smells like old, rotten cheese.
- Mercurius sol.** (tds) : Breath, excretions and body smell is foul. Skin always moist. The odor from the mouth is very foul and can be felt all over the room.

- Psorinum** 200 (od)
For 3 days
Repeat after 15 days
- : Fetid body smell on account of fetid sweat. The skin is oily. Body has a filthy smell even after a bath.
- Silicea** (tds)
- : Bad smell from perspiration on feet, hands and armpits. The patient is chilly.
- Sulphur** 200 (hs)
Repeat after a week
- : Bad smell from the body with no perspiration but dry skin. All discharges and exhalations are of an offensive character.

BOILS

- Arnica mont.** (qid)
- : Tendency to small boils which are painful. One boil is cured, when the other comes out. The boils come out in crops. Similarly, boils come in crops in Gunpowder also.




- Belladonna** (qid)
- : Throbbing, painful boils with redness. It should be used in the beginning.
- Bellis per.** (qid)
- : Boils all over. They are sore and painful with swelling.
- Calcarea pic.** 3x (qid)
- : A very good remedy for chronic and recurring boils specially when situated on the coccyx, auditory canal and eyelids (styes).

- Gunpowder** 3x,
Echinecea Q (qid) : Either of these remedies may be given when boils resist other treatment. Both the remedies are antiseptic and blood purificants respectively. Gunpowder works better when there are crops of boils.
- Hepar sulphuris** (qid) : Suppurative boils.
- Lappa** (qid) : Use it when a crop of boils or boil-like eruptions follow each other.
- Sepia** (tds) : Boils in children.
- Thuja occ.** 200 (hs)
Repeat once a week : Crops of boils on face, neck and nose. Give one dose a week.
- Tuberculinum** 1M (hs)
Repeat once a month : Crops of small boils, very painful, successively appear on the nose. The pus is green and foul smelling.

BONES

- Acidum fluor.** (tds),
Silicea (tds) : Caries of mastoid bones and the three bones of the ear with copious discharge worse by warmth and better by cold. Dental fistula of teeth of upper jaw. Given alternately, cures necrosis of the jaw bones.
- Acidum salicylic.** (tds) : Caries of bones due to suppression of foot sweat.
- Aristolochia clem.** (tds) : Pain in the bones of the ball and socket joints.
- Asafoetida** 3x (tds) : Unbearable pains and caries in bones. Pain in bones in syphilitic patients.
- Aurum met.** (tds) : Pain in bones worse at night. It is a great solvent of enlarged bones. Caries of nasal bones.
- Calcarea carb.** (tds) : Caries of the spinal cord. Rheumatism on account of defective bony growths. Extremities are deformed or crooked. Bones become soft. Curvature of bones especially of spine and long bones.
- Calcarea fluor.** 12x (qid) : Gouty enlargement of joints or fingers.



Encysted tumor on the back of the wrist. Necrosis of the upper right jaw bone. Bony tumors on the neck or back. Caries. Rachitic enlargement of femur in infants.

- Calcarea phos.** 6x (qid) : It is a remedy for weak bones which are easily breakable. They do not serve the purpose of supporting the parts, they are supposed to. It creates new bone marrow. Useful when bones become fused i.e., sutured.
- Causticum** (tds) : Deformation of bones about the joints. Tearing pains in the bones and joints, worse night causing restlessness. Better by warmth. Sinking of strength and faint-like feeling.
- Concholinum** : Continuous or intermittent pain and inflammation of bones specially when growing ends are affected.

-
- Drosera** (tds) : Tuberculosis of bones.
- Eupatorium perf.** (qid) : Bone pains in fever, etc. or without a visible cause. Pain in wrists and spine. Bone pains of all descriptions with restlessness.
- Euphorbium off.** (tds) : Burning pains in bones and necrosis of the bones.
- Graphites** (od) : Pain in the bones of feet and ankles with great restlessness.
- Gunpowder** (tds) : Inflammation of bones during menopause.
- Hekla lava** 3x (tds) : It has a marked action on many affections of bones like swelling (ostitis) and abnormal growth of bones (exostosis), difficult teething, caries of bones, tumor of bones (osteosarcoma), inflammation of the spine (rachitis), death of bones (necrosis), jaw bones, neck bones, etc. Has to be used for a long time.
- Hypericum** (tds) : Severe nerve pains in the hip joints.
- Mercurius sol.** (tds) : Pain in the bones of limbs worse at night. Patient is very sensitive to cold.
- Mezereum** (tds) : Bone pains accompany chilliness and the patient is very sensitive to cold air. Pains shoot upwards.
- Phosphorus** (bd) : Periostium painful and swollen, ulcers affecting bones. Cures necrosis and caries of lower jaw, vertebra and tibia. Cancer of bones and abnormal formation of bones and teeth.
- Phytolacca dec.** (tds) : Pain in the bones of patients suffering from syphilis.
- Ruta Q** (tds) : Pain in bones due to an injury, specially pain
10 drops in $\frac{1}{2}$ cup of water in the long bones.
- Symphytum off.** (od) : Inflammation and pains due to a fracture of the bone. It is a glue for bones in fractures in Q potency. 30 potency, one dose a day, promptly heals injuries of bones and periosteum. Cancer of bones.
- Tamus Q** (bd), orally : A paint on the hip or knuckle bones or any
10 drops in $\frac{1}{2}$ cup of water other part where there is a great pain, takes away the pain speedily. Use it orally also.

- Theridion** (bd) : Rachitis, necrosis and caries of teeth.
- Thiosinaminum** (tds) : Wasting of spinal marrow.
- Vanadium** (tds) : It helps fixation of calcium in the bones.

NOTE 1 : Bones not only give shape and support to the body, but they also serve as storage for minerals, salts and play an important role in the formation of blood cells. They consist of 50% water and 50% solid matter, mainly matrix, which is a jelly-like component, made up of primarily protein collagen and minerals, especially calcium and phosphates.

NOTE 2 : Regular exercise, physical activity, avoiding excessive, caffeine, alcohol, and quitting smoking builds healthy bones and helps prevent fractures and osteoporosis.

NOTE 3 : Bones are rigid structures, that, when combined with the 68 joints of the body, permit motion of various types. Bone development is influenced by a number of factors, including nutrition, exposure to sunlight, hormonal secretions, and physical exercise.

Optimal calcium intake varies with the age groups.

Age Groups	Calcium intake
1-5 yrs	800 mg/day
6-10 yrs	800-1200 mg/day
11-24 yrs	1,200-1,500 mg/day
25-50 yrs	1,000 mg/day
50 yrs and above	1,500 mg/day

In special cases like:


- Pregnant or lactating women : 1,200-1,500 mg/day
- Postmenopausal women on estrogen replacement : 1,000 mg/day
- Postmenopausal women not on estrogen replacement : 1,500 mg/day

The preferred source of calcium is through calcium-rich foods such as dairy products. Calcium-fortified foods and calcium supplements are other means by which optimal calcium intake can be reached in those who cannot meet this need by ingesting conventional foods.

BORING OF NOSE

- Arum triph.** (tds) : Inclination of scratching by boring fingers in the nose due to itching and tingling in the mucous membranes of the nostrils is cured by this remedy.
- Cina** (tds) : Itching of the nose all the time. Wants to rub it and pick at it. Bores it till it bleeds.

BRAIN CONCUSSION




It is a clinical syndrome due to mechanical, usually traumatic forces; characterised by immediate and transient impairment of neural function.

- Arnica mont.** Q : A person falls unconscious as a result of a heavy and hard blow on the brain. Give 5 drops every 15 to 20 minutes and the consciousness will return gradually. The patient may vomit.
- Kalium phos.** 6x
Repeat 1 hourly : After using Arnica Q, use this remedy giving a dose each hour. This will restore the person to normal health.

BRAIN FAG (MENTAL FATIGUE)

- | | |
|-------------------------------|--|
| Aesculus hip. 3x (tds) | : Loss of memory. Sadness. Confused and bewildered. |
| Ambra grisea (tds) | : Nervous and mental weakness due to shock of loss in business, death of a loved one, failures, etc. Dwells upon disagreeable happenings unnecessarily. |
| Anacardium ori. (tds) | : Brain fag with marked loss of memory or due to over-study. |
| Argentum nit. (tds) | : Brain fag and general debility. Impulses to jump out of windows. Trembling. Vertigo. Fear of death. Headache with coldness. Feeling of strangulation in throat. |
| Belladonna (tds) | : Brain fag after delirium. |
| Calcarea carb. (tds) | : Brain fag on account of fear of failure, tension or depression or wounded pride. |
| Ignatia amara (tds) | : Changeable mood. Silently brooding. Mental and physical depression. Sad and tearful. Sighing and sobbing. |
| Kalium phos. 6x (tds) | : One of the best remedies for prostration of the brain, mental and physical depression. For sleeplessness use 200x, otherwise 6x potency. |
| Lachesis (tds) | : Brain fag in diphtheria. |
| Natrium mur. 200 (od) | : Sleeplessness due to dwelling over unpleasant events of the past and thus tires his brain. |
| Nux vomica (tds) | : Fatigue caused by mental work or by worries. |
| Picricum acidum (tds) | : Mental fatigue due to headache. Mental fatigue in teachers who have to teach lengthy hours against their will. Mental fatigue of literary persons and writers who work for long hours. |
| Sulphur 30 (od) | : Brain appears tired on waking up in the morning. |
| Zincum phos. (tds) | : Brain fag due to business worries. Weak memory. Attacks of vertigo which is better on rest and lying down. |

BRAIN HEMORRHAGE (APOPLEXY)



- Aconitum nap. Q** : When the brain hemorrhage is sudden due to any cause, give 4-5 drops in water every 15 minutes. It is the first remedy to be employed in sudden and violent attack.
- Arnica mont. (qid)** : Due to a fall or a blow on the head, there is a brain hemorrhage or apoplexy. The face becomes red and puffed up. This remedy gives relief. Bar-c. is also helpful in cerebral hemorrhage.
- Asterias rub. (tds)** : Threatened brain hemorrhage when the blood seems to rush to the head.
- Baryta carb. 3x (tds)** : Use it for cerebral hemorrhage resulting in one-sided paralysis.

Cuprum met. (tds)	: Cannot speak properly and stammers before brain hemorrhage occurs.
Formica rufa (tds)	: It should be given when the case has been cured. It prevents recurrence.
Glonoinum 3x (tds)	: Threatened apoplexy due to a sun stroke.
Hyoscyamus nig. (tds)	: Falls down suddenly with a scream and red face. Involuntary urination and stools due to brain hemorrhage.
Kalium brom. (tds)	: Sudden rupture of blood vessels in the brain with paralysis and coma.
Kalium phos. 6x (tds)	: Brain fag due to excessive mental work.
Laurocerasus (tds)	: Sudden cough, suffocation, loss of speech and palpitation due to threatened brain hemorrhage or due to actual brain hemorrhage.
Natrium sulph. 200-1M (hs) Repeat every 3rd day	: Threatened brain hemorrhage due to falls and injuries to the head.
Nux mosch. (tds)	: Affections of the brain occurring in infants during attack of cholera.
Nux vomica (tds)	: Threatened brain hemorrhage with giddiness, headache and fullness of the head, and in alcoholics after heavy drinking.
Opium (tds)	: Coma and oppressed respiration. Lies down unconscious with eyes half open after the brain hemorrhage.
Pituitrinum 3x (tds)	: Cerebral hemorrhage will be checked by the use of this remedy. It also helps absorption of blood clots. Apoplexy due to hypertension. Give in 10 drop doses.
Strontium carb. (tds)	: Threatened cerebral hemorrhage from shock after surgical operations and high blood pressure or as a sequence of chronic hemorrhage.
Tabacum 200 (od)	: Anemia of the brain.
Zincum met. (tds)	: Brain fag. Paralysis of the brain.


BRAIN INFLAMMATION (ENCEPHALITIS)

- Aconitum nap.** (tds) : If the inflammation of the brain is accompanied by fever, restlessness, anxiety and thirst, use this remedy.
- Apis mel.** (tds) : Edema of the face. Patient cries in sleep or during unconsciousness.
- Baptisia** (tds) : Brain inflammation causes delirium of a low type and the patient is sleepy.
- Belladonna** (qid) : When the eyes and face are red. High fever with delirium. Congestion of the brain.
- Bryonia alba** (tds) : Little delirium but much pain. The patient looks stupid. Nausea may be present, the patient lies quietly and does not want to be disturbed.
- Bufo rana** (tds) : Numbness of the brain is cured by this remedy.
- Gelsemium** (tds) : Cerebral inflammation is indicated by headache, vertigo and pain in the neck and shoulders. Brain congestion may be with or without fever.
- Ruta** (tds) : Inflammation of the brain due to injuries.
- Staphysagria** (tds) : Brain appears squeezed.

BRAIN TUMOR (GLIOMA)

General symptoms of a brain tumor are headache and vomiting without nausea. The vision is also affected. Any swelling on the head may be watched carefully.


- Calcarea carb.** 200 (od) : Tumor of the brain. Headache and vertigo on turning the head. Icy coldness of the head. Tumors with roots.



The tumor which has ill defined margins grows irregularly into the surrounding brain tissues and only laterally causes increased ICP.

Note enlargement of hemisphere by ill defined growth.

Tumor with ill defined margins-unilateral enlargement



Tumor looks well defined, contrasting with the compressed adjacent cerebral tissue.

Necrosis and hemorrhage are common.

Well defined tumor

- Calcarea fluor.** 200 (od) : A very useful remedy when the tumor is hard and stony. Creaking noise in head. Great depression. Sparks before eyes. Brain fag and vomiting.
- Plumbum met.** (tds) : Epileptic form of convulsions, giddiness and in some cases coma. Pain as if a ball rose from the throat to the brain. Voices in the ears. This is a leading remedy.
- Scirrhinum** 1000 (hs) : A dose may be given at the start of the treatment. No medicine should be given for the next 48 hours.
- Sulphur** 200 (hs)
Repeat after a month : It should be used as an intercurrent remedy once a month and no medicine should be given for the next 24 hours.
- Thuja occ.** 200 (od) : Brain tumor with migraine headache. Flatulance. Constipation. The patient is emotional and sentimental.

NOTE : Despite all the advances in cancer research, brain tumors remain one of the most elusive and challenging cancers to treat. This is the second most common form of childhood cancer and represents the second fastest growing cause of cancer deaths among those over 65.

BRAIN UNDEVELOPED

Baryta carb. (tds) : Children born with an undeveloped brain, who grow physically but not mentally. They behave like children even at puberty and beyond. They are not able to look after themselves. Such people are incapable of marriage and should not marry. This medicine may help development of the brain in some cases only.

NOTE: A mass of grey matter in the anterior portion of the brain called “Amygdala” controls psychological well being and sexuality. Hippocampus is an elevation on the ventricles of brain which control memory. Grey masses lying adjacent to the inferior portion of the brain are called “Olive”. They regulate movements. Cerebellum forming the largest portion is involved in synergic control of skeletal muscles and plays an important role in the coordination of voluntary muscular movements and controls balance.

BREAST (MAMMAE)

Arsenicum alb. (tds) : Hard tumor of the breast.



Arsenicum iod. 3x (tds) : Cancer of the breasts after the ulceration has started.

Asafoetida 3x (tds) : Breasts swollen with appearance of milk in unmarried girls who were never impregnated.

Asterias rub. (tds) : Cancer of the breasts in ulcerative stage. Breasts are hard and painful. The patient has a red face. It acts on both the breasts but better on the left. It is a good remedy for cancer.

Belladonna 200 (od) : Tumors of the breast. Breasts feel heavy and hard and become hot and red. Useful when the disease has not been prolonged for long.

Bellis per. (tds) : Any trouble of the breasts after sustaining a bruise on it.



NORMAL BREAST



BREAST CANCER



Bromium (tds) : Tumor or cancer of the breast.

Bryonia alba (tds) : Breasts hard and inflamed.

Bufo rana (tds) : A palliative medicine in cancer of breasts.

-
- Calcarea fluor.** 6x (qid) : Knots and hardened milk glands in the female breasts.
- Carbo animalis** (tds) : Tumor on the nipples.
- Chimaphila Q** (tds) : Painful tumor of the breasts. Breasts very large
10 drops in ½ cup of water with undue secretion of milk.
- Conium mac.** 1000 (hs) : Breast enlargement in boys at the time of
Repeat after 15 days puberty. Breasts look like that of a woman. Give a dose every fortnight till cured. Tumor of the left breast or hardness of the right breast.
- Conium mac.** 1M,
Phytolacca dec. 200,
Hepar sulphuris 200,
Psorinum 200 (hs) : Use either of the remedy with due regard to the other symptoms for lumps of breast whether during nursing or otherwise.
- Conium mac.** 30 (tds),
Sabal ser. Q (tds) : Two doses daily of either remedy will develop
10 drops in ½ cup of water the breasts which are developing slowly at the age of puberty. Sabal is valuable for undeveloped mammary glands.
- Cyclamen** (tds) : Swelling of breasts after menses. There may be a milky secretion from the nipples.
- Foenum graecum**
(Fenu greek) : It balances hormones and promotes breast enlargement and firmness.
- Graphites** 200 (hs) : Scars left by abscesses on the breasts, soften
Repeat once a week up and go away by use of this remedy. Lumps in breasts of suspicious appearance also go away under the action of this remedy.
- Hamamelis** 6 (tds) : Relieves soreness in painful breasts.
- Hoang nan Q** (tds) : Has a good reputation in treatment of cancer of glandular structures. Removes fetid odor of cancerous bleeding, revives the healing process. 10 drops a dose, thrice daily.
- Hydrastis** (tds) : Cancer of the breasts before start of the ulceration. Tumor of the breasts. Nipple retracted and drawn back.
- Iodium** (tds) : Dwindling mammary glands while other glands grow normally.
- Kreosotum** (tds) : Dwindling mammae with small, hard, painful lumps.

-
- Lac can.** 200 (od) : Breasts swollen, painful before and better on appearance of menses.
- Lac can.** (tds),
Calcarea carb. (tds) : Breasts become tender and painful before menses.
- Lacticum acidum** (tds) : General trouble of the breasts like pain, enlargement, etc.
- Lycopodium** 1M (hs)
Repeat once a week : Breasts do not develop in young girls when they suffer from amenorrhea. This remedy cures amenorrhea and causes the breasts to develop.
- Nux mosch.** (tds) : Breasts once rounded and beautiful become flat and out of shape. Breasts too small. Mammæ develop too slowly. All this is cured by the use of this remedy.
- Onosmodium** 10M-CM (hs): Breasts undeveloped with infantile uterus and ovaries. Aching of breasts and itching of nipples. Use one dose every 15 days to restore the normal size or for appearance of the breasts.
Repeat after 15 days
- Phytolacca dec.** (tds) : Swollen breasts neither heal nor suppurate, hard and very sensitive. Tumor or cancer of breasts. Breasts become irritable before and during menses.
- Pituitrinum** 3x (tds) : Defective development of the breasts at puberty.
- Plumbum iod.** (tds) : Induration of the mammary glands, specially when the tendency to become inflamed appears and the breasts become sore and painful.
- Ranunculus bulb.** (tds) : Pains like pleurodynia in the chest.
- Raphanus** (tds) : Pain between the breasts and below the breasts.
- Sabal ser.** (tds) : Undeveloped breasts or shrunk breasts due to the diseases of the uterus. Breasts undeveloped and shrivelled with infantile uterus and ovaries. Debility, both physical and sexual.
- Sabina** (tds) : One breast smaller than the other.

- Sarsaparilla** Q (bd) : Nipples are short and flat, and instead of a projection, a depression exists. 2 drops in water twice daily.
2-5 drops in ½ cup of water
- Scirrhinum** 1000 (hs) : This cancer nosode maybe used once only at the commencement of the treatment for cancer.
- Scrophularia nodosa** Q (tds): Ten drops in a little water taken three times a day causes disappearance of breast tumors and nodosities in about two months.
10 drops in ½ cup of water
- Silicea** (tds) : Hardness of the left breast. Sinuses of the breasts. Patient is always chilly.
- Tarentula cub.** (tds) : Cancer of the breasts specially in old age.
- Thyroidinum** 2x (tds) : Fibroid tumors of the breasts.
- Tuberculinum** 1000 (hs) : Benign tumor of the breasts. Menses are too early and too profuse.
Repeat after a month

NOTE 1 : Breast tumors are some what linked to ovarian troubles in many cases. Therefore treatment of the ovary and menses leads to the cure of breast cancer.

NOTE 2 : Cancer of the breast can have all the features which are characteristic of cancers in general. The tumor usually arises from the cells of milk sacs or milk ducts, although malignant tumors occasionally arise from the supporting structure. It is rare in women under 30 years of age and become more common after the age of 50.

NOTE 3 : Causes of breast cancer are not yet fully known.

NOTE 4 : Breast cancer can be detected by a test called mammography. It is a special X- ray of the breast using a very small amount of radiation. If there is a suspicion, a surgical biopsy can establish it accurately.

NOTE 5 : The most common surgical procedures are :

- Lumpectomy with axillary node dissection.** This involves removal of the tumor with a bit of adjacent normal breast plus the lymph glands of the armpits.
- Modified radical mastectomy** is removal of the entire breast and tissue of the armpit.
- Radiation of the breast** is used with lupectory with the aim of destroying the cancer cells.
- Chemotherapy** is used after to complement the surgery or radiation. Most chemotherapy treatment does not require hospitalization and can be carried out in a clinic or a physician's office.

NOTE 6 : Men can also suffer from breast cancer, although it is rare. Any lump in the breast should be diagnosed immediately.

NOTE 7 : a. Undeveloped or sunken breasts can be reshaped by surgery in a fairly simple procedure. In most procedures, a silicone bag is inserted behind the main chest muscle (Pectoralis major) and is filled with saline. According to the U.S Institute of Medicine (a branch of National Academy of Sciences) such a procedure can cause some problems.

b. Plastic surgery lifts, reduces or augments the breast as desired.

c. Breasts develop on the fatty layer in front of the chest and it consists of 15 -20 lobes and the duct of each lobe opens separately on the nipple. At the fine end of a duct is a gland which produces milk and empties it into this duct system. It is normal for breasts to differ in size and at different stages of life. Women's breasts are seldom exactly the same.

BREATH

- | | |
|--------------------------------|---|
| Arnica mont. (tds) | : Fetid breath as of bad eggs. Bitter taste. Mouth is dry and thirsty. |
| Aurum met. (tds) | : Bad smell from the mouth of girls at puberty. Taste bitter and gums ulcerated. |
| Borax (tds) | : The breath smells mouldy. Mouth and tongue ulcerated. Mouth feels hot and tender. |
| Bryonia alba (tds) | : Frequent desire to take a long breath to expand his lungs. |
| Carbolicum acidum (tds) | : Fetid breath and putrid discharge. |
| Crocus sativus (tds) | : The breath has an offensive, sickly smell. |
| Elaps cor. (tds) | : Thick, offensive, dry, green-yellow crusts form on the back of the mouth producing a very foul breath. |
| Helleborus (tds) | : Horrible smell from the mouth. |
| Mercurius sol. 200 (od) | : Bad smell from the mouth during fever or when suffering from pyorrhea. Gums swollen. Saliva increased and is fetid. Bad odor from the mouth, fills the whole room in which he is sitting. |

- Natrium cacodyl.** (tds) : Foul smell from mouth and breath.
- Nitricum acidum** (tds) : Putrid breath, great salivation.
- Nux vomica** (tds) : Bad odor from the mouth after dinner. Breath smells sour.
- Petroleum** (tds) : Odor of onions from the mouth after eating raw onions or otherwise also.
- Pyrogenium** (tds) : Horrible breath like rotten, dead fish. Taste terribly fetid.
- Quercus 3x** (tds) : Smell of feces or flatus, discharged from the bowels, in the breath.
- Sinapis nig.** (tds) : The breath is offensive and smells like onions.

NOTE : There are thousands of living organisms in the mouth and some of them produce a fetid smell. A common bad breath producer is anerobic bacteria which lives in the tiny crevices of the tongue. Experts have estimated that 1000-10000 live on the surface of a tooth in a clean mouth. People who do not clean their mouth, tongue and teeth properly have more of such bacteria. Saliva checks the growth of bacteria but during sleep, saliva production almost ceases and bacteria go on multiplying. Thus many people complain that they have a bad breath in the morning on rising. Many mouthwashes are available in the market. All of them contain alcohol. They help for an hour or two and their excessive use produces more bad smell than it was before their use. The best way to stop bad odor from the mouth is the immaculate oral hygiene by brushing the teeth properly twice daily along with cleaning of the tongue by a tongue cleaner. Homeopathic remedies can do the rest of the work to stop bad breath. It is caused by stress, throat and sinus diseases, smoking and alcohol drinking.

BREATHLESSNESS (DYSPNEA)

- Aconitum ferox** (tds),
Querbacho (tds) : Useful remedies for cardiac dyspnea.
- Actaea spic.** (tds) : Dyspnea from exposure to cold air.
- Ambra grisea** (tds) : Dyspnea due to nervousness.
- Antimonium ars.** (tds) : Dyspnea on account of destruction of air passages of the lungs and the inflammation of the lungs.

- Arsenicum alb.** (tds),
Calcarea carb. (tds),
Chininum ars. (tds),
Natrium mur. (tds),
Sepia (tds) : Use either of these remedies taking into consideration the other symptoms if the the dyspnea is aggravated from ascending stairs.
- Aspidosperma** Q (bd)
 10-15 drops in ½ cup of water : Cardiac dyspnea.
- Borax** 3x (tds) : Out of breath when going upstairs. Breath arrested when lying, is obliged to jump and catch breath which causes pain on the right side.
- Bromium** (tds) : Inspiration very difficult. Cannot inspire deep enough.
- Calcarea carb.** (tds) : Feels suffocated due to dyspnea in a closed room, wants windows and doors open, particularly at night.
- China off.** (tds) : Dyspnea during pregnancy, specially due to flatulence.
- Chloralosum** (tds) : Can inhale air without any difficulty but cannot exhale. Sensation of plug in the larynx.
- Coca** 3x (tds) : Dyspnea of aged, alcoholics and athletes.
- Cocculus ind.** (tds) : Dyspnea due to constriction in the trachea.
- Crataegus oxy.** Q (tds)
 10 drops in ½ cup of water : Extreme dyspnea due to heart troubles and least exertion.
- Hydrocyanicum acidum** (tds): Noisy and agitated breathing. Dry, spasmodic, suffocative cough.
- Iodium** (tds) : Weakness and loss of breath on going upstairs.
- Lachesis** (tds) : Dyspnea from the least thing coming near the mouth or nose.
- Lycopodium** (tds) : Great dyspnea due to a neglected pneumonia with rattling of mucus in the chest and flapping of the wings of the nostrils at each breath.
- Medorrhinum** 200 (hs)
 Repeat after a week : Breathing much oppressed. Dyspnea on the least exertion. Cannot exhale from the lungs.
- Naphthalinum** 3x (tds) : Dyspnea and sighing respiration due to any cause.

- Natrium mur.** (tds) : Breathlessness and shortness of breath especially on going upstairs or on physical exertion.
- Natrium sulph.** (tds) : Dyspnea aggravated during damp and cloudy weather.
- Opium** (tds) : Laborious breathing producing a snoring sound.
- Staphysagria** (tds) : Dyspnea in males, after coition.
- Strophanthus Q** (bd) : Dyspnea in anemic persons with congestion
5-10 drops in ½ cup of water of lungs and palpitations of the heart.

NOTE: Breathlessness and symptoms like asthma and wheezing occur in many persons after or during exercising. Under normal circumstances, air enters the system through the nose on breathing. The nasal passages add moisture to this air, both to filter the particles and to mitigate irritation of the nasal membranes. More cleaning of breathed air is done by the lining of trachea and bronchi which produces mucus. The mucus traps the other unwanted matter before the air enters lungs. Thus filtered and cleaned air enters the alveoli - smaller components of lungs where carbon dioxide and oxygen exchange takes place and capillaries are fed. During exercise more air is required faster and much air is breathed in through the mouth. Mouth is a wider opening than the nostrils and can gulp more air at once. Thus poor quality of air which is unfiltered and not clean enters the system in large quantities to set the stage for exercise induced respiratory troubles. Usually 1/2 hour to 1 hour is required to enable the respiratory system to work in the normal way, no medicine is required in such cases. If there is want of breath, short breath especially in aged athletes and alcoholics, then Coca in 3x potency will remove this discomfort.

BRIGHT'S DISEASE (SEE 'NEPHRITIS')

BRONCHITIS

- Aconitum nap.** (tds) : Hoarse, dry, croupy cough. Constant pressure in the left chest. Short and labored breathing with stitches in the chest.

-
- Ammonium carb.** (tds) : Chronic bronchitis in old and weak patients. Weakness is so much that he cannot raise mucus.
- Antimonium iod.** (tds) : Frequent fits of cough. Yellow, thick mucus.
- Antimonium tart.** (tds) : Wheezing and rattling of mucus but little is expectorated after a great effort.
- Bryonia alba** (tds) : Tickling cough, worse at night. Free expectoration in the morning and worse in a warm room.
- Carbo veg.** (tds) : Bronchitis of old people.
- Ferrum phos.** 6x (qid) : Bronchitis of young children who are pale and weak.
- Hippozaeninum** (tds) : Bronchial asthma. Much secretion of mucus. Patient feels suffocated with mucus blocking air passages. Useful for aged patients.
- Ipecacuanha** (tds) : Bronchitis of infants. Wheezy breathing with sensation of suffocation. Nausea.
- Kalium bich.** (tds) : Acute or chronic bronchitis. Mucus is tenacious, tough and stingy, it is difficult to raise.
- Kalium hypophos.** (tds) : Chronic bronchitis.
- Mullein Q** (bd)
10 drops in ½ cup of water : Removes bronchial irritation.
- Natrium ars.** (tds) : Bronchitis of children after 7 years of age and before puberty.
- Phosphorus** (tds) : Cough on speaking and laughing, which is worse at night. Cough when comes is strong and it hurts the body. The patient tries to suppress it as long as possible to avoid the hurting.
- Pilocarpus** (tds) : Inflammation of bronchial mucous membranes. Difficult breathing with inclination to cough. Foamy, thin and profuse saliva.
- Pulsatilla nig.** (tds) : Cough worse on lying down, compels the patient to sit up.
- Rhus tox.** (qid) : Bronchial cough in old people followed by eructation of gas. Expectoration of small plugs of mucus.

- Senega** (tds) : Bronchitis of old people with chronic emphysema. Exudation in pleura. Hoarseness and unsteady voice. Rattling in the chest. Soreness of the chest walls. Sensation of oppression and weight on the chest.
- Squilla maritima** (tds) : Useful in chronic bronchitis of old people with dyspnea and rattling of mucus. It is also useful with similar symptoms in recent bronchitis in old people.
- Terebinthinae** 1x (tds) : Chronic bronchitis.
- Veratrum alb.** (tds) : Chronic bronchitis in the aged. Loud barking stomach cough followed by eructation of gas. It is worse in a warm room or on entering a warm room from cold air. Rattling of mucus in the chest but it cannot be coughed out.

BRUISES

- Acidum sulph.** (tds) : When bruising persists for an unduly long time or skin becomes livid on account of the mechanical injuries. Use of this remedy is more beneficial than Arnica.
- Arnica mont.** (qid) : Bruises on any part of the body or the whole body. Skin is black and blue.
- Bellis per.** (qid) : An excellent remedy for bruises, sprains and injuries to nerves and deep tissues. There is much muscular soreness.
- Conium mac.** (tds) : Ill-effects of bruises and shocks.
- Hypericum** 3x (tds) : Bruises of fingers, toes and spine.
- Ledum pal.** (qid) : Black and blue bruises from blows. Black eye from a blow of a fist.
- Ruta Q** (tds) : Bruises of bones, tendons and cartilages.
- 10 drops in $\frac{1}{2}$ cup of water

BUBO

Inflammatory swelling of one or more lymph glands especially in the groins is known as bubo.

- Badiaga** (tds) : Glands in the armpit, neck, groin and breasts - swollen, enlarged and inflamed. Bubo is syphilitic.
- Mercurius cor.** (tds) : In acute cases of soft buboes.
- Mercurius iod.** (tds) : Syphilitic buboes.
- Mercurius sol.** (tds) : In chronic cases when the bubo has become hard.
- Phytolacca dec.** (tds) : Venereal buboes.
- Tarentula cub.** (tds) : Bubo with pains and septic condition.

BUNIONS

This condition is ten times more common in women than men. It is a painful enlargement at the junction of the big toe and the other toes. It is probably caused by wearing badly fitting shoes.



- Benzoicum acidum** (tds) : Bunion of the great toe with tearing pain. This remedy maybe of use if urine has the bitter smell of bitter almonds. This smell can be felt in the whole room.
- Hypericum** 3x (tds) : Bunion with tingling and burning pains. This remedy helps to reduce the pain of bunions.

- Rhododendron ch.** (tds) : Gouty swelling of the great toe, specially the right one. The pain is worst before thunderstorm and in damp weather.

BURNINGS

- Acidum fluor.** 200 (od) : Sensation of emission of burning vapors from pores of the body. Burning of the whole body without temperature. The patient is better by washing with cold water or in cold weather. He is able to withstand any amount of cold.
- Aconitum nap.** (tds) : Sensation of burning or hot flashes in the internal parts.
- Aloe soc.** (tds) : Great burning with itching of the anus, compelling the patient to bore a finger in the anus.
- Arsenicum alb.** (tds) : Burning sensation in fever, better from heat and warm drinks. Burning of soles better by applying cold water.
- Belladonna** (tds) : Burning of upper parts of the body in fevers but extremities are cold.
- Causticum** (tds) : Burning warts, burning wounds, burning scars left after healing of wounds, etc. It is a remedy for burning rawness and soreness anywhere in the body.
- Lycopodium** (tds) : Burning between shoulders.
- Opium** (tds) : The patient finds his bed too hot to sleep upon.
- Phosphorus** (tds) : Burning of hands. Cannot cover them. Burning between shoulders.
- Radium brom.** (tds) : Intense burning of the skin, as if on fire, relieved by a hot water bath and in open air.
- Sanguinaria** (tds) : Burning sensation in various parts of the body is characteristic of this remedy. Burning of palms and soles. Burning and redness of cheeks. Flashes of heat in abdomen, during and after menopause.


- Secale cor.** (tds) : Burning sensation in the skin throughout the body. Wants parts uncovered though they are cold to touch. Feels better in cold. Aversion to heat.
- Sulphur** (od) : A remedy of first choice for sensation of burning anywhere in the body—eyes, nose, discharge, anus, soles, etc., and burning increases by washing. The patient cannot cover feet.

BURNS (SCALDS)

- Arsenicum alb.** (tds) : If ulcers are suspected to become gangrenous.
- Cantharis Q** (tds) : For burning pains of burns. It is a remedy for all stages of burns and scalds.
- Causticum 6** (tds) : The patient is never well since burnt. Pains and shocks are removed by the use of this remedy. The burns are deep and the skin has been destroyed. Old burns which do not get well and for ill-effects of burns.
- Hepar sulphuris** (tds) : If ulcers develop on the burnt parts, use this remedy internally.
- Picricum acidum Q** (bd) : This dilution applied on lint is the best application for burns until granulation begins to form.
- Urtica urens Q** : 5 drops in water given every half an hour
5 drops, ½ hourly : relieves burning and pain.

NOTE: Immediately after a burn, when the skin is intact, bathe the burnt parts in icy cold water in which a few drops of **Cantharis Q** have been added. Keep the parts dipped in icy cold water till the burning disappears. No blisters will be formed and there will be no ill-effects.

BUTTOCKS (NATES)




- | | |
|-----------------------------|--|
| Acidum phos. (tds) | : Swelling of the buttocks. |
| Bellis per. (tds) | : Pain in the buttocks due to an injury or surgery. Muscular pains or neuralgia. Sensation as if sprained. Lameness. |
| Calcarea phos. (tds) | : Feeling of cold and numbness with stiffness of buttocks worse any change of weather or damp cold draught of air. |
| Graphites (bd) | : Crampy pains in the buttocks. |
| Guaiacum off. (tds) | : Pricking and stiffness of the buttocks. Feeling of heat in the buttocks. |
| Kalium carb. (tds) | : Sharp and cutting pains in the buttocks, thighs, and hip joints. Lumbago. Pains better by motion. |
| Lathyrus sat. (tds) | : Muscles of buttocks and lower limbs emaciated. |
| Rhus tox. 200 (od) | : Tearing pain in loins; its ligaments, tendons and joints are better from warmth, dry weather and walking. |
| Staphysagria (tds) | : Pain in the hips and small of back. |


CANCER

Body cells have the property to die and regrow and this process is called “Apoptosis”. When the cells lose their property of dying and continue to grow, they grow out of control and spread. This is cancer. This is a result of a defective gene. It is not yet known as to why cancer cells evade destruction. Research is required as how to trigger the immune system to kill tumors.

Normal



Carcinoma in situ



Cancers are of 3 types:

1. **Sarcoma** : Such cancers arise from underlying tissues. May affect the bones, bladder, kidneys, liver, lungs, parotids and spleen.
2. **Carcinoma** : It is a malignant tumor enclosing epithelial cells in connective tissue and may affect any organ or part of the body.
3. **Lymphoma** : It affects vessels and organs of the body's lymph system (spleen, thymus, lymph nodes) .

SURGERY

For many cancers, surgery is a key point of treatment. Sometimes radiation or chemotherapy are used first to shrink the tumor before it is removed. It makes the surgery safer and easier. The following procedures are generally adopted to test cancer:

1. **Biopsy** : This test is done to determine whether the tumor is cancerous (malignant) or harmless (benign). A small piece of the tissue is removed and examined under the microscope by a pathologist or an expert doctor.
2. **Blood counts** : Blood counts of white blood cells and red blood cells are examined under a microscope.
3. **Platelet count** : It is made in a given amount of blood. Platelets are a part of blood that help stop bleeding.
4. **Bone marrow test.**
5. **CAT scan** (Computerised axial tomography).
6. **Echocardiogram** : Checks the functioning of the heart.
7. **Lumbar puncture** : It is made to test cerebro-spinal fluid.
8. **Magnetic resonance imaging (MRI).**
9. **Myelogram.**
10. **Radioisotope studies (Scans).**
11. **Ultrasound studies (Echo studies).**
- Aceticum acidum** (tds) : Epithelial cancer and the cancer of layers lining the cavities of the alimentary canal.
- Acidum phos.** 1x (tds) : It is useful in relieving pain of cancer, and mental and physical debility.

-
- Arsenicum alb.** 1M : Cancer of the testicles. Give two doses a day, when no other general symptom of the remedy are present.
Given stat; Repeat every 3rd day
- Arsenicum iod.** 3x (tds), : Cancer of breasts when ulceration has started.
Asterias rub. (tds)
- Asterias rub.** 1x (tds) : It acts on cancer of both breasts but better left. Breasts are hard and painful. Patient is fleshy with a red face. It has a great influence in cancer diseases.
- Bellis per.** (tds) : Cancer of stomach with burning pain in the esophagus.
- Cadmium phos.** (tds) : Cancer of testicles.
- Cadmium sulph.** (tds) : Cancer of stomach with persistent vomiting and constant bleeding of black fluid. Also for cancer of prostate gland.
- Cistus can.**, (tds) : For cancer of prostate gland.
Crotalus hor. (tds)
- Calcarea sulph.** (tds) : Fibroma of uterus with very offensive yellowish bleeding and cystic tumors.
- Calendula off.** Q (tds) : Has a remarkable power to reduce local bleeding of a cancer and helps to make acrid discharge healthy and free. Use it as an intercurrent remedy whenever healing is required after exudation.
- Carcinosinum** 30-200 (hs) : This fluid extract of specifically breast cancers is very useful in the treatment of carcinoma of mammary glands, with great pain and hardness of glands, also that of uterus. The fetid discharge, bleeding and pain are greatly relieved. One dose a night after a week.
Repeat after a week
- Carduus mar.** Q. (tds) : Cancer of the liver. It reduces pain of cancer. It also reduces the inflammation of the liver. Diarrhea due to cancer, specially that of the rectum.
- Chininum sulph.** (tds) : Cancerous ulcer due to suppression of malaria.
- Cholesterinum** 3x (tds) : For cancer of the liver.

-
- Cholinum Q** (tds) : It gives encouraging results in treatment of cancer of the bladder. Use 1-2 ml of the fluid extract. There is a sensation of bubbles bursting in the bowels.
- Cinnamomum Q** (qid) : Used as an antiseptic agent for washing cancer parts when the skin is intact. Use 3 to 4 drops in about 2 litres of water, orally 5 drops, few times daily. It is specially useful when there is an offensive odor present. It also reduces pain of cancer. May be used for hemorrhage after delivery.
- Cistus can.** (tds) : Cancer of glands of the neck with sensation of coldness in various parts.
- Cobaltum** (tds) : Cancer of the lungs.
- Conium mac.** 1M (hs)
Repeat after a week : Cancer of breasts and testicles. Tumor of the abdomen.
- Cundurango Q** (tds) : Cancer of esophagus and stomach. Relieves pain of cancer. Even touch of a finger on the affected site gives pain.
- Crotalus hor.** (tds) : Cancer of stomach with vomiting of bloody, slimy mucus.
- Echinacea Q** (tds) : 10-15 drops in a little warm water reduces the pain of cancer in the last stages. Bleeding is foul smelling.
- Euphorbium off.** (tds) : It acts as a palliative for reducing burning pains of cancer. It also removes the bad odor coming out of the cancer. Ulcerating carcinoma and epitheloma of the skin with biting. Burning pains in bones due to cancer.
- Ficus rel.** Q (tds)
5-10 drops in ½ cup of water : Intractable bleeding from fibroids. A very positive remedy.
- Galium aparine** (tds) : For cancerous ulcers and nodulated tumors of the tongue.
- Graphites** (od) : Cancer of pylorus and duodenum.
- Hekla lava** 3x (tds) : Cancer of the bones.
- Hepar sulphuris** (tds) : When the patient becomes weak due to copious discharge from the opening of a cancer, this

- remedy in higher potencies dries the discharge and helps to remove the weakness.
- Hoang nan Q** (tds) : It is useful in cancer of any glandular or
5-25 drops in ½ cup of water secreting organ (glands) whether bleeding or not. Start with 5 drops thrice daily and gradually increase the dose to 25 drops. It removes the foul smell and revives the healing process.
- Hydrastis** (tds) : Cancer of breasts before start of ulceration. Cancer of the uterus. It can be used for douching — 10 drops in a tumbler of luke warm water.
- Hydrocotyle Q** (tds) : Palliative in pains of cervical cancer and useful in treatment of rectal cancer.
- Kalium ars.** (tds) : Skin cancer without any visible symptoms. Many small nodules under the skin.
- Kalium cyan.** (tds) : Cancer of the tongue and rectum.
- Kalium phos.** (tds) : When cancer has been removed surgically and the healing process has started but the skin is drawn tight over the wound causing inconvenience, use of this remedy eases the patient.
- Kreosotum** (tds) : Cancer of the vagina and prostate. Dribbling of urine. Cannot control the urge to urinate.
- Lemon juice** (tds) : Palliative in pains of cancer of the tongue. Use 5ml. in 8 ounces of water.
- Lycopodium** (tds) : Carcinoma with emaciation and weight loss. Lacks vital heat. Change in bladder and bowel habits. Pain travels from right to left and is worse 4PM - 8PM.
- Malandrinum** 1M (hs) : It is efficacious in clearing the remains of the cancerous deposits. Only 1 dose is given at the end of the treatment when cancer has been cured.
- Morphinum** (bd) : Pain of cancer is relieved when the patient is very sensitive and restless, jerks the limbs. Convulsions are threatened.

-
- Ornithogalum Q** (hs) : Cancer of intestinal tract specially of stomach in its lower part and at the start of the intestines. Depression of spirits, complete prostration. Painful contraction and duodenal distention. Pains increase when food passes the pyloric outlet. Cancer of abdomen. Give a single dose of 10-15 drops and repeat only after seeing results. Cancer of cecum.
- Ova tosta** 3x (tds) : Relieves pain of cancer anywhere when backache is present.
- Phosphorus** (tds) : Excessively bleeding fibroids and cancer specially in the stomach. Cancer of pancreas or of bones, specially lower jaw and tibia.
- Phytolacca dec.** Q (tds) : Tumors or cancer of breasts. Enlarged axillary glands. Sore spot in the right hypochondrium.
- Psoralea bit.** (tds) : Uterine tumors. It also reduces pain of cancer.
- Radium brom.** (tds) : Cancer of skin with itching, great burning and restlessness better by a hot bath and moving about.
- Ruta** (tds) : Carcinoma of lower bowels and rectum.
- Sanguinaria** (tds) : Cancer of rectum.
- Scirrhinum** 1M (hs) : To be given once only as an intercurrent
Repeat after 15 days remedy.
- Scrophularia nodosa** Q (tds): It is a powerful remedy for tumors of the breasts. 10 drops a dose, thrice daily causes disappearance in a few months.
- Strychnos** Q (tds) : Removes offensive odor and hemorrhage of cancer.
- Symphytum off.** (tds) : Cancer of bones, periosteum, specially of joints.
- Taraxacum** Q (tds) : Cancer of the bladder.
- Tarentula cub.** (tds) : It reduces pain of cancer.
- Tarentula cub.** (tds),
Scirrhinum (tds),
Lachesis (tds) : Use any of these remedies for cancer of the breasts, taking into consideration other symptoms of the remedy concerned.
- Thuja occ.** 200 (od) : Ill-effects of vaccination resulting in cancer of the face with rapid emaciation.

Ustilago may. Q (tds) : Cancer of cervix with a sensation as if there is boiling water is flowing along the back. Bleeding easily.


Viburnum prun. Q (tds) : For cancer of the tongue.

NOTE 1: When the selected remedies do not produce relief, anti-miasmatic remedies like Thuja, Medorrhinum, Syphilinum, etc. can be employed to induce the system to respond to the proper remedy. Besides the above, cancer nosodes like Carcinocinum and Scirrhinum have particular importance in vacating the cancer miasm which, therefore, needs to be kept in mind during the treatment.

NOTE 2: Red hot peppers are loaded with antioxidants, bioflavonoids, phenolic acid and plant sterols that all help to protect against cancer. Research has shown that hot peppers can lower cholesterol and have anti-blood clotting abilities, making them a smart choice for heart health too. Red hot peppers contain 14 times more vitamin A than that found in fresh, green hot pepper. Both are excellent sources of vitamin C.

NOTE 3: Garlic contains phenolic acid which scavenges for free radicals, interrupting cancer development.

NOTE 4: Cancer is a very complex set of diseases and the key is to make the whole body strong, so that it can fight off the invaders.



In a CAT Scan, a computer directs X-ray beams from a rotating disc at regular intervals. The beams travel through the portion of the body being studied onto a device that registers the beam's findings. The results are analyzed by a computer, and the data appear as a three-dimensional image on a TV screen.

- NOTE 5:** The patient should not be denied particular foods unless there is a good reason for it. *Aurum ars. 30* stimulates appetite, in such cases.
- NOTE 6:** The important warning signals of cancer are unusual bleeding external or internal, a lump, a sore which refuses to heal, a change in bowel or bladder habits, hoarseness or persistent cough, indigestion or difficulty in swallowing, a change in size or appearance of a wart or a mole and unexplained loss of weight.

CARBUNCLES

Carbuncle is a deep seated pyogenic infection of the skin and subcutaneous tissues, usually arising in several continuous hair follicles, often preceded or accompanied by fever, malaise and prostration.


- Anthracinum 1000 (hs)** : Carbuncles with burning and high fever.
Repeat every 3rd day
- Apis mel. (tds)** : Carbuncles with burning and stinging pains, extremely sensitive to touch.
- Arsenicum alb. (tds)** : Intense burning and swelling. Pain is greater after midnight.
- Belladonna (qid)** : Intense pain and redness at the site of carbuncles. Swelling. Throbbing. This remedy may be used in the beginning.
- Calendula off. Q (tds),
Echinacea Q (tds)** : When the carbuncle has opened, a piece of lint soaked with either of the remedies should be applied to the ulcer. These have great antiseptic and healing powers.
- Carbolicum acid. 200 (od)** : Carbuncles accompanied with diabetes, which do not heal normally. The discharge is very offensive.
- Eucalyptus 1x (tds)** : Urethral carbuncles which burn and cause tensemus in the urethra.
- Hepar sulphuris 200 (bd)** : There is a throbbing pain and burning. The carbuncles are sore to touch. The carbuncle has burst and there is a thick discharge of pus. The patient is weak and speaks in a very low tone.

- Lachesis** (tds) : Carbuncles of a dark blue color and accompanied with fever.
- Myristica seb.** (tds) : It acts as a knife and breaks open the carbuncles. In healing, its powers are greater than Silicea and Hepar sulphuris.
- Silicea** 200 (hs)
Repeat after a week : Carbuncles on the back between the shoulders and under the nape of the neck. More indicated when suppuration has set in and the pus is thin. Fistula openings are usually present. Repeat weekly. There is not much pain.
- Staphylococcinum** 200 (hs) : It is a useful remedy for cure of carbuncles and furuncles.
Repeat after a week

NOTE 1: Carbuncles are most commonly found on the nape of the neck or upper back or on buttocks. They become perforated and discharge pus through several openings.

NOTE 2: A poultice prepared with the pulp of a fig applied on a carbuncle has a soothing and curative effect.

CARIES (NECROSIS)



Acidum fluor. (tds)	: Caries of long bones and their surrounding tissues and skull.
Asafoetida 3x (tds)	: Ulceration and caries of the bones of the nose, specially in syphilitic patients.
Aurum mur. (tds)	: Caries of the bones of the nose, skull, palate and cervical bones, specially in syphilitics.
Baryta carb. (tds)	: Caries of the long bones. Tearing, tension and boring in the bones.
Calcarea carb. (tds)	: Caries of vertebrae with curvature of spine.
Calcarea carb. (tds), Silicea (tds)	: Caries of vertebrae bones.
Calcarea fluor. (tds)	: A general remedy for caries of bones when there are no special indications for the use of other remedies.
Calcarea phos. (qid)	: Caries of soft bones.
Coca 3x (tds), Theridion (bd)	: Caries of teeth.
Conium mac. (tds)	: Caries of bones of sternum.
Hekla lava 3x (tds)	: A general but a useful remedy for caries of any bone and its surrounding tissues.
Hepar sulphuris (tds), Silicea 12x (tds)	: Caries of facial bones.
Kreosotum (tds)	: Caries of the teeth. Very rapid decay of teeth with spongy, bleeding gums. Teeth dark and crumbly.
Phosphorus (tds)	: Caries of lower jaw bones, bones of vertebrae and tibia.
Silicea 12x (tds)	: Caries of the bones of the upper right jaw.
Staphysagria (tds)	: Syphilitic caries with painful ulcers.
Strontium nit. (tds)	: Caries of femur bone.

CATARACT

Loss of transparency of the lens of the eye , or of its capsule is known as cataract.

- Calcarea fluor.** 200 (hs) : One dose may be given weekly on days when
Repeat after a week Causticum is not administered.
- Causticum** 1000 (hs) : Use in the beginning of the disease and give
Repeat after a month one dose a month.
- Cineraria mart.** 3x (tds) : It is widely used as eye drops in cataract and
corneal opacities, and is reputed for its curative
effect. 2 to 3 drops in each eye, thrice daily. It
should be continued with the above treatment.
Has to be used for 3 to 6 months.
- Colchicum autum.** (tds) : Soft cataract. Pupils unequal. Pupil of the left
eye contracted. Dim vision after reading.
- Ledum pal.** (tds) : Cataract accompanied by gout.
- Naphthalinum** 3x (tds) : Soft or other cataract with opacity of cornea.
- Phosphorus** (od) : If the above two remedies fail to cure within
three months and when there are black spots
before the eyes, use this remedy. Great burning
of the eyes.
- Secale cor.** (tds) : Incipient cataract. Cataract of old people,
specially women.
- Silicea** 12x (tds) : Cataract of office workers. After-effects of
injuries and ulcers of the cornea.
- Sulphur** 200 (hs) : This should be used as an inter-current remedy
Repeat after 15 days occasionally in between the periods of
treatment.
- Surgery** : Surgical treatment of cataract can be done at
any stage of the disease. It is generally
successful at the hands of a competent and
reputed eye surgeon.
- Zincum sulph.** 1000 (hs) : Not repeated frequently will clear up the
opacities of the cornea.

NOTE: About half of those aged 65 to 74 and 70% of those 75 or older have cataract. Such patients have a cloudy or fuzzy vision, fading in

appearance of colors, problems with glare from lamps, sun or car headlights. Double vision. At the first instance a change in glasses, stronger bifocals or use of magnifying lenses maybe sufficient along with the medication. If it does not help even after lapse of a sufficient period of treatment, surgery may be suggested. During the surgery, the foggy lens of the eye is removed and a clear artificial one (interocular lens) is implanted exactly where the old one used to be or in front of the anterior chamber of the eye. Surgery is successful in about 99% cases and takes about one hour or so.

CATARRH

Catarrh is an inflammation of a mucous membrane with increased flow of mucus or exudate.

- | | |
|--|--|
| Agaricus mus. (tds) | : Catarrh of the chest. It is accompanied by sneezing and cough. |
| Corallium rub. (tds) | : Post-nasal catarrh. Profuse secretion of mucus dropping through the posterior nares. |
| Elaps cor. 6 (tds) | : Most effective remedy for chronic nasal and pharyngeal catarrh with greenish discharge. |
| Hydrastis (tds) | : Constant dropping of yellow mucus from the posterior nares. Catarrh of the nose. Periostitis of the nasal bones. |
| Kalium bich. (tds) | : Discharge of stingy, tough and green mucus due to catarrh of the nose. |
| Kalium mur. 6x (qid) | : It is a valuable remedy for deafness following catarrh and discharges from the ear. |
| Lycopodium (tds) | : Catarrh of throat creating difficulties in swallowing which is generally painful. Catarrh of chest in infants with rattling of mucus. |
| Lycopodium (tds),
Ammonium carb. (tds),
Hepar sulphuris (tds) | : Nose completely stopped due to catarrh of nasal membranes. Has to breathe through the mouth. |
| Medorrhinum 1M (hs)
Repeat after a month | : Chronic nasal catarrh of children. Nose is always dirty with thick yellow mucus. Tonsils are enlarged and the child can breath through the mouth only. |

- Mentholum** (bd) : It has proved to be a curative in acute nasal catarrh and in acute eustachian tube catarrh.
- Phosphorus** (bd) : Blowing of nose is accompanied with drops of blood. Handkerchief is always bloody.
- Pulsatilla nig.** (tds) : Discharge of yellow mucus. Crusts and pain at the root of the nose.
- Spigelia** (tds) : Chronic catarrh of the nose with post-nasal dropping of bland mucus.
- Sulphur** (od) : Chronic catarrhs with a red nose.
- Teucrium mar.** (tds) : It is the best remedy for nasal catarrh and atrophy. Offensive crusts and clinkers. Ozena. Loss of sense of smell.

CATHETER

(COMPLICATIONS OF USE)

- Aconitum nap.** (qid) : A dose given before passing a catheter into the urethra to remove obstruction for passing urine, will prevent pain and complication.
- Staphysagria** (tds) : When the urethra is stretched by passing a catheter this remedy will remove subsequent complications. It will remove the pains or any ulcers caused in the process.
- Thlaspi bursa Q** (bd)
10 drops in ½ cup of water : Its use often replaces the use of the catheter and makes the urine flow normal.

CELLULITIS

(INFLAMMATION OF CELLULAR OR CONNECTIVE TISSUES)

It is believed that cellulitis, which occurs almost exclusively in women, is caused by hormonal imbalances.

Water, liquids and toxins accumulate in the body's connective tissues causing legs, hips and buttocks to look lumpy. **Apis mel.**, **Arsenicum alb.**, **Lachesis**, **Rhus tox.**, **Natrium sulph.**, **Tussilago fragrans** or **Vespa** and **Manganum acet.** selected according to the totality of symptoms - cures it. Regular exercise, reduction in salt intake (excess sodium in diet leads to fluid retention), eating a detoxifying diet (like fruits, vegetables, whole grains), avoiding alcohol, caffeine and tobacco, reduction of fat intake and relaxing help reduce cellulite. **Taraxacum** (Dandelion) leaves added to salads or cooked as spinach reduce cellulite. **Taraxacum** contains substances that enhance the liver's ability to break down waste products and toxins. It aids elimination from the blood of water and waste by the kidneys. It is also believed that it stimulates the pancreas and encourages insulin production.

A paste prepared with pure Epson salt (**Magnesium sulph.**) with water in the ratio 1 : 4 on a lint should be spread on the affected parts. It reduces the inflammation.

Cellulitis is caused due to increased secretion of estrogen at puberty or by use of birth control pills or pregnancy or smoking or by diets rich in saturated fats and inadequate lymphatic and liver functions. Deficiency in the eliminating capacity of the kidneys can also be a cause of cellulitis.

CHAPS (CRACKS)


- | | |
|--------------------------------|---|
| Calcarea fluor 6x (tds) | : Chaps and cracks of skin and palms of hands with elevated edges. |
| Cistus can. (tds) | : Deep cracks and fissures on hands. Skin on hands dry. It suits persons who have to work hard with hands. |
| Graphites (od) | : Cracks and fissures at the ends of the fingers. |
| Natrium mur. (tds) | : Dryness of the finger tips. Has to moisten them often by putting them in the mouth. Cracks about finger nails. |
| Nitricum acidum (tds) | : Chilblains of toes. |
| Petroleum (tds) | : Cracks at the ends of the fingers and on the back of the hands. Skin is rough and bleeds sometimes. The disease is worse in winter. |

- Sarsaparilla Q** (bd) : Chaps and cracks of the skin of the hands and feet.
 10 drops in $\frac{1}{2}$ cup of water
- Tamus** (tds) : Chapped hands.

CHEATING

- Coca** (tds) : Inclined to cheating and lying as his sense of right or wrong is abolished. He can do anything wrong without thinking that it is bad.
- Pulsatilla nig.** 1000 (hs) : The patient is apt to make false representations.
 Repeat after 15 days This medicine will rectify this habit.

CHEST



- Acalypha ind.** (tds) : Constant and severe pain in the chest.
- Aconitum nap.** (tds) : Constant pressure in left chest. Oppressed breathing on the least motion.

-
- Arnica mont.** (qid) : Pleurisy resulting from injury inflicted by a broken rib yields to its use. Bryonia and Kalium carb. work as supplements if needed for removal of pain.
- Bryonia alba** (qid) : Stitches in the chest, in region of the heart.
- Cimicifuga** (tds) : Pain in the right side of chest.
- Cocculus ind** (tds) : Cramps in the chest.
- Conium mac.** 1000 (hs)
Repeat after 15 days : Gynecomastia. Abnormally large mammary glands in males making the breasts look like that of a woman and sometimes may secrete milk. Give a dose every 15 days till cured.
- Gaultheria Q** (bd)
10 drops in ½ cup of water : Pleurodynia and severe pain in the epigastrium are cured by the use of this remedy.
- Illicium** (tds) : It has a special indication in every disease i.e., there is a pain in the region of the third rib about an inch or two from the sternum, generally on the right side and occasionally on the left side.
- Kalium carb.** (tds) : Pain in the lower right chest through to back. Very characteristic stitching pains.
- Mercurius sol.** (tds) : Pain in the right side of the chest. Sweating without relief and peculiar Mercurial tongue (with imprint of teeth) and mouth.
- Naja tri.** (tds) : Oppression of the chest causing suffocation and choking. Inability to lie on the left side of chest. Stitches in the chest in the region of the heart.
- Phosphorus** (tds) : The chest is shaped like that of a pigeon chest. This remedy in 30 potency, given three times a day for a period of three months, makes the chest appear normal.
- Ranunculus bulb.** (tds) : Rheumatic pains in the chest. Bruised pain in the ribs. Muscular pains in the chest as if bruised. Pleurodynia. Pains worse inspiring, moving, in the evening and in cold air.
- Rhus tox.** (tds) : Oppression of the chest. Cannot get breath due to sticking pains.

- Rumex crispus** (tds) : Raw pain under the collar bones and sometimes behind the sternum.
- Sulphur** (od) : Oppression as if of a weight on the chest. Burning. Difficult respiration. Wants windows open.

CHICKEN POX

- Antimonium tart.** : After 24 hours of the use of Variolinum, if the
Every 2 hours fever is left, give it every two hours till the fever lasts. It generally takes two days.
- Calcarea phos.** 6x (tds) : After the patient has been completely cured, weakness always remains. Give this remedy every two hours to remove weakness.
- Rhus tox.** : After use of Antimonium tart. use these remedies
Bryonia alba 3 hourly, in
alteration every three hours for removal of the residual symptoms like fever, cough, etc.
- Variolinum** 200 (hs) : Give one dose at the start of the treatment to
For prevention (bd), cut short the disease and averting its further
For 2 days dangers. It should be given at the end of the treatment when the disease has been cured and the weakness has been removed. It will remove the ugly scars left. When chicken pox is prevalent in a locality, all children not affected by the disease, should be given one dose in the morning and one dose in the evening for two days as a preventive to the disease.

NOTE: Chicken pox occurs in children between ages 1 to 15. It is seldom a life threatening disease. It is caused by Varicella zoster virus which remains in the infected person's sensory nerve roots for life. Sometimes in adulthood, it is reactivated and results in shingles. It is a communicable disease.

CHILBLAINS (FROSTBITE)

Chilbains : Erythema, itching and burning especially of fingers, toes, heels, nose and ears caused by vascular constriction on exposure to extreme cold; lesions can be single or multiple, and can become blistered and ulcerated. Skin very white, waxy and the surface feels hard.

- Agaricus mus.** (tds) : Chilblains have a sensation as if cold needles were pricking. Itching is present along with the swelling. The affected skin is red and prickly.
- Fragaria vesca** (tds) : Chilblains worse in summer.
- Hepar sulphuris** (tds),
Silicea (tds) : Chilblains with pus in the cracks of the skin.
- Nitricum acidum** (tds) : Ulcerated chilblains in toes.
- Petroleum** 200 (od) : Fingers and toes become deep red and bluish with swelling, burning and itching due to cold or by taking out the hands from gloves or feet from socks and immediately placing them in cold water or on a cold floor when these are still hot. Chilblains every winter.
- Psorinum** 200 (hs)
Repeat once a week : Rough and chapped skin worse in winter.
- Pulsatilla nig.** (tds) : Chilblains with swollen veins. Burning and throbbing pains cause crying. Bluish inflamed swellings and desire for sympathy.
- Rhus v.** Q (bd) : Applied locally gives immediate relief to itching and burning of chilblains.
- Tamus** Q (bd) : Chilblains with discoloration of the skin with chaps. Takes away pain of chilblains speedily when it is painted on the affected part.
- Terebinthinae** (tds) : Chilblains where the skin is not cracked.

NOTE : In such cases, the patient should be kept in a cold place, but should not be exposed to a current of air. He should be washed with ice cold water in the parts affected. This process may last for hours. During the intervening period, any of the above remedies may be given according to symptoms.

NOTE 2 : The patient should be warned against putting the affected skin against something hot or immersing in a pail of hot water as it will further damage the skin. Body warmth is the best application for the affected area like putting the hands in the armpits.

CHILD - ABNORMAL

(SEE ALSO 'HYPERACTIVITY')

- | | |
|-------------------------------|--|
| Aethusa cyn. (tds) | : Children get up in sleep, appearing frightened and start crying without any apparent cause. |
| Agaricus mus. (tds) | : Children are late in learning to talk and walk due to some mental defect. |
| Alumina (tds) | : Delicate due to feeding on artificial baby foods. |
| Anacardium ori. (tds) | : Laughs on serious matters and serious on unimportant matters. |
| Argentum nit. (tds) | : Child looks withered up and dried; looks like an old person. Does not want to go to school. |
| Baryta carb. (tds) | : Children are backward mentally and do not grow and develop. Take cold easily. Aversion to strangers. |
| Calcarea carb. (tds) | : Children are late in learning to walk due to some defect in bones. |
| Causticum (tds) | : Underdeveloped child - late in learning to walk and talk. Child does not want to go to bed alone. |
| Chamomilla (tds) | : Ask for things and refuses to accept them when offered. Impatient and restless child. Cannot tolerate little pain. Girls have very sensitive breasts and an inadvertent touch of the breast, though not developed, causes sensation or pain. |
| Cypripedium pub. (tds) | : Child cries out at night, is wakeful and begins to laugh and play. |
| Graphites (od) | : Children who are impudent, disrespectful, teasing and who laugh at reprimands. |
| Hepar sulphuris (tds) | : Beats other children; wicked; slightest cause irritates him. |

- Iodium** (tds) : His hunger is never satisfied. Though eats well but still loses flesh. Greedy and irritable. Restless, cannot be still. Generally, has thyroid trouble.
- Jalapa** (tds) : The child is good all day long but screams and is restless and troublesome at night.
- Natrium mur.** (tds) : Children are late in learning to talk.
- Phosphorus** (tds) : Child is unmanageable, wild temper with lean and pale constitution. He picks up a quarrel with everybody without a reason.
- Pulsatilla nig.** (tds) : The girl has a “weather cock” like character - easily consoled and unstable. Absentminded and fears the opposite sex.
- Sepia** (tds) : Sad and weeping tendency. Averse to work and family. Indifferent to family members. Emotional.
- Silicea** 6x (tds) : Child is obstinate and head-strong. Does not listen to parents.
- Sulphur** 30 (od) : Child hates to be washed. Tries to sit down everywhere though needs to stand. Standing is the worst position for such children.
- Tuberculinum** 1M (hs)
Repeat after a month : Child is rude and has a wild temper and becomes violent on trifles. Extremely obstinate.

NOTE : My experience has shown that abnormal activity in a patient results from stressful psychic events and disputes in the family.

CHLOROSIS

(ANEMIA DUE TO IRON DEFICIENCY)

(See ‘Anemia’)

Iron, as a component of hemoglobin, is essential in the transportation of oxygen. It is needed for tissue respiration and development of blood cells. An adult requires 0.5 to 1.00 mg of iron per day. Prior to puberty and after menopause, the female requires more iron than the male. Copper, manganese and

cobalt are necessary for utilization of iron by the body. Its deficiency causes anemia, lowered vitality, pale complexion, retarded development, tired feeling and a decreased amount of hemoglobin in each red cell. The following remedies work well in curing iron deficiency anemia.

- Arsenicum alb.** : Chlorosis causing gradual loss of weight. Low vitality, irritability and unquenchable thirst.
- Cuprum met.** : Copper is essential for utilization of iron by the body. Therefore it should be given along with the indicated remedy, not together, but in alternation.
- Ferrum met.** : It is suited to young, weak and anemic patients although the face may be flushed.
- Helonias** : It is suited to tired females with great languor, prostration and backache.
- Pulsatilla** : It is a female remedy and is often indicated after abuse of iron tonics and after faulty treatment of diseases. The patient is chilly and tired. It is best suited to females at the age of puberty.

NOTE : Iron is found in foods like almonds, asparagus, bran, beans, cauliflower, celery, brown bread, gram, egg yolk, kidney, lettuce, liver, oatmeal, soybeans, whole wheat, cucumbers, dates, oranges, pineapple, tomatoes, peanuts, turnips, corn meal and mushrooms.

CHOKING

- Baryta carb. (tds)** : Spasm of the esophagus as soon as food enters it, causing gagging and choking.
- Cactus 3x (tds)** : Strenuous respiration and subsequent choking due to a heart trouble.
- Lachesis (tds)** : Choking on account of a sensation of a plug in the throat on swallowing warm things.
- Mephitis (tds)** : Choking from drinking and eating as the drink or the food goes down the wrong way to the wind pipe or choking from one's own vomit.

Spigelia (tds) : Choking from copious mucus falling from the posterior nares blocking the wind pipe or from continuous cough and asthma.

NOTE: In all cases of choking, the patient should hold his neck with hands to indicate choking and the person nearby must give a few hard strokes on the back of the patient to restore respiration. If a person remains choked for a few minutes, he can die. Choking does great harm to the brain when oxygen supply is obstructed. Memory is weakened by choking.

CHOLECYSTITIS (SEE GALL BLADDER)

CHOLERA

Aethusa cyn. (qid) : Useful in cholera of children and infants. Milk is vomited in curds after taking it. The patient is restless, lachrimose and has colic.

Arsenicum alb. (qid) : The patient does not yield to the above treatment and the respiration becomes slow, deep and gasping, and the symptoms of death are appearing, use of this remedy may save a life.

Camphora Q (qid) : When cholera is epidemic, 2 to 3 drops on a lump of sugar will protect those not affected by the disease. If diarrhea has started and the patient has nausea, give 5-6 drops every 15 minutes on sugar. It is considered specific for the disease.

Colchicum autum. 3x (qid) : When the abdomen is bloated with wind, it will give relief from flatulence and other symptoms of cholera.

Cuprum acet. 3x (qid) : If some person in the family is already suffering from the disease, the rest of the members

	should take a dose morning and evening for protection against the disease.
Hydrocyanicum acidum (tds)	: Rice colored stools.
Ipecacuanha (qid)	: Nausea, very easy, copious vomiting and sudden profuse rice water like stools. Forced discharge of stool. Loud noise in the abdomen like gurgling of water. Coldness and cramps in the body. It is a valuable remedy in cholera.
Podophyllum (qid)	: Stools are profuse, offensive and gushing.
Sepia (qid)	: Diarrhea and vomiting becomes worse by drinking milk.
Veratrum alb. (qid)	: If the patient is not relieved by Camphora or rather, has become worse by this, use Veratrum alb. It is very useful when cold perspiration is present on the forehead and the patient has cramps and rice water stools.

CHOLESTEROL

Cholesterol is fundamental for life and occurs naturally in the body. It forms a basic part of all the cells, helps to digest food and helps to produce hormones and vitamin D. There are two major forms of cholesterol: (1) Low density lipoprotein (LDL) and (2) High density lipoprotein (HDL). About 80% of cholesterol is produced in the liver and about 20% comes from food. HDL in the blood is called good cholesterol because it carries cholesterol to the liver where it is removed from the body. LDL is also produced in the body. It is called bad cholesterol because it results in fatty deposits which clog up the arteries so that blood cannot flow properly. It is a normal constituent of bile.

Heart muscles are nourished by oxygen carried through thin vessels called the coronary arteries. If this circulation is severely reduced or blocked, the muscles quickly become starved of oxygen and cannot function normally - this is 'heart attack'. Cholesterol forms thin layers inside the coronary arteries gradually reducing the inner space, consequently reducing the blood flow. When the arteries become sufficiently narrow, a blood clot is formed which obstructs the blood flow causing insufficiency of vital nutrients and oxygen carried by blood. A heart attack, thus follows. To prevent the heart attack, the level of cholesterol must be lowered. To achieve this, diet restrictions are needed.

Butter, butter oil, meats (except that of a fish), ice creams, cheese and cream, egg yolks, fried articles, etc. increase the level of cholesterol. Alternative diets are available and should be used. Cholesterol is usually measured in millimoles in the litre (mmol/l). Reading is taken from the blood taken from the finger tips. A serum cholesterol of 6.21 mmol/l (240 mg) or above is considered risky and reading over 8.58 mmol/l is dangerous. A reading of 5.17 mmol/l (200 mg) to 6.21 mmol/l (240 mg) is considered as borderline. A serum cholesterol under 5.2 mmol/l (200 mg) is considered healthy. The lower, the better. Diet restrictions must be kept in view. Cholesterol in the blood should never be more than 200 mg per 100 cc of blood. The following homeopathic medicines are useful to reduce the level of cholesterol:

- | | |
|---|---|
| Allium sativum Q (tds)
5-10 drops in ½ cup of water | : Acts specially on fleshy subjects who eat a great deal of meat than they drink. 5 drops a dose, three times a day reduces cholesterol in about a month. It has been proved that it reduces total serum cholesterol level. |
| Avena sativa Q (tds)
5-10 drops in ½ cup of water | : Oats reduce blood cholesterol and also help protecting the rise of glucose levels by slowing down sugar absorption. |
| Chrysanthemum Q (bd)
20 drops in ½ cup of water | : Reduces cholesterol levels and also eliminates digestive troubles resulting from over-eating. 20 drops in a little water two times in a day. |
| Crataegus oxy. Q (bd)
10 drops in ½ cup of water | : It has a solvent power upon crustaceous and calcareous deposits in the arteries and thus reduces the thickening of the arteries. |
| Embelica off. Q (bd)
(East Indian Amla)
10 drops in ½ cup of water | : It is an excellent remedy for this purpose. It can also be taken as a vegetable or jam, which is prepared from the fruit itself. |
| Ginseng (bd)
10 drops in ½ cup of water | : Reduces cholesterol levels. |
| Guggul 1x | : The extract of the resin of guggul tree, regulates levels of chlesterol by monitoring levels of bile acids released by the liver. There is no evidence that it affects metabolism or promotes weight loss. |
| Lecithinum 12x | : Its use breaks down chlolesterol and fats in blood allowing them to be stabilized effectively by cells. It improves nervous health also. |

- Lycopodium** (tds) : It lowers the level of cholesterol in the aorta and liver.
- Oenothera bienn.** Q (bd) : It lowers the level of cholesterol in the aorta and liver.
10 drops in ½ cup of water
- Sugar cane wax** (tds) : Sugar cane wax reduces the bad cholesterol level even when it is a hereditary problem.
- Terminalia arjuna** Q, : It is also an excellent remedy for reducing
Balerica Q (bd) cholesterol.
10 drops in ½ cup of water

NOTE 1: In December 1998, The American Journal of Nutrition reported the results of the latest study of 45 participants by Gene Spiller of California, Jenkins of Toronto and a researcher in Verona, Italy. They said that nuts and almonds are better for lowering the level of bad cholesterol. Nuts contain a high proportion of mono-unsaturated fats which lower the risk of cardio-vascular diseases. Nuts also contain vitamin E which reduces the risk of heart disease.

NOTE 2: Soya bean (soya) eating cuts “bad cholesterol” and boosts heart healthy “good cholesterol.” Proteins and antioxidants specific to soya have this property.

NOTE 3: Oats reduce blood cholesterol and also help protecting the rise of glucose levels by slowing down sugar absorption.

NOTE 4: The following chart shows the level of cholesterol desirable and undesirable.

TOTAL CHOLESTEROL:

Below 5.2 mmol/l	Desirable
5.2 - 6.2 mmol/l	Borderline high
Above 6.2 mmol/l	High

LDL CHOLESTEROL:

Below 3.4 mmol/l	Desirable
------------------	-----------

HDL CHOLESTEROL:

Above 0.9 mmol/l	Desirable
------------------	-----------

TRIGLYCERIDE :

Below 2.3 mmol/l	Desirable
------------------	-----------

NOTE 5: High triglyceride levels tend to go hand in hand with being overweight, hypertension, low LDL levels and diabetes. High triglyceride levels

can be lowered by avoiding all forms of sugar (whites, brown, honey, syrup, and alcohol) Most vegetable and animal fats are triglycerides.

NOTE 6: Results of studies which appeared in July 2003 in The Journal of American Medical association indicates that a vegetable diet high in soluble fiber and low in saturated fats lowers the bad chloestrol. A diet heavy in okra, eggplant, soy, oatmeal and almonds causes reduction of LDC cholestrol in a short period.

CHOREA

Irregular, spasmodic, involuntary movements of the limbs or facial muscles, often accompanied by hypotonis is known as chorea.

- | | |
|---|--|
| Agaricus mus. (tds) | : Twitching, jerking and restlessness in children with a bluish face and fingers. |
| Asafoetida (tds) | : Chorea on account of nervous disorder. Involuntary action of the muscles. Pain and numbness. |
| Avena sativa Q (tds)
10-15 drops in ½
cup of water | : Chorea due to nervous disorders. Strength of the hands is diminished. Give 15 drops, thrice daily in warm water. |
| Cuprum acet. (bd) | : Give it in cases which resist treatment. |
| Ignatia amara (tds) | : Chorea of emotional origin or when accompanied by emotional symptoms. |
| Mercurius sol. (tds) | : Tremor of hands. Excessive perspiration which does not relieve. |
| Mygale (tds) | : Jerking of arms and legs. |
| Stramonium 200 ,
Opium 200 (hs)
Repeat after 1 week | : Chorea due to fear and fright. Give one dose a week. |
| Zincum phos. (tds) | : In worn out and weak patients worse by cold. |

CHRONIC DISEASES

The true nature of a chronic disease was first pointed out by Hahnemann and his elucidation is very helpful in the treatment of such diseases. A chronic disease cannot be cured in a week or a month and it may take a year or more. This condition must be explained to the patient by the homeopath. Hahnemann stated that at least two years are required for the cure of a chronic disease. In para 42 of the Organon, it is stated that two natural diseases can exist within the body at the same time and hence two different remedies are needed at the same time. Hahnemann took a larger view of the history of a patient. He saw in skin diseases, asthma, intestinal catarrh, neuralgias, tumors, etc. manifesting in the same patient at different times, not so many diseases but, only so many chronic, different manifestations.


The conventional system of treatment is based upon and is concerned with:

1. Diagnosis of disease or nosological diagnosis.
2. Diagnosis of the case or the individual diagnosis.

A homeopath has a third diagnosis and in most of the cases it is the only diagnosis - diagnosis of the individual and diagnosis of the indicated remedy.


The treatment of chronic diseases is the test of a homeopath and it is essential for his success that the name of the remedy should not be revealed to the patient.

CIRRHOSIS (SEE 'LIVER')




The surface has a fine granular appearance

Micronodular Cirrhosis



The surface has large nodular structures

Macronodular Cirrhosis



CLAIRVOYANCE

It is a perception of objective events (past, present or future) not ordinarily discernible by the senses ; a type of extrasensory perception.

- Aconitum nap.** (tds) : Predicts that his beloved living miles away, is singing a certain song.
- Agaricus mus.** (tds) : The patient is inclined to make prophecies. Behaves as if he knows everything and every happening in advance.
- Iodium** (tds) : The patient is on the verge of insanity. Destroys things without reason. Becomes violent at occasions.

CLAUSTROPHOBIA (DREAD OF CLOSED PLACES)

It is a morbid fear of being in a confined place.


- Argentum nit.** (tds) : Cures a person who is afraid of being confined to a closed place.
- Succinum** (tds) : Its use removes the fear for closed places and trains.

CLIMACTERIC (SEE 'MENOPAUSE')

CLUMSINESS

- Apis mel.** (tds) : Numbness of the hands and finger tips, so that the patient cannot hold things properly and drops them easily. He is generally clumsy.
- Bovista** (tds) : Great weakness in all the joints and clumsiness with the hands, so he drops things easily.

COCCYX (LAST BONE IN THE SPINE)



- Antimonium tart.** (tds) : Sensation of weight and a feeling that the coccyx is hanging down.
- Bovista** (tds) : Itching in the coccyx.
- Carbo animalis** (tds) : Burning of the coccyx on touching it.

Castor equi (bd)	: A good remedy for the pain in the coccyx.
Causticum (tds), Arnica mont. (qid), Ruta (qid)	: Bruised pain in the coccyx.
Cicuta vir. (tds)	: Tearing and jerking pain in the coccyx. Back is bent backwards like an arch. Pain is worse during menses. Vertigo, gastralgia and muscular spasms may accompany the pain.
Euphorbium off. (tds)	: Pain like electric shock in the coccyx.
Hypericum 12x (tds)	: Pain on account of a fall or an injury to the coccyx.
Kalium bich. (tds)	: Pain in the coccyx when sitting.
Lachesis (tds)	: Pain in the coccyx and sacrum. Worse rising from a sitting position.
Paeonia off. (tds)	: Ulcer at the end of the coccyx.
Platinum met. (tds)	: Numbness in the coccyx.
Silicea (tds)	: Sensation of pressure on the coccyx.
Xanthinum (tds)	: Patient cannot sit on a hard surface and keeps a cushion below while sitting. Pain in the coccyx all the time.

COITION - FEMALE

Acidum phos. (tds)	: Dull headache after coition.
Agaricus mus. (tds)	: Any complaint after coitus.
Ambra grisea (tds)	: Asthma during coition and on attempting coition.
Argentum nit. (tds)	: Hemorrhage after coition. Coition is painful.
Berberis vulg. (tds)	: Desire diminished on account of cutting pain during coition. Sensation of pleasure comes very late or is absent. Bleeding after intercourse can be due to a uterine cancer or cervical infection.
Bromium (tds)	: Absence of thrill during coition.

Calcarea carb.,	: Absence of thrill (orgasm) at the apex of sexual intercourse.
Caladium seguinum (tds)	
Cannabis ind. (tds)	: Backache after coition.
Cobaltum met. (tds)	: Weakness in legs and backache after coition.
Graphites	: Great aversion to coition.
Hydrastis (tds)	: The patient hates coition and does not even want to talk about love making.
Kreosotum (tds)	: Discharge is bloody and burning after coition. Coitus is followed by a flow of blood the next day is the key symptom of this remedy. Bleeding after sex can be due to cervical infection along with prolapse of uterus or cervical cancer or uterine cancer. Bleeding after sexual intercourse should always be investigated.
Lycopodium (tds)	: Chronic dryness of the vaginal cavity. Great burning in the vagina during and after coition.
Lupulus (tds)	: Nausea, dizziness or headache right after debauch.
Natrium mur. (tds)	: Aversion to coition in anemic women with dryness of the vagina.
Platinum met. (tds)	: Fainting during coition.
Plumbum met. (tds)	: Aversion to coition.
Pulsatilla nig. (tds)	: The patient does not allow the man to touch the parts. Clitoris is very sensitive to touch.
Salix alba (tds)	: Excessive desire for sexual intercourse.
Sepia (tds)	: Coition is painful. There is vertigo after coition and aversion to coition. The vagina is dry or leucorrhea is present. Constipation may be there.
Staphysagria (tds)	: Coition painful in younger life. Breathlessness after and during coition.
Strychninum purum (tds)	: Great desire for sexual intercourse in ladies and the desire inflames on touch of any portion of the body.

Note: Reason for disinterest for coition can be fatigue, stress, lack of time, illness or hormone change. Removal of the cause will create normal desire for sexual intercourse.

COITION - MALE

Acidum phos. Q (bd)

10-20 drops in ½ cup of water : Sudden relaxation of the penis during the act before ejaculation and desire arises for intercourse once again.

Agaricus mus. (tds) : Weakness after coition. This remedy covers many complaints arising after coition.

Ambra grisea (tds) : Asthma on attempting coition.

Anacardium ori. (tds) : Want of enjoyment during coition.

Baryta carb. (tds),
Lycopodium (tds) : Falls asleep during the act of coition.

Bufo rana (tds) : Convulsion during coition.

Caladium seg. (tds) : Penis relaxes during coition, there is no emission or orgasm even after a long time of coupling. Absence of thrill at the apex of sexual intercourse.

Calcarea carb. (tds) : Coition followed by weakness and irritability.

Cantharis (tds) : Coition followed by pain in the urethra.

Daphne ind. (tds) : Coition followed by toothache.

Graphites (od) : Aversion to coition due to impotency. Patient is constipated and fat.

Graphites (od),
Lycopodium (tds) : Aversion to coition. Legs turn cold after coition.

Kalium carb. (tds),
Cannabis ind. (tds) : Coition followed by backache and weak vision.

Kreosotum (tds) : Burning in penis on coition or on coming in contact with the secretion of vagina.

Millefolium (tds) : No ejaculation on coition even after a prolonged act and then the penis relaxes.

Moschus (tds) : Coition followed by nausea and vomiting.

Natrium carb. (tds)	: Coition followed by profuse perspiration.
Natrium mur. 200 (od)	: Emission even after coition and ejaculation.
Nux vomica (tds)	: Feels sore and bad after sexual intercourse.
Phosphorus (tds)	: Irresistible desire for coition. Desire again for sexual intercourse after coition. Constant wish for coition forces the patient to vices.
Sabal ser. (tds)	: Coition painful at the time of emission. Urination difficult after coition.
Selenium met. (tds)	: Coition followed by irritability and prostration. Increases desire, decreases ability. Absence of thrill at the apex of sexual intercourse (orgasm).
Staphysagria (tds)	: Coition followed by urging to urinate and breathlessness.
Sulphur (od)	: Ejaculation on attempting coition and before penetration.
Titanium met. (tds)	: Too early ejaculation of semen in coitus.

COLDNESS

Acidum fluor. (bd)	: Fluoricum acidum patient of any disease is able to withstand any amount of cold but is averse to heat.
Agaricus mus. (tds)	: It has a peculiar symptom - as if pierced by icy needles. Very sensitive to cold.
Ambra grisea (tds)	: Sensation of coldness in the abdomen.
Ammonium mur. (tds)	: Sensation of coldness in the back and between the shoulders.
Baryta carb. (tds)	: Children take cold easily and have swollen tonsils.
Belladonna (tds)	: It is associated with hot red skin from head to nates but his extremities are cold even in fever which is generally high. Hot in head, cold in legs.

-
- Calcarea carb.** (tds) : Cold and damp feet. Feeling as if wearing cold and damp clothings. Coldness of legs with night sweats. Internal and external coldness of various parts of the head as if a piece of ice were lying against it. Aversion to open air, cold air goes right through her. Sensation of coldness in a single part unmistakably points to this remedy. Patient takes cold easily. Takes cold at every change of weather.
- Calcarea hypophos.** (tds) : Habitually cold extremities.
- Camphora** (tds) : Icy coldness of the whole body, even breath is cold. Icy cold feet with pain. Better by warmth.
- Carbo veg.** (tds) : Icy coldness of hands and feet. The skin appears blue on account of poor blood flow. The patient is better by fanning and from cold.
- China off.** (qid) : The person is very sensitive to cold draughts.
- Chininum ars.** (tds) : Coldness of hands and feet, knees and limbs.
- Cistus can.** (tds) : The patient is extremely sensitive to cold. There is sensation of coldness in various parts like stomach, chest, etc. and feels worst in slightest exposure to cold.
- Corallium rub.** (tds) : The patient feels too cold when uncovered and too hot when covered. Coldness is relieved by artificial heat.
- Cuprum ars.** (tds) : Icy coldness of the whole body with cramps and obstinate hiccoughs. Frequent vomiting and cold sweats.
- Gelsemium** (tds) : Cold and dampness brings on many complaints. Patient is sensitive to a falling barometer.
- Heloderma 200** (od) : Great coldness. Cold waves from occiput to feet or from feet to occiput. Coldness of the whole body externally and internally. Sensation of coldness of the whole body and the internal parts like heart, lungs, kidneys, etc.
- Hepar sulphuris** (tds) : Extremely sensitive to cold air. Closes all the doors and windows and sits as near as possible to the heater.

Lobelia purp. (tds)	: The patient feels too cold without shivering.
Mancinella (tds)	: Icy coldness of hands and feet while rest of the body is warm.
Menyanthus tri. (tds)	: Icy coldness of hands and feet.
Mercurius sol. (tds)	: Very sensitive to cold and heat - a human thermometer.
Natrium carb. (tds)	: Icy cold from knees down. The hollow of knee painful on walking.
Nux vomica (tds)	: Chilliness on being uncovered, yet he does not allow being covered. Avoids open air. Body hot but uncovering makes him feel chilly. Cold and snuffles after exposure to cold dry winds.
Psorinum 200 (hs) x 3 days Repeat after 15 days	: Feels cold in the head. Wants warm clothing even in summer. He will take a quilt over even during very warm nights.
Pulsatilla nig. (tds)	: Feels coldness between shoulders. Pains are accompanied with constant chilliness. More severe the pain, the harder the chill.
Rhus tox. (tds)	: Catches cold and cough by getting wet or due to change of weather.
Secale cor. (tds)	: Coldness in the fingers and toes with sensation of burning. Rest of the body is also cold but burning sensation is present all over. Fingers and toes blue. The patient is better by cold, uncovering and rubbing.
Sepia (tds)	: Patient feels cold even in a warm room. Chills easily.
Silicea (tds)	: Icy cold hands and feet with warmth of the rest of the body. Want of vital warmth even when taking exercise. Sensitive to cold when uncovering head or feet. Hugs fire. Wears plenty of warm clothes.
Spigelia (tds)	: Parts feel chilly and the coldness causes trembling in the whole body.


COLIC

- Allium cepa** (qid) : Colic of a little baby with cutting and tearing pains. It screams and cries.
- Aloe soc.** (qid) : Colic before and after stool. Pulsating pain around the navel. Pains around navel worse by eating or drinking. Diarrhea may or may not be present. Great accumulation of flatus and the abdomen feels full, heavy, hot and bloated.
- Arsenicum alb.** (qid) : Colic on account of eating decayed food. Burning sensation in abdomen. Feeling of restlessness and cold.
- Belladonna** 200 (tds) : Gall stone colic. It withstands repetition at short intervals. Pains are violent, come and go, and come again and go.
- Berberis vulg.** Q (tds) : Renal colic specially when the left kidney is involved.
10-20 drops in ½ cup of water
- Bryonia alba** 200 or 30 (tds): Food lies like a stone in the stomach. Stools hard - constipated. Desire to lie quietly.
- Calcarea renalis.** (tds) : Pains around navel which are burning.
- Carbo veg.** (tds) : Abdomen bloated. Feels better by belching and passing gas.
- Chamomilla** (tds) : Colic from a fit of anger or colic in children from wind and flatulence.
- Chelidonium** 1000 (hs) : Gall stone colic, in which it gives immediate relief.
Repeat after a week
- Chininum ars.** (tds) : Chronic colic, periodical at certain hours of the day.
- Cholesterinum** 3x (tds) : If there is no relief or little relief after taking Chelidonium, give this remedy for gall stone colic. It can be repeated every hour till the colic goes.
- Cimicifuga** (tds) : Pain in the hypogastrium.
- Colocynthis** (tds) : Pains round navel which are better by hard pressure and warmth. Colic from a fit of anger is relieved by the use of this medicine. Pain in

- the abdomen causes the patient to bend double. The more severe the pain, the more indicated is this remedy.
- Dioscorea** (tds) : Severe colic. Pains radiate from abdomen to back, chest, arms. Better by walking about. Flatulant colic.
- Graphites** (od) : Pain in the upper part of the abdomen. The patient is constipated and the stools are hard.
- Ignatia amara** (tds) : Hysterical colic.
- Ipecacuanha** (tds) : Colic with diarrhea and vomiting or nausea.
- Jalapa** (tds) : Colic in children with diarrhea and vomiting. The child cries constantly.
- Kalium bich.** (tds) : Pain spasmodic, soon after eating.
- Kalium carb.** (tds) : Stitching pain, worse with movements, specially before menses.
- Lycopodium** 1000 (hs) : Renal colic when the right kidney is involved.
Repeat every 3rd day
- Magnesium phos.** 12x (qid) : Colic. Pains are throbbing and burning and are relieved by pressure and warmth. The patient passes wind constantly during the pain. Baby folds his legs over his abdomen.
- Mercurius sol.** (tds) : Colic on account of dysentery.
- Nux vomica** (tds) : After over eating or over drinking or eating a rich meal and due to sedentary habits.
- Polygonum sag.** 2x (tds) : Colic on account of the suppurative kidney. The pain travels along the spine.
- Pulsatilla nig.** (tds) : Pain after discharging excessive flatus after taking rich fatty foods. Better in open air.
- Senna** 6 (tds) : Very useful in the colic of infants. Child seems to be full of gas and is generally constipated. Stools may be hard and dark or fluid, yellowish with colic before passing.
- Stannum met.** (tds) : Cramp-like colic around the navel with a feeling of emptiness in the abdomen. It is relieved by lying on the abdomen or by a hard pressure on the abdomen. The child stops crying when carried with his abdomen on the shoulder.

- Staphysagria** (tds) : Colic after abdominal surgery. Chronic colic of children with much prostration and better by motion and straightening of the body.
- Veratrum vir.** (tds) : Colic with soreness above pelvis.
- Viburnum op.** (tds) : Pain in the lower abdomen usually connected with menstruation.

COLITIS (INFLAMMATION OF THE LARGE INTESTINES - COLON)



UNHEALTHY GROWTHS IN THE COLON LINING

Sometimes tissue in the colon changes—perhaps as a result of genetics, a high fat, low fibre diet, or exposure to cancer-causing substances. As this tissue changes, growths—polyps or cancers—may form on the colon lining.

POLYPS

A “benign” polyp is a non-cancerous growth. It can be as small as a pea or as large as a golf ball. The larger the polyp, the greater is its chance of turning into cancer. Early removal of “benign” polyps may prevent them from changing into cancers.



Benign polyp
Colon lining



Colon lining
Cancer

CANCERS

A cancer is made up of abnormal cells that are growing out of control. Cancers are most often the size of a mushroom or larger.

They can grow into the colon lining and spread to other parts of the body. The sooner cancers are removed, the greater the chance of preventing cancer spread.

CANCER SPREAD

If cancer cells break off, they may travel through the colon lining into the lymph and blood vessels. These vessels may carry the cancer cells to the lymph glands, liver, lungs, or other organs, starting new cancers. This cancer spread is called **metastasis**.



Colon lining
Metastasizing cancer
Lymph glands
Blood vessels

- | | |
|-----------------------------|--|
| Allium sativum (tds) | : Colitis with stools containing shreds of intestinal mucous membrane. Great hunger. Specially indicated in high fevers and fleshy persons. |
| Aloe soc. (qid) | : Constant bearing down in the rectum. Bleeding. Rectum feels sore and hot, and is relieved by cold water. Lot of mucus and wind is expelled with stools and the pain remains in the rectum after passing stools. Gurgling in the abdomen. |
| Argentum nit. (tds) | : Membranous stools. Flatus expelled with a noise. Constipation. Pains in the region of the spleen. |
| Cadmium sulph. (tds) | : Gelatinous stools. Cutting pains in the bowels and kidneys. |
| Cantharis (qid) | : Smell of food causes nausea and vomiting. Stools are membranous. Colic. Flatulence. |

China off. (tds)	: Yellowish, watery stools. Absence of pain. Some flatus with stools.
Colchicum autum. (tds)	: Distention of abdomen with wind. Pain in the region of the liver. Stools contain white shreds.
Colocynthis (tds)	: Severe cutting pains in the abdomen forcing the patient to bend double. Pains worse after anger. Bitter taste in the mouth.
Ficus ind. Q (tds)	: Hemorrhage before evacuation. Stools are bloody with pure red blood and colic.
Kalium bich. (tds)	: Chronic intestinal ulceration and perforation with cutting pain, soreness and burning. Diarrhea or dysentery. Stools brown, jelly-like and frothy.
Lachesis (bd)	: Colitis with offensive diarrhea alternating with constipation. Abdomen very sensitive to pressure.
Magnesium carb. (tds)	: Abdomen distended. Diarrhea. Stools are green and forced out.
Mercurius cor. (qid)	: Diarrhea or dysentery due to ulceration of the intestines with incessant tenesmus. Stool hot, containing blood and mucus pieces.
Mercurius dulc. (qid)	: Stools are scanty and are mixed with blood, mucus and bile. Anus sore and burning.
Selenium met. (tds)	: Colitis on account of tuberculosis of the peritoneum.
Sepia (tds)	: Enterocolitis. The leading symptom for the choice of this remedy is “always worse after taking milk.”
Staphysagria 200 (bd)	: Simple or ulcerative colitis after insults and injuries like after rape.
Sulphur (od)	: Treatment should be started and ended with this remedy.
Terebinthiniae (tds)	: Enterocolitis with hemorrhage and ulceration of the bowels.
Thuja occ. 1M (hs)	: Colitis on account of amoebic dysentery.

NOTE: In chronic ulcerative colitis, the intestine is very irritated and develops raw areas. It results from prolonged diarrhea or dysentery. Cancer can occur if the disease remains for many years. It is second only to lung cancer as a fatal cancer. It is preventable in 95 % cases. There is a polyp or a tissue mass which forms the cancer. It can be detected by fecal occult blood test in a laboratory or by colonoscopy. When detected, the cancerous portion is removed surgically. Such surgery is called 'colostomy'. Surgery is still most commonly used for cancer of the colon and rectum. Colon has no essential function in regard to nutrition. It merely converts the waste of the food to a solid stool. So the infected portion of the colon is removed and its further function is taken over by the remaining portion of the colon. Greater the portion of the colon removed, greater is the reduction in the solidity of the stool and it becomes more watery. Surgery of the rectum is complicated because its lower portion (anus) contains the sphincter muscles which control the bowel action. In such a surgery, the end of the healthy remaining colon is connected through the wall of the abdomen to a plastic bag in which the stool is discharged.

Colonoscopy

: Colonoscopy is an advanced technique for viewing the whole colon. A screen or eye piece may be used. The colonoscope is a thin, lighted, flexible tube which is moved through the colon. It is used both to diagnose growths and to confirm findings of other tests. It can also be used to remove small polyps and to collect tissue samples for analysis. The patient is lightly sedated during the procedure.



Colonoscopy provides an inside view of the entire colon.



Colonoscopy can be used to locate and remove small polyps.

COLLAPSE

- Camphora Q** (tds) : Coldness external and internal. Symptoms after exposure to cold or cholera.
- Carbo veg.** (tds) : A lowered vital power from loss of fluids, after drugging and diseases. In old people with venous congestion. State of collapse in cholera and typhoid. The patient appears lifeless with coldness of the body. Breath is also cold but the head is hot. Pulse is imperceptible with quickened respiration. Gasps for breath.
- Cuprum met.** (tds) : Collapse symptoms with cramps in epileptic fits.
- Glonoinum** (tds) : Due to sun stroke.
- Hydrocyanicum acidum** (tds) : Blueness of the skin due to defective oxidation. Forceful, irresistible desire to sleep. Collapse symptoms in epileptic and hysterical convulsions.
- Strontium carb.** (tds) : Collapse symptoms after surgical procedure. Profuse perspiration is a strong indication for its use. The patient feels warm and comfortable after the use of this remedy.
- Veratrum alb.** (qid) : Symptoms of collapse with cold perspiration on the forehead. It may be due to profuse drainage of discharges. It is a great heart tonic.

COLOR BLINDNESS

- Agaricus mus.** (tds) : Reading difficulty. Deception of colors.
- Belladonna** (tds) : Red objects appear yellow. Blinking of the eyes.
- Carboneum sulph.** (tds) : Black spots before eyes or sparkling before eyes. Jerking and twitching of the eyelids. Red and green look white.
- Crocus sativus** (tds),
Calcarea carb. (tds) : Blinking during and after reading.

Digitalis (tds)	: Yellow and blue look like white.
Euphrasia (tds)	: Constant blinking of the eyes due to some defect.
Gratiola off. (tds)	: Green objects appear white.
Hyoscyamus nig. (tds)	: Objects look golden.
Kalium bich. (tds)	: Constant blinking in epileptic attacks.
Phosphorus (tds)	: An excellent remedy. Usually cures color blindness.
Stramonium (tds)	: Red appears black and black appears grey.

NOTE: Blindness after birth can be avoided if the following four causes are treated correctly in the beginning:

1. **Cataract** : This occurs with age. The lens of the eye becomes cloudy. For treatment see chapter on “Cataract”. The problem can also be corrected with a 15 minutes operation.
2. **Trachoma** : It is a bacterial infection usually occurring in hot dry climate and can be cured easily with an antiseptic washing for the face. See “Eyes”.
3. **Snow blindness** : This results from the glare of sunlight upon the snow. See chapter on “Snow”.
4. **Vitamin A deficiency** : This can be met with by taking doses of vitamin A.

COMA

Aluminium met. 200 (bd)	: Coma in diabetes because the amount of sugar in blood becomes negligible.
Ammonium carb. (tds)	: Fainting due to depression of spirits with a weeping tendency.
Amylenum nit. Q (bd)	: Inhalation of this remedy during paroxysms of asthma, epileptic seizure, angina pectoris, migraine, etc. gives immediate relief.
Arnica mont. (tds)	: Coma due to an accident, fall or injury.

Asafoetida (tds),	: Hysterical fainting.
Sepia (tds)	
Baptisia (tds)	: Coma during typhoid fever.
Baryta carb. (tds)	: Coma on account of brain hemorrhage.
Camphora Q (tds)	: In emergencies, it is a very good stimulant of the heart. It is also a satisfactory remedy for sub-normal temperatures and low blood pressure. Three drop doses on a lump of sugar (never in water) repeated at 15 minute intervals produces the desired results. Smelling of this remedy is equally useful. Body is icy cold, but the patient does not desire to be covered.
At 15 minutes interval	
Dextrose or Sugar (tds)	: Coma due to an over-dose of insulin is cured by a few grams of sugar given dry on the tongue to be sucked or may be given dissolved in water. In such cases, urine is sugar free.
Gelsemium (tds)	: Coma in cerebro-spinal meningitis.
Helleborus (tds)	: Coma due to injuries or blows on the head.
Hepar sulphuris (tds)	: Fainting due to pain.
Hydrocyanicum acidum (tds)	: Coma on account of brain congestion or after an epileptic fit.
Lachesis (tds)	: Coma during labor.
Moschus (tds)	: Fainting due to a slightest excitement.
Nux mosch. (tds)	: This remedy may be given to a person who faints easily and often from a little exertion like standing or even evacuating.
Opium (tds)	: Coma on account of strenuous breathing, and due to a shortage of oxygen. Involuntarily urination or when frightened.
Ranunculus bulb. (tds)	: Coma on account of too much use of alcohol.
Veratrum alb. (tds)	: Fainting due to least exertion with cold sweat on the forehead.

COMPLEXION

- Berberis aq. Q** (tds) : Clears complexion and cures acne, blotches and pimples of the face. Use five drops in water, thrice daily, orally. One gram mixed with one ounce of glycerine may also be rubbed gently on the face which has been previously washed with soap and water, and dried.
- Local application. 5-10 drops internally in ½ cup of water
- Iodium 1000** (hs) : One dose a fortnight changes the complexion to fair. Give one dose fortnightly for six months.
- Repeat after 15 days
- Sarsaparilla Q** (tds) : Clears complexion of the face. Skin which appears emaciated, shrivelled, wrinkled and dry becomes fresh and clear. Use 5 drops in water, three times a day.
- 5 drops in ½ cup of water

CONCENTRATION - LACK OF

- Ichthyolum** (tds) : Forgetful, irritable and depressed. Cannot concentrate his thoughts.
- Iridium met.** (tds) : The patient cannot concentrate on his thoughts.
- Medorrhinum** (od) : Looses the thread of conversation.
- Onosmodium** (tds) : The patient feels that he lacks the power to concentrate. Co-ordination is poor.
- Opium** (tds) : Lack of self-control and concentration ability.
- Pituitrinum** (od) : The patient has difficulty in concentrating. There appears confusion and fulness deep in the frontal region of the head.
- Skatolum** (tds) : The patient finds it impossible to study and becomes depressed because of this. Desires to be with other people.
- Terebinthinae** (tds) : The patient feels very tired and unable to think properly.

CONFIDENCE - LACK OF

- Anacardium ori.** (tds) : Aversion to work and an irresistible desire to swear and curse. The patient lacks confidence in himself and others.
- Aurum met.** (tds) : Thinks that he cannot be cured. There is no medicine or treatment which can cure him.
- Baryta carb.** (tds) : Loss of self-confidence.
- Calcarea sil.** (tds) : Absentminded, irritable and irresolute. Lacks self-confidence.
- Lycopodium** (tds) : Loss of self-confidence. Afraid to be alone. Lack of confidence in the physician and treatment.

CONFUSION OF MIND

- Acidum salicylic.** (tds) : Confusion in the head on rising suddenly.
- Antimonium tart.** (tds) : Vertigo with dullness of the mind.
- Anagallis** (tds) : Apathy and inability to concentrate. Depression.
- Baptisia** (tds) : Mental confusion. Falls asleep while being spoken to.
- Bryonia alba** (tds) : Vertigo and nausea. Faintness on rising.
- Calcarea ars.** (tds) : Confusion and delusions.
- Glonoinum** (tds) : Confusion and dizziness.
- Sticta pulm.** (tds) : Confusion of ideas. The patient needs to talk a lot.
- Tilia eur.** (tds) : Mental confusion and dimness of vision.
- Trifolium prat.** (bd) : Confusion and headache on waking.

CONJUNCTIVITIS (INFLAMMATION OF THE EYES)

- Apis mel.** (qid) : Conjunctivitis with pain and burning. Eyelids are red and swollen. Washing the eyes with cold water relieves.
- Argentum nit.** (qid) : Profuse, purulent, white discharge and gluing of the lids which are swollen.
- Belladonna** (qid) : In the beginning of the disease when eyes are red and eyelids are swollen, with watering of eyes.
- Euphrasia** 6 (qid) : Watering of the eyes. Sneezing. Margins of the lids are red and swollen. Discharge is thick and acrid. Use internally 6c and externally as eyedrops Euphrasia Q to 50 parts of rose water.
- Mercurius cor.** (qid) : Acrid lachrymation. Severe burning and soreness of eyes. Eyelids get glued together.
- Pulsatilla nig.** (qid) : Symptoms of Belladonna but the discharge is thick and yellow with gluing of the lids.
- Rhus tox.** (qid) : For edematous conjunctivitis with acrid discharge. Worse during rains and winter.

NOTE: Symptoms of conjunctivitis are mostly covered by **Pulsatilla nig.**, **Natrium mur.**, **Lycopodium** and **Lachesis** - grade wise importance. The remedies are particularly useful in viral conjunctivitis. **Pulsatilla nig.** cures about 80% of such cases.

CONSOLATION

- Coffea cruda** (tds) : Mocks at consolation. Does not want consolation.
- Ignatia amara** (tds) : Symptoms are aggravated by consolation in hysterical patients.
- Lilium tig.** (tds) : Consolation aggravates uterine troubles and insanity.

- Natrium mur.** (tds) : Patient is more irritated and disturbed by consolation. Weeping alternates with laughing.
- Pulsatilla nig.** (tds) : Nothing pleases a Pulsatilla patient more than consolation. She has a weeping tendency.
- Sabal ser.** (tds) : Consolation makes him angry.
- Sepia** (tds) : Does not want to be consoled. Consolation aggravates.

CONSTIPATION

It is a condition in which bowel movements are infrequent or incomplete.

- Alumen** (tds) : Constipation of the most aggravated kind. No desire for stools for days together. Violent ineffectual desire for stools. No ability to expel stools and if expelled is like marbles.
- Alumina** (tds) : No desire for stools. Great straining. Constipation of infants and old people and in women of very sedentary habits. Rectum is inactive.
- Ambra grisea** (tds) : Chronic constipation of old people. Never “get done” feeling and unsatisfactory motions with frequent ineffectual desire to pass stool. Cannot pass stools when others are present.
- Antimonium crud.** (tds) : Constipation and diarrhea alternating, specially in old people.
- Asafoetida 3x** (tds) : Chronic constipation. Eructations loud and difficult. The pressure of the wind is always upwards.
- Bryonia alba** (tds) : Dry and hard stools. There is no inclination to pass stools.
- Cascara sag.** Q (od) : 10-15 drops in water acts as a laxative in constipation and restores normal functions. It is an intestinal tonic and helps remove dyspepsia.

-
- | | |
|---|---|
| Chelidonium (tds) | : Stools are hard and like round balls or like sheep dung. Hepatic and gall bladder disorders are usually present. |
| Colchicum autum. (tds) | : Constipation - ineffectual desire for stools. Pressure does not relieve. Feels feces in the rectum but cannot expel them. |
| Collinsonia can. (tds) | : Constipation during pregnancy or following labor. |
| Fucus ves. Q (bd) | : Constipation of obese patients with thyroid disorders. |
| Graphites (od) | : Stools are knotty, in large lumps and are united by mucus threads. Constipation with menses too late and scanty. |
| Hydrastis Q (hs)
20 drops in ½ cup of water | : Stools are felt in the small intestines and do not come down to the large intestines and anus. Enemas or glycerine plugs remain useless, they do not relieve. Constipation alternating with looseness of bowels. 20 drops a dose, gives temporary relief. |
| Lycopodium (tds) | : The patient is constipated since puberty or last confinement. |
| Magnesium mur. (tds) | : Constipation in infants during dentition. Passes only a small quantity of stools like sheep's dung. |
| Mercurius sol. (tds) | : Never get done feeling. Little stool passes on each occasion and the desire remains. There maybe cutting colic before each stool which may be greenish, slimy and bloody. |
| Natrium mur. (tds) | : Unsatisfactory motions. Stools like sheep dung. |
| Natrium sulph. (tds) | : On every attempt to pass a stool, only a little wind passes. |
| Nux mosch. (tds) | : Stool is soft, yet he is unable to expel it even after long straining. |
| Nux vomica (tds) | : Constipation with ineffectual desire for stools in persons of sedentary habits and accustomed to purgatives. |

Opium (tds)	: Constipation due to the inactivity of the intestines. Stools are dry, hard and like balls.
Paraffinum	: Frequent desire for stool. Obstinate constipation in children.
Psorinum	: Constipation of infants and in pale, scrofulous children.
Phosphorus (tds)	: Constipation. Stool is long and dry like that of a dog.
Platinum met. (tds)	: Constipation of travellers who are often changing food, water and places.
Podophyllum (tds)	: Constipation alternating with diarrhea in children with colic.
Senna (tds)	: Never get done feeling with abdomen full of wind and it is painful.
Sepia 200 (od)	: Constipation during pregnancy. Stools are hard and knotty. Bleeding at stools with fullness of rectum. Large, hard stools. Sensation of a ball in the rectum.
Silicea (tds)	: Constipation before and during menses. Stool comes down with difficulty and when partially expelled recedes again.
Staphysagria Q (od) 2-5 drops in ½ cup of water	: Constipation of sexy ladies whose brain is mostly working on sexual matters and constipation after sexual excesses. Two drops night and morning in an ounce of water.
Sulphur 200 (hs) Repeat every 3rd day	: Constipation on account of fear of passing the stool because stools are hard, knotty and difficult to expel, and they cause pain in the anus while passing.
Thuja occ. (tds)	: Chronic constipation. Stool like hard, black balls. Constipation with violent rectal pain, causing stools to recede.

CONSTITUTIONS

In homeopathy, there are the following types of constitutions of a patient:

1. Syphilitic: Syphilitic constitution is found in patients having a syphilitic history in their family.
2. Sycotic: Sycotic constitution is found in patients who have a history of gonorrhea in their family.
3. Psoric: All other diseases of skin, fevers, etc. are found in psoric patients.
4. Lymphatic: Concerning immune and lymphatic system.
5. Hydrogenoid.
6. Carbo - nitrogenoids.

The following are the remedies:

Hydrogenoids : Nitricum acidum, Calcarea, Silicea, Natrium sulph., Aranea, Apis, Pulsatilla, Thuja (such patients have morbidly hygroscopic blood so that damp air and water are inimical. Abnormal sensitiveness to damp and cold, inability to live near fresh water, lakes, rivers, etc., or in damp chilly places.

Nitrogenoids : Sulphur, Rhus tox., Urtica urens, Mercurius, Hepar sulphuris, Alumina, etc.

Syphilitic : Mercurius, Iodums, Kaliums, Syphilinum, etc.

Sycotic : Thuja occ., Nitricum acidum, Medorrhinum, etc.

Psoric : Sulphur, Psorinum, etc.

NOTE 1: In diagnosing a constitutional remedy for a patient, the totality of symptoms is always the rule.

NOTE 2: Inherited syphilitic miasm makes people short and ugly, while the inherited sycotic miasm makes people fat. The inherited tubercular diathesis makes people tall with often transparent beauty (Dr. E. Wright).

CONTRADICTION

Aurum met. (bd)	: Ailments resulting from contradictions.
Coffea cruda (bd)	: Headache from contradiction.
Lycopodium (tds)	: Cannot bear contradiction.
Mercurius sol. (tds)	: Cannot tolerate contradiction. Desire to kill persons not agreeing with him.
Sepia (tds)	: Irritable and easily offended on contradictions.
Tarentula his. (bd)	: Anger from contradiction.

CONVALESCENCE

A period between the end of a disease and the patient's restoration to complete health is known as convalescence.

Acidum sulph. (od)	: Uncomfortable, debilitating perspiration following slightest exertion or drinking hot water and after a debilitating illness.
Apocynum can. (bd)	: For weakness after fever like typhoid.
Curare (bd)	: Weakness with shaky lower extremities during convalescence. The patient is surprised on his weakness.
Lecithinum 1x to 3x (tds)	: After cure of the disease some weakness remains during the period of convalescence due to a decrease in the red corpuscles. Three doses a day for a week removes such conditions. It has a favorable influence on the nutritive condition and blood, weakness and insomnia during convalescence.
Psorinum (od)	: It is useful for weakness during convalescence.
Sulphur (od)	: For immediate effects to finish the after effects of the cured illness.
Tuberculinum 200 (hs) Repeat after 1 week	: When convalescing from measles, suddenly loses flesh, gains high temperature with drenching sweat and prostration.

- Vanadium** (bd) : It removes weakness and improves the condition of blood after wasting diseases by increasing the amount of hemoglobin and combining its oxygen with toxins and destroying their power of producing diseases. Its use increases and stimulates phagocytes which have the ability to ingest and destroy bacteria, protozoa, cell debris, dust particles, etc., and are found in lymph nodes.

CONVULSIONS (UNCONSCIOUSNESS WITH MUSCULAR TWITCHING)

Convulsions are violent spasms or a series of jerks in the face, trunk and extremities.

- Aethusa cyn.** (tds) : Convulsions due to indigestion, colic and anguish. Milk is vomited as curd soon after drinking followed by convulsions and great sleepiness.
- Amylenum nit.** (tds) : Convulsions during normal delivery.
- Arnica mont.** (tds),
Hypericum (tds) : Convulsions after giving birth to a child by a cesarean section.
- Belladonna** (qid) : Convulsions in children. Flushed face and throbbing temples. May be due to any cause.
- Calcarea phos.** (tds) : Convulsions due to rickets or during dentition.
- Chamomilla** (tds) : Convulsions during teething of children. Stools are green and the child is fretful. Convulsions of children when mother becomes extremely angry while nursing the child. It is also useful for convulsions during dentition.
- Cicuta vir.** (tds) : After convulsions, the patient does not remember anything on regaining consciousness.
- Cina** (tds) : Convulsions due to worm symptoms.

Helleborus (tds)	: Convulsions due to suppression of measles or other skin troubles.
Hyoscyamus nig. (tds), Cicuta vir. (tds)	: Convulsions during labor.
Nux vomica (tds)	: Convulsions from eating indigestible fruits.
Opium (tds)	: Convulsions of children when mother is suddenly frightened during their nursing.
Stramonium (tds)	: Convulsions due to dreadful dreams.
Zincum phos. (tds), Aurum mur. (tds), Cuprum met. (tds)	: Use any of these remedies, according to the symptoms, for convulsions of epilepsy.

CORNS

Acidum phos. (tds)	: Very painful corns.
Acidum salicylic. Q Local application	: A solution of salicylic acid made with 1 part of the acid and five parts of water can be painted at bed time every third night. It often cures.
Antimonium crud. (tds)	: It is a general remedy for recent corns which are hard and inflamed.
Ferrum pic. 3 (tds), Radium brom. 30 (tds)	: These two remedies given alternately each week to cure corns which are of a yellowish color.
Graphites (od)	: Corns with deep cracks.
Hydrastis (tds)	: Corns of toes which reappear after cutting.
Nitricum acidum (tds)	: Inflamed and ulcerated corns.
Radium brom. (hs) Repeat after 15 days	: A dose of 30 potency a fortnight is effective in all kinds of corns.
Selenium met. (bd)	: Inflamed corns on the soles of feet.
Sulphur (od)	: Remedy for soft corns due to pressure of shoes.
Veratrum vir. Q Local application	: Painted on inflamed corns gives rapid and perfect relief.

- Thuja occ.** (bd) : It is a remedy for sensitive corns.
- Wiesbaden 200** : By using this remedy, one dose every fourth day, corns and callosities drop off. Indicated in burning and painful soft corns, especially between the toes.
- Every fourth day

NOTE: Corns are formed by pressure or friction or both from ill-fitted shoes. These can be hard or soft. Hard corns usually occur on the outer surface of the feet and soft occur between the toes where they are kept soft by moisture between the toes. It is essential that properly fitted shoes of soft leather or of other material should be used along with the treatment.

CORONARY THROMBOSIS

A clot of blood in the blood vessel or in the cavities of the heart is very dangerous. In such cases, help of a surgeon is necessary. In the meantime, the following remedies may be used according to the indications as a "First Aid":

- Arnica mont.** 200 (tds) : Bruised pain and tightness of the chest.
- Cactus Q** (tds) : Constriction in heart region as if squeezed with an iron band.
- 10 drops in $\frac{1}{2}$ cup of water
- Colocynthis** (tds) : When the disease is due to the effect of anger.
- Lachesis** (tds) : There is threatened paralysis of the left arm and left leg accompanied by numbness. Patient cannot bear tight clothes on the neck and abdomen.

CORYZA (COMMON COLD)

- Aconitum nap.** (qid) : Give in the beginning, at the start of the cold when the weather is very hot or very cold and there is much sneezing - for two days, four doses a day. If it fails, give Ferr-p.
- x 2 days

-
- | | |
|---|--|
| Allium cepa (qid) | : Allergic coryza from pollen. Much sneezing. Copious, watery and extremely acrid discharge. Coryza with cough and headache. |
| Ammonium carb. (tds) | : Discharge of sharp burning water. Stoppage of nose at night. Coryza of long standing. |
| Argentum nit. (tds) | : Coryza with chilliness, lachrymation and headache. Ulcers on septum. |
| Arsenicum alb. (tds) | : For ripe cold. Thin watery discharge which is hot and excoriating. Nose feels stopped. Sneezing gives no relief. It is worse in the open air and better indoors. |
| Arum triph. (qid) | : Acrid, excoriating discharge. Nostrils sore. Nose obstructed. Must breathe through the mouth. Irritation in nostrils. Discharge maybe bloody. |
| Arundo (tds) | : A remedy for catarrhal states. Burning and itching of the nostrils. Coryza and sneezing due to pollen allergy. |
| Bacillinum 200 (hs)
Repeat after a week | : Patient has less resistance to take cold. He gets coryza often. |
| Belladonna (tds) | : Coryza - mucus mixed with blood. Tingling at the tip of the nose which is usually red and swollen. Cough may accompany; when it does, it is tickling, short and dry and worse at night. Continuous inclination to swallow mucus. |
| Calcarea carb. (tds) | : The patient takes cold early, specially at every change of weather. Nostrils are dry, sore and ulcerated. The nose is stopped, the discharge is of yellow color and is fetid. |
| Calcarea sulph. (tds) | : Cold in the head with thick, yellowish, purulent secretion frequently tingled with blood. One-sided discharge from the nose. Discharge is yellowish, thick, excoriating and abundant. |
| Dulcamara (tds) | : Profuse coryza during rain or when the days are hot and nights are cold. Coryza in new born babies. |
| Eucalyptus (tds) | : Thin watery coryza with fetid discharge. Nose does not stop running. Water comes out even |

- on bending the head forward and without any effort.
- Euphrasia 6 (qid)** : Cold fully established with watering of eyes. Thick discharge but non-irritating.
- Ferrum phos. 6x (qid)** : During the second stage of coryza, when there is heaviness of head also.
- Hepar sulphuris 1x (tds)** : It will often start secretion and profuse discharge in snuffy colds. Two or three doses are generally sufficient for the purpose. Sneezes everytime he goes in the cold dry wind. Nostrils ulcerated.
- Iodium (tds)** : Coryza when the discharge is thick and of yellowish color.
- Ipecacuanha (tds)** : Coryza with stoppage of nose and nausea.
- Kalium bich. (tds)** : Snuffles of children. Fullness and blockage on either side of the nose. Mucus drips down in the back of the throat. The mucus is tough, ropy and profuse. It is specially indicated in fleshy, fat and light complexioned patients. There can be violent sneezing.
- Kalium hydriod. (tds)** : A good remedy for thin, watery, profuse, acrid coryza.
- Lemna minor (tds)** : Discharge very abundant and foul smelling. Nasal obstruction.
- Lycopodium (tds)** : Fluent coryza. Ulcerated nostrils. Nose stopped up.
- Mentholum (tds)** : It is curative of acute nasal catarrh with pain in the eyeballs and frontal headache. Ears appear blocked up as in deafness and sore throat.
- Mercurius sol. (tds)** : Acrid discharge. Very thick greenish discharge, has to be blown out. Sneezing in the sun. It is worse in damp weather. Nostrils become ulcerated.
- Natrium mur. 200 (od)** : Violent, fluent coryza. After 2-3 days nose becomes stopped and the patient has to breathe through his mouth. Discharge is thin and watery with violent sneezing. If used on

- commencement of sneezing, it often controls further worsening. Nose is sore, especially the left wing.
- Natrium sulph.** 6x (qid) : Stuffy nose. Yellowish-green, offensive, phlegmy cough.
- Nux vomica** (tds) : Coryza with frequent sneezing and obstruction of nose during the night. Snuffles in new born infants. Open air gives relief. Acrid discharge. Sometimes bleeding during day only with a feeling of obstruction in the nose.
- Ocimum sanctum** 3x (tds) : Nasal catarrh with sneezing and white or yellow discharge. Lachrymation of eyes and ophthalmia.
- Populus candicans** (tds) : 5 drops a dose, three times a day is very useful for colds especially with a hoarse voice or even with loss of voice.
5 drops in ½ cup of water
- Phosphorus** (bd) : Periostitis of nasal bones. Chronic catarrh with small hemorrhages. Handkerchief is always bloody.
- Phytolacca dec.** (tds) : Flow of mucus from one nostril and posterior nares.
- Psorinum** 1M (hs)
Repeat after 15 days : One dose often gives immunity from catching cold.
- Pulsatilla nig.** (tds) : Coryza with stoppage of right nostril.
- Quillaya sap.** (tds) : If given early, in the beginning of the coryza, it stops the further development of cold. Sore throat, dryness of throat and cough with difficult expectoration.
- Rhus tox.** (tds) : Coryza from exposure to cold, wet winds and on getting wet while perspiring. Sneezing. Tip of the nose is red, sore, ulcerated and swollen.
- Sabadilla** (tds) : Coryza with spasmodic sneezing, severe frontal pains, redness and watering of eyes, sore throat beginning on left side with tough mucus. Symptoms better hot food and hot drinks, and worse cold food and cold drinks. No thirst.

- Sambucus nigra** (tds) : Dry coryza of infants. Difficult breathing and noisy breathing startle the child. Snuffles in infants.
- Saponaria off.** 10M (hs) : It breaks up the cold, coryza and sore throat. The patient behaves as if drunk.
- Solanum nig.** (tds) : Acute coryza, watery discharge from the right nostril, left stopped up, with a chilly sensation alternating with heat.
- Triticum rep.** 1x (tds) : It is an excellent remedy for coryza when the patient blows his nose constantly, even when the discharge does not come on each occasion.
- Trombidium** (tds) : Discharge from nose while bending the head during eating or drinking.

COUGH

- Aceticum acidum** (tds) : Cough in patients suffering from phthisis. Chronic cough with purulent expectoration.
- Aconitum nap.** (tds),
Hepar sulphuris (tds) : Violent, dry cough due to exposure to cold, dry wind.
- Agaricus mus.** (tds) : Cough ending with a sneeze and worse after sleep. Mucus is expelled in little balls.
- Ambra grisea** (tds) : Eructations with violent convulsive cough. Asthmatic breathing with eructations of gas. Gets out of breath when coughing. Tickling in throat, larynx and trachea.
- Ammonium carb.** (tds) : Cough of old people with asthmatic breathing. Mostly at 3 o'clock and worse after sleep. It produces great weakness.
- Antimonium tart.** (tds) : Hoarseness. Great rattling of mucus but very little comes out. Dyspnea better lying on the right side.
- Argentum met.** : Cough from laughing.
- Arsenicum alb.** (tds) : Cough worse after midnight and lying on the back. Burning in the chest. Wheezing respiration. Expectoration, scanty and frothy.

-
- Badiaga** (tds) : Cough worse in the afternoon and better in a warm room. Wheezing. Thick yellow mucus flies out of the mouth and nostrils on coughing.
- Belladonna** (tds) : Paroxysmal dry cough in the evening and early night which turns face red. Tickling in the throat. Dyspnea. Cough provoked on speaking or on exertion. Pain in the hips on coughing. Expectoration may be bloody. Barking or whooping cough with pain in the stomach before an attack.
- Bryonia alba** (tds) : Dry cough worse on movements, with pain in head and chest. Cough at night making the patient sit up to avoid suffocation. Cough with headache.
- Calcarea carb.** (tds) : Tickling in the throat, larynx and under the sternum brings hacking cough which is worse during and after eating.
- Capsicum** (tds) : Dry hacking cough expelling an offensive breath. Explosive cough with pain in bladder, ears, legs or in distant parts with fetid expectoration and fetid breath. Causes tears in the eyes and pain in the legs and ears.
- Carbo veg.** (tds) : Cough caused by itching of larynx; hoarse, spasmodic with smell of sulphur vapor in the throat. It is relieved by cold and cold drinks. Wheezing and rattling of mucus in the chest on coughing.
- Causticum** (tds) : Dry cough in the evening from tickling in the trachea, also induced by speaking. Involuntarily urination on coughing and pain in the hips. Cough of old people. Cough with soreness of the larynx and chest. Mucus seems stuck in the throat and is hard to expel.
- Chamomilla** 200 (bd),
Cyclamen (tds),
Nitricum acidum (tds) : Dry cough during sleep. Rattling of mucus in the child's chest and suffocative tightness of the chest. Cough of children during sleep without disturbing the sleep.
- Chelidonium** (tds) : Very quick and short respiration. Short exhausting cough. Sensation of dust in the

- throat, not relieved by coughing. Loose, rattling cough with difficult expectoration. Pain on the right side of the chest and shoulders. Small lumps of mucus fly from the mouth when coughing.
- Cina** (tds) : Dry, hollow, hoarse cough of children with worm symptoms. Gurgling from throat to stomach after coughing.
- Coccus c.** (tds) : Troublesome cough of drunkards. Accumulation of thick viscid mucus, which is expectorated with great difficulty. Attack of whooping cough ends with vomiting of this mucus. Suffocative cough; worse first waking, with tough, white mucus which strangles.
- Colchicum autum.** (tds) : Cough at night only, with involuntary passing of urine.
- Croton tig.** (tds) : Cough as soon as he touches the pillow, must get up. Deep breathing causes cough.
- Cuprum met.** (tds) : Cough has a gurgling sound and is relieved by drinking cold water. Suffocative attacks worse at 3 a.m..
- Cyclamen** (tds) : Cough while asleep without waking, specially in children.
- Drosera** (tds) : Cough is hoarse, barking and laryngeal. Constriction of chest and abdomen. The patient holds them with hands. Throughout the day there is no cough at all but it starts as soon as the head touches the pillow at night. Whooping cough. The paroxysms of cough follow each other very rapidly.
- Dulcamara** (tds) : Winter cough. Must strain to expel mucus. Must cough a long time to expel phlegm. Cough after physical exertion.
- Eupatorium perf.** (tds) : Cough arising from irritation of liver. Cough at night loose with hoarseness. Soreness of the trachea and sensation of scraping in the bronchi. Cough with soreness of chest compelling the patient to hold his chest with his hands. Restlessness.

-
- Hepar sulphuris** (tds) : Choking cough, dry and hoarse cough worse dry cold winds and when any part of the body gets cold or uncovered or while eating anything cold.
- Ipecacuanha** (tds) : Cough with nausea and mucus which is expelled by some efforts. Suffocative cough; child becomes stiff and blue in the face.
- Justicia adhatoda** (tds) : It is an excellent remedy in all sorts of coughs including whooping cough when used in the early stages and not below 30c. Cough with coryza, constant sneezing and profuse watering from the nose. The cough is however dry and accompanied by breathlessness. In so called pollen allergy its action lies between *Allium cepa* and *Euphrasia*.
- Kalium bich.** (tds) : It is of great value in chronic catarrhal inflammations of the pharynx, and cough. The expectoration is very stringy, and it sticks to the pharynx and tongue. After coughing and raising the mucus, the patient needs to blow the nose and it gives a sense of relief. Cough is better from warmth and sometimes from lying down. Ant-t. follows well and completes the cure started by Kali-bi.
- Kalium carb.** (tds) : Cough between 2 to 3 AM with stitches in the chest. Expectoration is scanty and tenacious, but increases in the morning and after eating.
- Laurocerasus Q** (tds)
2-5 days : Spasmodic tickling cough especially in cardiac patients, is often magically influenced by this drug. Dose, 2 to 5 drops in water, thrice daily.
- Lycopodium** (tds) : Cough returning at the same hour every day. Expectoration may be bloody. Worse 4-8 PM. Throbbing headache after every paroxysm of cough. Expectoration gray, thick, purulent and salty.
- Mephitis** (tds) : Cough following influenza. Violent spasmodic cough, worse at night.

Mercurius sol. (tds)	: Burning in the throat on coughing. Cough with yellow muco-purulent expectoration.
Myrtus comm. (tds)	: Obstinate cough, mostly dry with pain in the upper portion of the left chest to the left shoulder blade.
Natrium carb. (bd)	: Cough worse when coming into a warm room from outside.
Natrium mur. 200 (od)	: Cough with bursting pain in the head, stitches in the chest and flow of tears while coughing. Cough from tickling in the pit of the stomach.
Nitricum acidum (tds)	: Cough during day only with taste of blood in the mouth. Dry, hacking cough from tickling in the larynx.
Nux vomica (tds)	: Cough brings on bursting headache and bruised pain in the epigastric region.
Osmium (tds)	: Very noisy, dry, hard cough shaking the whole body of the patient.
Phellandrium aqua. (tds)	: Cough with fetid expectoration early in the morning.
Phosphorus (bd)	: Persistent cough from strong odors is cured by this remedy. Dry, hoarse and barking cough provoked by strong odors.
Phytolacca dec. (tds)	: Dry, hacking, tickling cough worse at night. Pain in the chest under the sternum on coughing. Cough from tickling in the throat; worse cold air, laughing and talking.
Psorinum (od)	: Cough returns every winter.
Pulsatilla nig. (tds)	: Dry, hard cough with great weakness in the chest. Dry cough in the evening and at night. Must sit up in bed to get relief. Loose cough in the morning, with copious mucoid expectoration. Urine is emitted on coughing.
Rhus tox. (tds)	: Bronchial coughs of old people, worse on awakening and with expectoration of small plugs of mucus. Cough in fevers and on getting wet when perspiring.
Rumex crispus (tds)	: Cough caused by deep inspiration

- accompanied with great fatigue. Stitches in the chest. Involuntary urination on coughing. Dry teasing cough, preventing sleep. Touching the throat pit brings on cough.
- Sambucus nigra** (tds) : Suffocative cough, coming on about midnight with crying and dyspnea. Child awakens suddenly, nearly suffocated, sits up, turns blue. Expectoration of small quantities of mucus, only during the day.
- Sanguinaria** (tds) : Cough of gastric origin relieved by eructation. Cough with pain and burning in the chest, worse right side. Mucus tough, rust colored, fetid and very difficult to raise.
- Senega** (tds) : Cough with rattling, wheezing and difficult breathing. Great accumulation of mucus. Very useful for old people. Cough ends in sneezing. Bursting pain in the back on coughing.
- Spongia** (tds) : Great dryness of the air passages. Dry cough sounding like sawing of wood or barking. Hoarseness due to cough. Tickling in the throat. Cough relieved by eating or drinking, specially warm drinks.
- Squilla maritima** (tds) : Cough with sneezing, watering of eyes and involuntary urination. Child rubs face with fist during cough. Stitches in the chest. Loose and rattling cough with much mucus. Cough during measles.
- Sticta pulm.** (tds) : Cough after measles, worse towards evening and when tired.
- Stannum met.** (tds) : Influenzal cough from noon to midnight with little expectoration. During the day, expectoration is copious, green and sweetish. Violent, dry cough in the evening.
- Sulphur** 200 (hs)
Repeat every 3rd day : Cough loose with rattling of mucus in the chest, worse after a bath and in the morning.
- Trillium pend.** (tds) : Cough is followed by hiccoughs.
- Tuberculinum** 200 (hs)
Repeat after a week : Hard, dry cough during sleep. Expectoration thick, profuse and easy. Suffocation even in

- plenty of fresh air. Longs for cold air. Rales all over the chest.
- Vanadium** (tds) : Cough dry, irritating, paroxysmal, sometimes with bleeding.
- Veratrum alb.** (tds),
Ambra grisea (tds) : Cough followed by eructations of gas. Cough on entering a warm room from cold air.
- Verbascum** (tds) : Cough deep, hoarse, hollow which sounds like a trumpet.

NOTE: Cough is a natural way to clear the lungs and remove phlegm from them.

CRAMPS

- Acidum sulph.** : Writers cramps in fingers when writing.
- Agaricus mus.** (tds) : Cramps in soles.
- Ambra grisea** (tds) : Cramps in hands and fingers specially when grasping anything. Cramps in legs.
- Ammonium carb.** (tds) : Cramps in calves and soles.
- Apocynum can.** (tds),
Carbo veg. (tds) : Cramps in soles.
- Argentum met.** (tds) : Cramps in hands and feet. Weakness in the right arm and tearing sensation in the wrist and the finger tips.
- Arnica mont.** (tds) : Cramps come on as a result of over-exertion or from muscular fatigue. Limbs feel as if beaten. Cramps are better on starting to move and are worse from prolonged movements, from heat and light pressure.
- Bismuthum** 6 (tds) : Specific for Writer's cramps.
- Calcarea carb.** (tds) : Cramps of severe nature, specially in calves, fingers and toes. Worse at night and on stretching.
- Camphora** Q (bd)
10 drops in ½ cup of water : Cramps in the body with icy coldness of the limbs and body.
- Carbolicum acidum** (tds) : In the lower legs while walking.

-
- Cholas terrapina** (tds) : Simple cramps in muscles of calves and feet with pains like rheumatism.
- Cocculus ind.** (tds) : Cramps in the chest.
- Cuprum ars.** (tds) : Cramps in the calves of legs worse after midnight. These are relieved by standing.
- Cuprum met.** 12 (tds) : Never fails in cramps of calves, feet or legs, soles, palms, fingers and toes.
- Cyclamen** (tds) : Writer's cramps. Pain in the bones of the hands.
- Eugenia jam.** (tds) : Nocturnal cramps in the soles of feet.
- Ferrum met.** 6 (tds) : Cramps in calves, soles and legs.
- Gelsemium** (tds) : Cramps in muscles of forearm. Trembling and weakness in all the limbs.
- Gnaphalium** : Cramps in the legs and feet when in bed.
- Lycopodium** : One foot cold, the other hot, sudden jerking of the leg in the middle of the right.
- Magnesium phos.** 6x (tds) : Writer's and players' cramps in wrists, hands and fingers due to excessive and long writing or use of fingers and hands. Numbness is usually present and there is relief by pressing the affected part, by warmth and massage.
- 1M (hs)
- Natrium phos.** (tds) : Cramps of feet, calves and hands on writing.
- Nux vomica** (tds) : The legs feel numb, almost paralysed. Cramps in calves and soles.
- Petroleum** (tds) : Chronic or acute, persistent, violent and firm cramps, with cracking of joints.
- Plumbum met.** (tds), : Cramps in calves and toes at night in bed.
- Lycopodium** (tds)
- Podophyllum** (tds) : Cramps of the intestines.
- Rhus tox.** (tds) : Cramps by swimming in cold water. Cramps in the calf muscles and legs by stretching, specially at night. Cramps worse rest and better by movements.
- Scrophyllaria nodosa** (tds) : Cramps in palms or in any part of the body in the vicinity of an enlarged gland.
- Secale cor.** (tds) : Violent cramps better by cold and cold applications. Violent pain in finger tips. Icy coldness of extremities.

- Sulphur** : When there is a burning of soles and the person has cramps in calf, foot or heel.
- Veratrum alb. (hs)** : One dose taken at bedtime for 3 or 4 nights prevents cramps during the night, specially in calves.
- Viburnum op. 3x (tds)** : Cramps in the abdomen and legs of pregnant women are controlled very quickly by this remedy. It is a general remedy for all cramps, specially in ladies with uterine troubles.

NOTE: A lazy liver could be a source of cramps. Deficiency of calcium, potassium, magnesium and copper can also be the source of cramps.

CRAVINGS


- Allium cepa (tds)** : Craving for raw onions.
- Alumina (tds)** : Cures craving for eating chalk, charcoal uncooked rice, tea and coffee seeds.
- Angustura vera 6 (tds)** : The characteristic symptom of this remedy is great craving for coffee.
- Argentum nit. (tds),
Thyreoidinum (tds)** : Craving for sugar and sweets.
- Calcarea carb. (tds)** : Craving for eggs, lime, slate, pencils, chalk, clay, raw potatoes, sweets, ice cream and dirt.
- Calcarea phos. (tds)** : Cures craving for fried foods, hams and smoked meats.
- Causticum (tds)** : Young girls crave for marriage.
- Cicuta vir. (tds)** : Cures craving for eating charcoal and raw potatoes.
- Cyclamen (tds)** : Craving for eating fish.
- Guaiacum off. (tds)** : Cravings for stretching limbs and body.
- Hepar sulphuris (tds)** : Cures cravings for pickles and vinegar.
- Iodium (tds)** : Cravings for meat.
- Kalium bich. (tds)** : Longing for beer.

Magnesium carb. (tds)	: Craving for meat in children.
Manganum acet. (tds)	: Desire for always lying down in bed.
Medorrhinum (tds)	: Craving for salt, sweets, fruits and ice.
Mercurius sol. (tds)	: Craving to eat cow dung and mud.
Natrium sulph. (tds)	: Craving for ice and icy cold water.
Nitricum acidum (tds)	: Cures longing for indigestible things like chalk, sand, dirt, ashes, hair, soap, etc. A condition called "Pica"
Nux vomica 10M (hs)	: A single dose usually takes away the craving for drugs.
Palladium met. (hs)	: Craving to be flattered. Flattery pleases the patient.
Phytolacca dec. (tds)	: Cures desire for biting teeth and gums.
Rhus tox. (tds)	: Craving for milk.
Sanguinaria (tds)	: Craving for toffees, gol ghappas, ice creams and such things but does not want bread.
Selenium met. (tds)	: Mad craving for spirituous liquors.
Sepia (tds)	: Desire in women for wine, vinegar and sweets.
Sulphur (od), Phosphorus (tds), Plumbum met. (tds), Acidum sulph. (tds)	: All these remedies are useful for removing cravings for alcohol.
Tarentula his. (tds)	: Cures cravings for eating sand and ashes, specially during pregnancy.
Thlaspi bursa (tds)	: Craving for buttermilk and for eating cheese.
Veratrum alb. (tds)	: Craving for eating his own stool, drinking his own urine.

CROHN'S DISEASE

Lymph nodes enlarged

Mesentery thick
and edematous



This is a chronic condition affecting young adults, giving rise to mild diarrhea and abdominal pain initially.

Typically, it affects terminal 10-20 cm of the ileum but may be found in any part of the intestinal tract including mouth, esophagus and anus. The wall is greatly thickened, especially the sub-mucosa which is edematous and may have a gelatinous appearance. The lumen is narrowed, producing sub-acute or chronic obstruction. Ulceration is always present.



Ulcers are narrow and linear (fissures)

Surviving mucosa is swollen and protrudes as cobbles surrounded by ulcers

The disease is named after Dr. Burnill B. Crohn Amer, a gastroenterologist. Symptoms resemble enteritis and colitis. There is diarrhea, abdominal pain, fever and gradual loss of weight. In severe cases, blockage of intestines occur causing ulcers and fistulas of the intestines. Women between the age of 20 to 35 years are more prone to the disease.

Steroids are used in allopathic treatment, to reduce the inflammation but their use can cause hives, shortness of breath, low blood pressure, nausea or fatigue.

Surgical treatment consists of cutting off the diseased portions. But because the disease can take hold anywhere in the digestive tract from mouth to anus, surgery can never offer a final cure.

Homeopathy has given good results when the disease is treated on its symptoms alone and not on the name. Section "Colitis"- may prove useful in this respect.

CROUP

(SEE ALSO 'BREATHLESSNESS' AND 'LARYNGITIS')

Any affection of the larynx in children, characterized by difficult and noisy respiration and a hoarse cough is known as croup.

- Aconitum nap.** (tds) : This remedy should be given in the beginning when there is a dry, barking cough with restlessness and a desire for drinking cold water.
- Chloralosum** (tds) : The patient can inhale air easily but cannot exhale. Extreme breathlessness and constriction of the chest.
- Hepar sulphuris** (tds) : Croup during the cold dry winds. Dry, barking, choking cough and whistling respiration.
- Moschus Q** : Sudden constriction of larynx and trachea without cough, hoarseness or catarrh. Put a few drops on cotton and keep it near the nostrils of the patient to inhale. It gives relief and suffocation is avoided.
- Sanguinaria** (tds) : Cough with wheezing and whistling. Severe breathlessness and constriction of the chest.
- Spongia** (tds) : Respiration is short and difficult with a sensation as if the larynx is plugged. Cough with a sound as if wood is being cut with a saw.

NOTE: During the attack, the patient should not be allowed to sleep to avoid choking and suffocation.

CURVATURE OF BONES

- Calcarea carb.** (tds), : Curvature of the bones of the spine.
Baryta carb. (tds),
Acidum phos. (tds)

Kalium carb. (tds)	: Curvature of bones of the hip joint.
Silicea (tds)	: Curvature of bones. It covers inflammation, softening and necrosis of bones. Also fistula and abscess of the bones.
Sulphur (od)	: Curvature of the backbone and ribs.
Thuja occ. (bd)	: Head sinks into the knees on sitting on the floor or is bent backward, cannot sit erect.

CYSTIC FIBROSIS

This disease is connected with glands specially those which secrete mucus, resulting in inefficiency of the pancreas, lungs, etc. Thick mucus produced in the body keeps the pancreas from providing digestive enzymes and the lungs from providing sufficient oxygen. The disease attacks youngsters and young adults. No reliable cure is available in any system of medicine. Homeopathic remedies have proved useful as palliatives, guided by symptoms.

It is a hereditary disease which usually ends in death. A deficiency in a person's genetic makeup causes a thick build up of mucus in the body, affecting the pancreas, intestines and lungs. Lungs become weighty with the fluid causing major breathing problems. About one in 2500 infants born in Canada, later show this disease. The disease involves exocrine glands specially those secreting mucus and sweat. Replacement of patients lungs with healthy donated lungs surgically has saved some lives. If it is situated in lungs, excessive sticky mucus clogs the airway and its build-up causes damage to the lung tissue providing an ideal breeding ground for infections. Its presence in the digestive tract blocks absorption of nutrients. If it is in the pancreas, it blocks the pancreatic ducts preventing pancreatic enzymes from reaching the intestines to digest food. It causes diabetes also. Replacement of patients lungs with healthy donated lungs surgically has saved some lives.

With homeopathic treatment, the life span of such patients can, perhaps, be prolonged.

CYSTITIS (INFLAMMATION OF URINARY BLADDER AND KIDNEYS)

ACUTE CYSTITIS

- Aconitum nap.** (tds) : In recent cases, accompanied with high fever and restlessness. Burning pains in the bladder with pains during urination.
- Apis mel.** (tds) : Frequent desire or increase in quantity of urine with burning. Urine contains blood. More indicated in women.
- Berberis vulg.** Q (tds) : Great burning in the bladder and pain along the urethra. Worse before and after urination.
10 drops in $\frac{1}{2}$ cup of water,
- Cantharis** Q (tds)
10 drops in $\frac{1}{2}$ cup of water
- Cantharis** (tds) : Cystitis with a non-stop desire to urinate. Burning, cutting pains in the abdomen and aching in the small of the back. Urine is voided in drops, is burning and may contain blood.
- Dulcamara** (tds) : Inflammation of the bladder. Urine is milky, thick with mucus and blood. It is specially useful for old people.
- Epigea repens** (bd) : Chronic cystitis with dysuria. Burning in the neck of the bladder while urinating and tenesmus afterwards.
- Equisetum** (tds) : Cystitis of old people with deep colored urine and pain while urinating.
- Lycopodium** : Severe, painful urge to pass urine at night. The bladder does not feel empty and the pain and burning remain after urination.
- Mercurius cor.** : Onset of cystitis is less intense; there can be blood in the urine in the early stage. Symptoms are worse at night and there is excessive production of saliva.
- Nux vomica** (tds) : Despite a frequent need to urinate, a little urine can be voided and there is pain in doing so. Chill and irritability is generally present.

- Populus t.** (tds) : Catarrh of bladder in old people and cystitis after surgeries and pregnancy.
- Sarsaparilla** : Pain worse at the termination of urination. Frequent desire and burning.
- Sepia** : Leakage of urine when laughing, coughing or sneezing. Pain in the lower abdomen if there is a delay in the passage of urine. The urge is frequent and sudden.
- Staphysagria** (tds) : Cystitis with a continuous burning sensation and a feeling that a drop of urine is constantly trickling through the urethra. The patient is restless and angry. Such a condition can be a result of sexual intercourse or catheterization. Cystitis and cystocele during puerperium and delivery .
- Triticum rep.** Q (tds) : A good remedy for chronic cystitis. There is a constant desire to pass urine. Urination is painful and difficult.
10 drops in ½ cup of water
- Tuberculinum** 1M (hs) : In chronic cystitis, its use gives brilliant and permanent results.
Repeat after 15 days
- Vesicaria** Q (tds) : Smarting and burning sensation along the course of urethra and bladder with a frequent desire to void urine, often accompanied by pain and passage of urine in drops.
5-10 drops in ½ cup of water
- Xanthinum** (tds) : Chronic cystitis in women.

CHRONIC CYSTITIS

- Lycopodium** : There is severe, painful urge to pass urine at night. The bladder does not feel empty. Pain and burning remain after urination.
- Pulsatilla** : Urine leaks on coughing and sneezing, specially during pregnancy. Pain in the bladder is worse after urination.
- Sepia** : Leakage of urine when laughing, coughing or sneezing. Pain in lower abdomen if passage of urine is delayed. The urge is frequent and sudden.

Note: Cystitis involves associated organs, kidneys, prostate and urethra. In acute cases, there is frequent and painful urination but in chronic cases, polyurea is the only symptoms.

CYSTS

(SEE ALSO 'WENS')

- | | |
|---|---|
| Apis mel. (tds) | : Serous inflammation with effusion of membranes in any part of the body as cyst-like swellings produced by the sting of bees. |
| Aurum iod. (tds) | : Ovarian cysts. |
| Baryta carb. (tds) | : It has an effective action on the coats of glandular structures and is useful in treatment of cysts of kidneys, liver and other glands. |
| Bryonia alba (tds),
Sulphur (od) | : They absorb serous exudates. |
| Caladium seg. (tds) | : Cysts on the eyelids. |
| Calcarea fluor. (tds) | : Cysts on the eyelids. |
| Calcarea sulph. (tds) | : Cystic tumor after pus has found its vent. |
| Mercurius sol. (tds) | : Hard and large cysts on the tongue. |
| Nitricum acidum (tds) | : A cystic tumor in the region of the earlobe. Cysts on the eyelids, if above remedies fail. |
| Oophorinum 3x (tds) | : It is an important remedy for ovarian cysts. |
| Silicea (tds) | : Vaginal cysts and cysts on any organ which tend to suppurate. |
| Staphysagria (tds) | : Cysts on the eyelids, appearing after styes. |
| Thuja occ. (tds) | : A cyst at the tip of the tongue, small and soft. |
| Vanadium 6 (tds) | : A useful remedy for the treatment of sebaceous (containing fatty matter) cysts (wens) on arteries of the brain and liver. |

DANDRUFF (SEBORRHEA)

- | | | |
|--|---|---|
| Armoracia sat. Q
Locally | : | Mixed with an equal quantity of mustard oil, cures dandruff when rubbed on the scalp. |
| Arsenicum alb. (bd) | : | Scalp is covered with white, dry scales which itch intolerably, specially in weak persons. |
| Baryta carb. | : | It has an effective action on the coats of glandular structures and is useful in treatment of cysts of kidneys, liver and other glands. |
| Calcarea carb. (tds) | : | Dandruff. Roots of hair painful on combing. |
| Graphites (od) | : | Dandruff due to skin troubles like eczema. Hair matt together due to glutinous oozing of the scalp. Lots of itching. |
| Kalium mur. (tds) | : | Whitish and copious dandruff. |
| Kalium sulph. (tds) | : | Ringworm eczema of the scalp. Yellowish and copious dandruff. Itching worse by heat. |
| Lycopodium (tds) | : | Dandruff with itching of the scalp and headache worse after a hot water bath. Hair fall out in bunches on combing causing baldness on single spots. |
| Medorrhinum 200 (hs)
Repeat after 1 week | : | Dandruff with dryness of hair and itching of scalp. |
| Natrium mur. 200 (od) | : | Dandruff worse margins of the scalp. Oily, greasy skin of the scalp. Dandruff causes hair to fall in bunches when combed or scratched. |
| Phosphorus 200 (od)
For 3 days | : | Dandruff resulting in falling of hair in bunches. Itching of scalp. |
| Psorinum (tds) | : | Foul smelling dandruff. |
| Sanicula aqua 200 (hs)
Repeat after a week | : | Scaly dandruff over hairy parts of the body like head, eyebrows, eyelashes, pubis, etc. Repeat weekly. |
| Sepia (tds) | : | Ring-like eruptions on scalp with dandruff. |
| Sulphur 200 (hs) | : | Should be used at the beginning of the treatment and to end the treatment. Also when other indicated remedies fail to act. |

Thuja occ. (tds) : White dandruff resulting in falling of hair and drying of scalp.

NOTE: One dram each of **Armoracia sat. Q** and **Ceanothus Q** mixed with 10 drams of mustard oil rubbed on the head once daily cures dandruff within few days.

DEAFNESS

Acidum salicylic. 3x (tds) : Simple deafness with tinnitus and noises in the ears.

Arnica mont. (tds) : Partial or complete deafness resulting from a blow on the ear or a fall. Noises in the ears due to rush of blood to the head.

Baryta carb. (tds) : If the deafness is due to inflammation of the parotid gland and there is a crackling sound in the ears.

Calcarea fluor. (tds) : Hardness of hearing from calcareous deposits on the tympani.

Carbo veg. (tds) : Deafness as a result of measles.

Causticum (tds) : Deafness due to paralysis of the auditory nerve.

Chenopodium (tds) : Deafness to the sound of voice only.

Coca (tds) : Chronic deafness with noises in the brain.

Conium mac. (tds) : Hearing impaired due to wax in the ear. Useful for deafness of seniles.

Cicuta vir. 200 (od) : Deafness due to diseases of the brain.

Ferrum pic. 1x (tds) : Chronic deafness and tinnitus due to gout. Ear is dry and the blood circulation to the ear is defective. Vascular deafness.

Graphites (od) : Deafness in noisy places. Can hear better while riding a car or a bus.

Hepar sulphuris (tds) : Deafness due to perforation of the ear drum or an abscess in the ear.

Kalium mur. 6x (qid) : It is a general remedy for deafness when the cause is not known. It is specially indicated when there is a greyish discharge from the ear.

Ledum pal. (tds)	: Deafness due to suppression of coryza or from otorrhea.
Lobelia inflata (tds)	: Deafness due to suppression of a discharge or eczema of the ear.
Medorrhinum 1M (hs) Repeat after a week	: Total and chronic deafness. Burning and itching of the ears.
Mephitis (tds)	: Deafness from birth.
Mercurius dulc. 6x (tds)	: Deafness due to retraction of tampanic membrane which becomes thick and stops its vibrations.
Mercurius sol. (tds)	: Deafness as a result of tonsillitis. The patient feels that the eustachian tube is closed. It is also useful in deafness of advancing years.
Mezereum (tds)	: Deafness as a result of thickness of the membrana, tympani. It also cures deafness due to eczema of the ears.
Natrium sal. (tds)	: Progressive deafness on account of loss of bone conduction.
Phosphorus (od)	: Deafness to the sound of human voice.
Pilocarpus (bd), Graphites (od)	: Deafness better in noises and in running trains or flying aeroplanes, and if it is due to a defect in the internal cavity of the ears.
Pulsatilla nig. (tds), Iodium (tds)	: Deafness due to obstruction in the eustachian tube and also after measles or scarlet fever.
Silicea 3x (qid)	: Deafness due to perforation of tympanic membrane or ear drum.
Sulphur (od)	: Deafness as a result of smallpox.
Thiosinaminum (tds)	: Deafness due to the thickness of the drum and fibrous changes in the nerve.
Verbascum (tds)	: For deafness, if the patient complains that something is covering the ear drum. Use orally in 30 potency and instill 2-3 drops of its oil in the ears.

NOTE : Outer air cells of the ear gather the sound and send it to the inner cells (which are about 15000) and snail-like, cone shaped tube forming a portion of the inner ear called “cochlea”. Cochlea is the receptor for

hearing and it passes the signals to the brain producing hearing. The hearing loss is mostly “sensory neural” and is caused by aging, loud noises, injuries or blows to the ear.

DEATH

- Aconitum nap.** (tds) : Predicts the day of death. Fears death and believes that he will die soon.
- Agnus castus** 6 (tds) : Fear of death makes him sad. He apprehends fast approaching death. Lack of courage.
- Antimonium tart.** (tds) : Coma with a pale face and blue lips showing apparent death.
- Arsenicum alb.** 200-1M (hs): Removes restlessness. Gives quiet and ease to the last moments of life. A dose will ease the final departure.
- Aurum met.** (tds) : The patient wants to commit suicide, but has a great fear of death.
- Camphora** 1x (tds) : Apparent death when the cause is not known.
- Helleborus** (tds) : Predicts the day of death without any fear of it.
- Hydrastis** (tds) : Sure of death and desires it.
- Psorinum** : Feels that death is near and must hurry to settle affairs and make a will.
- Pulsatilla nig.** (tds) : Rattling in the throat before death is eased by two doses, and it eases the final departure.
- Tarentula cub.** 200 (hs) : Soothes the last struggle and pain of death, and will ease the final departure.

DEBILITY (SEE ‘WEAKNESS’)

DECEIVING (SEE 'CHEATING')

DEHYDRATION

The process of dehydration occurs when output of water exceeds the water intake. It may result from excessive vomiting or excessive passage of urine or excessive perspiration or diarrhea. The clinical signs of dehydration are sticky mucous membranes, dry or sunken eyes, doughy skin. There are no sure indications of how severe dehydration is. Whenever there are prolonged bouts of diarrhea, etc., treatment of the diseases may be given with the indicated remedies. In addition, the following rehydration salt formula may be given in as much quantity as possible. In many cases it will cure. The following remedies selected according to the indications will prove useful:

China off., Chininum ars., Psorinum, Acidum phos., Picricum acidum, Magnesium sulph., Sulphur and Natrium mur.

REHYDRATION SALT FORMULA

- | | |
|-----------------------|--------------|
| 1. Water | : 1 litre |
| 2. Common salt | : 3.5 grams |
| 3. Potassium chloride | : 1.50 grams |
| 4. Sodium citrate | : 2.09 grams |
| 5. Glucose | : 20 grams |

Half a lemon of normal size can be substituted for potassium chloride and sodium citrate, and sugar can be given instead of glucose.

DELIRIUM

Delirium is an altered state of consciousness, consisting of confusion, distractability, disordered thinking and memory, defective perception, prominent hyperactivity and agitation.

Arnica mont. (tds) : Delirium, with talk about death; raves at night, springs out of bed with great heat.

Agaricus mus. (tds)	: Makes prophecy during delirium. Although excited, he is sad. Talkative.
Arsenicum alb. (tds)	: Delirium due to fear and anxiety when left alone.
Baptisia (tds)	: Delirium during diphtheria.
Belladonna (tds)	: Violent delirium with bloodshot eyes. Head is hot but extremities are cold. The patient tears clothes, strikes and bites.
Bufo rana (tds)	: Delirium during dysentery and diarrhea.
Cocculus ind. (tds)	: Delirium at the onset of menses.
Cuprum met. (tds)	: Delirium in cholera and also due to suppression of menses.
Hyoscyamus nig. (tds)	: Delirium from accusations, insults or jealousy and suspicion. Sings obscene songs. A mild type of delirium with no violence.
Lachesis (tds)	: Muttering delirium during menopause and suppression of menses. Choking sensation in the throat.
Opium (tds)	: Delirium due to fear of ghosts, devils and furious animals.
Stramonium (tds)	: Laughs incessantly without any cause. Sings and claps hands. Murmuring, appears as if talking to invisible persons and souls.
Veratrum vir. (tds)	: Delirium during childbirth or septic fever.
Zincum met. (tds)	: Delirium during high temperatures and unconsciousness. Jerking of the limbs.

NOTE : When sleep puts an end to a delirium, it is a good sign.

DELIVERY

(SEE ‘LABOR’)

DENTITION

- | | |
|---|---|
| Aconitum nap. (qid) | : Fever with restlessness. Child cries due to pain. |
| Actaea rac. (tds) | : Sleeplessness during dentition. |
| Aethusa cyn. (tds) | : Convulsions from teething. Child lies unconscious, with dilated pupils, staring eyes, eyeballs turned downwards, thumbs and fingers bent inwards, cold limbs and body convulsed. |
| Belladonna (qid) | : Convulsions during the teething period, followed by sleep. |
| Borax (tds) | : Dentition with aphthae. Children startle at night on any sudden noise. Dread of downward motion. |
| Calcareo phos. (tds) | : In pale children, teeth appear late. During dentition, flatulent diarrhea of greenish thin stools; child refuses to nurse or wants to be nursed all the time. |
| Chamomilla (qid),
Calcareo carb. (tds) | : Fever, restlessness, irritability, diarrhea of sour, green and watery stools. |
| Cimicifuga (bd) | : Sleeplessness of children during dentition. |
| Kreosotum (tds) | : Teeth often decay after appearing. Very painful and difficult dentition, worse during the night, as a result, the child gets little sleep and wants to be petted all the time. Constipation, stool very hard and dry or diarrhea with dark brown, watery and very offensive stools. |
| Magnesium carb. (tds) | : Diarrhea, stools green and like chopped spinach. |
| Mercurius sol. (tds) | : Great soreness of the gums. |
| Phytolacca dec. (tds) | : Child bites the teeth and gums together during dentition. |
| Podophyllum (tds) | : Child presses the gums together or tries to chew something hard. Diarrhea during dentition. |
| Terebinthiniae (tds) | : During the period of dentition, urine is suppressed. Child screams and cannot sleep. Twitching. Swelling of gums. Otitis. |

DEPRESSION

- Aconitum nap.** (tds) : Depression with anxiety.
- Agnus castus** (tds) : Depression due to impotency.
- Ambra grisea** (tds) : Senile depression.
- Ammonium carb.** (tds) : Depression of spirits. Uneasy. Dyspnea due to weakness. Weeps and cries, and has fainting fits.
- Arsenicum alb.** (tds) : Sadness, restlessness, irritability, anxiety and fear. Thinks it is useless to take medicines for depression. Depression on account of hidden feeling of guilt.
- Aurum met.** 200 (od) : Nervous breakdown. Thinks of committing suicide but fears death greatly. Disgusted of life and thoughts of profound despondency. Peevish. Rapid and constant questioning without waiting for the answers. Over-sensitive to noise.
- Benzoicum acidum** : Depression on account of some unpleasant events of the past. He/she dwells on such events too much.
- Cadmium sulph.** 200 (od) : Depression due to lack of confidence and grit.
- Caladium seg.** (bd) : Depression due to impotency.
- Calcarea fluor.** 12x : Great chronic depression. Feels he/she will lose big wealth and be ruined. This remedy takes times to act.
- Coca** (bd) : Depression due to over-work and excesses.
- Cocculus ind.** (tds) : The patient is sad, absorbed within himself. He is brooding, moody, silent and sits in a corner buried in thoughts.
- Conium mac.** (tds) : Depression during menstruation, pregnancy and menopause. Excitement causes mental depression. Timid. Weak memory. Afraid of being alone.
- Gaultheria** Q (bd)
10 drops in ½ cup of water : Depression causing pain in the stomach and vomiting.

-
- Gelsemium** (tds) : General depression from heat of sun and due to impotency.
- Helleborus** (tds) : Depression in women during puberty, when menses have not started or are suppressed. Sensation of depression. General muscular weakness. Sinking sensation worse from 4-8 p.m. Mania of the melancholic type. Frequent sighing.
- Hypericum** 1x (tds) : Depression. Sadness and mood swings. Feeling of exhaustion. Feeling that everything is just too much of trouble. Does not want to get up in the morning. Feels as if an icy cold hand was touching the head. Feels as if lifted high in air. Anxiety. Brain seems compressed and head feels longer. Constant drowsiness. Commits mistakes while writing. Ill-effects of shock. Anxiety of fear of falling from heights.
- Ignatia amara** (tds) : Depression due to grief and worry. Melancholic. Full of contradictions. Tearful. Blames herself for everything going wrong.
- Kalium brom.** (tds) : Depression after unsatisfying sexual intercourse. Fear of moral deficiency.
- Kalium phos.** 200x (bd) : Mental and physical depression caused by excitement, over-work, worry and insomnia.
- Lycopodium** (tds) : Depression in a student due to failure in school examinations.
- Mancinella** (tds) : Mental depression at puberty and at menopause.
- Murex purp.** (tds) : Great sadness. Very anxious and worried about the future and depressed.
- Natrium mur.** (tds) : Depression due to hunger.
- Natrium sulph.** (tds),
Thuja occ. (tds) : Depression due to the hidden feeling of guilt.
- Nux vomica** (tds) : Depression after seminal emissions.
- Ocimum can.** 3x (tds) : Stress and depression. Forgetful. Lack of concentration.
- Phosphorus** (bd) : Great lowness of spirits. Easily offended.

	Fearful. Restlessness. Fear that he has an incurable heart.
Pulsatilla nig. (tds)	: Depression due to hormonal changes. There is an extreme tendency to cry and craving for sympathy, fresh air and cold drinks.
Staphysagria 200 (od)	: Depression on account of insults and anger. Depression without any cause or from sexual sins or of a forced sexual intercourse and rape.
Sulphur 200 (hs) Repeat every 3rd day	: Depression after child birth. Postpartum depression.
Tarentula his. (tds)	: Prostration, restlessness and trembling.
Tuberculinum 1M (hs) Repeat after 15 days	: Irritable. Insomnia. Melancholia worse in the morning after sleep. Use foul language, curse and swear.
Zincum met. (tds)	: Depression on account of a disease and suppression of menses. Great relief from discharges.

NOTE 1 : Depression can be caused by genetic factors or environmental ones. New research suggests that women mostly suffer on account of hereditary cause.

NOTE 2 : World health organization predicted that by 2020 depression world jump to be the greatest cause of death and disability worldwide - due to more stressful lifestyles, poverty and violence. Globally, there are 1 million suicides a year out of 10 million attempts due to depression at present.

NOTE 3 : Clinical depression has a number of symptoms. These include lack of interest in sex and in things which usually give pleasure. Often all these feelings are associated with not being able to sleep, changes in eating habits, fatigue, lack of concentration and feeling of worthlessness and hopelessness. All these can be treated by oral medicines as discussed above.

DIABETES INSIPIDUS - POLYURIA

(PROFUSE URINE WITHOUT SUGAR)


- Aceticum acidum** (tds) : Polyuria with a lot of thirst and weakness.
- Acidum phos.** Q (bd) : The patient passes urine several times during the night only. This cures diabetes of all kinds in early stages.
- Alfalfa** (tds) : Polyuria. Frequent desire to urinate. Urine contains abnormal amounts of urea and phosphates.
If Q, 10 drops twice a day
- Argentum nit.** (tds) : Frequent and profuse urination. May be passed unconsciously, day and night. Dribbling of urine. Urine may contain sugar or may not contain sugar. It is useful for polyuria in diabetes mellitus or diabetes insipidus. The patient should have a great desire for sweets.
- Eupatorium perf.** (tds) : Burning in bladder and urethra on urinating. Constant desire.
- Kalium carb.** : Has to urinate several times during night; pressure in the bladder long before the urine comes.
- Murex purp.** (tds) : Strong smelling urine passed several times at night.
- Squilla maritima** (tds) : Urine is passed several times during the day and at night. Much urging to urinate. Involuntary spurting of urine while coughing or sneezing.

DIABETES MELLITUS (URINE CONTAINING SUGAR)

Diabetes is a disruption in metabolism, the way your body used food. It is a disease in which the body does not produce or respond to insulin, a hormone that is essential for energy production and growth.

Normal metabolism:

Food passes through esophagus to stomach and small intestines where digestion converts some of it into sugar (glucose), which enters the blood stream. Sensing an increase in glucose levels, beta cells in pancreas secrete insulin, a hormone that enables glucose to enter body cells. Cells use glucose for energy or store as fat for later.



Major forms of diabetes

- Type 1: One in about 20 people with diabetes is afflicted with this type. The pancreas produces no insulin or insufficient amounts and a person must receive insulin daily. This type usually strikes before the age of 30.
- Type 2: The most common form usually occurs after the age of 40 in overweight people. The insulin made by the pancreas is inadequate to prevent glucose from building up in the blood. Obesity increases resistance to insulin and is a major risk factor for developing Type 2 diabetes.

A. NON-INSULIN DEPENDENT DIABETES

The onset in this type of diabetes is slow and generally not accompanied by any symptom. It usually occurs after 40 years of age. Loss of weight and diet control often bring the blood sugar within normal range. Proper exercise and the indicated remedy will remove the discomfort.

B. INSULIN DEPENDENT DIABETES

In this type of diabetes the body simply does not produce insulin.

C. INSULIN DEPENDENT DIABETES: TYPE 2 DIABETES

It mostly occurs in children and young adults, and is due to lack of insulin or the patient's insulin does not work to convert sugar to glucose. Without insulin in adequate quantity and in proper form, glucose cannot enter cells and remains in the blood. Eventually, it spills into the urine which is passed frequently. To give proper treatment, urine and blood tests are necessary.

- Acidum phos.** : Diabetes in nervous patients. Physical
1x or 2x (tds) soreness due to grief, worry and anxiety. If given in the early stages of the disease, it cures.
- Arsenicum alb.** (tds) : Persistent, unquenchable thirst. Sips water in small quantities and at short intervals. The mouth is generally dry. Itching of the body and pruritus. Here use Ars-br.
- Avena sat.** : Oats help protecting the rise of glucose levels in blood by slowing down sugar absorption.
- Cantharidinum Q** (tds) : Blood sugar increases with high blood pressure. Give 10 drops in water, three times a day.
- Cephalandra Q** (tds) : It works in both types of diabetes. Give 10 drops in water, thrice daily.
- Crataegus oxy Q** (tds) : Diabetes in children. Thrice daily - one to fifteen drops a dose according to age. It gives results after about 15 days of its use - then it should be continued till cured.
- Crataegus oxy Q,**
Rauwolfia Q,
Passiflora Q. (tds) : These three remedies mixed in equal quantities are good for diabetes with hypertension. It brings down the blood pressure and sugar level in blood within a few days.
15 drops in ½ cup of water
- Fenugreek Q** (tds) : Mother tincture prepared from the yellow seeds and given in 10-15 drops a dose, thrice daily controls diabetes and reduces sugar in blood and urine. Also controls simple polyuria.
(East Indian methi)
- Ginseng Q** (tds) : It helps maintain blood sugar levels in non-diabetics and lowers blood sugar levels in diabetics - improves blood circulation and lowers blood pressure.
- Gymnema syl.** Q (tds) : 5-10 drops, four hourly. It is specially useful

- when the patient has an (Gur mar) abolished taste for bitter things. Reduces glucose in blood. Sexual debility. Large quantities of urine make the patient weak.
- Helonias Q** (tds) : It is useful for both mellitus and insipidus diabetes when there is excessive thirst, restlessness, melancholia and emaciation.
- Insulinum 3x** (tds) : It is the hormone secreted by the pancreas, which is a ductless gland. It may be used in the beginning of the treatment and thereafter intercurrently. It helps production of adequate quantity of insulin in the proper form. Epileptic convulsions and mental dearrangements can be produced by injections of this hormone. If administered at suitable occasions, it maintains the normal level of sugar.
- Iris vers.** (tds) : Diabetes in patients suffering from disease of the pancreas, with burning in its region and vomiting. Acidity. Diarrhea or constipation.
- Lacticum acidum** (tds) : Persistent hunger and dry tongue. Copious urine, nausea, debility, great hunger, gastralgia and rheumatic pains in joints of shoulders, knees, wrists with great weakness.
- Mercurius sol** (tds) : Persistent unquenchable thirst though there is much moisture (saliva) in the mouth.
- Natrium mur.** : It is useful in diabetes when other symptoms agree with the remedy.
- Pancreatinum** : This pancreatic extract is useful when diabetes is due to a malfunction or disease of the pancreas.
- Pepsinum 1x to 3x** (tds) : Diabetes due to the illness of the pancreas. Gout. Marasmus of children and emaciation.
- Phlorizinum 2x** : 15 drops of it taken three times a day checks increase in blood sugar and cures excessive sugar in blood and urine. For best results. It should be given with Syzygium jamb. Q simultaneously.
- Phaseolus** (tds) : Diabetes with gout.

- Phosphorus** (bd) : Diabetes in tubercular patients, or in patients suffering from rheumatism. The pancreas is diseased and does not function properly. Increased quantity of urine and the patient desires cold water on account of extreme dryness of the mouth. Useful in atrophy of the pancreas in diabetic patients.
- Ratanhia** (tds) : Diabetes, but with scanty urine.
- Syzygium jamb. Q** (tds),
Uranium nit. 3x (tds) : Both combined or given separately in alternation, three hourly, reduce sugar in blood and urine speedily. Usually result is available in ten days. Uranium nit. also controls high blood pressure. Syzygium jamb. Q is a very useful remedy and works in two ways. It strengthens the blood vessels which are weakened by the disease and helps prevent related eye sight problems.
- Tarentula his.** (tds) : Rapid weight loss. Irritability with violent impulses. Copious urine.
- Thyreoidinum** (tds) : Diabetes mellitus when there is great weakness and rapid change of symptoms.
- Uranium nit. 3x** (tds) : Diabetes due to defective digestion. There is much thirst and enormous appetite, yet the patient continues to emaciate.

NOTE 1: Normal blood sugar is 6-5% or 90 to 120 mg in 100 ml of blood. 40% diabetics have hypertension.

NOTE 2: Conclusive diagnosis of diabetes can be found by testing of blood and urine in a clinical laboratory.

NOTE 3: People over 45 are at a risk of developing diabetes. With diabetes, the body cannot use or store properly the energy produced from the food eaten. It is because the pancreas either does not produce the required quantity of insulin or the insulin produced is not of a good quality. Failure to arrest the disease can result in damage of nerves and arteries, kidney failure and blindness. Risk factors include, being over-weight, being inactive and having a family history of the disease. Early diagnosis, healthy eating, weight control and regular testing of blood and urine are essential.

NOTE 4: General symptoms of diabetes are increased urination and thirst, coupled with weight loss, vomiting and dehydration.

DIABETES - ITS BAD EFFECTS

- Abroma aug.** Q (tds)
10 drops in ½ cup of water : Leucorrhea of diabetic ladies. Thick, whitish discharge and dysmenorrhea. White ulcers at the mouth of prepuce caused by the sugar in the urine.
- Acidum phos.** Q (tds)
10 drops in ½ cup of water : Reduced vision due to diabetes. Mental and physical debility. Impaired memory. Cannot collect his thoughts or find the right words to express himself. Eye lens are sensitive to blood sugar changes and too high levels of sugar can cause it to swell and change shape thus altering its optical properties.
- Argentum nit.** (tds) : Useful in restoring power to the weakened ciliary muscles.
- Alloxanum** : Persistent skin diseases like acne, boils and itching eczema are cured by use of this remedy.
- Arsenicum alb.** 200 (od) : Diabetic gangrene.
- Cephalandra** Q (tds),
Syzygium jamb. Q (tds) : For cure of old ulcers in diabetic patients.
- Carbolicum acidum** (tds) : Carbuncle of diabetic patients.
- Coca** or **Moschus** or
Cuprum met. or
Acidum phos. (tds) : Impotency due to diabetes.
- Curare** (tds) : Motor paralysis.
- Dolichos** (tds) : Itching of diabetic patients without eruptions around the shoulders, knees and elbows. Worse at night.
- Graphites** 200 (hs)
Repeat once a week : For various complications arising on account of diabetes.
- Helonias** (tds) : Restlessness and thirst due to diabetes. It is also indicated in melancholia and emaciation.
- Hepar sulphuris** (tds) : Slightest injury suppurates. Steam of urine falls vertically and without force.
- Insulinum** 3x (tds) : Persistent skin irritation, boils, ulcers of varicose, carbuncles and itching eczema.

- Ranunculus bulb.** (tds) : Diabetic coma. In such a case, give sugar in any liquid form immediately. When the patient regains consciousness, give the indicated remedy. The condition is called hypoglycemia. Alumina silicata 200 - one dose a week cures.
- Vanadium** (tds) : It helps to stabilise blood sugar levels.
- Zincum met.** (tds) : Diabetes having effect on brain and the spine resulting in convulsive twitching and troublesome uneasiness of the nerves and muscles of arms and legs with an irresistible desire to change position. Involuntary urination when walking, coughing or sneezing. Involuntary motion of legs and feet when asleep.

NOTE 1: Tiny cells in the pancreas called “islet cells” produce the hormone insulin which breaks down carbohydrates into blood sugar. In diabetic patients, the patient’s own white cells accumulate in the pancreas, attack and destroy the islet cells, thus producing diabetes. Islet cells are also called “beta cells” and are scattered like grains of sand throughout the pancreas.

NOTE 2: Diet plays an important role in treatment of diabetes. Attention should be given to the foods eaten and the quantities consumed. Here are a few tips for healthy eating:

- (a) Eat complex carbohydrates like whole wheat, bread, oats, etc. They are absorbed slowly into the blood stream to give more time to the pancreas to produce an adequate quantity of insulin.
- (b) Cauliflower, broccoli, tomatoes, cabbage, radish, celery, bitterguard and clear soups are good.
- (c) Fruits like papaya, melon, grapefruits, guava, oranges are also good diet.
- (d) Avoid legs and thigh of chicken or other birds and eat the white meat of breast instead.

NOTE 4: Juvenile (Type 1) Diabetes strikes children and retards their growth. For it, insulin is no cure. It only helps the patient to stay alive but it does not prevent eventual devastating complications like kidney failure, blindness, nerve damage, amputations, heart attack and stroke. Such patients are prescribed multiple insulin injections daily and the blood sugar is tested several times a day in allopathic treatment.

DIARRHEA

- Acidum phos.** (tds) : Diarrhea of rachitic and delicate children. Stools white, watery, involuntary and painless. Loud rumbling in the abdomen. Flatulence.
- Aethusa cyn.** (tds) : Diarrhea during dentition. Vomiting may be present.
- Aloe soc.** (qid) : Involuntary stools - maybe solid and without knowledge of the patient. Uncertain whether stool or gas will come. Stools lumpy and watery. Copious flatus. Patient is unable to control and has to run to the lavatory. Diarrhea from beer.
- Argentum nit.** (tds) : Diarrhea caused by emaciation. From sudden good or bad news or sorrow or anger. Watery and noisy diarrhea, immediately after eating or drinking.
- Arsenicum alb.** (qid) : Diarrhea with unquenchable thirst. Diarrhea on account of food poisoning involving nausea and vomiting.
- Baptisia** (tds) : Stools very offensive, thin, dark and bloody. Rumbling in abdomen. Diarrhea during typhoid fever.
- Bovista** (tds) : Diarrhea before and after menses. Chronic diarrhea of old people. Worse at night and early morning.
- Calcarea phos.** (tds) : Diarrhea of children during cutting of teeth. Diarrhea from eating juicy fruits. Stools green, slimy, sputtering, fetid and contain undigested food articles.
- Calcarea phos.** (tds),
Rheum (tds),
Chamomilla (qid) : Sour diarrhea during dentition.
- Carbo veg.** (tds) : Frequent involuntary diarrhea of old people. Continuous oozing of moisture from rectum.
- Chamomilla** (tds) : Diarrhea during teething period, worse after anger. The child is cross and irritable

-
- Chaparro** (bd), : Use any of these remedies according to other
Graphites (od), symptoms for chronic diarrhea.
Thuja occ. (bd),
Ricinus com. (bd)
- China off.** (tds) : Painless diarrhea. Stools contain undigested food and are frothy and pale. Much flatulence. Worse after meals and in hot weather.
- China off.** (tds), : Diarrhea with undigested food in stools.
Ferrum met. (tds),
Oleander (tds)
- Chininum ars.** (tds) : Diarrhea after taking fish and from eating eggs.
- Colchicum autum.** (tds) : Abdomen seems full of wind and water. Nausea. Vomits on the smell of food. Painful, transparent scanty stools which contain white shreddy particles.
- Colocynthis** (tds) : Brown watery stools after eating or drinking. Jelly-like stools of musk odor accompanied by severe abdominal cramps.
- Croton tig.** (tds) : Gurgling in the intestines. Copious, watery stools are shot out forcibly. Constant urging to stool. Worse while drinking or even while eating.
- Dulcamara** (tds) : Green, watery, slimy, bloody with mucus. Worse in the damp cold weather. Hill diarrhea.
- Ferrum phos.** (tds), : Diarrhea during eating.
Kalium phos. (tds)
- Gelsemium** (tds) : Diarrhea due to fright, bad news or emotional excitement.
- Graphites** (od) : Stools are brown, fluid and are mixed with undigested foods. They have an intolerably fetid smell.
- Hyoscyamus nig.** (tds) : Painless involuntary stools while urinating.
- Jalapa** (tds) : Diarrhea with colic. Stools watery and muddy. Gas. Nausea.
- Jatropa** (tds) : Diarrhea with nausea and vomiting. Stools like rice water forced out. Loud gurgling sound in the abdomen.

Kalium bich. (tds), Mercurius cor. (tds)	: Diarrhea due to ulcerations of the intestines.
Natrium carb. (tds)	: Diarrhea on drinking milk. The call of stool comes suddenly and the stool comes at once with noise of gas.
Natrium sulph. (tds)	: Stools involuntary while passing wind. Great size of fecal mass. Early morning diarrhea.
Nitricum acidum (tds)	: Diarrhea after use of antibiotics. It is of great value.
Nux vomica (tds)	: Diarrhea due to over-eating or dietic errors and indigestible foods. Pain in abdomen before stools. Stools contain undigested articles of food. Diarrhea after debauch.
Phosphorus (tds)	: Painless, copious, debilitating diarrhea. Very fetid stools accompanied by flatus. Discharge of blood from rectum during stool. Green mucus or white, hard stools.
Podophyllum (qid)	: Diarrhea green, watery, fetid, profuse and gushing. Worse during teething and in the morning, while bathing or washing and in hot weather. Camp diarrhea. Diarrhea alternating with constipation. Prolapse of rectum before or with stools.
Pulsatilla nig. 200 (tds)	: 2 or 3 normal stools a day. Diarrhea after measles. A remedy of great value in this condition. It cures diarrhea in Opium eaters. Should be repeated after three hours. Three doses a day. Stools contain undigested articles of food. Diarrhea due to food poisoning.
Pyrogenium (bd)	: Diarrhea horribly offensive - brown-black, painless and involuntary. Stools large or like black balls.
Sepia (tds)	: Diarrhea after taking boiled milk.
Septicaeminum (hs), Podophyllum (tds)	: Very useful in diarrhea of camp life.
Silicea (tds), Natrium carb. (tds)	: Diarrhea on drinking milk.

- Sulphur** (od) : Morning diarrhea. Patient rushes from bed to the latrine. Painless diarrhea.
- Tanacetum vulg.** (tds) : Diarrhea immediately after eating or drinking. In Arg-n., liquids go right through him and the case is worse after taking sweet dishes or sweet drinks.
- Triosteum perf.** 6 (tds) : It is a very valuable remedy in diarrhea attended with colicky pains and nausea.
- Triosteum perf.** (tds),
Rhus tox. (tds),
Arum triph. (tds),
Baptisia (tds) : Use any of these remedies according to symptoms, for diarrhea during typhoid.
- Veratrum alb.** (qid) : Diarrhea very painful, watery, copious and forcibly evacuated followed by great weakness.
- Zingiber off.** (tds) : Diarrhea after taking melons or polluted water.

NOTE 1 : Prolonged diarrhea causes dehydration. To cure and avoid it see “Dehydration”.

NOTE 2 : During attack of diarrhea, boiled rice and yogurt are best foods to be taken. If vomiting accompanies purging, drinking a glass of water every half an hour proves useful. Avoid alcohol and caffeine.

NOTE 3 : After the attack is over, apple, ripe banana and brown rice are easiest foods for digestion.

DIET

Our life depends upon the diet taken, knowing how much to eat and when to eat is what matters most. It has been wisely said that “eat to live” and do not “live to eat.” It is rather difficult to lay down rules to suit all cases. Every individual case has its own requirements of food. The golden rule is that whatever is pleasing to your eyes to see, whatever is pleasing in taste to your tongue and whatever you feel pleased after eating, may be taken. So long as digestion, body weight, strength and activities are normal, do not think about what to take and what not to take. The diet should be simple, better vegetarian than non-vegetarian. Milk and milk products not containing more than 2% fats is a must for everybody. Infants under eight months should have nothing but their

mother's milk. Failing this a wet nurse or goats milk or cows milk diluted with 1/8 of water can be substituted. The milk should be boiled and brought to blood heat before serving. After this age, some good baby foods available in the market should be given. As the teeth develop, solid foods such as bread, butter and milk pudding may be given.

Some simple facts, which have emerged from worldwide surveys are important. A consistent link between diet and health in old age has been found. A diet rich in fruits and fresh vegetables is associated with lowered incidence of such diseases as cancer, cataract and heart attacks. Not very long ago, vegetarians were considered second rate humans and inferior in health status to non-vegetarians. It is now recognised that vegetarians in general live longer because they are less prone to high blood pressure, heart attacks and cancer. The main reason is that a vegetarian diet provides most of the antioxidants which offer protection against free radicals. Antioxidants are chemical substances that prevent or destroy cancer causing compounds called radicals which are a normal part of life. If not destroyed by an antioxidant, they can damage cells and start a cancer. Vitamins have their own role to play. A healthy balanced diet in correct proportion is necessary for a healthy life. However, some rules are necessary for not so healthy persons.

Suggestions will be found in this book for such cases, where necessary.

For centuries, people have known that certain foods play a role in promoting wellness. Studies have shown the following foods are components of a well balanced diet for the reasons given against each. Keeping the stomach clean can solve many health problems.

1. Purple grapes or grape juice has some flavonoids which have an anticlogging effect which promotes a healthy heart.
2. Cranberry juice prevents urinary infections.
3. Dark red vegetables and oranges contain carotenoids (alpha and beta carotene) which neutralize free radicals that cause damage to cells and start diseases.
4. Tomato protects against cancer of prostate. It contains carotenoids (lycopene) which also protects oxidation of LDL cholesterol and reduces the risk of developing atherosclerosis and coronary heart disease.
5. Eggs, citrus fruits and corn contain carotenoids (Zea xanthin) which help maintain a healthy vision.
6. Wheat bran contains insoluble fibre which keeps the digestive system healthy and promotes regularity of movements of bowels.


7. Oats reduce blood cholesterol and also help protecting the rise of glucose levels by slowing down sugar absorption.
8. Fish oils contain omega -3 fatty acids which reduce the risk of cardiovascular diseases. Omega - 3 fatty acids also lower the cholesterol levels and reduce blood clotting.
9. Onions, garlic and olives contain thiols which lower LDL cholesterol and help maintain a healthy immune system. Onions in diet keep the blood pressure down.
10. Nuts are an excellent source of calcium, magnesium, potassium, iron, copper, manganese, zinc, vitamin E and fibre. They also contain immune building essential fatty acids.
11. Peppers inhibit production of cancer causing nitrosamines during digestion, high in vitamin C, bioflavonoids and vitamin A. Also high in folic acid, potassium and niacin.
12. Broccoli helps reduce risk of stroke. Lower blood pressure. Prevent eye disease and cancer.
13. Carrots lower cholesterol, give hair and skin a healthy glow. Prevent cancer. Cooked carrots release more healthy beta-carotene than raw carrots.
14. Spinach lowers risk of a heart attack or stroke. Prevents vision loss and cancer.
15. Strawberries help prevent cancer and enhance memory.
16. Green tea fights infections and strengthen bones.
17. Honey alleviates allergies and heals wounds.

DIPHTHERIA

Diphtheria is a specific infectious disease, marked by severe inflammation that can form a membranous coating, with formation of a thick fibrinous exudate on the mucous membrane of the pharynx, nose and sometimes the tracheo-bronchial tree.

Apis mel. (tds) : There is edema of the throat with stinging pain and burning. Enlarged uvula. Scanty urine and puffiness about the eyes.

Baptisia (tds) : Delirium during diphtheria.



- Calcarea phos.** 6x (qid) : Given thrice daily, removes the weakness remaining after the cure of diphtheria.
- Diphtherinum** (tds)
For one day only : Start the treatment with this remedy. Give it thrice for only one day. It can be given in 200 potency as a preventive of the disease.
- Gelsemium** (tds) : It is used when there is diphtheric paralysis of the pharynx.
- Kalium bich.** (tds) : It is the best remedy for nasal diphtheria. Uvula is relaxed and there is sensation of a plug in the throat.
- Kalium mur.** 6x (qid) : Give it every hour if diphtheria is accompanied with great prostration and there is characteristic granular enlargement of the uvula and entire soft palate. The improvement will be noticed next day.
- Kalium perm.** (tds) : Gargling and rinsing the mouth with luke warm water containing a few crystals of potassium permanganate rapidly and surely remove the offensive odor of the diphtheric breath.
- Lachesis** 200 (hs) : The discharge from the nose is acrid. Membranes of the throat are dark red or bluish. Swallowing of saliva is painful.
- Mercurius cyan.** 30x (tds) : If given before exudation is deposited, it will

- prevent it to appear at all. Only 30x potency works. If the disease prolongs, the following treatment should be continued.
- Mercurius iod.** 1x or 2x (tds) : If there is a putrid sore throat with pain on swallowing and diphtheric patches are observed in the throat.
- Naja tri.** (tds) : It is to be administered when there is impending paralysis of the heart. The patient is blue and awakens from sleep gasping. It is more indicated when the larynx is also affected.
- Phytolacca dec.** Q : Pain shoots from the throat to the ears. Dryness and sensation of a lump in the throat. Throat may be cleaned from time to time with Phytolacca dec. Q (5 drops in an ounce of water).

DIPLOPIA

(DOUBLE VISION)

- Agaricus mus.** (tds) : Diplopia from over-work at the desk.
- Argentum nit.** (tds) : Sight fails for near objects, everything appears blurred or indistinct.
- Aurum met.** (tds) : Diplopia or half-sightedness from over-work with the eyes or working in hot places; sensation in eyes as if they were being pushed out, with tension in them.
- Causticum** (tds) : Double vision when turning the eyes to the right.
- Gelsemium** (tds) : Double vision when turning the eyes to either side.
- Hyoscyamus nig.** (tds) : Illusion of vision. One object appears double.
- Phosphorus** (bd) : Paralysis of the eye muscles from excesses, accompanied by general loss of muscular tone.
- Senega** (tds) : Objects appear double when seen with both eyes but appear normal when seen with one eye.

- Stramonium** (tds) : Letters and objects appear double.
- Veratrum vir.** (tds) : Double vision. There is a congestive headache.

DISLOCATIONS

- Arnica mont.** Q-1000 : Given immediately after fractures and dislocation, relieves nervousness and pain. Give a few doses of 1M every one hour internally and apply Q in cold water externally.
- Rhus tox.** (tds) : If the pain remains, give Rhus tox. 30, three times a day. The pain and swelling disappear in about 3 days.

DREAMS

- Aloe soc.** (tds) : Dreams of passing stools.
- Apis mel.** (tds) : Dreams of flying.
- Belladonna** (tds) : Dreams of fire.
- Cannabis ind.** : Lascivious dreams may lead to emissions.
- Chelidonium** (tds) : Dreams of funerals.
- Kalium carb.** (tds) : Dreams of ghosts.
- Lac can.** 200 (od) : Dreams of snakes and of urinating.
- Mercurius sol.** (tds),
Argentum nit. (tds) : Dreams of animals.
- Nux vomica** (tds) : Dreams of accidents. Sexual dreams causing emission of semen. Dreams from excessive mental exertion.
- Silicea** (tds) : Dreams of thieves.
- Rhus glabra, Sticta pulm.** : Dreams of flying in the air.
- Thuja occ.** (tds) : Dreams of dead people and of falling from a height.

DROPSY

- Aconitum nap.** (qid) : Simple dropsy with fever.
- Apis mel.** (tds) : Simple dropsy between the skin and the flesh with fever. Unabsorbed effusions after inflammation of the serous cavities. Absence of thirst. Dropsy aggravated by heat.
- Apocynum can.** 3x (tds) : A good and general remedy for dropsy between the skin and the flesh. Dropsy with jaundice and other diseases of the liver. Abdomen distended. Digestion impaired. Dropsy aggravated by cold.
- Argemone mex.** (tds) : Dropsy with edema, stiffness of the face and extremities, and heaviness of the eyes.
- Argentum phos.** (tds) : Its use causes increased secretion and flow of urine, and removes its suppression.
- Arsenicum alb.** (tds) : Dropsy after scarlatina with albumin in urine and thirst. Disorders of heart and lungs. Puffiness of the face and around the eyelids.
- Arsenicum iod.** 3x (tds) : Dropsy due to heart diseases. Burning in gullet and stomach. Nausea. Vomiting and diarrhea.
- Aurum met.** (tds) : Dropsy in syphilitic patients and syphilitic liver.
- Cainca** 3x (tds) : Ascites and anasarca with urinary dysfunctions and dry skin. Polyuria. Constant desire to urinate with burning. An excellent diuretic in dropsy.
- Calcarea carb.** (tds) : Dropsy aggravated by bathing.
- Citricum acidum,**
Lemon juice (qid) : All forms of ‘dropsy’s’ are benefitted with a tablespoon full of lemon juice mixed with an equal part of citric acid every 3-4 hours.
- Digitalis** (tds) : Dropsy due to heart diseases. Nausea, vomiting and diarrhea. Urine scanty and contains albumin. Swelling of feet and genitals.
- Helleborus** (tds) : Cerebral dropsy with sensation of depression or as an after-effect of a head injury.
- Kalium carb.** (tds) : Dropsy of throat and lungs.

- Mercurius sol.** (tds) : Dropsical swelling of feet and legs.
- Oxydendron Q** (tds) : Ascites and anasarca with suppressed urine.
5-10 drops in ½ cup of water Enlargement of prostate gland.
- Phaseolus** (tds) : Dropsy due to kidney complications and heart diseases. It increases the quantity of urine, thus reducing albumin and edema. It is a very good remedy in such circumstances.
- Sambucus can.** (tds) : It is a valuable remedy for dropsy in lower potencies. The chief indication is edema and dropsical swellings in legs, instep, feet, etc. Profuse sweat during day only.
- Serum anguillae** : The use of this remedy put an end to renal obstruction and produces abundant diuresis.
- Squilla maritima** (tds) : Acute dropsical swelling with suppression of urine.
- Terebinthiniae 1x** (tds) : Dropsy with hemorrhage from the kidneys, congestion and other infections of the kidneys.
- Tussilago fragrans** (tds) Q : Abdomen swollen due to dropsy.
- Uranium nit.** 3x (tds) : High blood pressure during dropsy, specially of the abdomen.
- Vesicaria Q** (qid)
10-15 drops in ½ cup of water : 10 - 15 drops in a little water is given 4 times daily for dropsy due to kidney failure to secrete urine. There will be no need to use the catheter and cure follows within a months time, and it removes edema due to complete failure of kidneys.

NOTE 1: The diet in dropsy should be adequate in protein, high in calories, rich in vitamins and low in salt. When diuresis (secretion of urine) appears, the patient may resume a normal diet.

NOTE 2: Dropsy may result from increased permeability of capillary walls, increased capillary pressure due to venous obstruction, lymphatic obstruction, heart failure or imbalances in renal functioning.

DROWSINESS (SEE 'SLEEPY')

DRUGS

Drug is a general term for any substance, stimulating or depressing, that can be habituating or addictive, especially a narcotic.

1. Alcohol

2. Barbitones

3. **Cannabis sativa (Marijuana), Hemp, Cannabis indica (Hashish)** : Powder of leaves and flowers is used for smoking. Flowers of the female plant of Cannabis sativa (hemp) are usually used for smoking.

4. **Cocaine** : It is obtained from erythroxylon and is used for prolongation of the sexual act. According to the scientists at the University of Munich, cocaine can over-stimulate the heart and may cause a heart attack.

5. **Heroin** : A narcotic derived from Morphine or Opium.

6. Sleeping pills

7. **Stramonium** : Its powdered seeds are used for smoking.

8. **Testosterone (Dope)** : It is a steroid derived from the male sex hormones. It is used by the athletes and sportsmen for increasing the stamina. It is also produced in small amounts in women's adrenal glands and ovaries.

BAD EFFECTS OF DRUGS

1. **Alcohol** : It's bad effects are removed by **Sterculia Q** (tds) and **Ranunculus bulb. Q**, 10 drops in ½ cup of water (See Alcoholism).
2. **Barbitones: Carbo veg.** (tds) removes the bad effects.
3. **Cannabis sativa and Cannabis indica** : Cannabis addiction may be treated and cured by **Sulphur 200**. A dose on alternate days in the morning, miraculously cures the bad effects and addiction. For immediate effects, to remove intoxication, 5 ml of pure lemon juice mixed with 200 ml of water every 15 minutes. Studies prove that tetrahy- drocannabinol or T.H.C. is the main active ingredient of marijauna and it is stored in fats of the body even if a person himself does not smoke himself but is only exposed

to its smoke when the marijauna is being smoked by another person. Fat in the bodies is a natural storage area.

4. **Cocaine: Conium mac.** 1M given infrequently removes the bad effects and bad habit.
5. **Heroin:** Bad effects of its use are removed by use of **Avena sativa** (common oats). Twenty drops in warm water should be given every half an hour till intoxication is removed. Black coffee also antidotes its intoxication. **Berberis vulg.** (tds), is useful to counter its habit. Diarrhea in such addicts is cured by **Pulsatilla nig.** (tds), and insomnia by **Avena sativa Q** (hs) - 20 drops a dose in hot water.
6. **Sleeping pills:** Bad effects are removed by **Coffea cruda** 3x.
7. **Stramonium: Nux vomica** 10M (hs), removes its bad effects and also the bad habit.
8. **Testosterone:** It is not a habit forming and generally no treatment is required. **Zincum phos.** 3x(tds) antidotes it.
9. **Vanadium 6c:** It cures loss of appetite due to drug addiction.

NOTE :

1. A single dose of **Nux vomica 10M** removes craving for drugs. It may be repeated on alternate days if required.
2. **Passiflora Q** mixed with **Avena sativa Q** in equal parts and given in 20 drops a dose, thrice daily, takes away the craving for heroine and cocaine.
3. In all cases of drug addiction, give 40-50 drops of **Passiflora Q** at bed time. It will produce a healthy sleep without dreams and hallucinations.

DWARFISHNESS

(SEE ALSO 'BACKWARD CHILDREN')

Condition of being abnormally small may be hereditary when it is mostly incurable. It may be due to dysfunction of the pituitary, thyroid gland, etc., when treatment of the affected gland may cure the disease. It can be due to the diseases of the skeleton mostly that of the bones of the legs where again a proper treatment can cure. If no such defect is located, the following treatment is suggested:

Baryta carb. 3x (tds) : If the patient is plump (i.e. if he is moderately fat), give this remedy thrice daily for 30 days or repeat the treatment till the patient is cured.

- Baryta phos.** 3x (tds) : If the patient is thin and lean, use this remedy instead of Baryta carb. 3x or repeat the treatment till the patient is cured.
- Bacillinum** : It is useful for increasing height. The treatment in such cases should be started by the use of this remedy.
- Cod liver oil** : A massage of this oil at night is also helpful in the treatment of dwarfish and emaciated babies.
- Medorrhinum** 1M (hs) : Children do not grow normally and remain dwarfish, under-developed and under-sized.
- Syphilinum** 1000 (hs) : After 24 hours of administration of Tuberculinum, give this remedy and again wait for 24 hours.
- Thyreoidinum** 3x (tds) : Arrested development of children - eats well yet loses flesh on account of thyroid trouble.
- Tuberculinum** 200 (hs) : Start the treatment with this remedy. No other remedy should be given for the next 24 hours.

DYSENTERY

A disease marked by frequent watery stools, with blood and mucus, and characterised by pain, tenesmus, fever and dehydration.

- Aloe soc.** (qid) : Stools contain a lot of mucus or are jelly-like. There is burning and pain in the rectum after stools. Burning, copious flatus. Insecurity of rectum. Patient is afraid of passing flatus as he is not sure whether urge is for stool or flatus. Bleeding from rectum.
- Antimonium crud.** (tds) : Stool composed entirely of mucus.
- Baptisia** (tds) : Dysentery of old people. Dysentery during typhoid fever.
- Colocynthis** : Dysentery each time when least food or drink is taken.
- Chaparro** (tds) : It is an excellent remedy for chronic dysentery and diarrhea.

- Colchicum autum.** (tds) : Autumnal dysentery when days are hot and nights are cold.
- Mercurius cor.** (qid),
Mercurius sol. (qid) : Begin the treatment with Mercurius cor., if there is much blood or with Mercurius sol. if there is much mucus. Cutting pains are present and stools are scanty. Tenesmus before and after stools. This generally cures the case.
- Nux vomica** (qid) : Stools contain much mucus. There are abdominal pains before stools and these are relieved after stools.
- Septicaeminum** (bd) : It cures magically, the dysentery which is produced in a camp life.
- Thuja occ.** 200 (od) : It is an excellent remedy for amoebic dysentery.
- Trombidium** (tds) : Dysentery worse by eating and drinking. Stools only after eating. Much pain before and after stools. Burning in the anus.

NOTE : For amoebic dysentery - See 'Amoebiasis'.

DYSMENORRHEA (PAINFUL MENSES OR DELAYED MENSES)

- Abroma radix** 1x (od) : This remedy suits most of the cases of dysmenorrhea, unless symptoms definitely point out to another remedy. The use of this remedy proves very useful. 5 drops of it in a little warm water are given in a single dose on the first day of the flow and a dose is given every day during menses and after their cessation for 7 days continuously. It cures. If not, repeat it when the menses are about to start, 2 days before the start - next time. It also brings about conception in young, sterile, married ladies.
- Aletris far.** (tds) : Pains like Chamomilla but the patient is constipated and weak.

-
- Calcarea carb.** 200 (hs) : Swelling and pain in breasts before start of menses in fat ladies having thyroid and pituitary dysfunctions.
Repeat after 1 week
- Calcarea phos.** 6x (tds) : Dysmenorrhea in young girls at puberty, during the first few monthly menses.
- Caulophyllum** (tds) : Severe labor-like pains in the abdomen during the periods.
- Chamomilla** 200 (od) : Labor-like pains in abdomen and hips. The menses are profuse. Diarrhea may accompany. Painful and delayed menses. Much irritability during the periods.
- Cimicifuga** (tds) : Pains increase with establishment of menstrual flow.
- Coffea cruda** (tds) : Painful menstruation with clots of black blood. Vulva and vagina are too sensitive.
- Colocynthis** (tds) : Menses start early and pain starts before the start of menses compelling the patient to bend double because the pain is relieved by pressure. It is greatly ameliorated by applying hot water bottles on the abdomen.
- Conium mac.** 200 (od) : Swelling and pain in the breasts before start of menses. Scanty, painful menses. It is specially useful in old maids and unmarried girls after puberty.
- Kreosotum** (tds) : Pain is worse after menses. Bleeding stops on sitting and walking, and reappears on lying down. Blood is offensive to smell.
- Lapis albus** (tds) : Black clots on the first day of the start of the flow. Pains are very severe and the patient may become unconscious because she cannot tolerate the pain. The pain subsides as the flow starts.
- Lobelia inflata** (tds) : Vomiting before and after start and cessation of menses. Pain in abdomen, ovaries and legs are so severe that the patient faints.
- Magnesium phos.** 6x (qid) : It can be given in alternation with *Abroma radix*, it proves very useful. The pain is relieved by warmth and pressure like *Colocynthis*.

- Piscida Q** (tds) : Painful irregular menses. Material doses relieve pains and regulate the flow.
10 drops in ½ cup of water
- Pulsatilla nig.** 200 (od) : Mild patients with weeping tendencies. Pain subsides on consolation or in open air. Menstruation too late and scanty, changeable and clotty; stops and restarts.
- Sepia** (tds) : Headache accompanied with vomiting before start of menses which are profuse and early. Vomiting and acidity after menses.
- Tuberculinum** 1M (hs) : Menses painful, too early, too profuse and last for a longer period. Pain increases as the flow starts and during menstruation.
Repeat after 15 days
- Viburnum op.** 1x (tds) : It is a uterine tonic. The pain starts before start of menses compelling the patient to bend double. The pain vanishes when the flow begins.
- Xanthoxylum** (tds) : Black and thick menses with pain in the back and legs. Worse left side.

DYSPEPSIA (INDIGESTION)

It is an impaired gastric function or “upset stomach” due to some disorder of the stomach, characterized by epigastric pain, sometimes burning, nausea and eructations.

- Acidum phos.** (tds) : The stomach does not work and the food remains in the stomach for a long time after taking. Sour vomiting.
- Aethusa cyn.** (tds) : Milk not digested and is vomited out in curds as taken. Regurgitation of food about an hour after taking. Dyspeptics want to get relief by eating. They are always munching this food or that food which gives them temporary relief. A time comes when the stomach becomes over-worked and refuses to perform its duty. Such type of dyspepsia is relieved by occasional


- fasting and by taking *Aethusa cyn.* 3 times a day.
- Alfalfa Q** (bd) : A few 10 drop doses tone up the appetite and digestion.
- Ammonium mur.** (tds) : Pain in the stomach immediately after eating. Regurgitation of food after eating. Nausea. Alternating diarrhea and constipation.
- Anacardium ori.** (tds) : Dyspepsia of nervous people. Heartburn relieved by eating.
- Antimonium crud.** (tds) : Tongue coated white as if white washed. Belching with fluid coming in the mouth and tasting of the ingesta.
- Bryonia alba** (tds) : Sensation of a stone in the stomach. Sharp pains in the chest and back. Bilious vomiting. White tongue. Headache. Constipation.
- Calcarea carb.** (tds) : Heartburns, waterbrash. Abdomen distended and hard. White stools. Great hunger and white coated tongue.
- Carbo veg.** (tds) : Acidity. Loose bowels. Flatulence and belching. Heartburn. Pain in the chest. Regurgitation of watery fluid from the stomach.
- Carica papaya** 1x (qid) : It furthers digestion especially in those who are allergic to meat and milk. 10 drops a dose, four times a day.
- Chamomilla** (tds) : Bilious dyspepsia. Tongue yellow, taste bitter. Aversion to warm drinks.
- Coffee** (tds) : A spoon or two of strong expresso coffee will often relieve immediately an acute indigestion from over-eating and when the food taken remains in the stomach for a long time without digestion.
- Graphites** 6 (bd) : Aversion to meat. Sweets nauseate. Hot drinks disagree. Nausea and vomiting after each meal. Morning sickness during menstruation. Burning in stomach causing hunger. Pain in the stomach temporarily relieved by eating and drinking hot milk.

-
- | | |
|------------------------------|--|
| Ipecacuanha (tds) | : Gastric symptoms from and after indulgence in rich food as pastry, pork, sweets, ice creams, etc. Constant nausea and vomiting. |
| Iris vers. (tds) | : Nausea and vomiting of watery and extremely sour fluid, especially early in the morning. Burning in the whole alimentary canal. |
| Kalium bich. (tds) | : Cutting pain in the stomach soon after eating. Food lies in the stomach without digestion giving a sensation of heaviness and load in the stomach. |
| Kalium carb. (tds) | : Dyspepsia of old people. Abdomen distended after eating a little. Heartburn. |
| Lycopodium (tds) | : Great flatulence in the abdomen. Feels sleepy after dinner. Water-brash. Tongue coated white. |
| Magnesium phos. (tds) | : Sleeplessness on account of indigestion. |
| Natrium carb. (tds) | : Old dyspeptics always belching. Very weak digestion. A slightest error of food causes indigestion. |
| Natrium mur. (tds) | : Indigestion of smokers. Bitter taste. Blistered tongue, loss of taste. Heartburn with intense thirst. Constipation. |
| Nux vomica (tds) | : Indigestion from indigestible food and alcohol. Cramping and spasmodic pain. Vomiting. Constipating. Flatulence of hysterical women especially during pregnancy. |
| Plumbum met. (tds) | : Lead dyspepsia in people suffering already with numbness of the extremities. Excessive colic, radiating to all parts of the body. Abdominal wall feels drawn by a spring to the spine. |
| Pulsatilla nig. (tds) | : Indigestion from eating fried food and meats. Tongue moist and thickly coated white. |
| Robinia (tds) | : Indigestion due to acidity. |
| Sanguinaria (tds) | : Tongue yellowish-white. Foul eructations. Nausea not relieved by vomiting. Saliva increased. Bitter vomiting. |

- Sepia** (tds) : Dyspepsia of tabacco eaters and smokers. Everything tastes salty.
- Vanadium 6** (tds) : Indigestion after gastroenteric inflammation. Three doses a day for a few days, improves digestion quickly. It has the same effects in early tuberculosis.

DYSPHAGIA

(SWALLOWING DIFFICULT)



- Apis mel.** (tds) : Swallowing difficult and painful on account of edema of the mucous membrane of the throat - appearing as if stung with a bee, there is inability to even swallow a single drop.
- Argentum nit.** (tds) : Difficulty in swallowing with sensation of a splinter in the throat.
- Baptisia** (tds) : Can swallow liquids only. Great difficulty in swallowing solid food. Solid food gags. Esophagus is constricted and contracted.
- Belladonna** (tds) : Swallowing difficult on account of a bright red swelling in the throat with dryness and burning.
- Capsicum** (tds) : Swallowing difficult on account of burning with constriction of the throat.

- Carbolicum acidum** (tds) : Almost impossible to swallow, and regurgitation on swallowing liquids due to inflammation of fauces or diphtheria.
- Causticum** (tds) : Food enters larynx instead of esophagus due to a disease of pharynx causing difficulty in swallowing.
- Crotalus hor.** (tds) : Cannot swallow any solid substance due to spasm and constriction of the esophagus.
- Hepar sulphuris** (tds) : Difficulty in swallowing with a sensation of a plug and of a splinter in the throat.
- Hyoscyamus nig.** (tds) : Cannot swallow liquids. Uvula is elongated and muscles of the throat and pharynx are stiff.
- Ignatia amara** (tds) : Stitches in the throat between acts of swallowing. Swallowing difficult on account of inflamed, swollen and ulcerated tonsils.
- Lachesis** (tds) : Swallowing of both liquids and solids difficult due to the dry, intensely swollen throat.
- Mancinella** (tds) : Dysphagia from constriction of the throat and esophagus.
- Natrium phos.** (tds) : Dysphagia due to blisters on tongue, soft palate, etc.
- Plumbum met.** (tds) : Cannot swallow solids due to constriction in esophagus, stomach pressure and tightness. Constant vomiting.

NOTE: It is one of the imperatives in medicine that if a person in middle life complains of 'dysphagia', one must not rest until carcinoma of the esophagus or other organic cause has been excluded.

DYSPNEA

(SEE 'BREATHLESSNESS')

EARACHE (OTALGIA)

- Aconitum nap.** (qid) : Earache due to extreme heat or extreme cold. Very useful in the early stages.
- Actaea spic.** (tds) : Throbbing pains in the ears while sneezing or blowing the nose.
- Aethusa cyn.** (tds) : Earache is relieved by boring a finger in the ear.
- Belladonna** (qid) : Sudden unbearable pains with redness of the external and middle ear.
- Capsicum** (tds) : Earache due to rupture of the drum. Pains worse at night.
- Chamomilla** (qid) : A great remedy for earache in children. The pains of the ears are intolerable.
- Gelsemium** (tds) : Earache during menopause.
- Hepar sulphuris** (tds) : Earache due to an abscess in the ear. Patient does not allow to touch the ear, as the touch increases the pains. Earache due to exposure to cold dry winds.
- Lachesis** 200 (od) : It cures the tearing pain of the ear caused by the ear fungus which is generally black or white.
- Magnesium phos.** Q : Give 3 grains with warm water every half hour when the pains are relieved by hot application and by placing a hand on the ear.
- Plantago** Q : It gives relief from the earache. Instill a few drops in the ear, may be mixed in an equal quantity of Verbascum oil for instilling in the ear.
- Pulsatilla nig.** (tds) : Otitis media - when tympanum is straw-colored and the pain does not bother the child.
- Pyrogenium** : Earache with purulent discharge.
- Tuberculinum** 1M (hs) : Give this remedy when the earache is chronic and other remedies give no relief.

Valeriana Q : Earache from exposure to draught of cold air and cold.

Verbascum oil : Earache with a sense of obstruction in the ear.
Internally, use 30 potency (tds) Dry scales and itching in the middle ear. Use oil externally and 30 potency orally.

NOTE: The middle ear is connected to the throat via the eustachian tube. It is meant to allow air to flow into the middle ear when the atmospheric pressure changes. Sometime bacteria and viruses also enter the ear via this pathway causing otitis media and a discharge from the ear.

EARDROPS

Oleum Mulleini : A little plug lightly drenched with it should be
Locally inserted into the ear holes. It will cure itching and the dry scaly conditions, making hearing somewhat better.

Plantago Q : Earache. A few drops warmed to body temperature should be instilled in the painful ears.
Locally It relieves pains.

EAR FUNGUS

Lachesis (bd) : Black, bluish fungus on the ear drum.

Silicea (tds) : Whitish fungus growths on the ear drum.

EAR NOISES (TINNITUS)

Alumina (tds), : Cracking noises in the ears, while chewing.
Nitricum acidum (tds)

Arnica mont. (tds) : All sorts of noises in the ears after an accident or a blow on the ears.

Baryta mur. (tds) : Whizzing and buzzing in the ears. Echoing of

- sounds and voices. Humming as from telegraph wires. Cracking noises while chewing.
- Belladonna** (tds) : Hearing ones own noise in the ears.
- Causticum** (tds) : All sorts of noises like roaring, tickling, humming, etc. Noises during deafness. Own voices sound in the ears.
- Glonoinum** (tds) : Beats of the heart are heard in the ears.
- Kalium mur.** (qid) : Noises of moving trains and chirping of birds in the ears.
- Ledum pal.** (tds) : Noises like ringing of bells, roaring like strong winds and storms.
- Manganum acet.** (tds) : Whistling noises in the ears.
- Natrium sal.** (tds) : Ringing and other noises in the ears. It is a very good remedy if there is a progressive deafness.
- Petroleum** (tds) : Ringing and crackling noises.
- Picricum acidum** (tds) : Humming as if from telegraph lines.
- Thiosinaminum** 2x (tds) : All sorts of noises in the ear due to thickness of the ear drum and some deafness.

NOTE : Researches at Buffalo (USA) Medical Center have identified the source of tinnitus as originating in the auditory cortex in the brain. When the inner ear is damaged by blows, loud noises, etc. the brain “rewines” itself to compensate for the loss of function. This “rewining” generates electrical signals that the brain interprets as noises.

EARS

- Ammonium mur.** (tds) : Burning in the ears in cold weather and in cold air.
- Aurum met.** (tds),
Agaricus mus. (tds) : Burning, redness and itching of the ears. Use either of the remedies.
- Baryta carb.** (tds) : Earlobes inflame on wearing any earring except gold. Another household prescription for this trouble is to paint clear nail polish on the posts and back of the earrings. This is




A Helix

Fig. (A) Different parts of auricle of external ear.
 Fig. (B) External and middle portions of right ear.
 Fig. (C) Right tympanic membrane as seen through otoscope.

**C**

- great if the ear lobes are sensitive to metals other than gold.
- Calcarea fluor.** 12x : Chronic suppuration of the middle ear.
- Causticum** (tds), : Use either remedy when external ears burn
Sulphur (od) and are very red.
- Formica rufa** (tds) : Checks further formation of polypi in the ear, and has a deterrent influence in the formation.
- Glonoinum** (tds) : Beats of the heart are heard in the ears.
- Mercurius dulc.** 6x (tds) : A useful remedy for inflammation and catarrh of the eustachian tube and that of membrana tympani.
- Mercurius sol.** (tds) : Burning of the drum (tympanum) of the ear.
- Natrium sal.** 3x (tds) : Diseases of the inner ear like loss of conduction of voice by the ear bone producing deafness, vertigo and all sorts of noises and gradual deafness.
- Sanguinaria** (tds) : Burning redness of the ear and cheeks.
- Scrophularia nodosa** Q (tds) : Eczema of the ear.
- Stannum met.** (tds) : Ulceration of the lobes of the ear on wearing earrings.
- Streptococcinum** 200 (hs) : A dose cuts the ear infections. About 30%
 Repeat once a week of ear infections are caused by streptopneumonia. It removes the septic conditions and has a rapid action to cure fever.

EAR WAX

- Conium mac.** (tds) : A little wax is necessary in the ear. It is very poisonous and instantly kills any insect straying into the ear. However, abnormal secretion of the wax is cured by the use of this remedy. Wax should also be removed manually.
- Lachesis** (tds) : It removes the irritation caused by hard and

dry ear wax. The wax can also be softened by instilling a few drops of Mullein oil and then removed manually.

Wiesbaden (tds) : Copious secretion of ear wax which is soft, slimy, thin, almost fluent and pale brown with much itching in ears after its flow is cured by the use of this remedy.

Note: Ear wax begins as a fluid secreted by cells in the ear canal as a self-cleaning method. The fluid is slowly pushed to the outside by small hairs lining the ear canal. When it remains in the canal too long, it dries and takes on a hardened appearance. The hairs continue to move it to the exterior so that it can be cleaned manually.

ECZEMA **(SEE ALSO 'RINGWORM')**

Acidum sulph. (tds) : Livid, red, itching blotches and eczema. Relieves itching. Eczema due to staphylococci and streptococci infection.

Aethiops antimonialis 3x (tds) : Crusted ringworm-like scrofulous eruptions - painful, irritating and scabby.

Alumina (tds) : Dry, irritating eczema.

Antimonium crud. (tds) : Eczema of the face, genitals and anus. Severe continuous itching. Eczema with gastric troubles. Burning is worse at night.

Anthracinum (tds) : Boils and boil-like eruptions. Black and blue blisters. Foul secretions. Burning.

Arsenicum alb. (tds) : Eczema with burning and restlessness. Itching produces burning, worse cold and cold applications. Eczema between fingers and cracks on the tips of the fingers. Best normally for chronic eczema if there is great burning and itching. Eczema of vulva.

Arsenicum iod. 3x (tds) : Eczema of the beard with oozing of watery discharge. Itching worse by washing. Dry scaly itchy eruptions.

Bacillinum 200 (hs) : Ringworm. Eczema of eyelids.

Repeat once a week

- Berberis vulg.** (tds) : Eczema of hands and anus. Circumscribed pigmentation following cure of eczema.
- Borax** (tds) : Itching on the back of the finger joints with loss of nails.
- Calcarea carb.** : Eczema behind the ears.
- Calcarea sulph.** : Dry eczema of children.
- Chrysarobinum 6** (tds) : Vesicular eruptions associated with a foul smelling discharge and crust formation. Violent itching of thighs, legs and ears. Dry scaly eruptions. Locally and externally, 10 drops in vaseline should be applied gently and not rubbed. Eczema behind the ears.
- Cicuta vir.** 200 (od) : Eczema on the chin of the male. Eczema of scalp. Whole head is covered with eczema as with a cap.
- Clamatis erecta** (tds) : Pustular eczema. Vesicles with watery secretion followed by formation of scales and crust. Inflammation increases with the increasing moon and decreases with the decreasing moon.
- Croton tig.** (tds) : Eczema of the face, genitals and testes. It relieves itching of all eczema's permanently and rapidly. Eczema of whole body and of the vulva.
- Graphites** 200 (hs)
Repeat once a week : Eczema of palms, hands and around the anus. Weeping eczema. Sticky fluid comes out on scratching. Eczema of the eyelids, face, genitals and anus. Cracks in the skin. Moist scabby eruption on the scalp, face, bends of joints, between fingers and behind ears.
- Gunpowder 3x** (tds) : Where other remedies are hard to decide, give it in chronic eczema, 3 doses a day till cured.
- Hepar sulphuris** (tds) : Moist eczema with itching in the folds of the skin. After scratching, pimples form on the skin. Eczema is worse during cold dry winds and better in damp, rainy weather and by

- warmth. Eczema of genitals and scrotum.
- Hydrastis** (tds) : Crusty burning eczema on the neck. Eruptions like smallpox - lupus.
- Hypericum** (tds) : Eczema of hands and face with intense itching. Herpes zoster.
- Juglans c.** (tds) : Pustular eczema on the lower extremities, sacrum and hands with redness of the skin. Small pox—like eruptions on the skin.
- Kalium ars.** : Chronic eczema when the itching is increased while undressing, walking and from warmth.
- Kalium bich.** (tds) : Eczema of the scalp with thick heavy crusts - which ooze a yellow, thick, gluey liquid.
- Kalium mur.** (tds) : Moist eczema. It is especially useful in chronic and obstinate forms of eczema. Vesicles contain a thick white content. Eczema of face and head of children.
- Lachesis** 200 (od)
For 3 days.
Repeat after 15 days : It is of great value when the slightest touch, like that of cloth even, causes maddening irritation of eczema. If the affected skin has a bluish-purple appearance, this remedy is sure to help.
- Ledum pal.** (tds) : Eczema of face and cheeks. Skin is red in color, and is worse scratching and at night. Putting feet in cold water gives relief.
- Lycopodium** 200 (od) : Eczema with violent itching and fissured eruptions. Skin becomes thick. Such patients usually have digestive and urinary troubles. Dry eczema or psoriasis of palms.
- Manganum acet.** (tds) : Chronic eczema worse during menstruation or menopause. Itching better by scratching and worse in wet and cold or changing weather.
- Mercurius sol.** (tds) : Weeping eczema in the bend of knees and elbows - vesicular and pustular eruptions. Itching worse from the warmth of bed. Eczema of the head of children with yellowish-brown crusts.

- Mezereum** (tds) : Eczema on the hairy parts with intolerable itching. Head covered with thick leather-like crusts with pus underneath. Hair becomes glued together. Bad smell from crusts and pus. Eruptions ulcerate and form thick scabs, oozing a fetid, discharge.
- Natrium mur.** (tds) : Crust eczema; eruptions on the margins of hair. Eczema behind the ears. Eczema in hair follicles. Eczema with thick scales, oozing pus.
- Oleander** (tds) : Eczema of the scalp.
- Petroleum** (tds) : Has yellowish-green thick crusts on the face and neck. On scratching a liquid comes out and often blood. Eczema disappearing in summer and reappearing in winter. Eczema with fissures on hands and behind the ears. The discharge is watery. It is specially suitable for eczematous behind the ears.
- Phosphorus**, (bd)
Sepia (tds) : Eczema on lips. Apply Capsicum Q on the eczematous parts once a day. It cures.
- Psorinum** (bd) : Crusty, scaling, dry eczema of the scalp and face. Hair falls out. Terrible itching worse from the warmth of the bed. Oily skin. Eczema behind the ears and bends of joints with fetid discharge.
- Ranunculus bulb.** (tds) : Bluish eruptions and vesicles with burning and intense itching. Eczema on palms.
- Rhus tox.** 200 (bd) : Eczema, blister-like with a lot of itching. Restlessness. When blisters disappear, the skin becomes red. Offensive secretion. Burning. Worse winter and damp weather. Eczema of whole body and of vulva.
- Scrophularia nodosa** Q (bd): Eczema of the ear.
- Selenium met.** (tds) : Vesicular eruptions between fingers. Itching about finger joints and between fingers. Itching of palms, ankles and folds of skin.
- Sepia** (tds) : Eczema in circular spots at isolated places. Ringworm. Worse in bends of elbows and knees and in spring weather.

- Skookum chuck** 3x (tds) : An antipsoric remedy. Obstinate eczema of dry skin.
- Staphysagria** (tds) : Eczema of head, ears, face and body. Thick scales, dry and itch violently. Scratching changes location of the itching.
- Streptococcinum** 1M (hs)
Repeat after 15 days : Repeated appearance of the eczema after cure. Scratching gives pleasure.
- Sulphur** (od) : Dry rough skin. Much itching. Eczema in the folds of skin. Eczema of the hairy parts. Pruritus, worse washing. Bad odor from the body. Eczema caused by the use of hair dyes.
- Thuja occ.** (tds) : Simple, acute, general or local eczema in psychotic patients. Eczema after suppression of gonorrhea or as an effect of vaccination. Eruptions only on the covered parts which are very sensitive to touch.
- Tuberculinum** 1M (hs)
Repeat after 15 days : Chronic eczema of the whole body. Severe itching at night.
- Urtica urens** 3x (tds) : Recent eczema on the back of hands. Burning of skin.

NOTE : The patient should be advised :

1. To reduce the number of baths. Excessive bathing and hot water actually removes moisture from the skin making it dry.
2. To avoid strong soaps, solvents or other products and while handling detergents, to wear rubber gloves.

EDEMA (SWELLING)

- Aceticum acidum** (tds) : Swelling of feet and legs. Debility.
- Antimonium ars.** (tds) : Edema of the eyes.
- Antimonium tart.** (tds) : Most cases of pulmonary edema are benefited by the use of this remedy.
- Apis mel.** (qid) : Give in repeated doses for edema glottis. It acts on cellular tissues and is used for edema

- of skin and mucous membranes in dropsical effusions and anasarca due to kidney troubles. The affected parts are of rosy red color and the pains are of a stinging nature. Edema of lower lips. Sudden puffing up of the whole body.
- Apocynum can.** (tds) : Edema with scanty urine, great thirst and in menstrual troubles. It is a very good remedy for dropsies.
- Arsenicum alb.** (tds) : Edema in heart troubles and of drunkards.
- Aurum mur.** (tds) : Edema due to spleen and liver diseases.
- Bryonia alba** (tds) : Swelling of the legs during pregnancy.
- Cactus** (tds) : Edema of hands and feet.
- Hydrocotyle** (tds) : Edema due to inflammation of cellular tissues.
- Kalium carb.** (tds) : Swelling of the upper lip.
- Phosphorus** (bd) : Edema due to inflammation of the kidney or due to anemia. Edema of face and eyes.
- Rhus tox.** (tds) : Edema of vulva and penis.
- Sanguinaria** (tds) : Edema glottis with acute pharyngitis.
- Tarentula cab.** (tds) : Feeling of puffiness on the whole body.
- Serum anguillae** (tds) : Edema due to failure of the kidneys and suppression of urine.
- Terebinthinae** (tds) : Dropsical edema in Bright's disease or inflammation of kidneys.
- Thyroidinum 3x** (tds) : Edema of various types without any cause. Swelling of legs.
- Vesicaria Q** (bd) : Edema due to suppression of urine in kidney diseases.
5-10 drops in ½ cup of water

ELECTRIC SHOCKS

- Acidum fluor.** (tds), : Pains like electric shocks.
- Cimicifuga** (tds),
- Colchicum autum.** (tds)

- Ailanthus g.** (tds) : Sensation as of passing of an electric current from head to feet.
- Euphorbium off.** (tds) : Pains like electric shocks.
- Phosphorus 200** (od) : Bad effects of electric shocks.
For 3 days
- Strychninum purum** (tds) : Electric shocks are felt on touching any metallic thing like door handles, after walking on a synthetic carpet.
- Veratrum vir.** (tds) : Sensation of violent electric-like shocks in the limbs.

ELEPHANTIASIS

- Calotropis Q** (bd) : Has been used with marked success in this disease by increasing the circulation of the skin and production of perspiration.
- Elaeis Q** (bd) : The skin is thickened and hardened. Itching of the skin. Dose, 10 drops, thrice daily.
- Hydrocotyle** (tds) : Dry eruption on the skin. Great thickening of epidermoid layer and exfoliation of scales.
- Myristica seb.** (tds) : The treatment may begin with this remedy as it becomes of no avail in the later stages of the disease.

EMACIATION

Emaciation is becoming abnormally thin from extreme loss of flesh.

- Abrotonum** (tds) : General marasmus. Legs mostly affected, emaciation from below upwards. Appetite is good. Ill-effects of suppressed diseases.
- Alfalfa Q** (bd) : Acts as a fat producing drug. Corrects tissue waste.
- Ambra grisea** (tds) : Emaciation of mentally deficient children who are nervous and easily excited.

-
- Antimonium crud.** (tds), : Emaciation of penis and testicles.
Argentum met. (tds),
Staphysagria (tds)
- Argentum nit.** (tds) : Progressive emaciation. Craving for sweets which does not suit and flatulence, which is expelled with a noise.
- Arsenicum alb.** (tds) : Diarrhea soon after drinking or eating. Burning in the stomach. Rapid emaciation due to fever. Gradual loss of weight.
- Aurum mur.** (tds) : Emaciation after syphilis.
- Baryta carb.** 200-1M (hs) : Emaciation with granular swelling and enlargement of the abdomen. Patient is shy.
Repeat once a week
- Calcarea carb.** (tds) : Emaciation of skin with large abdomen. Skin is folded. Bones do not grow rapidly and normally.
- Calcarea phos.** 6x (qid) : A good tonic during the disease. Skin is dry, wrinkled and withered. Can be given in alteration with the indicated remedy. Child's face is wrinkled. Sweating of head and hands in sleep.
- Causticum** (tds) : Emaciation due to long standing worries or due to a disease.
- Conium mac.** (tds) : Mammæ develop too slowly at the age of puberty.
- Ferrum phos.** 6x (qid), : Two tablets of each and all the four mixed in
Calcarea phos. 6x (qid), one dose should be given early in the morning
Natrium mur. 6x (qid), along with another indicated remedy at an
Nux mosch. (qid) interval of three hours.
- Hydrastis** (tds) : Emaciation after measles.
- Iodium** 200 and 1000 (hs) : Increases weight and flesh while 2x and 3x
Repeat once a week reduces weight, flesh and obesity. Iodium in high potency is indicated when the patient only feels well by eating but goes on emaciating. Granular atrophy with fear of people.
- Lycopodium** (tds) : Emaciation of the neck and face. Eats and drinks everything warm. Flatulence.
- Magnesium carb.** (tds) : Emaciation - milk not digested. Craves meat.

- Natrium mur.** 200 (od) : Chilliness with an earthy complexion and constipation. Emaciation starts from above-neck or upper limbs and spreads downwards.
- Onosmodium** CM (hs),
Repeat after 15 days,
Chimaphila (tds) : Breasts absent or dwindle due to atrophy.
- Pepsinum** (tds),
Natrium phos. (tds) : Marasmus of children who are fed on artificial food.
- Phosphorus** (bd) : Emaciation after menstruation diseases.
- Picricum acidum** (tds) : Emaciation though the appetite is good.
- Plumbum met.** (tds) : Emaciation due to anemia. Wasting of muscles and paralysis.
- Sarsaparilla** Q (bd)
2 drops : Nipples depressed instead of projected. Neck emaciated. The skin of the neck is in folds. 2 drops in water, twice daily.
- Silicea** (tds) : Emaciation due to defective assimilation. Patient is chilly.
- Syphilinum** 1 M (hs)
Repeat after 1 month : Extreme emaciation of the skin.
- Tuberculinum** 200 (hs)
Repeat after 15 days : Rapid emaciation. Patient is always tired. Motion causes intense fatigue. Emaciation of neck due to dehydration. Rapid emaciation in wasting diseases like tuberculosis, etc.

EMISSIONS (SPERMATORRHEA)

- Acidum phos.** Q (bd) : Emission at night and at stool. Sexual power deficient. Parts relax during embrace. Inflammation of the seminal vesicles. Semen ejaculated too soon in coitus. Sudden relaxation of penis preventing emissions. Semen emitted without erection.
- Agnus castus** (tds) : Seminal emissions without erections. Scanty emissions without ejaculation and on straining in persons who have been masturbating

- frequently. Suitable to old persons, physically impotent.
- Anacardium** (tds) : Seminal emission without dreams. Desire is increased and there is much itching of the penis, in and out. Prostratic juice escapes during stool.
- Argentum met.** (tds) : Seminal emissions without any excitement with polyuria.
- Caladium seg.** (tds) : Emissions occur with or without dreams in old age. No emission and no orgasm in coitus - even for a long time.
- Calcarea carb.** (tds) : Emission with burning pains. Sweats and weakness after coitus. Emission very late. Pertains to both the sexes.
- Carbo veg.** (tds) : Emission too soon followed by headache.
- Causticum** (tds) : Seminal emissions mixed with blood.
- Conium mac.** (tds) : Emissions on thinking of a sexual act or at the sight of an attractive woman. Emissions due to suppression of sexual desire. Just an embrace is sufficient to discharge the semen.
- Damiana Q** (bd) : Absence of sperms in semen and chronic prostatic discharge.
- Digitalis** (tds) : Emissions with palpitation of the heart. Emissions without its feeling.
- Dioscorea 12** (tds) : It is an excellent remedy for seminal emission in weak persons. 2 or 3 emissions occur every night and on the following morning the patient feels very weak, particularly about the knees.
- Eryngium aqua.** 2x (tds) : Discharge of prostratic fluid from slight causes. A remedy of first importance in spermatorrhea, when it is without erections.
- Gelsemium** (tds) : Nocturnal emissions without dreams, slight or no excitement and without erection.
- Graphites** (od) : Absence of emission during sexual intercourse even for an abnormally long time, too early an ejaculation otherwise.


-
- | | |
|---|---|
| Hydrophobinum (bd) | : Emission too late or absent. |
| Kalium brom. (tds) | : Emissions without sexual intercourse and too frequent. Depression after each emission. |
| Lupulinum 1x (tds) | : Headache following a nights debauch and seminal emissions. It is a very good remedy for seminal emissions. |
| Lycopodium (tds) | : Emission in impotent persons, ejaculation too early if able to penetrate somehow. |
| Medorrhinum 1M (hs)
Repeat after 15 days | : Emissions during the night followed by great weakness which may lead to impotence. |
| Natrium mur. 200 (hs)
Repeat once in a week | : Emission even after ejaculation in coitus or retarded emissions which may not occur at all. |
| Nuphar lut. (tds) | : Seminal emissions while passing a hard stool or on straining. Complete absence of sexual desire. Parts relaxed. Penis retracted. After spermatorrhea pain in the penis and testicles. |
| Nux vomica (tds) | : Frequent emissions. Bad effects of masturbation. Headache and impaired digestion. |
| Onosmodium (tds) | : Deficient erections and speedy emissions. |
| Picricum acidum (tds) | : Erections very strong with great desire and emissions, without relaxation of the penis. |
| Sabal ser. (tds) | : Involuntary discharge of prostatic fluid. |
| Selenium met. (tds) | : A very good remedy for seminal emissions. Emissions are too soon with long lasting thrill. Vertigo on rising in the morning. Dribbling of semen and prostratic juice during sleep. |
| Sepia (tds) | : Emission with insufficient erection in men and without any sexual excitement in women. |
| Stannum met. (tds) | : Emissions with excessive prostration. Orgasm is easily produced, even by scratching the arm. In women, it transmits sensation of great pleasure to the uterus leading to an orgasm. |
| Staphysagria (tds) | : Bad effects of masturbation. Great emaciation with blue rings about the eyes. The boy is shy and gloomy. It is very useful for removing weakness caused due to excessive spermatorrhea. |

- Sulphur (od)** : Emission even before erection is complete.
- Tribulus ter. Q (tds)** : Debilitated state of the sexual organs. Ready emissions and weak semen. Very near specific for early ejaculation. It corrects sperms and semen and also ill-effects of masturbation and spermatorrhea. Dose-15 drops, thrice daily.
- Thuja occ. Q (od)** : Nocturnal emissions are controlled by taking a dose consisting of 6 to 7 drops in water at bed time.
- Titanium met. (tds)** : Too early ejaculation in coitus.

EMPHYSEMA

(DYSPPNEA DUE TO DESTRUCTION OF AIR PASSAGES OF THE LUNGS)


Normal




Pulmonary plathology

At post mortem, the lungs are voluminous and pale. They contained little blood.

Bullae like bubbles may be formed at the periphery





In this disease, lungs are enlarged. This happens gradually. It is believed that the disease is the late effect of chronic infection or the irritation of bronchial tubes. The patient may have been suffering from cold or cough for the past few years and begins to feel shortness of breath on exertion in the morning or evening or both. Sometimes this symptom is confused with asthma or a heart disease. Weakened and inflamed lungs interfere with passage of blood through the small blood vessels of the lungs. When the interference grows, the heart has to work harder to pump blood. The heart may also enlarge under the stress and may fail to work in the end. A very high percentage of people who suffer from this disease, are cigarette or drug smokers. Polluted air can also cause it. The following medicines, selected according to symptoms, afford relief to many and lengthen their life.

- Antimonium ars. (tds)** : Head remedy. Excessive dyspnea and cough with much mucus secretion, worse on eating or lying down. Asthma-like condition.
- Antimonium tart. (tds)** : Emphysema of the aged. Coughing and gasping consequently. Great rattling of mucus in the lungs. Rapid, short, difficult breathing.
- Aspidosperma Q (bd)** : Tonic of the lungs. Removes temporary obstruction to the oxidation of blood by stimulating respiratory centres. Want of breath during exertion is a guiding symptom. Give 10 drops a dose.
- Bryonia alba (tds)** : Frequent desire to take a long breath; must expand lungs. Dry barking cough worse at night. Quick, difficult respiration with pain in the chest.

- Carbo veg.** (tds) : Emphysema due to ill or incomplete treatment of pneumonia and chronic hoarseness.
- Chininum ars.** (tds) : Asthma like attacks which occur periodically. Great prostration.
- Coca** 5-6 drops (qid) : Emphysema. Want of breath or short breath-asthma type. Especially useful for aged sportsmen and alcohols. Hoarseness or loss of voice and dyspnea. Give 5-6 drops per dose every two hours in severe cases of emphysema.
- Curare** 6 (tds) : Threatened stopping of respiration on falling asleep. Short breath. Short, dry cough. Very distressing dyspnea.
- Naphthalinum** (tds) : Dyspnea and sighing respiration. Emphysema of the aged with asthma. Long and continued paroxysms of coughing. Unable to get respiration. Tenacious expectoration.
- Senega** (tds) : Chronic emphysema of old asthmatics with congestive attacks of oppression and sensation of weight on chest.
- Strychninum purum** (tds) : Respiration increased. Excessive dyspnea. Sharp contractive pains in the muscles of the chest. Persistent cough.

ENCEPHALITIS

(SEE 'BRAIN INFLAMMATION')


ENDOCARDITIS

(INFLAMMATION OF THE LINING MEMBRANE OF THE HEART)

- Aconitum nap.** (tds) : Palpitation with anxiety. Tingling in the fingers. Pain in the chest and left shoulder.
- Arsenicum alb.** (tds) : Dyspnea. Palpitation. Blueness of the skin and restlessness.

- Digitalis** (tds) : The least movement causes violent palpitation and sensation as if the heart would cease beating. Very weak and slow pulse.
- Naja tri.** (tds) : Sensation of weight on the heart. Pains in the chest extend to the neck, left shoulder and left arm. Pulse irregular. Extremities cold.
- Terminalia arjuna Q** (tds) : When no definite symptoms of the heart can be determined and there is palpitation and pains, give 5-10 drops every hour in acute cases and after 3-4 hours in chronic cases.

ENDOMETRITIS (METRITIS) (INFLAMMATION OF THE UTERUS)



Endometriosis is a chronic disease that can occur in any women of child bearing age. In some cases it causes severe pelvic pain, especially during menstruation, but in other cases there are no symptoms at all. The tissue lining the uterus is called endometrium and inflammation of the endometrium is called endometritis or metritis. When a woman becomes pregnant or enters menopause, she may experience an improvement in her endometriosis. However, at the end of the pregnancy, the symptoms may return. Sometimes endometrial tissue may come outside the uterus through the fallopian tubes

and may cause symptoms of endometriosis. They can spread to the organs closest to the uterus like ovaries, ligaments supporting the uterus, tissue lining the pelvic cavity, intestines, bladder, outer surface of uterus, fallopian tubes and more commonly vagina or cervix become cornered to the disease. The best way to confirm the diagnosis is by laparoscopy. In this method, a thin tube is inserted in the abdomen to see the pelvic cavity. This will reveal the exact location of the disease. Thus, it becomes easier for a homeopath to administer the oral homeopathic medicines for treatment of the patients to avoid surgery.

- Apis mel.** (tds) : Metritis with stinging and burning pains worse heat, touch and pressure.
- Arsenicum alb.** (tds) : Sticking pains in the pelvis extending down the thighs, worse in wet weather, after midnight, from cold and cold drinks, and right side. Better from heat and warm drinks.
- Bryonia alba** (tds) : Intermenstrual pains with great abdominal and pelvic soreness, worse with warmth and motion, better lying on the painful side, pressure, rest and cold things.
- Cimicifuga** (tds) : Pain in the ovarian region shooting upwards and to the frontal surface of the thighs. Pain across pelvis from hip to hip and immediately before menses. Worse morning and cold. Better warmth and eating. An important symptom is that more the menstrual flow, more is the suffering.
- Gelsemium** (tds) : Labor-like pains extending to the hips and back. Worse during damp weather and bad news. Better bending forward and by profuse urination.
- Hydrocotyle 3x** (tds) : It is indicated when the cervix or the neck of the bladder is involved. There is a dull pain in the ovarian region and redness of the cervical region. Heat is felt in the vagina. Granular ulceration of the uterus is generally present. In such circumstances, this remedy is of great use.
- Murex purp.** : Chronic endometritis and dysmenorrhea.

- Sepia** (tds) : It is indicated when the vagina is involved and there are bearing down pains. Sticking and violent pains rise from vagina to the uterus and are worse bathing, dampness and left side, and better by pressure and warmth.
- Tilia eur.** (tds) : Metritis after childbirth. Intense sore feeling about the uterus and bearing down sensation. Much hot perspiration which does not give relief.
- Viscum alb.** : Chronic endometritis
- Note:** Researchers have linked endometritis, a leading cause of infertility, to diseases like rheumatoid arthritis, lupus, chronic fatigue syndrome, fibromyoma and allergies.

ENURESIS (BED WETTING)

- Aloe soc.** (tds) : Enuresis of old people due to enlarged prostate gland.
- Argentum nit.** : Urine passes day and night unconsciously due to loss of vesicular control.
- Belladonna** (tds) : Restless sleep in nervous excitable children who wet the bed. Involuntary passing of urine in sleep at night.
- Benzoicum acidum** (tds) : Strong smelling urine of low specific gravity. Bed wetting several times during sleep. Urine smelling of ammonia as in the urine of a horse.
- Calcarea carb.** (tds) : Another good remedy for enuresis in children who are plump and who eat dirt and other indigestible things.
- Causticum** (tds) : Involuntary spurting of urine on sneezing and coughing. Involuntary urination in children and aged at night during first sleep.
- Cina** (tds) : Enuresis due to the presence of worms in children. The child scratches the tip of the nose very often.

- Equisetum** (tds) : Principal action on the bladder. A remedy for enuresis. Painful urination. Constantly nocturnal wetting. The urine looks cloudy. Enuresis with dreams and nightmares.
- Ferrum phos.** : Daytime enuresis.
- Kalium mur.** 6x (qid),
Magnesium phos. 6x (qid) : 3 grains of each mixed together can be prescribed in routine when definite indication of other remedies cannot be found.
- Kalium phos.** 6x (qid) : Enuresis with yellow urine. Incontinence of urine - inability to retain urine.
- Kreosotum** (tds) : Enuresis in the first part of night with dreams as if urinating in the urinal. Otherwise also must hurry when the desire comes or the urine escapes. It is specially useful in heavy sleepers who wet the bed during first sleep.
- Lac can.** 200 (od) : Nocturnal enuresis. The patient dreams as if passing urine in the regular urinal. Wakes up after this.
- Lycopodium** (tds) : Polyuria during night. Flatulency. Involuntary urination during sleep.
- Medorrhinum** 200 (hs)
Repeat after 15 days : Nocturnal enuresis. A general remedy.
- Plantago** 200 (hs)
Repeat after 1 week : Nocturnal enuresis. Profuse flow of urine.
- Psorinum** 200 (hs)
Repeat after 15 days : Bed wetting in psoric patients. Wets the bed specially during full moon. Use it when well selected remedies fail to act.
- Pulsatilla nig.** (tds) : In girls who wet the bed during the day as well as at night. Poor sleepers and the patients who eat too much. Increased desire.
- Sabal ser.** (tds) : Enuresis of old and feeble persons due to partial paralysis of the valve (sphincter) of the urinary bladder.
- Secale cor.** (tds) : Enuresis in old people due to enlarged prostate gland.
- Senega** (tds) : Involuntary passing of urine in sleep, during the day.

- Sepia 200** (od) : Enuresis of sickly girls during first sleep. A very effective remedy. Urine is very offensive.
- Sulphur** (bd) : Enuresis especially in untidy children. Must hurry to urinate when there is a sudden call.
- Verbascum Q** (bd) : Nocturnal enuresis of long standing resisting treatment. Five drops per dose, night and morning.

EPILEPSY

RECENT

- Absinthium** (tds) : Petit mal. Nervous tremors precede the attack. Sudden and severe giddiness and then fainting.
- Argentum nit.** (tds) : Epilepsy in persons suffering from indigestion. Loud belching during the attack or before it. If given half an hour before the attack, it prevents the attack. The patient is withered and dried in constitution.
- Belladonna 1x** (tds) : Recent epilepsy on young persons. Spasms followed by nausea and vomiting. Skin hot. Face flushed.
- Cicuta vir.** (tds) : Violent convulsions. Fearful distortion of the eyes. Fingers clenched. Bending of the head, neck and the spine backwards. Moaning and howling.
- Helleborus** (tds) : Epilepsy in infants. During the paroxysm, the child remains sensible and the paroxysm may occur several times during the same day and after the attack, the child goes to sleep. Bad effects from earlier head injuries.
- Ignatia amara** (tds) : From emotional disturbances. Effects of grief and worry. Prevents recurrence of seizures if administered at the beginning of the aura.
- Kalium brom.** (tds) : Attack at new moon. Prostration with congestion in the head. Anemia, gastric

- disturbances and troubles of liver and digestion.
- Kalium cyan.** (tds) : Convulsions are violent. Face turns blue. Breathlessness before and during the attack.
- Oenanthe croc.** 3x (tds) : Violent convulsions. Body becomes stiff. Foam in the mouth. Attack is worse during menstruation and pregnancy. Convulsive facial twitching.
- Opium** (tds) : Fits come at night in constipated persons. Much drowsiness before and after the attack. Maybe due to fright.
- Stramonium** (tds) : Recent epilepsy caused in people who stammer on account of fright. Raises head frequently from the pillow.

CHRONIC

- Agaricus mus.** 1000 (hs)
Repeat after 15 days : Fits every seven days. Before attack, patient is talkative and yawns.
- Amylenum nit.** Q
Locally : It relieves epileptic convulsions temporarily. A few drops on cotton kept near the nostrils of the patient to inhale, will give immediate relief.
- Artemisia vulg.** (tds) : Epilepsy since childhood of girls at puberty. Petit mal without aura. Attack is after fright, emissions and masturbation. Several fits come together.
- Borax** 3x (tds) : A valuable remedy in epilepsy of children, whether recent or old, provided the child is afraid of downward motion so much so that the child cries when an attempt is made to put him down on the bed and is very sensitive to noises.
- Bufo rana** (tds) : It is of use in feeble minded children or prematurely seniles. Seizures occur at night during sleep, more or less connected with the sexual sphere. It is of use in many cases of epilepsy. Epilepsy at the time of menses.
- Calcarea carb.** (tds) : Persons of scrofulous type. Children grow fat with large bellies and a pale face.

-
- Cimicifuga** (tds) : Aura of a wavy type is felt in the brain before the attack. Opening and shutting sensation in the brain.
- Cuprum met.** 3x (tds) : Aura begins at knees, ascends to the hypogastrium, followed by unconsciousness, foaming at the mouth and falling. Constant protrusion and retraction of the tongue like a snake.
- Hydrocyanicum** 200 (hs)
Repeat every 3rd day : It is considered as a specific remedy for the cure of epilepsy.
- Hyoscyamus nig.** (tds) : Fits followed by nausea and vomiting.
- Indigo tinc.** (tds) : It is a useful remedy when the aura begins from a painful spot between the shoulders and flashes of heat from abdomen to head. Epilepsy with great sadness.
- Melilotus** : Epilepsy from a blow on the head.
- Millefolium** (tds) : Epilepsy from suppressed menses.
- Passiflora Q,**
Oenanthe croc. Q (od)
At night : 5 drops of *Oenanthe croc.* Q or 100 drops of *Passiflora Q* in half a cup of cold water, given at bed time usually prevents the nocturnal attacks of epilepsy.
- Plumbum met.** (tds) : Epilepsy in patients with unhealthy skin, obstinate constipation and mental depression.
- Psorinum** 200 (hs)
Repeat after 15 days : It is used as an intercurrent remedy when other symptoms of this medicine are present.
- Silicea** 200 (hs)
Repeat once a week : Fits during sleep. Nervous irritability. Ill-effects of vaccination. Sensation of coldness before an attack. Indicated in children with a large head and large abdomen.
- Solanum carolinense** (od) : Convulsions of epilepsy of idiopathic type where the disease has begun beyond the age of childhood. Hysterical epilepsy. Use 20-40 drops of mother tincture as a dose.
- Sulphur** 200 (hs)
Repeat once a week : It should be used as an intercurrent remedy.
- Tarantula his.** (tds) : Hysterical epilepsy with intense sexual excitement.

- Zincum phos. (tds)** : Removes mental weakness of the epileptics.
- Diet** : Epileptics should take more fats like butter, etc. and less proteins.

NOTE 1: According to the recent estimates by the World Health Organization, about 40 million people worldwide are suffering from epilepsy.

NOTE 2: Famous people who had epilepsy includes, Charles Dickens, Beethoven, Vicent van Gogh, Julius Caesar and Alexander, the Great.

NOTE 3: Researchers at the Institute of Neurology in London (England) say that the fertility rate in women suffering from epilepsy is lower than other women.

NOTE 4: Epilepsy is a seizure which is caused by a disturbance in the electrical activity of the brain.

NOTE 5: Epilepsy is a Greek word meaning seizures caused by demons.

EPISTAXIS

(BLEEDING FROM THE NOSE)

- Ambra grisea (tds)** : Bleeding mostly in the morning and there are crusts of dry blood in the nostrils.
- Ambrosia Q (bd)** : 10 drops of this in water during and after the attack of epistaxis stops bleeding and generally stops its recurrence.
- Ammonium carb. (tds)** : Bleeding from the nose when washing the face and hands. Dark blood which does not coagulate easily.
- Arum triph. (tds)** : Epistaxis with constant pricking of the nose.
- Bryonia alba (tds)** : Frequent bleeding of the nose when menses should appear.
- Carbo veg. (tds)** : Daily attacks of epistaxis. Patient becomes pale after bleeding.
- Erigeron Q (bd)** : Cures epistaxis when there is congestion in the head and the face is red.
- Ferrum phos. 1x (tds)** : Epistaxis when no cause is known. As a general remedy for recurrent bleeding.

Ferrum pic. (tds)	: It is almost specific for the disease.
Ficus rel. 2-5 drops (s.o.s.)	: A few drops of it in water taken every 20 minutes stops bleeding.
Ipecacuanha (tds)	: Blood is bright red and nausea is usually present.
Millefolium Q (bd)	: Its action is the same as of Trillium.
Phosphorus (bd)	: Bleeding from the nose when blowing the nose. Quantity of blood is very small and in drops. Handkerchief is always stained with the blood.
Silicea (tds)	: Nose bleeds when removing hard and dry crusts from the nostrils. Nasal bones sensitive.
Strontium carb. (tds)	: Epistaxis with bloody crusts in the nose.
Trillium pend. Q (bd) Can be used externally also	: A very good remedy for the disease. Maybe used internally and externally. A cotton plug drenched in it should be inserted into the nostrils and it will stop bleeding in seconds. Blood is bright red.
Vipera (tds)	: Chronic bleeding, even life long epistaxis is cured by the use of this remedy. It is considered as a specific for epistaxis.

ERECTIONS

(See Also 'Impotency')

(ERECTILE DYSFUNCTION)

Acidum fluor. (tds)	: Strong erections during sleep.
Acidum phos. Q (bd)	: Erections painful after coition. Erection while standing.
Agnus castus (tds)	: Erections wanting.
Ammonium carb. (tds)	: Erections in the morning.
Argentum nit. (tds)	: Erections fail on attempting coition.
Baryta carb. (tds)	: Great desire. During erections shivering. Erections maybe wanting.

- Conium mac.** (tds) : Feeble erections. Desire increased; power decreased. Effect of suppressed sexual appetite.
- Ginkgo biloba** Q (bd) : Improves the blood flow to the penis and produces a strong erection irrespective of the age.
- Ginseng** Q (bd),
Damiana Q (bd) : Helps to correct weakness of the penis and erections.
- Lecithinum** 3x (tds) : Weak erection is usually on account of less supply of blood to the penis. Use of four doses of this medicine for 8 weeks raises the level of blood generally and increases its supply to the penis on sexual stimulation. It strenghtens the erection and the man power.
- Lycopodium** 200 (od),
Graphites 200 (od) : Erections incomplete during coition.
- Opium** (tds),
Caladium seg. (tds) : With impotence when awake.
- Phosphorus** (bd) : Violent erections day and night. Erections incomplete during coition. Desire strong.
- Pulsatilla nig.** (tds) : Frequent erections with dribbling of prostatic juice.
- Rhus tox.** (tds) : Erections with urging to urinate.
- Sepia** (tds) : Erection remains after orgasm.
- Thuja occ.** (tds) : Erections without any desire for sex.
- Tribulus ter.** Q (bd) : Restores penile power when it is on account of over-indulgence, in old age or urinary troubles.

NOTE 1: See chapter on ‘Impotency’.

NOTE 2: A study has shown that 2 men in 5 have problems getting an erection after the age of 40. Nearly 7 in 10 do at the age of 70. It was estimated in early 1998 that the number of men coping with impotency is 140 million worldwide. Use of homeopathic remedies gives excellent results in such cases. While taking cases of erectile dysfunction, the homeopathic physician should know that the dysfunction can be on account of phsical and psychological difficulties. Physical difficulties include aging, diabetes, high cholesterol and prostate surgery. Such cases are incurable. Psychological factors can be depression, anger,

male dominance and use of drugs including tobacco. Such cases respond to homeopathic treatment. Not being able to have sexual intercourse is a great concern for some men as it is believed that an unsatisfying sexual act is detrimental to sexual intimacy. In old age and in impotent persons, the flow of blood to the penis decreases causing feeble or no erection at all. Most men experience the problem at some stage of their lives and erection also decreases with advancement of age. Some patients use a vacuum device for a successful sexual intercourse. It involves placing a hollow tube over the penis and inducing the erection with a vacuum pump. The erection is maintained by placing a band at the base of the penis. Such devices are available at some surgical stores.

- NOTE 3:** Latest surgical methods have made erectile dysfunction of the penis reversible. A tiny suppository silicon bar is inserted into the penile shaft. It provides a permanent erection. When needed, the bar is bent into an upright position and is lowered when done or when not required. It is important that this is done by a person who specializes in the art.
- NOTE 4:** Five percent of erectile dysfunction cases are caused by irregular levels of sex hormones. Medication can solve the problem.
- NOTE 5:** Male hormones, healthy nerves, blood vessels and sexual interest all play part in a normal erection. A problem in any of these areas can prevent a man from obtaining or maintaining an erection. It can be caused by depression, diabetes, multiple sclerosis, high blood pressure, heart disease, kidney failure or Parkinson's disease. Other contributing factors include smoking, excessive alcohol, obesity, stress, prostate surgery or paralysis.

ERUCTATIONS (BELCHING)

Eructation is voiding of gas or of a small quantity of acid fluid from the stomach through the mouth.

- Abies nig. (tds)** : Eructations with sensation of a painful lump at the epigastrium. Belching and pain in the stomach after eating.
- Aethusa cyn. (tds)** : Regurgitation of food after about an hour of eating. Vomiting relieves the distress.

-
- Agaricus mus.** (tds) : Empty eructations, tasting of apples.
- Antimonium crud.** (tds) : Belching with taste of food taken. The tongue is coated white. Indigestion and constant belching.
- Argentum nit.** (tds) : Belching is explosive in flatulency states. People present dried up looks and constitution.
- Asafoetida 3x** (tds) : Great difficulty in bringing up the wind. Hysterical eructations which are loud enough. The pressure of the wind is always upwards.
- Calcarea carb.** (tds) : Loud belching with heartburn.
- Carbo veg.** (tds) : Distention of abdomen with eructations tasting of food taken. Heartburn may or may not be present. Sensation of heaviness and fullness in the stomach. Rancid, sour or putrid eructations, after eating or drinking with temporary relief on belching.
- Carbolicum acidum** (tds) : Constant belching with nausea and vomiting dark olive green. Belching with bad taste and breath.
- Chamomilla Q** (bd) : A few drops of it in warm water taken during the attack gives immediate relief after 2 or 3 doses.
- Cyclamen** (tds) : Hiccup like eructations worse after taking fatty food. Taste salty.
- Ferrum met.** (tds) : Eructations after taking food. Belching gives a sense of relief.
- Laurocerasus** (tds) : Eructations tasting of bitter almonds.
- Lycopodium** (tds) : Eructations rise upto the pharynx where they burn for hours.
- Natrium carb.** (tds) : Old dyspeptics always belching.
- Natrium phos.** (tds) : Sour eructations and taste.
- Nux mosch.** (tds) : Belching in nervous patients. Abdomen is bloated. Hiccough. Stomach is bloated.
- Osmium** (tds) : Eructations tasting of radish, taken a while ago. Smell is foul.
- Phosphorus** (bd) : Belching large quantities of wind after eating.

- Psorinum** (od) : Eructations tasting of eggs although eggs were not eaten.
- Pulsatilla nig.** (tds) : Nausea with bitter taste.
- Sulphur** (od) : Eructations with particles of food coming into the mouth. Taste is very sour. Great acidity. Drinks much and eats little. Putrid eructations. Empty belching worse after taking milk.
- Thuja occ.** (tds) : Rancid belching after taking fatty food.
- Veratrum alb.** (tds) : Loud and violent retching and vomiting. Cold perspiration on the forehead.

ERYSIPELAS

(HOT, RED, EDEMATOUS, BRAWNY AND SHARPLY DEFINED ERUPTIONS)

- Ammonium carb.** (tds) : Erysipelas of seniles.
- Apis mel.** (tds) : Erysipelas of the new born near the navel and due to an injury.
- Arsenicum alb.** (tds) : Erysipelas accompanied with low fever.
- Calendula off.** (tds) : Erysipelas due to injury.
- China off.** (tds) : This generally aborts the diseases if given at the onset. Curative in simple and recent cases.
- Crotalus hor.** (tds) : Erysipelas which threatens to become gangrenous.
- Graphites 6** (bd) : It is a preventive of recurring erysipelas, which discharges a glutinous fluid which is thin and sticky. The erysipelas threatens to suppurate.
- Hepar sulphuris** (tds) : Useful when suppuration occurs.
- Rhus tox.** (tds) : The skin at the point of erysipelas and around is very red. The patient is restless and thirsty. Fever may accompany the swelling and itching. Erysipelas commencing from the left side and spreading towards the right side.
- Silicea** (tds) : Chronic erysipelas which refuse to heal.

ERYTHEMA (CHAFING) (INFLAMMATION OF SKIN DUE TO FRICTION)

- | | |
|------------------------------|---|
| Aconitum nap. (tds) | : Localized erythema due to exposure to heat and rays of the sun. |
| Antipyrinum (tds) | : Acute erythema multiforme. Dark red papules, usually on extremities appearing in successive eruptions of short duration. |
| Belladonna (tds) | : Alternative redness and paleness of the skin due to the friction of cloth or adjoining skin as in armpits. Indurations after inflammation. Erythema of vagina due to a sexual intercourse. |
| Boricum acidum (tds) | : Multiforme erythema of legs and arms. Swelling around eyes and tissues around it. No itching, burning or pains. May appear in separate rings or disk shaped patches. |
| Calcarea carb. (tds) | : Erythema in reddish spots. Erythema circinatum (occurring in circles). |
| Causticum (tds) | : Skin prone to erythema during dentition. |
| Chininum sulph. (tds) | : Erythema-like rash occurring in minute points of the body due to friction of clothes, etc. Red and painful nodules on legs with rheumatism. |
| Graphites (od) | : Erythema behind ears, between thighs and genitals, and of the breasts, and between toes. |
| Juglans c. (tds) | : Erythematous redness of the skin worse scratching. |
| Petroleum (tds) | : Erythema due to sensitiveness of the skin. Burning, itching and bleeding cracks of the skin. |
| Rhus tox. (tds) | : Erythema nodosum. Red and painful nodules on legs associated with rheumatism. Also caused by certain drugs and food poisoning. Spots are sometimes as large as walnuts and generally occur on the shins, rarely above the knee. |
| Sulphur (od) | : Itching, burning, redness of the skin worse scratching and washing. Erythema that is widely spread over the body. |
| Vespa (tds) | : Erythema of armpits with intense itching and |

burning. Erythema multiforme.

Xerophyllum (tds) : Erythema of inguinal glands and in the hollow of the knee with vesication, intense itching, stinging and burning. Blisters and cracks. Skin hard like leather.

NOTE: Dusting the chafed parts with a fine antiseptic powder like zinc oxide gives relief.

ESCAPE


Belladonna (tds) : The patient desires to escape from the host of fearful hallucinations. He hides here and there without any success.

Mercurius sol. (tds) : The patient wants to escape from the world being weary of life, but he cannot do it on account of lack of will power.

Opium (tds) : The patient wants to run away from all offers and wants. He wants to escape from the world but without any thought of death.

Veratrum alb. (tds) : In stages of insanity, the patient wants to escape his sufferings and wanders away from his home aimlessly.

ESOPHAGUS



- Aconitum nap.** (tds), : Dryness of the esophagus.
Belladonna (tds),
Naja tri. (tds)
- Alumina** (tds), : Constriction of the esophagus. Little solid
Baptisia (tds), food gags.
Phosphorus (tds)
- Ammonium carb.** (tds), : Burning in the esophagus.
Asafoetida (tds),
Causticum (tds),
Cantharis (tds),
Phosphorus (tds)
- Asafoetida** 3x (tds) : Flatulence and spasmodic contraction of
esophagus. Food moves in the reverse
direction to mouth from esophagus.
- Baptisia** (tds) : Can swallow only liquids. Least solid food
gags.
- Baptisia** (tds), : Spasm of the esophagus.
Belladonna (tds),
Asafoetida (tds),
Ignatia amara (tds)
- Baryta carb.** (tds) : Spasms of esophagus as soon as food enters
the esophagus causing gagging and choking.
- Belladonna** (tds), : Inflammation of the esophagus.
Phosphorus (od)
- Cocculus ind.** (tds) : Dryness of the esophagus. Choking,
constriction in the upper part of the esophagus.
Dyspnea from constriction of trachea.
- Crotalus hor.** (tds) : Spasm of esophagus. Cannot swallow any
solid substance.
- Phosphorus** (tds), : Pain in the esophagus.
Ammonium carb. (tds),
Causticum (tds)

EXCITEMENT OF SEXUAL DESIRE

- Murex purp.** (tds) : Least contact of the parts of a woman will
excite her sexual desire violently after a dose
of this medicine.

- Phosphorus** (bd) : It excites the sexual desire both in males and females. They want to have sex immediately.
- Yohimbinum Q** (bd) : It stimulates the sexual desire in a natural way
10 drops in ½ cup of water and is a sex tonic.

EXERTION (STAMINA)

- Sterculia a.** Q (tds)
10-100 drops in ½ cup of water : It gives power to endure prolonged physical exertion without taking food and without feeling fatigued. 10 to 100 drop doses, 3 times a day. This is a better remedy than ‘Dope’ or ‘Testosterone’ used by the athletes and the sportsmen for increasing the stamina.


EXPOSURE

- Aconitum nap.** (tds) : This remedy cures effects of sudden exposure. It should be given at once as soon as the exposure occurs.
- Belladonna** (tds) : The neck becomes rigid and stiff on account of exposure to the draught of wind. It may be used after Aconitum nap.
- Bellis per.** (tds) : Affection due to cold winds. Exposure due to cold drinks when the body is heated.
- Bryonia alba** (tds) : If Bell. does not suffice to remove the pains, etc. of the neck, this remedy will cure the case.
- Causticum** 10M (hs)
Repeat every 3rd day : Facial paralysis from exposure to cold winds.
- Dulcamara** (tds) : Stiffness and lameness across the neck and shoulders after getting cold and wet.
- Hepar sulphuris** (tds) : For ill-effects of exposure to dry cold winds, like cough, loss of voice, backache, etc.
- Rhus tox.** (tds) : For ill-effects of exposure to humid and damp winds.

EXPULSION OF FOREIGN BODIES

- Aconitum nap. (tds)** : It expels foreign bodies like sand and dust from the eyes.
- Anagallis** : Use of this remedy orally favors expulsion of splinters.
- Silicea (tds)** : It promotes expulsion of foreign bodies from the tissues of the body. A fish bone embedded in the throat, a needle or a coin swallowed inadvertently is expelled by the use of this remedy. It expels thorns from the skin.

EYES



- Acidum phos. Q (bd)** : Blue rings around the eyes.
- Aconitum nap. (tds)** : Removes foreign bodies like sand, dust from the eyes.

-
- | | |
|--|--|
| Agnus castus (tds) | : Intense itching of the eyes. Pupils dilated. Photophobia. |
| Argentum nit. (tds) | : Aching, tired feelings in the eyes. Better closing or pressure on them. Useful in restoring power of the weakened ciliary muscles. |
| Arsenicum alb. (tds) | : Swelling around eyes. Burning. Corneal ulceration. Photophobia. |
| Badiaga (tds) | : Blueness under the eyes. |
| Berberis vulg. (tds) | : Face pale, eye sunken and blue rings around the eyes. |
| Bismuthum (tds) | : Blue rings around the eyes with yellow appearance of the face. |
| Caladium seg. (tds) | : Cysts of the eyes. |
| Calcarea carb. | : Spots and ulcers on cornea. Lachrymal ducts closed due to exposure to cold. Easy fatigue of eyes. Farsighted. |
| Calcarea fluor. 12x | : Subcutaneous cysts on the eyelids. |
| Causticum | : Drooping of eyelids from paralysis. Cannot open the eye. |
| China off. (tds) | : Dark rings around the eyes. Blueness of the margins of the lids. Eyes sunken. Face pale due to loss of vital fluids. |
| Cina (tds) | : Blue rings around the eyes specially with worm symptoms. |
| Cineraria mart. (tds),
Symphytum off. (tds) | : Very effective remedy in cases of injuries to the eyes. Drops must be instilled in the eyes 3 -4 times a day for a long period. |
| Crocus sativus (tds) | : Vision of electric sparks before the eyes. |
| Digitalis (tds) | : Blueness of the eyelids and their margins. |
| Duboisia hop. (tds) | : Red spots before the eyes. |
| Euphrasia 6 (tds) | : Watering of eyes all the time. Burning and swelling of lids. Sticky mucus on cornea compelling him to wink often to remove it. |
| Ginger (tds) | : Pain in the eyebrows. |
| Graphites (od) | : Ulcers with thin and sticky discharge from the eyes. |

Kalium carb. (tds), Staphysagria (tds)	: Bag-like swelling on the eyelids.
Mentholum , Rhododendron ch. (od)	: Pain in the eyelids.
Mercurius sol. (tds)	: Ulcers with fetid discharge from the eyes.
Mercurius sulph.rub. (tds)	: Ciliary neuralgia. Pain runs from around the eyes to the temples. Redness of the whole eye and eyelids.
Mezereum 200 (od)	: Neuralgia of ciliary muscles after the operation of eyes, especially after the removal of the eyeball. Pain with a cold feeling in the eye, worse cold air.
Natrium mur. (tds)	: Headache from eyestrains due to hard studies.
Onosmodium (tds)	: Pain in the eyeballs between the orbit and the ball extending to the left temple.
Phosphorus (bd)	: Dark circles around eyes due to nervous tension.
Pilocarpus (tds)	: Eyestrain from any cause. Eyes easily tire from the slightest use. Vertigo and nausea after use of the eyes. Pain in the eyes. White spots before eyes.
Platanus occ. Q (bd)	: Tumor of the eyelids. Apply tincture. It cures both acute or chronic or neglected cases even when there is destruction of tissue and deformity of the lid.
Rhus tox. (tds)	: Intensive ulceration of the cornea due to old injuries to the eyes.
Ruta Q (tds)	: Eyestrain from studies or their over-use.
Saponaria off. (tds)	: Pain in the eyes and eyebrows, worse left side. Pains are violent, sticking and deep in the eyeballs.
Saponinum (tds)	: Hot stitches deep in the eyes and left temple. Photophobia.
Sepia (tds)	: Yellowness of the face and blue rings around the eyes.

- Silicea** (tds), : Abscess and perforating ulcer of the cornea
Hepar sulphuris (tds) after an injury. Sharp pain in the eyes worse when closed or touched.
- Spigelia** (tds) : Sparkling before the eyes.
- Staphysagria** (tds) : Itching of margins of lids. Affections of inner angles. Incised or lacerated wounds of cornea.
- Stramonium** (tds) : Sensation of dirt or dirty fluid in the eyes.
- Sulphur** (tds) : Black spots before the eyes.
- Syphilinum** 1000 (hs) : Chronic recurrent tiny pustules of the corneal
 Repeat after 15 days epithelial layer with profuse lachrymation. Lids swollen. Sensation of cold air blowing on eyes.
- Tilia eur.** (tds) : Muscular weakness of eyes. Sensation of a veil or gauze before the eyes.
- Tongo** 1x : Trembling of the upper right lid of the eye.
- Viola odorata** (tds) : Pains immediately above the eyebrows.

BLACK EYE

- Arnica mont.** Q (bd) : A blow on the eyes produces black and blue skin around the eyes. If there is only discoloration of the skin and swelling, but the skin is intact, apply a lotion of 10 drops of it to an ounce of cold water with cotton and continue repeating it till the soreness ceases. It may be given orally also.
- Calendula off.** (tds) : Injuries to eyes which tend to suppuration. Abnormal discharge from lachrymal sacs.
- Cineraria mar.** Q (bd) : A lotion of 5 drops of this remedy in an ounce of distilled water maybe instilled into the eyes thrice daily in case of traumatic injuries to the eyes.
- Hamamelis** Q (bd) : If the skin is broken, a lotion of it prepared with 5 drops in an ounce of cold water and maybe applied as above.
- Ledum pal.** 200 (bd) : In the above cases, removes chances of tetanus and helps removing the discoloration. Contused wounds to the eyes.

- Silicea** (tds) : Abscess in cornea after traumatic injury. For cleaning the opacity use 30 potency bd for about 4 - 6 months.
- Symphytum off.** 200 (bd) : For traumatic injuries to the eyes and eyeballs, no remedy equals this remedy. It is to be used when there is a great pain in the eyeball itself from a blow.

LIDS

- Borax** (tds) : Inward diversion (entropion) of the eyelashes and falling of eyelashes.
- Clematis erecta** (tds) : Chronic redness and irritation of the margins of the eyelids.
- Euphrasia Q** (tds) : In all the above cases, a lotion of 10 drops in an ounce of rose or distilled water is instilled into the eyes. It is very useful. 2-3 drops in each eye, 3 times a day.
- Graphites** 6 (bd) : Inflammation and much redness of the margins of the lids, and dandruff on the eyelashes.
- Hepar sulphuris** 6 (tds) : Irritation and formation of much matter.
- Kalium carb.** (tds) : Bag-like edematous swelling of the eyelids, specially the left. On account of this guiding symptom many affections are cured.
- Mercurius sol.** (tds) : Simple stickiness of the eyelids together in the morning.
- Thiosinaminum Q** (bd) : Diversion of the eyelids. A good remedy for the ectropian (outward rolling of the eyelid margin).

LID PARALYSIS (PTOSIS)

- Gelsemium** 6 (tds) : Drooping of the upper eyelid due to paralysis. Eyelids are heavy and the patient can hardly open the eyes.
- Petroleum** (tds) : Loss of eyelashes.

BLINKING

- Crocus sativus** (tds) : Blinking after eyestrain and reading a lot.

- Euphrasia** (tds) : Constant blinking of eyelids when the cause is not known.
- Lycopodium** (tds) : Blinking due to nervous debility.

INFLAMMATION OF THE EYES CONJUNCTIVITIS - OPHTHALMIA

- Aconitum nap.** (qid) : Redness of the eyes, sensation of sand in the eyes and irritation of eyes is cured by this remedy if used within two days of the onset of the disease.
- Argentum nit.** (qid) : The pus-like discharge from the eyes glues the lids together. Mucus is felt in the eyes needing frequent wiping - indicates this remedy.
- Belladonna** (qid) : When the eyes are very red and inflamed, the use of this remedy will be found fruitful specially when there is running of the nose and watering of eyes is also present.
- Euphrasia 6** (qid) : If the flow from the nose and eyes is acrid with symptoms of Belladonna, use this remedy.
- Eye drops** (qid) : A lotion of 10 drops of Euphrasia Q in an ounce of distilled water should be instilled in the eyes 3 or 4 times a day, 3-4 drops at a time.
- Mercurius cor.** 6 (tds) : In acute or chronic inflammation of the eyes, the use of this remedy three times a day is very effective and beneficial.

TWITCHING OF EYES

- Agaricus mus.** (tds) : Jerking, twitching, trembling and itching of the eyes. Reading becomes difficult. Twitching of lids and eyeballs.
- Badiaga** (tds) : Twitching of the upper left lid.
- Eserinum 6x** (tds) : Twitching of the lids, right or left.
- Gelsemium** (tds) : Contraction and twitching of the muscles of the eyelids.
- Hyoscyamus nig.** (tds) : Twitching of the lids.
- Ignatia amara** (tds) : Twitching all over the body, with spasm of lids.

- Magnesium phos.** (tds) : Twitchings around the eyes and cheeks, specially the right side. Such frequent spasms produce hinderance on focusing the eyes on an object, producing a blurred vision.
- Mezereum** (tds) : Twitching of the eyelids with ciliary neuralgia specially after a surgery of the eye. Right cheek may also be affected. Constant twitching.
- Raphanus** (tds) : Twitching of eyelids continuously with oedema of the lower eyelids.

VISION

See 'Hypermetropia' for far-sightedness and 'Myopia' for short-sightedness.

FACE

- Aconitum nap.** (tds) : Face, red and hot. On rising after lying down, the face becomes deathly pale. Chewing motion of the lower jaw. Tingling in the cheeks and numbness.
- Agaricus mus.** (tds) : The facial muscles feel stiff the twitch, itch and burn. Face red.
- Amylenum nit.** (tds) : Face flushed.
- Antimonium ars.** (tds) : Face bloated.
- Arsenicum alb.** (tds) : Face swollen, pale, yellow and sunken.
- Belladonna** (tds) : Face red, bluish-red, hot and swollen. Facial neuralgia with twitching of muscles and a flushed face.
- Berberis vulg.** (tds),
Bismuthum (tds), **Cina** (tds) : Pale face, sunken eyes surrounded by blue rings.
- Cactus** (tds) : Pain in the face.
- Cantharis** (tds) : Itching vesicles which burn when touched.
- Carbo veg.** (tds) : Cold sweat on the face. Face puffy, cyanotic. Mottled cheeks and a red nose.
- Causticum** 10M (hs) : Paralysis of the right side of the face.

-
- | | |
|-------------------------------|--|
| Chamomilla (tds), | : One cheek red, but the other is pale. |
| Aconitum nap. (tds) | |
| Ipecacuanha (tds), | : Face is pale, sickly, white and bluish in appearance around the mouth and eyes. |
| China off. (tds) | |
| Cina (tds) | : Intense circumscribed redness of the cheeks. Face otherwise pale and hot with blue rings around the eyes. Cold perspiration on the face. |
| Colchicum autum. (tds) | : Swelling and tingling in the face. Pain in the muscles of the face. Cheeks red and hot. |
| Ferrum mur. 6x (tds) | : Circumscribed red spots on the cheeks. |
| Graphites (bd) | : Face red with anemia. |
| Helleborus (tds) | : Chewing motion of the jaws. Horrible smell from the mouth. |
| Hydrocotyle (tds) | : Pain in the left cheek bones and about the orbits. |
| Kalium iod. (tds) | : Face yellow. |
| Ledum pal. (tds) | : Eczema of the face and cheeks. Crusty eruptions. Itching worse at night. |
| Lupulus (tds) | : Scarlatina-like eruptions on the face. |
| Lycopodium (tds) | : Yellowish-brown spots on the face. |
| Mancinella (tds) | : Blue circles around the eyes. |
| Natrium carb. (tds) | : Pale face and blue rings around the eyes. Yellow spots on the face. |
| Natrium mur. (tds) | : Face greasy and shining. Earthy, unhealthy looking face. |
| Petroleum (tds) | : Blotches and roughness of the facial skin in winter or cold weather. |
| Phosphorus (bd) | : Circumscribed redness on one or both cheeks. |
| Phosphorus (bd), | : Pale, sickly complexion. Blue rings under the eyes. Circumscribed redness of one or both cheeks. |
| Veratrum vir. (tds) | |
| Plumbum met. (tds) | : Face yellow like that of a corpse. |
| Sanguinaria (tds) | : Circumscribed redness and burning of cheeks, the pain extends in all directions from the upper jaw. |

- Sepia** (tds) : Yellow face or yellow spots on the face. Yellow saddle across the nose.
- Silicea** (tds),
Calcarea fluor. (tds) : Disfigurement due to acne scars or scars left by ulcers and boils.
- Spigelia** (tds) : Neuralgia of the face. The eyes, cheeks, teeth and temples are all hot. They are very sensitive to touch and seem icy cold to the patient. Symptoms improve in the evening.
- Sulphur** (od) : Face very red.
- Variolinum** 200 (hs) : For the removal of scars left by smallpox and chickenpox.
- Veratrum vir.** (tds) : Convulsive twitching of the facial muscles.
- Vipera** (tds) : Face excessively swollen.

FACIAL PARALYSIS



Note drooping and loss of facial expression on paralysed side. Facial muscles pull across the mid line – mouth is distorted.

- Ammonium phos.** 3M : In some cases of facial paralysis, whether on left or right side, its use is found useful.
- Cadmium sulph.** : Facial paralysis more on the leftside.

- Causticum** 1M (hs) : Facial paralysis specially of the right side due to exposure to cold winds or from getting wet.
- Senega** 200 (bd) : Paralysis of the left side of the face. Burning sensation of the face.

FAINTING

- Aconitum nap.** : Sudden fainting due to any cause specially when frightened.
- Agaricus mus.** (tds) : Fainting after coition.
- Alumina** (tds) : Fainting from compelled standing.
- Ammonium carb.** (tds) : Fainting from depression of spirits.
- Ammonium caust.** 1C (tds) : Fainting due to inadequate flow of blood to brain, as in case of blood clots.
- Arnica mont.** 1M (hs) : Fainting on account of accidents, falls and blows. Sudden realisation of financial losses.
- Asafoetida** 3x (tds) : Fainting of hysterical women after emissions.
- Camphora** (tds) : Tendency to unconsciousness. Sensation as if he would die. Fainting due to a shock.
- Chamomilla** 200 (bd) : Fainting due to severe pain or after anger.
- China off.** (tds) : Fainting due to weakness, due to loss of blood and other vital fluids.
- Cocculus ind.** (tds) : Due to loss of sleep or riding in a carriage.
- Coffea cruda** (tds) : Due to excessive joy.
- Ferrum phos.** 6x,
Kalium phos. 6x (tds) : 3 grains of each mixed together and administered with hot water, 3 times a day will remove tendency to fainting due to any cause.
- Glonoinum** 3x (tds) : Due to sun stroke.
- Ignatia amara** (tds) : Due to disturbed emotions and disappointments.
- Lachesis** (bd) : Due to jealousy, suppression of discharges and hot, stuffy air.

- Moschus** (tds) : Fainting on a little excitement. Patients inclined to hysterical attacks.
- Nux mosch.** (tds) : Fainting from long standing. Fainting from the sight of blood. Fainting on passing a hard stool.
- Opium** (tds) : Fainting due to fear and fright.
- Phosphorus** (bd) : Fainting due to nervous excitement, fear and tension.
- Sepia** (tds) : Fainting in pregnancy due to weakness. Flashes of heat.
- Spigelia** (tds) : Fainting due to heart troubles.
- Veratrum alb.** (tds) : Fainting on exertion with cold sweat on the forehead. Body cold and blue.


NOTE 1: Smelling of spirit ammonia or Camphora Q or Amylenum nit. Q relieves fainting. A little cotton drenched may be placed over the nose of the patient to inhale. It will cut short the fainting spell.

NOTE 2: Inhalation of the following remedies temporarily relieve fainting and bring back consciousness.

- a. Ammonium caistocus: In fainting due to inadequate supply of blood to the brain as in the case of blood clots, hemorrhage, snake bite, etc.
- b. Amylenum nitrosum: It often temporarily relieves epileptic convulsions.
- c. Camphora: In hysterical convulsions.
- d. Spirit ammonia: In all cases of fainting.

FALLOPIAN TUBES

- Eupionum 3** (qid) : Removes blockage on both sides of the fallopian tubes.
- Lachesis** (bd) : Removes blockage of the fallopian tubes, specially that of the right side. Burning in the ovary.
- Selenium met.** (tds) : It is also useful in removing obstruction of the fallopian tubes.
- Triticum rep.** (tds) : Removes obstruction of the fallopian tubes in women.



FALLS

- Arnica mont.** (qid) : The patient always sustains some bruises on the skin on account of falls. This remedy will remove the soreness and discomfort.
- Helleborus** 200 (bd) : If there are any bad effects from injuries to the head, this remedy will cure such after-effects. It may be given in increasing potencies.
- Hypericum** 3x
2 hourly : When spine is shaken or bruised, this remedy should be given and repeated every two hours to prevent future complications.
- Millefolium** 3x (tds) : If there are any bad effects from a fall from a height, this remedy will remove those effects.
- Natrium sulph.** 6x (tds) : If there are any head symptoms and mental troubles from injuries to the head. It may be used in increasing potencies 6x to 1000.

FALSE LABOR PAINS

- Caulophyllum** (qid) : False labor pains start about 10 days in advance of the date of the actual labor. 2-4 doses will relieve such pains.
- Cimicifuga** (tds) : False labor pains across pelvis and from hip to hip.
- Pulsatilla nig.** 200 (hs) : One dose usually is sufficient to avoid false labor pains.

FATIGUE (TIREDNESS) (SEE ALSO 'TIRED FEELING')

- Acidum phos.** (tds) : Mental fatigue is followed quickly by physical fatigue. Frequent, severe headaches worse by noise. Frequent urination at night.
- Anacardium ori.** (tds) : Mental fatigue from higher studies. Fatigue of literary persons.
- Arnica mont.** (tds) : Fatigue on account of over-use of muscles and brain. Mental and physical fatigue. Limbs and body ache as if beaten. It removes fatigue of brain and also of body.
- Arsenicum alb.** (tds) : Fatigue after strenuous exercise or stress or worry. Restlessness.
- Avena sativa Q** (tds) : Nervous fatigue. 10-20 drops in hot water.
- Calcarea carb.** (tds) : Physical and mental fatigue due to over-work. There is a lot of anxiety, inability to sleep and burning headache.
- China off.** (tds) : Fatigue after travelling by air.
- Coca** (tds) : Fatigue from journey and travelling especially during hot weather.
- Coffea cruda** (tds) : Fatigue due to hunger.
- Kalium phos.** (qid) : Tired feeling with trembling. There is nervous exhaustion from over-work or stress. Severe

- muscular and mental fatigue, anxiety and irritability. It is a remedy for chronic fatigue syndrome.
- Murex purp.** (tds) : This remedy is specially indicated to nervous, lively and affectionate women. The patient feels great fatigue, weak and run down. Fatigue remains for several days and the indicative and peculiar symptom is that she feels more fatigued when sitting or at rest, feels alright on walking. Fatigue re-appears on sitting down.
- Natrium carb.** (tds) : Physical and mental fatigue worse in the summer heat and during thunderstorm. Very poor digestion and headache from least mental exertion. Legs feel worse in the morning.
- Nux vomica** (tds) : Feeling of fatigue after sleeplessness or unrefreshing sleep. He is irritable and feels very chilly.
- Picricum acidum** (tds) : Brain, spinal, nervous and general prostration with feeling of tiredness all over the body and heaviness of legs. The patient can hardly lift the legs. Slightest exertion of the brain causes headache.
- Rhus tox.** (tds) : Fatigue from over-straining, lifting and exercise.
- Ruta** (tds) : Extreme fatigue with general bruising sensation. Remedy for affections of ligaments.
- Selenium met.** (tds) : Weakness of all parts of the body caused by hot weather. The debility causes a desire for sleep and strength rises as the sun sinks. Easy fatigue from any labor, mental exertion, night watching, etc.
- Sepia** (tds) : Fatigue in women who are very weak is cured by this remedy. She feels fatigue even after a short walk or after any hard work such as 'laundry work' or during pregnancy or during lactation.
- Sterculia a.** (tds) : This remedy gives power to sustain prolonged physical exertion without taking food and without the feeling of fatigue.

- Tuberculinum 1M (hs)** : Motion causes intense fatigue, aversion to work and wants constant change.
- Zincum met. (tds)** : Tiredness on account of depression. Cannot keep legs and feet still. Impaired memory.

NOTE: Feeling of fatigue is often the result of lack of sleep, physical and psychological stress or exhaustion. Sexual fatigue is also caused by stress, anxiety and, of course, aging. It causes an irritable and impatient nature. Rest, avoiding alcohol and caffeine, physical exercise along with the medication brings back the good humor and feeling of well being.

FATNESS **(SEE 'OBESITY')**

FEAR **(PHOBIAS)**

- Aconitum nap. (tds)** : Fear of death and future. Fear of a crowd. Fear of crossing a street. Sweating, vexation and vomiting due to fear. Fear of an aeroplane, flying above, over the head.
- Anacardium ori. (tds)** : Fear of examination. Fear he is being pursued and persecuted.
- Argentum nit. (tds)** : Apprehension before an event. Fearful, nervous and melancholic. Lack of self-confidence. Impulsive, wants to do things in a hurry. Great desire for sweet things. Diarrhea from fear. Fear of crowds as in the temple or in a church or in a cinema. Gets nervous.
- Arsenicum alb. (tds)** : Fear of death.
- Belladonna (tds)** : Fear of dogs and animals. Fear of fantastic illusions. Wants to escape.
- Borax (tds)** : Fear of downward motion. Fear of a thunder and sound of firing a gun even far away.

-
- Calcarea carb.** (tds) : Fear of night and solitude. Fear of remaining alone any time. Fears loss of reason and misfortune. Apprehensive. Forgetful.
- Causticum** (tds) : Child is afraid of going to bed alone.
- Drosera** (tds) : Dislikes solitude. Always likes someone besides him constantly. He wants company everywhere even when driving his car. Fear of being alone.
- Gelsemium** (tds) : A sudden thunder of clouds or thunder storm produces involuntary urination or diarrhea. In pregnant women, it produces symptoms of miscarriage. Emotional excitement leading to bodily illness. Fear of examination and stage appearance. Fear of falling, child grabs the nurse and crib.
- Hyoscyamus nig.** (tds) : Fear of being pursued. Fears all the people around have turned against him. Fear on account of suspicion of others. Fear of being poisoned.
- Kalium carb.** (tds) : Full of fears of imagination. Hates being left alone.
- Lycopodium** (tds) : It is a wonderful remedy for the anticipatory fear of examination, in students. Fear of being alone. Fear of men and even of his own shadow.
- Mancinella** (tds) : Fear of becoming insane.
- Medorrhinum** 1M (hs) : Fears that she will go insane. Fears darkness and that someone is behind her. Fears that she cannot recover from her illness.
- Onosmodium** (tds) : Fear of upward motion.
- Opium** (tds) : Fear causes diarrhea. Diseases that originate from fright.
- Phosphorus** (bd) : Fear when left alone. Fear of illness. Fears that something will go wrong. Fear of imaginary things. Fear of darkness. Very sensitive.

Picricum acidum (tds)	: Anxiety and fear of failure at examination causes head pain, vertigo and brain fog.
Pulsatilla nig. (tds)	: Fears being alone, the dark and ghosts. Worse in the evening. Likes sympathy. Weeps easily. Timid and irresolute.
Sanicula aqua (tds)	: Dread of downward motion.
Sepia (tds)	: Dreads to be alone. Fear of evening and darkness.
Spigelia 200 (bd)	: Fear of knives, forks and all pointed things.
Stannum met. (tds)	: Fears fainting and weakness when going downstairs but can go up well enough.
Succinum (tds), Argentum nit. (tds), Cimicifuga (tds)	: Fear of trains and closed rooms (claustrophobia).
Veratrum alb. (tds)	: Passes urine or stool or wind on account of sudden fear of thunder of clouds or lightening.

FEET - BURNING

Arundo (tds)	: Burning and swelling, mainly of soles.
Calcarea carb. (tds)	: Burning of soles and rawness.
Calcarea sulph. (tds)	: The soles of feet burn and itch.
Cantharis (tds)	: Cold sweaty feet with burning soles.
Hypericum (tds)	: Crawling in the hands and feet.
Lycopodium (tds)	: One foot usually at night, feels hot while the other feels cold.
Medorrhinum (od)	: The feet are hot and tender. The soles feel sore, legs and feet become restless.
Sanguinaria (tds)	: Burning sensation in palms and soles.
Sanicula, Chamomilla	: Burning of feet, puts them out of bed to cool them.
Sulphur (od)	: Both the soles and palms burn, specially during the night.

FEET - COLD

- Aconitum nap.** (tds) : Numb, tingling and cold feet with hot hands.
- Baryta carb.** (tds) : Cold, smelly feet, with the toes and soles of the feet feeling sore.
- Belladonna** (tds) : Cold legs and feet while the rest of the body is hot.
- Calcarea carb.** (tds) : Cold, damp feet with sour smelling sweat. Cramps in calves. Even the knees feel cold. Feels as if damp stockings were worn. Feet feel dead at night.
- Camphora** (tds) : Icy cold feet which feel sprained.
- Colchicum autum.** (tds) : Swollen cold legs and feet.
- Dulcamara** (tds) : Icy cold feet, better warmth.
- Natrium phos.** (tds) : The feet feel icy cold during the day but burn at night.
- Picricum acidum** (tds) : Feet cold, cannot get warm.
- Secale cor.** (tds) : Cold, dry hands and feet swollen with tingling in the toes and violent cramps worse from warmth.
- Silicea** (tds) : Icy cold feet with offensive sweat. The foot feels sore from top to sole.
- Squilla maritima** (tds) : Cold hands and cold sore feet from standing too long.

FEET - SWOLLEN

- Apis mel.** (tds) : Edematous swellings, stiffness and redness of the feet. Dropsical effusions.
- Arsenicum alb.** (tds) : Swelling after injuries and over-use.
- Bovista**(tds) : Edematous swelling even after sprain.
- Colchicum autum.** (tds) : Edematous swelling and coldness.

- Digitalis** (tds) : Swelling with numbness of the fingers and coldness.
- Mercurius sol.** (tds) : Dropsical swellings.
- Natrium sulph.** (tds) : Swelling with burning.

FEET - SWEATY

- Arundo** (tds) : Copious and offensive foot sweat.
- Calcarea carb.** (tds) : Sour foot sweat with burning of soles.
- Carbo veg.** (tds) : Feet with a tendency to cramps. The legs are cold from the knees downwards.
- Iodium** (tds) : Cold hands and feet with an acrid foot sweat.
- Lycopodium** (tds) : Profuse foot sweat with pain in the heel when walking and pain in the sole.
- Silicea** (tds) : Icy cold feet with an offensive sweat. The foot feels sore from the top through to the sole.

FEET - PAINS

- Acidum tart.** (tds) : Pain in the soles and heels.
- Calotropis Q** (bd) : Intermittent cramp-like pains in the feet when at rest. Must keep the feet moving even in bed. The patient is unable to put the foot on the ground except by very slow motion and there is relief by putting weight on it. The pain returns when the weight is taken off.
- Chamomilla** (tds) : Pains are intolerable accompanied with numbness. At night, feet appear to be powerless and the patient is unable to step on them.
- Eupatorium perf.** (tds) : Swelling and pain in the left great toe.
- Helonias** (tds) : Feet go to sleep and feel numb when sitting.

- Ledum pal.** (tds) : Soles very painful and the patient can hardly step on them.
- Lithium carb.** (tds) : Pain in the soles of the feet and joints with a burning sensation. Pain in the hollow of the foot extending to the knee.
- Medorrhinum** 200 (hs) : Soles tender and painful.
- Squilla maritima** (tds) : Soreness of the feet from long standing like that of sales girls who have to stand at the sales counters for long hours.

NOTE: Athlete's foot has nothing to do with athletics. It is a fungal disease which causes persistent itching of soles, between the toes and sometimes of palms. Fissures, thickening of skin and scaling of skin occurs. Use of an indicated remedy cures it.

FEVERS

- Aconitum nap.** (tds) : During the first stages of the fever. Simple fever during very hot weather or very cold weather. High temperature. Shinning, red, hot skin. Chilly when uncovered or touched. Restlessness is always present.
- Arsenicum alb.** (tds) : High temperature, septic fevers, cold sweats and restlessness. Great thirst. Drinks often but little. Accumulation of dead skin scales on the lips during fever. Fever worse during the night. Malaria.
- Baptisia** (tds) : Debilitating fever. Soreness all over the body. Chill at about 11 a.m. Heat all over with occasional chills. Low type of fever. Fever while travelling in ships.
- Belladonna** (tds) : Fever without thirst. Feet icy cold, upper body steaming hot. Temperature high. Fever due to heat of sun.
- Bryonia alba** (tds) : Fever with full, hard, tense and quick pulse. Chill with external coldness, dry cough and stitches in the chest. Easy, profuse perspiration. Gastric symptoms may accompany.

- Cactus** (tds) : Fever everyday at the same hour with feeling of coldness in the back and icy cold hands. Paroxysms at about 11 AM, incomplete in their stages.
- Ferrum phos.** 6x (qid) : In all early stages of fever. It stands between Aconitum nap. and Belladonna. Face flushed. Pulse soft. No restlessness.
- Gelsemium** (tds) : Much muscular soreness. Chilliness up and down the back. Wants to be held because he shakes. Pulse low, full and soft. Heat and sweat stages debilitating. Great headache. Thirstless. Patient does not want to be disturbed.
- Nux vomica** (tds) : Fever with gastric symptoms. One important indication for the use of this remedy is that the patient feels chilly when uncovered and yet he does not allow to be covered.
- Pyrogenium** 200 (hs),
Echinacea Q (bd) : Septic fevers. Coldness and chilliness during high temperature. Temperature rises rapidly. Great heat and sweating does not reduce the temperature. Wonderful fever remedy after child birth. Usually one-two doses cure.
- Rhus tox.** 200 (tds) : Fever with weakness, restlessness and trembling. Diarrhea. Dry cough. Accumulation of dead skin scales on the lips. Fever with skin eruptions.
- Staphylococcinum** 200 (hs) : Fever on account of acne, abscesses and furuncles or where staphylococci is the chief bacterial factor. Septic fevers.
- Streptococcinum** 200 (hs) : Reduces the temperature in all types of fevers. Rapid in action.
- Sulphur** (od) : Remittent type of fever with frequent flushes of heat throughout the body with much sweating and great thirst.


MALARIA FEVER

- Boldo fragrans** Q (bd) : Disturbed liver after malaria.
- China off.** (tds) : Fever may return every week. Chill generally in the afternoon, thirst before chill, drinks little

- but often. Easy perspiration. Symptoms worse every alternate day.
- Chininum ars.** (tds) : In prolonged malarial fevers with neuralgia. It cures such fevers.
- Chininum sulph.** (tds) : Chill daily at 3 PM. Painful swelling of the various veins during chill. Shivering even in a warm room or with a blanket on.
- Eupatorium perf.** (tds) : Heavily coated tongue. Bitter taste. Great pains in the bones. No thirst during chill. Frontal headache. Violent shivering.
- Ferrum ars.** 6 (tds) : In the later stages of malaria when the liver and spleen are enlarged.
- Malaria off.** 200 (hs) : A dose given in the beginning when the fever is not high, either cures malaria or cuts short its course and avoids further complications.
- Natrium mur.** 200 (od)
For 3 days : Fever returns from 9-11 AM. Continued chill, constipation. It should not be given during fever, else the fever will increase. Before fever when the temperature is not more than 98°F, a dose or two at an interval of an hour reduces the chances of fever coming on.
- Pyrogenium** 200 (hs) : Chronic malaria.
- Tuberculinum** 200 (hs) : Post critical temperature of a remittent type. Repeat every two hours.

TYPHOID

- Absinthium** (tds) : If there is sleeplessness, along with the fever.
- Acidum mur.** (tds) : It is used in very grave conditions when there is bleeding from the rectum or the patient becomes unconscious.
- Arsenicum alb.** (tds) : It does good in all sorts of fevers provided its symptoms - restlessness, unquenchable thirst, drinks often but little, sweats, etc., are present. Appearance of dead scales of the skin on the lips is also one of the good indications for its use. The patient feels chilly.
- Arum triph.** (tds) : If there is delirium or diarrhea or both.



Ingestion of *S. typhi* (contaminated water or food).

Diagnostic test

Phase I

Invasion of intestinal lymphoid tissue and proliferation of bacteria. This phase lasts for 2 weeks and is virtually asymptomatic.

Positive blood and urine cultures obtained during febrile period.

Phase II

Invasion of blood stream causing bacteremia. General toxemia is caused with rise of temperature. Immunological reaction occurs leading to the next phase in 10 days' time.

Antibodies to *S. typhi* appear in blood.


Widal Test positive at end of this phase.

Phase III

Localisation of bacteria in intestinal lymphoid tissue, mesenteric nodes, **Gall Bladder**, liver, spleen and sometimes the bones. Local necrosis, probably due to antigen-antibody hypersensitivity reactions, results in characteristic lesions.

Widal Test rising titre.

— Culture of feces.



Oval Peyer's patches become greatly swollen. Necrosis occurs with ulcer formation. The ulcers are brownish-black with undermined edges.

Solitary lymph follicles and mesenteric lymph nodes are also affected.

- Baptisia** (tds), : Diarrhea or dysentery during typhoid fever.
Echinacea Q (bd) : Stools very offensive with rumbling in the abdomen.
- Bryonia alba** (tds), : Given in alternation every two hours often
Baptisia (tds) : helps cure and does not allow complications to develop. Baptisia acts as an antibiotic to typhus in tincture form.
- Cuprum met.** 200 (bd) : When there is unconsciousness. One dose every 12 hours. Urine may be suppressed. Weakness. Restlessness.
- Gelsemium** (tds) : To be used in the early stages when there is a lot of headache.
- Phosphorus**(tds) : If complicated with pneumonia.
- Rhus tox** (tds). : Triangular tip of tongue and diarrhea. Restlessness is always present.

NOTE 1: Typhoid fever is a bacterial infection of the bowel and blood. It is transmitted by ingesting contaminated food or drinks.


NOTE 2: A temperature is considered a fever if it is above 38 °C (100.4°F).

NOTE 3: Fever is symptom, not a disease. Like some other symptoms. For example, cough, vomiting. Fever may be due to some illness which should be diagnosed and treated. Bringing down the temperature with medication does not take away the cause of the fever.

FIBROIDS (FIBROMA)

(SEE ALSO ‘TUMORS’ AND ‘UTERUS’)

- Aceticum acidum Q** (bd) : A powerful remedy for liquifying fibrinous growths.
- Arsenicum alb.** (tds) : Formation of a hard cancerous tumor due to overgrowth of fibrous tissue.
- Aurum mur.** (bd) : Uterus is enlarged and may be painful. Vaginal spasms and constant vaginal discharge.
- Calcarea ars.** (tds) : Fibroma of uterus in fat and fleshy women around the menopausal period. Great depression and anxiety.




- Calcarea iod. 2x (tds)** : There are small fibroids with a yellow vaginal discharge. May experience menstrual colic before the start of menstruation.
- Calcarea sulph. 3x** : Fibroid and cystic tumors.
- Conium mac. (tds)** : Fibroma of the uterus in old maids and bachelors around change of life.
- Iodium (tds)** : Fibroma of uterus with uterine hemorrhage, irregular menstruation and wedge-like pains.
- Kalium brom. (tds)** : Fibroma of ovaries with loss of sexual desire and memory.
- Lachesis 200 (od)** : Short, painful period and intolerance of clothing or cover. Symptoms are relieved on start of menstruation. It is particularly useful at menopause.
- Lapis albus 6 (tds)** : Fibroid tumors with great burning pains accompanied with hemorrhage.
- Secale cor. 30 (tds)** : Fibroma of uterus. Painful menstruation. Pain relieved by cold application on the abdomen and uncovering it. Continuous oozing of watery blood from vagina. Urine may be suppressed.
Fibroid with bleeding of thin, foul smelling watery, black blood and feeling of heat in the body.

- Silicea 200** (od) : Its use manages to re-absorb fibrotic conditions.
- Thuja occ.** (tds) : Spongy fibroma. Rapid exhaustion and emaciation. Chilly patients. Sensation of movements of something living. Profuse leucorrhea.
- Tarentula his.** (tds) : Large fibroids, heavy periods with pain occurring early, restlessness.
- Trillium pend.** Q (qid) : Bleeding from fibroids.
- Viola odorata** Q (bd) : Apply locally for uterine fibroids.
- Locally

Note: Fibroids are benign growths that develop in the muscular walls of the uterus. These are most common, non-cancerous tumors in women of child-bearing age. They can be tiny or grow to the size of a grape fruit or even larger. The most common symptom is heavy menstruation, pelvic pain or pain during intercourse, problem of urination and constipation. Following menopause, they usually shrink. Only 20 percent, require treatment. Such women should not take birth control pills.

FINGERS



Signs of inflammation with swelling over joints

- Actaea spic.** 3x (tds) : Rheumatism of the finger joints. The joints swell after a little exertion.

-
- | | |
|-------------------------------|---|
| Agaricus mus. (tds) | : Fingers becomes weak and cannot hold things properly; things fall unconsciously. |
| Antimonium crud. (tds) | : Arthritic pain in fingers. |
| Apis mel. (tds) | : Numbness of hands and tips of fingers. |
| Argentum met. (tds) | : Paralysis of fingers due to paralysis of the forearm. |
| Berberis vulg. (tds) | : Neuralgia under finger nails with swelling of the finger joints. |
| Borax 3x (tds) | : Itching on the back of the finger joints. Feeling of stinging in the fingers. |
| Caulophyllum 3x (tds) | : Changing pain in fingers and toes. Stiffness of the joints and fingers. Cutting pains on closing hands. |
| Cina (tds) | : Boring of fingers in the nostrils. |
| Elaps cor. (tds) | : Skin peels off on the tips of fingers. |
| Graphites (bd) | : Cracks and fissures on the ends of the fingers and between toes. |
| Hypericum 3x (tds) | : Injuries to fingers or crushing of fingers. |
| Laurocerasus (tds) | : Swelling of fingers which usually occurs in heart and lung diseases and is medically called “club fingers”. |
| Ledum pal. 10M (hs) | : This remedy relieves the pain from getting a foreign body under the fingers nails almost instantly. |
| Natrium mur. (tds) | : Fingers cannot hold things. Dryness and cracking about the finger nails. Numbness and tingling in the fingers. Skin peels off partly at the root of the finger nail. Skin around nails dry and cracked. |
| Petroleum (tds) | : Cracks at the tips of the fingers and on the back of hands. |
| Propylaminum Q | : Tingling and numbness of fingers. Rheumatism, a needle held by the fingers feels too heavy. 10-15 drops in half a glass of water - a teaspoonful dose every two hours. |

- Rhus tox.** (tds) : Loss of power in forearms and fingers. Crawling sensation in the tips of fingers and numbness.
- Sarsaparilla** (tds) : Burning on the sides of fingers and toes. Ulceration around end of the fingers. Deep cracks in the fingers and toes.
- Silicea** (tds) : Tips of fingers are dry. The patient has to moisten them often by licking. Cracks at the ends.
- Thuja occ.** (tds) : Tip of fingers toughened, feel dead. Writer's cramps in fingers.



FISSURES

Fissure is a deep furrow, cleft or slit.

- Anacardium occ.** (bd) : Fissure, cracks or ulcers of the skin of soles.
- Antimonium crud.** (tds),
Lycopodium (tds) : Fissures on the palms, hands and heels.
- Calcarea fluor.** (tds) : Fissures or cracks on the palms of hands and anus. Sore cracks near the end of bowel.
- Graphites** (bd) : Fissures of anus, hands and fingers in persons who often have eczema and severe constipation.
- Hepar sulphuris** (tds) : Chapped skin. Deep cracks on hands and feet.
- Malandrinum** (tds) : Fissures or chaps on hand and feet in cold weather and from washing.
- Manganum acet.** (tds) : Deep cracks in the bends of elbows or knees.
- Natrium mur.** (tds) : Fissures on lips, especially in the middle. Fissures anywhere due to dryness of the mucus membranes.
- Nitricum acidum** (tds) : Constant oozing of foul matter from fissures. Fissures have clear cut edges as if cuts are made with a sharp knife. Fissure ani with hemorrhoids.

- Paeonia off.** (tds) : Hemorrhoids and fissures of anus together. Ulceration of anus and perineum, covered with crusts.
- Petroleum** (tds) : Chaps and fissures which bleed easily, worse in winter specially on the tips of fingers.
- Platinum met.** (tds) : Crawling and itching in anus.
- Ranunculus bulb.** (tds) : Finger tips and palms chapped. Blister-like eruptions on the palms.
- Ratanhia** (tds) : Sensation as if broken pieces of glass were in the anus. Anus burns for hours after stool. Fetid, thin diarrhea. Hemorrhoids burn. Fissures in the anus, with great constriction, burning like fire; temporarily relieved by cold water.
- Sarsaparilla** (tds) : Fissures on the skin of hands and feet. Deep cracks on fingers and toes.
- Sedum acre** (tds) : Fissures of the anus and hemorrhoids together.
- Silicea** (tds) : Fissures on finger tips and anus.

FISTULA (ABNORMAL PASSAGE)



Gastrocolic fistula in
Crohn's disease



Vesico-vaginal fistula following
radionecrosis in treatment of
cancer of cervix

- Bacillinum 200** (hs) : It may be given when other well selected remedies fail to cure.

- Berberis vulg.** Q (bd) : Fistula of anus. Increase of bile. Sour eructations. Great itching of the anus.
- Calcarea carb.** (tds) : Fistula near the ear or parotid gland.
- Calendula off.** Q (hs) : Fistula not healing properly may yield to this when applied locally. 20 drops to an ounce of luke warm water. An effective medicine for healing. The lotion may be used externally always with other treatment.
- Causticum** 200 (od) : Fistula and large piles. Dental fistula.
- Graphites** (bd) : Fistula of anus. Discharge, glutinous and fetid.
- Myristica seb.** (tds) : Fistula of anus. Action similar to Silicea and Hepar sulphuris, but it acts more powerfully than these two remedies.
- Nitricum acidum** 200 (tds) : There are one or two openings-internal or external. Soreness and burning pain in the lower bowel. Constant oozing of thin, green fetid matter from the fistula. It is the remedy of first importance.
- Paeonia off.** (tds) : Fistula ani. Hemorrhoids, fissures and ulceration of the anus covered with crusts. Burning, biting and itching in anus.
- Silicea** 1000 (tds)
Only for a day : Abscess fistula. It maybe accompanied with piles. Give three doses in one day, cures in 1-3 weeks. Give Tuberculinum 1000 after cure.
- Sulphur** (hs) : Blind fistula with cutting pains.

FLATTERY

- Palladium met.** (tds) : Ladies of mild temperament with weeping mood, who love to be appreciated for all of their actions and reasoning. Likes to be told that they are beautiful or their dress is attractive. Like flattery. Brownish-yellow spots on the skin due to sun rays or anemia.

FLATULENCE

(GAS OR WIND TROUBLE)

- Agaricus mus.** (tds) : Profuse fetid flatus. Gurgling in the abdomen. Flatulent distension of the stomach.
- Alfalfa Q** (bd) : Flatulence with distention of the abdomen. Shifting flatulent pain in the abdomen several hours after meals.
- Aloe soc.** (tds) : Copious, offensive flatus during passing of stools.
- Argentum nit.** (tds) : Flatulence with painful swelling of the stomach. Abdomen swollen with gas. Explosive belching.
- Asafoetida 3x** (tds) : Pressure of wind is always upwards, never downwards. Belching is loud.
- Carbo veg.** (tds) : Wind bloats in upper part of abdomen. Eructation of wind by mouth with noise like hiccough relieved by belching or passing wind. Pain in stomach on account of gas. Flatulent colic - pain extends to the chest.
- China off.** (tds) : Wind bloats the whole abdomen. Patient says that everything eaten turns to gas. Passing of wind does not give relief.
- Colchicum autum.** 200 (bd) : In dyspepsia when there is burning or a sensation of coldness in the stomach; much gas in the stomach, abdomen or both. The smell of cooking food causes nausea. Distention of abdomen with gas.
- Fucus ves.** Q (bd) : Flatulence in fat persons. Digestion is furthered and flatulence diminished by the use of this remedy.
- Graphites** (bd) : Very fetid gas preceded by colic.
- Kalium carb.** (tds) : Abdomen distended with wind immediately after eating. Excessive flatulence. Everything he eats or drinks appears to be converted into gas, specially in aged and broken down patients.

-
- Lycopodium 200 (od)** : Immediately after a light meal, abdomen is bloated with gas. Sense of fermentation in abdomen. Liver trouble. Wind is in lower parts of the abdomen. Passing of wind relieves.
- Lycopodium (tds),
Lac can. (tds)** : Gas is emitted through the vagina.
- Magnesium phos. 6x (qid)** : Bloating of abdomen with hot wind. Must loosen clothing, walk about constantly passing flatus.
- Myrica c. (tds)** : Constant discharge of flatus when walking. Urging to stool with no results, then passing of a great amount of flatus.
- Nux mosch. (tds)** : Dyspepsia. Everything eaten turns into gas and fills the stomach and abdomen to cause pressure on all the organs in the abdomen.
- Nux vomica (tds)** : Flatus is due to indigestion and there is often pain in the stomach during its passage.
- Psorinum (od)** : Flatus smells like rotten eggs.
- Raphanus (tds)** : Wind formation around the navel. No emission for a long time.
- Rhus g. 3x (tds)** : It disinfects the bowels, and flatus and stools become free from odor.
- Sulphur (od)** : Flatus smells like rotten eggs or sewage gas.
- Thuja occ. 200 (od)** : Flatus in children. Abdomen distended. Loud rumbling in abdomen. Passing of wind does not give relief.

Note: Most gas is caused by swallowing air or by the normal breakdown of undigested foods, like milk sugar, beans, cabbage, etc The smell comes from the bacteria in the colon that releases a small amount of Sulphur.

FLESH EATING DISEASE (NECROTIZING MYOSITIS)

It is caused by the bacteria which consume flesh, often leading to amputation or death. When the condition spreads into the muscle tissue, it is called necrotizing myositis. The incubation period of this disease is believed to be three weeks. It can be transmitted through body secretions exchanged during close contact, such as kissing. It is an infection in the tissues below the skin and is caused by *Streptococcus* bacteria group A. There is no homeopathic remedy for the treatment of this disease which generally results in death occurring within 12 to 24 hours.

FOOD (SEE ALSO 'ALLERGIES')

- | | |
|-------------------------------|--|
| Aethusa cyn. (tds) | : Nausea at the sight of food. |
| Arsenicum alb. (tds) | : Cannot bear the sight or smell of food. Allergic to preserved and cold foods and over-ripe fruits. |
| Bryonia alba (tds) | : Allergic to cabbage, vegetables, salad and chicken. |
| Colchicum autum. (tds) | : The smell of food, especially fish causes nausea, even fainting. |
| Fragaria vesca (tds) | : Strawberry causes urticaria. |
| Sulphur (od) | : Allergic to eggs. |
| Thuja occ. (bd) | : Onions do not agree. |

FOOD POISONING

- | | |
|-----------------------------|--|
| Arsenicum alb. (qid) | : Bad effects of eating decayed vegetables and over-ripe fruits. |
| Carbo veg. (qid) | : Vomiting, nausea and diarrhea due to eating of decayed meat. |

FOREIGN BODIES


- Aconitum nap.** (tds) : Profuse watering of the eyes after removal of sand or other foreign bodies from them.
- Anagallis** (tds) : Favors expulsion of splinters, etc.
- Ledum pal.** 10M (hs) : This remedy relieves the pain from getting a foreign body under the finger nail almost instantly. It expels iron nails, etc.
- Silicea** (bd) : Promotes expulsion of foreign bodies from the tissues like fish bones, needles, bone splinters, etc.

FRACTURES


After the orthopedist has done his job, the following medicines will speed up the cure:

Bones


Fat embolism may occur fracture of long bones due to entry of fat from the narrow cavity into the torn ends of veins.



By sharp bone ends




Penetrating injury from outside



Pathological fracture


A common condition is a secondary tumour growing in and destroying the bone.

Mixture of tumor and hematoma—
healing inhibited.



Very easily fractured

Factors influencing healing of fractures



Arnica mont. 1000 (qid)
For one day only

: Give four doses for one day only. It will remove bruises and pains.

Calcarea phos. 6x (qid)

: Give four doses daily. It will help to unite the bones quickly.

Rhus tox. (tds),
Bryonia alba (tds)

: These two remedies should be given in alternation every two hours to remove pain, if any.

Rhus tox. (tds),
Ruta (tds)

: After the plaster has been removed by the surgeon, stiffness usually remains, sometimes for months. These medicines used alternatively with a gap of two hours, will remove the stiffness in a few days.

Ruta Q,
Symphytum off. Q (qid)

: From the second day, take 15-20 drops of the mixture of the two, four times daily for 7 days. Symphytum off. Q works as a glue for joining bones.

Sticta pulm. 200 (hs)
Repeat if necessary after
1 hour, one dose only

: If the patient cannot sleep, due to pain of fracture, give one dose and if fails to induce sleep, repeat another dose after an hour. The patient will go to sleep.

Wiesbaden (tds) : Stiffness remaining after joining of bones of old fractures is benefited by its use.

FRECKLES (LENTIGO)

Freckles are yellowish or brownish pigmentations on the exposed parts of the skin, especially in persons of light complexion. The pigmentation increases in number on exposure to the sun.

Badiaga (tds) : Freckles on the skin anywhere.

Caulophyllum (tds) : Discoloration of the skin of the face in women with menstrual and uterine disorders.

Cimicifuga (tds) : Facial blemishes in young women.

Kalium carb. (tds) : Discoloration of the skin of the face specially after child birth or loss of vital fluids.

Lycopodium (tds) : Freckles worse on left side of the face and nose.

Natrium carb. (tds) : Freckles. Yellow spots on the face. Blue ring around the eyes.

Natrium hyposulph. Q (bd) : Use locally and internally for removal of yellow and brown spots.

Sepia 10M (hs) : Yellow blotches on the face. Yellow about the mouth. Saddle-like brownish distribution on the nose and cheeks. Circumscribed discolored skin spots in young women.

Thuja occ. (bd) : Dry skin. Circumscribed brown spots on the face and elsewhere on the skin.

Vanadium 6 (tds) : Black freckles over head and nose - with hypotension and weight loss.

NOTE: When the discoloration patches are dark or blackish in color, often found in dark skinned women, during pregnancy or menopause, the condition of the skin is called “Melasma” or in laymans language, “Tan”. Melasma does not lead to melanoma which is an aggressive type of cancer.

FRIGIDITY (IMPOTENCY IN FEMALES)

This is an inability of the female to experience sexual pleasure and satisfaction. It can occur with certain diseases such as diabetes, pelvic disorders under an active thyroid, hypertension, etc. It can occur from over-drugging specially with tranquilizers, etc. A poor technique of the male to arouse stimulation in the female partner also leads to it.

- | | |
|--|---|
| Agnus castus (tds) | : Abhorrence of intercourse. Mental depression. Generalized itching especially of the eyes. |
| Berberis vulg. (tds) | : Painful intercourse with vaginal burning and soreness in listless and apathetic women. |
| Damiana Q (bd) | : Sexual weakness from nervous prostration and hence frigidity. It is an important remedy for its removal. |
| Ginseng Q (tds),
Yohimbinum Q (tds) | : 30 drops a dose in half a cup of water of the mixture of these two remedies in equal parts, taken three times a day works as a proactive stimulant of sexual desire both for young men and women. |
| Graphites (od) | : Aversion to intercourse with a pale, thin, profuse vaginal discharge, in fat, chilly and timid women. |
| Ignatia amara (tds) | : Total frigidity with great changes in moods. Sensitive and easily excited. |
| Lycopodium (tds) | : A dry vaginal wall makes intercourse painful. |
| Murex purp. (tds) | : It produces violent sexual desire and the desire is easily aroused by touch of parts or by even scratching the arm. |
| Onosmodium (tds) | : Complete absence of sexual desire. The breasts ache, the nipples itch. The patient often suffers from migraine. |
| Sepia (tds) | : Vagina painful during intercourse. Prolapse of the uterus. The woman is sad and indifferent to the family. |

NOTE 1: Frigidity is a female sexual dysfunction comparable to impotency in males. Some females are unable to achieve orgasm and this leads to nervous disorders and vices. Blood flow to the clitoris is important for a woman for arousal and sexual satisfaction as the blood flow to the penis in a man. There is a system called 'eros' to achieve it. A soft suction pump is placed on the clitoris. There is a tube attached to it which is operated by a hand held battery. A few minutes of switching on the device makes the clitoris engorged. The device is then turned off and removed. Women becomes fully aroused and achieve orgasm in a short time on sexual intercourse.

NOTE 2: An excellent mixture as a general tonic and for cure of frigidity in females is Avena sativa Q + Damiana Q + Siberian ginseng Q in equal parts. 15 drops of this mixture in a little water three times a day for 2 months gives excellent results.

FROSTBITE **(SEE 'CHILBLAINS')**

Local tissue destruction resulting from exposure to extreme cold is known as frostbite.

FUNGAL DISEASES


- | | |
|-----------------------------|---|
| Alumen (tds) | : Whitish ulceration patches on the membrane of the vagina. |
| Arsenicum alb. (tds) | : Fungoid growth burns and itches specially at night - with relief by a warm water wash. Eruptions on palms like dry bran. |
| Borax (tds) | : Whitish ulceration on the mucous membrane of the mouth and on the hard palate specially in young children. Lesions are sometimes formed beneath the tongue. |
| Calcarea carb. (tds) | : Fungus infection of the vagina with itching and milky discharge, and it is worse before menses. |
| Echinacea Q (tds) | : It is antifungus and antibiotic. |

Lachesis (bd)	: Blackish-blue fungus on the ear drum.
Lycopodium (tds)	: Fungus growth specially on palms of hands. Skin becomes dry, shrunken and fissured with violent itching.
Mancinella (tds)	: Dermatitis. Oozing of a sticky substance from the crusts. Fungoid growths from heavy brown crusts, scales and fissures.
Phosphorus (bd)	: Fungoid growths with blood-like crusts and fissures which bleed easily.
Sepia (tds)	: Fungus infection of the vagina with a very offensive discharge; pain under the nails due to fungus growth.
Silicea	: Whitish fungus growths.
Thuja occ. 200 (od)	: Fungus growth on any part of the body. Treatment should be started with 200C potency of this remedy and then any other indicated remedy may be given. It is specially useful for bleeding fungus growths.

NOTE : Yeast is an unicellular fungi and is treated with the above remedies. Fungus growths and reputations like dry bran with itching.

GALL BLADDER

Arsenicum sulph. rub. 200 (bd)	: Gall stone colic with fever.
Baptisia (tds)	: Soreness over the region of the gall bladder with diarrhea. Stools very offensive.
Belladonna 200 (tds)	: It is very valuable in gall stone colic. It can be repeated often till the colic disappears.
Berberis vulg. Q (tds)	: Helps removal of gall stones and pain due to them.
Calcarea carb. (tds)	: Helps to remove colic due to gall or kidney stones. Should be repeated every 30 minutes.



- Calculus biliari** 12x (tds) : Breaks gall stones to form a powder and facilitates their painless expulsion.
- Carduus mar.** Q (tds) : Swelling of the gall bladder with tenderness and pain. Prevents further formation of gall stones.
- Chelidonium** 200 (bd) : Gall stone colic and jaundice due to the obstruction of gall bladder by gall stones. Helps expulsion of gall stones and reduces pain on this account.
- China off.** 200 (bd) : It prevents formation of gall stones and reduces pain, if occurring at night.
- Chionanthus** Q (tds) : A prominent remedy for prevention of formation of the gall stones. Helps expulsion of gall stones if already formed.


- Cholesterinum** 3x (tds) : It is a very near specific remedy for removing gall stone colic. Relieves at once.
- Fel tauri** 2x or 3x (tds) : Increases duodenal secretion, emulsifies fats and increases the action of the intestines. Liquefies bile, removes obstruction of the gall ducts and helps expulsion of biliary calculi.
- Hydrastis** (tds) : Gall stones with dragging in the right groin and right testicle. Jaundice and constipation.
- Mercurius iod.** (tds) : A lump on the gall bladder with enlargement of the liver. Urine smells like mustard oil. Great pain.
- Mercurius sulph.** (tds) : A lump on the gall bladder with inflammation of the liver. Stools are black.

NOTE : Gall stones are usually made up of cholestrol, bilirubin and protein.

GANGRENE

Death of a tissue due to deficient blood supply or absence of blood supply. For healing, it is necessary that the dead matter is removed.

- Acidum mur.** (tds) : Gangrene of the cheek. Frequent, foul eructations. Vomitus foul and dirty.



- Acidum sulph.** (tds) : Blue and purple surroundings of the gangrene. Bleeding under the skin. Gangrene after an operation or after mechanical injuries.
- Arsenicum alb.** (tds) : Diabetic gangrene. Burning, fetid smell from the wound. Dry, specially of the uterus and lungs, better warmth.
- Baptisia** (tds) : Gangrene of the cheek. Symptoms like typhoid.
- Carbo veg.** (tds) : Carbuncles and boils become gangrenous, wet, purple and icy cold.
- Crotalus hor.** (tds) : Wet gangrene; emits a foul smell and oozes freely.
- Echinacea Q** (2 hourly) : Gangrene, emitting a foul smell. Use 10 drops in an ounce of luke warm water locally as a cleaning and antiseptic wash and 5 drops in a little water every two hours, internally.
- Kreosotum** (tds) : Specially of lungs and uterus, particularly in old age. Foul smell. Better warmth.
- Lachesis** 200 (bd) : Bluish-purple surroundings of the gangrene. Gangrene produced on account of injuries on septic wounds.
- Secale cor.** (tds) : Dry gangrene of toes. Dusky blue tinge. Skin feels cold to touch yet covering is not tolerated.
- Tarentula cub.** (tds) : Painful and inflamed abscess with tendency to gangrene.

GASTRIC TROUBLES

- Abies nig.** (tds) : A useful remedy for gastric ailments specially of the aged. Constipation. Pain in the stomach after eating. Sensation of a hard boiled egg at the end of the stomach. Sensation as if food is lodged at the pit of the stomach.
- Aconitum nap.** (tds) : This remedy is very useful in acute gastritis. Burning from stomach to esophagus. Intense thirst. Drinks and vomits.

- Anacardium,**
Chelidonium,
Petroleum : Use any of these remedies when eating relieves all discomfort temporarily.
- Antimonium crud. (tds)** : Gastric troubles caused by hyper loading of the stomach. Persistent nausea and occasional vomiting. Eructations tasting of the ingesta. Heartburn. After nursing, child vomits the milk in curds and thereafter refuses to be nursed. Aversion to pastry and fatty foods. Thickly coated white tongue will guide to the use of this remedy.
- Argentum nit. (tds)** : Chronic duodenal ulcers with intolerable burning and pain in the stomach and duodenal region. Patients are usually thin and worried.
- Arsenicum alb. (tds)** : For pains and cure of the ulcer when it is in the lower orifice of the stomach. Retching and vomiting after eating and drinking. Burning pain in the stomach. Long lasting eructations. Vomiting of blood mixed with green or dark brown mucus.
- Atropinum (tds)** : It is a very good remedy to subside the frightful pain of gastric ulcer.
- Bismuthum (tds)** : A remedy for pure gastralgia.
- Calcarea carb.** : Nausea with sour water in the mouth.
- Graphites 6 (tds)** : Persistent scarring of duodenal ulcers, this remedy will cure within 15 days.
- Hydrastis Q (bd)** : In all the forms of stomatitis of children and ulceration of the stomach. Dose-5 drops in water, thrice a day.
- Kreosotum (tds)** : Nothing equals this remedy for the vomiting in gastric carcinoma.
- Nux vomica (tds)** : Gastric oppression after a good and heavy meal and alcoholic drinks. Sensation of nausea or diarrhea. Much flatus. Gastric catarrh.
- Ornithogalum (tds)** : Gastric induration, ulcer of stomach. Hemorrhage from stomach.

- Phosphorus** (bd) : Excessive flatus. In gastric troubles, frequent palpitation, intermittent pulse with much despondency and with great thirst.
- Pulsatilla nig.** (tds) : Heartburn is calmed down by its use.
- Robinia** (tds) : Gastric ulcers on account of hyperacidity.
- Sulphur** (od) : It may cure 50% of chronic gastric ulcers. Rest may be cured with Carbo veg.

GIARDIASIS

It has symptoms similar to amoebiasis and stools under microscopic examination show the presence of giardia. Treatment is similar as in amoebiasis.

GIDDINESS (SEE ALSO 'VERTIGO')

- Ferrum phos.** 6x (qid) : Giddiness on seeing flowing water.
- Kalium phos.** 6x (qid) : Giddiness from exhaustion and nervous weakness.
- Lachesis** (tds) : Giddiness when closing eyes.
- Nux vomica** (tds) : Giddiness while eating.

GLAUCOMA (HARDENING OF THE EYEBALL)

- Colocynthis** (tds) : Pain in the eyeballs before glaucoma has set in. Sensation as if eyeballs would fall out. When the pain travels to the head and is better by pressure. It acts as a good palliative.
- Comocladia den.** (tds) : Eyes feel large and protruded specially at night. Feels as if pressed outward. Sense of fullness. Eyeballs seem to be large.

- Conium mac.** (tds) : Sensation of pressure in the eyes when reading, writing or doing any fine work.
- Eserinum 6x** (tds) : Dilatation of pupils with hardening of the eyeballs.
- Gelsemium** (tds) : Dilatation of pupils, disturbed accommodation, pain in eyes, with or without lachrymation.
- Phosphorus** (bd) : Thrombosis of retinal vessels and degenerative changes in retinal cells.
- Spigelia** (tds) : Pains sharp and stabbing through the eye and head, worse on motion and at night.

NOTE 1: This disease is better treated by an ophthalmologist because surgery is often needed in such cases.


NOTE 2: According to an estimate, glaucoma is the leading cause of blindness affecting 67 million people around the globe. Elderly, diabetics and those with hypertension are at the greatest risk of suffering from this disease.

GLEET **(THIN, MUCOID DISCHARGE** **FROM THE URETHRA)**

- Kalium iod.** (tds) : Emission of thin, watery, mucus from the urethra in chronic gonorrhea.
- Sepia** (tds) : Emission of thick yellowish-green mucoid discharge from urethra of males or females. Micturition is slow and takes a long time to complete.

GOITRE **(ENLARGEMENT OF THE THYROID GLAND)** **(SEE ALSO 'THYROID GLAND')**

Commence with **Spongia**, followed by **Sulphur** and later **Iodium**. In severe cases, **Bromium** followed by **Calcarea carb.**, **Lycopodium** and **Causticum** in the same order will cure most cases of goitre.



- Alnus 3c** (tds) : Goitre with indigestion due to imperfect secretion of gastric juices.
- Belladonna** (tds) : Exophthalmic goitre. Marked protusion of eyeballs, increased heart action, enlargement of the thyroid gland, weight loss and nervousness.
- Bromium CM** (hs)
Repeat after a month : If Iodium fails, this remedy maybe needed for six months, one dose a month. Hard goitre.
- Calcarea carb.** 200 (bd) : A simple goitre with the symptoms of this remedy and fatness. Perspiration on the head and neck. Two doses daily.
- Calcarea fluor.** 200 (bd) : For painful, hard goitre with horny growths.
- Calcarea iod.** 3x (tds) : Goitre about the time of puberty.
- Ephedra** (bd) : Exophthalmic goitre. Eyes feel pushed out with increased palpitations of the heart or hypertention. It should not be used in too low or too high potencies which can produce adverse affects.
- Fucus ves.** Q (tds) : It is a remedy for non-toxic goitre and exophthalmic goitre. Obstinate constipation and obesity. 20 drop doses, thrice daily.
- Hydrastis Q** (od) : Goitre at puberty and pregnancy.
- Iodium CM** (hs)
For 4 days : Patient is always hungry. Eats well and yet emaciates. Enlargement of the thyroid gland. Always feels better by eating. When these

symptoms are present with goitre, a dose every night for four days after full moon is waning will clear the symptoms with three-four monthly treatments. Iodine is necessary for normal functioning and normal growth and development of the brain and body. Deficiency of iodine in the body, can produce goitre and more commonly, reduction of mental capacity in new borns.

- Lapis albus** (tds) : Soft goitre at a pre-ulcerative stage of carcinoma.
- Lycopodium** 1M (hs) : Abnormal protrusion of eyeballs from the orbits. Diarrhea after meals. Menses irregular and painful. A small tumor-like swelling on the right side of upper neck.
- Natrium mur.** 200 (od) : Goitre with great emaciation, palpitation and sleeplessness. It is very useful to finish and fix a cure.
- Spongia** (tds) : Thyroid gland is swollen. Throat is dry and burning.
- Thyreoidinum** 3x (qid) : When there is a great craving of sugar and tendency to obesity in this disease. This remedy maybe given every two hours for a long time.
- Thuja occ.** 200 (hs)
Repeat every 5th day : It is indicated when the veins are very prominent on the goitre. A dose every fifth day.

NOTE : Goitre is more prevalent in fresh water and lake countries and less so on the sea coast, due to the lack of iodine in fresh water. Iodine and iodized salts are used as remedies and preventives.

GONORRHEA

- Agnus castus** (tds) : History of repeated gonorrhea. Suicidal thoughts due to the disease.
- Argentum nit.** (tds) : Burning in the urethra. Frequent desire to pass urine. Sensation as if a few drops remained behind after urination.

- Copaiva off.** (tds) : Burning pressure. Painful micturition by drops. Retention of urine. Urine has a bad smell. Discharge is of greenish turbid color with a pungent odor. Testicles swollen. In females, violent itching of vulva with bloody discharge.
- Kreosotum** (tds) : Discharge is very fetid. Gonorrhea of females with itching of the vaginal canal and vulva.
- Mercurius cor.** (tds) : It is always indicated in one stage or the other. The stream of urine is thin and feeble, so it takes a longer time to finish urination. Discharge is yellowish-green, both in men and women.
- Natrium sulph.** (tds) : Inflammation of the prepuce. Itching of the glans and penis. Discharge yellowish and greenish.
- Silicea** 200 (bd) : The discharge of gonorrhea from the urethra is thick, foul and bloody. Two doses maybe given daily, morning and evening.
- Thuja occ.** 200 (hs)
Repeat after a week : Treatment should be started with this remedy in recent or long standing cases. No medicine should be given on the day when this remedy is given. Discharge is thin and greenish. Painful urination.

GOUT (RHEUMATISM)

- Acidum fluor.** (tds) : It works in any constitution when heat aggravates the pain and the patient has the ability to withstand any amount of cold.
- Actaea spic.** 3x (tds) : Rheumatism of small joints of the fingers and wrists.
- Ammonium phos.** (tds) : Chronic gout with nodosities in finger joints and back of hands. Rheumatic pain in the shoulder joints.
- Antimonium crud.** (tds) : Rheumatic pain in fingers. Thick white coated

- tongue is a sure indication for its use. Finger joints may be swollen.
- Arnica mont. (tds)** : Rheumatic or other pains due to injury such as a fall or a severe wrench. The pain is burning and the part is sore to touch. The patient desires to be alone and is better by gentle movement for a short moment and is worse by prolonged movement, heat, rest and light pressure.
- Arsenicum alb. (tds)** : Rheumatic pain in the forearm worse during the night. Pains are burning and are relieved by warmth.
- Aurum mur. (tds)** : Old cases of rheumatism and gout pains. Tearing, drawing, pressing and stitching pains, better by heat and worse by cold.
- Azadirachta (tds)** : Rheumatic pains in sternum, ribs, shoulders and extremities.
- Benzoicum acidum (tds)** : Rheumatic and gouty pains in patients suffering from urinary troubles. Urine contains several deposits, is of high color and smells like the urine of a horse. Pain often changes position. In such conditions, it relieves the pain.
- Berberis vulg. (tds)** : Rheumatic pain in shoulders, arms, hands, fingers, legs and feet. Neuralgia under finger nails with swelling of finger joints. Pain in heels as if standing on a nail. Pain in the balls of heels on standing.
- Bryonia alba 200 (bd)** : The pains are gouty, aggravated on motion and are better by rest, pressure and warmth. The joints are red, hot and swollen.
- Calcarea carb. (tds)** : Rheumatic pains are sharp and stitching as if wrenched, after exposure to wet. Rheumatism on account of defective bony growths. Weakness of the extremities and swelling of joints specially knee pains on account of working in water.
- Calcarea carb. (tds),
Ledum pal. (tds),
Lycopodium (tds)** : Deposit of chalk stones in the finger joints, wrists and toes.

-
- Calcarea phos.** (tds) : Rheumatism worse during winter and better in summer. Stiffness and pain with a cold and numb feeling. Buttocks, back and limbs go to sleep.
- Camphora** 200 (bd) : Rheumatic affections in cold climate.
- Carbonium sulph.** (tds) : Chronic rheumatism and gout. Flying pains return regularly for a long time. Lightening-like pains with cramps.
- Cascara sag.** (tds) : It's use proves useful in rheumatism of muscles and joints when there is obstinate constipation also.
- Caulophyllum** (tds) : Rheumatic pains in small joints like fingers, toes, ankles, etc. Aching in wrists. Cutting pains on closing hands. Erratic pains, changing place every few minutes.
- Causticum** (tds) : Manifests its action mainly in chronic rheumatism and arthritis. Deformities of joints. Restless at night due to pains. Cracking and tension in knees. Stiffness in the hollow of the knee. Worse dry cold winds, in clear fine weather and cold air. Better in damp and wet weather, and warmth specially heat of the bed.
- Chamomilla** (tds) : Pains are violent and accompanied with numbness. Patient is very sensitive to pains, often cries on this account and says that he would prefer death than pain. Very effective for pains with numbness. Ankles give way in the afternoon.
- Chelidonium** (tds) : Rheumatism of the feet and ankles usually accompanied by liver troubles.
- China off.** (tds) : Chronic gout. Pain in limbs and joints as if sprained, worse by slight touch. Joints swollen, pain in knees, worse by standing, better sitting.
- Chininum sulph.** 2x (tds) : Acute anticular rheumatism. Polyarticular gout. There is marked periodicity in pains and swellings.
- Cimicifuga** (tds) : Pain worse at night, in wet weather. Rheumatism of large muscles.

-
- Colchicum autum.** (tds) : It has a specific power of relieving the gouty attacks. The parts are red, hot and swollen. Tearing pain worse in the evening, at night and from touch. Sharp pains down left arm. Gout of heel. Shifting rheumatism. Edematous swelling of legs and feet.
- Colocynthis** (tds) : Contraction of muscles. Cramp-like pains in the hip. Pain from hip to knee. Pain in the left knee joint. The patient lies on the painful side as pressure and warmth relieve the pain.
- Drosera** (tds) : Pain in ankles and feet with stiffness.
- Dulcamara** (tds) : Symptoms similar to Rhus tox. Acts better when days are hot and nights are cold. Rheumatic symptoms after skin affections. Patients living or working in old and wet basements.
- Eupatorium perf.** (tds) : Distressing pain in the bones of great toe, wrist, etc. accompanied with restlessness. Gouty soreness and inflamed nodosities of joints and headache. Aching in the back, arms and legs.
- Formica rufa** (tds) : Rheumatism comes on with suddenness and restlessness. Sweat does not relieve. Relief after midnight and from rubbing.
- Fragaria vesca** 200 (bd) : Prevents the attacks of gout.
- Gaultheria oil** (bd) : Give 20 drop doses, relieves much of the discomfort due to pain of gout, arthritis and rheumatism.
- Gettisberg aqua** 6x (tds) : Sub-acute and chronic rheumatism and sub-acute gouty state. Sensation of rigidity in muscles and tendons of joints of hips, shoulders, wrists, lower back and neck. Pain and rigidity worse moving and relieved by rest and when quiet. Urine is high colored with sandy sediments.
- Ginseng Q** (bd) : A useful remedy for treatment of rheumatism, lumbago and sciatica. Joints become stiff and contracted, and there is an increase in the amount of urine excreted.

-
- Gnaphalium 200** (od) : Chronic rheumatism, backache and pain in the neck. Sciatica. Numbness alternates with pain.
- Guaiacum off. Q** (tds) : Rheumatic pains in hands, arms and shoulders. Sciatica and lumbago. Gouty pains tearing and lacinating. Worse from motion, heat, cold wet weather, touch, pressure, 6 PM to 4 AM. Better by external pressure. Nodosities of joints and contraction of muscles.
- Indigo tinc.** (tds) : Pain from the middle of thigh to the knee. Knee joint has a boring pain which is relieved by walking and is worse after every meal.
- Kalium brom.** (tds) : Chronic gout of nodular form. Hands become hard. Fingers and muscles jerk and twitch.
- Kalium carb.** (tds) : Pain in knees; it may extend from hip to knee. Pain in the limbs and in arms from shoulders to wrist. Worse by pressure but better by moving about and warmth. Pains are sharp and cutting.
- Kalium iod.** (tds) : Old gouty patients. Must keep in constant motion because it gives relief.
- Kalmia lat.** (tds) : Rheumatic pains travel from upwards to downwards with numbness. Rheumatic pains of scapula and shoulder muscles, specially right side.
- Ledum pal.** (tds) : Pains travel from below upwards. Patient feels chilly, yet he does not like to be covered as his pains are better by cold. In chronic cases, chalk stone oozes from the finger joints. Pain in joints especially small ones. Joints are swollen, hot and pale. Cracking of joints worse warmth of bed.
- Lycopersicum escu.** (tds) : Dull pain in the lumbar region. Sharp pain in right deltoid and breast muscles. Pain in the right elbow, wrist, in both hands and legs.
- Lycopodium** (tds) : Chronic gout with chalky deposits in joints. Numbness and drawing and tearing in limbs.
- Magnesium carb.** (tds) : Tearing in shoulders as if dislocated. Right

- shoulder painful. The patient is unable to raise it. Swelling of the bend of knees.
- Medorrhinum** 1M (hs)
Repeat once a week : Rheumatism originated from gonorrhea, worse during the day.
- Mercurius sol.** (tds) : Lacerating pain in joints. Cold, fetid sweat on the legs at night. Dropsical swelling of feet and legs.
- Mimosa p.** (tds) : Rheumatism of back and limbs. Knees stiff. Swelling of ankles. Legs tremble.
- Natrium phos.** (tds) : Rheumatic arthritis. Crackling of joints. Pain in the wrist and finger joints. Its use in alteration with Natrium sulph. is useful for pains of small joints.
- Natrium sulph.** (tds) : Rheumatism of persons living in basements or damp houses. They are worse by bathing and in rainy weather. Edema of feet. Piercing pains between scapulae. Cracking of joints.
- Nux vomica** (tds) : Cracking in knee joints when walking. Drags feet when walking. Sensation of sudden loss of power in arms and legs in the morning.
- Oxalicum acidum** (tds) : Pains through the lower lobe of the left lung and pain under the scapula and between the shoulder to the lower back.
- Propylaminum Q** (qid) : Palliates fever and pain in a day or two in acute rheumatism. Rheumatic pains change places specially in heart lesions. Pain in the wrists and ankles worse by slightest motion. Fingers cannot hold things - even a needle held in the hand appears too heavy. Tingling numbness of fingers. 10-15 drops in a glass full of water - teaspoonful doses every 2 hours.
- Pulsatilla nig.** (tds) : Pain in the joints shifts from place to place. It is generally due to changes associated with the menstrual cycle. The patient has a tendency to be emotional and tearful. She desires sympathy and consolation. Is worse in the evening and night and by lying on the painful side.

-
- Radium brom.** (tds) : It is a very useful remedy in chronic rheumatic arthritis. Severe pain in all the limbs and joints, knees, ankles, shoulders, arms, hands, fingers, toes, calves, hip joints, etc. all have pains which are worse at night, open air, touch, cold air and movements.
- Ranunculus bulb.** (tds) : Rheumatic and muscular pains along the lower margin of shoulder blade. Pain like pleurodynia in chest. Worse in spring.
- Rhamnus cal.** Q (qid) : A positive remedy for muscular pains and rheumatism. 10 drops a dose, four times a day. It is indicated when there is constipation also.
- Rhododendron ch.** (tds) : Pains are wandering, now in this joint and then in that joint. Arthritic nodes. Pains are worse before thunderstorm and in hot season. Gout of toe joints.
- Rhus tox.** 200 (tds) : Gout worse in damp and rainy weather. Pain increases from rising from a sitting position or on first motion and becomes better by walking for sometime and increases again on taking a long walk. Rheumatism due to suppression of perspiration. Pain in nape of neck and lions. Tearing pain in tendons, ligaments and face.
- Ruta** (tds) : Pain in the tendons appearing after their injury. Pain due to a bruise in the lining of the bones. Pain is better by movement and is worse in damp, cold weather and during rest.
- Sabina** (tds) : Arthritic pain in joints. Gout due to urinary troubles worse in a heated room and on motion.
- Sanguinaria** (tds) : Pain in the right shoulder and arm worse from the heat of the bed. Pain on raising the arm.
- Solanum lyc.** (tds) : Dull pain in the lumbar region. Sharp pain in the right deltoid and breast muscle. Pain in the right elbow, wrist and in both hands and legs.
- Stellaria m.** Q (bd),
Aurum mur. nat. 3x (tds),
Carbonium sulph. (tds),
China off. (tds) : Chronic rheumatic pains.

- Syphilinum** 1000 (hs) : Rheumatism of the shoulder joint at the intersection of deltoid. Muscles become hard, knotty or lumpy and contracted to form knots.
- Thyreoidinum** (od) : Rheumatic arthritis with tendency to obesity. Swelling of legs and other parts of body and cramps.
- Tongo** 3x (tds) : Severe pain in hips joints, femur and knees, specially the left.
- Tuberculinum** 1M (hs) : When the origin is tubercular. Acute rheumatism of the bones of joints. Inflammation of joints. Worse motion, standing, dampness and early in the morning after sleep. Better open air.
- Urtica urens** Q (tds) : Rheumatism associated with urticaria-like eruptions or rheumatism alternates with such eruptions. Pain in wrists and ankles, worse during snow and moist air.
- Vanadium** 6 (tds) : In absence of definite symptoms, the use of this remedy in chronic rheumatism produces good results.

NOTE 1: Rheumatoid arthritis occurs when the immune system attacks joints causing severe inflammation, pain and stiffness. Other types of arthritis occur in elderly people and is caused by wear and tear of aging.

NOTE 2: Tennis elbow (epicondylitis) as the name applies is a pain localized at the level of the elbow. It affects the tendon called epicondylics which is attached to the elbow. It affects players of tennis, badminton or any game where the elbow is overused. Treatment is according to the symptoms.

GROIN (INGUINAL REGION)

- Bellis per.** (tds) : Sore and bruised feeling in the pelvic region. Bad effects of injuries to the pelvic organs and deeper tissues.
- Berberis vulg.** (tds) : Stitching pain in the groins with urinary

- troubles or menstrual complaints - worse motion and standing.
- Calcarea carb.** 200 (od) : When Rhus tox. ceases to work and the pain is worse in cold damp weather and better by movements.
- Calcarea phos.** (tds) : Soreness in the joint, in bones of sacrum and illium, as if broken. Symptoms are worse with any change in weather.
- Dulcamara** (tds) : Pain in the groins.
- Kalium nit.** (tds) : Burning pain in the groins during menstruation only, worse while bending. Menses black, preceded with severe backache.
- Mercurius iod. fl.** 2x (tds) : Swollen inguinal glands, large and hard.
- Natrium mur.** (tds) : Burning pain in the groins during menstruation.
- Podophyllum** (tds) : Pain in the right inguinal region shoots from the inner thighs to knees, worse early morning.
- Rhus tox.** (tds) : Tearing pain in the groins due to exposure to damp, wet winds or due to lifting of heavy weights. Swelling of inguinal glands.

GUILT

(SEE 'DEPRESSION')

- Thuja occ.** (tds), : Hidden feeling of guilt and depression thereof.
Arsenicum alb. (tds),
Natrium sulph. (tds),
Staphysagria (tds)

GUMS

GINGIVITIS (INFLAMMED GUMS)

- Ammonium carb.** (tds) : Gums recede from the teeth and the teeth become loose.

- Argentum nit.** (tds) : Tenderness and bleeding from the gums. Inflammation of the gums.
- Carbo veg.** (tds) : Teeth separate from gums. Pain from hot or cold drinks and their application.
- Causticum** (tds) : Gums bleed easily.
- Hypericum** 3x (tds) : Gum pains from extraction of teeth. Soothes gum pain.
- Kreosotum** (tds) : Spongy and bleeding gums.
- Magnesium carb.** (tds) : Bloody saliva with swelling of gums but teeth are intact.
- Mercurius sol.** (tds) : Sensitive to hot or cold. Gums swollen. Offensive breath and excessive saliva in the mouth. Fresh air and fasting relieves. Bleeding.
- Natrium mur.** (tds) : Gums bleed with a taste of pus in the mouth and are sensitive to both hot and cold. There may be ulcers on the gums and in the mouth.
- Podophyllum** (tds) : Pressing of the gums together in children, with diarrhea.

GUM BOIL

- Aconitum nap.** (tds) : Early stage of gum boil with throbbing pain.
- Belladonna** (qid) : If three hourly four doses of Aconitum do not relieve the pain, give this remedy. Inflammatory redness and swelling of the gums. It will often arrest an incipient gum boil.
- Borax** 3x (tds) : Painful gum boils.
- Calcarea fluor.** 6x (tds) : Its use cures the gum boils when there is a hard swelling on the jaw.
- Carbo animalis** (tds) : Bleeding; painful and burning gum boils.
- Hekla lava** 3x (tds) : For painful gum boils and abscess of gums.
- Mercurius sol.** (tds) : Bright redness of the gum boil. Excessive fetid saliva. Inflammation of the gums.
- Rhus g. Q**
Locally : It can be applied locally to soft, spongy gums to give relief.
- Silicea** (tds) : Gum boils with pus.

HAIR

HAIR FALL

- Acidum fluor.** (tds) : Falling of hair after typhoid fever.
- Acidum phos.** (tds) : Falling of hair after an exhausting disease. Hairfall from head, eyebrows, eyelashes, etc.
- Calcarea phos.** (tds) : Falling of hair in bunches on combing is cured by the remedy.
- Ferrum phos.** (tds) : Hairfall from the head due to anemia.
- Kalium carb.** (tds) : For falling of hair due to dryness of the scalp and dandruff.
- Natrium mur.** (tds) : Falling of hair after child birth. Hair come out in excess while combing.
- Nitricum acidum** (tds) : Falling of pubic hair due to syphilis or gonorrhea.
- Sabal ser.** (tds) : It is beneficial in the treatment of thinning hair.
- Selenium met.** (tds) : Useful for falling of pubic hair - if needed at all.
- Sepia** (tds),
Carbo veg. (tds) : Use of either remedy stops falling of hair during pregnancy, after child birth and during nursing of a child.
- Sulphur** (bd),
Lycopodium (tds) : These remedies are also useful for the falling of hair in nursing mothers. Lycopodium is also useful for greying hair at a young age.
- Sphingurus mar.** (tds) : Falling out of hair from the beard.
- Thallium** (tds) : Falling of hair after diseases. Alopecia with much perspiration on the head. Loss of hair as an after-effect of bursting of an atom bomb.
- Thuja occ.** (tds) : Use this remedy when the hair grow slowly and split after growing. Use it as a general remedy for falling of hair.
- Thymus serpyllum Q** : Helps in the regrowth of hair.
- Vinca minor** (tds) : Use of this remedy cures matting of hair together after a head wash.

- Wiesbaden 200 (od)** : By the use of this remedy, the hair will grow more rapidly than usual and become darker. New hair take the place of the fallen hair rapidly.

HAIR - PREMATURE GREYING

Hair contains a black-brown pigment and a yellow-red pigment. The amount and distribution of the pigments determine the hair color. When the secretion of the pigment is lessened, the shaft of the hair whitens. Normally hair gradually greys then whitens as people grow older and the quantity and distribution of the pigment decreases. This is determined by heredity. Stress or illness may also affect the formation of pigment. How to stop it is discussed below:

- Acidum phos.** 1c (hs) : Hair thin out and turn grey early and fall out.
Repeat every 15 days
- Lycopodium** (tds) : It is specific for premature greying of hair.
- Natrium mur.** (tds), : Use of either of these remedies when indicated or otherwise also stop further premature greying of hair after diseases.
Phosphorus (tds)
- Pilocarpus** 1000 (hs) : If the hair are greying prematurely due to dryness of the scalp, the use of this remedy stops it by stimulating natural secretion of the scalp.
Repeat after 15 days
- Thyreoidinum** 3x (tds) : It stops premature greying of hair due to thyroid diseases. It also helps to restore the natural color of hair not turned completely grey.

HAIR - UNWANTED

FACIAL HAIR

- Oleum jec.** 3x (tds) : Give this remedy 3 times a day after the use of Thuja occ. 1M.

- Thuja occ.** 1M (hs)
Repeat after a month : Start the treatment with this. One dose a day and no medicine for 24 hours. Repeat after a month.
- Waxing** : The medication takes a long time to be effective. Along with it, the method of waxing can be adopted. Take liquid wax from a drug store. Spread a light layer of it on the skin and cut a strong cloth equal to the size of the space between the nose and upper lip where there is unwanted growth of hair in a woman. Apply it firmly on the space. After about 2 minutes take off the cloth steadily but firmly. All the hair will be pulled out. Employ the same method for the chin. After about a fortnight, the roots of the hair will be destroyed or they become too weak to grow back. Skin will become softer. A similar method, if needed can be applied to the growth of pubic hair. Medication can be employed along with it.
- Laser surgery or Electrolysis** : Unwanted hair can be removed by a competent surgeon by laser surgery or electrolysis. Lasers destroys the hair follicle underneath the skin and retards their future growth.

A TOTAL CARE HAIR OIL

- Armoracia sat. Q,**
Embelica off. Q,
Ceanothus Q : Mix 5 ml of each with 100 ml of Arnica mont. oil. Rubbing the scalp with this mixture will stop falling of hair, make them darker and cure dandruff in many recent cases. Also helpful in vertigo and headaches in many cases.

NOTE 1: Normally each hair on the scalp grows continuously for 2 to 4 years, then stops growing for 2 to 4 months and then falls out. In its place new healthy hair begins to grow and the cycle is repeated. On an average, there are approximately 100000 hair follicles in the scalp. Normally upto 100 hair are shed daily.

NOTE 2: Hair need protection and care during winter months just as it does with the summer sun and humidity. Cold, cold winds and excessive heat zap moisture from the hair often leaving it dry and brittle. Keeping the head covered during extreme winter and warm days helps hair to feel soft and manageable.

NOTE 3: By adapting healthier eating habits and consuming protein packed foods like meats, chicken, fish, eggs and milk, hair loss can ease generally and normal growth can resume in months. Vitamins A, B2, folic acid, iodine, copper, amino acids, mostly found in green leafy vegetables, play a significant role in hair maintenance.

HANDS

- Aconitum nap.** (tds) : Hands hot and feet cold.
- Apis mel.** (tds) : Tips of the fingers and hands become swollen and numb.
- Bovista** (tds) : Due to the sensation of mind, stammering and awkwardness result and occasionally he can not hold things and they fall from the hands.
- Calcarea carb.** (tds) : Hands are always sweaty and moist.
- Causticum** (tds) : Dull tearing pain. Unsteadiness of muscles of forearm and hands. Numbness and loss of sensation in hands.
- Colchicum autum.** (tds) : Jerking of the right hand without any apparent reason.
- Menyanthes tri.** (tds) : Icy coldness of the hands.
- Natrium carb.** (tds) : Soreness between fingers. Hands are chapped.
- Natrium mur.** (bd) : Palms hot and perspiring.
- Phosphorus** (bd) : Burning of hands.
- Ranunculus bulb.** (tds) : Itching of palms. Blister-like eruptions on the palms. Finger tips and palms chapped. Itching worse contact.
- Sarsaparilla** (tds) : Skin cracked on hands and feet and is hard and indurated with fissures.
- Squilla mar.** (tds),
Cactus (tds),
Calendula off. (tds) : Icy coldness of hands.
- Syphilinum** (hs)
Repeat after a month : The patient is always seen washing his hands without any reason.
- Torula cer.** (tds) : Hands cold like ice and go to sleep easily.

HASTE AND HURRIED

- Acidum sulph.** (tds) : Everything is done in a hurry. Wants to finish work quickly.
- Aconitum nap.** (tds) : Hurried. Wants things done at once. Hurried in movements and speech.
- Anacardium ori.** (tds) : Swallows food and drink hurriedly although he is not in a hurry.
- Argentum nit.** (tds) : He wants to do things in a hurry.
- Aurum met.** (tds) : Constant rapid questioning without waiting for a reply. Speaks fast. Thinks he cannot do things fast enough.
- Cocculus ind.** (tds) : Speaks hastily.
- Lilium tig.** (tds) : Hurried manners. Walks fast without any purpose. Will reach the railway station or an airport hours before due departure.
- Lycopodium** (tds) : Eats hurriedly without proper chewing as though in great haste which otherwise he is not in.
- Medorrhinum** 1M (hs)
Repeat after a month : The patient is always in a hurry without any cause. For him time passes too slowly.
- Oleander** (tds) : Eats and drinks hurriedly whether hungry or not.
- Sulphur** (od) : Walks briskly without any urgent work. Hurried for stool and urine.

HAWKING

- Aesculus hip.** (tds) : Hawking with expulsion of ropy mucus which tastes sweet.
- Argentum nit.** (tds) : Much thick mucus in the mouth which causes hawking. Sensation of a splinter in the throat. Hawking in smokers.
- Arum dracontium** 1c (tds) : Hawking. Continued disposition to clear the throat. This remedy is more indicated when

	the throat is sore and raw, and there is hoarseness.
Arum triph. (tds)	: Constant hawking.
Aurum met. (tds)	: Stitches and pain in the throat cause the patient to hawk.
Causticum (tds)	: Hawks to expel mucus under the sternum as it is hard to expel.
Euphrasia (tds)	: Hawking up of offensive mucus with bland coryza.
Geranium 1x (tds)	: Constant hawking and spitting in elderly persons.
Hepar sulphuris (tds)	: Hawks to expel mucus. Sensation of a splinter in the throat.
Kalium bich. (tds)	: Stringy and ropy mucus is expelled on hawking.
Lachesis (tds)	: Chronic sore throat with much hawking. Mucus sticks and cannot be forced up or down.
Mercurius bin iod. (tds)	: Constant desire to swallow and hawk.
Phytolacca dec. (tds)	: Hawking on account of a sensation of a lump in the throat. Greyish-white thick, tenacious yellowish mucus difficult to dislodge.
Selenium met. (tds)	: Hawking and raising transparent lumps of mucus every morning.
Silicea (tds)	: Hawks to remove sensation of a pin pricking in the tonsil.
Spongia (tds)	: Cleans throat constantly. Tickling causes cough. Dryness of the throat.

HAY FEVER

It is an acute, irritating, inflammation of the eyes and upper respiratory passages accompanied by itching and profuse watery secretion, followed occasionally by bronchitis and asthma. The episodes recur annually at the same or nearly the same time of the year, in spring, summer or late summer and

autumn. It is caused by an allergic reaction to the pollen of trees, grasses, weeds, flower, etc.

- Allium cepa** (qid) : Copious, watery and extremely acrid discharge. Sensation of a lump at the root of the nose. Fluent coryza with cough. Hoarseness and headache. Watering of eyes. Sneezing worse entering a warm room and better in open air.
- Ambrosia** (tds) : Lachrymation and intolerable itching of the eyelids. Watery coryza. Sneezing. Stuffed up nose.
- Aralia r.** (tds) : The least current of air causes sneezing with copious watery nasal discharge.
- Arsenicum alb.** (tds) : Burning in the eyes. Thin watery discharge from the nose. Nose stopped. Sneezing does not relieve. Symptoms worse in open air and better indoors.
- Arundo** (tds) : Hay fever begins with burning and itching of the palate and conjunctivitis. Annoying itching of the nose and at the roof of the mouth. Sneezing.
- Naphthalinum** (tds) : Coryza with hay fever. Sneezing.
- Natrium mur.** (tds) : Violent fluent coryza. Discharge thin and watery, like the raw white of an egg. Cold commences with sneezing.
- Psorinum** (bd) : Hay fever returns irregularly every year. Dry coryza with stoppage of nose. Dropping of mucus from the posterior nares. Symptoms worse cold, better warmth and in summers.
- Sabadilla** (tds) : Spasmodic sneezing with a running nose. Copious discharge of tough mucus. Frontal headache, redness and watering of eyes.
- Skookum chuck** 3x (tds) : Profuse coryza with constant sneezing.
- Tongo** 2x (tds) : Coryza. Nose stopped. Must breathe through the mouth. Hay fever.

HEAD

- Agaricus mus.** (tds) : Confused head, vertigo better by lying down. Vertigo from sunlight and on walking. Constant motion of the head.
- Arsenicum alb.** (tds) : Head remains in constant motion. Great itching of the scalp which is sensitive to brushing.
- Aurum sulph.** (tds) : Constant nodding of the head.
- Bufo rana** (tds) : Sensation of hot vapor rising in the head. Numbness of the head.
- Calcarea carb.** (tds) : Large head of an emaciated child. Sense of weight at the top of the head. Icy coldness in and on the head. Lots of perspiration which wets the pillow.
- Cannabis ind.** (tds) : Sensation of closing and shutting of the head.
- Carbo veg.** (tds) : Hat on the head intolerable. Hat appears pressed upon the head like a heavy weight.
- Cicuta vir.** (tds) : Head is turned or twisted to one side. Cervical muscles contracted.
- Cimicifuga** (tds) : Wild feeling in the head. Waving sensation or opening and shutting sensation in the brain.
- Cocculus ind.** (tds) : Sensation of closing and shutting of the head. Sense of emptiness in the head, specially in the occiput.
- Gelsemium** (tds) : Heaviness of the head. Sensation of a band around the head.
- Helleborus** (tds) : Sensation of water inside the head.
- Hepar sulphuris** (tds),
Silicea (tds) : Wrapping up of the head gives relief.
- Juglans regia** (tds) : Head confused, feels as if head is floating in air.
- Lycopodium** (tds),
Cannabis ind. (tds) : Shakes head without any apparent cause.
- Natrium mur.** 200 (od) : Head sweats while eating.
- Ostrya virginica** (tds) : Anemia of the head from malaria. Numbness.

- Petroleum** (tds) : Sensation of a cold breeze blowing on the head.
- Sepia** (tds) : Sensation as if something was rolling in the head.
- Sulphur** (od) : Constant heat on the top of the head, worse washing.

HEADACHE

- Acidum phos.** 1c (tds) : Crushing headache with pressure on the head. Dull headache after coition or from eyestrain.
- Agaricus mus.** (tds) : Dull headache due to prolonged desk work. Vertigo when looking at passing cars. Headache as if from a nail. Headache with epistaxis. Desire to cover the head.
- Ambra grisea** (tds) : Senile headache with depression. Tearing pain in the upper half of the brain.
- Antimonium crud.** (tds) : Headache from river bathing, cold, alcoholism and eating pickles or acidic things.
- Argentum nit.** (tds) : It is useful in dull chronic headaches of literary people and businessmen.
- Baryta mur.** (tds) : Headaches of old people but without any acute crisis - heaviness rather than pain. Headache due to hypertension.
- Belladonna** (tds) : Severe jerking headache extending from eyes to the nape of the neck, worse light, noise, jar, lying down and in the afternoon. Throbbing and burning headache from suppressed catarrhs or colds. Headache after having a hair cut.
- Bellis per.** (tds) : Headache from the occiput to the nape of the head. Forehead feels contracted, bruised and sore.
- Bryonia alba** (tds) : Bursting, splitting headache as if everything would be pressed out, as if hit by a hammer from within. Frontal headache. Worse on any movement and on coughing.

- Calcarea carb.** (tds) : Headache before menses. Sense of weight on top of the head. Headache from over-lifting and from mental exertion with nausea. Head feels heavy and hot with a pale face.
- Calcarea phos.** 6x (tds) : Anemic girls suffer from headache after studies or after school hours and from eyestrains. Headache due to abdominal flatulence or change of weather.
- Carbolicum acidum** (tds) : Headache with a sensation as if the head is compressed by a rubber band.
- Carbo veg.** (tds) : Headache from any indulgence.
- China off.** (tds) : Headache alternating with pain in the abdomen and relieved by stooping. Headache due to strain of eyes. Headache with a feeling as if the head will burst and that the brain was moving to and fro. Throbbing in the head and temples. Pain worse in open air, contact or strong wind. Vertigo when walking. Better by hard pressure and warmth. Periodicity is marked.
- Chionanthus Q** (tds) : It cures many types of headaches, neurasthenic, periodical, sick, menstrual and bilious. 5 drops a dose, thrice daily breaks up the sick headache habit.
- Cimicifuga** (tds) : Headache from worry, mental strain, over-study or loss of sleep.
- Cocculus ind.** (tds) : Headache in the occiput and nape. Sick headache from carriage riding. Headache on reading, writing, watching a film, talking, noises and worries. Sensation of opening and shutting of occiput.
- Crotalus hor.** (tds) : Dull heavy occipital pain on the right side and right eye. Pain in the heart on lying on the left side. Must walk on tip-toe to avoid pain by jarring.
- Cyclamen** (tds) : One-sided headache with frequent sneezing.
- Gelsemium** (tds) : Dull tired headache at the base of the brain. The patient desires to lie with the head raised

- upon a high pillow and be perfectly still. Headache from mental labor, smoking tobacco and the heat of the sun. Better by pressure. Sensation that the head is compressed by a rubber band. Headache after debauch.
- Glonoinum** (tds) : Congestive headache during menopause or due to suppressed menses. Headache due to sun stroke. Severe throbbing headache due to high blood pressure. Headache increases or decreases with the sun. Headache in place of menses.
- Graphites** (od) : Headache on one side of the head extending to teeth and nose. Usually in the morning on rising.
- Ignatia amara** 200 (od) : Headache from exertion of mind like listening to a lecture from a teacher or close attention to an orator.
- Ipecacuanha** (tds) : Headache with nausea.
- Juglans regia** (tds) : Pain at the base of the head. Pain sharp.
- Kalium bich.** (tds) : Pains in the head in small spots due to suppressed catarrh. Frontal pain usually on one eye.
- Lachesis** (tds) : Headache during menopause due to non-appearance of blood at the proper time and better when the flow appears. Headache due to heat of the sun.
- Lobelia purp.** (tds) : Headache between the eyebrows with dizziness and drowsiness. Cannot keep eyes open.
- Lupulus** (tds) : Headache due to eyestrain or sex and a nights debauch. Dull headache with dizziness.
- Lycopodium** (bd) : Throbbing headache after every paroxysm of cough. Tearing pain in the occiput, better in fresh air. Pain in the temples.
- Natrium carb.** (tds) : Headache from slightest mental exertion - worse during change of weather and by working under a gas light or sun.

- Natrium mur.** (tds) : Throbbing, blinding headache comes periodically. Headache as if hammers were knocking on the brain. Worse in the morning on awakening. Anemic headache of school girls. Chronic headache from sunrise to sunset with a pale face. Headache from eyestrain and during menstruation. Headache which comes at 10 or 11 a.m. Pain like a rope tied around the head draw which is being drawn tighter and tighter.
- Natrium sulph.** (tds) : Headache worse during menses. Headache in people dwelling in basements and wet houses.
- Nux vomica** (bd) : Headache in occiput or over the eyes with vertigo. Brain feels as if going round in a circle. Headache in the sunshine. Headache after debauch. Frontal headache with a desire to press the head against something.
- Onosmodium** (tds) : Headaches from eyestrain and sexual weaknesses. Head appears confused, heavy and dizzy after sexual intercourse.
- Paullinia sorb.** (bd)
(Guarana) : Sick headaches in persons who have used tea and coffee in excess. Throbbing headache after use of alcohol.
- Picricum acidum** (tds) : Slightest exertion or mental efforts brings on headache. This headache is often found in students, over-worked businessmen and people depressed by grief or other emotions.
- Platinum met.** (bd) : Headache in women with numbness. Pain increases and decreases gradually. Tense, pressing pain in a small spot.
- Psorinum** (bd) : Periodical headaches with putrid stools. Chronic headache, hungry during the attack with vertigo, worse during change of weather. Awakens at night with a feeling of pain, as if from a blow.
- Pulsatilla nig.** (tds) : Wandering pains in the head. Pain extends to face and teeth. Better open air. Headache from over-work.

-
- Sanguinaria** (tds) : Headache during menopause. Chronic headache. Periodical sick headache. Pain begins in occiput, spreads upwards and settles over the right eye. Headache every seventh day, worse right side during menopause.
- Selenium met.** (tds) : Headache from drinking tea.
- Sepia** (tds) : Terrible headache due to suppression of menses or due to scanty flow during menses or on account of constipation. Half sided headaches.
- Silicea** (tds) : Headache due to fasting. Pain begins in the occiput and settles over the eyes. Better by wrapping the head and worse in the morning. Profuse sweat on the head.
- Spigelia** (tds) : Pain beneath frontal eminence and temples extending to the eyes. Pain as if a band is around the head. Headache starts from the nape of the neck and extends to the left eye. This is used in many types of headaches.
- Spongia** (tds) : Bursting headache due to the rush of blood to the head, worse forehead.
- Succinum** 3x (tds) : Headache every seven days.
- Taraxacum** 3c (tds) : Sensation of great heat on top of the head. Scalp is painful to touch. Gastric headaches and headaches in anemic persons with flatulence.
- Thea sin.** (tds) : Sick headache due to excessive tea drinking is cured by this remedy.
- Tilia eur.** (tds) : Neuralgic headache starting on the right side and shifting to the left side with sensation of a gauze or veil before the eyes.
- Tuberculinum** 1M (hs) : Headache is so severe that the patient bangs the head against a door. Intense neuralgia as if an iron hand was around the head. Symptoms remain on changing.
- Viola odorata** Q (tds) : Tendency to pain immediately above the eyebrows. Headache across forehead due to uterine fibroids.

NOTE: Although the brain receives the pain messages from the body but it has no pain nerves of its own. Headaches do not indicate any brain problem. Such pains originate from the muscles and blood vessels of the head.

HEARING - IMPAIRED

Hearing loss is generally gradual and painless in many cases developing so slowly that it is barely noticeable. At any age, hearing can be damaged by :

1. Middle ear infection.
2. Exposure to loud or constant noise.
3. Heredity.
4. Illness or birth defects.
5. The natural aging process.
6. Traumatic injury.
7. Tumors.



It is suggested that after the age of 50, a regular hearing test must be done. It should also be done whenever hearing becomes impaired. Treatment should be done on the basis of the disease. In most of the cases (90%), it will be necessary to have a hearing aid which should be used on the advice of an ear specialist. In the rest of the 10% cases, the following medicines are suggested. Please refer to “Deafness” also.

- | | |
|---------------------------|--|
| Ambra grisea (tds) | : Dullness of the hearing without any of the defects mentioned above. |
| Arnica mont. (qid) | : Hearing impaired due to a blow or an injury of the external and middle ear. |
| Baryta carb. (bd) | : Hardness of hearing. Crackling noise in the ears. Glands around ears are painful and swollen. Reverberation on blowing the nose. Indicated in infancy and old age when the tonsils are swollen. |
| Chenopodium (tds) | : Numbness of the auditory nerve. Hearing better for high pitched sounds. Comparative deafness to the sound of voice but great sensitiveness to the sounds of a passing vehicles. Buzzing in ears. Defect due to enlargement of tonsils. |


NOTE: One of the common signs of hearing damage is tinnities, a ringing in the ears that often precedes hearing loss. It is a warning signal that often comes too late, after the damage has been done.

HEART

Mitral regurgitation




Normal contraction





Decreased function

Dilated cardiomyopathy



Aortic stenosis



Aortic regurgitation

- Abies nig. (tds)** : Sharp cutting pain in the heart. Heart action is heavy and slow (bradycardia) or abnormally rapid (tachycardia).
- Aceticum acidum (tds)** : Weak heart. Profuse urination and perspiration. Great debility and dyspnea. Give only one dose a day.
- Aconitum nap. (tds)** : Heart affections with pain in the left shoulder. Tachycardia - abnormality of heart action and rapid beats. Stitching pain in the chest. Throbbing in the carotid arteries. Pulse full, tense; hard and bounding.
- Adonidinum Q (bd)** : Its action is like Digitalis and can be substituted by it. It is a cardiac tonic and empties engorged veins with fats. Valuable in cardiac dropsy with increased urinary secretion.
- Agaricus mus. (tds)** : In heart diseases when pain is prominent and the patient won't answer questions.
- Ammonium caust. Q (bd)** : This is a powerful cardiac stimulant and it removes blood clots. Maybe given by inhaling in cases of fainting.

- Arnica mont.** (tds) : It is helpful in a tired heart which has become irregular in rate and volume, whether as a result of a blood clot or not.
- Arsenicum iod.** 3x (tds) : Very specific in most of the heart diseases. Weakened heart specially with a chronic lung condition. Breathlessness on going upstairs.
- Arsenicum alb.** (tds) : It is very valuable for a weak heart which is irritable on the slightest provocation.
- Aurum ars.** (bd) : Chronic aortitis - inflammation of the aorta possibly due to cardiac asthmic attacks, cough, dyspnea or syphilis. Stenosis of aorta i.e., narrowing of aorta or its orifice due to scar formation.
- Baryta mur.** (bd) : Hardening and narrowing of cardiac orifice with pain.
- Cactus Q** (bd) : Inflammation of the lining of the heart (endocarditis). Mitral insufficiency. Rapid and violent heart action. Palpitation. Angina pectoris with acute pain in the chest and left arm.
10-20 drops in ½ cup of water
- Cactus Q,**
Crataegus oxy. Q (qid) : 10-15 drops mixed together and given in water every four hours, acts as a heart tonic and strengthens the heart.
- Calcarea ars.** (bd) : It is an excellent cardiac tonic especially in dilatation and valve mischief. It relieves pain, palpitation and dyspnea besides having a marked influence over the dropsy, always imminent in these cases.
- Camphora** : As a heart stimulant for emergency use, it is a most satisfactory remedy. 5 drops per dose on sugar (not in water) every 5 minutes. Coldness of the body and extremities.
- Carbo veg.** (qid) : Excessive flatulence pressing the heart and causing a sinking sensation and depression.
- Cereus bonplandii** 1x (tds) : Pain in the chest through the heart running towards the spleen. Pain in the cartilages of left lower ribs and sensation of weight in the heart region.

- Cholesterinum** 30-200 (bd) : Insufficient function of the coronary blood vessels that supply blood to the heart. Coronary pain produced is usually dull and heavy with a feeling of squeezing in the chest.
- Convallaria maj.** Q (tds) : Tobacco heart due to excessive cigarette smoking. Palpitation on the least exertion. Increases energy of the heart and renders it more regular. 5 to 10 drops a dose, thrice daily. Palpitation and heart failure of the aged from a sudden loud noise or an explosion of a big cracker or a bomb. Sensation as if heart ceased beating, then started very suddenly. Angina pectoris. Extremely rapid and irregular pulse.
- Conium mac.** (tds) : Arteriosclerosis. Thickening, hardness and loss of elasticity of walls of blood vessels, specially of arteries.
- Crataegus oxy.** Q (tds) : Increasing insomnia in cardiac affections. 5 drops in a teaspoonful of water every 3 hours. Common senile myocarditis with a previous history of hypertension, extreme weakness and irregular heart action. This remedy has no toxic effects. It can be given as a heart tonic for long periods of time for such senile hearts. Cardiac dropsy. Extreme dyspnea on least exertion. Cough. Angina pectoris. Pulse irregular, feeble and intermittant. Reduces hypertension by widening the blood vessels and moderates the heart rate. Extreme dyspnea on least exertion without an increase in the pulse rate.
- Digitalis** (tds) : It works wonders in heart block and bradycardia (heart action heavy and slow). Great weakness and sinking of strength, faintness, coldness of the skin and irregular respiration. Bluish face. In cardiac muscular failure, it increases force of systole.
- Ferrum met.** 3x (tds) : Sudden reflux of blood from heart to the blood vessels. Anemic murmur of heart. Pulse weak and soft.
- Ferrum phos.** 3x (tds) : Rapid, short and soft pulse. For treatment of cardiac diseases in the final stage.

- Glonoinum** (tds) : Beats of the heart is heard in ears. Fluttering. Palpitation with dyspnea. Throbbing in the whole body. Any exertion brings rush of blood to the heart.
- Moschus** (tds) : Tightness of the chest. Patient takes a long breath. Hysterical palpitation. Trembling around the heart. Weak pulse and fainting.
- Naja tri.** (tds) : Heart cases without any symptoms. Sensation of weight on the heart. Angina pains extend to the nape of the neck, left shoulder and arm. Fear of death. Pulse irregular. Threatened paralysis of the heart. Damaged heart after infectious diseases. Low blood pressure.
- Pituitrinum 30** (tds) : It has a valuable place in heart attacks of old people when it is hard to pick a well indicated remedy. Attack maybe due to coronary trouble or from chronic uremic conditions or from allergies. It relieves readily.
- Secale cor.** (tds) : Anginal pain and hypertension. Numbness and coldness of extremities. Pulse contracted and intermittent.
- Selenium met.** (tds) : It is found in minute quantities in fish, meat, whole grain and dairy products. Selenium improves the oxygen supply to the heart. Use of these foods or vegetables grown in selenium rich soil is useful for the oxygen starved heart and maintaining the elasticity of heart tissues.
- Serum anguillae** (tds) : Bloody urine due to cardiac irregularities like insufficiency of heart valve and faulty contraction of ventricles giving rise to kidney infection.
- Spigelia** (tds) : Violent palpitation. Pain worse motion. Foul odor from the mouth. Pulse weak and irregular; dyspnea. Angina pectoris. Craving for hot water which relieves. Pains extent to arm or both arms. Pericarditis.
- Strophanthus Q** (tds) : Increases the power of the muscles of the heart. Tones up the heart. Cures dropsical

- accumulations. It is safe for the aged. Irritable heart of tobacco smokers. 5 drops, thrice daily.
- Sugar** (bd) : Heart failure due to deficient heart muscles. One ounce of sugar, morning and evening in combination with other indicated remedy.
- Syphilinum** 1000 (hs) : It prevents a recurrence of the heart attack.
- Tabacum** (tds) : Angina pectoris. Pain in the precordial region. Pain radiates from the centre of the sternum with rapid palpitation or slow heart action.
- Terminalia arjuna** Q (tds) : Diseases of heart, both organic and functional. Angina pectoris.
Suffocation, palpitation, weakness and pain in the heart. It is a very good remedy for these disorders. In acute cases, give 10 drops, half hourly and in chronic cases 5 drops, three hourly.
- Veratrum alb.** (tds) : A cold perspiration on the forehead when indicated. Palpitation with anxiety and rapid, audible respiration. Pulse irregular and feeble. Tobacco heart from chewing. Intermittent action of the heart in feeble persons with hepatic obstruction. One of the best heart stimulants.
- Vipera** (tds) : Dropsy of heart with swelling of veins, face, lips and tongue with a bursting sensation.

NOTE 1: Exercise, diet, weight control, controlling of blood pressure, stopping the use of drugs and smoking avoid the risk of heart diseases.

NOTE 2: A team of scientists at The University of Pennsylvania confirmed after a research, that use of vitamin E gives protection against atherosclerosis characterized by fatty deposits in the arterial linings of the cardiovascular system, and protects against thickening, hardening and loss of the walls of blood vessels and confers “Patient Protection” from heart disease.

NOTE 3: The chances of heart attack are more if any or many of the below risk factors are present in a person:


- (a) Smoking.
- (b) High blood pressure.

- (c) Elevated blood cholesterol.
- (d) Inactive life style.
- (e) Over-weight.
- (f) Diabetes.
- (g) Stress (how one reacts to physical, mental or emotional tension).

NOTE 4: Heart diseases are mostly caused due to the death of a heart muscle. Heart muscles become starved for oxygen when cholesterol and fatty deposits clog the blood ways.

NOTE 5: The heart beats roughly 100,000 times a day, pumps about 5 litres of blood every minute, pumps nearly 23000 litres of blood per day, pumps the entire blood supply around the body about once every minute, and is about the size of one's fist.

HEART ATTACK (MYOCARDIAL INFARCTION)



A heart attack occurs when the blood supply to the heart muscle is severely reduced or stopped. This happens when one of the arteries (coronary

arteries) supplying blood to the heart muscle is blocked. If the blood supply to the heart muscle is cut off for longer than several minutes, muscle cells in the affected area suffer irreversible injury and die. As the heart cannot reproduce, heart muscle damage from the heart attack is permanent. A heart attack can result in disability or even death depending on how much and where the heart muscle is damaged. Over 90% of the heart attacks are caused by a blood clot in the coronary artery (coronary thrombosis or coronary occlusion). The formation of blood clots is often associated with atherosclerosis, the build up of plaque (a combination of cholesterol, cellular waste and other materials) on the artery wall. When the plaque ruptures, it can form a blood clot capable of blocking one of the coronary arteries. Serious atherosclerosis can also cause a heart attack by “blocking off” the flow of blood through the coronary artery. Heart attacks can also occur by severe contraction or spasm in one of the coronary arteries. When this happens, the artery narrows and blood supply to the heart muscle is decreased or even stopped. It can occur in the normal appearing blood vessels and vessels partly blocked by atherosclerosis.

Paleness, anxiety, fear, sweating, shortness of breath, indigestion, tightness or chest pain, over all weakness and nausea are general symptoms of a heart attack. Some individuals, particularly women may experience vague chest discomfort or think that they are having heartburn. Symptoms can come and go. Such a patient should immediately be referred to the nearest hospital or a heart specialist. About 40 percent of such patients die within 30 minutes of the attack.

For treatment, see chapters - Angina pectoris, Blood clots, Blood pressure, Cholesterol, Sclerosis, etc.

HEELS

- | | |
|---|---|
| Acidum tart. 3x (tds) | : Pain in soles and heels. |
| Allium cepa (tds) | : Ulcers on heels due to friction of the heels with shoes, etc. It is also useful for blisters on the feet. |
| Ammonium carb. (tds) | : Pain in heels on standing with tenderness. Cramps in calf and soles. Big toe painful and swollen. |
| Antimonium crud. (tds),
Lycopodium (tds) | : Fissures on the heels. |

-
- Aranea diad.** (tds) : Pain in bones of heels. Sensation of swelling. Heels go to sleep.
- Aristolochia clem.** (tds) : Stitching pains in the heels and itching.
- Arsenicum alb.** (tds) : Ulcers on heels with burning pains.
- Berberis vulg.** 200 (bd) : Pain in the heels relieved by putting the entire weight of the body on them. Pain of the heel as if ulcerated.
- Borax** (tds) : Pain in heels. Burning pain in great toe. Inflammation of the bulb of toes. Stitches in soles.
- Calcarea caust.** (tds) : Tearing pain in the left heel.
- Colchicum autum.** (tds) : Gout of the heel. Cannot bear to have it touched or moved.
- Cyclamen** (tds) : Burning sore pains in heels - better by moving about, massage and warmth, worse sitting or standing and by a cold bath.
- Graphites** (od) : Cracks in heels.
- Kalium carb.** (tds) : Pain in the right heel.
- Lathyrus sat.** (tds) : Heels do not touch the ground when walking. Walks on the fore part of the feet.
- Lycopodium** (tds) : Pain in the heels like pebbles under them on walking or putting weight upon them.
- Malandrinum** (tds) : Fissures and chaps in the heels in winter and from washing.
- Petroleum** 200 (od) : Stitching pains in the heels as those by splinters. Heels rough with cracks and fissures. Worse in winter.
- Phaseolus** (tds) : Gout of heels accompanied with diabetes.
- Phytolacca dec.** (tds) : Aching of heels relieved by elevating feet. Pains like electric shocks.
- Pulsatilla nig.** (tds) : Pains in heels like pricking of nails. Puts the feet outside the blanket to cool them as coldness has a pleasing effect on the pains.
- Ranunculus bulb.** (tds) : Acute pain in heels. Pulsative stitches in the left heel when standing.

Silicea (tds) : Tearing pain in heels due to sprained ankles.

Valeriana (tds) : Stinging pain in heels when sitting.

NOTE: One common cause of heel pain is inflammation of the plantar fascia, a band of tissue along the bottom of the foot. It is caused by wearing shoes that don't provide proper support to the plantar fascia. This pain is reduced by applying ice, first thing in the morning or after a rest.

HEMATEMESIS (BLEEDING FROM STOMACH)

Aconitum nap. (tds) : Hematemesis of new born infants.

Bryonia alba (tds) : Vicarious hematemesis; vomiting of bright red blood, followed by a dry, fatiguing cough.

Causticum (tds) : Nocturnal vomiting of dark blood.

Ceanothus Q (tds) : Vomiting of clotted blood mixed with food. It is acidic in reaction. Use of this remedy will materially reduce clotting of blood.

Cicuta vir. (tds) : Hematemesis in the aged.

Ficus ind. Q (tds) : A great anti-hemorrhagic remedy, when blood is pure red.

Hamamelis Q (tds) : Blood is dark in color.

Hyoscyamus nig. (tds) : Hematemesis in drunkards, with hiccough and bitter eructations, blood dark red or bloody mucus.

Ipecacuanha 1x (tds) : When the blood is bright red. Bleeding may be accompanied with continuous nausea.

Millefolium (tds) : Active hemorrhage, bright red in color.

Opium (tds) : Hematemesis in drunkards and old people.

Phosphorus (bd) : Hematemesis after suppression of menses; coffee ground vomiting with oppression and burning in the stomach.

Rhus tox. (tds) : Hematemesis from over-exertion or lifting heavy weights.

- Stannum met.** (tds) : Hemorrhage from stomach. Sensation of emptiness in the stomach. Smell of food causes vomiting.
- Veratrum alb.** (tds) : Hematemesis with continuous nausea, fainting, profuse cold sweat, prostration and collapse. Discharge of clotted blood from the bowels with crampy colic.

NOTE: In such cases absolute rest for the patient is necessary and nothing should be given by the mouth. Feeding is done intravenously if necessary. No stimulants. Have the patient lie down and ask him to be quiet.

HEMATURIA (BLOODY URINE)

- Apis mel.** (tds) : Stinging and burning in the urethra when urinating. Urine is bloody.
- Arnica mont.** (tds) : From mechanical injuries to any urinary part.
- Cantharis Q** (tds) : Urine is voided in drops with burning in urethra. Urine is bloody.
10 drops in $\frac{1}{2}$ cup of water
- Ficus rel. Q** (tds) : Frequent micturition with blood in it.
10 drops in $\frac{1}{2}$ cup of water
- Hamamelis Q** (tds) : If Arnica mont. fails give this remedy.
5-10 drops in $\frac{1}{2}$ cup of water
- Millefolium Q** (tds) : When the blood is suspected to come from the kidney and when there is pain in the region of the kidneys.
5-10 drops in $\frac{1}{2}$ cup of water
- Terebinthinae 6** (tds) : Hemorrhage on account of inflammation of the kidneys. The blood is dark, passive and fetid. Urine is scanty or suppressed and has an odor.
- Vipera** (tds) : Hematuria due to ailments of the kidneys. This remedy exerts a special action on the kidneys when there is swelling of the face and there is a bursting sensation in any part of the body.

HEMOGLOBIN

(SEE ALSO 'ANEMIA')

- Calcarea ars.** 3x (qid) : Hemoglobin and R.B.C.'s are low - specially suited to fat women and at menopause.
- Ferrum phos.** 3x (qid) : Increases hemoglobin and makes up the deficiency of iron.
- Lecithinum** 12x (qid) : Increases the amount of hemoglobin and red blood corpuscles.
- Natrium cacodyl.** 3x (tds) : Increases number of R.B.C.'s to double.
- Vanadium** 6 (tds) : Increases the amount of hemoglobin and W.B.C.'s. It also stimulates the action of W.B.C.'s. It destroys power of virus and bacteria to produce disease.

NOTE : The amount of hemoglobin in the blood averages 12-16 gm/100 ml in females and 14-18 gm/100 ml in males. It is an iron containing pigment of the red blood cells and it functions to carry oxygen from the lungs to the tissues. 'Heme' means iron containing pigment and 'globin' means a simple protein and their combination gives the name 'hemoglobin'.

HEMOPHILIA

In this disease, blood takes a long time to coagulate and, therefore, even small wounds bleed profusely and for a long time. It is a hereditary disease and occurs almost exclusively in males. There is deficiency of anti-hemophilic factor in the blood. In emergencies, transfusion of blood is required. The following remedies are used:

- Calcarea lact.** 1x (tds) : A good remedy for hemophilia when the coagulability of blood is diminished. Nervous headache with swollen eyelids, lips and hands.
- Ficus ind.** Q (tds) : It possesses great anti-hemorrhagic properties
5-10 drops in ½ cup of water and stops the bleeding quickly.
- Hamamelis** Q (tds) : In every case, this remedy is applied on the
10 drops in ½ cup of water wound and should be allowed to dry. This will make the blood coagulate. Distilled extract is better for local use and mother tincture for oral use.

- Lachesis** (tds), : These maybe used in 200 potency for a long time till cure - every week.
Crotalus hor. (tds) or
 200 potency once a week
- Phosphorus** (tds) : Slightest wound bleeds too much.
- Secale cor.** (tds) : Slightest wound bleeds for weeks together. There is tingling in the limbs.
- Syzygium jamb.** Q, 30 (tds) : This remedy is of a great help in hemophilia
 10 drops, 1 hourly. of diabetic patients. Use 10 drops every hour till the blood forms clots. Maybe used in 30c potency for cure.

NOTE: In the conventional method of treatment anti-hemophilic factor is named factor 9. Such patients are treated with factor 9 taken from human blood or with protein taken from cell cultures, some of which are genetically engineered. Such blood is tested for HIV infection, hepatitis and other blood diseases before such a use.

HEMOPTYSIS (SPITTING OF BLOOD)


- Acalypha ind.** Q (bd) : Cough with bloody expectoration. Pure red
 5-10 drops in ½ cup of water blood comes in the morning and dark lumps of clotted blood in the evening.
- Cinnamomum** Q (tds) : Spitting of blood - specially when there is foul
 5-10 drops in ½ cup of water odor in the blood and in the mouth.
- Hamamelis** Q (tds) : It is considered as a specific remedy for the
 5-10 drops in ½ cup of water cure of this disease.
- Ipecacuanha** (tds) : Spitting of pure red blood with nausea or
 vomiting.
- Millefolium** (tds) : Blood spitting originating from a disease.
- Nux vomica** (tds) : Hemoptysis of bright red blood, usually in the
 mornings.
- Phosphorus** (bd) : Blood spitting with dry, tight, fatiguing cough,
 intermixed with expectoration of mucus.
- Sepia** (tds) : Hemoptysis in millers from inhaling flour dust.
- Stannum met.** (tds) : Hemoptysis with a tendency to copious
 expectoration.

HEMORRHAGE

- Acidum sulph.** (tds) : Hemorrhage into the skin, mucous membranes, internal organs and other tissues. The skin is red and darkens to purple.
- Aurum mur.** (tds) : It is a very valuable remedy for hemorrhages from the womb during menopause.
- China off.** (tds) : Weakness on account of loss of blood. Faintness, ringing in the ears.
- Cinnamomum Q** (tds)
10 drops in ½ cup of water : Hemorrhage after child birth, bleeding from nose and bowels. A little strain on loins brings about a profuse flow of blood. Cancer bleeding of an offensive odor. Feeble patients with weak circulation of blood. Hemorrhage from uterus caused by over-lifting within a few days of giving birth to a child.
- Crocus sativus** (tds) : Blood is dark, slimy and stringy in all kinds of bleedings even that of threatened abortion or of menses when it contains clots with long strings.
- Crotalus hor.** (tds) : Hemorrhagic tendencies, blood dark. Blood does not coagulate. Prolonged menses. Uterine hemorrhage.
- Erigeron Q** (tds)
10 drops in ½ cup of water : Cures epistaxis with congestion to the head, red face and fever. Hemorrhages from the pelvic organs is marked with violent irritation of the rectum and bladder.
- Ferrum phos.** 1x-3x (tds) : It stops bleeding. The blood is bright red.
- Ficus rel.** Q (tds),
Ficus ind. (tds) : These are the best hemorrhage arresters. Bleeding piles, epistaxis, dysentery, hemoptysis, hematemesis, hematuria, menorrhagia, etc. Hemorrhage from mouth, throat or anywhere is arrested by these remedies provided the blood is red. Ficus ind. has proved to be better than Ficus rel.
- Hamamelis Q** (tds)
10 drops in ½ cup of water : Bleeding is very dark, clotted venous blood whether from the nose, bowels, uterus, lungs or bladder.

- Ipecacuanha** 200 (bd) : Blood bright red, profuse with breathing difficulty and nausea. Bleeding maybe from any orifice of the body, nose, stomach, uterus, lung, bladder, etc. provided nausea is present.
- Mangifera indica** Q (tds) : One of the best remedies for passive haemorrhage, uterine, renal, gastric, pulmonary and intestinal.
(Mango tree)
5-10 drops in $\frac{1}{2}$ cup of water
- Millefolium** Q (tds) : A good remedy for all types of hemorrhage when blood is bright red.
5-10 drops in $\frac{1}{2}$ cup of water
- Phosphorus** (bd) : Persistent and profuse bleeding even from small wounds.
- Sanguisuga** 6 (tds) : It is a brilliant remedy for persistent bleeding of watery blood from the anus when the usual remedies have failed to arrest the bleeding.
- Trillium pend.** Q : It is a very genuine hemorrhage remedy. The blood is bright red whether of active or passive kind of hemorrhage. Specially useful in the climacteric hemorrhage of the womb.
5-10 drops in $\frac{1}{2}$ cup of water

HEMORRHOIDS (PILES)



Dilated hemorrhoids

-
- Arsenicum alb.** (tds) : Hemorrhoids burn-like fire. Burning is relieved by sitting in hot water. Skin around anus ulcerated.
- Apis mel.** (tds) : Hemorrhoids with stinging pain as if from the bite of honey bees and after confinement.
- Calcarea fluor.** (qid) : Internal piles with constipation and backache. Much flatus in the colon. Bleeding piles with itching of anus, worse during pregnancy.
- Collinsonia can.** (tds) : Sensation of sharp sticks in the rectum. Sense of constriction. Painful, bleeding piles or blind piles. Hemorrhoids with most obstinate constipation. Constipation and piles during pregnancy - alternating with diarrhea.
- Ficus rel.** Q (qid),
Ficus ind. Q (qid)
 5 drops in ½ cup of water : Either of the remedies may be tried if Mucuna fails. This will stop bleeding after about 4 doses of 5 drops each. Blood should be bright red.
- Hamamelis** (tds) : Hemorrhoids after confinement. Blood dark, profuse with soreness in the rectum, great weakness after bleeding.
- Hypericum** 1x (qid) : Bleeding piles. It is a very specific remedy.
- Kalium carb.** (tds) : Piles relieved by hard pressure like sitting on a horseback without a saddle. Hemorrhoids are large and swollen. Piles after child birth.
- Millefolium** (tds) : Bleeding hemorrhoids. Blood bright red. Works better in tincture-5 drops a dose, thrice daily.
- Mimosa p.** 1x (tds) : A single dose of 1x or 6x cures external piles. Its leaves made into a poultice with oil and tied on the anus causes immediate relief in pain and also causes receding of piles.
- Mucuna** Q (tds)
 1-2 drops in a little water : One drop a dose is very near specific for bleeding piles. 4 doses will arrest the disease. If it does no good, use the following.
- Nitricum acidum,**
Sedum acre (tds) : Hemorrhoids and fissures at the same time.
- Paeonia off.** (tds) : This is given for piles and fissure of anus occurring together. Burning in the anus.

- Podophyllum** (tds) : Internal and external piles. Prolapse of rectum. Constipation with hard, dry, difficult and whitish stools or constipation alternating with diarrhea.
- Staphysagria** (bd) : Reappearance of piles after some time of their operation.
- Sulphur** 30/ morning (hs), : A dose of Sulphur in the morning and a dose
Nux vomica/night (hs), of Nux vomia at bed time, and a dose of
Aesculus hip./afternoon (hs) Aesculus at noon will cure piles, blind or bleeding in a short time.

HEPATITIS (INFLAMMATION OF THE LIVER)


- Baptisia** (tds) : Inflammation of the gall bladder.
- Bryonia alba** (tds) : From cold; sharp pain, worse on touch or on movement and better by lying on the painful side.
- Chelidonium** Q (tds) : Enlargement of liver due to hepatitis. A
 10 drops in ½ cup of water constant pain under the inferior angle of right scapula is a sure indication for the use of this remedy.
- Chionanthus** Q (tds) : A remedy for enlarged and dearranged liver
 10 drops in ½ cup of water causing jaundice. The stools are whitish in color and the liver region is tender. Constipation; the tongue is coated yellow.
- Hepar sulphuris** (tds) : Due to an abscess in the liver.
- Ipecacuanha** (tds) : Due to an abscess in the liver after dysentery. Nausea and vomiting.
- Lycopodium** 200 (bd) : Hepatitis; liver size reduced due to lack of nutrition. Pain in the region of the liver from right to left.
- Mercurius sol.** (tds) : Tongue dirty, yellowish-white, fetid breath, skin jaundiced. Liver region sore to touch with offensive perspiration. Pain better by lying on the painful side.

- Natrium sulph.** (tds) : It is indicated in all forms of hepatitis. Liver region is sore to touch and there is sharp cutting pain worse lying on the left side. In some cases, the patient cannot bear any tight clothing around the waist. The discomfort is worse during rainy weather and on bathing.
- Phosphorus** (bd) : Inflammation of the liver. Degeneration of the liver under anemic condition.

NOTE: Hepatitis is a viral infection of the liver and is found worldwide. It is transmitted on ingesting contaminated food or drinks.

HERNIA

Inguinal hernia



- Aconitum nap.** (tds) : Hernia of intestines which is a form of inguinal hernia in which the hernial sac lies between the layers of the abdominal muscles. Pain in the strangulated bowel.
- Aesculus hip.** 3x (tds) : Hernia of the groin (inguinal) if on the left side with pain.
- Asafoetida** 3x (tds) : Hernia of the stomach. Stomach protrudes upwards through the esophagus. Hiatus hernia.



- Aurum met.** (tds) : Hernia of the scrotum.
- Calcarea carb.** 200 (qid) : Hernia occurring at the navel (umbilical), it is more frequent in children and women than in men. It works in all forms of hernia. Four doses per day.
- Calcarea phos.** (tds) : Hernia of the navel if patient is thin.
- Granatum** (tds) : Hernia of the navel - umbilical hernia.
- Hydrocotyle** 1c (tds) : Interstitial hernia with cellular multiplying in any part of the body.
- Lycopodium** 1000 (hs) : Inguinal hernia of the right side with pain or no pain. A dose every 15th day. Strangulated hernia. Distention of the abdomen with rumbling of gas.
- Repeat after 15 days
- Magnesium mur.** (tds) : Scrotal hernia.
- Magnesium phos.** 6x (qid) : Scrotal hernia which is inherited.
- Nux vomica** 200 (hs) : Right sided hernia with troubles of digestion. Give 200 potency every 5th day. Nux vomica 1x reduces the pain in old hernias and in very recent cases. It cures umbilical hernia of infants.
- Repeat every 5th day
- Plumbum met.** (tds) : When the hernia is strangulated and Aconitum nap., Belladonna and Nux vomica have not worked properly.
- Sepia** (tds) : In vaginal hernia is (i.e. hernia of the vagina).
- Staphysagria** (tds) : In cystic hernia, that is hernia of the bladder.
- Wiesbaden** (tds) : Hernia of the thigh bone or femur.

NOTE 1: In case of strangulation of hernia, when there is great pain, surgery is needed when the indicated remedies fail to reduce the pain and give comfort of the patient. Nux vomica 1x - given every 10 minutes helps in case of threatened strangulation.

NOTE 2: In case where it is practicable, the patient should be made to lie down on the back with hips raised upto the level of the shoulders. The hernia maybe pushed back and a truss be applied. In case of scrotal and inguinal hernia, a loin cloth tied adequately helps.

HERPES

- Alnus 3c (tds)** : Chronic herpes which appears again and again.
- Arsenicum alb. (tds)** : Suppurating herpes with violent burning pains. Thirst for small quantities of water at short intervals. Clusters are dark and deep. It cures pains, etc. within 10 days



- Calendula off. Q** : After the vesicles and crusts have disappeared
Locally - 50 drops mixed with one ounce of vaseline
maybe applied on the affected parts to soothe
the skin.
- Cantharis** (tds) : Herpes of the right side.
- Cistus can.** (tds) : Herpes on the back.
- Graphites** (od) : Herpes on the genitals or herpetic eruptions
on organs.
- Gunpowder 3x** (tds) : Herpes of the face. Herpes facialis.
- Hepar sulphuris 10M** (hs) : Herpes sensitive. Ulcers on the prepuce, bleed
easily. Herpes circinatas. A single dose cures,
when it appears again and again after cure.
- Dulcamara** : Herpes simplex on the lips.
- Hypericum** (tds) : Herpes zoster or shingles. It is generally found
in men. Painful vesicular eruptions occurring
along the course of spinal nerves in a unilateral
way on the face, nose and eyes. Herpes in
circular patches. It reduces pain.
- Mercurius sol.** (tds), : Herpes of penis, prepuce or testicles. Herpes
Nitricum acidum (tds) preputialis.
- Mezereum 200** (od) : Intolerable itching. Chilliness. Vesicles
shinning or fiery red. Ulceration forms thick
scabs under which purulent matter exudes, and
in chronic cases
- Natrium mur.** (tds), : Herpes of vulva. Herpes genitalis and herpes
Capsicum (tds), labialis.
Rhus tox. (tds)
- Psorinum 200** (hs) : Herpes on temples extends to ears and cheeks.
Repeat after a week
- Ranunculus bulb.** (tds) : Herpes zoster. Shingles. Burning and intense
itching. Bluish vesicles. Burning pains.
- Rhus tox.** (tds) : It is a routine remedy for shingles. Its use
reduces pain. It is also used for herpes labialis.
- Sepia** (hs) : Herpes behind the ears. On the nape of the
neck. Herpes circinatas in isolated spots.

- Sulphur 200,**
Graphites 200,
Syphilinum 200 (hs) : Any of these three medicines, if selected according to the symptoms, is useful for herpes zoster ophthalmics. In such cases, the first division of the 5th cranial nerve is involved affecting the eye, face and nose - the area supplied by this nerve. Occular complications can be quite serious and should be treated early. An opinion of an ophthalmologist is advisable in this occasion.
- Sulphur iod. 3x (tds)** : Herpes of lips.
- Tellurium met. 6c (tds)** : Herpes in circular spots anywhere, even on face or in the eyes. Takes a long time to develop its action.

NOTE 1: Genital herpes is mostly spread through sexual contact through the moist membranes of the penis, vagina, urinary opening, cervix, anus or mouth. It rarely spreads through the toilet seats, bath tubs and swimming pools. Swelling, blisters and sores are caused when the body's immune system tries to fight the infection, and actually this is a curative reaction of nature to fight the disease. Many people with genital herpes experience repeated or recurrent outbreaks. This happens when the body's immune system is low, for example, at times of stress, fatigue, after an illness or surgery. The patient should avoid sharing intimate articles like towels and razors used on the area of herpes and use safer sex methods.

NOTE 2: Shingles is caused by a reactivation of chickenpox or herpes virus (Varicella zoster) which lives in the ganglia of sensory nerves and survives life long in people who have had that illness.

NOTE 3: Herpes is a nuisance but it is not life threatening. It can be avoided by avoiding stress, and using cotton underwears as synthetic underwears keep the moisture and air out, slowing the healing process. Wash hands after touching the sores as other parts, especially the eyes, when touched with infected hands can suffer from this disease. Sex should be avoided otherwise the other partner will be infected.

HICCOUGH

- Acidum sulph. (tds)** : Persistent hiccough.
- Chamomilla (tds)** : Hiccough of infants.

- Cinnamomum Q** (bd) : Three drops on sugar for abolishing hiccough.
- Cyclamen** (tds) : In chronic cases and in pregnancy, it is given every 10 minutes.
- Ginseng Q** : 5 drop doses every 15 minutes if the cause of hiccough is indigestion.
- Kalium brom.** (tds) : Persistent hiccough and hiccough during pregnancy.
- Magnesium phos. 12x** : It is a very good remedy for this disease. Repeat it every 10 minutes till relief.
- Moschus** : In hysterical cases - given every 10 minutes.
- Nux vomica** (tds) : Hiccough of infants or due to gastric trouble.
- Ranunculus bulb. Q** (bd) : Hiccough after use of alcohol.
- Stramonium 200** (od) : Hiccough, convulsive and violent.
- NOTE:** Hiccough is caused by stimulation of the phrenic nerve and is an involuntary spasm of the diaphragm followed by the sudden closure of the glottis. Ordinary hiccough disappears by drinking a glass of water rapidly.

HIPS

- Agaricus mus.** (tds) : Pain over both the hips.
- Bryonia alba** (tds) : Pain in the hips worse on motion and better on rest and pressure.
- Cimicifuga** (tds) : Muscular pain or rheumatic pain in the hips.
- Conium mac.** (tds) : Very severe pain in the hips.
- Hypericum** (tds) : Severe nerve pains in the hip joints are relieved by this remedy.
- Kalium carb.** (tds) : Sharp pain from hip to knee. Inflammation of the hip joints. Pain in the buttocks and thighs.
- Mercurius iod.** (tds) : Chronic inflammation and pain in hips is removed by the use of this remedy.
- Natrium sulph.** (tds) : Pain in the hip joints. Worse left, worse stooping.

- Rhus tox.** (tds) : Pain in both the hip joints.
- Stramonium** (tds) : Violent pain in the left hip.
- Tongo 2x** (tds) : Tearing pains in the hip joints, femur and knee, especially left side.

NOTE: Older women, women who are lonely, depressed or mentally distressed are more likely to break their hip bone in accidents.

HOARSENESS

- Antimonium crud.** (tds) : Hoarseness or loss of voice every time a person is exposed to heat or after over-use of voice
- Arum triph.** (tds) : Hoarseness of speakers, politicians, clergymen and lawyers who have to speak much at a stretch.
- Baryta carb.** (tds),
Argentum nitricum (tds) : Chronic hoarseness.
- Borax** (tds) : A piece of borax, the size of a pea dissolved in the mouth acts magically in restoring the voice, in cases of sudden hoarseness brought about by cold and frequently for an hour or so, it renders the voice silvery and clear.
- Causticum** (tds) : Simple hoarseness from catarrh of nose or throat or both. Hoarseness of singers, with pain in chest. Larynx sore.
- Coca Q** : Loss of voice. Give 5-6 drops every half an hour for two hours before expected demand of voice.
- Iodium 3x** (tds) : Hoarseness with general weakness.
- Manganum acet.** : Chronic hoarseness with sensation of roughness, dryness and constriction in the larynx.
- Natrium sel.** (tds) : Chronic laryngitis. Hoarseness of singers with frequent clearing of throat.
- Phosphorus** (bd) : Pain and burning in the larynx. Cannot speak on that account. Hawking clears hoarseness temporarily.

- Populus candicans** Q (bd) : Acute hoarseness. Pharynx and larynx feel dry with rawness and soreness of the chest and throat. Restores voice quickly.
- 2-5 drops in ½ cup of water
- Rhus tox.** (tds) : Hoarseness due to weakness of the vocal cord.
- Selenium met.** (tds) : Hoarseness in singers appearing as soon as they begin to sing or after long use of voice. Frequent necessity to clear the throat.
- Spongia** (tds) : Hoarseness with cough. Cleans the throat constantly. Stitches in the throat which is dry.

HOMESICKNESS

- Capsicum** 30 (tds) : Homesickness. The patient will travel miles to reach home in the evening after work. Office goers will rush home after office hours. They will often contact their family on phone whenever they get a little time to do so from work.
- Centaurea tagana** (tds) : It is also useful in cases of homesickness.
- Eupatorium purp.** (tds) : Such a person is always impatient to reach home. Whenever he finds time during business hours, he will rush towards his home.

HOMOSEXUALITY

- Natrium mur.** 1000 (hs) : A dose every 15 days for several years will remove the attraction of the person to the same sex.
- Repeat after 15 days

NOTE: Homosexuality is a matter of genetics. In other words, such persons are born that way.

HORMONES

Secretions of the ductless glands are called hormones. The drugs discussed below are sometimes used to remove their deficiency in production by the respective gland.

- Adrenalinum** (tds) : It is produced by adrenal cortex gland which is situated one above each kidney. Adrenalin is used for stimulation of the sympathetic nerve endings.
- Agnus castus** (tds) : Its berries balance the hormones produced by the body.
- Insulinum** (tds) : It is secreted by the pancreas which is situated behind the stomach and in front of 1 and 2 lumbar vertebrae. It converts sugar to blood sugar for production of heat and energy in the body.
- Oophorinum** (tds) : It is an extract of the ovaries. It is useful for treatment of menopausal symptoms and ovarian cysts. Estrogen, another hormone present in the urine of pregnant women and mares is also widely used for similar purposes in the conventional treatment.
- Orchitinum** (tds) : It is an extract of the testes and is used for sexual weakness, senile decay of males and develops secondary sexual characteristics of males.
- Pituitrinum** (tds) : It is secreted by a small gland at the base of the brain called pituitary anterior. Pituitrinum influences growth, sexual development, skin pigmentation and thyroid functions. In homeopathic doses, it is used for cerebral hemorrhage and for absorption of blood clots. Pituitary posterior, which is attached to pituitary anterior, also produces Pituitrinum which helps in absorption of water by the kidney and influences contractions of the uterus.
- Steroid hormone** (od) : This is secreted by four small parathyroid

glands situated near the thyroid. Steroid hormones also help in the secretion of Thyreoidinum.

Testosterone (bd) : It is an androgen isolated from the testes of a number of animals including man. It is considered to be the principal testicular hormone produced by man. It is powerfully associated with masculinity. This is a steroid that gives man a hairy chest, deep voice and rippling muscles. Its use in small doses fuels sexual desires and protects against bone loss during and after menopause.

Thyreoidinum (bd) : It is secreted by the butterfly-like gland situated in the interior portion of the neck. Thyreoidinum is used indirectly in growth and nutrition. In homeopathic doses, its effects are striking in treatment of myxedema and cretinism.

NOTE 1: Recent studies have shown that adding hormones to the body does not cause hormone levels to rise. Instead, the body compensates by producing less hormones.

NOTE 2: Graphites is the most positive remedy for women diseases due to diminishing hormonal activity. It makes up for the deficiency in female hormones.

NOTE 3: In the conventional system of medicine, estrogen is usually prescribed during or in the post-menopausal periods to avoid osteoporosis and heart disease. The result of research by Dr. Carmen Rodriguis and other researches, has been published in the special issue on women's health in the Journal of the American Medical Association (JAMA) in March 2001 that a prolonged use of estrogen can cause ovarian cancer, breast cancer or endometrial cancer or cancer of the uterine lining. Result of further studies as published in the same journal late in the year 2003, said that use of estrogen can give rise to Alzheimer's disease, the most common form of dementia. The Canadian cancer society warned women away from using hormone replacement therapy. US food and drug administration suggests that women take the lowest dose of estrogen for a very short period for acute symptoms of menopause such as severe hot flushes, to avoid risk of breast cancer, heart disease and stroke.

HYDROCELE


(DROPSY OF SCROTUM OR TESTICLES)

- | | |
|---------------------------------|---|
| Abrotanum (bd) | : Hydrocele of boys. |
| Acidum fluor. 200 (od) | : Hydrocele with swelling of scrotum. |
| Arnica mont. (tds) | : Hydrocele as a result of an injury or blow. |
| Aurum met. (tds) | : Chronic hydrocele and enlargement of the testes. It cures after use for several months. |
| Aurum sulph. (tds) | : Hydrocele in children. Inflammation of glans penis. Swelling of testes specially the right. |
| Bryonia alba (tds) | : Hereditary hydrocele. Born with hydrocele. |
| Calcarea fluor. 200 (od) | : Hydrocele with stony induration of the testicles, better by warm applications. |
| Chelidonium 6 (tds) | : Hydrocele with liver troubles or bilious complications. |
| Conium mac. (tds) | : Hydrocele with great hardness of testes or hydrocele due to an injury to the testes. |
| Graphites (od) | : Aids in absorption of fluid from the testicles and scrotum. |
| Pulsatilla nig. (tds) | : Hydrocele painful. Pains wander from scrotum to testicles and vice versa. |
| Rhododendron CH. (tds) | : Left-sided hydrocele. Testicles swollen. |
| Selenium met. (tds) | : Hydrocele with dribbling of prostatic fluid. Loss of sexual power. |
| Silicea 1M-10M (hs) | : Hydrocele in chilly patients with burning and soreness of genitals. |

HYDROCEPHALUS

(COLLECTION OF WATER IN THE HEAD)

- | | |
|------------------------|--|
| Apis mel. (tds) | : It is a good remedy when the entire brain feels tired. Extreme sensitiveness to touch. Face swollen. |
|------------------------|--|



There is great enlargement of the head with prominent scalp veins and forehead overhanging the eyes. The fontanelle remains open. Clinically mental deficiency is common

- Apocynum can.** 3x (tds) : Acute hydrocephalus. A diminished frequency of the pulse is the prime indication. It is one of the most efficient remedies for all kinds of dropsies.
- Calcarea carb.** (tds) : Lots of perspiration on the head with hydrocephalus. Patient is fat and flabby.
- Calcarea phos.** 6x (tds) : This is given to lean children. If taken during pregnancy, its occasional use prevents birth of hydrocephalic babies.
- Hedera helix Q** (hs) : Chronic hydrocephalus. 1 drop per dose only. Next morning clear flow of fluid through nose will appear and only one dose will cure. Repeat if recurrence is threatened.
- Helleborus** (tds) : When numbness predominates. Child asks for nothing but drinks greedily when given water. Urine is suppressed.
- Tuberculinum** 200 (hs) : May be used intercurrently.
Repeat every 15 days

NOTE: Hydrocephalus is a birth defect in which a portion of the brain is squeezed into the spinal column through a hole in the fetal tissue covering the spine. Researchers from the Children's Hospital of Philadelphia and University of Pennsylvania (USA), demonstrated that surgery performed on fetuses during pregnancy can avoid it.

HYDROPHOBIA (RABIES)

- Agava americana Q** : A very good remedy for rabies. Give 10 drops (without addition of water which is dreaded by the patient) right on the tongue every 10 minutes till cured.
- Hydrophobinum 200 (od)** : Actions violent. Jumps, strikes and bites like a mad dog.
- Lyssinum 200 (od)** : Convulsion brought about by the sight of running water. Hypersensitiveness of all senses. Start the treatment with this remedy.
For 3 days
- Stramonium 200 (hs)** : Madness of a person on seeing running water or even by drinking water.
Repeat every 3rd day
- Xanthium 200 (od)** : It is said to be a specific remedy for hydrophobia.

HYPERACTIVITY (SEE ALSO ‘CHILD-ABNORMAL’)

- Agaricus mus. (tds)** : It is suited to impatient people who are clumsy in appearance. Clumsy in handwriting and whose clothes are generally stained. They cannot concentrate and forget everything immediately.
- Argentum nit. (tds)** : The patient is always hurried and impatient. He likes to finish before he has even begun. He does not live in the present and constantly asks, what is next. Children crave for sugar and candy though it makes them ill.
- Arsenicum alb. (tds)** : Arsenicum patient has an immense liking for cleanliness. She is well dressed and well groomed. Always likes all the articles to be placed in the right place and in the right order. She is over-sensitive to her troubles and sometimes thinks that it is useless to take

- medicine. She is miserable, selfish and very sensitive to disorder and confusion. She is actually not over-active but despair drives her from place to place.
- Baryta carb. (tds)** : Child is very shy and is very averse to meeting strangers. Hides on seeing a stranger.
- Chamomilla (tds)** : The patient is always moving, impatient and angry. Never stays in one place. They are often unbearable. Want a thing they do not have, but will reject it when offered. They do not like to be spoken to or even looked at. Children are better when carried. They sleep poorly and are over-sensitive to pain. Especially suited to children and ladies.
- Cypripedium pub. (tds)** : Child wakes up at night and begins to play. He smiles and laughs.
- Kalium brom. (tds)** : The patient cannot keep his hands still. Touches everything. Bites nails. Forgets what to write, while writing. He has poor memory and cannot concentrate. Sleeps poorly and grinds teeth during sleep. Night terrors.
- Magnesium carb. (tds)** : Child is very sensitive to touch. It causes startings. His whole body smells sour.
- Tarentula his. (tds)** : Cannot stay still for even a moment to read or write. They eat standing or while sitting, always move their legs. They are however calmed by music and film songs.
- Zincum met. (tds)** : Cannot keep his legs still.

HYPERMETROPIA (FAR SIGHTEDNESS)

- Calcarea carb. (tds)** : Far sightedness due to chronic dialation of pupils or spots and ulcers on the cornea. Appearance of mist before the eyes.

- Natrium mur.** 200 (od) : Weakness of vision due to fatigue of ciliary muscles and due to excessive watering of eyes.
- Petroleum** (tds) : Weak sight in people who have a history of gonorrhea in the family. There is a pus-like discharge from the eyes.
- Pilocarpus** (tds) : Everything at a distance looks faint. White spots before eyes, and pupils contracted. It also works for myopia.
- Ruta** 3x (tds) : Weakness of vision due to fatigue of ciliary muscles. Painful vision.
- Sepia** (tds) : Weakness of vision due to fatigue of ciliary muscles. Black spots before the eyes. General weakness of eyes in women due to uterine troubles.

NOTE 1: When the eyes fail to focus images accurately, result is blurred vision. Glasses or contact lenses are the conventional way of correcting the problem. Above remedies and dietary measures arrest the deterioration and in some cases, improve the existing eyesight.

NOTE 2: Red, orange, yellow fruits and green vegetables are rich in antioxidant nutrients and vitamin A, C and E which encounter the eye damage.

NOTE 3: Yoga based eye exercises also help.

HYPOGLYCEMIA (LOW BLOOD SUGAR)

- Alumina silicata** (hs) : Level of blood sugar becomes very low, sometimes due to excessive intake of insulin. It causes irritability, confusion and occasionally coma. In such cases, give sugar in any form and when the patient regains consciousness, give Alumina sil. 200, one dose weekly.
- Repeat after a week

HYPOTHERMIA

Hypothermia occurs when the body loses heat faster than it can generate. The body temperature is lowered to a dangerous level. Cold wet winds or a bath in cold water can cause such a condition. In such conditions, the body should be warmed up by artificial heat and by wearing warm clothes. A dose of **Camphora Q** on a lump of sugar every half hour gives very good results.

NOTE: Body temperature is lowered by artificial means, usually between 78°F and 90°F to reduce the need of oxygen and to reduce blood pressure during surgery, specially cardiovascular and neurological procedures.

HYSTERIA

- Agaricus mus.** (tds) : Hysterical fits and faintness after sexual intercourse.
- Ammonium carb.** 200 (od) : Patient weeps incessantly during the fit. Depressed and weak. Dyspnea.
- Aquilegia vulg.** (tds) : Hysterical globus. Severe headache.
- Asafoetida** 3x (tds) : Hysterical globus. Nausea. Offensive diarrhea with flatulence.
- Camphora Q** : It acts like magic in paroxysms of hysteria. 5 drops can be given on a lump of sugar every 5 minutes.
- Castoreum** (tds) : A valuable remedy for hysteria when there is great weakness, dysmenorrhea and irritability.
- Cicuta vir.** (tds) : Jerking of arms, fingers and legs during fits.
- Cimicifuga** 200 (od) : Hysterical shivering. Irregularity of menses or uterine troubles give rise to hysteria.
- Cinnamomum Q** : Hysterical hiccough. Give three drops on a lump of sugar and repeat as desired.
- Conium mac.** (tds) : Hysteria due to suppressed sexual desires.
- Crocus sativus.** (tds) : Sudden changes in moods. Spasmodic twitching of muscles.

- Hyoeyamyas nlg.** (tds) : Feeble hysterical fits - mostly pretended. Laughing and weeping alternately.
- Ignatia amara Q** : Hysteria due to grief. Crying and laughing alternately. Does foolish things. During the attack, give it mixed with Pothos Q, 5 drops, every half hourly. For cure, use 200 potency.
- Kalium phos.** 6x (qid) : Nervous anxiety and great irritability. Night terrors. Any work seems an effort.
- Kreosotum** (tds) : Vomiting during hysterical fits.
- Moschus Q** (bd)
5-10 drops in ½ cup of water : The odor of this remedy is liable to bring the patient to work. It readily does away the hysterical attack and unconsciousness or uncontrollable laughter and extreme coldness.
- Natrium mur.** 1M (hs) : It is chronic of Ignatia and has the same symptoms. Should be used when Ignatia fails.
- Platinum met.** (tds) : Hysteria in over sexy women. Hysteria due to over-excitement of sexual desire.
- Pothos Q** (bd) : 10 drops in water is very effective to relieve the patient from distress.
- Tarentula his.** (tds) : Patient is pretending. Uncontrollable laughter. Sings and dances. Destructive impulses. Pulls hair and tears clothes.
- Thyreoidinum** 200 (hs)
Repeat after 1 month : Hysteria during pregnancy. It can be repeated as it bears repetition well.
- Valeriana Q** (bd)
5 drops in ½ cup of water : When well chosen remedies fail. Hysterical flatulence. Sensation of a thread in the throat.
- Viola odorata** (tds) : Difficulty with breathing, anxiety and palpitation.
- Zincum val.** (tds) : Hysterical patients cannot sit still. Must move about or keep the legs in constant motion.

ILL-EFFECTS

- Abrotanum** (tds) : Ill-effects of suppressed diseases, specially gout.

-
- Aceticum acidum** (tds) : Ill-effects of acid thrown on face and of inhaling carbon monoxide gas.
- Acidum fluor.** (tds),
Radium brom. (tds),
Cadmium iod. (tds),
Silicea (tds) : Ill-effects of exposure to X-rays. Select any of the remedies according to the symptoms.
- Acidum phos.** (tds) : Ill-effects of excessive loss of semen or blood or grief and mental shock and sour food or drink.
- Acidum sulph.** (tds) : Bad effects from mechanical injuries with bruises, blue-black skin and bleeding under the skin.
- Ammonium carb.** (tds) : Ill-effects of inhaling charcoal fumes.
- Antimonium crud.** (tds) : Ill-effects of swimming or falling into a river or very cold bathing.
- Anthracinum Q** (bd)
 5 drops in ½ cup of water : Ill-effects of inhaling foul odor.
- Areca** 200 (od) : Chewing of betel nuts either in betel leaves or alone increases the risk of oral cancer, diabetes, heart disease and asthma. Oral cancers have long been linked in India to this habit. Such ill-effects can somewhat be removed by this remedy. Areca also contains arakene, a distant relative of cocaine.
- Arnica mont.** 1M (hs)
 Repeat once a week : Ill-effects of realization of financial losses. Grief or remorse. Ill-effects of over-exertion. Body feels as if beaten.
- Arsenicum alb.** (bd) : Bad effects of eating ice cream or eating decayed food. Ill-effects of excessive alcoholism. Ill-effects of eating watery fruits like melons. Ill-effects of inhaling anthrax producing itching, burning, swelling and dry eruptions on the skin.
- Belladonna** (tds) : Ill-effects of cold weather and hair cut.
- Bellis per.** (tds) : Ill-effects of cold winds, complaints due to cold wind or cold drinks when the body is heated. Ill-effects of masturbation.


-
- Bryonia alba** 200 (od) : Ill-effects of inoculation for typhoid fever.
- Calcarea carb.** (tds) : Ill-effects of working in water.
- Camphora** (tds) : Ill-effects of shock.
- Carbo veg.** (tds), : Ill-effects of drinking too cold or icy water or
Kalium carb. (tds) soft drinks.
- Carcinosinum** 200 (hs) : It is worthy of consideration in cases of ill-
 Repeat after a month effects of severe fright, prolonged fear or unhappiness.
- Causticum** (tds) : Ailments from long lasting grief and sudden happiness or grief. Thinking of complaints aggravates. Emaciation due to worry, etc. Ill-effects from burn-like pains, etc.
- Chamomilla** (tds) : Bad effects of inhaling chloroform. It cures nausea and vomiting.
- Cheiranthus** (tds) : Ill-effects like deafness, otorrhea, nose stopped up at night due to irritation of cutting wisdom teeth.
- China off.** (tds) : Ill-effects of drinking tea. Ill-effects due to loss of fluids.
- Chininum ars.** (tds) : Eating eggs causes diarrhea.
- Cina** (tds) : Weak eye-sight due to masturbation.
- Coca Q** (tds) : Ill-effects of mountaineering such as palpitation, breathlessness and insomnia.
 2-5 drops in ½ cup of water
- Cocculus ind.** (tds) : Ill-effects of night watching, loss of sleep or over-work.
- Coffea cruda** (tds) : Ill-effects of sudden emotions, surprises, sudden bad news or sudden joy.
- Colchicum autum.** (tds) : Ill-effects of suppressed sweats, night watching and hard studies.
- Colocynthis** (tds) : Colic or other complaints arising as a result of anger.
- Conium mac.** (tds) : Ill-effects of suppressed sexual desire or suppressed menses or excessive sexual indulgence.
- Dulcamara** (tds) : Ill-effects of a very cold bath.

Ferrum phos. 6x (qid)	: Ill-effects of heat of the sun and for sun stroke.
Gelsemium (tds)	: Bad effects from fright, fear and exciting news.
Ginger (tds)	: Ill-effects of eating water melons or watery fruits and impure water.
Gunpowder 3x (tds)	: Bad effects of abscessed tooth extraction. Ill-effects of taking bad food or drinking bad water.
Helleborus (tds)	: Ill-effects of a head injury.
Helonias (tds)	: Patient is worn out due to hard work. He feels tired and sleepless, and his muscles ache. He feels better when he is busy and engaged.
Hepar sulphuris (tds)	: Ill-effects of dry, cold winds.
Ignatia amara (tds)	: Ill-effects of grief and worry make her sad, sighing and sobbing. It is a remedy for sudden shocks, grief and disappointments which may lead to semi-unconsciousness.
Kalium hypophos. (tds)	: Ill-effects of excessive tea drinking.
Kalium phos. 200 (od), 6x (tds)	: Ill-effects of worry like mental and physical depression, overwork, excitement are wonderfully removed by this remedy. For insomnia use 200x potency and for other ill-effects use 6x potency.
Magnesium mur. (tds)	: Ill-effects of sea bathing.
Malandrinum (tds), Silicea (bd), Thuja occ. (tds)	: Ill-effects of vaccination.
Mercurius cyan. 200 (hs)	: Ill-effects of inoculation for diphtheria.
Natrium carb. (tds)	: Ill-effects of drinking cold water when over heated.
Natrium mur. (tds)	: Ill-effects of grief, fright, anger, quinine, etc. which are of long standing. It is an excellent remedy for ill-effects of sun strokes. Give alternately with Ferrum phos. every half hourly. Ill-effects of loss of fluids.
Natrium sulph. (tds)	: Ill-effects of head injury and mental troubles there from.

-
- | | |
|---|--|
| Nux vomica (tds) | : Ill-effects after debauch - like diarrhea, soreness, sensation of swelling from pressure within, etc. |
| Opium 200 (od) | : Ill-effects of fright and fear of long standing are antidoted by this remedy. |
| Phosphorus (bd) | : Ill-effects of iodine and excessive use of salt. |
| Phosphorus (bd),
Strontium carb. (tds) | : Ill-effects of explosion of an atom bomb. |
| Phytolacca dec. (tds) | : Ill-effects of getting wet in the rain, exposure to damp, cold weather are removed by the use of this remedy. |
| Pulsatilla nig. 200 (od) | : Ill-effects of inoculation for whooping cough and ill-effects of abuse of an iron tonic. |
| Pyrogenium 200 (hs)
Repeat after 1 week | : Bad effects of miscarriage or poisoning by sewer gas or carbon monoxide gas. |
| Rhus tox. (tds) | : Ill-effects of getting wet when perspiring, over-lifting, strains and after-effects of surgery. |
| Rhus tox. (tds),
Formica rufa (tds),
Millefolium (tds) | : Ill-effects of over-lifting or a fall from heights. |
| Selenium met. (tds) | : Antidotes the bad effects of X-rays and radiations. |
| Silicea (tds) | : Ill-effects of vaccination. Ill-effects of bad food or bad water. |
| Staphysagria (tds) | : Ill-effects of insults, anger and suppressed emotions. |
| Stramonium (tds) | : Ill-effects of suppressed eruptions like scarlatina. |
| Thlaspi bursa 6 (tds) | : Ill-effects of suppressed uterine diseases. |
| Thuja occ. 200 (hs)
Repeat after a week | : Ill-effects of vaccination, for example eczema appearing for the first time immediately after vaccination. |
| Tribulus ter. Q (bd)
10 drops in ½ cup of water | : It corrects the Ill-effects of masturbation like spermatorrhea, partial impotence and too early ejaculation in coitus. |
| Tuberculinum 200 (hs) | : Ill-effects of hair dye. |

IMMUNE SYSTEM (LYMPHATIC SYSTEM)

The immune lymphatic system is an infection fighting circulatory system of body fluids and lymphocytes travelling in delicate vessels called ducts that collect fluid squeezed from veins during normal metabolism, and bring it back to the veins near the heart. The lymphatic fluid resembles blood serum, that is, blood fluid containing only lymphocytes (white blood corpuscles without cy-




Lymphatic drainage of abdominal and thoracic area

toplasmic granules, they are normally 20 -50 % of total white cells and may increase to 90 % in lymphatic leukemia) and is returned to the blood stream at various parts of the body so that the waste products can be removed by the kidneys. The lymphatic system also includes various infection fighting or lymphocyte producing organs such as the spleen, tonsils, appendix, thymus and intestinal Peyer's patches. A lymph node is a kidney or bean-shaped bin occurring along the lymphatic ducts. There are hundreds of them. It filters the lymphatic fluid and removes the disease forming materials. They stop cancer cells and in turn may become the seat of cancer themselves. The filtered pure lymph enters the main trunk for absorption into the blood. The lymph nodes are of the size of a pinhead to the size of an olive or an almond. Lymph is transparent but in the vessels draining the intestines, it is milky in color due to the presence of fats and is called "chyle".

DISEASES OF THE IMMUNE SYSTEM

1. **Lymphoma** (tumor in the lymphatic vessel): Lymphoma is a general term for growth of a new tissue in the lymphatic vessel. It can be of a low form, that is, it is non-malignant or it can be malignant and a lymphosarcoma. Many lymphomas arise within the lymph node but they can be anywhere - within the areas of intestines, bone marrow, etc. It is a disease of the white blood cells.



2. **Lymphedema** (edema due to lymphatic obstruction): Swelling of body parts owing to obstruction of lymphatic fluid in the lymphatic vessels.
3. **Hodgkin's disease** (pseudo leukemia) and **lymphosarcoma**: These are two almost similar diseases and produce enlargement of lymphatic tissue, spleen and liver with invasion of other tissues and may subsequently cause anemia.

The following remedies are used in the treatment of lymphatic diseases:

- Adonis vern.** Q (bd) : Swelling of the body due to obstructive lymphatic drainage - with diseases of heart and collection of fluid in the pleural cavity.
5 drops in ½ cup of water
- Aethusa cyn.** (tds) : Lymphatic glands inflamed and swollen.
- Allium sativum** (bd) (Garlic): Its use boosts the immune system.
- Ammonium carb.** (tds) : Glands are swollen. Throat is sore and dark red. Malignant lymphoma. Tired and weary feeling.
- Apis mel.** (tds) : Lymphoma especially in women suffering from tearing pains in the nape of the neck and scalp with high fever.
- Arsenicum alb.** (tds) : Lymphoma of neck with hectic fever. It has holes as in a sieve.
- Bufo rana** (tds) : Lymphangitis of septic origin.
- Calcarea fluor.** (tds) : This tissue remedy has proved useful in treatment of enlarged and hard lymphatic vessels.
- Cannabis sat.** (tds), : Fleshy, non-cancerous growths in the lymphatic system and lymph nodes.
Eucalyptus (tds)
- Echinacea** Q (tds) : Lymphatic inflammation. It removes pain of inflammation. It is a stimulant for the immune system. 5 drops a dose, thrice daily till required.
5 drops in ½ cup of water
- Ferrum pic.** (tds) : Useful in the treatment of Hodgkin's disease or pseudoleukemia.
- Ginseng** Q (bd) : Its use improves the immune system and memory.
5-10 drops in ½ cup of water
- Hekla lava** 3x (tds) : Non-cancerous, simple tumors in the lymphatic system. Requires sometime to act.
- Hippozaeninum** (tds) : Malignant lymphatic swelling of spleen and

- liver. Useful for long standing infection accompanied with hoarseness, noisy breathing and loud snoring respiration.
- Iodium** (tds) : Enlarged lymphatic glands. It increases the defensive system of the body by assembling the white blood corpuscles to fight and destroy the injurious, invading bacteria.
- Mercurius sol.** 2x (tds) : It has an effect on the entire lymphatic system - all the membranes, glands, internal organs and bones — it works wonderfully in such cases.
- Natrium sulph.** 6x (tds) : Lymphoma near the colon with flatulent colic. Cannot bear tight clothes around the abdomen. Bruised pain in the region of lymphoma and urging to stool and urine.
- Scrophularia nodosa** Q (bd): It is a powerful remedy for treatment of Hodgkin's disease and enlargement of glands. It is also a valuable remedy for treatment of breast tumors which disappear by its use.
- Tuberculinum** 1000 (hs) : A team of researchers headed by Dr. Manuela Gago - Dominguez, indicate that the use of black hair dyes for a long period causes leukemia and Non-Hodgkin's lymphoma. The result was published in The International Journal of Cancer in the year 2001. This remedy antidotes bad effects of hair dyes and may prove useful in the treatment of this disease.
- Viburnum op.** Q (tds) : Ideal for immune system deficiency at the level of urinary tract. Spurting of urine on coughing and sneezing. It helps eliminate certain toxins from blood.

NOTE 1: It is the weakening of the defence and immune system that allows microbes to suddenly become virulent and the body cannot fight the disease. When the defence mechanism is healthy, the same microbe passes through or is pushed out without causing the disease.

NOTE 2: Immune system cells called “lymphocytes” are responsible for the destruction of virus infected cells and tumors. These cells are also responsible for causing rejection of transplanted organs. When

these cells do not work properly, auto-immune diseases like rheumatoid arthritis, diabetes, etc. appear.

- NOTE 3:** To keep the immune system strong and healthy, take desired rest and do not tire yourself unnecessarily.
- NOTE 4:** Quit smoking and avoid second hand smoke or passive smoking.
- NOTE 5:** Take increased quantity of fruits, vegetables and fluids. Citrus fruits, cabbage, cauliflower, potatoes, tomatoes, green and red peppers boost the immune system.
- NOTE 6:** The complex immune system is designed to fend off infection. Two important cells which fight infection are “T cells” which kill tumor cells, viral infected cells and parasites, and “B cells” which signal the other cells to kill the invading substances. Mothers always advise their children to wash their hands before taking meals and after taking meals, using the toilet and urinal - with soap and water. This helps avoid transmission of infection.


IMPOTENCY

(SEE ALSO ‘ERECTIONS’)

According to Dr. Alain Jardin, a French urologist, about 26 million European men have a regular problem of getting an erection. About one in ten Europeans, 26 million males over the age of 18 have difficulty achieving erection atleast once out of every two times they attempted to have sex. A 1994 survey conducted in France, found that only about one in five men with erection problems ever consulted a physician about their condition even though several types of treatment are available.

Impotency is stressful for both partners. Fatigue, increased stress, job loss, illness or depression may cause rapid onset impotence. If a man is suffering from low sex drive, he may well experience difficulty attaining or maintaining an erection - firm and lasting enough for satisfactory sex. The following treatment maybe given alongwith some soothing advice. So far, no permanent cure is available for age induced impotency. Temporarily, medicines trigger response either through the central nervous system or enhance blood flow to the penis in old people.

Acidum phos. (tds) : Impotency due to sexual excesses. Testicles tender and swollen. Parts relax during embrace. Oedema of prepuce.



- Agnus castus** (tds) : Simple impotency. Yellow discharge from the urethra. No erections. Parts cold and relaxed. Desire gone. Scanty emission without ejaculation. Testicles swollen, cold, hard and painful.
- Arnica mont.** 200 (od),
Hypericum 12x (bd) : Impotency due to a fall or a blow on the sexual parts. Give Arnica mont. 200, one dose daily in the morning and Hypericum 12x, twice daily at an interval of 3-4 hours.
- Avena sat.** Q (tds) : Impotency due to too much indulgence. Has a favorable influence on the nervous system. Dose, 20 drops in hot water.
- Bufo rana** (tds) : Impotency as a result of masturbation. Involuntary emissions. Discharge too quick.
- Caladium seg.** (tds) : Impotency due to masturbation. The violent sexual desire fails to bring about the erection. Impotency of advancing age in people who indulged too much during their ripe days. No

- emission and no orgasm on sexual intercourse. Erections while half asleep; cease when fully awake. Penis relaxes on attempting sex.
- Conium mac.** (tds) : Desire increased, power decreased. Very feeble erection. Impotency due to suppressed sexual appetite. Testicles large and hard.
- Damiana Q** (tds)
10 drops in ½ cup of water : 10 drops, thrice daily are very good in curing impotency. Use it for a month or so.
- Ginkgo biloba Q** (bd)
5 drops in ½ cup of water : Improves the blood flow to the brain and the penis, and produces a strong erection irrespective of the age.
- Ginseng** (tds) : It improves blood supply to the sexual organs and improves erectile functions in impotency.
- Graphites** (od) : Want of thrill and emission of semen in coition.
- Kalium brom.** (tds) : Debility and impotency due to sexual excesses.
- Kalium brom.** (tds),
Kalium iod. (tds) : Impotency due to wasting away testicles or due to syphilis.
- Lecithinum 3x** (tds) : Increases the sexual desire in both sexes. Also increases the strength of erections of penis in males by supplying more blood to it.
- Lycopodium 1000** (hs)
Repeat after 15 days : Long standing impotency. No erectile power. Premature emission. Old man cannot equal the occasion with his mate, this remedy will set things right.
- Moschus** (tds) : Impotency due to diabetes.
- Cuprum met.** (tds),
Natrium mur. (tds) : Emissions even after coition and ejaculation. Retarded and very late ejaculation in coitus due to impotency.
- Nuphar lut. Q**, (bd)
5 drops in ½ cup of water : Absence of erection and desire. It tones up the sexual system.
- Nux vomica** (tds) : Impotency accompanied by general nervous depression and irritability, digestive disorders and constipation.
- Onosmodium** (tds) : Deficient erections due to nervousness. Too early ejaculation in coitus. Increases sex drive and desire.
- Sabal ser.** (tds) : Impotency due to urinary troubles. Parts cold. Penis and testicles shrunk.



- Salix nigra** (tds) : Impotency with excessive desire for intercourse. Erections painful, painful movements of the testicles.
- Saponinum** (tds) : It is a steroid and is stated to cure impotency. Its long use should be avoided.
- Selenium met.** (tds) : Impotency due to dribbling and wastage of semen during sleep. Increased desire and decreased ability. Semen thin and colorless. On attempting coition, penis relaxes.
- Staphysagria** (tds) : Impotency due to masturbation. Patient remains gloomy on this account.
- Sulphur** (od) : Complete absence of erection and sexual desire. Involuntary emission during stool or while urinating.
- Thuja occ.** (tds) : Loss of confidence. Seminal emissions without dreams. Does not want to marry because of fear of inability to perform.
- Tribulus ter. Q** (tds)
15 drops in ½ cup of water : Partial impotency due to over-indulgence in advancing age or when accompanied by urinary troubles or by spermatorrhea and prostate gland enlargement. It is considered one of the best remedies for spermatorrhea. Dose -15 drops, thrice daily.
- Yohimbinum Q**, (qid)
10 drops in ½ cup of water : An excellent remedy for impotency. Excites sexual organs. 10 drops, four times daily for a month or so. During the period of treatment, restrict the sexual activities.

NOTE 1: It is important in the first place, to determine the cause of impotency. It may have been on account of injury to the penis, spermatorrhea, over-indulgence, illness, old age, etc. Treatment should be given to remove the cause. The name of the game in regard to strong erection is the blood flow to the penis. Vitamin C strengthens the penile arteries and vitamin E protects the penile arteries from free radical damage. The following mixture is very useful for impotency: Ginseng Q, Ginkgo biloba Q, Tribulus Ter. Q and Damiana Q mixed in equal parts and given 30 - 40 drops a dose, three times daily.

NOTE 2: It wasn't long ago that science and medicine paid no attention to human sexual issues. It was not a topic for serious investigation. Gradually, scientists fully understood the anatomy of the sexual

system and occurrence of erections. Apomorphine which is an alkaloid obtained from the decomposition of morphine is being studied for temporary production of erections. Efforts are being made to avoid nausea, constipation and insomnia which occur by its use on using a suitable potency.

INDIGESTION (SEE ALSO 'DYSPEPSIA')




-
- Abies nig.** (tds) : Indigestion with sensation of constriction in the esophagus. It is very useful in dyspeptic troubles of the aged with functional heart symptoms. Pain in the stomach always after eating. Offensive breath and eructations.
- Anacardium ori.** (tds) : Indigestion after taking cold drinks or stress. Such patients are always relieved by eating. There is a sensation of a plug anywhere in the alimentary canal. Heart-burn after 2-3 hours of eating.
- Argentum nit.** (tds) : Due to taking too much sweet or due to constipation. Loud belching.
- Arsenicum alb.** (tds) : Indigestion caused by taking preserved foods. Gradual loss of weight due to impaired nutrition.
- Carbo veg.** (tds) : Indigestion with excessive flatulence. It may result from over-eating or eating rich fatty foods, eating too late in the evening and sleeping soon thereafter. Burning in the chest and headache can be the result. Simplest food disagrees.
- Carica papaya 1x** (tds) : It improves digestion specially of those who cannot digest milk or meat.
- Colocynthis** (tds) : Indigestion after anger.
- Graphites** (bd) : Pain in the pit of the stomach after about 2 hours of eating. Constant desire to retch or to swallow.
- Hepar sulphuris** (tds) : Even after eating a small meal, there is heaviness and bloating in the stomach.
- Ipecacuanha** (tds) : If the nausea is constant and is not relieved by vomiting, and the tongue is clear, this remedy is indicated. Indigestion can be due to some embarrassment.
- Kalium bich.** (tds) : Pain, heartburn and weight in the stomach immediately after eating.
- Natrium carb.** (tds) : Very weak digestion. A little variation or error of food causes indigestion.

- Natrium mur.** (tds) : Indigestion due to excessive coffee drinking.
- Nux vomica** (tds) : Indigestion with painful retching and maybe as a result of loss of sleep or stress and anxiety. There is a burning in the chest after about 30-60 minutes of eating. The patient is better by warmth and sleep or when left alone. He craves alcohol and spicy foods. Indigestion after over-eating.
- Ornithogalum Q** (bd)
5 drops in ½ cup of water : Useful in chronic gastric and alimentary canal ailments. Gastric ulceration with bleeding. Vomiting of coffee ground looking matter. Painful contraction at the lower end of the stomach, connecting to the duodenum.
- Pepsinum 1x** (tds)
3-4 grains : It digests the contents of the stomach and acts upon the secretory tissues of the stomach. Diarrhea due to indigestion. Dose-3-4 grains, thrice daily. Alcohol and carbonated drinks should not be taken during this treatment.
- Pulsatilla nig.** (tds) : Indigestion with nausea and vomiting; begins after about 2 hours of eating and is worse in the evening. Taste maybe bad. It may also be a result of rich fatty foods, stress, emotions or maybe associated with menstruation or pregnancy.
- Thuja occ.** (tds) : Indigestion due to excessive tea drinking.

INDIGESTION DUE TO DEFECTIVE MOTILITY (REFLUX) (SEE 'REGURGITATION' ALSO)

Everyone has experienced stomach discomfort or a bloated feeling at some point in their lives. But when it occurs regularly, it becomes a problem.

Many people instinctively reach for an antacid, thinking the discomfort is caused by excess acid. But often, they have normal healthy levels of acid (what the stomach needs to help process food). More likely, the problem is one of motility or reflux.



Motility is the natural wave-like action that moves food through the digestive system. When it's not working properly, food sits in the stomach and can cause discomfort, bloating and other symptoms. The pressure can also force stomach contents up, causing heartburn.

The solution is to get things moving again, and by restoring motility, relieve the stomach discomfort and other symptoms.

Reflux occurs when the lower esophageal sphincter is weak or relaxed, allowing stomach contents to flow back into the esophagus. This irritates the esophageal lining which is less protected than the stomach lining and causes heartburn. Diet and lifestyle modifications are an important part of the treatment. Remedies as suggested in the chapter "Acidity" are helpful. Drinking a glass of water during the attack flushes down the food giving relief.

NOTE: Return of solids or fluids to the mouth from the stomach maybe a complication of diphtheria or paralysis of the soft palate.

INFANT'S DISEASES

- Aethusa cyn.** (tds) : Milk is not digested and is vomited out. Indigestion. Troubles worse in hot weather. Ill-effects of over-feeding of babies.
- Aloe soc.** (tds) : Involuntary stools. Soon after feeding, the child cries feeling uneasy and having liver pain.
- Calcarea ars.** (tds) : Enlarged liver and spleen - specially if the child had malaria.
- Calcarea phos.** (tds) : Infant wants to nurse all the time and vomits easily. Complaints during teething. Diarrhea; stool green, slimy, hot and sputtering, undigested with foul smelling gas.
- Chamomilla** (tds) : Diarrhea. Stools green, watery, slimy and fetid containing yellow mucus. Soreness of anus. Colic and restlessness.
- Cina** (tds) : Stools contain pieces like popcorn. Colic before passing stool. Child touches his anus frequently as it itches. He is restless and wants to be rocked.
- Pulsatilla nig.** (tds) : Ill-effects of eating rich, fatty, non-vegetarian foods, chocolates, etc.
- Sambucus nig.** (tds) : Cold. Cannot breathe easily. Nose blocked. Loose cough which can choke.
- Senna** (tds) : Lot of wind. Child appears full of wind. Enlarged liver. Constipation with colic. Loss of appetite.
- Sulphur** 6x (od),
Calcarea phos. 6x (qid) : If a woman gives birth habitually to babies who die soon after birth or early in infancy, give these medicines one dose each, daily during the last two months of pregnancy. The child should be given Alfalfa Q, 5 drops, three times a day for several months before 10 minutes of each feeding.

INFERTILITY (FOR ORAL HOMEOPATHIC TREATMENT SEE 'STERILITY')

When a lady is unable to have a child even after a prolonged medical treatment, many a couple employ high technical treatment and enjoy the joys of parenthood. Any of the following six procedures can be employed, only by a competent surgeon who specialized in this kind of treatment:

1. Intracytoplasmic sperm infection (I.C.S.I): Man's sperm is injected directly into his wife's egg under a microscope. The embryo is then implanted in the woman's womb.
2. Ovulation induction: A woman who is unable to produce eggs, is treated to produce a lot of eggs. The intercourse is timed for an optimal period of the woman's cycle to create the pregnancy.
3. Intra-uterine insemination (I. U. I.): Man's sperm are collected and are placed directly in the woman's uterus. This type of insemination helps if the man has a low count of sperms or they are slow in movement which hampers their journey to the woman's egg.
4. In vitro fertilization : Some of the woman's eggs are combined with the husband's sperms in a petridish. If fertilization takes place, the embryo is transferred into the woman's uterus.
5. Gametic intra-fallopian transfer : An egg and sperm are directly transferred into the fallopian tubes and on fertilization, it travels to the uterus.
6. Another woman's egg or another man's sperm are employed to produce the embryo which is then planted in the uterus of the barren woman.


NOTE 1: It is said that for obtaining a male child, the woman should take *Natrium mur.* 6x one dose daily and for obtaining a female child, she should take *Pulsatilla nig.* 6x one dose daily from 3rd to 6th month of pregnancy.

NOTE 2: *Aurum mur.* CM, one dose given at the commencement of pregnancy usually results in the birth of a male child.

NOTE 3: Doctors at the genetics and I.V.F. Institute Fairfax Va are researching that a baby of choice-male or female can be produced. The only difference between male producing Y chromosome sperm and female producing X chromosome sperm is that Y chromosome sperms have about 2.8 percent less genetic material.

- NOTE 4:** Women who get a baby by any of the above means, can hope to get the next baby in the normal way. A Japanese study shows that 18% of such women between 24 to 40 years of age conceived naturally and younger women under 27 had 37 % chances of getting pregnant in the normal way after having the first baby by any of the above methods.
- NOTE 5:** These treatments can fail sometimes, but, when they work they often work too well resulting in multiples - triplets, quardruplets and higher order multiples are only handful. These multiple gestations are most common complications of assisted reproductive technology and probably the most controversial.

INFLUENZA



Ammonium carb. 200 (od), : For cough remaining after influenza.

Bryonia alba 200 (od),

Mephitis 200 (od)

Arsenicum alb. (tds) : It is the best remedy to be prescribed in routine on its symptoms of thirst of small quantities of water at short intervals, restlessness, sneezing and running nose. It cures many cases. Nasal discharge is watery and the nose appears stopped. It acts as a preventive also.

-
- Avena sativa Q** : A best tonic for debility remaining after cure of the disease. Give 20 drops a dose in warm water.
- Baptisia** : Epidemic influenza.
- Bryonia alba** (tds) : Indigestion remaining after influenza. Intense nausea worse by motion, better from eructations and hot drinks or when the influenza is accompanied with pains in the chest.
- Carbo veg.** 200 (od) : After-effects of influenza, like debility or cough. Give a dose daily.
- Carbolicum acidum** 2x (tds): Cures most of the cases of influenza. Also removes debility left after the cure when used in 30 potency.
- Causticum** 200 (od) : High fever without chill. Great weakness. Coryza - free watery discharge, nose stopped. Soreness and bruised sensation all over the body and involuntary urination on coughing.
- Cotyledon** (tds),
Baptisia (tds) : A delirium during severe influenza with sensation as if the body is separated into parts.
- Dulcamara** (tds) : Influenza during rainy season in cold weather or when the nights are cold and days are comparatively hot. Sore throat with cough.
- Eucalyptus** 3x (tds) : Influenza with fever of a relapsing character. Nose feels stuffed. Discharge thin and watery, drips even when bending the head forward.
- Eupatorium perf.** 3x (tds) : Influenza with white blisters on the tongue. Vomiting of bile. Bone ache. Sneezing and loose cough. Soreness of chest on coughing. Fever followed by chill.
- Euphrasia** (tds) : Coryza with cough and sneezing. Irritation and watering of the eyes.
- Gelsemium** 1x (tds) : Its use should be considered in the early stage, when chilliness and sneezing are present. Irritating, watery discharge from the nose. No thirst. Severe headache and muscle ache.
- Influenzinum** 200 (od) : It is given as a preventive for safety against

- this disease to those not affected by it, when influenza has come into the family. Treatment can also be started with it, it cuts short the disease.
- Kalium bich.** (tds) : Persistent ropy discharge with sense of obstruction in the nose. Symptoms are aggravated in cold damp weather and better by warmth of bed.
- Kalium iod.** 6x (tds) : It is a prophylactic against colds and influenza.
- Lycopersicum escu.** (tds) : Influenza with severe aching pains all over the body. Pains left after influenza. Symptoms, worse open air.
- Lycopodium** (tds) : Pains left after influenza.
- Medorrhinum** 200 (hs) : A good antidote for the effects of influenza.
- Natrium sal.** 3x (tds) : One of the best remedies for the prostrating after-effects of influenza.
- Natrium sulph.** 6x (tds) : A good remedy for influenza when it is in epidemic form. Influenza during rainy or wet season. Thick yellow discharge and salty mucus. Cough with bursting pain in the head and flow of tears. Weakness left due to flu.
- Nux vomica** (tds) : If given early at the onset of the disease, averts influenza.
- Ocimum sanctum** 3x (tds) : It is an excellent remedy for influenza associated with bone pains, soreness of the body, cough, fever and acute headache.
- Phytolacca dec.** (tds) : Influenza with sore throat and toothache.
- Picricum acidum** (tds),
Phosphorus (tds),
Cocculus ind. (tds) : Mental weakness remaining after influenza. The patient shows his inability to do any mental work.
- Pyrogenium** (tds) : It works wonderfully and cures the influenza when there is high temperature, sleeplessness and thick nasal discharge.
- Rhus tox.** (tds) : Hard tickling cough. Great chilliness. Pain in the legs. Restlessness. Dry tongue with triangular tip and temperature. Tired, bruised

- sensation all over the body and soreness of chest on coughing.
- Sabadilla** (tds) : Fever with too much sneezing which shakes the whole body. Sore throat and headache.
- Sacrolacticum acidum** (tds) : Influenza with nausea, uncontrollable vomiting and extreme weakness.
- Solanum lyc.** (tds) : Influenza with severe aching pains all over the body. Pains left after influenza. Symptoms worse in open air.
- Sulphur** 200 (hs) : If by the use of the other indicated remedies, the temperature does not subside - a dose will have the desired effect.
- Thallium** (tds) : Specially suitable in cases of chronic influenza with violent pains and trembling of the limbs. The temperature is low.
- Thuja occ.** 200 (od) : One dose a week and Gelsemium 30 - one dose daily acts as a preventive of influenza during its epidemic.
- Tuberculinum** 1M (hs) : Recurrent influenza with long continued teasing cough.

NOTE: Here are few tips for prevention of flu:

1. Practice good hygiene. Keep living space neat and clean. This disease can spread in the air from cough or a sneeze. Wash hands often with soap and water.
2. To keep the immune system strong and healthy take desired rest and do not tire yourself unnecessarily.
3. Quit smoking and avoid passive smoking.
4. Take increased quantity of fruits, vegetables and fluids. Citrus fruits, cabbage, cauliflower, potatoes, tomatoes, green and red peppers boost the immune system.

INJURIES

- Arnica mont.** (tds) : This is the remedy of first importance in all kinds of injuries, traumatic or bruised. It is mostly suited to cases, when any injury,

- however remote seems to have caused the present trouble. Higher potencies are as effective as lower.
- Bellis per. (tds)** : Injuries to deeper tissues and nerves.
- Calendula off. Q** : A lotion of it, 20 drops to an ounce of water maybe used in all kinds of injuries and wounds. Internally, it is most effective in healing. It is a great antiseptic.
- Causticum (tds)** : Healed wounds and scars re-open. Affects of old injuries come back.
- Echinacea Q** : Ulcers or wounds with foul smell and with tendency to gangrene. 10 drops in an ounce of luke warm water maybe used locally for cleaning and as an antiseptic wash. 5 drops in a little water maybe used internally every two hours till the curative effects appear.
- Helleborus (hs)** : In 200, 1M or 10M potency of this remedy, is very special for the after-effects of head injuries.
- Hypericum 12x (tds)** : Injuries to the nerves in the soft parts of the body like finger tips. It is useful in the injuries of coccyx and spine, maybe of long standing.
- Ledum pal. (tds)** : Injuries caused by piercing of nails “punctured wounds”, insect bites, etc.
- Natrium sulph. (tds)** : Injuries to the head and mental troubles thereafter.
- Pyrogenium 200 (hs)** : An injury or a small cut becomes septic soon. Skin becomes red, swollen, inflamed and discolored after emitting a fetid smell.
- Ruta (tds)** : Bruises caused by blows and blunt weapons, when there is bleeding under the skin giving it a blue-black appearance.
- Silicea (tds)** : Abscess in the cornea after traumatic injury.
- Staphysagria (tds)** : Injuries caused by sharp instruments like, knife and sword.
- Sulphur (hs)** : Use it when every little injury suppurates.

- Symphytum off.** (tds), : Injuries to bones, eyeballs, tendons or ligaments. Tennis elbow resulting from tendon and ligament injuries.
Calendula off. (tds),
Cineraria, Ruta (tds)

INSANITY (MANIA) (SEE ALSO 'SCHIZOPHRENIA')

It is a mental disorder characterized by the patients inability to distinguish between right and wrong. He has such impulses which he cannot resist and becomes a menace to others. This chapter maybe read with the chapter 'Schizophrenia'.

- Acidum flour.** (tds) : The patient sits in a corner of the room. He does not talk - answers any questions.
- Agaricus mus.** 1M (hs) : Destroys things which are otherwise required. The patient sings and whistles when it is not required. Seems foolish and acts foolish. He is fearless and threatens others.
- Anacardium** (tds) : Excessive anger at slight offense. Insanity with loss of memory. Dual personality.
- Argentum nit.** (tds) : Progressive paralysis of the insane person.
- Arsenicum alb.** (tds) : Great anguish and restlessness. Changes places continually due to despair. Fear of death. Fear of being left alone. Cold sweat. Malicious and selfish. Immense liking for cleanliness.
- Aurum ars.** (tds) : Insanity of fanatics, of drunkards and religious persons. Extreme irritability on hearing any adverse remarks about his religion. Obstinate and hard to convince.
- Aurum met.** (tds) : Great inclination to commit suicide, but is afraid of death. Depressed, dejected and low spirited. Has no guts, cannot face difficulties and considers that he is unfit to live in this world.
- Baryta mur.** (tds) : Many kinds of mania are cured with this

- remedy when there is a maddening, excessive sexual desire. He will catch hold of the opposite sex even in a bazaar or in a street.
- Belladonna** (tds) : The patient is violent, will kick and cry. There is rush of blood towards the brain and eyes. Eyes become blood shot when he is furious. Actions midway between Hyoscyamus and Stramonium.
- Calcarea carb.** (tds) : Religious mania.
- Cannabis ind.** Q, (bd)
10 drops in ½ cup of water : Dual nature state. Hallucinations and imaginations. Extremely happy and contended. Talkative. Time seems too long, seconds seem years. Has a great soothing influence in many nervous disorders, like mania, dementia and delirium. Anxiety and depression. Must move constantly. Forgetful. Uncontrollable laughter. Insomnia. Constant fear of becoming insane. Sensation as if top of head is shutting and opening. Clairvoyance. Rapid change of moods.
- Cimicifuga** (tds) : Mania following disappearance of neuralgia or giving birth to a child.
- Cocculus ind.** (tds),
Pulsatilla nig. (tds) : Mania due to suppression of menses. Fears she will become insane.
- Crocus sativus** (tds) : Anger with violence followed by repentance. Laughing mania. Drowsiness and lassitude. Laughter followed by weeping.
- Ferrum phos.** (tds) : Attacks of severe frenzy of short duration.
- Helleborus** (tds) : Mania of melancholic type; sensation of depression and sinking.
- Hepar sulphuris** (tds),
Causticum (tds) : Threatens to kill his family and to burn the house. Insanity due to suppression of skin troubles.
- Hyoscyamus nig.** (tds) : Face red and gaze wild. Tears everything that he can lay hands upon. Talkative, restless and quarrelsome. Will tear his clothes to uncover. Sometimes sad and at other times laughs. Dangerous and can stab and murder. Some end

- their life by drowning. She is hurried in manners and is intensely jealous. Makes motions as if brushing the hair or face. Stupid. Wants to be naked.
- Iodium** (tds) : Chronic mania in scrofulous patients. Mania after acute affections of the respiratory organs. Not concerned about the future. Depression. Sudden impulses to run and for violence. Suicidal tendencies. Talkative, can talk for hours with enthusiasm and over-confidence.
- Kalium brom.** (tds) : Violent only on seeing a particular person or a particular thing.
- Lachesis** (tds) : Suspicious. If sees some people in whispering conversation, she thinks they are talking about her. Religious mania. Cruel to everybody and pets. Jealous and hates others. Mania during or after menopause.
- Lilium tig.** (tds) : Profound depression of spirits. Constant inclination to weep. Fears some organic and incurable disease. Swears and curses. Aimless, hurried manner.
- Lycopodium** 200 (bd) : Patient is always ordering and dictating. Envious. Easily aroused to anger with violence.
- Mancinella** (tds),
Hydrophobinum (tds),
Cannabis ind. (tds) : Fear of becoming insane. Mentally depressed states at puberty and menopause with raised sexuality.
- Melilotus off.** (tds) : Unable to fix mind. Treacherous stupor, wants to run away and hide. Thinks everyone is looking at her. Fears talking. Threatens to kill the physician or parents approaching him. Insomnia.
- Mercurius** (tds) : Frequent spitting. Spreads the saliva out with her feet and licks some of it again. Licks mud of ponds and eats cow dung. Generally does not harm anyone. Manical, catches the strangers passing by.
- Nux vomica** 200 (od) : Mania caused by sleeplessness, prostration and

- excitement. Very irritable, sensitive to all impressions, malicious. Cannot bear noises, odors, light, etc. Fault finding. Scolds and insults others. Loquaciousness.
- Rauwolfia Q** (qid) : Insanity due to high blood pressure and
10 drops in $\frac{1}{2}$ cup of water irritative condition of the central nervous system. Violent manical condition. 10 drops a dose, four times daily and more often when needed.
- Sepia** (tds) : Mania during or after menopause with dyspepsia and constipation. Mania due to profuse menses.
- Silicea** (tds) : Insanity after influenza.
- Staphysagria** (tds), : Insanity due to excessive masturbation.
Phosphorus (tds)
- Stramonium** (tds) : Sees and hears imaginary things and persons. Talkative, sad and desires light. Refuses food and water saying that these are poisoned, will ask the person serving these to taste them in his presence. Violent with tendency to commit murder. Religious mania. Claps hands. Wants to pray all the time. Mania from childhood. Talkativeness. May have involuntary stools and urine. Insanity during pregnancy.
- Sulphur** (od) : Mania following child birth. Does not feed her baby. Walks briskly. Wants to remain quite. Does nothing else except praying. It is also called as postpartum depression with suicidal tendencies.
- Tarentula his.** (tds) : Sudden alteration of the mood. Destructive impulses. Breaks and throws away costly things without any reason. Mania with increased sexual desire. Sensitive to music. Must keep legs in constant motion, though walking aggravates. Wants the scalp rubbed.
- Ustilago may.** (tds) : Mania for always taking a bath. Impulses to suicide by drowning.
- Veratrum alb.** (tds) : Sadness with stupor and mania. Mania after

giving birth to a child. Unsociable. Unwilling to talk. Insanity after a major operation. Cold sweat on forehead and a pale face. Aimless wandering away from home. Cursing and howling at night. Mania during heart diseases. Cut and tear things. Religious mania and mania of a destructive nature. Always busy praying. Covers many types of insanity.

INSOMNIA (SLEEPLESSNESS)

- | | |
|-----------------------------------|---|
| Acidum phos. (tds) | : Sleeplessness after depressing events, sorrow or loss and death of a friend or a relative. |
| Aconitum nap. 200 | : In badly shocked cases, give Aconitum nap. 200 every 15 minutes to induce a sleep. Sleeplessness is caused by fear or over-excitement or shock. Restlessness. |
| Alfalfa Q , 10 drops (bd) | : Sleeps better in the morning. It induces quite, peaceful and refreshing sleep. |
| Ambra grisea (tds) | : Sleeplessness due to worries or business troubles. |
| Ammonium val. 3x (tds) | : Insomnia especially during pregnancy and menopause, with neuralgic headache. |
| Apium grave. (tds) | : Patient of insomnia is not fatigued from loss of sleep. Wakes from 1 to 3 AM. Unrefreshed. |
| Apomorphinum mur. 3c (tds) | : Produces sleep after administration of one or two doses hourly. |
| Argentum nit. (tds) | : Sleeplessness from worry about an event the next day such as an interview or an examination. |
| Arnica mont. (tds) | : Sleeplessness caused by over-exertion, mental or physical. Bed appears too hard. Tosses about to find a soft portion of the bed. |
| Arsenicum alb. (tds) | : Inability to fall asleep or waking up at about 2 |

- AM due to anxiety. Great restlessness and a great need to get up and walk about in the room. Sleepy yet unable to sleep. Child tosses and kicks the clothes.
- Avena sativa** Q 10 (bd)
10 drops in ½ cup of water : Sleeplessness in alcoholics and those with morphine habits.
- Belladonna** (tds) : Sleeplessness after midnight from anxiety and restlessness. Gets up and walks. Insomnia during pregnancy.
- Bellis per.** (tds) : Wakes early in the morning and cannot get to sleep again, specially after 1-2 AM at night.
- Bryonia alba** (tds) : Insomnia due to business worries.
- Cannabis ind.** Q (od),
10 drops in ½ cup of water : Very sleepy but unable to do so. Obstinate and severe forms of insomnia. Give 10 drops a dose.
- Cataria nep.** Q(od)
5 drops in ½ cup of water : It relieves sleeplessness of children who cannot sleep due to colic. It cures colic and produces sleep.
- Causticum** (tds) : Cannot sleep due to heat, specially dry heating of houses with natural gas.
- Chamomilla** (tds) : Sleeplessness and restlessness during the first part of night. Gets up and walks.
- Chininum ars.** 6 (tds),
Acidum mur. (tds) : They produce sleep after taking one dose only. Sleepy but unable to sleep. Tosses about with restlessness; sleeplessness is due to nervous causes.
- Chloralum** 200 (od) : It is a powerful sleep producing remedy in patients with mental diseases, with asthma, hallucinations and night terrors. Insomnia from over-fatigue.
- Cimicifuga** (tds) : Sleeplessness in children during the period of dentition.
- Cocculus ind.** (tds) : Constant drowsiness and spasmodic yawning after loss of sleep. Vertigo.
- Coffea cruda** (tds) : Insomnia after happy news, pleasant surprises and after over-work. The problems of the day seem to go round and round in the mind. It can

- happen even with bad news. Cannot sleep in the early hours of night. Insomnia during pregnancy and after child birth.
- Colchicum autum.** (tds) : Great prostration as a result of loss of sleep due to hard study or night watching. There is a feeling of internal coldness.
- Conium mac.** (tds) : Sleeplessness due to neuralgic pains.
- Cuprum met.** 12x (tds) : Sleeplessness due to cramps in the body.
- Cypripedium pub.** (tds) : Insomnia of children. Child wakes up at night and starts playing.
- Helonias** (tds) : Sleeplessness on account of tiring hard labor with aching of muscles.
- Hypericum Q** (bd)
10 drops in ½ cup of water : Insomnia or agitated sleep due to mental tension and anxiety. It does not interfere in the normal mental activity.
- Ignatia amara** (tds) : Sleeplessness due to grief and an event like death. There is continued yawning and a fear that she can never sleep again.
- Kalium carb.** (tds) : Drowsy after eating. Wakes up at about 2 AM and cannot sleep again.
- Kalium phos.** 200x (tds) : A great remedy for sleeplessness. The patient is weak and nervous. Sleeplessness due to business worries and due to mental disturbances.
- Lupulus** 3x (tds) : The patient feels drowsy but cannot sleep. Its use produces a deep lethargic sleep. It is specially useful in cases of hysteria and drunkards.
- Lycopodium** (tds) : Awakes at about 4 AM and then cannot go to sleep due to an over-active mind.
- Magnesium phos.** (tds) : Sleeplessness on account of indigestion.
- Natrium mur.** 200 (od) : Sleeplessness due to griefs of the past and unpleasant events of the past.
- Nux vomica** (tds) : Sleeplessness is due to over-excitement, exhaustion and stress. He is very irritable. Falls asleep but wakes up between 3 to 4 a.m. -

- remains awake for a few hours and again falls asleep till the time of usual get up. He is very critical of others. Sleeplessness due to alcohol or drug habits or abuse of coffee.
- Opium** (tds) : Sleeplessness and restlessness during the time of sleeping but is sound asleep when it is time to get up. Feels chilly when uncovered and hot when covered.
- Passiflora Q** : Sleeplessness due to insanity and worries. Give 15 drops a dose after 30 minutes at bed time till asleep, produces normal sleep.
- Phosphorus** (tds) : Insomnia in old people.
- Piper methy.** 3x (tds) : It is helpful if anxiety in case of sleeplessness as it relieves both anxiety and insomnia. It produces deep and restful sleep.
- Piscidia Q** : Insomnia due to worry, nervous excitement, dysmenorrhea, coughs and pains. Give 30-40 drops a dose near bed time. Generally one dose is sufficient to produce long and undisturbed sleep.
- Plantago** (tds) : Insomnia of smokers.
- Pulsatilla nig.** (tds) : Falls asleep but cannot sleep. Bed feels hot. Moves about in vain in bed to find a cool spot. Even the ticking of a clock disturbs. Sleeplessness on account of eating very late at night.
- Scutellaria lat.** 3x (tds) : Its use relaxes the nervous tension and induces inner calm and relieves sleeplessness.
- Secale cor.** (tds) : Insomnia of drug and liquor habituais.
- Senecio aur.** (tds) : Sleeplessness during menopause, prolapse of uterus or urinary disturbances. Great drowsiness with unpleasant dreams.
- Sticta pulm.** (tds) : Insomnia due to fracture or a wound.
- Tabacum** (tds) : Insomnia due to nervous breakdown.
- Valeriana Q** : Insomnia due to nocturnal itching. Insomnia during pregnancy or menopause.

NOTE: Some sleep disorders are caused by physical problems, the treatment of which can make sleeplessness disappear. Some are caused by medications

and can be resolved by a change of prescription. Still others are caused by poor sleep habits, such as too much napping which can be broken with education and efforts. Below are some helpful hints for getting a good nights rest:

1. **Maintain a regular sleep schedule. Getting up at the same time every morning synchronizes the body's biological clock.**
2. **Keep the bedroom for sleeping. Do not read, watch TV or eat in bed.**
3. **If you do not fall asleep within 20 minutes of going to bed, get up and read or listen to quite music until you get sleepy.**
4. **Limit daytime naps.**
5. **Take a 20 to 30 minutes warm bath before bed.**
6. **Drink a glass of milk just before bed (warm or cold).**
7. **Avoid caffeinated beverages and chocolate in the afternoon and evening.**
8. **Don't drink alcohol before bed time. It can cause sleeplessness at night.**
9. **Exercise during the day but not before going to bed.**
10. **According to Dr Anna Wirz - justice leader of the research team at Psychiatric University Clinic of Chronobiology and Sleep Laboratory, Switzerland, keeping the hands and feet warm in a cold bedroom induces sleep quickly**


IRITIS

- | | |
|------------------------------|--|
| Colocynthis (tds) | : It is a useful palliative in the pain of iritis, the pain extends to the head and is better from pressure. |
| Hepar sulphuris (tds) | : Iritis after exposure to cold dry winds. Profuse discharge with pus in the anterior chamber of eye. |
| Mercurius sol. (tds) | : Iritis after exposure to the glare of fire usually found in foundrymen and workers of the steel rolling mills. Pus may have be formed in the interior of the eye. Iritis in patients of venereal diseases. |

- Nitricum acidum** 200 (od) : Iritis in syphilitic patients.
- Rhus tox.** (tds) : Iritis after exposure to cold and dampness. Lot of watering from the eyes.
- Symphytum off.** (tds) : Iritis due to injuries to the eyeballs.


ITCH

- Acidum sulph.** (tds) : Very useful in removing the tendency to terrible itching.
- Agaricus mus.** (tds) : Itching without eruptions, changing place, sometimes here and sometimes there.
- Aloe soc.** (tds) : There is a great burning and itching in the anus and around it. The patient bores his finger in the anus and rotates it to calm the itching. Such people are inclined to anal intercourse.
- Ambra grisea** (tds) : Great itching of female organs and labia during menses. Itching is so great that sometimes virgin girls have to bore fingers inside the vagina and thus they rupture the hymen.
- Anagallis** (tds) : Itching and tingling everywhere. Itching of the palms. Skin is dry with bran-like eruptions specially on hands, fingers and palms.
- Antimonium crud.** (tds) : Measles-like eruptions. Skin dry and burning. Itching is worse at night in bed.
- Arum triph.** (tds) : There is constant picking at the nose. It is so severe that the patient may scratch it to the point of bleeding.
- Belladonna** (tds) : Itching with eruptions like scarlatina. Burning and redness of the skin.
- Croton tig.** (tds) : Itching around eyes, genitals, penis and scrotum.
- Dolichos** 6 (tds) : Itching without eruptions. Diabetic itching. Itching is worse on the hairy parts, across the shoulders and about the elbows and knees.
- Gelsemium** (tds) : Itching. Measles-like eruptions. Skin is hot and dry.



The itch pathway

The simple mosquito bite is one of the few causes of itch that scientists feel they understand fairly well, and even it is full of unknowns.



Granatum (tds)	: Itching of palms.
Hepar sulphuris (tds), Mercurius sol. (tds)	: Pimple-like eruptions on the skin, itching violently. Scratching causes ulcers.
Hydrastis (tds)	: Eczema with eruptions like small-pox, discharging a yellow fluid on scratching.
Juglans regia (tds)	: Itching and eruptions of small red pustules. Itching more violent at night.
Kalium ars. (tds)	: Intolerable itching, worse while undressing. Dry scaly acne. Itching worse from warmth, walking and undressing.
Medorrhinum 200 (hs) Repeat after 1 week	: Intense and constant itching worse at night and when thinking of it.
Mercurius sol. (tds)	: Itching worse from warmth of the bed at night. Vesicular and pustular eruptions. Skin is always moist.
Natrium sulph. (tds)	: Itching while undressing. Wart-like red lumps all over the body.
Petroleum (tds)	: Itching worse in winters. Itching at night. Skin dry. Slightest scratch makes the skin suppurate. Burning.
Psorinum (tds)	: Skin has a dirty and clingy look. Intolerable itching. Itch worse on scalp and bends of joints and by the warmth of bed. Skin is oily. Itching returns every winter. Scratches until skin bleeds. Itching between fingers.
Ranunculus bulb. (tds)	: Burning, itching vesicles of bluish color. Barber's itch.
Rhus tox. (tds)	: Red, swollen skin with intense itching. Burning. Barber's itch. Urticaria-like itching.
Rumex crispus (tds)	: Intense itching of the skin specially of the lower extremities, worse on exposure to cold air and when undressing.
Selenium met. (tds)	: Itching of the palms. Dry scaly eruptions on palms. Itching about the ankles and folds of the skin, between the fingers. Skin oily. Itching of the ear.

- Sepia** : Itching worse in bends of knees and elbow, not relieved by scratching.
- Sulphur (bd)** : Itching causes burning. Skin is dry and unhealthy. Itching worse from washing. Itching worse in the folds of skin, from warmth of the bed. In the evening and often recur in spring time and in damp weather. Pruritus.
- Sulphur iod. 3x (tds)** : Obstinate skin affection, Barber's itch and acne. Itching on the ears, nose and urethra. Papular eruptions on the face.
- Syphilinum 200 (hs)** : Itching worse at night. Hot bath relieves.
Repeat after 1 week
- Thuja occ. (tds)** : Itching and eruptions on the covered parts only. Worse after scratching and very sensitive to touch.
- Thyreoidinum (od)** : Skin dry. Itching without eruptions and worse during the night.
- Valeriana Q** : Its use reduces sleeplessness on account of nocturnal itching.

NOTE: Itch is a tortured process that scars the skin, destroys sleep and sometimes causes a person to commit suicide. It also gives pleasure on scratching. Scientists paid no attention to itching, scratching and pleasure because they thought it is not a dire medical problem. Scientists have now discovered that mosquito bites and allergic skin reactions are caused by histamine which is released by the body as an anti to the bites and allergies (see illustration).

JAUNDICE

- Aconitum nap. (tds)** : It is a good remedy in jaundice of infants when used in the very early stages.
- Aesculus hip. (tds)** : Dull pain in the liver radiating to the navel.
- Arsenicum alb. (tds)** : Chronic jaundice with fever. Thirst for small quantities of water at short intervals. Jaundice after abuse of quinine.
- Bryonia** : Stinging liver pains. Constipation with no urge to relieve. Craving for cold water.

- Carduus mar.** (tds) : Jaundice and pain in the liver region are corrected by the use of this remedy-very specially of alcoholics and beer drinkers.
- Carica papaya Q** (tds),
10 drops in ½ cup of water : Eyes yellow. Loss of appetite. Nausea and vomiting. Pain in the right hypochondrium.
- Chamomilla** (tds) : Jaundice in a new born baby. Baby cries a lot.
- Chelidonium 6** (qid) : Pain in the right shoulder blade. Eyes and face are yellow. Taste is bitter. Urine is deep yellow or brownish-red. Stools are clay colored. This remedy is usually required in most of the cases. It is to be used for a long time. Liver region is painful to touch.
- China off.** (tds) : This remedy will commonly ward off the development of a commencing attack of jaundice. Liver is hard and painful. Yellowish skin and eyes. White colored stools. Abdominal flatus. Bitter taste.
- Chionanthus** (tds) : A prominent liver remedy. Aching in the umbilical region. Liver sore and enlarged. Constipation. Clay colored stools or soft yellow colored stools. No appetite.
- Hydrastis** (tds) : There is imprint of teeth on the tongue. Nausea, vomiting and constipation maybe present. Its action is marked on the liver. Liver torpid and tender. Pain in the right groin.
- Lycopodium** (tds) : Nervous and irritable, sudden ferocious hunger spells but with quick satisfaction.
- Mercurius off.** (tds) : It is a very near specific remedy in a great number of cases of jaundice. Whitish-grey stools. Boring pain in the right groin, liver enlarged, sore to touch. Bile secreted deficiently.
- Myrica c.** (tds) : Persistent sleeplessness with jaundice. Complete loss of appetite. Bitter taste. Dull pain in the region of liver.
- Natrium phos. 1x** (tds) : Skin yellow. Feet icy cold in day time and burn at night. This may be given in alternation with any other remedy, especially Natrium sulph. 6x.


- Natrium sulph.** 6x (qid) : Liver sore to touch with sharp stitching pains. Great size of stools.
- Nux vomica** (tds) : Throbbing pain in the region of liver. Appetite scanty. Alcoholic patient.
- Phosphorus** 6c : Acute hepatitis, Jaundice.
- Plumbum met.** (tds) : Jaundice with very pale skin.
- Podophyllum** (tds) : Liver region is sore, better by lying on the abdomen. Most suited to children. Liver region is painful, better by rubbing the part. Constipation alternating with diarrhea.
- Sulphur** (bd) : In all the cases of jaundice, the treatment maybe started and ended with this remedy.
- Thyreoidinum** 3x (tds) : In desperate cases of jaundice in new born babies, this remedy will bring back the patient almost from the jaws of death.

NOTE: The following are the possible causes of jaundice:

1. Excessive bile pigment is due to obstruction of bile passages. It can be gall stones blocking the common duct.
2. Excessive destruction of red blood cells. It maybe due to carcinoma of the head of pancreas.
3. Disturbances in functioning of liver cells.
4. Jaundice is most often caused by hepatitis virus, germs or parasites. Hepatitis A virus is transmitted orally and hepatitis B is transmitted through injections and blood transfusions and affects drug addicts or people who receive multiple blood transfusions.

JAW

- Acidum fluor.** (tds) : Necrosis of upper jaw, specially right side.
- Aconitum nap.** (tds),
Helleborus (tds) : Constantly moves the lower jaw as if chewing.
- Calcarea fluor.** (tds),
Silicea (tds) : Given alternately cures necrosis of jaw.
- Hekla lava** (tds) : Tumor of the jaw and swelling of the jaw after extraction of tooth.




- Lac caninum** (tds) : Cracking of jaw when eating.
- Phosphorus** (tds) : Necrosis (mortification - death of) of bones of the lower jaw.
- Rhus tox.** (tds),
Lac caninum (tds) : Cracking joints of jaw while eating or yawning.

JEALOUSY

- Hyoscyamus nig.** (tds) : A suspicious person is jealous of others doing good things. He feels jealous on the property holdings of others.
- Lachesis** (bd) : A Lachesis patient is full of love for their spouse and children. Feels very jealous on seeing them talking to others. Jealousy is on account of suspicion.
- Natrium mur.** 1M (hs) : Physic causes for jealousy. Irritable, depressed and becomes violent on little suspicion or trifles.
- Platinum met.** (tds) : The jealousy in such patients is on account of their sense of pride. They like flattery particularly women, and if they see somebody praising others, they feel jealous.

JOINTS

- Acidum fluor.** : Inflammation of finger joints. Caries and necrosis, especially of long bones.
- Aconitum nap.** (tds) : Painless cracking of all joints of the extremities.
- Apis mel.** (tds), : Burning in the joints.
- Arsenicum alb.** (tds),
- Causticum** (tds),
- Rhus tox.** (tds), **Sulphur** (od)
- Aristolochia clem.** (tds) : Pain in the ball and socket joints.
- Calcarea carb.** (tds), : Nodosities (calcareous deposits on the joints).
- Ledum pal., Ruta** (tds)
- Causticum** (tds) : Rheumatic pains-tearing and drawing in the joints make him restless at night. Deformities about the joints. Pains worse at night and better by warmth, specially heat of the bed.




- Crocus sativus** (tds) : Crackling of hip joints and knees.
- Ginseng Q** (bd) : Cracking in joints, stiffness and contraction in the joints.
- Guaiacum off. Q** (bd)
10 drops in ½ cup of water : Rheumatic pain in joints of arms and shoulders. Stiffness of joints and contractions. Lameness. Pressure cannot be tolerated. Pains are worse from 6 p.m. to 4 a.m., from motion and cold wet weather.
- Hypericum** (tds) : Severe nerve pains in the joints of the hips are relieved by the use of this remedy.
- Kalium bich.** (tds) : Crackling of all joints of the extremities.
- Magnesium carb.** (tds) : Swelling in the bend of the knees.
- Natrium phos.** (tds) : Cracking of any joints.
- Natrium sulph.** (tds),
Nux vomica (tds) : Cracking in the knee joints.
- Rhododendron ch.** (tds) : Pain and inflammation of the great toe joint.
- Thuja occ.** (tds) : Cracking of the joints of the lower extremities.
- Tongo 3x** (tds) : Tearing pains in hip joints, femur and knee specially, the left.

NOTE: **The pain in joints can also be due to the elements surrounding it, like ligaments and tendons or rheumatism, inflammation, osteoarthritis or infection.**

KELOID

Scar formation in the skin following an injury or a surgical incision. The point of skin is raised with a scar on it. It takes some months to cure.

- Acidum fluor.** (tds) : It acts specially on the scar tissue and is indicated in deep, destructive, processed ulcers.
- Graphites** 200 (hs)
Repeat once a week : In the early stages of keloid. The keloid may ooze out a thin and sticky discharge.
- Silicea** 200 (hs)
Repeat once a week : Keloid growth maybe on the spot vaccinated or anywhere. Fistulous burrowing under process of suppuration. More suited to patients who are chilly.




The formation of excess collagen in the form of thick interlacing bundles which causes marked swelling at the site of the wound is known as a KELOID. The essential cause is unknown but it may be due to deficient polymerisation of fibrin (factor XIII deficiency): the condition is more common among negroes.

- Thiosinaminum** 1x (tds) : It is a great resolvent externally and internally for dissolving scar tissues. Give three doses per day.
- Tuberculinum** (hs) : Maybe given once or twice during the treatment. It fastens cure.
Repeat after 15 days

KIDNEYS (SEE ALSO 'NEPHRITIS')

INFLAMMATION OF NEPHRITIS



- Apis mel.** (tds) : Burning urine. Rash on skin. Puffiness and paleness of face. Pain in head, back and limbs. Urine contains casts.


- Arsenicum alb.** (tds) : Tubular nephritis. Urine contains albumin and other casts. Dropsy. Thirst for cold water in small quantities and at small intervals. Restlessness and anxiety.
- Cantharis** (tds) : Inflammation of kidneys. Urine is passed in drops with burning. Acute pain in the lumbar region. Urine may or may not be bloody.
- Eryngium aqua.** Q : Congestion of kidneys with dull pain in the back, uterus and legs.
- Ferrum met.** (tds) : Pale, bloated face. Chilly. Vomiting of food or passing stools with undigested food.
- Ferrum phos.** 6x (qid) : Fever, headache. Irritation of bladder and frequent desire to urinate.
- Mercurius cor.** (tds) : For albumin in urine and inflammation of the kidneys in pregnant women.
- Terebinthiniae** (tds) : When congestion is prominent with dropsy. When detected early, this remedy is very useful. Pain is severe and extends to the urethra. Urine is bloody and is scanty or suppressed.
- Vesicaria** Q (tds) : Useful for nephralgia and failure of the kidney
15 drops in ½ cup of water to secrete urine and dropsy on that account.

FUNCTION STOPPED

- Serum anguillae** 1x (tds) : Degeneration of the kidneys. Hemogloburia. Hematuria. Prolonged suppression of urine. Albuminuria. It puts an end to renal obstruction and produces abundant urine flow.
- Zingiber off.** 1c (tds) : Helps when there is complete cessation of kidney functions.

KIDNEY STONES (RENAL CALCULI)

- Berberis vulg.** Q : This is the head remedy for kidney stones. There is acute pain in the region of kidneys and urethra with frequent desire to pass urine. Very useful for pains when the stone is in the left kidney. Give 10 drops every hour.

**Calcarea carb. 30**

: When there is difficulty and attack of pain on passing the stone. Give a dose every 15 minutes.

Hydrangea Q (tds)

10 drops in $\frac{1}{2}$ cup of water

: A remedy for gravel and for breaking stones enabling their easy passage. Can be mixed with Berberis vulg. Q and Pareira brava Q. When used after expulsion of stones, prevents their recurrence.

Lycopodium 1M (hs)

Repeat after a week

: When the pain is due to a stone in the right kidney region. It expels it.

Ocimum can. (tds)

: Renal calculus specially in the right kidney with pain on the right side. Urine smells like musk and when allowed to stand for a

- while, brick dust red or yellow sediment settles at the bottom. Urine contains uric acid.
- Pareira brava Q** (tds) : When stone is in the kidney for a long time and it is difficult to expel it, give 5 drops a dose every hour. It can be given mixed with *Berberis vulg. Q.*
- 5 drops in ½ cup of water
- Serum anguillae** (tds) : In affections of the kidney when there is diminished urine or when it is completely suppressed due to failure of the kidneys. This remedy produces abundant urine, cures albuminuria and removes the infection.
- Urtica urens Q** (tds) : Its use in expulsion of stones from kidneys is very old. It acts as a cleaning agent of the kidneys and eliminates gravel from them. When used after expulsion of stones, prevents their recurrence.
- 10 drops in ½ cup of water
- Vesicaria Q** : General dropsy due to cessation of function of the kidney to secrete urine. It helps secretion of urine and removes swelling of hands, feet, etc. when given in 15-20 drops in a teaspoonful of water, every hour. The results can be seen within a week or so.
- NOTE:** Most kidney stones are formed of calcium oxalate. Food rich in calcium like milk, cheese, dark green leafy vegetables and nuts help prevent formation of such stones. Less commonly, kidney stones are made up of uric acid. Such stones can be avoided by avoiding eating meats, fish, peas, spinach and whole grains. In both cases, drinking 6 - 8 glasses of water daily may flush out the stones.

KNIFE - HOMOEOPATHIC

- Myristica seb.** (tds) : Hastens suppuration and shortens its duration. Often acts more powerfully than *Hepar sulphuris* and *Silicea 3x* onwards in potency. It opens up the carbuncle, fistula, abscess, etc. and does away the operation. It is often called the “HOMEOPATHIC KNIFE”.

LABOR PAINS

The following symptoms will differentiate true labor pains and false labor pains:

TRUE LABOR PAINS

1. Pains come and go at regular intervals.
2. Pains press downwards to expel the baby.
3. Pains arise from the uterus to produce dilatation of the mouth of the womb.
4. Each spell of pain is accompanied with a little watery discharge to dilate the os.

FALSE LABOR PAINS

1. Pains are constant and do not go away.
2. Pains are colic-like and radiate in all directions in the abdomen.
3. Pains are in the abdomen. They have no connection with the uterus.
4. Not accompanied by any discharge and the pains are usually due to the regions of colic and on account of gas or indigestion.

Aconitum nap. (tds), : When lochia is suppressed or is insufficient.
Sulphur (od)

Agaricus mus. (tds) : This remedy covers most of the complaints after delivery of a baby.

Antimonium tart. (tds) : The new born cannot breath or there is difficulty in breathing although there are pulsating movements of the cord. Two small globules dry on the tongue remove the problem.

Arnica mont. (qid) : Soothes muscles of the vagina and uterus, and gives great sense of relief and comfort after delivery. The child is born after some difficulty and seems to be doing well. But in a few days, it is reported to be not quite right. It may be that an arm or a leg is rather limp and is not used properly. The face seems somewhat unsymmetrical or there is some difficulty in sucking. There has been some hemorrhage within the skull. Arnica mont. will absorb the blood and induce maximum recovery of the damaged nerve tissue.

-
- | | |
|--|---|
| Belladonna (tds) | : Retention of placenta with profuse hot blood. |
| Cantharis (tds) | : Retention of placenta with painful urination. |
| Carbo veg. (tds),
Natrium mur. (tds),
Sepia (tds) | : Falling of hair after delivery. |
| Caulophyllum (tds) | : Extraordinary rigidity of the os. Spasmodic and severe pains which fly in all directions. Shivering without progress, false pains. Revives labor pains and furthers progress of labor. In 200 potency, two doses will induce child birth. |
| Causticum (tds) | : Retention of urine after delivery. Absence or weakness of uterine contractions in labor. |
| Cimicifuga (bd) | : Pain shoots across the abdomen and doubles the patient. It maybe given 3 to 4 months before the expected day of delivery. It ensures safe and virtually painless delivery. It should be discontinued a week before delivery. It checks labor pains and ensures a living birth. It is very helpful when a woman habitually gives birth to dead babies. |
| Cinnamomum Q (tds)
10-20 drops in ½ cup of water | : Hemorrhage occurring after child birth - post-partum hemorrhage. |
| Hamamelis (tds) | : Hemorrhoids after confinement. Anus feels sore and raw. Black, dark and profuse blood in bleeding piles. |
| Kalium carb. (tds) | : One of the best remedies after labor and following weakness or hemorrhage which occurs after about a week of the delivery. |
| Kalium phos. 6x (qid) | : Delayed labor. Labor pains are feeble and ineffectual. |
| Lilium tig. (tds),
Lycopodium (tds) | : Constipation after delivering a child. |
| Pituitrinum 1x | : If os is fully dilated but the labor does not take place, give a dose every 15 minutes. It hastens child birth. Use it for checking bleeding after delivery as it contracts the blood vessels. |

- Podophyllum** (tds) : Pendulous abdomen after confinement.
- Psorinum** (bd) : Patient has never felt well after delivery of the baby.
- Pulsatilla nig.** 1M : Insufficient labor pains. Hemorrhage after delivery. Pains after delayed; strenuous delivery. It corrects the position of the child in the womb. Avoids false labor pains and ensures safe delivery in due time. Three doses only at the time of delivery at an interval of 15 minutes each before the membranes are ruptured. It avoids many complaints of labor.
- Staphysagria** (tds) : For any difficulty when the child is born after a cesarean section.
- Sulphur 6** (od) morning,
Calcarea. phos. 6x (od) evening : If a woman habitually gives birth to dead babies or when the babies die soon after birth, give one dose each of Sulphur 6 in the morning and Calcarea phos. 6x in the evening during the last two months of pregnancy.
- Trillium pend.** (tds) : Dribbling of urine after labor.
- Viburnum op.** (tds) : Great uterine tonic. Cures false labor pains which may occur prematurely a week or a month before the actual date of delivery. Removes uterine displacement.
- Viscum alb.** (tds) : For retention of placenta.
- Zincum met.** 2c (tds) : It boosts the immune system to fight diseases like diarrhea and pneumonia, and cuts the death rate by as much as one - third of the premature babies. (Dr. Robert Black and Sunil Sazawal, Annamalai University in India.)

LACTATION

- Aceticum acidum** (tds),
Calcarea phos. (tds) : Child rejects the milk because it is faulty - sour.
- Aconitum nap.** (tds),
Bryonia alba (tds),
Pulsatilla nig. (tds) : Milk is suppressed.

Aconitum nap. (tds), Belladonna (tds)	: For milk fever.
Aethusa cyn. (tds)	: Milk and milk products cannot be digested and are vomited in large curds as soon as taken causing weakness and drowsiness.
Agaricus mus. (tds)	: Complaints from suppression of milk.
Agnus castus (tds), Asafoetida (tds), Pulsatilla nig. (tds)	: Absence of milk or scanty milk coming down slowly on lactating the child.
Alumina (tds)	: Useful for delicate children, products of artificial baby foods.
Arnica mont. (tds), Bellis per. (tds)	: Inflammation of breasts, because the head of the child violently strikes against the breast while nursing.
Asafoetida (tds)	: Milk appears late after labor or diminishes in quantity. Breasts of women not pregnant are bloated with milk in them.
Borax (tds)	: Milk too thick and bad tasting. Child does not want to take breasts on this account. Pain in the opposite breast when nursing one breast.
Bryonia alba (tds)	: Inflammation of the breasts due to accumulation of milk.
Bryonia alba (tds), Pulsatilla nig. (tds)	: Ill-effects of weaning.
Bufo rana (tds)	: Milk is bloody.
Calcarea carb. (tds)	: For increasing the milk supply. Menses during nursing. Milk too abundant but disagreeable to the child. Deficient lactation.
Calcarea carb. (tds), Pulsatilla nig. (tds)	: Milk is too profuse or deficient lactation. To dry up the milk during weaning.
Calcarea phos. (tds)	: Milk tastes salty. Child refuses breast feeding. Sexual excitement during nursing.
Carbo animalis (tds)	: Weakness of nursing women.
Causticum (tds)	: Suppression of milk due to any cause which cannot be determined.
Chamomilla (tds)	: Suppression of milk due to anger.

-
- China off.** (tds), : Weakness during lactation.
Kalium carb. (tds)
- Chionanthus** (tds) : For stopping milk supply in women who cannot nurse the baby.
- Cina** 200 (hs) : Child refuses to take breast within a few hours of delivery. One dose will set him right. If it fails, give Mercurius sol. 200.
- Cod liver oil** (tds) : Mix a few drops of this oil in the milk for children who cannot take milk. A few days of forced treatment will cure.
- Croton tig.** (tds) : Pain from nipple to back during nursing. Nipples are very sore.
- Galega off.** Q (tds) : Increases the quantity and quality of milk. It
 5 drops in ½ cup of water corrects anemia and impaired nutrition of nursing women.
- Graphites** (bd), : Nipple fissured from nursing.
Sepia (tds)
- Lac vaccinum def.** (od), : For reducing the milk supply. Lac can. 200
Lac caninum 200 (od) helps to dry up milk in women who cannot nurse the baby.
- Lactuca vir.** (tds) : For increasing milk supply.
- Lecithinum** 12x (tds), : Excellent remedies to increase the quantity
Ricinus com. Q (tds), and quality of milk in nursing women.
 10 drops,
Alfalfa Q (tds) 10 drops
- Lycopodium** (tds), : Milk mixed with blood as the child sucks the
Bufo rana (tds) nipples. The child vomits blood.
- Magnesium mur.** (tds), : Milk disagrees.
Natrium carb. (tds)
- Millefolium** Q (bd) : Milk does not come after labor.
 10 drops in ½ cup of water
- Natrium mur.** (tds) : Pubic hair fall out during nursing.
- Phytolacca dec.** (tds) : Excessive secretion of milk in the nursing woman. Breasts hard and lumpy. Suckling and nursing causes pain in the nipples and the pain radiates to other parts of the body.

Podophyllum (tds)	: Prolaps uteri during nursing.
Pulsatilla nig. (tds), Silicea (tds)	: Pain in the nipples and all over the body, while nursing.
Pulsatilla nig. (tds), Calcarea carb. (tds), Cimicifuga (tds)	: Suppression of milk flow due to sudden emotions.
Rheum (tds)	: Milk ceases to flow after starting.
Ricinus com. 3c (tds)	: To produce milk supply in nursing mothers, even in virgins. It increases the quantity of milk supply in nursing women.
Sabal ser. (tds)	: For producing milk supply when suppressed.
Salvia off. (tds)	: Excessive flow of milk from breasts (galactorrhea).
Secale cor. (tds)	: Nursing women do not get sufficient milk in their breasts or there is suppression or non-appearance of milk after delivery of the child and the breasts do not fill adequately.
Sepia (tds)	: Drinking milk makes the patient worse. Milk just does not agree.
Silicea (tds)	: Discharge from vagina while nursing.
Sticta pulm. (tds)	: Scanty milk. It increases the quantity of milk and removes suppression.
Urtica urens (tds)	: Diminished secretion of milk to arrest flow of milk after weaning.
Yohimbinum Q (tds) 10 drops in ½ cup of water	: Stimulates the function of lactational glands.



NOTE: **Breast fed babies have a much lower chance of infection than the babies fed on formula milk or milk from other animals. Breast feeding boosts the immune system of the infants.**

LAMENESS

Bellis per. (tds)	: Lameness, as if sprained.
Dioscorea (tds)	: Pain in the legs causes lameness.
Dulcamara (tds)	: Lameness after getting wet and cold.

LARYNGITIS

(INFLAMMATION OF THE LARYNX)



- Aconitum nap.** : Recent laryngitis with an irritating, hacking cough. Restlessness, anxiety and fever. If there is no improvement within 6 hours, select another remedy.
2 hourly
- Antimonium crud.** (tds) : Laryngitis of singers. Loss of voice, improves by heat or wrapping a warm cloth around the neck.
- Argentum nit.** (tds) : Loss of voice from too much singing or shouting. Hoarseness. He is better in fresh air. Raising voice causes cough.
- Arsenicum alb.** (tds) : Dry, hoarse cough with burning pains.
- Belladonna** (tds) : Acute laryngitis. Deep red throat, painful on talking.
- Calcarea carb.** (tds) : Suits chronic laryngitis in fat persons.

- Causticum** (tds) : Dry raw throat with violent cough which may cause leakage of urine involuntarily. Mucus drops at the back of the nose and is so copious that it becomes difficult to speak. Occasionally, the loss of voice may be quite painless.
- Hepar sulphuris** (tds) : When cough becomes loose and there is still hoarseness. Pains extend from ear to ear.
- Kalium bich.** (tds) : Cough with sticky yellow mucus and hoarseness. Chronic laryngitis.
- Mentholum** (tds) : It is curative for laryngitis.
- Natrium sel.** (tds) : Chronic laryngitis and laryngeal phthisis. Hoarseness of singers. Expectorates small lumps of mucus with frequent clearing of throat.
- Phosphorus** (od) : Larynx very painful. Hoarseness worse in the evening. Violent tickling in the larynx while speaking. Laryngitis with dry, tickly cough and hoarseness. Talking hurts.
- Spongia** (tds) : Barking cough and hoarseness. Burning and tickling in the larynx.

LAUGHTER


- Crocus sativus** (tds) : Laughing and crying alternately, in cases of mental troubles.
- Manganum acet.** (tds) : Involuntary laughing and weeping, and walking backwards.
- Moschus** (tds) : Uncontrollable laughter in hysterical patients.
- Natrium mur.** (tds) : Laughter with tears. Patient is depressed and wants to be alone to cry.
- Phosphorus** (bd) : Uncontrollable laughter fits followed by sadness.
- Zincum sulph.** (tds) : Stupid laughter. The patient repeats everything said.

LAXATIVE

A glass of cold water on rising in the morning with a teaspoonful of common salt makes an excellent laxative.

Cascara sag. Q (bd) : 15 drops in half a cup of water restores normal function of the intestines and is a palliative for constipation.

LEGS



- Agaricus mus.** (tds) : Numbness of legs on crossing them.
- Alumina** (tds) : Legs feel asleep when sitting with legs crossed.
- Amylenum nit.** (tds) : Must stretch legs for hours together. Feels relieved in doing so.
- Arnica mont.** (tds) : Soreness of the thighs.
- Belladonna** (tds) : Jerking of the limbs during sleep.
- Bellis per.** (tds) : Pain down the front part of the thigh.
- Calcarea carb.** (tds) : Pain as if sprained in patella and knees on rising from a seat. Whole of the knee feels cold and there is a tearing in muscles.

Cannabis ind. (tds)	: Sensation of shortness in the left leg.
Carbolicum acidum (tds)	: Painful contraction in calves when walking.
Causticum (tds)	: Crackling and tension in the knees. Stiffness in the hollow of the knee.
Chamomilla (tds), Platinum met. (tds)	: Sleeps with legs apart.
Cina (tds)	: Must lie on hands and knees.
China off. (tds)	: Pain in limbs and joints as if sprained. Worse by slight touch but better by hard pressure.
Cobaltum (tds)	: Weakness of legs after emission.
Conium mac. 200 (od)	: Difficult gait, trembling, sudden loss of strength while walking, painful stiffness of the legs. Legs better by lying down or by putting feet on a chair. Cracking and pain in patella.
Crocus sativus (tds)	: Weakness of legs and knees.
Crotalus hor. (tds)	: A lady cannot keep her the legs still.
Gelsemium (tds)	: Dislocation of patella with loss of power of muscular control.
Illicium (tds)	: Pain in the thighs.
Indigo tinc. (tds)	: Pain from the middle of the thigh to the knee and boring pains in the knee joints, worse after every meal and better by walking.
Kalium carb. (tds)	: Uneasiness, heaviness and tearing in the limbs and jerking. Legs and back jerk out and go to sleep easily. Constant pain in the lumbar region and legs with weakness. The patient cannot move.
Kalium mur. (tds)	: Inflammation of the membrane of the patella.
Lathyrus sat. (tds)	: Cannot cross or extend legs when sitting. Legs fall asleep when sitting with legs crossed.
Lilium tig. (tds)	: Mostly keeps legs moving. Cannot keep them still.
Lycopodium (tds)	: Limbs go to sleep, jerk and twitch at night in bed.
Medorrhinum 200 (hs) Repeat after 15 days	: Legs feel heavy, ache all night. Cannot keep them still inspite of pain.

Mercurius sol. (tds)	: Weakness and trembling of the legs. Dropsical swelling of legs and feet.
Natrium carb. (tds)	: The hollow of knee is painful on motion.
Pareira brava (tds)	: Pain in the upper part of the side of the thigh.
Phytolacca dec. (tds)	: Pain in the legs. The patient is afraid to get up and stand. Pains like electric shocks on the underside of thighs and in legs.
Picricum acidum (tds)	: Great heaviness in legs, can hardly lift them from the ground. Tired aching feeling, also in the back.
Platinum met. (tds)	: Has a disposition to keep lower limbs uncovered.
Rhododendron ch. (tds)	: Must lie with legs crossed.
Ruta (tds)	: Pain when straightening the limbs or legs give out when rising from a chair. Hips and thighs weak.
Secale cor. (tds)	: Cold and blue extremities when the patient is intolerent of heat and feels better in cold and by cold application.
Sepia (tds)	: Legs lame and stiff. Appear too short. Likes to sit with legs crossed. Likes energetic exercise. Coldness.
Silicea (tds)	: Loss of power in legs. Legs tremble when walking.
Stannum met.	: Must lie with one leg drawn up and the other stretched out.
Staphysagria (tds)	: Muscles of calves feel bruised. Extremities feel beaten up. Pain in the upper part of thigh, on its inner side. Pain in buttocks and back.
Tarentula his. (tds)	: Weakness and numbness of legs with twitching. Must move them constantly even though walking aggravates his troubles.
Tellurium met. (bd)	: Contraction of tendons in the bends of the knees.
Teucrium mar. 3x (tds)	: Legs go to sleep with tingling when sitting.

- Thuja occ.** 200 (od) : Legs feel heavy as if made of wood or glass.
- Vipera** (tds) : Patient likes to keep legs elevated. Hanging down of legs cause aggravation in pain and gives a feeling as if they would burst.
- Zincum met.** (tds) : Lameness, weakness, trembling and twitching of legs. Cannot keep them still.
- Zincum val.** (tds) : Must move about. Cannot keep the legs still.

LEUCODERMA (VITILIGO)

- Arsenicum sulph. flav.** (tds) : This remedy maybe given in 3x potency thrice daily. When the improvement is retarded, give 30 potency and if it fails to cure completely, give 200 potency weekly.
- Borax** (tds) : White skin with red patches.
- Hydrocotyle Q** (tds) : 5 drops, thrice daily if Arsenicum sulph. flav. fails to cure.
- Nitricum acidum** (tds) : Discolored zigzag patches on the skin. The base looks like raw flesh.
- Psoralea cor.** 3x (tds) : It is an excellent remedy for leucoderma.
5 drops in ½ cup of water : It is used externally in the form of an oil. After application of the oil, exposure to sun rays must be avoided.
- Psorinum** 20 (hs) : It maybe required at some stage of the disease
Repeat after a week : Hair on eyebrows and even eyelashes may become grey. A dose of this remedy given every week can restore the original color of the hair affected by the disease.
- Tuberculinum** 200 (hs) : A dose should be given at the start of the treat-
Repeat after a month : ment. It should be repeated every month.
- Vanadium** (tds) : Irregular milk white patches on the skin with hypotension and weight loss.

NOTE 1: Avoid milk products and citrus fruits.

NOTE 2: Low levels of stomach acid (HCl) are believed to be the cause of this problem.

LEUCORRHEA


- Abroma aug.** (tds) : Leucorrhea in diabetic ladies. Thick, whitish discharge. Dysmenorrhea.
- Acidum fluor.** (tds) : Acrid and profuse discharge.
- Acidum phos.** Q (bd)
10 drops in ½ cup of water : Leucorrhea in nursing women, who nurse the child longer than a year. Discharge is yellow with itching of the parts.
- Aesculus hip.** 3x (tds) : Chronic cases. Discharge dark yellow, thick and sticky. Pain in hips and back.
- Agaricus mus.** (tds) : Discharge profuse, dark and bloody.
- Agnus castus** (tds) : Discharge stains the underwear yellow or is transparent.
- Alumina** (tds) : Discharge transparent, profuse, ropy and acid; and it runs down to the legs and feet. Burning leucorrhea worse during day time.
- Ambra grisea** (tds) : Profuse bluish leucorrhea worse at night. Best suited to ladies around menopause.
- Aristolochia clem.** 6x (tds) : Leucorrhea of all kinds.
- Arsenicum alb.** (tds) : Leucorrhea acrid, burning, offensive and thin.
- Borax** (tds) : Leucorrhea like white of an egg with sensation as if warm water was flowing. Leucorrhea and backache. Sensation as if the spine is broken and tied together.
- Calcarea carb.** (tds) : Milky discharge. Leucorrhea in children.
- Calcarea phos.** (tds) : Leucorrhea like the white of an egg, worse in the morning. Menses every two weeks and prolonged for a week or more. Backache.
- Carbolicum acidum** (tds) : Offensive leucorrhea in children.
- Chelidonium** (tds) : White leucorrhea that leaves yellow stains on clothes.
- China off.** (tds) : Leucorrhea before menses, fetid or bloody.
- Eupionum** (tds) : Gushing discharge.
- Graphites** (bd) : Constipated patients. Discharge white causing irritation and itching of the parts.

-
- | | |
|--|--|
| Hydrastis (tds) | : Leucorrhea worse after menses, acrid, corroding and tenacious. Discharge thick and yellow. |
| Iodium (tds) | : Chronic leucorrhea which is abundant and also corrosive - as to eat holes in the underwear. |
| Kreosotum (tds) | : Yellow, acrid leucorrhea smelling like green corn and worse between the periods. |
| Mercurius sol. (tds) | : Discharge burning and itching, worse at night. Discharge greenish and bloody. Better by washing with cold water. |
| Natrium mur. (tds) | : Leucorrhea acrid and watery with constipation. |
| Ova tosta 3x (tds) | : Leucorrhea and backache. Sensation that the spine were broken and tied together. |
| Phosphorus (bd) | : Discharge profuse, smarting and corrosive. Leucorrhea instead of menses. |
| Pulsatilla nig. (tds) | : Leucorrhea acrid, burning and creamy. Also in children. |
| Saraca indica Q (bd)
10 drops in ½ cup of water | : Leucorrhea of small girls who become weak and emaciated inspite of good food and regular nourishment. |
| Sepia (tds) | : Leucorrhea yellow, greenish with much itching. |
| Sulphur (od) | : Burning and excoriating leucorrhea with burning of the vagina and itching of the pudenda. |
| Syphilinum 200 (hs)
(Lueticum)
Repeat after 15 days | : Leucorrhea profuse, thin, watery, acrid with sharp knife-like pains in ovaries. The discharge is so profuse that it runs down to the feet. Very useful for those having a history of syphilis in the family. |
| Thlaspi bursa Q (bd)
10 drops in ½ cup of water | : Leucorrhea before and after menses, bloody, dark, offensive and stains the underwear. Stains do not go on washing. |
| Thuja occ. (tds) | : Thick, greenish, profuse leucorrhea with a very sensitive vagina. |

LEUKEMIA

- Antipyrinum 2x (od)** : Hodgkin's disease. Increase in number of immature white blood cells in blood stream.
- Arsenicum iod. (tds)** : All discharges are corrosive and acidic, and mostly watery and fetid.
- Arsenicum hydr. 6 (tds)** : Dr. Raymond Warell, a leukemia specialist at Memorial Sloan -Kettering Cancer Centre, New York (USA) found low doses of Arsenicum extremely effective in treatment of this disease without any side effects. The characteristic symptoms include restlessness in the afternoon and midnight, debility, shortness of breath, weak heart action and palelessness of the face. Gradual loss of weight. Swollen sensation in parts. General blood disorganization.
- Baryta mur. 3x (tds)** : Vertigo, increased tension of pulse and high systolic pressure with comparatively low diastolic pressure. Cardiac symptoms are usually present.
- Benzinum 6 (tds)** : Increased production of white blood cells and decreased production of RBC's.
- Calcarea carb. (tds)** : Sweating of head. Swelling of cervical and inguinal glands. Remittent fever.
- Calcarea fluor. 12x (tds)** : Blood cancer of new born infants.
- Calcarea phos. (tds)** : Mostly indicated in children who are peevish, fretful, lean and feel better in summers.
- Ceanothus Q (tds)** : Splenomegaly, pain in the spleen and violent dyspnea are guiding symptoms. 5 drops a dose, three times a day.
- China off. (tds)** : Dislike for mental or physical exertion. Swollen and hard liver. Enlarged spleen with pain. Skin is hot and dry. Fever is marked with periodicity and chill.
- Chininum sulph. (tds)** : A rapid decrease in red blood cells and hemoglobin with a tendency to polynucleate and irregular white cells.

Circulatory system*



Platelets
(Thrombocytes)






Red blood cells
(Erythrocytes)



White blood cells
(Leukocytes)

*Cells not shown in actual proportion to one another.





- Ferrum pic.** 3x (tds) : Useful for symptoms like leukemia i.e. pseudoleukemia.
- Mercurius sol.** 200 (od),
Calcarea carb. 200 (od) : Its use decreases the high count of white blood corpuscles.
- Natrium sulph.** 6x (tds) : Desires ice or ice cold water. Splenic and lymphatic leukemia. Pale face. Piercing pain in extremities. Suits severe cases of the disease.
- Psorinum** (bd) : Phagocytes are defective. Patient is chilly, weak and very hungry always.
- Radium brom.** (tds) : This remedy may prove useful when there is a marked increase in the white blood cells having more than one nucleus.
- Thiosinaminum** (tds) : It is a remedy for wasting of spinal marrow and should prove useful in this disease.
- Vanadium 6** (tds) : It is a carrier of oxygen. Increases the amount of hemoglobin and stimulates the function of white blood corpuscles (phagocytes).

NOTE 1 : Treatment of this disease homeopathically requires more extensive research. Dr. Raymond Warell, a leukemia specialist at Memorial Sloan Kettering Cancer Centre, New York (USA), found low doses of **Arsenicum** extremely effective in the treatment of leukemia without any side effects.


NOTE 2 : In serious cases, a change of bone marrow is suggested. The procedure involves replacing the affected person's diseased bone marrow with healthy marrow from a compatible donor. Extracting healthy marrow involves making tiny incisions in the hip area which can leave the donor in a minor discomfort for a short time.

LIARS

- Conium mac.** 200 (hs) : A person is accustomed to tell lies by a habit though it may or may not benefit him. A dose or two will bring him on the right path.
- Sodium pentohal.** : It is called truth serum as its use makes a person speak the truth.

LICE

Life cycle of the head louse



- Lycopodium** 200 (hs)
Repeat after a week : It is a near specific remedy for the lice on the skin. 1 dose a week.
- Psorinum** 200 (hs)
Repeat after a week : For lice on hair of head, 1 dose a week.
- Staphysagria** (tds) : Lice on pubic hair.

NOTE: Lice can also be picked by hand in strong light. A magnifying glass can be used if needed. Lice thus picked should be destroyed by burning. The entire head should be checked. A person suffering from this disease should not share his comb, head gear or clothes with a healthy person. His clothes should be washed separately with hot water and detergent powder.

An external lotion prepared with 50 drops of Camphora MT in 30 ml mustard oil kills 90% of the lice with one application. The lotion should be applied on the hair rubbing gently. The hair should be combed about 10 minutes after placing a cloth beneath and watch dead or half dead lice and nits (eggs) falling on it. These should be destroyed by burning. This lotion should not be allowed to fall into the eyes. Then wash with soap and water after 30 minutes. Another application, if needed, should be done after a week.

LIGHT (PHOTOPHOBIA)

- | | |
|-----------------------------|--|
| Belladonna (tds) | : General photophobia. Likes to wear sun glasses always. Aversion to light in eye troubles. |
| Calcarea carb. (tds) | : Sensitive to light which causes lachrymation. Sunlight cannot be tolerated. |
| Crotalus hor. (tds) | : Very sensitive to light, specially lamp light. |
| Elaps cor. (tds) | : Aversion to light. Letters run together when reading. |
| Graphites (bd) | : Intolerance of artificial light like that of electricity, lamps and candles. |
| Mercurius sol. (tds) | : The light of the fire is intolerable. It dazzles the eyes. Also dislike for day light. Foundry light is not tolerated. |
| Nux vomica (tds) | : Photophobia worse in the morning. Must blink eyes several times to become accustomed to light. |
| Rhus tox. (tds) | : General dread of light. Eyes cannot be opened for sometimes in light. |
| Silicea (tds) | : Aversion to light, specially day light. It produces dazzling. |

LIMPING

- Arnica mont.** (tds) : When the limping is due to an injury or bruise.
- Calcarea carb.** (od) : If lameness and limping remain after reunion of bones after a fracture, this remedy will cure it. It also cures stiffness which is very usual even after several months of the union of fracture.
- Sulphur** (od) : If limping is due to weakness of the legs.

LINGUAL DELIRIUM

- Ailanthus g.** (tds) : Semiconscious. Delirious muttering and speaking unintelligently while asleep.
- Kalium phos.** (qid) : Semiconscious walking in sleep.

LIPS


- Aloe soc.** (tds) : Marked redness of the lips. Lips cracked.
- Ammonium carb.** (tds) : Middle of the lower lip parched.
- Apis mel.** (tds) : Lips swollen, specially the lower.
- Arsenicum alb.** (tds) : Ulceration of the lips. Burning is relieved by taking tea or other hot drinks. Tumor of the lips. Accumulation of dry skin debris on the lips. Cancer of lips.
- Arum triph.** (tds) : Constant picking of the lips until they bleed.
- Bryonia alba** (tds) : Lips dry and parched with excessive thirst of large quantities of water. Burning in the lower lip of old smokers.
- Capsicum** (tds) : Eczema of the lips. Give 30c orally and a drop of the mother tincture on the affected part.
- Cannabis ind.** (tds),
Helonias (tds) : Lips stick together.

Conium mac. 1M (hs), Hydrastis Q (bd) 10 drops in ½ cup of water	: Cancer of the lips, very important remedies in cancer.
Cundurango Q (bd)	: Painful cracks, cancer of the lips.
Hepar sulphuris (tds)	: Middle of the lower lip cracked.
Magnesium mur. (tds)	: Blisters on the lips.
Mancinella (tds)	: Hanging down of the lower lip.
Mercurius sol. (tds)	: Inflammation of the lips.
Natrium carb. (tds), Sepia (tds)	: Swelling of the upper lip.
Natrium mur. (tds)	: Deep crack in the middle of the lower lip. Lips and corners of the mouth dry, ulcerated and cracked. Blisters on the lips.
Nux mosch. (tds)	: Extreme dryness of the lips and tongue with no desire for water.
Petroleum (tds)	: Painful cracks at the corners of the mouth.
Pulsatilla nig. (tds)	: Frequent licking of lips.
Silicea (tds)	: Cracks in the skin of the lips, worse washing.
Sulphur (od)	: Lips dry and burning. Bright red.
Tarentula cub. (tds)	: Swelling of the lower lip and dryness.
NOTE: Rashes on the lips may indicate typhoid fever, meningitis or pneumonia. Chancre and mucus patches indicate secondary syphilis.	

LIVER

ENLARGEMENT

Aceticum acidum (tds)	: Enlargement of liver and spleen with emaciation.
Antimonium tart. (tds)	: Enlargement of liver with respiratory troubles.
Bryonia (bd), Hepar sulphuris (bd)	: Hepatitis. Burning pain, stitches in the region of liver, which are worse on pressure, coughing and breathing.

Anatomy

- Calcarea ars.** 200 (od) : Enlargement of the liver in infants.
- China off.** (tds) : Hard and large liver. White stools.
- Chionanthus Q** (tds) : Enlargement with soreness of liver and yellow urine. Pain in the liver and back.
10 drops in $\frac{1}{2}$ cup of water
- Cholesterinum** 3x (tds) : Obstinate distention and congestion of the liver. Burning pain in the right side of the hip. On walking, holds the hand on it as it hurts. Cirrhosis of liver.
- Lachesis** (bd) : Hepatitis of alcoholics. Enlarged abdomen. Cannot bear anything around the waist.
- Mercurius sol.** (tds) : Constipation. No appetite. Depression or deficient bile secretion. Cirrhosis of liver. Hepatitis. Liver is sore to touch.
- Natrium sulph.** 6 (tds) : Chronic enlargement of the liver. Soreness and tenderness in the region of the liver. Urine is yellow, foaming and scanty.
- Phosphorus** (od) : Enlargement in anemic people.
- Podophyllum** (tds) : Diarrhea due to liver troubles.

INFLAMMATION

- Chelidonium** 6 (tds) : Removes enlargement, inflammation, etc. of the liver. A long use is required. 3-4 doses a day. Jaundice due to hepatic troubles.
- Natrium mur.** (tds) : Liver region is sore with gastric troubles.
- Phosphorus** (bd) : Inflammation of liver in anemic subjects. Enlargement.
- Vipera** (tds) : Enlargement of liver with severe pain, jaundice and fever. Pain extends to hips and shoulders.

DROPSY

- Argentum nit.** (tds) : Dropsy in first stage when the emaciation and marasmus starts on account of the liver trouble.
- Carduus mar.** Q (bd) : Chronic cases of liver trouble with dropsy.
5-10 drops in ½ cup of water
- Lycopodium** (tds) : Hardness of liver with dropsy. Inherited liver affections.
- Nasturtium** 200 (hs)
Repeat after a week : Cirrhosis of liver and dropsy. It is generally caused by alcohol abuse or chronic hepatitis and some other diseases.

CONSTIPATION

- Boldo fragrans** (tds) : Bitter taste. No appetite. Constipation. Burning in the liver region.
- Chionanthus** Q (tds) : 5 drops in water thrice daily for constipation and other conditions of the liver.
5 drops in ½ cup of water
- Magnesium mur.** (tds) : Patient has no desire for stools for days together with liver problems.
- Nasturtium** (od) : Dropsy of liver with degenerative changes in its cell and their resistance to flow of blood through the liver.

SWELLING

- Aceticum acidum** (tds) : Swelling of feet and legs with emaciation.
- Ptelea tri.** (tds) : Swelling of feet and legs. Strenuous breathing.

HEADACHE

Myrica c. (tds) : Headache worse in the morning. Color of skin, eyes, tongue and urine is yellow due to some liver trouble.

FEVER

Ferrum ars. 6 (tds) : Fever due to enlargement and inflammation of the liver is cured by this remedy.

EMACIATION

Aceticum acidum (tds) : Emaciation produced due to liver defects. Unquenchable thirst and diarrhea. Enlargement of liver and spleen.

LIVER ABSCESS

Hepar sulphuris (tds) : This is given in liver abscess and suppurative conditions of the liver.

Ptelea tri. (tds) : Aching and heaviness in the liver region which is greatly aggravated by lying on the left side.

NOTE 1: Liver is a major organ for detoxification and fat metabolism.

NOTE 2: Hepatitis virus, chemicals in drugs and alcohol can cause liver cells to die and be replaced with scar tissue called cirrhosis which can cause liver to shut down without a warning. Cirrhosis also results in loss of functioning of liver cells and increased resistance to flow of blood through the liver.

NOTE 3: Hepatitis is caused by a virus which spreads by contact with the infected blood received in blood transfusions or organ transplant. In the early stages, the only symptom is fatigue. Late stage symptoms include digestive problems, joint pain and kidney disease.

LIVER SPOTS

There maybe light yellow to black spots on the skin. These maybe due to indigestion, or due to syphilis or cancer and in pregnancy and some other uterine conditions. These conditions must be found out and cured. Liver spots will disappear automatically.

Liver spots of pregnancy disappears after the birth of a baby. The following medicines are usually indicated:

- Curare** (tds) : Spots of yellow-brown color.
- Lycopodium** (tds) : Spots on face, specially on the abdomen.
- Mezereum** (tds) : This is indicated when the color of the spots is dark brown, blue or black. Spots maybe on chest and arms.
- Natrium hyposulph. Q** (tds): Use for liver spots - locally and internally.
5 drops in ½ cup of water
- Plumbum met.** (tds) : Liver spots during the period of menopause.
They disappear after menopause.

LOCHIA

Discharges from the vagina consist of mucus, blood and tissue debris following child birth.


- Cimicifuga** (tds) : Suppression of lochia due to anxiety or emotional disturbances.
- Crocus sativus** (tds) : If the quantity of the discharge is profuse and is continued too long.
- Kreosotum** (tds) : Acrid, offensive and intermittent lochia.
- Pulsatilla nig.** (tds) : Sudden suppression of the lochia.

LUMBAGO (PAIN ACROSS THE LOINS)

- Aconitum nap.** (tds) : Lumbago after exposure to draught. Pain sharp as if sprained.
- Aesculus hip.** 3x (tds) : Very difficult to rise from a sitting position.
Dull pain in the back and hemorrhoids.
Backache during pregnancy.
- Antimonium tart.** (tds) : Backache from fatigue worse while sitting.
Sensation of weight on coccyx. Slightest effort to move cause retching.
- Arnica mont.** (tds) : Lumbago from an injury.

- Bryonia alba** (tds) : Pain excited by every motion. Muscles sensitive to touch.
- Calcarea fluor.** (tds) : If Rhus tox. fails, try this remedy. Chronic lumbago worse on beginning to move and better on continuous motion.
- Cimicifuga** (tds) : Muscular pain with restlessness.
- Ginseng Q** (bd) : When no other remedy is well indicated use this remedy. Stiffness and sensation of contraction in the back.
5-10 drops in $\frac{1}{2}$ cup of water
- Gnaphalium Q** (bd) : Chronic lumbago. Backache worse from movements. Sensation of stiffness and contraction in the back. Pressure cannot be tolerated. Pain worse from 6 p.m. to 4 a.m. and in cold weather.
5-10 drops in $\frac{1}{2}$ cup of water
- Phytolacca dec.** (tds) : Pain in the lumbar and sacral region. Worse in the morning and in damp weather.
- Rhus tox.** (tds) : Bruised or burning pains. Stiffness of the back. Lumbago from exposure and of long standing.

LUNGS



-
- Antimonium ars.** (tds) : Useful in the destruction of the passages of the lungs causing breathing difficulties.
- Antimonium tart.** (tds) : Rapid, short, difficult breathing, seems as if he would suffocate. Better by lying on the right side. Emphysema of the aged.
- Apocynum can.** 1x (tds) : Congestion of lungs in dropsy. Gasping respiration. Water is swallowed the wrong way through the wind pipe in the lungs which is a very dangerous condition.
- Arsenicum alb.** (tds) : Breathing is oppressed and respiration is wheezing on account of lung troubles.
- Aspidosperma Q** : ‘The tonic of lungs’. Removes temporary obstruction to the oxidation of blood by stimulating respiratory centres increasing oxidation and excretion of carboic acid. Thrombosis of the pulmonary artery. 5 drops a dose every 2 hours till required. A great lung tonic.
- Bryonia alba** (tds) : Pulmonary fibrosis and cysts in the lungs. Pressure behind the sternum and right shoulder. Cramping pain in the axilla and chest worse movement.
- Calcarea hypophos.** 3x (tds): Bleeding from lungs.
- Coca Q** (bd) : Emphysema. Want of breath, short breath.
2-5 drops in ½ cup of water
- Elaps cor.** (tds) : Hemorrhage from the lungs. The blood is like black ink. Expectoration of black blood on coughing with terrible stitching pain in the lungs.
- Hydrocyanicum acidum** (tds): Paralysis of lungs. Venously congested lungs.
- Quebracho Q** (bd) : Emphysema. Want of breath during exercise.
5-10 drops in ½ cup of water
- Senega** (tds) : Chronic emphysema. Portion of lungs is destroyed. Old asthmatics with congestive attacks.
- Spongia** (tds) : Idiopathic pulmonary fibrosis and cysts in the lungs. The patient is nervous. He has rapid

palpitation with dyspnea. Get up suddenly after midnight with pain and suffocation. Profuse expectoration and wheezing. Cough rises deep from the lungs.

Tribulus ter. Q (qid) : This remedy is given in lung cancer. 10 drops
10 drops in ½ cup of water a dose, four times a day.

NOTE: In pulmonary fibrosis, scar tissue forms in the lungs. The scarring damages the alveoli where exchange of oxygen and carbon dioxide takes place in the lungs. It is neither a cancer nor is it contagious. One of the causes is inhaling of fine metal or other solid particles. When the cause is not known, it is called idiopathic pulmonary fibrosis. Dry cough and shortness of breath are the first visible signs. It is confirmed by X-rays or CT scan or biopsy. Conventional treatment consists of administration of corticosteroids and in homeopathy the inflammation is reduced by the above remedies selected according to the symptoms.

LUPUS

(ULCERATING SKIN DISEASE)

Structure : This is a form of epithelial cancer and is also called “eating cancer”.

Symptoms : It first appears on the nose as a hard, dusky red sore and spreads in an ulcerative form destroying the tissues till the bones are exposed. This affects women 10 times more than men. It usually appears in women between the age of 20 - 40 years, although it can occur at any age. Nausea, vomiting and abdominal pain may accompany. It is an ulcerative skin disease and requires a long time treatment. Sensitivity to sun light is usually present.

Causes : Lupus is caused by disruption of body waste disposal system from failure of special enzyme “D Nasil” which fails to remove wastes from the body.

Diagnostic tests : The disease is easily noticeable as it is outside the body on the skin and biopsy is performed to confirm it.

Surgery : If possible, the affected portion of the body is cut out.

HOMEOPATHIC TREATMENT

- Alumina** (tds) : Pale face. Blue lips with lupus on the nose.
- Apis mel.** (tds) : Lupus with characteristic effect like stings of the bees with rosy swelling, stinging pains, intolerance of heat and aggravation on slightest touch.
- Aurum mur.** 3x (tds) : If the bones of the nose seem to be involved and there is very offensive discharge from the nose.
- Bacillinum** 200 (hs)
Repeat after 1 week : The treatment should be started with this remedy and the indicated remedy should be given after seven days.
- Cistus can.** (tds) : Lupus with hard and indurated glands. Skin hard, dry, fissured with deep cracks. Itching all over. Can be used locally in tincture, 5 drops in one ounce of water to wash and arrest the fetid discharge.
- Graphites** 200c (hs)
Repeat after 4 days : Lupus of nose when there is obstruction of the nares, cracked skin and every injury tends to ulceration. A dose every four days.
- Guarea t.** Q (bd)
5-10 drops in ½ cup of water : Lupus with red, yellow or brown pigmentation of the skin. Yellow spot on the temple.
- Hydrastis** Q : Lupus. Ulceration of the skin with thick, yellowish, ropy secretion. It should be applied locally mixed with glycerine in the ratio 1: 3.
- Hydrocotyle** Q : Dry eruptions with great thickening of the epidermoid layer and exfoliation of scales. Lupus without ulceration. There is profuse perspiration. A dose of 10 drops every three hours arrests the disease in a short time.
- Kalium bich.** (tds) : Papular or vesicular eruptions resembling smallpox with itching and burning.
- Radium brom.** (tds) : Inflammation and swelling of the skin with

ulceration and redness. Burning of skin with itching. A good remedy under these circumstances for lupus.

Scrophularia (Q) (bd) : A valuable remedy in cases of lupus ulceration. It can also be painted on the affected parts.
5 drops in ½ cup of water

Staphysagria 6x (tds) : This is a useful remedy in lupus where there are ulcers inside or outside the nose with bruised pain in the arm and legs.

Thuja occ. 1000 (hs) : Treatment maybe started with this remedy. Next indicated remedy can be given after 24 hours of its use. In some cases, use of this remedy alone in 30c potency for a very long period may cure the disease.

NOTE 1: In 1851, the French dermatologist Cazenave employed the Latin term ‘Lupus’ (meaning wolf) to describe the skin rash that spread over the bridge of the nose and cheeks in a characteristic butterfly shape. Why he named it so, is unclear. The disease affects women 8 to 10 times more than men. It usually appears in women between the ages of 20-40 years, although it can occur at any age. Nausea, vomiting and abdominal pain may accompany. It is an ulcerating skin disease and requires a very long treatment. Illness is more common in women.

NOTE 2: A study published in June 2000 issue of the journal “Nature Genetics” New York by scientists - Mark Walpart of London, Essen of Germany and other researchers shows that lupus is caused by disruption of body's waste disposal system from failure of special enzyme “D Nasel”, which fails to remove wastes from the body.

MANIA **(SEE ‘INSANITY’)**

MARASMUS

Marasmus is general weight loss or wasting, especially in young children, primarily due to prolonged dietary deficiency of protein and calories.

-
- Abrotanum** (tds) : General marasmus. Legs mostly wasted from below upwards. Appetite is good. Ill-effects of suppressed diseases.
- Arsenicum alb.** (tds) : Emaciation due to fever.
- Aurum mur.** (tds) : Emaciation after syphilis.
- Baryta carb.** (tds) : Child is weak and sluggish with tonsillitis. Abdomen is large.
- Calcarea carb.** (tds) : Emaciation of skin with large abdomen. Skin is folded. Bones do not grow rapidly and normally.
- Calcarea phos.** 6X (qid) : A good tonic during the disease. Skin is dry, wrinkled and withered. Can be given in alternation with the indicated remedy. Child's face is wrinkled. Sweating of head and hands while sleeping.
- Causticum** (tds) : Emaciation due to long standing worries as due to a disease.
- Ferrum phos.** 6x (qid),
Calcarea phos. 6x (qid),
Natrium mur. 6x (qid) : Two tablets of each and all the three mixed one dose should be given early in the morning along with other indicated remedy at an interval of three hours.
- Hydrastis** (tds) : Emaciation after measles.
- Iodium** 200 (hs)
 Repeat after 1 week : Rapid emaciation despite a good appetite. Eats well and still emaciates. Glandular atrophy. Wants cool surroundings. Fear of people. It maybe noted that this remedy in lower potencies reduces weight and in higher potencies, 200-1000 increases weight. There is extreme hunger and the child eats well and more, yet he emaciates rapidly. The skin appears yellow and there is a trouble with the thyroid gland.
- Natrium mur.** 200 (hs)
 Repeat every 3rd day : Chilliness with a pale complexion and constipation. Emaciation starts from above-neck or upper limb and spreads downwards.
- Pepsinum,**
Natrium phos. (tds) : Marasmus of children who are fed on artificial food.

- Phosphorus** (bd) : Emaciation after menstrual disorders.
- Picricum acidum** (tds) : Emaciation though the appetite is good.
- Plumbum met.** (tds) : Emaciation due to anemia.
- Syphilinum** 1M (hs) : A dose can be given after Tuberculinum. It follows it advantageously but it should be given only if there is a history of syphilis in the family. Extreme emaciation of the skin.
- Tuberculinum** 1M (hs) : Treatment should be started with this remedy and no other remedy should be given for the next 24 hours.

MASTURBATION

- Bellis per.** (tds) : Ill-effects from masturbation are remedied by use of this medicine.
- Caladium seg.** (tds) : Women have excessive sexual desire. May also be due to pruritus of vulva and vagina. Desire more during pregnancy. If they cannot get a partner, they masturbate.
- Cina** (bd) : Weak eyesight as an effect of masturbation.
- Conium mac.** (tds) : A man who is unable to penetrate the women due to deficient erections of the penis, masturbates to satisfy his lust. This remedy improves his sexual powers and thus eradicates this habit.
- Gratiola off.** (tds) : It is a specific for removing the bad habit of masturbation in ladies.
- Nux vomica** (od) : Diarrhea after masturbation.
- Origanum maj.** 3x (tds) : Women who have unexplained nervous disorders. Irritation in the sexual system causes irresistible desire for sexual intercourse and when it cannot be had from some reason, they masturbate. These lascivious impulses are cured by this remedy.
- Platinum met.** (tds) : Sexual excitement, both physical and mental in young boys. It is useful to subdue the

excitement and helps boys to stop masturbation. Such boys are inclined to sodomy i.e., anal sex with other boys due to excessive sexual excitement. This remedy is useful in such cases.

- Staphysagria** (tds) : Masturbation in children of both sexes for the sake of thrill only. This remedy cures this habit and its bad effects.

MEASLES

It is an acute disease, characterized by a catarrhal inflammation of the respiratory mucous membranes with fever and a generalized eruption of a dusky red color on the skin.

- Aconitum nap.** (tds) : In the beginning, on appearance of the catarrhal symptoms, the patient demands water at night though he has seldom done so in the past. He is chilly and restless.
- Belladonna** (tds) : If Aconitum nap. in four doses does not help and there is sore throat, headache, cough and swollen face, give this remedy.
- Bryonia alba** (tds) : It is a very useful remedy when the patient is quite and does not want to be disturbed.
- Camphora** 1x : If the eruptions do not appear or are deficient in appearance, give 2 or 3 drops a dose on a lump of sugar till the reaction sets in.
- Cuprum acet.** (tds) : When there are convulsions during the disease.
- Hydrastis** (tds) : For weakness remaining after measles.
- Kalium bich.** (tds) : Measles complicated with respiratory troubles.
- Mercurius sol.** (tds),
Silicea (tds) : If after the fever, cough remains - use either of these remedies according to indications.
- Morbillinum** 200 (od)
For 3 days : It should be given at the commencement of the disease. Dose, one dose daily for three days to those children who are still safe. It will prevent the disease from attacking them.

- Natrium mur.** (tds) : Blisters remaining in the mouth after measles are cured by this remedy.
- Pulsatilla nig.** : Pulsatilla nig. 1M - one dose every night for three days acts as a prophylactic in this disease. When the disease has taken hold and there is much digestive catarrh and diarrhea, and the patient does not want to be covered despite the fever, give this remedy in 30 potency, thrice daily.
- Rhus tox.** (tds) : Soreness all over the body. Restlessness and pains.
- Stramonium** 6c : Ill-effects resulting from suppression of eruptions like measles, etc. are removed by the use of this remedy.

GERMAN MEASLES (RUBELLA)

It is an acute infectious disease resembling both scarlet fever and measles, but different from both. It spreads through mouth, nose and eye secretions, causing mild illnesses in children but can be potentially dangerous for pregnant women, causing abortion, congenital abnormalities in the fetus or killing the unborn child. Treatment is symptomatic.

MEMORY

- Aconitum nap.** (tds) : Does not remember dates and recent events. Forgets the phone number just when he starts to dial although he had seen the number just now in the directory.
- Aethusa cyn.** (tds) : No interest in remembering things.
- Agaricus mus.** (tds) : Suited to children who forget their lessons. Stupid children.
- Agnus castus** (tds),
Acidum phos. (tds),
Staphysagria (tds) : Loss of memory due to sexual excesses and masturbation. Take other symptoms of the remedy into account.
- Ailanthus g.** (tds) : Forgets what was spoken a little while ago.

-
- Ambra grisea** (tds) : An old man or a man who has grown old before time cannot remember simplest words to express himself. Changes irrelevantly from one subject to another. Forgets simple words like bread and butter.
- Anacardium ori.** (tds) : Loss or weak memory after small-pox, chickenpox. Remembers a thing now and a moment after forgets it. Irresistible desire to curse. The patient is depressed and irritable.
- Argentum nit.** (tds) : The patient is absent minded and has a poor memory.
- Aurum met.** (tds) : Absent mindedness. The patient is apathetic and listless.
- Baryta carb.** (tds) : Absent mindedness in old people. Age has impaired all the functions including memory.
- Camphora** (tds) : Loss of memory after hysterical attacks.
- Cannabis ind.** (tds) : Very forgetful. Starts to speak and forgets what he was to say. Forgets where he placed his glasses five minutes ago.
- Cocculus ind.** (tds) : Mind distracted. Easily worried.
- Conium mac.** (tds) : Absent mindedness, debility and hypochondria. Poor memory, accompanied by disorders of the urinary tract and sexual weakness.
- Digitalis** (tds) : Thinking difficult. Forgets everything.
- Glonoinum** (tds) : He forgets the name of his own street and the number or location of his own house where he has been staying for a long time. Gets lost in familiar surroundings.
- Kalium brom.** (tds) : Absent mindedness. Impaired co-ordination. Numbness and tingling in the limbs.
- Lac can.** (tds) : Makes purchases and goes home without picking them up. Goes to post a letter and comes back with the letter in his pocket. Cannot concentrate on studies or anything.
- Lycopodium** (tds) : Weakness of memory after an attack of influenza. Uses wrong words and cannot express himself properly. Commits mistakes in

- spelling, in writing and is averse to do any mental work. Suitable for old persons. Lycopodium contains hyperzine which slows down breakdown of acetylcholine, the brain chemical vital for maintaining memory.
- Mancinella** (tds) : Wandering thoughts. Sudden vanishing of thoughts.
- Mercurius sol.** (tds) : Absent mindedness with loss of will power and weak memory.
- Rhododendron ch.** (tds) : Sudden disappearance of thoughts. Omits words while writing.
- Rhus tox.** (tds) : Incapable of a continuous thoughts. Writes incorrect figures. If he has to write 31, he writes only 3 or 1.
- Scutellaria lat.** (tds) : Loss of memory or weakness of memory in nervous persons.
- Stramonium** (tds) : Uses incorrect words in talks or speech because he has no memory of the correct words.
- Sulphur** (od) : Does not remember names and words.
- Thyreoidinum 3x** (tds) : Improves memory of patients with thyroid trouble.
- Vanadium** (tds) : It helps to increase memory.
- Zincum phos.** (tds) : Weakness of memory due to mental weakness. Cannot keep his legs still.

MENINGITIS

It is an inflammation of the membranes covering the brain or spinal cord.

- Aconitum nap.** (tds) : It is the first remedy to be thought of in this disease. Nocturnal furious delirium. Fullness of head. Heavy, pulsating, hot, bursting and pressure in the head. Sensation as if the brain were moved by boiling water.
- Anacardium ori.** (tds) : Brain confused and there is a total loss of memory.

- Apis mel.** (tds) : It is very useful in spinal and brain meningitis. Heat, throbbing distensive pains better by pressure and worse by motion.
- Belladonna** (tds) : There is high fever. Face is red and hot but lower extremities are cold. Violent delirium is usually present.
- Cicuta vir.** (tds) : When there are convulsions.
- Cuprum met.** (tds) : It is useful when there are convulsions resembling epilepsy.
- Glonoinum** (tds) : It is used when there are pulsations in the temples, fever and vomiting.
- Natrium sulph.** (tds) : It is a very good remedy for spinal meningitis specially if the patient is living in a damp house or a basement. The patient dislikes speaking or to be spoken to. Any sound, even ringing of a telephone is unbearable.
- Zincum met.** (tds) : Useful in children suffering from this disease. Child is awakened by fear. Rolls his head and cries in his sleep.

NOTE: Meningitis is an infection of the fluid and membranes covering the brain and the spinal cord. It can be caused by bacteria, viruses or fungus. Although homeopaths treat diseases taking into account the symptoms alone but sometimes other facts become important for easy treatment. The symptoms of this disease are very similar regardless of the cause i.e., fever, drowsiness or confusion, severe headache, stiff neck, bright light hurting the eyes, nausea and vomiting. In children, symptoms maybe more difficult to identify i.e., fever, irritability specially when handled, difficulty in awakening, difficult feeding, vomiting, stiff neck and a soft spot on the top of the skull.

MENIERE'S DISEASE

It is a recurrent and usually progressive group of symptoms including progressive deafness, ringing in the ears, dizziness, vertigo and a sensation of fullness or pressure in the ears. A remedy may be selected from the following depending upon the totality of symptoms.

Carboneum sulph., Chenopodium, Chininum sal., Natrium salicylicum, Pilocarpus salicylicum, Salicylicum acid, Silicea.

MENOPAUSE (CHANGE OF LIFE)

In women, it occurs between 35-55 years of life. Menses may stop suddenly or there maybe decreased flow each month until there is a final cessation or the periods maybe lengthened until complete cessation is accomplished. Surgical menopause occurs in almost 50% of women aged 50-64 years. It is surgically induced by removal of ovaries irrespective of age, characterizing end of child bearing years. In men, it is called “andropause” (instead of menopause) and generally occurs between the age of 50-60 years when some changes in his behavior maybe noticed. When the menstruation of a woman halts, the estrogen level begins to drop.

The decrease in production of “estrogen” results in thinning of vagina and loss of elasticity of mucous membranes of vulva, vagina and other tissues like that of breasts. It also causes dryness of vagina and its itching, and sometimes discomfort or pain during sexual intercourse. For the same reason, the urinary stream maybe slowed down, there maybe difficulty in urination, increase in urination both during the day and night and voiding of urine on coughing or sneezing or urine may escape if the urge to it is not attended to immediately. Fatigue, insomnia, headache, irritability, depression, loss of memory and concentration are series of conditions associated with climacteric. All these symptoms have been dealt with under the appropriate heads and maybe consulted in case of need. One more condition that occurs in the post-menopausal period over the age of 50 is called ‘osteoporosis’. Research has shown that almost 25% women in this period suffer from this disease. In this disease, amount of bone being produced by the body falls short of the amount that is naturally lost over time and excessive calcification of bones occurs causing spontaneous fractures and a marble-like appearance. For this also refer to the chapter on bones and fractures. **Calcareo phos.** and **Symphytum off.** (tincture) will be found useful. Weight bearing exercises, calcium supplements and soyabean foods are helpful during this difficult period of change of life. During this period, ovaries shut down and female eggs are not produced. It is estimated that women are born with 800000 eggs but the number dwindles with age. At about 37, about 25000 eggs are left, the decline speeds up and ovaries shrink until most of the eggs are depleted and menopause occurs around 50, plus or minus seven or eight years.

Acidum sulph. (tds) : Hot flushes followed by perspiration and trembling. Does everything in a hurry. Craves stimulants.

-
- Aloe soc.** (tds) : Given in frequent doses, cures protracted, exhausting and obstinate hemorrhage from the uterus which occurs in women of nervous, relaxed and phlegmatic habits during this difficult period of change of life.
- Amylenum nit.** 3x (tds) : Climacteric headache and flushes of heat with anxiety and palpitations. It maybe accompanied with facial flushing.
- Aurum mur.** (tds) : Hemorrhage from womb during menopause.
- Calcarea ars.** (tds) : Slightest exertion causes palpitations of the heart. It specially suits women who are fleshy. Complaints of fat women around menopause.
- Calcarea carb.** (tds) : Diseases of women around climacteric. Pituitary and thyroid dysfunction.
- Camphora** (tds) : Flushes of heat and sweat in a warm room. Feels hot when covered and cold when uncovered. Feet and limbs feel cold.
- Cimicifuga** (tds) : Rheumatic pains. Headache, menses, when they appear, are clotty, painful and profuse. Amenorrhea.
- Conium mac.** (tds) : Troubles of women specially of old maids during and after menopause. Great debility in the morning in bed.
- Ficus rel. Q,**
Ficus ind. Q : 5 drops of either in a little water given four times a day arrests the unusual bleeding during menopause.
- Fraxinus amer.** (tds) : Mental disorders at the time of menopause. Cold creeping and hot flushes.
- Gelsemium** (tds) : Earache during menopause. It is a sure remedy.
- Ginkgo biloba** Q (bd)
5 drops in ½ cup of water : It helps mood disorders and memory problems during the climacteric period.
- Gunpowder** 3x (tds),
Hekla lava 3x (tds) : Inflammation of the bones during menopause.
- Helonias** (tds) : Debility and menorrhagia during menopause.
- Hypericum** (tds) : It eases depression during menopause.

-
- Lachesis** (bd) : Flooding at climacteric and in pre-cancerous flowing. Palpitations, hot flushes, headache and hemorrhage. Mental troubles.
- Mancinella** (tds) : Mental depression at menopause.
- Oophorinum** 3x (tds) : Nervous climacteric disturbances generally-whether menopause is natural or is produced surgically by the removal of ovaries. Skin disorders, acne rosacea.
- Pilocarpus** Q : Hot flushes during menopause are reduced/cured by the use of this remedy. It stimulates the glands to produce an adequate quality of hormones.
- Platinum met.** (tds) : Suits arrogant and proud ladies who are prone to localized numbness and coldness. Ovaritis with excessive bleeding.
- Pulsatilla nig.** (tds) : Menses suppressed, appear too late and are scanty. Suits ladies who are sad, mild, gentle and yielding with a weeping tendency. Likes open air even if she feels chilly.
- Salvia off.** Q (bd)
20 drops in ½ cup of water : It is a powerful antioxidant and helps to control hot flashes and, irritability and excessive perspiration associated with menopause. 20 drops a dose in a little water.
- Sanguinaria** (tds) : Burning sensation like from hot water. Bearing down with leucorrhea smelling like fish or old cheese. Headache every seventh day during menopause. Climacteric disorders with sensation of burning in various parts - face, palms, soles, stomach, etc. Hot flushes.
- Sanguisorba** 2x : Long lasting profuse menses with congestion of the head and limbs, and climacteric hemorrhages.
- Senecio aur.** (tds) : Insomnia during menopausal stage. Great drowsiness with unpleasant dreams.
- Sepia** (tds) : Unusual bleeding during menopause. Hot flushes at menopause with weakness and perspiration. Aversion to coitus.

Valeriana Q (bd) : Sleep disturbances. Sleepless with nocturnal itching and muscular spasms.

NOTE 1: Hot flushes are felt by women 2-4 years before menopause (pre-menopause) and after the post-menopausal period. This usually occurs at the time when the hormones are low. Hot flushes are highest when the level of hormones are lowest. The flushes involve a sensation of heat spreading up from the abdomen to the neck. The exact cause of it remains a mystery.

NOTE 2: Post-menopausal period can also be a difficult time for some women. It can be a time for emotional distress, anxiety, depression with physical symptoms like hot flushes, intermittant bleeding, palpitations, weight gain, insomnia and headaches. In homeopathy the diagnosis and the consequent treatment of pre or post-menopausal difficulties are specific to the patient, individually as it reflects his unique experience of the disease.

MENORRHAGIA (MENOSTASIS)

Excessively prolonged or profuse menses.

Aletris far. (tds) : Early, profuse menses with pains like those happening in early labor. Constipation, indigestion and extreme fatigue.

Aloe soc. (tds) : Too early, too profuse, too long lasting periods.

**Ambra grisea (tds),
Bovista (tds), Sabina Q (tds)** : Discharge of blood between the periods without any cause according to other symptoms of the remedy.
5 drops in ½ cup of water

Arsenicum alb. (tds) : Chronic menorrhagia with thin, corrosive and burning leucorrhea.

Belladonna (tds) : Bright red, hot flow with head symptoms. Profuse early menstruation. Cramp-like pains. Bearing down sensation.

Calcarea carb. (tds) : Too early, too profuse especially in pale subjects with cold and damp feet, with marked tendency to gain weight.



Caulophyllum (tds) : Heavy and frequent menstruation with pains.

-
- | | |
|--|--|
| Chamomilla (tds) | : Periods prolonged due to disturbing emotions. Great irritability. |
| China off. 1x (tds) | : Black lumps in blood. |
| Crocus sativus (tds) | : Blood clotted, with long strings; worse from least movement. |
| Cyclamen (tds) | : Profuse, black, membranous, clotted blood, too early, with labor-like pains from back to pubes. |
| Erigeron (tds) | : Menorrhagia with bright red flow of blood. Continuous, profuse bleeding during menses. |
| Ferrum met. (tds) | : Simple increase in normal flow. |
| Ficus rel. Q (bd)
10 drops in ½ cup of water | : Bleeding from uterus specially at any time other than during menstrual periods. Excessive bleeding at the time of a menstrual period, either in number of days or amount of blood or both. |
| Hamamelis Q (tds)
10 drops in ½ cup of water | : Dark blood accompanied with ovarian irritation caused by a fall. |
| Helonias (tds) | : Too early, too profuse, too long lasting periods with bearing down, prolapsed and rectal urging. Menses protracted, exhausting and obstinate during menopause. |
| Ipecacuanha (tds) | : In severest form of prolonged menses which otherwise is simple. Bright red discharge with or without nausea. |
| Kalium carb. (bd) | : Long lasting early periods with backache. |
| Kreosotum (tds) | : Menses too early, prolonged. Menstrual flow intermits, ceases on sitting or walking; reappears on lying down. |
| Magnesium carb. (tds) | : Periods chiefly at night. Blood dark and thick. |
| Millefolium (tds) | : Menses early, profuse, protracted (prolonged). Hemorrhage from the uterus; bright red fluid. |
| Nitricum acidum (tds) | : Coming on too soon and again returning soon after. Violent cramps, irritable green leucorrhea. Urine smells like horses urine. Restless after midnight. |

Nux vomica (tds)	: Menses before time. Copious and lasts a few days longer. Blood black.
Platinum met. (bd)	: It suits proud and arrogant ladies. Menses are too early, too profuse and with dark clots. There is tingling in private parts and excessive sexual desire. Bearing down sensation. Heavy menses with early clotted flow.
Sabina (tds)	: Bright red flow with bearing down in abdomen.
Saraca indica Q (tds) (Ashoka) 10 drops in ½ cup of water	: Profuse menses, black in color, painful, foul smelling, with various uterine, troubles.
Secale cor. (tds)	: There is continuous oozing of pale blood with colic between the periods. Burning pains in the uterus which is relieved by washing with cold water and in cold weather.
Sepia (tds)	: Heavy menstruation with faintness and tearfulness. Pain in the uterus is severe enough to cause fainting.
Thlaspi bursa Q (bd) 10 drops in ½ cup of water	: Increased and copious flow with clots and debility which remains even between periods.
Trillium pend. (tds)	: Menses every two weeks lasting a week or longer.
Ustilago may. (tds)	: Menorrhagia at climacteric; oozing of dark blood, clotted forming long strings.


MENSES

1. Absence or suppression of menstruation : See 'Amenorrhea'.
2. Excessive bleeding or prolonged menses : See 'Menorrhagia'.
3. Permanent cessation of menses : See 'Menopause'.
between 35 to 55 years of life
4. Painful menstruation : See 'Dysmenorrhea'.
5. Bleeding between the periods : See 'Metrorrhagia'.



Epithelium is cuboidal, growing taller as ovulation is approached

Glands are simple, narrow tubes dilating prior to ovulation



Glands dilated and tortuous

Cells tall, cytoplasm clear, nuclei basal

NOTE: Menses are supposed to come once in a month in mature women who are not pregnant. It is not an illness but it is a factor in women's life and is an universal function of her body. On the average, women spend 6 1/2 years over their lifetime menstruating, as assessed by researchers. Several problems, as mentioned above, are discussed at appropriate places in this book. A woman's menstrual cycle is typically about 28 days along with the release of an egg from the ovary or ovulation occurring on the 14th day. It is not unusual for

young women, who have just begun menstruating, to have irregular cycles. And as women approach menopause, their periods again become irregular. There are three phases to the menstrual cycle:

1. The hormone estrogen is released. This causes thickening of the lining of the uterus in preparation for pregnancy.
2. The luteal phase, when additional hormones are released, producing a change in breast tissues and an increase in the body temperature.
3. If a sperm does not fertilize the egg around the mid cycle, the final phase begins and the woman gets her periods. Periods typically last for 4 to 6 days depending on the woman.

MENTAL DEVELOPMENT

- Agaricus mus.** (tds) : Children are slow in learning due to slow development of the brain. They make mistakes and do not remember lessons. The patient is sluggish in habit and appears foolish. Late in learning, talking and walking.
- Calcarea carb.** (tds) : Child is late in learning to walk.
- Natrium mur.** (tds) : Child is late in learning to talk.

METRORRHAGIA

- Bovista** (tds) : Bleeding between the periods and profuse, bloody leucorrhea. Traces of menses between menstruation.
- Calcarea silicata** (tds) : Heavy vaginal discharge with painful irregular periods.
- Causticum** (tds) : Bleeding stops at night and restarts the next day.
- Erigeron** (tds) : Metrorrhagia with violent irritation of rectum and bladder, prolapsus uteri. Bright red flow.
- Ferrum phos.** (qid) : Menses every three weeks, with a bearing down sensation and pain on top of the head. Vagina dry and hot.

- Graphites** (od) : The regular periods become irregular and delayed. Obstinate constipation.
- Medorrhinum** (od) : Bleeding during the period other than menstruation. Menses offensive, profuse, dark and clotted. Blood stains on clothes are difficult to remove by washing.
- Natrium mur.** (bd) : Irregular and profuse menstruation. A severe headache as the bleeding ends.
- Nitricum acidum** (tds) : Bleeding between the periods with pain in the back and legs. This may happen due to over-exertion or lifting heavy weights.
- Nux vomica** (od) : Menses always irregular; start too early and last too long. Constant urging to stool during menstruation. Irritability precedes and remains with the flow. Periods occur every two weeks or so.
- Phosphorus** (bd) : Slight hemorrhage from the uterus between periods. Menses too early and scanty, and last long. Weeps before menses.
- Sabina** (tds) : Discharge of blood between periods with sexual excitement. Hemorrhage from the uterus with partly clotted blood, worse from least motion.
- Secale cor.** (tds) : Continuous oozing of thin watery blood between periods until the start of next period.
- Thlaspi bursa** Q (tds)
10 drops in ½ cup of water : Too frequent and copious menses. Scarcely recovers from one period when another starts.
- Trillium pend.** Q (tds)
10 drops in ½ cup of water : Menses every two weeks and long lasting for a week or over and leucorrhea between the periods of bleeding.
- Viscum album** (tds) : Chronic metrorrhagia.

NOTE: **Menstruation is often irregular at the start of puberty or when approaching menopause. It is merely an indication of hormonal changes and is not abnormal.**

MIGRAINE

A throbbing, one-sided severe pain in the head often accompanied with nausea, vomiting and sensitivity to light. Stiffness of the neck and depression may accompany.

- Belladonna** (tds) : Throbbing pain with fullness, specially in the forehead, also occiput and temples. Pain worse light, noise and semi-erect posture. Headache worse on right side.
- Bromium** (tds) : Migraine chiefly of the left side worse stooping, after drinking milk and at the sight of running water.
- Cannabis ind.** (tds) : It is one of the most useful remedies in cases of migraine. Its use decreases the pain and distress. Sensation as if top of the head were opening and shutting. Flatulence. Throbbing in occiput, attacks after unusual excitement. Worse from coffee, liquor and smoking; better by rest.
- Carbolicum acidum** (tds) : Migraine in children. Tight feeling on the head as if compressed by a rubber band; worse over the right eye, better by smoking and drinking tea.
- Chionanthus Q** : 5 drops of this medicine every two hours relieves the immediate distress. Thereafter it should be given in 30 potency sometimes, and Damiana Q should be given as above during attacks if they occur at all. This treatment usually cures migraine.
- Cimicifuga** (tds) : Migraine pains like electric shocks, worse during menses. More the flow, more the suffering. Pains better by warmth and eating. Sensation of opening and shutting in the brain.
- Coca** (tds) : Migraine with fatigue and worry; accompanied with vertigo.
- Coffea cruda** (tds) : A good remedy for patients who suffer from sleeplessness. Migraine caused by excitement.

- Cyclamen** (tds) : Migraine is accompanied by sparkling before the eyes.
- Damiana Q**
(Turnera) : Give 15-20 drops a dose every 30 minutes during the attack. It usually puts the patient to sleep after two doses and gives relief. Rest in a quite, dark room during the attack will give relief to all the symptoms.
- Ipecacuanha** (tds) : Migraine accompanied with severe nausea and vomiting. Pain may extend to the face, teeth and tongue. Vomiting does not relieve. It is better with eyes closed, rest and pressure. The cause maybe stress or indigestion.
- Iris vers.** (tds) : Migraine with acidity due to indigestion and sour vomiting. Right temple is specially affected. It is worse while resting.
- Lac can.** 200 (od) : If the pain changes sides, this time on the right of the head and at other times on the left side and so on, this remedy will cure it.
- Melilotus** (tds) : Headache with retching, vomiting, sense of pressure over the orbits and black spots before the eyes; sick headache. Neuralgia around and over the right side of head and neck. Frontal headache. Pains rising and falling like waves. Headache is relieved by menstrual flow or epistaxis. Use tincture for inhaling to give relief.
- Natrium mur.** (tds) : It cures worse types of migraine which is throbbing, as if little hammers were striking the brain, and it is chronic. The patient appears anemic. Vomiting generally accompanies. It suits school girls with this disease. The pain is worse on rising in the morning and gradually subsides as the day advances. Terribly severe headache accompanied with high blood pressure and during menstruation.
- Nux vomica** (tds) : Heavy, pressive headache with giddiness, flushed face, derangement of stomach after over-eating, drinking or smoking. Better in fresh air and cold application.

-
- Oleum animalis** (tds) : A useful remedy for migraine which is associated with polyurea, sadness and irritability. The pain appears to be pulled upward and from behind forward.
- Onosmodium** (tds) : A remedy for migraine. Pain in the morning on waking, chiefly left sided. Headaches from eyestrain and sexual excesses.
- Psorinum** (od) : Headache relieved by keeping a hot water bottle on the head. Pain is worse during the night and is like that of a blow on the head. During the attack, patient feels hungry.
- Pulsatilla nig.** (tds) : Migraine due to emotions, hormonal changes specially in women with weeping tendencies. It is better by cold, cold drinks, fresh air and sympathy, and is worse towards the evening and in a warm room.
- Sanguinaria** (tds) : Headache usually starts in the morning at the back of the head and gradually spreads upwards to the right eye where it settles down. Pain may spread to the right shoulder. Sun headaches, worse right side and at climacteric. Headache every seventh day.
- Saponaria off.** (tds) : Pain in the left temple and left eye, photophobia, hot sticks in the eyes, severe pains before the menstrual flow and worse left side. Severe sore throat and sneezing maybe present along with the headache.
- Scutellaria lat.** Q (hs) : Sick headache appearing after excitement and over-exertion. 5-10 drops a dose.
- Senecio aur.** (tds) : Sharp pain over the left eye and through the left temple. Dull stupefying headache. Some trouble of the female orgasm and urinary organs is generally present.
- Sepia** (tds) : Periodical weekly headaches. Sensation as if head would burst and eye would come out. Better by rest, closing eyes, in open air and lying on the painful side. Throbbing, sticking pains with nausea and vomiting. Headache at

climacteric and menstrual periods with scanty flow.

Silicea (tds) : Migraine with a strong desire to cover the head. Pain starts at the back of the head and settle over one eye. Pain is relieved by pressure and urinating, and is worse in cold, windy weather.

Spigelia (tds) : Headache starts from the nape of the neck and extends to the left eye. Pain as if a band around the head.

Tongo Q (tds) : Neuralgic headaches with throbbing and heat.
5 drops in ½ cup of water

Triosteum perf. (tds) : It is a valuable remedy for pain at the back of the head with nausea on movement and vomiting. Relieves the nervous system.

NOTE 1: So far, the exact cause of migraine is not known. It is, however, a genetic or hereditary condition which can be triggered by diet, weather changes, emotional stress, a change in sleep patterns or hormonal fluctuations. During an attack, blood vessels in the brain dilate and nerves become inflamed.

NOTE 2: Here are some ways of minimizing the headache:

- a. Get up and go to bed at the same time each day.
- b. Always eat at the same time of the day.
- c. Stretch neck and shoulders regularly.
- d. Take a few deep breaths each day.

NOTE 3: Women are three times more likely than men to suffer from migraines, specially women between the age 21 to 50 years.

NOTE 4: Citrus fruits and juices, caffeine containing things, butter milk, aged cheese, peanuts, meats, beer and alcohol are known to trigger migraine.

NOTE 5: Eating oily fish, three times a week may protect against migraine because of their Omega-3 fatty acids. Whole grains are also helpful.

NOTE 6: The patient should be advised that as soon as he feels that he will get migraine, he should lie down in a well ventilated dark room. It cuts short the attack and in some cases, may cure it eventually.

MILK

Milk is one of the most precious gifts of nature. It is a perfect food and contains all the nourishment for growth like vitamin A, B, C and D in sufficient quantities. It has sugar and fats just in the right quantity. It is easily digested and is an essential diet for all infants, children - young or old, ladies and men. It is life for a child for the first few months of its birth. It contains antibodies which are present in the mother's milk, number of enzymes, proteins, etc. If it causes disorders, the following remedies can be used to remove the disorders. See chapter "Lactation" also.

Choosing to breast feed is one of the best things a mother can do for her baby. It has tremendous advantages for the mother and her baby. It develops a close relationship between the child with the mother. Nature has formulated mother's milk specially for her child. It provides all the nutrients needed in an ideal proportion. As the baby grows, the nutrient contents of mother's milk also change to satisfy the infants growth and changing needs. Breast milk is safe, convenient and always at the perfect temperature. It is available whenever the baby needs it. Several studies indicate that breast feeding may induce an infant's immune system to mature more quickly than the formula fed child. It protects the child against several diseases like diarrhea, lower respiratory infections, otitis media, bacteremia, urinary tract infection, insulin dependent diabetes mellitus, Crohn's disease, ulcerative colitis, allergies and carcinoma.

- | | | |
|---|---|--|
| Aethusa cyn. (tds) | : | Intolerance of milk which is vomited out in large curds soon after swallowing. |
| Borax (tds) | : | Milk is too thick and bad tasting, and the child does not take the breast. This remedy given to the mother will remove this defect. The other way is to change the milk. It stops the excessive milk which continues to flow even when the child has left the nipple and suckling. |
| Calcarea phos. 6x (qid) | : | Milk tastes salty. If so, change the milk. In other cases, give this remedy both to the child and the mother. |
| Cina (tds) | : | Vomiting and diarrhea immediately after taking milk. |
| Cold liver oil 3x
2 drops daily | : | Cures a child who is averse to taking milk. |
| Magnesium mur. (tds) | : | Milk is not tolerated as it cannot be digested and produces this and that discomfort. |

- Natrium carb.** (tds) : Averse to milk because it causes belching, wind and diarrhea.
- Sepia** (tds) : The patient is worse after taking milk, specially the boiled one. Abdomen bloats and he has nausea even at the smell of milk.

MIND

Mind is the ability of the brain to judge surroundings and to have emotions, will, memory, imagination, etc. and to translate information in an intelligent manner. Disturbances in the functions of mind are dealt with in chapters like Depression, Insanity, Schizophrenia, etc.

MISCARRIAGE (SEE 'ABORTION')

MOANING (GROANING)

- Belladonna** : Moaning at every breath.
- Baryta carb.** : Moaning in old age.
- Helleborus 6c** : Moaning and sighing. Very bad smell from the mouth.

MOLES (BIRTH MARKS) (MELANOMA)

These are harmless unless irritating. For irritation the following remedies have been found to be useful:

- Acidum fluor.** 200 (hs) : Helps in removal of birth marks.
Repeat once a week
- Bellis per.** Q : External use of this remedy is useful in curing
External use the moles.
- Calcarea carb.** (tds), : Removes disposition to the formation
Silicea (tds) of moles.
- Lycopodium** 200 (od) : A good remedy for the removal of moles.
- Radium brom.** (tds) : Irritation of moles is relieved by the use of this
remedy.
- Thuja occ.** Q : Should be applied externally twice a day.

NOTE: Some moles (melanoma) are malignant, pigmented tumors. These must be examined by a competent physician \ surgeon and X-rayed for correct treatment. Melanoma is a rare form of skin cancer that spreads from the skin inward to a variety of other vital organs such as liver and lungs. It is one of the most difficult cancer to treat.

MOODS

- Antimonium crud.** (tds) : Sentimental and moody.
- Crocus sativus** (tds) : Frequent and extreme changes in moods. Now he is pleasant, sings and laughs and then gets angry. Sudden changes from happiness to sadness. Anger followed by repentance.
- Crotalus hor.** (tds) : Clouded perception and memory. Impatient.
- Ignatia amara** (tds) : Introspective, silent brooding. Sighing and sobbing after shock, grief and disappointment. Very changeable moods.
- Nux mosch.** (tds) : Changeable moods from tears to laughter. Confused impaired memory. Bewildered.
- Pulsatilla nig.** (tds) : Changeable and contradictory. Mild and gentle. Yielding disposition. Cries easily. Better in fresh air.
- Sarsaparilla** (tds) : Despondent, sensitive and easily offended. Ill-humored and uncommunicative. Reserved.
- Tarentula his.** (tds) : Sudden changes in moods. Ungrateful and discontented.

MOONLIGHT

- Calcarea carb.** (tds) : The patient is worse during new moon.
- Clematis erecta** (tds) : Inflammation of eczemas increases with the increasing moon and decreases with the decreasing moon.
- Kalium brom.** (tds) : Epileptic attack comes during full moon.
- Silicea** (tds) : All the complaints are worse at new moon.
- Thuja occ.** (tds) : Complaints from moonlight. Sleepiness and feeling just bad.

MORNING SICKNESS

- Arsenicum alb.** (tds) : Vomiting worse after eating and drinking. Restlessness. Great thirst of small quantities of water.
- Ipecacuanha** (tds) : Nausea. Mouth moist and tongue clean.
- Lac vaccinum def.** (tds) : Obstinate vomiting and constant nausea with restlessness.
- Lobelia inflata** (tds) : Extreme nausea and vomiting. Faintness and weakness in the epigastrium.
- Nux vomica** (tds) : Flatulence, vomiting worse after eating in the morning. Tongue coated.
- Symphytum off.** (tds) : Persistent vomiting with gastric disturbances, bitter taste and constipation.
- Symphoricarpus** (tds) : Persistent vomiting of pregnancy. Nausea during menses. Nausea, worse any motion.

MOSQUITO BITES


- Azadirachta Q**
(Margosa) : 2% of this remedy is mixed with 98% of coconut oil or baby oil and applied to exposed parts removes the possibility of mosquito bites on that part.

- Ledum pal.** 200 (bd) : It gives immediate relief from itching, burning and swelling of the skin.
- Staphysagria** 6 (tds) : While living in an area infected with mosquitoes, three doses taken daily will avoid mosquito bites.

MOUNTAIN SICKNESS

- Coca Q** (tds) : A mountaineer's remedy. Useful in complaints of mountain climbing such as palpitation, breathlessness, anxiety and insomnia.
- 5-10 drops in $\frac{1}{2}$ cup of water

MOUTH



-
- Aconitum nap.** (tds), : Chewing motion of the mouth.
Helleborus (tds),
Stramonium (tds)
- Alnus** Q (bd) : Ulcerated mucous membranes of mouth and
 5 drops in ½ cup of water throat.
- Ammonium carb.** (tds) : Corners of mouth sore, cracked and burn.
 Dryness of the mouth and throat.
- Antimonium crud.** (tds), : Blisters in the mouth or cracks near the corner
Cundurango (tds), of the mouth and lips as per indication
Psorinum (tds), of the remedy. Psorinum is indicated, if
Natrium mur. (tds), the cracks at the corners of the mouth are more
Hydrastis (tds), chronic. In Natrium mur., the sores on the lips
Hepar sulphuris (tds) and around the mouth are cold.
- Arsenicum alb.** (tds) : Mouth feels dry with burning ulcers inside,
 which are better by warm mouthwashes.
- Arum triph.** (tds) : Raw feeling at the roof of the mouth and palate.
 Corners of the mouth are sore and cracked.
- Baptisia** (tds) : Ulcers in the mouth with a foul smell. The
 patient is sleepy and debilitated. Useful for
 children. Mercurius sol. is useful for adults in
 similar conditions.
- Baryta mur.** (tds) : Children go about with their mouth open and
 looking stupid.
- Borax** 3x (tds) : White fungus-like growths in the mouth.
 Mouth hot and tender. Blisters pain on touch
 and eating. Painful gum boils.
- Bryonia alba** (tds) : Mucous membranes of the mouth are dry. Lips
 are parched and there is thirst for large
 quantities of water at long intervals.
- Causticum** (tds) : Bites inside the cheeks when chewing.
- Echinacea** Q : Corners of mouth and lips are cracked. Sores
 on tongue (cankers). Apply locally and give 5
 drops a dose orally three times a day.
- Helianthus** (tds) : Dry mouth.
- Kalium chlor.** (tds) : Ulcers in the mouth and on the tongue. Saliva
 ropy.


-
- Mercurius sol.** (tds) : Offensive odor from the mouth, fills the whole room. Sweetish metallic taste with excessive saliva. Saliva dribbles from the mouth while speaking. Inflammation of the mouth and throat.
- Natrium mur.** (tds) : Dryness of the mouth with craving for salty foods.
- Natrium phos.** 6x,
Echinacea Q : Aphthous stomatitis. Inflammation of mouth with tiny ulcers on the mucus membrane of the mouth. Round vesicles on cheeks, lips and tongue.
- Natrium sulph.** (tds) : Small ulcers extremely sensitive, better by holding cold fluid in the mouth.
- Nitricum acidum** (tds) : Oral ulcers are accompanied by sharp splinter-like pains. Acrid and fetid salivation. Eruptions around mouth, lips and tongue (cankers).
- Opium** (tds) : Mouth remains open during sleep.
- Rheum** (tds) : Mouth covered with offensive mucus after sleeping.
- Rhus tox.** (tds) : Jaws crack when chewing.
- Tarentula cub.** (tds),
Graphites (bd) : Mouth cracked at corners.
- Xanthoxylum** (tds) : Mouth feels dry. It secretes a mucoid secretion from the mouth and stimulates secretion of all glands with ducts opening in the mouth.

NOTE 1: Rashes in the mouth may indicate stomatitis, measles or scarlet fever.

NOTE 2: Excessive moisture in the mouth maybe due to stomatitis, irritation of the pneumogastric nerve, indigestion of irritating drugs or foods, nervous disorders, teething, seeing appetizing foods and smelling pleasant odors.

MUMPS (INFLAMMATION OF THE PAROTID GLANDS)

More commonly acute inflammation is due to the virus of *mumps*, which produces acute swelling, particularly of the parotid glands, with edema and mononuclear infiltration of the intestinal tissue.



- | | |
|---|--|
| Abrotanum (tds),
Carbo veg. (tds)
Belladonna (tds) | : Inflammation of the parotid glands to testes is cured by these remedies. |
| Mercurius iod. (tds) | : Mania coming on after mumps. It is an excellent remedy for the disease which maybe given in alternation with Mercurius iod. 3x every 30 minutes. |
| Mercurius sol. (tds) | : Glands greatly swollen. Swallowing painful. Severe shooting pains in the ears. |
| Parotidinum 30 (bd) | : Sore pain on touching and from chewing. Whole mouth swollen. Profuse salivation. |
| Phytolacca dec. (tds) | : This can be given as a preventive in 200 potency to people not affected by this disease. Usually one dose is sufficient. It maybe given in 30 potency off and on during the disease. It can be given in alternation with any other remedy. |
| Pilocarpus (tds) | : When the affected lesion is hard and painful. Skin pale. Shooting pains in the ears on swallowing. |
| Pilocarpus (tds) | : A valuable remedy in limiting the induration of mumps. Saliva pours out in an almost |


- continuous stream from the mouth. Maybe given in alternation with Belladonna or Mercurius iod 3x.
- Pulsatilla nig.** (tds) : Inflammation of the parotid glands to mammae is cured by this remedy.
- Trifolium rep.** 200 (od) : Prophylactic against mumps, sensation of congestion in salivary glands. Pain and hardening, specially of submaxillary glands. Mouth filled with watery saliva, worse lying down. Taste of blood in mouth and throat.

MUSCLES


- Arnica mont.** (tds),
Rhus tox. (tds) : Removes aching of muscles and tendons. It is a great muscular tonic.
- Badiaga** : Muscles and skin sore as if beaten.
- Baryta carb.** (tds) : Muscles do not develop and are wasted or destroyed at puberty.
- Bellis per.** (tds) : A remedy for old laborers, especially gardeners. Removes the sore bruised feelings in the muscles after the hard manual labor. Modalities worse after a cold bath, cold wind, motion and warmth of the bed.
- Bryonia alba** (tds) : Aching in every muscle. Pains stitching, tearing and worse by motion, and better by rest.
- Calcarea fluor.** (tds) : Inflammation of muscles and hardness. Slow but effective in action. Takes months to cure.
- Cimicifuga** (tds) : ‘Wryneck’ i.e., contracted state of one or more muscles of the neck making head appearing drawn back.
- Gelsemium** (tds) : Complete relaxation of muscular system. General prostration. Dizziness, drowsiness, dullness and trembling. Tired feeling with muscular weakness. Lack of muscular coordination. Loss of power of muscular control.

Naked eye

The muscle consists of bundles of fibres.


**Light microscopy (e.g. x 150)**

Muscle bundles are seen well in TS of frozen section

**Light microscopy (x 400)**

Each muscle fibre is a single specialised cell; within its cytoplasm many myofibrils run in parallel.


Myofibril

**Electron microscopy (e.g. x 15,000)**

Z line
I band
A band
H zone

The unique arrangement of the muscle proteins gives characteristic banding.

Loss of banding indicates serious disturbance of intracellular architecture.

**Helonias (tds)**

: A very good remedy for the hard workers. Tired sprained muscles, burn and ache.

Kalium phos. (tds)

: It can be given in alternation with the above remedies or any other remedy in the atrophy of muscles.


Plumbum met. 200-1M (hs) : Partial or complete destruction and shortening of the muscles anywhere in the body. There is no sensation or feeling in that part. Weakness.
Repeat after a week

Rhamnus cal. Q

: 10 drops a dose, three times a day is a positive remedy for the muscular pains.

MYELITIS

(INFLAMMATION OF THE SPINAL CORD)



- | | |
|-----------------------------|--|
| Aconitum nap. (tds) | : Fever. Violent pains along the spine. Fear of death. It should be used in acute or first stage. |
| Arnica mont. (tds) | : Inflammation of the spinal cord due to a fall or blow on the spine. Pain worse on touch. |
| Arsenicum alb. (tds) | : Burning pains in the spine. Restlessness with weakness, cramps in calves. Involuntary urination. Loss of sensibility except cold. Pain mostly in hands and feet. |
| Belladonna (tds) | : Violent pain along the spine. Tetanic spasms. Fever when only upper part of the spine is involved. |
| Cicuta vir. (tds) | : Violent convulsions. Shrieking cries. |
| Cuprum ars. (tds) | : Pain in the lumbar region. Cramps in calves of the legs relieved by pressure. Numbness of the legs. Vertigo. |
| Hypericum 12x (tds) | : Inflammation of the spinal cord when the nerves have been injured. |

- Plumbago iod.** (tds) : Chronic spinal paralysis. Spinal cord is thickened. Cramps in the calves. Indigestion.
- Secale cor.** (tds) : Anus paralysed. Remains open. Stools pass without notice. Pain in the sexual organs. Restlessness, sleeplessness and trembling.
- Strychninum phos.** 3x (tds) : Great rigidity of the lower limbs. Cramps and spasms in limbs. Anemia of spinal cord.

NOTE: When the paralysis develops, there is a danger of it becoming complete. At first, there is retention of stools and urine, and later incontinence. Feces and urine may pass involuntarily. Bed sores develop. In rare cases, a slow recovery follows, if the case is treated carefully a partial paralysis may remain, in that case, a remedy for paralysis maybe employed.

MYOPIA **(SHORT SIGHTEDNESS)**

- Carboneum sulph.** (tds) : Myopia. Color blindness. Absence of the sense of pain in the eyes. Painful vision.
- Physostigma** (tds),
Pilocarpus (tds) : Increasing myopia is arrested by the use of these remedies. Lenses maybe used for the myopia already developed.

NOTE: Best cure is the use of properly and accurately selected lenses. This will arrest further deterioration of eyesight.


MYXEDEMA **(IMPERFECT FUNCTION OF THE THYROID GLAND) (SEE 'THYROID GLAND')**

NAEVUS (BIRTH MARK)

It is a congenital discoloration of a circumscribed area of the skin due to pigmentation - usually not elevated above the skin. It is usually due to static condition of circulation in a small area or due to a birth injury.

See 'Acne' and 'Moles' for details.

NAIL BITING




- | | |
|------------------------------|--|
| Ammonium brom. (tds) | : Irritable feeling under the finger nails relieved by biting them. |
| Arum triph. (tds) | : Biting of finger nails till they bleed. |
| Hyoscyamus nig. (tds) | : Foam in the mouth of children who cry at night without waking up. Nail biting. |
| Natrium mur. 200 (od) | : Nail biting in children. |
| Sanicula aqua (tds) | : Useful for children suffering from enuresis and weakness. |

NAIL MIS-SHAPED

- Acidum fluor. (tds)** : Nails brittle and crumble, but grow rapidly.
- Calcarea carb. (tds)** : Nails uneven and spotted.
- Graphites (od)** : Both finger and toe nails become thickened like the horn of a cow and grow out of shape. Maybe black and rough.
- Thuja occ. (tds)** : Nails mis-shaped, brittle and crumble. Maybe soft.

DISEASES OF NAILS



- Ammonium brom. (tds)** : Usually the habit of nail biting is due to the nervous irritation. Ammonium brom. is the best remedy for it.
- Ammonium carb. (tds)** : Nails yellow.
- Antimonium crud. (tds)** : Deficient growth of nails. Split nails.
- Berberis vulg. (tds)** : Neuralgia under finger nails with swelling of finger joints.
- Helleborus (tds)** : Falling of nails without cause.
- Hypericum (tds)** : Nails hurt resulting in pain.
- Natrium mur. 200 (od)** : Skin around nails dry and cracking.

- Nitricum acidum** (tds) : Inflammation of nails and toes on account of pinching of a tight shoe or undersized shoe.
- Oxalicum acidum** (tds) : Nails blue.
- Sarsaparilla** (tds) : Burning and cutting sensation under the nails.
- Sepia 200** (od) : Pain under the nails due to fungal growth.
- Silicea** (tds) : White spots on nails. Ingrowing of toe nails. Yellow hands with blue nails.
- Silicea** (tds), **Thuja occ.** (tds): Toe nails grow into the flesh causing pain.
- Stannum met.** (tds) : Splitting of nails.
- Thuja occ.** (tds) : Nails brittle, ingrown toe nails.
- Wiesbaden** (tds) : Soft nails. Nails grow very rapidly. This tendency is cured by this medicine.
- NOTE:** **Thickening, brittleness and discoloration of nails is caused by a fungal infection.**

NAUSEA

- Aethusa cyn.** (tds) : Nausea at the sight of food. Maybe due to indigestion in children. Worse after eating or drinking.
- Arsenicum alb.** (tds) : Cannot bear the sight or smell of food. Maybe due to respiratory troubles.
- Berberis vulg.** (tds) : Nausea before breakfast.
- Bryonia alba** (tds) : Nausea aggravated on movements, better by rest.
- Carbo veg.** (tds) : Worse during pregnancy and in the morning with a weak digestion.
- Colchicum autum.** (tds) : The smell of food causes nausea to the point to fainting. Maybe due to excessive flatulence and during pregnancy.
- Cuprum acet.** (tds) : Nausea, retching or vomiting in pregnant women in the morning.
- Digitalis** (tds) : Discomfort even after a small quantity of food or from the mere sight or smell. Usually found in patients with heart problems.

- Eugenia jam.** (tds) : Nausea better by smoking.
- Ipecacuanha** (tds) : It is a first class remedy for all kinds of nausea, a guiding symptom in the selection of this remedy in any disease. Constant nausea with a clean and moist tongue.
- Kalium carb.** (tds) : Nausea on riding a carriage.
- Lacticum acidum** (tds) : Nausea in pale anemic women - relieved by eating.
- Nux vomica** (tds) : Nausea due to indigestion. Wants to vomit but cannot. Worse in the morning.
- Podophyllum** (tds) : Nausea with a lot of retching but not vomiting.
- Pulsatilla nig.** (tds) : Nausea on looking upwards, worse in a warm room, better in open air.
- Sepia** (tds) : Nausea at the smell or sight of food. Maybe due to uterine troubles of women or during pregnancy. Nausea in the morning before eating.
- Tabacum** 200 (od) : Deathly nausea worse on opening eyes, least motion and tobacco smoke.
- Theridion** (tds) : Nausea from noise. Patient is very sensitive to noise. Nausea due to spondylitis.

NAVEL


- Abrotanum** (tds) : Bleeding from the navel of infants with ulceration of navel .
- Alumina** (tds) : Navel is abnormally pulled back in the abdomen and there is a depression or a pit at the site of the navel.
- Calcarea phos.** (tds) : Oozing of blood from the navel of the new born.
- Dioscorea** (tds) : Abdominal pains start from the navel and then radiate in all directions.
- Dulcamara** (tds) : Cutting pain around the navel.

- Lycopodium** (tds) : Navel projects upwards from the abdomen. Great abdominal flatulence.
- Nux mosch.** (tds) : Pain around the navel extending downwards both ways. Ulceration of navel in new born babies.
- Plumbum met.** (tds) : Sensation as if the navel is being pulled by a string towards the spine. Pain causes desire to stretch. Strangulated hernia of the navel.
- Spigelia** (tds) : Pain around the navel. May be due to presence of worms. Child refers to the navel as the most painful part. Sensitive to touch.

NECK

- Aconitum nap.** (tds) : Stiffness of the neck due to exposure to cold winds, worse on movements. Pain extends to the shoulders.
- Antimonium tart.** (tds) : Stiff neck stretched out, head bends backwards.
- Bryonia alba** (tds) : Painful stiffness of the neck, worse with motion.
- Chelidonium** (tds) : Pain and stiffness of the right side of neck, extending to the right shoulder and scapula.
- Cimicifuga** (tds) : Head and neck are pulled back. Rheumatism of the muscles of the neck.
- Dulcamara** (tds) : Pain in the neck due to exposure to cold, damp winds or from an uncomfortable position of the head when lying.
- Lachnantes tinc.** Q (bd)
10 drops in ½ cup of water : Neck is drawn over to one side during sore throat. Rheumatism of the neck. Pain in the nape as if dislocated.
- Rhododendron ch.** (tds) : Pain in the neck due to exposure to dry cold winds, worse before a thunderstorm.
- Rhus tox.** 200 (bd) : Neck sprained due to sudden jerk or uncomfortable position of the head while asleep.

NEPHRITIS (BRIGHT'S DISEASE) (INFLAMMATION OF THE KIDNEYS)





- Aconitum nap.** (tds) : Acute nephritis in children with a large abdomen. It is useful for all when there is exposure by sudden cold or getting wet when perspiring.
- Apis mel.** (tds) : Swelling of the face, legs and feet. Pale skin. Scanty urine. Pain in the head, back and legs. Kidney region painful. Urine is bloody and contains albumin.
- Arsenicum alb.** (tds) : The urine is dark, loaded with casts and albumin. The patient has a pale skin. He is restless. He sips water in small quantities at shorter intervals and desires warmth. The face is swollen. Convulsions and fear of death. Watery diarrhea. It covers all the stages of this disease.
- Benzoicum acidum** (tds) : Urine is pungent smelling and dark. Sharp pain in the kidneys.
- Calcarea sulph.** (tds) : Gradual emaciation and debility. Urine contains pus and is burning. Anemia.

- Cantharidinum 6** (tds) : Glomerular nephritis. Its use makes the passage of nutritive fluids to the capillaries easier. It is also useful for the increase in blood sugar in cases of nephritis.
- Fuchsinum 6** (tds) : Cortical nephritis i.e., inflammation of the outer layer of kidney, with albuminuria. Severe abdominal pains maybe present.
- Helleborus** (tds) : Smell of urine from the body. Convulsions. Unconsciousness with dilated pupils.
- Kalium chlor. 6c** (tds) : Nephritis with hemoglobinuria and stomatitis. Urine is dark, scanty and contains albumin, phosphates and bile. Chronic nephritis.
- Mercurius cor.** (tds) : Nephritis in pregnant women. Swelling of feet. Urine is scanty and loaded with casts and albumin. It may contains red sand.
- Picricum acidum** (tds) : Bloody urine with fatty pieces of epithelium. Debility.
- NOTE:** Symptoms of kidney failure can include fatigues, puffiness around the eyes or ankles, paleness of the skin and decreased production of urine.

NERVES

- Aconitum nap.** (tds) : Sudden inflammation of the nerves due to anxiety or fear, worse with noise and light.
- Apis mel.** (tds) : Optic neuritis in the first stage.
- Argentum nit.** (tds) : Inflammation of nerves. Loss of control and want of balance anywhere - mental and physical.
- Bellis per.** (tds) : Results of injuries to nerves with intense soreness and intolerance to cold bathing.
- Carboneum sulph.** (tds) : For atrophy of the optic nerve and optic disc.
- Chenopodium** (tds) : Affections of the auditory nerve. Hears high pitched sounds better. Comparative deafness to the sound of voice. Burning in ears. Numbness of auditory nerve.

Normal**Normal spinal cord**

Cimicifuga (tds) : Inflammation of nerves due to reflex disorders.

Cinnabaris 3x (tds) : Pain in the ciliary nerve causing redness of the eyes, canthi and lids. Pain around eyes to temples and bones of the orbit.

Cypripedium pub. (tds) : Nerves shortened by long illness or excessive tea and coffee drinking.

Glonoinum (tds) : Inflammation of nerves due to heat of the sun. Better by motion and uncovering the head. Pulsations all over the body.

Hypericum 3x (tds) : Crushing injuries to the nerve sheaths of the spine and other nerves causing tearing, burning and stinging pains. These are cured by this remedy. Slight paralysis caused by entanglement of nerves in the sacrum. Numbness of parts affected and constant drowsiness.

Kalium phos. (tds) : An excellent nerve tonic.

Lycopersicum escu. (tds) : Tingling along the right ulnar nerve.

Magnesium phos. 12x (tds) : It is a remedy for nerve tension as exhibited in the pulse. In severe nerve tension, the wrists

- also become tense. If it is in both wrists, that shows the whole nervous system is involved. Three tablets given with hot water 2 hourly will remove the tension. Pain is on the right side, better by heat and pressure.
- Naphthalinum** (tds) : Paralysis of the optic nerve causing blindness and opacity of the cornea.
- Phosphorus** (bd) : Atrophy of the optic nerve with cataract; due to paralysis.
- Rhus tox.** (tds),
Hypericum (tds),
Kalmia lat. (tds) : Pain along the ulnar nerve according to the symptoms of the remedy.
- Saponinum** (tds) : Affections of the 5th nerve. Migraine before menses. Pain in the left temple and eye. Photophobia. Hot stitches deep in the eye.
- Solanum lyc.** (tds) : Tingling along right ulnar nerve.
- Spigelia** (tds) : It cures neuralgia of the 5th nerve. Pain or loss of sensation in the face, forehead, temples and eyes. Deviation of the jaw.

NERVOUSNESS

(SEE ALSO 'ANXIETY')

- Acidum phos.** Q (bd)
10 drops in ½ cup of water : Weakness on account of nervousness.
- Aconitum nap.** (tds) : A child is fearful and nervous to take a bath in a river or a lake. A lady becomes nervous on boarding a plane. A soldier becomes nervous for taking part in war because of the fear of death and other horrors of war. A dose of Aconitum nap. 30 will give them strength and remove their nervousness.
- Aethusa cyn.** (tds) : Nervous dyspepsia from excitement, due to good or bad news.
- Agnus castus** (tds) : Nervous to perform sexual acts because of lowered sexual vitality.

- Anacardium ori.** (tds) : Nervous dyspepsia with pain in the abdomen, relieved by eating. Nervousness and fear of examination in students.
- Argentum nit.** (od) : A child becomes nervous when asked to go to school. A student is nervous before going for an examination. A person becomes nervous before appearing for an interview. A speaker becomes nervous before giving a speech before a gathering. One dose of Argentum nit. 30 will produce a soothing effect and will remove the nervousness. Diarrhea due to nervous excitement is also cured by this remedy.
- Aurum met.** 200 (hs) : Nervous breakdown. Inclined to commit suicide. Always brooding. Disgust of life. Rapid and constant questioning without waiting for the reply. The patient becomes almost insane.
- Butyricum acidum** (tds) : Nervousness for a constant state of fear and worries over trifles.
- Causticum** 200 (bd) : Nervousness due to worries or grief. Patient is unhappy and inclined to tears. Hopeless. Jumps at least noise. Forgetful. Very sympathetic and critical of others.
- China off.** (tds) : Becomes nervous on little opposition. He is sensitive to trifling insults.
- Cocculus ind.** (tds) : The patient is sad and absorbed in himself. Brooding, moody and silent. Sits in a corner buried in his thoughts. Thoughts fixed on a single disagreeable subject.
- Gelsemium** (qid) : Nervous diarrhea from excitement, fright and bad news. Depressed. Unable to cope with life. Listless and apprehensive.
- Hypericum** 12x (tds) : Nervousness of any kind. Maybe due to an accident. The speech becomes jerky and hesitating. The person takes no interest in life.
- Ignatia amara** (qid) : A person becomes nervous before an interview. A singer becomes nervous to sing before the public for the first time. A speaker becomes nervous before delivering a speech. Give a

- dose every 2 hours. Nervous breakdown with headache. Trembling. Sleeplessness due to grief or worry is also cured by this remedy.
- Kalium phos.** 200x (hs) : One of the best medicines of nervousness. Nervous weakness, tired feeling and nervous depression - mental and physical. Excitement produced is improved by this remedy.
- Kalium sulph.** (tds) : Very nervous. Sensation of a closely fitted cap on the head. Drops what he holds in hands, if spoken to suddenly.
- Natrium mur.** (tds),
Arsenicum alb. (tds) : Nervous prostration. Brain appears tired.
- Nux vomica** (tds) : Irritability and nervousness due to sedentary habits. Cannot bear light, odor, noise, etc. Does not want to be touched. Fault finding.
- Onosmodium** (hs)
Repeat after one week : A male has constant increased sexual desire but on the actual occasion, there is loss of desire and erection due to nervousness. A dose of 30c of this remedy, once in a day for 7 days cures such nervousness for the future.
- Passiflora Q** (tds) : Sleeplessness produced by nervousness is removed by this remedy. Give 15-20 drops a dose repeating often. It will produce a normal sleep.
- Phosphorus** (bd) : Great lowness of spirits. Easily offended. Fearful and restless. Thinks that he has an incurable heart. Looses all ambition to do anything. Cannot concentrate his thoughts.
- Silicea** (tds) : Nervous and excitable. Sensitive to all impressions. Fixed ideas. Want of grit to appear before the public and say something. This remedy raises spirits and mental stamina, revives hope. Weakness and depression give way to strength and health.
- Staphysagria** (tds) : Nervousness remaining after tooth extraction.
- Sticta pulm.** Q (bd)
10 drops in ½ cup of water : Nervous sleeplessness due to pain in sprains and fractures. A few doses put the patient to sleep.

- Strychninum phos.** 3x (tds) : Nervousness of an inexperienced person at the time of first sexual act. Want of erection, though healthy, creating shyness and shame in him.
- Tela aranea** (tds) : Removes the bad effects of nervousness like fever, headache, cough, excitement, etc. Calms the nerves and makes the patient comfortable.
- Triosteum perf.** 6 (tds) : Quittens the nervous symptoms.

NERVOUS PROSTRATION (NEURASTHENIA - BRAIN FAG)

- Ambra grisea** (tds) : Extreme nervous hypersensitiveness. Coldness and numbness generally of a single part like a finger, arm, etc. Dwells upon unpleasant events of the past.
- Argentum nit.** (tds) : Inflammation of nerves. Symptoms of incoordination, loss of control and want of balance everywhere - mentally and physically. Trembling in affected parts.
- Cocculus ind.** (tds) : Mental weakness. Dwells on the past disagreeable events.
- Kalium phos.** 6x-200x (tds) : One of the greatest remedies for nervous prostration and tired feeling, specially in young persons. Neurasthenia and brain fag. Marked disturbances in reflex nervous system. Want of nerve power - mental and physical, and depression is wonderfully improved by this remedy.
- Natrium mur.** (tds) : Dwells upon disagreeable events of the past. She cannot sleep on that account and is always thinking about it.
- Picricum acidum** (tds) : Prostration, weakness and pain in the back. Mental and physical fatigue. Heavy tired feeling. Pin and needle like sensation in the extremities. Lack of will power.

Strychninum phos. 3x (tds): Disinclination to use the brain. Lack of control over muscles and mind. Uncontrollable desire to laugh. It is also an excellent remedy for anemia of the spinal cord.

Zincum phos. (tds) : Mental weakness due to epilepsy.

NERVOUS SYSTEM

Some level of physical exercise and activity is important not just for muscles of the body but also for the nervous system. A small sustained increase in exercise over many years has a long term impact. ‘Yoga’ exercises are miraculous in this respect.

NETTLE RASH (SEE ‘URTICARIA’)

NEURALGIA

Pain, severe, throbbing or stabbing in character along the course or distribution of a nerve is known as neuralgia.

Aconitum nap. (tds) : Neuralgia of the face due to exposure to cold or cold draught. Pain in joints. Face flushed. Neuralgia of the face specially of the left side.

Arsenicum alb. (tds) : Periodical attacks of pain worse by cold and better by warmth. Pain of a burning character.

Belladonna (tds) : Neuralgia of face, cheeks, nose, jaws, temples and neck. Rush of blood towards the head.

Chamomilla (tds) : Violent unbearable pains worse on the left side of the face extending to the head and temples. The patient feels pain more than it actually is. Pain worse by touch. Neuralgia with numbness.

Cannabis ind. (tds) : Ciliary neuralgia. Pain around the eyes extends to temples, brows and ears. Eyes and lids red.

-
- Colocynthis** (tds) : It has symptoms like Magnesium phos. and is indicated when hard pressure relieves.
- Gelsemium** (tds) : Neuralgia with trembling of the lower extremities. Does not want to be disturbed or spoken to.
- Kalium bich.** 200 (od) : Neuralgia at the same hour everyday.
- Kalium iod.** 3x (tds) : Neuralgia of the left eye with soreness of the head.
- Kalmia lat.** (tds) : Neuralgic pains shoot downwards with numbness and a sense of coldness in the limbs.
- Macrotinum** 2x (tds) : Neuralgic pains in the limbs specially before the start of menses with relief after the flow starts.
- Magnesium phos.** 12x (tds) : One of the best remedies in neuralgia, when the neuralgia is on the right side and is relieved by warmth and pressure.
- Oleum animalis** (tds) : A useful remedy for neuralgia of the spermatic cord.
- Pulsatilla nig.** (tds) : Facial neuralgia worse in the evening. Pain with coldness of the affected parts. Thirstless patients.
- Sanguinaria** (tds) : Neuralgia of the right side. Burning pain worse on motion and touch. Better in darkness and sleep.
- Spigelia** (tds) : Neuralgia of the left side - left eye, left chest, left shoulder, left neck, etc. Pains are shooting and burning. Neuralgia of fifth nerve is prominent with its effect.
- Symphytum off.** 200 (hs) : Use it for neuralgia of the knees.
- Thuja occ.** 200 (hs)
Repeat after a week : Many neuralgia's have psychosis as their base. Therefore start the case with a single dose of this remedy on the first day in chronic cases only.

NEURITIS (SEE 'NERVES')

NIGHTMARES

- | | |
|------------------------------|---|
| Aconitum nap. (tds) | : Nocturnal furious delirium. Restless sleep with worrying dreams. |
| Ammonium carb. (tds) | : Nightmares in heart diseases. |
| Artemisia vulg. (tds) | : Walks or does anything else during sleep semiconsciously. |
| Belladonna (tds) | : Fears the dark and going to bed. May shout out while still asleep. |
| Borax (tds) | : Child cries in sleep frightened and hugs the mother. |
| Chamomilla (tds) | : Child starts crying all of a sudden in sleep due to fearful dreams. |
| Conium mac. (tds) | : Due to anemia of the brain. |
| Digitalis (tds) | : Nightmares in spermatorrhea and heart diseases. |
| Hyoscyamus nig. (tds) | : Twitches and screams while asleep, very weird dreams. |
| Kalium brom. (tds) | : Nightmares when not traceable to any cause. One dose at bed time. Shrieks and trembles. |
| Kalium phos. (tds) | : For walking in sleep semiconsciously. |
| Natrium mur. (tds) | : Gets up semiconsciously from sleep and sits somewhere in the bed room. |
| Nux vomica (tds) | : Nightmares due to over-loading of the stomach or indigestion. |
| Pulsatilla nig. (tds) | : Restless sleep with troubled dreams. |
| Silicea (tds) | : Gets up during sleep, walks and sleeps again. |
| Sulphur (od) | : For speaking in sleep semiconsciously. |

NIGHT WALKING (SOMNAMBULISM)

- Ailanthus g.** (tds) : Speaking unintelligently; muttering in semiconsciously while asleep.
- Hyoscyamus nig.** (tds) : Child cries and sobs during sleep without waking.
- Kalium brom.** (tds) : Sleeplessness due to worry, grief and sexual excesses. Grinding of teeth. Night walking while asleep.
- Kalium phos.** 200X (bd) : Walking in sleep. Sleeplessness due to over-work, worry and disease.
- Natrium mur.** (tds) : Nervous jerking during sleep. Dreams of robbers. Gets up, walks or sits while asleep.
- Silicea** (tds) : Night walking. Gets up while asleep. Frequently starts in sleep. Anxious dreams.

NIPPLES


- Aurum sulph.** (tds) : Nipples cracked with lancinating pains.
- Carbolicum acidum** (tds) : Tumor of nipples as large as an egg of a hen.
- Castor equi** (tds) : Nipples very sensitive. Cannot bear touch. Sore and cracked.
- Causticum** (tds) : Eczema of the nipples.
- Croton tig.** (tds) : On nursing, pain in the nipple going to the back.
- Graphites** (od) : Cracks in the nipples, oozing a sticky fluid. Locally it can be applied as a cerate on the sore nipples.
- Hydrastis** (tds) : Retracted nipples. Ulcerated on account of sucking by the child.
- Phytolacca dec.** (tds) : When the child nurses, pain goes from the nipple all over the body. Nipples sensitive and cracked. Sore and fissured, worse by nursing.
- Ratanhia** (tds) : Nipples cracked and fissured from nursing.

- Sarsaparilla Q** (bd) : Nipples short, flat and not growing properly
 10 drops in ½ cup of water or being wasted away. Instead of projection, depression exists. Withered and unexcitable.
- Sulphur** (od) : Nipples cracked.

NODES

(SEE 'BONES' AND 'LYMPHATIC SYSTEM')

NOSE



- Antimonium crud.** (tds), : Nostrils ulcerated and cracked.
Petroleum (tds)
- Arsenicum alb.** (tds) : Acne on the nose.
- Arum triph.** (tds) : Nose obstructed, must breathe through the mouth. Burning in the nose and constant picking of the nose until it bleeds. Large scrabs high up in the nostrils.
- Arum triph.** (tds), : Nose stopped. Must breathe through the mouth
Ammonium carb. (tds), Look for other symptoms and select any-
Kalium sulph. (tds), one of these remedies.
Psorinum (tds),
Sticta pulm. (tds),
Teucrium mar. (tds)

Asafoetida (tds)	: Numbness of the nose and caries of the bones of the nose.
Aurum met. 200 (od)	: Abscess of the nose. Painful ulcers. Fetid discharge.
Baryta carb. (tds)	: Smell of smoke in the nose.
Borax 3x (tds)	: Red nose in young women. Red shining swelling with throbbing. Tip swollen and ulcerated.
Bryonia alba (tds)	: Swelling of the tip of the nose.
Calcarea carb. (tds)	: Dry nostrils which are sore and ulcerated. Stoppage of nose. Discharge is fetid and yellow.
Capsicum (tds)	: Tip of the nose is shiny red; tickling in the nostrils.
Chelidonium (tds)	: Flapping of alae nasi.
Cina (tds)	: Itching in the nose. Patient is often seen rubbing his nose with his hands.
Hepar sulphuris 1x (bd)	: It often starts secretion and profuse drainage in stuffy colds of the nose. Nose stopped when going out. Two doses produce the desired results. Painful abscess of the nose.
Kalium bich. (tds)	: Sensation of fullness and blockage on either side of the nose. Mucus drips down the back of the throat. Snuffles of children specially in fat and chubby babies.
Kalium carb. (tds)	: Nose obstructs in a worm room. Sore and ulcerated nostrils. Bleeding from nose on washing the face in the morning.
Kalium nit. (tds)	: Polypus of the nose, worse right nostril. Nose feels swollen with itching worse towards morning and afternoon.
Lachesis (tds)	: Red nose of drunkards. Bleeding. Nostrils sensitive.
Lachnantes tinc. (tds)	: Bridge of the nose as if pinched.
Lycopodium (tds)	: Feeling of dryness and ulcerated nostrils. Nose obstructed. Nose congested when tired. Flapping of lower portion of nostrils.

- Lycopodium** (tds), : Fan like movements of the alae nasi. Flapping of alae nasi. Select the remedy on other symptoms.
- Pyrogenium** (tds),
- Ferrum phos.** (tds),
- Chelidonium** (tds)
- Medorrhinum** 1M (hs) : Intense itching in the nose and the tip of the nose feels cold. Chronic nasal and pharyngeal catarrhs with obstruction of the posterior nares. Nose dirty. Thick yellow mucus from nostrils.
- Mercurius bin iod.** (tds) : Bones of the nose are swollen.
- Mercurius sol.** (tds) : Pain and swelling of the nasal bones, caries and ulceration. Yellow green fetid pus like discharge from the nose.
- Natrium carb.** (tds) : Many troubles of the external nose - pimples and puffiness. Obstruction of the nose.
- Pothos** (tds) : Red swelling across the bridge of the nose.
- Sambucus nig.** (tds) : Snuffles in infants. Nose dry and obstructed. Child cannot draw milk from the nipple due to blockage and suffocation. Child wakes up blue.
- Sanguinaria** (tds) : Nasal polypi. Ozena with profuse, offensive, yellowish discharge. Nose feels obstructed. Sneezing.
- Silicea** (tds) : Itching at the tip of the nose. Bleeding when hard and dry crusts are removed from the nostrils.
- Teucrium mar.** (tds) : Soft polypus of jelly like consistency.
- Triticum rep.** 1x (tds) : The patient is in the habit of blowing his nose always though not suffering from cold.
- Trombidium** (tds) : Discharge from the nose while eating or drinking or bending the head. This is entirely relieved by the use of this remedy.

NOTE: Nose has important functions - not only acts as a smell sensor, it also acts as a cleaner by trapping dust, pollen or foreign particles which maybe present while inhaling air. It acts as a purifier by destroying bacteria and viruses. It acts as a humidifier by adding moisture to the inhaled air. It alerts to detect toxic gases.

NUMBNESS

- Aconitum nap.** (tds) : Numbness and tingling originating within 48 hours.
- Agaricus mus.** (tds) : Numbness of the legs while crossing them. Sensation of cold needles. Sensation as if ants are creeping on the affected parts.
- Ambra grisea** (tds) : External numbness of the whole body in the morning with weakness. It is indicated in old people and scrawny women. Coldness and numbness usually of single parts like fingers, arms, etc. Numbness worse with pressure.
- Apis mel.** (tds) : Numbness of hands and tips of fingers.
- Argentum nit.** (tds) : Numbness of forearms, specially at night.
- Asafoetida** (tds) : Numbness of the head. Maybe accompanied with pain.
- Avena sativa Q** (bd) : Numbness of limbs as if paralysed. **10-20 drops in water** will have a tonic effect for this and it also relieves nervous headache and fatigue most assuredly. It also brings about sleep. Strength of hands is diminished.
- Baryta carb.** (tds) : Numbness from knees to scrotum.
- Bufo rana** (tds) : Numbness of the brain.
- Cadmium sulph.** (tds) : Sensation of ants crawling on the body and limbs. Paralysed parts feel numb.
- Calcarea phos.** (tds) : Cold and numb feeling and crawling sensation in buttocks, back and limbs. Numbness and crawling are characteristic symptoms of this remedy.
- Causticum** (tds) : Numbness and loss of sensation in hands.
- Chamomilla** (tds) : Numbness with pain.
- Cicuta vir.** (tds) : Numbness of the whole body with coldness of hands.
- Cocculus ind.** (tds) : Numbness of arms, first right then left. Numbness of the forearms specially during the night.

- Conium mac.** (tds) : Numb feeling all over the body.
- Helonias** (tds) : Feet feel numb while sitting.
- Hydrocyanicum acidum** (tds): Sudden numbness and complete loss of sensibility.
- Kalmia lat.** (tds) : Numbness with pains which shoot downwards.
- Natrium mur.** (tds) : Numbness of fingers. Cannot hold things and drops them.
- Phosphorus** (od) : Numbness in arms, legs and tip of the fingers. Burning maybe present.
- Picricum acidum** (tds) : Pin and needle-like sensation in the extremities. Heavy, tired feeling.
- Raphanus** (tds) : Numbness of hands, soles and feet.
- Rhus tox.** (tds) : Numbness of the extremities often due to over-work and exposure. Crawling sensation in the tips of the fingers. Tingling in the feet.
- Secale cor.** (tds) : Sensation of crawling of ants and numbness of fingers.
- Tarentula his.** (tds) : Numbness of the legs.

NYMPHOMANIA

(SEE ALSO ‘SEXUAL DESIRE - EXCESSIVE’)

Nymphomania is an excessive sexual desire in females.

- Baryta mur.** 3x (tds) : Excessive sexual desire often leading to sexual mania. Great feeling of weakness.
- Calcarea phos.** 6x (tds) : Nymphomania with pain and weakness in the uterine region. Leucorrhea like white of an egg.
- China off.** (tds) : Desire too strong. Can be satisfied only by masturbation or by sexual intercourse.
- Ferula glauca** (tds) : Violent sexual desire in women.
- Murex purp.** (tds) : Pulsations in the neck of the womb excites sexual desires. Least contact of sexual parts causes violent sexual excitement.
- Origanum maj.** (tds) : Powerful lascivious impulses, ideas and dreams compelling masturbation. Desire for

active exercise. The patient walks to and fro unnecessarily. Dreams even of having sex with brother or son.

Platinum met. (tds) : Tingling internally and externally of sexual parts arouses excessive sexual desire.

OBESITY

To control obesity and to reduce fats, individualization of the case is necessary. Weight gain is the result of several different facts like genetics, heredity metabolism, inadequate elimination, eating habits and life style. The homeopathic treatment is based upon draining, treating and curing. Drainage means relieving the liver, kidneys and circulatory system of toxins. **Fucus** is a diuretic and detoxifying agent. It activates burning of fats and sugar. If you forgot to take off your rings before sleeping at night, then next morning you cannot take them off because your fingers are so swollen and after some hours when you pass urine, etc. the fingers become normal. In such cases, **Natrium sulph.** acts as a powerful drainage agent. The following medicines can be prescribed for people who are over-weight. These will not help people who just want to lose 5-10 pounds. To get restored to a more normal body and to take off the weight, the patient must know how to eat properly and exercise. Fats should be decreased to minimum in the diet. Fasting and dieting can be more harmful even than being fat as most people gain back the lost weight after dieting is abandoned.

Extreme dieting can lead to eating disorders like anorexia nervosa and bulimia. There are no magic pills.

Regular physical activity and a low calorie diet help reduce obesity. Experts link obesity to diabetes, heart disease and some cancers.

Ammonium mur. (tds) : Patients having respiratory troubles. Sluggish and have large buttocks and thighs.

Antimonium crud. (tds) : Gouty patients with gastric troubles having a tendency to grow fat. Tongue thickly coated white.

Apocynum can. 1x (tds) : Abdomen is bloated due to dropsy. Puffiness elsewhere due to dropsy. By the use of this remedy, the waist can reduce in one month and loss of weight can be upto 20 pounds in one month.

1. Grain Products

Choose whole grain and enriched products more often.


2. Vegetables & Fruit

Choose dark green and orange vegetables and orange fruit more often.

3. Milk Products Choose lower-fat milk products more often.

4. Meat & Alternatives

Choose leaner meats, poultry and fish, as well as dried peas, beans and lentils more often.



SOURCE: National Center for Health Statistics/Washington Post

How fat is too fat?

New standards say that you are overweight if your body mass index (BMI) is over 25.


How to calculate your BMI:

$$\frac{\text{Weight in pounds} \times 703}{\text{Height} \times \text{Height in Inches}}$$

Example: A person 5'7" weighing 159 pounds has a BMI of 159×703 divided by $67 \times 67 = 25$

BMI: 23 24 25 26 27 28 29 30
HEALTH OVERWEIGHT

Height	weight (lbs)										
5'1"	122	127	132	137	143	148	153	158			
5'3"	130	135	141	146	152	158	163	169			
5'5"	138	144	150	156	162	168	174	180			
5'7"	146	153	159	166	172	178	185	191			
5'9"	155	162	169	176	182	189	196	203			
5'11"	165	172	179	186	193	200	208	215			



- Calcarea carb.** 200 (od) : Fat people with perspiration on the forehead. Excessive fat in abdomen. Obesity specially in children and young people. Excessive appetite. Chilly patients. When obesity is due to hypothyroidism, it cures obesity as well as the thyroid or pituitary dysfunctions.
- Calotropis Q** (bd)
10 drops in ½ cup of water : It decreases flesh and hardens muscles.
- Fucus ves.** Q (bd)
10 drops in ½ cup of water : Patients having a defect in the thyroid gland and are gaining weight and becoming fat because of it. It is a diuretic and a detoxifying agent. It burns excessive fats and sugar.
- Graphites** (od) : Anemic young ladies with a red face and tendency to obesity due to delayed menses. It suits the males also. Such patients have skin affections and have weeping tendencies.
- Iodium 2x** (tds) : Debilitated fat patients having thyroid troubles - feeling hungry always. In such cases, Iodium 2x will reduce obesity. Higher potencies will increase weight.
- Phytolacca berry Q** (bd)
10 drops in ½ cup of water : Obesity without any possible defect in the system. A general remedy to reduce weight and fat.
- Pulsatilla nig.** Q (tds)
10 drops in ½ cup of water : Obesity due to uterine troubles. Patient is shy, emotional and thirstless.
- Thyreoidinum 200** (hs)
Repeat after a week : Excessive obesity due to imperfect function of the thyroid gland. Such patients crave large amounts of sweets.
- Tussilago fragrans Q** - 3x (tds) : Obesity due to over-fulness of blood vessels or over-quantity of any fluid in the body or dropsy. It cures abdominal protuberance permanently.

NOTE 1 : There are two general classifications of obesity:

- a. **Exogenous:** It is caused by excessive food intake. In such cases diet should be below maintenance requirements but no dieting or fasting.
- b. **Endogenous:** It is caused by some abnormality within the body like adrenal hyperfunction or testicular or ovarian or thyroid hypofunction.

NOTE 2 : Obesity can be from any of the following causes:

- a. **Hyperinsulinemia:** This disorder causes the body to over- produce insulin hormone. Insulin turns carbohydrates into fat. The extra insulin starves the brain of the glucose and disrupts the entire endocrine system which creates mood swings, constant fatigue and food cravings causing obesity. In addition to the homeopathic oral treatment, low consumption of carbohydrate diet and high protein diet helps cure obesity.
- b. **Prader -Willi syndrome:** It is a congenital medical disorder which results in compulsive over -eating causing obesity. It is curable.
- c. **Hyperthyroidism:** It is a curable condition.
- d. **Cholesterol:** High level of cholesterol causing obesity can also be cured.
- e. **Genetic origin:** It is hard to cure.
- f. **Cellulite:** In this kind of obesity of ladies, the upper portion of the body remains normal but the hips and thighs become fat. It is caused due to increased secretion of estrogen at puberty or by the use of birth control pills, or pregnancy or smoking or by diets rich in saturated fats and inadequate lymphatic and liver functions.

NOTE 3: It is important that in cases of obesity, the cause should be determined and the treatment should be directed at the source of the problem.

NOTE 4:

- a. **Enjoy a variety of foods from each of the four groups:**
 - i. **Choose lower fat foods.**
 - ii. **Choose whole grain and enriched products.**
 - iii. **Choose dark green, orange vegetables and fruits.**
 - iv. **Choose leaner meats, poultry, fish and dried peas, beans and lentils.**
- b. **Walk atleast 1 mile a day.**
- c. **Research has revealed that diet rich in calcium helps reduce body fat. Calcium suppress the hormones linked to body's fat storage.**

ODOR (SMELL)

- | | |
|---|--|
| Allium cepa (tds) | : Very sensitive to the odor of flowers. |
| Anthracinum (tds) | : Bad effects of inhaling foul odors. |
| Arsenicum alb. (tds) | : There is an odor of sulphur fumes from the throat during coughing. |
| Aurum met. (tds) | : Everything smells bad; putrid smell while blowing the nose. |
| Belladonna (tds) | : Sensation of smell of rotten eggs or that of a gas. Great sensitive to odors. Even a little or a faint odor is unbearable. |
| Bovista (tds) | : Perspiration in the armpits smells like that of onions. |
| Calcarea carb. (tds) | : Offensive foot sweats. |
| Carbolicum acidum (tds) | : Very marked acuteness of smell; this it is a guiding symptom for the use of this remedy. |
| Colchicum autum. (tds) | : Smell of cooking foods, especially fish, causes nausea, vomiting and even fainting. |
| Colocynthis (tds) | : Perspiration smells like urine. |
| Croton tig. (tds) | : Sensation of smell of stool. |
| Graphites (od) | : Smell of burnt hair. |
| Guaiacum off. Q (bd)
5-10 drops in ½ cup of water | : Unclean odor from the whole body. |
| Helleborus (tds) | : Very bad smell from the mouth, especially during fevers. |
| Kalium phos. (tds) | : Foul smell of breath. |
| Lachesis (bd) | : Bad odor from the mouth, i.e. specially during menopause. |
| Magnesium mur. (tds) | : Loss of smell and taste after influenza. |
| Mercurius sol. (tds) | : Foul breath, bad odor from the armpits and discharges. |
| Nitricum acidum (tds) | : Foul smell from the body. Fetid discharge. Urine smells like that of a horse. |

Nux vomica (tds)	: Bad odor from the mouth after eating. Cannot bear strong odors like phenyl, petrol, etc.
Phosphorus (bd)	: Odor of garlic from perspiration. Cough from strong odors.
Phosphorus , (bd) Corallium rub. (tds)	: Odor of onions, smoke, etc., in the nose. Look for other symptoms of the remedy to select either remedy.
Psorinum (od)	: A very uncommon peculiar characteristic of this remedy is that the discharges of the patients are very foul and fetid. The smell can be felt throughout the house. In all diseases, the patient feels unusually well before an attack.
Pyrogenium 200 (hs) Repeat after a week	: Breath horribly offensive. Taste terribly fetid. General putrid body odor, breath, sweat and all discharges.
Sabadilla (tds)	: Sensitive to all odors.
Sanicula aqua (tds)	: Sensation of smell of rotten fish from the skin.
Silicea (tds)	: Offensive foot sweat.
Stannum met. (tds)	: Smell of cooking food causes vomiting.
Sulphur (od)	: Over-sensitive to odors. Offensive smell of all discharges.
Sulphur (od), Psorinum (od)	: Bad smell from the body in spite of cleaning and bathing.
Tellurium met. (tds)	: Garlic-like smell from the body.
Thuja occ. (tds)	: Loss of smell during an allergic cold.
Wiesbaden (tds)	: Offensive body odor, smells like rotten eggs.

OLD AGE

Agnus castus 3x (tds)	: Premature old age due to excessive use of the sexual power. Give this remedy thrice daily.
Agnus castus 1c	: Premature old age due to excessive use and abuse of sexual power.
Alumina (tds)	: Old people with lack of vital heat—premature old age with debility. Sluggish functions,

- heaviness, numbness, staggering and the characteristic constipation with no desire for stools for days together.
- Ambra grisea** (tds) : It is a great remedy for the aged with impairment of all functions, weakness, coldness and numbness usually of single parts like fingers, arms, etc. One-sided complaints.
- Anacardium ori.** (tds) : Senile dementia. The patient feels as if he is two persons. Very easily offended. The patients memory is poor and becomes very absent-minded.
- Argentum nitricum** (tds) : Skin drawn tightly over the bones of face making the man look old.
- Bellis per.** : Vertigo in elderly persons.
- Belladonna** (tds) : Moaning at every breath in elderly people.
- Baryta carb.** (tds) : Diseases of old men when degenerative changes begin - cardiac, vascular and cerebral - enlarged prostate gland and hardened testes. Senile dementia with confusion and loss of confidence. Loss of memory. Childish behavior with weakness. Must lie down or lean on something. Very averse to meeting strangers. Weakness due to masturbation or sexual excesses when young.
- Brewer's yeast** 1x (bd) : 2 tablets (2 grains) taken with meals twice daily brings back the youthful looks of the person who is growing old before time. This yeast is obtained during the brewing of beer. In the dried form, it is a very good source of vitamin B.
- Capsicum** (tds) : It is indicated in fat, lazy, unclean, light haired and blue eyed elders of lax fibre and muscles who lack reaction and become irritable on trifles, and older people who have spent their forces by mental work with poor living. Progressive loss of strength.
- Carbo veg.** (tds) : Painful diarrhea in old people. Stools frequent, fetid and sometimes involuntary.

- Causticum** (tds) : General health is very poor. The patient feels sad and hopeless but is intensely sympathetic. Progressive loss of strength in broken down old people.
- Conium mac.** (tds) : Difficult gait. Trembling. Sudden loss of strength while walking. Painful stiffness of the legs. Urinary troubles and weakened memory.
- Ginkgo biloba** Q (tds) : It is a nutritional supplement in the fight against problems of aging process. Acts as a tonic for the immune system, increases vitality and removes physical fatigue. Improves memory.
- 5-10 drops in ½ cup of water
- Lycopodium** 200 (od) : It is also an old age remedy. Weakness of the body and mind. Trembling and palpitation. Unable to do mental work. Cannot equal the occasion during sex with a lady of younger age than him.
- Rhodallinum** 2x (tds) : A remedy for retarding old age. Gastric and rectal troubles. Deafness. It helps the old age come naturally and normally without any complications. It is helpful in removing bags below the eyes, relaxation of skin due to old age, stiffness of joints and their abnormal immobility due to old age, discoloration patches on the face in old age, vertigo, tinnitus and deafness in old age.
- Rhus tox.** (tds) : Bronchial coughs of old people.
- Secale cor.** (tds) : In thin and lean women who are run down and anxious. Maybe suffering from cataract.

NOTE 1: Aging is a fact of life and not a progressive disease.

NOTE2: With the advancing age, the immune system tends to deteriorate. Surgery also affects the body's ability to fight off infections. To counteract the effects of aging on the immune system, long term regular exercise is important. Malnutrition is also a factor.

Malnutrition occurs in cereals because of decrease of pleasure in eating, digestive disorders, chronic illnesses, physical disabilities and it results in loss of appetite.

NOTE 3: Three key anti-aging antioxidants are vitamin C and E and betacarotene. They have miraculous regenerative powers. Vitamin C

is found in oranges, broccoli, brussel sprouts, bell peppers and rowan berries. Vitamin E is found in different seeds, sweet potatoes, carrots and spinach.

OPERATION

- Abrotanum** (tds) : Sensation of pressure after an operation of the chest for pleurisy or other chest diseases.
- Aceticum acidum** (tds) : It removes weakness after surgery.
- Allium cepa** 200 (bd) : For after-effects of surgery in which mucous membranes are cut as in the surgery of intestines.
- Bellis per.** 3x (tds) : It is of use when nerves or deeper tissues are injured in a major surgery. There is much soreness and aggravation after a cold bath.
- Calcarea fluor.** 6x (qid) : After surgeries, its use hastens the joining of the two parts together.
- Calendula off.** (tds) : Injuries to eyes on operation or otherwise - which tends to suppuration.
- Causticum** (tds) : Retention of urine after an operation.
- Chamomilla** (tds) : Nausea and vomiting after an operation due to the use of morphia.
- China off.** (tds) : Flatulence with pain after an operation. There is no relief after passing gas and where there has been loss of blood or other fluids.
- Collinsonia** (tds) : It is of special value when given before operations for rectal diseases. Does not allow complication to arise after the operation.
- Colocynthis** (tds) : Spasmodic contractions of the urinary bladder after operation of the orifice, entrance or outlets to any aperture. Agonising pain in the abdomen compelling the patient to bend double.
- Hamamelis** Q (bd)
10 drops in ½ cup of water : Relieves pain and weakness from loss of blood in an operation.

- Hypericum** (tds) : Relieves pain after an operation. Often substitutes the use of morphine.
- Millefolium** (tds) : For complaints after surgical removal of stones.
- Phosphorus 200-1M** (hs) : A single dose given a day before the abdominal operation will prevent nausea and other distressing symptoms after the operation.
- Raphanus** (tds) : Post-operative gas pains are removed by the use of this remedy.
- Rhus tox.** (tds),
Pyrogenium (tds) : Post-operative complications. Look for other symptoms of the remedy.
- Staphysagria** (tds) : Abdominal pains, after its operation and when there has been loss of fluids.
- Strontium brom.** (tds) : It relieves shock of an operation and revives the patient who may have a cold body and profuse perspiration and other symptoms of collapse.
- Strophanthus Q** (tds) : It may be used with advantage after any operation to remove the weakness occurring from bleeding. It tones up the heart also. Dose-10 drops, three times daily.
- 10 drops in ½ cup of water
- Veratrum alb.** (tds) : Post-operative shock. Body cold. Feeling of weakness. Cold sweat on the forehead. Vomiting on account of surgical shock.

OPIUM HABIT

- Avena sativa Q** : Almost specific for removing craving for morphine and opium. Give 20-25 drops in hot water, 3 times a day.
- Berberis vulg.** Q (tds) : Useful to counteract morphine and opium habit.
10 drops in ½ cup of water
- Chamomilla** (tds) : It is useful in antidoting the desire for morphine and opium. It antidotes bad effects like pain and sleeplessness.
- Coffea cruda** (tds) : Antidotes bad effects of narcotics and sleeping

Osteoporosis: Porous bones

Bones that have thinned from the inside due to mineral loss are vulnerable to fracture. However, osteoporosis is both preventable and treatable.

What causes osteoporosis?

A diet lacking in essential nutrients, a hormone imbalance (common after menopause) and lack of regular exercise all contribute to osteoporosis.

Other causes: Endocrine disorders such as diabetes, thyroid over-activity, excessive adrenal or parathyroid hormones and nutritional disorders, such as anorexia nervosa.

Osteoporotic fractures— Vertebral crush:

Bone weakness and collapses, leading to height loss. Fractures occur on front side of vertebra, causing hunched-over posture.

Hormones and bone growth:

Estrogen replacement therapy is often recommended by doctors for post-menopausal women to prevent bone loss. Progesterone and DHEA (dehydroepiandrosterone) are hormones vital to bone health. Future therapies may involve an appropriate combination of several hormones.

Do men get osteoporosis?

Yes, but less often than women; 35% of U.S. women and 10% of men age 60 and over have osteoporosis. Men have more bone mass and don't go through drastic hormonal upheavals of menopause.



Common symptoms:

- Pain bones and lower back.
- Height loss (averages about 1.5 inches every 10 years after menopause).
- Night cramps in legs and feet.
- "Dowager is lump" a forward bending of spine.
- Extreme fatigue.
- Fractures (osteoporosis causes 90% of fractures after age 65)

How bones grow:

Bone is living tissue that is constantly remodeling itself. Bone contains living cells embedded in a hard, mineral matrix. Osteoblast cells help create new bone tissue. Osteoclast cells break down old or damaged bone.

Cancellous bone: Spongy inside; supports bone ends.

Red marrow: Blood vessels and cells that produce red blood cells.

Compact bone:

Solid, hard outside sheath.

Blood vessels:

Supply bone with nourishment and oxygen.

Astronaut osteoporosis:

Space travellers lose bone mass after long periods of weightlessness.

The problem is caused by disuse. It is also seen in paralysis victims and people with severe fractures.

Colles' fracture:

Wrists of forearms break when person breaks fall with hands.

Hip fracture: May lead to serious complications. Up to half of elderly patients end up in nursing homes after a hip fracture.

The following remedies are useful:

- Calcarea carb.** : Curvature of the upper part of the spine. Pain and weakness in the back, especially lower back. Pain after exposure to damp conditions. Pain improves on lying on the painful side.
- Calcarea phos.** : Stiffness and pain with a cold, numb feeling. Pain in the lower back and hips with a feeling as if the bone is broken. Pain worse with change of weather.
- Cimicifuga racemosa 3c** : It is considered as an estrogen herb. It reduces bone loss possibly by acting as a selective estrogen receptor modulator. It is helpful in treatment of pains.
- Ginseng Q,
Ginkgo biloba Q** : There is a limited proving that these remedies are also beneficial in reducing bone loss.
- Silicea** : Sciatic pains in the hips, legs and feet. Weakness of the arms and the legs. Pain is better by warmth and in damp weather.
- Symphytum** : It acts as a glue in fractures caused by osteoporosis.

NOTE 1: The patient should expose his skin to direct sunlight as much as possible.

NOTE 2: Foods rich in calcium like, skimmed milk, natural yogurt, dried fish, almonds, broccoli etc. are useful.

NOTE 3: Laxatives and antacids containing aluminium should be avoided.

NOTE 4: Bone density check can determine the disease. It is similar to an X-ray. The patient lies on a bed and the machine measures the density of the bone in two places, the lower back and hip. The test takes 10-15 minutes.

NOTE 5: Risk factors for osteoporosis are:

- a. A history of broken bones (especially spine, hip or wrist).
- b. A family history of osteoporosis.
- c. Removal of ovaries or loss of periods before the age of 45.
- d. Primary hyperthyroidism.
- e. Slim, less than 125 lbs (57 kg).
- f. Asians or Asian background.


- g. Age 50 or older.
- h. Post -menopause.
- i. Low level of physical activity.
- j. A smoker or a history of smoking.
- k. A heavy caffeine user, consuming more than 3 cups of coffee, tea or cola per day on a regular basis.
- l. High level of alcohol intake, more than 2 drinks a day.

OTORRHEA

(DISCHARGE FROM THE EARS)

Calcarea carb. (tds)	: Bland discharge of white color.
Calcarea sulph. (tds)	: Discharge is thick of bloody pus.
Graphites (od)	: Discharge is sticky, fetid and of light brown color.
Hepar sulphuris (tds)	: Discharge is comparatively thick and there is much pain - maybe due to an abscess.
Kalium bich. (tds)	: Ears are swollen with tearing pains. Discharge is thick, yellow, sticky, stringy and fetid.
Kalium iod. (tds)	: Copious, thick, green discharge.
Mercurius sol. (tds)	: In suppuration of the middle ear. Discharge is profuse, green, thick and fetid.
Pulsatilla nig. (tds)	: Thick, profuse, yellow, bland discharge with an offensive odor.
Silicea (tds)	: Thin discharge of pus from the ears. Maybe due to caries of the ear bones if it contains small pieces of bones or maybe due to rupture of a boil in the ear. The pain is negligible.
Tellurium met. 6 (tds)	: Catarrh of the middle ear. Discharge is acrid, smells like fish pickle. Itching, swelling, throbbing in meatus. It is the best remedy for this disease.

OVARIES



- Aconitum nap.** (tds) : Any complaint of ovaries after exposure to dry cold winds.
- Alumen** (tds) : Tumor of ovaries with obstinate constipation.
- Apis mel.** (tds) : An important remedy in the affection of ovaries. Congestion in the right ovary causing soreness in the inguinal region with burning and stinging. Swelling. If there is numbness down the thigh, this remedy is surely indicated. It is also useful in the affection of the left ovary. Inflammation of ovaries during childhood. Suppression of menses due to tumor of ovaries.
- Aurum iod.** (tds) : Ovarian cysts.
- Aurum met.** (tds) : Induration of the ovaries.
- Belladonna** (tds) : Acute ovaritis. Throbbing pains appear and disappear suddenly and appear again. Bearing down sensation. Pains are worse right side.
- Calcarea carb.** 200 (od) : Polypi of uterus and ovaries. Cutting pains in uterus during menstruation. Menses too early, too profuse, too long lasting with vertigo. Feet icy cold. It is a very successful remedy under these conditions.

-
- | | |
|------------------------------|---|
| Colocynthis (tds) | : Ovarian pains relieved by bending double. Cystic tumor. |
| Conium mac. (tds) | : Ovaritis. Ovary enlarged and indurated with lancinating pain. Ill effects of suppressed sexual appetite or suppressed menses. |
| Graphites (od) | : Swelling and induration of the left ovary with delayed scanty menses. Pain in the right ovary. |
| Hamamelis Q | : Warmed mother tincture applied externally on the ovaries, relieves pain of ovaritis, instantly. It is also useful given orally in case of injuries to the ovaries. |
| Iodium (tds) | : Atrophy of ovaries. Ovaritis. Wedge-like pains in the right ovarian region. Dwindling of mammary glands. |
| Kalium brom. (tds) | : Cystic tumors of the ovaries with increased sexual desire. |
| Lachesis (bd) | : Pain in the left ovary relieved by discharge from the uterus. Cannot bear tightness about the waist and loins. Tendency of the affection to move from left to right. Chronic enlargement of the ovaries. Tumor or cancer of the left ovary or both ovaries. |
| Lecithinum 3x (qid) | : Ovaries inefficient or not working adequately. 4 doses per day for 8 weeks. |
| Medorrhinum 1000 (hs) | : Pain in the ovaries, worse left side or it may move from ovary to ovary. |
| Mercurius cor. (tds) | : Ovarian neuralgia. Sticking pain in the left ovary. |
| Oophorinum 3x (tds) | : Suffering following removal of ovaries. Ovarian cyst. Atrophy of ovaries. It is said to help production of eggs in women who are sterile due to non-production of eggs. |
| Palladium met. (tds) | : A good ovarian remedy for pains and inflammation. Pain and swelling in the right ovary. Cutting pain in the uterus, relieved after stool. Most indicated in proud ladies who like flattery. |

Phosphorus (bd)	: Polypi of ovaries with running, leucorrhea, worse lying on painful side and better by a cold bath.
Sabal ser. Q. (bd) 10 drops in ½ cup of water	: Ovaries tender and small.
Onosmodium (tds)	
Silicea (tds)	: Cysts in vagina and ovaries with icy coldness of the whole body.
Staphysagria (tds)	: Ovaritis due to masturbation.
Thuja occ. (tds)	: Polypi of the ovaries, ovaritis worse left side and every menstrual period with profuse perspiration before menses.
Viscum album (tds)	: Ovaralgia specially of the left ovary.
Xantoxylum (tds)	: Neuralgia of ovaries. Pain in loins and lower abdomen, worse left side extending to thighs.
Zincum val. 2x (tds)	: Painful affection of the ovaries. Pain shoots down from the limbs to the feet. Requires a long time to cure.

NOTE 1 : Research has revealed that about 7% women have several painless small cysts in the ovary and this causes infertility, obesity, acne, irregular or absent menses and excessive facial and body hair.

NOTE 2 : Any woman who experiences the following symptoms for more than two or three weeks can be suffering from a cancer of ovaries:

1. Bloating, a feeling of fullness or gas in the abdomen.
2. Frequent and urgent urination.
3. Nausea ,indigestion, constipation or diarrhea.
4. Menstrual disorders or pain during intercourse.
5. Fatigue or backache.

Such a cancer can be easily detected by a combination of pelvic and rectal examinations, a blood test and a transvaginal sonogram.

OZENA

(DISCHARGE FROM THE NOSE)

- Asafoetida** (tds) : Syphilitic ozena.
- Aurum mur.** 12x (tds) : Atrophy of mucous membrane of the nose accompanied by considerable crusting, discharge and very offensive odor.
- Teucrium mar.** (tds) : Ozena with loss of sense of smell. Nasal catarrh of the nose with clinkers and crusts.

PAINS

For pains, in a particular part of the body or an organ, see under the appropriate heading. Following are the general characteristics of pains. These have proved to be a useful guide but it is not all.

How pain travels

Despite years of research, questions still remain about exactly what happens between the moment you step on a nail and the moment you say “ouch”. Scientists are scrambling to answer these questions in their search for new pain relievers.

1. Receptors at the end of nerves in the skin, muscles, bone, blood vessels and internal organs detect a potentially harmful stimulus.
2. A pain message in the form of electrical impulses travels along the nerve to the spinal cord.
3. The pain message enters the dorsal horn, where the peripheral nerve releases chemical transmitters that activate a number of nerve cells in the spinal cord.
4. The spinal cord processes the information and transmits it to the brain via other nerve cells. The spinal cord usually sends a signal for the muscles to contract, to move the limb away from pain.
5. The message is forwarded to several specialized regions of the brain that control physical sensation, emotional feeling and thinking.


Acidum fluor. (tds), : Pains like electric shocks.

Cimicifuga (tds),

Colchicum autum. (tds),

Phytolacca dec. (tds)

Aconitum nap. (tds), : Pains are accompanied with numbness.



Chamomilla (tds),
Kalmia lat. (tds),
Platinum met. (tds),
Rhus tox. (tds),
Calcarea phos. (tds),
Kalium carb. (tds),
Causticum (tds)

Aconitum nap. (tds), : Painful parts are sensitive.
Chamomilla (tds),
Coffea cruda (tds)

Aesculus hip. (tds), : Pains with sensation of fulness.
China off. (tds),
Lycopodium (tds)

Agaricus mus. (tds) : Neurotic pains as if cold needles are running in nerves.

Ammonium carb. (tds), : Pains in bones.
Eupatorium perf. (tds),
Aurum met. (tds),
Kalium bich. (tds),
Asafoetida (tds),
Mercurius sol. (tds)

Aranea diad. (tds) : Pain in the bones of extremities and heels.

Arnica mont. (tds), : Pains are sore and bruised in character.
Baptisia (tds),
Pyrogenium (tds),

- Bellis per.** (tds),
Eupatorium perf. (tds),
Ruta (tds)
- Arsenicum alb.** (tds), : Pains are better by warmth.
Aesculus hip. (tds)
- Arsenicum alb.** (tds), : Pains are burning.
Belladonna (tds),
Cantharis (tds),
Capsicum (tds),
Phosphorus (tds),
Sulphur (tds)
- Arsenicum alb.** (tds), : Burning pains relieved by warmth.
Apis mel. (tds)
- Aurum met.** (tds) : One of the best remedies for bone pains.
- Belladonna** (tds), : Pains are bearing down.
Lilium tig. (tds),
Sepia (tds), **Kalium bich.** (tds)
- Belladonna**, (tds) : Pains are throbbing or pulsating in character.
Glonoinum (tds), **Sepia** (tds),
Melilotus alba (tds),
Kalium carb. (tds)
- Berberis vulg.** (tds) : Pains change in regard to place and character.
Pains in the kidneys maybe felt all over the
body, emanating from the small of the back.
Wandering and radiating, not worse by
pressure but worse on standing and active
exercise.
- Bryonia alba** (tds) : Pains are better by rest.
- Bryonia alba** (tds), : Pains are sharp, cutting and stitching.
Kalium carb. (tds),
Squilla maritima (tds)
- Calcarea carb.** (tds) : Pain in chest worse by touch or on inspiration.
- Camphora** (tds) : Pain disappears or is better while thinking of
it.
- Camphora** (tds), : Pains with sensation of coldness.
Secale cor. (tds),
Heloderma (tds),
Pulsatilla nig. (tds),
Calcarea carb. (tds),

- Arsenicum alb.** (tds),
Cistus can. (tds),
Veratrum alb. (tds)
- Chamomilla** (tds) : Pains are accompanied with sweating. Very useful for pains with numbness.
- China off.** : Pains worse by slight touch but better by hard pressure.
- Cocculus ind.** (tds),
Phosphorus (tds),
Sepia (tds) : Pains with sensation of emptiness.
- Conium mac.** (tds) : Putting feet on the chair relieves pains of extremities.
- Cuprum met.** (tds),
Colocynthis (tds),
Magnesium phos. (tds) : Pains are gripping, cramping and lightening in type.
- Cyclamen** (tds) : Pain in parts where bones lie near surface. Pains are not violent but only sore.
- Eupatorium perf.** Q (tds)
 10 drops in ½ cup of water : Aching in the bones of extremities.
- Ferrum mur.** 6x (tds) : Pain in the right shoulder, right elbow with tendency to cramps. Better walking slowly or resting, and worse at midnight, cold washing or over-heating.
- Gelsemium** (tds),
Picricum acidum (tds),
Acidum phos. (tds) : Pains are accompanied with weakness and debility.
- Gnaphalium** (tds) : Pain is worse both by lying and walking but is better by sitting.
- Guaiaicum off.** (tds),
Apis mel. (tds),
Pulsatilla nig. (tds) : Pains are better by a cold bath, cold application and cold air.
- Hepar sulphuris** (tds) : Pains are accompanied with fainting.
- Hypericum** (tds) : Relieves pains after operation - supersedes the use of morphia. Excessive painfulness points to the use of this remedy.
- Ignatia amara** (tds),
Kalium bich.,
Oxalicum acidum (tds),
Lilium tig. : Pain in small circumscribed spots.

-
- Indigo tinc.** (tds) : Pain in limbs better by walking and worse after every meal.
- Kalium carb.** (tds) : Early morning aggravation is important. Pains are better by motion and moving about. Pains are sharp, throbbing and cutting.
- Kalium carb.** (tds),
Colocynthis (tds),
Rhus tox. (tds), **Sepia** (tds),
Magnesium phos. (tds) : Pains are better by pressure.
- Kalium sulph.** (tds) : Shifting and wandering pains.
- Kalmia lat.** (tds) : Neuralgic pains shoot downwards with numbness. Pains come suddenly and go suddenly.
- Kalmia lat.** (tds),
Chamomilla (tds),
Sepia (tds),
Magnesium phos. (tds) : Pains travel downwards.
- Lac can.** 200 (bd) : Erratic pains changing sides. Pain first on one side then on the other.
- Lac can.** (tds),
Pulsatilla nig. (tds),
Tuberculinum (tds),
Phytolacca dec. (tds),
Berberis vulg. (tds) : Pains are erratic. They are wandering, changing and irregular.
- Lachesis** (tds) : Pain anywhere which is aggravated by the slightest touch, even with a feather and also early morning aggravation is very important. Pain travels from left to right.
- Lachesis** (tds),
Pulsatilla nig. (tds),
Tarentula cub. (tds) : Pains accompanied with a blue swelling.
- Ledum pal.** (tds),
Sabina (tds),
Lachesis (tds),
Sepia (tds) : Pains travel upwards from below.
- Lycopodium** (tds) : Pains travel from right to left and increase from 4.00 to 8.00 p.m. and decrease by uncovering the head. Pains come and go suddenly.

-
- Magnesium phos.** (tds) : Cramping pains anywhere - coming and going, better by heat, warmth and pressure. Patient must move about, and passing wind constantly.
- Manganum acet.** (tds) : Every part of the body feels sore and painful when touched. Pain from above downwards.
- Medorrhinum** 200 (hs)
Repeat after a week : Pains are worse when thinking of them and from sunrise to sunset. Patient finds relief in knee - elbow position.
- Mezereum** (tds) : Any pain when chilliness and sensitiveness to cold air accompanies and when it shoots upwards.
- Morphinum** (tds) : Palliative in severe pains.
- Natrium mur.** (tds) : Pains with a constrictive sensation. More in morning in bed. Headache is worse from sunrise to sunset.
- Nitricum acidum** 200 (od) : Paroxysmal pain appearing and disappearing suddenly, and usually worse at night. Pains just like waves.
- Oxalicum acidum** : Violent pain in small circular spots worse movement and thinking of them.
- Phytolacca dec.** (tds) : Pains in the right shoulder with stiffness and inability to raise the arm, worse morning. Pains fly like electric shocks and shift rapidly.
- Pulsatilla nig.** (tds) : Pains are accompanied with chilliness. More severe the pain, the harder the chill.
- Pulsatilla nig.** (tds),
Belladonna (tds),
Colchicum autum. (tds),
Kalium sulph. (tds),
Kalium bich. (tds),
Aesculus hip. (tds) : Pains are wandering - travel from one part to another.
- Rhamnus cal.** Q (bd)
10 drops in ½ cup of water : One of the most positive remedies for rheumatism and muscular pains when the pains are worse in the evening.
- Rhus tox.** (tds) : Backache worse from rising from a seat.
- Ruta** Q (bd)
10 drops in ½ cup of water : Pain in the bruised bones.

- Sacrolacticum acidum** (tds) : Cold pains as if produced by fine, icy cold needles with tingling as in case of frostbite. Great physical weakness.
- Sarsaparilla** (tds), : Pains while urination.
Medorrhinum (tds),
Berberis vulg. (tds),
Equisetum (tds),
Thuja occ. (tds)
- Sepia** (tds) : All pains are from below upwards. Pain on the right side one day and on the left side the other day.
- Stannum met.** (tds) : Pains that come and go gradually call unmistakably for this remedy.
- Syphilinum** 1000 (hs) : Pains from sunset to sunrise. Worse in the morning. Pains decrease and increase gradually.
- Thuja occ.** (tds) : Pains are accompanied with micturition.
- Valeriana** (tds) : Pains worse standing and resting on the floor and better by walking.
- Veratrum alb.** (tds) : Pains are accompanied with delirium.

NOTE 1: Pain itself is no disease. It is only a symptom of some diseases, only the person having it can describe it. So the underlying cause of pain should be searched. When treated it will cause disappearance of the pain. For example, if the pain is due to a cut, the cut should be cured. If the pain is due to a burn, the burn should be treated. If the pain is due to a fracture, the fracture should be set and so on.

NOTE 2: Despite all the advances of modern medicine, the main remedies used to fight pain today are essentially the same as those used in the ancient times. Opium was cultivated long before Hippocrates, founder of modern medicine. Aspirin and morphine were isolated in 1800s and these formed the foundation of the modern pharmaceutical industry.

PALPITATION



- Agaricus mus.** (tds) : Palpitation from sudden noise or on coughing. Nervous palpitation.
- Belladonna** (tds) : Palpitation after least exertion with headache and a flushed face.
- Carbo veg.** (tds) : Palpitation on account of acidity and excessive flatulence in the stomach.
- Cimicifuga Q** (tds)
10 drops in $\frac{1}{2}$ cup of water : Palpitation with a sinking sensation in the pit of the stomach. Uneasiness and restlessness.
- Crataegus oxy. Q** (tds),
10 drops in $\frac{1}{2}$ cup of water, : Palpitation on account of threatened heart failure.
- Digitalis** (tds)
- Glonoinum** (tds) : Palpitation with dyspnea. Beats of the heart are very strong and each beat is heard in the ears.
- Ignatia amara** (tds) : Hysterical palpitation.
- Lachesis** (tds) : Palpitation on least excitement, specially during menopause.
- Moschus** (tds) : Nervous palpitation or nervous excitement. There may not be any organic disease of the heart.
- Natrium mur.** (tds) : Palpitation in anemic patients due to weakness.
- Nux vomica** (tds) : Palpitation after eating, indigestion and from flatulence.
- Oxalicum acidum** (tds) : Palpitation with dyspnea in organic heart diseases, worse when thinking of it.
- Terminalia arjuna Q** (bd)
10 drops in $\frac{1}{2}$ cup of water : Palpitation in heart diseases, maybe due to any heart disorder, dyspnea, nervousness, etc.
- Viscum alb.** (tds) : Palpitation during coitus.

PANCREAS

This is the racemose glandular portion of the pancreas producing its digestive secretion which is delivered to the second part of the duodenum.

Anatomical variations occur in this region.

Commonly the pancreatic and bile ducts fuse as they enter the ampulla of Vater



Microscopically, the exocrine tissue is similar to salivary glands.

- | | |
|--|---|
| Argentum nit. (tds) | : Inflammation of the pancreas, flatulence and indigestion. Wind is expelled with a noise. |
| Chionanthus Q (tds)
10 drops in ½ cup of water | : Inflammation of pancreas with liver troubles. |
| Fragaria vesca Q (bd)
10 drops in ½ cup of water | : Stone in the pancreas, for expulsion. |
| Iodium Q (bd)
10 drops in ½ cup of water | : Losing flesh while eating well. Cancer of pancreas with vomiting and diarrhea with foamy stools containing fats. |
| Iris vers. (tds) | : It covers several pancreatic diseases when acidity, indigestion, nausea and vomiting are present. Increases flow of bile. |
| Mercurius sol. (tds),
Belladonna (tds),
Kalium iod. (tds) | : Inflammation of the pancreas. Look for other symptoms also. |

- Pepsinum** 3x (tds) : Imperfect digestion with pain in the gastric and splenic region.
- Phosphorus** (bd) : Fatty degeneration of the pancreas. Oily looking stools. Excessively bleeding from cancer of the pancreas.

PARALYSIS


- Agaricus mus.** (tds) : Exalted notions. Involuntary laughing and crying alternately.
- Aurum met.** (tds) : Paralysis due to hypertension.
- Baryta carb.** (tds) : Paralysis of old men with mental and physical weakness.
- Belladonna** (tds) : Paralysis of insanity, with marked hallucinations and illusions. Depression.
- Cannabis ind.** (tds) : When the exaltation of ideas is very marked with sleeplessness.
- Causticum** 10M (hs) : Paralysis of left arm and left leg. Paralysis of ocular muscles after exposure to cold. Lids seem heavy and there is inclination to close the eyes. Right side is mostly affected. Paralysis of right side of the face. This remedy is very useful in recent or chronic cases. Repeat after four days, if needed.
- Conium mac.** (tds) : Slow developing, ascending paralysis.
- Gelsemium** (tds) : Paralysis of various groups of muscles about the eyes, throat, chest, larynx, intestines, extremities, sphincter, etc. Post-diphtheric paralysis. Polio and Laundry's paralysis. Muttering speech. Numbness.
- Ignatia amara** (tds) : Hysterical paralysis specially of the neck.
- Lathyrus sat.** (tds) : Paralytic affections of the lower extremities. Involuntary contraction of the muscles. Paralysis of the eyelids and eyeballs. Slow movements of fingers and toes. Infantile paralysis. Paralysis after wasting diseases with

- slow recovery of nerve power. Excessive rigidity of the legs.
- Nux vomica** (tds) : Paralysis as a result of over-eating, excessive drinking of liquors, etc.
- Plumbum met.** (tds) : Paralysis of a single muscle. Cannot raise anything with the hand. Paralysis from over-exertion of the extensor muscles in piano players. Paralysis of all the four limbs (quadriplagia). Painful paralysis.
- Senega** (tds) : Paralysis of the left side of face with burning sensation on it. Distinct eye symptoms of a paralytic type.
- Zincum met.** (tds) : Slow developing paralysis - descending paralysis.

NOTE: The permanent disability can be avoided, due to stroke or paralysis, if treatment is obtained early at the start of symptoms. The symptoms include headache, dizziness, confusion, loss of speech, visual impairment and numbness.

PARALYSIS AGITANS (PARKINSON'S DISEASE)

Mask-like expressionless face, often with drooling due to change of muscles tone and reflexes



Parkinson's disease is a degenerative neurological disorder that destroys brain cells which produce dopamine, a chemical important for movements. Symptoms include muscle stiffening, tremors and difficulty in moving. The cause is unknown and it usually occurs in people over 60 years of age. The patient retains full mental capability until the end. Dopamine is a key neurotransmitter or message carrying chemical that is involved in more movement.

- Agaricus mus.** (tds) : Jerking, trembling and stiffness of the muscles. Spine cannot bear touch.
- Ambra grisea** (tds) : Parkinsonism with numbness of the parts of the body affected. Specially indicated in the aged.
- Antimonium crud.** (tds) : Paralysis with the characteristic thickly white coated tongue.
- Antimonium tart.** (tds) : Chronic tremor of head and hands.
- Argentum nit.** (tds) : Use it with Gelsemium on alternate days when the memory is also impaired and there is spurting diarrhea and flatulence.
- Aurum sulph.** (tds) : Constant nodding of the head.
- Avena sativa Q** : Best tonic for debility after exhausting diseases, nervous exhaustion and paralysis agitans. Give 20 drops, thrice daily in warm water.
- Causticum** (tds) : Unsteadiness of the muscles of forearm and hand. Numbness. Loss of sensation of hands.
- Cocculus ind.** (tds) : Staggering while walking. Hands tremble while eating or holding things.
- Curare** (tds) : Reflexes lessened or abolished in extremities. Weakness of hands and fingers, cannot lift the fingers.
- Gelsemium** (tds) : When this remedy is indicated, which it does in more cases, there is trembling of head and other parts of the body. The gait is staggering. Start with 30 potency and each month go on increasing the potency and reducing the number of doses. Trembling is the chief indication for the use of this remedy.
- Heloderma** (tds) : Parkinson's disease affecting the left side


- mostly with a feeling of prostration and coldness.
- Magnesium phos. 1000 (hs)** : Involuntary shaking of the hands. Give it Repeat after a week weekly.
- Mercurius sol. (tds)** : Paralysis on account of over-use of mercury or its preparations. Trembling of extremities, specially hands.
- Passiflora Q** : 40 drops a dose, three times a day, has proved to be helpful to such patients.
- Physostigma (tds)** : Muscular weakness is felt more on movements and in winters. Palpitation of the heart is felt throughout the body.
- Stramonium (tds)** : Parkinsonism. Tremor, muscular weakness and rigidity. Peculiar gait and shaking.

NOTE 1: A diet low in protein, rich in vitamin B₃ and vitamin E is helpful.

NOTE 2: Parkinson's disease is very difficult to cure and is often incurable. It starts with tremors and ends up incapacitating the person.

NOTE 3: Risk factors for the disease are head injury, and age-related loss of brain cells that transmit nerve impulses. There is no clear evidence that it is hereditary. The disease is mostly found in the elderly but rarely it affects, people under 50 years of age.


PAROTID GLAND



- Aurum met. 200** (tds) : Parotid gland and also the mastoid are painful.
- Belladonna** (tds) : Parotid glands swollen. Sensitive to loud noises. Hearing very acute.
- Capsicum** (tds) : Parotid gland is painful to pressure.
- Kalium bich.** (tds) : Swelling of parotid gland with sharp pains extending to the ear. Inflammation remaining after measles.
- Sulphur iod.** (tds) : Parotid glands enlarged. Parotid hypertrophied.


PELVIS

- Aesculus hip. 3x** (tds) : Dragging pain in the pelvis and hips while walking.
- Bellis per.** (tds) : Sore, bruised feeling in the pelvic region after injuries to the bones under the buttock and pelvic organs. Worse with hot or cold bath, cold wind and motion.



- Calcarea phos.** (tds) : Buttocks, back and limbs have a crawling sensation and may have bone pains.
- Cimicifuga** : Crampy pain across pelvis, from hip to hip. Worse during menstruation. Pelvic cellulitis.
- Magnesium sulph.** (tds) : Pain in the back, hips and pelvic region.
- Medorrhinum 1M** (hs) : Chronic pelvic disorders. Sensitive spot near os uteri. Ovarian pains, worse left side or from ovary to ovary.
- Rhus tox.** (tds),
Mercurius dulcis (tds) : Inflammation of cellular and connective tissues (cellulitis) of pelvis.
- Sepia** (tds) : Bearing down sensation in females. In ladies, hips like men i.e., narrow pelvis.

PENIS



-
- Abroma aug.** (tds) : White ulcers on the mouth of prepuce caused by excessive passage of sugar in the urine of the diabetics.
- Acidum phos.** (tds) : Edema of the prepuce and glans penis. Warts on the prepuce. Penis is swollen. Herpes on prepuce.
- Antimonium crud.** (tds),
Staphysagria (tds),
Argentum met. (tds) : Thinning and reduction in size of the penis after having attained the full girth and length.
- Arsenicum hydr.** (tds) : Prepuce and glans covered with pustules and round superficial ulcers.
- Calcarea carb.** 10M (hs) : Penis and testicles missing in the child.
- Causticum** (tds) : Itching of penis.
- Corallium rub.** (tds) : Ulcers on glans and inner prepuce with thin, yellow, fetid discharge. Sexual weakness.
- Digitalis** (tds) : Edema of the prepuce.
- Ginkgo biloba Q** : Acts to widen blood vessels and increase blood flow to the genitals.
- Ginseng 3x** (tds) : In comparison to age, the penis is weak and does not have hard erections.
- Graphites** (bd) : Herpes on penis.
- Hepar sulphuris** (tds) : Ulcers on the external surface of the prepuce. Itching of glans, frenum and scrotum.
- Hypericum 3x** (tds) : “Peyronic’s disease” which is caused by crushing or pinching the penis. This usually causes distortion or deflection of the penis, specially when erected.
- Ignatia amara** (tds),
Nuphar lut. (tds),
Agnus castus (tds) : Penis is small and retracted.
- Jacaranda** (tds) : Erections painful. Prepuce painful and swollen. Heat and pain in the penis. Itching pimples on glans and prepuce
- Kreosotum** (tds) : Burning of penis on sexual intercourse and penetration.

Lappa (tds)	: Inflammation of the penis.
Lycopodium (tds)	: Penis becomes small and relaxed due to masturbation and excesses.
Mercurius iod. (tds)	: The skin of the prepuce becomes tight obstructing flow of urine and semen. Prepuce cannot be moved up and down.
Mercurius sol. (tds)	: Ulcers on glans and inner prepuce. Prepuce irritated. Herpes on the prepuce.
Nitricum acidum (tds)	: Soreness and burning in glans, and beneath the prepuce.
Nuphar lut. Q (bd) 10 drops in ½ cup of water	: Parts relaxed. Penis retracted. Pain in testicles and penis. Its one part and eight parts of olive oil mixed together makes the penis strong when rubbed gently on it.
Pareira brava (tds)	: Violent pains in glans penis and urethritis.
Petroleum (tds)	: Hole of glans penis dilated.
Quinidinum (tds)	: Strengthens the penis and sexual organs.
Rhus tox. (tds)	: Edema of penis.
Sabina (tds)	: Cartilaginous swelling of the penis.
Salix nigra (tds)	: Pain in penis on erection.
Silicea (tds)	: Eruptions and boils on the prepuce.
Stramonium (tds)	: The patient keeps his hands constantly on his penis.
Sulphur (od)	: Stitching pain in penis. Itching of penis when going to bed. Cracks on prepuce.
Thuja (bd)	: Inflammation of prepuce and glans. Pain in the penis.
Thyreoidinum 6 (tds)	: This remedy is effective in undescended testicles in boys.
Viola tricolor (tds)	: Swelling and itching of the prepuce.


NOTE 1 : Researchers of University of California and San Francisco found that on an average, an erected penis measures 5.1 inches in length and 4.9 inches in circumference. Subnormal penis when erected measures less than 2.8 inches in length and 3.5 inches in girth.

NOTE 2 : Contrary to popular myths, the size of the penis has no bearing on the male's or female's enjoyment of sexual intercourse.


PEPTIC ULCERS

Peptic ulcers are lesions (holes or breaks) in the lining membrane of the stomach or duodenum. Increased stomach acid appears to be the major cause but for some people cigarette smoking, stress and some allopathic drugs may also be contributed to the ulcer development. The allopathic treatment changes rapidly from antibiotics (for treatment of *Helicobacter pylori* or H.P. bacteria which is supposed to be one of the causes but they are not sure from where H.P. comes from) to antacids to neutralize the acidic symptoms to anti-ulcer drugs to reduce the production of acid. A combination of all the three is also used. In homeopathy, the following remedies have proved useful and curative:

Gastric ulcers are typically sited on the **distal lesser curve**. Chronic ulceration of the first part of the **duodenum** is the **most common** site of peptic ulceration



A few occur at the cardiac end of the stomach or in the distal **esophagus**



The ulcer is commonly large, 2-3 cm, and oval. It has an overhanging lip at the proximal end.

Frequently it has a terraced structure.

The distal end slopes away from the ulcer bed.

- | | |
|------------------------------|--|
| Aluminium phos. (tds) | : It is useful when the patient vomits food mixed with blood and is suffering from tuberculosis of the intestines. Bleeding peptic ulcers. See also Acidity. |
| Anacardium ori. (tds) | : Pain and burning begins after 2-3 hours of taking the meals when the stomach is empty. Eating gives relief temporarily. |
| Argentum nit. (tds) | : Use it with the symptoms of <i>Arsenicum alb.</i> combined with loud eructations. |

- Arsenicum alb.** (tds) : Lot of burning in the stomach and epigastric regions, worse at night and after eating and drinking.
- Graphites** (od) : For long standing peptic ulcers with pain and pressure.
- Kalium bich.** (tds) : Round ulcer of the stomach. Gastric symptoms are relieved by eating. Peptic ulcers.
- Lycopodium** 200 (od) : It is useful for peptic ulcers when the patient passes wind in both directions along with burning in the esophagus. Incomplete burning eructations rise only to pharynx and burn there for hours.
- Phosphorus** (od) : For duodenal ulcers when there is vomiting of food mixed with mucus, bile and blood.
- Robinia** (tds) : This remedy is useful when there is great acidity.
- Uranium nit.** (tds) : Peptic and duodenal ulcers. Eating is followed by flatulence.

NOTE : Below are some hints for changes in lifestyle for avoiding esophageal and other gastric ulcers and acidity:

1. Sleep with your head 6" above your bed.
2. Do not eat or drink foods with caffeine or alcohol.
3. Avoid citrus juices, tomatoes and hot spicy foods.
4. Eat small meals at shorter intervals about 6 times each day.
5. Do not eat immediately before going to bed.

PERSPIRATION (SWEAT)

The symptoms of perspiration prove very useful for the selection of a remedy.

- Aceticum acidum** (tds) : Sweat drenches the patient in hectic fever but there is no thirst.
- Acidum fluor.** (tds) : Itching on account of sweats. Profuse, sour and offensive perspiration.

-
- Alumina** (tds) : The patient does not sweat at all. Such patients are always constipated and their stools are hard, dry and knotted; the patient has to strain to expel them.
- Arsenicum alb.** (tds) : Cold perspiration.
- Belladonna** (tds) : Sweating on the covered parts only.
- Bromium** (tds) : Perspiration on palms and on least exertion.
- Bryonia alba** (tds),
Selenium met. (tds) : For continued and profuse sweats. Nothing answers so well in sweating of phthisis.
- Caladium seg.** (tds) : Sweet perspiration which attracts flies.
- Calcarea carb.** (tds) : Cold, pale and fleshy patients with excessive general sweats, specially on the head, hands and feet. Perspiration on the head is so much that it wets the pillow at night.
- Calcarea phos.** 6x (qid) : Sweat on the hands feels cold. Sweaty head at night.
- Calotropis Q** (tds) : Increases the circulation of the skin. Has a powerful effect in producing perspiration.
10 drops in ½ cup of water
- Carbo veg.** (tds) : Profuse sweat on the forehead. Patient has to wipe it off with the hand.
- Chelidonium** (tds) : Sweat stains the clothes yellow.
- China off.** (tds) : Perspiration during sleep or on being covered.
- Colchicum autum.** (tds) : Profuse sweat accompanied with gastric ailments. Bad effects from suppressed sweats.
- Colocynthis** (tds) : Perspiration smells like urine.
- Conium mac.** (tds) : Sweating of head, hands, palms, etc. as soon as one sleeps or even when closing the eyes.
- Dulcamara** (tds) : Palms wet with perspiration. It generally happens in thyroid disease.
- Ferrum phos.** (tds) : Sweating in acute infectious diseases.
- Hepar sulphuris** (tds) : Cold and foul foot sweats.
- Hydrocotyle** (tds) : Perspiration copious.
- Iodium** (tds) : Perspiration on little exertion on account of weakness.

-
- | | |
|---|---|
| Lachesis (bd) | : Perspiration is absent. |
| Ledum pal. (tds) | : Warm sweat on hands and feet, increases with the heat of the bed. It is worse on waking. |
| Lycopodium (tds) | : Sweat smells like the smell of onions, and it disappears on movement. |
| Magnesium mur. (tds) | : For foot sweat. |
| Natrium carb. (tds) | : Inclination to perspire easily. |
| Natrium mur. (tds) | : Palms hot and always wet with perspiration. |
| Natrium mur. (tds),
Chamomilla (tds) | : Perspiration while eating. This condition is called gustatory sweating and mostly occurs in diabetes. Craving for salt. |
| Nitricum acidum (tds) | : Sweat all over the body after a meal. |
| Petroleum (tds),
Sulphur (tds), Silicea (tds),
Mercurius sol. (tds),
Staphysagria (tds) | : Fetid perspiration. |
| Pilocarpus (tds),
Hydrocotyle (tds) | : Very copious perspiration. Pilocarpus has drops of perspiration all over the body. |
| Psorinum 200 (hs) | : There is profuse sweating after the cure of diseases. Sweating feels pleasant. |
| Pulsatilla nig. (tds) | : Sweating on one side of the face only. |
| Rhus tox. (tds), Silicea (tds) | : Offensive sweat of armpits and feet as indicated with other symptoms. Perspiration on palms and soles. |
| Rhus g. (tds),
China off. (tds) | : Profuse sweating due to mental or physical weakness. |
| Sepia (bd) | : Excessive and fetid sweating on feet, groins and armpits is cured by use of this remedy. |
| Salvia off. Q (tds) | : Controls excessive sweating when circulation of blood is weak. It exerts a tonic influence on the skin. A single dose of 20 drops in a little water shows results after 2 hours and action persists for about 6 days. |
| Silicea (tds) | : Offensive sweat on icy cold feet. The foot feels sore. Profuse sweat on the head, extending to the neck. Offensive sweat in armpits. |

- Strychninum phos.** 3x (tds) : Hands and axillae are covered with sticky, fetid sweat.
- Sulphur** (bd) : Smell of garlic-like sweat in the armpits. Hands hot and sweaty.
- Thuja occ.** 200 (hs)
Repeat after a week : Sweat smells like honey and is only on the uncovered parts except face.
- Tuberculinum** 200 (hs) : Profuse sweating in tuberculosis of lungs, with loss of weight. Stains yellow. Sweating of palms.
- Veratrum alb.** (tds) : Cold perspiration specially on the forehead in all diseases.

PHARYNGITIS

- Arum dracontium** (tds) : Throat is raw, tender and sore; pharynx is inflamed. Shooting pain in the ear maybe present. There is a continuous effort to clear the throat. Hoarseness and excess of mucus in the posterior nares.
- Belladonna** (tds) : Swelling of uvula and stinging in the throat. Pharyngitis with small bleeding ulcers.
- Cistus can.** (tds) : Dryness of the throat, patient likes to drench it by sipping water. Pain in the throat worse by inhaling cold air.
- Elaps cor.** 6 (tds) : For chronic naso-pharyngeal catarrh with greenish crusts and bad smell, it is specific.
- Kalium bich.** (tds) : Pharyngitis with tough stringy and ropy mucus. Sensation of a thorn in the throat.
- Kalium mur.** (tds) : A routine but a good remedy for the disease. Tonsils are swollen.
- Lycopodium** (tds) : Difficulty in swallowing. Mucous membrane of the throat appears pale.
- Mentholum** (tds) : It is curative in pharyngitis. Use 2 doses a day.
- Natrium mur.** (tds) : Suits the patients of pharyngitis with

- constipation, dryness of the throat and excessive thirst.
- Phytolacca dec.** (tds) : Pharyngitis with small white ulcers in the throat. Pain in the throat with a bluish look.
- Sanguinaria** (tds) : Pharyngitis, worse on the right side. Appearance of redness in the throat.
- Silicea** (tds) : Pharyngitis with a sore throat and chronic catarrh.
- Sticta pulm.** (tds) : Coryza with a frequent desire to blow the nose.
- Wyethia** (tds) : It is an excellent remedy for pharyngitis and for singers and public speakers. Throat is irritable and there is a dry hacking cough due to tingling in the larynx.

PHLEGM (MUCUS)

- Causticum** (tds) : Cough with mucus lodged under the sternum, which is difficult to dislodge and expel.
- Corallium rub.** (tds) : Post-nasal catarrh. Profuse secretion of mucus dropping through the posterior nares.
- Graphites** (od) : Phlegm with extreme sensibility to strong smells. There are crusts inside the nostrils and cracks on the nose. It is painful to blow the nose.
- Hydrastis** (tds) : Mucus is yellow-green, thin and excoriating. It accompanies coryza when the nose runs constantly. Thick mucus falls at the back of the nose.
- Kalium bich.** (tds) : Mucus is greenish-yellow and stringy which can be drawn into long strings or is ball-like and sticks on the tongue. It falls at the back of the nose, into the throat.
- Kalium mur.** (tds) : Mucus that occurs in the second stage of cold, is thick and white, and falls from the posterior nares in the throat.

- Natrium carb.** (tds) : Catarrh of the posterior nares. Hawking much mucus from the throat, worse slightest draught.
- Natrium mur.** (tds) : Mucus like the white of an egg or transparent and is very profuse. There maybe loss of smell and taste.
- Phytolacca dec.** (tds) : Flow of mucus from one nostril and from the posterior nares.
- Pulsatilla nig.** (tds) : Yellow mucus with a stuffed nose and with pain above the eyes or in the right cheek bone. The patient has a weeping tendency.

PHOTOPHOBIA **(DREAD OF LIGHT)** **(SEE 'LIGHT')**


PHTHISIS **(SEE 'TUBERCULOSIS')**

PILES **(SEE 'HEMORRHOIDS')**

PIMPLES **(SEE 'ACNE')**

PITUITARY GLAND

- Calcarea carb.** (tds) : Dysfunction of the pituitary gland.
- Hekla lava 3x** (tds) : Tumors of the pituitary gland.

Anterior pituitary (Adenohypophysis)

Thyreoidinum 2x (tds) : Excessive activity of the pituitary gland and fibroid tumors in the pituitary gland.

NOTE : The pituitary gland regulates the release of growth hormone. People who have their pituitary gland removed, do not grow properly.


PLAGUE

Iodium (tds) : Acts prominently on corrective tissues and constriction of larynx on account of plague.

Operculina turp. (tds) : Plague with fever and diarrhea. Lymphatic glands enlarged and indurated. Boils and slowly suppurating abscesses.

Tarentula cub. (tds) : A curative and preventive remedy, specially during the period of invasion.

PLEURISY (INFLAMMATION OF THE PLEURA)



- Aconitum nap. (tds)** : It should be the first remedy which should be thought in a case of chest pains. Bryonia should be given if it fails to relieve in one day.
- Antimonium ars. 3x (tds)** : Wet pleurisy with inflammation of cardiac muscular tissues and membranes enclosing the heart. Excessive dyspnea and cough with much mucus secretion. Accumulation of fluids in the pleura (pleural effusion), and catarrhal pneumonia.
- Arnica mont. (tds)** : Pleurisy resulting from injury inflicted by a broken rib may yield completely to the use of this medicine. If a supplement is needed, Bryonia and Kalium carb. compete for choice.

- Arsenicum alb.** (tds) : Great restlessness. Drinks often but little at a time. Burning pains in the chest relieved by warmth.
- Bryonia alba** (tds) : Stitching pains in the chest worse by any motion and better by rest and cold things. Dry pleurisy.
- Cantharis** (tds) : Great burning in the chest and also burning in the urethra when urinating.
- China off.** (tds) : Pleurisy with fever and great weakness.
- Hepar sulphuris** (tds) : Pleurisy complicated with bronchitis. Formation of pus in the chest. Wet pleurisy.
- Kalium carb.** (tds) : Breathlessness. Burning pains in the chest. Cough.
- Kalium sulph.** (tds) : Applicable in the later stages of the inflammation. Rattling of mucus in the chest. Yellow expectoration and pus formation.
- Ranunculus bulb.** (tds) : Pain in the muscles of the ribs. Chilliness in the chest when walking in open air. Rheumatic pains in the chest. Pleurodynia.

NOTE: In pleurisy, rest is essential. The patient should have no more exercise than bathroom privileges. Increase the fluid intake. In acute cases, the affected side should be strapped to immobilize the chest.

PNEUMONIA

- Arsenicum iod.** (tds) : Chronic pneumonia when abscess is about to form in the lung.
- Aconitum nap.** (tds) : A remedy for the first stage of pneumonia. A high fever preceded by chill. The pulse is hard and the skin is dry. Dry painful cough. The cause maybe dry cold winds. When thick expectoration starts, Aconitum nap. ceases to be the remedy.
- Antimonium tart.** (tds) : Great rattling of mucus but very little is expectorated and that also with some effort. Threatened paralysis of the lungs.

-
- | | |
|--|---|
| Arsenicum alb. (tds) | : Dyspnea. Thirst, drinks often but little. Fever with restlessness. |
| Bryonia alba (tds) | : If the above remedies fail to cure, use of this remedy is indicated. Cough is loose and there are sharp sticking pains in the chest. Breathlessness; the patient wants to be still. |
| Chelidonium (tds),
Lycopodium (tds) | : Fan-like movements of alae nasi. Pain under the corner of right shoulder blade is a sure indication for the use of Chelidonium. |
| Ferrum phos. 6x (qid) | : In the beginning of the disease or in the later stages when there is bleeding from the lungs. Repeat it every 2 hours. A suitable remedy for fever. |
| Iodium 3x (tds) | : It can be indicated in any stage of pneumonia. There is cough and difficulty in breathing. The sputum is bloody. Repeat it every hour when indicated. |
| Ipecacuanha (tds) | : Nausea. Wheezing cough. Chest feels full of phlegm but does not yield to cough. Pneumonia in children. |
| Kalium mur. (tds) | : This remedy in alternation with Ferrum phos. has achieved very good results in this disease. The mucus is thick and white. |
| Lycopodium (tds) | : Neglected, maltreated and imperfectly treated cases of pneumonia are cured by the use of the remedy. |
| Phosphorus 200 (hs) | : Give one dose if Antimonium tart. and Bryonia fail. It follows Bryonia very well. This remedy is more often indicated and gives curative results. |
| Tuberculinum 1M (hs) | : Broncho-pneumonia in children. Hard hacking cough. Profuse sweat and loss of weight. Rales all over the chest. |
| Veratrum vir. (tds) | : Extreme congestion of the chest, oppression of breathing. Dyspnea. Nausea and vomiting. |

LEGIONNAIRES DISEASE

This illness is a form of pneumonia found naturally. People are exposed

to the bacteria when they breathe in air contaminated with droplets of water containing the organism. Symptoms include high fever, chills and cough as well as fatigue, headache, muscle pain, chest pain and loss of appetite. This bacteria best thrives in warm water and often spreads through air conditioning water and plumbing systems. The treatment is the same as for pneumonia and on symptoms.


POLIO

- Calcarea phos.** 12x (tds), : Two grains of each mixed together, 3 doses a day for 3 months. All the medicines should be stopped during this course.
- Natrium mur.** 12x (tds),
- Kalium Phos.** 12x (tds),
- Embelica off.** (hs) : 10 drops a dose in the morning daily for few months.
- Gelsemium** 6-CM : In increasing potencies, it cures polio. Use 6 potency, 2 doses per day for a month, 30 potency 2 doses per day for a month and 200 potency, one dose every 5th day for 2 months and CM potency, one dose a month for 3 months till cured.
- Hypericum** 12x (bd) : Two doses a day for 1-3 months in the morning and at noon.
- Lathyrus sat.** 30 (bd) : Two doses daily for 1-3 months in the evening and at bed time.
- Thuja occ.** 200 (hs) : Start the treatment with this remedy. No other remedy should be given on that day.

NOTE: Watch the following symptoms of post polio syndrome for the indicated remedy:

1. Unaccustomed fatigue requiring the patient to rest during mid-day or earlier.
2. New joint and muscular pains.
3. Muscular weakness or loss of muscle use even in the muscles which did not bother while suffering from polio.
4. Respiratory or swallowing problems.
5. Unusual intolerance of cold which causes muscular weakness or a burning pain or discoloration of limbs.
6. Psychological stress.

POLYPUS (SOFT TUMOR)



An abnormal growth from the mucous membrane resembling a tumor but not cancerous; commonly found in the nose, uterus, rectum and sometimes in the ear and larynx. There is a risk of the polyp becoming cancerous or increasing in size or number.

- | | |
|---|--|
| Alumina (tds) | : Polypus of the left nostril of the nose. The peculiar constipation confirms the use of this remedy. |
| Berberis vulg. (tds) | : Polypus of the vocal cord without roots and having an angry reddish look. |
| Calcarea carb. 200 (hs)
Repeat after one week | : A good remedy for polypus of the nose, ear, bladder, uterus, etc. It should be repeated after 7 days. Mucus polypus which bleeds easily. |
| Calcarea iod. 3x (tds) | : Polypi of the nose and ear. |
| Calcarea phos. (tds) | : A large polypus of the nose extending to the brain. |
| Cholesterinum (tds) | : Polypus of the gall bladder in a pre-cancerous stage. Burning pain in the liver region. General debility. |

-
- | | |
|--|---|
| Conium mac. (tds) | : Uterine polypus which protrudes while passing urine. Bleeding polypus of the nose. |
| Formica rufa (tds) | : Stops development of polypi and reduces the size. It is an effective remedy, specially for polypi of the ears. |
| Kalium bich. (tds) | : Polypus of the air passages. |
| Kalium nit. (tds) | : Polypus of the nose or elsewhere specially on the right side with headache or heaviness of the head after eating and in the morning or towards the evening. |
| Lachesis 200 (hs)
Repeat after a week | : Polypus of the left ear with severe pain. Sensitive to air. |
| Lemna minor (tds) | : Nasal polypi. Swollen mucous membranes of the nose. Atrophic rhinitis. Fetid smell. Reduces the obstruction of the nose by reducing the swelling. |
| Mercurius sol. (tds) | : Polypus. Blockage of the ear, bleeds easily and affects the hearing. Right ear is mostly involved. |
| Phosphorus (bd) | : Nasal polypi bleeding easily. Handkerchief is always bloody. Imaginary odors. Craving for cold drinks. Sneezing. Polypus of the uterus. |
| Sanguinaria (tds) | : Polypus of the nose or larynx. Smarting and burning in the nose and throat. Nose obstructed. Bleeding from removal of crusts. |
| Sepia (tds) | : Polypi of uterus with copious menses. |
| Silicea 6x (tds) | : Blockage of nose; nostrils inflamed. Patient chilly. Perforation of septum. |
| Taxus baccata Q | : Bright red polypus of the ear with shooting pain is cured by the use of this remedy. A single dose gives results. |
| Teucrium mar. CM (hs)
Repeat after 15 days | : It is one of the best remedies for polypus of the nose. Three - four doses repeated after an interval of 15 days usually cures permanently. It cures polypus of the rectum also. Blockage of the nose on the side patient lies on. It cures polypus of vagina too. Polypus is soft and of jelly-like consistency. |

Thuja occ. 20 (hs) : Polypus of the middle ear and uterus with a
 Repeat after a week chronic tendency.

POLYURIA **(SEE ALSO 'URINE')**

Acidum mur. (tds) : Urine escapes while passing wind. Polyuria day and night with copious urine.

Alfalfa Q (bd) : Polyuria. Frequent urging to urinate.
 10 drops in ½ cup of water

Alumina (tds) : Frequent urination but it requires much straining to pass it. The urine is burning and sometimes mixed with yellowish pus.

Argentum nit. (tds) : Frequent and profuse urination.

Causticum (tds) : Frequent urination at night. It takes a long time to finish.

Chelidonium (tds) : Frequent desire. Urine is copious. Maybe milky in color and foams like beer.

Eryngium aqua. (tds) : Frequent urination every half an hour. Dribbling and burning in the urethra before and after passing urine.

Ignatia amara (tds) : Polyuria of hysterical subjects and frequent urination after drinking tea and alcohol.

Ledum pal. (tds) : Polyuria. Urine maybe copious or little. The stream of urine often stops during urination.


Nux vomica (tds) : Frequent urination on account of indigestion.

Pulsatilla nig. (tds) : Specially indicated in ladies. Dribbling of urine. Has to rush to urinate or it escapes.

Sabal ser. Q (tds) : Prostate gland enlarged. Constant desire to pass urine.
 10 drops in ½ cup of water

Vesicaria Q (bd) : Polyuria worse during night. Has to pass urine every 15 minutes or so due to inflammation of the bladder or a kidney trouble. Blood, pus, albumin, etc. in the urine is cured by the use of this remedy.
 10 drops in ½ cup of water

PREGNANCY



For details of a particular symptom during pregnancy also see the particular head in this book.

- | | |
|---|---|
| Bearing down | : See 'Prolapsus', 'Uterus'. |
| Cough | : See 'Cough'. |
| Dropsy | : See 'Dropsy'. |
| Miscarriage | : See 'Abortion'. |
| Agaricus mus. (tds) | : For weakness of the lower extremities. |
| Alumina (tds) | : Craving for eating chalk, lime, soil or charcoal. |
| Amygdalus per. Q (tds)
10 drops in $\frac{1}{2}$ cup of water | : This is a very good remedy for 'morning sickness'. Constant nausea and vomiting in pregnant women and also gastric and intestinal irritation. |
| Anacardium ori. (tds) | : Dyspepsia and insomnia. |

-
- Antimonium crud.** (tds) : Loss of appetite. Desire for acids, bitter lemon, pickles, etc.
- Apocynum can.** (tds) : It is useful when there is albuminuria or some kidney problem.
- Arnica mont.** : For mis-step or an accident during pregnancy - when the miscarriage is threatened, repeat every 15 minutes till the desired results are achieved.
- Bellis per.** (tds) : Backache and inability to walk.
- Cocculus ind.** (tds) : Bleeding during pregnancy due to lack of sleep. Clotted blood with spasmodic colic. Nausea and backache specially of light haired and romantic females.
- Conium mac.** (tds) : Breasts become painful. Constipation.
- Ficus ind.** Q (tds) : It is a very useful remedy for all sorts of abnormal bleeding before and after pregnancy.
10 drops in ½ cup of water
- Gratiola off.** (tds) : Vertigo. Dyspepsia, dysphagia, cramps and colic with wind in the abdomen. Constipation or diarrhea - stool forcibly evacuated without pain.
- Ipecacuanha** (tds) : Nausea and vomiting in pregnancy.
- Kalium carb.** (tds) : For weakness in general.
- Lac def.** (tds) : Vomiting during the first quarter of pregnancy.
- Magnesium carb.** (tds) : Toothache during pregnancy.
- Manganum acet.** (tds) : Desire for always lying down in bed.
- Murex purp.** (tds) : Walking difficult in pregnancy because of weakness in all joints. Must lie down from weakness but her symptoms worsen on lying down and after sleep.
- Natrium mur.** (tds) : Unnatural and excessive craving for salt during pregnancy.
- Nitricum acidum** (tds),
Calcareo phos. (tds) : Longing for indigestible things like chalk, sand, etc.
- Phosphorus** (bd) : Albuminuria during pregnancy.
- Pulsatilla nig.** (bd) : Give it in 30 potency when the position of the

unborn child is not normal i.e., head is not below and is upside or lying sideways. It also avoids displacement of the uterus and keeps it in the right place.

- Secale cor.** 6 (tds) : Discharge of blood during pregnancy.
- Sepia** (tds) : It is a good remedy for toothache or constipation during pregnancy. It is useful when there is always an urgent desire to void urine and if not voided in time, a few drops may escape. It is also useful in vomiting of pregnancy. Unusual bleeding during pregnancy from 5th to 7th month or a habitual abortion from 3rd to 7th month. Constipation during pregnancy.
- Stramonium** (tds) : Symptoms of insanity or mania during pregnancy.
- Sulphur** (od) : Sensation in the abdomen as if a child is kicking from inside.
- Sulphur** 6 (od),
Calcarea phos. 6x (od) : If a woman gives birth habitually to babies who die soon after birth or early in infancy, give these medicines one dose each, daily during the last two months of pregnancy. The child should be given Alfalfa Q, 5 drops, three times a day for several months, 10 minutes before each feed.
- Symphoricarpus** 200 (od) : It is a routine prescription for vomiting during pregnancy. The leading symptom is relief from lying on the back. Nausea is worse from any motion. Appetite lost.
- Symphytum off.** (tds) : Persistent vomiting.
- Tabacum** 200 (hs) : Vomiting during pregnancy with much spitting sometimes of stool-like things. Uncovering of abdomen lessens nausea and vomiting.
- Thuja occ.** (tds) : Violent movements and kicking of the child inside the abdomen. It compels the mother to urinate on account of pressure on the urinary bladder.

- Tuberculinum 200 (hs)** : Always in best of health during pregnancy and then goes down rapidly after confinement.
- Viburnum prun. Q (bd)** : 5 drops a dose will cure cramps during pregnancy.

NOTE 1: It is said that for obtaining a male child, the woman should take *Natrium mur. 6x*, one dose daily and for obtaining a female child, *Pulsatilla 6x*, one dose daily from 3rd to 5th month of pregnancy. In the first weeks of gestation, male and female embryos develop a like — both start with what are called undifferentiated gonads that can turn out to be ovaries or testes and will all become females except for the intervention of certain factors that put us into the male line. For those factors to operate, the Y chromosome is needed. Females have an XX sex chromosome compound and man XY which is genetically determined the moment the sperm fertilizes the egg. It is the Y portion that ultimately decides to build testes or breasts.

NOTE 2: *Aurum mur. CM* (one dose) given at the time of commencement of pregnancy usually results in birth of a male child.

NOTE 3: More and more women are now opting for a caesarean section because it is easy and safe. It is advantageous when the baby is in a wrong position for a vaginal birth and where the woman does not want any more children. The risk of complications grows with each surgery. Now the surgery can be performed while the woman is awake using modern anesthetics. A small incision is made which is less disfiguring than the previous method.

PRE-MENSTRUAL SYNDROME (P.M.S.)

- Calcarea carb. (tds)** : PMS with fluid retention, particularly swollen tender breasts, painful joints, weakness, lack of energy, depression, tearfulness, irritability, anxiety and fear of insanity.
- Pulsatilla nig. (tds)** : PMS with extreme tearfulness, depression, self pity, anxiety about the future, tendency to gain weight before menses and possibly headache, nausea and dizziness.
- Sepia (tds)** : PMS with marked indifference to the loved ones. Irritability, tearfulness, difficulty in concentrating, a desire to get away from

everything, extreme anger, fits of screaming, sensation of uterus coming out of the vagina, accompanied by an oily skin and desire for too salty or too sweet food. Such conditions usually occur at approach of menopause.

PRICKLY HEAT (SEE ‘SUMMER RASH’)

PROLAPSUS

RECTUM

- Acidum mur.** (tds) : Prolapse while urinating.
- Aesculus glabra** : Prolapse of rectum with much pain in rectum. Pain shoots to the back. Swollen mucus membranes obstruct stool passage.
- Aloe soc.** (tds) : Prolapse of the rectum with diarrhea, bleeding and tenesmus.
- Ferrum phos.** 6x (qid) : Prolapse of rectum in children.
- Podophyllum** (tds) : Rectal prolapse after a stool, by sneezing, coughing and with diarrhea. Stools of green or yellow color. Worse in the morning. Useful for both women and children.
- Ruta** (tds) : Prolapse at slightest attempt to pass stool. Prolapse after labor in women.
- Sepia** (tds) : Prolapse of the rectum with weight like a ball in the rectum.

UTERUS

- Aloe soc.** (tds) : Prolapse of the uterus with diarrhea.
- Belladonna** (tds) : Bearing down with sensation as if everything will be passed out of the vulva. Fetid discharge.

- Kalium carb.** 200 (hs)
Repeat after 1 week : Prolapse of the uterus after labor. One dose after 7 days if necessary. Not to be repeated often.
- Lachesis** (bd) : Prolapse of uterus during menopause.
- Lilium tig.** (tds) : Sensation as if the entire contents of the pelvis will pass through the vagina. Dragging from the naval. Constant desire to pass urine.
- Natrium mur.** (tds) : Prolapse uteri with cutting in the urethra. Bearing down pains worse in the morning.
- Podophyllum** (tds) : Prolapse of uterus after delivery of a child.
- Pulsatilla nig.** (tds) : Bearing down sensation with pains worse lying down.
- Sepia** (tds) : It is the most effective remedy in prolapsus uteri, misplacement of the uterus or its inversion, etc. It restores the uterus to the normal position within a few days without manual intervention even in 30 potency. Higher potencies will work well in chronic cases. Must cross limbs to prevent protrusion of parts.
- Stannum met.** (tds) : It is another strong remedy for prolapse of the uterus. It also strengthens the ligaments of the uterus. Prolapse is worse during passage of stool.
- Tilia eur.** (tds) : Bearing down feeling as if everything will protrude out of the vulva. Leucorrhea. Prolapse of uterus after labor. Intense sore feeling about the uterus.

NOTE: There is a lack of knowledge regarding “Pelvic floor prolapse” which mostly occurs in women in this disorder. The pelvic organs, bladder, uterus and lower bowel fall down through the vagina. This occurs because the pelvic floor muscles can be weakened by aging, childbirth, obesity and other factors. In the early stage, urine leaks on sneezing , laughing or coughing. In surgical processes, slings are build to keep the organs fallen out of position, back where they belong.

PROPHYLACTICS

Acidum fluor. (tds) For 3 days	: Prevents formation of warts and swelling of prepuce.
Arnica mont. (qid)	: Prevents pus formation.
Arsenicum alb. (od), Psorinum (hs)	: Preventive against hay fever.
Bacillinum 10M (hs)	: Preventive against tubercular inheritance. Should be taken for about 2 months, a dose every 4th day.
Baptisia (bd)	: Preventive against typhoid.
Belladonna (bd)	: Prophylactic against simple scarlet fever and hydrophobia.
Berberis vulg. (bd), Silicea (bd)	: Preventive for recurring boils.
Diphtherinum 200 (hs)	: Preventive against diphtheria.
Drosera (hs)	: Preventive against whooping cough.
Golondrina 1M (hs)	: Its use provides immunity against the bites of poisonous snakes.
Influenzinum 200 (hs)	: Preventive against influenza.
Kalium mur. (tds)	: Prophylactic against the epidemic of jaundice. 3 doses a day for a week or so.
Lathyrus sat. (od)	: Preventive against polio.
Malaria off. (od)	: Preventive against malaria.
Morphinum (od), Malandrinum (od)	: Preventive against measles.
Parotidinum (od)	: Preventive against mumps.
Pertussinum (od)	: Preventive against whooping cough.
Psorinum 1000 (hs)	: Preventive against itches and scabies mite.
Pulsatilla nig. 1000 (hs) For 3 days	: Triple vaccine for prevention of measles, mumps and chicken pox. One dose every day for three days at bed time. Repeat every 3 or 6 months.
Staphysagria 6x (bd)	: Preventive against mosquito bites.

Trifolium rep. (bd) : Prophylactic against mumps.

Vaccinum (bd), : Preventive against smallpox.


Malandrinum (bd)

NOTE 1: In cases of prophylactics, it maybe understood that higher the potency, the longer the immunity. It is said that 10000 potency will give an immunity of about 8 years, 1000 would give about 2-1/2 years protection and 30 would give protection for a few months only.

NOTE 2: When a vaccine is introduced in the body, the immune system reacts in the same way as if invaded by the some disease by producing antibodies. These antibodies stay in the body to give it immunity against that disease.


PROSTATE GLAND

Approximately 75% of all men over the age of 70 suffer from prostrate problems. Symptoms are usually caused by an enlarged prostrate. In some cases, it is cancer.



Enlarged prostrate gland

Possibly due to male hormone concentration, the gland grows, putting pressure on the urethra.



Symptoms

- Weak urinary stream.
- Frequent urination.
- Urination takes longer than normal.
- If untreated, can cause bladder infections and kidney failure.

- Secretes thick whitish fluid that helps transport sperm.
- Growth of the prostate gland stops at age 20, starts again after age 50.


Prostate cancer

Second most common cancer among men.


Symptoms: Similar to those for enlarged gland.

What prostate is


- Cluster of glands about the size of a walnut.
- surrounds the urethra, the tube carrying urine from the bladder.




Front view of interior of male urinary system and prostate



How the digital rectal examination helps detect prostate disease




Transrectal ultrasound biopsy of the prostate




BPH: Enlarged prostate squeezes urethra and bladder wall is thickened


Stage of prostrate cancer



Cancer confined to the prostate



Locally advanced cancer



Cancer spread to other organs (meatstatic)

-
- Acidum phos. Q (bd)** : Prostate fluid passes even when passing a soft stool.
10 drops in ½ cup of water
- Alfalfa Q (bd)** : Enlargement of the prostate gland and polyuria.
10 drops in ½ cup of water
- Aloe soc. (tds)** : Involuntary passing of urine in old age due to enlargement of prostate gland.
- Anacardium ori. (tds)** : Prostate fluid passes while at stool and after having made water.
- Argentum nit. (tds)** : Chronic enlargement in old people.
- Baryta carb. (tds)** : Enlargement of the prostate gland in old people.
- Cadmium phos. (tds)** : Useful in suspected carcinoma of the prostate gland.
- Chimaphila (tds)** : Great urge to urinate. Straining necessary to commence urination. The urine feels hot when passed.
- Cistus can. (tds)** : Cancer of the prostate gland.
- Conium mac. (tds)** : Discharge of prostatic fluid on every motion with itching of prepuce and enlargement. Urine starts and stops again and again.
- Crotalus hor. (tds)** : Cancer with bleeding of the prostate gland.
- Digitalis (tds)** : Constant urging to pass urine which comes in drops with a cutting and throbbing pain in the bladder.
- Eupatorium purp. (tds)** : Enlargement of prostate gland with burning in bladder and urethra on urinating. Dysuria. Polyuria. Constant desire to void urine.
- Ferrum pic. 3x (tds)** : It is one of the best remedies for enlargement of the prostate gland in the aged. Frequent urination at night with feeling of fullness and pressure in the rectum. Senile hypertrophy of the prostate.
- Hoang nan Q** : Cancer of the prostate gland. Start with 5 drops, thrice daily and gradually increase to 20 drops.
- Hydrangea Q** : Enlargement of the prostate gland without any complications, specially in old people. 2

- doses of 5-10 drops, morning and evening per day. Very difficult urination. It also works well in 200 and 1000 potency. Urine may be retained specially in men over 50 years of age.
- Lycopodium** 1M (hs)
Repeat after a month : Back pain before urination which goes after wards. Urine is slow to come and the patient strains to pass it. In 1M potency, it is useful for the cure of prostate cancer.
- Pareira brava** (tds) : Retention of urine due to enlargement of the prostate gland.
- Ferrum met.** (od) : Prostatitis, chronic nephritis and high blood pressure, difficult mental concentration and confusion are removed by the use of this remedy in 30th potency.
- Sabal ser.** (tds) : Burning in urethra while passing urine and difficulty in passing urine. Recent or chronic enlargements. Sensation of coldness from the prostate gland to genitals. Discharge of prostatic fluid involuntarily and other prostatic troubles. Constant desire to pass urine at night.
- Selenium met.** (tds) : Discharge of prostatic fluid during stool. Prostatitis in elderly men. Dribbling of prostatic juice during sleep. The use of foods containing this metal reduces the risk of prostate cancer. It is found in minute quantities in meat, fish, whole grains, dairy products and vegetables grown in selenium rich soil.
- Staphysagria** (tds) : Enlargement with frequent urge to pass urine. Sensation as if a few drops remained. Burning in urethra when not urinating; urging and pain after urinating.
- Thuja occ.** (tds) : Prostatic discharge is thick and green. Inflammation of the gland.
- Triticum rep.** (tds) : Enlarged prostate gland. There is a constant desire to pass urine. It emits on sneezing or coughing. Can't hold urine.
- Tribulus ter.** Q (tds) : 15 drops, thrice daily corrects prostatitis and ill-effects of masturbation.

Turnera Q (bd) : It is useful for the cure of prostatic discharge
 10 drops in $\frac{1}{2}$ cup of water which is chronic and accompanied with sexual debility.

NOTE 1: Eating tomatoes reduces the risk of prostate cancer. Tomato contains vitamins A, B complex, C as well as iron and potassium. Red tomatoes contain lycopene which protects against a variety of ailments including prostate cancer. Lycopene is also found in water melon and papaya.

NOTE2: Excessive use of aluminium in water or in food is believed to be one of the major causes of cancer of prostate.

NOTE3: Prostate is a small gland about the size of a chestnut, situated just below the bladder. It secretes fluid which transports the sperms during ejaculation. Women do not have a prostate.

NOTE4: The prostate gland is not always affected in urinary problems. It is best to consult an urologist (i.e., a person who specializes in dealing with the urinary tract in both sexes and the genital tract in the males) before taking treatment.

NOTE 5: Prostate cancer patients are being effectively treated by using a vaccine prepared from their own cancer. Seattle (New Orleans, USA) researchers make the vaccine by drawing blood from the prostate cancer patients. This vaccine shrinks the prostate tumor and puts a hold on its growth.

NOTE 6: A comprehensive study which appeared in the Journal of American Medical Association in Jan. 2000, revealed that nearly 66 percent of men who had their cancerous prostates removed become impotent and more than 8 percent lacked bladder control according to Dr. Janet Stanford, Seattle (USA). Impotency results from injury or removal of two nerves (that carry signals to the penis to fill with blood allowing erections) during surgeries to remove the cancerous prostate gland.

PROSTATORRHEA

Weakness of the prostate gland causes discharge of prostate juice during stool, urination and straining.

Acidum phos. 1c (tds) : Prostatic fluid escapes even when passing a soft stool. Emissions at night with weakness of sexual power.

- Aesculus hip.** 3x (tds) : Prostatorrhea at stool or while straining.
- Agnus castus** 3x (tds) : Loss of prostatic fluid on straining. Testicles are hard and swollen. Sexual weakness or impotency.
- Alumina** (bd) : Prostatic discharge when straining to expel stools.
- Chimaphila** 30 (tds),
Sabal ser. 3c (tds) : Loss of prostate juice with enlargement of the prostate gland. Polyurea.
- Selenium met.** (tds) : Dribbling of prostatic juice with weakness of sexual power and too early ejaculation in coitus.
- Turnera** Q (bd) : Chronic prostatorrhea.
10-20 drops in ½ cup of water

PRURITUS

- Aloe soc.** (tds) : Intense itching of the anus and the opening of the intestines into it. The patient bores fingers into the anus to get relief and gets pleasure in rotating the finger in it.
- Alumina** (tds) : Intense itching of the whole body when getting warm in bed. Must scratch until it bleeds and then becomes painful. Brittle skin on the fingers.
- Ambra grisea** (tds) : Voluptuous itching of scrotum and pudendum with soreness and swelling. Parts numb but burn internally. Itching of the urethra.
- Borax** (tds) : Sensation of distention in clitoris. Itching during pregnancy.
- Caladium seg.** (tds) : Pruritus of vulva and vagina during pregnancy.
- Colchicum autum.** (tds) : Pruritus of female genitalia. Sensation of swelling in vulva and clitoris.
- Collinsonia** (tds) : Swelling and dark redness of genitals with soreness. Pruritus lessens after menses. Swelling of labia and clitoris.

Helonias (tds)	: Very irritating itching of vulva and vagina.
Medorrhinum 1000 (hs)	: Pruritus with intense itching.
Radium brom. (od)	: For intense itching of the anus, one dose of 30 potency each day.
Sepia (tds)	: Pruritus of vagina and yellow leucorrhea.
Sulphur (od)	: Pruritus due to warmth of bed with burning urine. Parts bleed on scratching.
Tarentula his. (tds)	: Vulva dry and hot with intense itching.

NOTE 1: Such patients should take a bath daily but too sudden a change in the temperature of water should be avoided. Medicated soaps or ointments should not be used. If necessary, a glycerine soap maybe used for bathing and coconut oil maybe applied gently on the affected parts and not rubbed. Locally, the parts can be washed with hydrogen peroxide. 1 part of it is mixed with 12 parts of water.

NOTE 2: If hygienic procedures of Note 1 are followed but the indicated remedy gives little or no relief, the part giving trouble maybe examined. Itching about the anus can be due to pinworms, hemorrhoids or residual soap remaining due to improper washing. Itching of external female genitalia is often an early sign of diabetes mellitus or vaginitis or for not washing properly after sexual intercourse.

PSORIASIS

Psoriasis is a chronic skin disorder that causes thick, silvery, scaly, red patches to appear on the skin. A specific type of arthritis is frequently associated with the disease.

It can be on any part of the body but rarely on the face. The cause is unknown and it responds to homeopathic treatment very well. The treatment is lengthy and requires patience. The disease lessens in severity in summer and goes into remission from time to time with no apparent reason.

Arsenicum alb. (tds) : When other symptoms of the remedy are present and there is irritation of the skin. Its first influence is to make eruptions redder and more inflamed. It is a good sign for the use of this remedy. There is a burning sensation which is relieved by warmth.

-
- Aurum mur. nat.** 3x (tds) : Only for psoriasis syphilitica.
- Calotropis Q** (bd)
10 drops in ½ cup of water : Psoriasis of syphilitic patients in the second stage when mercury has stopped doing further good.
- Carcinocinum** 1M (hs) : A monthly dose as an intercurrent remedy ensures prompt cure.
- Chrysarobinum** (tds) : If the nails become dull, develop ridges and pits, and the cause is psoriasis, give thrice daily. Its ointment - 8 grains in an ounce of vaseline can be used externally. Vesicular lesions with fetid discharge and crust formation. Violent itching. Thighs, legs and ears specially affected.
- Cicuta vir.** (tds) : Spots having burning pains when touched. Much irritating eruptions on the ears.
- Corallium rub.** (tds) : Psoriasis of palms and soles.
- Cuprum met.** (tds) : Chronic psoriasis. Skin is of bluish color. Few spots itch, worse in the folds of joints.
- Graphites** (od) : If the crusts are sticky and glutaneous, and the patient is constipated and cautious.
- Hepar sulphuris** 200 (od) : Patients over-sensitive to changes in weather specially from dry to cold, and desires warmth.
- Hydrocotyle** 200 (od) : Psoriasis of soles, palms, trunks and extremities with circular patches. Circular spots with scaly edges. The skin is excessively thick and dry.
- Ignatia amara** 200 (hs) : Aggravation of psoriasis after disputes and anger.
- Kalium ars.** (tds) : Discoloration of the skin after cause of psoriasis is removed by this remedy.
- Kalium brom.** (tds) : Worse on the chest and shoulders, and in very rare cases when it spreads to the face also. It is a leading remedy for psoriasis.
- Lycopodium** (tds) : Psoriasis or fungus growth on palms. Skin is dry and shrunken.
- Manganum acet.** (tds) : Psoriasis with painful cracks. Worse at the time of menses.

- Mercurius bin iod.** 3x (tds) : Syphilitic and non syphilitic psoriasis.
- Mezereum** 200 (hs) : Psoriasis of palms; itching worse with warmth.
- Petroleum** 200 (hs) : Once a week, when there is aggravation by cold and in winters. Thick, greenish crusts. Burning and itching specially in psoriasis of hands with fissures.
- Psorinum** 200 (hs) : This is a psoriasis nosode and it works when the skin looks dirty and there is much itching which is worse by the warmth of bed. Crusts disappear in summer and reappear in winter.
- Radium brom.** 200 (hs) : Circular patches of psoriasis all over the body. Itching, redness, swelling and extreme burning of the skin as if on fire, worse on undressing but better in the open air and by a hot bath. Arthritis and pains all over the body.
- Selenium met.** 200 (hs) : Syphilitic psoriasis of palms.
- Sulphur** 10M (hs) : Start the treatment with this remedy. The patient is dirty and has an aversion to bathing. Burning and itching. Dry, scaly unhealthy skin. The disease is worse in spring time and in damp weather. No other remedy should be given for 24 hours and repeat it after a month.
- Thyreoidinum** 3x (tds) : It is indicated specially in younger girls. It is also useful in distressing itching of the disease. It is more indicated in patients with thyroid trouble and obesity. Skin is dry.
- Tuberculinum** 200 (hs) : Chronic psoriasis with intense itching worse at night. It is particularly indicated in tuberculous children and in patients having a history of tuberculous in the family.
- Zea italica** Q (bd)
10 drops in ½ cup of water : When no other remedy is effective, use of this remedy sometimes proves curative.

NOTE: Psoriasis is believed to be related to incomplete protein digestion, alcohol consumption, bowel imbalance, abnormal liver function and too much animal fat in diet. Hence, long term dietary changes with respect to fat intake may help to bring about improvement. Animal fats should be eliminated while oil of seeds included, as it does not produce any adverse effect. Similarly, non-vegetarian foods should

be substituted with vegetarian foods. Alcohol should not be consumed during the treatment. It is generally believed that the disease is produced by eating a fish suffering from psoriasis but the exact cause is still not known.

PUBERTY

- | | |
|--|--|
| Alumina (tds) | : Anemia in girls who have not yet menstruated. Pale and livid complexion. Lazziness. Impaired appetite and digestion. Chlorosis. |
| Asafoetida 3x (tds) | : Breast swollen and painful. Milk may appear in them though they never had pregnancy. |
| Asterias rub. (tds) | : Pimples on the face during puberty. |
| Aurum met. (tds) | : Palpitation of heart at puberty. Foul breath from the mouth. |
| Calcarea carb. (tds) | : Leucorrhea before appearance of menses. |
| Ferrum met. (tds) | : Polyuria. |
| Kalium carb. (tds) | : Delayed first menses or menses appeared for the first time and then did not appear for several months together. |
| Lycopodium (tds) | : Non-development of breasts even at the age of 18 years. |
| Mancinella (tds) | : Mentally depressed state at puberty. Sadness on account of disappointed love. |
| Mercurius sol. (tds) | : Appearance of milk in breasts, instead of menses. |
| Onosmodium 10M (hs) | : Absent breasts appear exceedingly small. Breasts may become normal by its use. Use one dose every 15 days. |
| Pituitrinum 30 or 200 (od),
Zincum met. (tds) | : Delayed symptoms of puberty i.e., defective development of the breasts, non-growth of hair in the armpits and pubis. |
| Pulsatilla nig. (tds) | : This is a remedy for many menstrual troubles during puberty. First menstruation is delayed. Uncalled sadness or weeping during puberty. It also cures irritability during puberty. |
| Sulphur (od) | : Abdomen having the appearance of pregnancy, but without it. |

PURGATIVE

- Cascara sag. Q** : 15 drops in water thrice daily restores the normal functions of the intestines.
- Hydrastis Q** : In chronic constipation, 3 drops of it in a glass of water in the morning is an effective purgative. It is best suited to persons who after an active life have developed sedentary habits.
- Laxative** : A glass of cold water on rising in the morning with a level teaspoon of common salt makes an excellent laxative.

PYORRHEA

- Calendula off. Q** : It reduces the inflammation of the gums and also avoids formation of pus. 10 drops in an ounce of water maybe used as a mouth wash and little of it maybe swallowed.
- Emetinum 1x** : Thrice daily for three days and go on reducing gradually. Stop when cured.
- Hekla lava (tds)** : When there is thick, pus-like discharge and foul smell from the mouth.
- Kalium carb. (tds)** : All the teeth are loose. Bad smell from the mouth.
- Plantago major Q** : It is a clinically reputed remedy for treatment of teeth and gum diseases. There is profuse flow of saliva and toothache which is better by eating. Pain in worse touch, cold air and contact. A few drops in warm water can be used as a mouth wash.
- Mercurius sol. 200 (hs)** : It is a remarkable remedy for pyorrhea to avoid extraction of teeth, spongy gums and bad odor from the mouth.
- Rhus g. Q** : It can be applied locally on the soft, spongy gums. Its use will also cure bad breath, which is generally present in cases of pyorrhea.

- Silicea** (bd) : It is an excellent remedy for this disease when it has taken a chronic form. Painful inflammation of the gums with gum boils.
- Symphytum off. Q** : 2 grams in 8 ounces of water is a good application to the gums in these cases.

QUARRELSOMENESS

- Aurum met.** (tds) : Peevish at least contradiction. Profound depression. Talks of suicide. Over-sensitive.
- Ignatia amara** (tds) : Sighing and sobbing with changeable moods. Melancholic and uncommunicative, the symptoms follow shock, grief and disappointment.
- Nux vomica** (tds) : Irritable, cannot bear noise or smell. The patient is sunken, fault finding and has a fiery temperament.
- Petroleum** (tds) : Feels that death is near. Irritable, easily offended. Vexed at anything.
- Sulphur** (od) : Lazy, irritable and depressed. Very selfish with no regard for others. Hates standing, dislikes water and washing.
- Tarentula his.** (tds) : Sudden changes in moods. Ungrateful and discontented.

QUINSY **(ACUTE INFLAMMATION OF TONSILS WITH FEVER)** **(SEE ALSO ‘THROAT’)**

- Hepar sulphuris** 3x (tds) : Extreme pain in the throat on swallowing, one sided swelling and inflammation about the tonsils, pain often extending to the ear. Three doses a day, preferably in water.

- Hydrastis Q** : Used as a gargle in a septic state of the throat in malignant scarlet fever, arrests the destructive process at once.
- Lachesis (od)** : There is no remedy so often effective in breaking up an attack of quinsy at its interception nor in promoting resolution in the later stages. Very distressing aggravation after sleeping.

RABIES (HYDROPHOBIA)

- Anagallis 1x (tds),
Cantharis (tds),
Xanthinum (tds)** : These remedies are given symptomatically and when there is great fear of water.
- Belladonna 30 (bd)** : After 7 days - one dose every evening and morning when there is fever and diarrhea.
- Hydrophobinum 30 (qid)** : Rabies on account of bites of mad animals. This remedy should be taken four times a day at an interval of two hours each for 7 days.

NOTE: Rabies is a virus that spreads through the central nervous system and affects the brain. The virus is usually transmitted through saliva but can also be passed on through a cut, scratch or moist tissue in the nose and eyes. The symptoms include fever, depression, agitation and painful spasms followed by excessive saliva. Death occurs within seven days if not treated properly.

RADIATION

- Acidum fluor.** : It antidotes radiation caused by X-rays, etc.

RASH

- Aconitum nap.** (tds) : Rash with sharp fever.
- Ammonium carb.** (tds) : Scarlet rash, miliary rash, scarlatina.
- Belladonna** (tds) : Rose rash.
- Bryonia alba** (tds) : Rash accompanied with constipation.
- Ipecacuanha** (tds) : Rash accompanied with nausea and difficult breathing.
- Natrium sulph.** 6x (tds) : Red, wart-like eruptions over the whole body. Itching worse while undressing, rainy weather and after bathing.
- Phytolacca dec.** (tds) : Measles-like rash - rose colored.
- Pulsatilla nig.** (tds) : Rash from a disordered stomach.

RASH-DIAPER

- Benzoicum acidum** (tds) : Diaper rash with urine smelling like ammonia.
- Medorrhinum** (od) : Diffuse redness all over the diaper area or glowing and irritable red rash about the anus of the babies.
- Sulphur** (od) : Diaper rash worse after bathing, better in open air. It also cures rash caused by use of certain drugs such as bromide or iodine. It is also useful for red papular eruptions on the chin and anterior chest area of children seen during teething due to excessive saliva pouring out of the mouth and coming in contact with the skin.

NOTE: The best way to prevent diaper rash is to change the diaper as soon it becomes wet. Keeping the skin dry is very useful. On the dry skin, apply lavender oil. Use of talcum powder should be avoided as it clogs the skin pores and prevents healing.

REGURGITATION

- Aethusa cyn.** (tds) : Regurgitation of food after about an hour of taking it.

- Asafoetida** 3x (tds) : Flatulence and regurgitation of liquids with pulsations in the pit of the stomach.
- Carbo veg.** (tds) : Regurgitation of fluids with wind due to indigestion.
- Carbolicum acidum** (tds) : Regurgitation of food with constant belching and nausea.
- China off.** (tds) : Regurgitation of bitter fluid and food worse after eating fruits. Belching gives no relief.
- Lycopodium** (tds) : Regurgitation of food with rolling of flatulence.
- Pulsatilla nig.** (tds) : Regurgitation of food eaten long before.

REJUVENATION

- Anacardium ori.** 200 (od) : People exhausted, their spirit is shattered and their memory has suffered, be it after serious illness, sexual excesses or the breaking down process of old age. The greedy, suspicious, malicious, old man can use this remedy for all his mental and physical health if relief by eating is indicated. It is a leading symptom for the use of this remedy.
- Calcarea phos.** 6x (qid) : Both men and women whose health has been broken down by a town residence, missing sunshine and open air for a greater part of the day and for any reason has become incapable of doing much work and whose spirits are depressed, are benefited much by the use of this remedy.
- Magnesium phos.** 10M (hs) : It covers the exhaustion and most of the painful ailments of which old people often complain and a person who looks older than his age.

RESTLESSNESS

- Aconitum nap.** (tds) : Physical and mental restlessness. Tossing about even in sleep. Frequent nightmares. Severe neuralgia with tingling and numbness. Thirst is always present and comes with fever.
- Aethusa cyn.** (tds) : Violent palpitation. Headache and vertigo. Anxious and weeping.
- Agaricus mus.** (tds) : Severe itching. The skin feels as if burning.
- Alumina** (tds) : Anxious and confused dreams.
- Ambra grisea** (tds) : Excited and very talkative.
- Anagallis** (tds) : Cross and irritable, wanders aimlessly. Bewildered and confused.
- Apocynum can.** (tds) : Unable to sleep due to restlessness.
- Aranea diad.** (tds) : Wakes with arms and legs feeling swollen and heavy. Extreme coldness day and night. Poor sleep.
- Arnica mont.** (tds) : Sleepless and restless when over-tired.
- Arsenicum alb.** (tds) : Weakness and exhaustion worse each night. Periodical burning pains with cold skin and extreme anxiety. Mental restlessness.
- Belladonna** (tds) : Hot red skin with a flushed face, dry mouth and throat. Excited mentally. Restless sleep. Acuteness of all senses.
- Calcarea carb.** (tds) : Restless sleep at the time of periods.
- Cantharis** (tds) : Anxiety and restlessness ending in rage.
- Causticum** (tds) : Nocturnal tearing pains in bones and joints. Loss of energy. Restless legs at night.
- Chamomilla** (tds) : Peevish and restless with colic, specially in children.
- Coca** (tds) : Nervousness and nocturnal restlessness during teething.
- Coffea cruda** (tds) : Great nervous, agitated sleeplessness.
- Iodium** (tds) : Fever with flushed cheeks. Apathetic.

- Kalium brom.** (tds) : Restless sleep of nightmares. Grinds teeth in sleep.
- Magnesium mur.** (tds) : Sleeps during the day but restless at night because of heat. Horrible nightmares.
- Natrium carb.** (tds) : Anxious and restless during a thunderstorm.
- Passiflora** (bd) : Restless and wakeful resulting from 10-20 drops in ½ cup of water exhaustion.
- Phosphorus** (bd) : Restless and fidgety. Wakes up frequently during the night. Depressed and over-sensitive.
- Pulsatilla nig.** (tds) : The first sleep is restless. Tired in the afternoon, wide awake in the evening. Thirstless, peevish and chilly.
- Rhus tox.** (tds) : Extreme restlessness. Constantly changing position. Joints are tender and aching. Great apprehension at night. Muscular restlessness.
- Secale cor.** (tds) : Insomnia with restlessness. Fever with anxious dreams.
- Tarentula his.** (tds) : Extreme restlessness. Must constantly keep busy or walk and keep in constant motion, though, walking aggravates the troubles.
- Zincum met.** (tds) : Depression with restlessness. Coldness and spinal weakness. Restlessness during periods and menopause. Keeps the feet in constant motion, cannot keep them still.

RHEUMATISM

(SEE 'GOUT')

RICKETS

(SEE 'BONES')

This disease is due to deficiency in intake of vitamin D which is found in milk. Sunshine is a good source of vitamin D. Children suffering from this

disease have abnormalities in shape and structure of their bones. The usual symptoms are restlessness and slight fever at night, free perspiration about the head, enlarged liver and spleen, delayed dentition and badly formed teeth. There maybe nodules on the ribs. Long bones are curved. Some bone deformities may require surgery. Excessive use of vitamin D in infants over 20000 I.U. and in adults 100000 I.U. daily is dangerous. Vitamin D is made in the skin when it is exposed to ultraviolet rays from the sun. The body needs this vitamin to maintain normal calcium levels and to build bones. Ultraviolet rays are present in the morning when the sun is still rising and is red in color.


RINGWORM **(HERPES CIRCINATUS)**

- | | |
|--|--|
| Aethiops merc. mineralis 2x (tds) | : Crusted ringworm. |
| Apis mel. 1000 (hs) | : Ringworm with itching and burning, better by cold applications. Give one dose only. |
| Bacillinum 200 (hs) | : One dose should always be given at the commencement of the treatment. No other medicine should be given for 24 hours. |
| Chrysarobinum 3x (tds) | : Vesicular ringworm. Foul smelling discharge with crust formation. Violent itching. Thighs, legs and ears mostly affected. Scaly eruptions around eyes and ears with pus beneath. |
| Cod liver oil | : Application of the plain oil at bed time on the affected skin has proved to be very useful in removing the madening itching. |
| Dulcamara (tds) | : Ringworm of the scalp. Thick brown crusts which bleed on scratching. Ringworm on the face, genitals and hands. Eruptions appear red. |
| Graphites 200 (hs) | : Eruptions oozing a sticky liquid, which is honey colored. Worse in the bends of limbs, groins, neck and behind the ears. |
| Hepar sulphuris (tds) | : When the disease extends to the forehead, face and neck. Worse in dry cold winds. |
| Hydrocotyle Q (bd) | : Dry eruptions. Great thickening of the skin. |

- 10 drops in $\frac{1}{2}$ cup of water Scales. Psoriasis in circular patches on the trunk, extremities, palms and soles.
- Kalium sulph. 6X** (tds) : Ringworm of scalp or beard with abundant scales.
- Radium brom.** (tds) : It is better in open air and worse in bed and while undressing. Circular patches itching in bed and burning.
- Rhus tox.** (tds) : Ringworm oozing an offensive moisture with violent itching. Ringworm of the scalp in children extending to the face, neck and eyes.
- Sepia** (tds) : Ringworm is worse in open air and cold weather. Ringworm on mustaches. Itching not relieved by scratching. Eruptions every spring.
- Sulphur** (od) : It maybe used off and on during the treatment of diseases, if disease is not yielding properly. Also when there is acidity along with ringworm.
- Tellurium met.** (qid) : It is a remedy of great importance in the cure of this disease. It should be given 24 hours after the use of Bacillinum, four times daily. It is more indicated when the ringworm is on the face. The odor of the body and sweat is like that of garlic.

SACRUM

- Aesculus hip.** (tds) : Aching aggravated by walking or standing with blind piles.
- Aloe soc.** (tds) : Drawing and heaviness aggravated in the evening with bleeding piles and diarrhea.
- Baptisia** (tds) : Pain in sacrum, around hips and legs. Sore and bruised, worse humid heat, indoor or in fog.
- Berberis vulg.** (tds) : Violent pains, aching, bruised, dragging or pressing aggravated by lying, sitting or stooping with rectal troubles.
- Helonias** (tds) : Sensation of weakness, dragging and weight in the sacrum and pelvis with great weakness



and debility. Tired and pain in the back. Patient feels better when he is kept busy and when his attention is engaged in some work.

Lachesis (bd)

: Sacral pain and pain in coccyx worse on rising from a seat, better by sitting perfectly still.

Sabina (tds)

: Pain from sacrum to pubis.

Sepia (tds)

: Dragging pain with uterine disorders or loaded urine.

Tellurium met. (tds)

: Pressing or bruised pains, stabbing like pain worse on motion, by coughing, laughing, stooping, and is accompanied with rectal troubles.

SALIVATION


Ammonium carb. (tds),

: Constant spitting due to excessive saliva.

Kalium carb. (tds)

Arsenicum alb. (tds), Nux vomica (tds)	: Saliva bloody. Saliva like cotton.
Arsenicum alb. (tds), Pulsatilla nig. (tds)	: Saliva bitter.
Arum triph. (tds)	: Saliva produces burning and rawness of lips.
Baryta carb. (tds), Kalium carb. (tds)	: Saliva runs out during sleep.
Berberis vulg. 6 (tds)	: Saliva is less than normal. It is sticky and frothy like cotton.
Coffee berries (tds)	: Chewing of coffee berries cures excessive salivation when all other remedies fail.
Hydrophobinum 200 (od)	: Constant spitting. Saliva tough and ropy. Throat is sore.
Iris vers. (tds)	: Saliva at the corners of the lips when talking. May accompany nervous headache. Profuse flow of ropy saliva.
Kreosotum (tds)	: Excessive saliva during pregnancy.
Mercurius sol. (tds)	: Saliva fetid. Excessive saliva in the mouth is sprayed when speaking.
Nitricum acidum (tds)	: Saliva profuse and bloody.
Pilocarpus (tds)	: Saliva pours out in an almost continuous stream. Many children suffer from this during teething.
Syphilinum (tds), Stramonium (tds)	: Dribbling of viscid saliva. In Syphilinum, saliva runs out of the mouth when sleeping.
Trifolium rep. (tds)	: Mouth filled with watery saliva. Flow is increased while lying down and with a taste of blood in the mouth and throat.

SCABIES



Distribution pattern of scabies

Parts most commonly affected are hands, between the fingers, wrists, axillae, genitalia, beneath the mammae and inner aspect of thighs.

(See 'Eczema and Itching'.)

SCALDS (SEE 'BURNS')


SCALP

- | | |
|-----------------------------|---|
| Aethusa cyn. (tds) | : Sensation of hair being pulled from the scalp. |
| Arsenicum alb. (tds) | : Scalp itches intolerably and is covered by dry scales. It is very sensitive and even brushing of the hair is not tolerated. |
| Berberis vulg. (tds) | : Sensation of a tight cap pressing upon the whole scalp. |
| Calcarea carb. (tds) | : Eczema capitis or milk crusts on the scalp of children. |

- Colocynthis** (tds) : Pain and soreness of scalp better by heat and pressure.
- Dulcamara** (tds) : Ringworm of the scalp.
- Natrium sulph.** (tds) : Scalp is sensitive to combing of hair. The patient does not want to comb hair.
- Phytolacca dec.** (tds) : Rheumatism of the scalp. Pain comes everytime it rains. Scaly eruptions on the scalp.
- Psorinum** 200 (hs)
Repeat after a week : Dry hair and eruptions oozing a fetid matter. Hair matted.
- Sulphur** (od) : Scalp dry. Itching. Scratching causes burning.
- Vinca minor** (tds) : Eczema of scalp with great itching and desire for scratching. Stops oozing of moisture and matting of hair together.

NOTE: Along with the oral remedies, use of Chrysarobinum ointment, applied gently on the head proves useful and cuts short the treatment. It should not be rubbed hard. Discontinue its use if it causes inflammation.

SCAPULA



Ammonium mur. (tds)	: Icy coldness between scapulae not relieved by warmth or covering. Better by open air.
Baryta carb. (tds), Rhus tox. (tds)	: Pain between the scapulae or shoulder blades.
Chelidonium (tds)	: Constant pain under the lower inner angle of right scapula.
Chenopodium (tds)	: Intense pain between angle of right shoulder blade near the spine and through chest. It has a pain in the left shoulder blade also.
Colocynthis (tds)	: Sharp pain in the right deltoid and chest, better by pressure and warmth.
Kalium carb. (tds)	: Sharp, cutting pains in the right scapula early in the morning; better by motion.
Kalmia lat. (tds)	: Deltoid rheumatism, specially right.
Lachnantes tinc. (tds)	: Chilliness between scapulae.
Lycopersicum (tds)	: Sharp pain in the right deltoid and chest.
Phytolacca dec. (tds)	: Shooting pain in the right shoulder and scapula.
Ranunculus bulb. (tds)	: Muscular pain along the lower angle of scapulae increased by cold air.
Sticta pulm. 30 (tds)	: Pain in the right deltoid and chest, worse by sudden changes in weather.
Sulphur (od)	: Pain in the left shoulder and left shoulder blade.

SCARLET FEVER

Ailanthus g. (tds)	: The skin appears hot, purple or livid. Semi-consciousness, delirious, weak pulse and general prostration. Diarrhea and dysentery.
Ammonium carb. (tds)	: Lack of proper eruptions. Fever takes a chronic form. Throat swollen. Body red.
Belladonna (tds)	: Covers many symptoms of the disease like sudden onset, rarely with a chill but sometimes with convulsions in very young children. Sore

throat. Temperature from 101° F to 105° F. Frequent vomiting followed by a rash first on the neck and chest. Face flushed. Rash is seldom seen on the face. 30c potency of the remedy acts as a prophylactic.

- Rhus tox.** (tds) : With the symptoms of Belladonna but with blister-like eruptions on the body.
- Streptococcinum** 200 (hs) : Antifebrile action. Septic conditions of the disease. Rapidly brings down the temperature and other symptoms.

SCARS

- Acidum fluor.** (tds) : Old scars become red around edges and itch.
- Acidum sulph.** (tds) : For removal of scars left after healing of a wound.
- Calcarea fluor.** 6x (tds) : Use it for birth marks, scar marks and hard skin.
- Crocus sativus** (tds),
Lachesis (bd) : Old healed scars of wounds, open again and again with a tendency to suppurate.
- Graphites** (bd) : For formation of a smooth scar after an operation. Old hard scars.
- Hypericum** 12x (tds) : Slight paralysis due to entanglement of the nerves in the scars. It removes effects of pain and bruises or injury to an old scar.
- Kalium iod.** (tds),
Phytolacca dec. (tds) : Scars left after healing of an abscess or pimples.
- Malandrinum** (od) : For removal of scars of vaccination.
- Silicea** (bd) : Scars left after drying up of pimples or blotches or ulcers are removed by the use of this remedy. Scars suddenly become painful.
- Staphysagria** (tds) : Burning pain in scar of an abdominal surgery.
- Variolinum** 1000 (hs),
Thuja occ. 1M (hs) : For the removal of ugly scars left after cure of small pox and chicken pox.

SCHIZOPHRENIA (MIND)

(SEE ALSO 'INSANITY')

A common type of mental disorder characterized by a disorder in preception, content of thought, thought processes (hallucinations and delusions), and extensive withdrawal of the individual's interest from other people and the outside world. It may be noticed that the disease is caused by the hyperactivity of some of the brain chemical pathways and failure of cells to communicate properly with each other, severely impairing a person's ability to think.

- | | |
|------------------------------|---|
| Aethusa cyn. (tds) | : Sees cats and dogs, and tries to jump out of the window to escape their bite. |
| Ailanthus g. (tds) | : Feels as if rats or insects are crawling over his body. |
| Alumina (tds) | : Confused. He sees something new and thinks he has already seen it. He says something and thinks he has already said it. Never smiles or laughs. |
| Anacardium ori. (tds) | : The patient has two wills - good and evil. Cannot take decisions. Fears he is being prusued by someone, enemies or thieves. Fears everything and everybody. Hears voices calling his name. Does not like to work and lacks self-confidence. Suspicious. |
| Argentum nit. (tds) | : Fearful and nervous. Impulses to jump out of the window. Brain fag with general debility and trembling. Vertigo. Fear of death. Sensation of strangulation in the throat. |
| Arsenicum alb. (tds) | : Fears that thieves have entered his house. Searches them or hides himself due to their fear. Feels happy at others misfortune. |
| Aurum met. 200 (od) | : Feeling of self-condemnation and utter worthlessness. Disgusted of life. Hypertension. Talks of suicide but is afraid of death. Constant questioning without waiting for a reply. |
| Belladonna (tds) | : Eyes are bloodshot. Attacks others in self-defence or if somebody acts against his will. |
| Bryonia alba (tds) | : Thinks always, talks always and dreams always about business. |

-
- | | |
|--|---|
| Calcarea carb. (tds) | : Unable to acquire knowledge because of non-development of the brain. Obstinate. Forgetful and confused. Talks to himself or appears to be talking to a person who is not there. Sad and full of worries. |
| Camphora (tds) | : Fears darkness and strangers. Thinks of ghosts and fears them. |
| Cannabis ind. (tds) | : Imagines he is hearing a love song, closes his eyes and is lost in the ideas of love. Thinks he has not taken any food for several days, though he has taken it only a few minutes ago. Imagines he is enjoying the luxuries of paradise. |
| Cannabis sat. (tds) | : Hears somebody superior commanding him to commit suicide. Tries to obey the superhuman orders. |
| Causticum (tds) | : He is terribly afraid, as if he has committed a crime and will be arrested and jailed soon. |
| Chamomilla (tds) | : Very sensitive. Very irritable and therefore suffers from this disease as a consequence. |
| Chloralosum (tds) | : Night terrors at night and in darkness. Sleeplessness. |
| Cicuta vir. (tds) | : Thinks he was living in a strange place though living in his own house. Hates friends and relatives. |
| Cicuta vir. (tds),
Sticta pulm. (tds),
Lac can. (tds) | : Feels himself flying in air or waking several feet above the ground. |
| Cimicifuga 200 (od) | : Mania due to suppressed neuralgia. |
| Cocculus ind. (tds),
Coca (tds) | : Delusion of something rolling on the wall or floor. Tries to find it so that it cannot come on his body. |
| Crocus sativus 200 (od) | : Pleasant mania, sings and laughs, now happy and affectionate then angry. Sudden changes from hilarity to melancholy. |
| Cuprum acet. (tds) | : Wrong concept of others. Fear of attack on him. Sleeps late at night at about 2 AM. He is |

- afraid that police has come to arrest him. Hallucinations of all kinds of figures and premises when shutting eyes and during sleep.
- Cyclamen** (tds),
Oleander (tds) : Thinks himself to be pure and all others impure. Walks away from everybody or grabs his clothes so that they do not touch the other person. Takes a fresh bath if somebody touches him. One object appears double.
- Ferrum iod.** (tds) : Wrong concept about the length of his body. Thinks he is so tall that he can touch the roof.
- Gratiola off.** (tds) : It is a useful remedy, specially for women, when mental troubles arise on account of suppression of hurt pride.
- Helleborus** (tds) : Stupefied drowsiness during which he sees spirits and souls and talks to them. Cannot be aroused from the stupor despite shaking him vigorously. Sleeplessness. Confused dreams. Suspicious. After-effects of early head injuries.
- Helonias** (tds) : Very irritable and sad. Cannot withstand the least contradiction. Patient must do something to engage the mind and is better when kept busy and mentally engaged.
- Hyoxyamus nig.** (tds) : Suspicious, quarrelsome and obscene. Strips himself before others. Jealous. Suspects he is being poisoned, refuses to take the medicine or food. Talks to imaginary persons. Desire to remain in bed always. Very talkative. Jealous. Obscene. Foolish. Laughs at everything.
- Ignatia amara** 1M (hs) : Complaints after disappointment in love or due to grief. Changeable mood. Silently brooding. Melancholic, sad and tearful. Sighing and sobbing.
- Kalium phos.** 6x (qid) : Extreme depression. Very nervous. Anxiety. Lethargic. Does not want to meet people. Extreme lassitude. Night terrors. Loss of memory. Shy, weak and tired, causes mental and physical improvement in a wonderful way. For insomnia, use 200x potency.

- Lachesis** (od) : Suspicious. If he sees two persons talking, he thinks that they are talking about him, tries to listen to their talks secretly. Dreams that God or angels are commanding him and he must obey. Suspects that enemies are pursuing him. Very inclined towards religion. Great loquacity. Sad in the morning. Restless and uneasy. Has no desire to mix with the world or to attend to the business.
- Lilium tig.** (tds) : The patient is inclined to curse and become violent. Thinks of obscene things and is inclined to weep. Must keep busy; is aimless and has a hurried manner; consolation aggravates and fresh air suits sleeplessness.
- Lycopodium** 200 (od) : Sad. Afraid to be alone. Apprehensive. Weak memory and confused thoughts. Sadness in the morning on rising. Spell or writes wrong words. Lack of confidence. Fears men, and even his own shadow.
- Medorrhinum** 200 (hs)
Repeat after a week : Suspects someone talking or whispering behind her back or someone following her. Feels as if committed a sin but is not afraid of going to jail. Very selfish and hasty in manners. Hopeless of recovery. Cannot speak without weeping.
- Melilotus** (tds) : Suspects that everybody is looking at her. Runs away from the scene.
- Mercurius sol.** (tds) : Feels something unusual in his openings of the body, cold water in the eyes, ice ball in the ear, a vegetable plug in the throat, etc.
- Mercurius cor.** (tds) : Mistrustful. Loss of will power. Wary of life. Desire to kill his own child. Filthy and bad smell from body and breath.
- Natrium mur.** 200 (od) : Psychic causes on account of a disease or due to grief, fright, anger, etc. Depressed. Consolation aggravates. Wants to be alone and cry. Tears with laughter.
- Natrium sulph.** 1M (hs) : Complaints due to head injury. Lively music makes him sad.

-
- | | |
|--|--|
| Nux mosch. (tds) | : Feels as if he has two heads. Feels that people are playing and stops to watch them. |
| Nux vomica (tds) | : Irritable and vindictive. Cannot bear light, noise, odors, etc. Does not want to be touched. Fond of non-vegetarian food and alcohol. |
| Palladium met. (tds) | : Thinks that he is not getting the respect he deserves while he is a fool. |
| Petroleum (tds) | : Feels another person sleeping with her in bed. Shrieks on this account. |
| Platinum met. (tds) | : Very proud of himself and feels that all others are inferior to him in wisdom, wealth and height. |
| Psorinum (tds) | : Feels head is floating and the body is on the ground, both separated. |
| Pulsatilla nig. 200 (od) | : Weeping, yielding, gentle and mild. Easily consoled and discouraged. Religious minded. Sad and weepy before menses. |
| Pyrogenium 200 (hs)
Repeat once a week | : Very talkative. Speaks too much and unnecessarily. Thinks he is very wealthy while he is not so. |
| Sabadilla (tds) | : Thinks herself to be pregnant while she is not. Will sleep with her legs elevated for fear of abortion. |
| Sepia 200 (od) | : Aversion to family members, even to husband and children. Lacks natural affection. |
| Staphysagria (tds) | : Insanity on account of insult and anger. Depressed without cause. Insanity from sexual sin of a forced sexual intercourse. |
| Stramonium (tds) | : Talks with spirits. Visions of animals, black dogs, etc. Must have light and company. Sees a crowd of bedbugs pursuing him. Attempts to stab and bite. Thinks all others are smaller than him in height. Feels as if a part of his body is missing. Delivers prophecies. Claps hands. Religious mania. Wants to pray all the time. Childhood mania. Violence rising out of suppressed violence or fear of violence to him. |

- Loquacious, ceaseless talking, laughing, singing, praying and swearing. Sensation of cockroaches crawling on the body.
- Sulphur** (od) : Thinks he has a large sum of money in the bank or feels that a large sum of money is due to him from somebody. Untidy himself but feels very beautiful. Very selfish with no regard for others.
- Tarentula his.** (tds) : Restlessness. Must remain in constant motion without an aim. Foxy. Destructive impulses. Becomes violent on contradiction. Very lustful. Schizophrenic patients who are very dirty in body and clothes. Sensative to music. Wants hair brushed or head rubbed.
- Thuja occ.** 200 (od)
For 3 days : Feels as if his soul and body were separate. Music causes weeping and trembling. As if something alive in the abdomen.
- Tuberculinum** 200 (hs) : Mania. Symptoms always changing-indication of one remedy after another. Wants to roam and travel. Depressed. Fear of dogs and animals. Desire to use foul language, curse and swear. Cruel and destructive. Insomnia. Irritable especially when awakening. Nocturnal hallucinations. Awakens frightened.
- Veratrum alb.** (tds) : Religious mania. Wants to pray all the time. Destroys things and tears up his clothes. Mania from childhood. Walks briskly in the room without any aim, looking upon the ground. Eats his own stool. Drinks his own urine. Licks his own perspiration. Sudden indifference. Sits in a stupid manner and does not answer. Wanders aimlessly.
- Zincum met.** (tds) : Weak memory. Very sensitive to noise. Melancholic, lethargic and stupid. It is very useful in chronic cases when there is relief from discharges.


SCIATICA

- Aesculus hip.** (qid) : Sciatica with backache. Walking or stooping or rising from a seat is very painful.
- Ammonium mur.** (qid) : Feels shortness of the left hip. Limp while walking. Pain worse while sitting but better on lying down.
- Arsenicum alb.** (qid) : Sciatica on account of certain fevers and after. Pains are burning and better by hot applications.
- Belladonna** (qid) : Pains start and go suddenly and are worse by the least movement. Better by hanging legs down.
- Carboneum sulph.** (qid) : Sciatica, flying pains, returning regularly for a long time. Chronic sciatica.
- Causticum** (qid) : Left sided sciatica with numbness. Constant desire to move the foot.
- Chamomilla** (qid) : Sciatica in very sensitive patients, who feel the pain much more than what it actually is. Numb feeling. Pain worse by motion and at night.
- Colocynthis** 200 (bd) : Remedy of first choice for left sciatic pain. Dull pain shoots down from hip to feet through thighs. Pain relieved by heat and hard pressure but worse on movements. Pain in right thigh with numbness.
- Eupatorium perf.** 200 (bd) : Shooting pain along the course of the left sciatic nerve. Pain in hip bones with a tired feeling.
- Ginseng** 6 (tds) : It is considered as a specific for sciatica when there is a frequent desire for urinating. Sensation of contraction and stiffness in the affected parts.
- Gnaphalium** (tds) : Sciatic pains worse by rest. Numbness alternates with pain. It is specially useful when the pain is associated with numbness. Its peculiar symptom is that pain is worse lying and walking but is better by sitting.

-
- Guaiacum off.** Q (tds)
10 drops in ½ cup of water : Gouty, tearing, lacinating pains; feeling of contraction in the affected limb. Pain is worse by pressure, motion, heat, cold wet weather and from 6 pm to 4 am.
- Iodium** 200 (hs) : Sciatica. Pain from middle of the thigh to the knee. Boring pain in the knee joint better walking, worse every meal.
- Kalium brom.** (tds) : Left sided sciatica better by motion.
- Kalmia lat.** (tds) : Suddenly coming and suddenly going pains on movements. Pain shoots downwards with numbness of the leg, specially right.
- Lachesis** 200 (bd) : Sciatica; right side better lying down; worse in the morning on rising from bed.
- Lycopodium** 1M (hs) : Sciatica worse right side. Cannot bear to lie on the painful side.
- Macrostinum** 2x (tds) : A good remedy for sciatic pains. It should be tried first when no definite remedy can be chosen.
- Magnesium phos.** (qid) : Right sided sciatica better by warmth. Pains come and go rapidly.
- Medorrhinum** 200 (hs) : When other remedies fail, patient feels better in knee-chest position.
- Phytolacca dec.** 200 (hs) : Pains run down the outer side of the limb, specially on right side like electric shocks.
- Ranunculus bulb.** Q (tds)
15 drops in ½ cup of water : Chronic sciatica. Apply tincture to the heel of the affected leg also.
- Rhus tox.** (tds) : Pain worse right side, cold weather and at night. Sciatica brought about by an exposure to moist weather. Pain better by warmth. More indicated when there is backache also.
- Syphilinum** 1000 (hs) : Sciatica worse night. Gradually better from sunrise to sunset, and the pain gradually increases at night.

SCLEROSIS

(HARDENING OF AN ORGAN OR TISSUE, SPECIALLY DUE TO EXCESSIVE GROWTH OF FIBROUS TISSUE)



Arteriosclerosis building up over time

- | | |
|---|---|
| Arnica mont. (tds) | : Hemorrhage in sclerosis. |
| Arsenicum iod. 1x (tds) | : Arteriosclerosis - thickening and hardening of the inner walls of an artery with impairment in circulation of blood. |
| Aurum ars. (tds) | : Stenosis of aorta - constriction and narrowing of passage of the orifice of aorta. |
| Aurum mur. 3x (tds) | : Sclerosis - multiple of the brain and cord. It is a chronic, slowly progressing disease of the central nervous system. Voluntary muscular power goes but the patient is perfectly sensible. It is also useful for sclerotic and exudative degenerations. Severe and sudden pains coming and going like flashes of light, tremors, hypertrophy of fingers. |
| Calcarea fluor. 6x (tds),
Spartium scoparium (tds) | : Arteriosclerosis. Constriction of arteries. |
| Cannabis ind. (tds) | : Its use may alleviate multiple sclerosis which is an autoimmune disease. The body's immune system destroys a sheath which protects the nerve cells in the brain and spinal cord. Has a great soothing influence in nervous disorders like epilepsy, mania, dementia, delirium tremens and irritable reflexes. Further research is required to reveal the harmful and useful value of this remedy. |

- Conium mac.** (tds) : Sclerosis of arteries.
- Ergotinum 2x** (tds) : Beginning of arteriosclerosis which appears to be rapidly increasing. High blood pressure.
- Ginkgo biloba Q** (bd) : A medically supervised study has shown that the use of this remedy slows down mental decline in patients with multiple sclerosis.
- Plumbum met.** (tds),
Plumbago iod. (tds) : Sclerotic degenerations, specially of spinal cord, liver and heart.
- Thiosinaminum 2x** (tds) : Ailments due to obstinate sclerosis of arteries. It is a remedy for gradual wasting away of the portion of the lower spine (tabes dorsalis).
- Vanadium 6** (tds) : Arteriosclerosis with sensation as if heart is compressed and aorta has no room for blood, producing pressure in the whole chest.

NOTE: Multiple sclerosis is a disease that erodes the layer of myelin from around nerve fibres of the brain and spinal cord. Once the myelin becomes damaged, it becomes harder for nerves to transmit signals to other parts of the body. It is a slowly progressive, chronic disease of the central nervous system that interferes with the brain's ability to control functions such as seeing, walking and talking. Symptoms vary and can range from numbness in an arm or leg to severe paralysis.

SEA SICKNESS (SEE 'TRAVELLING SICKNESS')

SEMEN

- Acidum fluor.** (tds) : Semen reddish-brown.
- Acidum mur.** (tds) : Semen bloody.
- Anacardium ori.** (tds) : Semen passes during a hard stool.
- Conium mac.** (tds) : Absence of sperms in semen.
- Damiana Q** (tds) : Sperms are absent in the semen.
10 drops in ½ cup of water
- Lachesis** (od) : Semen milky with a strong odor.

Mercurius sol. (tds)	: Semen bloody.
Natrium phos. (tds)	: Odor of stale urine in semen.
Phosphorus (od)	: Sudden ejaculation.
Sarsaparilla (tds)	: Bloody seminal emissions.
Selenium met. (tds)	: Dribbling of semen after stool and micturition. Suffering after seminal emissions like headache, etc. Semen is thin and odorless.
Tribulus ter. Q (bd) 10 drops in ½ cup of water	: For correcting semen and sperms. Sperms are absent or are in low count. Weak and thin semen. Poor mobility of sperms and other abnormalities like coiled tails, pairing, etc. are corrected by the use of this remedy.

NOTE: Semen is a mixed product of various glands. Prostate gland secretes a thin and slightly alkaline fluid which forms a part of the semen. Spermatozoa are produced in the testicles and are stored in the seminal vesicles. A normal sperm count is 50-200 per cubic centimetre of ejaculate, out of which 80% should be mobile or moving.

SENSATIONS

Aconitum nap. (tds)	: Sensation of ants crawling on the abdomen.
Agaricus mus. (tds)	: Sensation of cold needles pricking the body and hair being pulled from the scalp.
Ailanthus g. (tds), Alumina (tds)	: Sensation as if something was crawling on the legs, under the pants.
Alumina sil. (tds)	: Sensation of ants crawling under the head.
Anacardium ori. (tds)	: Sensation of a plug in various parts - eyes, rectum, bladder, etc.
Argentum nitricum (tds)	: Sensation as if parts were expanding.
Borax (tds), Graphites (od)	: Sensation of a cobweb on the face.
Cannabis ind. (tds)	: Sensation of being transparent and dual existence.
China off. (tds)	: Sensation of sand in the eyes.

Cistus can. (tds)	: Sensation of ants running through the whole body.
Cocculus ind. (tds)	: Sensation as if worms were crawling in the stomach.
Coccus c. (tds)	: Sensation of hair in the throat.
Crocus sativus (tds)	: Sensation of imaginary pregnancy. Sensation of a child moving in the abdomen.
Daphne ind. (tds)	: Sensation as if limbs were separate from the body.
Dulcamara (tds)	: Sinking sensations.
Helleborus (tds)	: Gurgling in the abdomen with feeling as if the intestines were full of water. Sensation as if water was running in the head.
Hypericum (tds)	: Sensation of crawling in hands and feet.
Lac can. 200 (od), Sticta pulm. (tds)	: Sensation as if walking on air.
Lachesis (od)	: Sensation as if someone was following him.
Nitricum acidum (tds)	: Sensation of splinters everywhere in the body. Sensation of being bitten by dogs.
Petroleum (od)	: Sensation of somebody else in bed sleeping with her.
Pyrogenium (bd)	: Sensation of a cap on the head.
Sanguinaria (tds)	: Sensation of burning like that from hot water. Burning in palms and soles.
Stramonium (tds)	: Sensation as if limbs were separated from the body.
Sulphur (od)	: Sensation of hot needles pricking the body.
Taraxacum (tds)	: Sensation of bubbles bursting in the abdomen and intestines.
Theridion (tds)	: Sensation of something moving around in the abdomen.
Thuja occ. (tds)	: Sensation of something alive in the body.
Veratrum alb. (tds)	: Sensation of a lump of ice on the top of the head.

Wildbad aqua (tds) : It has a peculiar sensation as if all the joints were loose.

SINKING SENSATION

Ambra gresia (tds) : Sinking sensation is felt after passing a stool and thinking of unpleasant happenings of the past.

Cimicifuga (tds) : Sinking sensation with a waving sensation in the head and darkness before the eyes. It is generally connected with uterine affections.

Dulcamara (tds) : Sinking sensation with mental confusion. It is generally found in patients living or working in damp places and in basement dwellers.

Helleborus (tds) : Sinking sensation specially between 4 to 8 pm.

Hydrastis (tds) : Constant sinking sensation and depression. The patient is sure of death and desires it, and is constipated.

Ignatia amara (tds) : Sinking sensation with sensation of emptiness in the pit of the stomach which is not relieved by eating. Involuntary sighing.

Lac can. 200 (od) : Sinking sensation at the epigastrium.

Ornithogalum Q (bd)
10 drops in ½ cup of water : Painful sinking across the epigastrium.

Podophyllum (tds) : Sensation of sinking is felt in the abdomen with weakness and during pregnancy.

Sulphur (od) : Sinking greater at 11 AM. Depressed. The patient is very selfish, thin and weak.

SEPTIC INFECTION (SEPTICEMIA)

Calendula off. : It is a remarkable healing agent when applied locally on an open wound which maybe septic.

Echinacea Q : Symptoms of blood poisoning and septic conditions generally. Septic pustules. Foul discharges with emaciation. Useful in bites of

cobra snake where it is given in 200 potency every 15 minutes and is also applied externally in tincture form. Puerperal septicemia - infection of the genital tract within 42 days of childbirth with chills and fever.

- Lachesis** (od) : Low forms of diseases when the system is thoroughly poisoned and the prostration is profound. Modalities usually guide to the selection of this remedy. Worse after sleep and bluish-purple appearance of the skin in boils, carbuncles, blisters, dissected wounds, etc.
- Magnesium sulph.** Q (tds) : It is a good germicide and destroys even the germs of cancer and acts as an antiseptic to the stomach and bowels. It is antiphlogistic and antipruritic in erysipelas, ivy poisoning, cellulitis, orchitis, boils and other local inflammations. Apply it locally as compresses prepared by pure epsom salt mixed with water in the ratio 1:4.
- Pyrogenium** 200 (hs)
Repeat after a week : It is a great remedy for septic states with intense restlessness, in septic fevers specially puerperal, dissecting wounds, sewer gas poisoning and after-effects of miscarriages. All the discharges are horribly offensive. Chronic complaints that date back to septic conditions and septic fevers.
- Staphylococcinum** 200 (hs) : Septic infection in case of acne, abscesses, boils, etc.

SEXUAL DESIRE

- Agaricus mus.** (tds) : Itching and irritation of genitals makes her restless and she has a strong desire to embrace everybody.
- Ambra grisea** : General itching and soreness and swelling. Blood stained discharge between periods. Nervous and hypersensitive women with excessive sexual desire.

-
- | | |
|---------------------------------|---|
| Asterias rub. (tds) | : Excitement of sexual instinct with nervous agitation. |
| Baryta carb. 200 (od) | : Excessive sexual desire in children or in old persons. |
| Baryta mur. (tds) | : Excessive sexual desire for sexual intercourse in ladies. |
| Bufo rana (tds) | : Produces sexual over-stimulation in healthy males. |
| Caladium seg. (tds) | : Excessive sexual excitement due to pruritus of vulva and vagina during pregnancy or due to worms in vagina. |
| Calcarea carb. (bd) | : Burning and itching of the genitals before and after menstruation which increases the desire. It causes easy conception. |
| Calcarea phos. (tds) | : Suckling of a child causes sexual excitement. Sexual excitement before menses. |
| Cantharis (tds) | : Irritation of vulva causes excessive sexual desire leading to sexual mania. |
| Gratiola off. (tds) | : It is a very good remedy for females with excessive sexual desire, compelling her to masturbate. |
| Hyoscyamus nig. 200 (od) | : She talks of obscene, non-sense and vulgar things. Exposes her genitals. |
| Hydrofluoricum acidum | : Heavy, lengthy periods. Burning discharge from vagina. Excessive desire. |
| Lachesis (od) | : Desire increased during menopause. |
| Murex purp. (tds) | : Violent excitement of the sexual organs. Desire easily excited even by touch of the parts. |
| Onosmodium (tds) | : Complete loss of sexual desire in women. A booster for low libido (little appetite for sex) in women and satisfying sex. |
| Origanum maj. 3x (tds) | : Intense powerful sexual desire. Lascivious ideas and dreams. Always thinking of sex and acts, specially females. An irresistible impulse of pressing up behind someone in the crowd thus producing an orgasm. Pathological exaggeration of sexual behavior. |

- Phosphorus 200 (hs)** : The patient exposes her genital organs. Unbearable sexual desire forces her to vices. Desire again after coition. Constant wish for coition. Desire is worse during menses and pregnancy.
- Picricum acidum 6 (tds)** : There is strong sexual desire with terrible erections which are painful. Excessive, uncontrollable sexual drive in men.
- Platinum met. 200 (od)** : Tingling inside the vagina and pruritus causes excessive sexual desire specially in virgins. Wishes to embrace everybody.
- Pulsatilla nig. (tds)** : Sexual excitement during menses.
- Sepia 200 (hs)** : Leucorrhea causes increased sexual desire.
Repeat after a week
- Silicea (tds)** : Excessive sexual stimulation.
- Staphysagria (tds)** : Desire diminished after excessive masturbation or after excessive indulgence.
- Stramonium 200 (hs)** : Excessive sexual desire during the lying in period in women after labor and during menstrual periods.
- Strychninum purum (tds)** : Suitable for ladies having an increased desire for sexual intercourse. Even a touch on the body provokes a desire for sex.
- Tarentula his. (tds)** : Sexual desire increased during menses and mania. Wants coition again and again.
- Veratrum alb. (tds)** : Uncontrollable excessive sexual desire during menses.
- Zincum met. (tds)** : Excessive sexual stimulation with a desire to masturbate.

SEXUAL WEAKNESS

- Acidum phos. Q (tds)** : Sexual power deficient. Spermatorrhea. Parts relax during an embrace. Glans penis swollen. Semen is discharged shortly after or even before an erection occurs.
10 drops in ½ cup of water

- Agnus castus** Q (tds)
10 drops in ½ cup of water : Lowered sexual vitality resulting in mental depression. Lacks courage for sexual act. Parts cold and relaxed. Loss of semen on straining. Testicles painful.No erection. Patient has no desire for intercourse and remains sad and sterile.
- Avena sativa** Q (tds) : Sexual weakness due to too much indulgence; spermatorrhea or mere nervousness. 20 drops a dose in hot water, three times a day.
- Bufo rana** (tds) : Partial impotence. Premature ejaculation and involuntary ejaculation.
- Calcarea carb.** (tds) : Increased desire for intercourse. Irritability and weakness after intercourse. Too early an ejaculation.
- Conium mac.** (tds) : Male has a weak organ but has intense desire and enormous thoughts but is unable to perform. He ejaculates at the very thought of a woman. The erection is weak, lasts for a short time or “the penis” relaxes during the act of embrace. This condition can occur in both sexes as a result of too frequent indulgence or excessive abstaining. It is a good remedy for old bachelors and old maids.Man’s eyes wonder as virility declines - cannot perform without considerable help from the partner.
- Damiana** Q (bd)
10 drops in ½ cup of water : Sexual coldness and absence of sperms in semen. Impotency and sexual weakness in old people or from nervous prostration.
- Graphites** (od) : Increased desire, decreased ability. Too early or no ejaculation. Decided aversion to coitus.
- Lecithinum** 3x (tds) : Male power lost or enfeebled. Absence of desire for sex.
- Lycopodium** 200 (od) : A man has lived a life of luxury and excesses. Has been unfaithful to several ladies in his younger days but now in advanced age has weak, thin semen and ejaculates earlier than his sex partner causing him embarrassment. One dose of 200 or higher potencies will give satisfying results.

-
- Nuphar lut.** 6c (tds) : Complete absence of erection and desire. Penis is retracted and scrotum is relaxed. Unable to effect coitus. Mother tincture mixed with olive oil when rubbed on the penis makes it strong.
- Nux vomica** 200 (od) : Parts relax during embrace. Bad effects of excessive use of wine, women and high living. Testicles painful. Backache.
- Onosmodium** (tds) : Sexual weakness in both sexes. Depressed sexual life in women, sexual desire completely destroyed in women and diminished in men.
- Orchitinum** 3x (tds)
(Testosterone) : Sexual weakness in females after ovariectomy or senile sexual weakness in both sexes. In 1x potency this testicular hormone promotes and stimulates normal sexual behavior and erections by stimulating blood flow to the penis.
- Sabal ser.** Q (bd)
10-20 drops in ½ cup of water : Sexual desire is lost or diminished in both the sexes on account of nervousness and some sort of fear.
- Sabina** (tds) : Blood stained discharge between the periods. Tendency to miscarriage. Excessive sexual desire.
- Sarsaparilla** (tds) : Seminal emissions are bloody. A very bad smell comes from the genitals.
- Selenium met.** (tds) : Increased desire with decreased performance. Sexual weakness due to thin weak semen which is without smell. Dribbling of semen involuntarily. Irritability after sexual intercourse. Penis relaxes during intercourse. Desire of sex is gone.
- Sulphur** (od) : Erections are infrequent. Loss of semen at the first contact. Organs cold, relaxed and powerless.
- Titanium met.** (tds) : Sexual weakness with too early ejaculation of semen in coitus.
- Tribulus ter.** Q (bd)
10-20 drops in ½ cup of water : Sexual weakness and partial impotency due to over-indulgence and advancing age. Corrects

the bad effects of masturbation and spermatorrhea. Very near specific for early ejaculation. 10 drops a dose.

Yohimbinum Q (tds) : Stimulates sexual desire in both the sexes.
10-20 drops in $\frac{1}{2}$ cup of water

NOTE: The problem of too early ejaculation in coitus should be discussed with the partner openly. Apart from the use of medicines, use of condom can delay ejaculation in some cases. Slowing of movements also helps to an extent. Another method is to have sexual intercourse, a second time, when ejaculation will take longer.

SHOULDER

- Causticum** (tds) : Pain specially in the left shoulder with numbness. Contracted tendons with tearing in the shoulder joints and weakness. Better by warmth, specially of bed.
- Chelidonium** (tds) : Pain in the arms and shoulders. Constant pain under the lower angle of right scapula. Pain at the lower angle of left scapula. Pain is worse motion and touch, and better by rubbing.
- Chenopodium** (tds) : Intense pain at angle of right shoulder blade near spine, and through the chest.
- Ferrum met.** (tds) : Rheumatism of the shoulder, worse while sitting still, after cold washing and over-heating. Midnight aggravation of pains is the characteristic of this remedy. Pain is worse in the left shoulder and is better by movements.
- Kreosotum** (tds) : Pain under the left scapula aggravated by motion and riding in a carriage; relieved by pressure and warmth.
- Myrica c. 3x** (tds) : Pain under the shoulder blades and at the back of the neck, specially when attended with some liver trouble.
- Phytolacca dec.** (tds) : Pain and soreness in the shoulders accompanied with restlessness. Specially shooting pain in the right shoulder with

- stiffness and inability to raise the arm. Pains fly like electric shocks and are worse in the morning in wet weather, better in dry weather and from warmth.
- Podophyllum** (tds) : Pain between the shoulders, under the right scapula, in loins and lumbar region.
- Ranunculus bulb.** (qid) : Muscular pain along the lower margin of shoulder blade, worse cold air.
- Rhus tox.** (tds) : Pain in the tendons and joints of the shoulders. Pains due to over-work and excessive use of hands, arms and shoulders. Pains are tearing and there is tingling in the arms. Pains may extend to neck. Worse while sitting but is better by movements and pressure.
- Sanguinaria** (tds) : Pain in the right shoulder, worse at night by the heat of the bed. Arm cannot be lifted up as it is painful to do so.


SHYNESS

- Baryta carb.** (tds) : Shy. Aversion to strangers. Loss of confidence in himself. Suited both to children and old persons.
- Coca** (tds) : Bashful and shy when sitting in a society. Feels ill on such occasions.
- Kalium phos.** (tds) : Shyness - disinclined to conversation.

SIGHING

- Calcarea phos.** (tds) : Involuntary sighing.
- Cimicifuga** (tds) : Sighing with sadness.
- Ignatia amara** (tds) : Hysterical sighing. Frequent with sadness and sobbing. Even crying and weeping does not stop it. Sighing continues after crying.
- Natrium phos.** (tds) : Sighing and desire for deep breathing during menses.
- Opium** (tds) : Long sighing respiration.

SINUSES




- Kalium bich.** (tds) : Aching and fullness between the eyebrows in the forehead. Semi-lateral headache in small spots. Mucus is stretchy and is of green- yellow color. Nostrils blocked. It is the main remedy for sinus conditions and pressure in nasal passages.
- Mentholum** (tds) : Pain over frontal sinus - descends to eyeballs. Supraorbital pain over the left eye.
- Pulsatilla nig.** (tds) : Sinus with facial tenderness which is sensitive to touch. Excessive yellow mucus with sneezing. Yellow-green phlegm.
- Sanguinaria** (tds) : Sinusitis. Pain in the right eyebrow.
- Sepia** (tds) : Sinusitis. Stinging pains from within outwards and upwards, specially left side of head or forehead.

- Silicea 200** (tds) : A dose every 7th day in the sinus left after an abscess.
Repeat after a week
- Spigelia** (tds) : Sinusitis. Pain beneath frontal eminence and temples extending to eyes. Headache starts from nape of the neck and extends to the left eye.
- Sticta pulm.** (tds) : In sinusitis which is dry. Pain on both the eyebrows after exposure.

NOTE: Sinuses are the cavities of certain facial bones and sinusitis is the inflammation of those cavities. Sinusitis most often occurs after a cold and is accompanied by pain in the forehead and under the eyes.

SKIN

- Acidum sulph.** (tds) : Red and blue skin due to any cause.
- Aethusa cyn.** (tds) : Black and blue spots all over the body or the whole body maybe of blue or black color.
- Anacardium ori.** (tds) : Cracking of the skin at the soles of feet. Lichen planus disease.



Anacardium ori. (tds),	: Lichen planus. Fungal disease of the skin.
Arsenicum iod. (tds),	: Discoloration of skin with itching.
Sulphur iod. (tds)	
Antimonium crud. (tds)	: Urticaria and measles-like eruptions.
Antimonium tart. (tds)	: Bluish-red or violet marks left after pustular eruptions.
Arnica mont. (tds),	: Skin black or blue.
Lachesis (tds),	
Ledum pal. (tds)	
Arsenicum alb. (tds)	: Epithelioma - carcinoma originating from the epidermis of the skin.
Arsenicum alb. (tds),	: Black or blue spots on the skin. Lichen planus
Acidum sulph. (tds)	: - fungus disease, which causes discoloration of the skin.
Belladonna (tds)	: Eruptions like scarlatina with a very red skin.
Calcarea carb. (tds)	: Red spots on the skin.
Calcarea sulph. (tds)	: Skin affection with yellowish scars or unhealthy yellowish discharge.
China off. (tds)	: Skin is very sensitive to touch but tolerates hard pressure.
Chloralolum 200 (od)	: Diffused redness of the skin. Black and blue
For 3 days	: skin due to bleeding under the skin.
Conium mac. (tds)	: Skin is green.
Digitalis (tds)	: Abnormal redness of skin, measles-like eruptions.
Euphorbium off. (tds)	: Ulcerating carcinoma and epithelioma of the skin with burning sensation is relieved by the use of this remedy. It also removes pain of cancer.
Gelsemium (tds)	: Measles-like eruptions on the skin.
Graphites (od)	: Persistent dryness of portions of the skin not effected by a disease.
Hydrocotyle (tds)	: Small nodules on the neck, back, chest, etc.
Hypericum (tds)	: Red lines or streaks on the body.
Juglans c. (tds)	: Lichen planus disease causing redness of the

- skin resembling scarlatina or eruptions like smallpox.
- Kalium ars.** (tds) : Discoloration of the skin after psoriasis and lepra. Skin cancer. Numerous small nodules under the skin.
- Kalium sulph.** (tds) : Ailments accompanied by profuse scaling of the skin.
- Lachesis** (bd) : The patient is able to withstand somewhat hard pressure on the skin but he cannot bear light pressure, not even pressure caused by tightness of clothes.
- Ledum pal.** (tds) : Long discoloration of the skin after injuries.
- Lupulus** (tds) : Sensation of insects crawling under the skin.
- Lycopodium** (tds) : Specific for discoloration of the skin by sun rays, uterine troubles and dyspepsia.
- Lycopodium** (tds),
Sepia (tds),
Thuja occ. (tds) : Yellowish spots on the skin.
- Mercurius sol.** (tds) : Skin constantly moist.
- Myristica seb.** (tds) : Bluish red streaks on the arms, legs, etc.
- Natrium mur.** (tds) : Skin is greasy and oily, especially on the hairy parts. Face appears greasy and shiny.
- Nitricum acidum** (tds) : Sensation of splinters in the skin.
- Opium** (tds) : Sweaty skin.
- Phosphorus** (bd) : Yellow or brown patches on the abdomen.
- Phytolacca dec.** (tds) : Scarletina-like rash.
- Platanus occ.** (tds) : Skin like the skin of a fish, dry and horny.
- Plumbum met.** (tds) : Skin of the face is shiny and greasy.
- Psorinum** 200 (hs)
Repeat after a week : Skin is oily because sub-cutaneous glands secrete excessively. Scratching causes pains. Patient likes a cold climate.
- Radium brom.** (bd) : Cancer of the skin. Great burning, itching and restlessness, better hot bath.
- Ranunculus bulb.** Q (bd)
10 drops in ½ cup of water : Vesicular and pustular eruptions. Blister-like eruptions on the palms and anywhere on little pressure.

- Sanguinaria** (tds) : Red blotchy eruptions on the body and face with burning and itching.
- Secale cor.** (tds) : Skin is shrivelled, numb and dusky blue due to blotches. It is a remedy for old persons with shrivelled skin.
- Sulphur** (od) : Any disease as a result of suppression of skin disease. Such a disease will come out and be cured by the use of this remedy. Skin is dry and rough. Skin looks dirty as the patient is averse to washing.
- Sulphur iod.** 3x (bd) : It is specific for Barber's itch and obstinate skin diseases. Lichen planus disease causing discoloration of the skin, and algae and fungus growths.
- Syphilinum** 1000 (hs) : One dose a month for ulceration of the skin. Reddish-brown eruptions with a bad odor. Extreme emaciation of the skin.
- Thuja occ.** (tds) : Brown spots on the skin.
- Thyreoidinum** (tds) : Ichthyosis - fish-like skin.
- Vinca minor** (tds) : Redness and soreness of the skin from slight rubbing.

NOTE 1: Flesh eating disease or “necrotizing fascitis” is caused by group A streptococcus bacteria. There is high temperature, sore throat and human tissues are destroyed at the rate of 3 cms per hour. Death is caused within 18 hours if surgery is not done in time. In conventional and homeopathic medical science, no oral medicine has been invented to treat this disease so far. However, Streptococcinum 200c may act as an anti-febrile for quick action.

NOTE 2: Eczema, psoriasis, acne, hives, itching, shingles and other skin problems are not just caused by the skin itself, although they manifest on the skin. Their occurrence and development are initially connected to the functions of the body organs as well as the toxin levels carried by the blood and an imbalance of the immune function.

SKIN - OILY

- Bryonia alba** (tds) : Skin is greasy specially on the face. The skin is hot and the face has a yellow appearance.
- Mercurius sol.** (tds) : Skin remains constantly wet, moist and greasy. There is excessive perspiration worse during the night.
- Natrium mur.** (tds) : Skin is oily specially on the hairy parts.

A healthy skin is clean and glowing - neither too dry nor too oily. The following homeopathic lotions are natural prescriptions for a beautiful and healthy skin.

1. Wash the face with luke warm water.
2. Towel dry.

NORMAL TO DRY SKIN

Gently massage into the skin the following lotion with finger tips in a circular motion.

- Berberis aq. Q** - 5 ml.
Hydrocotyle Q - 5 ml.
Echinacea Q - 5 ml.
Mustard oil - 30ml.

Mix thoroughly and keep in a tight stoppered bottle.

OILY SKIN

- Berberis aq. Q** - 5 ml.
Echinacea Q - 5 ml.
Citrus vulg. Q - 2 ml.
Water - 30 ml.

Mix thoroughly and apply gently.

SLEEP

- Arsenicum alb.** (tds) : Sleeps with hands over the head.
- Baptisia** (tds) : Sleeps while being spoken to.

Belladonna (tds)	: Sleeps with hands under the head.
Cina (tds)	: Child sleeps on hands and knees or on the abdomen.
Kalium carb. (tds)	: Can sleep only on the right side.
Lachesis (tds)	: The patient sleeps into aggravation of his disease. The symptoms become worse after sleep, whether during the day or night.
Lycopodium (tds)	: Sleeps in the knee-chest position.
Lycopodium (tds), Naja tri. (tds)	: Cannot lie on the left side.
Medorrhinum (tds)	: Sleeps on abdomen or knee-elbow position
Mercurius sol. (tds)	: Cannot sleep on the right side.
Nux vomica (tds)	: Sleep is unrefreshing. Wakes up feeling tired. He feels sleepy after eating in the evening.
Platinum met. (tds), Chamomilla (tds)	: Sleeps with legs apart.
Podophyllum (tds), Aceticum acidum (tds)	: Can sleep only on the abdomen and finds relief on doing so.
Rhododendron ch. (od)	: Cannot sleep unless the legs are crossed.
Stannum met. (tds)	: Sleeps with one leg drawn up and the other stretched out.
Staphysagria (tds), Phosphorus (tds), Kalium carb. (tds), Rhus tox. (tds)	: Sleepy after eating. Look for other symptoms of the remedy.
Sulphur (od)	: Talks, jerks and twitches during sleep. Wakes up singing. Wakes up frequently and becomes wide awake suddenly. Cannot sleep between 2-5 am.

SLEEPLESSNESS (SEE 'INSOMNIA')

SLEEPY (SOMNOLENCE)

Antimonium crud. (tds)	: Continuous drowsiness in old people.
Baptisia (tds)	: Falls asleep while being spoken to.

- Causticum** (bd) : Very drowsy. Can hardly keep awake. Suited to old people.
- Chloralosum** (tds) : A useful remedy for prolonged drowsiness, which may continue for a number of days. It is also useful for drowsiness and sleep of drunkards, whose faculties are only partially depressed.
- Cimex lect.** (tds) : Irresistible sleepiness.
- Gelsemium** (tds) : Patient is sluggish and always feels sleepy. He does not like to discuss matters but likes to be alone and undisturbed.
- Hydrocyanicum acidum** (tds): Irresistable drowsiness.
- Hypericum 3x** (tds) : The patient constantly feels drowsy.
- Indolum** (tds) : Wants to sleep all the time. Aversion to work.
- Lupulus** (tds) : Drowsy during the day.
- Lycopodium** (tds) : Feels sleepy soon after taking dinner.
- Natrium sulph.** (tds) : Sleepy while reading.
- Nux mosch.** (tds) : Great drowsiness.
- Opium** (tds) : Great drowsiness. Falls asleep at work.
- Paullinia sorb.** (tds) : Feels sleepy after eating. Patient cannot control sleep. Head becomes heavy if he does not sleep.
- Pulsatilla nig.** (tds) : Sleepy while eating.
- Staphysagria** (tds),
Kalium carb. (tds),
Ferrum met. (tds) : Feels sleepy after eating.

SLEEP WALKING (SOMNAMBULISM)

- Artemisia vulg.** (tds) : The patient gets up at night and starts walking or working but remembers nothing in the morning.


- Silicea** (tds) : Gets up while asleep and starts walking unconsciously.
- Zincum met.** (tds), : Motion of feet while asleep and night walking.
- Kalium phos.** (tds)

SLIPPED DISC


(SEE ALSO 'SPONDYLITIS' AND 'BACKACHE')

Discs are gelatinous cushions in between each vertebra and are surrounded by tough fibrous mass called “annulus fibrosis”.


- Aconitum nap.** (tds) : In the early stages, on exposure to cold dry winds with sudden onset. Worse on movement and at night.
- Ammonium carb.** (tds) : Prolapse of the disc. Pain in the lumbar region of the back, worse on sneezing and coughing.
- Apis mel.** (tds) : Burning, bruised pain, worse by heat, covering and movements. Cool air gives relief.
- Arnica mont.** 1M (od) : Spine is very sensitive. Spasms in the muscles of the neck and back. Bruised pain, worse on movement.



A herniated disc



Drop in pressure

**Belladonna (tds)**

: Violent cutting or tearing pains in the neck, spine or hips. Restlessness, worse by resting. Burning with pain.

Bryonia alba (tds)

: Pain in the neck, back and limbs better from heat and pressure, worse on movement.

Causticum (tds)

: Tearing pain in the limbs and in the hollow of knees. Better in damp weather and by warmth.

Chamomilla (tds)

: Sensitive patients feel pain more than it actually is. Sensation of numbness.

- Hypericum 3x** (tds) : Spinal concussion. Loss of power of function in the spinal cord due to a fall, severe blow or severe jerking. Pain in the nape of the neck, pressure over sacrum. Pain in coccyx. Pain radiates up and down the back and extremities.
- Kalium bich.** (tds) : Pain in the lumbar region of the spine while sitting. Pain in the fingers and wrists. Patient is irritable. Pain worse by cold.
- Kalium carb.** (tds) : Stabbing, sticking or cutting pains. Worse on movement and better by hard pressure. Pain from back to thighs.
- Ledum pal.** (tds) : Shifting pain accompanied by stiffness. Worse by heat and movement, better by cold applications.
- Nux vomica** (tds) : Pain on account of over-exertion. Movement or turning in bed hurts. Cramps in the calves and soles at night.
- Rhus tox.** (tds) : Backache due to over-exertion, hard exercise or due to an exposure to cold or wet, when sweating or warm. Pain and stiffness is worse at rest but better on movement for a short time.

SMALLPOX

- Hydrastis Q** : This remedy reduces the symptoms of smallpox, abolishes the distress and shortens its course. Its use lessens the danger and greatly mitigates its consequences. Use 10 drops every hour till its curative effects appear. Its use also cures eruptions like small pox but actually not small pox. Eruptions like small pox.
- Solanum xanth. Q,**
Malandrinum : When small pox is prevalent locally, 10 drops of either remedy given every hour is stated to be a sure preventive against small pox. Such a locality should be left immediately and even after shifting to a far off place, 10 drops of it should be taken twice daily for 7 days.

SMELL (SEE 'ODOR')

SMOG

Hot sunny conditions, ground level ozone, exhaust from cars and machineries, dust, paint and chemicals contribute to the formation of smog. Two of the most significant smog causing pollutants are nitrogen oxide (NO₂) and sulphur dioxide (SO₂). Smog can cause asthma, bronchitis and other chronic problems. It can also worsen heart problems. It can cause shortness of breath and irritation of eyes. Hence, people suffering from any of these problems should remain indoors. A remedy chosen according to the symptoms of the individual can help under these circumstances. Homeopathy is useful in such cases.

SNEEZING

- | | |
|--------------------------------|--|
| Aconitum nap. (tds) | : Common cold with much sneezing in the early stage of cold. Due to sudden exposure to cold dry winds. |
| Allium cepa (tds) | : Frequent and violent sneezing when suffering from coryza. Worse coming into a warm room and on rising from bed. |
| Ammonium phos. 3x (tds) | : Sneezing only in the morning with excessive running from the nose and eyes. |
| Arsenicum alb. (tds) | : Ineffectual desire for sneezing or actual sneezing, better by hot applications. Burning discharge from nose worse in the cold air. |
| Arsenicum iod. (tds) | : Burning, copious, watery discharge with sneezing. The discharge burns the nostrils and the lips. The patient is better in the open air and with cold applications. |
| Cyclamen (tds) | : Excessive sneezing with itching in the ear. |
| Gelsemium (tds) | : It eradicates the tendency to morning sneezing without any cause. |
| Glycerinum (tds) | : Sneezing worse in the evening. |

Hepar sulphuris (tds)	: Sneezing due to cold, dry winds.
Kalium bich. (tds)	: Violent sneezing and loss of smell.
Mercurius (bd)	: Sneezing in sunshine.
Napthalinum (tds)	: Sneezing and inflamed eyes. It is both curative and preventive of sneezing.
Natrium mur. 200 (od)	: Violent sneezing with coryza. Loss of smell and taste. Sneezing worse at about 10 AM or after rising from sleep in the morning. Discharge from the nose is either watery or like the white of an egg. Nose stopped.
Opium (tds)	: Violent sneezing when well selected remedy fails.
Sabadilla (tds)	: Spasmodic sneezing with running nose and coryza. Watering and redness of the eyes with severe frontal pains. Symptoms worse in cool air.
Saponinum (tds)	: Violent sneezing, sharp burning taste and severe sore throat, worse right side. Symptoms are worse in a warm room.
Silicea (tds)	: Sneezing aggravated in the morning with a chronic tendency or ineffectual sneezing.
Skookum chuck 3x (tds)	: Constant sneezing with profuse coryza.
Sulphur (od)	: Sneezing when lying on a pillow filled with feather or synthetic material.
Tuberculinum 200 (hs) Repeat after one week	: In several cases, it cures sneezing or at least cuts short the treatment.

SNORING

China off. (tds)	: Snoring specially in children.
Hippozaeninum (tds)	: Noisy breathing and snoring specially in the aged. Maybe due to chronic nasal catarrh and ulceration of nasal sinus.
Lemna minor (tds)	: Snoring due to nasal polypi and from nasal obstruction.

Oenanthe croc. 6 (tds) : Snoring in epileptic patients and during menstruation.

Opium 200 (od) : Stertorous breathing and deep snoring, specially in old people.

NOTE 1: The average snorer is a person more than 40 years old. While he inhales or exhales during sleep, the soft palate vibrates noisely. Snoring is usually caused by a condition which hinders breathing such as a cold, an allergy, nasal polyp, tumor or deviated septum. The cause must be removed to stop snoring. Snoring can also be diminished by reducing weight, stopping smoking and drinking alcohol in the evening before sleeping.

NOTE 2: Snoring can also be cured about 80 percent by surgery. The operation is called uvulopalato- pharyngoplasty.

NOTE 3: Some small plastic devices are available to help snorers.

SNOW

Aconitum nap. (hs) : Profuse watering of the eyes from reflection of snow in bright sunlight is cured by the use of Aconitum nap. 30. A dose or two suffice.

Calcarea phos. (tds) : Symptoms are aggravated during the season snow is melting.

Cicuta vir. (tds) : Any bad effect on eyes due to exposure to snow.

Mercurius sol. (tds) : Symptoms aggravate during a snow storm.

Sinapis nig. (tds) : Coryza and sneezing with itching and burning in the eyes.

Urtica urens Q (tds) : Rheumatic pains become worse during the snow season.
10 drops in ½ cup of water

NOTE: Brilliant sunlight reflected by snow or ice can cause photophobia - intense pain in the eyes making the person unable to open eyes. Prolonged exposure can damage retinas and in cases permanent loss of vision - snow blindness. Dark shaded sun glasses should be used when walking in snow to avoid it.

SNUFFLES

(STUFFY NOSE)

- Ammonium carb.** (tds) : Nose is stopped at night with long standing coryza. Has to breathe through the month. Specially suited to children.
- Calcarea carb.** (bd) : Stoppage of nose. When the discharge comes, it is yellow and foul smelling. Takes cold at every change of weather.
- Chamomilla** (tds) : Coryza with stoppage of nose and inability to sleep. The child is restless.
- Hepar sulphuris** 1x (tds) : Nose is blocked when he goes out specially during cold dry winds. A few doses start secretions and profuse drainage.
- Kalium bich.** (qid) : Snuffles specially of fat babies. Discharge is greenish-yellow and ropy.
- Kalium carb.** (tds) : Nose is stuffed in a warm room. Discharge is thick and yellow.
- Lycopodium** (bd) : Snuffles. Child wakes up at night as he cannot breathe easily.
- Natrium mur.** (tds) : Acute coryza changing to stoppage of the nose after a day or two. Discharge is like the white of an egg and watery.
- Nux vomica** (bd) : Snuffles after exposure to cold dry winds. Worse in a warm room. Nose flows during the day and stops at night.
- Sambucus nigra** (qid) : Dry coryza and snuffles of infants.

SOLES

- Acidum tart.** (tds) : Soles are painful.
- Anacardium ori.** (tds) : Cracking of the skin of the soles.
- Antimonium crud.** (tds) : Soles are covered with corns and callosities which are very tender. The patient cannot walk on this account.
- Baryta carb.** (tds) : Soles get tender due to foot sweats.

Borax (tds)	: Stitches in the soles.
Calcarea carb. (tds)	: Burning in the soles although knees and feet feel cold. Cold extremities in winter but burn in summer.
Calcarea sulph. (tds)	: Burning and itching in soles of feet.
Chamomilla (tds)	: Burning in soles at night.
Crocus sativus (tds)	: Pain in the soles.
Ledum pal. (tds)	: Soles tender when walking.
Lycopodium (tds)	: Soles are swollen and painful.
Medorrhinum (tds)	: Cannot walk on soles. Walk on heels. Soles are very tender. Pain in the heels.
Natrium sulph. (tds), Sanguinaria (tds), Sulphur (od), Lilium tig. (tds)	: Burning of the soles.

SPEECH

Agrophis nutans Q	: The patient is dumb and cannot speak from childhood but he is not deaf and can hear and explain himself by gestures.
Baryta mur. 3x (tds)	: Talks through the nose.
Cannabis sat. (tds)	: Stuttering - defects in speech. Hestitates to speak; wavering, hasty and incoherent speech.
Hyoscyamus nig. (tds)	: Becomes speechless on account of fear.
Hypericum 12x (tds)	: The speech becomes jerky and hesitating due to nervousness of any kind that maybe due to shock or an accident.
Kalium cyan. (tds)	: Power of speech lost but intelligence intact. The patient can express himself in gestures.
Lachesis (od)	: Speech difficult or lost due to stiffness of tongue and difficulty in protuding it.
Laurocerasus Q (tds) 10 drops in ½ cup of water	: Loss of speech due to violent pains in the stomach.
Lycopodium (tds)	: The patient uses wrong words in his speech.

- Stannum met.** (tds) : Talking causes a very weak feeling in the throat and chest.
- Stramonium** (tds) : Speech difficult on account of spasms of the tongue.

SPERMATORRHEA (SEE 'EMISSIONS')

SPINE

SPINAL CORD INJURIES

Several things happen when a spinal cord is injured:

1. Death of nerve cells

These highly specialized cells make up our central nervous system (CNS). When injured, they lose their ability to divide.

Some cells die during the trauma that causes the injury, others later. Without these cells, functional connections cannot be made. Helper or "glial" cells, in the CNS inhibit regeneration, where as the helper or "Schwann" cells, from the peripheral system stimulate regeneration. Death to nerve cells in the CNS is also a major concern in Parkinson's, Alzheimer's and Lou Gehrig's diseases.

2. Nerve path disruption


The axons carry signals up and down the cord. If they are cut, damaged or break down after an injury, the parent nerve cells and axons often survive up the side of the injury. This is also a factor in brain injuries.

3. Demyelination (loss of axon insulation)

Axons are insulated by myelin sheaths, which help speed the messages. Some axons and nerve cells are still intact after injury and need only to be remyelinated. Multiple sclerosis is characterized by the loss of myelin sheath.


Note: Part of the complexity of spinal cord injuries is that each differs, involving any or all of these types of damage.

The spinal cord is a vital part of the central nervous system. Different sections control the functions of various parts of the body.



Pain in the lower back is the most common of all pain complaints. It is a medical fact that once discs get injured, they seldom heal. Homeopathic treatment has succeeded in several cases. In order to understand the problem, it may be understood that the spine is the weakest but the most important part of the body. It is made up of a column of bones that are called vertebrae. One on top of the other, they cover and protect the spinal cord. The spinal cord is a part of the nervous system attached to the brain that controls all the body functions. In between each vertebra is a disc which is made up of a jelly-like substance known as the nucleus. Nucleus is covered with many strong outer layers called annuli. The discs function as shock absorbers to protect the bones and surrounding nerves. Unlike other organs of the body, the discs do not have blood vessels to nourish them. Discs depend upon fluids rich with oxygen and nutrients passing back and forth from the bones above and below them. The fluid exchange depends upon the difference of pressure between the inside of the discs and blood vessels in the bones around them. When the pressure drops inside the disc, fluids and nutrients rush in. This is why all disc nutrients and regeneration takes place while lying down when pressure is taken off the discs. Wear and tear of the disc takes place greater than its ability to heal and regenerate. With advancement of age, the annular layers become weaker, causing injuries including repeated scarring. This weakens the annuli which

LOCATION OF SPINAL CORD WITHIN THE VERTEBRA



cannot handle the pressure coming from inside the discs. Some of the discs break. The inside jelly-like material oozes out and this is called herniation. This internal damage of the disc can cause backache, sciatica, tingling along the nerves and loss of sensation in the skin. Following repeated injury, discs dry out, scar and degenerate over time thus losing their shock absorbing properties, and pressure is exerted over bones and joints leading to arthritis.

Elaborate treatment for backache, sciatica, arthritis and pains are given in the appropriate sections of this book.

- | | |
|---|---|
| Aesculus hip. (tds) | : Constant dull backache across sacrum and hips, worse on walking and stooping. |
| Agaricus mus. (tds) | : Tingling and burning in the spine as if cold needles were thrust into the spine. Twitching in various parts of the body, specially eyelids. Stiffness of the entire spine. Numb feeling in the spine. |
| Alumina (tds) | : Pain on account of degeneration of the spinal cord. Feels as if walking on cotton. Patient constipated. |
| Argentum nit. (tds) | : Useful in hardening and wasting of the spine. |
| Arnica mont. (tds) | : Spine very sensitive. Spasms of the muscles of the neck and back. Feels bed is too hard. |
| Belladonna (tds) | : Constant backache with burning of the spine. |
| Calcarea carb. 200 (hs)
Repeat after a week | : Caries of the spinal cord. |
| Causticum (tds) | : Pain in the coccygeal region with numbness better by warmth. |
| Cimicifuga (tds) | : Sensitiveness to pressure on the upper and lower cervical vertebrae. Pains change about from one part to the other and are sometimes accompanied by nausea. Pain in the lumbar region, the patient cannot lean back on a chair. Weakness in the legs. |
| Cocculus ind. (tds) | : Paralytic weakness of the spine and that of motor nerves when the lumbar region is affected. Weakness in the small of the back which gives out when walking. Weakness of |

- the entire lower extremities. Knees give out when walking. Soles feel asleep. Thighs ache. Weakness of the cervical muscles. Can hardly hold the head. Heaviness of the head.
- Conium met.** (tds) : Ill-effects of bruises and shocks to the spine. Pains worse on walking on the uneven surface. Paralysis from below upwards. Vertigo from turning the head sideways. Slow loss of power in the legs.
- Formicum acidum** (tds) : Pain in the spinal cord (myalgia).
- Gelsemium** (tds) : Deep-seated muscular pain, stiffness of neck and nape. Numb feeling in feet.
- Hekla lava** 3x (tds) : It is of great use in rachitis - inflammation of the spine.
- Hypericum** (tds) : Pains on account of injuries to the spine, pain shooting up and for local soreness when injuries are in the upper portion. Burning pains. Impotency due to injuries to the spine. Pain in the coccyx.
- Natrium mur.** (tds) : Great sensitiveness between the vertebrae, relieved by pressure and by lying on a hard surface. Restlessness with debility and morning aggravation.
- Nux vomica** (tds) : Backache in the lumbar region. Burning in the spine worse 3 to 4 AM. Has to first sit up in order to turn in bed. Spinal weakness due to sexual excesses. Sudden loss of power in legs in the morning.
- Picricum acidum** (tds) : Weakness and pain in the back, in the lumbar region due to degeneration of the spinal cord. Pin and needle sensation in the extremities. Heavy, tired feeling.
- Pulsatilla nig.** (tds) : Body feels stiff. Back feels as if bandaged tightly.
- Silicea** (tds) : Inflammation of the lower parts of the spine. Pain of the coccyx.
- Strychninum phos.** 3x (tds) : An excellent remedy for anemia of the spinal

- cord. The patient is disinclined to use the brain. Lack of control, uncontrollable desire to laugh. Aching and burning of the spine. Mid-dorsal region tender to pressure.
- Sulphur (od)** : Pain in the spine on a little movement due to suppression of menses.
- Symphytum off. (tds)** : A blow on the back from a fall, etc, causing slight dislocation in the spine is speedily cured by a dose per day in 30c potency. Application of the mother tincture relieves swelling and protuberances of the spine.
- Tarentula cub. (tds)** : Caries of spine (Pott's disease).
- Theridion (tds)** : Degeneration of the spinal cord with vertigo.
- Thiosinaminum 2x (tds)** : Wasting away of spinal marrow, which causes lightening pains, is improved by use of this remedy.
- Zincum met. (tds)** : Pain in the spine, worse sitting. Burning in the spine. Dorsal vertebrae mostly affected.

CONCUSSION OF THE SPINE : See 'BRUISES'

CURVATURE OF THE SPINE

- Calcarea carb. (tds)** : For patients who are fat, chilly and pale.
- Cicuta vir. (tds)** : Bending of head, neck and spine backwards.
- Phosphorus (od)** : In dark eyed patients with a pigeon-like chest (i.e. narrow chest).
- Silicea (tds)** : When the patient is thin and weak.

NOTE: A prolonged rest on the back on a hard bed and without a pillow helps remove the curvature in a shorter time.

ABSCESS OF THE SPINE

- Bacillinum 200 (hs)** : Start the treatment with this remedy and it may not be repeated for atleast a week.
- Calcarea sulph. (tds)** : Abscess discharging pus specially of yellow color.
- Pyrogenium 200 (hs)** : Abscess turning septic. Give only one dose a week.

INFLAMMATION OF THE SPINE: See 'MYELITIS'**INFLAMMATION OF THE MEMBRANES OF THE SPINE:
See 'MENINGITIS'****TUMOR OF THE SPINE (SPINA BIFIDA)**

Bacillinum 200 (hs) : Do not repeat it before a week.

Calcarea phos. 6x (qid) : Then give this remedy three times a day.

NOTE 1: If the tumor is too large due to the fluid contained in it, put a bandage or any other support to avoid its hanging down and putting a weight on the spine. In spite of the treatment, the size of the tumor increases, refer the case to a competent surgeon.

NOTE 2: Spina bifida is a defect in the walls of the spinal canal caused by lack of union between the laminae of the vertebrae. Lumbar portion is chiefly affected. It occurs when a hole develops in the tissue covering the spine. Hind brain herniation is a common complication and is a leading cause of hydrocephalus. Every fetus's spine is open when it first forms but that opening normally closes around the 29th day after conception. In spina bifida, however, the opening never closes completely.

NOTE 3: Spinal cord is a powerful cable inside the body that gives life to the body. It is an extension of the brain which controls tone of the muscles, beating of the heart and regulation of lungs. A slight compression in it causes back pain, headaches and sometimes serious health problems.


SPINAL STIMULANT

Heracleum s. 3c (tds) : Use of this remedy increases the functional activity of the spine. It is a stimulant for the spine.

SPITTING (SEE 'SALIVA')

Aceticum acidum (tds) : Enlargement of the spleen with emaciation.

SPLEEN



- Agaricus mus.** (tds) : Pricking and stitching pains in the splenic region.
- Anthracinum** (tds) : A very good remedy in epidemic spleen diseases of domestic animals.
- Aranea diad.** (tds) : Enlargement of spleen due to fevers, specially malaria. Patient feels cold to the very bones. Coldness is not relieved by anything.
- Calcarea ars.** 200 (od) : Enlargement of the spleen in infants and children.
- Ceanothus Q** (bd)
10 drops in $\frac{1}{2}$ cup of water : Enlargement of spleen. Fever. Pain deep in the spleen. Patient is chilly. Jaundice. Increase of white blood cells in the spleen (leucocythemia).
- China off.** (tds) : Enlargement of the spleen with fever.
- Ferrum ars.** (tds) : Enlargement of the spleen with fever.
- Ferrum iod.** (tds) : Enlargement of the spleen without fever.
- Fragaria vesca** (tds) : For expulsion of stone in spleen. It also prevents formation of calculi.
- Lachesis** (bd) : Violent pains in the spleen with hemorrhage.

- Polymnia uve.** (tds) : Acute splenitis. Enlargement. Fever and pain.
- Quercus Q-3x** (tds) : Giddiness with chronic spleen affections. Dropsy of the spleen. Stitches under the left free ribs.
- Squilla maritima 3x** (tds) : Cough with pain in the spleen, under the left free ribs.
- Taraxacum** (tds) : Pain and soreness in the splenic and hepatic regions. Sensation of bubbles. Bursting in bowels.
- Tinospora cord.** (tds) : An East Indian remedy for splenic affections. Chronic cases of fever with an enlarged spleen.
- Urtica urens Q** (tds) : Pain in spleen in gouty subjects and after
10 drops in ½ cup of water intermittent fevers. Eliminates gravel from the spleen. Enlargement of the spleen with localised pain in the splenic region.
- Wiesbaden** (tds) : Violent pain in the region of spleen. Much emission of flatus after great rumbling and fermentation in the abdomen.

SPONDYLITIS - CERVICAL

- Acidum phos.** (tds) : Important remedy. Tearing pains.
- Cocculus ind.** (tds) : Cervical spondylitis. Rheumatic stiffness of the neck. Cracking of the cervical vertebrae.
- Dulcamara** (tds) : Pain in the small of back, stiffness and lameness across the neck and shoulders.
- Kalium iod.** (bd) : With numbness, worse at night.
- Lachnantes tinc.** 30 (bd) : One dose morning and one dose evening.
- Magnesium phos.** 12x (qid) : Take 2 tablets (2 grains) of each.
- Calcarea fluor.** 12x (qid), : One such dose, 4 times daily.
- Kalium mur.** 12x (qid)
- Theridion** (bd) : Degeneration of the spinal cord causing vertigo. Worse closing the eyes.

SPOTS

- Arsenicum alb.** (bd) : Blackish spots. Rough, dry, scaly, burning skin.
- Belladonna** (bd), : Red spots.
- Berberis aq.** (tds),
- Tarentula cub.** (tds),
- Tellurium met.** (tds)
- Berberis vulg.** (tds) : Circumscribed pigmentation following eczema.
- Calcarea carb.** (tds) : Red spots or red eruptions on the skin.
- Graphites** (od), : White spots.
- Sulphur** (od)
- Helleborus** (tds) : Blue and bruised spots.
- Lachesis** (tds) : Bluish-purple spots. Face pale.
- Lycopodium** (tds) : Moles. Freckles worse left side of the face or body. Brown spots on face and nose.
- Natrium carb.** (tds) : Yellow spots on the face.
- Natrium hyposulph.** Q (tds): Yellowish-brown spots on the skin. Use locally and internally.
- Secale cor.** (tds), : Black and blue livid spots - ecchymosis.
- Phosphorus** (od)
- Sepia** (bd) : Freckles. Brown spots on the face. Yellow spots on the chest.
- Silicea** (tds) : Rose-colored spots or blotches.
- Thuja occ.** (tds) : Brown spots or blotches on the face, hands and arms.

SPRAINS

- Aconitum nap.** (qid) : If the sprain in the neck has been caused by exposure to a cold wind, a few doses will remove the trouble if used within 24 hours of the neck pain.

- Agnus castus** 6c (tds) : Another general but a good remedy for sprains and stretching of muscles.
- Arnica mont.** 30 (qid) : It is the first remedy to be used on occurring of sprains.
- Belladonna** 200 (tds) : Three doses of it in a day will remove the pain and sprain after failure of Aconitum nap.
- Bellis per.** (tds) : It is an excellent remedy for sprains in conditions when the sprain has been removed but the pain remains. It combines the properties of Arnica and Hypericum.
- Bovista** (tds) : It is a good remedy for swelling of the foot after sprains.
- Calcarea carb.** (tds),
Natrium carb. (tds),
Petroleum (tds) : These are useful in old sprains according to the totality of symptoms.
- Dulcamara** 200 (od) : A dose a day for sprain of the neck, when days are hot but nights are cold.
- Lachnantes tinc.** (tds) : It removes stiffness on account of the sprain in the neck.
- Rhus tox.** 200 (qid) : Sprain in the neck. Give four doses in a day. It will relieve the patient from the neck pain.
- Ruta** (qid) : Immediately on the occurrence of a sprain, bathe the part with ice water in which a few drops of Ruta have been added. This treatment, if applied right away generally cures and does away the need to use any other medicine. It may also be used for formation of nodules after sprains. When the swelling subsides, alternate hot and cold treatment should be given.

SQUINT OF THE EYES

- Alumen** (tds) : Internal squint of the right eye.
- Alumina** (tds) : Squint of either eye due to loss of power of internal rectus.

Belladonna (tds)	: Squint due to convulsions.
Cina (tds), Spigelia (tds)	: Squint with worm symptoms.
Cyclamen (tds)	: Convergent squint.
Gelsemium (tds)	: Internal squint of either eye.
Hyoscyamus nig. (tds)	: Chronic squint.
Stramonium (tds)	: Internal squint of either eye with protruding eyeballs.
Zincum met. (tds)	: Squinting and blurring of one half of vision.

NOTE: Eye squints can be cured with practice under the supervision of an eye specialist, before the child is 3 years old. Glasses maybe needed.

STAMINA (VITALITY)

Coca 3x (hs) before game (tds) after game	: It increases the stamina of athletes, sportsmen and players. It gives them greater power of endurance and relieves breathlessness. Give 2 doses at an interval of one hour before the start of the game, etc. Given after the occasion, calms down muscles, gives relief and reduces palpitation and dyspnea. Useful in various complaints of mountain climbing.
Sterculia a. Q (tds)	: It gives power to endure prolonged physical exertion without taking food and without feeling fatigued. 10-100 drop doses, three times a day. This is better than ‘dope’ used by the athletes and sportsmen for increasing the stamina. Dope (testosterone) is a steroid prepared from the male sex hormone. Where as dope is illegal for its use in sports events and its presence can be tested in blood; use of Sterculia is not illegal and its presence in blood is hard to determine. Testosterone produces a burst of energy and snappiness in the first days and it is followed by fatigue and depression

later. These are remedied by use of Zincum phos. 3x which antidotes the ill-effects. Sterculia has no bad after-effects.

STAMMERING

This disease usually starts between ages 2 and 7, and is four times more common in boys than girls. This must be overcome by practice and determination of the patient.

- | | |
|------------------------------|---|
| Bovista (tds) | : Specially adapted to stammering children and old maids. |
| Bufo rana (tds) | : Stammering on account of extreme anger. |
| Cuprum met. (tds) | : Constant protrusion and retraction of the tongue like a snake with stammering. |
| Hyoscyamus nig. (tds) | : It is very useful if the patient doubts that he will not be able to speak correctly. |
| Mercurius sol. (tds) | : Stammering on account of trembling or other defects of the tongue. |
| Stramonium (tds) | : Benefits after a prolonged used. It is also used if stammering is a result of Parkinsonism. |


NOTE: The remedies listed above should be tried one at a time for one month. If there is no response, try further for two months. Take one dose, twice daily. Take into account the totality of symptoms of the patients.

STEM CELLS

Stem cells can be used to convert themselves as tissues for some other parts of the body to replace diseased or damaged tissues. Dead brain cells, weak heart muscles, damaged spinal cord cells and insulin producing pancreas cells hold promise of cure in this way. Blastocyst cells multiply and implant into the uterus where stem cells grow into the embryo and outer blastocyst cells grow into placenta. Since one's own body stem cells are used for the purpose, these are not rejected by the body. Normally umbilical cord stem cells are destined to become blood but they can be “reprogrammed”. These are easily obtainable as they are the byproduct of every birth and are usually

just thrown away. Stem cells are hailed as stems of regenerative medicine and are able to produce a variety of adult tissues without decreasing their original number. They are showing promising results in treatment of various kinds of cancers. Mothers can store stem cells from the umbilical cord blood in a blood bank - to be used later when required.

STERILITY - FEMALE
(INFERTILITY)



- Abroma radix** Q (tds) : It should be given in 5 drops per dose three times a day, from the first day of the menstrual flow for seven days. It will cure dysmenorrhea if present and will bring on conception if the sexual intercourse is done after cessation of menses.
- Agnus castus** (od) : Give only one dose a day-5 drops in water in case sterility is due to scanty menses or leucorrhea. Such ladies have a strong dislike for intercourse.
- Alterias far.** Q. (bd)
10 drops in ½ cup of water : This remedy tones up the uterus if sterility is due to anemia, prolapsus, leucorrhea, rectal distress, and premature and profuse menses with labor-like pains.
- Aurum met.** (bd) : Frequent mental depression which may be severe. Nocturnal headaches, vagina sensitive which causes spasm and pain before intercourse.
- Aurum mur. nat.** 3x (tds) : Sterility on account of organic defects in the uterus and prolapsus. Cervix is hardened. Ulceration of the womb and vagina. Inflammation of the membrane of the uterus.
- Borax** (tds) : It favors early conception on correction of diseases connected with menses which are too soon, profuse and painful. Leucorrhea like the white of an egg. The discharge is warm. The thickness and warmth of discharge hampers mobility of sperms.
- Calcarea carb.** (tds) : Sterility with copious menses and increase of fat in abdomen.
- Eupionum** 3 (tds) : One or both the fallopian tubes are blocked.
- Kalium phos.** 6x (tds),
Calcarea fluor. 6x (bd) : Along with the indicated remedy, a dose of these remedies combined together (3 grains each) helps to aid conception.
- Lachesis** (bd) : Fallopian tubes are blocked, specially the right side. Burning in the right ovary. Uterus is bent.
- Medorrhinum** 1M (hs) : Sterility with chronic pelvic disorders. Pungent leucorrhea and menses. Intense vaginal irritation.

- Natrium carb.** (tds) : In obstinate cases of sterility when cervix is hardened. Vaginal walls are defective in growth, menses late with a bearing down sensation.
- Natrium mur.** (tds) : A dry vagina. Menstruation is usually irregular and heavy. A thin watery, burning vaginal discharge. Bearing down pain worse in the morning.
- Ova tosta** 3x (tds) : Sterility due to non-production of ova and backache with leucorrhea.
- Phosphorus** (od) : Excessive sexual desire. Menses too early but scanty and long lasting. Polypus of the uterus. Discharge corrosive.
- Ferrum met.** CM (hs) : Sterility due to non-production of ova.
- Platinum met.** (tds) : Increased sexual desire. Pain in the ovaries and uterus. Leucorrhea.
- Sabal ser.** Q (tds)
10 drops in ½ cup of water : Sterility due to enlarged ovaries which are tender. Breasts shrivelled, shrunken or withered. Married late and has suppressed sexual desire; may have been lead astray and avoided conception.
- Sepia** (tds) : Irregularity of menses. Yellow leucorrhea. Constipation. Expulsion of wind from the vagina during intercourse. Bearing down sensation and dislike for intercourse. Period may be late and scanty or early and heavy.
- Thyreoidinum** 3x (tds) : This remedy is sometimes very useful to help conception even in cases of glandular disorders or inflammation of the uterus or where even surgery failed to induce conception.
- Turnera** Q (tds)
2-5 drops in ½ cup of water : Sterility on account of coldness to sex. Ladies are indifferent to sex.
- Viburnum op.** Q : If the infertility is due to a weak uterus, 5 drops of it, three doses a day strengthens the uterus. It often prevents miscarriages and cures sterility.
- Xerophyllum** (tds) : Vulva inflamed with terrible itching.

- NOTE 1 :** Sterility in females is usually due to the diseases of the uterus, like menses, leucorrhea, abnormality of the ovaries, fallopian tubes, etc. Correction of such defects generally leads to conception.
- NOTE 2:** ‘Vitamin A’ helps the homeopathic treatment when no such defect is the cause.
- NOTE 3:** It has been observed that the reproductive organs do not mature fully before the age of 19 years. If such people start their sex life earlier than this, 60 percent of such adolescent girls develop a scar on the immature cervix which blocks the movement of eggs from ovaries to the uterus through the fallopian tubes. Such women either do not conceive or the pregnancies are ectopic meaning the position of the baby in the uterus will not be normal.
- NOTE 4:** An easy hand held fertility monitor has recently been invented which has proved useful in assessment of a woman’s daily fertility status - low, high or peak. The chances of becoming pregnant during the peak days are very high. This device measures levels of hormones on urine test sticks.
- NOTE 5:** During the years, a woman can be pregnant, her left and right ovaries take turns each month to produce a ripe egg. When egg is released, it travels through the fallopian tubes to the uterus. A woman can get pregnant only when a sperm cell travels through her cervix to meet with the ripe egg. The egg remains fertile for only two days. As women age, so do eggs, making conception harder with age as eggs deteriorate in quality and quantity. At the age of 35 years, decline becomes significant and it picks up pace with every passing year.

STERILITY - MALE


Women are generally blamed when couples experience infertility. My own experience shows that the blame is equally on men who are either impotent or have defective sperms. By using the following medicines, hundreds of couples have enjoyed healthy children.

- Phosphorus (od)** : Irresistible sexual desire but no ability to perform.
- Selenium met. (tds)** : Impotency. Semen is thin, cold and odorless. On attempting coition, penis relaxes. Increased desire, decreased ability.
- Thuja occ. 200 (hs)** : Has suffered from syphilis or gonorrhea and is impotent.
Repeat after a week

- Tribulus ter.** Q (tds) : Discharge too quick. Partial impotence on account of advanced age. Weak semen. Sperms absent or in too low count. Poor mobility of sperms. It cures almost all the abnormalities of the spermatozoa like coiled tail pieces, pairing, etc. which renders the patient incapable of fertilization of the egg. Give 10-15 drops thrice daily. Results are usually achieved in 4-6 months.
- Turnera** Q (tds) : Impotency. Absence of sperms. 10 drops in water thrice daily.

STERNUM

- Aurum met.** (tds) : Nocturnal paroxysm of pain behind the sternum.
- Causticum** (tds) : Mucus under the sternum which the patient cannot quite reach. Pain in the chest with palpitation. Difficulty of voice.



- Mercurius sol.** (tds) : Rheumatoid pains behind the sternum and around the joint.
- Taraxacum** (tds) : Pain behind the sternum, under the breast.

STERIODS

Steroids include a wide variety of chemicals found in both plants and animals for example - cholesterol, sex hormones, poisons and plant toxins. Recent evidence suggests that steroids affect the immune system in a way similar to "AIDS". Long term use of steriods causes 'osteoporosis'-softening and brittleness of bones causing deformities. To antidote the bad effects of excessive use of steroids, the following medicines may prove useful:


- Baryta hos.** 200 (od) : When steroids have stopped a young person from normal growth to his or her full height.
- Calcarea phos.** 6x (qid) : People who require long term use of steriods, should also take this remedy to reduce the risk of 'osteoporosis' and if it has already started.
- Chelidonium** 6 (tds) : When heavy use of steroids has caused liver damage and hardening of arteries.
- Cortisonum** 200 (hs) : To antidote the bad effects of cortisone.
- Hyoscyamus nig.** 30 (bd) : When steroid use has made a person highly suspicious of all.
- Oophorinum** 1M (hs) : To antidote the bad effect of steroids prepared from female sex hormones.
- Orchitinum** 1M (hs) : To antidote steroids prepared from male sex hormones like "testosterone" and other anabolic steriods.
- Saponinum** 200 (hs) : To antidote bad effect of steroids prepared from plants.

NOTE: If the steriod hormone therapy is to continue for more than a few days, the patient should have a low salt diet, restricted fluid intake and a high protein diet.

STINGS

- Ammonium caust. Q** : Give this remedy by inhalation in case of unconsciousness due to a snake bite. It is a powerful cardiac stimulant.
- Apis mel. Q-30** : If there is very rapid swelling and a lot of burning, apply mother tincture externally and give 30 potency internally. Use it in scorpion bites.
- Arnica mont. Q (bd)** : Wasp stings, apply externally.
10 drops in $\frac{1}{2}$ cup of water
- Cedron Q (bd)** : Painful effects of poisonous stings are antido-
10 drops in $\frac{1}{2}$ cup of water ed by this remedy.
- Drona Q** : An East Indian drug. It is also very useful for scorpion bites. Give 5 drops orally and apply on the affected part.
- Guaco 6 (tds)** : Antidotes scorpion bites and snake bites.
- Ledum pal. Q-200 (bd)** : Stings of scorpions. Apply externally and give 200 internally. Bee stings and other stings are antidoted by this remedy.
- Urtica urens Q** : Apply externally. Gives instaneous relief.
- Viola odorata Q** : Apply externally for bee stings and snake bites.

STOMACH




How bacterium attacks the stomach

The discovery of *Helicobacter pylori*, a bacterium commonly found in human stomach changed how doctors think about ulcers. The bacterium may also provide clues in human migration patterns.

How the bacterium operates in the stomach

The worm-like *H. pylori* bacterium enters the system through the mouth and moves to the stomach, where it thrives. There, its chemical system neutralizes stomach acid and its hair-like flagella allow it to swim down into the mucous layer next to the stomach lining, above. It attaches itself to the cells of the lining and causes inflammation. A small percentage of people with the bacterium develop ulcers.



H. pylori bacteria throughout the world

H. Pylori is one of the most common gastrointestinal infections in the world. Infection rates have decreased sharply in North America and much of Europe as a result of improved sanitation and public health. But infections remain very common in much of Asia, Africa and Latin America.

-
- Abies nig.** (tds) : Pain in the stomach always after eating. Sensation of a hard boiled egg at the cardiac end of stomach - which hurts.
- Ammonium carb.** (tds) : Pain at the pit of the stomach with heartburn.
- Argentum nit.** (tds) : Ulceration of stomach with radiating pains. Pain in the left side under ribs in case of duodenal ulcer. Painful swelling of the pit.
- Asafoetida 3x** (tds) : Pulsations in the pit of the stomach.
- Bryonia alba** (tds) : Pressure, as of a stone, in the stomach after eating.
- Cadmium sulph.** (tds) : Stomach cancer with constant vomiting of a black fluid.
- Calotropis Q** (bd)
10 drops in ½ cup of water : A sense of warmth in the pit of the stomach. It is a leading indication for the use of this remedy in many ailments.
- Camphora** (tds) : Pressive pain in the pit of the stomach; coldness followed by burning.
- Chloralosum** (tds) : Has a marked effect on the sense of sinking and oppression in the pit of the stomach.
- Colchicum autum.** (tds) : Burning or icy coldness in the stomach and abdomen. Pain in the stomach with flatulence.
- Dioscorea** (tds) : Sinking at the pit of the stomach. Pain along the sternum extending to the arms. Eructations of sour and bitter wind.
- Gaultheria Q** (bd)
10 drops in ½ cup of water : Severe pain in stomach and epigastrium with prolonged vomiting.
- Graphites** (od) : A useful remedy for duodenal ulcers.
- Kalium bich.** (tds) : Dialation of stomach and ulceration.
- Kalium carb.** (tds) : Flatulence in the stomach. Sensations of a lump in the pit of the stomach. Sour eructations. Constant sensation as if the stomach is full of water. Throbbing and cutting in the stomach. Any bang, shock, bad news or fear is felt in the stomach.
- Lycopodium** (tds) : Pressure in the stomach after eating. Incomplete burning eructations rise upto the

- pharynx only and appear stuck there with burning for hours.
- Nux vomica** (tds) : Nausea in the morning after eating. Weight and pain in the stomach. Worse sometimes after eating. Region of stomach very sensitive to pressure.
- Ornithogalum Q** : Cancer of stomach specially in its lower part causing painful contractions. Distention of the stomach. Single dose of 10 - 15 drops, and repeat only after seeing the results.
- Ptelea tri.** (tds) : Debility of stomach or lack of normal function. Stomach does not contract normally causing slow movement of food from the stomach. Stomach remains loaded with food for an abnormal time. Stomach symptoms accompanied with pain in limbs.
- Pulsatilla nig.** (tds) : Perceptible pulsations in the pit of the stomach.
- Symphytum off.** 1M (hs) : For gastric and duodenal ulcers. It promotes healing of ulcerated surfaces.
- Tuberculinum** 1M (hs) : Carcinoma of the stomach.
- Tussilago fragrans** 3x (tds) : Affections of the pylorus (the lower orifice of stomach opening into the duodenum) like pain and congestion of too much blood in the blood vessels around it. It is specially indicated in fat persons.

NOTE: An ulcer can be formed in the stomach or duodenum. It is usually due to an infection by a bacterium “*Helicobacter pylori*” (*H. pylori*) which weakens the stomach’s protective lining and makes stomach cells more sensitive to acid. It also stimulates the stomach to produce more acid, further irritating the stomach lining. Remedies suggested in the chapter “Acidity” when used according to the symptoms give fast relief.

STOOL

- Aloe soc.** (tds) : Sense of insecurity in rectum when passing flatus; not sure whether gas or stool will come.

Antimonium crud. (tds)	: Stool composed entirely of mucus.
Anacardium ori. (bd)	: Ineffectual desire for stools. Rectum seems plugged and inactive to expel the stool.
Argentum nit. (tds)	: Stool greenish, expelled with noisy flatus. Desire for passing stool immediately after eating.
Asafoetida (tds)	: Watery stools with a very bad smell. Pain in the abdomen before passing it.
Calcarea phos. (tds)	: Stool green, slimy, hot, sputtering and undigested. Flatus is fetid.
Chamomilla (tds)	: Stool green, watery and offensive.
Colchicum autum. (tds)	: Painful, scanty, transparent and jelly-like stools. Feels feces in the rectum but cannot pass them.
Colocynthis (tds)	: Desire for stool while eating or drinking. Jelly-like stools.
Crotalus hor. (tds)	: Thin, offensive, black stools like coffee grounds.
Graphites (bd)	: Liquid, brownish, undigested stools which are very fetid and passed with wind preceded by colic.
Helianthus (tds) (Sunflower)	: Black stools and vomiting.
Kalium phos. (tds)	: Desire for stools while eating or drinking.
Mercurius sol. (tds), Arsenicum alb. (tds), Podophyllum (tds)	: Never “get done” feeling after passing stool.
Natrium sulph. (tds)	: Large quantity of stool which is yellow in color and watery. Loose morning stool. Involuntary stool when passing flatus.
Nux vomica (tds)	: Frequent, ineffectual desire for stools.
Podophyllum (tds)	: Great straining for passing the stool with prolapse of the intestines.
Psorinum (bd)	: Stools dark brown, watery with intolerable offensive smell.

Pulsatilla nig. (tds)	: Two or three normal stools a day.
Rheum (qid)	: Offensive and sour smelling stools. The patient smells sour. This condition sometimes occurs with children.
Rhus g. 1c (bd)	: Its use in foul and fetid conditions of stools and flatus makes them free of odor.
Silicea (tds)	: Stool protrudes and slips back again and again due to weakened expulsive power.
Sulphur (bd)	: The patient has to rush to the toilet early in the morning on rising. The urge is very strong. Alternately, there is great straining before and after passing the stool, and constant bearing down feeling in the rectum.
Tanacetum vulg. (tds)	: Desire for stool immediately after eating or drinking.
Veratrum alb. (tds)	: Patient wants to swallow his own stool or urine. It happens in mentally deranged persons.

NOTE: Methane, bacterial and degraded food stuffs are present in the stool; so there is always some odor in the stool but it should not be a strong, pungent odor. The pungent odor can be due to eating too much animal protein or an imbalance of intestinal bacteria or presence of intestinal worms. The black color of the stool indicates bleeding in the upper digestive tract and can be due to digested blood cells. Light green color is a sign of too much consumption of sugar or fruits or vegetables. Clay-colored stools shows that there is a problem with the gall bladder and liver.

STRESS

Many consultations with homeopaths are stress related. Stress is caused by higher levels of “cortisone” the body's main stress hormone. The human body is able to deal with stress for a short period of time before some symptoms appear. These should be treated with the indicated remedy. High levels of stress can cause insomnia, migraine, ulcers, fibromyalgia, immune system deficiency, hypertension, heart attack, stroke, depression, chronic fatigue syndrome and irritability. Along with the treatment described below, the stress can be reduced by the following ways:

1. Add more fun to your life - do things you enjoy and enjoy what you do. Pursue a hobby. Gardening is a soothing exercise. Go on a vacation.
2. Get enough sleep and rest - your body should recharge and discharge tensions.
3. Laugh often. Laughter is a great tension breaker and it enhances the immune system. Rent a funny movie, read a funny book or TV show that makes you laugh and keep it on hand for stress emergencies. Watch a comedy movie.
4. Regular exercise is a great way to relieve tension, increase energy and improve the mood. Find an activity you like and do it often. Going for a walk clears the mind.
5. Love more - learn to use things and to love people, instead of the other way around. Helping others through voluntary work takes attention away from anxieties.
6. Eliminate self pity - you may get sympathy for a while, but soon you will get avoided.
7. Develop a meaningful relationship. It is important to have good friends in whom you can confide and find support. It is also important to be a true friend. Talk to such friends.
8. Alter behaviors and attitudes - when ideas or views are not serving you well - change them. Learn to respond to situations, not react. Compromise.
9. Learn relaxation techniques like meditation, yoga, etc. to experience inner peace.
10. Express your feelings. Do not suppress your emotions as it can create stress, pain and illness.
11. Nicotine, alcohol, caffeine, sugar and refined carbohydrates should all be eliminated from consumption. These substances rob the body of stress fighting vitamins B and C, potassium, zinc and magnesium.

Ashwagandha Q (tds), : A mixture of these two remedies mixed in
Ginseng Q (tds) equal parts and 10 drops a dose, thrice daily
 reduces stress by helping adrenal glands to
 function properly. Adrenal glands are the main
 glands responsible for dealing with stress. The
 mixture also gives energy to the body,
 increases mental and physical performance,
 reduces fatigue and increases resistance to
 infections.

Hypericum Q (tds) : 15 drops a dose, 3 times a day gives good

results to reduce stress and depression. It increases blood flow to the stressed tissues and is a tranquilizer. It can be used when no definite symptoms can be found to select an indicated remedy.

Kava kava Q (tds) : Kava kava Q - 10 drops a dose, thrice daily brings about sleep when the cause is stress and anxiety without any side-effects. It should not be used by pregnant and nursing women, and patient suffering from Parkinson's disease.

Lavender oil : Lavender reduces anxiety, tension and stress. Put a few drops of lavender oil on a handkerchief for smelling and few drops of it on the pillow before going to bed.

Ocimum sanctum Q (bd) : It is an anti-stress remedy. In Hindu temples, its leaves with diluted milk are given as "Charanamrat" to devotees. Giddiness while walking better by wrapping the head.

NOTE: Numerous studies show that psychological stress can lead to illness, and even death. The pressures of daily life, jobs, relationships, money, raising children, etc. cause stress and prolonged stress contributes to many physical and psychological ills.

STUDY

Aethusa cyn. (tds) : Student does not want to go to school for studies. He is unable to think and concentrate.

Argentum nit. (tds) : Student does not want to go to school for studies. Fear of failure in the examination.

Carbolicum acidum (tds) : Disclination to study and for mental work.

Colchicum autum. (tds) : Bad-effects of keeping awake over time for over-studies.

Conium mac. 1M (hs) : Student is not inclined to study and has no interest in studies.

Ginseng Q (tds) : 10 drops a dose, thrice daily gives good results to improve thinking, memory and concentration.

STYES

- Hepar sulphuris** 200 (hs) : To be used when there is pus formation.
- Lappa** (tds) : Crops of styes succeed each other.
- Lycopodium** 200 (hs) : Styes on the lids near the internal canthi.
- Pulsatilla nig.** (tds) : It is also a useful remedy, specially when the styes are on the upper lid.
- Silicea** (bd) : Styes containing thin pus.
- Staphysagria** (tds) : It is useful in all cases of styes whether on the upper lid or on the lower lid of the eye. Very effective in obstinate cases when styes recur every now and then.
- Upas tiente** (tds) : Dull sunken eyes with styes.

SUMMER RASH (PRICKLY HEAT)

- Apis mel.** (tds) : Swellings here and there like blisters with itching.
- Geranium** Q (tds) : Use it in summer complaints generally. Dose 10 drops, thrice daily.
- Sulphur** (od) : Rash with red color due to the heat of the sun. Simple rash.

SUN ALLERGY

- Antimonium crud.** (tds) : Cannot bear the heat of the sun.
- Bryonia alba** (tds),
Glonoinum (tds),
Natrium carb. (tds) : Heat of sun aggravates all symptoms.
- Cocculus ind.** (tds) : Sun allergy, rash and vertigo.
- Gelsemium** (tds) : Heat of the sun causes depression.

SUN HEADACHE

- Glonoinum** (tds) : Throbbing headache increases and decreases with the sun.
- Lachesis** (tds) : Headache while going out in the strong sun.

SUNSTROKE

- Gelsemium** 200 (bd) : Among the remedies for prevention of sunstrokes, this one is most important. It covers all symptoms of a man who feels played out and is specially indicated in hot and damp weather. Give one dose to a person going out when the sun is hot and who can not bear the heat of the sun.
- Glonoinum** 10M (hs) : Due to sunstroke, face turns pale, has fixed eyes, strenuous respiration, high fever and sometimes unconsciousness may result. One dose of 10M removes these symptoms.
- Natrium carb.** (tds) : Chronic effects of sunstrokes.
- Natrium mur.** 200 : It is a very good remedy for sunstroke and acts splendidly. A dose every 15 minutes.

NOTE: Move the patient to a shaded, cool place immediately in case of sunstroke.

SUPPRESSION OF DISEASES (AILMENTS DUE TO SUPPRESSION)


- Abrotanum** (tds) : Rheumatism after suppression of diarrhea.
- Ammonium mur.** (tds) : Hemorrhoids due to suppression of leucorrhea.
- Causticum** (tds) : Diseases like asthma, etc. arising on account of suppression of skin diseases like itching of skin or eczema.
- Medorrhinum** 1M (hs) : Bad effects following suppression of gonorrhea.

- Oleum animalis** 200 (od) : Asthma due to wetting of the feet or chilling them when perspiring.
- Platinum met.** (tds) : Mental troubles due to suppression of menses. Physical symptoms disappear as mental troubles develop.
- Saraca indica** Q (tds)
10 drops in ½ cup of water : Headache due to suppression of menses, better as the flow starts.
- Silicea** 200 (bd)
For 3 days. : Convulsions due to suppression of foot sweat.
- Sulphur** 200
For 4 days. : Skin troubles when suppressed with ointments, etc. cause some other troubles specially respiratory. In such a case, a dose of Sulphur 200 everyday in the morning for four days will bring out the original diseases, which can then be cured by the indicated remedies. Insanity due to suppression is also cured by the use of this remedy.
- Thlaspi bursa** Q (bd)
10 drops in ½ cup of water : After-effects of suppressed uterine diseases.
- Zincum met.** (tds) : Mania due to suppression of eruptions.

SWALLOWING

- Anacardium ori.** (tds) : Swallows food and drinks hastily. Food descends the wrong way.
- Anacardium ori.** (tds),
Mercurius sol. (tds),
Phytolacca dec. (tds) : Choking when eating or drinking.
- Baptisia** (tds) : Can swallow liquids only.
- Belladonna** (tds) : Food regurgitates through the nose.
- Carbolicum acidum** (tds),
Crotalus hor. (tds) : Solids are only swallowed.
- Cuprum acet.** (tds) : Liquids descend with a gurgling sound.
- Diphtherinum** 200 (hs) : Swallows without pain but fluids are either vomited or are returned through the nose.
- Hyoscyamus nig.** (tds) : Cannot swallow liquids.
- Plumbum met.** (tds) : Cannot swallow solids.

SYPHILIS



- Aceticum acidum** 1x : Hard chancre - a raised button-like nodule on the glan penis. Use locally and internally.
- Aethiops mineralis** (tds) 3x: Hereditary syphilis.
- Lis - Mineralis** 3x
- Asafoetida** 3x (tds) : It has been found to affect favorably deep ulceration and caries of bones in deep syphilitic organisms. There is extreme sensitiveness and terrible throbbing. Nocturnal pains guide to the use of this remedy.
- Aurum met.** (tds) : It is useful when mercury has been over used but without any further improvement in the case. It is one of the best remedies for pains in bones, specially during the night.
- Aurum mur. nat.** 3x (tds) : It is used when syphilitic eruptions have developed on the body appearing like

- psoriasis. Occasional use of this remedy during pregnancy by the mother prevents birth of a syphilitic child, if either or both parents suffer from syphilis at the time of conception.
- Calcarea flour.** 6x (tds) : Hereditary syphilis from birth specially when there is ulceration of the mouth and throat, caries, necrosis and burning boring pains.
- Calotropis** Q (bd)
10 drops in ½ cup of water : Psoriasis of the syphilitic patient in the second stage where mercury cannot do any further good. A sensation of warmth in the pit the stomach is a leading symptom. It cures ulcers and blotches from the skin and perfects the cure. It also cures primary anemia of syphilis.
- Carbo animalis** (tds) : It is useful when blotches are developed in some parts of the body, specially on the face and are copper-colored.
- Ferrum met.** (tds) : In treating a case of syphilis with tumor in the brain, which is likely to be present in the later stages of this disease, never use this remedy and if already used, do not repeat. It can cause brain hemorrhage.
- Kalium iod.** (tds) : Pain in small joints. Blisters in the mouth. Burning in parts. Larynx painful.
- Mercurius dulc.** 2x (tds) : It is useful in cases of syphilitic women. There are eruptions at the mouth of the vagina and vulva, and also on the pubis. Also useful for hereditary syphilis manifestations.
- Mercurius sol.** 2x (tds) : This remedy is used in all the stages of syphilis. There are ulcers on the tongue and mouth. All discharges are foul. It is also useful for pains in different parts of syphilitics. It is useful in males.
- Natrium iod.** 1x (tds) : This sodium salt is stated to be useful in the treatment of tertiary syphilis.
- Nitricum acidum** (tds) : It is useful in the early stages of the disease when the urine smells like that of a horse. It is also useful in babies and children who have inherited the disease from their parents. Blisters in the mouth and under the lips.

Syphilinum 1000 (hs) : In primary syphilis this has little or no effect at all and then mercury should be given in high potency. Syphilinum will be useful as a remedy to bring about a reaction in the system. This remedy is of great use in old syphilitics, where convalescence is particularly long after an acute disease. A single dose will bring back his appetite, strength, sleep and rapid gain in weight.

Diet : In all syphilitic cases, alcohol in every form should be prohibited. A pure vegetarian diet should be suggested.

NOTE: Signs of syphilis infection usually start with small, painless ulcers at the site of the infection. They are called chancres and they often disappear on their own without any treatment in as little as three weeks. The second stage comes 4-10 weeks later when a rash appears on the palms, soles and pelvic region along with fever and muscle ache. If the infection still goes untreated, it disappears for 10 years or more during which time it works on the brain, bones, skin and lungs, and causes lesions on the skin and bones. It may further cause heart trouble, blindness, difficulty in walking or insanity. Homeopathic treatment is effective and simple.

TALKATIVENESS

Cannabis ind. (tds) : Excessive loquacity. Talks nonsense but cannot help it. Talks extempore on any subject but without making any sense and understanding.

Hyoscyamus nig. (tds) : Very talkative and persists on talking obscene things.

Lachesis (bd) : He does most of the talking in a meeting or a society. Makes speeches in a selective language. He monopolizes all the talks during discussions. He can discuss all the subjects in the world, without all the knowledge of those.

Podophyllum (tds) : Irrelevant and incessant talking during high fever.

Stannum met. (tds) : Talking causes a weak feeling in the chest and throat.

Stramonium (tds) : Ceaseless talking without any aim.

TASTE

Acidum mur. (tds)	: Everything tastes sweet, even the bitter things.
Aconitum nap. (tds)	: Everything tastes bitter except water.
Arsenicum alb. (tds)	: Only water tastes bitter, other things normal. Taste salty.
Belladonna (tds), Sepia (tds)	: Taste salty.
Bovista (tds), Sulphur (od)	: Taste blood-like.
Calcarea carb. (tds)	: Everything tastes sour. Sour eructations.
Chelidonium (tds)	: Taste bitter.
China off. (tds)	: Everything including water, tastes bitter. Sour eructations.
Colocynthis (tds)	: Taste very bitter. Acidic eructations. Canine hunger.
Cyclamen (tds), Carbo veg. (tds)	: Taste sweet.
Hydrastis (tds)	: Peppery taste.
Iodium (tds)	: Taste of soap.
Lycopodium (tds)	: Everything tastes sour.
Myristica seb. (tds)	: Coppery taste.
Natrium mur. (tds)	: Taste of food remains long after eating. Loss of taste.
Nux vomica (tds)	: Taste in the mouth is bitter but everything tastes normal.
Pulsatilla nig. (tds)	: Nothing tastes well including water. Mouth is dry but without thirst.
Pulsatilla nig. (tds), Carbo veg. (tds)	: Taste greasy. Pulsatilla has a salty taste in the mouth.
Rheum (tds)	: Taste sour after sleep.
Sanguinaria (tds), Rumex (tds)	: Even sweets taste bitter.
Trifolium rep. (tds)	: Taste of blood in the mouth and throat.
Veratrum vir. (tds)	: Water tastes sweet.

TEA

- China off.** (tds) : Ill-effects of tea.
- Kalium hydriod.** (tds) : Cough of tea tasters due to inhaling the fungus is cured by the use of this remedy.
- Kalium hypophos.** (tds) : Bad effects of excessive tea drinking are removed by the use of this remedy.
- Thea sin.** (tds) : Removes bad effects of excessive tea drinking like sleeplessness, headache and dyspepsia.

NOTE : Numerous recent studies have shown that people who drink a cup of tea, specially green tea, have lower rate of heart diseases, stroke and cancer than those who don't. Tea contains most patent anti-cancer compounds yet discovered called "EGCG" along with catechins. "EGCG" is a type of polyphenal.

TEETH

- Arnica mont.** (tds) : For pains and ulcers of denture and false teeth.
- Calcarea phos.** 6x (qid) : Teeth develop slowly in children. First teeth decay rapidly. Diarrhea sour.
- Calcarea ren.** (tds) : Lessens tendency to accumulation of tartar on teeth.
- Causticum** (tds) : Dental fistula.
- Chamomilla** (tds) : Original first teething difficult in children. Foul odor from the mouth. Diarrhea. Irritable child.
- Fragaria vesca.** (tds),
Bacillinum 200 (hs)
Repeat once a week : Removes tartar from teeth.
- Kreosotum** (tds) : Teeth become black and decay. Gums become spongy. Restlessness in children. Caries of the teeth. Teeth decay almost as soon as they appear.
- Phytolacca dec.** (tds) : Desire to bite and press the teeth together.
- Plantago Q**
Locally : Local use in toothache in the hollow of teeth. Decay of teeth. Pain and soreness.

- Silicea** 10M (hs) : Fistula of teeth at their roots.
- Staphysagria** (tds) : Teeth turn black and crumble specially in children.
- Sulphur** (bd) : First teeth of children do not break for a long time, sometimes upto 14 years of age. Teething takes place irregularly.
- Thuja occ.** (tds) : Decaying of teeth from roots. Gums recede, upper part of the teeth remains intact.

TOOTHACHE

- Aconitum nap.** Q : Insert a cotton swab drenched with it in the tooth cavity. It reduces pain within minutes. Facial neuralgia, pain due to decayed teeth.
- Antimonium crud.** (tds) : Toothache in the hollow of a tooth.
- Arnica mont.** (tds) : Toothache from wearing false teeth.
- Belladonna** (tds) : Throbbing, shooting pains extending to head due to an infection.
- Chamomilla** (tds) : Toothache is caused by taking warm water into the mouth but is not relieved by cold things. Pain is maddening. Decay of a tooth is generally the cause.
- Cheiranthus** (tds) : Ill-effects of cutting wisdom teeth. Deafness, otorrhea, nose stopped at night due to the irritation of cutting of the wisdom teeth.
- China off.** (tds) : Toothache which is better by holding warm water in the mouth or by pressing the teeth together firmly.
- Chrysanthemum** 12x (tds) : Pain in the teeth and gums. Pain in the bones of jaw and temple worse right side and touch; better by warmth.
- Coffea cruda** (tds) : Maddening toothache better by holding cold water in the mouth. Facial neuralgia from decayed teeth.
- Gunpowder** (tds) : Toothache after extraction of abscessed teeth.
- Hekla lava** 3x (tds) : Toothache in carious teeth or due to abscess of gum with swelling.

- Magnesium carb.** (tds), : Toothache of pregnancy.
Sepia (tds)
- Magnesium phos.** 6x (qid) : Toothache better by hot applications and hot drinks. Ulceration of gums with swelling of glands of face, throat, neck and tongue.
- Mercurius sol.** (tds) : Pulsating pain due to inflamed gums and sockets of teeth. Pain in the hollow of teeth.
- Oleum animalis** (tds) : Toothache better by pressing teeth together.
- Phosphorus** (bd) : Toothache of the “washer woman”.
- Plantago** 2x (tds) : Dilution cures toothache within 15 minutes. Use internally and externally.
- Silicea** 6x (tds) : Toothache worse by hot or cold things.
- Spigelia** (tds) : Tearing pain in carious teeth extending to the malar bone of the affected side.
- Staphysagria** (tds) : Toothache due to unhealthy and decaying gums. Teeth turn black. Pain worse with hot or cold things.

TEETH EXTRACTION

- Hypericum** 3x (tds), : Pain in gums after extraction of teeth.
Arnica mont. (tds),
Staphysagria (tds)
- Phosphorus** (bd) : Bleeding after extraction of teeth.
- Trillium pend.** Q : A cotton plug drenched with it and inserted in the hollow from where the tooth has been extracted, stops bleeding at once. Can be used internally.

TEETH GRINDING

- Asafoetida** (tds) : Grinding of teeth in hysteria.
- Belladonna** (tds) : Grinding of teeth during sleep.
- Cina** (tds) : Grinding of teeth in children with worm symptoms.
- Podophyllum** (tds) : Grinding of teeth with great desire to press the gums together.

TEETHING TROUBLES

- Aethusa cyn.** (tds) : Milk cannot be digested and is vomited out in curds. Diarrhea.
- Arsenicum alb.** (tds) : Child becomes weak and irritable. Can only be consoled by rocking, carrying and walking rapidly.
- Belladonna** (tds) : Eyes become sore during teething. Convulsions during dentition.
- Borax** (tds) : Excessive salivation during cutting of teeth.
- Calcarea fluor.** 6x (qid) : Deficiency of calcium and loss of enamel of teeth.
- Calcarea phos.** 6x (qid) : Diarrhea during dentition.
- Chamomilla** (tds) : Irritability, restlessness and diarrhea. Convulsions.
- Cheiranthus** (tds) : Otorrhea and stuffiness of the nose, and ill effects of cutting of wisdom teeth.
- Cypripedium pub.** (tds) : Child does not sleep at night and starts to laugh and play. Child cries out at night.
- Kreosotum** (tds) : Sour smell of the body, pale face, irritability. Dentition is troublesome. Constipation or foul smelling diarrhea.
- Phytolacca dec.** (tds) : Irresistible desire to bite the teeth together in teething children.
- Podophyllum** (tds) : Colicky pains. Bilious vomiting. Watery with jelly-like mucus and profuse stool during dentition.

TEMPERATURE

- Cactus** 3x (tds) : Persistent subnormal temperature due to any cause is cured by its use.
- Camphora Q** : Subnormal temperature with icy cold body and sinking of strength. Give in drop doses on sugar and repeat often.


- Chininum sulph.** (tds) : Sub-normal temperature after cure of malaria and due to weakness.
- Millefolium** (tds) : Continuous high temperature without any reason.
- Sulphur 200** (hs) : Continuous slight high temperature which does not become normal after cure of a disease. A single dose does wonders in such cases.
- Tuberculinum 1000** (hs) : Continuous temperature, neither very low nor very high, generally found in tuberculous patients.

TEMPLES (CAROTIDS)

In pulsation of carotids, one of the following remedies will be found to be useful as per symptoms of the remedy.

Aconitum nap., Belladonna, Cactus, Glonoinum and Veratrum vir.

TESTICLES (MALE REPRODUCTIVE GLANDS)




-
- Acidum phos. 1c** (tds) : Testicles tender and smaller with sexual weakness.
- Aconitum nap.** (tds) : Inflammation of the testicles with fever and restlessness. Bruised pain. Painful erections.
- Antimonium crud.** (tds) : Atrophy of testicles.
- Argentum met.** (tds) : Pain in the testicles as if crushed.
- Aurum met. 200** (od) : Chronic enlargement with pain in the cord and testicles. Swelling. Hydrocele. Atrophy and undeveloped testicles.
- Baryta carb.** (tds) : Testicles hardened in an advanced age. Sexual weakness. Testicles hard, enlarged and burning.
- Belladonna** (tds) : Inflammation with redness. Great sensitiveness of the nervous system. Intolerable pain. Testicles hard. Nocturnal sweat on testicles.
- Bryonia alba** (tds) : When born with hydrocele.
- Calcarea carb. 10M-50M** (hs) : Penis and testicles missing in a child. One dose every fortnight and during the intervening periods as follows.
- Clematis erecta** (tds) : Chronic inflammation of testicles because of incomplete cure of gonorrhea. Testicles indurated with a bruised feeling, they hang heavy or are retracted with pain in the spermatic cord, worse right side.
- Conium mac.** (tds) : Testicles enlarged and hardened due to the injuries of the testicles. Cancer of testicles.
- Hamamelis** (tds) : Inflammation with local sensitiveness, pain in the spermatic cord running into testicles. Testicles large and painful.
- Iodium** (tds) : Testicles become small due to impotency.
- Lycopus Q** (tds) : Pain in the testicle of patients suffering from valvular heart disease.
- Mercurius bin iod.** (tds) : Chronic enlargement due to syphilis.
- Mercurius cor.** (tds) : Orchitis of left side of testicle with pain extending to the scrotum and abdomen.
- Mezereum** (tds) : Testicles enlarged and hanging with very strong sexual desire.

- Nuphar lut.** 6 (tds) : Pain in the testicles and penis.
- Nux vomica** (tds) : Constrictive pain in testicles with their inflammation.
- Oleum animalis** (tds) : Testicles feel seized and pulled forcibly upwards, worse at night. Sensation of any part pulled upward and from behind is a guiding symptom of this remedy for any kind of pain anywhere.
- Pulsatilla nig.** (tds) : Acute inflammation. Pain from abdomen to testicles. Orchitis due to gonorrhea.
- Pulsatilla nig.** (tds),
Rhododendron ch. (tds) : Pain and swelling of the right lobe of testicles.
- Pulsatilla nig.** 200 (bd),
Conium mac. 30 (tds) : Sarcocoele or flesh tumor of the testicles.
- Sabal ser.** (tds) : Inflammation of ducts of testes. Wasting of testes resulting in loss of sexual power. Organs feel cold.
- Silicea** 6x (tds),
Natrium mur. 6x (tds) : 2 grams each mixed together thrice daily is very useful for orchitis.
- Spongia** (tds) : Swelling of spermatic cord and testicles with pain and tenderness.
- Thyreoidinum** 1x : Testicles undeveloped. 2 doses a day over a long period are stated to be effective.
- Zincum met.** (tds) : Pain and swelling of left side of testicles.

NOTE: Risk of testicular cancer is more in men in their 20's while little risk has been seen in older males. The exact cause of such a cancer is not definitely known but it has been estimated that estrogen in chemicals like DDT's and PCB's may have some role in this aspect. Chemotherapy and surgery are effective against it.

TETANUS (LOCK JAW)

- Camphora** Q (tds) : Tetanus with deadly coldness.
10 drops in ½ cup of water



Cicuta vir. (tds) : A useful remedy in tetanoid convulsions, rigidity and jerking followed by prostration. Breathing is oppressed with lock jaw and esophageal spasms.

Hydrocyanicum acidum (tds): There is lock jaw, impeded respiration and frothing at the mouth. The body becomes rigid and is bent backwards.

Hypericum 12x (tds) : It is the best remedy for prevention of tetanus from punctured wounds or when nerves are injured, specially nerves of toes and fingers, more so when tips of toes and fingers are involved. It is also used when the symptoms of tetanus have developed. Persistent, painful spasms of some voluntary muscles, stiffness of jaw and muscles of esophagus and neck. In the later stages muscles of back, extremities and penis become rigid.

Ledum pal. 200 (od) : Tetanus due to the bad effects of anti-tetanus shots. Give one dose daily. After each injury,

give it in a similar way for three days to avoid tetanus. It is also a remedy for prevention and care of tetanus when punctured wounds are produced by sharp pointed instruments or bites. It is more indicated when wounded parts are cold. Tetanus with twitching of muscles. Suitable for ill-effects of infections.

- Magnesium phos.** 1M (hs) : It is considered as a specific against tetanus. It also removes ill after-effects of the disease.
- Nux vomica** (tds) : It is the leading remedy for tetanic convulsions with distortion of eyes and face with dyspnea.
- Passiflora Q** : 20 drops of it can be given in alteration with Hypericum with a gap of 20 minutes. This is a very effective treatment for tetanus.
- Strychninum purum** (tds) : Tetanus with explosive nervousness. The pains and sensations come suddenly and return at intervals. Muscles relax during and between paroxysms of tetanic convulsions. Corners of the mouth are drawn up.
- Veratrum vir.** (tds) : Tetanic convulsions.

THALASSEMIA

- Antipyrinum 2x** : Red blood cells are of different shapes.
- Arsenicum alb.** (tds) : Abnormally large red cells. Anemia on account of degenerative changes in the blood.
- Butyricum acidum 1x** (tds) : A salt orester of Butyric acid can cure cell anemia - thalassemia.



Normal cell

Thalassemia cell

- Calcarea ars.** (tds) : Its use increases hemoglobin and red blood cells.
- Ferrum met.** 1x (tds) : It is useful for the treatment of thalassemia major, hereditary or genetically transmitted abnormalities with familial or racial incidence - mostly found in children. The trouble is worse in winter.
- Lachesis** 200 (hs)
Repeat after a week : After transfusion of blood, this remedy will stop its further decomposition. The interval between the blood transfusion is increased and the progress of the disease is retarded.
- Natrium cacodyl.** 1x (tds) : It increases the number of red blood cells almost to double.
- Phosphorus** 30-200 (hs)
Repeat after a week : It stops further disorganization of blood. The skin is very pale and jaundice maybe present.
- Picricum acidum** (tds) : Progressive abnormality of red cells which become larger than normal resulting in pernicious anemia.
- Plumbum met.** (tds) : Rapid reduction in number of red blood cells causing great paleness of the skin. Cramps in the calves. Twitching of muscles.
- Thiosinaminum** (tds) : This may prove useful in the treatment of the disease as it cures wasting of the spinal marrow - tabes dorsalis.
- Thyreoidinum** 3x (tds) : It is useful in the treatment of this disease when there is anemia, emaciation, muscular weakness and some thyroid trouble.

NOTE 1: Thalassemia includes a number of different forms of anemia (red blood cell deficiency). The two main types are called alpha and beta thalassemia, depending upon which part of the oxygen carrying protein is lacking in the red blood cells. The different forms of thalassemia are:

- a. **Thalassemia major** - It is the most harmful form and is also called Cooley's anemia, named after Dr. Cooley who discovered it in 1925.
- b. **Thalassemia intermedia.**
- c. **Thalassemia minor** - It causes no symptoms but blood changes do occur.

- d. **Thalassemia minima** - It has no effect on the individual but may show up in blood tests or genetic studies.

NOTE 2: Without proper treatment, the spleen, liver and heart may soon become enlarged. The spleen can become so large that it has to be removed. On removal of the spleen, the patient becomes more prone to infection because this organ helps fighting certain infections. Heart fails, causing death in untreated patients.

NOTE 3: Frequent blood transfusions are required to lessen the effect and patients survive for a long time. Major problem in frequent blood transfusion is build up of iron in the heart and other organs and no remedy is effective to help in its removal.

THINKING

- Aethusa cyn.** (tds) : The patient does not apply his mind to thinking. He decides things without thinking. Student has no mind to study.
- Camphora** (tds) : Pain better while thinking of it.
- Cannabis ind.** (tds) : Always deeply absorbed in thinking without any subject, with eyes closed.
- Causticum** (tds) : Thinking of complaints aggravates, specially hemorrhoids.
- Cocculus ind.** (tds) : Dwells on the past disagreeable events.
- Coffea cruda** (tds) : Always absorbed in thinking, now on one subject and after a while on another subject. Full of ideas and quick to put them in action.
- Gelsemium** (tds) : Ailments increase when thinking of them.
- Medorrhinum** 200 (hs)
Repeat once a week : Worse when thinking of the ailment.
- Nitricum acidum** (tds) : Thinks always and speaks always of the bad events in the past without any use.
- Onosmodium** (tds) : Cannot think for lack of concentration on the topic.

THIRST

- Aconitum nap.** (tds) : Thirst for large quantities of water during fever.
- Apis mel.** (tds) : Thirst absent with a swollen throat.
- Arsenicum alb.** (tds) : Unquenchable thirst. Drinks often but little at a time.
- Belladonna** (tds),
Aethusa cyn. (tds) : Absence of thirst during fever or otherwise.
- Bryonia alba** (tds) : Thirst for large quantities of cold water at longer intervals.
- Gelsemium** (tds) : Light thirst in fevers or absence of thirst.
- Lilium tig.** (tds) : Drinks often and much.
- Mercurius sol.** (tds) : It has a peculiar symptom of intense thirst with a lot of saliva in the mouth.
- Natrium mur.** (tds) : Unquenchable thirst during chill.
- Onosmodium** (tds) : Craving for ice cold water and cold drinks, wants to drink often.
- Phosphorus** (od) : Desire for icy cold water but is vomited out as soon as it becomes warm in the stomach.
- Phytolacca dec.** (tds) : Thirst alternates with thirstlessness.
- Pulsatilla nig.** (tds) : In spite of the dryness in the mouth, there is no thirst. Pulsatilla nig. has thirstlessness in nearly all complaints.
- Rhus tox.** (tds) : Thirst for large quantities of water. Dry mouth and throat. Craves milk.
- Tuberculinum** (hs)
Repeat after a week : For children constantly drinking water, this remedy should be considered first.

THROAT

- Aconitum nap.** (tds) : Acute, painful, sore throat whose onset is sudden and causes anxiety. Skin is hot and dry, there is great thirst and the throat looks dry, rough, constricted, burning and tingy.

- Hoarseness can accompany. Movements and warmth relieve while damp, cold weather aggravates. The patient suffers more at night and with rest. Patient feels thirsty for cold drinks.
- Apis mel.** (tds) : Back of the throat is bright red and severely swollen with burning and stinging pains. The patient is irritable or depressed and is better from fresh air, exercise, stimulants and warmth around the neck. Throat, uvula and tongue are swollen. The throat is fiery red.
- Argentum nit.** (tds) : Sensation of a splinter in the throat.
- Arsenicum alb.** (tds) : Dryness and burning in the throat. Dry mouth and thirst for small quantities of water at short intervals.
- Asafoetida 3x** (tds) : A lump appears to be rising in the throat in hysterical patients.
- Baryta carb.** 200 (od) : Tonsils swollen. Smarting pains worse on swallowing saliva. Solid diet painful to throat, can swallow liquids only.
- Belladonna** (qid) : Sore throat in the early stages of fever. Throat red, hot and swollen. Swallowing difficult. Dryness of the throat.
- Capsicum** (tds) : Sore throat of smokers and drinkers. Pain and dryness in throat. Inflamed uvula and palate. Burning and constriction.
- Cochlearia arm.** Q (bd) : Used as a gargle for bleeding gums and a sore throat.
- Dolichos** (tds) : Pain in the throat as if a splinter is embedded in the throat, worse on swallowing.
- Dulcamara** (tds) : Raw, burning, acute sore throat with thick saliva and a hoarse voice. Thirst of cold drinks; can be due to exposure to cold, damp weather or cooling down rapidly after sweating. It is better by movements and warmth, and is worse by rest and during the night.
- Euphrasia 6** (tds) : In coryza and cold with sneezing and watering of eyes, there is soreness of throat also.

- Gelsemium** (tds) : Sore throat with bad taste in the mouth. Pain extends to neck and ears. Swallowing hurts and drinking is difficult. Feels cold and hot alternately due to fever. The head feels heavy as if tied with a band; as if a band is around the head.
- Graphites 6** (tds) : It is an excellent remedy for singers who cannot control their voice and develop hoarseness and a cracked voice soon after they start singing.
- Hepar sulphuris** (tds) : In chilly patients, it helps preventing tendency to sore throat and throbbing pain in the throat. Sensation of a plug or a splinter in the throat when swallowing. Patient perspires though feeling chilly.
- Ignatia amara** (bd) : Sensation of a lump in the throat that cannot be swallowed.
- Kalium carb.** (tds) : Stitching pain in the throat as if a fish bone were stuck in it.
- Lachesis** (tds) : Purple color of the throat with soreness. Any pressure around the throat, even that of a neck tie is unbearable. Swallowing of saliva or liquids painful. Left side affected most. Chronic sore throat with much hawking. Mucus sticks in the throat and cannot be forced up or down.
- Magnesium carb.** (tds) : Soreness of the throat before menses.
- Mangifera indica** (tds) : Acute troubles of the throat. Suffocating sensation, as if the throat would close.
- Mentholum** (tds) : It is curative in many troubles of the throat like catarrh, pharyngitis, laryngitis and pains.
- Mercurius sol.** (tds) : Sore throat. There is a lot of saliva in the mouth and the patient has to spit often.
- Natrium phos.** (tds) : Inflammation of any part of the throat.
- Onosmodium** (tds) : Great dryness of the throat. Posterior nares feel rough, scraped and stuffed - all worse by cold drinks.
- Phytolacca dec.** Q (tds) : 8-10 drops in about 100 ml of luke warm water, 2-3 times a day used for gurgling give good


- results in cases of sore throat. The throat feels narrow and rough accompanied with the sensation of a lump. Throat is dark red in color. Swallowing is very difficult.
- Rhus tox.** (tds) : Pain in the throat with restlessness. Sensation of swelling in the throat. The patient usually craves cold milk.
- Sabadilla** (tds) : Soreness of throat begins from the left side. Much tough phlegm, must be swallowed as it is hard to be spat out. Throat and fauces are dry.
- Spongia** (tds) : The patient has to clear the throat constantly.
- Sulphur** (od) : The patient is lethargic with offensive breath. Wants to uncover feet because they burn. Sensation of a lump and burning in the throat.
- Terebinthinae** 1x (tds) : Dryness of the throat in speakers and singers. Inflammation of the entire respiratory tract.
- Wyethia** (tds) : A very good remedy for pharyngitis. Irritable throats of singers and public speakers. Constant desire to swallow saliva and clear the throat.

THUMB

- Borax** (tds) : Pain in the thumb. Throbbing pain at the tip of the thumb.
- Natrium mur.** 1000 (hs)
Repeat every 15 days. : The child has a chronic habit of sucking the thumb.

THYROID GLAND

Thyroid gland is situated just below the larynx and just above the windpipe. Thyroid disease either under production (hypothyroidism) or over production (hyperthyroidism) of hormones is often hereditary and is on account of a defective immune system, stress or changing hormone levels.



Three steps control the way your thyroid gland functions:


- 1. First**, hormone released from your hypothalamus travels to your pituitary gland (see diagram). This hormone signals the pituitary gland to release another hormone. Thyroid Stimulating Hormone (TSH).
- 2. Second**, TSH travels from your pituitary gland to your thyroid gland. TSH triggers your thyroid gland to make the hormones thyroxine (T4) and triiodothyronne (T3).
- 3. Third**, thyroid hormones T4 and T3 are release from your thyroid gland into your bloodstream. T4 and T3 travel throughout your body and regulate the rate at which many different organ systems work.

Hypothyroidism results when your thyroid gland is underactive—it does not produce enough thyroid hormones for your body to function at the right level. Some of the symptoms of hypothyroidism include fatigue, weight gain and intolerance to cold. Treating hypothyroidism is simple. Medication can replace the thyroid hormones your body is missing.


A lack of sufficient production makes the body use energy slower and it results in easy weight gain, tiredness, forgetfulness, dry coarse hair and skin, heavy menstruation and constipation. It can cause cholesterol levels to rise or trigger depression.

Over-production makes the body use the energy faster and causes nervousness, irritability, bulging eyes, scanty menses, diarrhea and warm moist palms. It can cause heart rhythm irregularities and osteoporosis.

Goitre or swollen thyroid gland can occur in both the forms of the disease.



The thyroid is shrunken, white and firm



Clinical signs

Protruding tongue

Dwarf with short limbs

Coarse dry skin.

Lack of hair and teeth

Mental deficiency.

Pot belly – often umbilical hernia

Changes are irreversible unless treatment is given early.

Two forms are recognised:

(1) endemic and (2) Sporadic cretinism

The old school treats hypothyroidism with the drug levo-thyroxine and hyperthyroidism with anti-thyroid drugs, radioactive iodine or a partial thyroidectomy. This is a life long treatment.

Homeopathy treats such diseases successfully, and though it is a lengthy treatment, it is surely not for the whole life.

HYPOTHYROIDISM (MYXEDEMA)



Imperfect or complete loss of function of the thyroid gland or under production of the thyroid hormones.

- Baryta iod.** 3x (tds) : When the inflammation is accompanied with the inflammation of tonsils.
- Belladonna** 1x (tds) : Thyroid secretions becoming poisonous and spreading poison throughout the body via blood stream. Extreme thyroid toxemia and anemia due to mal-functioning of the thyroid gland and abnormal protrusion of eyeballs and increased heart action.
- Calcarea carb.** (tds) : Increase of fat in the abdomen. The patient is fat, flabby, fair colored and perspires easily. Thyroid dysfunction. Sweating on palms and soles.
- Calcarea fluor.** (tds) : Stony hardness of the inflamed glands.
- Calcarea iod.** 3x (tds) : Thyroid enlargement, about the time of puberty.
- Cistus can.** (tds) : Inflammation, swelling and suppuration of the gland.
- Ferrum phos.** 6x (tds) : Inflammation - face flushed and bright red. Menses too profuse and too frequent.
- Iodium** (tds) : Inflammation and enlargement of the gland.
- Kalium carb.** (bd) : Imperfect or complete loss of function. Do not repeat too often in old gouty and tuberculosis patients.
- Kalium iod.** 3x (tds) : Inflamed hard gland with swelling. It also protects the thyroid gland in case of radiation.
- Petroleum** 200 (hs)
Repeat once a week : Tendency to thyroid diseases.
- Sepia** (tds) : Low thyroid hormones with low blood pressure and tired feeling.
- Thyreoidinum** (od)
For 3 days.
Repeat after 15 days : Its effects are striking in this disease. The patient craves sugar and is inclined to excessive obesity and gain in weight. Arrested mental and physical development.

Tuberculinum 1M, CM (hs) : Start the treatment with this medicine. No other medicine should be given for the next 24 hours.

HYPERTHYROIDISM (EXOPHTHALMIC GOITRE)



Clinical signs

- Exophthalmos-not always present.
- Prominent thyroid.
- BMR increased.
- Skin warm and sweaty: heat intolerance.
- Weakness, hyperkinesia and emotional instability.
- Loss of weight.
- Glucose tolerance diminished, glycosuria.
- Rapid pulse.
- Cardiac arrhythmia and failure in older patients.
- TSH low.

Over-production of thyroid hormone.

- Alnus 3c (tds)** : Goitre with indigestion due to imperfect secretion of gastric juice.
- Bromium (tds)** : Enlarged parotid gland and goitre. Dilated blood vessels on the throat.
- Echinacea Q** : Goitre with exophthalmic symptoms and protruding eyeballs. Dose 5-10 drops at intervals of 2 hours.
- Ephedra** : Heavy eyes, starting from their orbits, as if pushed out. Pain in the eyes. It causes loss of weight but some times increases palpitations of the heart.
- Fucus ves. (tds)** : Obesity and non-toxic goitre. Protrusion of eyeballs. Thyroid enlargement.
- Iodium 2x (tds)** : Rapid emaciation notwithstanding a good appetite. Obesity. Great debility. A slight exertion produces perspiration. Loss of breath on going upstairs. Goitre is cured with Iodium CM, one dose given for four nights after the moon has full.

- Lycopus** (tds) : Useful in cases of exophthalmic goitre with heart disease.
- Natrium mur.** 200 (od) : Exophthalmic goitre. Increased nervousness. Excessive sweating with weight loss. Increase of bowel activity. Excessive hunger.
- Petroleum** 200 (od) : Tendency to thyroid diseases and affected with goitre. Gastric acidity and skin eruptions. Excessive hunger.

NOTE: Thyroid problems can somewhat be determined by self examination in the following way:

1. Exact problem can only be found out by clinical laboratory tests under the supervision of an endocrinologist.
2. Under a hand mirror, focus on the area of the neck just below the Adam's apple and immediately above the collar bone, tipping the head back. Take a drink of water and swallow. Check for any protrusions on the neck while swallowing. If there are any bulges, there maybe an enlarged thyroid gland or a thyroid nodule.
3. A malfunctioning thyroid can be identified through a simple TSH (thyroid stimulating hormone) blood test that indicates if the hormone level is too high or too low.
4. In the most common surgery for thyroid cancer, complete thyroid gland is removed and it is followed by giving radioactive iodine to the patient. Any remaining cancer tissue absorbs iodine and the radioactive substance destroys the cancer cells.
5. The following are the principal hormones secreted by the thyroid gland:

T3-Tri-iodothyromine.

T4-Tetra-iodothyromine or Thyroxine (normal range 9-23.8)

TSH-Thyroid stimulating hormone (normal range 0.30-4.70)

T4 is connected with hypothyroidism.

6. Most thyroid function tests are unreliable to contain circumstances. They may be influenced by the patient having been exposed to organic or inorganic iodides or to drugs that interfere with the binding capacity of serum protein.

TIME OF MODALITIES

Aconitum nap. (tds)	: Worse at midnight and a little before it.
Apis mel. (tds)	: Worse between 4 pm to 6 pm.
Arsenicum alb. (tds)	: Worse at midnight from 1-2 am.
Belladonna (tds)	: Worse about 3 pm.
Calcarea carb. (tds)	: Worse about 2 pm.
Carbo veg. (tds)	: Worse from 4 pm to 5 pm.
Colchicum autum. (tds)	: Worst at sunset and sunrise.
Drosera (tds)	: Worse during midnight, at about 3 am.
Hepar sulphuris (tds)	: Worse from 5 pm to 6 pm.
Hypericum (tds)	: Worse from 3 am to 4 am.
Kalium bich. (tds)	: Worse between 2 am to 3 am.
Kalium carb. (tds)	: Worse at about 3 am. This time is characteristic of this remedy and many cases have been cured on this indication only.
Lycopodium (tds)	: Worse from 4 pm to 8 pm.
Medorrhinum (bd)	: Worse from day light to sunset.
Mercurius sol. (tds)	: Worse whole night; extremely worse before midnight.
Natrium mur. (tds), Gelsemium (tds)	: Worse from 10 am to 11 am.
Nux vomica (tds), Thuja occ. (tds)	: Worse before 3 am.
Pulsatilla nig. (tds)	: Fever is worse at about 4 pm.
Rhus tox. (tds)	: Worse about midnight when resting and at about 7 pm.
Sulphur (od)	: Worse at 11 am.
Syphilinum (od)	: Worse at sunset and sunrise.
Thuja occ. (bd)	: Worse before 3 am.

TINNITUS

(SEE 'EAR - NOISES')

TIRED FEELING

(FATIGUE SYNDROME)

- | | |
|------------------------------|--|
| Anacardium ori. (tds) | : Mental fatigue from higher studies. Fatigue of literary persons. |
| Argentum met. (tds) | : It is good for businessmen, students, etc., who feel tired both mentally and physically after work and reading. |
| Arnica mont. (tds) | : Fatigue on account of over-use of muscles and brain. Mental and physical fatigue. Limbs and body ache as if beaten. It removes fatigue of brain and also of body. |
| Calcarea carb. (tds) | : Physical and mental fatigue due to over-work. There is a lot of anxiety and inability to sleep with a burning headache. |
| Chelidonium (tds) | : Least exertion tires and he is averse to moving. |
| China off. (tds) | : Fatigue after travelling by air. |
| Coca (tds) | : Fatigue from a journey and travelling, specially during hot weather. |
| Coffea cruda (tds) | : Fatigue due to hunger. |
| Conium mac. (tds) | : General feeling of tiredness. The body feels as if bruised by blows. Specially suited during menopause. Debility and weakness of the body and mind is more in the morning, in bed. |
| Echinacea Q (tds) | : Tired feeling during acute or sub-acute disorders with a tendency to malignancy. |
| Kalium phos. (tds) | : Tired feeling with trembling. There is nervous exhaustion from over-work or stress. Severe muscular and mental fatigue, anxiety and irritability. It is a remedy for chronic fatigue syndrome. |

-
- | | |
|--------------------------------|---|
| Lacticum acidum (tds) | : Even the brain is fagged; slightest exertion or mental effort brings on headache. |
| Lecithinum 3x (tds) | : Removes symptoms of general weakness and tired feeling. Improves general health and increases the number of RBC's. |
| Magnesium carb. (tds) | : More tired on rising than on retiring. Especially suited to old persons and during menopause. Whole body feels tired, especially legs and feet. |
| Murex purp. (tds) | : This remedy is specially indicated in nervous, lively and affectionate women. The patient feels great fatigue, weakness and is run down. Fatigue remains for several days and the indicative and peculiar symptom is that she feels more fatigued when sitting or at rest and feels alright on walking. Fatigue re-appears on sitting down. |
| Natrium mur. (tds) | : Great debility, weakness and tiredness is felt in the morning in bed. |
| Nux vomica (tds) | : Feeling of fatigue after sleeplessness or unrefreshing sleep. He is irritable and feels very chilly. |
| Onosmodium (tds) | : Muscular prostration with numbness. Acts as if born tired, worse motion, better lying on the back. |
| Picricum acidum 6 (tds) | : Brain, spinal, nervous and general prostration with feeling of tiredness all over the body and heaviness of legs. The patient can hardly lift the legs. Slightest exertion of the brain causes headache. |
| Rhus tox. (tds) | : Fatigue from over-straining, lifting and exercise. |
| Ruta (tds) | : Extreme fatigue with general bruising sensation. |
| Selenium met. (tds) | : Weakness of all parts of the body caused by hot weather. The debility causes a desire for sleep and strength rises as the sun sinks. Easy |

- fatigue from any labor, mental exertion, night watching, etc.
- Sepia** (tds) : Fatigue in women who are very weak is cured by this remedy. She feels fatigue even after a short walk or after any hard work such as 'laundry work' or during pregnancy or during lactation.
- Sterculia a.** Q (tds) : 5 drops in a little water thrice daily removes the tired feeling due to any cause.
- Tanacetum vulg.** (tds) : Nervous and tired feeling, like half dead, half alive all over. Abnormal lassitude.
- Tuberculinum** (tds);
1M (od) : Patient is always tired. Motion causes intense fatigue. Aversion to work.
Repeat after 15 days.

NOTE: Feeling of fatigue is often the result of lack of sleep, physical and psychological stress or exhaustion. Sexual fatigue is also caused by stress, anxiety and of course, aging. It causes an irritable and impatient nature. Rest, avoiding alcohol and caffeine, physical exercise along with the medication brings back the good humor and feeling of well being.

TIPS TO BOOST ENERGY AND DECREASE FEELING OF FATIGUE

1. Including more fruits and vegetables than grain products in a meal.
2. Eat breakfast within 2 hours of waking up.
3. If you consume coffee, carbonated drinks or excessive sweets or salty foods, drink extra water to avoid dehydration which causes fatigue.
4. Allow three hours for digestion of a large meals and an hour for a light meal or snack.
5. Emphasis should be on carbohydrate rich foods, which are the best source of energy. Fruits, vegetables, bread, pasta, rice or cereals are such foods.
6. Avoid foods high in fats such as gravy, fries and greasy foods as they take a long time to digest.
7. Drink about 8 glasses of water per day.

TABACCO HABIT

- Arsenicum alb.** (tds) : Antidotes the bad effects of chewing tobacco.
- Caladium seg.** (tds) : Removes headaches and mental states of smokers. Tobacco heart and asthmatic complaints. Modifies and changes craving for tobacco.
- Daphne ind.** (tds) : Use of this remedy in lower potencies takes away craving for tobacco.
- Ignatia amara** (tds) : Antidotes the bad effects of smoking. Ignatia patient cannot bear tobacco.
- Lycopodium** 200 (od) : It is useful in impotency of smokers.
- Lycopus** (tds) : Helpful in palpitations and rapid heart of smokers. Reduces the heart rate of and lowers the blood pressure.
- Nux vomica** (od) : Removes bad smell and bad taste caused by tobacco.
- Phosphorus** (bd) : Removes sexual weakness caused by tobacco.
- Plantago** 200 (hs) : Causes an aversion to tobacco, one dose every 15 days. Removes depression and insomnia of chronic nicotineism.
- Repeat after 5 days
- Sepia** (tds) : Cures neuralgia and dyspepsia of smokers.
- Tabacum** 1000 (hs) : A dose a week removes the craving for tobacco.
- Repeat after 1 week


NOTE 1: A study of 200 male smokers was revealed in London Observer on 26-7-98, that smoking reduces the size of penis erection in the same way as it effects the heart by damaging the blood vessels. Smoking impairs the ability to stretch, said Dr. Clive Bates.

NOTE 2: It has been observed that babies born of women who smoke during pregnancy are more sick and have a high risk of sudden death. It is now, an established fact that many new borns of such women contain carcinogens in their body.

NOTE 3: The result of Dr. David Grond, of Britain's Leukemia Research Fund as published in the British Journal of cancer in November' 99, confirmed that people who smoke are at the greatest risk of adult leukemia. Tobacco smoke contains benzene and a radio active lead apart from other harmful contents. Benzene in large doses is known to cause leukemia.

NOTE 4: Dried leaves of tobacco contain nicotine, pyridine, picoline and collidin. During its combustion, various products given off have an adverse effect on the lungs.

TONGUE



- Antimonium crud.** (tds) : Thickly coated white tongue, as if white washed.
- Apis mel.** (tds) : Swelling of the tongue with inflammation. Cancer.
- Argentum nit.** (tds) : Tip painful. Bleeding from papillae of the tongue.
- Arsenicum alb.** (tds) : Tongue blackish or bluish and cracked.
- Aurum met.** (tds) : Cancer of the tongue.
- Aurum mur.** (tds) : Tongue hard like leather. Warts on the tongue.
- Borax** (tds) : Aphthae. White fungus-like growths in the mouth and tongue. Leucoplakia.
- Bryonia alba** (tds) : Tongue dry.
- Bufo rana** (tds) : Bluish-black with cracks.

-
- | | |
|--|--|
| Causticum (tds) | : Paralysis of tongue with indistinct speech. |
| Cimicifuga (tds) | : Tongue painful and trembling. |
| Colchicum autum. (tds) | : Sensibility of the tongue is lost. |
| Cuprum met. (tds), | : Constant protusion and retraction of the tongue |
| Cuprum acet. (tds) | like a snake. |
| Galium aparine Q (tds)
40-50 drops in ½ cup of water | : Useful in cancerous ulcers and nodulated tumors of the tongue. Use 40-50 drops a dose three times daily. |
| Graphites (od), Apis (tds)
Cantharis (tds) | : Burning blisters on the tongue. |
| Guaco (tds) | : Paralysis of the tongue. |
| Hydrastis (tds) | : Dirty yellow and moist. |
| Kalium cyan. 200 (od) | : Cancer of the tongue with agonizing neuralgia. Ulcer of the tongue with indurated edges. |
| Kalium mur. (tds) | : The tongue is coated white or there is a grey coating at the base of the tongue. |
| Lathyrus sat. (tds) | : Burning pain at the tip of the tongue with tingling and numbness. |
| Lemon juice (tds) | : Relieves pains of cancer of tongue when used as a mouthwash - 5 ml to 200 ml of water. |
| Linum usitat. 3c (tds)
(Flax), Physostigma 3c (tds) | : Paralysis of the tongue. |
| Lithium mur. (tds) | : Numbness of the tongue. |
| Lycopodium (tds) | : Ulcers on the tongue. |
| Mercurius sol. (tds) | : Furrow in the middle of the tongue. A tumor under the tongue. It is the main remedy for this inflammation of the tongue. |
| Natrium mur. (tds),
Natrium phos. (tds) | : Blisters at the tip of the tongue. |
| Natrium phos. (tds) | : Yellow creamy coating of the tongue at the back part of the roof of the mouth. |
| Nitricum acidum (tds) | : Painful pimples on the sides of the tongue. A furrow in the center of the tongue. Tongue is clean, red and wet. |
| Oleander (tds) | : Parched tongue. |

Piper nig. (tds)	: Cramps in tongue and heaviness of the tongue.
Podophyllum (tds)	: Coated white.
Ptelea tri. (tds)	: Red and prominent papillae on the tongue.
Pulsatilla nig. (tds)	: Dry without thirst.
Ranunculus bulb. (tds)	: Peeling off of the skin of the tongue.
Rhus tox. (tds)	: Tip has triangular redness and is cracked.
Ruta (tds)	: Cramps of the tongue.
Sanicula aqua (tds)	: Ringworm on the tongue.
Sempervivum tect. 2x - 30 (tds)	: It is useful in removal of malignant ulcers of the mouth, and cancer of the mouth and tongue.
Taraxacum (tds)	: Red sensitive spots on the tongue.
Terebinthinae	: Tongue dry, red, sore and shining. Burning at the tip with prominent papillae.
Thuja occ. (tds)	: A Cyst under the tongue (ranula). White painful blisters close to the root of the tongue. Biting of the tongue.
Veratrum vir. (tds)	: Red streak in the middle.
Viburnum prun. (tds)	: Cancer of the tongue.

NOTE: Black color of the tongue denotes glossophagia. In dysentery it indicates exhausting mortification or death. Yellow color seen underneath the tongue when it's tip is placed against the roof of the mouth, is a sign of onset of jaundice or a thick fur covering the tongue indicates jaundice. Pale color indicates severe anemia.

TONIC

A person in good health should not take any tonic. Good health means that the person has no disease. If a healthy person takes tonics, these will have no effect or may even produce an adverse effect. The habit of taking a tonic is simply ridiculous, when a person is healthy.

Alfalfa Q (bd) 10 drops in ½ cup of water	: Acts as a tonic in digestive functions, toning up the appetite, resulting in greatly improved mental and physical vigor, with gain of weight. Corrects tissue waste.
---	--

Arsenicum iod. (tds)	: In chronic coronary artery disease and myocardial infection.
Aspidosperma Q (bd)	: A great lung tonic.
Avena sativa Q (bd)	: 10-20 drops a dose in a little water is a tonic for the nervous system and brings about sleep. Relieves nervous headache, fatigue and numbness of limbs. It is the best tonic for debility after exhausting diseases.
Cactus Q (tds), Crataegus oxy. Q (tds)	: 10-15 drops of these medicines mixed together and given every four hours works as a heart tonic and strengthens the heart.
Calcarea ars. (tds)	: Excellent heart tonic. Relieves pain, palpitation and dyspnea in dilatation of the heart; weak valves.
Calcarea phos. 6x (qid)	: A general tonic for weak children, specially during teething. A tonic during pregnancy. In anemia of children and after acute and chronic wasting diseases.
Cascara sag. Q (tds)	: It is an intestinal tonic, palliative in constipation and helps in removing indigestion. Give 15 drops every three hours.
Chamomilla (tds)	: For whining, restless and irritable children.
China off. (tds), Chininum ars. (tds), Carbo veg. (tds)	: For debility remaining after influenza and colds.
Chininum ars. (tds)	: A general tonic with very marked beneficial and prompt effect. The symptoms of general weakness, weariness and prostration are cured by it.
Crataegus oxy. Q (bd)	: Acts upon muscles of the heart. There is giddiness, lowered pulse, air hunger and low blood pressure.
Digitalis (tds)	: It is a great cardiac tonic in feeble muscular walls of the heart. Palpitation, breathlessness and vertigo.
Echinacea (tds)	: Blood poisoning.

-
- Gentiana cruciata** Q (bd) : A tonic which increases appetite and relieves acidity and bloating of stomach and abdomen; constricted feeling in the throat.
- Gentiana lutea** Q (bd) : Acts as a tonic for increasing appetite.
- Lathyrus sat.** 3 (tds) : Acts as a tonic for removal of weakness and heaviness after cure of influenza and wasting, exhaustive diseases like hypertension and heart disease.
- Lecithinum** (tds) : It has a favorable influence upon the nutritive conditions, specially upon the blood. It acts as a tonic in anemia and during convalescence. It increases the quantity and quality of milk in nursing women.
- Natrium sulph.** 6x (tds) : Tonic in rheumatism specially when the patient feels changes of temperature from dry to wet, with weak ankles and knees, pain from hip to toe. A person wearing a ring overnight cannot take it off in the morning due to swelling of the finger.
- Nux vomica** (tds) : For irritability. Over-worked dyspeptic males.
- Picricum acidum** (tds) : Mental and physical prostration.
- Pulsatilla nig.** (tds) : For contradictory, changeable, lachrymose females suffering from anemia due to iron deficiency or abuse of iron tonic.
- Secale cor.** (tds) : In thickening of the coats of arteries producing hypertension, angina pectoris, right heart disease, with cold and blue extremities. Patient is better in cold and with cold applications.
- Staphysagria** (tds) : For residual pain, nervousness after teeth extraction.
- Sterculia a.** (tds) : Fatigue. Regulates the blood circulation. Regulates cardiac rhythm and gives strength to a weak heart. 3-10 drops, three times a day.
- Turnera** Q (tds) : 10 to 40 drops a dose, thrice daily acts as a tonic in sexual weakness and removes frigidity in females.
- Vanadium** (tds) : A true digestive tonic after sub-acute and acute


- gastroenteric inflammation and in early tuberculosis.
- Veratrum alb.** (tds) : A useful heart tonic when there is cold sweating on the forehead.
- Viburnum prun.** Q (bd) : It is great uterine tonic. Strengthens the muscles of the uterus and removes tendency to habitual abortions.
- Yohimbinum** Q (bd) : Excites sexual organs and stimulates the function of lactation.
- Zincum met.** (tds) : For old persons and also for paralysis. Often for cerebral thrombosis.

NOTE 1: A report published in *The Journal of American Medical Association* on 13 - 1 - 99, stated that researchers at the Oregon Health Division in Portland and Centres of Disease Control in Atlanta found that Alfalfa can cause Salmonella - a disease with symptoms of nausea, vomiting, diarrhea and stomach pain, if Alfalfa plant parts used in preparation of the tonic Alfalfa are not washed properly before preparing the medicine.

NOTE 2: Mega doses of vitamins and other health suppliments may do more harm than good. It is best to get required nutrients from food instead.

TONSILS

- Agraphis nutans** (tds) : Enlarged tonsils.
- Ammonium mur.** (tds) : Internal and external swelling of the throat and tonsils; can hardly swallow anything. Phlegm is sticky.
- Baryta carb.** (tds) : Scrofulous children who are physically dwarfish and do not grow and develop normally. Tonsils always swollen. Catarrh of posterior nares. Takes cold easily. Suppurating tonsils from every cold. Smarting pains when swallowing. Can swallow only liquids. Stinging pain in the tonsils. A great remedy in such conditions, both in children and old people.



- Baryta mur.** 3x (tds) : Tonsils are enlarged and swollen. Swallowing is difficult. Has to breathe through the mouth.
- Belladonna** (tds) : Enlarged tonsils with redness. Burning, dryness and a sense of constriction in the throat. In such cases, it should be considered as the first remedy.
- Brain** 3x (tds)
(Lerveau) : It is an excellent remedy for the sequele after surgical removal of tonsils.
- Calcarea carb.** 1M (hs)
Repeat after one month : It is another remedy for ailments after surgery of tonsils. Give it once a month till cured.
- Calcarea fluor.** 6x (tds) : Inflammation of the tonsils with pus formation or deposits of small mucus plugs on the tonsils. Hypertrophy of the pharyngeal tonsils. Pain and burning in the throat is relieved by warm drinks but is worse by cold drinks.
- Calcarea sulph.** (tds) : Abscess on the tonsils.
- Guaiacum off.** Q (bd) : Acute tonsillitis with sore throat, worse heat and touch.
- Hepar sulphuris** (tds) : Tonsils inflammed with danger of pus formation. Sensation of a thorn in the throat and ulcers on the tonsils are cured by this remedy.

- Lachesis** 200 (hs) : Tonsils sore and swollen, worse left side.
Repeat after a week Septic conditions. Painful with hawking. Purplish or of livid color. Swallowing saliva or liquids is painful. Cannot bear anything tight around the neck. Slightest pressure internally or externally on the neck or even touch annoys.
- Mercurius iod.** 2x (tds) : It is an excellent general remedy for tonsillitis when there is inflammation and pain in the tonsils, worse right tonsil.
- Mercurius sol.** (tds) : Tonsillitis with bad breath and with painful swallowing.
- Nitricum acidum** (tds) : Tonsillitis, where the throat is so painful that the patient really cannot swallow anything, is cured by this remedy.
- Phytolacca dec.** (tds) : Inflammation of the tonsils with pain in throat. Tonsils become dark red and blue. The patient cannot swallow hot drinks. Hoarseness is usually present.
- Pyrogenium** 200 (hs) : For septicemia of tonsils.
Repeat after a week
- Streptococcinum** 1000 (hs) : For all troubles and ailments after tonsillectomy (removal of tonsils). The patient is pale, blue or has dark rings around the eyes. No appetite and is listless. Give one dose every month for six months.
Repeat after a month
- Tuberculinum** 1M (tds) : Always keep this remedy in view when treating frequent tonsillitis and enlarged tonsils with a hard dry cough and loss of weight.
Repeat after a month
- NOTE:** Tonsil is a mass of lymphatic tissue which acts as a filter to protect the body from the invasion of bacteria and aids in the formation of white cells.

TRANQUILIZERS

Tranquilizers are drugs that promotes tranquility by calming, soothing, quieting or pacifying without sedating or depressing effects.

- Coffea cruda** (qid) : Sleepless, on account of mental activity; flow of ideas, with nervous excitability.
- Kalium phos.** (qid) : One of the greatest remedies of the nervous system. Want of nerve power. Mental and physical depression on account of excitement, over-work and worries. For insomnia use 200x, otherwise 6x.
- Passiflora Q** (qid) : It has a quietening effect on the nervous system. In cases of insomnia, it produces normal sleep without any disturbances in cerebral functions. Large doses of 60-100 drops are required, repeat several times.
- Piscidia Q** (bd) (sos) : It is a nerve sedative. Brings normal sleep in cases of insomnia due to worry, nervous excitement, spasmodic cough. Pains of irregular menstruation. Regulates the flow. Neuralgias and spasmodic affections. Use 50 drops a dose as required.
- Xanthoxylum** 3x (tds) : Its specific action is on the nervous system, specially in nervous patients of spare habit. Insomnia. Frightened. Mental depression.

TRAVELLERS

- Bellis per.** (qid) : A good remedy for travellers who have muscular soreness. Ill-effects of cold foods and drinks when the body is heated. Railway spine.

TRAVELLING SICKNESS

- Arnica mont.** (qid) : Fatigue after travelling by air on a long distance.
- Baptisia** (tds) : Shipboard fevers.
- Belladonna** (tds) : Air sickness in aviation. Give as preventive before boarding an aeroplane.

Bellis per. (tds)	: A good remedy for railway travellers and other travellers who get backache and muscular soreness on travelling. Railway spine.
Borax (tds)	: Great fear of travelling in a plane when it descends to land.
Carbo veg. (qid)	: Colic from riding in a carriage.
China off. (tds)	: Fatigue after loss of blood or other vital fluids.
Coca (qid)	: Many complaints of mountaineering are covered by this remedy. Palpitation, dyspnea, anxiety and insomnia.
Cocculus ind. (tds)	: Nausea and vertigo from riding in a car, boat (on looking at a boat in motion), also sea sickness.
Lac def. (tds)	: Car sickness.
Nitricum acidum (tds)	: Marked improvement in all symptoms while riding in a carriage.
Nux vomica (tds)	: Problems of digestion in air travellers.
Petroleum (tds)	: Ailments from riding in cars, carriages and ships.
Platinum met. (tds)	: Constipation of travellers who are constantly changing food and water.
Sanicula aqua (tds)	: Nausea and vomiting from riding a car.
Tabacum (tds)	: Sea sickness. Faint, sinking feeling in the pit of the stomach. Nausea.

TREMBLING (PARALYSIS AGITANS - TREMORS)

Absinthium (tds)	: Sensation of trembling in heart and tongue.
Agaricus mus. (tds)	: It has trembling and vertigo due to intoxication of the brain.
Ambra grisea (tds)	: Trembling of single parts of the body, like hands, arms, etc. in old age. It is a great old age remedy and cures many diseases related to old age.


- Argentum nit.** (tds) : A complimentary of Gelsemium, specially when diarrhea accompanies and there is weak memory.
- Cocculus ind.** (tds) : Trembling of hands when eating. Legs tremble on walking, with a tendency to fall on the side.
- Conium mac.** (tds) : Trembling - difficult gait.
- Gelsemium** (tds) : Trembling on account of weakness of muscles and nervous system or impending paralysis. Gout causes staggering. For such conditions, it is an important remedy. Lack of muscular coordination. It reactivates and enlivens the dead cells.
- Ignatia amara** (tds) : Trembling on account of emotional circumstances, suffering of body and mind.
- Lachesis** (tds) : Use it for trembling of the tongue.
- Lathyrus sat.** (tds) : Trembling on account of slow nerve power and paralytic affections of the lower extremities. Reflexes are always increased and the movements of the fingers and toes are slow.
- Magnesium phos.** 1000 (hs) : Trembling of hands due to any cause and for general trembling. One dose a week.
Repeat after a week
- Medorrhinum** 1M (hs) : State of collapse and trembling all over.
Repeat after a week
- Phosphorus** (od) : Weakness and trembling from every exertion.

TUBERCULOSIS


A 1992 report of the World Health Organization states that 1\3rd of world's population was infected with this disease. The frightening fact is that about 3 million people die from tuberculosis each year, leaving rest to possibly spread the disease. Tuberculosis is spread from person to person by coughing, sneezing, etc. Coughing not associated with large quantities of sputum but often streaked with blood is the first common symptom. Fever, loss of weight and profuse sweats, specially during the night, may follow. Under such circumstances, an X-ray of the lungs will reveal the original defect.

Many think of tuberculosis as tuberculosis of the lungs only, but it can be of cavities of the abdomen, urinary and reproductive systems, bones and joints including the spine. Homeopathy offers a very successful treatment in this respect. In advanced cases, bed rest with an adequate well balanced vegetarian diet and relief from emotional tension is required.

- Acalypha ind.** Q (bd) : Spitting of blood.
- Allium sativum** (tds) : Four to six grams of raw garlic boiled in a little milk and given in divided doses, 3-4 times a day dries up the excessive phlegm in the patients of tuberculosis.
- Arsenicum iod.** 3x (tds) : Phthisis with hoarse, racking cough and profuse expectoration of a purulent nature. Cardiac weakness. Emaciation and debility. Chronic watery diarrhea. Appetite good. Anemia and dyspnea. Night sweats. Afternoon rise of temperature in early stages.
- Aviaire 1000** (tds)
(Tuberculin from birds)
Repeat after six months : Has proved to be an effective remedy in tuberculosis, when there are symptoms of influenza and bronchitis. Relieves debility. Diminishes the cough. Improves the appetite and breaks up the disease. This should not be repeated before six months.
- Calcarea phos.** 6x (qid) : Weakness due to the disease. Consumption develops very rapidly.
- Carbo animalis** (tds) : Ulceration of the lungs with a feeling of coldness in the chest. Cough with discharge of greenish pus.
- Chininum sulph.** (tds) : Subnormal temperature. Chronic cough. Gradual loss of weight.
- Cocculus ind.** (tds) : Sensation of emptiness and cramps in the chest. Dyspnea. Constriction of the chest. Oppressed breathing, producing cough.
- Digitalis** (tds) : Reduces the fever of the disease. Tuberculosis with heart disease.
- Drosera** (tds) : Laryngeal phthisis with rapid emaciation. Hoarseness. Constriction of the throat at every word uttered.



The tubercle at this state is just visible to the naked eye.



The **PRIMARY COMPLEX**

Rapid development of small aggregate of tubercles **with caseation-Ghon focus**

General spread



Spread to individual organs

e.g. Tuberculous meningitis



TB of bone and adjacent joint



Bone



-
- Ferrum phos.** (tds) : A very good and powerful palliative in severity of tuberculosis symptoms.
- Guaiacum off.** (tds) : Tuberculosis in rheumatic subjects. Suffocation. Dry, tingling cough. Stitches in the ribs and chest. Shortness of breath with expectoration.
- Helix tosta** CM (hs)
Repeat after 1 week : Hemoptysis of consumption.
- Hydrastis** (tds) : To fatten patients after tuberculosis.
- Millefolium** Q (bd)
10 drops in ½ cup of water : Hemoptysis in incipient phthisis. Cough with bloody expectoration.
- Phosphorus** (hs)
Once a week : Tuberculosis in tall, rapidly growing young people. Do not give less than 30 potency and that also not too frequently. If given often, it may hasten the destructive degeneration of the tubercloid masses. Repeated hemoptysis. Hard, dry cough with congestion of the lungs. Burning pains, heat and oppression of the chest. Tuberculosis of the intestines.
- Sabal ser.** (tds) : Tuberculosis of the larynx.
- Saccharum off.** (tds) : For diarrhea in the disease.
- Senecio aur.** (tds) : Acute inflammatory conditions of the upper respiratory tract. Hoarseness. Chest sore and raw. Dyspnea on ascending. Dry, teasing cough with chest pain.
- Silicea** (tds) : Large cavities in the lungs. Fever. Night sweats.
- Stannum met.** 3x (tds) : Phthisis of pulmonary mucous membranes. Violent, dry cough in the evening and at night with copious green, sweetish mucus. Respiration short and oppressive. Fever. Hoarseness.
- Streptococcinum** 200 (hs)
Repeat once a week : Reduces fever. Rapid action on temperature.
- Thuja occ.** (tds) : Tuberculosis of larynx.

TUMORS

(SEE ALSO 'CANCER')

Normal cells reproduce themselves throughout life but in an orderly and controlled manner. Normal growth occurs, worn out tissues are replaced and wounds heal. When cells grow out of control and form a mass, the mass is called tumor. Some tumors grow and enlarge only at the site where they began and these are benign tumors. Other tumors not only enlarge locally but have the potential to invade and destroy the normal tissues around and to spread to the distant parts of the body. Such tumors are called malignant or cancerous. Distant spread of a cancer occurs when malignant cells detach themselves from the original (primary) tumor, are carried to other parts of the body through blood or lymphatic vessels and establish themselves at the new site as a cancer. A tumor that has spread in this way is said to have metastasized and the secondary tumor or (tumors) is called metastasis. However, not all the localised growths are benign and not all the growths occurring at different sites are malignant. Genes are the blue prints that tell a cell when to divide and when to die. Often when a gene turns bad, it triggers uncontrolled growth, but genes called tumor suppressors step in to stop it. It is when these tumor suppressors also turn bad, that the tumor develops.

- | | |
|---------------------------------|---|
| Alumen 200 (od) | : Tumor of ovaries with chronic constipation. |
| Anilinum (tds) | : Tumors in the urinary passages. Anemic with blue lips. |
| Arsenicum alb. (tds) | : For malignant tumors originating in the epidermis of the skin, a carcinoma. |
| Asterias rub. (tds) | : Tumors of breasts. Acts on both breasts but better on left. |
| Aurum ars. (tds) | : Uterine cancer. Sexual desire increased. Inflammation of ovaries. Menses too copious, too frequent or absent. |
| Aurum met. (tds) | : Tumors of bones find this remedy useful when there are nocturnal bone pains. |
| Aurum mur. nat. 3x (tds) | : A very good remedy for uterine tumors. |
| Belladonna (tds) | : Painful tumors of the breast. |
| Bufo rana (tds) | : It is palliative in cancer of breast. |
| Calcarea carb. 200 (od) | : Brain tumor. Headache and vertigo on turning |

- the head. Icy coldness of the head. Maybe used in fat patients. Pedunculated fibroid tumors with roots and Calcarea phos. for fibroid tumors without roots, other indications of remedies must agree.
- Calcarea fluor.** 200 (od) : Hard tumor of abdomen, scalp and left breast. Head remedy for vascular tumors and encysted tumors. Bony tumors cure fibroid deposits about the endocardium and lungs, and restores their normal function.
- Calcarea iod.** (tds) : Uterine fibroids.
- Calcarea phos.** 200 (od) : Maybe used in thin persons. Brain tumor.
- Calendula off.** (tds) : Tumors composed of nerve cells - neuroma.
- Chimaphila Q** (bd) : Women with large breasts and painful tumor of mammae, not ulcerated and with abundant milk.
- Colocynthis** (tds) : Cystic tumor of the ovary.
- Conium mac.** (tds) : Painful and hard tumor or cancer of either breast or both and that of uterus and stomach specially if the trouble started with an injury to these parts. Tumor of the abdomen.
- Conium mac.** (tds),
Kalium carb. (tds) : Tumors. Select the remedy according to the symptoms of the medicines.
- Cundurango Q** (bd) : Hard tumor of the left breast.
- Eucalyptus** (bd) : Use externally and internally in vascular tumors of female urethra.
- Fraxinus amer.** Q (bd) : Fibroid tumors of the uterus with bearing down sensations. Dysmenorrhea.
- Hekla lava** (tds) : A general remedy for tumors anywhere.
- Hydrastis** (tds) : Tumors of breast, hard and painful. Nipple retracted. Menorrhagia.
- Hypericum** (tds) : Slow developing tumors specially on the passage of nerves.
- Kalium carb.** (tds) : Cancer of womb with severe itching and cutting pains from hip to knee.

Kalium iod. CM (hs) Repeat after a week	: Womb packed with tumors. Patient is tired with sleeping feeling of legs. It causes disappearance of tumors and nodules of long standing.
Kalium phos. (tds)	: Remember it in the treatment of suspected malignant tumors.
Kreosotum (tds)	: Cancer of uterus with very fetid oozing of blood. Epithelial tumor of the lower lip with dry cracked skin.
Lachesis 200 (hs) Repeat after a week	: Tumor or cancer of the left ovary or both ovaries. Pain in the uterine region increases before menses and is relieved during menses.
Lapis albus (tds)	: Fibroid tumor or cancer of uterus with burning pains and debilitating bleeding.
Mercurius iod. flav. (tds)	: Mammary tumors with warm perspiration.
Nitricum acidum 200 (od)	: Cystic tumor in the region of the ear lobes.
Palladium met. (tds)	: Tumors of ovaries.
Phytolacca dec. (tds)	: Mammary tumors with enlarged axillary glands.
Platanus occ. Q	: If used for sometime, specially in children, its application cures tumors of eyelids.
Pulsatilla nig. (hs) Repeat after 15 days	: A dependable remedy for uterine fibroids situated near the fundus. A dose fortnightly.
Selenium met. (tds)	: Tumor of the right breast.
Silicea (tds)	: By its use, the fibroma, specially fibroid in the uterus disappears. Takes some time to show results.
Solidago vigra. Q (bd)	: Uterine fibroids pressing down on the bladder causing difficulties in passing urine.
Staphysagria (tds), Calcarea carb. 200 (od)	: Sebaceous tumors of the eyes. Tumors of the eyes containing an oily, fatty matter.
Teucrium mar. CM (hs) Repeat once a week	: Polypus in vagina. Removes fibrous tumor of eyelids, and also uterine fibroids.
Thiosinaminum 2x (tds)	: It is a great remedy for dissolving a tumor. Use with indicated remedy.
Thlaspi bursa Q (bd)	: Cancer or fibroid of uterus accompanied with



- hemorrhage with cramps, clots and aching in the back.
- Thuja occ.** 200 (od) : Brain tumors with migraine. Flatulence. Constipation. The patient is emotional and sentimental. Spongy tumors of the abdomen. Tumors of eyelids. Polypus of cervix of uterus. Irregular menses. Non-metastatic fatty tumors (lipoma). In such cases, follow it with a dose of Bacillinum 200 after 4 days. Bacillinum will not act unless Thuja occ. has been used before.
- Thyreoidinum** 2x (tds) : Fibroid tumor of breasts and uterus.
- Trillium pend.** (tds) : Very useful for hemorrhage from fibroids.
- Tuberculinum** 200 (hs) : A dose of this remedy should be given at the commencement of all sorts of tumors. Specially for benign mammary tumors.

TYPHOID FEVER (SEE 'FEVERS')

ULCERS


A lesion on the surface of the skin or on a mucous surface, caused by superficial loss of tissue, usually with inflammation.

- Anthracinum** (tds) : Malignant ulcers with terrible burning. Inflammation of the connective tissue where a purulent focus exists.
- Argentum nit.** (tds) : Gastric ulcers.
- Arsenicum alb.** (tds) : Painful burning ulcers with hard margins. Ulceration of heels.
- Asterias rub.** (tds) : Chronic ulcers, ulcers with sensitive edges and fetid discharges.
- Calendula off.** (tds) : Use locally for all kinds of ulcers and wounds. A most remarkable healing agent. Promotes



Biopsies from edge and base both show inflammation

Malignant ulcer



Biopsy from base may miss malignant tumor

Biopsy from edge likely to show malignant tumor

healthy granulations and rapid healing. Checks bleeding and makes the acrid discharge healthy and free. Use 30 potency orally and mother tincture 50 drops to an ounce of water, locally. Ulcers must be kept clean.

Carbolicum acidum 200 (od): Old ulcers in diabetic patients.

Cephalandra Q (bd)

Cinnamomum (tds)

: Oil of cinnamon in aqueous solution is the best disinfectant - 5 drops in a litre of water as a douche and for ulcers of the vagina or other infections and whenever a germicide and disinfectant is needed.

Echinacea Q	: 10 drops in water locally as a cleaning, antiseptic wash.
Graphites (od)	: A useful remedy for duodenal ulcers.
Gernanium Q (tds)	: Lessens vomiting in gastric ulcers. It is also useful for cure of gastric ulcers when given in half-dram doses, thrice daily.
Gunpowder 3x (tds)	: It should be used when there is septic suppuration. Protects wound infection.
Hamamelis (tds)	: Varicose ulcers with great sensitiveness of parts. Use locally in Q and internally, 12x potency.
Hepar sulphuris 1x-3x (tds), 200 (od)	: A very good remedy for healing ulcers where there is tendency to suppuration. Higher potencies like 200 abort suppuration and lower potencies 1x-3x promote it.
Hydrocotyle (tds)	: Ulcers of the womb.
Mercurius sol. (tds)	: Ulcers with thin, purulent discharge which is fetid.
Mezereum (tds)	: Sensitive and easily bleeding ulcers. Pains at night. Tendency to pus formation or pus already formed under the scab.
Nitricum acidum (tds)	: Ulcers that bleed when touched. Stinging pains. Sensation of a splinter, hard elevated irregular edges and growth of fungus on ulcers. Syphilitic ulcers.
Paeonia off. 3c (tds)	: Ulcers caused by wearing shoes of shorter size or misfitted shoes. Chronic ulcers on the lower parts of the body, leg, foot, toe, rectum, below coccyx, around sacrum and also breast. Burning.
Phosphorus (od)	: Punched out ulcers. Ulcers that bleed easily. Ulcers surrounded by smaller ulcers. Healed ulcers break up again and again, and show no tendency to heal.
Sanicula aqua (tds)	: Ulcers between the toes.
Silicea (bd)	: Simple ulceration and perforating ulcers which do not heal properly and quickly, and where

- granulations are taking time. Useful in ulcers of lungs and breasts.
- Sannum met.** (tds) : Ulceration of the ring hole in the lobe of the ear.
- Sulphur** (od) : Ulcers that itch very much and where scratching causes burning.
- Symphytum off.** 1M (hs) : For gastric and duodenal ulcers. It stimulates the growth of epithelium on the ulcerated surfaces.

URETHRA

It is a canal leading from the bladder, discharging urine externally.

- Ambra grisea** (tds) : Itching in the urethra with burning micturition.
- Berberis vulg.** Q (bd) : Burning between acts of urination.
- Calcarea carb.** (tds) : Stone in urethra. Give every hour for its expulsion.
- Clematis erecta** (tds) : Biting pain or tickling in the orifice of urethra before urinating. Burning, itching and stinging in the urethra after urination. Urine is emitted drop by drop. Interrupted flow, frequent and scanty.
- Eucalyptus** Q (bd) : Use internally and externally in vascular tumors of the female urethra, and also in carbuncles of urethra.
- Ficus ind.** Q (tds) : Bleeding from urethra.
- Mercurius acet.** (tds) : Cutting in urethra when last drop of urine is flowing out.
- Pareira brava** (tds) : Itching along the urethra. Inflammation of the urethra.
- Petroselinum** (tds) : Intense itching deep inside the urethra. Constant dribbling of urine in open air. Has to get up several times at night to void urine.
- Phosphorus** (bd) : Bleeding from urethra after passing a catheter in it.

- Staphysagria** (tds) : When a stone has been removed surgically from the urethra and much pain and cold perspiration remains after removal or any other difficulty after an operation of the urethra.
- Thlaspi bursa Q** (tds) : Inflammation of the urethra. Often removes obstruction in urethra to produce normal flow of urine and replaces the use of a catheter.
- Thuja occ.** (tds) : Burning in the urethra. Discharge thick. Urine stream splits.

URINE

- Acidum phos.** 1c (bd) : Frequent, profuse and watery or milky urine. Frequent urination at night.
- Acidum phos.** (tds).
Cina (tds) : Urine becomes milky on standing in children.
- Aconitum nap.** (tds) : Urine retained in infants. Hardly any other remedy will be needed.
- Aloe soc.** (tds) : Cannot pass urine without passing stool.
- Alumina** (tds),
Baryta carb. (tds) : At night, frequent desire to pass urine in old people.
- Ambra grisea** (tds) : Urine smells sour.
- Ammonium phos.** 3x (tds) : Excess of uric acid in the urine with gout.
- Apis mel.** (tds) : Desire frequent but passes in drops. Last drops burn and smart.
- Apis mel.** (tds),
Sabal ser. (tds) : Difficult urination due to affections of prostate gland.
- Argentum nit.** (tds) : Urine passes unconsciously day and night. Emission of few drops after having finished urination. Reduction of weight and loss of sleep. Large quantity of urine with or without diabetes.
- Arnica mont.** (tds) : Dribbling after labor.
- Arsenicum alb.** (tds) : Epithelial cells in urine.

-
- Arum triph.** (tds) : Starts the flow of suppressed urine within a short time when it is suppressed for a day. There can be frequent, abundant, pale urine alternately.
- Baryta mur.** (tds) : Great increase in uric acid.
- Belladonna 200** (bd) : Retention of urine in an otherwise healthy person, due to a kidney trouble. Urine is dark and turbid. Involuntary passage of urine during sleep at night.
- Benzinum nit.** (tds) : The color of urine is black.
- Benzoicum acidum** (tds) : Dribbling of urine in old people with an enlarged prostate. Urine has the smell of bitter almonds in clothes; the smell fills the whole room. It cures excess uric acid in urine.
- Berberis vulg.** (tds),
Kalium bich. : Sensation as if some urine remained after urinating.
- Borax** (tds) : Painful urination in children. Child is afraid to urinate and cries.
- Bryonia alba** (tds) : Urine brown, like beer.
- Cannabis ind.** (tds) : Urine retained due to kidney or bladder inflammation. Urine contains much slimy mucus. Much straining to void urine.
- Cantharis** (tds) : Burning urine. Voided drop by drop. Suppression with restlessness. Constant desire to urinate. Pain before and during urination. Urine maybe bloody.
- Carbolicum acidum** (tds) : Urine is almost black and offensive. Irritable bladder of old people with prostate trouble.
- Causticum** (tds) : Retained after surgery or voided very slowly, and also if it is retained after labor which was strenuous. Frequent desire at night in old people for passing urine. Loss of sensability in passing urine. Involuntary when sneezing or coughing.
- Chelidonium** (tds),
Chenopodium (tds) : Urine profuse and foamy, yellow like beer. Dark and turbid, not clear.

Chininum sulph. (tds)	: Urine contains a small amount of uric acid and phosphoric acid.
Clematis erecta (tds)	: Involuntary loss of urine at the end of urination.
Coccus c. 3x (tds)	: Urine contains uric acid calculi and urates.
Conium mac. (tds)	: Frequent urination in old people at night and sometimes, urine cannot be retained; passes involuntarily. Dribbling in old people. Much difficulty in voiding. It flows and stops again.
Copaiva off. (tds)	: Voided in drops with pain. Before micturition, burning pressure. Urine retained with pain in anus and rectum. Fetid smell and is turbid green in color.
Cuprum ars. (tds)	: Urine dark and scanty, specially in diabetic patients. Urine suppressed.
Damiana Q (tds)	: Incontinence of old people. Urine leaks out involuntarily.
Dulcamara (tds)	: Must urinate when getting chilled.
Epigea repens Q (bd)	: Urine contains muco-pus, uric acid, gravel, renal calculi or fine sand. Urine is of brown color.
Equisetum (bd)	: Painful urination with burning. Severe pain after urination. Urine is voided drop by drop.
Eupatorium perf. (tds)	: Burning in bladder and urethra on urinating. Insufficient flow. Urine is milky and bloody. Polyuria with constant desire.
Ferrum acet. (tds), Kalium acet. (tds)	: Urine alkaline.
Formica rufa (tds)	: A useful remedy for <i>Bacillus coli</i> infection of urine. Large quantities of turbid and fetid urine is passed at night.
Hamamelis (tds), Erigeron (tds)	: Urine bloody with stone in bladder.
Hedeoma (tds)	: Frequent and urgent urge for urination with pain along left ureter and kidney to bladder. Urine contains uric acid.

-
- Helleborus** (tds) : Urine suppressed. Unconsciousness. Convulsions. Body smells like urine.
- Hepar sulphuris** (tds) : Patient has to wait for some time before he can pass urine. Takes a very long time to finish urination. Patient never finishes urinating. It seems as if some urine always remains behind.
- Joanosis asoca Q** (tds) : Irritable bladder of ladies. Involuntary urination at night.
- Kalium sulph.** (tds) : A very useful remedy when there is excessive calcium oxalate and other oxalates in the urine.
- Kreosotum** (tds) : Urine is offensive and there is violent itching of vulva and vagina; worse when urinating.
- Lecithinum 12x** (tds) : Its use causes rapid decrease of phosphates, sugar or albumin in the urine. There is scanty secretion of urine.
- Lithium carb.** (tds) : Heavy deposits of mucus, uric acid or pus in the urine.
- Lycopersicum escu.** (tds) : Dribbling of urine in open air. Urine contains uric acid and is slow in coming. Polyuria during the night.
- Lycopodium** (tds),
Ocimum can. (tds) : Head remedy for red sand in urine. Lycopodium is also a great remedy for uric acid diathesis.
- Magnesium mur.** (tds),
Cannabis ind. (tds) : Must wait a long time before he can urinate.
- Medorrhinum 1M** (hs) : Frequent urination during menstruation.
- Mercurius acet.** (tds),
Sarsaparilla (tds) : Cutting pain in urethra when the last drop is flowing out.
- Mercurius sol.** (tds) : Frequent desire. Burning in urethra on beginning to urinate. It also cures urination on account of nervousness.
- Methylene blue 3x** (tds) : Urine is of green color and contains a large amount of blood.
- Natrium mur.** (tds),
Pulsatilla nig. (tds),
Causticum (tds),
Zincum met. (tds),
Kalium carb. (tds) : Urine escapes involuntary while coughing, sneezing, etc.

Natrium mur. (tds), Oxalicum acidum (tds)	: Oxaluria.
Nitricum acidum (tds)	: Urine is scanty and smells like the urine of a horse.
Nux vomica (tds)	: Frequent urination due to troubles of digestion. Urine dribbles or is passed with great difficulty. Urethra and vulva feel itchy.
Ocimum can. (tds)	: Red sand in the urine. It is the most important characteristic of this remedy. Urine smells like musk. Uric acid diathesis.
Opium 200 (od)	: Retention or involuntary urination after fright.
Pareira brava (tds)	: Dribbling after micturition. Constant desire. Flow starts after great straining with pain in the thighs.
Petroselinum (tds)	: Urine escapes if not attended to quickly. Intense biting, itching, deep in the urethra.
Plumbum met. 1M (hs)	: Urine extremely fetid. Urine suppressed. Frequent, ineffectual urge for urination. Tenesmus of bladder.
Populus t. (tds)	: Irritation of bladder. Urine contains mucus and pus. Urination painful and scalding.
Pulsatilla nig. (tds)	: Frequent urination due to weakened pelvic muscles. Burning during urination. Urine is voided involuntarily when coughing or sneezing or passing gas.
Rumex crispus (tds)	: Involuntary spurting of urine on coughing or sneezing.
Sabal ser. 3c (tds)	: Constant desire to pass urine at night. Difficult urination. Partial paralysis of sphincter of urinary bladder. Irritability of genito-urinary organs.
Sarsaparilla (tds)	: Dribbling while sitting. Severe pain at conclusion of urination.
Senega (tds)	: Involuntary passing of urine in sleep during the day.
Sepia (tds)	: Urine offensive. Slow micturition.

- Serum anguillae** (tds) : In affections of kidney from cold or intoxication, when there is diminished amount of urine or complete suppression of it, due to failure of kidneys. The use of this remedy produces large quantities of urine and removes the infection. It also cleans the urine from albuminuria.
- Solanum lyc.** (tds) : Dribbling in open air.
- Squilla maritima** (tds) : Great urging. Involuntary spurting of urine when sneezing or coughing like Causticum and Pulsatilla. Becomes more indicated in old people with recent or chronic bronchitis. Cannot hold urine when the urge comes.
- Staphysagria** (tds) : Great and frequent urging to urinate after intercourse in young or newly married women.
- Sulphur** (od) : Polyuria specially at night. Burning in the urethra lasts long after micturition. Must hurry. Sudden call to urinate. Great quantities of colorless urine.
- Sulphur** (od),
Psorinum (od),
Carbo veg. (tds) : These are other remedies for the infection of urinary tract.
- Terebinthiniae** (tds) : Suppression of urine. Violent convulsions, all due to a kidney trouble.
- Thlaspi bursa** (tds) : Urine contains brick dust like sediment and the flow is intermittent and runs like little jets. It may contain blood.
- Thuja occ.** 1M (hs) : A very good and curative remedy for Bacillus coli infection of urine. A dose every week.
- Triticum rep.** (tds) : It is a very good remedy for excessive irritability of the bladder. There is a constant desire to pass urine and incontinence.
- Turnera** (tds) : Incontinence of old people; cannot retain urine when the urge comes and it escapes.
- Urtica urens** Q (tds) : Give 5 drop doses in warm water in case of suppression of urine.
- Veratrum alb.** (tds) : For suppressed urine in cholera.

- Verbascum Q (bd)** : Constant dribbling of urine and enuresis of long standing. 2 drops a dose, morning and evening.
- Vesicaria Q (tds)** : Cures polyuria, pyuria, albuminuria and hematuria. Painful and interrupted urination in drops produced by spasmodic muscular contraction of urethra and bladder. Use 10-15 drops thrice daily.
- Viburnum op. Q (bd)** : Ideal for immune system deficiency at the level of urinary tract and helps eliminate certain toxins from blood. Frequent urging. Pale, light colored urine. Urine escapes while coughing and sneezing or walking. The plant juice is commercially sold as “Cranberry juice” for use as a beverage.
- Viola tricolor (tds)** : Urine is copious and has a disagreeable smell like the smell of cat’s urine.

NOTE 1: Several cases of incontinence come to homeopaths for treatment. Incontinence means that urine leaks out on coughing, sneezing, laughing or physical activity or otherwise, it cannot be held back on desire. Apart from the treatment given above, the following exercise, which can be done sitting down, lying down or standing up, maybe done regularly.

1. Breathe deeply but do not hold breath.
2. Tighten the muscles around the anus, pulling inward and upward without contracting the abdominal, back or thigh muscles.

NOTE 2: Women are affected by incontinence twice as often than men. This is due to pregnancy, childbirth and age. It can be caused by neurological problems such as multiple sclerosis or triggered by caffeine, chocolate, alcohol or spicy foods. Decreasing these irritants and drinking 6 to 8 glasses of water a day may help to rectify the problem.

RETENTION ON URINE

- Aconitum nap. (qid)** : Retention of urine due to exposure to cold and rains or from inflammation or from fright.
- Arnica mont. (qid)** : Due to over-exertion.
- Camphora (tds)** : Due to suppression of eruptions or discharges.
- Causticum (tds)** : After surgical operations of paralysis.

- Ferrum phos.** (qid) : During fevers of acute illness.
- Opium** (bd) : After child birth.
- Zincum met.** (tds) : In hysterical patients.

URTICARIA

(NETTLE RASH)


- Acidum sulph.** (tds) : It relieves the troublesome itching and gives relief to the patient. Give 4 doses a day in between the treatment when the patient cannot tolerate itching. Chronic urticaria.
- Antimonium crud.** (tds) : Urticaria on account of indigestion. Thickly coated white tongue is a sure indication for its use.
- Apis mel.** (tds) : Sudden puffing up of the whole body, swelling like bites of honey bee. Stinging and burning pains. Give it at the start of the disease.
- Arsenicum alb.** (tds) : Unquenchable thirst for small quantities of water. Restlessness. Burning relieved by warmth. Intense itching.
- Astacus fluviatilis** (tds) : Irritation is more at night, by the warmth of the bed. Chronic urticaria. Liver diseases are generally present.
- Bovista** (tds) : Urticaria on excitement of any kind. Itching on getting warm. Urticaria on waking in the morning, worse bathing. Chronic urticaria.
- Chloralosum 1x** (tds) : If Apis does not relieve, give four doses of this remedy in a day. It is a very successful remedy. It has red eruptions like measles with intense itching and sleeplessness. Urticaria comes out during the night and disappears during the day, is a guiding symptom.
- Dulcamara** (tds) : Rashes all over the body are particular to this disease due to chill and wet weather.

-
- Ferrum phos.** 6x (tds),
Kalium mur. 6x (tds) : Three grains of each mixed together can be given in routine thrice daily. In most of the cases, when no other remedy is indicated, it suffices. It can be given in alternation with Thyreoidinum which will clear the case.
- Hepar sulphuris** (tds) : It is very useful in chronic and recurring urticaria.
- Hydrastis** 3x (tds) : Hives, rashes of various kinds accompanied by constipation.
- Natrium mur.** 200 (od) : If there is constipation along with the disease and the patient is emaciated with an earthy complexion. Two doses a day. Urticaria after taking quinine or after suppression of malaria.
- Psorinum** (tds) : Urticaria after exertion.
- Pulsatilla nig.** (tds) : Dyspeptic urticaria with vomiting and diarrhea.
- Rhus tox.** (tds) : Urticaria with restlessness and burning. Itching is better by the warmth of the bed. Uncovering aggravates.
- Sepia** (tds) : Urticaria worse in open air and better in a warm room after taking milk.
- Skookum chuck** 3x (tds) : When urticaria resists other treatment.
- Sulphur** (hs)
 Repeat once a week : When there is aggravation at night and the rash is becoming chronic, Sulphur can be used as an intercurrent remedy.
- Thyreoidinum** 3x (tds) : It is almost specific in the cure of this disease. More the swelling, more the area of infection, more indicated is this remedy.
- Urtica urens** 1x (tds) : Intense and intolerable itching of the skin. Face is swollen with the rash. Irresistible scratching. This can be applied externally.
- Uva ursi** (tds) : Urticaria without itching.


UTERUS


It is a hollow muscular organ in which the impregnated ovum is developed into a child.

- Abies can. (tds)** : Sore feeling at the fundus of the uterus due to its displacement. Debility. Wants to lie down all the time. Feels chilly.
- Agaricus mus. (tds)** : Violent bearing down pains accompanied by sensation of coldness, numbness and tingling, specially after menopause.
- Agnus castus (tds)** : Hemorrhage. Vagina is much relaxed.
- Apocynum can. (tds)** : Menses scanty. Yellow leucorrhea with dropsy.
- Arnica mont. (tds)** : Bruised pain in the uterus after scrapping of the vagina and dilatation of uterus to cause surgical abortion or to remove unnecessary growths.



Menstruation






Tumors beneath the endometrium tend to bulge into the cavity and may eventually develop to form a fibroid polyp.



Endometriosis



- Arsenicum alb.** (tds) : Inflammation of the uterus due to excessive loss of blood from the uterus. Restlessness and weakness.
- Aurum ars.** (tds) : Cancer with increased sexual desire.
- Aurum iod.** (tds) : Inoperable fibroma or myoma of the uterus with very offensive hemorrhage. For ovarian cysts and pathological lesions.

- Aurum mur.nit.** 3x (hs),
Fraxinus amer. Q (hs),
Calcarea iod. 3x (hs) : All the three medicines are to be given in one day after a gap of four hours. Aurum mur. nit. in the morning, Calcarea iod. 3x at noon and Fraxinus amer. Q, 10 to 15 drops at bed time for cure of uterine fibroma.
- Belladonna** (tds) : Inflammation of the uterus after abortion. Face, red. Sensitive to motion.
- Bromium** (tds) : Loud emission of flatus from the uterus and vagina.
- Cadmium sulph.** CM (hs) : After radium and other treatments for cancer, if the disease still persists, give this remedy. There may be persistent vomiting.
- Calcarea ars.** (tds) : Cancer of the uterus.
- Calcarea phos.** (tds) : Polypus of the uterus.
- Cantharis** (tds) : Inflammation of the uterus with cystitis. Burning pain and swelling.
- Cimicifuga** (tds) : Pain travels from side to side.
- Colocynthis** 200 (bd) : Pains are severe. The patient doubles up by drawing limbs to the chest. Warmth and pressure relieve.
- Conium mac.** 200 (bd) : Firm and hard fibroma in old maids or women who have been deprived of sexual pleasure.
- Eupionum** 3 (tds) : Hemorrhage from the uterus. Blood is thin. Gushing leucorrhea. Uterus is tilted.
- Ferrum iod.** 3x (tds) : Prolapse of uterus. On sitting, sensation as if something was pressing in the vagina.
- Ficus rel.** Q (bd) : Hemorrhage from the uterus due to any cause, even cancer.
- Hepar sulphuris** (tds) : Inflammation of the uterus with throbbing pain worse by pressure, cold.
- Hydrocotyle** Q (bd) : Pains due to cervical cancer and ulceration of the womb.
- Kalium carb.** (tds) : Cancer with severe pains in legs and from hip to knee in cervical cancer.
- Kreosotum** (tds) : Fibroid cancerous tumors in the uterus, specially of cervix with fetid discharge. Ulcer

- on the neck or bleeding after sexual intercourse.
- Lachesis** (bd) : Pains on account of displacement of the uterus. Pains are more before menses but tone down after the flow.
- Lapis albus** (tds) : Hemorrhage from cancer of uterus. Patient is debilitated. Cancer with much burning pain.
- Lilium tig.** (tds) : Bearing down sensation with urgent desire for stool. Feels that pelvic contents would pass out of the vagina if not pressed by hand or by sitting down.
- Phosphorus** 200 (od) : Hemorrhage from the uterus. Blood is bright red. The patient is anemic.
- Podophyllum** (tds) : Prolapse of uterus specially after child birth or during pregnancy or from over-lifting or straining.
- Pothos** (tds) : Gas in the uterine cavity.
- Pulsatilla nig.** (tds) : Fibroid tumor near fundus.
- Pyrogenium** 200 (hs)
Repeat after 1 week : Septic hemorrhage of uterus after child birth.
- Rhus tox.** (tds) : Prolapsus after child birth or straining.
- Sabina** (tds) : Pain from sacrum to pubis travelling upwards to vagina after abortion. Inflammation.
- Sempervivum tect.** 2x (tds) : Cancerous tumor of uterus. The vagina becomes very irritable and dry with tender ovaries.
- Sepia** 1000 (hs) : Ulceration of the uterus with prolapse.
- Silicea** 200 (hs),
Sabina (bd),
Repeat after 1 week : Cysts in uterus and vagina.
- Thlaspi bursa Q** (bd) : Hemorrhage with violent uterine colic. Leucorrhea before and after menses. Recovers from one period when the other starts. Cancer or fibroma, hemorrhage with cramps and clots. Severe pain in womb on rising.
- Thyreoidium** 6 (bd) : Fibroid of uterus.
- Tilia eur.** (tds) : Inflammation of the uterus after child birth.

- Intense sore feeling about the uterus and bearing down sensation.
- Trillium pend.** Q (bd) : Hemorrhage on account of fibroids.
- Viburnum prun.** Q (bd), : A uterine tonic and for displacement of uterus.
- Kalium phos.** 6x (tds),
- Calcarea fluor.** 6x (tds)
- Viola odorata** Q (bd) : Headache due to uterine fibroids.

UVULA

(AN APPENDANT FLESHY MASS)

- Aconitum nap.** (tds) : For the constricted feeling of the uvula.
- Ammonium caust.** (tds) : Deposit of a white tenacious mucus on the uvula.
- Apis mel.** (tds) : It is a very good remedy for the elongation of uvula when there is a feeling of burning and scraping in the throat.
- Carbolicum acidum** (tds) : Uvula withered and shrivelled.
- Chimaphila** (tds) : Pain in vagina. Labia inflamed and swollen.
- Iris vers.** (tds) : Uvula enlarged like a cone in a thin tip.
- Kalium bich.** (tds) : Ulceration of the uvula.
- Mercurius bin iod.** 3x (tds) : Elongated uvula causing cough.
- Mercurius cor.** 3x (tds) : When an elongated uvula is causing trouble, apply a little of this remedy on the uvula. It will relieve immediately and permanently.
- Trifolium prat.** (tds) : Pain in the uvula.

VACCINATION

(ADMINISTERING A VACCINE)

- Arnica mont.** (qid) : Relieves pain and discomfort of the needle without antidoting the effects of vaccination.

- Malandrinum** (od)
For 3 days : Acute ill-effects of vaccination and eczema following vaccination. Efficacious in clearing the remains of vaccination.
- Silicea** (tds) : Ill-effects of vaccination, checks the suppurative process.
- Thuja occ.** 200 (od) : Chronic ill-effects of vaccination. Asthma alternating with eczema after more than one vaccination. The patient has never been well after vaccination. It also cures fever after vaccination.


VAGINA

- Agnus castus** (tds) : Inflammation of the vagina. Relaxation and prolapsus with copious white discharge.
- Allium sativum** Q (bd) : Eruptions on the vagina and vulva during menses.
- Alumen** 200 (od) : The vaginal canal is very narrow, causing pain and difficulty in penetration of the penis. Chronic yellow vaginal discharge. Aphthous patches in the vagina.
- Ambra grisea** (tds) : Discharge of blood from vagina by straining at stool. Inflammation of the vagina.
- Bromium** (tds) : Loud emission of flatus from the vagina.
- Calcarea carb.** (tds) : Fungal infection of the vagina with an itchy, milky discharge, which is worse before menses.
- Chimaphila** (tds) : Pain in vagina. Labia inflamed and swollen.
- Cimex lect.** (tds) : Shooting pain from vagina up towards the left ovary.
- Ferrum met.** (tds) : Soreness and cutting in vagina during coition.
- Hamamelis** (tds) : Its use relaxes the vaginal walls and cures leucorrhea which is due to catarrh of the womb.
- Hydrocotyle** 3x (tds) : For heat in the vagina. Pruritus of vagina. Granular ulceration of the vagina.

- Kreosotum** (tds) : Chronic itching within the vulva; burning and swelling of labia; violent itching inside the vagina during menses. Bleeding from vagina on the next day of coitus.
- Lac can.** (tds) : Escape of gas from vagina.
- Lycopodium** (tds) : Dryness of the vagina with burning pain during and after coition. Emission of gas from the vagina during sexual intercourse.
- Natrium mur.** 200 (od) : Dryness of vagina and aversion to coition.
- Phosphorus** (od) : Absence of sensation in vagina during coition.
- Sepia** (tds) : Vagina painful during coition. Bearing down sensation as if every thing would escape through the vulva. Prolapse of vagina and uterus. Fungal infection with a very offensive discharge, worse on coition.
- Silicea** (tds) : Bleeding from the vagina after suckling of the child. Patient is chilly. Vaginal cysts.

VARICOSE VEINS

- Acidum fluor.** (tds) : In all cases of varicose of legs, specially old standing cases. Veins in legs tending to ulceration. Burning.
- Aesculus hip.** 3x (tds) : Its use reduces pain and swelling.



- Allium cepa** (tds) : Varicose veins after cesarean section.
- Ambra grisea** (tds) : Varicose veins of left leg, very painful.
- Calcarea fluor.** 6x (tds) : Varicose veins are knitted in hard lumps, in chronic cases.
- Formica rufa** 3x (tds) : If there is debility on account of varicose veins.
- Hamamelis** 1x (tds) : Excessive pain; when applied externally causes the vessels to shrink. Use externally for varicose ulcers. It is almost specific in all cases.
- Hippozaeninum** (tds) : Scrofulous swelling of the veins with formation of pus.
- Pulsatilla nig.** (tds) : In cases of varicocele and varicose veins when constitution and symptoms of this remedy are present. Varicose veins during pregnancy.
- Pyrogenium** 200 (hs)
Repeat every 3rd day : Ulceration of the varicose veins with very fetid discharge and pain.
- Vipera** (tds) : The patient has to keep the legs elevated for fear of bursting of veins while keeping them hanging.

VERTIGO

- Acidum phos.** 1x (tds) : Vertigo in the evening when walking or standing. Stumbles easily and makes misteps.
- Aconitum nap.** (tds) : Vertigo on rising.
- Agaricus mus.** (tds) : Vertigo from sunlight and on looking at passing cars and other vehicles. Sensation of coldness in the head with a desire to cover it warmly.
- Ambra grisea** (tds),
Bellis per. (tds) : Vertigo of old people, due to any cause. Has to lie down to avoid vertigo.
- Arnica mont.** (tds) : Long standing vertigo is cured by the use of this remedy specially when the objects whirl about when walking.
- Belladonna** (tds) : Vertigo on stooping or when rising from a seat.
- Borax** (tds) : Vertigo while descending.

Bryonia alba (tds)	: Vertigo on moving the head or from rising from bed.
Calcarea carb. (tds)	: Vertigo from ascending.
Cocculus ind. (tds)	: Vertigo on watching a hockey match or from loss of sleep or rising from bed.
Conium mac. (qid)	: Vertigo on turning the head sidewise or turning in bed or looking around sidewise or when lying.
Digitalis (tds)	: It is very efficacious in several very severe cases of vertigo. It is specially indicated when the pulse is very slow.
Ferrum phos. (tds)	: Vertigo due to anemia or loss of blood.
Gratiola off. (tds)	: Vertigo during and after meals.
Lachesis (bd)	: Vertigo on rising from the bed in the morning and after sleep.
Natrium mur. (tds)	: Vertigo on studying.
Nux vomica (tds)	: Vertigo from stooping and after eating, or from odor of flowers, or from loss of sleep or from walking or with fainting or with staggering.
Phosphorus (od)	: It displays great curative powers in every imaginable case of vertigo. Vertigo on looking down and from odor of flowers.
Pulsatilla nig. (tds)	: Vertigo on looking up or from suppressed menses.
Sepia (tds)	: Vertigo from suppressed menses.
Theridion (tds)	: Vertigo on least noise and on closing eyes.
Vanadium (tds)	: Vertigo an account of lack of oxygen in blood and degenerative conditions of liver and arteries.

VISION

In all cases of eye trouble, it is advisable that the eyes are examined by an efficient and reputed eye specialist. When no organic defect is found in the eyes by them and yet the patient has some symptoms of the eyes, one or more of the following remedies may be tried according to the symptoms:

Aconitum nap. (tds),	: Patient becomes almost blind during night
Belladonna (tds)	but is okay during the day.
Aurum met. (tds)	: Lower or upper half is invisible.
Belladonna (tds)	: Flashes before the eyes.
Calcarea carb. (tds)	: Left or right half not visible.
Carboneum sulph. (tds)	: Sensation of a cobweb before the eyes.
Ferrum met. (tds)	: The patient can see equally during the day and night.
Hyoscyamus nig. (tds)	: Red spots before the eyes.
Lithium carb. (tds)	: Right half of an image is invisible.
Lycopodium (tds)	: Night blindness with black spots before the eyes.
Phosphorus 200 (hs) Repeat after 1 week	: Blindness on account of lightening. Give four doses in a month after a gap of a week between each dose. If there is no improvement at all, consult an eye specialist. It is also used for color blindness.
Pilocarpus (tds)	: It improves far sightedness, specially when there appears to be a mist before the eyes.
Ruta (tds)	: Eyes are fatigued easily on reading or watching TV.
Sepia (tds)	: Dimness of vision after coition.
Sulphur (od)	: Black spots before the eyes. Patient's eyes resemble the eyes of an owl, who can see during the night but not during the day. Mist before the eyes.

VITAL FORCE

Armoracia sat. (tds)	: Use thrice daily for raising the vital force for quite sometime.
Carbo veg. (tds)	: An acute disease has greatly depleted the patients. Patient is incapable of any movement and his fingers become blue. Cold, copious

- sweats, cold breath, cold tongue and cold body as if there is no life in it. Loss of voice. Carbo veg. saves life where vital force is nearly exhausted.
- Coca Q** (tds) : Exhausted nervous system. Loss of voice. 5-6 drops, three times a day.
- Cochlearia arm. Q** (tds) : Raises the vital forces. Useful in enfeebled states of stomach; causes copious production of urine.
- Lobelia purp. 6** (tds) : All the vital forces are weak. Nervous prostration. Intense feeling of chill without shivering. Tongue, heart and lungs feel paralysed. Use it in lower potencies.
- Picricum acidum** (tds) : Vital force is weakened. There is excessive and persistent tired feeling all over the body. Want of will power. Weakness of mind.
- Silicea 6x** (tds) : It strengthens the vital force and cures very deep seated diseases. Here also the patient feels cold and likes to keep his head covered always.

VOICE - LOSS

- Antimonium crud.** (tds) : Loss of voice on account of excessive heating of the body or after over-use of the voice.
- Argentum met.** (tds) : Loss of voice from too much singing or shouting. Voice breaks during singing. Hoarseness may result from much singing and shouting. Total loss of voice in professional singers.
- Aurum met.** 1M (hs) : Sudden loss of voice in singers or public speakers after lengthy speaking. It also cures hoarseness in such cases.
- Borax 1x** (hs) : A piece of Borax 1x (sodium borate) of the size of a pea, dissolved slowly in the mouth, acts magically in restoring the voice in case of sudden hoarseness brought on by cold. For an hour or so, it renders the voice clear and silvery.

- Carbo veg.** (tds) : Loss of voice with hoarseness after a debilitating disease.
- Causticum** (tds) : It is worth trying for loss of voice whether from psychological or inflammatory causes, when there are no other symptoms for accurate prescription. Loss of voice due to a defect in the larynx
- Coca Q**,
5-6 drops every ½ hour : When a singer or a public speaker experiences loss of voice during singing or speaking, give 5-6 drops every half an hour, about two hours before the expected demand on the voice.
- Croton tig.** (tds) : There is complete loss of voice from drinking cold water or cold beverages, when overheated.
- Ferrum pic.** (tds) : Voice fails after public speaking or singing.
- Phosphorus** (bd) : Loss of voice with laryngitis and constant hawking.
- Populus candicans Q** (tds) : It is a remarkable voice restorer, restores almost instantly. It removes hoarseness and dryness of the larynx and pharynx, rawness and soreness of the throat and tones up the voice.

VOMITING

- Aethusa cyn.** (tds) : Vomiting after drinking milk.
- Amygdalus per. Q** (tds) : Very useful in all kinds of nausea and vomiting or morning sickness or vomiting in pregnancy. Children do not digest any kind of food which is vomited out.
- Antimonium crud.** (tds) : Vomiting after eating or drinking due to indigestion. After nursing, the child vomits milk in curds, refuses to nurse afterwards and is very cross.
- Apocynum can. Q** (bd) : Excessive vomiting. Nausea with drowsiness. Food and water is immediately ejected. Dull, sinking feeling in the stomach. Oppression in

- epigastrium and chest with difficulty in breathing.
- Apomorphinum Q (hs)** : The chief power of this remedy is that it produces vomiting. 25 drops in a little water will cause full vomiting in 5-15 minutes. It is used when some poison has been swallowed and is still lying in the stomach.
- Aquilegia vulg. (tds)** : Vomiting after menopause or hysterical vomiting.
- Arsenicum alb. (tds)** : Vomiting of all kinds of foods and drinks due to acidity, specially after eating and drinking. Vomiting maybe easy and violent. Diarrhea may occur with vomiting.
- Belladonna (tds)** : Incessant, uncontrollable vomiting.
- Carbolicum acidum (tds)** : Constant belching, nausea and vomiting of dark olive green matter. Vomiting due to a cancer in esophagus or stomach.
- Cina (tds)** : Vomiting with worm symptoms.
- Cocculus ind. (tds)** : Vomiting during travelling by bus or car.
- Crotalus hor. (tds)** : Vomiting after menstruation.
- Euphrasia (tds),
Bryonia alba (tds)** : Clearing throat of mucus in the morning causes vomiting.
- Ferrum met. (tds)** : Vomiting immediately after eating.
- Geranium (tds)** : Relieves vomiting in gastric ulcers. Give half dram dose, thrice daily in a little water.
- Hydrophobinum (tds)** : Vomiting at the sight of running water.
- Ipecacuanha (qid)** : Good for all kinds of vomiting.
- Iris vers. (tds)** : It is a good remedy for the habitual vomiting of babies.
- Kalium bich. (tds)** : Vomiting after drinking beer.
- Nux vomica (tds)** : Vomiting in the morning after drinking whisky at night.
- Phosphorus (tds)** : Vomiting after an operation.
- Plumbum met. (tds)** : Continuous and violent vomiting of food or of greenish or yellowish or blackish matter with

- violent pains in the stomach and abdomen. Vomiting of bile or blood. Vomiting of fecal matter. Colic, constipation.
- Pyrogenium** (tds) : Coffee ground color of vomit.
- Symphoricarpus** 200 (bd) : This is a routine remedy for cure of persistent vomiting of pregnancy and nausea during menstruation. Nausea is worse by motion.
- Sepia** (tds),
Colchicum autum. (tds) : Vomiting during pregnancy.
- Stannum met.** (tds) : Smell of cooking food causes vomiting. Sensation of emptiness in the stomach.
- Staphysagria** (tds) : Vomiting due to insults inflicted upon her.
- Thyreoidinum** 3x (tds) : Vomiting of pregnancy. Give a dose early in the morning before the patient gets up.
- Valeriana** (tds) : Vomiting due to anger in nursing women. Child vomits curdled milk after nursing.
- Veratrum alb.** (tds) : Thirst for cold water which is vomited out as soon as it is swallowed. There is violent retching with cold perspiration on the forehead during and before vomiting.

VULVA

- Bromium** (tds),
Lac can. (tds),
Lycopodium (tds)
Copaiva off. (tds) : Emission of flatus from the vulva.
- Eupionum** (tds) : Inflammation of vulva with itching.
- Kalium iod.** (tds),
Sanguinaria (tds) : Sore pain between labia during urination. Swelling of labia. Pruritus vulva.
- Plumbum met.** (tds) : Burning of vulva.
- Urtica urens** (tds) : Eczema of vulva.
- Herpes labialis, burning and itching.

VULVODYNIA

Vulvodynia is the pain of the vulva which is so uncomfortable that woman cannot enjoy sex and her refusal to do so often ends in the breaking of her relationship with her husband. It plagues millions of women and is not understood properly. Many assume from the burning and itching that it is a yeast infection although there is no yeast present. The following remedies have given wonderful results:

- Apis mel.** (tds) : Swelling of the vulva with stinging pains worse by heat and touch.
- Arsenicum alb.** (tds) : Pain with burning, which is relieved by application of warm water.
- Sepia** (tds) : Violent stitching pain travels up from vulva to vagina and is worse from washing and cold, and better by pressure and warmth of the bed. Aversion to coition as the pain eclipses desire.
- Sulphur** (od) : Burning and itching worse by the heat of the bed, washing and bathing. Better by drawing the legs up.

WALKING

- Acidum phos.** (tds),
Gelsemium (tds) : Walks slowly without a reason and easily makes missteps and stumbles.
- Argentum nit.** (tds) : Walking unsteady and staggering when not noticed.
- Baryta carb.** (tds),
Calcarea carb. (tds),
Calcarea phos. (tds) : Child is slow to learn walking.
- Causticum** (tds) : Patient is slow in learning to walk. Unsteady walking and easy falling.
- Coffea cruda** (tds),
Sepia (tds) : Walks fast and quickly without any reason.
- Conium mac.** (tds) : Sudden loss of strength when walking.
- Crotalus hor.** (tds) : Walks on tip toes.

- Heloderma** (tds) : When walking, lifts feet higher than usual and brings them down with a thud.
- Kalium phos.** (tds),
Silicea (tds) : Walks half-consciously in sleep.
- Lacticum acidum** (tds) : When walking, trembles all over.
- Lac can.** (tds) : When walking, seems to be walking in air.
- Lachesis** 200 (hs)
Repeat after a week : Knees knock against each other while walking.
- Lathyrus sat.** (tds) : When walking, heels do not touch the ground.
- Lathyrus sat.** (tds),
Mezereum (tds) : Must stoop when walking.
- Magnesium carb.** (tds) : Suddenly falls to the ground while walking.
- Manganum acet.** (tds) : Cannot walk backwards without falling forward. Walks stooping forward. Peculiar slapping gait. Walks on metacarpo-phalangeal joints. Walks on toes.
- Medorrhinum** 200 (hs)
Repeat after a week : When walking legs feel heavy like lead. Cannot walk on soles. Walk on the heels.
- Nux vomica** (tds) : Drags feet while walking.
- Oxytropis** (tds) : Staggering gait. Walks backwards.
- Silicea** (tds) : Scrofulous, rachitic children with a large abdomen. Slow in walking, night walking, gets up while asleep.
- Thuja occ.** (tds) : Legs feel heavy, as if made of wood or glass.

WARS

- Aconitum nap.** (tds) : A soldier becomes nervous on taking part in a war for fear of death or other horrors of war and is reluctant to fight. A dose of this remedy will remove his fears and nervousness.
- Argentum nit.** (tds) : By the use of this remedy, anxiety on account of air raids is diminished.
- Arnica mont.** (tds) : Any person who has been too close to the site

- of a bomb explosion and is not hurt, but feels fear and anxiety, will be comforted by a dose of this remedy.
- Arsenicum alb.** (tds) : Sleeplessness due to fear of air raids is cured by this remedy.
- Borax** 3x (tds) : Violent fright from the sound of a firing gun, even at a distance.
- Convallaria maj.** Q (bd) : Palpitations and impending heart failure of the aged from a sudden explosion of a bomb. Extremely rapid and irregular pulse.
- Hypericum** Q (bd) : For healing the wounds produced by gun shots and after the lead has been taken out surgically, apply externally and take orally for injuries of the nerves.
- Ignatia amara** (tds) : Fear and anxiety of air raids is removed by the use of this remedy.
- Iodium** Q (bd) : It is a powerful and harmless remedy to keep gun shot wounds clean and disinfected when used locally.
- Kalium iod.** 1x (tds) : It protects the thyroid gland in case of an accidental release of radioactivity from the nuclear stations. People living near, in about a 10 kilometre radius of nuclear generating plants, should keep such tablets handy in their houses and take them as soon as possible, after the radiation leak, in order to avoid permanent damage to their thyroid gland and they should move to a far off place quickly.
- Phosphorus** (od),
Strontium carb. (tds) : Removes bad effects of the radiations on account of an atom bomb explosion.
- Symphytum off.** Q (tds),
Trillium pend. Q (tds) : When the bones have been pierced by gun shots which have been removed surgically, take Symphytum Q internally and apply Trillium pend. Q externally to arrest bleeding.
- Thallium** (tds) : Loss of hair due to an atom bomb explosion.

WARTS (PAPILLOMA)

- Acidum phos.** (tds), : Black warts.
Sabina (tds)
- Acidum salicylic.** 3X (tds) : Itchy and pustular warts. Scratching gives some relief.
- Anacardium ori.** (tds), : Warts on the palms of the hand.
Dulcamara (tds),
Natrium mur. (tds)
- Anagallis** 1x (tds) : It possess power of softening flesh and destroying warts.
- Antimonium crud.** (tds) : Warts on soles, palms and neck. Warts soft and smooth.
- Antimonium tart.** (tds) : Warts on glans penis.
- Arsenicum alb.** (tds) : Warts on the right hand.
- Arsenicum alb.** (tds), : Warts on the back of the hand.
Natrium carb. (tds)
- Aurum mur.** (tds) : Warts on the tongue and genitals.
- Calcarea calcinata** 3x (tds) : It is a remedy for all kinds of warts.
- Calcarea carb.** (tds) : Red warts on the fingers. Warts on face and hands.
- Calcarea fluor.** 12x (tds) : Hard wart or a mole on the scalp.
- Cannabis ind.** (tds), : Warts situated on the prepuce.
Acidum phos. (tds)
- Carbo animalis** (tds) : Warts on hands and face of old people.
- Castor equi** (tds) : Warts on breasts.
- Castoreum** (tds) : Warts on forehead.
- Causticum** (tds) : Warts on finger tips, right index finger, on the face, eyelids and in or outside the nose. Burning and bleeding easily. Maybe situated all over the body.
- Dulcamara** (tds) : Warts on the lower eyelid of the eyes. Large smooth warts on the palms.

Ferrum met. (tds), Psorinum (tds)	: Warts on the left hand.
Ficus carica (tds) (Fig)	: The fresh milky juice obtained by breaking the stalk when applied externally on warts causes their disappearance.
Kalium crb. (tds)	: Warts on the fingers.
Natrium carb. (tds)	: Warts on forearms.
Natrium mur. (tds)	: Warts on palms.
Natrium sulph. (tds)	: Red warts on the whole body. General remedy for warts specially when fingers and toes are affected.
Nitricum acidum (tds)	: Warts are like cauliflowers on lips or anywhere; hard, having cracks, sometimes emitting a fetid fluid. Warts on genitals. Warts bleed on washing.
Ruta (tds)	: Warts on the inside of hands.
Sarsaparilla (tds)	: Warts around joints of fingers.
Sepia (tds)	: Warts situated on the whole body.
Thuja occ. 1M (hs) Repeat after a week	: Warts on the anus, thumb, sides of the fingers and the left index finger. Warts in crops, sometimes oozing moisture or blood. Warts on genitals and anal surfaces.

NOTE: A mixture of **Thuja Q**, **Anagallis Q** and **Ficus carica Q** in equal parts is mixed in a little amount of vaseline to make a paste. It can be applied locally on the wart, along with dispensing of the oral remedy.

WATER

Ammonium carb. (tds)	: Great aversion to water. Cannot bear to touch it.
Calcarea carb. (tds)	: Aversion to water and washing as it aggravates ailments. Affections caused by working in water like those of washermen or washerwomen.
Ferrum met. (tds)	: Sight of flowing water causes vertigo.

- Hydrophobinum** (tds) : Dread of flowing water.
- Hyoscyamus nig.** (tds) : Dislikes water as he cannot swallow liquids.
- Laurocerasus 1c** (tds) : On drinking water or other liquids, it rolls audibly through the esophagus and intestines.
- Natrium sulph.** (tds) : Complaints due to water, like living in damp basements or near rivers, lakes and sea. Symptoms worse in rainy weather. Cannot eat any seafood like fish or even plants growing near water.
- Sepia** (tds) : It is called washerwomen's remedy, because the ailments worsen due to laundry work.
- Sulphur** (od) : Dislikes water. Aversion to being washed.

NOTE 1: An average person needs about 8 glasses of water per day in summer and half this amount in winter. Water can suppress appetite, help reduce fat deposits, rid the body of harmful salts, help kidney flush toxins from the body, regulate body temperature, prevent constipation and keep the skin hydrated and glowing. It is one of the most important catalysts in losing weight and keeping it off.

NOTE 2: Every other substance becomes heavier, smaller and denser when it changes from liquid to solid, but water expands and becomes lighter, so much so that ice floats. Water is the only substance on earth that occurs naturally in 3 states of matter - liquid, solid and gas.

NOTE 3: Water is required by the body to moisten all the tissues and cells.

WEAKNESS (DEBILITY)

- Aceticum acidum** (tds) : Prostration after surgery and use of anesthesia.
- Acidum mur.** 3x (tds) : Debility during low and septic fevers. Involuntary stools while passing urine.
- Acidum phos.** Q (bd) : 5 drops of it in a tumblerful of water as a beverage along with meals, for debility by loss of vital fluids, sexual excesses and disappointed love. Debility both sexual and physical, with depressing emotions.
- Aletris far.** (tds) : Debility due to prolapse of uterus.

-
- | | |
|---|---|
| Argentum nit. (tds) | : Debility of calves. Walks and stands unsteadily. |
| Arnica mont. (tds) | : Muscular fatigue due to over-exertion or due to injuries. |
| Arsenicum alb. (tds) | : Debility resulting from over-taxing the muscular system by exercise, etc. |
| Arsenicum iod. 3x (tds) | : General weakness. Tendency to faint. Loss of appetite. Thrice daily after food, with an interval of a day or two after a week of its use. |
| Avena sativa Q (bd) | : Debility after exhausting diseases. |
| Cadmium sulph. (tds) | : Exhaustion of mind and body. Declination to work after chronic post-influenzal states. Extreme prostration in low forms of diseases. |
| Calcarea carb. (tds) | : Debility in fat children. |
| Calcarea phos. 6x (tds) | : Debility after acute diseases, over-work, worry or depressing emotions. |
| Carbo veg. (tds) | : Debility without fever, with blueness and coldness. A lowered vital power from loss of fluids or after drugging. Debility in old people due to disintegration and imperfect oxidation. |
| China off. 1M (hs) | : After profuse bleeding during delivery, a dose of it will help recover the strength of the patient. |
| China off. 1x, (tds),
Curare (tds) | : From loss of blood or other animal fluids like semen or leucorrhea. |
| Cinchona rub. Q (bd) | : Nervously run down women are benefitted by the use of this remedy. |
| Colchicum autum. (tds) | : Prostration and feeling of internal coldness as an effect of hard study or night watching. A peculiar symptom of this remedy is that the patient complains of prostration and weakness, trouble though he looks well. |
| Conium mac. (tds) | : General debility of body and mind - most felt in the morning while in bed. Feeling as if bruised by blows. Gout, trembling and sudden |

- loss of strength while walking.
- Conium mac.** (tds), : Great debility in the morning in bed. Debility
Lycopodium (tds), of aged people.
Baryta mur. (tds),
Natrium mur. (tds)
- Curare** (tds), : Debility of the aged people.
Ambra grisea (tds),
Baryta mur. (tds)
- Ferrum phos.** 6x (qid) : Debility due to anemia. Tired feeling in the
 brain. Depression.
- Ginseng** (tds) : Removes weakness and produces sense of
 general well being.
- Hamamelis Q** (bd) : Weakness from loss of blood from open and
 painful wounds.
- Helonias** (tds) : Debility, dragging in sacrum and pelvis.
- Iodium** (tds) : Great unaccountable sense of debility. Little
 effort induces perspiration. Loss of breath on
 going upstairs. Feels better for the time being,
 during eating.
- Kalium carb.** (tds) : Muscular debility combined with weakened
 condition of the nerves. This makes him very
 sensitive. He is easily frightened, shrieks about
 imaginary appearances, cannot bear to be
 touched and startles when touched.
- Kalium phos.** 6x (tds) : Debility from mental strain.
- Lathyrus sat.** (tds) : Debility after influenza and other diseases.
- Lecithinum** 3x (tds) : Acts as a tonic during convalescence and in
 anemia. Removes symptoms of general break
 down and tiredness. Improves health.
- Natrium carb.** (tds) : Debility due to summer heat.
- Natrium mur.** 200 (od) : Weakness of the spine. Mental and physical
 debility. Weakness of the limbs like half
 paralysed extremities. Physical and mental
 labor is prostrating. Most weakness is felt in
 the morning.
- Natrium sal.** (tds) : One of the best remedies for the prostrating
 after-effects of influenza.

- Psorinum** (od) : Debility after acute diseases such as typhoid. Chilliness. Desire to lie down.
- Selenium met.** (tds) : Mental and physical weakness in old age. Debility due to summer heat and after exhausting diseases. Weakness after exercise and in hot weather. Strength rises as the sun sinks.
- Silicea** (tds) : Prostration of mind and body. Want of grit or grit all gone. It builds up such persons, raises spirits, revives hopes and weakness, depression gives way to the feeling of returning strength and health. Debility of thin, rickety children.
- Strophanthus** (tds) : Severe prostration from hemorrhage after operation and acute diseases.
- Syphilinum** 1M (hs) : Weakness and all other symptoms, pain, etc. are worse from darkness to daylight, sunset to sunrise, decrease and increase gradually. Utter prostration and debility in the morning.
- Thyreoidinum** 2x (tds) : Weakness, sensation of faintness and nausea. Sensitive to cold. Weakness after acute diseases. Easy fatigue, weak pulse, palpitations, cold hands and feet, chilliness and low blood pressure. Specially indicated in patients with thyroid troubles.
- Veratrum alb.** (tds) : Cardiac and general muscular depression and weakness. A good heart tonic.

WEATHER

COLD WEATHER

- Antimonium sulph.** (tds) : Winter cough with soreness all over the body.
- Argentum nit.** (tds) : Cannot withstand hot weather and very cold weather.
- Arsenicum alb.** (tds) : Skin diseases becomes worse during winter.
- Aurum met.** (tds) : All complaints worse in cold weather and when getting cold. Many complaints come only in winters.

Cuprum met. (tds)	: Asthma worse cold weather, cold wind and dampness.
Dulcamara (tds)	: Complaints worse during rains in winter.
Hepar sulphuris (tds)	: Modalities worse from cold, dry winds.
Mercurius sol. (tds)	: All complaints are worse during winter rains and dampness.
Nux vomica (bd)	: Cold, coryza or snuffles from exposure to cold, dry winds.
Petroleum (tds)	: Diseases are worse in cold weather.
Silicea (tds), Petroleum (tds)	: All symptoms are worse in cold weather.
Terebinthiniae 1x (tds)	: Winter coughs, bronchitis and sub-acute inflammation of the respiratory tract. Makes expectoration easy.

CHANGE OF WEATHER

Bryonia alba (tds)	: Its action is most marked at the start of warm weather after cold days.
Calcarea carb. (tds)	: Takes cold at every change of weather, especially fat persons.
Calcarea phos. (tds)	: Diseases are worse during change of weather.
Chelidonium (tds)	: Ailments brought on or renewed by change of weather.
Colocynthis (tds)	: It is often indicated in the transition season when the air is cold and sun is still powerful enough to heat blood.
Psorinum (od)	: Diseases are worse during change of weather.
Rhus tox. (tds)	: Rheumatism is worse during storm, spring and changing weather.

HOT WEATHER

Aconitum nap. (tds)	: Complaints of very hot weather, specially diseases relating to digestion.
Aethusa cyn. (tds), China off. (tds)	: Diarrhea and indigestion during summers, specially of children.

- Antimonium crud.** (tds) : The patient feels exhausted during warm weather and his gastric troubles increase in the hot season.
- Argentum nit.** (tds) : Cannot withstand hot weather and very cold weather.
- Bryonia alba** (tds),
Nux vomica (tds),
Pulsatilla nig. (tds) : Diarrhea in summer after over-eating. Nux vomica diarrhea is worse in the morning and Pulsatilla diarrhea is worse at night. Bryonia covers almost all dyspeptic ailments during summer heat.
- Croton tig.** (tds) : Summer diarrhea and skin affections.
- Geranium Q** (tds)
10 drops in ½ cup of water : 10 drops a dose, three times a day in summer complaints generally.
- Natrium carb.** (tds),
Selenium met. (tds) : Debility due to summer heat.
- Picricum acidum** (tds) : It is a hot weather or summer remedy. Prostration and tired feeling. Aversion to food. Feet cold, cannot get warm.
- Podophyllum** (tds) : Diarrhea of children during summer and after eating acidic fruits.
- Rhododendron ch.** (tds) : Rheumatism and gouty symptoms worse in hot weather and before a storm.

SPRING WEATHER

- Colocynthis** (tds) : Troubles spring after winter - transition season when the air is cold but the sun is powerful enough to heat the blood.
- Natrium sulph.** (tds) : Skin troubles return every spring.

RAINY WEATHER

- Blatta orient.** (tds) : Asthma is worse in rainy weather.
- Dulcamara** (tds) : Aggravation of skin troubles during rains and damp climate.
- Hepar sulphuris** (tds) : Strong amelioration of respiratory diseases in damp weather.
- Mercurius sol.** (tds) : All complaints worse from damp, cold and rainy weather

- Natrium sulph.** (tds) : Aggravation of asthma and other respiratory troubles in rains and dampness. Every change of dry to wet has an effect. All troubles worse during rains.
- Rhododendron ch.** (tds),
Rhus tox. (tds) : Pains and all other symptoms are worse during winter rains and dampness.

WEEPING

- Manganum acet.** (tds) : Involuntary laughter and involuntary weeping. Makes fun of other's gait.
- Medorrhinum** (tds) : The patient cannot speak without weeping and speaks hurriedly. The patient loses thread of conversation.
- Natrium mur.** 200 (od) : The patient is secretive, holds her secrets, wants to be alone and weep. She has tears even with laughter.
- Pulsatilla nig.** 200 (od) : A mild, timid, reserved and yielding patient, weeps while talking.
- Sepia** 200 (od) : The patient dreads to be alone and is easily offended. Weeps while telling symptoms.
- Stannum met.** (tds) : Patient is sad, despondent, discouraged, anxious and feels like crying all the time but crying makes him worse.

WEIGHT

- Alfalfa Q** (tds) : 10 drops taken thrice daily produces more fat and subsequent gain in weight.
- Arsenicum alb.** (tds) : Gradual loss of weight due to impaired nutrition.
- Iodium** 1M (hs), 2x-3x (tds) : In high potencies 200 and 1000, increase weight, while in low potencies i.e., 2x and 3x, it reduces weight, flesh and obesity. Patient eats well but loses weight and flesh.

Kalium hydriod. (tds)	: Gradual loss of weight due to fungoid diseases.
Lecithinum 3x (tds)	: Improves nutrition and increases flesh and weight.
Phytolacca dec. (tds)	: Decrease of weight due to grandular diseases.
Natrium mur. 30 (tds), 10M (hs)	: Losing weight gradually due to over-work, disappointment and suppressed menses.
Tuberculinum (hs) Repeat after 15 days	: Loss of weight due to respiratory diseases and enlarged tonsils.

WENS (SEBACEOUS CYSTS)

A cyst resulting from the retention of secretion of the sebaceous gland; rounded, varying in size from the size of a pea to the size of a walnut. May appear anywhere on the scalp, face, back, etc. It is soft and painless.

Baryta carb. (tds)	: For recurring cysts around the eyes.
Benzoicum acidum (tds)	: In gouty subjects with strong smelling urine.
Calcarea fluor. (tds), Nitricum acidum (tds)	: Cysts on the eyelids.
Conium mac. 200 (od)	: Cysts of breasts.
Graphites 200 (hs)	: It is one of the best remedies for persons prone to eczemas and other skin troubles.
Hepar sulphuris (tds)	: Suppurating wens.
Kalium iod. (tds)	: Wens in the scalp.
Phytolacca dec. (tds)	: Granular swelling with heat and inflammation.
Thuja occ. 200 (od)	: Soft fleshy excrescences and spongy wens. Cysts on the covered parts only.
Vanadium 6 (tds)	: Cysts of arteries in brain and liver. Such cysts are filled with fatty matter secreted by the oil secreting glands of the skin, and are generally found on the scalp.

WHISKERS

(SEE ALSO 'BEARD' AND 'BALDNESS')

- Arsenicum iod.** (tds) : Eczema of the beard and moustache. Eczema itching, watery, oozing; worse washing.
- Baryta carb.** (tds), : For falling of hair from whiskers.
Calcarea carb. (tds),
Kalium carb. (tds),
Sphingurus mar. (tds)
- Graphites** (od) : Ringworm of moustaches.

WHITLOW

(SUPPURATIVE INFLAMMATION AT THE END OF A FINGER OR TOE)

- Ledum pal.** 200 (od) : Abscess on the finger tip caused by a thorn, needle or like. It not only cures but acts as an antitetanus.
- Myristica seb.** (tds) : It often acts more powerfully than Hepar sulphuris and Silicea. It has a specific action on whitlow. It hastens suppuration, shortens its duration and often does away with the use of a knife.
- Silicea** (tds) : If administered early, generally prevents the development of whitlow.

WHOOPING COUGH

- Ambra grisea** (tds) : Convulsive cough with flow of warm water from the mouth.
- Belladonna** 200 (bd) : In the first stage of cough. Dry cough with a red face. 3-4 fits at a time. If there is no improvement within 24 hours do not repeat it. Choking. Sputum maybe blood streaked.

- Vomiting may occur. Expectoration is scanty and tenacious.
- Cocculus ind.** (tds),
Natrium mur. (tds) : Spells of vomiting and coughing with tears in in eyes.
- Corallium rub.** (tds) : Spasmodic whooping cough. Attacks follow and run into each other. Profuse secretion of mucus, mucus drops through posterior nares. Feels as if cold air was passing from head to air passages. Cough is worse in open air.
- Drosera** 30 (tds) : It is a true remedy for whooping cough. Cough is barking and choking. Sputum maybe blood streaked. Vomiting may occur. Give only one dose and await results for four days. Cough may not come all day long but commences as soon as the head touches the pillow at night. Patient cannot speak due to asthma.
- Fluoroformium** : 2-4 drops, after paroxysm of cough. A 2 percent watery solution of this remedy is considered specific for the cure of whooping cough.
- Ipecacuanha** (tds) : Whooping cough with nausea, vomiting and wheezing.
- Kalium carb.** (tds) : Dry, hoarse cough worse about 3 AM with stitching pain in the chest and dryness in the throat, worse in cold and better in warm climate. Expectoration is scanty and tenacious.
- Magnesium phos.** (tds) : Voice hoarse. Cannot lie down, suffocating cough.
- Mephitis** 1x (tds) : A great remedy for whooping cough. Cough giving a feeling that the patient will die on account of coughing which is very violent and with a long spell, and accompanied with a suffocating feeling and rattling of mucus. The child's face gets blue. Vomiting may accompany cough which is worse at night.
- Naphthalinum** (tds) : Long lasting, choking cough with sneezing. Throat appears constricted.

- Pertussinum** (hs) : It is a nosode of whooping cough and if given in the beginning of the disease cuts short its duration.
- Thymus serpyllum** Q (bd) : Whooping cough of children. Sore throat and burning in the pharynx. Severe spasms but only a little sputum is expectorated.

WORMS

- Carboneum tetramur.** Q (hs): It has given wonderful clinical results in the treatment of hookworm infection. A single dose (3c) expels 95% of hookworms in adults. For children, half the dose.
- Chelone** Q (bd)
10 drops in ½ cup of water : It is an enemy to every kind of worm infesting the human body including round worms and thread worms.
- Chenopodium oil** (tds) : Ten drops a dose and three doses in a day every two hours to get rid of hookworms and roundworms.
- Cina** 200 (od) : It is a remedy for round, thread and tapeworms. The patient is usually rubbing the nose and is restless. Grinding of teeth during sleep is a guiding symptom for the use of this remedy. One dose daily.
- Cucurbita pepo** Q (od) : One of the most efficient and least harmful remedies for expulsion of tapeworms.
- Cuprum oxy. nig.** 1x (tds) : It expels all kinds of worms including tapeworms and trichinosis (a hair-like worm). One gram dose, thrice daily.
- Helminthochortos** (tds) : It acts very powerfully on the intestinal worms specially round worms (lumbricoids).
- Hydrocotyle** 6x (tds) : It is very near specific in the treatment of expulsion of filaria and thread worms from the intestines.
- Santoninum** 3x (tds) : It is of unquestioned value in the treatment of worminal diseases - itching of nose, restless

- sleep and twitching of muscles indicate this remedy in the treatment of thread worms and round worms. It has no effect on tape worms.
- Spigelia** (tds) : Abdominal pains and other symptoms on account of presence of worms in the intestines. Pains are more in circles around the navel and the child points to the navel to indicate it. Pains are worse on touching.
- Teucrium mar.** (tds) : It is very near specific for treatment of ascarides – pin worms and round worms in the intestines. Tingling and tickling in the nose is an important symptom of this disease in children.
- Thymolum** 6 (hs) : It is specific for hookworm infestation. A single dose of 3 ml removes 95% of the hookworms in adults.

NOTE: All worms infesting the human body are parasites and they consume the patient's nutrients. Hundreds of human parasites are known. Conventional anti-parasitic drugs cure only a few types and tend to cause side-effects. General symptoms are constipation or diarrhea, gas and bloating, anemia and teeth grinding, chronic fatigue and other immune problems. Anti-parasitic foods include garlic, onions, raw pumpkin seeds, raw beets, carrots, figs, papaya seeds and pomergarnates.

WORRY

- Aconitum nap.** (bd) : Worried about little little things and troubles which are normally ignored by a normal person.
- Butyricum acidum** (tds) : Worries over trifles. Impulsive thoughts of suicide. Constant state of fear and nervousness. Headache on account of worries over trifles.
- Ignatia amara** (tds) : Sighing and sobbing on account of worries.
- Kalium phos.** 6x (tds) : Ill-effects of worries like mental and physical depression are wonderfully relieved by the use of this remedy.

WOUNDS

For healing a wound, three factors are necessary :

1. **Cleanliness** : For this purpose, the dirt, sand, splinters, small pieces of glass, etc. should be removed and the wound should be washed with cold water to which a few drops of Calendula Q have been added.
2. **Dressing of the wound** : It is important to bring the sides of the wound together and to exclude the air. It can be done by stitching if the wound is large or by applying pressure with fingers. Thereafter a lint dipped in Calendula Q should be placed over it and a little cotton be placed on the lint. Then bandage it tightly to keep the ends of the wound together.
3. **Bleeding** : If the wound is bleeding profusely, the bleeding should be stopped before step no. 2. A bandage should be tied above the wound to the side of the heart tightly. It will stop bleeding. Thereafter a lint piece dipped in Trillium pend. Q should be applied over it as in step no. 2.
4. **Healing** : When the wound has healed and stitches, if applied, have been removed, a paint of Sunflower oil on the scar and around acts like Arnica and removes swelling, bruises and like Calendula is an antiseptic.
5. **Surgery** : In deep and dangerous wounds, help of a surgeon should be obtained. The following medicines should be used internally as indicated:

HOMEOPATHIC REMEDIES

- Calendula off. Q (bd)** : It is a very good remedy for wounds. When applied locally, open wounds and ulcers heal quickly as it promotes healthy granulation. Use 20 drops of Calendula Q in an ounce of water

- for cleaning the wound and for dressing, use Calendula Q.
- Hypericum Q** (tds)
10 drops in ½ cup of water : Use externally as well as internally for lacerated wounds, injured nerves and also punctured wounds.
- Iodium Q** (tds) : It is a very good remedy for keeping wounds clean and disinfected. Use it in gunshot wounds after removing the pellets and in bites of insects and reptiles.
- Ledum pal.** (od)
For 3 days : Use externally and internally for punctured wounds. In 200 potency, a dose daily for three days acts as anti-tetanus.
- Oleum cinnamomum** (tds) : 10 drops of the oil of Cinnamomum in a litre of water acts as a germicide and disinfectant. It can be used as a vaginal douche and if used as such following sexual intercourse sometimes proves an effective contraceptive. It can be used for washing wounds.
- Staphysagria** 200 (od) : Incised wounds. Clear cut wounds. Cuts with a knife or other sharp instruments or weapons like a sword.
- Wiesbaden** 200 (od) : Gunshot wounds which are slow to heal are benefited by the use of this remedy.

WRINKLES

- Abrotanum** (tds) : Wrinkles on the face.
- Aurum mur.** (tds) : Wrinkles on face, in a syphilitic patient.
- Calcarea carb.** (tds) : Wrinkles on the abdomen. These are formed in a woman who has given birth to several children, due to relaxation of muscles after deliveries. There are folds of skin on the abdomen which are loose and hanging. These maybe formed in case of fat men who exercised to reduce the fat on the abdomen and the girth of abdomen, and then left exercising.

- Calcarea phos.** (tds) : The entire skin of the body is wrinkled giving a withered look. It is a good remedy for these conditions specially when the person is thin.
- Natrium mur.** (tds) : Wrinkles on the neck.
- Lycopodium** (tds) : Wrinkles on the forehead.
- Silicea 6x** (tds) : Wrinkles on the face of a child like that of a monkey. Child has a big abdomen and is weak.

NOTE: My own experience shows that wrinkles can be prevented to a great extent by using the following tips:


1. Massaging the face with an upward motion from the cheeks to the forehead.
2. Vitamin E mixed with any oil should be used for the massage.
3. Onion juice mixed with honey is an excellent anti-wrinkle paste. Before application, the face should be washed with soap and water, and dried.
4. Plenty of rest and sleep helps to keep the looks young and fresh.
5. Scientists have long known that sunlight can cause skin to wrinkle and turn leathery. Skin damage is caused by ultra-violet solar rays which are absorbed by urocanic acid, a natural molecule, made by the outer most skin cells. Sun rays chemically change this molecule making it free of oxygen thus degrading collagen and elastin, which are the major molecules that make the skin. Elasticity of the skin is reduced making a person look older than he is.
6. Bananas have anti-wrinkle properties apart from making the skin soft and supple. Mash a quarter of banana into a creamy paste and apply it on the face. Leave it for about 20 minutes and then rinse the face alternately with warm and cold water to boost the blood circulation. Instant softening of the wrinkles and lines will not be able to escape notice.

WRISTS

- Actaea spic.** 3x (tds) : Rheumatism of the wrist joint.
- Caulophyllum** 3x (tds) : Aching in the wrists.
- Eupatorium perf.** (tds) : Aching in the arms and wrists.
- Kalium carb.** (tds) : Lacerating pain in the wrist joints. Better by moving the wrist and warmth.

WRIST CURLS

- A. Hold a tin can (i.e. beans). Place forearm on table with wrist free over the edge. Do 15 wrist curls with palm facing up, 15 with palm facing down. Repeat 3 times. Doing this exercise with a shopping bag will allow weight to be added as your strength improves.
- B. Squeezing a rubber ball will also strengthen the injured area. Carry one with you and squeeze it as often as you can.



- Magnesium phos. 3x** : Pain in one or both wrists with tension in nerves. Give 3 tablets every two hours.
- Natrium phos. (tds)** : Aching in the wrist joints.
- Trimethylaminum Q** : Rheumatic pain in wrists. 10-15 drops in a glass full of water, a teaspoonful every 2 hours.

YAWNING

- Aconitum nap. (tds)** : Frequent yawning in the evening without feeling sleepy.
- Chelidonium (tds)** : Frequent yawning and stretching; sleepiness as if remained awake all night.
- Euphrasia (tds)** : Yawning when walking in open air.
- Ignatia amara (tds)** : Yawning after sleeping with flow of tears. Excessive yawning as if the jaw would be dislocated. Yawning while eating. Yawning

	interrupted by spasmodic rigidity of chest walls.
Lathyrus sat. (tds)	: Constant yawning and feeling sleepy.
Lycopodium (tds)	: Yawning after dinner and supper.
Natrium mur. (tds)	: Yawning with internal chilliness.
Nux vomica (tds)	: Yawning for hours after eating and immediately after waking.
Rhus tox. (tds)	: Yawning with crackling of jaw bones, as if the jaw bones will dislocate.
Sulphur (od)	: Frequent yawning with eructations during the day.

YOUTHFUL LOOKS (SEE ALSO 'REJUVENATION')

Brewer's yeast 1x (bd)	: Two tables (2 grains) of Brewer's yeast taken with meals twice daily brings back youthful looks. This yeast is obtained during the brewing of beer. In the dried form, it is a very good source of vitamin B. In the raw form, it is bitter in taste.
Ginkgo biloba Q (bd)	: Its use slows down the aging process, increases the vitality, improves the memory, removes physical fatigue and tones up the immune system of the body. It is credited with a beneficial effect on the blood circulation and it strengthens the blood capillaries.
Thiosinaminum 2x (tds)	: It is said to be useful for retarding old age and maintaining youthful looks.

NOTE : Here are some tips as how to feel mentally young and psychologically fit in senior years:

1. **Maintain regularity in life by getting up early in the morning, taking a bath regularly and eating at regular intervals. Break the boredom by eating out at a reputed restaurant once in a while.**
2. **Exercise the brain by reading or listening to books on subjects which were liked in the younger years. Keep busy.**

3. **Keep company of stimulating and agreeing younger companions. This can have positive effects on mental sharpness and happiness.**
4. **Do not start feeling lonely, bored or unhappy. These feeling make one sick. Weather permitting, going out for a short walk or watching a movie, breaks such feelings.**
5. **Cosmetic laser surgery can also bring about youthful looks by removing bags and lines from eyelids, wrinkles and sun damaged skin of the face, removal of unwanted hair, reshaping of lips, nose, breasts, buttocks, etc.**
6. **Body has an enzyme called Telomerase. It is also called “Immortality enzyme” in layman’s language. It encourages cells to keep dividing indefinitely instead of dying with age. It is said that it does not turn healthy cells into malignant or cancer cells. In course of time, homeopathic researchers may develop potentised telomerase which may prove as an anti-aging agent.**
7. **Antioxidants slow down the aging process. Vitamins C and E, and beta-carotenes are primary sources of antioxidants and are obtained from fruits, nuts, vegetables and polyunsaturated oils.**

