

MATERIA MEDICA
OF
HOMOEOPATHIC MEDICINES

By
DR. S.R. PHATAK
M.B.B.S.

WHY THIS BOOK

Students of Homeopathy who read different Materia Medicas written by various authors, must have observed that some symptoms given under a particular remedy in one materia medica are not given by other. Dr. Boger has selected the most important symptoms from various materia medicas and has included them in his Synoptic Key. But while presenting these symptoms, he has, at times, used such words, that unless the student has the ability to read between the lines, he will miss their hidden meaning. Moreover, Dr. Boger has omitted many important symptoms given by other authors. I will give some examples to illustrate my point. Dr. Boericke has given "Retention of urine after operation" under 'Causticum'. Boger has not given this symptom. Dr. Boger has given "Distension of abdomen after operation" under Carbo animals which is not given by other authors. Dr. Kent has not mentioned above two symptoms in his repertory. But these two symptoms gave me opportunity to remove these distressing conditions successfully. Dr. Boger has given a very curious symptom "Breathes through a metallic tube as if" under Merc. Cor. which is not given by other authors. Moreover he has made it a general symptom – under the heading "Tube metallic – Merc. Cor.". The meaning is obvious. If a person comes and says that while passing stools or urine or even speaking, he is doing these functions as if through a tube, Merc. Cor. is apt to be useful. I had an occasion to give this remedy to a person who was speaking through a tube.

If well understood, Dr. Boger's Materia Medica. and repertory are quite sufficient for most of the cases. But we possess neither his intellect, nor his acumen.

In compiling this materia medica, I have given all the symptoms given by Dr. Boger. I have tried to simplify many of his ambiguous words by explaining these meaning. Moreover I have garnered many useful clinical and other symptoms from other materia medicas (which were not given by Dr. Boger) and included them here.

The presentation of Materia Medica is on usual schematic basis. Under generalities the profile picture of the remedy is given along with the regions on which it acts and how it acts, diseases which it is liable to cure and causations. Then general modalities of the remedy are given, after that regional symptoms with their particular modalities follow.

It is my belief that Dr. Boger wished to compile a concise repertory arranged in alphabetic order rather than regional one. In the same way a concise materia medica, in which all relevant symptoms pertaining to each remedy are given; was desirable. He has given clues in his Synoptic key for compiling such books. With my poor intellect and limited knowledge of homeopathy I have tried to fulfil his wish. How far I am successful in my attempt, only time will show.

THANKS GIVING

My thanks are due to my friend Dr. (Miss) Homai Merchant for typing the manuscript twice without a single murmur. Thanks are also due to my son Dr. D. S. Phatak, for correcting first to final proofs several times and for making arrangement to print the book with Mouj Printing Bureau. Mr. Datay who got the composing done and Mr. M. R. Sane who composed the book single handed, deserve my thanks.

Readers are requested to have a look at the "Hints for the beginners" and Index of Surgical remedies.

Finally I am very grateful to God for sparing me in spite my heart disease and old age to see the book completed. I have done whatever I could. Capable young homeopaths should carry on the work further.

July

1977

S. R. PHATAK

HINTS FOR THE BEGINNERS

Materia Medica and Repertory are the twin pillars on which successful practice of homeopathy stands. Both are complementary to each other. None is complete in itself.

Study of materia medica, is a long drawn out effort. There is no short or easy road to success. Drugs should become your friends. You can identify your friend from, the way he rings the bell, taps or opens the door, climbs the foot-steps, etc. Similarly you should be able to know the drug even when it is partially seen.

The marks of identification of the drug are found in its Generalities, Modalities (i.e. worse and better) and Mind. A thorough grasp of these headings helps you to identify the drug in relation to the patient.

To achieve this, when you read a drug each rubric should be seen in the repertory. The relative importance of this drug is to be fixed in your mind by comparing it with other drugs under the same rubric. This appears to be tedious. But the drug picture slowly gets firmly and clearly set in your mind.

SYMPTOMS

The most difficult thing in homeopathy is interpretation of symptoms. When the patient is telling his story in his own words, you should be able to fix these, in terms of rubrics given in the repertory. If you have grasped the materia medica well, certain drugs will automatically come to your mind. Verify them in repertory. Causation, modalities are more important. The peculiar symptom -which, underlying pathology fails to explain- does many a time point towards the suitable drug.

When a cup is half-full, it is half empty also. While interpreting symptoms, try to look at the same thing from various aspects.

While reading materia medica also, try to remember the peculiar things in the drug. Bland discharges of Pulsatilla, "Can't throw things off" in Zincum Met, "Great variety of symptoms" in Mercurius, etc. As said before these are the identification marks of the drug.

CERTAIN SIGNS

< means worse from or after. > Better or relieved by. Semi colon; is used in this book with care. For instance in Calcarea Carb under mind you will find, Fears; disease, misery, disaster, insanity; of being poisoned. It means Fears (1) disease, (2) misery, (3) disaster, (4) insanity and fears of being observed. In Phosphorous under generalities, "Ill effects of anger fear grief ; worry ; exposure to drenching rains washing clothes ; tobacco ; etc. is to be interpreted similarly. Suitable combinations can be profitably made.

Three types, are used in this book to show gradation. Relative importance of different symptoms is given by this. But in a particular patient a low graded symptom may prove to be the most important. So you need not be carried away by the gradations.

LASTLY,

give due respect to the authorities on homeopathy for what they say. But if your experience is contrary to what the authorities say, do not get swayed by their opinions. Ultimately your experience is the best authority as far as you are concerned.

S. R. PHATAK

Contents

1.	<u>Abies canadensis [Abies-c]</u>	15
2.	<u>Abies nigra [Abies-n]</u>	16
3.	<u>Abrotanum [Abrot]</u>	17
4.	<u>Absinthium [Absin]</u>	19
5.	<u>Acetic acid [Acet-ac]</u>	20
6.	<u>Aconite [Acon]</u>	22
7.	<u>Actea spicata [Act-sp]</u>	25
8.	<u>Adonis vernalis [Adon]</u>	26
9.	<u>Aesculus hippocastanum [Aesc]</u>	28
10.	<u>Aethusa cynapium [Aeth]</u>	30
11.	<u>Agaricus muscarius [Agar]</u>	33
12.	<u>Agnus castus [Agn]</u>	36
13.	<u>Agraphis nutans [Agra]</u>	38
14.	<u>Ailanthus glandulosa [Ail]</u>	39
15.	<u>Aletris farinosa [Alet]</u>	41
16.	<u>Alfalfa [Alf]</u>	43
17.	<u>Allium cepa [All-c]</u>	44
18.	<u>Allium sativum [All-s]</u>	46
19.	<u>Aloe socotrina [Aloe]</u>	48
20.	<u>Alumen [Alumn]</u>	51
21.	<u>Alumina Silicata [Alum-sil]</u>	53
22.	<u>Alumina [Alum]</u>	54
23.	<u>Ambra grisea [Ambr]</u>	57
24.	<u>Ambrosia [Ambro]</u>	60
25.	<u>Ammonium bromatum [Am-br]</u>	61
26.	<u>Ammonium carbonicum [Am-c]</u>	62
27.	<u>Ammonium muriaticum [Am-m]</u>	65
28.	<u>Amyl nitrosum [Aml-n]</u>	68
29.	<u>Anacardium orientale [Anac]</u>	70
30.	<u>Anthracinum [Anthr]</u>	73
31.	<u>Antimonium crudum [Ant-c]</u>	74
32.	<u>Antimonium tartaricum [Ant-t]</u>	77
33.	<u>Apis mellifica [Apis]</u>	80
34.	<u>Apocynum cannabinum [Apoc]</u>	84
35.	<u>Aralia racemosa [Aral]</u>	86
36.	<u>Aranea diadema [Aran]</u>	87
37.	<u>Argentum metallicum [Arg-m]</u>	89

38.	<u>Argentum nitricum [Arg-n]</u>	92
39.	<u>Arnica montana [Arn]</u>	96
40.	<u>Arsenicum album [Ars]</u>	100
41.	<u>Arsenicum iodatum [Ars-i]</u>	104
42.	<u>Arsenicum Sulfuratum flavum [Ars-s-f]</u>	106
43.	<u>Artemesia vulgaris [Art-v]</u>	107
44.	<u>Arum triphyllum [Arum-t]</u>	108
45.	<u>Asafoetida [Asaf]</u>	110
46.	<u>Asarum europoeum [Asar]</u>	113
47.	<u>Asclepias tuberosa [Asc-t]</u>	115
48.	<u>Astacus fluviatilis [Astac]</u>	116
49.	<u>Asterias rubens [Aster]</u>	117
50.	<u>Aurum metallicum [Aur]</u>	119
51.	<u>Aurum muriaticum [Aur-m]</u>	122
52.	<u>Avena sativa [Aven]</u>	123
53.	<u>Bacillinum [Bac]</u>	124
54.	<u>Badiaga [Bad]</u>	125
55.	<u>Baptisia tinctoria [Bapt]</u>	127
56.	<u>Baryta carbonica [Bar-c]</u>	130
57.	<u>Baryta iodata [Bar-i]</u>	133
58.	<u>Baryta muriatica [Bar-m]</u>	134
59.	<u>Belladonna [Bell]</u>	136
60.	<u>Bellis Perennis [Bell-p]</u>	140
61.	<u>Benzenum [Benz]</u>	142
62.	<u>Benzinum nitricum [Benz-n]</u>	143
63.	<u>Benzoicum Acidum [Benz-ac]</u>	144
64.	<u>Berberis Aquifolium [Berb-a]</u>	146
65.	<u>Berberis Vulgaris [Berb]</u>	147
66.	<u>Bismuthum [Bism]</u>	150
67.	<u>Borax [Bor]</u>	152
68.	<u>Boricum Acidum [Bor-ac]</u>	155
69.	<u>Bothrops Lanciolatus [Bothr-l]</u>	156
70.	<u>Bovista [Bov]</u>	157
71.	<u>Bromium [Brom]</u>	159
72.	<u>Bryonia Alba [Bry]</u>	162
73.	<u>Bufo [Bufo]</u>	165
74.	<u>Cactus Grandiflorus [Cact]</u>	167
75.	<u>Cadmium Sulphuratum [Cadm-s]</u>	170

76.	<u>Caladium Seguinum [Calad]</u>	172
77.	<u>Calcarea Arsenicosa [Calc-ar]</u>	174
78.	<u>Calcarea Carbonica [Calc]</u>	175
79.	<u>Calcarea Fluorica [Calc-f]</u>	179
80.	<u>Calcarea Hypophosphorosa [Calc-hp]</u>	181
81.	<u>Calcarea Iodata [Calc-i]</u>	182
82.	<u>Calcarea Phosphorica [Calc-p]</u>	183
83.	<u>Calcarea Sulphurica [Calc-s]</u>	186
84.	<u>Calendula [Calen]</u>	188
85.	<u>Camphora [Camph]</u>	190
86.	<u>Cannabis Indica [Cann-i]</u>	193
87.	<u>Cannabis Sativa [Cann-s]</u>	195
88.	<u>Cantharis [Canth]</u>	196
89.	<u>Capsicum [Caps]</u>	199
90.	<u>Carbo Animalis [Carb-an]</u>	202
91.	<u>Carbo Vegetabilis [Carb-v]</u>	205
92.	<u>Carbolicum Acidum [Carb-ac]</u>	209
93.	<u>Carboneum Sulphuratum [Carbn-s]</u>	211
94.	<u>Carcinosin [Carc]</u>	212
95.	<u>Carduus Marianus [Card-m]</u>	213
96.	<u>Castor Equi [Cast-eq]</u>	215
97.	<u>Castoreum [Cast]</u>	216
98.	<u>Caulophyllum [Caul]</u>	217
99.	<u>Causticum [Caust]</u>	219
100.	<u>Ceanothus Americanus [Cean]</u>	223
101.	<u>Cedron [Cedr]</u>	224
102.	<u>Chamomilla [Cham]</u>	225
103.	<u>Chelidonium [Chel]</u>	228
104.	<u>Chenopodium Anthelminticum [Chen-a]</u>	231
105.	<u>Chimaphila Umbellata [Chim]</u>	232
106.	<u>China Officinalis [Chin]</u>	233
107.	<u>Chininum Arsenicosum [Chin-ar]</u>	236
108.	<u>Chininum Sulphuricum [Chin-s]</u>	237
109.	<u>Chionanthus [Chion]</u>	239
110.	<u>Chloral Hydrate [Chlol]</u>	241
111.	<u>Chlorum [Chlor]</u>	243
112.	<u>Cholesterinum [Chol]</u>	244
113.	<u>Cimicifuga [Cimic]</u>	245

114.	<u>Cina [Cina]</u>	248
115.	<u>Cinnabaris [Cinnb]</u>	251
116.	<u>Cistus Canadensis [Cist]</u>	253
117.	<u>Clematis Erecta [Clem]</u>	255
118.	<u>Cobaltum [Cob]</u>	257
119.	<u>Coca [Coca]</u>	259
120.	<u>Cocaina [Cocain]</u>	261
121.	<u>Cocculus Indicus [Cocc]</u>	262
122.	<u>Coccus Cacti [Coc-c]</u>	265
123.	<u>Coffea Cruda [Coff]</u>	267
124.	<u>Colchicum Autumnale [Colch]</u>	270
125.	<u>Collinsonia [Coll]</u>	273
126.	<u>Colocynthis [Coloc]</u>	275
127.	<u>Comocladia [Com]</u>	278
128.	<u>Conium Maculatum [Con]</u>	279
129.	<u>Convallaria Majalis [Conv]</u>	283
130.	<u>Copaiva [Cop]</u>	284
131.	<u>Corallium Rubrum [Cor-r]</u>	286
132.	<u>Cornus Circinata [Corn]</u>	288
133.	<u>Crataegus [Crat]</u>	289
134.	<u>Crocus Sativa [Croc]</u>	290
135.	<u>Crotalus Horridus [Crot-h]</u>	293
136.	<u>Croton Tiglium [Croto-t]</u>	296
137.	<u>Cubeba [Cub]</u>	298
138.	<u>Culex Musca [Culx]</u>	299
139.	<u>Cundurango [Cund]</u>	300
140.	<u>Cuprum Aceticum [Cupr-acet]</u>	301
141.	<u>Cuprum Metallicum [Cupr]</u>	302
142.	<u>Curare [Cur]</u>	305
143.	<u>CYCLAMEN [Cycl]</u>	306
144.	<u>Daphne Indica [Daph]</u>	308
145.	<u>Dictamnus [Dict]</u>	309
146.	<u>Digitalis [Dig]</u>	310
147.	<u>Dioscorea Villosa [Dios]</u>	313
148.	<u>Diphtherinum [Diph]</u>	315
149.	<u>Dolichos Pruriens [Dol]</u>	317
150.	<u>Drosera Rotundifolia [Dros]</u>	318
151.	<u>Dulcamara [Dulc]</u>	320

152.	<u>Echinacea Angustifolia [Echi]</u>	323
153.	<u>Elaps corallinus [Elaps]</u>	325
154.	<u>Elaterium [Elat]</u>	327
155.	<u>Epiphegus Orobancha [Epip]</u>	328
156.	<u>Equisetum [Equis]</u>	329
157.	<u>Erigeron [Erig]</u>	330
158.	<u>Eucalyptus [Eucal]</u>	331
159.	<u>Euonymus [Euon]</u>	333
160.	<u>Eupatorium Perfoliatum [Eup-per]</u>	334
161.	<u>Eupatorium Purpureum [Eup-pur]</u>	336
162.	<u>Euphorbium [Euph]</u>	337
163.	<u>Euphrasia [Euphr]</u>	338
164.	<u>Eupion [Eupi]</u>	340
165.	<u>Fagopyrum [Fago]</u>	341
166.	<u>Ferrum Iodatum [Ferr-i]</u>	343
167.	<u>Ferrum Metallicum [Ferr]</u>	344
168.	<u>Ferrum Phosphoricum [Ferr-p]</u>	347
169.	<u>Ferrum Picricum [Ferr-pic]</u>	350
170.	<u>Fluoricum Acidum [Fl-ac]</u>	351
171.	<u>Formica Rufa [Form]</u>	354
172.	<u>Fraxinus Americanus [Frax]</u>	356
173.	<u>Gambogia [Gamb]</u>	357
174.	<u>Gelsemium [Gels]</u>	358
175.	<u>Glonoin [Glon]</u>	361
176.	<u>Gnaphalium [Gnaph]</u>	364
177.	<u>Gossypium [Goss]</u>	365
178.	<u>Graphites [Graph]</u>	366
179.	<u>Gratiola [Grat]</u>	370
180.	<u>Grindelia [Grin]</u>	372
181.	<u>Guaiacum [Guai]</u>	373
182.	<u>Gymnocladus [Gymn]</u>	375
183.	<u>Hamamelis [Ham]</u>	376
184.	<u>Hecla Lava [Hecla]</u>	378
185.	<u>Helleborus [Hell]</u>	379
186.	<u>Heloderma [Helo]</u>	382
187.	<u>Hepar Sulphuris Calcareum [Hep]</u>	383
188.	<u>Hydrastis [Hydr]</u>	386
189.	<u>Hydrocotyle [Hydrc]</u>	388

190.	<u>Hydrocyanic Acid [Hydr-ac]</u>	389
191.	<u>Hyoscyamine Hydrobromate [Hyosin]</u>	391
192.	<u>Hyoscyamus [Hyos]</u>	392
193.	<u>Hypericum Perforatum [Hyper]</u>	395
194.	<u>Iberis [Iber]</u>	397
195.	<u>Ignatia Amara [Ign]</u>	398
196.	<u>Indigo [Indg]</u>	401
197.	<u>Iodoformum [Iodof]</u>	402
198.	<u>Iodum [Iod]</u>	403
199.	<u>Ipecacuanha [Ip]</u>	406
200.	<u>Iris Versicolor [Iris]</u>	409
201.	<u>Jaborandi [Jab]</u>	411
202.	<u>Jalapa [Jal]</u>	413
203.	<u>Jatropha [Jatr]</u>	414
204.	<u>Justicia Adhatoda Basaka [Just]</u>	415
205.	<u>Kali Arsenicosum [Kali-ar]</u>	416
206.	<u>Kali Bichromicum [Kali-bi]</u>	417
207.	<u>Kali Bromatum [Kali-br]</u>	420
208.	<u>Kali Carbonicum [Kali-c]</u>	423
209.	<u>Kali Chloricum [Kali-chl]</u>	427
210.	<u>Kali Cyanatum [Kali-cy]</u>	429
211.	<u>Kali Iodatum [Kali-i]</u>	430
212.	<u>Kali Muriaticum [Kali-m]</u>	433
213.	<u>Kali Nitricum [Kali-n]</u>	435
214.	<u>Kali Sulphuricum [Kali-s]</u>	437
215.	<u>Kalmia Latifolia [Kalm]</u>	439
216.	<u>Kreosotum [Kreos]</u>	441
217.	<u>Lac caninum [Lac-c]</u>	444
218.	<u>Lac Defloratum [Lac-d]</u>	447
219.	<u>Lachesis [Lach]</u>	449
220.	<u>Lachnanthes [Lachn]</u>	453
221.	<u>Lacticum Acidum [Lac-ac]</u>	454
222.	<u>Lactuca Virosa [Lact]</u>	455
223.	<u>Lapis Albus [Lap-a]</u>	456
224.	<u>Lappa Arcticum [Lappa]</u>	457
225.	<u>Latrodectus Mactans [Lat-m]</u>	458
226.	<u>Laurocerasus [Laur]</u>	459
227.	<u>Lecithin [Lec]</u>	461

228.	<u>Ledum Palustre [Led]</u>	462
229.	<u>Leptandra [Lept]</u>	464
230.	<u>Lilium Tigrinum [Lil-t]</u>	466
231.	<u>Lithium Carbonicum [Lith-c]</u>	469
232.	<u>Lobelia Inflata [Lob]</u>	471
233.	<u>Lolium Temulentum [Lol]</u>	473
234.	<u>Lycopersicum [Lycpr]</u>	474
235.	<u>Lycopodium [Lyc]</u>	475
236.	<u>Lycopus Virginicus [Lycps]</u>	480
237.	<u>Lyssin [Lyss]</u>	482
238.	<u>Magnesia Carbonica [Mag-c]</u>	484
239.	<u>Magnesia Muriatica [Mag-m]</u>	487
240.	<u>Magnesia Phosphorica [Mag-p]</u>	490
241.	<u>Magnesia Sulphurica [Mag-s]</u>	492
242.	<u>Magnetis Polus Australis [M-aust]</u>	493
243.	<u>Magnetis Polus Australis [M-aust]</u>	494
244.	<u>Mancinella [Manc]</u>	495
245.	<u>Manganum [Mang]</u>	497
246.	<u>Marum Verum [Teucr]</u>	500
247.	<u>Medorrhinum [Med]</u>	502
248.	<u>Melilotus [Meli]</u>	505
249.	<u>Menyanthes [Meny]</u>	506
250.	<u>Mephitis [Meph]</u>	508
251.	<u>Mercurius Corrosivus [Merc-c]</u>	509
252.	<u>Mercurius Cyanatus [Merc-cy]</u>	512
253.	<u>Mercurius Dulcis [Merc-d]</u>	514
254.	<u>Mercurius Iodatus Flavum [Merc-i-f]</u>	516
255.	<u>Mercurius Iodatus Ruber [Merc-i-r]</u>	518
256.	<u>Mercurius Solubilis [Merc]</u>	520
257.	<u>Millefolium [Mill]</u>	524
258.	<u>Moschus [Mosch]</u>	526
259.	<u>Murex [Murx]</u>	528
260.	<u>Muriatic Acid [Mur-ac]</u>	530
261.	<u>Mygale Lasiodora [Mygal]</u>	532
262.	<u>Myrica Cerifera [Myric]</u>	533
263.	<u>Naja [Naja]</u>	535
264.	<u>Naphthaline [Naphtin]</u>	537
265.	<u>Natrum Arsenicosum [Nat-ar]</u>	538

266.	<u>Natrum Carbonicum [Nat-c]</u>	539
267.	<u>Natrum Muriaticum [Nat-m]</u>	542
268.	<u>Natrum Phosphoricum [Nat-p]</u>	546
269.	<u>Natrum Salicylicum [Nat-sal]</u>	549
270.	<u>Natrum Sulphuricum [Nat-s]</u>	550
271.	<u>Niccolum [Nicc]</u>	553
272.	<u>Nitricum Acidum [Nit-ac]</u>	554
273.	<u>Nitro Muriatic Acid [Nit-m-ac]</u>	557
274.	<u>Nux Moschata [Nux-m]</u>	558
275.	<u>Nux Vomica [Nux-v]</u>	561
276.	<u>Ocimum Canum [Oci]</u>	565
277.	<u>Oenanthe Crocata [Oena]</u>	566
278.	<u>Oleander [OInd]</u>	567
279.	<u>Oleum Animale [Ol-an]</u>	569
280.	<u>Oleum Jecoris Aselli [Ol-j]</u>	571
281.	<u>Onosmodium [Onos]</u>	572
282.	<u>Opium [Op]</u>	574
283.	<u>Origanum [Orig]</u>	577
284.	<u>Osmium [Osm]</u>	578
285.	<u>Oxalicum Acidum [Ox-ac]</u>	579
286.	<u>Oxytropis [Oxyt]</u>	581
287.	<u>Paeonia [Paeon]</u>	582
288.	<u>Palladium [Pall]</u>	583
289.	<u>Pareira Brava [Pareir]</u>	585
290.	<u>Paris Quadrifolia [Par]</u>	586
291.	<u>Passiflora Incarnata [Passi]</u>	588
292.	<u>Petroleum [Petr]</u>	589
293.	<u>Petroselinum [Petros]</u>	592
294.	<u>Phellandrium [Phel]</u>	593
295.	<u>Phosphoricum Acidum [Ph-ac]</u>	594
296.	<u>Phosphorus [Phos]</u>	597
297.	<u>Physostigma [Phys]</u>	601
298.	<u>Phytolacca Decandra [Phyt]</u>	603
299.	<u>Picric Acid [Pic-ac]</u>	606
300.	<u>Piper Methysticum [Pip-m]</u>	608
301.	<u>Plantago Major [Plan]</u>	609
302.	<u>Platinum [Plat]</u>	611
303.	<u>Podophyllum [Podo]</u>	614

304.	<u>Polygonum [Polyg]</u>	616
305.	<u>Pothos Foetidus [Ictod]</u>	618
306.	<u>Prunus Spinosa [Prun]</u>	619
307.	<u>Psorinum [Psor]</u>	621
308.	<u>Ptelea [Ptel]</u>	624
309.	<u>Pulex [Pulx]</u>	625
310.	<u>Pulsatilla [Puls]</u>	626
311.	<u>Pyrogen [Pyrog]</u>	630
312.	<u>Radium Bromatum [Rad-br]</u>	633
313.	<u>Ranunculus Bulbosus [Ran-b]</u>	635
314.	<u>Ranunculus Scleratus [Ran-s]</u>	637
315.	<u>Raphanus [Raph]</u>	639
316.	<u>Ratanhia [Rat]</u>	640
317.	<u>Rheum [Rheum]</u>	641
318.	<u>Rhododendron [Rhod]</u>	643
319.	<u>Rhus Toxicodendron [Rhus-t]</u>	645
320.	<u>Robinia [Rob]</u>	649
321.	<u>Rumex Crispus [Rumx]</u>	650
322.	<u>Ruta Graveolens [Ruta]</u>	652
323.	<u>SABADILLA [Sabad]</u>	654
324.	<u>Sabal Serrulata [Sabal]</u>	657
325.	<u>Sabina [Sabin]</u>	659
326.	<u>Salicylicum Acidum [Sal-ac]</u>	661
327.	<u>Salix Nigra [Salx-n]</u>	662
328.	<u>Sambucus Nigra [Samb]</u>	663
329.	<u>Sanguinaria Canadensis [Sang]</u>	665
330.	<u>Sanicula (Aqua) [Sanic]</u>	668
331.	<u>Santoninum [Sant]</u>	670
332.	<u>Sarsaparilla [Sars]</u>	671
333.	<u>Scoparius [Scopar]</u>	673
334.	<u>Secale Cornutum [Sec]</u>	674
335.	<u>Selenium [Sel]</u>	677
336.	<u>Senecio [Senec]</u>	680
337.	<u>Senega [Seneg]</u>	682
338.	<u>Sepia [Sep]</u>	684
339.	<u>Silica [Sil]</u>	688
340.	<u>Solidago Virgaurea [Solid]</u>	693
341.	<u>Spigelia [Spig]</u>	694

342.	<u>Spongia Tosta [Spong]</u>	696
343.	<u>Squilla Maritima [Squil]</u>	699
344.	<u>Stannum [Stann]</u>	701
345.	<u>Stannum Iodatum [Stann-i]</u>	704
346.	<u>Staphysagria [Staph]</u>	705
347.	<u>Sticta [Stict]</u>	708
348.	<u>Stramonium [Stram]</u>	710
349.	<u>Strontium Carbonicum [Stront-c]</u>	713
350.	<u>Strophanthus Hispidus [Stroph]</u>	715
351.	<u>Strychninum [Stry]</u>	717
352.	<u>Succinum [Succ]</u>	718
353.	<u>Sulphonal [Sulfon]</u>	719
354.	<u>Sulphur [Sulph]</u>	720
355.	<u>Sulphur Iodatum [Sul-i]</u>	725
356.	<u>Sulphuricum Acidum [Sul-ac]</u>	727
357.	<u>Sumbul [Sumb]</u>	730
358.	<u>Symphoricarpus Racemosa [Sym-r]</u>	732
359.	<u>Symphytum [Symph]</u>	733
360.	<u>Syphilinum [Syph]</u>	734
361.	<u>Tabacum [Tab]</u>	737
362.	<u>Taraxacum [Tarax]</u>	740
363.	<u>Tarentula Cubensis [Tarent-c]</u>	742
364.	<u>Tarentula Hispania [Tarent]</u>	743
365.	<u>Tellurium [Tell]</u>	746
366.	<u>Terebinthina [Ter]</u>	748
367.	<u>Thallium [Thal]</u>	750
368.	<u>Theridion [Ther]</u>	751
369.	<u>Thiosinaminum [Thiosin]</u>	753
370.	<u>Thlaspi Bursa Pastoris [Thlaspi]</u>	754
371.	<u>Thuja Occidentalis [Thuj]</u>	755
372.	<u>Thymol [Thymol]</u>	759
373.	<u>Thyroidinum [Thyr]</u>	760
374.	<u>Tilia Europa [Til]</u>	762
375.	<u>Trifolium Pratense [Trif-p]</u>	764
376.	<u>Trillium Pendulum [Tril]</u>	765
377.	<u>Trombidium [Trom]</u>	766
378.	<u>Tuberculinum [Tub]</u>	767
379.	<u>Uranium Nitricum [Uran-n]</u>	770

380.	<u>Urtica Urens [Urt-u]</u>	771
381.	<u>Ustilago Maydis [Ust]</u>	772
382.	<u>Vaccinium [Vac]</u>	773
383.	<u>Valeriana [Valer]</u>	774
384.	<u>Vanadium [Vanad]</u>	776
385.	<u>Variolinum [Vario]</u>	777
386.	<u>Veratrum Album [Verat]</u>	778
387.	<u>Veratrum Viride [Verat-v]</u>	781
388.	<u>Verbascum [Verb]</u>	784
389.	<u>Vespa Crabro [Vesp]</u>	785
390.	<u>Viburnum Opulus [Vib]</u>	786
391.	<u>Vinca Minor [Vinc]</u>	788
392.	<u>Viola Odorata [Viol-o]</u>	789
393.	<u>Viola Tricolor [Viol-t]</u>	791
394.	<u>Vipera [Vip]</u>	792
395.	<u>Viscum Album [Visc]</u>	793
396.	<u>Xanthoxylum [Xan]</u>	794
397.	<u>Zinc Arsenite [Zinc-ar]</u>	795
398.	<u>Zinc Chromate [Zinc-chr]</u>	796
399.	<u>Zinc Iodide [Zinc-i]</u>	798
400.	<u>Zinc Phosphate [Zinc-p]</u>	799
401.	<u>Zinc Sulphate [Zinc-s]</u>	800
402.	<u>Zinc Valerianate [Zinc-val]</u>	801
403.	<u>Zincum Metallicum [Zinc]</u>	802
404.	<u>Zingiber [Zing]</u>	806

Generalities:

It affects the Mucous Membranes and Nerves. In stomach, it causes a catarrhal condition, which increases the patient's hunger and craving for coarse food, such as pickles, radishes, turnips, etc. Patient wants to lie down, all the time, on account of nervous weakness and feels faint. In women, it causes uterine displacement, due to defective nutrition and debility. Peculiar sensations are-right lung and liver, feel hard and small; uterus feels soft. Lies with the legs drawn up.

Mind:

Easily fretful or quiet and careless.

Head:

Feels, as if it is light or there is swimming in the head.

Stomach:

Ravenous appetite. Tendency to eat, far beyond the capacity of digestion. Distension of abdomen and stomach, with palpitation.

Females:

Sore feeling at the uterus better pressure. Uterus soft and feeble as if.

Fever:

Cold shivering, as if blood were ice-water.

Skin:

Clammy and sticky.

[Back to Index](#)

Generalities: It is a useful remedy, in many diseased conditions, when they are associated with gastric symptoms. It causes dyspepsia, with functional heart symptoms, especially in the aged persons. It is also useful, in indigestion of those, who abuse the drinking of tea and smoking, or chewing of tobacco. The chief, symptom in dyspepsia is a sensation, as if a hard-boiled egg has lodged in the cardiac end of the stomach. Patients describe this sensation, as if a hard lump is felt in the pit of the stomach or in the lung which he wants to cough out.

Worse:

After eating.

Mind:

Very low spirited, unable to think or study.

Stomach:

Total loss of appetite, in the morning, but craves food, at noon and at night. Pain in the stomach, always comes on after eating.

Chest:

Difficult breathing worse lying down. Heart's action heavy and slow, there may be tachycardia or bradycardia.

[Back to Index](#)

Generalities:

It affects nerves, causing numbness, weakness, trembling, and parietic conditions. It is the remedy for marasmus in children when nutrition is affected. In spite of good appetite, children emaciate, especially in lower extremities. It causes *true metastatic condition. Rheumatism, occurs after checked diarrhoea. Gout recedes and other troubles follow. It has *exudative tendency. Exudation may occur, as a metastatic condition or otherwise, into pleura, joints etc. It also causes alternating conditions, one diseased condition disappears and another appears, e.g. piles alternating with rheumatism. It is suitable, to newborn, or children especially boys, who suffer from hydrocele, epistaxis; it removes weakness, remaining after influenza. Oozing of blood, and moisture in newborn, from navel. Vomiting of large quantities of offensive fluid. Effects, remaining after operation on chest.

Worse:

Cold air; wet. Checked secretions; esp. diarrhoea. Night. Fog.

Better:

Loose stools. Motion.

Mind:

Great anxiety and depression. Cross and irritable (children in marasmus). Thinking difficult; loss of comprehension. Inhuman; would like to do something evil, cruel.

Head: Cannot hold the head up, on account of weakness of neck. Brain feels tired, after conversation or mental effort. Veins distended on forehead.

Eyes: Blue rings, around the eyes. Hollow.

Nose: Bleed in boys.

Face:

Dry, cold, wrinkled, as if old, in marasmus. Acne, with emaciation. Angioma of the face. Pale, hollow eyed.

Stomach:

Emaciation progresses, with good appetite. Food passes undigested. Craving for bread, boiled in milk. Cutting, gnawing, burning pains, in stomach, at night in gastralgia. Feels, as if stomach is swimming in water; with coldness.

Abdomen: Hard lumps are felt in different parts of abdomen. It is bloated. Tuberculous peritonitis. Weak, sinking feeling in bowels. Piles, protruding, with burning from touch. Frequent desire to stools, but only a little blood passed.

Male:

Hydrocele of children.

Females:

Darting pain in left ovary. Menses suppressed.

Respiratory organs:

Dry cough, following diarrhoea. Pressing sensation remains, after Pleurisy, in the affected side, impeding free breathing.

Neck and Back:

Sudden aching pain in the back worse night; better motion. Pain in sacrum, due to piles. Back weak, with ovarian pain.

Extremities:

Pain in shoulders, arms, wrists and ankles. Legs greatly emaciated. Cold, prickling, numb, fingers and toes. Inability to move the limbs, due to rheumatism. Contraction of limbs, from cramps or following colic.

Skin:

Loose and flabby. Skin becomes purplish, after suppression of eruptions. Itching chilblains.

Follows well:

Acon and Bry in pleurisy.

Related:

Agar; Chin; Led; Nux-v.

[Back to Index](#)

Generalities:

It causes convulsions, preceded by trembling. The patient, bites, tongue, foams at mouth and makes grimaces. Tremor is a marked feature, tremor of tongue, heart. Sudden and severe, giddiness; epileptiform seizures, delirium, with hallucinations and loss of consciousness. Attacks occur in rapid succession. It is a useful remedy, for nervousness, excitement, and sleeplessness, in children. Chorea. Opisthotonos.

Mind:

Vertigo, with tendency to fall backward. Forgets, what has recently happened, after and before convulsion. Wants nothing to do with anybody. Brutal insanity. Kleptomania.

Ear:

Discharge from; after headache.

Face:

Spasmodic facial twitching. Foolish look.

Urine:

Very strong urine, of deep yellow colour.

Females:

Menopause, premature.

Heart:

Tumultuous action, beats can be heard in back.

Related:

Artem-v; Cic; Cina; Hydr-ac.

[Back to Index](#)

Generalities:

The leading symptoms of this drug are, profound anaemia, with waxy pallor of the face; excessive emaciation; great debility frequent fainting; difficult breathing; weak heart; profuse urination vomiting; and sweat. It antidotes, the effects of all anaesthetic vapours. In convulsions, patient jumps out of bed, like a madman and crawls on the floor. It is a remedy, for general anasarca and dropsical affections. Haemorrhage; from nose, stomach, rectum, lungs, ulcers, etc. Child wants to be carried. Naevi; warts, corns.

Mind:

Grieves, about his sickness and his children. Worried about business affairs. *Borrows trouble. Does not know her own children. Forgets what has recently happened.

Head:

Aches, from abuse of narcotics, tobacco. Child does not let its head to be touched.

Nose:

Bleed esp. from fall or blow.

Face:

Left cheek red, during fever. Pale, waxen, emaciated.

Throat:

Children thirsty, but swallow with difficulty, even a teaspoonful. (Diphtheria).

Stomach:

No thirst with fever. Great thirst with dropsy. Violent burning pain in stomach and chest, followed by coldness of skin, and cold sweat on forehead. Vomiting, after every kind of food. Ulcer, cancer, of the stomach. Cold drinks disagree; vegetables, except potatoes, disagree. Bread and butter disagree.

Abdomen:

Tympanitic. Ascites. Haemorrhages from bowels. Chronic diarrhoea, of emaciated children. Scirrhus of pylorus.

Urinary Organs:

Large quantities of pale urine. Diabetes, with great thirst and debility.

Females:

Metrorrhagia, with great thirst; after parturition. Threatening abscess of the breast. Milk impoverished, bluish, sour; suckling droop lose flesh, get marasmus.

Respiratory organs:

Cough when inhaling. Hurried and laborious breathing. Rattling in chest.

Neck and Back:

Pain (Myelitis) only relieved by lying on abdomen; with profuse urination.

Extremities:

Oedematous swelling of feet and legs, with diarrhoea.

Fever:

Hectic; with drenching night sweats; sweat profuse and cold.

Skin:

Diminished sensibility of the whole body. Burning, dry, skin.

Related:

Follows China after haemorrhages.

[Back to Index](#)

Generalities:

The rapidity of action of Acon, determines its symptomatology. Its symptoms are *acute, *violent, and *painful. They appear *suddenly, remain for a short while, as of a big storm, which soon blows over. Mind is affected by such emotional factors as *****FRIGHT; SHOCK Vexation. *Nerves are excited and the patient remains under emotional and *nervous tension. Neuralgic *pains are very intense. *****FEAR IS INTENSE, SO much so that the patient becomes *frantic, *screams, groans, gnaws the fist, bites the nails, wants to die. Fear of fright remains. Fear accompanying most trivial ailments. Heart and *arterial circulation is affected strongly producing congestion to the head, (often apoplectic) and chest. It is a remedy for acute *inflammation and congestion. *Haemorrhages are bright red. Pains are sticking, tearing. Sensations of burning, numbness, tingling prickling or crawling are marked. Parts feel big or deformed. External soreness, with internal heaviness. Sudden loss of strength_*collapse. *Special senses acute. *Parts remain sore or numb, after the pains. Convulsions. Faintness. Children put their hands to the affected part. Complaints caused by exposure to cold, dry weather, especially respiratory affections. Gastro- intestinal disturbances, are caused by exposure to very hot weather. It is adapted to persons of robust habit. Complaints, after surgical shocks and injury, or checked perspiration. Remote effects of fright. Cries out and grasps the genitals, Crepitation.

Worse:

*Violent emotions, *****FRIGHT; SHOCK Vexation. *Chilled by *****COLD; *dry weather, while sweating. Pressure, touch. *Night, in bed p.m. Lying on side. *Noise. *light. Dentition. During menses. Sleeping in the Sun. Music. Tobacco smoke. Inspiration.

Better:

Open air. Repose. Warm sweat.

Mind:

Great *****ANXIETY; AGONIZING FEAR and *****RESTLESSNESS, accompany every ailment however trivial. *Fear of death, of crowds, or crossing the streets, of future, of touching others passing by. *Impatient; besides himself; frantic; *from intensity of pain. *****WITH FEAR, *screams, moans, *gnaws the fists, bites the nails; wants to die. Afraid to go out of the house. *Forebodings, predicts the time of death. *****TERROR STRICKEN. Music makes him sad. Clairvoyance. Feels as if what had just been done were a dream. Delirium. Fitful moods; laughing, singing, then sad and fearful. *Anxious *excited, *nervous, *feverish. Imagines some part of the body is deformed. Imagine they do all their thinking from stomach.

Head:

Heavy, *hot, bursting. *Burning; undulating sensation in the head. As of a hot band about head, or boiling heat in brain. Violent squeezing or bursting in forehead or eyes. Headache with increased secretion of urine. Vertigo worse on rising or any other motion of the head or of the body. As if hair were pulled or stood on end. Crackling in head. Pulsation in forehead. Knocks the head.

Eyes:

Feel dry and hot as if sand in them. Lids; swollen, hard and red Shooting pain in eyeballs. Cannot bear the reflection of Sun from the snow. Conjunctivitis from cinders or other foreign bodies. Eyes, glitter stare, bleared. Aversion or desire for light.

Ears:

Very sensitive to noise. Music is unbearable. As of a drop of water in the ear.

Nose:

Numb with epistaxis. Smell acutely sensitive. Pain at the root of the nose. Nose dry, stopped up or runs hot scanty watery discharge.

Face:

****ANXIOUS expression; becomes pale and red alternately. *Hot, *red *cheeks. Red face becomes deathly pale on rising or he becomes dizzy. One cheek red hot other pale and cold. Neuralgia with restlessness tingling and numbness. Lips black, dry, peeling off. Heavy feeling of the whole face.

Mouth:

Toothache in sound teeth. Throbbing in, teeth and head. Grinding of the teeth. Gums hot and inflamed. Tongue feels as if swollen. Everything tastes bitter except water, which has bad taste. Trembling and temporary stammering. Mouth and tongue numb; dry burning heat in mouth. Tingling on coughing and swallowing. Chewing motions of lower Jaw.

Throat:

Red, dry, hot, constricted, chokes on swallowing. Tonsils swollen and dry.

Stomach:

Vomiting with fear, heat, profuse sweat and increased urination. ****INTENSE BURNING THIRST. Craving for beer, acids, bitter drinks. Thirst worse after iced drinks. Hungry. Milk disagrees. Projectile vomiting. Violent bilious or bloody vomiting. Pressure in stomach with dyspnoea. Wine generally ameliorates. Nausea and sweating before and after loose stool.

Abdomen:

Sensitive to touch. Colic, no position relieves. Hot distended. Jaundice; of newborn; from fright. Incarcerated hernia. *Stools; of pure blood; slimy, grass green or white worse hot days and cold nights. Dysentery. Watery diarrhoea in children in hot days, they cry, are restless and sleepless. Itching and sticking at anus; as of a warm fluid escaping from the anus.

Urinary Organs:

Urine scanty, red, hot, painful. Retention or suppression of urine; in new born; due to cold exposure, with handling of genitals. Agonizing dysuria. Cystitis. Urethral chill.

Male:

Orchitis, testicles feel swollen and hard.

Females:

Suppression of menses from fright or cold, in plethoric patients. After pains with fear and restlessness. Maniacal fury, on the appearance of menses. Active uterine haemorrhage. Ovaritis from sudden checked menstrual flow. Vagina hot, dry and sensitive. Milk fever with delirium. Increase of milk in breast.

Respiratory organs:

*Hoarse, dry, croupy, painful cough or short barking, ringing, or whistling cough worse from every inspiration, at night, drinking; grasps the throat. Cough better lying on back. Shortness of breath during sleep; sits erect. Laryngitis. *Croup with fever. Violent congestion of blood in the chest. Pneumonia. Oppression of the chest when moving fast or ascending; in heart disease. Blood comes up on hawking. *Lungs feel hot. Stitches in chest. Pleurisy. Tingling in chest after coughing.

Heart:

Feels swelled-carditis. Palpitation, with anxiety, fainting and tingling in fingers, pain down left arm. Heart pains into left shoulder, worse sitting erect. Tachycardia. Pulse fast, bounding, shaking, forcible and tumultuous or wiry, very irritable. Arterial tension.

Neck and Back:

Pain in the back, prevents taking deep inspiration. Bruised pain between shoulders, and sacrum.

Extremities:

Arms hang down powerless. Numbness of the left arm, tingling in fingers. Red finger tips. Hot hands and cold feet. Red shining swelling of the joints. Hypothenar eminences bright red. Legs powerless; feel tired during repose. Sensation as of drops of water trickling down the thighs. Jerking of left leg or arm. *Palms hot.

Sleep:

Nightmares. Anxious dreams. Sleeplessness with restlessness and tossing about; caused by fear, fright or anxiety. Insomnia of the aged.

Fever:

***CHILL passes through him in waves. Chill or coldness alternating with heat. ***HIGH FEVER; *dry burning heat; in eyelids, nose, mouth, throat, lungs and palms, must uncover. *Sweat drenching, wants to uncover. Sweat on uncovered parts or affected parts.

Skin:

***DRY, HOT or as if ice water on it. Miliary eruptions. Itching better by stimulants.

Related:

Bell; Cham; Coff.

Complementary:

Coff; Sulph.

[Back to Index](#)

Generalities:

It acts upon joints, especially small joints. Though it affects wrist joints prominently; other joints like ankle and fingers are also affected. It causes tearing and tingling pains. Joints are swollen and pains are worse by touch and movement. Slight fatigue, causes swelling of the joints. It causes paralytic weakness of affected part. Symptoms are liable to appear from fright and fatigue. Shortness of breath on exposure to cold. Old age. Hypersensitive to cold, Weakness.

Worse:

Change of weather, slight exertion, cold; night; touch.

Eyes:

Objects look blue.

Ears:

Twitching pain on sneezing or blowing the nose.

Complementary:

Caul; Coloc; Sab; Stict; Viol-o.

[Back to Index](#)

Generalities:

It acts predominantly on heart when it is affected after rheumatism, influenza or nephritis, where the muscles of the heart are in the stage of fatty degeneration. It regulates the pulse, increases the contracting power of the heart, with increased urinary secretion. It is valuable in cardiac dropsy, hydrothorax; ascites and anasarca. Pains wander from place to place. Arrhythmia. It is not cumulative in action. Compensatory hypertrophy of heart in cardiac stenosis and mitral regurgitation.

Worse:

Cold. Lying.

Better:

Exertion.

Mind:

Vertigo worse on rising, turning the head quickly or lying down; with palpitation. Aching from occiput around temples to eyes. Scalp feels light.

Mouth:

Tongue sore, feels scalded. No thirst.

Stomach:

Faint feeling in epigastric region with vertigo better out of doors.

Abdomen:

Heavy weight; bowels seem as if breaking worse bending.

Urinary Organs:

Urging to urinate. Albuminuria; urine scanty, oily pellicle on urine.

Respiratory organs:

Frequent desire to take a deep breath. Dyspnoea worse touching back. Dry tickling, cardiac cough.

Heart:

Weak, fatty, arrhythmic. Precordial pain, palpitation and dyspnoea. Pulse rapid, irregular.

Neck and Back:

Spine and neck stiff; aching pain with tired feeling.

Sleep:

Sleeplessness with rambling thoughts, or horrible dreams.

Skin:

Vesicles on the skin.

Related:

Bufo.

Compare:

Conv; Crat; Dig; Strop.

Dose:

5 to 10 drops of tincture.

[Back to Index](#)

Generalities

It has a marked action on the veins of the lower bowels and pelvic organs causing engorged haemorrhoids. Veins of portal system are also engorged producing soreness and fulness of the liver and abdomen. Many of the symptoms which *Aesc. produces are due to deranged liver or *reflex from piles. It causes general venous stasis, making parts purple and puffy, varicose veins become purple. Everything is slowed down, digestion, heart, bowels. In addition to the feeling of fulness in internal parts, it produces sensation of ****HEAT, DRYNESS, STIFFNESS and ROUGHNESS in throat, nose, anus, etc. There is a characteristic backache which unfits the patient for business. Pains are sticking or flying all over, hot like lightning.

Worse

Morning on awakening. From any motion. Lying, stooping after stools; urinating. Cold air, and after washing in water. Winter. Standing.

Better

Cool; open air, bathing. Bleeding (Piles); kneeling. Continued exertion. Summer.

Mind

Gloomy and *irritable; unable to fix his attention. Wake up with confusion of mind; bewildered, especially children.

Head

Bruised pain in occiput to the frontal region, with flushes of heat over occiput, neck and shoulders.

Eyes

Eyeballs feel heavy, dull, hot and sore, with lachrymation. Blood vessels enlarged.

Nose

Sensitive to cool inspired air, which causes burning, rawness and fluent coryza and sneezing. Obstruction of nose due to hepatic disorders. Congestive catarrh.

Mouth

Scalded feeling in tongue and mouth. Tongue thickly coated. Salivation. Cannot control the tongue so as to form words rightly. Taste sweet, bitter, metallic. Teeth as if covered with oil.

Throat

Follicular pharyngitis connected with hepatic congestion. Feeling of roughness, dryness, stitching or burning like fire on swallowing. Neuralgic pains in the fauces. Hawking of ropy mucus of sweetish taste.

Stomach

Pressure as from a stone, with gnawing, aching pain, about three hours after meals. Heart burn and gulping up of food after eating. Desire to vomit with constant distress and burning.

Abdomen

Throbbing deep in abdomen (hypogastrium and pelvis). Tenderness and fulness in the region of liver. Jaundice.

Rectum

*Stools, *dry hard; of several colours. Feels full of small sticks. Piles with sharp shooting pains *up the back; blind and bleeding, purple painful, external; worse standing and walking. Constipation; hard, dry, knotty, white stools. Pains long after stools. As if a bug crawling from anus. Stools first part hard and black, then white and soft. Burning in anus, with chills up and down the back. Painful constrictions; as of a knife sawing up and down. Piles worse during climax.

Urinary Organs

Frequent scanty urination, urine muddy, dark, hot.

Male

Discharge of prostatic fluid at every stool and urination.

Females

Constant throbbing behind symphysis pubis. Leucorrhoea with lameness of back across sacro-iliac joint and aching in knees. Leucorrhoea; dark, yellow, sticky, corroding worse after menses.

Chest

Feels constricted, hot feeling in. Cough depending upon hepatic disorders. Pain around heart in haemorrhoidal subjects. Audible palpitation, when pulsation extends to extremities.

Back

*Laming, *dull lumbar pain. Small of the back gives out. Pain as if to break, has to make repeated efforts at rising, worse walking and stooping. Bruised pain affecting sacrum and hips.

Extremities

Aching and soreness in limbs. Paralytic heaviness, of arms, spine, feet. Hands and feet swell, and become red after washing. *Spine feels weak.

Sleep

Disposition to stretch and yawn.

Related

Aloe; Coll; Puls.

Complementary

Carb-v; Lach; Mur-ac.

[Back to Index](#)

Generalities

It affects *****BRAIN and *nervous system, connected with gastrointestinal disturbances. *Violence is one of the key notes of its action. Violent; vomiting, convulsions, pains, delirium. On the other hand there is *profound prostration and stupor, and lack of reaction, even speechless. Mind and body becomes weak. It is specially useful in children during dentition and summer complaints when anguish, crying and expression of uneasiness, and discontent are present. As the disease progresses the patient becomes more and *more retired in his disposition, and more inclined to weep. In epileptiform spasms, the thumbs are clenched, face becomes red, eyes turned downwards, pupils dilate and staring, foam at mouth. Patient cannot stand, sit up or hold the head up. Weak nervous and prostrated from overwork. Dotage. Lancinating pains. Parts feel screwed together. Improperly fed babies. Children who lack the power to hold their heads up, with no particular ailment, sometimes they can't even stand or bear any weight on their limbs.

Worse

3 to 4 a.m. and evening. Warmth; *hot weather. MILK. Dentition. Frequent eating. Over-exertion.

Better

Open air, by walking in open air. Conversation.

Mind

*Inability to think or fix attention, from overstudy. Delirium, sees cats, dogs and rats etc. Idiocy, alternate with furor. Wants to jump out of bed or out of window. Examination funk from simple sense of incapacity. Idiotic children. Awkward.

Head

Distressing pains in the occiput down nape of neck and spine better lying down and pressure. Head symptoms are better by passing flatus and by stool. Hair feels pulled. Vertigo; with sleepiness, with palpitation with weakness. Cannot raise head. Head hot after vertigo. Squeezing headache, with vertigo worse walking and looking upward. Dizzy and drowsy.

Eyes

Photophobia (chronic). Eyes brilliant and protruding. Eyes drawn downwards. Cornea sunken. Objects seem larger or double. Swelling of meibomian glands. Rolling of eyes on falling asleep.

Ears

As if something hot streaming out. Feels obstructed; better by inserting the fingers and drawing the parts apart.

Nose

Herpetic eruptions on tip of nose. Frequent ineffectual desire to sneeze. Alae nasi drawn in.

Face

Sunken; pale, puffed, spotted, red. *Linea nasalis marked Blue white pallor about the lips. Deathly aspect. Chin and corners of mouth feel cold.

Mouth

Tongue seems too long. Aphthae in the mouth. Speech slow embarrassed. Speechless. Taste bitter; of onions; of cheese; sweetish in morning.

Stomach

Nibbling appetite. *Intolerance to milk Violent sudden vomiting of milk as soon as swallowed or ***IN LARGE CURDS. Hungry after vomiting. LIMPNESS AND DEEP SLEEP AFTER VOMITING DEATHLY NAUSEA. Regurgitation of food long after eating. Vomiting of frothy matter white as milk; or yellow fluid. Stomach feels turned upside down. Digestion affected from brain exhaustion. Retching.

Abdomen

Black bluish swelling of abdomen, coldness of abdomen, subjective and objective, with coldness of legs, with aching in bowels better warm application. Colic, followed by vomiting, vertigo and weakness. Bubbling sensation around navel.

Stool

Yellow green slimy diarrhoea. Stools undigested. Obstinate constipation, with feeling as if all the action of the bowels has been lost. Choleraic affection of old age.

Urinary

Cutting pain in bladder with frequent urging.

Male

Right testicle drawn up with pain in kidney.

Female

Menses watery. Swelling of mammary glands with lancinating pain. Pimples on external parts; itching on getting warm.

Respiratory

Short breath interrupted by hiccough. Suffering renders the patient speechless. Crampy constriction in chest. Cough causes pain in head. Stitches in left side of chest.

Heart

Violent palpitation, with vertigo, headache and restlessness. Pulse rapid, hard, small, unrhythmical.

Neck and Back

Want of power to stand to hold up head. Small of back as if in vise. Swelling of glands around neck like string of beads. A feeling as if pain in back could be better by straightening out and bending stiffly backwards.

Extremities

Fingers and thumbs bent inwards or clenched. Sensation as if arms had become much shorter. Numbness of hands and feet. Heaviness, weakness, contraction of fingers. Excoriation of thighs on walking.

Sleep

Disturbed by violent startings and or by cold perspiration. Dozing after vomiting or stool. Rolling of the eyes or slight convulsion on falling asleep.

Fever

Great heat without thirst. Must be covered during sweat. Sweating, on slightest physical effort.

Skin

Lymphatic glands swelled like strings of beads. Skin cold and covered with cool clammy sweat. Eruptions, itching; around the joints better from heat. Ecchymosis. Anasarca. Whole body may be blue, black.

Related

Ant-c; Cic.

Complementary

Calc.

[Back to Index](#)

Generalities

This poisonous mushroom, acts on *CEREBRO-SPINAL Axis. Its action on brain produces more vertigo and delirium. Affection of spinal cord, nerves and medulla, produces ***IRREGULAR, ***ANGULAR, ***UNCERTAIN and ***AGGRAVATED MOVEMENTS; patient reaches too far, staggers or steps too high, *drops things etc. Symptoms appear slowly. Patient suffers from ***MANY AND DIVERSE. symptoms. TREMBLING; TWITCHING; JERKINGS *fibrillar spasms here and there are very marked, ***EYELIDS and tongue are specially affected. Symptoms appear diagonally as right arm and left leg. Shuddering. Nervousness and restlessness. Chorea better during sleep Sensation as if pierced by cold needles, or hot needles, a cold drop or cold weight on the parts. Painful twitching, then the parts become stiff and cold. In epilepsy and convulsions physical strength is increased, can lift heavy loads. Twitching cease during sleep. Convulsions after coition from suppressed milk; after being scolded; or punished. Young nervous hysterical married women who faint after coition. Children walk and talk late on account of brain complaints. Yawning before complaints.

Worse

***COLD air. ***FREEZING air. Before thunderstorms. *Mental exhaustion. *Coition. Debauchery. *Alcohol *Pressure on spine. *Touch. *Morning. During menses. Sun. Fright.

Better

Gentle motion.

Mind

Sings, talks incoherently, changes rapidly from subject to subject but does not answer. *Loquacity. Indisposed to perform any kind of work especially mental. Fearlessness. Makes verses. Hilarious. Embraces and kisses hands. Selfish. Indifferent. Dull and dizzy as if drunk. Morose self willed, stubborn; slow in learning to walk and talk. Awkward, clumsy Knows no one; throws things. Pressure on spine causes involuntary laughter. Cannot do anything new, cannot do his routine work or does the opposite.

Head

Vertigo; from sunlight. Dull headache; must *move the head to and fro. Headache better after stool or urine; headache with nose-bleed or thick mucus discharge. Pain as from nail in right side of head. Head is in constant motion. Head drawn towards shoulders.

Eyes

Reading difficult, as type seems to move, to swim. Double vision oscillating eyeballs. Gum in canthi. Muscae volitantes, brown. *Twitching of eyelids. Narrowing of space between eyelids. Nystagmus; squint. Eyelids thick, dry, burning.

Ears

Itching in the ears with redness and burning pain, as if they had been frozen. Twitching of the muscles about the ears. Noises.

Nose

Frequent sneezing, without coryza. Flow of clear water, without coryza. Sneezing, after coughing. Itches internally and externally. Foetid dark bloody discharge. Epistaxis; in old people. Redness of. Obstruction on stooping.

Face

Facial muscles, feel stiff; twitch. Face, itches and burns. Pain in the cheeks, as of from splinters. Neuralgia, as if cold needles run through nerves. Grimaces. Idiotic expression. Face, blue and puffed.

Mouth

Angles of mouth droop; from paralysis; saliva runs out. Herpes on lips. Taste; sweet, bitter. Aphthae on the roof of the mouth. Tongue; dry, tremulous; one side numb, with vertigo. Indistinct, jerky speech. Offensive breath. Froth at mouth. Swelling and bleeding gums, with pain.

Throat

Feels contracted. Small solid balls of phlegm thrown up, without coughing. Dryness with difficulty in swallowing. Scratching on every attempt to sing.

Stomach

Always thirsty. Eructation; empty, tasting of apples; or of rotten eggs. Eructations, alternating with hiccough. *As of a lump in epigastrium. Gastric disturbances, with sharp pain in liver region. Vomiting; bitter, with prostration, with stitches in rectum and groins.

Abdomen

Rumbling and fermenting in bowels. Profuse inodorous flatus. Diarrhoea, with much foetid garlicky odour flatus. Diarrhoea, of children, with grass green bilious stools. Flatus hot. Sensation of writhing in. Stitch, in the splenic region; in runners.

Urinary Organs

Urine, profuse, colourless, clear, lemon coloured. Viscid, glutinous, mucus from urethra. Frequent urination. Urine cold. Urine, flows slowly or in drops; has to press for passing urine.

Male

Sexual desire increased. After coition, great debility, profuse sweat, burning and itching of the skin; tension and pressure under ribs. Seminal discharge hot. Palpitation during coition; depressed afterwards (in both the sexes). Premature ejaculation. Testes painfully retracted. Old gleet. Complaints after sexual debauches.

Female

Bearing down pain, especially after menopause. Sexual excitement. Menses, too profuse. Nipples, itch and burn, look red; during pregnancy. Complaints following parturition and coitus. Metastases, from suppressed milk; to the brain, abdominal troubles etc. Leucorrhoea, dark, bloody, excoriating, patient is unable to walk. Itching, with sexual desire.

Respiratory organs

Isolated coughing attacks, then sneezing. Cough comes as if from spine. Easy expectoration of flocculi or balls of mucus. Laboured, oppressed breathing. Chest seems too narrow.

Heart

Palpitation, during coition. Palpitation, irregular, tumultuous; with redness of face, better tobacco. Pressure or burning sticking, from heart to left scapula. Angina pectoris, with excessive pain only. Shocks; at heart region, from sudden noise, from eructation or coughing.

Back

Single vertebra sensitive to heat. Pain, as from fatigue. Painful weakness and soreness. *Spine sensitive to pressure and touch; everywhere on the body. Shooting, burning along spine. Spine seems short. Pain in lumbar region and sacrum, a sort of crick in back, extending to nape of neck worse stooping. Lumbago worse in open air; worse sitting. Twitching of cervical muscles. Formication, along spine. Muscles of the back feel tight as if they would break on bending. As if cold air were spreading, along the back, like an aura.

Extremities

Arms restless. Burning, itching of both hands as if frozen. Trembling of the hands. Right hand unsteady while writing; arms feel paralyzed from much writing. Uncertain gait. Itching of toes and feet as if frozen. Cramps in soles and feet. Pain in shin bone. Violent pain in thigh on crossing them. Paralysis of lower limbs, with slight spasms of arms. Numbness of legs on crossing them. Buttocks cold. Pain in the hips worse lying. Fingers fly spasmodically while holding things. Legs feel heavy. Feels as if her limbs did not belong to her.

Sleep

*Yawning frequent; before pains or spasms; as a concomitant. Yawning followed by involuntary laughter. On falling asleep, starts twitches and awakes often.

[Back to Index](#)

Generalities

*Agn. produces its chief effect on ***SEXUAL ORGANS of both the sexes, also there are characteristic symptoms in the ***MENTAL SPHERE. It lowers sexual vitality, with corresponding mental depression and loss of nervous energy. There is a great sadness, with a fixed idea of approaching death. It influences both the sexes, but its influence is more pronounced in men. ***IMPOTENCY and ***PREMATURE OLD AGE, from abuse of sexual power. History of repeated gonorrhoea. Self contempt from sexual abuse. Nervous debility in unmarried persons. A prominent remedy for sprains and strains. Gnawing, itching in all parts especially eyes. Tachycardia caused by tobacco in neurotic young men. *jaded rakes. *Agn. was used in early days, by both men and women to suppress sexual desire.

Worse

***SEXUAL EXCESS. Sprains of overlifting.

Mind

Absent minded. Despairing sadness with impression of speedy death. Distraction. Unable to recollect things. Lack of courage. Says that she will die soon and there is no use doing anything. Illusions of smells_ herrings, musk. ***BAD MEMORY.

Head

Pain as from staying in room, filled with thick and smoky atmosphere, looking to one point better.

Eyes

Pupils dilated. Gnawing, itching in eyes.

Nose

Illusions of smell_of herring, musk. Hard ache on dorsum of nose better pressure.

Face

Corrosive itching on the cheeks. Formication in the cheeks. Rending, tearing under alveoli of right lower jaw.

Mouth

Ulcers in the mouth and gums. Teeth are painful when touched by warm food or drink.

Stomach

Nausea with a sensation as if intestines were pressed downwards, wants to support bowels with hands. Only the most simple food agrees. Eructations smell like urine.

Abdomen

Rumbling in abdomen during sleep. Spleen swollen and sore. Flatus smells like urine, remaining long on clothes. Deep fissures, in anus. Sensation as of subcutaneous ulceration near the anus, only while walking. Bowels as if sinking down, has to support with hands.

Urinary

Passes more urine, frequently.

Male

Sexual desire almost lost. Testes; cold, swollen, hard, penis small, flaccid. Spermatorrhoea; with impotence. Loss of prostatic fluid on straining. Yellow discharge from urethra.

Female

A transparent leucorrhoeal discharge passes imperceptibly from the very relaxed genital. Aversion to coition. Leucorrhoea staining yellow. Agalactea, with sadness. Menses suppressed; with abdominal pains. Hysterical palpitation with nose-bleed. Sterility; with suppressions of menses and no sexual desire. Sexual thrill absent, from excessive masturbation .

Related

Olnd; Ph-ac.

[Back to Index](#)

Generalities

It relaxes the whole system. Patient is prone to take cold on exposure to cold winds. Adenoids with enlarged tonsils. Throat deafness. Mucus diarrhoea following a suppressed cold. Mutinism of childhood unconnected with deafness.

[Back to Index](#)

Generalities

It acts upon ***BLOOD; disorganizing it and producing conditions like low fevers; low types of eruptive diseases, and haemorrhagic diathesis. It affects the ***THROAT causing diphtheria and follicular tonsillitis. Streptococcus infection. The skin appears LIVID or purplish. *Prostration is rapid. ***LIVIDITY, STUPOR, foetor and ***MALIGNANCY are marked conditions. Discharges are thin and acrid. Sepsis. Rash often returns annually. It is suited to nervous sensitive persons. Stout and robust, bilious temperament.

Worse

Suppressions. Raising up or sitting up. Sight of food. Motion, walking.

Better

Hot drinks. Lying on right side.

Mind

Stupor; or stoic indifference, with sighing. Dullness, must read a subject several times or figures over and over again. All the antecedents are forgotten. Constant muttering delirium; with sleeplessness and restlessness. Raging delirium with brilliant eyes.

Head

Ache in frontal, with dizziness and red hot face; cannot sit up. Faint on rising up, or vertigo worse lying.

Eyes

Suffused and congested; startled look when roused. Pupils dilated. Photophobia.

Ears

Pain in, while swallowing. Parotid glands tender and enlarged.

Nose

Thin copious bloody ichorous nasal discharge. Nose dry. Itching and uneasy feeling around the nose.

Face

Mahogany coloured; *dark and swollen. Chronic speckled spotted face; a kind of acne. Lips swollen and cracked.

Mouth

Teeth covered with sordes. Tongue; dry and brown; parched and cracked.

Throat

Dry, foul fauces. Throat *dark and swollen. Tonsils *studded with many deep ulcers. (worse left), with loose pultaceous discharge. Much swelling internal and external. Lacunar tonsillitis. Irritation and itching of posterior pharynx. Diphtheria.

Stomach

Sudden violent vomiting when sitting up. Peculiar feeling of emptiness in.

Abdomen

Diarrhoea, dysentery with great weakness. Stools, thin, watery offensive, passing involuntarily with urine. Tapeworm. Sense of insecurity, stool, urine, etc.

Urinary Organs

Urine scanty, suppressed; passed unconsciously.

Female

Malignant puerperal fever.

Respiratory

Breathing hurried, irregular. Dry hacking cough. Lungs sore and tired.

Heart

Pulse rapid, small, weak.

Back and Neck

Neck tender and very much swollen.

Sleep

Drowsy, restless.

Fever

Adynamic fever with weak heart. Cold sweat.

Skin

*Eruptions in dark, sparse patches; appear slowly; disappear on pressure, but return slowly. Skin mottled. Large blisters filled with dark serum. ***Scarlatina maligna. Petechiae. Crawling all over the body.

Related

Arum-t; Bapt; Lac-c.

[Back to Index](#)

Generalities

It affects the female organs. It is a remedy for anaemic, debilitated, relaxed females who always feel tired, and suffer from prolapsus, leucorrhoea, rectal distress. Many symptoms appear due to uterine disorder. *Parts feel heavy. Suitable for anaemic girls and pregnant women. Weak emaciated persons. Haemorrhages.

Worse

Loss of fluids.

Better

Passing flatus. Bending backwards.

Mind

Confused feeling. Cannot concentrate mind.

Head

Weight in occiput; as if it would draw the head backwards. Vertigo with fainting, sleepiness, vomiting or purging.

Ears

Feel as if open through from one to the other.

Mouth

Much frothy saliva.

Stomach

Want of appetite; disgust for food. Least food causes distress. Obstinate vomiting of pregnancy. Nervous dyspepsia. Nausea better by coffee, by dinner; with pressure in forehead.

Abdomen

Colic settling in lower part better passing flatus; scanty diarrhoeic stools, pain better bending backwards. Fearful pain during passing stools, as if forcing a passage. Stools large hard, difficult. Constipation, as from rectal atony.

Urinary

Involuntary urination on walking fast or sneezing.

Female

Early and profuse menses, with labour-like pains. Menorrhagia profuse, black, with clots. Uterus seems heavy. Leucorrhoea white, stringy, due to weakness and anaemia. Habitual tendency to abortion. Muscular pains during pregnancy. Menses copious followed by watery copious oozing between periods.

Respiratory

Cough before menses.

Neck and Back

Sensation as if back would break just above waist. Backache with dragging in sacral region, with stringy colourless leucorrhoea.

Extremities

Leg (right) feels paralyzed below knee; numb, could not bear weight on it.

Related

Chin; Helo; Trill.

[Back to Index](#)

General symptoms

This medicine favourably influences nutrition, and is considered as a tonic. Appetite and digestion improves, mental and physical vigour returns, with gain in weight. It is a useful remedy for neurasthenia, melancholy, nervousness and insomnia. It increases fat, corrects tissue waste. It increases the quality and quantity of milk in nursing mothers. Clinically it favourably influences diabetes insipidus and phosphaturia. Allays vesical irritability of prostatic hypertrophy. Should be given 5 to 10 drops several times a day.

[Back to Index](#)

Introduction

Red Onion.

Generalities

It affects the mucous membranes of ***NOSE, ***EYES, *larynx and bowels, causing increased secretion. Burning and stitches; in the eyes, nose, mouth, throat, bladder, skin are marked. Nasal secretion is acrid; secretion from eye is bland. *Neuralgic pains are shooting, *as fine as a thread, following injuries to the nerves or amputation or other surgical operations. Traumatic chronic neuritis. Symptoms go from left to right. Singer's coryza. Neuroma. Senile gangrene. Sensation of glowing heat in different parts of the body.

Worse

***WARM ROOM. *Wet feet Singing. Damp weather. Spring. Evening. Eating spoiled fish; cucumber; salads.

Better

Cool open air. Bathing. Motion.

Mind

Fear that pain will become unbearable. Melancholy.

Head

Aching in forehead, extending to eyes and face better free coryza or menses; returns when flow ceases. Electric shock passes through head. Skull bones numb.

Eyes

Much burning, smarting; *profuse bland lachrymation worse coughing, wants to rub them. Near objects seem distant, while yawning.

Ears

Aching extending to throat.

Nose

***FREQUENT, ***VIOLENT SNEEZING; ***CORYZA; with ***ACRID FLUENT discharge, with burning and smarting in the nose. Nose drips. Sensitive to odours; of flowers and the skin of peaches. Acrid discharge, when singing.

Face

Paralysis; left side, also of limbs of the same side.

Throat

Rawness of the throat. Pain extending to the ear. Dripping from uvula. As of a lump in throat or one has swallowed a large lump.

Stomach

Craving for raw onions, which agree. Pain in the region of pylorus. Prickling perspiration on bald vertex worse after each meal. Voracious appetite with thirst. Nausea. Eructations.

Abdomen

Rumbling offensive flatus. Flatulent colic, worse sitting, motion. Glowing heat in rectum.

Urinary

*Copious urine; with coryza. Strangury after wet feet. Dribbling of urine in old people.

Male

Pain in bladder and prostate gland after coition.

Females

Phlegmasia alba dolens; after instrumental delivery.

Respiratory organs

*Hoarseness, *incessant, *hacking *tickling *cough, worse inspiring cold air; with a sensation *as if larynx is split and torn; must grasp it; Cough is so troublesome that he wants to hold it back. Larynx is painful when talking. Bronchitis in old people.

Extremities

Joints feel lame; Ulcers or skin is rubbed off by the shoes especially on the heels. Limbs, especially arms feel sore and tired. Sore feet from long walking.

Sleep

Yawning; in deep sleep, or with headache and drowsiness, and cramp in stomach.

Skin

Red streaks running up; felon; of lying-in women.

Related

Euphr; Gels; Kali-i.

Complementary

Phos; Puls; Ther.

[Back to Index](#)

Introduction

Garlic.

Generalities

It acts on intestinal mucous membranes; increasing peristalsis. It is adapted to fleshy persons, used, to high living who suffer from dyspepsia and catarrhal affections. Patients who eat a great deal more especially meat, than they drink. Digestion is disordered by slightest error in diet. Has vasodilatory properties. Acts better in meat eaters than strictly vegetarians. The child is drowsy, lifeless, extremely pale, bowels torpid, will not walk, and the legs do not grow as rapidly as rest of the body.

Worse

Change of temperature. Evening and night. Walking. Pressure. Drinking bad water. Gluttony.

Better

Sitting bent.

Mind

Fear; he will never get well, nor bear any medicine; of being poisoned. Wants many things, pleased with nothing.

Head

Vertigo while reading. Head, aches before menses, ceases during worse afterwards. Dandruff.

Face

Spots on. Lips dry.

Mouth

Much sweetish saliva, after meals and at night. Hair sensation on tongue or throat. Tongue pale, papillae red.

Stomach

Voracious appetite. Desire for butter. Complaints from bad water. Slightest error in diet disturbs the stomach. Feeling of some cold and hot ascending oesophagus.

Female

Menses profuse. Soreness of vulva and thighs. Mammae swollen and tender; during menses. Swelling of breast after weaning.

Respiratory

Cough in the morning, with much difficult expectoration. Cough when smoking. Bronchiectasis, with foetid sputum. Haemoptysis.

Extremities

Pain in hips; pain in psoas and iliacus muscles, worse crossing legs.

Complementary

Ars.

[Back to Index](#)

Generalities

It affects ***ABDOMINAL VEINS, causing congestion *relaxation in ***RECTUM; *liver, colon, and pelvis. It establishes physiological equilibrium when disease and drug symptoms are much mixed. Periodic headaches which alternate with *lumbago. It is remedy for bad effects from sedentary life or habits. Adapted to weary people, aged, old beer-drinkers. there is a sensation of *fulness in The parts. ***HEAVY, ***DRAGGING, *as of a load. Drawing, downward sensation. Discharges; gelatinous; post nasal, stools etc. *Sense of insecurity. General weakness and weariness. Heat external and internal. Children, much emotional, chat and laugh.

Worse

***HEAT, hot damp weather; summer. Early morning. After dysentery. Yawning or mastication. Stepping hard. Evening. After eating and drinking.

Better

Cool open air. Cold application. Passing flatus. Closing eyes. Taking tea or stimulants.

Mind

Dissatisfied and angry about himself. Disinclination to mental labour. Hates people, repels everyone. Ill humour worse in cloudy weather, or with constipation. Thinks, that she would die in a week. Life is a burden. Trembling from musical sounds and other noises. Imagines that persons are stepping hard or quickly.

Head

Aches above forehead, with heaviness in eyes, must partially close them. Vertigo with a sense of insecurity. Head alternating with abdominal or lumbar symptoms better closing eyes. Heavy pressure on vertex. Clinking in as of some thin shivered glass, extending to ears.

Eyes

Pain deep in orbit. Flickering, before the eyes. Closes eyes partially from pain in forehead.

Ears

Cracking in, when chewing.

Nose

Tip cold. Bleeding from me nose after awakening, in bed.

Face

Lips markedly red, dry, cracked; bleeding. Pain while yawning or chewing.

Mouth

Taste bitter and sour. Tongue, mouth dry.

Throat

Hawking of thick lumps of jelly-like mucus. Raw and swollen feeling in.

Stomach

Desire for juicy things, fruits, especially apples, salty food. Pain in pit, when making false step. Aversion to meat. Eructations, with oppressions in stomach. Hungry after stools.

Abdomen

Feels; full, heavy, hot, bloated. Pain from navel to rectum. Sensation of a plug between symphysis pubis and coccyx, with urging to stool. Heaviness; in hypogastrium; in rectum; dragging down in the abdomen. Prolapsus recti. *Rumbling, *gurgling in bowels; *sudden urging; ***SENSE OF INSECURITY *then hurriedly passes a gushing watery stool. Uncertain whether gas or stool will come. Diarrhoea; with pain in the rectum after stool; lenteric. ***ANUS WEAK, oozes mucus. Stools escape with flatus or when urinating. Stools; mushy, lumpy; watery, gelatinous; bloody; solid stools passed involuntarily, urging to stools with passing flatus only. Piles, like a bunch of grapes, prolapsing better cold bathing. Burning and stitching in anus and rectum, from piles, preventing sleep. Stool and flatus hot. Burning in rectum. Pulsation in rectum after eating. The child goes around the house, dropping little hard round marble-like stools. Diarrhoea; after eating oysters; in hot season, or of beer drinkers. A lot of mucus is passed, with pain in rectum, after stool lumpy, watery stools.

Urinary

Incontinence in aged. Prostate enlarged. Everytime on passing urine, feeling as if thin stool would escape with it. Urine hot.

Male

Sexual irritability, after eating; after awakening (in children). Involuntary emissions during siesta.

Female

Heavy congested uterus, with labour-like pains, felt in groins and hips worse standing and during menses. Climacteric haemorrhage. Menses too early and last too long. Leucorrhoea of bloody mucus, preceded by colic. Dysentery, after parturition.

Respiratory

Winter cough, with itching. Difficult respiration, with stitches, from liver to chest. Cough, when she would sit down, standing, or stand up, after sitting, with tears.

Neck and Back

Lumbago alternating with headache and piles. Pain in sacrum worse while sitting, better moving about.

Extremities

Drawing pain in the joints. Lameness in all the limbs. Soles are painful when walking on the pavement.

Sleep

Dreams of soiling himself.

Fever

*Internal heat.

Related

Lil-t; *Podo; Sep; Sulph.

Complementary

Sul.

[Back to Index](#)

Generalities

It causes paralytic weakness of the muscles in all parts of the body. Tendency to induration of glands, and other tissues is very marked. Tongue, rectum, uterus etc., are hardened; ulcers with indurated base. Adapted to old people suffering from bronchial catarrh. Sensation of dryness, and of constriction. Constipation of the most aggravated kind, as in cancer of uterus and rectum. Haemorrhages; from leech bite; with large clots. Sensitive to cold; exposure to air causes roughness and chaps in the skin. Useful after operations on the eyes and teeth. Yellow bland discharges. Sensation of constriction, as of a cord or band around limbs, in paralytic states. Relaxation of muscles.

Worse

During sleep; lying on right side; cold. Bad news.

Mind

Nervous tremors, from bad news. Doubting people. Lactophobia.

Head

Burning pain, as of weight on top of head better pressure of cold hand. Vertigo with weakness in the pit of stomach better opening eyes, better turning on right side. Headache better drinking cold water.

Eyes

Prolapse of iris, after cataract operation. Right eye squints, towards the nose.

Ear

Hears every noise in sleep. Purulent otorrhoea.

Throat

Enlarged and indurated tonsils, from frequent colds. Uvula elongated, relaxed. Scraping in throat with cough. Spasms of oesophagus, liquids can scarcely be swallowed. Complete aphonia.

Abdomen

Very obstinate constipation; no desire for days. Hard, marble-like masses passed, but rectum still feels full. Long lasting pain and smarting in rectum after stools. Haematemesis of hard drinkers. Passes large clots from, rectum.

Female

Induration; of cervix uteri; and mammary glands. Chronic yellow vaginal discharge. Menses watery. Hands weak, drops things during menses.

Respiratory

Copious ropy, expectoration, in a.m. in aged persons. Catarrh of chest; chest weak, haemoptysis; and mucus expelled with difficulty.

Heart

Palpitation; worse lying on right side, from thinking of her disease.

Skin

*Eczema on the back of penis and scrotum. Alopecia.

[Back to Index](#)

Alumina Silicata [Alum-sil]

Generalities

It affects spinal cord. Constriction is a marked general symptom. Constriction of orifices. Aching and burning in spine. Formication, numbness and pain in all limbs. Epileptiform convulsions. Coldness during pains.

Worse

Cold air; after eating; standing.

Better

Warmth; fasting; resting in bed.

[Back to Index](#)

Generalities

It affects me ***CEREBRO SPINAL Axis causing *Disturbance in co- ordination, and paretic effects. Paraesthesia. In mental sphere the consciousness of reality and judgement is disturbed. It is suitable to old people, with lack of vital heat, or premature old age, with debility. It causes DRYNESS of skin and mucous membranes; eyes, throat, rectum etc., or *irritability and relaxation. Mucus discharges profuse. Discharges are thin, acrid and scanty. Tendency to induration. Functions become sluggish, actions are delayed, e.g., prick of needle will be felt with delay, impressions reach consciousness slowly. Patient *is thin, *inactive, *wants to lie down, but it increases the fatigue. It is useful in delicate children, products of artificial baby foods. Pulsations are felt in various parts; and pains go upwards. Patient gets better entirely for sometime, then without apparent cause gets worse. Chronicity. Exhaustion; after talking; after menses. Degeneration of spinal cord. Unable to walk, with closed eyes. Involuntary movement of single parts. Girls, dried up and wrinkled, at puberty. Ill effects of disappointments. Sensation of constriction. Trembling, convulsive movements, spasms, with tears and laughter or alternately.

Worse

***WARMTH OF ROOM; of bed. Food; artificial, potatoes, starch, salt. *Speaking. *Dry weather. *Early on awaking. Sitting. After menses. Periodically; on alternate days. Coition. Tobacco smoke. Lifting. Exertion. Full and new moon.

Better

Evening. Open air. Moderate exertion and temperature. Damp weather, cold washing.

Mind

Illusions; of being larger; *numb; *smooth; heavy. *Hasty but slow of execution, hence makes mistakes in speaking and writing. Depressive mental states. Timorous. Fears; his own impulses; *sight of knife, of blood, fears loss of reason. When he sees or states something, he has the feeling, as though another person had said or seen it or as though he was placed in another person and could see only then. Time passes too slowly. Always groaning, moaning, worrying, fretting. Memory bad, variable mood. Depressed on awakening. Peevish. Everything is viewed in sad light. Alternating moods. Sensation as if he would fall forwards, which he greatly fears. Things seem unreal. Laughs and talks between paroxysms of spasms. Sneers at everything. Grumbles. Suicidal tendency on seeing knife or blood.

Head

Vertigo; worse talking, on closing or opening eyes, before breakfast. Vertigo; with white stars before the eyes, when eyes suddenly went out of focus; one has to wait for normal vision, better wiping eyes. Violent stitches in the brain, with nausea. Headache, as if one were dragged by the hair. Falling of hair; scalp itches and is numb. Headache better by lying quiet in bed. Dry hair.

Eyes

White stars before the eyes, with vertigo. Eyelids; weak, falling, thickened, dry, burning, smarting. Double squint, worse teething. Objects look yellow. Eyes; inflamed, burning; agglutination at night, lachrymation during day. Eyes feel cold.

Ears

Heat and redness of one ear. Eustachian tube seems plugged. Crackling noises and buzzing in ears when, chewing or swallowing.

Nose

Nostrils sore and red. Point of nose cracked. Scales with thick yellow mucus.

Face

*Old look; dusky, wrinkled. As of white of egg or a cobweb on face. Blood-boils, and pimples. Involuntary spasmodic twitchings of the lower jaw. Maxillary joints feel tight, while chewing or opening mouth.

Mouth

Musty bad odour from mouth. Teeth; feel long; pain extends to other parts down larynx, neck, shoulders. Mouth feels dry with increased saliva. Tingling, itching on tongue.

Throat

Dry, feels full of sticks, or *constricted, food cannot pass. Throat sore from eating onions. Constant inclination to clear the throat. Uvula hangs down. Swallowing painful, worse solids better empty swallowing, warm drinks. Tightness from pharynx down to stomach as if food could not pass; can swallow but small morsels at a time. Clergyman's sore throat. Feels food, whole length of oesophagus.

Stomach

Abnormal craving; for coarse food, chalk, charcoal, dry food, clean white rags, tea or coffee grounds, fruits, vegetables, dry rice and indigestible things. Constriction of oesophagus. Pain lasting 3 hours after meals. Big bellied children. Aversion to potato, to meat, which disagrees.

Abdomen

Left sided abdominal complaints. Pressing in both groins, towards sexual organs. Pains from rectum to ankle. Inactive rectum, even a soft stool is passed with difficulty, hard stools cause severe cutting. Stools of small balls, hard knots or bright clots of blood. Evacuation is preceded by painful urging, long before stool, then straining at stool. Constipation; of sucklings, old people and women of sedentary habits. Can only pass stool when standing.

Urinary

Muscles of the bladder parietic *must strain at stool to urinate. Renal pains worse dancing. Frequent desire to urinate in old people; slow flow. Fears he will wet the bed. Retention, with dribbling. Smarting while urinating. Feeling of weakness in bladder and genitals.

Male

Sexual desire increased. Voluptuous itching or tickling in genitals. Involuntary emission; while straining for stools, followed by old symptoms. Pains in the perineum, during coition and while the erection continues. Priapism at night.

Females

Menses, too early, short, scanty, pale followed by great exhaustion. Leucorrhoea; acrid profuse, runs to feet worse during daytime; before menses better by washing with cold water.

Intolerable bearing down pain. Tickling and itching in genitals; with strong desire for embrace. Nipples itch, burn, look angry (during pregnancy). It takes a woman all her time to recuperate from one menstrual period to the next.

Respiratory

Cough, constant, dry, hacking interrupts breathing, with sneezing; worse after waking in the morning; from elongated uvula; from condiments or eating irritating things, talking or singing. Sudden loss of voice; on taking cold. Chest feels constricted, worse sitting bent or stooping. Soreness of chest; on talking; on lifting.

Heart

Palpitation and shocks at heart. Wakes at 4 to 5 a.m. with anxiety at heart, better after rising.

Neck and Back

Pain in the back, as if hot irons were thrust through lower spine. Violent stitches in back. Back feels bandaged by a cord.

Extremities

Pain in the arms and fingers, as if hot iron penetrated. Arms; feel heavy, as if paralyzed; short; go to sleep. Lower limbs heavy. Staggering on walking. Legs feel numb, especially when sitting cross legged. Heels feel numb, when stepping. *Festination. Locomotor ataxia. Nails brittle or thick. Gnawing under nails. Inability to walk except when eyes are open or in daytime. Totters if eyes were closed. Soles; painful, on stepping on them, as if they were too soft and on walking; cramps when crossing legs. Bones feel squeezed.

Sleep

Anxious, restless, with confused dreams; about thieves, ghosts, of boats foundering.

Fever

Chilliness better open air. Heat with itching.

Skin

Intolerable itching, when getting warm in bed. Dry, rough, cracked skin. Itching, burning, over seat of pain. Must scratch, until it bleeds. Eczema. The slightest injuries of the skin smart and become inflamed. Skin symptoms, worse winter, full and new moon.

Related

Bry; Plb.

Complementary

Bry.

[Back to Index](#)

Generalities

It affects the ***NERVES, causing nervousness, twitches and jerks. It is adapted; to hysterical subjects; to thin scrawny women, to patients who are weakened by age and overwork; to The aged with impairment of all functions. Patients *are worn out, yet over-impressionable*. Shock due to business failure or due to the deaths one after another in the family. Weakness of upper parts of the body, with trembling of lower part. Slight or unusual things worse the breathing, worse the heart, start the menses etc. One sided complaints. *Symptoms suddenly change places*. Sensation of coldness, numbness, in spots or of single parts, fingers, arms etc., with twitching. Itching, trembling and ebullition. General pulsation. Numbness and torpor of the whole body esp., in the morning. Coldness of the body, with twitching. Effects of domestic shock, business worry. Loss of near relatives. Imaginations. Young modern society girls.

Worse

*Music. *Presence of others*. Embarrassment. Agitation, worry thinking of it. Overlifting. From any unusual thing. Morning. Warmth. Warm milk.

Better

Slow motion, in open air. Lying on painful parts. Cold drinks.

Mind

Memory impaired; slow comprehension. *Dreamy. Flitting ideas or fixed disagreeable fancies. Imagines diabolic faces, sights. Melancholy; sits for days weeping. Awkward. Flitting, flighty talker, modern society girls. Dread of people. Desire to be alone. Cannot understand what one reads. Sad. *Bashful*; blushes easily. Hearing others talk or talking himself affects him. Time passes slowly. Aversion to laugh. jumping from one subject to another, never waiting to have first question answered. Music causes weeping and trembling.

Head

Vertigo; senile; with weakness in head and stomach. Tearing pain in upper part of the brain. Brain, feels loose, falls to side lain on. Hair falls out. *Confusion* in occiput, also sprained feeling in. Headache worse blowing nose.

Eyes

Stitching in the eyelids as if a styne were being formed. Eyelids; heavy, cannot open them though awake. Spots float before the eyes after sewing.

Ears

Hardness of hearing, with cold sensation in abdomen. Deaf in one, roaring and whistling in the other.

Nose

Bleeds while washing the face in the morning. Epistaxis; during menses. Stoppage mostly at night, must breathe through the mouth, with chronic coryza.

Face

Twitching of the facial muscles. Cramps in lips; lips hot. Left cheek red. Flushes of the face, jaundiced colour. Embarrassed look. Lock-jaw in new born.

Mouth

Profuse bleeding from the gums; offensive breath. Ranula. Sour mouth worse after milk. Salivation, with cough.

Throat

Sensation as if a plug in throat, with difficulty in swallowing. Sore, raw, from exposure to air, worse motion of tongue.

Stomach

After eating; cough and gaping and a feeling, as if food did not go down into the stomach. Eructations, with violent convulsive cough. Heartburn from drinking milk. Distention of stomach, after midnight. Thirstlessness.

Abdomen

Flatulence, cannot have others present during urination and stool; worse during pregnancy. Sensation of coldness in the abdomen. Constipation, during pregnancy, and after delivery. Aching in small spot in the region of liver better pressure. Large flow of blood with stools. Sweat on abdomen and thighs. Frequent ineffectual urging for stool.

Urinary

Pain in the bladder and rectum at the same time. *Can not pass urine in presence of others*. Feeling in urethra, as if few drops passed out. Urine; turbid even during emission, forming a brown sediment. Urinates more than drinks. Urine sour, during whooping cough. Burning, smarting, itching in vulva, during urination.

Male

Voluptuous excitement of, and itching in genitals. Parts externally numb; burn internally. Erections, without voluptuous sensation. Impotence.

Female

Itching of pudendum, with soreness and swelling. Itching labiae. Discharge of blood between the periods, at every little accident, after hard stools, walking a little longer etc. Leucorrhoea of bluish mucus; profuse. worse at night. Sexual desire increased. Lying down worse uterine symptoms. Menses too early and too profuse.

Respiratory organs

Asthmatic breathing; in old people; worse by coition. Hollow spasmodic barking cough, coming from deep in chest, then eructation. Bluish, white expectoration. Cough; worse music; in presence of many people; talking, reading aloud, lifting weight. Loss of breath from cough. Cough with emaciation.

Heart

Palpitation, with pressure in chest as from a lump lodged there; or as if chest was obstructed. Palpitation, with pale face. Anxiety at heart.

Extremities

Cramps, in hands and fingers worse grasping anything. Left leg becomes quite blue, during menses. Twitching of limbs, with coldness of body, during sleep. Cramps, in legs and calves. Limbs go to sleep easily. Finger nails brittle. Drops what one is carrying. Coldness of hand (left), with headache. Sore and raw between thighs.

Sleep

Cannot sleep from worry, must get up. Retires tired, wakeful as soon as touches the pillow.

Fever

Frequent flushes of heat at short intervals. Sweat on slightest exertion esp. on abdomen and thighs.

Skin

Itching and soreness esp. around genitals.

Related

Bar-c; Ign.

[Back to Index](#)

Ambrosia [Ambro]

Generalities

A remedy for hay fever, lachrymation and intolerable itching of the eyelids. Nosebleed. Stuffed feeling in nose and head.

Related

Ars-i; Sabad.

[Back to Index](#)

Ammonium bromatum [Am-br]

Generalities

It is indicated in laryngeal and pharyngeal catarrh. Sudden strangling, suffocating, cough. Suffocating sensation before epilepsy. Irritable feeling in finger nails better by biting it.

[Back to Index](#)

Generalities

It affects ***HEART; *circulation and blood* Heart becomes weak, collapse. Circulation becomes sluggish and under-oxygenation of blood produces ***LIVIDITY, ***WEAKNESS *and drowsiness. *Vitality becomes low and there is lack of reaction*. It is adapted to fat patients, with weak heart, with wheezing and suffocative feeling; to stout women who are always tired and weary, take cold easily and suffer from cholera-like symptoms before menses; and who lead a sedentary life. Very *sensitive to cold air. Great aversion to water, cannot bear to touch it. Heaviness in all organs. Uncleanliness in bodily habits. Pains are bruised and sore. There is internal raw burning. Discharges are *hot, acrid*, adherent. *Haemorrhages, *dark, *thin. Malignancy. Prostration from trifles. Scorbutic states. Old age. Lies down, from debility or soreness of whole body. Ill effects of charcoal fumes.

Worse

***COLD; CLOUDY DAYS. ***DAMP COLD. *Raw cold open air. Falling asleep; 3-4 a.m. *During menses. Motion. Chewing. Pressing teeth. Bending down. New moon.

Better

*Pressure; eating; lying on abdomen. Dry weather. Lying on right side.

Mind

Active but soon exhausted. Forgetful, ill-humoured, gloomy; during stormy weather. Heedless and unruly. Depressed, with weakness of intellect. Vacant mind. Loss of memory worse vexation. Hearing others talk or talking himself affects him. Aversion to work. Peevish, fretting, as if crime has been committed. Disposed to weep. Tendency to make mistakes in speaking, writing and calculating.

Head

Shocks, through head, eyes, ears and nose, on biting. Violent headache; full, bursting in forehead. Brain seems loose.

Eyes

Burning and dry. Prolonged use of eyes cause asthenopia; with appearance of yellow spots on looking at white objects. Flood of tears. Large black spots float after sewing. Pain in the eyes better afternoon sleep.

Ears

Hardness of hearing. Itching above the ears, spreads over the whole body. Hard swelling of parotid and cervical glands.

Nose

*Stoppage of nose, at night, with long continued coryza, must breathe through mouth. Snuffles of children. Nose bleeds; if hands or face are washed, after eating, or on waking. Continuous urging to sneeze. Profuse watery coryza. Catarrh starting in nose. Boil on tip. Inability to blow the nose in children.

Face

Boils and pustules, during menses. Corners of the mouth are sore, cracked and burn. Cracks, and burning in lip. Hard swelling of the cheek.

Mouth

Tender, bleeding gums. Pressing teeth together, sends a shock through head, eyes, ears and nose. Mouth and throat dry. Loose or blunt teeth. Vesicles on tongue. Burning, hindering eating and speech. Teeth ache, during menses. Swelling inside cheek.

Throat

Enlarged tonsils, and glands of the neck. Gangrenous ulceration of the tonsils. Diphtheria, when nose is stopped up, membrane extends to upper lip.

Stomach

Pain at the pit of stomach, with heartburn, nausea, water brash and chilliness. Flatulent dyspepsia. Appetite, but easy satisfaction.

Abdomen

Bleeding piles worse during menses. Discharge of blood before and after stools. Protruding piles worse after stools or without stools, better lying, cannot walk. Dark acrid diarrhoea. Colic, with pain between the scapulae. Constipation; stools hard, dry.

Urinary Organs

Frequent desire. Urine; white, bloody, sandy, copious, turbid and foetid. Involuntary urination, towards morning.

Male

Persistent erections, without desire or violent sexual desire without erection. Seminal emissions frequent, after coition.

Females

Cholera-like symptoms, with menses. Menses; too frequent, profuse, early, clotted, black with colicky pains and hard difficult stools, with fatigue esp. of thighs, yawning and chilliness. Menses flow more at night, then dyspnoea or weakness. Copious leucorrhoea, burning, acrid, watery. Irritation of clitoris.

Respiratory organs

*Increasing difficulty in breathing, it wakes him, better cool air. Much oppression in breathing worse every effort, entering a warm room. Emphysema. *Rattling in chest but gets up little. Hoarseness. Pulmonary oedema. Cough, after influenza. Hypostatic congestion of lungs. Expectoration; of pure blood, after cough.

Heart

***WEAK. Wakes with difficult breathing and palpitation. Palpitation; audible with fear, cold sweat and lachrymation, inability to speak and trembling hands. Angina Pectoris. Weak heart causes stasis.

Extremities

Parts lain on become numb. Cramps, in calves and soles. Fingers and hands swell, when arms are hanging down. Inclination to stretch limbs. Whitlow. Tearing pain better by heat of bed. Right foot numb. Ganglion. Aching in bones better change of weather. Right arm heavy and weak.

Sleep

Sleepiness during day. Wakes up with strangling. The sooner one goes to bed the better one sleeps.

Fever

*Coldness. Burning heat with thirst.

Skin

Red or mottled skin. Erysipelas; in aged. Malignant scarlatina.

Related

Ant-t; Carb-v; Glon; Lach; Mur-ac.

[Back to Index](#)

Generalities

It affects ***MUCOUS MEMBRANES increasing the secretion and retaining them esp. in ***CHEST and *gall ducts*. It causes *irregular circulation, blood seems to be in constant turmoil, causing *ebullitions, *burnings and *localized throbbing. Many group of symptoms; are accompanied by cough or ***PROFUSE GLAIRY mucus discharges; with liver trouble. Tension and *tightness, as if the muscles or tendons are too short; in groins, hamstrings, lumbar region etc. It causes ulceration and ulcerative or festering pain. Neuralgic pains in the stumps of amputated limbs. Haemorrhages. Boiling sensation. It is adapted to patients who are fat, puffy and sluggish, with thin limbs, who always feel tired and sore. Effects of grief.

Worse

Morning_head and chest symptoms. Afternoon_abdominal symptoms; Evening_skin, fever and limb symptoms. Chronic sprains. Walking erect. Periodically. Night from 2 to 4 a.m.

Better

Open air. Rapid motion; walking crooked.

Mind

Desire to cry, but cannot. Involuntary aversion to certain persons. Melancholy and apprehensive; as from internal grief. Brain paralysis.

Head

Heaviness in the forehead; pressive pain towards the root of the nose, with a sensation, as if brain were torn. Hair fall out, with itching and dandruff.

Eyes

Mist before eyes in bright light. Flying spots, yellow spots, before the eyes. Incipient cataract, capsular cataract.

Nose

Free acrid, hot watery coryza; closing one nostril. Loss of smell. Obstructed stuffy feeling; with a desire to blow it out. As of a rough body, obstructing upper nares. Nose sore to touch. Sneezing; aroused her from sleep; with shooting pain in the nape of the neck as far as the shoulders. Coryza in children, with bluish discharge.

Face

Pale. Lips burning like fire. Lips dry, shrivelled cracked, must moisten them with tongue. Burning eruptions better cold application.

Mouth

Slimy. Burning blisters on tip of tongue.

Throat

*Slimy. Throbbing in, and swelling of the tonsils. Internal and external swelling of the throat, with sticky mucus. Stricture of oesophagus.

Stomach

Thirst for lemonade. Nausea, with bitter water-brash, worse eating, with shuddering. Gnawing burning, stitching in stomach, extending to right axilla and upper arm. Cancer of stomach. Empty sensation in, but no desire to eat anything. Diarrhoea and vomiting, during menses.

Abdomen

Stitches in spleen, while eating, with difficult breathing. Cough with liver symptoms. Excessive fatty deposit around abdomen. Scanty hard, crumbling stools, changing colour and consistency. Blood from anus or diarrhoea during menses. Haemorrhoids, after suppressed leucorrhoea. Burning in the rectum, during and for hours, after stools. Tense sprained feeling in groins; must walk bent. Groins feel swollen and sore.

Urinary Organs

Profuse and frequent urination. Urging yet a few drops pass, until next stool when it flows freely. Profuse ammoniacal smelling urine.

Females

Menses too early, with pain in abdomen and small of the back; flow more at night. Prolapse of uterus. Leucorrhoea, like white of an egg, with pain about the navel worse after every urination.

Respiration

Hoarseness and burning in larynx. Cough with profuse salivation or with liver symptoms. Cannot breathe from coughing. *Noisy, *rattling tenacious mucus in chest. Pulsation, burning spots in chest. Cough worse lying on back or right side.

Neck and Back

*Swelled cervical glands. Sore sprain or icy coldness between scapulae, not relieved by warmth. Lumbago. Bruised pain in coccyx when sitting. Fatty swelling on nape, extending from ear to ear.

Extremities

Tense sprained feeling in the groins, must walk bent. Contraction of hamstring tendons. Sciatica (left) worse sitting, better lying. Ulcerative pain in fingertips. Pain in or ulcer on heel. Pain in feet during menses. Shooting pain in scapulae worse breathing. Buttocks large. Hamstrings as if too short, pain on walking.

Sleep

Erotic dreams. Anxious fearful dreams. Starts out of sleep.

Fever

Chilly as often as he wakes. Sense of heat; better open air, alternating with chill. Chilly in the evening after lying down. Profuse night sweat. Sweats by every motion.

Skin

Bleeding eruptions. Peeling of skin between fingers, and wrists. Itching on various parts of the body esp. in the evening.

Related

Calc; Caust; Seneg.

[Back to Index](#)

Generalities

Vasomotor nerves are affected by *Amy.Nit causing dilatation of all arterioles and capillaries, thereby flushing of face, heat and *throbbing in the head are produced. *Flushing heats, followed by drenching sweats (unilateral) are marked symptoms. Cerebral vessels dilate. Exophthalmic goitre, from grief. Unconsciousness, with inability to swallow. *Throbbing*, esp. in head. Weak, emaciated, walking with tottering gait, inclined to go to one side when walking. Cannot sit still.

Worse

***CLIMAXIS. SLIGHT CAUSES. *Emotions. Heat. Close room.

Better

Open air, exercise, in. Cold water.

Mind

Anxiety as if something might happen; must have fresh air.

Head

*Surging of blood to the head; with fiery red face. Migraine, with pallor.

Face

Easy flushing or blushing of the face, on slightest emotion. Chewing motion of the lower jaw. Smacking of lips as if in act of tasting.

Throat

Choking feeling in the throat; collar seems too tight.

Stomach

Hiccough and yawning with stretching.

Females

Haemorrhages, with facial flushing. Neuralgia during menses. Climacteric flushings; with headache, anxiety and palpitation. Convulsions immediately after delivery.

Chest

Pain and constriction around the heart. Fluttering of heart on least excitement. Tumultuous palpitation. Angina Pectoris with great anxiety. Full soft pulse. Aching backward along the left floating rib.

Sleep

Repeated yawning in coma. Yawns profoundly and repeatedly. Stretches almost constantly, it is almost impossible to satisfy the desire. Stretching and yawning with hiccough.

Fever

Abnormal sweat after influenza.

Related

Glou; Lach.

[Back to Index](#)

Generalities

*Anac. patients are neurasthenic patients. ***MIND, nerves, muscles and joints are affected. There is physical and mental ***LACK OF POWER *Special senses are weakened, sight, hearing, touch etc. *Sensation of a plug, in various parts; or as of a ***DULL PRESSURE, which is repeated from time to time. *Sensations of* a band or hoop. Intermittency of symptoms. Fear of examination in students. *Trembling, on slight exertion, worse knees or arms. Paralytic condition. Wants to lie or sit continually. Eating temporarily relieves all the symptoms. Nervous exhaustion from over-study. Paresis of muscles subject to volition. Wounded tendons. Joints contracted. Old people. Ill natured children. Nervous hysterical women. Diseases of spinal cord. Heaviness and fullness of the whole body after piano playing.

Worse

***MENTAL EXERTION. Emotions. *Anger. Fright, care. Mortification. *Stepping hard. Motion. Draughts, open air; cold, Long after eating. Rubbing; scratching. Talking. Morning. Evening to midnight. Checked eruptions. Strong smells.

Better

By eating. Lying on side. Rubbing. Heat; hot bath. In the sun.

Mind

Fixed ideas; thinks he is possessed of two persons or; two wills. Illusion of *duality, others are present; behind her, etc. Her husband is not her husband, her child is not hers. There is no reality in anything, all appears like a dream. Apprehends trouble from everything. Senseless talk. Screams loudly; as if to call someone. Religious mania. ***BAD MEMORY. Suddenly forgets names, those around her, what she has seen. Aversion to work. Lack of self confidence; desire to swear and curse. Fear of paralysis. Despairs of getting well. *Contradictory impulses*laughs at serious things, remaining serious when anything laughable occurs. Cowardly. Vacillating. At odds with himself. Melancholy. *Ill natured, Profane*. Takes everything in bad parts. Absent minded; as if in a dream. Clairaudient_hears voices far away or of the dead. Suicidal tendency by shooting. Sees everybody's faces in the mirror except his own. Hard hearted, cruel. Hesitates; often does nothing. Unsocial. Neurotic. Suspicious. Very easily offended. Senile dementia. Refuses to eat for fear of being poisoned.

Head

Vertigo worse walking; stooping and rising from stooping; objects seem too distant. Pressing pain as from a plug; in temples, occiput, forehead and vertex, better during meals; falling asleep; worse coughing, deep breathing. Itching and little boils on the scalp. Gastric and nervous headaches. Headache from strong smells.

Eyes

Pressing pain as of a plug on upper orbit. Threads and black spots before the eyes. Objects appear too far off. Vision indistinct. Short sightedness.

Ears

Hard of hearing. Pressing pain as of a plug. Imagines whispers in the ears.

Nose

Sense of smell; perverted, lost or acute. Illusory smells. Frequent sneezing, followed by coryza and lachrymation. Violent coryza with palpitation esp. in the aged.

Face

Pale, *wan looking. Blue rings around the eyes. Eczema of face and neck. Expressionless, wild, childish.

Mouth

Bad breath and taste. Painful vesicles in the mouth. Tongue feels swollen and stiff_impeding speech and motion; with much saliva in the mouth. Taste lost.

Stomach

Empty feeling in stomach. Weak digestion. Breath stops on eating and drinking. Gastric pain better by eating, but worse again after 2 to 3 hours. Hastily drinks, and swallows food. Vomiting better . Loss of appetite, alternating with violent hunger.

Abdomen

Pain as if a dull plug were pressed into intestine. Hardness of abdomen. Flatulent colic, with rumbling, pinching and griping. Rectum feels plugged and powerless; cannot evacuate even a soft stool. Ineffectual desire. Itching of anus; moisture from rectum.

Urinary Organs

Frequent discharge of clear watery urine; deposits, turbid, clay coloured sediment. Sensation of burning in the glans during and after urination.

Male

Voluptuous itching of scrotum, exciting sexual desire. Seminal emissions without dreams. Prostatic discharge during stool. Enjoyment absent.

Females

Leucorrhoea, with itching and excoriation of the parts. Frequent but scanty menses; with spasmodic pain in abdomen; Nausea during pregnancy better eating.

Respiratory organs

Breath stops, on coughing or swallowing. Cough, excited by talking, after eating, with vomiting of food, with pain in occiput; in children, after a fit of temper. Cough then yawns and sleeps. Asthma, hysterical, ends in flow of tears.

Heart

Double stitch at the heart, passing into lumbar region. Palpitation; with coryza, in the aged.

Neck and Back

Dull pressure or as of a heavy load on shoulders. Stiffness, of nape and neck; down back, and pain worse motion.

Extremities

Neuralgia of the thumb. Knees feel paralyzed or bandaged. Dry hands. Cramps in the calves worse walking or rising from a seat. Pain in ankle, as if sprained worse stepping. Painful thumping on the middle upper arm (left). Cramps; from toe to instep; from heel up calf. Warts on palms and hands. Writer's cramps.

Sleep

Spells of sleeplessness, lasting for several nights. Anxious dreams.

Fever

Easily chilled better sunshine. Clammy sweat on palms esp. left. Heat from 4 p.m. till evening, passing off after supper.

Skin

*Skin insensible; itching worse scratching. Dermatitis. Eczema, neurotic. Yellow vesicles. Warts on palms and hands. Urticaria. Promotes expulsion of splinters.

Related

Ign; *Lyc, Plat; Rhus-t.

[Back to Index](#)

Generalities

This nosode is a very valuable remedy in malignant or septic inflammation of connective or cellular tissue. It produces boils or boil-like eruptions; carbuncles; malignant ulcers, abscesses, bubo, where there is purulent focus. Haemorrhages are thick, black tar-like, from any orifice. Glands swollen; cellular tissue oedematous and indurated. There is a terrible burning with great prostration. *Black and blue blisters. Gangrene, dissecting wounds. Bad effects from inhaling foul odour. *Abscess of septum. Quinsy. Succession of boils. Hard stony swelling at right lower jaw and submaxillary gland.

Related

Ars; Tarent-c.

[Back to Index](#)

Generalities

The choice of this remedy is determined by the symptoms which develop in mental and gastric sphere. As the meaning of the last word of its name implies, the *Ant-c patient is crude mentally and physically. Patient is a *Gross feeder-a glutton; he eats beyond the capacity of his digestion or without discrimination; therefore the *mental and *skin symptoms are due to the ***GASTRO-INTESTINAL DISTURBANCE. It produces *lumpy effects; stools are watery, containing lumps; leucorrhoea is watery, mixed with lumps; lumps appear upon the skin; nails become thick, distorted and lumpy. There is a tendency to formation of *cracks in canthi; nostrils, angles of the mouth. Mentally the patient is either sentimental esp. in moonlight, and twilight, during diarrhoea and before menses; or cross and touchy. It produces strange *absence of pain, where it could be expected e.g. bed sores. It is suitable to infants and children; also to elderly persons and young persons who have a tendency to *grow fat. When symptoms group recur, they change their locality or go from one side to the other; they recur every five, six or twelve weeks. Gout recedes and stomach is affected. Nervous symptoms such as restlessness, twitches in the muscles, and disposition to start on slightest noise are also found. Ill effects of disappointed love and suppressed eruptions. Chronic complaints traceable to suppression of eruptions or ulcers. Anasarca. Marasmus Trouble from swimming or falling into water. Rheumatoid arthritis. He is always *sleepy and *weary.

Worse

***COLD BATHING; *Cold dampness; ***COLD WATER (on head). *Acids. Sweets. Moonlight. Rising up. Ascending stairs. Touch. ***HEAT OF SUMMER, *of sun. Radiated heat. ***OVEREATING. Night debauches, after getting drunk. Vinegar. Pork.

Better

In open air; during rest; moist warmth. Lying down.

Mind

Great anxiety about his fate; inclination to shoot himself. *Fretful cross and *peevish; Cries if looked at or touched or washed, esp. children; adults are sulky, do not wish to speak with anyone. Loathing; of life, of food, bathing etc. *Ecstasy and exalted love. *Dreamy, *sentimental. Angry at every little attention. Love sick. So busy with oneself one forgets to urinate or defecate, eats only when asked. Excitability. Nervous hysterical girls and women, who are overcome by mellow light from stained-glass windows. Talks in rhymes or verses; taciturn.

Head

Aches from bathing in cold water or from disordered stomach, worse candy or acid wines, fruits, fats, ascending stairs. Tendency to take cold about head. Heaviness in forehead, with vertigo, nausea and nosebleed. Itching of the head, with falling of hair. Headache after stopped coryza.

Eyes

Canthi; raw, cracked, red and moist. Pustules on the margins of the lids, chronic blepharitis. Lids red and inflamed. Looking into the fire causes cough. Chronic sore eyes of children. Photophobia.

Ears

Ringings and deafness. Moist eruptions around the ears. Otorrhoea. Deafness, as if bandaged or a leaf lying on one.

Nose

*Nostrils scabby, sore and cracked. Nosebleed, after headache. Eczema of nostrils. Feeling of coldness on inhalation.

Face

Sallow, haggard or sad. Pimples, pustules and boils on face. Yellow crusted eruptions on cheeks and chin. Cracks in the corners of the mouth. Small, sore, honey coloured granules on chin.

Mouth

***TONGUE COATED THICK WHITE, As IF WHITEWASHED. Toothache in hollow teeth, pain extends to head, worse touching the tooth with tongue, better walking in open air. Grinding of teeth, when sleeping in sitting position. Canker sores. Toothache before menses. Pimples around the mouth. Aphthae. Gums bleed easily. Taste bitter. Salivation, taste salty.

Throat

Much thick yellowish mucus from posterior nares. Rough voice from over use. Hoarseness after cold water bath. Sensation as if a foreign body had lodged, with constant desire to swallow.

Stomach

Loss of appetite, with disgust for food. No thirst. Desire for acids, pickles. Eructation tasting of the ingesta; food leaves an after taste or causes constant belching. DIGESTION DISORDERED easily. Vomiting worse eating or drinking; without nausea or relief. Stomach is painful to pressure. Gouty metastasis to stomach and bowels. Sweetish waterbrash. Bloating after eating. Child vomits its milk in curds, after nursing, and refuses to nurse afterwards (reverse *Aeth). Appetite does not return after severe illness. Vomiting, fearful, with convulsions, which nothing can stop. Great desire to eat, but no strength to do it (child). Pork disagrees. Stomach seems to be always overloaded.

Abdomen

Diarrhoea, alternating with constipation esp. in old persons. Stools, pappy or *watery mixed with lumps. Mucous piles_prickling and burning with continuous mucus discharge from anus, staining yellow. Catarrhal proctitis. *Fulness in abdomen. Haemorrhage- with solid stools piles. Stools entirely of mucus. Diarrhoea; summer, after nursing.

Urinary Organs

Cutting in urethra while urinating. Urination; frequent, profuse, with burning and backache. Involuntary urination, on coughing. Foul odour.

Male

Atrophy of penis and testicle. Biting, itching of scrotum, with eruptions. Excited sexual desire, with uneasiness of the whole body.

Females

Menses; suppressed from cold bathing; with tenderness of the ovaries, pressure in womb as if something would come out during menses. Nymphomania from checked menses. Leucorrhoea, watery containing lumps. Nausea, vomiting and diarrhoea, during pregnancy. Ovaries painful in love sick girls.

Respiratory organs

Cough worse coming in warm room; with burning in chest. First attack of cough is always most severe, the subsequent attacks become weaker and weaker. Looking into fire worse cough. Pain in the chest, with heat. Voice; lacks control, harsh, badly pitched better using it. Aphonia from overheating. Itching in chest. Expectoration of large quantities of mucus, exhausts the patient.

Neck and Back

Violent pain in small of back when rising, better when walking. Itching of neck and back. Coccyx heavy.

Extremities

Arthritic pain in the joints of fingers. Horny or split nails; nails grow slowly; out of shape; horny growth under the nails. Horny warts on hands and soles. Painful inflammation of the tendon of elbows with great redness and curvature of the arms. Shiny elbows. Feet very tender; soles tender while walking. Callosities on soles. Skin on soles is withered on account of foot sweat. Weakness and shaking of hands in writing, followed by offensive flatus. Twitching in muscles. Jerks in arms. Crippled feet. Growth beneath nails.

Sleep

*Sleepy and weary. Drowsy old people. Deep unrefreshing sleep.

Fever

Great heat from little exercise esp. in the sun. Heat and thirst after sweat. Disturbances of stomach during apyrexia, in intermittent fevers.

Skin

Eczema, with gastric derangement. Eruptive tendency of pimples, vesicles and pustules. Urticaria; white; with red areola, itching fearfully. Measly eruptions. Warts horny. Dry gangrene. Itching when warm in bed. Callosities from slight pressure.

Related

Sulph.

Complementary

Squill.

[Back to Index](#)

Generalities

There is some similarity of symptoms between *Ant-c and *Ant-t esp. in mental and digestive sphere. Ant-t, affects the ***MUCOUS MEMBRANES esp. of *Bronchi and Lungs, causing ***GREAT ACCUMULATION OF Mucus, *with coarse rattling, thereby respiration is impeded and heart action becomes laboured; defective oxygenation in the circulation *of blood occurs*. All these conditions cause cyanosis, depression of vital power. Patient becomes ***INCREASINGLY WEAK, ***SWEATS, ***BECOMES DROWSY and RELAXED with LACK OF REACTION. It is suitable to old people and children; to gouty subjects and drunkards, with gastric affections. Trembling of whole body, great prostration and faintness. Sensation of weight or heaviness in many parts; head, occiput, coccyx, limbs. Convulsive twitching. Fretfulness, whining and crying, before the attack of sickness. Chronic trembling of head and hands (as in paralysis agitans). Chills and contractures and pain in muscles. Dropsy of synovial membrane. Convulsions when eruptions fail to appear. Child continuously wishes to be carried erect, unwilling to be looked at or touched. Complaints arising in digestive sphere. Effects of anger and vexation. Prostrated in mind and body. Nursing infants let go the nipple and cry out as if out of breath Children have convulsions if attention is thrust upon them. Ill effects of vaccination when *Thuja fails and *Silicea is not indicated. Sensation of coldness in blood vessels. Bilharziasis. Clings to attendants.

Worse

***WARM; *room, *wraps, *weather. *Anger. *Lying. Morning. Overheating. Cold; dampness. On sitting down, when seated, from rising from a seat. Motion. Sour things. Milk.

Better

*Expectoration. Sitting erect. Motion. Vomiting. Eructation. Lying on right side.

Mind

Fear of being alone. Bad humour. Despondent. Frightened, at every trifles. Muttering delirium. Stupid on awakening. *Apathy or easily annoyed; wants to be let alone. Peevish; whining and moaning. Despairs of his recovery. Clings to attendants. Consciousness wanes on closing eyes. Melancholic; complains of numerous suffering.

Head

Band like feeling in the forehead. Head hot and sweaty Trembling of head, while coughing. Vertigo; with dullness and confusion alternating with drowsiness. As of a lump in forehead. Vertigo from lifting head from pillow. Fits of vertigo with sparking before the eyes. Head better in open air, washing with cold water and motion. Head bent back.

Eyes

Dim, swimming eyes. Collection of mucus in margins of lids (in Pneumonia). One eye closed. Pustular eruptions on the conjunctiva. Flickering; sparks before the eyes. Eyes staring.

Nose

Pointed. Nostrils, dilated, *black. Alae flapping.

Face

Sickly, sunken. *Pale, *bluish or twitching with cough. Covered with cold sweat. Incessant quivering of chin and lower jaw. Upper lip drawn up. Anxious, despairing. Pustules, leaving ugly blue- red scars.

Mouth

Flow of saliva; during pregnancy. Tongue; thick, white pasty very red or red in streaks; dry in the middle; papillae show through white coat. Mouth remains open after yawning. Taste; bitter, flat. Tongue flaccid, dry. Imprints of teeth on border of the tongue.

Throat

Much mucus in throat with short breathing. Swallowing painful or impossible.

Stomach

Craves apples, fruits and *acids which disagree. ***NAUSEA; comes in waves; with weakness and cold sweat; *Loathing, anxiety or fear, followed by headache, with yawning and lachrymation and vomiting. *Vomiting *forcible, then exhaustion and *sleep. Violent retching. Sinking at stomach. Vomits with great effort. Thirst for cold water little and often. Eructations like bad eggs. Vomiting better lying on right side. Aversion to milk, to all kind of nourishment. Thirstless.

Abdomen

Feels as if full of stones. Violent colic with drowsiness. *Diarrhoea, of eruptive diseases. Stools_mucus, of grass green. Pain in the groins and cold creeps before menses. Palpitation during stools.

Urinary Organs

Burning in urethra during and after urination. Last drop bloody, with pain in the bladder.

Male

Pain in testicles after checked gonorrhoea. Orchitis. Warts on glans penis.

Females

Leucorrhoea, of watery blood worse sitting. Puerperal convulsions better after the child is born.

Respiratory organs

*Unequal breathing, *abdominal breathing, ***SUFFOCATIVE SHORTNESS OF BREATH; before cough or alternating with cough. A leaflet seems to close the trachea. ***COARSE, ***LOOSE, ***RATTLING COUGH. ***CHEST SEEMS FULL YET LESS AND LESS IS RAISED. Cough followed by vomiting or sleep worse anger. Must sit up to breathe or cough. Coughs and yawns alternately. Expectoration thick. Asphyxia Neonatorum, child breathless and pale when born. Paralysis of lungs, with oedema. Cough and dyspnoea better lying on right side, by eructations, worse warm drinks. Capillary bronchitis; pleuro-pneumonia. Emphysema. Velvety feeling in chest. Child bends backwards, with cough.

Heart

Great precordial anxiety, with vomiting of mucus and bile. Palpitation with uncomfortable hot feeling. Paralytic depression of heart. Weak quick pulse. Sensation of coldness in blood vessels. Palpitation with loose stools.

Neck and Back

*Violent pain in sacro-lumbar region, slightest effort to move may cause retching and cold, clammy sweat worse lifting. Sensation as of a heavy load was hanging on end of coccyx, dragging downwards all time. Vertebrae seem to rub against each other.

Extremities

Trembling of the hands. Fingertips icy cold or dead, numb, dry and hard. Restless arms. Feet go to sleep on sitting. *Dropsy of the legs; of knee joint (left) . Tension in hamstring when walking. Synovitis. Joints swollen. Jerking up of limbs during sleep, with loose stools.

Skin

Pustular eruption leaving a bluish red mark. Thick eruptions like pocks. Sycosis barbae. Smallpox. Impetigo. Delayed or receding eruptions. Blue eruptions.

Sleep

***GREAT DROWSINESS; with all complaints, or from warmth. *Yawning with many complaints. Shocks on dropping to sleep. Cries during sleep with fixed eyes and trembling. Lies on back with left hand passed under head.

Fever

***COPIOUS COLD CLAMMY SWEAT. Coldness, trembling and chilliness. Burning sensation. Heat coming from heart. Cold creeping before menses.

Related

Aesc; Am-c; Ip; Lob; Op.

Complementary

Bar-c; Ip; Op.

[Back to Index](#)

Generalities

The well known effects of a bee sting; *burning, *stinging, *smarting, *prickling, *lancinating pain, with excessive swelling; are the leading symptoms for the selection of this remedy. It acts on ***CELLULAR TISSUE esp. of eyes, face, throat, ovaries, causing oedema of skin and mucus membranes. In the ***SEROUS MEMBRANES of heart, brain, pleura etc. it produces inflammation with effusion. Various parts are swollen, PUFFED UP; become oedematous and of *shiny, red-rosy colour. The burning is like hot needles. There is great debility, as if he had worked hard; is compelled to lie down. *Symptoms develop rapidly. The *pains are sudden* that extort cries. ***SUDDEN SHRILL CRIES in hydrocephalus and meningitis. Extreme sensitiveness to touch and general bruised ***SORENESS is marked; of brain; ***ABDOMEN; ovaries; bladder. Sensation of constriction. Sensation of stiffness and as of something torn off the interior part of the body. Great restlessness and fidgetiness. Trembling, jerking and twitching. One half of the body twitching, the other, lame or paralyzed. Neuralgia of lips, tongue, gums. Great prostration even to faintness. Infections. Ill effects of grief; fright; rage; jealousy; hearing bad news; mental shock; suppressed eruptions. *Right side is affected more. Symptoms go from right to left. Numbness. Thrombosis. Lymphangitis. Inflammation of kidneys, bladder. Oedema; of eyelids, of lips; red, saccular. BURNING *itching Paralysis after diphtheria and other severe diseases.

Worse

***HEAT of *room; of weather; of fire; *hot drinks, bath, bed. *Touch, even of hair. Pressure. After sleep. Lying down. Suppressed eruptions. 4 p.m.

Better

***COOL AIR; cool bathing; uncovering. Slight expectoration. Motion. Sitting erect.

Mind

*Jealous, with lewd talk. *Fussy and fidgety; hard to please. *Awkward drops things and laughs either due to nervousness, or absent-mindedness. Foolishly suspicious. Childish, silly behaviour in women, after delivery. Irritable, excitable. Fruitless activity. Frivolous, cheerful. Constant whining in children. Great tearfulness, cannot help crying, weeps day and night without any cause. Sexual mania alternating with stupor (in women.) *Indifference, says nothing ails him. Cannot concentrate mind on attempting to read and write. (Hysterical girls at puberty.) Cannot bear to be left alone. Nothing seems to satisfy; all wrong and out of place. Premonition of death. Borrows trouble about everything. Fear of being poisoned.

Head

Brain feels very tired. Vertigo, with sneezing worse lying or closing eyes. Sudden stabbing in head, or as of a blow worse occiput, with occasional ***SHARP SHRIEKS. Numb, tired headache better pressure. Flow of tears, with headache. ***ROLLING OF THE HEAD from side to side in hydrocephalus; *boring of the head backward in pillow in meningitis. Fontanelles sunken Painful hair. Musty head sweat. Inability to hold the head, in meningitis. Head feels swollen. Hair falls out; bald spots.

Eyes

*Puffy; lids or conjunctiva red; oedematous like water-bags, *red*, chemosed. Hot lachrymation. Eyes brilliant. Burning, stinging, shooting pain in. Staphyloma of cornea. Bag like swelling under eyes. Photophobia, yet covering intolerable. Blindness better stool. Squint. Myopia. Puffy or red about eyes. Cannot look fixedly at any object; or cannot read in artificial light. Cornea opaque. Styes_prevents their recurrence. Perforating corneal ulcer.

Ears

External ear red and inflamed. Raises the hand to the back of ear with each scream. Scarlatinal otitis.

Nose

Swollen, red and oedematous. Nose and tip cold. Boils in nostril better cold. Coryza, with feeling of swelling in nose.

Face

Expression; happy, terror stricken or apathetic. Face red, hot, swollen and oedematous with piercing pains; or *waxy pale and oedematous. lips; bluish, oedematous, upper. Jaws stiff, with stiffness of tongue. Paralysis of right side, with right eye closed. Desire for washing face with cold water. Formication and prickling in face.

Mouth

*Tongue; red or vesicles on edge; swelled, raw, feels, as if burnt as if wooden; sore; stiff. *Grinding of the teeth. Mouth glossy as if varnished. Tongue hangs out; or cannot be protruded. Sudden involuntary biting teeth together.

Throat

Sandy, glossy or translucent better cold, swollen inside and outside. Throat purple. Tonsils; swollen, fiery red, stinging pain, while swallowing, better cold drinks, Angina, Diphtheria with early prostration; dirty membrane, oedema of uvula. Throat sore, swallowing painful worse solids, sour or hot substances.

Stomach

***THIRSTLESS, with dropsy, Craving; for sour things, for milk which better. Child nurses by day, refuses at night. Nausea. *Vomiting. Soreness in the pit of stomach when touched. Neither eats nor drinks for weeks. Eructations; tasting of ingesta worse drinking water; flow of water.

Abdomen

Feels *tight as if to break, on straining at stool. Sore; bruised on pressure, when sneezing. Dropsy. Peritonitis. Diarrhoea; watery yellow orange yellow or tomato-sauce like stools. Stools; odourless, or offensive involuntary worse motion. Anus; sore, swelled, profuse haemorrhage from, remains open; prolapsus ani. Electric shocks in rectum before urging to stool. Burning, pain and tenderness in epigastrium. Pains from below ribs going upwards. Burning or soreness below ribs.

Urinary Organs

Burning urination. Dysuria with stinging pains. Urine, scanty foul, high coloured; last drops burn and smart; milky in hydrocephalus. Albuminuria. Urine profuse, more than he drinks. Coffee ground sediment. Incontinence of urine worse night, coughing. Cannot urinate without a stool. Nephritis. Cystitis. Retention of urine in new born. Difficult, frequent or slow urination, must press to pass urine, in prostatic affections.

Male

Dropsy of the scrotum. Hydrocele, in multilocular cysts. Affections of prostate gland.

Females

Amenorrhoea of puberty. Ovaries; numb, or congested, with suppressed menses. Ovarian cysts. Oedema of labia. Burning, stinging pains in ovaries or uterus. Dysmenorrhoea, with scanty discharge of slimy blood or with ovarian pains. Menorrhagia, with abortion. Leucorrhoea; profuse, acrid, green. Stinging burning pains in mammae. Tumors or open cancer of mammae. Abortion, during early months. Dropsy in later parts of pregnancy, with puerperal convulsions. Mania in women from sexual excesses or suppressed menses. Pains in ovaries worse coition. Menses last a day or appear at intervals of one day. Ulceration of navel in new born.

Respiratory organs

Panting breathing, feels every breath would be his last. Air hunger. Oedema of larynx. Burning stinging pains throughout entire front of the chest. Hydrothorax, after pleurisy. Chest feels as if beaten or bruised. Painful shock in head and chest from every cough. Asthma, from hives better small quantity of expectoration. Larynx drawn in. Hoarseness. Expectoration sweetish.

Heart

Beats, shake the whole body. Heart stitches backward from apex. Palpitation of heart from scanty secretion of urine. Pulse; hard small, intermittent, and quick, weak. Insufficiency of mitral valves. Organic heart disease.

Neck and Back

Back of the neck stiff. Rheumatic pain in back. Burning pressing in coccyx worse when sitting down. Back tired and bruised. Vascular goitre.

Extremities

Numbness of hands and tips of fingers. Palms hot. Oedema of hands. Felon in the beginning, with burning_stinging throbbing pains. Limbs; immovable, heavy, numb. Feet numb and stiff. Legs and feet waxy, pale swollen oedematous. Trembling of hands and feet. Nails feel loose. Hemiplegia from severe mental shock. Staggers when eyes are shut.

Sleep

***GREAT INCLINATION To ***SLEEP; but cannot sleep from nervous restlessness. Drowsiness during fever. ***SCREAMS, during sleep and suddenly starts from sleep. Kicks off covers during sleep. Dreams full of care and toil.

Fever

Chill; anticipating, with dyspnoea, urticaria, desire to uncover; alternate with heat. ***BURNING HEAT, but chilly when moved. *Thirstless during fever. *Heat of one part with coldness of another*. Sweat in gushes, partial. Sweat breaks out and dries frequently. Thirst during chill.

Skin

Rosy red, sensitive, sore. Rough eruptions or stinging-like spots on skin. Large urticaria. Skin dry; hot, alternating with gushes of sweat. Oedematous swellings. Erysipelas. Scarlatina. Carbuncles.

Related

Ars; Canth; Graph; Iod; Lyc; Puls; Stram; Sulph; Urt-u.

Complementary

Arn; Ars; Hell; Merc-cy; Nat-m; Puls.

[Back to Index](#)

Generalities

This remedy acts upon ***URINARY ORGANS, producing diuresis and removing the dropsical effusions. Heart's action is depressed. *Digestion is disturbed. It is a useful remedy for general dropsies, with or without organic disease. Swelling of every part of the body, with scanty urine and sweat, feels if he could only sweat he would get well. Dropsies are usually accompanied by digestive disturbances_ nausea, vomiting, and great thirst; drowsiness and difficult breathing, may accompany these symptoms. In acute hydrocephalus the child lies in stupor, with automatic motion of one arm and leg. Paralysis of left side; one eye motionless other rolling. Weakness is marked. Dropsy; after haemorrhage; quinine. Uterine haemorrhage. Scanty discharges.

Worse

***COLD; weather; *drinks. Uncovering. Lying. After sleep.

Better

Warmth.

Mind

Low spirited, nervous and bewildered. Cannot think. Faints when raised from pillow.

Head

Dull ache. Hydrocephalus, with loss of vision and projecting, forehead.

Eyes

Hot and red; as if sand in. One eye motionless and other rolling.

Nose

Filled with thick yellow mucus in morning, snuffles of infants. Takes cold easily.

Face

Bloated worse lying down, passes off after sitting up. Face pale, covered with cold sweat, in diarrhoea. Dry; lips, mouth.

Stomach

Nausea, with drowsiness. Thirst, but water disagrees, vomits every drink or food at once, (dropsy). Sensation of *sinking in the pit of stomach; after profuse urination_diabetes insipidus. Uremic vomiting.

Abdomen

Ascites. Diarrhoea, with dropsy; yellow, painless; noisy, gushing stools. Feeling as if anus is open and stools run through out.

Urinary Organs

Retention of urine, with paralysis of lower limbs. Urine; copious; scanty. Bed wetting in old men.

Male

Penis and scrotum dropsical. Prostate gland enlarged.

Females

Amenorrhoea of young girls, with bloating of abdomen and legs. Uterine haemorrhage, blood expelled in large clots or sometimes in fluid state, at climaxis. Ovarian tumour. Cough during pregnancy.

Respiratory organs

Breathing, short and unsatisfactory, difficult. Oppression of the chest. Short, dry cough, sighing. Hydrothorax.

Heart

Pulse, slow, fluttering, irregular or intermittent. Mitral and tricuspid regurgitation.

Sleep

Sleepy. Great restlessness with little sleep.

Skin

Rough, *dry. Cannot sweat.

Related

Chin-a; Nux-v.

[Back to Index](#)

Generalities.

This remedy affects respiration causing asthmatic condition with coughing, worse lying down. Patient is weak, relaxed and exhausted. Biliousness. Mucus secretions acrid.

Worse

After a short nap. Drafts. 11 p.m. (cough).

Better.

Lying, with head high. Sitting up.

Mind

Fear of lung disease; cannot be shaken off.

Nose

Sneezing worse least drafts, with copious, watery excoriating nasal discharge. Hay fever, with frequent sneezing.

Mouth

Aphthae. As if foreign body in throat. Nausea in throat.

Abdomen

Pain from liver to right scapula.

Respiratory

Dyspnoea or violent cough after first sleep better slight expectoration. Raw, burning feeling behind the sternum. Whistling breathing. Salty expectoration: feels warm in mouth.

Complementary

Lob.

[Back to Index](#)

Generalities

This spider poison is the remedy for the constitution, favourable to malarial poisoning. Patient feels cold to the very bones, cannot get warm enough. There is abnormal susceptibility to damp and cold. Inability to live near fresh water, rivers, lakes etc. or in damp chilly places. It affects the nerves; causing neuralgic pains, which are violent and sudden and appear at the same hour every day, every other day, week, month or at regular periods. Sensation ***AS OF ENORMOUS ENLARGEMENT; *or numbness of parts worse on waking or he wakes with such a feeling. It is a haemorrhagic remedy. It affects bones, causing periostitis. Punctured wounds. Many symptoms appear on right side. Pains are like electric shocks. Great desire to lie down. Creeping as of ants all over the body.

Worse

***EXACT PERIODICITY. *Cold. ***DAMPNESS. *Cold bathing*.

Better.

Tobacco smoking. In open air. Pressure. Summer.

Mind

Nervous. Despondent; longs for death.

Head

Ache better smoking and going out in open air. Vertigo, with flickering before the eyes.

Eyes

Heat and glittering before eyes; before headache.

Face

Trigeminal neuralgia. Cheeks feel as if swollen during toothache.

Mouth

Violent pain in all upper teeth at once, on retiring. Taste bitter better smoking.

Stomach

Epigastrium painful to pressure. Cramps, after eating a little.

Abdomen

Spleen enlarged. Colic occurring at the same hour. Pain better by rubbing.

Females

Menses too early; too copious. Lumbo-abdominal neuralgia with vomiting and yawning; during menstrual cycle.

Respiratory organs

Haemoptysis, bright red. Inter-costal neuralgia extending to spine.

Extremities

Bones painful. Pain in os calcis, better continued motion. Numbness of parts supplied by ulnar nerve. Arms and legs feel numb. Bones cold as if made of ice. Ulcer on heel. Limbs feel heavy.

Sleep

Restless and waking, as if hands and forearms are swollen and heavy.

Fever

Chilliness, with pain in long bones, and feeling of a stone in abdomen. No sweat.

Complementary

Ced.

[Back to Index](#)

Generalities

Silver affects NERVES causing convulsive and spasmodic effects. It acts upon joints and their component elements, bones, condyles, *cartilages and ligaments. Secretions of mucous membranes are ***THICK, *grey or tenacious*; or like boiled starch. It THICKENS the tissue esp, *cartilages, tarsi, LARYNX is also prominently affected. Symptoms appear insidiously; slowly, lingering but progressing, deeply penetrating. Pains gradually increase, become violent then suddenly cease, worse by touch. Pains are accompanied by polyuria. Painless twitching or electric-like shocks. *Loss of control over MIND *and body. Cramps in muscles; limbs *feel powerless*. In epilepsy, the attacks are followed by delirious rage, jumping about and striking those near. Arthralgia. Bones; painful, tender. It is adapted to tall thin irritable people. Exostosis of skull. Ill effects of onanism and sunstroke. *Sore rawness*. Lies down on account of tiredness and weakness. Emaciation. Caries.

Worse

*Using voice. Speaking, singing. *Mental strain. Noon. Cold damp. 3 to 6 p.m. Touch, pressure. Riding in carriage. Lying on back. Sitting. Stooping. Entering warm room. Sun.

Better

Motion. Coffee. Wrapping up.

Mind

*Loss of mental power. *Forgetful Hasty; deceitful. Talkative, or disinclined to talk in society; changes subjects. Restless anxiety which drives him from place to place. Time passes slowly. Bars out all sympathy for friends. Takes on all sorts of whims, often does strange and unaccountable things. Anxiety about his health.

Head

Vertigo; whirling; worse looking at running water, or entering warm room. Crawling and emptiness in head. Scalp very tender to touch.

Eyes

Itching in eyelids and canthi. Abundant purulent discharge. Lachrymal stricture. Eyelids and tarsi become thick.

Ears

Itching of ear lobes. Itching; has to scratch until it bleeds.

Nose

Violent fluent coryza, with frequent sneezing, causing exhaustion. Nose bleed, with tickling; worse blowing nose.

Face

*Pale, *sallow, with *weakness. Red. Sudden heat, with palpitation.

Throat

Feels raw and sore, during expiration or when swallowing or coughing. Viscid, grey-jelly like mucus easily hawked up; in the morning. Tension in throat worse yawning. Hawks. Fauces numb.

Stomach

Burning in stomach, ascending to the chest. Anxiety and pressure in the pit of stomach. Appetite increased or repugnance to all food. Hiccough on smoking. Nausea in dreams.

Abdomen

Loud croaking, with hunger in abdomen. Painful soreness of abdomen worse riding in a carriage. Vomiting during stool.

Urinary Organs

Copious and frequent urination. Diabetes; if there is swelling of the ankles. Urine, like whey, of sweet odour. Chronic urethritis.

Male

Crushed pain in (right) testicle. Clothing increases pain when walking. Seminal emissions without sexual excitement, and erection. Yellowish green discharge.

Females

Pain in left ovary. Ovaries feel too large. Prolapsus uteri, with pain in left ovary and small of the back, extending in front and downwards. Eroded spongy cervix. Scirrhus of uterus. Climacteric haemorrhage. Leucorrhoea; foul, bloody water, excoriating. Ovarian cysts, tumours. Palpitation during pregnancy.

Respiratory organs

Hoarseness and aphonia worse using voice. Total loss of voice in professional singers. Larynx feel sore and raw. Cough worse laughing. *Easy expectoration of grey, gelatinous or starchy* mucus. Feeling of raw spot near suprasternal fossa. Great weakness in the chest (left), stitches in chest impeding breathing, while reading aloud or talking. Boil near the last rib, Neuralgic pains along the entire border of left lower rib.

Heart

Stops, then trembles, then throbs, better inspiration. Palpitation with cardiac unrest, better by lying on left side. Palpitation during pregnancy; better deep inhalations. Pulse intermittent and very irregular, during palpitation.

Neck and Back

Severe backache must walk bent. Icy cold feeling near sacrum.

Extremities

Upper limbs feel powerless. Legs weak and trembling worse descending stairs. Calves feel as if too short on going down stairs. Swelling of ankles (Diabetes). Contraction of the fingers, with partial paralysis of the forearm. Writer's cramps. Limbs feel numb or stiff. Burning in corns.

Sleep

Electric shocks on dropping to sleep. Nausea in dreams.

Fever

Hectic fever at noon. Sweat only on abdomen and chest.

Skin

Nervous itching, crawling, tickling on various parts.

Related

Calc; Puls; Sel; Sep; Stann; Zinc.

[Back to Index](#)

Generalities

This drug affects the ***MIND causing neurotic effects. By its action on *Cerebro-Spinal nerves, it produces incoordination, loss of control, and loss of balance, mentally and physically. Mucous membranes are inflamed and ulcerated causing muco-purulent discharges and ***SPLINTER LIKE PAINS. It is a useful remedy for those persons *who are dried, withered up and prematurely old*, with *trembling* and weakness. Hysterical nervous persons. Emaciation is progressive. Ascending *paralysis. Parts seem ***ENLARGED or *bound up. ***VIOLENT PAINS; LIKE DEEPLY STICKING SPLINTER; or *sharp, *shooting like lightning, grinding or radiating; cause starting; extending down back or legs. Pains increase and decrease gradually, *Ulceration, with much bloody yellow pus. It is a convulsive remedy; attacks of epilepsy; from fright. worse during menses, at night; pupils are always dilated for a day or two before the attack, and followed by restlessness and trembling of hands. Periodical trembling of the body. Loss of voluntary motion. Paraplegia. Sinking downward from head. Myelitis. Disseminated sclerosis of brain and cord. Sensation of a sudden pinch. Ill effects of; eating ices, onanism and venery. Tobacco. Symptoms appear on the left side. Conjoined mental and digestive symptoms. Unable to walk with closed eyes. Pains cause starting. Suitable to businessmen, students, brain workers. Examination funk. Desire to talk. Anaemia. Errors of perception. Perversion of senses.

Worse

***EMOTION; ***ANXIETY, apprehension, fear or fright, suspense. *In room; in shut places. Mental strain and worry. *Sugar. *Lying on right side. Looking down. Drinking. Crowds. Warmth in any form. Cold food; ice creams. Before and during menses. Riding. Thinking intently.

Better

***COOL AIR; *open air. Cold bath. Hard pressure, Motion. Eructations. Bending double.

Mind

Tormented by strange ideas and emotions. *Nervous impulsive and hurried, yet timid and anxious. Fearsome, *Dreads ordeals. Fear, of impending evil, of crowds, passing a certain point, of high buildings, of dark. *Hesitates. falters; in speech; in gait, erections etc. Loss of ambition. Believes that he is despised by his family; that all his undertakings will fail. Despondent. Melancholy. Impulse to jump when crossing a bridge; or from a window. Brain fag. Loss of memory. Time passes slowly; time seems short, wants to do things in a hurry, must walk fast etc. Weeps, says he is lost beyond hope. Everything seems changed. Irrational; does strange things and comes to strange conclusions; does foolish things. Incoherence. Childish talk. Talks about his sufferings. Remains in bed, with trifle indisposition.

Head

Nervous headache; with coldness and trembling worse mental exertion, dancing, better tight bandaging. Head as if in a vise. Compressive or deep head pain. Loses his senses. Boring in left frontal eminence. Migraine. Head feels much enlarged. Vertigo; before epilepsy; worse night, with transient blindness, worse closing eyes. Itching, crawling sensation on the scalp. As if

skull bones were separated. Headache ends in vomiting. Headaches of hysterical young women; of delicate literary persons.

Eyes

Balls feel big. Violent purulent ophthalmia; ophthalmia neonatorum. Blepharitis, thick crusts on eyelids. Pupils dilated. *Carunculae swollen; photophobia. Ulceration of cornea. Chemosis. Acute granular conjunctivitis. Eye symptoms worse with abdominal symptoms. Opacity of cornea. Pterygium of pink colour.

Ears

Buzzing in ears, with vertigo. Ringing, with deafness.

Nose

Loss of smell. Violent itching. Coryza with chilliness, lachrymation and headache. Violent itching, rubs it.

Face

Sickly, sunken, grayish, of muddy colour. Old man's look. Lips tremble while speaking. Lips blue.

Mouth

Tip of the tongue is red and painful. Papillae erect and prominent. Tongue furred with clean edges. Aphthae on edges of the tongue. Astringent, sour or bitter-sour taste. Teeth pain worse chewing, cold things; sour things. Food escapes from mouth during chewing. Cannot talk; spasms of muscles of tongue and throat. Stammers.

Throat

Thick tenacious mucus in the throat, causes hawking. Uvula and fauces dark red. Sensation as if a splinter were lodged in the throat worse when swallowing, breathing or moving the neck better cool drinks. Food lodges in pharynx. Smoker's catarrh, with sensation as of a hair in throat. Strangulated feeling.

Stomach

Craves sugar, which disagrees. Desire for cheese. Loss of appetite. Appetite good, but every kind of food disagrees. Astringent sour or bitter_sour vomiting. Alcoholic gastritis. Vomited substances tinge the bedding black. Gastralgia; pain occurring in small spot, radiates in all directions, worse slightest pressure. Painful swelling in the epigastrium. Ulceration of the stomach worse cold food. Eating better nausea but worse stomach pain. Sour things better nausea. Eructates ingesta. Wind presses upwards but the oesophagus seems spasmodically closed. Trembling and throbbing in the stomach.

Abdomen

***FLATULENCE; causing distension and *bursting of abdomen. *Loud, *explosive belchings discharged upwards and downwards. *Diarrhoea; emotional; *noisy worse immediately after eating and drinking, after sweets. Fluids go right through him. *Stools; *shreddy, mucus, turning green, like chopped spinach. Itching of anus. Shivering through bowels; extending up the back; Diarrhoea, nervous, after sugar candy; of children, after weaning. Constipation; worse every complaint; alternates, with diarrhoea.

Urinary Organs

Violent pain from kidney to bladder (Nephralgia) worse touch, motion, deep inspiration. Incontinence of urine day and night. Urging to urinate, urine passes less easily and freely. Cutting in urethra, with painful erection. Divided stream. Yellow bloody gonorrhoea; early stage. Urine; highly coloured, dark red; with albumin. Retention of urine.

Male

Impotence; erection, but it fails when coition is attempted. Coition painful_urethra as if put on stretch or sensitive at orifice. Chancre like ulcers, on the prepuce. Testes drawn up high.

Females

Coition painful, followed by bleeding. Prolapsus, with ulceration of os or cervix uteri. Metrorrhagia, with nervous erethism at the change of life; also of young widows and childless women. Ovaries painful, with pains radiating to sacrum and thighs. Menses; irregular, too soon, too late or last one day only. Pain in stomach and spasmodic contraction in chest before menses. Menses scanty, with dyspnoea. Infants die early after delivery. Leucorrhoea; profuse, with erosion of cervix.

Respiratory organs

Chronic laryngitis of singers, raising voice causes cough, high notes cause cough. Rawness, soreness, high up in trachea worse coughing. Crowd, in a room takes away his breath. Desire to take deep breath which worse dyspnoea. Dyspnoea, nervous or flatulent, worse gastric pain. Cough; worse laughing, stooping, smoking, ascending stairs before menses. Chest feels as if a bar were around it. As if weight of stone in middle of the sternum. *Craves fresh air. Loss of voice. Pain in the chest on putting boots. Asthma; worse in summer, in cold weather or taking cold.

Heart

Palpitation; with nausea, worse lying on right side, riding in car; better pressing by hand. Unpleasant sensation of fullness about the heart better fresh open air. Pulse irregular intermittent. Anxiety, with palpitation and throbbing throughout the whole body.

Neck and Back

Pain in the small of the back worse rising from sitting better standing or walking. Glands of the neck indurated. Throbbing in spine or weak spine.

Extremities

Trembling of hands, cannot write. Numbness of finger tips; ring and little fingers. Fingers half clenched, cannot be separated. Lassitude and weariness of forearm and legs, with trembling. Weakness, rigidity or twisting in calves. Paralysis, with mental and abdominal symptoms. Cannot walk with eyes closed. Walks and stands unsteadily worse when unobserved. As if a weight hanging to coccyx. Chorea like convulsions; legs drawn up, arms jerked outwards and upwards. Peripheral neuralgias. Oedema of legs. Legs feel as if made of wood or padded. Paraplegia, after debilitating causes.

Sleep

Horrible dreams of snakes and sexual gratification.

Fever

Chilly when uncovered, yet smothers when covered. Chill with nausea.

Skin

Brown, tense and hard. Ulcers; angry, deep, with hard edges. Warty granulations. Adherent crusts.

Related

Lyc; Puls.

Complementary

Calc; Nat-m; Puls; Sep.

[Back to Index](#)

Generalities

It is a traumatic remedy par excellence. Trauma in all its varieties_mental or physical and their effects recent or remote are met with by this remedy. It affects BLOOD, causing putrid and septic conditions. ***BLOOD VESSELS are relaxed, causing ecchymosis, blue-black spots; with ***TENDENCY To HAEMORRHAGE; *epistaxis etc. It acts upon nerves causing neuralgia. *Muscles feel ***VERY SORE, ***PAINFUL, BRUISED; *all over. Parts become sore, after the pains, or after bleeding. It is a prophylactic for pus formation. Burrowing pus. Has absorbent action. Progressive emaciation. Great prostration; tired feeling. Discharges are ***FOUL; *breath, taste, flatus, stools etc. Crushing pain. ***BED FEELS HARD or full of lumps. *Involuntary evacuations. Abscesses that do not mature. Pains are paralytic; sudden, shifting pains from joint to joint. It acts best in plethoric, dark, haired persons of rigid muscles, nervous sanguine nature. It acts but feebly on persons who are positively debilitated, with impoverished blood and soft flesh. Compound fractures. Twitching, in tendons, muscles. Osteomyelitis. Ill effects of fright, financial loss, anger, repentance; excessive use of any organ, vaginitis in females and impotence in males from excessive sexual indulgence. *Exertion* of any kind. Mind and uterine symptoms alternate. Complaints when over hurried. Apoplexy. Typhoid, septic fevers. Recurring boils. Surgical operations. Insect stings. Splinters. Thrombosis.

Worse

***INJURIES *falls, *blows, ***BRUISES; *shock; *jarring; after labour; over-exertion; sprains. ***TOUCH. After sleep. Motion. Old age. Alcohol. Damp cold. Coal gas. Lying on left side.

Better

Lying down and lying with head low or outstretched.

Mind

***FEAR; of being *struck or touched*; or approached; of sickness; of instant death; with cardiac distress at night; of space; on awakening; of crowds, public places. Morose, repentant mood. Mentally prostrate and apathetic, but physically *restless; says nothing ails him. When spoken to, answers slowly with effort. Feels well in serious cases. Forgetful, what he reads, quickly escapes his mind. After rage sheds tears and makes exclamations. Hopeless; indifferent. Violent attacks of anguish_angina pectoris. Delirium tremens. A sudden fear that rouses one from sleep at night esp. after an accident. Great desire to scratch; will scratch, wall, bed, head, etc. *Coma. Muttering delirium. Sensation of being good for nothing. Easily frightened, unexpected trifles cause him to start. Sits as if in thought.

Head

Brain; feels tired, burning in. Vertigo; chronic; of the aged; with nausea, vomiting and diarrhoea; objects whirl worse walking. Vertigo worse walking, sitting erect, closing eyes. Headache as from a nail. Head hot with cold body. Cold spot on the forehead, hot spots on vertex. Meningitis from injury to head. Head throws backwards while walking.

Eyes

*Bloodshot. Retinal haemorrhage. Photophobia. Feel tired and heavy, after sight seeing, moving pictures. High objects appear to lean forward and about to fall. Right eye protrudes, looks larger than left.

Ears

Hardness of hearing; noises in ears. Blood from ears. Bruised pain in external ears. Hearing impaired from injury to the head. Sensitive to shrill noise.

Nose

Bleeding; after every fit of coughing; after washing face. Violent sneezing from over-lifting. Nose; feels sore, cold. Post nasal dropping. Catarrh of antrum. Burning in typhoid fever.

Face

*Ruddy congested, bluish red; in apoplexy, fevers. Sunken, pale. Lips; burn, swollen and cracked. Lower lip trembles, while eating. Lower jaw hangs down, paralysis. Painful acne. Cheeks puffed; red.

Mouth

Foetid breath. Dry, with much thirst. Taste; as from bad eggs, after operation_plugging etc. Bright red, puffy fauces. Tongue; dry, almost black. Swallowing is prevented by sort of nausea as if food would not go down.

Stomach

Eruptions; tasting of bad eggs; after coughing. Loss of appetite by day, but canine hunger before midnight. Nausea. Vomiting of dark, red coagulated blood. Feeling as if stomach were passing against the spine. Foetid vomiting. As of a lump back of stomach. Aversion to milk and meat. Longing for vinegar. Constant desire to drink, but knows not what for, as all drinks are offensive.

Abdomen

Cramps from epigastrium down over the bowels, then foul stools. Sharp pains from side to side. Stools; bloody, foamy, purulent, acrid; involuntary; during sleep; Dysentery; with dysuria, all summer and autumn. Cramps in rectum, while standing. Flatus smelling of rotten eggs. Must lie down after every stool. Prolapsus ani worse after walking for few minutes only better washing the whole body.

Urinary Organs

Cutting pain in kidneys. Retention of urine in bladder, from over exertion, after labour. Involuntary dribbling, with constant urging. Has to wait a long time for urine to pass. The bladder feels full and sore; the pressure of urine hurts him.

Male

Impotence from excess or abuse. Phimosis, from friction. Seminal emission during caress. Haematocele.

Females

After-pains worse suckling. Soreness of the parts after labour. Feeling as if foetus were lying crosswise. Cannot bear foetal movements; cause nausea and vomiting. Haemorrhage after coition. Nipples sore. Children lose their breath when angry. Mastitis. Threatened abortion from falls etc. Labour, weak and ceasing. Menses; early, hot, profuse. Soreness of the whole body during pregnancy. Tumours of mammae from injury. Puerperal fever.

Respiratory organs

Hoarseness; worse exertion, colds, or getting wet. Cough in sleep without waking. Cough produced by yawning, weeping or lamenting. Child cries before paroxysms of whooping cough. Cough causes bloodshot eyes or epistaxis. Cardiac cough. Dyspnoea, with haemoptysis. Violent spasmodic cough, with facial herpes. Bones and cartilages of chest are painful worse motion, breathing or coughing. Heavy lower chest. Stitching pains in chest, taking the breath away; better pressure. Hoarse voice from over use.

Heart

Beats shake the whole body. Sudden pain as if the heart is squeezed or had got a shock, pain felt in left elbow (angina pectoris). Strain of heart from violent running. Cardiac dropsy. Hypertrophy of heart. Fatty heart. Heart pains; left to right. Pulse feeble and irregular. Weakened heart muscles. Horror of constant death, with cardiac distress at night. Palpitation after any exertion.

Neck and Back

Muscles of neck weak, head falls backwards, or any side. Back sore. Cervical vertebrae tender.

Extremities

Limbs ache as if beaten. Pain in arms better hanging down. Want of strength in the hands on grasping. Cramps in the fingers_ writer's cramp. Veins of hands distended. Cannot walk erect on account of bruised pain in pelvic region. Hygroma patellae. Gout. Knee joints suddenly bend when standing. Feet numb.

Sleep

Comatose drowsiness; drops to sleep as he answers. Dreams; of death mutilated bodies, anxious and terrible, awakes in terror, then sleepless. Severe fatigue causes restlessness and sleeplessness.

Fever

Chilly with heat and redness of one cheek. Head or face alone hot, body cold. Coldness of part lain on. Thirst during chill. Must uncover but it chills him. Intermittent, typhoid, septic, traumatic fevers.

Skin

Dusky, mottled. Every little hurt makes a black and blue spot. *Very sore acne or crops of small boils. *Symmetrical eruptions*. Petechiae. Erysipelas. Bed sores. Tingling and itching which moves from place to place; after scratching, itching begins somewhere else. Carbuncle; of thigh.

Related

Bell-p; Echi; Hyper; Rhus-t.

Complementary

Acon; Calc; Nat-s; Psor; Rhus-t; Sul-ac.

[Back to Index](#)

Generalities

A very deep acting remedy, affecting every organ and tissue. ***MENTALLY the patient is extremely nervous; restless and anxious. Discharges of ***MUCOUS MEMBRANES are ***ACRID, ***THIN and ***SCANTY; coryza, saliva, sweat etc. *Blood is disorganized causing pernicious type of anaemia and severe septic conditions. Haemorrhages, black, offensive. *Weakness and emaciation is rapid. The prostration seems to be out of proportion to the rest of his illness. *Pains are maddening, ***BURNING LIKE FIRE; *hot needles or wires better heat. Pains are even felt during sleep; awake the patient. Pains cause *shortness of breath or chilliness. Pains alternating between head, stomach or body. It acts on the nerves producing inveterate neuralgias and multiple neuritis better heat. Frequent fainting. Trembling, jerking, convulsions and choreic twitchings. *Sudden intense effects; ***SUDDEN GREAT WEAKNESS from trivial causes. ***VERY RESTLESS; restless even in affected part; even stupor is interrupted by fits of restlessness, with anxious moaning. Low vitality. Gradual loss of weight. ***PUTRID CADAVERIC ODOURS. Emaciation. Paralysis. Destructive process_carbuncles, gangrene, cancer; malignancy. Dropsy; *pale, puffy, baggy, SWELLING. Spleen is enlarged in malarial fever, kala-azar. Child better when carried about quickly. Ill effects of eating ices; poor diet, fruits esp watery, tobacco, quinine, sea bathing and travelling, mountain climbing. Care, grief, fright, ptomaine poisoning, dissecting wounds. It is a prophylactic for yellow fever. Acute and chronic burns. Epilepsy; suddenly becomes unconscious with convulsions. Restlessness; then becomes drowsy.

Worse

***PERIODICALLY; MIDNIGHT; *after midnight; *After. 2 A.M.; 14 days; yearly. ***COLD; ICES, DRINKS; COLD FOODS; *Cold air, cold and damp*. ***VEGETABLES. Watery fruits. ***DRINKING LIQUIDS, ***ALCOHOLISM. Infections. Bad meat, food. Eruptions undeveloped or suppressed. *Quinine. Lying on affected part. ***EXERTION. Tobacco, chewing. Sea shore.

Better

***HOT; APPLICATIONS (Dry); FOOD; *drinks. Warm wraps. Motion. Walking about. ***LYING, with head elevated. Sitting erect. Company. Sweating. Open air.

Mind

*Oversensitive. Anxious. *Fastidious. *Fault finding. ***ANGUISH; *despair of recovery. ***EXACTING. ***AGONISING FEAR OF DEATH; yet tired of living, worse night. Fear; of death, from starvation; of financial loss. ***VIOLENCE; self torture, pulls her hair, bites her nails, tears his own body. *Suicidal; *impulses, *mania *Restless, changes place continually, wants to go from one bed to other; children are capricious, want to be carried; want to go from father to mother, to nurse. Melancholy. Sees vermin; throws away bugs by handfuls. *Suspicious. Fear of being left alone, lest he do himself bodily harm. Fears he has murdered somebody. Miserly, malicious, selfish. Lacks courage. *Irritable; *increasingly. Sensitive to disorder. Delirium tremens. Dotage. Fixed ideas, hallucinations. Imagines house full of thieves; jumps and hides. Hasty. Sees ghosts day and night. Groans, moans and weeps, during menses. Her desire exceeds her needs. Does not want to meet his acquaintances, thinks he has offended them.

Head

Ache, congestive better cold, *Restless head, it is in constant motion. Pain over left eye. Hemisphasia, with icy feeling. Vertigo; with loss of consciousness, during coughing fits, in asthmatics, before epilepsy. Scalp very sensitive; cannot brush hair. Hair becomes grey early; falling of hair. Dandruff. Chronic eruptions filled with pus. Pain alternates between head or stomach or body worse by people's talk. Walks with head thrown backwards.

Eyes

Sunken or protruding. Burning in eyes, with acrid lachrymation. Oedema around eyes. Intense photophobia. Lids granulated. Spasms of the eye lids. Everything appears green; sees as through a white gauze. Conjunctiva; injected; yellow. Scrofulous ophthalmia. Eyelids red and ulcerated. Falling of lashes. Eye lids oedematous.

Ears

Thin, offensive, excoriating discharge. Roaring in ears, during pain. Hard hearing, to human voice.

Nose

*Thin, *watery, *excoriating discharge*. Nose feels stopped up, with fluent coryza. Nose colds descend to chest. *Cold sores; in nose. *Sneezing*, without relief. *Can not bear the sight or smell of food. Hay fever. Knotty swelling of the nose. Nose pointed. Acne of nose. Nose bleed, after fit of passion or vomiting. Dyspnoea felt in nose. *Sneezing, with biting watery coryza.

Face

***PALE; *anxious, *sunken, haggard or *distorted, hippocratic, covered with cold sweat. Old look; in children. Oedematous swelling of face. Burning, stinging pains as from red hot needles. Lips; black, livid. Eruptions on lips. Cancer of lips. Black dots, acne.

Mouth

Tongue; dry, clean and red; *bluish white. Edge of tongue red, takes imprint of the teeth. Burning pain in tongue. Tongue; burning, trembling; stiff; coated, white, yellowish; brown, black. Swelling about the root of the tongue. Neuralgia of teeth; feel long; better heat; worse night. Swollen bleeding gums, painful to touch. Grinding of the teeth in sleep. Bites tumbler while drinking. Dryness of mouth. Aphthae in mouth. Feter oris. Gulping up of burning water. Taste; bitter to water; after eating and drinking; sour, foul, saltish, sweet in morning. Bloody saliva. Speech rapid, lisping.

Throat

Swollen, oedematous, constricted, burning, unable to swallow. Everything swallowed seems to lodge in oesophagus.

Stomach

*Can not bear the sight, smell or thought of food. ***INTENSE, ***UNQUENCHABLE, ***BURNING THIRST; DRINKS LITTLE AND OFTEN; CRAVES ICE COLD WATER, ***WHICH DISTRESSES THE STOMACH AND IS VOMITED IMMEDIATELY. Loss of appetite; with thirst; with nausea. Nausea, retching and vomiting, after eating and drinking. Anxiety felt in the pit of stomach. Burning pain in stomach better by sweet milk. Heart burn, gulping of burning water.

Vomiting and purging. Hiccough; frequent; also when fever ought to have come; with eructations. Aversion to sweets, butter, fats, meat. Gastritis. ***DRINKS LITTLE AND OFTEN, eats seldom and much. Qualmishness. Desire for sour things, brandy, coffee, milk. Gastralgia, from slightest food or drink. Black vomit.

Abdomen

Induration and enlargement of spleen and liver. Violent pains in abdomen, with anguish. *Has no rest anywhere, rolls about on floor and despairs of life. Epigastrium sore, tender. Stools; rice water, foul, small, involuntary, acrid, *burning, black, mucus, lienteric worse cold drinks, with much prostration. Ulcer above navel. Dysentery, cholera, in children. Anus, red and sore, *burning Acute prolapse of anus. Prolapse of piles, with burning better hot application. Itching and eczematous eruptions around anus. Peritonitis. Ascites.

Urinary Organs

Urine; scanty, burning, involuntary. Feeling of weakness in abdomen after urination. Atony of bladder, in old persons. Uraemia. Albuminuria. Diabetes. Retention of urine, as if the bladder were paralyzed, after parturition. Urine black as if mixed with dung. Dysuria.

Male

Scrotum oedematous. Emissions during diarrhoeic stools. Erysipelatous inflammation of scrotum. Syphilitic ulcers; with burning, stitching.

Females

Profuse acrid, yellowish, thick leucorrhoea worse standing, passing flatus. Cancer of uterus. Burning in ovarian region. Pressive, stitching pain in ovary, into the thigh, which feels numb and lame worse motion or bending. Menorrhagia, with black blood. Burning in mammae better motion. Increased sexual desire at menses. Menses suppressed, in weak, tired careworn women. Stitching in rectum during menses. Dysmenorrhoea better heat.

Respiratory organs

***SHORTNESS OF BREATH; unable to lie down, must sit up; worse odours, laughing, ascending, turning in bed, or receding eruptions, better coffee or sweet water. Whistling, wheezing breathing. Asthma, worse taking cold, in mid summer. Cough alternating dry and loose, dry at night better sitting up worse drinking. Expectoration scanty, frothy. Great dyspnoea; in nose; face cyanotic, covered with cold sweat, great anxiety. Aphonia. Emphysema. Pulmonary oedema. Burning or coldness in chest. Cough excited by smoking. Sensation as of vapours of sulphur in larynx. Cough, with bloody sputum. Haemoptysis; burning all over or with pain between scapulae; in drunkards; suppressed menses. Gangrene of the lungs. Darting pain through upper third of the right lung. Yellowish spots on chest.

Heart

Weak, trembles. Palpitation, with anguish worse lying on back, ascending stairs, with slight causes. Heart pains into neck and occiput, with anxiety, difficult breathing, fainting spells. Angina Pectoris. Pulse more rapid in the morning. Hydro- pericardium. Palpitation, with tremulous weakness after stools. Beats audible. Visible pulsations.

Neck and Back

Stiffness of the back ascends from coccyx to nape. Cold creeps on back. As if warm air streaming up spine to the head. Bruised pain in small of back. Weak lumbar region.

Extremities

Twitching, trembling, violent starting, during sleep. Drawing pain from elbow to axilla. Weariness of limbs. Trembling of hands, of limbs. Tingling in fingers. Fingers cannot be extended. Nails; blue, discoloured. Ulcers on finger tips, with burning pain. Feet; weak, weary and numb, oedematous. Ulcers on soles and toes. Wooden feeling in soles. Sore pain in ball of toes, while walking. Uneasiness in lower limbs, must move feet constantly or walk about. Toes bend downwards. Peripheral neuritis. Cramps in calves. Swelling of feet. Limbs heavy. Restless feet. Sciatica better walking and hot applications. Paraplegia, with atrophy. Paralysis, with contraction of limbs.

Sleep

Disturbed, anxious, restless. Shocks on dropping to sleep. Dreams; of death, full of care, sorrow, and fear. Sleeps with hands over head. Yawning, with stretching of limbs. Sleeping sickness. Talks in sleep. Awakened by pains.

Fever

Externally ***COLD, with internal burning heat. ***Coldness, in spots. Sensitive to cold, yet better in open air. *Chills irregular, shaking; craves hot drinks during chill; dyspnoea during chill. Heat as of hot water in veins; or they burn like lines of fire. High fever, hectic fever. Sweat, with great thirst, dyspnoea or exhaustion. Sweat cold. Waves of icy coldness in blood vessels or intense boiling heat. Intermittent fever, yellow fever.

Skin

Dry, rough, scaly, dirty, shrivelled. *Looks seared Eczema. Acuminate eruptions. Free desquamation. Hives worse eating shell fish. Ulcers; chronic, with burning, with cutting pain and bloody discharge. Gangrene. Phagedena. Carbuncles. Psoriasis. Skin, like parchment. Skin symptoms alternate with internal affections. Spots; blue, black, white. Pimples, vesicles, burning violently.

Related

Sul-ac; Verat.

Complementary

All-s; Carb-v; Lach; Nat-s; Phos; *Puls; Sulph; Thuj.

[Back to Index](#)

Generalities

This remedy should be thought of when the *discharges of MUCUS MEMBRANES are persistently *acid, *profuse, thick, gluey, yellow like honey, in chronic affections; and thin in acute conditions. Discharges cause ***BURNING of the part on which they flow. Its symptoms are very similar to the symptoms of early stage of tuberculosis, with afternoon rise of temperature. In chronic inflammatory state of the lungs and bronchial tubes, the expectoration is greenish-yellow, pus-like, with short breath, there is a profound prostration, emaciation, recurring fever and sweats and tendency to diarrhoea. It is a remedy for senile heart, and myocarditis and fatty degeneration of the heart. Heart weakened by chronic lung affections. Sensations of *heaviness occurs in many parts. Axillary tumours. Erethistic weakness; debility.

Worse

Dry, cold *weather. Windy, foggy weather. Exertion. In room. Apples. Tobacco smoke.

Better

Open air.

Mind

Unable to study, study causes headache.

Head

Vertigo with tremulous feeling esp. in aged. Dull heavy headache, across forehead or occiput. Study causes headache. Pain over the root of nose, as if she would go silly.

Eyes

Eye balls feel heavy.

Ear

Foul otorrhoea. Tympanum thickened. Hypertrophy of eustachian tube; deafness from.

Nose

Drips water, which is *hot, *green, *acid, *reddens upper lip. Persistent but unsatisfactory sneezing. Tingling in the nose and constant desire to sneeze. *Coryza with dyspnoea. Post-nasal catarrh. Hay fever. Influenza. Colds with hunger.

Face

*Aching in malar bones. Cancer of lips.

Throat

Raw burning, tonsils swollen, Chronic follicular pharyngitis. Goitre.

Stomach

Intense thirst, with desire for cold water which is ejected at once. Vomiting an hour after food. Uncomfortable nausea.

Abdomen

Diarrhoea and dysentery; stools scalding, glass white. Enlarged mesenteric glands. Painful swelling in right groin on extending leg.

Females

Lump in mammae worse touch. Nipple retracted. Foul, bloody, yellow irritating leucorrhoea, with swelling of labia. Emaciation of mammae.

Respiratory organs

*Short of breath; air hunger. *Hacking cough. *Expectoration, *yellow-green, *foul Asthma, *in phthisis. *Pneumonia that fails to clear up. Burning heat in chest. Tubercular pleurisy. *hoarseness. Aphonia.

Heart

Weak, irritable. Pulse rapid, irritable.

Neck and Back

Burning heat in lumbar region, as if clothes were on fire_.

Extremities

Pain in humerus worse writing. Clothes feel cold better walking.

Fever

Recurrent fever with sweat. Drenching night sweats, with weakness. Chilly, cannot endure cold.

Skin

Dry, harsh, dusky. Psoriasis. Ichthyosis. Marked exfoliation of skin in large scales leaving a exudating surface beneath. Acne hard, shotty. Venereal bubo. Eczema of beard worse washing.

Related

Kali-b.

Complementary

Kali-i.

[Back to Index](#)

Generalities

Leucoderma is supposed to be favourably influenced by this remedy. There is amelioration by steam or hot water.

[Back to Index](#)

Generalities

It has a prominent place in convulsive diseases of childhood and girls at puberty. The patient is irritable and excitable before the attack of epilepsy. Epilepsy; without aura; after fright or grief; after a blow on the head; with menstrual disturbances. Attacks are accompanied or followed by profuse offensive sweat of garlicky odour; and seminal emissions. Somnambulism. Gets up at night and works, but remembers nothing in the morning. Chorea, with inability to swallow. Right side convulsed, left paralyzed. Coloured light produces dizziness. Petit mal. Walks in the street, suddenly stops, stares into space, often mumbles a few words, becomes normal and remembers nothing. Inclination to steal.

[Back to Index](#)

Generalities

It is an irritant poison causing excitability of mind and irritability of body. *Mucous membranes of mouth, ***THROAT and *larynx are affected prominently. ***DISCHARGES ARE ACRID, causing ***PAINFUL SORE, RAWNESS AND BURNING of parts. Rawness, with itching. Jerking shooting pain. Children lose their appetite; do not want to play, lose flesh; have headaches.

Worse

Over use of voice, ***TALKING, singing. Cold, wet; cold winds. Heat. Lying down.

Mind

Excessively cross and stubborn. *Nervous. ***PERSISTENTLY BORING INTO NOSE; or *picking at lips, fingers, at one spot *until it is sore or bleeds, *esp. *children.

Head

Bores into pillow. Child puts hand on back of head and cries during headache. Headache worse warm clothes, and hot coffee.

Eyes

Quivering of upper lid (left). Heavy, sleepy.

Nose

*Acrid fluent coryza Nose obstructed, must breathe through the mouth. Obstruction, with foetid discharge, sneezing worse at night.

Face

Lips; dry, swollen, burning, cracked; corners of the mouth sore.

Mouth

Raw feeling at roof and palate. Mouth painfully *raw, sore, inflamed. Aphthae. Saliva profuse, acrid. Tongue cracked and bleeding. Strawberry tongue.

Throat

Raw, sore, *painful on clearing or coughing, yet *grasps and wants to scratch it. Swelling of glands on throat and neck.

Abdomen

Diarrhoea. Stools like corn meal. Thin stools, escaping from anus and keeping parts raw and burning.

Urinary Organs

Very scanty secretion of urine. Uraemia.

Respiratory organs

Voice, hoarse, squeaky or breaks. Clergyman's sore throat. Raw feeling in chest. Hay asthma.

Skin

Itching of fingers and toes. Eruptions leave a brilliant red stain. Pemphigus. Impetigo contagiosa.

Related

Ars; Merc-c.

Complementary

Nit-ac.

[Back to Index](#)

Generalities

Hysterical and hypochondriacal manifestations are covered by this remedy. Though the patient is of *full habit, and *stout aspect yet he is intolerably nervous and OVERSENSITIVE. In the digestive tract it produces flatulence and spasmodic contractions of stomach and oesophagus, with reverse peristalsis, everything comes up, nothing goes down. It affects bones and periosteum; caries of bones and deep ulcerations are favourably influenced by it. *fits of hard, violent throbbing. Pains are pressive, sharp, stitching, *extending outwards; associated with numbness; they change place and are better by touch. Aching, boring in bones. Easy relapses. Blueness. Foul, thin, acrid secretions. As if a nail or plug driven in. Twitching and jerking in muscles. Fistulae with foul pus. Glands all over the body are hot and throb. Pains jerk and shoot. Clumsy children. Obesity. Left sided symptoms. Undulating, twitching of muscles. Ill effects of checked skin eruptions or suppressed discharges. Neuralgia of stump, after operations. Nervous disorders from suppressed skin eruptions.

Worse

*Night. In room. Rest. Eating. Suppressions. Mercury. Noise. *Sitting. Warm wraps.

Better

Motion in open air. Pressure; touch. Scratching.

Mind

Fickle, cannot persevere in anything. Wants now one thing, then another, walks hither and thither. Magnifies her symptoms. Craves sympathy. Hysteria from suddenly suppressed discharges. Fainting during pain. Faints when he thinks that he has taken medicine. Faints; almost without cause, in a closed room, excitement or disturbance, after emission. I hysteria, with much trouble about throat or oesophagus, clutches throat. Dissatisfied with oneself. Complains of her troubles. Changing moods; fits of joy with burst of laughter.

Head

Aches in occipital region better stool.

Eyes

Throbbing pain in and around the eye worse at night. Orbital neuralgia better pressure and rest. Eyelids stick to balls. Numbness about eyes; ulceration of cornea. Syphilitic iritis.

Ears

Offensive purulent otorrhoea, with hardness of hearing. Pain in mastoid with pushing out sensation.

Nose

Offensive discharge from the nose. Ozena. Caries of nasal bones. Tension over nasal bones, with numbness.

Face

Puffy, purple as if heated. Small tubercles in the cheek. Swelling of the lower lip. Numbness of bones.

Mouth

Greasy, rancid taste. Constant chewing, with frothy saliva from mouth; chorea.

Throat

*Everything presses towards throat. Globus_ball rising in the throat. Spasms of gullet and stomach.

Stomach

*Explosive eructations smelling like garlic and rancid in taste. Regurgitation of liquids. Pulsation in the pit of stomach; perceptible to the hand or even visible. Disgust for all food.

Abdomen

*Flatulence; sudden, pushing upwards, hysterical, wind colic with abdominal pulsations. Bowels seem knotted. Diarrhoea, stools dark, watery with disgusting odour. Only mucus is passed. Flatus passing upwards, none downwards. Heat in spleen and abdomen.

Urinary Organs

Urine brown and of pungent odour. Spasms in bladder during and after urination.

Male

Needle like stitches in penis. Fainting after seminal emissions.

Females

Mammae turgid with milk, when not pregnant. Deficient milk with oversensitiveness. Bearing down in the genital esp. while riding in a carriage. Menses; too early, too scanty, last for a short time. Leucorrhoea; profuse, greenish, thin; offensive.

Respiratory organs

Spasmodic tightness of chest, as if lungs could not be fully expanded. Asthmatic attacks at least once in a day, worse bodily exertion, coition, satisfying meals. Spasms of the glottis, alternating with contraction of finger and toes.

Heart

Palpitation more like a tremor. Heart seems full, distended. Reflex heart symptoms of nervous origin.

Extremities

Pain and tenderness in tibia; intolerable, worse night. Cannot work on account of backache. Cold swelling around ankles. Convulsive tremors better by holding.

Skin

Eruptions of air vesicles. Bluish ulcers, with highly sensitive edges. Itching better scratching. Old cicatrices turn purple and ulcerate. Foul burrowing pus.

Related

Aur; Chin; Lach; Merc; Sumb; Valer.

Complementary

Caust. Puls.

[Back to Index](#)

Generalities

*Asarum produces a remarkable state of *OVERSENSITIVENESS OF NERVES; *scratching on silk or linen, rattle of paper is unbearable, not only that but even the idea that someone might scratch with finger tip or nail produces a disagreeable thrill, through him. Cold shivers from any emotion is also a marked symptom. Pressure, tension and *contractive sensation are also leading features; patient thinks that his whole body or single parts were being pressed together. It is suitable to literary men of sedentary habits who shrink from cold or always feel cold. Mucous discharges are glairy. *Lightness as if floating. Drunkards.

Worse

***PENETRATING NOISE. *Cold dry weather. Emotions. Retching, (except head).

Better.

*Cold bathing, of face. Damp, wet weather.

Mind

Gradual vanishing of thought Stupid feeling in the head better retching. Feeling of *lightness as if floating, when walking in the open air.

Head

Compressive headache. Tension of whole scalp; cannot bear combing.

Eyes

Watering and burning of the eyes. Asthenopia. Darting pains in the eye; after operations.

Ears

*Painfully sensitive hearing. Plugged up sensation; with coryza. Sensation as if skin were stretched over external ear (right).

Nose

Coryza with sneezing.

Face

Warm feeling in face better cold washing.

Mouth

Accumulation of cold watery saliva in the mouth, with nausea. Tobacco tastes bitter when smoking. Clean tongue. Disgusting taste.

Stomach

Violent empty retching which worse all the symptoms, (except head). Violent vomiting, with diarrhoea and violent colic. Desire for alcoholic drinks. Horrible feeling at epigastrium on waking in the morning; drunkards.

Abdomen

Strings of odourless, yellow mucus pass from bowels. Undigested stools. Stools worse after eating and drinking. Gelatinous or shreddy mucus in stool; mucus colitis.

Female

Violent pain in small of back at the appearance of menses, scarcely permitting her to breathe, worse motion. Tenacious yellow leucorrhoea. Threatened abortion from excessive sensibility of nerves. Menses too early and long lasting, blood black.

Respiratory

Nervous hacking cough. Asthmatic breathing worse odours and cold. Both lungs as if constricted by wire. Stitches in larynx better cough.

Extremities

Lightness of all the limbs. Gurgling sensation in patella. Weakness, with staggering.

Sleep

Frequent yawning; great drowsiness.

Fever

Chilliness, single parts get icy cold. Cold feeling not better by covering or heat of room. Sweat; sour, easily excited.

Related

Arg-n; Castor; Ther.

Complementary

Caust; Puls, Sil.

[Back to Index](#)

Generalities

It increases the ***SECRETIONS OF SKIN' serous and mucous membranes_causing *profuse perspiration in pleuro-pneumonia, diarrhoea or rheumatic conditions,_colliquative states. It causes sharp, stitching, pricking pains worse motion. Excessive weakness, walking seems impossible. Numbness of the whole body. Influenza with pleurisy. Sensitive to tobacco. Weak and languid as if he had been sick a long time. Unfit for business from pain in bowels and frequent stools.

Worse

Motion. Deep breathing. Lying. Tobacco. Rising. Coughing.

Mind

Memory weak.

Head

Ache better after foot bath.

Nose

Sticky yellow nasal discharge; Snuffles of children.

Mouth

Tough yellow coating on tongue. Taste; putrid, of blood.

Abdomen

*Stools smell like rotten eggs; or burn like fire. Catarrhal dysentery, with rheumatic pains all over. Stools with a feeling as stream of fire passing through abdomen.

Male

Flabby genitals.

Respiratory organs

Dry cough, with constriction of throat. Chest pains better bending forward, worse lying, breathing. Short of breath and weak on walking. Pleurodynia. Pericardial effusion. Pleurisy. Pain beneath left nipple, with palpitation.

Related

Ant-t.

[Back to Index](#)

Generalities

Commonly known as river crab or crawfish. The tincture is prepared from the whole animal. It marked affects the liver and lymphatic glands. It produces URTICARIA; with liver complaints; jaundice of children. Itching in various parts. Crusta lactea, with enlarged lymphatic glands. Enlarged glands of neck in children and old people. Stinging pains are felt in various parts. Inward chilliness or shiverings. Nervous crawls over the body. Erysipelas, with nettlerash. Cramps in liver region, liver inflamed t pressure. Cough better when walking but returns as soon as he sits down. Violent fever, with headache; red glowing face. It constricts and may completely close both the duodenum and esp. the opening of the gall duct into the duodenum.

Worse

Air. Uncovering.

Related

Calc; Rhus-t.

[Back to Index](#)

Introduction

Red Star Fish.

Generalities

This remedy produces disturbances of the circulation, with *pulsations and congestion, in head, womb, chest etc. nervous affections include neuralgia, chorea, hysteria and epilepsy. It has a decided action on female organs. Epilepsy is preceded by twitching over whole body. Drawn back feeling in eyes, nipples etc. Cancer; of mammae. Flabby Lymphatic constitution. Chorea, quiet only when the hands are in the pockets. Left-sided symptoms.

Worse

Heat. Menses. Contradiction. Cold wet weather. Coffee. Night.

Mind

Easily excited by any emotion esp. contradiction; epilepsy. Weeps from least emotion. Hallucinations; of hearing voices; away from; among strangers. Sense of impending misfortune. Fears bad news.

Head

Rushes of blood to head, with throbbing. Heat in head as if surrounded by hot air. Shocks in brain.

Eyes

Are drawn backwards. Winking of eyelids.

Face

Red, flushed face. Pimples on side of nose, chin and mouth. Acne.

Abdomen

Obstinate constipation. Diarrhoea; watery brown stools gushing out with force in jet.

Male

Sexual desire increased.

Female.

Violent and constant sexual desire; not better by coition, with nervous agitation, with disposition to weep. Left breast feels as if pulled inward. Dull, aching neuralgia in mammae. Nodes and indurations of mammary gland; nipples retracted; cancer even in ulcerative stage, acute lancinating pains; axillary glands swollen, hard, and knotted. Vagina moist with feeling of ease. Jerking or distress in uterus.

Extremities

Numbness of hand and fingers_left side. Pain from mammae extends over inner arm to end of little finger. Gait unsteady muscles refuse to obey the will.

Skin

Acne_black tipped puncta, small red base. Psoriasis. Herpes zoster.

Related

Murx; Sep.

[Back to Index](#)

Generalities

Gold makes a profound impression on the ***MIND, producing acute mental depression, hopelessness and loss of love of life. ***CIRCULATION IS DISTURBED; all the blood seems to rush from head to lower limbs. Orgasms, as if blood were boiling in all the veins. *Erratic ebullitions. *Venous congestion_more to head and chest. Caries of bones esp. of nose; palatine and mastoid. Bone pains are boring and cutting. Pains wander, impelling motion, finally attack heart. Indurations and glandular swellings. Exostosis, osteitis, Sclerosis of arteries; coronary, liver, brain. Extremely violent symptoms. Mercuric syphilitic dyscrasia. Chronicity of complaints. Heart feels loose on walking. As of air blowing on part. It is adapted to nervous, hysterical women; girls at puberty; pining boys; old people with heart disease; to persons who are low-spirited, lifeless, weak memory; yet sensitive to pain; which drives them to despair. Ill effects of grief, fright, anger, disappointed love, contradiction, reserved displeasure. Prolonged anxiety; unusual responsibility. Loss of property. Hopeless with heart disease; hopeful with lung disease. Cancerous ulcers. Necrosis. Dropsy.

Worse

Emotions. Depressing; disordered affections. Mental exertion. Cold, weather. Night_Sunset to Sunrise. Mercury. Alcohol. Pot- Iodide. Cloudy weather. Winter.

Better

Cool; Open air. *Cold bathing Becoming warm. Music. Walking. Moonlight.

Mind

*Intense hopeless depression; and disgust of life. Talk of committing suicide. Suicidal anguish. Peevish and vehement on least contradiction, or cheerful alternately. Brooding melancholy; alternating with irritability or moroseness. Feeling of condemnation and utter worthlessness. Weeping, praying and self reproaching from heart disease. Loquacity. Rapid questioning, without waiting for a reply. Fears the least noise. Weak memory. Vexed mood. Violent hysteria; with desperate actions; thrashes oneself about etc. Self reproach; self criticism. Changing moods. She does everything wrong; thinks had neglected something; her friends; her duty. Indisposed to talk. Hateful and quarrelsome. Future looks dark. Grumbling.

Head

Violent pain in head causing confusion. Headache of students, with precordial anxiety and flushes of heat to the head. Head hot, full. Exostosis with boring pain. Boils on scalp. Lumps under scalp. Baldness from syphilis. As if air passed over the brain.

Eyes

Photophobia. Hemiopia; upper half of objects invisible. Orbits feel sore. Glaucoma. Pupils; irregular. Yellow crescent bodies floating obliquely upward. Black spots, flames, sparks before the eyes. Everything looks blue.

Ears

Caries of the mastoid. Obstinate foetid otorrhoea. Nerve deafness, with embarrassed speech. Oversensitive to noise, but better music.

Nose

Ulcerated, painful swollen_caries; foetid discharge, purulent, bloody. Red, knobby tip of nose. Ozena. Snubbed.

Face

Congested, bluish-red. Parotids swollen, painful to touch. Pains in zygomae. Fine eruptions on lips, face or forehead.

Mouth

Offensive odour; in girls at puberty. Tongue leathery, hard. Milky or sweetish taste, foul even to water. Warts on tongue. Caries of teeth. Ulcers on palate. Gums swollen, dark red, bleeding.

Throat

Stitches on swallowing. Caries of *palate. Drinks come through nose.

Stomach

Burning at stomach, with hot risings. Desire for milk and coffee. Loss of appetite in pining boys. Thirst. Voracious appetite.

Abdomen

Liver region hot and painful. Hepatitis. Jaundice; of pregnancy. Liver with heart symptoms. Ascites, with heart affections. Constipation better during menses. Stools, knotty, hard, large. Warts around the anus. Grumbling and rumbling in. Inguinal hernia of children.

Urinary Organs

Urine turbid like buttermilk. Painful, paralytic retention.

Male

Pain and swelling of testicles_orchitis. Atrophy of testicles in boys. Hydrocele; of children. Chronic induration of testicles. Sarcocoele. Epididymitis.

Females

Syphilitic sterility; also of those women who are mentally depressed on account of their barrenness. Uterus enlarged and prolapsed. Constant oozing from the vulva. Vaginismus. Labour pains make her desperate. Uterine troubles, worse reaching high with arms. Induration and ulceration of the womb from repeated abortions. Leucorrhoea worse walking. Amenorrhoea with great sadness. Menses late, scanty.

Respiratory organs

Crushing weight under sternum worse ascending. Dyspnoea worse laughing, at night. Dry, nervous spasmodic cough, peculiar to women, from sunset to sunrise. Always takes a deep breath, and cannot get enough air.

Heart

Sensation as if the heart stopped beating, immediately followed by hard rebound. Oppression at the heart. *Violent palpitation, at puberty. Cardiac hypertrophy. Angina Pectoris. Aortic disease. Carotids and temporal arteries throb visibly. Pulse, rapid, feeble, irregular. High blood pressure. Feels loose on walking. Palpitation compels him to stop. Heart bruised, sore worse suppressed foot sweat.

Neck and Back

Swollen cervical glands; like knotted cord. As if lower spine bulged backwards. Lumbar muscles painfully stiff, thigh cannot be raised. Port's disease.

Extremities

Nightly leg pains. Holds the left arm during attack of palpitation. Knees weak. Paralytic feeling in legs. Nails turn blue. Pains in both the knees as if tightly bandaged. Trembling feet. Hot bruised soles, at night. Cold foul foot sweat.

Sleep

Restless, with anxious, frightful dreams. Sobs aloud in sleep. Disturbed by sexual excitement.

Fever

Painfully sensitive to cold; shivering in bed. Cold and damp all over. Sweat about genitals.

Skin

Lipoma. Warts. Acne.

Related

Merc.

[Back to Index](#)

Generalities

It is a sycotic remedy, causing suppressed discharges to reappear. Catarrhal and glandular affections are marked. Sclerotic and exudative degenerations of nervous system. Valuable in haemorrhage from the uterus at climacteric. Warts appear on various parts; on tongue, on genitals. Cancer of the tongue. Tongue as hard as leather. Desires company, if left alone thinks of nothing but of one's ailments and becomes more out of humour. Hypertrophy of all the fingers. Ill effects of chagrin, fright, vexation.

Better

Cold; washing, weather.

Worse

Ascending stairs. Warmth.

[Back to Index](#)

Generalities

Avena Sativa (common oat) improves the nutrition of brain and nervous system. It is useful therefore in nervous exhaustion, sexual debility; debility after exhausting diseases. Nervous tremors of the aged, paralysis agitans, chorea and epilepsy. Inability to keep the mind fixed on any one subject especially when due to masturbation. Bad effects of Morphine habit. Insomnia.

Dose

Tincture 10 to 30 drops should be given in hot water.

[Back to Index](#)

Bacillinum [Bac]

Generalities

This nosode is prepared from tuberculous sputum. It is indicated in chronic catarrhal conditions, of the lungs when bronchorrhoea and dyspnoea are present. Constant disposition to take cold. Tubercular meningitis. Eczema of eyelids. Ringworm, pityriasis. Glands of the neck are enlarged and tender. Useful as an intercurrent remedy.

Worse

Night and early morning. Cold air.

Complementary:

Calc-p; Kali-c; Lach.

[Back to Index](#)

Generalities

*Badiaga is the Russian name for the river sponge. It makes the muscles and skin sore worse motion, and friction of the clothes. Glands are swollen. General paresis. Buboës; chancres. Carcinoma, of breast. Infantile syphilis.

Worse

Cold; air. Stormy weather. Pressure. Touch.

Better

Heat; warm room.

Mind

After pleasurable emotions palpitation.

Head

As if enlarged and full. Pain in forehead and temples extending to eyeballs. Scalp sore. Dandruff. Headache, with inflammation of eyes.

Eyes

Neuralgia of eyeballs extending to temple. Twitching of eyelids (left).

Ears

Slight sounds are greatly accentuated.

Nose

Coryza, sneezing, watery discharge, with asthmatic breathing and suffocative cough.

Mouth

Hot. Much thirst. Breath hot.

Throat

Tonsils inflamed, swollen worse swallowing solids.

Stomach

Lancinating pain in pit of stomach extending to vertebrae, and scapula.

Male

Syphilis of infants. Chancres. Buboës.

Female

Carcinoma of mammae. Metrorrhagia worse night, with a feeling of enlargement of head.

Respiratory organs

Cough worse after noon better warm room; cough excited by sweets, candies etc.;
***EXPECTORATION *flies from mouth and nostrils.

Heart

Tremulous palpitation. Heart beats are felt from chest to neck worse lying on right side. Discomfort; soreness; pain about the heart, stitches flying all over.

Skin

Sore to touch. Freckles. Rhagades. Raised and discoloured scars.

Complementary

Iod; Merc; Sulph.

[Back to Index](#)

Generalities

Wild Indigo of America has its reputation as a remedy for typhoid fever. It affects the ***BLOOD, causing septic conditions, low fever and malaria poisoning. Feeling of ***SORENESS, ***HEAVINESS, and ***ACHING OF MUSCLES is very marked. ***PROSTRATION is RAPID; *bed feels too hard on account of soreness of muscles, yet he feels too weak to move. *Mucus membranes become dark. Discharges; stools, haemorrhages etc. are dark in colour. Dark spots appear upon the body. ***FOUL; odour of the body, breath, *of excretions, stools, sweat, urine etc. *Brown; sordes, stools, menses. Bed sores. Influenza. Chronic intestinal toxæmia of children, with foetid stools and eructations. Lifeless body but restless mind. Insensitive to pain. Parts feel numb or too large. Restless, always rubs the hands, hysterical. In low potency it increases the resistant power of the body against typhoid. Ill effects of antityphoid serum injections.

Worse

*Humid heat. Fogs. In room. Pressure. On waking. Walking. Open air. Cold wind. Autumn. Hot weather.

Mind

Sense of ***DUALITY. Aversion to mental and bodily exertion. Thinks he is broken or double. ***PARTS FEEL SEPARATED or *scattered Tosses about in bed trying to get pieces together. Hopeless of recovery; and certain of death. *Dull and confused. Falls asleep while answering or does not complete his sentence. Wandering, muttering delirium. Perfect indifference. Bewildered. Imagines his limbs are talking to each other.

Head

Feels, too large, heavy, numb. As of a blow or heavy pain on occiput. Vertigo, with weak feeling esp. of lower limbs and knees. Vertex feels as if would fly off. Brain feels sore.

Eyes

Eyelids heavy. Eyes feel swelled. Half closed.

Ears

Early deafness in typhoid-like conditions.

Nose

Pain at the root. Epistaxis of dark blood. Illusion of smell as of burnt feathers.

Face

***DUSKY, ***SODDEN, ***BESOTTED, stupid. Muscles of the jaw rigid. Cracked, bleeding lips.

Mouth

*Brown strip down centre of the tongue. Tongue feels burnt. Breath foetid. Thick speech. Ulcers in the mouth. Taste flat, bitter. *Dark, red, tumid mouth. Tongue; cracked, bleeds; feels thick or is heavily coated. Lower jaw drops. Saliva viscid. Sore mouth of suckling. Tonsils and soft palate swollen.

Throat

*Dark, red, tumid. Numb inside but sensitive outside. Can swallow liquids only, least solid food gags. Constriction of oesophagus at cardiac orifice. Ragged ulcers in the throat. Spasms of gullet.

Stomach

Sinking feeling at stomach. Easy vomiting. Pain in epigastric region. Feeling of a hard substance. Sudden attacks of vomiting and diarrhoea, with fever, Gastric fever. All symptoms are worse by beer.

Abdomen

Right iliac region sensitive. Soreness of the gall bladder, with diarrhoea. *Diarrhoea_sudden, horribly foul, mushy, painless, dark, slaty or bloody stools. Dysentery_of the old people; with pain in limbs small of back and rigors. Painless dysentery; with fever. Intestinal toxæmia of children, with foetid stools and eructations. Stricture from piles.

Urinary Organs

Urine; scanty, dark red, alkaline; foetid, light green. Uraemia.

Male

Orchitis. Pressing pain in testes as if squeezed.

Female

Threatened abortion, from mental shock, depression, low fevers. Menses; too early, too profuse. Lochia; acrid, foul. Puerperal fever. Stomatitis of nursing mothers.

Respiratory organs

Breathing difficult from weakness of chest worse on waking, better standing; *Craves air. Bronchial asthma. Lungs feel tight and compressed. Afraid to go to sleep on account of sense of suffocation and nightmares.

Heart

Pulse first accelerated, then slow and faint.

Neck and Back:

Neck tired, cannot hold it easy in any position. Pain in sacrum around hips and legs. Back sore and bruised. Bed sores. Feels as if lying on board. Symptoms radiate from small of back.

Extremities

Stiffness and pain, aching and drawing in arms and legs.

Sleep

*Drowsy, *stupid and *languid; slides down in bed. Nightmares, and frightful dreams. Lies curled up like a dog on one side.

Fever

Hyperpyrexia. Adynamic fevers, typhoid; ship-board fever. Sweat relieves. Gastric influenza.

Skin

Livid spots all over the body and limbs.

Related

Arn; Gels; Hyos; Lach; Mur-ac; Op; Rhus-t.

[Back to Index](#)

Generalities

It has a marked influence on the ***GROWTH esp. of children and old people, who become *childish. In children the growth is retarded; they become *dwarfish mentally and physically; children are late coming into usefulness, to take on their responsibilities and do their work. *Dull, *apathetic; or marasmic. There is a tendency to enlargement of the glands, with indurations esp. tonsils, cervical and prostate. Prostration; weariness; constant inclination to lie down, sit or lean on something. Upper half of the body feels stiff and numb. Too tired even to eat. It is a remedy for early *senility and when degenerative changes in old men begin in heart, brain and vascular system. *Tendency to take cold and every time tonsils are swollen. *Paralytic effects. Symptoms occur in single parts, such as paralysis, numbness, burnings. Sensation *as if forced through a narrow place is peculiar. *Vascular softening and dilatation, aneurism, ruptures, apoplexy. Ill effects of checked foot sweat. Cysts. Sarcoma, with burning. Lipoma. Emaciation of persons who were well nourished. Sleepiness and weariness on slightest exertion.

WORSE

*Company. Thinking of symptoms. *Cold damp. Cold to feet and head. *Lying on painful part; left side. Odours. Heat of Sun, of stove. Raising arms. Eating.

BETTER

Cold food. Warm wraps. When alone.

Mind

***SLOW ***GRASP; ***SILLY; *absurd and backward. Childish and thoughtless behaviour. Timid. *Cowardly. Groans from every little thing. Whining mood. Increasing *mental weakness. *Beclouded mind. *Bad Memory. Forgets her errand or word in her mouth. Irresolute. *Mistrustful. *Shy of strangers. Thinks his legs are cut off and he is walking on his knees. Child does not want to play but sits in the corner doing nothing. Children cannot remember and learn. Grief over trifles. Thinks one is being laughed at and made fun of. Hides behind the furniture and keeps the hands over the face, peeping through the fingers. Always borrows trouble. Loss of self confidence. Talking mania; during menses, in young girls. Idiocy.

Head

Vertigo_of old people; with nausea worse stooping; when lifting arms up. Brain feels loose, better cold air. Baldness of vertex. Wens on scalp. Heavy pressure over eyes. Dry eruptions or moist crusts on the scalp. Stitching pain when standing in sun.

Eyes

Pupils dilate and contract quickly. Pressure deep in eyes better looking downward. Light dazzles. Opaque cornea. Lids; granular; thickened. Fiery sparks before eyes, in dark.

Ears

Crackling noises; worse swallowing, walking. Glands around ear painful and swollen. Eruptions on lobes of ears. Hardness of hearing. Sound on sneezing.

Nose

Dry, worse blowing it. Coryza, with swelling of upper lip and nose (children with large abdomen). Sensation of smoke in nose. Discharge of thick yellow mucus; scabs around wings of nose. Epistaxis.

Face

Pale, puffed; sensation as if a cobweb. Upper lip swollen. Lips pendulous.

Mouth

Tongue; weak, paralyzed, hard in old people, cannot speak. Burning soreness or vesicles on tip or under the tongue. Toothache worse before menses. Mouth feels numb. Whole mouth filled with vesicles_ esp. inside the cheek. Saliva runs out, while asleep. Foetor oris, unnoticed by himself. Frequent and considerable bleeding of gums.

Throat

*Tonsils are affected by every cold or worse menses. *Chronic quinsy. *Enlarged tonsils. Spasms of oesophagus, as soon as food enters oesophagus, causing gagging and choking. Pain in throat, worse empty swallowing. Can swallow liquids only. Waterbrash; sudden. Submaxillary gland swollen. Much burning in throat. Throat trouble from overuse of voice.

Stomach

Sore spot in stomach. Hungry but refuses food. Aversion to sweet things, fruits esp. plums. Sudden disgust while eating. Dyspepsia of young masturbators or with seminal emissions. Pain while fasting and after eating. Weak digestion of old people with possible malignancy, better cold food.

Abdomen

Hard and tense, tender, distended, with emaciation of body. Diarrhoea with lumbar ache. As if intestines fell from one side to other on turning in bed. Stools; hard, knotty. Piles protrude, while urinating. Crawling in the rectum. Oozing at anus. Habitual colic of children who do not thrive, and though apparently hungry refuse food. Mesenteric glands hard and swollen.

Urinary Organs

Urging to urinate, cannot retain the urine. Burning in urethra, while urinating. Frequent urination. Urine; dark brown, scanty.

Male

Genitals flabby. Enlarged prostate gland. Testicles indurated. Impotency. Premature emissions. Erections when riding. Falling asleep during coition. Genitals feel numb. Painful nodes in mammae, in old fat men.

Female

Menses scanty, last only one day. Before menses, pain in stomach and lumbar back. Genitals feel numb. Dwindling of ovary and mammary gland. Amenorrhoea. Leucorrhoea, immediately before menses.

Respiratory organs

Paralytic aphonia. Asthma; of old people, worse wet, warm air. Larynx feel as if smoke were inhaled. Lungs feel full of smoke. Cough worse in the presence of strangers; eating warm food. Chronic bronchitis. Dry suffocative cough in old people, full of mucus but lacking strength to expectorate.

Heart

Cardiac symptoms, after suppressed foot sweat or after masturbation. Heart feels bruised, sore. Palpitation and distress in region of heart lying on left side. Palpitation felt in head. Aneurism. Pulse; slow, small. High blood pressure. Arteriosclerosis.

Neck and Back

Glands swollen in nape and occiput. Chronic torticollis. Spine weak. Pulsation in back: after mental emotion. Fatty tumours upon the neck.

Extremities

Fingers numb. Limbs feel numb. Trembling of feet, and of hands while writing. Soles feel hot or bruised at night, during sleep. Numbness from knees to scrotum better when sitting. *Cold, *foul foot sweat. Pain in deltoid worse raising arms. Pain in the knees, while kneeling.

Sleep

Talks in sleep (old men). Awakes frequently; feels hot. Twitching during sleep.

Fever

Flushes of heat, more at night. Sweat on single parts, one hand, one foot, one side of body, face; stinking; of feet, worse in presence of strangers.

Skin

Warts. Acne. Lipoma. Cysts. Burning sarcoma.

Related

Kali-p; Lyc; Med; Puls; Sep; Sil; Tub.

Complementary

Ant-t; Dulc; Psor; Sil.

[Back to Index](#)

Baryta iodata [Bar-i]

Generalities

This remedy is used clinically for enlarged and indurated glands esp. tonsils and breasts.
*Leucocytosis.

Better

Cold open air.

WORSE

Walking.

[Back to Index](#)

Generalities

Like *Bar-c, this salt is also useful in old age and childhood, when mental and physical dwarfishness is present. It causes vascular degeneration causing hypertension when high systolic pressure with comparatively low diastolic tension is present, with cerebral and cardiac symptoms. It is a convulsive remedy. Convulsive attacks occur periodically, with starting and excessive tossing about. Electric shocks, with convulsions. Mania in every form when sexual desire is increased. Enlargement of the glands and induration, tonsils, pancreas. Multiple sclerosis of brain and cord. Icy coldness of the body, with paralysis. Voluntary muscular power gone, but perfectly sensible. Children who go around with their mouth open and who talk through the nose. Great weakness, wants to lie down. Leucocytosis. Child lies on the abdomen all the time, to shun the light. Stupid appearance. Hard of hearing.

Mind

Idiocy. Sexual mania.

Head

Vertigo due to cerebral anaemia and noises in the ears. Heaviness of head (old people).

Ears

Noises; on chewing and swallowing, sneezing, Earache better sipping cold water. Offensive otorrhoea.

Nose

Sneezing in sleep; without waking.

Throat

Uvula elongated. Tonsils enlarged. Feels too wide open. Swallowing difficult. Spasms of gullet at the cardiac end, pains immediately after eating, with tenesmus in epigastrium.

Stomach

Gone feeling in epigastrium. Sensation of heat ascending to head.

Abdomen

Distressing throbbing in abdomen_aneurism. Induration of pancreas.

Urinary Organs

Great increase in uric acid.

Female

Nymphomania. Tumour, or atrophy of ovaries. Sterility.

Respiratory organs

Bronchial affections of old people, with cardiac dilatation; expectoration becomes easy.

Extremities

Toes cramp; better drawing up the limbs. Fatigue of legs as from long walk, with stiffness of joints.

[Back to Index](#)

Generalities

Belladonna acts upon *nerve centres producing twitching, convulsions and pain. Its action upon the *brain causes furious excitement and perversion of special senses. Circulation in blood vessels and capillaries becomes active causing congestion, throbbing, and dilatation of arteries. Mucous membranes become dry. Its effects are *sudden and violent. ***BURNING HEAT, ***BRIGHT REDNESS and ***DRYNESS are very marked. ***HOT; body, part, discharges etc. Redness occurs in streaks. ***SEVERE NEURALGIC PAIN, that comes and goes suddenly. ***FULLNESS; CONGESTION esp. to head and ***SWELLING are other characteristic features. ***PAINS ARE THROBBING; ***SHARP; ***CUTTING; ***SHOOTING; or *clawing, of maddening severity; *coming and going in repeated attacks. *Discharges are hot and scanty. ***SPASMS; ***SHOCKS; ***JERKS and ***TWITCHING. ***CONSTRICTIONS occur in parts of the body like throat, vagina etc. or in whole body. *Sensitive to ***LIGHT, ***NOISE' ***JARRING. Epileptic attacks are followed by nausea and vomiting. Convulsions commence in the arm. Spasms are followed by prolonged unconsciousness. Throws body forwards and backwards; chorea. Acts as a prophylactic in scarlet fever. Exophthalmic goitre, with extreme thyroid toxæmia. Hydrophobia. Useful in air-sickness. Its influence is felt more in intelligent and plethoric persons who are jovial and entertaining when well, but violent when sick, therefore a great children's remedy. Ill effects of hair cutting, head getting wet. Sausages. Sun. Walking in wind or draft. Haemorrhages, hot. Heat in body; parts are hot, swollen, and dry. *Right sided symptoms.

WORSE

Heat of Sun; if heated. *DRAFTS_ *on head; haircut; washing head. After taking cold. Light; noise; jarring. ***CHECKED ***SWEAT. *Touch. Company. Pressure. *Motion. *Hanging down affected part. Afternoon. Lying down. Looking at shining objects or running water.

BETTER

Light covering. *Bending backward, semi-erect. Rest in bed. Standing. Leaning head against something. Bending or turning the affected part.

Mind

Acuteness of senses. ***WILDLY DELIRIOUS. *Excited ferocious; *noisy; *cries out. Talks fast; *VERY RESTLESS. Biting, striking, tearing mania. Spits on faces of other persons. Sees monsters, hideous faces. Fear of imaginary things. Desire to escape or hide himself. Perversity, with tears (children). Excitable, easily weeps. Quarrelsome. Tendency to dance, laugh, sing, whistle. Starts in fright at the approach of others. Constant moaning. Craving for snuff. An angel when well and a devil when sick. Sits and breaks pins. Mental symptoms better taking light food. Patient lives in his own world.

Head

***THROBBING, ***HAMMERING, ***HEADACHE worse *temples; worse motion; better letting hair down; laying the hand on head; bending head backwards. Feeling in the brain like swashing of water. It rises and falls in waves. Cold sensation in head at the middle of the forehead. Vertigo worse stooping and rising from stooping. Hydrocephalus, with boring of head in the pillows. Hairs split, are dry and come out. *Rolls head. Pulls her hair. Meningitis. Sunstroke. Pains go downward from head. *Head sensitive to drafts and cold, or washing hair.

Eyes

*PUPILS DILATED. Eyes, *sparkling, *prominent, *staring. *Red conjunctiva. Fiery, red, vivid hallucinations; even on closing the eyes. *Attacks of blindness, then yellow vision. Sees red flashes before vision. PHOTOPHOBIA. Diplopia. Triplopia. Moon light blindness. Sensation as if eyes were half closed. Eyelids; feel sore, congested and swollen. Exophthalmus. Lachrymation like brine. Lines appear crooked when reading.

Ears

Pain causes delirium; child cries out in sleep. Otitis media. Autophony_hearing one's voice in the ear. Haematoma. Noises in ears.

Nose

Red; swollen. Imaginary odours; odour of tobacco intolerable. Bleeding from nose, with flushed face.

Face

Fiery; RED; *turgid and *hot; or becomes pale and red alternately. Semilateral swelling of the face. Spasmodic distortion of mouth (risus sardonius). Convulsive motions of muscles of face. Facial neuralgia, with twitching of muscles and flushed face. Lower jaw, as if drawn backwards.

Mouth

***DRY, ***HOT. Tongue; red, hot, swollen. Edges of tongue red. Strawberry tongue. Red streak in middle of tongue, wider at tip. Grinding of the teeth. Tongue hangs out of the mouth (children). Forepart of the tongue cold and dry. Toothache better biting. Chewing motions of the mouth as though chewing or sucking. Stammering speech. Lock-jaw. Hot breath.

Throat

***DRY and ***HOT. Tonsils enlarged. *Tonsillitis worse right side. Urging to swallow, with choking. Throat feels constricted. Swallowing difficult; *Drinks in sips. Must take a drink to swallow solid food. When swallowing, bends head forward and lifts up knees. Clutches at, during epilepsy.

Stomach

Desire for lemonade or lemons (which agree). Distaste for meat, acids, coffee, milk, beer. Vomits everything, with paleness and weakness. Great thirst for cold water. Dread of drinking. Spasmodic hiccough, with sweat and convulsions. Pain in stomach extending to shoulder and throat worse pressure.

Abdomen

Distended, hot worse touch of bed-clothes. Cutting pain in epigastrium better bending backwards. Transverse colon distends and protrudes, like a pad, during abdominal colic. Cramp and colic, as if a hand has clutched some part. Acute pain in liver region, extending to shoulder and neck worse lying on it. Clawing pain around the navel. Downward forcing in abdomen as if all the viscera would protrude through genitals. Acute prolapsus ani. Stools; green, dysenteric or contain chalky lumps. Involuntary stools. Piles, with back pain as if breaking. Pain in splenic region worse sneezing, coughing, touch.

Urinary Organs

Involuntary urination, on lying down; or when standing, or at night; when sleepy, during day. Retention of urine; with paralysis of bladder; post partum. Fiery red urine; frequent and profuse urination. *Haematuria without pathological conditions. Sensation in bladder as if a worm were turning in, without desire to micturate.

Male

Testicles; hard, drawn up, inflamed. Sweat on genitals. Soft painless tumour on glans.

Female

Menses; bright, red, with clots, too early, too profuse, *hot, *gushing, offensive. Metritis. Rigidity of the os. Violent bearing down towards genitals, as if everything would fall out, better standing and sitting erect worse lying down. Mastitis; pain throbbing, redness, *streaks radiate from the nipples. Breast; heavy, hard and red. Lochia; diminished, hot offensive. Useful in confinement of women who have their children late in life. Leucorrhoea, with colic. Labour pains come and go suddenly; or ceasing.

Respiratory organs

Tickling, short, dry cough worse night. Larynx very painful, feels as if foreign body were in it, with cough. Cough worse fine dust in air. Child cries before cough. Cough worse yawning. High piping voice. Barking cough or voice. Whooping cough, with pain in stomach before attack; with haemoptysis. Cheyne-Stokes respiration. Moaning at every breath. Difficult, short quick respiration. Asthma in hot damp weather.

Heart

Throbbing in carotid and temporal arteries. Pulse full, hard, tense. Violent palpitation, with laboured breathing. Bubbling at the region of the heart.

Neck and Back:

Stiff neck and shoulder (right). Swelling of glands in the nape of the neck. *Back feels broken. Lumbago, with pain in hips and thighs.

Extremities

Jerks or spasms in limbs. Joints, swollen, red, shining; with red streaks radiating. Heaviness and paralytic feeling in limbs. *Cold extremities. Involuntary limping. Phlegmasia alba dolens. Trembling of limbs. Weakness and tottering gait. Lies or sits with feet crossed, cannot uncross them.

Sleep

*Sleepy but cannot sleep. Moans and tosses about in sleep. ***JERKS DURING SLEEP. Frightful dreams of quarrels, fire, robbers, assassins. Sees frightful visions on closing eyes. Sleeps with hands under the head. Heavy sleep with hot skin.

Fever

High fever with comparative absence of toxæmia. Internal coldness, with external *pungent, *burning, *steaming heat ***HOT HEAD, *with cold limbs. Skin hot; but moist and dry alternately. No thirst with fever.

Skin

***BRIGHT, ***RED, *glossy. Dry and hot. Alternate paleness and redness of skin. Intense dermatitis. Scarlatina. Erysipelas. Boils, returning every spring.

Related

Glom; Hyos; Stram.

Complementary

Bor; Calc; Hep; Merc; Nat-m.

[Back to Index](#)

Generalities

Bellis is known commonly as a wound wort, therefore like *Arnica it is a great traumatic remedy. It is especially useful in *deep trauma or septic wounds of abdominal and pelvic organs; after major surgical operations. It removes the ill effects of auto- traumatism_excess of masturbation. It affects ***BLOOD VESSELS causing venous stasis, and varicose veins. Injuries to the *nerves, with intense soreness better by cold bathing. *Muscles become ***SORE AND BRUISED. Pains are hard, aching, squeezing or throbbing. It removes the exudations of swelling of many kinds due to injury. It is a suitable remedy to old labourers, and commercial travellers. Patients feel tired and fagged, desire to lie down. Boils all over. *Near and remote effects; of blows, falls, accidents, railway spine. Ill effects of cold drinks, when overheated; wetting or getting chilled when overheated. Haemorrhages. Pus acrid destroying hair. Unbearable pain that drives to distraction, worse heat better cold. Sprains and bruises. Tumours from injury.

Worse

***INJURIES; *Sprains. ***TOUCH. ***Cold baths or drinks. *Becoming chilled when hot. Hot bath; warmth of bed. Before storms. *Surgical operations.

Better

Continued motion. Cold (locally).

Mind

Impulse to move.

Head

Vertigo; in elderly persons (cerebral stasis). Headache from occiput to vertex, or sinciput. Shooting pain.

Stomach

Effects of cold or iced drinks when heated.

Abdomen

Soreness of abdominal walls. *Fulness about the spleen, and stitches. Foul, painless yellow diarrhoea worse at night.

Female

Breasts and uterus engorged; uterus feels squeezed, sore. Inability to walk during pregnancy. Varicose veins during pregnancy.

Neck and Back:

Falls on coccyx.

Extremities

Pain down anterior of thigh. Wrists, feel contracted as if from elastic band.

Sleep

Wakes too early, 3 a.m. and cannot get to sleep again.

Skin

Boils all over. Ecchymoses, swelling sensitive to touch.

Related

Arn.

[Back to Index](#)

Generalities

Benzol affects the blood causing decrease of red and increase of white cells, so it ought to be of use in Leukaemia. Patients are tired and nervous. Hallucination as of a great white hand appeared to him in darkness. Pain travels from below upwards. Sense of falling through bed and floor. Epileptiform attacks, coma and anaesthesia.

Worse

Night. Right side.

[Back to Index](#)

Generalities

It produces faintness, sinking, convulsions, twitching and sopor. Blueness of lips, face and fingernails. Head drawn backwards and to the left in spasms. *Rolling of the eyeballs in their vertical axis is prominent feature. *Pupils dilated. Nystagmus. Respiration, slow, difficult, sighing. Involuntary evacuation. Paralysis of all limbs. Secretions smell strongly of bitter almonds.

[Back to Index](#)

Generalities

It is a remedy for uric acid diathesis. The urine is highly coloured, very offensive with gouty symptoms. Urination profuse and scanty alternately. Patient gives out a very strong urinous odour. *Pains suddenly change their locality but are mostly felt in the region of the heart or they alternate with urinary symptoms. Pains alternate with heart symptoms. Renal insufficiency. Gouty and asthmatic. Hygroma, bunions. Meniere's disease. Painful gouty nodes. Highly intensified odour of urine as a concomitant to any diseased condition. Symptoms fluctuate according to the fluctuation of urine.

Better.

Heat. Profuse urination.

Worse

Open air. Cold. Changing weather. Motion. By uncovering.

Mind

Inclined to dwell on unpleasant things. Omits words in writing. Child cross, wants to be nursed in arms, will not be laid down. Shudders if he sees anyone deformed.

Head

Aches, when urine becomes scanty. Vertigo, with inclination to fall sideways.

Ears

Noise, as of confused voices in ears worse swallowing or walking in open air.

Nose

Seems to smell cabbage, dust, or something stinking. Itching of septum.

Face

Copper coloured spots on face. Involuntary biting of lower lip, while eating.

Mouth

Tongue; spongy on surface, with deep cracks and spreading ulcers. Mouth and throat symptoms are better eating. Toothache worse lying down.

Throat

Sensation as of a lump, swelling and constriction better eating.

Stomach

Vomiting of salty or bitter substance. Sweat while eating.

Abdomen

Cutting about navel better stool. Stitching in liver region. *Copious grayish stools, like soap suds; of a pungent urinous odour; very foul; white.

Urinary Organs

***URINE; ***HOT, DARK BROWN; ***STRONG, *of foul ammoniacal, *or odour of horse urine. Eneuresis; dribbling of offensive urine of old men. Gravel. Sheets are, unusually stained brown in enuresis. Retention of urine in infants.

Female

Prolapse of uterus, with foul urine.

Respiratory organs

Hard, dry cough; followed by expectoration of green mucus. Asthma, with rheumatic complaints. Cannot tolerate pressure of clothes on chest. Cough worse night, Lying on right side.

Heart

Pains change places, but are most constant about the heart. Awakes after midnight, with violent pulsation or burning at heart.

Neck and Back:

Coldness in sacrum. Dull pain in region of kidney; stiffness in loins. Trembling in lumbar region.

Extremities

*Cracking in joints; in knee. Ganglion of the wrist. Bunion of great toe. Pain in tendo-Achillis, at the os calcis, with pain in heart, when stepping on foot.

Fever

Profuse sweat, without relief. Night sweats. Hands, feet, back, knees cold, as from a cold wind. Sweat, with aromatic odour.

Skin

Red spots. Itching with agreeable sensation on being scratched, but leaving a burning.

Related

Calc.

[Back to Index](#)

Generalities

It affects the skin which becomes dry, rough, scaly, pimply. Eruptions on scalp extending to face and neck. Acne. Psoriasis. Dry eczema. Clears the complexion. It should be given in mother tincture in rather material doses.

[Back to Index](#)

Generalities

It acts upon urinary organs, when there is tendency to the formation of calculi and lithaemia. It affects the liver markedly-promotes the flow of bile, therefore it is a useful remedy for fleshy persons with good livers, but with little endurance. Often useful in arthritic and hepatic affections with urinary, haemorrhoidal, or menstrual complaints. Venous stasis occurs in pelvic region, causing haemorrhoids. Patient is mentally and physically tired-not inclined to do anything. Prematurely old and worn out men and women. *Pains rapidly change their locality and character. Symptoms *rapidly alternate, thirst alternates with thirstlessness; hunger alternating with loss of appetite etc. *Pains; are ***RADIATING, *from one point, *shooting outward or all over; *sticking; *burning-smarting, soreness. Numbness; insensible to extreme heat and cold. ***GURGLING or bubbling sensations. *Mucous membranes become dry- mouth, vagina etc. Discharges or skin is *dirty gray. Cold feeling in the bones, eyes, ears etc. Chest affected after operations-piles, fistula, 1 etc. Sees things in twilight.

Worse

*Motion; *jarring, *stepping hard. Rising from sitting. Standing. Fatigue. Urinating. Twilight.

Mind

Mental labour, requiring close thinking very difficult; the least interruption, breaks the chain of thought. Apathetic. Indifferent. Objects seem twice as large as natural. Sees terrifying apparitions in twilight; esp. children.

Head

Sensation as if the head were becoming larger. Cold temples. Vertigo, with attacks of fainting. Sensation as of a tight cap on head.

Eyes

Dry. As of a sand between the lids, and eyes. Eyes feel cold as from a cool wind, with lachrymation on closing the eyes. Quivering of the eyelids when reading. Eyes sunken; with dark- bluish circles around.

Ears

Stopped up feeling with pressure. Nodes on auricle. Tumour behind the ear. Sensation of coldness or bubbling in.

Nose

Dry. Crawling, itching in nostrils.

Face

Dirty grey, sickly. Bilious. Suppurating acne. Sensation as if cold drops were spurted into the face when going into the open air.

Mouth

Sticky. Viscid, foamy, cottony saliva. Tongue; feels scalded; painful pimple on tip. Gums dirty grey. Small white nodes in the gums. Teeth feel as if too long or too large. Taste bitter.

Throat

Sensation of plug in the side of the throat with dryness.

Stomach

Nausea; before breakfast; after dinner. Pains from stomach to back; or the reverse. Nausea before breakfast better after.

Abdomen

Torn loose feeling in the epigastrium. *Colic, pain from gall bladder to stomach worse pressure. Biliary calculi. Stools; dirty grey, smarting tough; watery, with jaundice. Fistula in ano; with itching; with chest complaints. Colic, biliary or urinary arresting breathing.

Urinary Organs

Pain from kidney, extending along ureter, or to liver, stomach, spleen; arresting breathing. *Renal colic. Burning, soreness, or bubbling in kidney region. Clear discharge from meatus before urinating. *Urine; thick, *turbid, yellow; red, mealy, *sandy or slimy *sediment. Sensation as if some urine remained after urination. Urethra burns when not urinating. Pains in thighs and hips, on urinating. Prostate gland enlarged, with pressure in perineum. Dysuria.

Male

Neuralgia of testes and spermatic cord. Testicles drawn up. Pain changes sides. Genitals cold and sweaty. Prepuce and glans cold and numb. Penis hard and contracted, bends upwards.

Female

Menses; too slight; of watery blood or brown or grey mucus, replaces menses. Vagina sensitive; cutting pain during coition; vaginismus. Enjoyment absent during coition. Neuralgia of ovaries and vagina. Pain changes sides. Prostration after coition. Dysmenorrhoea, with blood looking like grey serum. Urinary symptoms, with menses and leucorrhoea.

Respiratory organs

Hoarseness; polypus of larynx. Obstruction of breath when raising arms. Short dry cough, with stitches in chest.

Head

Stitches about the heart. Pulse becomes very slow.

Neck and Back:

Stitches in neck and back worse respiration. *Backache, *with severe prostration worse sitting or lying. Sore spot under (right) scapula. Crushing, stitching, paralysing pain, in lumbar region. Pain from *iliac crests down front of thighs; when urinating. Post-operative pain in lumbar region.

Extremities

Neuralgia, under finger nails, with swelling of finger joints. Outer side of the thighs cold, ulcerative pain in heels. Pain in balls of feet on stepping. Intense weariness and lameness of legs after walking a short distance. Stitches between metatarsal bones as from a nail worse standing.

Fever

Chilly. Sensation of coldness in various parts as if spattered with cold water. Lower parts of the back, hips, thighs, warm. Everything excites sweat.

Skin

Flat warts. Itching, burning and smarting worse scratching better cold application. Eczema of anus and hands. Eruptions leave a brown stain.

Related

Benz-ac; Coc-c; Kali-b; Lyc; Puls.

Complementary

Mag-m.

[Back to Index](#)

Generalities

Bism exerts its chief action on *stomach and alimentary canal, causing catarrhal inflammation. *Pains are tearing, *pinching, *burning, *screwing. Sensation of heaviness in internal parts. Prostration. Affections, after abdominal operations.

Worse

*Eating, over eating.

Better.

Cold; drinks; applications. Bending backwards. Motion.

Mind

Apathetic. Discontented; complains about his condition. Desire for company; children hold on to mother's hand. Anguish; never long in one place or position. Fickle minded.

Head

Cutting or pressure above (right) orbit extending to occiput worse eating, better cold; alternating with gastric pain. Headaches return in winter.

Eyes

Eyeballs ache. Thickened mucus in both canthi.

Nose

Bleed, dark blood. Heaviness at the root of the nose.

Face

Earthy; blue around the eyes. Pain in cheek bones better running about and holding cold water in mouth. Face pale and cold. Face pain alternating, with gastric pain.

Mouth

Gums swollen. Toothache better cold water in the mouth worse when it becomes warm. Taste; sweetish, sour or metallic. Black gangrenous looking wedges on dorsum and sides of tongue.

Throat

Difficult swallowing of fluids, which return through nose.

Stomach

*Craves cold drinks, which is vomited *at once, *or in great quantities when stomach becomes full; at intervals of days. Vomits fluids only. Burning, cramping, feeling of a load in stomach. Slow digestion, with foetid eructations. Bilious vomiting, after eating. Food presses like a load in one spot. Stomach pains better bending backwards. Cancer of stomach, vomiting of brownish water. Gastralgia, not associated with any catarrh or any symptoms of indigestion. Cold water better. Atrophy of stomach. Stomach hangs down; hard lumps are felt below navel.

Abdomen

Flatulence. Prostration; after stool. Painless diarrhoea, with thirst and frequent vomiting, and micturition. Painless discharge of blood from rectum. Cholera infantum, when the body remains warm.

Urinary Organs

Urine; frequent, copious; pale, suppression of.

Heart

Violent beating of heart.

Extremities

*Dry palms and soles. Tearing under nails. Limbs cold. Blue colour of forearm and thigh.

Sleep

Restless on account of voluptuous dreams; with emissions or without.

Skin

Ulcers; gangrenous black, bluish.

Related

Ars; Cadm.

[Back to Index](#)

Generalities

It affects the ***MUCOUS MEMBRANES causing *aphthous, *catarrhal conditions. *Discharges are thick, *hot, biting. Excessively *nervous; easily frightened; sensitive to sudden noises. Heat in single parts, mouth, vagina, palms etc. Sticking or drawing pains; *internal, *intercostal, soles etc. Poorly nourished, soft and flabby; children. Parts which are usually red turn white. Sensation of cobweb, on hands, face. Tousy persons. Skin and mucous membranes *shrivelled. Restlessness in afternoon. General emaciation. Marasmus. Eructation, when painful parts are pressed. Favours easy conception. Infants cyanotic from birth. Valuable in epilepsy.

Worse

***DOWNWARD OR UPWARD MOTION. *Sudden noises Cold; wet; least uncovering. Fruit. Nurslings; children. Smoking. Warm weather. After menses. Rocking; being dangled up and down.

Better

11 p.m. Pressure. Evening. Cold weather.

Mind

*Nervous; *anxious; *fidgety, fickle. *Fears downward motion. *Starts or frightened at every noise or *sudden noise; or at trifles. Irritable before stool, cheerful and happy after. Babies cry and *scream, *when nursing, or before passing stool or urine. Fear of thunder. Children awake, suddenly, scream, hold the sides of cradle, without any apparent cause. Fault finding. Does not wish to do anything. All the mental symptoms are better at 11 p.m. Changes from one business to another, from one room to another. Fear of being infected by some contagious disease.

Head

Vertigo worse ascending stairs or any elevation. Headache, with nausea and trembling of the whole body. Hot head of babies. Hair entangled at tips, stick together cannot be separated.

Eyes

Gummy, crusty, sticky eyelids. Redness about eyes. Entropion. Raw tarsi. Granular eyelids.

Ears

Sensitive to slightest noise, not so much disturbed by louder ones. As if ear opened and closed.

Nose

Acrid coryza. Dry crusts in nose. Red nose of young women. Red shining swelling of the nose, with throbbing and tensive sensation. Stoppage of nostrils alternately; with lachrymation.

Face

Pale, dirty. Puffy face; bluish in infants. Anxious, during downward motion. Cobweb sensation. As of a bug crawling over lip.

Mouth

Dry, hot, tender, *aphthous; after taking sour or salty food. Dry cracked; or puffy indented tongue. Toothache worse wet weather better by smoking. Palate, hard and wrinkled; as if burnt; pains when chewing; while nursing, in children. Painful gumboil. Taste bitter, even saliva. Thrush. Ulcers, bleed on eating or by touch.

Stomach

Eructations, on pressing painful part. Nausea; when thinking hard; with trembling of body and weakness of knees. Desire for sour things. Pain in the region of stomach, after heavy lifting_stitching_ extending to small of back. Sweat on stomach. Vomiting after drinking; of sour mucus. Gastralgia, reflex from uterine troubles.

Abdomen

Belly soft, flabby, sunken. Flatulent,_distension after every meal. Pain as if diarrhoea would set in. Stools; turning green, or persistently green; like boiled starch. Mucous diarrhoea then weakness. Loose, pappy, foul smelling stools. Stools slender. Catch in groin on coughing. Pulling from spleen to chest. Stitching pains in the groins before or during menses. Burning in rectum during stool.

Urinary Organs

Hot acrid, smarting urine, of pungent smell. Child screams before the passage. Frequent every 10 to 15 minutes. Small red particles on diaper. Nephritis. Cystitis.

Male

Indifference to coition.

Female

Indifference to coition. Menses too early, too profuse; attended with colic and nausea. Leucorrhoea_albuminous, clear, hot, pasty, with sensation as if warm water was flowing down legs. Membranous dysmenorrhoea. Empty feeling in mammae, after child nurses, with stitches better compressing. When nursing, pain in opposite breast. Labour pains with frequent eructations. Mother's milk is thick and tastes badly. Sensation of distension in clitoris, with sticking. Sterility. Favours easy conception.

Respiratory organs

Sticking pain in chest (intercostal) worse coughing, inspiration, yawning or any physical exertion. Shortness of breath worse ascending stairs; stitches on speaking. Hacking and violent cough; expectoration blood streaked or mouldy. Pain in chest better Lying on back, washing with cold water, or pressure. Arrest of breath when Lying down, must jump up and catch breath.

Heart

Feels *as if on night side; and being squeezed. Infants, cyanotic from birth. Violent palpitation.

Neck and Back:

Pain in back, inability to stoop.

Extremities

Limbs tremble at 10 a.m. Feeling of cobweb on hands. Stitches in soles. Weakness in calves. Pain in heel. Eczema of fingers and toes with loss of nails. As if warm water running down thighs. Palms hot. Itching on back of hands. Want of strength esp. in joints.

Sleep

Voluptuous dreams; dreams of coition. Cries out in sleep, as if frightened (children). Cannot sleep on account of excessive heat, esp. of head. Starts from deep as if to fall.

Fever

Flushes of heat.

Skin

***DRY; *festers easily, won't heal. Psoriasis. Trade eruptions, on fingers and hands, itching and stinging eczema. Wilted wrinkled skin. Whitish pimples, with areola. Ulcerations on feet from rubbing of shoe, or boots.

Related

Bell, Bry; Calc; Nux-v; Sul-ac.

[Back to Index](#)

Boricum Acidum [Bor-ac]

Generalities

It affects the skin causing extensive exfoliative dermatitis. Oedema around the eyes. It is useful in climacteric flushing. Vagina cold as if packed with ice. Coldness; of saliva, vagina. Diabetes; tongue dry red and cracked. Pain along ureters with frequent urination.

Better

Walking in open air.

[Back to Index](#)

Generalities

The venom of this snake is most coagulating, therefore it is expected to be useful in thrombosis and thrombotic affections as hemiplegia. Aphasia, without the affection of tongue. Nervous trembling. Great lassitude and sluggishness. Blindness from haemorrhage into retina. Day blindness_ can scarcely see her way after sunrise. Paralysis of one arm or one leg only. Slight shivering, followed by profuse sweat. Intolerable pain in the big toe. Bone becomes bare from gangrene and becomes necrotic. Worse right side.

Worse

Right side.

[Back to Index](#)

Generalities

This fungus commonly known as puff ball, exerts its influence on ***CIRCULATION, causing relaxation of capillary system, thereby producing *haemorrhagic diathesis. On *skin it causes *herpetic eruptions. There is a *general puffiness; bloated condition of body surface, which produces *easy indentations with blunt instrument (scissors etc.). Laxity esp. more felt in joints, which seem loose. *Enlarged or swelled feeling in head, heart, etc. It is adapted to old maids, with palpitation; and stammering children. Multiple neuritis, with numbness and tingling. Asphyxia due to charcoal fumes. Effects of over-exertion, and application of tar locally. Nervous and weak jointed.

Worse

*Menses. Full moon. Hot weather. *Getting warm. Cold food. Wine. Coffee.

Better

Bending double. Hot food. Eating.

Mind

*Awkward in speech and action; drops things, stutters etc. Ineffective. Absent minded. Weak memory. Irritable, takes everything amiss. Laughs and cries alternately. Stares vacantly into space. Sad when alone. Quarrelsome.

Head

Confusion on awakening. Sensation as if head were enlarging. As if wedge is pressed in occiput. Staggering, confusion and numbness in head, after coition. Itching of the scalp worse warmth.

Heart

Visible palpitation of heart; of old maids. Palpitation as if heart working in water. Palpitation, with tremor of hands, worse bathing, excitement.

Eyes

Objects seem to be nearer than they really are. Staring at one point. Loss of vision from paralysis of optic nerve.

Ears

Boil in right ear, with pain worse swallowing. Discharge of foetid pus. Hearing indistinct, misunderstands much that is spoken.

Nose

Stringy, tough discharge from nose. Nose stopped up; cannot breathe, worse lying down. Scurfs and crusts about nostrils. Bleeding early in the morning; (during sleep); few drops escape on sneezing.

Face

Cheeks and lips swollen. Crusts about corners of mouth. Acne worse in summer or use of cosmetics. Twitching of muscles, before asthma. Lips cracked, crusty.

Mouth

Numb. Increases saliva. Gums bleed easily on sucking them. Cutting pain in tongue; before asthma.

Stomach

Sensation as of a lump of ice. Nausea better breakfast. Vomits watery fluid.

Abdomen

Colic, with bright red urine better eating and bending double. *Diarrhoea worse during and before menses. Cannot bear tight clothing around the waist. Stitches through perineum towards rectum and genitals. Chronic diarrhoea of old people worse night, early morning. First portion of stool is hard; latter part thin and watery.

Urinary Organs

Frequent desire to urinate, even immediately after urination (Diabetes Mellitus).

Male

After coition, reeling and confusion in head. Sexual desire increased.

Female

Voluptuous sensation. *Menses; *early, oozing, every two weeks, *more at night; *less while moving. Occasional show between the periods. Parovarian cyst. Thick, acrid, yellow-green leucorrhoea, leaving green spots on linen worse while walking; after menses. Jaundice of new born.

Respiratory organs

Shortness of breath on moving the arms. Viscid expectoration. Spasmodic laughing and crying, with asthma.

Neck and Back:

Pain in the back with heaviness, after stooping. *Itching coccyx.

Extremities

Great weakness of all joints. Weakness; clumsiness with her hands. Heavy painful legs. Oedematous swelling of (right) foot even years after a sprain. Sweat in axilla; onion like. Oedema of joints after fracture. Weak hands.

Fever

Chill with pain.

Skin

Blunt instruments leave a deep impression. *Itching eruptions; oozing; forming *thick crusts or scabs, with pus beneath. Shooting pain in corns and warts. Urticaria covering whole body, with diarrhoea or metrorrhagia. Pellagra. Eczema.

Related

Apis; Calc; Rhus-t; Sep; Ust.

[Back to Index](#)

Generalities

Marked effects of Bromine are seen on the ***RESPIRATORY TRACT; esp. ***LARYNX and *trachea. It is useful in scrofulous children, with enlarged glands; *parotid, thyroid, ovaries and mammary glands are esp. affected, which are swollen and indurated; but seldom suppurate. Constriction and membranous formation occur in larynx, spreading upwards. Patient is *weak and easily overheated, *then sweaty and sensitive to draughts. Blondes. Tremulous all over. Fainting. Emaciation. Boring pains in bones. Cancer.

Worse

***WARMTH; ***DAMP WARM; *overheating; warm room. Chilled when hot. Sea bathing. Dust. Draught. Evening, until midnight. Lying on left side.

Better

Nose bleed better (vertigo, head, chest). At sea. Motion. Shaving. Riding.

Mind

Feels that strange persons are looking over patient's shoulders; or that he would see one on turning, as if someone were at the back of him. Takes no interest in household duties. Cheerful mood; desire for mental labour. Sad. Indifferent. Low spirited, inconsolable. Does not feel normal; but cannot tell why. Sits alone in her room without doing anything; looks constantly in one direction without saying anything.

Head

Vertigo worse on bridge, at the sight of running water. Head congested, fears a stroke. Headache worse drinking milk, stooping. Headache in sun, passes off in shade. Headache deep in vertex, with palpitation.

Eyes

Lachrymation, with swelling of tear glands. Pupils dilated. Protruding eyes. Flashes before eyes.

Ears

Hard swelling of the parotid gland, warm to touch; after eruptive fevers.

Nose

*Acrid, *burning coryza, with violent sneezing and soreness of the nose. Tickling smarting as from cobweb. Nosebleed. Fan like motion of alae. Long continued obstinate coryza.

Face

Sensation of cobweb. Seems drawn to a point at nose. Ashy grey. Pale, red, alternating.

Mouth

Dry and parched. Aphthae, with affection of eyes. Water tastes saltish.

Throat

Tonsils; swollen, deep red, with network of dilated blood vessels, pain worse swallowing fluids than solids. Even a small goitre oppresses. Stony hard, swollen glands. Diphtheria.

Stomach

Sharp burning from tongue to stomach. Pressure like from a stone. Gastralgia better eating. Sour things disagree. Vomiting; like coffee ground; bloody mucus. Aversion to customary tobacco smoking.

Abdomen

Tympanitic, distended. Diarrhoea, after eating oysters and sour things. Piles; bleed, intensely painful, worse application of cold or warm water. Spleen enlarged, indurated.

Urinary Organs

Urine high coloured.

Male

Swelling and induration of testes worse slight jar.

Female

Flatus from vagina; noisy. Dysmenorrhoea. Swelling of ovaries. Queer ill feeling few days before menses. Tumour in breast, stitching pain from breast to axilla. Menses, with membranous shreds. Itching in vagina. Suppression of menses, in scirrhus mammae.

Respiratory organs

Inhaled air seems smoky, cold or raw. Dry cough, with hoarseness and burning pain behind sternum. *Wants to take a deep breath, but it excites cough. *Suffocative fits; he starts up with *choked or croupy or wheezing cough or with palpitation. Asthma. Spasms of glottis. Asthma of sailors going ashore. Deep hoarseness if heated. Lungs feel coated with down. *Larynx cold. Colds start in larynx, go *upward and downward. Thick white expectoration. Dyspnoea, with great swelling.

Heart

Hypertrophy; from gymnastics, with palpitation. Cutting pain running upwards, heart disease. Violent palpitation worse lying on left side. Nervous palpitation; with nausea; with headache.

Neck and Back:

Glands enlarged, cystic tumours on both sides of neck.

Extremities

Icy cold forearms or only cold hands. Boring pain in one or both tibiae. Left arm, lame, in cardiac affections.

Sleep

Continued yawning, with respiratory trouble, with drowsiness. Great drowsiness when reading.

Skin

Boils on arms and face. Acne, pimples and pustules.

Related

Lach; Samb.

[Back to Index](#)

Generalities

Bryonia develops a marked action on all ***SEROUS MEMBRANES and the viscera they contain, causing ***INFLAMMATION *and exudation. It disorders *circulation, producing congestion; alters the blood, giving rise, to typhoid, bilious, rheumatic and remittent types of fevers. ***AVERSION TO LEAST MOTION, even to distant parts, is due to its action on nerves and *muscles. *Mucous membranes become dry, hence discharges are scanty and adherent. Complaints, develop slowly, but forcibly. Pains are ***BURSTING; ***Stitching or *heavy sore; going backwards. *Effects are very painful; on coughing holds sides, chest, head. Joints painful. Streaks of red-lymphangitis. Gastro-bilious-rheumatic constitution. Every spot in the body is painful to pressure. Dropsical swellings gradually increase as the day progresses and disappear during the night. Children dislike to be carried or raised. Physical weakness; on slightest exertion; all pervading apathy. Ill effects; of anger, fright; chagrin. Suppressed eruptions and discharges. Alcohol. Gluttony. Wounds. Complaints from taking cold drinks, in hot weather. Often indicated in injury of the joint when *Arnica fails. Muscles become hard, after neuralgia. Dryness everywhere, of mouth, throat etc. It is adapted to nervous dry, slender people. Right sided effects. Vicarious bleeding.

Worse

MOTION-LEAST; ***RAISING UP; ***STOOPING; ***COUGHING; ***EXERTION; ***DEEP BREATHING. Dry cold or heat. ***BECOMING HOT; ***IN ROOM. *Hot weather. Drinking; while hot. ***EATING. Vegetables. Acids. Calomel. ***VEXATION. ***TOUCH. Suppressions. Taking cold. Early a.m.

Better

***PRESSURE; ***LYING ON PAINFUL PART. Bandaging. ***COOL OPEN AIR. ***QUIET. Cloudy, damp days. *Drawing knees up. Heat to inflamed part. Descending. Sitting up. Cold food, drink.

Mind

Very irritable and *ugly in behaviour. Determined. Taciturn. Delirium, *wants to go home, thinking he is not there. Talks of business. Wants to be let alone. Desire for things which are rejected when offered. Dull. Apprehension and dread for future. Despair of being cured, with fear of death.

Head

***DIZZY OR FAINT ON RISING UP. Vertigo felt in occiput. ***BURSTING; ***SPLITTING OR HEAVY *crushing headache; *fronto- occipital worse moving eyes, coughing, straining at stools etc. Vertigo; as though all objects are whirling, or as if sinking deep down in the bed, better cold. Pain over left eye, pressive, going to occiput, thence spreading over whole body. Scalp very sensitive, cannot bear even a soft brush, every hair pains. Oily hair. Headache; from ironing; when constipated.

Eyes

Eyeballs sore; *pains behind the eyeballs. Glaucoma. Lachrymation, during day esp. in the sun. Lids swollen and puffed.

Ears

Aural vertigo. Ringing, humming in ears. Vicarious bleeding from ears.

Nose

Nose bleeding; vicarious; when menses should appear; in pregnancy. Swelling of tip of the nose, feels as if it would ulcerate when touched. Boils. Descending colds.

Face

Dark red, hot, bloated. Chewing motions, in brain affections, of children. Lips; dry, as if burnt, parched, cracked, wants to moisten them. Burning of lower lip in old smokers. Picking of lips.

Mouth

*Dry. Tongue; very dry, rough, coated along centre; red at base. Taste ***BITTER, cannot swallow food, better cold drinks. Toothache better cold water, worse brushing teeth. Jerking toothache when smoking or chewing tobacco. Collection of soapy, frothy saliva.

Throat

Hawks brown lumps, with effort. Throat; dry, scraping roughness in. Back of throat seems swollen. Aphthous patches; recurring.

Stomach

***THIRST, ***FOR LARGE QUANTITY OF COLD WATER; also for warm drinks which better. Craves what he cannot relish. Loathing for food. Nausea worse rising up, lying on right side. Bitter vomiting; of bile and water, immediately after eating. Vomits solid food only. *Heavy load in stomach worse eating. Stomach sensitive to touch. Great desire for coffee, wine and acid drinks. Aversion to milk, but when he takes it he relishes it. Tasteless eructations. Vomits warm drinks. Drinks hastily and eagerly.

Abdomen

Epigastrium; tender, throbbing. Liver, heavy, sore swollen, better lying on it. Abdominal wall very tender. Appendicitis. Peritonitis. Stools; ***LARGE DRY, ***VERY HARD, as if burnt; loose, painless, undigested, involuntary, during sleep. Constipation. Diarrhoea; gushing worse in the morning, on rising, eating cabbage. Diarrhoea; in hot weather; after cold drinks. Lumps of tough mucus, after stools. Burning in anus, with stools. Yellow, mushy stools. Jaundice. Groins sore before menses. Complaints from over lifting, concussion.

Urinary Organs

Urine; red, brown like beer; scanty, hot. Inclination to make water, with suspended respiration on lifting loads. Involuntary urination during exertion. Burning in urethra, when not urinating.

Female

Menses; suppressed with vicarious discharges or splitting headache. Pain in breast at menstrual period. Breast; hot and painful, hard. Milk fever. Intermenstrual pain, with great abdominal and pelvic soreness. Mastitis, stony hard mammae. Abscess of mammae. Ovaritis. Infant_sore mouth; child does not want to take hold of breast, but after mouth becomes moist it nurses well. Menses; dark, foul. Stitches in the ovaries on taking deep breath. Frequent nosebleed at the appearance of menses.

Respiratory organs

Cough; ***DRY, ***HARD, ***VERY PAINFUL, at night as of from stomach, must sit up worse eating and drinking. Wants to take deep breath, but cannot or it excites cough. Expectoration; rusty blood streaked or tough. Bronchitis. Asthma. Pneumonia. ***SHARP STITCHES IN CHEST or at right *scapula, worse deep breathing and coughing. Pleurisy. Coming into warm room excites cough. Holds chest, or presses the sternum when coughing. Dry friction sound. Cough, with sneezing.

Heart

Stitches in cardiac region. Pulse; ***FULL, ***QUICK, *harsh.

Neck and Back:

Intrascapular numbness or pain going to epigastrium or from left scapula to heart. Painful stiffness of neck. Pain in the small of back worse walking or turning. Stitches and stiffness in small of back. Lumbago worse stooping.

Extremities

Joints red, swollen hot. Pins and needles in soles, preventing walking. Constant motion of left arm and leg, with sighing. Swelling of elbow. Knees totter and bend under him when walking. Tendency to run backwards. Sciatica better Lying quietly and Lying on painful side.

Sleep

Dreams; of hard work, about household affairs, about business of the day, in delirium. Drowsy. Starting when falling asleep. Walks in sleep.

Fever

Chill with hot head and red face; worse warm room. Dry burning heat; with worse of all the symptoms. Blood seems hot. Painful continued fevers. Sweat; sour or oily.

Skin

*Slow development or sudden receding of rash, in eruptive fevers. *Undeveloped measles. Skin; yellow, pale swollen, dropsical.

Related

Phyt; Rhus-t.

Complementary

Abrot; Alum; Kali-c; Lyc; Nat-m; Rhus-t; Sep; Sulph.

[Back to Index](#)

Generalities

The poison of this toad has a remarkable action on nervous system, and sexual organs. It arouses lowest passions; patient is not only *low minded but develops low type of disease also. It is a remedy for *depravities, *due to bad inheritance. Early broken down, prematurely senile person. It affects circulation, causing ebullitions of heat, flushings; *burnings in different parts. Bloody oozing; from nipples, bloody saliva etc. Trembling like paralysis agitans. Electric-like shocks, are felt throughout the whole body. Feels whole body as if swollen; in a.m. Festering sensation. Falls down unconscious, with a blood curdling scream. Obesity. Epileptic seizures; occur during night; connected with sexual sphere- at the time of menses, in women when sexual desire is excited; in young men due to onanism or during coition, attacks are followed by headache. As of a peg in joint. Dropsy. Paralysis. Cancer, Carbuncle. Bubo. Septic lymphangitis, due to injuries, when pain runs up in streaks. Spasms in children, after nursing angry or frightened mother. Anaesthetic spots on skin. Aversion to the sight of brilliant objects. Variety of symptoms occur before epileptic spasms. The mind remains childish, only the body grows. Foetid discharges, and exhalations. Convulsions from suppurative conditions.

Worse

Warm room. Sexual excitement. Masturbation. Least motion. Injuries.

Better

Bleeding. Cool air. Cold bathing. Feet in hot water.

Mind

Moral depravity. Idiocy; childish, silly, tittering. Feeble minded. Fears; animals, strangers. Talks nonsense, then angry if not understood. Walks the floor and wrings the hands. Desire for solitude, to practice masturbation. Inclination to bite. Deceitfulness. Music is unbearable.

Head

As of a hot vapour, rising to the top of head. Brain numb. Pillow hurts occiput.

Eyes

Sight of brilliant objects intolerable. Objects appear crooked. Left lid paralyzed. Pupils dilated. Eyes sunken.

Ears

Least noise distresses. Music is intolerable.

Nose

Epistaxis, with flushed face and pain in forehead.

Face

Bloated and distorted. Bathed in sweat (in spasms). Lips black.

Mouth

Paralysis of tongue, lapping motions of tongue. Bloody saliva. Stammering. Desire for sweet drinks. Tongue; cracked, bluish black. Convulsions, after extracting teeth.

Abdomen

As of cold balls running through bowels. Buboes in groins. Convulsive movements in, after spasms. Vomiting after drinking. Yellow fluid in vomit. Vomiting of blood and bile.

Male

Spasms, during coition. Disposition to handle organ. Disposition to masturbation. Impotency.

Female

Epilepsy at the time of menses. Menses, too early and too copious. Milk bloody. Cancer of mammary gland. Tumours and polypi of uterus; ulcers of cervix. Burning in ovaries and uterus. Cord like swelling from groin to knee, milk leg. Violent pain in mammae worse at night. Hydatids in ovaries. Offensive purulent leucorrhoea.

Respiratory organs

Burning like fire in lungs. Suffocative cough. Asthma.

Heart

*Seems to float in water or air. Rapid heart action; in exophthalmos. Feels too large. Palpitation; with headache during menses.

Neck and Back:

Jerks in nape of neck, before spasms. Lumbago worse rising up or least motion.

Extremities

Trembling of limbs. Cramps. Staggering gait. Feeling as if a peg were driven in joint. Limbs, become stiff, numb.

Sleep

Comatose, after spasms.

Skin

*Red streaks under skin. Lymphangitis. Panaris. Yellow bullae. Yellowish, corrosive fluid oozes out. Horripilation (Goose-skin).

Related

Bar-c; Graph Tarent.

Complementary

Calc.

[Back to Index](#)

Generalities

Chief action of *Cactus centres around the ***HEART and ***CIRCULATION. It affects the *circular muscles, thereby producing ***CONSTRICTIONS; of the *heart, throat, chest, bladder, rectum, vagina, neck. **Circulation becomes irregular, causing *violent congestion or localized pulsations, behind stomach, at odd places. It is a ***HAEMORRHAGIC remedy, favours formation of clots speedily. Constrictive or spasmodic pains, that extorts cries. *Periodicity is marked, *and neuralgic pains occur periodically. *Body feels tight or wrapped. Hot gushing into chest. Toxic goitre, with cardiac symptoms. General weakness and prostration. Fainting. Dropsical affections. Ill effects of sun, damp, disappointment in love. Many complaints are associated with heart affections. Pulseless, panting and prostration. Low blood pressure, from weakness of heart.

Better

Open air. Pressure on vertex.

Worse

*Lying, on left side, on occiput. Periodically. Exertion. 10-11 a.m. or 11 p.m. Night. Walking. Going upstairs. Noise. Light. Sun heat.

Mind

Taciturn. Weeps, knows not why worse consolation. Believes that his disease is incurable. Sad. Ill humoured. Easily frightened. Cheerful. Fear; of death, of something will happen.

Head

Heavy pain, as of a load on vertex better pressure worse talking, strong light. Headache worse by seeing opera; missing of meals, noise, light, periodic, compressive, pulsating. Vertigo worse deep breathing, exertion.

Eyes

Dimness of sight. Eyes blood shot. Exophthalmic goitre.

Ears

Pulsation in ears. Singing, ringing in ears.

Nose

Profuse epistaxis, but soon ceases.

Face

Right sided prosopalgia worse missing of meals. *Face; *red bloated, pale, emaciated.

Throat

Constriction of oesophagus, must drink to swallow. Suffocative constriction, with full throbbing carotids.

Stomach

Pulsation in coeliac artery behind the stomach. Vomiting of blood. Nausea in the morning_continuous all day. Loss of appetite. Aversion to meat of which he was fond.

Abdomen

Intense burning in abdomen. As of a weight in anus. Pricking as from a pin in anus, better slight friction. Fistula in ano, with violent palpitation of heart. Engorgement of liver due to heart disease. Sharp pain shooting through diaphragm and up into chest. As if a cord was tied tighter and tighter around attachment of diaphragm, taking his breath away.

Urinary Organs

Constriction of neck of bladder, causing retention of urine. Urine suppressed in fevers. Haematuria; urination prevented by clots, in vagina in females.

Female

Menses; lumpy; *black; too soon, cease on lying. Constriction of vagina preventing coition; vaginismus. Painful menses, extorting loud cries. Menstrual disorders, with heart symptoms. Pulsation in ovarian region. Cyanotic infants.

Respiratory organs

Oppression of breathing, going upstairs. Cough, from heart affections. Continuous rattling of mucus in chest. Constriction in chest, as if bound; hindering breathing. Periodical suffocation; with fainting, sweat on face and loss of pulse. Haemoptysis, with convulsive cough. Inflammation of diaphragm, with difficulty in breathing.

Heart

***FEELS CLUTCHED AND RELEASED ALTERNATELY BY AN IRON BAND BAND, or feels it expand and contract; seems to turn over. Endocarditis, with mitral insufficiency. Palpitation; worse lying on left side; at the approach of menses; during the day while walking; from disappointed love. Stitches in heart. Endocardial murmurs. Hypertrophy. Low blood pressure. Pulse; irritable, intermittent, feeble. Irregular and intermittent action, after forceps delivery. Heart disease, with oedema of left hand. As if heart would fly to pieces on holding the breath. Pulsations increase on holding the breath. Aneurism of large arteries and heart. Tobacco heart.

Extremities

Left arm numb. Fingers tingle. Icy cold hands. Oedema of hand (left) in heart disease; and of feet, extending to knees. Hands soft, feet enlarged. Pain in left arm down to fingers.

Sleep

Sleeplessness, on account of strong pulsations in different places. Dreams; of falling; frightful; lascivious. Awakes in fright.

Fever

Chilly not worse by covering. Persistent subnormal temperature.

Related

Acon; Coc-c; Dig; Lach; Nux-v; Sulph.

[Back to Index](#)

Generalities

Its chief action centres on stomach and respiration. There is extreme exhaustion and prostration, with vomiting. Patient must keep quiet. Icy coldness even near a fire. Low form of diseases run to deathward. Weakness remaining after epileptic attacks, of one arm and one leg. Formication between the skin and deep tissue. Numbness; of parts, nose, head etc. Paralyzed parts painful or crawling in.

Better

Eating. Rest.

Worse

Raising up. Least motion. Carrying burdens. After sleep. Stimulants. Open air. Cold. Sunshine. Walking. Ascending stairs. Vexation. Swallowing.

Mind

Horror of solitude and work.

Head

*Faintness on rising. Vertigo; room and bed seem to spin around.

Eyes

Opacity of cornea; from injuries or inflammation. Night blindness. Tears hot. Cannot read small type.

Nose

Ozaena. Polypus. Boils on nose. Nose numb.

Face

Distortion of mouth; from facial paralysis. Trembling of lower jaw. Facial paralysis, left side; worse cold air; cannot close eyes; difficult talking and swallowing.

Stomach

Craves little drinks of cold water which are vomited at once. Burning and cutting pain; intense retching and gagging. Intense nausea and vomiting better quiet. Black vomit. Coffee ground vomit. Cancer of stomach. Least thing touching lips will excite nausea and vomiting. Dysphagia. Stomach symptoms worse carrying burden.

Urinary Organs

Urine mixed with pus and blood.

Respiratory organs

Suffocation on dropping to sleep. Chest contracted with asthma. Chest symptoms worse squatting.

Skin

Blue, yellow, scaly. Horripilation; after drinking, with hot hands, with heartburn. Chloasmae worse exposure to sun.

Sleep

Breathing stops on going to sleep. Fears to go to sleep again. Protracted sleeplessness. Sleeps with open eyes.

Fever

Yellow fever. Body icy cold.

Related

Zinc.

[Back to Index](#)

Generalities

It has a special action on ***GENITAL ORGANS of both sexes. Masturbation, and its results in men; pruritus vulvae in females; which may sometimes be due to thread worms finding their way into vagina, inducing masturbation and even nymphomania. There is a great desire to lie down and aversion to motion; but if he makes the effort he is strong enough. Attacks, like fainting, after writing and thinking; when lying down or when rising. ***DRYNESS of parts which are usually moist. *Dry feeling Modifies craving for tobacco. Tobacco heart. Asthma, alternating with itching rash. Lascivious, ogles women on the street; but impotent. Unable to walk with closed eyes. Mosquito bites that itch and burn intensely.

Better

Cold air. Short sleep. Sweating.

Worse

*Sexual excess. Motion. Sudden noises. On falling asleep. Tobacco.

Mind

Very careful about his health. Restless, cannot control himself after smoking. Refuses to take medicine. Forgetfulness. *Nervous excitement. Fear of catching disease. Afraid of his own shadow. Foolish boldness.

Head

Vertigo; as if rocked, worse closing eyes and lying down. Numbness in side of head.

Eyes

Close, even while walking in open air.

Ears

Sensitive to noise; slightest noise startles from sleep.

Nose

Discharge of bloody mucus on blowing nose.

Face

Sensation as of a cobweb or crawling.

Mouth

Food eaten seems too dry; must drink to swallow *Red, *dry stripe, *down centre of tongue widening towards tip. Saliva like white of an egg. Milk tastes sour.

Stomach

Feels full of dry food (with asthma). Burning in. worse deep breathing; taking tea or chocolate. Fluttering sensation. Tolerates only warm drinks. Eats without hunger and drinks without thirst. Thirstless for days.

Abdomen

Sensation as of a long worm writhing in transverse colon.

Urinary Organs

Urine; offensive, scanty.

Male

Flaccid, sweaty genitals. Impotence. Pruritus. Impotency, after gonorrhoea; with mental depression. Organs seem larger, as if puffed. Glans like a rag. Atonic pollution. Prepuce retracted, after coition. Genitals cold.

Female

***PRURITUS VULVAE, inducing masturbation, with burning; from pin worms; during pregnancy. Violent sexual erethism or neurasthenia.

Respiratory organs

Catarrhal asthma, mucus not readily raised, but better expectoration. Hard cough, with asthma. Sighing respiration.

Extremities

Weak, cannot get out of bed. Hands numb. Cannot walk or stand, with closed eyes.

Skin

Feels rough and dry. Burning in spots; must touch the part, but cannot scratch them.

Sleep

Groans and moans anxiously; loudly in sleep. Vivid dreams.

Fever

Cold single parts; feet. Sweat of sweetish odour, attracting flies. Low fevers. Falls asleep during fever, wakes up when it stops.

Related

Caps.

Complementary

Nit-ac.

[Back to Index](#)

Generalities

This remedy was found useful clinically, in complaints of fat women around climacteric; when slightest emotions cause palpitation. In children with enlarged liver and spleen; in complaints of drunkards after abstaining. Nephritis, albuminuria, and dropsy. In epilepsy with rush of blood to the head; aura felt in the region of heart. Epilepsy, with heart disease. Flying sensation or swimming sensation, as if feet did not touch the ground.

Worse

Slight exertion. Errors in diet. Cold air.

Mind

Depression and anxiety. Desire for company.

Head

Rush of blood to the head, with vertigo. Weekly headaches better lying on painful side. Headache, with palpitation, increase and decrease together.

Abdomen

Enlarged liver and spleen in chronic malaria; in children. Pancreatic diseases. *Relieves burning pain in cancer. Diarrhoea worse sweet potato or yam. Swollen inguinal glands, with tearing pain in legs.

Urinary Organs

Kidney region sensitive to pressure. Passes urine every hour.

Female

Offensive bloody leucorrhoea. Cancer of the uterus. Burning in uterus and vagina.

Respiratory organs

Burning heat in chest. Feeling, as if he would suffocate, with palpitation. Drawing as with a thread from larynx backwards.

Heart

Palpitation and heart pains before epileptic attack. Pulse intermittent_every 4th beat regularly.

Neck and Back:

Pain and stiffness near nape of neck. Violent throbbing pain, drives out of bed.

Extremities

Weariness and lameness of lower limbs. Removes inflammatory products in veins of lower limbs.

Fever

Marked malaria. Chilly.

[Back to Index](#)

Generalities

Calc is the chief representative of Calcium compounds. Calcium metabolism is active during childhood and becomes defective after middle age. Improper assimilation of calcium gives rise to defective ***NUTRITION of ***GLANDS (cervical and mesenteric in children); ***BONES and ***SKIN. It alters the ***BLOOD causing anaemia. ***GLANDULAR SWELLING below the jaw and in the neck; *faulty development of bones. ***OPEN FONTANELLES. Curvature; exostosis; rickets. Muscles and skin become lax or *flabby; patient grows ***FAT, but not strong ***SWEATING IS EASY; partial-on ***HEAD; ***CHEST; ***DURING SLEEP. ***DISCHARGES ARE PROFUSE; ***OFTEN SOUR, stools, *sweat, odour of the body; saliva etc. It is suitable to ***BLONDES *of soft and *sluggish habit. Complaints of teething children-convulsions, sour diarrhoea; *tardy teething and *late walking-children do not put their feet down on the ground. Emaciated children, with big head and big belly. Patients are susceptible to ***COLD; *Cold moist air chills through and through; *takes cold easily esp. in chest. Tendency to sprain the muscles easily. Parts lain on become numb. Tendency to the formation of calculi. Malnutrition. Muscular atrophy. Early stage of tuberculosis of lungs; with tickling cough; fleeting chest pains; nausea; acidity and dislike for fats. A jaded mental and physical stage due to over work. Cramps in muscles which draw limbs. Abscess deep in muscles. Polypi; nasal, uterine etc. cysts. In short *Calc. patient can be described as *fat, *flabby, *fair, *forty, *perspiring, *cold and damp. In epilepsy the aura spreads up from solar plexus or as of a mouse running up the arm or down epigastrium to uterus or limbs. Twitching, trembling, chorea; neuralgias, horrible phantasies, paralysis are among the *Calc. effects. Varicose veins; burning in veins. Osteomyelitis. Ill effects; of alcohol; loss of vital fluids; excessive venery, masturbation; strains; over lifting; suppressed sweat, eruptions, menses; fright, egotism. Affections of stonecutters. Dull lethargic children who do not want to play. Pituitary and thyroid dysfunction. Diarrhoea, tremors, after burns.

Better

Dry climate and weather. Lying; on painful side, on back. Sneezing (headache). Rubbing, scratching. Wiping or soothing with hands. After breakfast. Dark.

Worse

***COLD; ***RAW AIR; ***BATHING. Cooling off. Change of weather to cold. ***EXERTION—*physical, mental. *Ascending Eye strain. ***DENTITION. Puberty. ***PRESSURE OF CLOTHES. ***MILK. Anxiety. Awakening. Full moon. Standing. Looking up. Climaxis. Turning head.

Mind

Forgetful; learns poorly. *Depressed. *Melancholic or Doubting Mood. Fears; disease, misery, disaster, insanity; of being observed. Fear excited by reports of cruelties. Cautious. Confused, misplaces words and expresses himself wrongly. Sad. Apathetic. Taciturn. Indolent; suddenly. Visions; of fire, murder, rats and mice, in delirium. Melancholy; desire to weep, to go home. Hopeless of ever getting well. Suspicious; thinks people look at him suspiciously, and he looks at them suspiciously. Inability to apply himself. Sits and thinks about little affairs, that amount to nothing. Sits and breaks sticks etc. all day long. Imagines someone walking behind her. Feels as if she would run up and down and scream. Easily frightened or offended. Children are

self willed. Child is afraid of everything it sees. Mischievous. Obstinate. Irritable, cries about trifles; borrows trouble.

Head

Vertigo; with many conditions, worse ascending or turning head, scratching head; after epilepsy. Rush of blood to the head. *Icy cold in, and *on the head; much perspiration worse occiput; wets the pillows. *Scratches head; on waking. Deep head pains, beating, shattering worse wind, better dark; closing eyes, pressure; with eructations. Headache from overlifting or other muscular strain. *Thick foul, *milk crusts; with swollen cervical glands. ***BIG HEAD WITH LARGE HARD ABDOMEN. ***VERTEX ICY COLD. Head hot with mental exertion. Cold spots on head. Hydrocephalus; chronic. Burning in vertex; after grief. Sweat, with palpitation. Falling of hair.

Eyes

***DILATATION OF PUPILS. Sees; visions on closing eyes; besides field of vision. Spots and ulcers on cornea. Suppurating fistula; lachrymation. *Great photophobia. Itching. Cannot read in gas light. Feels as if she squinted. Ophthalmia; in newborn; after taking cold. Vision dim by constant reading, writing etc. Easy fatigue of eyes. Ulcers of cornea. Opacities of cornea.

Ears

Deafness; from working in water or quinine. Perversions of hearing. Easily bleeding polypus. Aching, when blowing nose and coughing. Purulent offensive discharge, and enlarged glands. Illusory noises, on swallowing, chewing. Throbbing pain, with sensation of something coming out.

Nose

Nostrils; dry, sore, ulcerated. Coryza, with polyuria. Offensive odour in nose; offensive yellow discharge. *Swelling of the nose ***AND UPPER LIP; in children. Polypus, with loss of smell. Senile catarrh. Sneezes, frequently, without a cold. Epistaxis in children inclined to be fat. Obstruction in nose.

Face

Pale, puffy, pasty. Old, wrinkled. *Swelling of upper lip, in the morning; with cracks and bleeding. Submaxillary glands swollen. Chewing, and swallowing in sleep; in children. Itching eruptions on chin.

Mouth

Sour taste. Mouth fills with sour water. Ranula under the tongue. Epulis; soft, painless. Tongue dry, at night, does not like to talk. Tip of tongue feels scalded worse warm food. Teeth pain worse cold air or hot things.

Throat

Swelling of tonsils. Goitre. Parotid fistula. Stitching pain on swallowing. Small ulcers spreading up to palate. Uvula; swollen, oedematous. Hawks salty mucous.

Stomach

Anorexia from over work. Craving for indigestible things_ chalk, coal, pencils, also for eggs, ice-creams, salt and sweets. Aversion to meat, milk, boiled things, fat. Sour eructations, sour vomiting of curdled milk. loss of appetite, but when he begins to eat he relishes it. Thirst for cold water at night. *Swelling over pit of stomach like an inverted saucer. hyperchlorhydria. Water drunk, if ever so little, causes nausea, but not, if iced. Milk disagrees. Sensation as if rising something to head.

Abdomen

***LARGE AND HARD. Colic; with coldness of thighs; after stopped coryza; or with cold feeling in abdomen. Incarcerated flatulence. Distended better slightest pressure. Liver region painful worse stooping. Gallstone colic. Peritonitis when pain better by cold application. Twisting or cramps about umbilical region. Navel; sore, excrescences like proud flesh in infants. Mesenteric and inguinal glands swollen and painful. Chalky, grey or green watery stools. Children's diarrhoea with ravenous appetite. Stools; at first hard, then pasty then liquid. Prolapsus ani, crawling in rectum. Haemorrhoids, painful when walking better sitting. Stools worse eating and drinking. Undigested stools_substances eaten are passed without any change. Feels best when constipated. Persistent tenesmus, after dysentery. Worms; tape, round. Diarrhoea; chronic, after burns.

Urinary Organs

Urine; dark; brown, sour, foul or of *strong odour. White urinary sediment, with milky urine. Urine bloody. Polypus of the bladder. Renal colic. Enuresis; in bed; when walking.

Male

Increased sexual desire, with retarded erections. Frequent emissions. Burning, with seminal emission. Coition; followed by profound weakness, vertigo, irritability, lameness of back and knees, headache and sweat. Itching and burning in genitals. Impotence, from sexual abuse or indulgence. Seminal discharge premature. Hydrocele, of children.

Female

Menses too early (in girls); too profuse, too long; with vertigo, toothache and cold damp feet. Thick, milky, gushing or yellow leucorrhoea, worse during urination, with itching and burning. Breast tender and swollen, before menses. Abundant milk, but disagreeable to the child. Deficient milk. Sterility, with copious menses. Uterine polypus. Nipples; cracked, ulcerated; very tender. Mental excitement brings on dysmenorrhoea or causes menses to return. Cramps in toes, or soles, during pregnancy. Menses late in fat, flabby girls; with palpitation, dyspnoea and headache. Coition followed by sweat and prostration. Itching and burning in genitals. Absence of menses in plethoric women; from fright. Clumsy, awkward and tired, during pregnancy. Severe stitches in mammae, when nursing.

Respiratory organs

Painless hoarseness worse morning. Everything makes him *short of breath. Emphysema. Tickling cough as from dust or feather in throat. Cough; worse inspiration, playing on piano, eating. Sharp pains in chest going backwards. Purulent, loose, sweet, expectoration. Chest very sensitive to touch, percussion or pressure. Suffocative spells. Weak feeling in chest, cannot even speak. Ulcers or abscesses in the lungs. Habit cough.

Heart

*Weak. Palpitation, with feeling of coldness, with restless oppression of the chest.

Neck and Back:

Neck pains worse lifting. Pain in back as if sprained, can scarcely rise from his seat. Pain between shoulder blades impeding breathing. Nape of neck stiff and rigid. Cannot sit upright in the chair from weakness of back. Vertebrae; feel loose; painful on pressure.

Extremities

***COLD DAMP FEET; feel as if damp stockings were worn. Cold, clammy, hands; knees. Cramps in calves when stretching out leg, at night. Burning of soles. Soles raw. Arms; weak, lame. Hands numb, when grasping. Want of mobility of fingers. Creeping on the limbs like a mouse. Chapped hands. Clumsy, awkward, easily falls. Weakness of ankles in children, turn inward, while walking. Tired from short walk. Swelling of joints esp. knee. Weakness and trembling of limbs. Arthritic; nodosities; deformans.

Skin

Cold, like snake; flaccid; unhealthy. Small wounds do not heal readily. Psoriasis. Urticaria better in cool air. Visible quivering of skin from head to foot, followed by giddiness. Blood boils; recurring. Milk white spots. Petechial eruptions. Chilblains. ***COLDNESS; ***ICY, on *vertex. Cold spots on head or *coldness; of head, hands, knees, feet, of affected part.

Sleep

Sleepless from rush of ideas; some disagreeable idea always arouses from slight slumber. *Nightmares; children scream after midnight and cannot be pacified. Fearful and fantastic dreams. Horrible visions on closing eyes.

Fever

Chill with thirst. *Coldness; *icy in different parts of the body; of affected part. Internal heat with external coldness and sweat. Fever with sweat. Sweat cold; partial. Heat; at night, during menses.

Complementary

Bar-c; Lyc; Sil.

[Back to Index](#)

Generalities

This tissue salt relaxes the *Elastic Fibres; esp. of veins and glands. *Glands enlarge and ***BECOME STONY HARD. *Veins dilate and become varicose, inflamed. It disperses bony growths, osteo- sarcoma, *exostosis; after injury. Cephal-haematoma. *Deficient enamel of teeth . Removes the tendency to adhesions after operations. *Indurations of stony hardness; tonsils; tumours, neck, after injury; margins of ulcers etc., Aneurysm. Indurations threatening suppuration. Arteriosclerosis. *Fistula. *Cataract. *Discharges turn grass green. General stiffness. Weakness, in the morning. Feeling of fatigue all day. Numbness, in different parts. Threatened apoplexy. Sluggish temperament. Nails hypertrophied. X-Ray burns. Stinking pus. Periosteitis of lower jaw, ribs etc. Congenital syphilis manifesting itself in ulceration of mouth and throat. Nodes in breast.

Better

Continued motion. Warm applications. Heat. Rubbing.

Worse

*Beginning of motion. Cold; wet. Drafts; changing weather. Sprains.

Mind

Indecision. Groundless fear of financial loss. Fear of poverty.

Head

Cracking noise in head, disturbing sleep. Cephalhaematoma, of new born infants.

Eyes

Aching in eyes better closing and pressure. Sparks and flickering before the eyes. Phlyctenular keratitis. Subcutaneous palpebral cysts. Cataract. Cornea opaque, in spots.

Ears

Chronic otorrhoea. Calcareous deposit on tympanum.

Nose

Copious, yellowish, thick, lumpy, offensive discharge. Ozaena.

Face

Hard swelling on jaw bone. Hard swelling on the cheek, with pain or toothache. Small, hard, cold sores on lips.

Mouth

Gumboil, with hard swelling of the jaw. Teeth loose. Tongue; indurated, hard. Toothache, if any food touches the tooth. Periosteitis of lower jaw.

Throat

Tonsils *rough and ragged; forming plugs of mucus. Pain and burning better warm drinks.

Stomach

Vomiting; of infants of undigested food. Acute indigestion from fatigue and brain-fag; in over taxed children, Hiccough, when one hawks off mucus.

Abdomen

Flatulency; of pregnancy. Stools; gushing, watery of foetid odour. Bleeding piles; with pain in sacrum. Fissures. Fistula.

Male

Hydrocele. Testes indurated.

Female

Hard knots in mammae. Favours parturition.

Respiratory organs

Cough, with expectoration of tiny, tough yellow lumps. Hoarseness, after laughing or reading aloud. Difficulty in breathing as if epiglottis is nearly closed.

Heart

Fibroid deposits about the endocardium. Valvular disease.

Neck and Back

Goitre. lumbago; from strain, better motion and warmth. Backache after a long ride. Rachitic enlargement of femur in infants.

Extremities

Encysted tumours at the back of wrist. Bursitis. Chronic synovitis; of knee joint. Cold wrists and ankles. Swelling and indurations around tendons and joints. Recurrent fibroids in the hollow of the knee. Hip joint disease. Rice bodies in joints.

Skin

Cracked, dry, hard, and of alabaster whiteness. Birth marks. Ulcers with hard edges. Warty growths.

Sleep

Vivid dreams, with weeping. Jumps out of bed in a dream.

Related

Graph; Hekla.

Complementary

Rhus-t.

[Back to Index](#)

Generalities

Hypophosphate of Calcium is indicated in those persons who become pale, weak, with violent drenching sweat, rapidly emaciate, with extreme debility, on account of vital losses or continued abscesses having reduced the vitality. Emaciation of children.

Worse

Vital losses.

Mind

Excitable nervous and sleepless. Talks rapidly, and easily angered.

Ears

Frying or sizzling in ears.

Stomach

Ravenous hunger worse 2 hours after meals better when stomach is full. Loss of appetite.

Abdomen

Sore throbbing in spleen. Mesenteric tuberculosis. Diarrhoea; of phthisis.

Respiratory organs

Acute pain in chest. Cough; of phthisis. Bleeding from the lungs. Asthma. Bronchitis.

Heart

Angina Pectoris. Veins stand out like whip-cord.

Extremities

Habitually *cold extremities.

Skin

Exhausting night sweat. Acne pustulosa all over the body.

Sleep

Starts in sleep.

Related

Chin.

[Back to Index](#)

Generalities

It is usually used for induration of glands, suggested by its two components. It can be given in enlarged tonsils filled with little crypts. Thyroid enlargement about the time of puberty. Adenoids. Flabby children subject to colds. Discharges profuse and yellow. Indolent ulcers accompanying varicose veins. Headache while riding in cold winds. Indurated growth in mammae, movable, painful on pressure, and on movement on arm. Profuse sweat.

[Back to Index](#)

Generalities

This tissue remedy though resembles in many aspects *Calc. *Carb, it has its own characteristic symptoms. It affects the ***NUTRITION of bones and glands; bones become *soft, *thin and brittle; it promotes ossification of bones in non union of fractures. *Glands are swollen. It has a special affinity where bones form sutures or symphysis; pain, burning along sutures. Patients esp. children are delicate, *tall, *thin or scrawny; with dirty brownish skin. Anaemia, after acute diseases or chronic wasting diseases. Trembling or trembling hands; with pain or other complaints. *Coldness or soreness in *spots; *vertex, eyeballs, tip of nose, fingers etc. Sensation of *crawling and numbness; after bad news. Anaemic children who are peevish, flabby, have cold extremities and weak digestion; they start convulsively when lying on back better lying on side. They lose breath when they are lifted. Discharges are albuminous. Shifting pains. Arthritis. Rheumatism. Mal-assimilation. Rickets. Addison's disease. Ill effects of over-growth. Lifting. Overstudy. Sexual excess or irregularities. Grief. Disappointed love. Unpleasant news. Operations for fistula. Getting wet. Girls slow in maturing. Effects of taking cold during first menses. Slow ossification; non union of bones. Idiocy of children. Diabetes, with lung affections.

Better

In summer. Warm dry weather. *Lying down.

Worse

*Exposure to weather changes. Drafts. Cold; *melting snow. *Dentition. Mental exertion. *Loss of fluids. Puberty. Fruits, cider. Motion. Thinking of symptoms. Lifting. Ascending.

Mind

*Peevish, *restless and fretful. Forgetful. Always wants to go somewhere; when away from home, wants to go there and when there, wants to go some other place. Idiocy, agile cretinism.

Head

Ache; in occiput; down spine better cool bathing, or sneezing. Headache of *school children; with diarrhoea. Burning; worse near the *region of sutures. As if brain was pressed against skull. Delayed closure or reopening of fontanelles. Skull soft and thin, cracking like paper, worse at occiput. *Cold or sore vertex. Head hot, with smarting at the root of hair. As of ice in occiput. Depression on occipital bone. Hydrocephalus. Cannot hold the head up, it wobbles.

Eyes

Cool feeling behind the eyes. As if something in, worse thinking of it. Diffused opacity of cornea. Cannot use the eyes in gas light.

Ears

Sudden swelling of external ear. Cold feeling in; noises in after stools.

Nose

Tip icy cold. Polypi; large, pedunculated. Coryza, with salivation.

Face

Pale, yellowish, earthy; full of pimples. Cold sweat on face. Upper lip swollen.

Mouth

Retarded *dentition. Teeth; soft, decay easily. Complaints during teething; convulsions without fever. Teeth sensitive to chewing. Disgusting taste worse in morning; on awakening; bitter, with headache.

Throat

Sore aching in throat; feels hollow. Pain on opening the mouth. Tonsils enlarged. Adenoids growths.

Stomach

Infants want to nurse all the time and vomit easily. Craving for raw, salty, piquant food, ham, salted or smoked meat or bacon. Weak digestion; every bite hurts the stomach. Persistently vomits milk; of breast or other. Desire for tobacco smoke which better headache. Vomiting; while hawking mucus, with trembling hands.

Abdomen

Colic, at every attempt to eat; by taking ice cream, cold water or fruits. ***FLABBY SUNKEN abdomen. Oozing of bloody fluid from navel of infants. *Festering navel. Tendency to diarrhoea; from juicy fruits; during dentition. Stools; foul, hot, lenteric, spluttering, watery, green, slimy, undigested; with foetid flatus. As if something alive in. Fistula in ano, alternating with chest symptoms. Fissure of anus, in tall, slim children. Haemorrhoids, oozing watery fluid all the time.

Urinary Organs

Urine increased, with sensation of weakness. Pain in region of kidneys worse blowing nose or lifting. Pain in bladder worse when empty.

Male

Stitching in perineum extending to penis. Erections while riding in carriage, without desire. Weak feeling in sexual organs, after stools.

Female

Menses; early, scanty; every two weeks; excessive, bright; in girls; too late, with dark blood. Sexual desire increased; before menses, during lactation. Abnormal craving during pregnancy. Burning leucorrhoea; albuminous, from one term to another, follows pain in abdomen. Crawling; voluptuous in genitals. Prolapsus; in debilitated women; worse while passing urine or stool; with menses; with rheumatic pains. Child refuses breast; milk, tastes salty. Uterus; heavy, weak, or aching. Eruption worse during menses. Late menses, with violent backache. Tumours in mammae (left), male, painful on pressure. Mammae; sore, feel large.

Respiratory organs

Child loses breath on being lifted up. Cough better lying; during dentition. Involuntary sighing. Phthisis; with cavities; with night sweats; yellow expectoration. *Pain in chest from drafts. Must scrape mucus from larynx before one can sing or talk. Whooping cough, obstinate.

Heart

Dropsy from heart disease. Palpitation, with trembling weakness in calf.

Neck and Back

*Neck painful from drafts, Neck *weak, *thin; head bobs about. Curvature of the spine to the left. Violent pain worse least effort, screams, with pain. Sacrum numb and lame. Lumbar vertebrae bend to the left. Spina bifida. Pott's disease.

Extremities

Rheumatism in cold season. Fingers lips sore. As of a splinter under the nails. Buttocks numb. Weakness through the hips. Hip joint disease. Cold limbs with digestive troubles. Pain, burning along edges of nails. Hard bluish lumps in axillae. Trembling of arms and hands, with many complaints. Fistulous ulcers on ankle joint.

Sleep

Constant stretching and yawning. Children cry in sleep. Cannot get awake in early morning.

Skin

Dark, brown, yellow. Scars from amputation, ulcerate. Ulceration from mustard poultice.

Fever

Easily chilled. Chilly with pains. Chills up the back, but heat down the back. Sticky sickly sweat worse head and throat; at night.

Related

Carb-a; Chin; Ferr-p; Nat-m.

Complementary

Hep; Ruta.

[Back to Index](#)

Generalities

It is Dr. Schussler's ***CONNECTIVE TISSUE remedy. Affects *glands, *mucous membranes, bones and skin Torpid glandular swellings. Cystic tumours. Fibroids. *Tendency to suppuration, after pus has found its vent, comes within the range of this remedy. *Pus; is *thick, *yellow, lumpy, bloody. *Mucus discharges; *are yellow; *thick and lumpy. Recurrent or *running ***ABSCESSES. Ulcers; malignant, corneal, deep. Fistula. Pains are cutting. Poor reaction. Infants; with bloody coryza, diarrhoea or eczema. Burns and scalds after suppuration starts in. Malignant growth after ulceration has set in.

Better

*Open air. *Bathing. Eating. Heat (local). Uncovering.

Worse

*Drafts; Touch; Cold; wet. Heat of room.

Mind

Hurried. Despises those who do not agree with him. Grumbling, that his value is not understood by others. Sits, and meditates over imaginary misfortune.

Head

Scald head of children; with purulent yellow discharge.

Eyes

Conjunctivitis, with discharge of thick yellow matter. Red, itching tarsi.

Ears

Flow dark wax. Pimples around the ear. Otitis after a slap.

Nose

Bloody coryza; infants. Sneezing better open air.

Face

Pimples and pustules on the face.

Mouth

Tongue flabby. Taste soapy.

Abdomen

Diarrhoea; of children, with discharge of pus or bloody pus. Stools, coated white. Painful abscess about anus, in cases of fistula. Diarrhoea, after maple sugar.

Urinary Organs

Pyelitis. Chronic nephritis.

Female

Thick white leucorrhoea. Cutting pain in (right) ovary. Menses; late, long lasting.

Respiratory organs

Choking croup. Empyema.

Extremities

Foot sweat foul, cold. Burning, itching in soles.

Skin

*Unhealthy; cuts, wounds etc. *would not heal. Dry eczema worse in infants.

Sleep

Starts from sleep, as if wanting air.

Fever

Hectic fever caused by formation of pus. Averse to covers, when cold. Dry heat at night. Easy sweating worse coughing.

Related

Hep; Sil.

[Back to Index](#)

Generalities

It acts on ***MUSCLES; *spine, liver, and is a remarkable healing agent in open, torn, *cut, *lacerated, *ragged or *suppurating wounds; *pain is excessive, *and out of all proportion to the injury. Haemorrhages; in scalp wounds; after tooth extraction. Disposition to take cold. *Prevents pyemia. Sensitive to damp or open air. Cancer, as an intercurrent remedy. Application of sponge, saturated with hot solution of *Calendula, after delivery, gives the greatest comfort to the patient. Paralysis after apoplexy. Promotes healthy granulation and rapid healing by first instance. Prevents gangrene.

Better

Walking about or lying perfectly still.

Worse

Damp, cloudy, weather. During chill.

Mind

Extremely nervous, easily frightened, starts, with fright.

Head

Weight on brain.

Eyes

Blenorrhoea of lachrymal sac; yellow vision.

Ears

Hears best on a train and distant sounds. Hearing acute.

Nose

Coryza; in one nostril; with much green discharge.

Throat

Painful swelling of submaxillary gland worse on moving head.

Stomach

Heartburn, with horripilation. Nausea in chest. Hiccough, when smoking.

Abdomen

Epigastric distension. Stools curdy. Jaundice. Stretching and dragging in groins.

Male

Excoriation of prepuce after coition.

Female

Warts at os cervix; os lower than normal. Hypertrophied uterus. Menorrhagia. Profuse offensive discharge after forceps delivery.

Neck and Back

Bruised pain at angle of right scapula. Cold hands.

Skin

Yellow. Horripilation.

Fever

Coldness, great sensitiveness to open air. Shuddering in back, with warm skin. Heat in evening.

Related

Arn; Bell-p.

[Back to Index](#)

Generalities

Coldness, cramps and convulsions, with mental anguish are the marked features of *Camphor indications. Convulsions with blue lips, froth at mouth and lock-jaw. It is a remedy for sudden collapse, from over-powering influences acting on nervous centres. Patient becomes ***ICY COLD; ***YET HE IS AVERSE TO COVERS, or wants them off; and then on alternately with *internal burning heat and anxiousness. *Sudden; *weakness; fainting spells growing worse. Dry collapse, with little vomiting and purging; in cholera. *Tetanic spasms with showing of the teeth, with retraction of the lips, followed by stupor, with coldness. Trismus of new born. Chilly at the start of colds. *Scanty or retained discharges. *Very sensitive to cold air or taking cold. Suppressed eruptions. Awkwardness. Soft parts drawn in. Ill effects, of shock; from injury; operations, sunstroke. Vexation. Corrects spoiled cases and antidotes most of the medicines (specially Vegetable kingdom). ***DIGESTIVE TRACT; Cerebro-Spinal nerves, urinary organs and nose are prominently affected. Feeling of hot waves, during pain, with restlessness.

Better

*Free discharges. *Sweat. *Thinking of it. Drinking cold water.

Worse

*Cold; *drafts. *When half asleep. Mental exertion. Shock. ***SUPPRESSIONS. Inattention. Motion. Night.

Mind

*Insensibility, vanishing of all senses or anxiety. Awkwardness. Loss of memory. Delirium. Mania; religious, puerperal. Wants to jump out of bed or window. Does not like any one near him. Nothing satisfies him. Excited, talks constantly, scolds, in indecent language. Feeling that she is going to die, relieved, when she finds herself alive. Attacks of anguish at night. State of frenzy, hysterical; scratches; spits, bites, tears her clothes. Screams and calls for help. Closes her eyes and answers no questions.

Head

Feels knotted up. Occiput throbbing, synchronous with the pulse, better standing; when deprived of sexual intercourse. Fleeting stitches in temples and orbits. Head is drawn to one side (in spasms). Pains run from head to tip of fingers.

Eyes

Objects appear too bright; or move to one side with a jerk. Fixed, staring, turned upwards or outwards. Pupils dilated. Eyes protrude, with mania. Eyes deeply sunken.

Ears

Ear-lobes hot and red.

Nose

Cold and pinched. *Coryza; in old age. Inhaled air seems cold. Persistent epistaxis, with goose-flesh state of the skin.

Face

Haggard, pale, bluish, old, pinched. Pale and red by turns. Cold sweat. Upper lip retracted. Lockjaw. Distorted. Grimaces. Froth or foam at the mouth.

Mouth

Tongue, bluish. Cold, trembling. Speech; broken, feeble, hoarse. Cold breath. Boiling hot tea seems cold. Toothache better beer.

Stomach

Burning thirst. Burning; in stomach; in abdomen. Asiatic cholera. Little vomiting or purging; with dry collapse. Rice water stools. Vomiting in morning; bilious, sour.

Urinary Organs

Strangury. Haematuria. Retention.

Male

Sexual excitement. Satyriasis. Priapism, during dreams. Impotence.

Female

Sexual desire increased. Hot flushes with coldness of abdomen and limbs, at climax. Constantly bares her breasts; mania.

Respiratory organs

Asphyxia neonatorum. Hoarse, squeaking voice. Cold breath. Suspended respiration. Violent attacks of dry cough.

Heart

Pulse; weak, not perceptible, frequent, small. Palpitation after eating.

Extremities

Thumbs drawn backwards. Cramps in calves. Cracking in joints. Cold, numb, tingling. Feet cold, pains as if sprained.

Skin

Dry; livid, blue, *cold, cannot bear to be covered. *Erysipelas. All sequelae of measles.

Sleep

Insomnia with cold limbs. Very restless. Comatose sleep.

Fever

Shaking chill with *cold skin; wants covers during the hot stage only. Sudden inflammatory fevers, with rapid alternation of heat and cold; followed by rapid prostration. Heat or sweat better covers. Chilly; below scapula; before colds. Sweats when covered; body becomes cold, when uncovered.

Related

Carb-v; Cupr; Op; Sec.

Complementary
Canth.

[Back to Index](#)

Generalities

*Cannabis Indica is used as an intoxicant. It produces most marked effects on ***MIND and ***EMOTIONS; which are ***EXALTED INTENSELY, and in which ***CONCEPTIONS AND PERCEPTIONS ARE EXAGGERATED to the utmost degree. Patient experiences the most *wonderful hallucinations and imaginations; feels very happy and contented; or sometimes the hallucinations may be of agonizing terror and pain. Sense of proportion; or sense of time and space is lost. Mania of grandeur. Levitation. Gaiety; uncontrollable laughter. Violence. Delirium tremens. Feels weak and all gone to nothing. Exophthalmic goitre. Catalepsy. When ***URINARY AND SYMPTOMS *of acute gonorrhoea are most marked—*Cann. *sat. should be used in preferences to *Cann. *Ind. *Trickling sensation as if hot water were poured over him or *as if drops of cold water were falling; on head; from the anus, *from the heart found in *Cann. *sat. Paralysis, with tingling of the affected part.

Worse.

***URINATING (*Cann. *sat.). ***DARKNESS. *Exertion. Talking. Walking. Coffee. Liquor. Tobacco. Lying down and going upstairs (*Cann. *sat.).

Better

Fresh air. Cold water. Rest.

Mind

*Loquacity. Very forgetful cannot finish the sentence. Time seems too long. Distance seems immense. Craves light. Lectophobia; (*Cann. *sat.) fear of going to bed. Laughs immoderately; at serious remarks, or at mere trifles. Laughs and weeps. Ecstatic, heavenly. Hears; voices, bells, music. Fixed ideas, *extreme psychic mobility. Thinks everything is unreal. Clairvoyance. When he speaks it seems as though someone else is speaking. Moaning and crying.

Head

Violent headache; with hallucinations. *Vertex seems to open and shut, worse noise. Head seems separated from the body. Involuntary shaking of the head. Shocks through brain.

Eyes

Fixed gaze. Letters run together while reading. Weak vision. Sees objects outside of visual field. Opacity of cornea (*Cann. *sat.).

Ears

Noise like boiling water.

Face

Skin of the face seems tight. Dejected and careworn. Lips glued together. Chin drawn to sternum.

Mouth

*Grinding of teeth in sleep. Saliva; white, thick, frothy. Stammering and stuttering. Every article of food is extremely palatable. Aversion to meat of which she was fond (*Cann. *sat.).

Abdomen

As if something alive in abdomen. Sensation in anus as if sitting on a ball. Throbbing here and there.

Urinary Organs

Pain in kidney; while laughing. Must strain to urinate: has to wait for sometime before the urine flows; dribbles after flow ceases. ***SCANTY BURNING URINE PASSED DROP BY DROP; with pain going backwards (to bladder). Acute stage of gonorrhoea,—urethra sensitive; walks with legs apart (*Cann. *sat.). Nephritic colic. Irritable carbuncle.

Male

Swelled prepuce. Sexual desire increased. Priapism. Erections without amorous thoughts.

Female

Profuse menses; with violent uterine colic; with dysuria. Sexual desire increased in sterile women or with dysmenorrhoea. Threatened abortion; from too frequent sexual intercourse, or complicated with gonorrhoea. (*Cann. *sat.). Infantile leucorrhoea (*Cann. *sat.).

Respiratory organs

Humid asthma. Difficulty in breathing with palpitation better standing up (*Cann. *Sat.). Cannot control voice. Suffocative attacks.

Heart

Palpitation wakes him. Pulse slow. Sensation as if drops were falling from the heart (*Cann. *Sat.).

Neck and Back:

Pain across shoulder and spine, must stoop; cannot walk erect. Torticollis, chin drawn to the sternum.

Extremities

Pain in the limbs worse deep breathing. Entire paralysis of lower limbs. Contraction of fingers, after sprain (*Cann. *Sat.). Feels very exhausted after a short walk. As if bird's claws were clasp the knees. Dislocation of patella on going upstairs (*Cann. *Sat.).

Sleep

Dreams; erotic, of the dead. Sleepy but cannot sleep.

Related

Antidote: Apis.

[Back to Index](#)

General Symptoms

When ***URINARY AND SYMPTOMS of *acute gonorrhoea are most marked-Cann-s. should be used in preference to Cann-i. *Trickling sensation as if hot water were poured over him or *as if drops of cold water were falling, on head; from the anus, *from the heart. Paralysis, with tingling of the affected part.

Worse

***URINATING. Lying down and going upstairs.

Mind

Lectophobia.

Eyes

Opacity of cornea.

Mouth

Aversion to meat of which she was fond.

Urinary Organs

Pain in kidney; while laughing. Must strain to urinate; has to wait for some time before the urine flows; dribbles after flow ceases. ***SCANTY BURNING URINE PASSED DROP BY DROP; with pain going backwards (to bladder). Acute stage of gonorrhoea, _urethra sensitive, walks with legs apart.

Female

Threatened abortion; from too frequent sexual intercourse, or complicated with gonorrhoea. Infantile leucorrhoea.

Respiratory organs

Difficulty in breathing with palpitation better standing up.

Heart

Sensation as if drops were falling from the heart.

Extremities

Contraction of fingers, after sprain. Dislocation of patella on going upstairs.

[Back to Index](#)

Generalities

Commonly known as Spanish fly, attacks ***THE URINARY AND SEXUAL ORGANS; perverting their function, and setting violent inflammation, causing frenzied delirium. Its action is *rapid and intense. ***INFLAMMATIONS ARE VIOLENTLY ACUTE, or *rapidly destructive; in the mucous and serous membranes. ***PAINS ARE CUTTING, SMARTING OR BURNING-BITING or *as if raw, causing mental excitement. Discharges are bloody, acrid, watery, tenacious. Sudden attacks of weakness that takes the voice away. Serous effusions. Nephritis; acute parenchymatous. Expels moles, dead foetus, placenta; promotes fecundity. Hemiplegia of (right) side, with aphasia. In any condition when the urine is scanty, cutting and burning *Canth. should be considered. Convulsions, with dysuria and hydrophobic symptoms. Excitement, during pains. Valuable remedy for *burns and scalds*. Painful urination, as a concomitant in any diseased condition.

Better

Warmth. Rest. Rubbing.

Worse

***URINATING. *Drinking; *cold. *Bright objects. *Sound of water. Touch esp. larynx. Coffee.

Mind

Amorous frenzy. Acute mania; of sexual type. Excessive sexual desire; not better by coition. Paroxysms of rage with crying, barking, biting and worse by bright objects; by touching the larynx, drinking cold water. Sudden loss of consciousness, with red face, (dentition). Constantly attempts to do something but accomplishes nothing. Sings lewd songs. Prattles about genitals, urine, faeces. Insolent, contradictory mood.

Head

Sensation of burning or as of boiling water in brain. Head heavy; aches from bathing or washing. Hair falls when combing.

Eyes

Objects look yellow. Fiery sparkling, staring look.

Ears

Sensation as if wind were coming from ear or hot air.

Face

Pale wretched, death-like. Expression of extreme suffering, terror or despair. Hot and red. Itching vesicles on face. Jaws tightly closed; acute mania.

Mouth

Grinding of the teeth, with lock-jaw. Burning in mouth, pharynx and throat. Swelled *tremulous tongue; *edges raw. Saliva disgustingly sweet.

Throat

As if on *fire. Painfully constricted; great difficulty in swallowing liquids. Full of blisters.

Stomach

*Burning thirst; but aversion to all fluids. Violent retching and vomiting. Sensitiveness over stomach; slightest pressure produces convulsions. Aggravation from drinking coffee, even in small quantity. Aversion to everything.

Abdomen

Violent burning pain through the whole intestinal tract; with painful sensitiveness to touch. ***SHREDDY BURNING STOOLS, *with tenesmus of rectum and bladder, with shuddering after stools. Dysentery or diarrhoea, with dysuria. Cutting in rectum partially better by flatus, entirely by stools. Constipation, with retention of urine. Desire for stool while urinating.

Urinary Organs

*Kidney region very sensitive. ***URINE; ***BURNING, SCALDING; ***WITH CUTTING INTOLERABLE URGING, AND FEARFUL TENESMUS OR DRIBBLING. *Strangury. Dysuria. Bloody urine. Gripping in bladder. Acute nephritis; nephritic colic; cystitis. Dropsy. Renal colic better somewhat by pressure on glans penis. Atony of bladder, from long retention of urine.

Male

Painful swelling of genitals. Priapism. Pulls at penis. *Sexual desire increased not better by coitus. Bloody semen. Pollutions. Gonorrhoea. Burning in urethra, after coition.

Female

Nymphomania. Cutting burning in ovaries; ovaritis. Menses, too early; too profuse, blood black or scanty. Breasts painful, with dysuria. Expels moles, dead foetus and placenta. Pruritus, with strong sexual desire; at climax. leucorrhoea, with sexual excitement, causing itching and masturbation.

Respiratory organs

Voice hoarse, feeble. Tenacious mucus in air passages. Short dry coughing spells. Pleurisy with exudation. Chest pains better eructations. Burning in chest. Stitches at sternum.

Heart

Tendency to syncope. Pericarditis with effusion. Pulse; feeble, irregular.

Neck and Back:

Emprosthotonos and opisthotonos. Pain in loins with frequent desire to urinate.

Extremities

Knees totter when ascending steps. Ulcerative pain in soles, cannot step.

Skin

Vesicular eruptions; turning black; with burning and itching. Erysipelas; vesicular. Burns and scalds, better cold water. Tendency to gangrene. Eruptions burn when touched.

Fever

Chilly; as if cold water poured over him; during stool. Hands and feet cold. Urinous sweat; on genitals.

Related

Apis; Ars; Merc-c.

Complementary

Apis.

[Back to Index](#)

Generalities

It acts with great intensity on the *Mucous membranes; and also on the bones esp. *Mastoid. Mucous membranes, become dark, red, spongy or ooze bloody mucus. Pains are ***BURNING-SMARTING, pungent or *strangling, *thread like, worse by cold water. Sensation of ***SORENESS and constriction. It seems suitable to those persons who are of *lax fibres, weak, *lazy, indolent, *fat, *red, *clumsy, *awkward and *of unclean habits. Such persons are opposed to physical exertion, averse to go outside of their routine and get *home sick easily. Old people who have exhausted their vitality esp., by mental work and poor living. Persons *react poorly and are *afraid of cold. Abstainers from accustomed alcoholics. Discharges are foul. Myalgia. Neuralgia. Deep abscesses. The circulation is sluggish and parts pinched remain in raised position for a long time. *Shuddering, during pain or drinking.

Better

Continued motion. Heat. While eating.

Worse

***SLIGHT DRAUGHT; *even warm. ***COLD AIR; water. Uncovering. Dampness. Bathing. Empty swallowing. *Drinking; worse throat or excited urination. After eating. Drunkards.

Mind

Capricious and changeable mood. *Homesick with red face and sleeplessness, and disposition to suicide. Peevish, irritable, angry, easily offended. Clumsy. Awkward; runs into everything. Refractory esp. children. Dipsomania. Jocular and sings, yet at slightest cause gets angry. Always on the look out for insults. If she wants a certain thing, she will oppose, if proposed by someone else. Laughs and weeps alternately.

Head

Bursting headache worse coughing; better heat; movement, lying with head high.

Eyes

Objects appear black. Eyes prominent; with burning and lachrymation; during cough.

Ears

Affected alternately. Swelling and pain behind the ears. Mastoiditis. Tenderness over petrous bones. Hot ears. Otalgia; then deafness. Affections of ears during pregnancy. Tympanum perforated.

Nose

***RED BUT COLD; tip very hot. Nosebleed in the morning; in bed.

Face

***RED, BUT COLD or pale and red alternately. Pain in fine line coursing along the nerve. Lips; swollen, cracked, burning.

Mouth

Vesicles or flat painful aphthae. Stomatitis. Foetid odour from the mouth. ***TONGUE GREENISH AT BASE. Gums; hot, spongy, retracted. *Burning-smarting at the tip of tongue. Saliva increased. Taste; foul, like putrid water; sour to food.

Throat

*Burning smarting in throat. Constriction of throat with urging to swallow. Sore throat of smokers and drinkers. Pain and dryness extending to ears. *Uvula; *swelled; elongated, with sensation as if it were pressing on something hard. Hot, pungent air comes up from the throat, tasting foul when coughing. Pains when coughing. Paralytic dysphagia.

Stomach

Craves stimulating, pungent things; wants a bracer. Much thirst but drinking causes shuddering. Water brash. *Acid dyspepsia; burning or trembling in stomach, or icy coldness, or as if cold water. Desire for coffee, but it nauseates. Vegetables cause flatulence.

Abdomen

Flatulent colic. Colic about umbilicus with mucous stools. Small, hot, burning, bloody, mucus stools; with tenesmus of rectum and bladder, then thirst *worse drinking Burning piles; bleeding, with soreness in anus. Dysentery. Violent pulsations of arteries in abdomen. Mucous diarrhoea.

Urinary Organs

Frequent almost ineffectual urging to urinate. Strangury. Burning orifice. Urine comes first in drops, then in spurts. Thick white creamy discharge from urethra; gonorrhoea. Drinking excites urination and stool. Meatus everted.

Male

Scrotum cold, and shrivelled. Atrophy, softening of testes, with loss of sensibility; spermatic cord shrivelled. Excessive burning pain in prostate; gonorrhea. Trembling of the whole body during amorous caresses. Prepuce swollen. Cramps in testes; after emission.

Female

Climacteric disturbances, with burning of tip of tongue. Pushing or sticking sensation in ovarian (left) region, with disorders of menses. Menorrhagia, with nausea.

Respiratory organs

Wants to take deep breath, thinking that it would relieve all her symptoms. *Cough causes distant pains; in bladder, ear, legs etc.; or raises foul air, better drinking cold water. Too weak to cough out expectoration. Constriction of chest arrests breathing. Hoarseness, in singers and preachers. Asthma with redness of face, worse ascending. Ribs seem dislocated. Gangrene, of lung.

Neck and Back:

Lumbar pain after stools. Pain in sacrum with piles and dysentery. Pain in the back while drinking water. Sensation as if cold water dropping down back.

Extremities

Joints crack; stiff; painful on beginning to move; pain as if paralysed. Pain from hips to feet worse coughing. Sciatica worse bending backwards and *coughing. Leg (left) atrophied, with violent pain. Staggers when walking.

Skin

Burning. Bloated, flabby.

Sleep

Sleeplessness; from emotions; from homesickness or from cough. Sleepy after meals. As if falling from a height during sleep. Yawning by day.

Fever

*Chilly, *with the pains. Chill begins in back with violent thirst, but *shivers from every drink; with excruciating backache. Chill alternating with heat; mounting to head; then sweat. Coldness of affected part. Sweats easily. Cold sweat on thighs. Fevers; after emotions; with homesickness.

Related

Canth.

Complementary

Nat-m.

[Back to Index](#)

Generalities

*Carb-an. or animal charcoal is made from charred ox-hide; it contains *Calc-p. in small quantity. It is suitable to *old persons of feeble constitution or to those persons whose vitality becomes low on account of some serious, or deep seated diseased condition, or loss of fluids. *Patients are susceptible to colds and easy sprains. *They are over affected by small vital losses. On account of venous stasis, *the skin becomes blue. *Glands enlarge, slowly and painfully, and become indurated burning like fire. Tendency to malignancy. Ulcerations, decompositions. *Discharges are acrid and foul. Sensations; of looseness; crawling as of bugs. Gummae. Neglected buboes. Weakness of nursing women, they weep while eating, unable to walk even across the room. Stitch remaining after pleurisy. Haemorrhages. Copper coloured eruptions. Slow, *hard, *painful processes. More deep- acting than *Carbo-veg. Ill effects of eating spoiled fish or decayed vegetables.

Better

Laying hand on affected part.

Worse

*Slight causes; small losses of vital fluids, sprains, lifting. Taking cold. *Dry, *cold air. After menses. Shaving. ***EATING; while.

Mind

*Whining. Desire to be alone. Sad and reflective. Avoids conversation. Weeps during meals. Easily frightened. Homesick. Fear of the dark, worse closing eyes.

Head

Brain feels loose worse motion and coughing. As if skull had been split or blown to pieces; must press it with both hands, better eating. Throbbing headache after menses. Vertigo followed by nosebleed. Vertigo; after shaving, better reeling.

Eyes

Pains down through (right) eyeball. Sensation as if something lay above eyes, so that she could not look up. As if eyeball were loose in the socket. Objects seem to be far off. Dimness of vision when reading, better rubbing eyes. Senile cataract.

Ears

Does not know from what direction the sound comes. Ringing in ears, when blowing the nose. Parotid gland swollen. Lancinating pain. Otorrhoea, with swelling of mastoid.

Nose

Hard, red, swelled, hot, with itching pimples and desquamation. Brown stripe across the nose. Hard, bluish tumours on tip of nose. Fluent coryza; with loss of smell; with yawning and sneezing.

Face

Bluish cheeks and lips. Copper coloured eruptions. Acne. Large number of pimples.

Mouth

Knotty indurations in the tongue. Bites cheeks while eating. Teeth loose worse chewing and least cold. Toothache better eating salty things.

Throat

Raw feeling like heartburn better eating.

Stomach

Eating causes fatigue. Saltish water runs from the mouth. Retching; vomiting; hiccough; cancer. Faint gone feeling in stomach not better by eating; in suckling women. All food distresses the stomach. Nausea from smoking, which causes aversion to tobacco. Digestion weak. Nausea worse at night; of pregnancy. Sensation of coldness around the stomach better rubbing and pressure.

Abdomen

Great distension; after operation. As of a hard body in groin (left) worse sitting better pressure and passing flatus. Neglected bubo. Anus sore. Moisture; oozing from anus; and on perineum. Feeling of coldness rising into the throat. Induration of pancreas.

Male

Syphilis. Bubo.

Female

Menses; dark, clotted, putrid, flow in morning only; followed by great exhaustion; so weak can hardly speak. Right ovary seems a heavy ball. Leucorrhoea; watery; burning, biting. worse walking or standing; stains linen yellow. Cancer uteri; burning pain down thighs; pelvic bones pain on sitting. Indurated os, with burning. Darting pains in mammae, while nursing, arresting breathing. Painful induration in breast (right). Hard painful nodes in breast. Uterine haemorrhage, with affections of glands. Lochia; long lasting, thin offensive, with numb limbs.

Respiratory organs

Suffocation on closing eyes. Nervous dyspnoea. Ulceration of lungs, with feeling of coldness in lungs. Cough with discharge of greenish pus. Stitch remaining after pleurisy. Sputum, dark, brown tough, syrup-like.

Heart

Palpitation when hearing singing in church, or in public places. Coldness in precordial region, with horripilation.

Neck and Back:

Coccyx feels bruised, burns when touched worse sitting or lying. Coldness and aching in lumbar region, with cough.

Extremities

Axillary glands, swollen; indurated. Ankles turn easily. Hands numb, with chest affections. Joints weak, easy dislocation.

Skin

*Bluish; affected part. Spongy ulcers. Copper coloured eruptions. Unsightly scars from eruptions.

Sleep

Full of vivid fancies; Talks, groans, sheds tears in sleep.

Fever

Surging or hot flushes. Sweat; foul, exhausting, at night, *staining yellow.

Related

Calc-f; Graph.

Complementary

Calc-p.

[Back to Index](#)

Generalities

*Carbo-veg, or charcoal, is itself a product of imperfect oxidation; therefore imperfect oxidation and disintegration is the key note of this remedy. It contains small quantity of *Kali-carb. Its deodorant, disinfectant and antiseptic properties are more enhanced in potencies. It acts upon the ***VENOUS CIRCULATION, esp. capillaries, where blood seems to stagnate, causing blueness, coldness and ecchymoses. *Vital power becomes low from loss of vital fluids; *from grave or serious diseases; *from effects of drug and disease or from obstinate complications. It is suitable to atonic conditions where *there is lack of reaction. The typical *Carbo-veg. patient is fat, sluggish, lazy and has a tendency to chronicity of complaints. Complaints of old people. Persons who have never fully recovered from the effects of some previous illness. State of collapse; in cholera, typhoid, or other grave diseases, when the patient is almost lifeless, cold body, breath cold, pulse imperceptible, respiration quickened, must be fanned very hard, *but head remains hot. ***HAEMORRHAGE; blood dark, oozing, from shock, after surgical operations, persistent for hours or days. Numbness, of parts lain on. *Burning, *sense of weight or heavy aching in bones, ulcers etc. ***WEAKNESS, FLATULENCE, FOETOR OR AIR HUNGER, are present with most of the complaints. *Tremulous. Always ***WEAK, SICK AND EXHAUSTED; but those states may occur suddenly. Fainting fits. *Thick acrid discharges. *Cold; *but wants air to be fanned, or thirst for cold water. ***BLUENESS and *decomposition. Septic conditions. *Sensation of overfullness. *Venous stasis. *Ulcerations, aphthous. General bruised soreness, old catarrhs. School girls and boys are sluggish, slow to learn, suffer from night terrors, will not sleep alone or go to bed in the dark. Lack of reaction; after some violent attack, violent shock, violent suffering. Never well since. Lymphatic glands; swollen; indurated or suppurating. Gangrene, humid, senile.

Better

***ERUCTIONS. *Cool air. *From fanning. Elevating feet.

Worse

***WARMTH. ***DEPLETIONS. *Cooling off ***EXHAUSTING DISEASES. ***HIGH LIVING; ***RICH FOOD; decayed food; poultry. ***DISSIPATION. Overlifting. Walking in open air. Pressure of clothes. Weather; extremes of temperature, cold night air, frosty, humid, wind on head. Suppressions. Old age. Reading aloud. Singing. Icy drinks.

Mind

Slow thinking. Indolent. Anxious. *Irritable. Dejected. Unhappy. Indifference, hears everything without pleasure or pain. Aversion to darkness. Fear of ghosts. Sudden loss of memory. Sluggish, stupid, lazy. Easily frightened or startled.

Head

Dull, compressive, heavy headache; worse occiput; worse overheating, lying or pressure of hat, over-indulgence. Vertigo, with nausea and tinnitus. Scalp itches when warm in bed. Hair; sore, falls off easily, in handfuls, after severe illness, after parturition. Cold sweat on forehead. Head hot; with cold extremities. Takes cold in head easily.

Eyes

As of heavy weight on eyes. Haemorrhages from eyes with congestion to head. Vision of floating black spots. Burning in eyes. Muscles of eyes pain when looking up. Pupils do not react to light.

Ears

Something heavy seems to lie before the ears. Deafness or otorrhoea, following exanthemata. Deficient or badly smelling yellow wax. Mumps, with metastases.

Nose

Sneezing from irritation in larynx; worse blowing nose. Ineffectual effort to sneeze. Epistaxis in daily attacks, with pale face. Descending colds. Red. Nose cold; hay asthma. Frequent sneezing, much coryza. Sneezing worse sneezing.

Face

***PINCHED, HIPPOCRATIC or *dusky. Face cold, with cold sweat. *Twitching upper lip, Brown or blackish looking, cracked lips. Great paleness of face.

Mouth

Breath cold. Tongue; cold, black; swollen, covered with white yellow-brown mucus. Aphthae; bluish, blackish ulcers, with burning. Loose teeth. Scorbutic gums. Blood oozes from gums when cleaning teeth. Pyorrhoea. Taste bitter, sour. Bad smell from. Increased saliva. Gums painful while chewing. Gums black. Teeth pain while eating hot or cold things.

Throat

Sensation as if closed. Aphthous, sore. Hawking of bloody black mucus. Painful on swallowing food.

Stomach

Digestion slow, food turns to gas. Aversion to meat, to fat things, to milk which causes flatulence. Loathes even the thought of food. Desire for salty-sour things or sweet things, coffee. Nausea in the morning. ***ERUCTATIONS; ***RANCID; *loud; *without better; with cough. Heaviness, fulness and sleepiness after food. Contractive pain extending to chest. Burning in stomach extending to back along spine, with coldness. Gastralgia of nursing women. Dyspepsia. Aversion to most digestible and the best kind of food. Vomiting of blood; ulcers, cancer.

Abdomen

***EXCESSIVE FLATULENCE; greatly distending the abdomen, esp. *upper part worse lying down. Obstructed flatulence, with complaints arising from. The simplest or smallest portion of food worse the sufferings in abdomen. Colic forcing the patient to bend double. Epigastric region very tender. Pain in the liver. Cannot bear tight clothing around the waist. Abdomen feels as if hanging down; walks bent. Burning in rectum. Itching in anus. Flatus; hot, moist, offensive. Acrid moisture from rectum. Moisture on perineum. Bluish, white, burning piles, pain after stools. Colic brought on by riding in cars, better passing flatus. Painful diarrhoea of old people. Stools; putrid; ineffectual urging; even soft passed with difficulty. Faeces escape with flatus. Jaundice; from over eating or eating too rich food.

Urinary Organs

Albumin in the urine. Nephritis; septic or from alcohol. Urine- copious of clear yellow colour or thickish and whitish_ diabetes. Wetting the bed at night. Urine; suppressed in cholera; and retained from standing on cold pavements.

Male

Seminal discharge too soon, during coitus, followed by roaring in head. Discharge of prostatic fluid, while straining at stool. Itching and moisture at thighs near scrotum. Swelling of testes from metastasis of mumps.

Female

Menorrhagia, burning across sacrum, passive flow. Sore, hot, itching, swelled, vulva. Leucorrhoea; thick, greenish, milky, causing itching and burning, worse before menses. Lumps in mammae, with indurations of axillary glands. Mammae; hard, swollen, with impending abscess. Feels at her best when she has a free leucorrhoea. Menses too early. Varices on pudendum and vulva, with burning, bluish ulcers. Prostration after suckling. Vaginal fistula, burning pains.

Respiratory organs

Voice hoarse in the evening. Cough, with itching in larynx. Attacks of tormenting hollow or choking cough, with headache and vomiting and burning in chest worse cold drinks and in bed. Roughness in larynx, with deep rough voice. Expectoration, with retching. Whooping cough; with bluish face and its complications. Heavy sore or weak chest; on awakening. Breathing, laborious, quick and short, worse walking. Asthma; in aged with blue skin; better summer. Cheyne-Stokes breathing in organic heart disease. Wants to take a deep breath. Burning in chest; with haemoptysis. Brown yellow spots on chest. Destructive lung diseases. Sore ribs. Expectoration; thick, sticky, yellowish and profuse.

Heart

Continuous anxious palpitation; worse eating, sitting. Pulse; thread like, weak and small, intermittent. Burning around the heart. Pulsation throughout the body.

Neck and Back:

Severe pain in small of back, with a sensation of a plug; unable to sit down; had to put a pillow under it when lying. Burning behind shoulder.

Extremities

Heavy stiff, feel paralysed. Numb when lying on them. Paralytic weakness of the wrists and of the fingers, when seizing anything. Arms weary when writing. Cramps in soles. Feet numb and sweaty. Cold from knees down. Senile gangrene of fingers and toes, with fiery burning vesicles, oozing bloody water. Foul foot sweat, worse walking.

Sleep

Horror during sleep. Awakes often, from cold limbs esp. cold knees. Unrefreshing. Comatose sleep, with rattling in throat. Frequent yawning and stretching which seems to better.

Fever

Alternate chill and heat. ***ICY COLDNESS; unilateral; of tongue, *knees; legs; foot, at night. Warm head and cold limbs. *Internal burning heat; at heart, chest; with cold icy skin and cold sweat. Sweats easily. Sweat sour, cold worse coughing; on face. Yellow fever.

Skin

Raw, mottled, blue, cold, ecchymosed. Ulcers; foul, burning and bleeding. Varicose ulcers. Carbuncles. Senile gangrene beginning in toes. Bed sores, bleed easily. Varicose veins during pregnancy. Wounds heal and break out again. Burning in various places. Blue colour. Fine moist rash with burning. Ulcers; varicose, easily bleeding, pus smelling like Asafoetida; heal and break out again.

Related

Amm-c; Ars; Colch; Graph; Lyc.

Complementary

*Ars; *Chin; *Kali-c; Lach; Phos.

[Back to Index](#)

Generalities

*Carbolic Acid, is a powerful antiseptic, irritant and anaesthetic. It affects the *mucous membranes; *heart; *blood and respiration. It is a *languid, *painless, *foul and destructive remedy. ***PROSTRATION *is very marked; even paralytic, with loss of sensation and motion. Discharges are *foul, *burning. Terrible pains coming and going suddenly. Acuteness of smell is a strong guiding symptom. Pricking, burning sensation. Malignant and *septic conditions. Physical exertion brings on abscess somewhere. In cholera when *Verat-alb is indicated but fails. Collapse. Bloody exudations. Unfit for study, as reading **worse** all symptoms. Trembling; uncertain, staggering walk.

Worse

Jar. Reading. Pregnancy. Combing hair.

Mind

Mental and bodily languor, disinclination to study or to do any physical work.

Head

Tight feeling as if compressed by a rubber band better green tea and smoking. As of a hot ball in forehead. Scalp tender. Headaches appearing at the time of menses.

Eyes

Severe orbital neuralgia over right eye.

Nose

Smell very acute. Ozaena with great foetor and ulceration.

Face

***PALE ABOUT NOSE AND MOUTH. Dusky face.

Mouth

*Intensely foul breath, with constipation. Burning in mouth to stomach.

Throat

Glazed. Uvula whitened and shrivelled. Diphtheria _foetid breath, regurgitation on swallowing liquids, but little pain.

Stomach

Nausea and vomiting; of pregnancy, sea sickness, cancer, dark, olive green. Heartburn. Sore stomach. Fermentative dyspepsia with bad breath and taste. Craving for stimulants or for smoking.

Abdomen

Flatulence. Constipation with retraction of abdomen. *Shreddy stools. Passes mucus from anus while urinating. Diarrhoea; rice water, foetid.

Urinary organs

Urine, scanty, green or dark, almost black. Frequent urination at night in old men. Diabetes. Albuminuria.

Female

Leucorrhoea; thick, causing itching. Severe backache across loins, with dragging down thighs; uterine displacement. Foetid acrid discharges; erosion of cervix.

Heart

*Thready pulse.

Back and Neck

Aching between scapulae.

Skin

Burning, itching vesicles and pustules. Burns tend to ulcerate. Erysipelas. Bloody vesicles or pustules.

Sleep

*Very sleepy.

Fever

Profuse cold sweat.

Related

Kreos.

[Back to Index](#)

Generalities

It has a specific affinity for eyes. It is useful for loss of vision; progressive, with central scotoma. Colour-blindness_red and green, not for white. Ill effects of coal gas.

[Back to Index](#)

Generalities

A nosode prepared from Carcinoma is claimed to act favourably, modifying the cases in which there is a history of carcinoma or the disease itself exists. Can be used as an intercurrent remedy along with indicated.

[Back to Index](#)

Generalities

It is primarily a *liver and spleen remedy and for haemorrhages due to the affections of those organs, which gives relief. It acts on veins causing blood stasis, varicose veins and ulcers. Diseases of miners associated with difficult breathing. Dropsical conditions depending upon portal congestion and congestion of pelvic organs. Abuse of beer. Debility, fatigue; worse eating and riding, with frequent yawning. Stitching, drawing, burning pains. Liver affections associated with lung affections.

Worse

Lying on left side. Beer. Eating. Touch. Motion. Cellars.

Better

Bleeding.

Mind

Forgets what he has just intended to do. Hypochondriacal. Despondent. Joyless.

Head

Dull frontal headache. Vertigo with tendency to fall forward better by nosebleed.

Eyes

Burning and pressure in eyeballs.

Nose

Epistaxis, habitual in psoric young persons.

Face

Earthy, yellowish grey or florid. Weak upper lip.

Mouth

Tongue has white centre, with red indented edges. Tongue weak. Taste bitter.

Stomach

Poor appetite. Nausea, retching and *vomiting of green acid fluid, or blood. Aversion to salted meat.

Abdomen

*Liver, *engorged, swelled laterally painful to pressure; Jaundice. Stitches near splenic region worse on inspiration, on stooping. Stitches in liver worse lying on left side. Liver affections cause lung diseases, causing haemoptysis. Gall stones. Cirrhosis, with dropsy. Distension of abdomen with rumbling. Diaphragm high. Hard, difficult, knotty, *clayey stools. Haemorrhagic piles. Profuse diarrhoea due to rectal cancer. Melaen. Sensation of motion in intestines on expiration, around navel.

Urinary organs

Urine; turbid; *golden yellow.

Female

Chronic uterine haemorrhage, with portal derangement.

Respiratory organs

*Pain in chest going to shoulders, back, loins and abdomen, with urging to urinate. Asthmatic respiration. Cough; with stitches in sides of chest, with bloody sputum.

Extremities

Pain in hip joint spreading through buttocks down the thighs, worse stooping, with difficult rising. Feet weak; on sitting. Drawing pain in entire back.

Fever

Chill and fever, with jaundice.

Skin

*Broken or hard thrombosed veins. Varicose ulcers.

Related

Calc; Sang.

[Back to Index](#)

Generalities

Triturations are made from the scales of Rudimentary Thumb- nail of the horse. It acts on skin_causing its thickening, on nails, which become brittle and fall off. Bones esp. tibiae and coccyx_are painful. It is a highly useful remedy in cracked and ulcerated nipples of nursing women, excessively tender, cannot bear touch of clothing. Breasts swollen, sensitive worse descending stairs. Itching in breast, areola reddened. Nipples almost hanging. Warts on forehead and mammae. Psoriasis of tongue.

[Back to Index](#)

Generalities

Tincture prepared from the secretion found in preputial sacs of beaver. It is suitable to *nervous, hysterical women, with cramps, pains, weakness after severe illness. Nervous women who do not recover fully, but are continually irritable, and suffer from debilitating sweats. *Weak and lack of reaction. Reflex uterine effects; nervous and spasmodic. Fibrillar twitchings. Heaviness of the whole body. Yawning continuous. Chorea. Epilepsy. Nervous palpitation.

Worse

Emotions. Cold. During menses. Debilitating diseases.

Better

Pressure.

Mind

*Irritability. Easily sheds tears. Melancholic and full of anxious longings.

Eyes

Day blindness. Cannot endure the light.

Mouth

Tongue; swollen; twitching. Round pea-like elevation in centre of tongue, with redness around. Tongue sensitive to touch or food, with drawing pain towards hyoid bone.

Abdomen

Colic or other abdominal complaints are accompanied with yawning. *Colic with weakness better pressure. Summer diarrhoea with green mucus stools. Violent thirst, could not drink enough.

Female

Violent cutting dysmenorrhoeal colic, with few drops of blood, then cold sweat. Amenorrhoea, with painful tympanites.

Sleep

Constant yawning as accompanied symptom. Restless sleep with frightful dreams and starts. Yawns in sleep.

Fever

Chilliness with icy coldness in back. Exhausting sweats, after fevers.

Related

Mosch; Valer.

[Back to Index](#)

Generalities

It is a woman's, as well as rheumatic remedy esp. acting on small joints. It causes ***ERRATIC PAINS flying about from place to place, *drawing, cramping, shooting, *rheumatic in character; ending in neck which gets stiff. Many of the complaints are due to uterine disorders. *Internal tremors, with weakness. Want of tonicity in womb. Hysterical or epileptiform spasms at puberty, during dysmenorrhoea. Paraplegia, after child birth. *Exhaustion. General debility. Chorea at puberty.

Mind

Fretful and fearsome. *Nervous. Excitable. Easily displeased.

Head

Aches from uterine or spinal troubles, with pressure behind the eyes worse stooping, from light, from noon to night.

Face

Moth spots; on forehead, with leucorrhoea. Heavy upper lid has to raise them with fingers; leucorrhoea.

Mouth

Aphthae. Thrush_(locally and internally).

Stomach

Frequent gulping of sour, bitter fluid, with vertigo. Vomiting of uterine origin.

Female

Violent, intermittent cramping pains, with little flow; dysmenorrhoea_uterus retroverted. ***LABOUR LIKE PAINS, ***FLY ABOUT to breast. In labour, the pains are ***WEAK OR IRREGULAR, they cease from exhaustion or they are too painful; *false labour pains. *Eases labour, when the patient is exhausted from a long continuance of labour. *Habitual abortions; from want of tonicity of uterus. After pains; after protracted and exhausting labour. Os rigid, needle-like pains in cervix. Profuse acrid leucorrhoea; often in little girls. Menses late. Irritable vagina, spasmodic intense pains. Menorrhagia; after hasty labour, flow very profuse. Lochia, profuse and prolonged.

Neck and Back:

Stiff. Head drawn to left.

Extremities

*Sore nodes on finger joints. *Rheumatism of small joints*. Cutting pain in fingers joints on closing hands. Aching sore lower limbs, before menses. Paraplegia after child birth.

Fever

As if overfull of blood. High fever.

Skin

*Chloasma; on neck.

Worse

Pregnancy. Suppressed menses. Open air. Coffee.

Related

Cimic; *Pul; *Sep.

[Back to Index](#)

Generalities

The chemical composition of *Causticum is still uncertain though it is considered to be potassium hydrate or Caustic potash. It is a great polychrest remedy, acting upon ***NERVES, *motor and sensory and on ***MUSCLES voluntary and involuntary; of ***BLADDER, *larynx and limbs. *Weakness; progressive; loss of muscular strength, causing increasing uncertainty of control over the muscles, finally ending in ***PARALYSIS; *of single organs or parts. Paralysis; from exposure to cold; post-diphtheritic; from lead. Chronic rheumatic affections cause contraction of tendons and deformities about the joints. Pains are tearing, drawing, *burning, of the part grasped by hand. *Soreness, *rawness. *Trembling, convulsions, chorea, in nervous girls worse during menses. Sympathetic jerkings, twitching, startings and restlessness are other characteristic symptoms. Cramps here and there. Emaciation; due to disease, fright, worry, grief, and of long lasting illness. Children are slow in learning to talk and walk. Anaesthesia. Epilepsy, runs in circle, then falls down; at puberty. Patient is susceptible to both cold and heat. Joints stiff. It is adapted to broken down, worn out senile persons or to dark complexioned rigid fibered persons. Restlessness at night, esp. the legs are constantly on the go. Ill effects of burns and scalds, fright, grief, worry, sorrow, night watching. Ulcers maltreated with lead. Warts. Cold water tones the paralysis. Fissures; from least provocation, about wings of nose, lips, anus etc. Motion as of coition; chorea. Awkward at talking, chewing, walking. Mental effects; convulsions, from suppressed eruptions. As if cold water was running from clavicle down to toes.

Worse

***DRY COLD or raw air. *Winds. Drafts. Extremes of temperature. Stooping. Suppressed eruptions. Coffee. Fats. 3-4 a.m. or ***EVENING. Exertion. Change of weather. After stool. Motion of carriage. Twilight. Darkness. Taking hold of anything. Sour things. Bathing in river in summer.

Better

***COLD DRINKS (even chill). Damp wet weather. Washing. *Warmth; *of bed. Gentle motion.

Mind

Hopeless, despondent, wants to die. Ambitionless. *Mental fatigue. *Anxious forebodings* worse in twilight. Reticent. Over sympathetic. Child does not want to go to bed alone; least thing makes him cry. Thinking of complaints worse than esp. haemorrhoids. Weeps, laughs; chorea. Laughs before, with or after spasms. Conscious-stricken as if she had committed some crime. Sadness. Whining mood. Suspicious, mistrustful; absent minded. Looks on the dark side. Lacks control, balance. Spoonerisms, confounds letters and syllables. Vexed with business worries.

Head

Painless commotion in the whole head. Sensation as of an empty space between the forehead and brain, better hot application. To and fro or nodding motions, or turning to right. Tight scalp. Stitches in temples on mental exertion. Nausea and vomiting or blindness during headache; then paralysis. Vertigo; during sleep; at night; in the morning, while lying down, on stooping; at menstruation; looking up. Small soft round nodes on scalp or glabella.

Eyes

Sparks and dark spots before the eyes. Paralysis of one eyelid (right). Heavy drooping eyelids. Ptosis. Weakness of recti muscles_ diplopia better looking to right. Continuous eye pain with inclination to touch and rub the eyes which seems to relieve the pressure in it. Vision obscured as from gauze; on blowing nose. Objects look large. Profuse acrid tears. Cataract. Rolling of eyes; epilepsy. Eyelids quiver. Warts on eyebrows. Fissures in canthi. Eyes remain open; without winking; paralysis.

Ears

Ringling, roaring, pulsating, with deafness. Words and steps re-echo in ears. Burning in ears, they become red. Much foul ear wax; brown. Meniere's disease. Thick gluey purulent discharge.

Nose

Coryza with hoarseness. Pimples on tip of nose. Old warts. Sneezing in the morning. Thick yellow or greenish-yellow discharge. Nosebleed, during spasms.

Face

*Prosopalgia better cold water. *Facial Paralysis (right) worse opening mouth. Pain in jaw, cannot open the mouth. Face yellow, sickly looking. Cramps in lips. Feels furry. Eruption on.

Mouth

Bites inside cheek, while chewing. Paralysis of tongue, with indistinct speech, words seem to jerk out. Swelling at root of tongue. Gums bleed easily. Recurrent abscess in gums_dental fistula. Fatty taste. Gums spongy, receding. Teeth; feel loose, elongated; ache; worse from cold or warmth. Swelling of inner side of cheek; or induration. Tongue; red in middle, sides coated. Painful vesicles on tip.

Throat

Urging to swallow continuously as if the throat were too narrow. Swallows the wrong way, or comes through nose. Throat symptoms worse stooping. Difficulty in swallowing, from paralysis of throat; unable to hawk out mucus, swallows it. Scraping, burning, rawness in throat.

Stomach

Greasy; taste, eructations. Waterbrash, salty. Aversion to sweets. Feels as if lime were burning in stomach. Pain in stomach from ice water. Sensation of a ball rising in the throat. Sour vomiting followed by sour eructations. Fresh meat causes nausea; smoked meat agrees. Feels hunger but appetite vanishes at the sight of food or with thought or smell, during pregnancy. Vomiting of blood at night. Acid dyspepsia.

Abdomen

Enlarged in children. Colic, spasmodic. Pain radiates to back and chest, better bending double, worse least food. Stools; hard, tough, covered with mucous, shines like grease; soft and small, size of geese *quill. Stool passes easily when standing. Cramps in rectum on stooping, with desire for urination. Anus prolapses on coughing. Itching in anus better cold water. Small hard pustules around anus. Large piles impeding the stools worse walking, standing and when thinking of them. Fistula; with pulsation and pain in perineum. Rectum insensible to solid

stool. Diarrhoea from cold. Painful swelling of the navel. Constipation, with frequent ineffectual urging.

Urinary Organs

Paralysis of bladder, from long retention of urine, and consequent incontinence (as in sleep or in school girls) *INVOLUNTARY PASSAGE OF URINE; *ON COUGHING, walking, blowing nose, sneezing. *Retention of urine; *after labour, after surgical operations. Burning in urethra when urinating, worse after coition. Urine dribbles or passes slowly. Insensibility of urethra while passing urine. Urine is passed better sitting. Bed wetting, during first sleep, at night. Urine; black, cloudy, white. Itching of meatus.

Male

Increase of smegma about the glans. Semen bloody, during coition. Red spots on penis. Bruised soreness in testes.

Female

Aversion to coition. Menses; flow only during day; with clots; scanty, with prosopalgia. Leucorrhoea; profuse, flow during night, with great weakness. Uterine inertia during labour. Smarting in the pudendum after urination. Nipples; sore, cracked, surrounded with herpes. Leucorrhoea smelling like the menses. Disappearance of milk; from fatigue, night-watching, or anxiety. Dysmenorrhoea, with tearing pains in back and thighs. Anxiety, sadness and weakness, during menses. Dreams during menses. Menses late and profuse. Sticking pain below left mammae; dysmenorrhoea. Violent itching about mammae in nursing women.

Respiratory organs

Aphonia; or *hoarseness; with pain in chest; worse a.m., of speakers, singers worse stooping, better talking. Cough; hollow, hard, dry, during pregnancy, from tickling in throat pit or larynx; incessant; dry, night and morning; worse stooping, heat of bed, cold air, better sips of cold water. Cannot cough deep enough; *expectoration; *slips back again; *scanty; greasy, ropy, like soapsuds, must be swallowed. Sore streak in larynx. Chest tight sore, vest seems tight. Short breath, before coughing. Purring in chest. Wandering chest pains better pressure, worse sneezing. Pain in the larynx worse blowing nose. Oppressive breathing while talking and walking. Tightness or scraping in chest.

Heart

Palpitation, with pain in chest, burning and languor.

Neck and Back

Stiffness of neck, or back on rising from a chair. Stiff neck, could scarcely move the head. Back pain goes forwards or to the thighs. Pain in spine worse swallowing. Pain in hips worse coughing. Torticollis. Bruised, darting pains around coccyx. Cramps in lumbar region and buttock.

Extremities

Paralytic feeling in the right hand, with paralysis of tongue. Paralysis of deltoid, cannot raise hand to head. Trembling of hands. Writer's cramp. Numbness of hands. Fulness of hands while grasping anything. Bursting in finger tips; warts on. Cramps in calves, feet, toes and tendo-achillis. Unsteady walking and easy falling; of children. Weak ankles. Tearing rheumatic

pain in limbs better warmth; of bed. Cracking and tension in the knees. Disposition to stretch, bend or crack the joints. Stiffness in the hollow of the knees, worse sitting better continued walking. Burning in joints. Tendons contracted. Twisting and jerking in limbs; chorea. Arthritis deformans. Cracking in knees worse walking and descending. Restless legs at night. Pain like electric shocks, in legs. Cannot stand on heels. Whitlow of great toes.

Skin

Cracks, ulcers. Soreness in folds of skin. Warts; seedy, large, jagged, bleeding easily, ulcerating; on tip of fingers, nose, lids, brows. *Itching. *Deep burns and their effects. Cicatrices reopen. Skin prone to intertrigo during dentition.

Sleep

Frequent movements of arms and legs during sleep. Laughs and cries during sleep. Very drowsy, can hardly keep awake. Yawning and stretching. Nocturnal sleeplessness with dry heat, inquietude. Wakes with slightest noise. Yawning; when listening or paying attention to others.

Fever

Coldness not better by warmth. Sweat about 4 a.m.; profuse, on slight exertion, open air. Heat from 6 to 8 p.m. Coldness; left sided, of diseased part, with pain. Flushes of heat followed by chill.

Related

Gels; Kali-b; Phos; Rhus-t; Sep.

Complementary

Carb v; Graph; *Lach; *Stann; Staph.

[Back to Index](#)

Generalities

This remedy has a special affinity to the spleen, which enlarges enormously. Pain in left hypochondria; with dyspnoea, diarrhoea, profuse or suppressed menses, leucorrhoea. Menses every two weeks. Anaemic patients where liver and spleen are at fault. Leukaemia. Enlargement of liver. Urine, green, frothy. Periodical neuralgia.

Worse

Cold weather. Lying on left side. Motion.

Related

Chin.

Complementary

Nat-m.

[Back to Index](#)

Generalities

Neuralgias occurring at ***EXACT PERIODICITY is the most marked feature of this remedy. It is adapted to persons of voluptuous disposition, and of an excitable nervous temperament. Antidotes the effect of snake bite and stings of insects. Complaints after coition-chorea in women; neuralgia in men. Trembling. Numbness of the whole body. Malarial affections of damp, warm, marshy countries. Convulsions during menses. Lactophobia.

Better

Standing erect.

Worse

*Periodically; at the same hour. Open air. Lying down. Before storm. After sleep.

Head

Orbital neuralgia. Crazy feeling from pain across forehead. Whole body feels numb, during headache. Stammers after coition. Head feels as if swollen.

Eyes

*Burn like fire. Severe pain in eyeballs, with radiating pains around the eye; scalding lachrymation. Iritis. Choroiditis. Eyes red. Pain over the eye worse coition. Objects appear red at night and yellow by day.

Extremities

Acute sudden pain in ball of right thumb up arm to shoulder, same in right foot to knee, causing her to drop to the floor.

Fever

Excitement before chill. Malaria.

Related

Aran.

[Back to Index](#)

Generalities

It is a highly ***EMOTIONAL; ***TEMPERAMENTAL and ***OVERSENSITIVE remedy, oversensitiveness from abuse of coffee and narcotics. It is particularly suited to diseases of pregnant *women, nurses and little ***CHILDREN. *Bad temper, frantic irritability and snappish. *Pain is intolerable; *becomes mad with pain*, or magnifies her pains *and prostrated, with pain. Very cross, cannot be appeased. Tosses about. Cries out or walks the floor. Demands instant relief for his suffering; he would rather die than suffer. Mental and physical symptoms appear in paroxysms; *irritability, *restlessness, ***COLIC; cough etc. *Numbness; *after pain; on awakening. Repeated spasms; of face, arms, legs etc. Colic, diarrhoea, jaundice, twitching and convulsions after anger. Neuralgic or gouty rheumatic diathesis. *Cramps; with bilious vomiting; of muscles. Convulsion during dentition. *Hot and thirsty. *Hot sweat, *with pains. Opium of Homoeopathy. Bad effects of bad temper. During convulsions body becomes stiff, with opisthotonus; eyes roll about, face becomes wry; thumbs turn inwards.

Better

***BEING CARRIED. Mild weather. Heat. *Sweating. Cold applications.

Worse

***ANGER. ***NIGHT. ***DENTITION. Cold air, damp air. Wind. Taking cold. ***COFFEE. *Narcotics. Alcohol. Lying in bed. Music. Eructations. Heat. Warm food, covering. Touch. *Being* looked at.

Mind

***UGLY *in behaviour. ***CROSS and ***UNCIVIL. ***QUARRELSOME. *Vexed at every trifle. Abrupt. *Averse to being spoken to or touched; or being looked at. Children ***WANT TO BE CARRIED, and petted. Want many things, *but refuse them when given. Piteous moaning because he cannot have what he wants. Aversion to talking. Omits words while writing and speaking. Women become suddenly capricious, quarrelsome, obstinate, before menses. Hasty, hurried. Cannot bear anyone near him.

Head

Throbbing headache in one half of the brain; inclination to bend head backwards. As if hair stood on end, with shivering. Hot clammy sweat on forehead and scalp; during sleep, wetting the hair. Headache of delicate over fatigued women. Headache better when mind is engaged. Headache worse morning and 9 p.m.

Eyes

Yellow conjunctiva. Spasmodic closing of lids. Bloody water from the eyes of new born babies.

Ears

Sensitive to cold wind about ears, or noise. Earache, sticking better warmth. Ears feel stopped. Hear voices of absent persons, at night. Ringing after haemorrhages. Roaring in the ears as of rushing water. Music is insupportable. As if hot water was running out of.

Nose

Extremely sensitive to all smells. Hot coryza, with obstruction of nose; inability to sleep. Skin wrinkled. Crawling in, until eyes water.

Face

*Swelling or ***REDNESS OF THE CHEEK. One cheek red and hot, other pale and cold. Face pale, sunken, distorted by pain. Neuralgia of the face, with hot sweat about the head; pain extending into ear. Jerking of facial muscles. Jaws feel tired. Sweats after eating or drinking.

Mouth

Toothache worse after warm drinks; during pregnancy, coffee. Jerking in tongue. Thick white yellow fur on tongue. Nightly salivation of sweetish taste. Bad, sour breath. Bitter taste. Teeth feel elongated.

Throat

Inability to swallow solid food when lying. Constricted feeling or as of a plug.

Stomach

Eructations like bad eggs. Severe bitter bilious vomiting, with griping. Vomiting after morphia. Gastralgia as from a stone on stomach. Sweats after eating and drinking. Thirst; for cold water, sour drinks. Aversion to coffee. Violent retching before vomiting.

Abdomen

Distended. ***SPELLS OF COLIC; from time to time. Pain from side to side; or going upward; after anger. *Cutting wind colic worse night; worse urinating, better warm applications. ***STOOLS, *hot ***SOUR; ***GRASS GREEN; ***SLIMY; ***HACKED; *yellow green; or ***LIENTERIC; *smelling like bad eggs. Haemorrhoids, with painful fissures. Diarrhoea, during dentition, from cold, from anger. Jaundice; after anger. Cheek becomes red during colic, with hot sweat. Anus swollen and pouting. As if bowels were knotted and abdomen empty.

Urinary organs

Urine hot and yellowish. Stitches in urethra.

Female

Irregular labour like pains; going up; down inner thighs; with profuse discharge of clotted, dark blood. Puerperal convulsions, after anger. Distressing after pains. Breasts sore, nipples inflamed and very tender. Infants' breasts tender. Cramps, when child nurses. Yellow, dark lumpy acrid leucorrhoea. Membranous dysmenorrhoea, specially at puberty. Milk is spoiled, baby won't suck. Dysmenorrhoea; from anger or emotions in those women who do not suffer from it, with sexual desire. Oozing of dark foul blood, with occasional gush of bright red blood. Menorrhagia, with black clots, profuse, with coldness of extremities and much thirst. Intolerable labour pains; sends the doctors and nurse away, then calls again. Lochia too profuse and bloody or suppressed.

Respiratory organs

Spells of dry tickling cough. Asthma; from anger, worse dry weather, better bending head back. Rattling of mucus in child's chest. Anger provokes the cough; in children. Whooping

cough, suffocating, then vomits. Cough worse 9 to 12 p.m.; during sleep; does not wake up the child.

Back

Severe pains in loins and hips, opposite to that on which patient is lying. Lumbago.

Extremities

Numbness and stiffness of hands, when grasping objects. Cramps in calves. Violent rheumatic pains driving him out of bed, at night; compelled to walk about. Burning of soles, at night. Ankles give way in the afternoon. Feel as if she is walking on the ends of bones of her legs. Feet as if paralysed, cannot step on them, at night. Palms dry.

Skin

Rash of infants and of nursing mothers. Jaundice. Burning, smarting in ulcers, at night. Skin unhealthy, every injury suppurates.

Sleep

Drowsiness; with moaning, weeping and wailing in sleep. Pain disturbs sleep. Sleepless from abuse of narcotics. Sleeps with thighs separated. Drowsy, but cannot sleep.

Fever

Chilly yet easily overheated; hence takes cold. Coldness of one part, with heat of another worse uncovering. Alternate chill and heat. Feverish from suppressed discharges. Sweat on head. Thirst during fever.

Related

Nux-v; Staph.

Complementary

*Bell; Mag-c; Sanic.

[Back to Index](#)

Generalities

It is predominantly a *right sided remedy. It acts upon the *liver; *portal system; *right side of abdomen and right lower lung. It is closely allied to *Lyc.; when *Lyc. seems indicated but fails to act *Chel should be given. ***YELLOWNESS *and bilious disturbances* are its marked features. Constant pain at the inferior angle of the right scapula is its chief indication. Pains shoot *backwards or in all directions. Stitching pains due to serous effusions. *Heavy, stiff, sore, paralysed, dislocative or broken feeling. Numbness. There is great general lethargy and indisposition to make any effort. Horror of motion. Feels tired on little exertion. Bilious complications; during gestation, lung affections. Jaundice.

Better

*Hot food. Eating. Dinner. Milk. Pressure. Hot bath. Bending backward. Lying on abdomen.

Worse

*Motion. *Cough. *Touch. *Change of weather. North east wind. 4 a.m. and 4 p.m. Looking up.

Mind

Aversion to mental exertion or conversation. Despondent. Anxiety as if she had committed a crime; fear of *going* crazy. Feels like crying with ill humour or without any reason. Restless; hence agile.

Head

Vertigo; felt in vertex; worse closing eyes, with bilious vomiting and pain in liver. Headache extends backwards. Occiput feel heavy as lead; *icy coldness of occiput from nape of neck. Neuralgia over right eye, right cheek bone and right ear, with excessive lachrymation. Cranium feels too small.

Eyes

Dirty yellow colour of whites. Soreness of eyes worse looking up. Dazzling spot before the eyes. Lachrymation; when looking intently, with pain in eyes, or from tickling in larynx. Mucus in eyes. Could not open eyes, with prosopalgia.

Ears

Sensation in both the ears, as if wind were rushing out, or something crawling out. Loss of hearing during cough.

Nose

Red. *Flapping of the alae nasi. Obstruction, with liver complaints. Tip of nose swollen and red. Dryness.

Face

Dark red or *sallow, *sunken. Yellow esp. forehead, nose and cheeks. Right cheek bone feels as if swollen, with tearing pain. Flushes of heat. Nodular eruptions on.

Mouth

Taste bitter. *Tongue; *yellow, with imprint of teeth; large, flabby. Offensive breath. Tongue narrow pointed. Salivation with nausea, giddiness. Bitter water collects in mouth.

Throat

Choking; worse breathing, as from hasty swallowing or as if too large a morsel had been swallowed. Left sided goitre.

Stomach

Craves milk, piquant or hot food and drinks. Nausea, better drinking milk. Vomiting better very hot water. Gastric pains, gnawing scraping better ***EATING. As of a plug in stomach. Aversion to meat; coffee, cheese. Loss of appetite.

Abdomen

Epigastric region tender. ***LIVER PAINS GOING BACKWARD; or *fixed at angle of right scapula. Liver enlarged; tender. Gall-stones. Constriction across abdomen, as by a string. Stools; pasty, *pale, *bright yellow, clayey, or hard balls. Alternation of diarrhoea and constipation. Ascites, with yellow palms. Crawling and itching in rectum. As of an animal wriggling in epigastrium. Navel drawn in during colic.

Urinary organs

Profuse foaming, yellow urine like beer. Spasmodic pain in right kidney and liver. Urine stains the diaper dark yellow.

Male

Frequent erections, even during day. Pain in glans. Itching creeping on scrotum and glans.

Female

Menses too late and too profuse. Longing for unusual articles of food during pregnancy. Leucorrhoea; white, stains linen yellow. Burning in vagina, recurs at the same hour during day.

Respiratory organs

Short breath and tight chest, clothing seem too tight; better deep breathing. Dyspnoea worse urinating. Pain pressive in chest on deep inspiration. *Cough; as from dust; *with much rattling; *but little expectoration, or it *flies from mouth. Deep seated pain or *nail, deep in right chest. Bilious pneumonia. Respiratory symptoms with liver symptoms. Pressure in larynx as if air could not pass through. Stitches in chest.

Heart

Violent palpitation, with tightness in chest. Periodic palpitation.

Neck and Back:

Fixed pain under inner and lower angle of the right scapula; which may extend into chest and stomach causing nausea or vomiting. Pain from neck to temple; (right). Pressing pain in vertebrae worse bending backwards and forwards. Occiput heavy with pain in right side of back. As of a string, around the neck. Cervico-brachial neuralgia.

Extremities

Very sore to touch. *Cold finger tips. Pain in heels as if pinched by too narrow a shoe. Burning and stiffness in right knee worse moving. Limbs feel paralysed. Heavy lower limbs. Ankles stiff. Oedema around ankles and feet. Paresis of lower limbs, with rigidity of muscles. One foot cold, other hot.

Skin

Yellow. Itching better eating. Painful pimples and pustules. Skin wrinkled .

Sleep

*Lethargic. ***DROWSY *and chilly. Dreams of corpses and funerals. Sleepiness, without being able to sleep. Falls asleep while speaking.

Fever

Burning heat spreads from hands over the body. Sweaty, with aversion to uncover and without relief. Sweat; during sleep, after midnight, from slight exertion. Fluctuating temperature. High fever.

Related

Bry; Kali-b; Merc; Op.

Complementary

*Lyc, Merc-d.

[Back to Index](#)

Generalities

Just like *Chel. it causes dull pain below the right angle of right scapula, but nearer to spine. It causes apoplexy and consequent right hemiplegia with aphasia. Stertorous breathing with a rattle as of a ball rolling loose in trachea. Heavy breathing with flapping of cheeks. Repeats the same action over and over again. Deafness progressive for human voice but great sensitiveness to sound as of a passing vehicle, or to distant sounds. Paralysis; with spasms of forearms and hand in flexion contraction of limbs. Jaundice. Aural vertigo. Meniere's disease. Urine, profuse, foamy, yellow, burning.

[Back to Index](#)

Generalities

It acts principally on kidneys and bladder, producing gravel in kidneys, and acute and chronic catarrh in the bladder (cystitis). Also acts on the glands, mesenteric, *prostate, mammary and liver. Useful in hepatic and renal dropsies. Women, with large breasts; or plethoric women, with dysuria. Incipient and progressive cataract.

Better

Walking.

Worse

Cold damp. Standing. Sitting; on cold stones. Beginning urination.

Head

Pain in frontal eminence.

Eyes

Halo around the light. Stabbing pain in left eye, with lachrymation.

Mouth

Jaws feel stiff, cannot close mouth at night; sleeps with the mouth open. Toothache as if being gently pulled worse after eating and exertion, better cold water.

Urinary organs

Urine; ***ROPY or *muco-purulent, *foul; *scanty; *thick, *turbid. Must strain before urine flows. Acute prostatitis with retention and dysuria, and *feeling of a ball in perineum; as if sitting on a *ball. Gonorrhoeal prostatitis. Fluttering in kidney region. Vesicle tenesmus worse sitting better walking. Cannot pass urine without standing with feet apart and body inclined forwards. Acute inflammation of urinary tract. Suppressed urine in infants. Clots of blood pass, with urine.

Female

Painful tumour in mammae; with undue secretion of milk; in women of large breasts, sharp pain through mammae. Rapid atrophy of the breasts.

Related

Berb; Cocc-c; Sabal.

Complementary

Kali-m.

[Back to Index](#)

Generalities

This was the first remedy proved by Dr. Hahnemann. It affects the *blood, making it thinner, and impoverished. It weakens the heart and impairs the ***CIRCULATION, producing congestion and ***HAEMORRHAGES; anaemia, complete relaxation and collapse. The *debility in China, is due to ***PROFUSE, EXHAUSTING DISCHARGES; loss of vital fluids, excessive suppuration, diarrhoea, haemorrhages etc. ***INTERMITTENT periodicity is very marked in fever and neuralgias. Patient becomes *weak, oversensitive and nervous; everything upsets him; *light, *noise, *odours, *pain etc. Bursting pain. Neuralgia. Dropsy, after loss of fluids, haemorrhages. Emaciation esp. of children, Anaemia. Hard swelling. Rheumatism. Sepsis. Inflammation of bleeding organ, after haemorrhages, and the part rapidly turns black. Convulsions, during haemorrhages. Haemorrhages, profuse; with loss of sight, faintness, and ringing in ears. Post operative gas pains no better from passing it. Ill effects of; masturbation, vexation, cold, stopped coryza, tea, mercury, alcohol. Psoas abscess. It is suited to persons of thin, dry, bilious constitution. Wounds become black and gangrenous. Epilepsy; chorea; paralysis; from loss of fluids.

Better

*Hard pressure. Loose clothes. Bending double. In room; warmth.

Worse

***VITAL LOSSES. ***TOUCH. *Jar. *Noise. ***PERIODICITY; *alternate days. *Cold. *Winds, *drafts*. Open air. Eating. *fruits*. Milk. Impure water. Fish, meat, spoiled. Tea. Mental exertion. During and after stool. Smoking. Autumn. Summer.

Mind

Disobedient; stubborn; contempt for everything. Fixed ideas, that he is unhappy, persecuted by enemies. Disposition to hurt other people's feelings. Fear of dogs and other animals; at night. Sudden crying and tossing about, when cheerful. Ill humour worse petting and caressing. Dislike of all mental and physical work. Air castles. Indifference, sad, no desire to live. Wants to commit suicide but lacks courage. Reluctant to speak. Mistakes in speech and writing. Spoonerism. Loss of control over mind.

Head

Bursting, throbbing pain, with throbbing of carotids. Sensation as if brain were swashing to and fro, causing pain, bruised pain in brain, worse temples. Vertigo; falls backwards; while walking. Stitches from temple to temple. *Sore sensitive scalp* worse touching or combing hair. Headache worse in sun, better by moving head up and down, hard pressure, rubbing. Sweats when walking in open air. Head heavy.

Eyes

Blue colour around the eyes. Night blindness, due to anaemic retina. Scalding tears. Pressure in eyes as from drowsiness. Black spots before the eyes. Pupils dilated. Intermittent ciliary neuralgia. Smart as from salt. Stitching as from sand. Eyes painful on reading and writing.

Ears

Red, hot. Ringing in ears; with headache. *Tinnitus*; then vertigo. Stitches in ears. Hardness of hearing. Foul purulent bloody discharge.

Nose

Ill effects from suppressed coryza; headache. Habitual easy bleeding from the nose esp. morning on rising. Smell too acute. Cold sweat about nose. Nose; hot, red. Violent dry sneezing.

Face

Earthy, sickly, pale; hippocratic, bluish around the eyes. Face; bloated; red. Lips; dry, blackish and shrivelled. Swelling of veins. Red hot face, with cold hands. Flushed; after haemorrhage, sexual excess or loss of vital fluids, in coma.

Mouth

Toothache while infant sucks the breast; better by pressing teeth firmly together and by warmth. Toothache, with sweat. Food taste bitter, even water or too salty. Tongue; thick, dirty coated; tip burns, followed by salivation. *Taste bitter, salty or acute. Gums swollen.

Stomach

*Bitter or sour eructations, after milk. Craving; for dainty; sour or sweet things, highly seasoned food, desires various things without knowing what (children). Quick satiety. *Anorexia, feels satiated all the time, aversion to all food, to bread, butter, coffee. Voracious appetite in emaciation of children. *Loud belching without relief. Digestion slow. Milk disagrees. Weight, after eating small quantity of food. Ill effects of tea. Cold feeling in stomach. Thirst for cold water that worse diarrhoea. Pulsations and rumbling, in epigastrium. Frequent vomiting. Hiccough. Haematemesis. Stomach sore. Fermentation after eating fruits. Thirst; during apyrexia, before chill. Hungry and yet want of appetite; only while eating some appetite and natural taste for food return.

Abdomen

Liver and spleen enlarged. *Flatulent bloating, better motion. Colic better by bending double. Post operative gas pains, no relief from passing it. Heat in abdomen as if hot water running down. Periodical liver symptoms. Pain from rectum to genitals. Gall stone colic. Jaundice; after leucorrhoea, masturbation, sexual excess, diarrhoea. ***STOOLS; ***LIENTERIC; *dark, *foul; *watery*; ***BLOODY; painless; worse eating; at night, from fruits; milk, beer, during hot weather. Diarrhoea; after weaning, in children; chronic in children, who become drowsy, pupils dilated, body becomes cold esp. chin, nose and rapid respiration. Involuntary stools.

Urinary organs

Frequent urination. Burning at meatus worse rubbing of clothes. Urine turbid, dark, scanty. Pinkish sediment. Haematuria. Enuresis of weakly children.

Male

Impotence, or morbid sexual desire, with lascivious fancies. Frequent emissions followed by great weakness. Swelling of testes and spermatic cord after gonorrhoea. Orchitis. Sexual desire, with craving for dainties.

Female

Ovaritis from sexual excess. Desire too strong in lying-in women. Menses; too early, dark, profuse, clotted, with abdominal distension. Bloody leucorrhoea; seems to take the place of the usual menstrual discharge. Metrorrhagia-blood dark, with fainting, convulsions. Asphyxia of new born due to great loss of blood by the mother. Painful induration in the vagina.

Respiratory organs

*Haemoptysis. Puffy, rattling, breathing; suffocative catarrh; cannot breathe with head low. Asthma; worse damp weather, autumn or after depletion. Every motion excites palpitation and takes his breath. *Painfully sore chest, with a soreness between scapulae, cannot bear percussion or auscultation. Suppurative phthisis. Paroxysms of cough after eating or laughing worse evening, night. Wants to be fanned but not too hard, for it takes her breath.

Heart

Every movement excites palpitation.

Neck and Back

*Pressure as of a stone between scapulae. *Inter-scapular spine painful. Sharp pains across kidneys worse movement, at night. Knife like pains around the back. Heavy pressure on sacrum. Backache as from sitting bent for long time. Lumbago worse slight motion.

Extremities

As if heavy load on shoulders. Spasmodic stretching of arms, with clenched fingers. Hands tremble, (while writing). Twitching in knees. As of a band about legs, or arms. One hand is icy cold other is warm. Swelling of veins of the hands. Nails blue. Pain in limbs and joints as if sprained worse slight touch; better hard pressure. Weariness of joints worse morning sitting. Pain in marrow. Caries of bones with profuse sweat.

Skin

Extreme sensitiveness to touch; hard pressure relieves. Dermatitis. Humid gangrene. Yellow colour.

Sleep

Drowsiness. Heavy, snoring sleep; esp. in children. Anxious frightful dreams; fear of dreams remains. Sleeplessness as a prodrome.

Fever

*Marked prodrome. Stages of chill, heat and sweat well marked. Chill, then thirst, then heat, then thirst. Chill begins in the breast. Red hot face, with cold hands. *Hectic fever. *DRENCHING SWEATS; *AT NIGHT; worse *least motion*; from weakness; from depletions etc. Tropical fevers. Sepsis.

Related

Carb-v.

Complementary

Carb-v; Ferr; Kali-c.

[Back to Index](#)

Generalities

Weakness, weariness, prostration and disinclination for mental work are marked symptoms of this remedy. Irritability precedes headache. Sudden attacks of vertigo worse looking up. Hemicrania (left), from fright. Anorexia. Eggs and fish produce diarrhoea. Short breath on ascending. Cardiac dyspnoea; early myocardial degeneration, after acute infections. Palpitation. Sensation as if heart had stopped. Periodic asthmatic attacks, with great prostration. Sleeplessness due to nervous causes. Coldness; of hands and feet; knees and limbs. Continuous fever; with oscillating temperature. Sweat; profuse, exhaustive; at night. Ill effects of tobacco. Pressure in the Solar plexus with tenderness. Hyperacidity alternating with decrease of acidity.

Better

Motion.

Worse

Rest. In the a.m. When stomach is empty.

[Back to Index](#)

Generalities

Quinine sulphate acts on the ***NERVES causing great *sensitiveness to external influences and periodical neuralgia. In ***BLOOD it causes rapid decrease of red blood cells and reduction of haemoglobin; with tendency to leucocytosis. Weak and nervous, little exertion causes palpitation. Retro-bulbar neuritis, with sudden loss of sight. Inability to remain standing. Falling in street. Wants to lie down. Deathly sick and faint; felt as if she would sink through bed.

Mind

Nervous. Lost power of naming objects.

Better

Yawning. Pressure. Bending forwards.

Worse

***EXACT PERIODICITY. Cold 10- 11 a.m. Touch.

Head

Pain of malarial origin increasing gradually at noon worse at left side. *Vertigo with tinnitus; with twitching of the eyelids; with throbbing headache. Orbital neuralgia.

Eyes

A net, fog or mote before the eyes. Can see objects only when looking sideways. Squint on alternating days (children).

Ears

Tinnitus. Deafness. Meniere's disease.

Face

Neuralgia pains return with great regularity better by pressure. Brow ague. Pale anxious face.

Urinary organs

Deposit of straw yellow, granular or brick red sediment. Urine bloody.

Back

*Cervico-dorsal spine aches or very tender; with oppression of breath.

Extremities

Acute articular rheumatism. Joints very sensitive.

Skin

Itching. Petechiae. Urticaria.

Fever

Anticipating chills. Thirst in all stages. Delirium during heat. Increasing fever and prostration, with profuse night sweats. Profuse sweat amel. but exhausts. Clear apyrexia. Typical malaria. Subnormal temperature.

Related

Chin.

[Back to Index](#)

Generalities

It has a powerful action on ***LIVER; and on head, where it is useful for neurasthenia; periodical; sick, menstrual or bilious headaches. *Bruised, *soreness is felt in various organs; *liver, eyeballs etc. Pains ascend upwards, from forehead, stomach etc. Jaundice occurring every summer.

Better

*Lying on abdomen.

Worse

Jarring. Motion. Cold.

Mind

Feels played out. No desire to do anything; wants to be let alone.

Head

Severe *bilious-sick headaches worse stooping, motion, jarring.

Eyes

Eyeballs feel bruised. Yellow conjunctiva.

Nose

Pressing at the root of nose, or squeezing on bridge.

Mouth

Dry, not better by water. Tongue; broad, with thick greenish yellow fur; feels drawn up. Salivation.

Stomach

Bitter, sour, hot; bilious; ropy, gushing; vomiting; sets the teeth on edge. Vomiting; with colic and *cold sweat on forehead and *back of hands.

Abdomen

Liver enlarged enormously; with uneasy ache and jaundice. Gripping at navel. As if a string were tied in a stop-knot, around the intestines; which was suddenly drawn tight and gradually loosened. Cholecystitis. Gall stones. Jaundice, with arrest of menses. Weakness in hypogastrium. Stools; tarry; clay coloured or undigested. Cold sweat on forehead and back of hand during stool. Affections of pancreas.

Urinary organs

Urine; orange yellow colour; thick black, syrupy. Bile and sugar in urine. Diabetes Mellitus. High specific gravity.

Respiratory organs

Astringent expectoration.

Skin

Yellow all over. Jaundice; chronic; recurring every summer; caused by drinking too much cider.

Fever

Heat with aversion to uncover. Cold sweat on back of hands.

Related

Bry; Iris; Lept; Merc.

[Back to Index](#)

Generalities

This drug affects the *brain causing cerebral excitement with hallucinations, and night terrors in children. Heart is dilated or weakened with peculiar fullness and lightness in chest and sense of emptiness in stomach. Muscular prostration. Chorea; long standing, obstinate; patient could neither lie nor stand.

Better

Open air. Being fanned.

Worse

*Alcohol Night. Exertion. Lying down. Hot drinks. Stimulants.

Mind

Melancholia, idiocy and insanity. Hurried and excited, walks up and down the room, conversing with imaginary beings, or with himself.

Head

As of a hot band from temple to temple.

Eyes

Eyeballs; feel too large; blood shot and watery. Objects look white; colour blindness. Eyelids heavy, can hardly lift them.

Ears

Hears voices.

Face

Face and eyelids are swollen, can hardly see, urticaria.

Stool

Bileless.

Urinary organs

Bed wetting; passes water in bed copiously without knowing it, during later part of night.

Respiratory organs

Dyspnoea. As of a weight on chest. Inspires through the nose, expires through the mouth when lying on back.

Heart

Weak or dilated.

Skin

Urticaria; worse by night disappears by day; suddenly appear from chill, better by warmth; worse alcohol. Skin stone cold.

Sleep

Sleepless from fatigue. Horrid dreams.

Related

Apis., Canc-fl.

[Back to Index](#)

Generalities

This gas is proved in the form of Chlorine water. It has a marked action on *respiratory organs producing spasms of the glottis. Sensation of *constriction is another marked feature. Patients rapidly emaciate. *Mucous membranes are inflamed and ulcerated.

Better

Open air. Motion.

Worse

*Expiration. After midnight. Lying.

Mind

Fears insanity or losing senses. Forgets names and persons.

Eyes

*Protruding.

Nose

Smoky or sooty. *Coryza; acrid; with headache, suddenly running in drops, with lachrymation.

Face

Swollen with protruding eyes.

Mouth

Putrid odour from mouth. Putrid aphthae. *Tongue; *dry, black.

Throat

Choking sensation, inability to swallow. Aching tickling or whistling in throat pit.

Respiratory organs

Sudden ****DYSPOEA from spasms of the vocal cords, with protruding eyes, blue face, cold sweat. Inspiration free but ***CAN NOT EXHALE. Laryngitis. Laryngismus stridulous. Asthma of hay fever. As if air were forced into upper chest.

Skin

Sensitive, dry, yellow, shrivelled.

Fever

Easy sweat.

Related

Ars-i; Iod; Meph; Merc.

Cholesterinum [Chol]

Generalities

This substance is abundantly present in bile and biliary calculi. It is a useful remedy for obstinate hepatic engorgements; for cancer of the liver; for obstinate gall stones; for vitreous opacities and obstinate jaundice.

Worse

Touch or jar. Lying on side. Bending or sudden motion.

[Back to Index](#)

Generalities

This remedy has a wide action on ***NERVES and ***MUSCLES. It causes *depression of mind with low spirits; and exhaustion along with *oversensitiveness esp. for pain. It is a great female remedy. Plump, delicate, sensitive, *nervous, chilly women who complain of aching pain in back, neck, here and there; many of the complaints are dependent upon utero-ovarian irritation. *General sick feeling, with exhaustion. Many of the symptoms are *irregular, changeful or they alternate in groups; alternation of physical and mental effects. Alternate mental and rheumatic symptoms. Pains are violent, aching, shooting, wander *here and there, shock like; with *cries, *faints etc*.; go upwards or *side to side up the neck; about the throat; from *ovary to ovary. Belly of the *muscles feel bruised, *sore, *heavy aching*. *Trembling, twitching in various organs or of part lain on. Compressive pains. Hysterical and epileptic convulsions at the time of menses. Alternating clonic and tonic spasms. Sore and tender along the tract of pain. *Nervous shuddering. Given before the term; it renders labour easier, cures sickness of pregnancy, prevents the after pains. It has also ensured living births, in women who have previously borne only dead children without any discoverable cause. (should be given in daily doses in low 1x potency two months before term). Myalgia. Ovaralgia. Lumbago. Spasms of cerebro-spinal fever. Influenza. Chorea; at puberty; with delayed menses; cardiac. Ill effects of anxiety; fright, disappointed love; over exertion; business failures; child bearing. Children during dentition.

Better

*Warm wraps. Open air. Pressure. Eating. Continued motion. Grasping things.

Worse

*Menstruation; suppressed. During labour. Emotions. Alcohol. Night. Change of weather. Heat and cold. Sitting. Puberty and climaxis. Motion. *Damp cold air. *Wine. Draught.

Mind

Desire to wander from place to place. Melancholy. Agitation. *Nervous, *fidgety, *excitable* and jerky. Irritable, least thing which goes wrong makes her crazy. Depressed and *talkative; with constant change of subjects. Suspicious. Gloomy forebodings; of death; of insanity, of impending evil etc. *Thinks she is going crazy. Feels faint in epigastrium when meeting a friend. Fear of riding in a closed carriage. Fears, those in house will kill him. *Deathly fear of rats*. Vision of rats, mice, various colours and forms. Mania; before menses; alcoholic; tries to injure himself; puerperal; following disappearance of neuralgias. Weak will. Takes no interest in house work. Indifferent. Despondent, seems to feel under a heavy black cloud. Suspicious; would not take medicine. Sits and mopes in, in great sadness; when questioned breaks into tears. Mental symptoms are better by diarrhoea or menses; worse after rheumatism.

Head

Waving or wild sensation in brain. *Head retracted* (meningitis). Shooting throbbing pains, after mental worry, over- study or from reflex uterine disease better open air. Head or brain, feels too large. Opening and shutting sensation in brain. *Vertex feels as if it would fly off, worse going upstairs, or as if it opened and let in cold air, as if cold air was blowing upon the

brain, or heat on. Feeling as of a *blow* or as if a bolt has been driven from *occiput to vertex up to the eyes. (left). Headache of students.

Eyes

*Intense aching in eyeballs or behind it, better pressure worse slightest motion. Pain from eyes to vertex. Eyes feel big; wild look in. Sees red flashes with dark borders. Cannot tolerate artificial light. As if a needle were run into the eyeballs, worse closing eyes. Ciliary neuralgia.

Ears

Tinnitus. Sensitive to least noise; with spasmodic labour pains. Violent noises in ear with deafness.

Nose

Sensitive to cold air; every inhalation seems to bring the cold air in contact of brain.

Face

Pale, hot. Neuralgia affecting malar bones, better night, reappears the next day. Forehead cold. Facial blemishes in young women. Forehead feels cold. Wild fearful expression.

Mouth

*Saliva thick Coppery taste. Hawks up viscid coppery tasting mucus. Trembling of tongue. Thick mucus on teeth. Cannot speak a word though she tries. Tongue and mouth feel warm. Tongue swollen.

Throat

Burning in. Thyroid aches before menses.

Stomach

*Nausea; in morning; of pregnancy; of alcoholism; felt in bowels; worse pressure on spine and cervical region. Vomits green substance, groans, raves and presses the head with both the hands for relief. Sinking in epigastrium; on meeting a friend. Eructations; with nausea, vomiting and headache (women).

Abdomen

Colic better bending double and after stools. Frequent thin, dark offensive stools. Morning diarrhoea of children. Sharp pains across hypogastrium. Alternate diarrhoea and constipation.

Urinary Organs

Profuse clear urine; causing weakness; with yellow sand. Nervous urination.

Female

Menses; profuse, dark, coagulated, *scanty with backache, nervousness; irregular in time and amount; *more *flow, *more *pain. Great debility between menses. Ovarian neuralgia; pain across pelvis, from *ovary to ovary*, or goes upwards or downwards along the thighs. Menses suppressed; from emotions, from cold. Hysterical or epileptic spasms at the time of menses. Uterine atony. Presses mammae as though in pain. Mania. Burning in mammae. Slow labour pains with nervous shivers. Intolerable after pains worse in groins. Leucorrhoea; with a sensation of weight in the uterus. Cardiac neuralgia in parturition. Inframammary pains worse

left side. Lochia suppressed by cold or emotions. Nervous, when coughing and urinating. Shudders.

Respiratory organs

Tickling, short, dry, constant cough worse at night, speaking. Sharp stitches in left chest, motion extorting cries. Pleurodynia. Nervous cough.

Heart

Sore; swelled; or enlarged as if. Needle like pains at heart. Angina Pectoris-pain spreads all over the chest to the back, and down the left arm which feels numb and as if bound to the side. Heart action ceases suddenly impending suffocation. Pulse weak, irregular, trembling; drops every 3rd, or 4th beat.

Neck and Back:

Neckache, throws the head back. Stiff neck, pain worse moving the hands. Neck retracted. Spine, cervical and upper dorsal very sensitive worse pressure, which causes nausea and retching. Soreness of all the muscles. Stiff contracted neck and back. Pain in the angle of left scapula. Heavy pulsating lumbar pain, through hips and down the thighs.

Extremities

Uneasy and restless feeling in the limbs. Left arm feels as if bound to the side; constant irregular motion of left arm (Chorea). Hands tremble while writing. Cramps in limbs; in calves. Tendo-achillis stiff and contracted. Soles itching. Cold sweat on hands and feet. Alternation of rheumatic and mental symptoms. Trembling of legs, can scarcely walk. Numbness of limbs.

Sleep

Comatose; as if drunk. Sleeplessness. Sleeps; with arms overhead or yawning.

Related

Bap.; Caul.; Gel.; Ign.; Puls.

[Back to Index](#)

Generalities

*Cina is the source of the alkaloid Santonin. ***NERVOUS mental and bodily symptoms which are produced by this drug may be due to the presence of round worms or reflex from *abdominal irritation, and affections of the *digestive tract*. It is a children's remedy; children who are big, fat, rosy and scrofulous; they stiffen out; when *looked at, *during cough or when they become *cross. Child is restless, tosses about. Twitching. Spasms; due to worms; unilateral. In spasms, children throw arms from side to side. Whole body is painfully sore to motion and touch; bruised soreness. Children are hungry and greater the hunger greater the emaciation. Complaints concomitant to yawning, which comes on whenever someone yawns. Sour smell of body esp. children. Shocks as from pain. Patient will jump suddenly as though he felt pain. Trembling; with shivering, when yawning. Convulsions, with consciousness. Paraplegia, with unnatural hunger. Chorea.

Better

*Lying on abdomen. Wiping eyes. Motion. Shaking head. Rocking.

Worse

***TOUCH. Worms. Vexation. *Looked at. ***DURING SLEEP. Staring. Yawning. *Full moon. In sun, summer. Looking fixedly at any object.

Mind

Very ***TOUCHY; *ugly, *cross; *petulant and *dissatisfied. Children do not want to be touched, or carried, *wants to be *rocked; they desire many things, but reject everything offered; uneasy and distressed all the time. Nervous. Unreal feeling of having done something wrong. Convulsions in children when they are scolded or punished. Children proof against all the caresses. Good natured children become cross.

Head

Ache, alternating with pain in abdomen better stooping. Pain in head when reading or staring. Child leans his head sideways all the time. Turning the head from one side to other. Women must let hair down during headache. Children cannot have the hair combed. Headache, before and after epileptic attack.

Eyes

*Pupils dilated. Pulsation in super-ciliary muscles. Eyebrows twitch when staring at any object, he sees as through gauze better wiping eyes. Fatigue of eyes. Vision; yellow, blue, violet or green. Squint; from worms. *Dark ring around the eyes. Weak sight, from masturbation.

Nose

Itching; ***PICKS AND BORES AT NOSE, till it bleeds; wants to rub it. Sneezing, with whooping cough. Nostrils drawn in.

Face

Pale, with sickly look; during cough. ***BLUISH WHITE ABOUT the mouth. Face alternately pale and cold or red and hot. Choreic movements of the face and hands.

Mouth

***GRINDS THE TEETH; at night, *during sleep. Chews and swallows in sleep. Clean tongue.

Throat

Difficult swallowing of liquids; noisy swallowing. Clucking noise from throat to stomach; after coughing, or convulsions. Constant motion of swallowing, involuntary.

Stomach

*Hunger; *voracious; *after eating, after vomiting; with gnawing feeling in stomach; alternating with loss of appetite; before chill or follows sweat; in paraplegia. Desires many and different things; craving for sweets, for bread. Vomiting with a clean tongue. Vomiting and diarrhoea immediately after eating and esp. drinking. Aversion to mother's milk.

Abdomen

Twisting pain about the navel better pressure. Distended and hard. Cutting, pinching pain from worms. Stools, white, watery. Itching at anus. Unpleasant warm feeling.

Urinary organs

Bed wetting worse every full moon. Urine; turbid, WHITE; MILKY; or turn milky on standing.

Male

Bad effects on onanism; weakness of sight.

Female

Uterine haemorrhage before puberty. Child refuses breast. Menses; too early and profuse.

Respiratory organs

Regularly recurrent choking cough, with sneezing. Violent cough bringing tears and sternal pains; feels as if something is torn off. Gurgling from throat to stomach after coughing. Child keeps still and does not talk or move because of the fear of cough. Sternum as if lying too close to back. Cough ends in spasm. Suffocative attacks. Expectoration difficult.

Extremities

Tosses arms from side to side (children). Sudden inward jerking of fingers of right hand . Stretches out feet spasmodically (children) . Twitching and jerking in limbs. Left foot in constant spasmodic motion. Paraplegia; sudden, with unnatural hunger.

Sleep

Restless. Gets on hands and knees or on abdomen in sleep. Night terrors of children. *Cries out, screams, wakes frightened. Screams and talks in sleep.

Fever

With pale cold face and warm hands. Much fever; clean tongue during fever. Cold sweat on forehead, nose and hands. Hungry before chill and after sweat.

Related

Cham; Nat-p.

Complementary

Calc; Dros; Rat.

[Back to Index](#)

Generalities

Mercuric Sulphide is an antisycotic and anti-syphilitic remedy. Indolence and indisposition to mental work. General sensitiveness to touch; bones, scalp etc. While lying on right side, feels as if contents of body were being dragged to that side.

Worse

Touch. Light. Dampness. Walking.

Better

Open air. Sunshine. After dinner.

Eyes

*Pain outward along brows; encircling the eyes or like a saddle at the root of the nose. Redness of the whole eye.

Nose

Heavy pressure at the root of the nose worse pressure of glasses. Discharge from the nose is acrid, foul, burning, watery or dark lumps.

Mouth

Dry mouth and throat, wakes from sleep; must rinse the mouth. Hawks stringy mucous from throat; or lumpy mucous drops from the posterior nares. Naso-pharyngeal catarrh.

Abdomen

Formication in the anus; as from a large worm. Bloody dysentery. Thin white stools. Green mucus diarrhoea, which stains the skin about anus and scrotum a copper colour.

Male

Jerking in penis; during sleep. Foul acrid sweat between scrotum and thighs. Warts on prepuce, esp. fan-shaped. Small red pimples on glans. Old hard chancres. Itching of corona glandis. Redness and swelling of prepuce.

Female

Leucorrhoeal discharge with a feeling of pressure in vagina.

Heart

Heart flutters, then rushes of blood to the head.

Extremities

Nodes on shin bones. Left leg feels shorter than the right, while walking. Cramp in calves after walking. Pain in tendo achillis and os calcis when walking. Cold knees; or joints. Pain from elbow downwards into hands.

Skin

*Fiery red ulcers on skin and mucous membranes. Red eruptions. Violent itching and pricking. Sweat on nose. Honey combed ulcers.

Related

Merc.

Complementary

Thuj.

[Back to Index](#)

Generalities

Commonly known as Rock Rose is an ancient remedy for scrofulosis. It affects the ***GLANDS esp. of *naso-pharynx; *neck and mammae (left). It also produces herpetic eruptions, scorbutic states, chronic swellings and gangrenous ulcerations. The patient is *painfully sensitive to cold; *to cold inspired air. *Feeling of coldness in various parts; of tongue, saliva, in *throat; eructations, in stomach; worse sweating; even the discharges. Mucus discharges are *thick, *yellow, *foul*; leave a painful rawness. *Suppurations. Internal and external *itching. Formication through the whole body, with anxious, difficult breathing. Malignant diseases of glands of neck. Poisoned wounds, bites, phagedenic ulcers. *Burnings*. Indurations. Callosities, with cracks.

Better

Eating. Expectoration.

Worse

*Cold; taking; *draughts; inspired air. Cold water. Mental *exertion; excitement. Touch. Motion.

Mind

Bad effects of vexation. Fear.

Head

Aches when he misses the meals, better eating. Head drawn to one side by swelling in the neck.

Eyes

Feeling as if something passing around the eye. Canthi cracked.

Ears

Watery foetid discharge of pus; after eruptive diseases. Tetters on and around the ear extending to external meatus.

Nose

Cold feeling or burnings in. Tip painful. Eczema of the nose. As of a lump in naso-pharynx. Chronic nasal catarrh, frequent violent sneezing. Pressing pain at the root of the nose, with headache.

Face

Itching, burning and crusts, on zygoma. Caries of the lower jaw, with suppurating glands on neck. Open bleeding cancer on lower lip. Lips cracked.

Mouth

Scorbutic, receding gums, easily bleeding; disgustingly putrid. Tongue feels cold. Breath cool. Saliva cold. Hurts when protruding the tongue. Pyorrhoea.

Throat

Cold affects the throat; which feels cold. Soft, spongy feeling; itching in the throat. Becomes sore on inhaling least cold air. Dry spot in throat better by sipping water. Pains when coughing. Glands swollen and suppurating. Goitre, with frequent diarrhoea.

Stomach

Cool feeling in; before and after eating. Desire for cheese; for pungent things. Eructations cold.

Abdomen

Cool feeling all over. Diarrhoea; from coffee and fruits, with goitre, with nausea. Thin hurried stools worse in morning.

Male

Itching on scrotum.

Female Genitalia

Induration and inflammation of mammae (left). Sensitive to cold air. Cancer. Bad smelling leucorrhoea.

Respiratory organs

Larynx and trachea feel cool on inhaling cold air. Coldness in chest. Expectoration of quantities of glairy, tenacious mucus, on lying down. Trachea feels narrow and breathing becomes difficult preceded by formication. Chest feels raw, after expectoration.

Neck and Back

Hard swollen glands in the neck. Burning bruised pain in coccyx preventing sitting, worse touch.

Extremities

Cold feet. Cracked finger tips, sensitive to cold. Workmen develop hard place on their hands, with cracks.

Skin

Hard, thick, *dry, cracked. Itching, crawling all over, without eruptions.

Fever

Chilliness. Sweats, easily; at night.

Related

Calc; Helod; Hep.

[Back to Index](#)

Generalities

It affects *mucous membranes of eyes and urethra and the ***GLANDS esp. ***TESTES, mammary, ovaries; which become ***VERY HARD and ***PAINFULLY *swollen. Neuralgic pains in various parts. Burning, itching, stinging, crawling. Great debility. Muscles flaccid or twitch. Vibrating sensation through the body after lying down. Emaciation. Aversion to washing. Rheumatic, gonorrhoeal and syphilitic patients. Organic strictures.

Better

Sweating. Open air.

Worse

***GONORRHOEA. *Heat of bed ***NIGHT. *Cold washing. Cold air. Light. Moon worse and better with. Mercury.

Mind

*Indifference. Fear of being alone, but disinclined to meet even agreeable company. Ailments from homesickness. Peevish, dissatisfied without any cause. Melancholy.

Head

Confused feeling better open air. Eruptions; on occiput at the base of hair, moist, pustular, sensitive itching.

Eyes

Iritis. Chronic conjunctivitis. Lachrymation. Sensitive to air, must close them. Complaints from bright sunlight. Burning, as if fire were streaming out and smarting worse closing eyes.

Ears

Ringings as from bells.

Face

Pain in right side of face, to eye, ear and temple better holding cold water in the mouth. Swelling of sub-maxillary glands, with hard tubercles, throbbing worse touch. Cancer of the lip.

Mouth

Teeth ache worse at night and tobacco; better drawing in air, cold water. Breath offensive to others.

Stomach

Weakness in all the limbs after eating, with pulsation in arteries. Nausea on smoking tobacco, with weakness of legs. Disagreeable sensation of coldness in stomach.

Abdomen

Pain from abdomen to chest worse breathing and during urination. *Swelling of inguinal glands with jerking pains; with scirrhus, suppressed gonorrhoea, rheumatism of joints.

Urinary organs

Urine stops and starts, or *dribbles after urination. Has to strain for passing few drops, then full stream follows. Stricture of urethra. Urethra feels like a large whip-cord painful on pressure. Burning in urethra during urination. Inability to evacuate all the urine at once. Last drops of urine cause violent burning.

Male

Aversion for coition. Testes indurated, with bruised feeling. Orchitis. Testes hang heavy or retracted. Swelling of the spermatic cord, with burning and soreness, extending to abdomen. Burning in penis during seminal discharge in coitus. Swelling of right half of the scrotum. Violent erections, with stitches in urethra.

Female

Full, heavy, sensitive breasts; outward darts in. Swelling and induration of mammary glands. Cancer of the breast, with stitches in shoulders and uterus. Menses too early. Shooting pain in breast worse urinating.

Respiratory organs

Respiration impaired worse ascending the hill or walking over uneven road. Barking, dry cough, with stitches in chest.

Heart

Sharp stitches at heart, from within outwards.

Extremities

Weakness in limbs after eating; or with nausea on smoking tobacco. Axillary glands swollen.

Skin

Itches violently with profuse desquamation, worse washing in cold water. Vesicles, pustules. Corroding eruptions, ending in flat eating ulcers with thick crusts and eczema worse occiput and lower legs. Varicose ulcers. Herpes zoster.

Sleep

*Sleepiness. Restless dreamy sleep with vibratory sensation throughout the body.

Related

Phos; Rhod; Staph.

Complementary

Merc.

[Back to Index](#)

Generalities

This metal affects the spine (Lumbar region); genitals, kidneys and bones; and is useful for neurasthenic states of spinal origin; with sexual disturbances. Discharges frothy. Soreness. Aching in bones. Sour; taste, stomach, foot, sweat etc. Fatigue.

Worse

Sexual losses. Sitting. Heat of bed or sun. Morning.

Better

Hawking mucous. Continued motion.

Mind

Sense of guilt. All mental excitement worse sufferings. Thinks too little of himself.

Head

Vertigo, with feeling as if head grows large, worse stools. Headache worse stooping; jarring. Sensation as if the brain went up and down, on stepping.

Eyes

Photophobia in spring. Spring catarrh. Darting pain in the eyes on coming into sunshine.

Face

Disposition to keep jaws tightly closed.

Mouth

Teeth feel too long. Tongue coated white. Cracks across the middle. Taste sour.

Stomach

Sour or bitter water rises up with pain in stomach.

Abdomen

Shooting from liver region down into the thighs. Empty feeling at naval. Desire for stool; while walking, worse on standing; followed by diarrhoea. Constant dropping of blood from anus; no blood from stools. Yellow spots on. Shooting pains in the region of the liver and sharp pains in the region of spleen worse taking deep breath.

Urinary Organs

Albuminuria. Smarting at the meatus at the end of urination. Urine has a strong pungent smell.

Male

Pain in the right testicle better after urination. Frequent nocturnal emissions, with lewd dreams, headache and backache. Yellow-brown spots on genitals. Discharge of semen without erections. Impotency.

Respiratory Organs

Cough with copious, frothy sweetish white mucous, with lumps in it.

Back and Neck

Aching pain in lumbar, worse coition; sitting, better on rising, walking or lying down; with weak knees; cannot straighten up. Weakness and backache after emissions. Pain along the spine, and from the sacrum down through the legs into the feet.

Extremities

Shooting into thighs from liver. Weak knees. Flushes of heat along legs. Trembling of limbs esp. legs, aching when sitting. Foot sweat mostly between the toes, smelling sour. Tingling, pricking in feet. Sudden weakness in left hip worse walking.

Sleep

Wakeful; can do with less sleep. Disturbed by lewd dreams. Drowsy, and can hardly get enough sleep.

Skin

Pimples about nates, chin, hairy scalp. Itching all over when getting warm in bed.

Related

Eup-p.

[Back to Index](#)

Generalities

*Coca is the source of alkaloid Cocaine, is a local anaesthetic. It is the remedy for the exhaustion of ***BRAIN and ***NERVOUS SYSTEM; from physical and mental strain, and for those who suffer from *dizziness, *dyspnoea and exhaustion on going to high altitudes, mountain climbing, aeroplane flying etc. A characteristic sensation as if a worm or small foreign bodies were under the skin, moving away when touched; if this symptom is associated with any diseased condition coca is indicated. Suitable to old people. Short breasted people, weakly, nervous, fat, plethoric people. Children with marasmus. Muscle exhaustion.

Better

*Rapid motion, riding in *open air. After sunset. Lying on face.

Worse

Ascending. High altitudes. Cold. Mental exertion. Walking. Sitting. Salty food.

Mind

Mental prostration alternating with exhilaration. *Timid, bashful, ill at ease in society; craves solitude and obscurity. Sense of impending death. Hallucinations of hearing; unpleasant about himself. Loquacious excitement with blissful visions. Exhilaration; before menses. Sense of right and wrong abolished. Personal appearance neglected.

Head

Ache, with vertigo, preceded with flashes of light before the eyes. Shocks coming from occiput, with vertigo. Migraine, worse coughing better eating; sunset.

Eyes

Flickering before the eyes. White, dark and fiery spots before the eyes. Pupils dilated. Diplopia.

Ears

Noises in ears. Tinnitus.

Nose

Sense of smell greatly diminished.

Mouth

Caries of teeth. Tongue furred. Peppery sensation in the mouth.

Throat

Ereptions; rise with noise and violence, as if it would split the oesophagus.

Stomach

Great satiety for long time. Retards hunger and thirst. Craving for alcohol and tobacco. No appetite but for sweets. Aversion to solid food.

Abdomen

Dysentery of high altitudes. Abdomen distended.

Male

Sensation as if penis were absent. Diabetes, with impotency.

Female

Menses flow in gushes, waking her from sleep.

Respiratory organs

Loss of voice (5 or 6 drops of every 2 hour before the expected demand on voice). Senile asthma. Emphysema. Want of breath short breath esp. in aged athletes. Hoarseness worse talking.

Heart

Palpitation; with flushing, excessively rapid pulse; with violent sweating.

Extremities

Crawling, numbness of arms. When walking takes involuntary quick steps, head inclined forward with vertigo.

Skin

Like a worm under the skin moving away when touched.

Sleep

Sleeplessness. Can find no rest anywhere but sleepy. Awaken with a shock in brain.

Related

Cann.

[Back to Index](#)

Generalities

The symptoms of *coca and *cocaine are mostly similar. Sensations as if a small foreign body or a worm under the skin, seeing and feeling of bugs on his own person and on his clothes, and as if parts of the body were absent, are more pronounced in cocaine. Moral sense blunted. Frightful persecutory hallucinations. Personal appearance neglected. Thinks he hears unpleasant remarks about himself. Irrational jealousy. Constant desire to do something great; to undertake vast feats of strength. Chorea. Paralysis agitans. Alcoholic or senile trembling.

[Back to Index](#)

Generalities

It is a stupefying poison, hence it causes disturbances of the *sensorium and affections* of *cerebro-spinal axis*; producing paralytic muscular relaxation, with heaviness. The patient is very susceptible to fear, anger, grief and all mental disturbances. *He is too weak to hold up his head, *stand or even speak. Paralysis_of face; tongue, pharynx; paraplegia, with numbness and tingling. Suitable to light haired, timid, nervous, persons; bookworms; unmarried, childless women; and sensitive, romantic girls Hysteria. Numbness. Sensation of ***HOLLOWNESS or ***EMPTINESS; head, chest, abdomen. As if single parts *had gone to sleep. Shuddering. Painful contractions of the limbs and the trunk. *Tremors; of head, lower jaw; from excitement, exertion, pain. Intentional tremors. *Cramps; in muscles; in masseters; in abdomen; dysmenorrhoea, in the heart. Spasms, through the body like electric shocks. Convulsions; from non- appearance or suddenly checked menses. Alternating symptoms. Ill effects of anger, fright, grief, anxiety, disappointment. Night watching. Overstrain mental and physical. Travelling. Sun. Tea drinking. *Sensitive to cold. Falls down suddenly to ground unconscious. Senses acute. *Train and sea sickness. Slowness; in moving; in answering; wants plenty of time to do everything. Unilateral affections. Twitching of isolated groups of muscles.

Worse

*Motion; of ***BOAT; ***CARS; *swimming. *Loss of sleep. Touch. Noise. Jar. Emotions. Kneeling. Stooping. At menses. Eating. *Anxiety. Cold Open air. Exertion. Pain.

Better

Sitting. In room. Lying on side.

Mind

Dazed. Profound sadness. Thoughts fixed on one unpleasant subject, sits as if absorbed in deep and sad thoughts and observes nothing about her. Sudden great anxiety. Things seem unreal. Slow grasp. Easily offended, cannot bear contradiction. Extremely sad, taciturn and peevish. Takes everything in bad part Time passes too quickly. Drunkards; reeling, roaring, quarrelsome, singing. Very anxious about health of others. Talkative, witty, joking, dancing, gesticulating. Sees something alive on walls, floor, chair etc. Vaccillatory, does not accomplish anything at her work. Fears death and unknown dangers.

Head

***VERTIGO; with nausea; with palpitation worse in a.m.; raising head; felt in forehead. Heavy head. Pain in occiput and nape worse lying on it; better bending backwards, worse coffee. Cannot lie on back during the headache. *Opening and shutting sensation worse occiput. Convulsive trembling of head from weakness of muscles of neck. Cramps in left temporal muscles.

Eyes

Pain as if torn out of head (with headache). Eyes closed, with the balls constantly rolling about; in spasms. Protruding eyes. Pupils; contracted or dilated. Objects seem to move up and down. Jerking of eyelids.

Ears

Sensitive to hearing, dreads sudden noise. Feel closed (right). Noises as from rushing water. Hardness of hearing.

Nose

Sense of smell acute.

Face

Paralysis, of one side. Cramps in masseter muscles worse opening mouth. Prosopalgia, with wide radiating pain to fingers. Tremor of lower jaw, and chattering of teeth, when attempting to speak. Bloated, distorted and cold to touch.

Mouth

Tongue; as if paralysed, speech difficult; or hasty; pains at the base when protruded. Metallic taste. Food tastes as if salted too little; tobacco tastes bitter. Pain in teeth better when biting, with empty mouth. Teeth feel chilly.

Throat

Paralysis preventing swallowing. Tickling in throat, with lachrymation. Oesophagus dry, burning. Constriction in throat; with difficult breathing and inclination to cough.

Stomach

Loathing of all food and drink. Nausea; rising to head or felt in head. Retching. *Vomiting, with profuse flow of saliva; with headache, pain in bowels; on taking cold; of sour, bitter bad odour. As if a worm moving in. Hiccough and spasmodic yawning. Disgust for smell of food. Vomiting, with syncope. Vomiting from cerebral tumours; from loud talk. Craves beer. Sensation as if one has been a long time without food, until hunger is gone.

Abdomen

Bloated. *Seems full of sharp stones; on every movement; diarrhoea better lying on sides. Cold, wind, twisting, hysterical, nervous, with faintness, with salivation. Cramps in epigastrium, with difficulty in breathing. Liver more painful, after anger worse least jar. Abdominal muscles weak. Pain in abdominal ring as if something were forced through.

Urinary organs

Frequent desire to urinate, with small discharge in pregnant women. Urine watery.

Male

Drawing sore pain in testes when touched. Genitals sensitive, with desire for coition.

Female

Menses; early, profuse, too often, gushes out in stream when rising on feet on tiptoe. Very weak during menses, can scarcely stand. Purulent, gushing leucorrhoea between menses; or in place of menses; weakening; can scarcely speak. Dysmenorrhoea followed by haemorrhoids. Clutching in uterus. Shivering over mammae. Leucorrhoea gushing, when squatting and stooping; during pregnancy, with frequent urging to urinate.

Respiratory organs

Sensation of emptiness or of cramps in chest. Hysterical asthma. Cough from choking in throat. Audible rumbling in chest (left) as from emptiness worse walking.

Heart

Palpitation worse quick motion, mental excitement; with vertigo and faintness, then stretching of arms, thumbs drawn inwards.

Neck and Back:

Weak neck, cannot hold up head. Pain in neck or cracking in cervical vertebrae when moving head, and on yawning. *Spinal weakness in lumbar region; worse walking. Paralytic pain in small of the back.

Extremities

Pain in shoulder and arms as if bruised. Hands; numb; or hot and cold alternately become numb on grasping objects; trembles while eating. Takes hold of things awkwardly and drops them. Limbs go to sleep. Trembling and pain in limbs. Knees weak; crack, on motion. Paraplegia. Alternation between arms. Limbs straightened out, painful when flexed or vice versa. Clumsy gait. Oedema of feet with paralysis of lower limbs. Humerus feels broken. Soles numb; while sitting. Involuntary motion of right arm and right leg better during sleep.

Sleep

Sleepless from mental or physical exhaustion. Constant drowsiness; after night watching, nursing. Spasmodic yawning, with hiccough. Anxious frightful dreams.

Fever

*Chilliness, with perspiration and heat of skin. Chill alternating with heat. Nervous form of low fever; from fits of anger. Chill with colic, nausea, vertigo. Sweat; from slight exertion, on affected part.

Skin

Much itching worse undressing; in a feather bed. Ulcers very sensitive to touch.

Related

Gels., Ign.

Complementary

Petr.

[Back to Index](#)

Generalities

This is an insect infesting the *cactus plant. The tincture is prepared from the dried bodies of the female insects. It affects the ***MUCOUS MEMBRANES, causing *catarrhal condition and irritation of throat, respiratory and genito-urinary organs. ***DISCHARGES ARE STRINGY; including *haemorrhages, which are apt to be in large black clots. *Intolerable internal itchings, burning like pepper. *Pulsation in different organs. Sensation as of a fluid forcing its way during pain. *Spasms. *Uric acid; gouty, rheumatic diathesis. Anuria. Anasarca. Ascites. General lassitude.

Worse

*Periodically. *Heat. *Lying. *Cold exposure. Awakening. Touch. Pressure of clothing. Brushing teeth. Slightest exertion ***IRRITATION OF THROAT. Rinsing mouth.

Better

Washing in cold water. Walking. Cold drinks.

Mind

Sadness, early morning on waking or afternoon 2-3 p.m.

Head

Throbbing pain with sensation as if fluid were forcing its way.

Eyes

Sensation as of a foreign body between the upper lid and the eyeball.

Ears

Cracking in ears, when swallowing.

Nose

Burning as of pepper in nostrils. Accumulation of thick viscid mucus in naso-pharynx.

Face

Crawling sensation. Becomes purple, red worse coughing.

Mouth

Loud speaking or brushing of teeth causes cough. Tip of tongue burns like pepper. Sweetish, metallic taste. Salivation, constant desire to spit.

Throat

Accumulation of much viscid mucus; hawking it, excites cough, retching and vomiting. Sensation as of a thread hanging down the back of the throat. Any irritation in throat causes cough, retching and vomiting. Constricted throat; or as of a plug lodged in it. Profuse post-nasal discharge. Sensation as if uvula is elongated, causing constant hawking.

Stomach

Irritation of throat, hawking, brushing of the teeth causes retching and vomiting. Thirst; drinks water often and in large quantities.

Abdomen

Excruciating pain from left iliac region, extending to the groins half way down the thighs; as if fluid were forcing its way there.

Urinary organs

Lancinating, violent pain from kidneys to bladder; with dysuria. Nephritic colic. Constant urging to urinate, better after passing blood clots from the vagina in females. Sticking pain along ureters. Urine; scanty, thick, heavy, sour; sediment; *sandy, dark red, brown or white; bloody mucus. Nephritis.

Male

Pulsation in glans.

Female

Vulva sensitive worse when urinating. Menses too early, profuse, black and thick, dark clots, with dysuria. Large clots escape from the vagina when passing urine, when quiet or when rising up. Menses; intermittent; flow only in the evening or at night.

Respiratory organs

***REGULAR PAROXYSMS OR VIOLENT TICKLING, ***RACKING COUGH ENDING IN VOMITING OR RAISING MUCH CLEAR ROPY MUCUS, hanging from mouth, *with purple red face and internal heat. Chronic bronchitis complicated with gravel. Whooping cough. Cough; periodical slowly increasing then gradually decreasing in its intensity, better cold air or cold drinks. Walking against the wind takes the breath away. Soreness or stitches in apices of lungs. Shortness of breath. Cough of drunkards.

Heart

Sensation as if everything were pressed towards the heart.

Back

Coldness in. Region of kidneys painful to pressure.

Extremities

Sensation as if a fine splinter were under the nails of fingers.

Fever

*Burning, as of pepper.

Related

Apis; Berb; Lach; Phos.

[Back to Index](#)

Generalities

There is no difference between symptoms of roasted coffee and raw coffee. It is believed that coffee antidotes almost all homoeopathic medicines; but it is doubtful whether it could do so esp. when remedies are given in high potency (Clarke). Experience shows that correctly selected homoeopathic remedy acts in spite of taking coffee. Coffee increases the sensibility of ***NERVES; ***MAKING THEM OVER EXCITABLE AND OVER SENSITIVE; special senses become OVER ACUTE; emotions esp. joy and *pleasurable surprise, produces dangerous symptoms. *Pain, *touch, *noise, odours become intolerable. Unusual activity of mind and body. Convulsions of teething children, with grinding of the teeth and coldness of the limbs. Convulsion from excessive playing or laughing, in weakly children. It is suited to tall, lean, stooping persons, with dark complexion; of choleric temperament. Ill effects of fear, fright, disappointed love, *over fatigue; excessive laughing, long journey. Sensation of warmth. Great nervous agitation and restlessness. Hysteria; screaming weeping. Pains intolerable, drives to despair.

Worse

*Noise. Touch. Odours. Air; open, cold windy. *Mental exertion; emotions. Overeating. Alcohol. Night. Narcotics. Strong smells.

Better

Lying. Sleep. Warmth.

Mind

Ecstasy; full of ideas, quick to act, therefore *wakeful. *Weeps, *laments and tosses about; over trifles. Cry and laugh easily; while crying, suddenly laughs quite heartily and finally cries again. Now joyous now gloomy. Resents sympathy. Faints easily. *Irritable and wakeful. Fright from sudden pleasant surprise. Trembles. Throws things about.

Head

Seems as if brain were torn to pieces, shattered or crushed. As if a nail were driven into the head. Clavus. Tight pain. Head feels too small. Feels and hears a cracking in vertex. Temples throbbing, with burning in eyes.

Eyes

Can read fine print more distinctly. Pupils dilated. Bright eyes.

Ears

Noise is painful. Hearing is more acute; overhears distant sounds. Hardness of hearing, with buzzing as of a swarm of bees.

Nose

Acute, sensitive smell. Nosebleed; with heaviness of head, and ill humour; during straining at stool.

Face

Ache, (right), radiating. Dry, hot, with red cheeks.

Mouth

Toothache; better holding ice water in mouth; worse as it warms, extends down arms to the finger tips; during menses. Taste delicate. Salivation; during pregnancy.

Throat

Pain as from a plug, with constant desire to swallow. Uvula too long.

Stomach

Immoderate hunger; eats and drinks hurriedly. Stomach feels over loaded; during colic.

Abdomen

The clothes are oppressive. Abdominal pains, with despair (women). Diarrhoea; in housewives from too much care about domestic affairs; during dentition.

Urinary Organs

Suppression of urine. Frequent, profuse urination, of colourless urine.

Male

Hot itching genitals.

Female

Menses; too early and long lasting. Dysmenorrhoea, large clots of black blood. Voluptuous itching in the vulva, but vagina and vulva are too sensitive to rub or scratch, aversion to coition, there from. Afterpains. Toothache; during menses. Severe afterpains or labour pains; with fear of death. Nymphomania.

Respiratory organs

Short, dry hacking constant cough; of measles; in nervous delicate children.

Heart

Nervous palpitation, with trembling of limbs worse sun heat; after excessive joy or surprise. Sudden rise of blood pressure.

Extremities

Trembling of hands, cannot hold the pen. Sciatic or crural neuralgia worse motion, better pressure. Twitching in the limbs.

Sleep

***NERVOUS SLEEPLESSNESS; from rush of ideas, mental activity; awakes at, or hears every sound; after pleasurable excitement.

Fever

Feverish, with pain and always ready to weep. Traumatic fever.

Skin

*Painfully sensitive. Itching_scratches until it bleeds.

Related

Coca; Ign.

Complementary

Acon.

[Back to Index](#)

Generalities

It affects markedly ***MUSCLES; *fibrous tissue; *serous membranes; ***JOINTS, esp. small. It causes extreme relaxation of muscles; the head falls forwards or backwards when the patient is raised from the pillow; arms fall helpless. Patient is ***WEAK, ***COLD, (internally), ***BUT SENSITIVE AND RESTLESS. Pains are, tearing, digging, drawing. Pains worse by mental exertion and emotions, slightest touch and vibrations. Many joints are affected at the same time. Small, rapidly shifting areas of severe pain, but little swelling. Tingling, crawling. Cardio-arthritic affections. Dropsy. Hydropericardium, hydrothorax; ascites, hydrometra. *Tendency to collapse; moist collapse; due to dehydration i.e. after repeated vomiting or purging. Shock as from electricity through one half of the body; worse motion. Bad effects of grief; disbehaviour of others; wetting; *checked sweat; night-watching; hard study. Irritable and sensitive to impressions, strong odours etc. *Rapid sinking. Creeping. Every little hurt pains terribly. Stubbing the toes hurts exceedingly. Paralysis after sudden suppression of sweat esp. of foot, by getting wet.

Worse

*Motion. *Touch. *Night. Stubbing toes. Vibrations. ***WEATHER, *cold; *damp. *In damp room. Changing weather. Autumn. Slight exertion, (mental or bodily). Stretching. Checked sweat. Sunset to sunrise. Loss of sleep. Smell of food.

Better

*Warmth. Rest. Doubling up. Sitting. After stools. Stooping.

Mind

*Depressed; *irritable and sensitive. Can read, but cannot understand a short sentence. Memory weak. Extreme impressions such as bright light, strong odours, contact, misdeeds of others make him quite beside himself.

Head

Creeping in forehead. Pressive headache better supper, warmth, lying quiet.

Eyes

Pupils unequal. Pain in and around the eyeball, to occiput. Acrid tears. Variations in visual acuity. Eyes half open. Visible contraction in lower lid. Dim vision after reading.

Ears

Hearing very acute. Itching in ears. Feels stopped up.

Nose

Nostrils dry and black. ***SMELL MORBIDLY ACUTE; *odours nauseate even to fainting etc. Obstinate coryza.

Face

Pinched. Sunken. Tingling and oedematous swelling; cheek red, hot sweaty. Pain behind the angle of lower jaw.

Mouth

Tongue; bright red, heavy, stiff and numb, projected with difficulty. Glossitis. Taste; flat, bitterish. Mouth hangs open. Flow of saliva with a sense of dryness. Heat in the mouth with thirst. Toothache worse cold and warmth.

Throat

Much greenish, thin mucus in the throat; comes involuntarily in the mouth.

Stomach

Thirsty, but ***LOATHES THE SMELL OR SIGHT OF FOOD; better lying quietly. ***NAUSEA; retching. Burning or *icy coldness in stomach; with colic. Craving for various things but averse to them when smelling them. Wants aerated waters or effervescent drinks. Eggs disagree. Nausea and inclination to vomit, caused by swallowing saliva.

Abdomen

Distended; contracts when touched; with inability to stretch the legs. Ascites, with fold over the pubic region. Diarrhoea then gouty effects. Stools; very painful, offensive, choleric; of shreddy, bloody, gelatinous, mucus, then tenesmus or spasms of anus. Mucous colitis; after dysentery. Autumnal dysentery. Colicky pains. Agonizing pains remain long after stool.

Urinary Organs

More urging, more discharge of urine. Urine; hot, highly coloured, watery, frequent; bloody, black almost like ink; black sediment. Albuminuria, diabetes. Nephritis.

Male

Oedema of scrotum.

Female

Coldness of thighs; after menses. Sensation of swelling in vulva and clitoris. Feverish restlessness in last month of pregnancy.

Respiratory organs

Chest seems squeezed by a hand. Night cough, with involuntary spurring of urine. Great dyspnoea.

Heart

Cutting or stinging at heart; weak heart. Heart disease; following rheumatism. Hydropericardium. Cardiac dyspnoea. Pericarditis. Pressure and oppression in the region of the heart better walking. Pulse, thready, imperceptible.

Back:

Ache better pressure and rest. Tension in cervical muscles felt even on swallowing. Violent pain in region of kidneys better lying on back only.

Extremities

Limbs cold. Pins and needles in the hands and wrists; finger tips numb. Joints red hot swollen; stiff; shifting rheumatism; worse at night. Swelling of great toe. Cannot bear to have it touched. Tingling in finger nails. Finger joints distorted, fingers flexed but in constant motion.

Knees knock together, can hardly walk. Oedematous swelling and coldness of feet and legs. Buttocks hot.

Sleep

Falls asleep while reading. Lies on back.

Fever

Copious sour sweat suddenly coming and going rheumatism. Body hot, limbs cold. Sweat cold on face. Sour sweat; nightly.

Skin

Pink spots on back, abdomen and chest. Urticaria. Skin dry, sweat suppressed or profuse.

Related

Ars; Carb-v; Verat.

Complementary

Ars; Spig.

[Back to Index](#)

Generalities

This remedy produces *congestion in pelvic organs esp. *anus, *rectum and uterus; resulting in *haemorrhoids and constipation esp. in females. It is useful in affections due to *piles or *alternating with piles esp. heart. Congestion in portal system causes chronic nasal, gastric and pharyngeal catarrh. Constipation of children from intestinal atony. Sensations of constriction and *feeling of enlargement are felt in various parts and organs of the body, limbs, vulva, clitoris etc. When given before operation on rectal disease it is apt to reduce, after complications. Dropsy from cardiac disease.

Worse

*Piles; during or suppressed. *Night; *Pregnancy. Cold. Excitement.

Better

Heat. Morning.

Mind

Gloomy.

Head

Dull frontal headache, with constipation or piles or from suppressed haemorrhoidal discharge.

Mouth

Tongue yellow, with bitter taste.

Throat

Speaker's sore throat.

Abdomen

Dull distress in liver region. Heavy digging ache in pelvis. Diarrhoea; acrid, destroying hair. Stools; light coloured, lumpy, with hard straining. Mucus or black stools. Constipation, or piles of pregnancy. *Rectum; aches, burns, seems dry and full of sticks or sand; with *cardiac pain. *Piles; bleeding; chronic; *alternating with heart, chest or rheumatic symptoms. *Prolapsus ani. *Itching of anus. Alternate constipation and diarrhoea. Chronic diarrhoea of children. Diarrhoea, after delivery. Obstinate constipation, with piles, stools hard.

Male

Varicocele; with rectal symptoms.

Female

Prolapse of uterus; with haemorrhoids. *Itching of vulva; with piles; during pregnancy. Sensation of swelling of labia and clitoris; Dysmenorrhoea; with piles, membranous. Cold feeling in thighs, after menses.

Respiratory organs

Cough from excessive use of voice. Spitting of blood after suppression of haemorrhoids. Chest pains alternating with haemorrhoids.

Heart

Palpitation; in pile subjects. After heart symptoms are relieved piles or menses return.

Extremities

Sensation as if limbs were enlarged. Lower limbs seem not to belong to him.

Fever

*Flushes of heat; with oppressive breathing; with piles.

Related

Lycops; Nux-v; Sulph.

[Back to Index](#)

Generalities

In ordinary practice *colocynth was used as a drastic purgative. In homoeopathy not only it is useful in acute affections of ***DIGESTIVE TRACT AND INTESTINES; but it has a long lasting action on ***NERVES (Large) esp. ***TRIFACIAL; ***SCIATIC and *spinal. In abdomen it produces, ***SUDDEN ATROCIOUS, ***CRAMPINGS; *gripping, tearing *pains which make the patient ***TWIST; and *turn, *cry out; or wriggle for relief or bend him double; patient presses something hard against the abdomen, pains are accompanied by nausea and diuresis and the patient vomits from intensity of pain. Neuralgic pains are ***CUTTING; *pinching, *clamping, *gnawing or boring, followed by numbness; better by pressure. Cramps and twitching and shortening of the muscles; or parts seem too short. *Constrictions. It is suitable to easily angered, irritable persons; with tendency to corpulency. To women of sedentary habits with copious menstruation. Cysto-spasms after operations on orifices. Ill effects of anger, indignation, chagrin; grief, catching cold. Excessive venery. Convulsive jerks and constrictions, during pain. Sensation as of being encircled with an iron band, screwed up tightly. Throbbing throughout the whole body. Burnings. Prostration, as if all his strength was failing. Faints; with pain and with coldness. Formication in affected part.

Worse

***EMOTIONS; ***VEXATION; *chagrin. Anger. *Lying on painless side. *Night, *in bed Draughts. Taking cold. Before and after urination.

Better

***HARD PRESSURE; on edge. *Heat. *Rest. *Gentle motion. After stool or flatus. Doubling up.

Mind

Greatly affected by the misfortunes of others. *Anger, easily vexed during pain. Want of religious feeling. Screams with pain; wants to walk about, disinclined to talk, to answer. Impatient. Does not want to meet the friend. Morose; becomes offended at everything.

Head

Vertigo when quickly turning the head; to the left. Head pains worse stooping, lying on back and moving eyelids, with nausea, and vomiting. Roots of hair painful. Head hot.

Eyes

On stooping feeling as if eyes would fall out. Violent pains before development of glaucoma; eyes become stony hard. Pain and twitching in eyelids. Burning eyelids.

Ears

Sounds re-echo in ears. Crawling, itching, stitching, aching better by putting finger into ear.

Face

Prosopalgia, with eye symptoms, or alternating, with pain in coeliac region, with chilliness. *Face distorted Cheeks cold. Pain anywhere is reflected on the face.

Mouth

Persistent bitter taste. Burning on the tip of the tongue. Scalded sensation of the tongue. Teeth feel too long.

Throat

Cramps in gullet, with empty eructations and palpitation of the heart.

Stomach

Vomits from pain. Sensation in stomach as if something would not yield; drawing pain in the stomach. Very thirsty. Vomiting of bitter water. Pain in stomach, with pain in teeth and head. Potatoes and starchy food disagree. Coffee better colic.

Abdomen

***VIOLENT, ***CUTTING, ***GRIPPING, ***GRASPING, ***CLUTCHING OR RADIATING, ***COLICKY PAINS; ***COME IN WAVES; better ***DOUBLING UP; ***HARD PRESSURE; worse *least food; or drink, except coffee and tobacco smoking. Flatulent colic. *Intestines feel squeezed between stones. Colic, with a cramp in calves, from drinking when over heated. Cutting in bowels at navel. Pressure better the pain in abdomen in acute stage but when pain remains for a long time, parts become tender then pressure worse the pain. *Stools; *frothy, *watery, *shreddy, *yellow, sourish or gelatinous; *with flatulence and pain. Dysenteric stools, renewed each time by least food or drink. Slippery bubbles escape from anus. During colic infant lies on abdomen and screams when he is slightly moved. Chronic watery diarrhoea worse in the morning. Diarrhoea; from pain, from anger with indignation.

Urinary organs

Burning along urethra during stools. Pain on urination over the whole abdomen. Renal colic, with diuresis; Cysto-spasms after operation on the orifices. Urine; gelatinous, sticky, stringy. Red hard crystals adhering to the vessels. Urine, milky white coagulates on standing; diabetes.

Male

Sensation as if everything were flowing towards genitals, from both sides of the abdomen, causing seminal emission. Para- phimosis.

Female

Clutching pain in ovarian region better drawing up double, with restlessness. Dysmenorrhoea worse eating and drinking. Ovarian cyst, with pain better flexing thigh on pelvis. Suppression of menses or lochia from indignation. Menses copious in women with sedentary habits. Painful nodes in mammae. Ovarian tumours, cysts.

Respiratory organs

Short cough when smoking tobacco. Difficulty of breathing during menses; ovarian tumour.

Heart

Feels pushed up by a distended stomach. Strong throbbing in all blood vessels.

Back

Pain under right scapula; better pressure. Lumbar ache better pressure. *Cramp like pains in the hips better lying on the affected side. Neck stiff worse moving head. As of a heavy weight in lumbo-dorsal region better lying on left side.

Extremities

Contraction of muscles. Sciatic pain, shooting, band-like, screwing better pressure, heat; worse least motion, rotation, at night. Limbs drawn up like hedge hog. Cramps in muscles during coition. Pain in deltoid (right). Knees feel stiff, cold. Feet cold, with colic.

Sleep

Sleeplessness and restlessness, with pains; after anger.

Fever

Coldness of hands and soles, rest of the body warm. Chill and shivering with pains. Sweat; at night, cold, smelling like urine.

Related

Staph.

Complementary

Caust.

[Back to Index](#)

Generalities

It is an irritant poison like *Rhus-t, causing malignant inflammation of the skin, with enormous swelling or OEDEMA; of left leg and foot. Burning, itching of the eyes, which feel too large. Right eye very painful, feels large, protruded than left. Ciliary neuralgia. Burning itching of the nose with violent sneezing. Pain under the left breast or nipple extending to left scapula, when coughing. Wandering rheumatic pains. Deep ulcers, with hard edges. Leprosy. Skin red all over. Recurrent eczema.

Better

Open air. Motion. Scratching.

Worse

Touch. Warmth. Rest. Night.

[Back to Index](#)

Generalities

This is the poison which was supposed to have been given to the Greek philosopher Socrates for causing his death. It affects the ***NERVES, ***AND MUSCLES, causing incoordination and paralysis; uncertain gait, difficult speech; patient becomes gradually ***WEAK. *Irregular, *action; development of symptoms. Sudden loss of strength while walking. *Trembling of all the limbs. *Suddenly sick and weak, with *numbness. Useful in old age or for those persons who become old early; for old maids, for bachelors, for youths who suffer from ill effects of masturbation. Glands esp. ***MAMMARY and ovaries are affected with engorgement, and ***STONY INDURATIONS. *Sensation as of a lump; in *brain; in epigastrium. Ascending symptoms; paralysis; after diphtheria. Tearing, stabbing pains. New growths. Arteriosclerosis. Multiple neuritis. Cancerous diathesis. Patients who are worse when idle. Paroxysms of hysteria and hypochondriasis from sexual abstinence or sexual excess. Hysterical convulsions. Ill effects of contusions, blows, overstraining, overwork. Grief. Easily intoxicated. Women broken down, tired of life, discouraged; who feel as if they were to cry; and swallow and choke as from a lump in the throat. Progressive *debility. *Chronicity. Clothes distress. Faints at stool. Sensation as of a hoop or band or something tight around the part.

Worse

***SEEING MOVING OBJECTS. ***ALCOHOL. *Raising arms. *After exertion_bodily or mental. *Injury. Sexual abuse or excess. *Continence. *Cold; *taking cold. *Old age. Lying; with head low. Turning in bed. Pressure of tight clothing. Jar. Night. Standing. Before and during menses. Dry, hot air. Spring.

Better

Letting affected part hang down. Stooping. Moving, walking. In the sun. Dark. Pressure. Walking bent. On sitting down. Fasting.

Mind

Depressed, timid, averse to society, yet fears being alone. Slow grasp; difficult understanding. Weak memory. No inclination for business or study. Indifferent. Difficulty in understanding what he is reading. Superstitious. Unable to sustain mental effort. Periodical insanity, of alternating type. While walking on the road wants to hold somebody and abuse him. Trifles seem important. Thinks that animals are jumping on his bed. Sad; dissatisfied with herself and Surroundings. Cannot think after using eyes. Cares very little for things; makes useless purchases, wastes or ruins them. Likes to wear his best clothes. Sadness worse by sympathy. As if great guilt weighed upon him. Fears when alone, but dread of strangers or company, during menses.

Head

***VERTIGO; *whirling. worse *lying, *turning over in bed; *least motion of the yes or head; of old age. Hot spots on head. Temples compressed worse after meals. Sensation as of a lump in right half of brain. Sick headaches, with inability to urinate. Pain in head from sinciput to occiput better stooping and moving the head. Sensation of fulness, bursting in brain during headache. One side numb and cold.

Eyes

*Feel crossed *Lids; *heavy, *droop worse outside. *Photophobia and excessive lachrymation; without inflammation or from slightest abrasion or ulceration of the eye. Burning in eyes. Vision coloured; red. As of fringe falling over eyes. Vision diminished in artificial light. Cataract after eye injury. Ptosis of eyelids. Sweats on closing eyes. Diplopia. Black spots before eyes, with vertigo. Myopia. Vision becomes blurred when vexed.

Ears

Accumulation of ear wax like pulp of paper; or blood red hard wax, causing hardness of hearing. Oversensitive to noise. Parotid gland swollen and hard. Ears feel stopped on blowing nose.

Nose

Smell acute. Easy bleeding, picks nose constantly. Polypus. Frequent sneezing. Obstinate obstruction of nose.

Face

Moist and spreading herpes on face. Cancer of the lip (from pressure of pipe). Sub-maxillary glands are swollen and hard.

Mouth

Toothache worse cold food, not by cold drinks. Speech difficult from paralysis of tongue. Cancer of tongue. Sour saliva. Distortion of tongue and mouth.

Throat

As if a round body were ascending from stomach (globus). Food goes down the wrong way and stops while swallowing. Paresis of oesophagus. Constant inclination to swallow as from a lump in the throat worse walking in open air. Tonsils enlarged.

Stomach

Acrid heartburn and acrid eructations worse on going to bed. Distention of stomach after taking milk. Pain in stomach better eating but worse few hours (2 or 3) after eating, better in knee chest position. Nausea and vomiting during pregnancy. Craves coffee, salt, sour things. Aversion to bread. Vomiting; of coffee grounds, chocolate coloured lumps or clear sour water. Cancer, ulcer.

Abdomen

Distension worse after taking milk. Cutting pain before passing flatus. Severe aching in and around the liver. Chronic jaundice and pain in right hypochondrium. Trembling of whole abdomen. Abdomen hard and distended. Tremulous weakness, palpitation of heart after every stool. Involuntary stool; during sleep. Cold; flatus; stool; Constipation on alternate days. Burning or coldness in rectum. Hypogastric pain goes down legs. Ineffective urging to stool.

Urinary organs

Interrupted urination, urine stops and starts; better standing. Dribbling in old men. Cutting and burning after urination. Difficulty in passing urine in the beginning even when standing, then it flows freely. Urine feels hot.

Male

Testes enlarged. Erections imperfect and of too short duration. Seminal discharge, provoked by mere presence of a woman or contact. Sexual nervousness, dejection; after coition. Ill effects of suppressed sexual appetite. Cutting in urethra while semen passes. Dribbling of prostatic fluid worse stools, emotions etc. Itching in prepuce. Sexual desire without erection. Impotence.

Female

Menses; irregular; too late; scanty. Dysmenorrhoea, with drawing down thighs. *Breast enlarged and become painful before and during menses, worse at every step. Wants to press breast hard with hand. Mammae lax and shrunken with or without sexual desire. Hard tumours in mammae; with stitches or piercing pain. Cancer. Stitches in mammae and in nipples, on taking deep breath or walking. Too much milk before menses. *Leucorrhoea; white, *acid; preceded by griping in abdomen; after urination. Cutting pain in ovaries and uterus. Ovaries enlarged and indurated; lancinating pains. Ovaritis. Fears when alone, but dread of strangers or company during menses. Ill effects of suppressed sexual desire, of suppressed menses. Motion of child painful during pregnancy. Prolapse of uterus from straining at a hard stool. Itching deep in vagina.

Respiratory organs

Constant, tormenting cough, from dry spot in the larynx or tickling in chest and throatpit, worse when lying down, laughing, talking and during pregnancy, has to sit up. Cough seems to come from abdomen. Loose cough without expectoration, has to swallow what he coughs up. Caries of the sternum. Want of breath worse least exertion. The clothes lie like a weight on chest and shoulders. Cough on taking deep breath. Tightness of chest better by coughing. Sharp pain from sternum to spine.

Heart

Palpitation, worse exertion, drinking, at stools, etc. Pulse unequal, irregular.

Neck and Back:

Pain between shoulders. Spinal injuries. Drawing pain in the lumbar vertebrae worse standing. Coccygodynia. Pediculated tumour at the centre of back. Neck cold. Enlargement of neck. Small, flat wart like growths on buttocks.

Extremities

Shoulders feel bruised; clothes lie like a weight on them. Hands; weary, heavy, trembling, unsteady. Axillary glands enlarged. Nails yellow. Fingers and toes numb. *Heels, as if bone would push through them. Shooting in heels. Perspiration on hands. Weak lower limbs, as if paralysed. Cracking in knee joint. Can walk straight and steadily, with eyes closed, but staggers, becomes giddy, is nauseated when walking with open eyes.

Sleep

Drowsiness by day. Sleeps after midnight. Nightmares in sleep.

Fever

Coldness of nape, of calf etc. Hot *flushes; *or sweat; *on dropping to sleep, or even when closing the eyes. Sweat; under the eyes, on chin, in poplitea; cold on nape and palms; offensive causing smarting of skin.

Skin

*Greenish, like an old bruise. Red spots turning yellow or green. Urticaria from violent bodily exertion. Foul or eczematous eruptions. Gangrenous ulcers. Petechiae in old persons. Anaesthesia or inactivity of the skin. Pimples, small red, burning appear with scanty menses and disappear after menses.

Related

Arn; Bar-c; Calc-f; Caust; Gels; Iod.

Complementary

Phos.

[Back to Index](#)

Generalities

It is useful for heart affections. Dilatation of heart without compensatory hypertrophy; when venous stasis is marked. Increases heart's action, renders it more regular. Soreness of uterine region, with palpitation of heart. Sensation as if heart ceased beating, then starting very suddenly. Movement in abdomen as from a fist of a child. Dyspnoea; dropsy; anuric tendency. Tobacco heart.

Better

Open air.

Worse

Lying on back. Warm room.

[Back to Index](#)

Generalities

It acts on ***MUCOUS MEMBRANES *of genito-urinary tract, and bronchial tubes; producing excessive discharge. ***FOUL; ***BLENORRHOEA; *bronchorrhoea, suppuration.

Mind

Weeps on hearing a piano.

Head

Occipital headache better gentle hand pressure. Flushes of blood to the head, and face.

Ears

Excessive sensitiveness to sharp sounds.

Nose

Burning and dryness. Epistaxis, lasting several days in small boys. Profuse thick, foetid discharge.

Face

Acne. Disfiguring the face. Face red, flushed.

Mouth

Chronic catarrh of the throat. Teeth cold.

Urinary organs

Pulsations in penis. Urethra feels wide open. Urine acrid, scanty, bloody; odour of violets. Dysuria. Catarrh of the bladder. Suppuration, ascends urinary tract. Purulent or acrid milky gonorrhoea.

Respiratory organs

Cough; with profuse, grey, purulent, greenish, offensive sputum. Bronchiectasis. Painful cough, with heat and oppression of chest. Burning in lungs. Foul bloody expectoration.

Skin

Hives, with fever and constipation. Chronic urticaria in children.

Worse

Morning. Taking cold.

Related

Ter.

Complementary

Sep.

Stomach and abdomen

Food tastes too salty. Stools of masses of mucus or covered with mucus. Mucus colitis.

[Back to Index](#)

Generalities

Red Coral contains *calcium carbonate, and iron oxide. It affects the ***MUCUS MEMBRANES esp. ***OF RESPIRATORY ORGANS; producing ulcerations and stringy discharges. Feeling as if cold air were steaming through skull and air passages. Patient is too cold when uncovered and too hot when covered better by artificial heat. Suited to nervous persons; syphilis and psora.

Worse

Inhaling *air, change of air; eating. Towards morning.

Mind

Peevish, inclined to scold and swear at his pains.

Head

As if forehead were flattened. Headache, with severe pain in back of the eyeballs, worse inhaling cold air. Head feels large, empty, hollow. As if cold air were blowing through, when head is moved quietly or shaken.

Eyes

I lot and painful; bathed in tears on closing.

Nose

Profuse secretion of mucus dropping through posterior nares, causing frequent hawking. Post nasal catarrh. Air feels cold. Epistaxis.

Face

Grows purple and black, with cough.

Mouth

Food tastes like sawdust. Bread tastes like straw. Beer tastes sweet. Craves salt.

Respiratory organs

*Almost continuous paroxysms of violent spasmodic cough; which begins with gasping for breath, and accompanied by purple face, and followed by vomiting of stringy mucus and by *exhaustion. Reverberating minute-gun cough. Cough as soon as he eats. Continuous hysterical cough; or cough when the patient gives an isolated cough at regular intervals throughout the whole day. Air passages feel cold on deep inspiration. Whooping cough.

Sleep

Sleeps with head under cover.

Skin

Very red flat venereal ulcers, on glans and under surface of prepuce. Psoriasis of palms and soles. Smooth spots of very deep red colour; changing to copper colour.

Related

Coc-c.

Complementary

Sulph.

[Back to Index](#)

Cornus Circinata [Corn]

Generalities

Remedy for old malaria. The patient is weak and depressed. *Liver symptoms with aching in eyeballs. Dark foul stools, with burning in anus. Diarrhoea, dark bilious offensive with sallow complexion. Vesicular eczema of face of infants with nursing sore mouth. Sleepy, before chill with heat; after meals.

Worse

Taking cold. At night.

[Back to Index](#)

Generalities

Acts on muscles of the *heart and is a heart tonic; does not produce any cumulative action. Patient is weak and exhausted, sometimes suddenly becomes weak. Cardio-haemorrhagic or lithemic cases. High arterial tension. Arteriosclerosis. Collapse from typhoid. Haemorrhages from bowels. Dyspnoea. Dropsy.

Worse

Warm room.

Better

Rest. Quiet. Fresh air.

Mind

Irritability, crossness and melancholy; despairing.

Urinary organs

Diabetes esp. in children.

Respiratory organs

Cough with albuminous expectoration.

Heart

***WEAK, with oppression, stitches and *insomnia. Cardiac dyspnoea. Myocarditis. Incompetent valves. Cardiac dilatation. Angina Pectoris. Cardiac dropsy. Pulse rapid, irregular and small, intermittent. Pain under left scapula; and under left clavicle.

Fever

Excessive perspiration. Palms sweaty.

Skin

Burning smarting eruptions on back of neck, axillae and chin; worse heat and sweating better washing. Fingers and toes blue.

Related

Apoc; Strop.

[Back to Index](#)

Generalities

Saffron affects the ***NERVES and MIND, producing *rapidly changing or alternating mental disposition; opposite to each other; anger with violence rapidly followed by abject repentance; laughter quickly followed by tears. Symptoms rapidly change sides, or mental and physical symptoms alternate. Jerking or spasmodic contraction of single sets of muscles. Chorea and hysteria. Chorea every seven days, with hilarity, singing and dancing. Prostration, weariness, fainting; with epistaxis, metrorrhagia. Drowsiness; better by literary occupation. Tingling, crawling, pricking and itching sensations. *Sensation as if something alive were moving internally, in abdomen, chest etc.; with nausea, faintness and shivering; or *jumping about, in various parts. ***HAEMORRHAGE_dark, viscid, clotting, forming itself into long black strings hanging from the bleeding orifice. Suitable to hysterical persons. Tumours. Lipoma. Encephaloma. Effects of blows.

Worse

*Motion. Puberty. Pregnancy. Heat. Fasting. Lying down. Reading. During new and full moon. Looking fixedly.

Better

After breakfast. Open air. Yawning.

Mind

*Impressionable; *affectionate and moody. Vacillating. Changeable disposition. Laughing mania. Jumping, dancing, laughing, whistling, wants to kiss everybody. Sings on hearing a single note sung. Involuntary laughter and weeping; worse music.

Head

Throbbing, pulsating headache at climacteric period, during menses or instead of menses; better pressure.

Eyes

Dry, burning, as after weeping; as if cold air was rushing through eyes. Eyes feel as if smoke is in. Must wink and wipe the eyes frequently, as though a film of mucus were over them; must close eyes tightly. Sensation as if looking through sharp spectacles. Electric sparks or jumping spots before the eyes. Lachrymation when reading. Twitching of the upper eyelid.

Ears

Noises in ears with hardness of hearing, worse stooping.

Nose

Nosebleed; strings of dark blood hanging down the nose; with faintness and cold sweat on forehead. Epistaxis at puberty; of young girls.

Face

Hot, red or alternating with paleness.

Mouth

Unusual warmth in mouth. Sour taste. Foul odour.

Throat

Feeling as if uvula were elongated, during and when not swallowing; in hysteria. Feeling of nausea in throat and chest.

Male

Excitement of sexual desire.

Female

*Menses; *dark, *foul and stringy. Threatened abortion. Uterine haemorrhage worse least movement; worse during full or new moon. Metrorrhagia. Jumping pain in left breast, as if drawn towards the back; as if jumping alive in right breast. False pregnancy. Movements of foetus are violent and painful.

Respiratory organs

Dry cough better laying the hand on the pit of the stomach. Expectoration stringy like thread. Heaviness in chest, must take deep breath.

Heart

Sensation of heat ascending to the heart impeding breathing better yawning. Dull stitches in the left chest. Palpitation, anxious worse ascending stairs.

Back

Sudden feeling of coldness, as if cold water were thrown over him.

Extremities

Cracking in hip joint and knees, worse stooping. Cold as ice; metrorrhagia, epistaxis.

Sleep

Deep sleep. Sings in sleep.

Fever

Flushes of internal heat, with prickling and crawling in skin. Sweat only on lower half of the body. Continuous foul smelling sweat, worse debility; haemorrhages after parturition.

Skin

Prickling and crawling. Scarlet redness or spots, on the skin; old cicatrices open and suppurate. Disperses tumours. Lipoma. Encephaloma.

Related

Ign; Tarent.

Stomach and Abdomen

Excessive thirst for cold drinks. Sensation as if something living were jumping about in the stomach and abdomen (left side). Stools contain dark stringy blood. Obstinate constipation; of infants. Crawling and stitches in the anus. Gastric troubles, bloatedness, eructations, vomiting etc. after operations for haemorrhoids.

[Back to Index](#)

Generalities

Rattle snake poison affects ***BLOOD; *heart; *liver. It produces profound nervous shock; with *deathly *sickness, *trembling and prostration. Easily tired by slight exertion. Paralysis; post- diphtheritic, of the insane. It causes disorganisation of blood and tissues. ***HAEMORRHAGES are slow, oozing, of dark thin blood not clots; from all the orifices; and surfaces esp. from *pharynx. Bloody pus, sweat. Tissues rapidly decompose producing *putrid and ***MALIGNANT CONDITIONS. Dark or *bluish parts. *Septic conditions, tonsils; goitre, ulcers, abscesses, *blood boils. Petechiae. Gangrene. Neuralgia as a sequel to sepsis. Chronic biliousness, climacteric conditions. Faintings. Convulsions; epilepsy, with trembling of the limbs, foaming at the mouth, violent cries, delirium. Plague. Yellow fever. Jaundice. General burning. Mouldy odours; of secretions. Sclerosis; multiple, lateral. Progressive muscular atrophy. Suitable in broken down constitutions, and for old age nutritional troubles. Ill effects of fright; sun; lightning; foul water; noxious effluvia. Affects the right side. Oedema general or of affected part.

Worse

*Lying on right side. *Falling to sleep. Warm weather. *Spring *Alcohol. Damp and wet. Yearly. Jar. On awakening.

Better

Light. Motion.

Mind

Weeping mood. Weak memory; cannot express himself correctly. Plaintive speech. Timid. Fears evil. Mistakes in writing. Delirium; muttering; mumbles, jumbles and stumbles over his words; tremens. Melancholy. Sad. Thoughts dwell on death. Senile dementia; incipient, forgets figures, names and places, or suspicious about his friends or feels as if surrounded by foes or hideous animals. Antipathy to his family. Irritable, cross.

Head

Vertigo; with faintness; weakness; trembling. *Pain in occiput; as of a blow; in waves from spine. Severe pain at the centre of forehead. Headache, with pain in the heart on lying on left side. Headache worse jarring, must walk on tip toe.

Eyes

Burning, red; with lachrymation. Yellow colour of eye. Neuralgia, as if a cut had been made around the eye. Absorbs the intra-ocular haemorrhage esp. non inflammatory; retinal. Amblyopia, from grief or from over use of vision.

Ears

Auditory vertigo. Blood oozes from the ear.

Nose

Epistaxis esp. during diphtheria; or other septic diseases. Ozaena; syphilitic; from exanthemata. Tip of nose, blue and red.

Face

Distorted on waking. Lips; swollen, stiff and numb. Dark, besotted face. Face yellow; death like pallor. Lock jaw. Acne; of masturbators, of drunkards; with delayed menses.

Mouth

Mouldy breath. Grinds the teeth; at night. Tongue; yellow, swollen, protruded; to the right. Fills up with saliva. Saliva bloody, frothy. Cancer of the tongue with haemorrhage. Stiff palate. Cannot speak on account of sensation of constriction around tongue and throat.

Throat

Dry with thirst. Tight constriction. Difficulty in swallowing anything solid. Throat gangrenous, swollen.

Stomach

Craves; pork, stimulants, sugar. Vomiting; bilious; grass green; cannot retain anything. Cannot bear clothes round the stomach. Vomiting, purging and urination simultaneously. Cancer, ulcer, of the stomach; vomits on lying right side. Vomiting of blood; black. Monthly nausea and vomiting; after menses.

Abdomen

Swollen, hot, tender. Peritonitis. Inguinal glands enlarged. Bleeding from anus when standing and walking. Stools; black, thin, offensive. Perineal abscess. Jaundice; haematic, malignant. Coldness in the stomach or abdomen as from a piece of ice. Pain in the liver and top of shoulders. Intestinal haemorrhage.

Urinary Organs

Dark, bloody urine; albuminous, scanty, green-yellow. Haematuria, with cancer of bladder or prostate.

Female

Dysmenorrhoea, with pain in hypogastrium, down the thighs, with aching in the region of the heart. Sensation as if the uterus would drop out. Puerperal fever. Offensive lochia. Phlegmasia alba dolens worse touch.

Respiratory organs

Anxious, laboured breathing. Cough, with bloody sputum of mouldy odour. Oppression in old people.

Heart

Weak, trembles; loose, turns over. Palpitation during menses. Heart tender when lying on left side.

Extremities

Arms and legs become numb; first one and then the other. Pain in top of shoulders. Right sided paralysis. Paralysis of left hand and leg. When sewing the hands feel dead. Cannot keep legs still.

Sleep

Drowsy but cannot sleep. Sleepless from nervous agitation. *Horrible dreams, of dead. Suffocation awaking after.

Fever

Malignant fevers, high fever; yellow fever; cerebrospinal meningitis. Black water fever. Sweat cold; bloody.

Skin

Yellow; jaundice, septicaemia. Purpura haemorrhagica. Blood boils, carbuncles; felons. Old cicatrices break open again. Oedema about the affected part. Skin; cold and dry. Skin shows every tint of colour.

Related

Lach; Sul-ac.

Complementary

Lycops.

[Back to Index](#)

Generalities

It was used as a powerful purgative and irritant of the skin in ordinary practice; therefore it affects the *mucous membranes of the intestines causing watery discharges. Skin esp. of ***FACE *and scrotum is more affected. It has a peculiar *feeling as if parts were drawn backwards, eyes, nipples etc. Skin symptoms alternating with internal symptoms, diarrhoea etc. Skin feels hide-bound.

Worse

***DRINKING; *least food. Washing. Summer. Touch. Motion. Receding eruptions.

Better

After sleep. Gentle rubbing.

Mind

Feeling of anxiety; as though some personal misfortune would befall him. Not disposed to work. Cannot think outside himself. Feels all spent up. Morose, dissatisfied.

Head

Weight of the hat causes headache. Vertigo worse drinking.

Eyes

Purulent ophthalmia; red and raw appearance. Pustules on cornea, with eruptions around eyes. Eyes feel drawn backwards. Tensive pain above the orbit (right).

Ears

Otorrhoea, when there is a great itching.

Face

Pustular eruptions on the face. As though insects were creeping.

Mouth

Neuralgia of the tongue. Burning in oesophagus.

Stomach

Excessive nausea, with vanishing of sight.

Abdomen

Pressure on the navel causes pain in the rectum or urging for stool. Pain in the anus as if a plug were forcing outwards. *Gurgling or swashing as of water in bottles; ***THEN PROFUSE SUDDEN GUSHING STOOLS OF YELLOW WATER. worse drinking the least quantity or while eating; then prostration. Summer diarrhoea. Cholera infantum. Colic better hot milk.

Urinary organs

Night urine; foaming, dark orange coloured, turbid on standing, greasy particles floating on top. Day urine is pale with white sediment.

Male

Eczema of scrotum. Vesicular eruptions on scrotum and penis. Left testes retracted, right pendent.

Female

Intense itching of genitals better by gentle rubbing. Pain from nipple to back as child nurses. Nodes in mammae; with pain from nipple to scapula. Breast hard, swollen. Nipples very sore to touch.

Respiratory organs

Cough as soon as he touches the pillow, must sit up. *Feels as though he could not inhale deeply enough. Could not expand the lungs.

Extremities

Neck and shoulders painful.

Skin

Feels hide-bound, tense. Violently itching, burning, red skin; sore if scratched better gentle rubbing. *Eruptions, pustular, *blisters, clustered; which burst and form crusts worse genitals, temples, vertex. Herpes-zoster. Eczema.

Related

Rhus-t.

[Back to Index](#)

Generalities

It produces catarrh of the *mucous membranes of ***URETHRA; bladder, vagina. Burning, rawness is felt in the throat, in stomach, abdomen, rectum, urethra, fossa navicularis. Discharges; are thick, acrid, *yellow, pus like, green, offensive, after violent inflammation. Suitable to persons of bilious constitution, with tendency to constipation.

Worse

Night, in bed.

Better

Getting up and walking about.

Head

Veins of the forehead and temples are distended.

Mouth

On attempting to smile or speak his mouth seems to twist to one side.

Throat

Swallows saliva constantly to relieve burning and dryness of the throat. Catarrh.

Stomach

Craving for oranges, onions, almonds and nuts.

Abdomen

Burning in stomach and abdomen. Stools; gelatinous of transparent mucus, mixed with whitish, shining particles like rice worse night, in bed better getting up and walking about. Stools cold.

Urinary

Cramp, cutting, burning in urethra, after urination. Cystitis. Prostatitis with thick yellow discharge. Stringy gonorrhoea.

Female

Urethro-vaginitis, chronic, with profuse discharge. Acrid leucorrhoea in children.

Respiratory organs

Catarrh of nose and throat with foetid expectoration.

Related

Cist. Cop.

[Back to Index](#)

Generalities

(Mosquito) It produces vertigo on blowing the nose. Sensation as of cold air blowing through a hole in clothes on the chest or back. Menses stain indelibly. Gripping pain down over hips, then into the womb. Oedematous swelling.

[Back to Index](#)

Generalities

*Condor plant was introduced as a cancerous remedy. Painful cracks in the corners of the mouth is a guiding symptom in cancerous or syphilitic conditions. Tumours; strictures of the oesophagus. Cancer of the stomach, with constant burning and vomiting; food seems to stick behind the sternum. Cancer of the mammae with retraction of the nipples, with lancinating pains emanating from the tumour over the whole breast. Jagged ulcers of the tongue. This remedy is worth trying when other seemingly indicated remedies fail to impress the disease.

Related

Aster; Con; Hydr.

[Back to Index](#)

Generalities

Head reels when in a high-ceiled room. Facial neuralgia in cheek bone, upper jaw and behind the ear better by chewing; pressure and hot applications. Chorea; periodical, with melancholy and dread of society. Chronic psoriasis and leprous-like eruption over whole body, in spots of various sizes, *without itching. In epilepsy aura begins in the knee and ascends to hypogastrium. Protracted labour.

Better

Chewing. Pressure. Warmth.

Worse

Heat. Motion. Mental emotions. Touch.

[Back to Index](#)

Generalities

Metallic copper is one of the most important remedies, where the diseased conditions 'Strike in', on account of the non appearance or suppressions of eruptions and the discharges. It affects the ***NERVES, of the *cerebro-spinal axis and muscles, causing ***SPASMODIC EFFECTS; convulsions and *cramps of violent form. Convulsions may be either tonic or clonic; start in the knees, toes or fingers and radiate over the whole body; with *piercing cries, twisting of the head to one side; *trismus followed by headache, spasmodic laughter, shivering, deathly exhaustion cold perspiration etc.; epilepsy; at night, during menses. In epilepsy the patient falls with a shriek, passes urine and faeces; headache follows after spasms or a group of symptoms followed by the appearance as if the patient were dead or in a state of ecstasy. Convulsions of children, during dentition; children lie on abdomen and jerk the buttock up. Spasms, with blue face and clenched thumbs. Cramps may occur in the chest; (angina pectoris) behind the sternum, toes, fingers, calves_where the *muscles are knotted better stretching the leg out; in soles etc. *extorting cries. *Jerking, during sleep. Pains worse touch and motion. Pains are *pressive; as from a blow being broken; racking darts through the whole body. Chorea from fright periodical. Symptoms appear in groups; periodically or recurring at short intervals. Complaints begin on left side. Nervous trembling, with acute senses. Continued weakness. Poor reaction. Latency. Ill effects of mental and bodily exhaustion; loss of sleep. *Blueness. *Easy *relapses. The patient is *hypersensitive; every drug overacts without curing. Collapse. Paralysis of isolated muscles. Women who have borne many children (after pains).

Worse

Emotions; anger, fright. *Suppressions. Over-worked mentally and bodily. Motion. *Touch. Loss of sleep. *Hot weather. Vomiting. Raising arms. Before menses. At new moon.

Better

Being mesmerized, laying hand on affected part. Cold *drinks. Pressure over heart.

Mind

Nervous. *Uneasy. Says words not intended. *Piercing shrieks. Weeps violently. Convulsive laughter. Delirium; cold sweat. Fear of society, shuns everybody. Confusion, afraid of everybody who approaches him. Loquacious; then melancholy; with spells of fear of death. Sense of losing consciousness. Attacks of rage; wants to bite the bystanders. Sullen; tricky; alternating yielding and head-strong. Malicious. Mania; bites, beats, tears the things. Imitates; mimics.

Head

*Vertigo; with internal tremors, head sinks forwards on the chest better stool; lying down, worse looking up. Cannot hold head erect or bores into the pillow; meningitis. Strange tingling, crawling in the vertex (suppressed menses). Empty feeling, with pain. Headache after epilepsy. Sensation as if water were poured over the head, with headache. Pulls her hair. Shakes the head from side to side.

Eyes

Fixed, staring, sunken, glistening, turned upwards. Eyeballs rotate quickly behind *closed lids, or roll from side to side. Bruised pain in the orbits worse moving the eyes. Lids spasmodically closed. Twitching of lids (left) and photophobia; asthma.

Face

*Blue, *livid; pale or distorted; sunken, pinched. Icy cold. Lips blue. Lock jaw. Chewing motion of lower jaw.

Mouth

Firmly closed or open, with tongue darting in and out like a snake (in convulsions). Grinds the teeth. Slimy or metallic sweetish taste. Loss of speech; stammering; paralysis of the tongue. Froth from mouth. Food tastes like clear water.

Throat

Unable to talk on account of spasms of throat. Gurgling noise when swallowing fluids.

Stomach

Desire for cold drinks. Milk causes water brash. Hiccough; before vomiting; convulsions or asthma. Nausea, more pronounced. Vomiting; violent, tormenting; with *agonizing colic, diarrhoea; shrieks or convulsions; better cold drinks. Painful crampy pressure in epigastrium worse touch and movement. Lies on stomach and jerks the buttocks up (colic, convulsions). Vomits always on waking up a.m. Vomits on least motion. Periodical attacks of vomiting. As if something bitter were in.

Abdomen

Tense, contracted, hot and tender to touch. *Frightful colic, with contraction of the abdomen. better pressure; worse raising arms. Intussusception; with faecal vomiting. Diarrhoea; profuse; spurting out; of green water. Cholera; summer diarrhoea in children. Round; tape, thread worms. Constipation with great heat of body. Spasmodic movements of abdominal muscles. Cirrhosis of liver.

Urinary organs

Suppression of urine (in cholera); uremic. Passes clear watery urine during or after spasms.

Male

Cramps in calves prevents coition, esp. old men or nervous young men.

Female

Menses absent due to suppression of foot sweat. Violent cramps in abdomen extending into the chest before or during menses; or from suppressions of the menses; convulsions before menses. Puerperal convulsions with open mouth and opisthotonos. Most distressing after-pains esp. in women who had borne many children.

Respiratory organs

Spasms of glottis. Dyspnoea_cannot bear anything near the mouth worse coughing, laughing, bending backwards, before the menses. Asthma; hiccough before; alternating with spasmodic vomiting. Cough, in violent paroxysms; coughs herself out of breath; better *cold drinks;

worse deep breathing, bending backwards; with cramps, lachrymation; whooping cough. Painful constriction of the chest (lower). *Loud rattling in chest. Trembling after coughing. Round balls moving to and fro under the ribs better tight clothing and lying quiet. Hoarseness worse breathing cold air. Intermittent aphonia in professional singers.

Heart

Angina, with asthmatic symptoms and cramps. Palpitation before menses. Pulse slow, hard, full and quick.

Neck and Back

Paralysis of all the muscles up to the neck.

Extremities

Jerking in hands and feet. Clenching of thumb in palms. Cramps in palms, calves and soles. Joints contracted. Ankles painfully heavy. Knees; aura begins in; feel as if broken. Ankylosis of shoulder joint. Knees double up involuntary when walking, bringing him down.

Sleep

Profound sleep; with shocks in the body. Constant rumbling in abdomen during sleep.

Fever

Icy coldness of skin. Chilly. Sweat; cold, clammy, at night; sour smelling, after convulsions.

Skin

Suppressed or undeveloped eruptions. Ulcers; itching spots and pimples at the folds of joints. Severe itching without eruptions. Yellow scaly eruptions (bend of elbow). Chronic psoriasis. Leprosy.

Related

Verat.

Complementary

Calc.

[Back to Index](#)

Generalities

It is a muscular poison; causing paralysis of muscles without impairing sensations and consciousness. Sensation as if the brain were full of fluid. Discharges are foetid. Paralysis; facial, buccal, threatened of respiration; pseudo-hypertrophic. Diabetes mellitus. Catalepsy. Leprosy. As of a heavy weight hung to the parts_arms, legs etc.

Worse

Motion. Dampness. Cold weather. 2 a.m. Right side.

[Back to Index](#)

Generalities

It affects the digestive tract and female sexual organs; producing disturbances ***IN VISION
*or vertigo, due to the gastric or menstrual disorders. Anaemic persons. Disinclined for labour and easily fatigued. Dreads open air. Pressive pains in thinly covered bones. Stitching pains. Ill effects of inward grief and terror of conscience.

Worse

Cold. Evening. Sitting. Standing. Fresh air. Fats.

Better

Motion. During menses. Rubbing. Warm room. Lemonade. Weeping. Bathing the part.

Mind

Dull, sleepy and morose. Joyous feeling alternating with irritability. Self-reproaches. Sadness as if he had committed a bad act or not done his duty. Silent weeping. The room seems too small. Hallucinations as if two persons were lying in her bed. Tearful and broods over imaginary grief. Thinks she is alone and persecuted.

Head

Vertigo_objects turn in circles, or look pale, worse open air; better in a room, and sitting. Brain as if wrapped up in a cloth. Headaches, with flickering before eyes, better cold water. *Pain in left temple. Prolonged migraine. As if brain wobbled about while walking; menses absent or scanty.

Eyes

Dim vision, with headache. *Fluttering, *glittering or black spots, squint esp. connected with menstrual irregularities. Convergent squint, after convulsions; left eye drawn inwards. Sees countless stars. Diplopia. Hemiopia.

Ears

Itching in the ears, with increased cerumen.

Nose

Sneezing with itching in the ear. Loss of smell.

Face

Pale, anaemic. Upper lip as if numb or indurated.

Mouth

Taste lost or salty, which is communicated to all food. Food tastes over salty. Saliva salty.

Stomach

Satiety after a few mouthfuls; loathing and nausea from the least food afterwards. Loss of appetite after taking beef tea or a cup of tea. Hiccoughy eructations. *Hiccough; worse pregnancy; with yawning. Nausea felt in throat. Hyperemesis; of pregnancy. Desire for

lemonade; inedible things. Pork disagrees. Craves sardines. Aversion to bread, butter, meat, fat, beer.

Abdomen

Diarrhoea worse coffee. Running in bowels as if something alive. Pain about anus and perineum as if a spot were suppurating worse walking or sitting.

Urinary organs

Urine profuse, watery and frequent.

Male

Prepuce and corona glandis feel sore after slight rubbing. Stitches and pressure in prostate, with urging to stool and urination.

Female

Menses; profuse, black changeable, membranous, clotted, too early, with labour-like pain from back to pubes, less when moving. Dysmenorrhoea. Painful post-partum haemorrhage better after a gush of blood. Menses suppressed. Swelling of breast, with milky secretion after menses. Air seems to stream from the nipples. Milk in virgin breast, in non-pregnant women. Suppression of menses after excessive dancing or being over heated. Leucorrhoea, with retarded or scanty menses.

Respiratory organs

Coughing without waking.

Heart

Frequent palpitation from suppressed menses.

Extremities

Pains in parts where bones lie near the surface. Burning sore heels, better walking, worse sitting, standing. Weakness of knees. Cramp-like slow contractions of the right thumb and index finger; they have to be extended by force. Writer's spasms.

Sleep

Dreamy; frightful, lascivious.

Fever

Chilly all over, not better by covers. Offensive sweat.

Skin

Acne in young women. Pruritus better scratching and appearance of menses, worse at night, in bed.

Related

Puls.

[Back to Index](#)

Generalities

Acts on lower tissues_muscles, bones and skin. Sudden lightning jerks in different parts of the body. Craving for tobacco. Parts of the body feel separated. Bruised pain. *Foetid discharges_breath, urine, sweat. Exhaustion. Exostoses, with stitching, pressing or dull pain worse at night.

Worse

Cold air. Waning moon. Evening, in bed.

Mind

Sad. Absence of mind and indecisions. Despondent. Agitated.

Head

As if separated from the body; feels big. Soft nodular swellings on bones about vertex, pain worse at night and touch.

Mouth

*Tongue coated on one side only. Saliva; hot, foul smelling.

Abdomen

Stools scanty, bloody at end.

Urinary

Urine; thick, turbid, yellow, foul like rotten eggs.

Male

Prostatorrhoea worse tobacco. Erection during toothache. Toothache after coition.

Extremities

Shooting pains shift rapidly; upwards towards the abdomen and heart. Buttocks cold.

Sleep

Sleepless from *bone aching. Dreams of black cats.

Fever

Clammy sweat; offensive.

Related

Rhus-t.

[Back to Index](#)

Generalities

It acts on the female organs. Secretions are increased. Sensation of a lump rising in the throat. Frequent emission of copious offensive flatus. Increased secretion of urine. Bearing down with bilious vomiting worse standing. *Menses; early of black clots; preceded by blindness. Sensation of milk flowing into mammae. Cramps from anterior thighs into the uterus before the menses. Profuse corrosive leucorrhoea with tenesmus. *Somnambulism. Dreams of piecing bodies of her children together.

Worse

Standing.

Related

Pul.

[Back to Index](#)

Generalities

Digitalis is a heart remedy. It also affects liver, lungs, stomach and genito-urinary organs. It should be considered in all diseases where the heart is chiefly involved, with abnormally ***SLOW, *irregular or intermittent pulse, along with indefinite and causeless symptoms. ***GREAT WEAKNESS, can hardly talk; *sinking of strength, *faintness; coldness of skin and irregular respiration are other symptoms of organic heart troubles. *Hypertrophy of liver, with induration and jaundice, calls for dig, when characteristic pulse is present. Pulse is slow in recumbent posture, quick on motion; irregular and dicrotic on sitting up. Slow pulse after sexual abuse or at puberty. *Must talk about with precordial anxiety; with urging to urinate. Cyanosis. Dropsy, with suppression of urine. As of an electric shock going through the body. Prostration from slight exertion. Ill effects of high living Sexual abuse or excess. Alcohol.

Worse

*Exertion. *Raising up. *Lying on left side. Motion. Smell of food. Cold; drinks, food; weather. Heat. Sexual abuse or excess. Music.

Better

Rest. Cool an. Lying flat on back. Empty stomach. Sitting erect.

Mind

Anxious about the future. Sadness; with sleeplessness, from unhappy love; from music. Lascivious thoughts in old men, with enlarged prostate. Fearful. Feels as if he would fly to pieces. Fear of suffocation at night. Wants to be alone. Despondent. Every shock is felt in epigastrium. Great anxiety like from troubled conscience.

Head

Vertigo; when walking, or riding, with trembling, worse rising up; from cardiac or hepatic affections. Frontal headache, into nose, after drinking cold drinks or eating ice creams. *Crashes in head, on dropping to sleep. Bores head in the pillow; pulls the hair. Spastic hemicrania. Head falls back while sitting or walking.

Eyes

Yellowish, red. Lachrymation worse in bright light or cold air. Objects appear either green or yellow. Both the eyes turned to left. Detachment of retina. Pupils irregular. Diplopia. Eyelids blue. Veins distended on eyes.

Ears

Hissing in the ear like boiling water. Veins distended on ears.

Nose

Pain at the root of the nose, after vomiting.

Face

Pale, *bluish; lips blue. Veins distended on. Lips dry.

Mouth

Tongue blue; clean, with nausea and vomiting. Tongue thick flabby. Bitter taste. Sweetish taste; with salivation; after smoking tobacco. Veins distended on tongue.

Stomach

Much thirst, but little appetite. *Deathly nausea; not better by vomiting or *with faint sinking at the pit of the stomach. Persistent nausea and vomiting, with clean tongue. The mere sight or smell of food excites nausea. Epigastric region tender. Neuralgic pain in the stomach unconnected with food. Drinks much and eats little. Desire for bitter things. Nausea before and after urination.

Abdomen

Liver; enlarged, sore, hard painful. White chalk like, ashy, pasty stools. Diarrhoea, during jaundice. Ascites.

Urinary

Feeling of fulness after urination. Continued urging; urine; dribbles; (enlarged prostate) hot, burning with throbbing pain at the neck of bladder; as if a straw were being thrust back and forth. Urine; suppressed; difficult. Uraemia; contracted kidneys.

Male

*Atonic nightly emissions; after coition. Gonorrhoea; balanitis, with oedema of prepuce. Prostate enlarged; senile. Dropsical swelling of genitals. Testicles swollen. Hydrocele. Profuse thick yellow white gonorrhoeal discharge. Early morning erections. Amorous desire without ability. As if something were running out in urethra after emission.

Female

Labour-like pains in the abdomen and back before menses. Vicarious menses from lungs.

Respiratory

Desire to take deep breath; with dyspnoea. Breathing slow, worse talking, walking, drinking cold things. Cough causes pain in shoulders and arms, or sore, raw feeling in the chest. Expectoration; sweetish, like boiled starch; mixed with bloody mucus. Haemoptysis; with weak heart or from chronic bronchitis; before menses. Senile pneumonia. Cannot expectorate without vomiting. Great weakness in the chest, cannot bear to talk. Suffocates when he drops to sleep; hence fear of suffocation at night. Cough from suppressed menses.

Heart

*Weak, *feels like stopping if he moved, must hold the breath and keep still. Least movement causes palpitation. Frequent stitches at the heart. Attacks of angina worse raising arms. Heart tired, after sprains. Dilated heart. Hypertrophy with dilatation. Cardiac dropsy. Palpitation; with depression; from grief. Pulse; slow, weak, irregular, intermittent.

Extremities

Numbness; heaviness or paralytic weakness worse left arm. Fingers become numb easily and frequently. Fingers swell at night. Coldness of hands and feet. Sensation in the legs as if a red hot wire suddenly darted through them. Nails blue. One hand hot the other cold.

Skin

Bluish. Dropsical. Cold. Measly eruptions on back. Creeping all over; Angina Pectoris.

Sleep

Starts from sleep in alarm, that he is falling from a height- in a dream. *Drowsy.

Fever

Flushes of heat, then great nervous weakness, at climacteric period. Chilliness and shivering of the whole body. Cold clammy sweat.

Related

Glo; Spig.

[Back to Index](#)

Generalities

It is a remedy for many kinds of pains and colics. It acts on ***NERVES_*abdominal; sciatic, and on spinal cord. ***PAINS ARE UNBEARABLE, ***SHARP; ***CUTTING, ***TWISTING, ***GRIPING, ***GRINDING, *that dart about or radiate to distant parts; they occur *in paroxysms, suddenly cease in one part, then start in another part. *Nervous shuddering, from pain. It is suitable to persons of feeble digestive power; excess in eating or errors of diet easily affect them. Ill effects of excessive tea drinking. Fasting. Masturbation. Chorea, with seminal emissions.

Worse

Lying; *doubling up. Tea. Eating. Evening. Night.

Better

*Stretching out; or bending back. Motion; in open air. Hard pressure. Standing erect.

Mind

Calls things by wrong names. Feels cross, nervous and easily troubled. Depressed, after seminal emissions.

Head

Dull pain in both the temples; or as if squeezed in a vice Better pressure but worse afterwards. Sensation as if head were crushed down. Confused, full head.

Eyes

As of a round ball or stick in the eyes. Hot air steaming out of them.

Ears

Pain worse blowing nose or coughing. Nausea felt in. Small balls of wax fall out.

Nose

Any bad smell remains in the nose for a long time.

Mouth

Bitter, dry, in the morning. Bites the tongue, when not eating or drinking. Spasmodic closure of the jaw.

Stomach

Eructations; with hiccough. Sharp cramping pain in the pit of the stomach, then belching, hiccough and passing flatus; Better standing erect. Gastrodynia.

Abdomen

Sharp pains in the liver extending to the nipples. Gall bladder colic_pain extending to the chest, back and arms. Pain suddenly shifts to different parts, appear in remote localities, as fingers and toes. Renal colic, pain extending to testicles, and the extremities. Flatulence. Piles like a bunch of cherries, with darting pain from anus to liver. Morning diarrhoea driving out of bed, causing weakness. Hurried desire for stool. Stools do not relieve the pain in abdomen.

Darting from anus to liver. Constant aching, cutting, griping pains in and around umbilical region.

Male

Erections lasting all night. Cold relaxed sexual organs. Seminal emission, without erection; then weakness esp. in the knees. Strong smelling sweat on scrotum and pubes.

Female

Violent dysmenorrhoea_pains radiate from the uterus; alternating with cramps in fingers and toes.

Respiratory

Chest does not seem to expand on breathing. Chest pains radiate to both the arms. Dyspnoea from slight exertion.

Heart

Pain back of sternum into arms; angina pectoris; with laboured breathing and feeble action of the heart.

Neck and Back

Lame worse stooping.

Extremities

Felon_in the beginning when pricking is felt or when pains are sharp and agonizing. Limbs feel weak esp. knees; after seminal emission. Sciatic pain (right) shoot down the thighs, with burning or numbness worse motion, sitting up; Better standing on toes, lying still. Hamstring seems too short. Nails brittle.

Fever

Sweats easily when chilly. Sweat; cold, clammy; or of strong odour, on genitals.

Related

Colo; Mag-c.

[Back to Index](#)

Generalities

The potencies of this nosode are prepared either from the Diphtheritic virus or membranes. It is useful as a prophylactic in Diphtheria and post-diphtheritic complication, paralysis etc., when *anti diphtheritic toxin is used. In Diphtheria the malignancy is present from the start. Patient is *greatly prostrated, *yet restless; *without any pain. Wants to be held. Jerking in single muscles. Internal trembling. Drawing in muscles then sudden snap. Catarrhal affections of the respiratory passage. Offensive discharges. Carphology. Relapsing diphtheria.

Worse

Lying.

Better

Cold. Drinking milk in sips.

Mind

Carphology. Sees imaginary objects.

Head

Moisture at the margin of hair.

Eyes

Sees visions.

Nose

Fanning of the alae nasi with snoring. Yellow thick nasal discharge. Epistaxis.

Face

Flushed, centre of cheeks purple.

Mouth

Tongue moist, with red tip; or dark red spot back of tip. Red papillae.

Throat

Dark. *Thick grey membrane; on tonsil (left). *Painless diphtheria, swallows without pain but fluids are vomited or returned through the nose. Relapsing diphtheria. Obstinate tonsillitis. Wants cold air down the throat or craves cold drinks.

Stomach

Faintness at; better sips of milk.

Sleep

Talks in sleep, with open eyes.

Fever

Chilly, then hot. Low temperature.

Related

Carb-ac.

Skin

Dry, hot palms; they feel withered. Dry skin.

[Back to Index](#)

Generalities

Intense itching of the skin without the appearance of a rash or swelling. Yellow spots all over. Itching excessively at night; jaundice. Neuralgia following herpes zoster. Cold water better itching but it burns the skin and causes trembling.

[Back to Index](#)

Generalities

Affects markedly the ***RESPIRATORY ORGANS, producing spasmodic, catarrhal and haemorrhagic effects. As it raises the resistance against tuberculosis; it is a useful remedy for *tuberculosis of the lungs, larynx and bones; of joints. Tubercular glands. Constrictive pains in the throat, larynx, stomach etc. Sticking lancinating pains. Convulsions, followed by haemoptysis and sleep. Haemorrhages of bright red blood, from nose, mouth, stools etc.

Worse

*After midnight. *On lying down. Warmth. Talking. Cold food. Laughing. After measles. Singing. Stooping. Vomiting. Sour things.

Better

Pressure. Open air.

Mind

Easily angered; a trifle makes him beside himself. Inclination to drown himself. Cannot concentrate on one subject, must change, changes to something else. Fears being alone and is suspicious of his friends. Delusions of persecution. Restlessness. Anxiety when alone. Extremely uneasy. Imagines he was being deceived by spiteful envious people.

Head

Heavy, pressing pain. Vertigo when walking in the open air.

Eyes

Become prominent, from coughing, during measles, in convulsions.

Nose

Sensitive to sour smells. Painful sneezing. Bleeding; from coughing; stooping.

Face

Left side cold, right side hot; with stinging pain. Face hot, with cold hands.

Mouth

Putrid taste. Bloody saliva. Toothache from hot drinks. Small round painless swelling in middle of tongue.

Stomach

Nausea after fatty foods. Aversion to pork and sour foods; which disagree. Difficulty in swallowing solid foods.

Abdomen

Painful after sour foods.

Female

Leucorrhoea, with labour-like pains.

Respiratory

***PERIODICAL FITS OF RAPID, ***DEEP BARKING or ***CHOKING PROLONGED AND INCESSANT COUGH. Cough seems to come *from the abdomen; *takes the breath away; *compel holding the sides followed by *retching, *vomiting, first of ingesta then of mucus; *nose bleed; *cold sweat and loquacity. Whooping cough. Tickling like a feather or crumb in larynx. *Deep hoarse voice requires exertion to speak. *Voice hollow, *toneless. Bloody, yellow purulent expectoration. *Constriction of chest worse talking, singing. Asthma when talking, with contraction of throat with every word uttered. Stitches below axillae. Haemoptysis after convulsions. Concomitants to coughing. Scraping in larynx and cough, after eating. Stitching pains in chest when sneezing or coughing. Harassing cough, as soon as head touches the pillow at night not during day. Cough worse singing, talking.

Extremities

Fingers contract spasmodically with rigidity when grasping anything. Writer's cramp. Laming pain in right hip joint and thigh with pain in ankle; must limp when walking. Limbs feel sore; bed feels too hard. Pain in the long bones. Pain in humerus at night only.

Fever

Always too cold even in bed. Fever with whooping cough. Shivers when at rest better moving. Face becomes hot and hands become cold, with shivering. Measles.

Skin

Itching better by rubbing or wiping with hand worse undressing.

Related

Coc-c; Cor-r.

Complementary

Sul.

[Back to Index](#)

Generalities

This remedy is useful to those persons who are prone to catarrhal, rheumatic and herpetic affections on account of exposure to cold and damp. It affects the ***MUCOUS MEMBRANES producing *excessive secretions, esp. of bronchi, bladder and eyes. Stiffness, numbness, aching and soreness of *muscles on every exposure to cold esp. of ***BACK and ***LOINS. Skin affections are liable to appear before menses. *Paralytic effects; of single parts, vocal cords, tongue etc. *Paralysed parts icy cold. Tearing pains. *Griping in bowels around the ***UMBILICUS; in testes. One sided spasms with loss of speech. Enlarged glands. *Every cold settles in the eyes; *throat or affects the bladder, respiration or bowels. Dropsy. Complaints of workers in ice-factory. Men who are exposed to constant change of temperature (air condition). Glands; swollen, indurated. Dropsy; anasarca. Exostoses. Haemorrhages; blood watery or bright red.

Worse

BEING CHILLED -WHILE HOT. *Sudden changes of temperature.COLD WET. Cold drinks, ice creams. Damp ground, cellars, beds. Cold to feet. *Suppressed discharges; *eruptions, *sweat etc. Autumn. Night. Rest. Injuries. Before storms. Mercury. Uncovering. Hot days and cold nights.

Better

Moving about. Warmth. Dry weather.

Mind

*Confusion, cannot find the right word, can't concentrate his thoughts. *Depression. *Scolds without being angry. Rejects the things asked for. Easily becomes delirious; with pain. Difficult speech.

Head

Occiput feels large; cold. Sensation as if a board were pressing against the forehead. Headache Better conversation. Ring worm of scalp. *Scald head; thick brown crusts, bleeding when scratched, causing hair to fall out. As if hair stood on end.

Eyes

Aching when reading. Ophthalmia from catching cold. Paralysis of upper lid. Thick yellow discharge. Twitching of eyelids in cold air.

Ears

Ache; with nausea; whole night, preventing sleep. Swelling of parotids; after measles. Buzzing in ears.

Nose

Aching in. Dry or profuse coryza. Stuffs up in cold rain. *Summer colds: with diarrhoea. Least cold air stops the nose. Wants to keep it warm, with hot wet clothes. Nosebleed; in place of menses. Coryza of new born.

Face

Thick, brown, yellow crusts on face. Tearing in cheeks extending to ear, orbit and jaw, preceded by coldness of parts and attended with canine hunger. Facial neuralgia worse slight exposure to cold. Cold sores on lips. Warts and eruptions on face. Twitching of lips in cold air.

Mouth

Distorted, drawn to one side. Tongue; swollen; hindering speech; paralysed; inarticulate or difficult speech. Saliva; tenacious, ropy; with toothache.

Throat

Pressure as if uvula were too long. Tonsillitis from every cold change.

Stomach

Aversion to food. Great thirst for cold drinks. Nausea, with desire for stool. Shivering while vomiting. Eructations, with shuddering.

Abdomen

Cutting pain at navel followed by painful, green, *slimy stools. Diarrhoea. Sour watery stools, worse night, summer, damp cold weather. Bowels cold. Eruptions or pain about the navel.

Urinary

Frequent urination. Cystitis. Strangury. Retention of urine, from cold or cold drinks. Involuntary urination from paralysis of bladder. Urine; *cloudy, *slimy or foul. Nephritis from cold. Bladder wall thickened.

Male

Enlarged testes; with griping pain. Impotence. Herpes preputialis.

Female

Menses watery. Rash appears on the skin before menses. Dysmenorrhoea, with blotches all over. Herpes on mammae in nursing women. Menses, milk, lochia suppressed by cold. Mammae; engorged, hard, sore, with absent menses, or leucorrhoea. Eruptions on skin after weaning.

Respiratory

Cough; caused by tickling in the back of throat; in prolonged fits; with much loose easy expectoration; after physical exertion. Winter cough. Pain in left chest as if lung moved in waves.

Neck and Back

Neck stiff. Pain in small of back as after long stooping. Lumbar region, and sacrum feel cold.

Extremities

Exostosis on arms after suppressed itch. Palms sweaty. Trembling of arm (right), with urinary difficulty. Rheumatic symptoms alternating with diarrhoea or acute eruptions. Warts on hands and fingers. Swelling of calf of leg.

Fever

*Coldness; in different parts, *icy of paralysed parts; with pain. Chill starts in the back, not Better by warmth worse evening. Chill with urging in stool and urination. Foul sweat.

Skin

*Eruptions, scaly, thick, crusty, moist, bleeding or herpetic worse before menses. *Urticaria better cold worse sour stomach. Warts large, smooth, fleshy, flat. Pruritus. Rash in new born. Ringworm, in the hair; in children. Eczema of infants. Small furuncles on places hurt. Thick crusts all over body.

Related

Rhus-t.

Complementary

Bar-c; Nat-s.

[Back to Index](#)

Generalities

This remedy corrects the *blood dyscrasias; hence it is useful in all types of blood poisonings. Auto-infection, septic conditions, bites of poisonous animals, Lymphangitis, gangrene, vaccinosis etc. Symptoms tend towards malignancy in acute and subacute disorders. Patient feels *weak and *tired and *aching in muscles. Slowness in every action_speaks slowly, replies slowly, walks slowly. *Weakness is felt more in *stomach, bowels; *in heart, in knees; with vertigo. Rheumatism. *Eases the pains of cancer in the last stage. Foul discharges. Valuable as a local cleansing and antiseptic wash.

Worse

Eating. Injury. Operations. Cold air.

Better

Lying. Rest.

Mind

Depressed or crossed. Becomes angry when corrected; does not wish to be contradicted. Out of sorts. Cannot exert mind. Does not wish to think or study.

Head

Vertigo, with weakness. Headache, with flushing of face. Sharp pain deep in brain; it seems too large. Throbbing through the temples. Hot burning forehead.

Eyes

Brows twitch. Feel hot on closing them.

Nose

Foul discharge. Feels stuffed up. Bleeding from the right nostril.

Face

Bluish.

Mouth

Frothy mucus; hawks from throat. Tongue, lips and fauces tingle with sense of fear about heart. Tongue; numb, peppery taste. Aphthae. Teeth sensitive to draught of air.

Stomach

*Nausea, *with chilliness. Sour, bloody vomitus; like coffee grounds.

Abdomen

As of a load in back part of the liver. Blood flows after stools.

Male

Seminal emissions.

Female

Puerperal septicaemia; discharges suppressed. Abdomen tender and distended.

Respiratory

Pain as of a lump under the sternum. Burning under the left scapula.

Heart

Sense of fear about the heart. Increasing but variable pulse.

Extremities

Aching in the limbs. Hands, numb alternately or restless; on awakening.

Sleep

Dreams of difficulties; laborious or quarrelsome.

Fever

*Irregular, *chills; *rise of temperature and sweat. Chill in left occiput. Sweat on upper parts; on forehead.

Skin

Recurring boils. Carbuncles.

Related

Arn; Pyrog; Rhus-t.

[Back to Index](#)

Generalities

Like all other snake poisons; the poison of Coral snake disorganises the blood, producing *black discharges esp. haemorrhages. Sensation of *internal coldness in chest, stomach worse after cold drinks. Adynamic sepsis. Spasms, then paralysis. Oscillatory movements. Right side feels weak, insensible or paralysed. Mucous membranes wrinkled. As of a heavy load or weight on the affected part. Twisting sensation.

Worse

*Approach of storms. Cold; drinks, food, air. Dampness. Night. In room. Touch. Warmth of bed. Fruits.

Better

Rest. Walking Better nosebleed and pain in abdomen and chest.

Mind

Horror of rain. Fear; being left alone; causes chattering of the teeth and trembling. Shuddering from least contradiction, with pricking. Imagines he hears someone talking; dreads to be left alone. Can speak but cannot understand speech. Angry about one's self, does not wish to be spoken to.

Head

Vertigo-falls forwards. Weight and pain in forehead. Rushes of blood to the head. Faints, with vomiting or on stooping.

Eyes

Black rings before eyes (left). Large red fiery spots, before the eyes.

Ears

Cerumen black and hard. Sudden nightly deafness, with roaring, cracking in ears. Illusions of hearing. Otorrhoea; offensive, watery; with deafness, itching.

Nose

Naso-pharynx stuffed up. Chronic nasal catarrh; with foetid odour and greenish crusts. Pain from nose to ears, on swallowing. Ozaena. Nosebleed, black like ink; after a blow.

Face

Red spots on face. Bloated. Dull yellowish colour.

Throat

Spasmodic contractions of oesophagus and pharynx; food and liquids are suddenly arrested and then fall heavily into the stomach. Sensation of a sponge in oesophagus. Painful, difficult swallowing for solids and liquids. Paralysis of oesophagus.

Stomach

Drinks and fruits feel like ice in stomach, and causes coldness in chest. Desire for sweetened buttermilk. Sensation as if food turned like corkscrew on swallowing. Thirst.

Abdomen

Bowels feel twisted together in a knot. Stools of black frothy blood.

Urinary

Urine red. Discharge of mucus from urethra.

Female

Dysmenorrhoea with black blood. Sensation as if something burst in the womb, then continuous stream of dark coloured blood, Better when urinating. Discharge of black blood between menses.

Respiratory

Air hunger. Coldness in chest after drinking. Stitches in apex of right lung. Cough with terrible pain through lungs. Lungs seem forcibly separated. Haemoptysis; black, like ink and watery.

Extremities

Arms weak. Arms and hands swollen bluish. Knee joints feel sprained. Pricking under the nails. Peeling off _palms and finger tips. Icy cold feet.

Sleep

Dreams of business; of dead persons. Bites hand, during sleep.

Fever

Cold perspiration all over. Skin hot, dry.

Related

Crot-h; Helo.

[Back to Index](#)

Generalities

It is a valuable remedy for certain forms of dropsy esp. Beriberi. It produces violent vomiting and purging, with copious forceful watery, olive green, bilious or frothy evacuations. Cholera. Infantile diarrhoea. Jaundice of the new born, with bilious stools, urine staining the diaper. Irresistible desire to wander from home to home. Chilliness with much yawning and stretching. Urticaria better rubbing.

Worse

Damp weather. Standing on damp ground.

[Back to Index](#)

Generalities

The use of this remedy is exclusively confined to headaches of neurasthenic types, esp. in women, brought on or made worse by any unusual exertion, shopping, nervous strain etc. Pressive pain, as if finger tips were pressing into the temples inwards; or compressive pain going backwards worse until 4 p.m. then better; with *spitting of viscid saliva and nausea. Weekly sick headaches. Headaches preceded by hunger. Tartar on teeth. Neurasthenia. Confusion.

Better

Sleep.

Worse

Fatigue_nervous; of shopping. Eyestrain.

Related

Ign; Iris.

[Back to Index](#)

Generalities

It acts principally on *genito-urinary tract. Aching, full, tender bladder; not Better after urinating Constant desire to urinate and passes large quantities of clear, light coloured urine without relief Pricking, burning, cutting pain in urethra while urinating. Cystitis. Dysuria. ***NOCTURNAL *enuresis: of children, without causes except habit. Retention and dysuria in pregnancy and after delivery. Dribbling urine; in old women, with involuntary stool. *Much mucus in urine.

Worse

*At close of urination. Pressure. Motion. Sitting down.

Better

*After noon; Lying.

Related

Canth.

Complementary

Sil.

[Back to Index](#)

Generalities

A haemorrhagic remedy esp. when haemorrhages are profuse, *bright red, *gushing. It acts also on the genito urinary organs; chronic gonorrhoea. *Congestions_ *smarting burning. Hard aching.

Worse

Rainy weather. Exertion.

Head

Congested, red face. Nosebleed.

Eyes

Smarting, burning. Ecchymosis around, from below.

Stomach

Burning in stomach and abdomen. Vomitus or stool of pure blood. Abdomen distended. Anus feels torn. Haemorrhoids.

Urinary

Persistent haemorrhage from the bladder. *Dysuria; during dentition; crying when urinating. Aching in bladder. Retention of urine. *Vesico-rectal tenesmus, with metrorrhagia.

Male

Sticky sweat on genitals. Gonorrhoea and gleet. Blue, black spots on genitals.

Female

Metrorrhagia; with vesico-rectal tenesmus; after abortion; with diarrhoea or dysentery; after least motion. Leucorrhoea, with urinary irritability. Abortion because of exertion.

Respiratory

Cough, bloody expectoration. Incipient phthisis.

Extremities

Hard aching in all the limbs.

Skin

Ecchymoses.

Related

Canth; Ter.

[Back to Index](#)

Generalities

It is a powerful antiseptic and disinfectant. It affects the *mucous membranes, *producing profuse catarrhal discharges; which are acrid, and *foul; with *aching, *stiffness and weariness as from taking cold. Malaria. Influenza. Sticking jerking pains at night. Exhausted with toxaemia and haemorrhage. Rheumatism. Said to be a preventive of influenza.

Worse

Periodically. Night.

Mind

Mental exhilaration. Desire to move about.

Head

Congestive headaches. Migraine. Vertigo during all stages of fever.

Eyes

Smart and bum.

Ears

Tinnitus.

Nose

Watery coryza. Stuffed up sensation. Chronic purulent foetid discharge. Tension across the nose.

Mouth

Tongue pasty. Aphthae; mouth burns, feels full.

Throat

Aphthae, with burning. Constant sensation of mucus in throat.

Stomach

Digestion slow, with putrid gas. Throbbing in stomach. Nausea and vomiting, with chill. Vomiting of blood and sour fluid. Cancer.

Abdomen

As of a weight in bowels. Acute diarrhoea; stools thin, watery, preceded by sharp pains. Dysentery, with heat in rectum.

Urinary

Acute nephritis, complicating influenza. Diuresis. Catarrh of the bladder. Urethral carbuncle. Urine has the odour of violets.

Female

Small nodule below nipple (right) with stabbing darting pains.

Respiratory

*Bronchial asthma. Profuse offensive expectoration of muco-pus. Bronchorrhoea; senile. Cough of influenza.

Extremities

Pricking followed by painful aching in the limbs.

Fever

With aching. Chill then nausea and vomiting. Continued, typhoid like fevers. Vertigo in all stages of malarial fever.

Related

Chin; Dulc; Echi.

[Back to Index](#)

Generalities

Affects the liver and the kidneys. Crawling in back. *Vertigo; in forehead, as if drawn up and pitched forward. Bilious headaches; pressure over brows: compressing eyes. Liver engorged. Gall stones. Pain about navel. Profuse stools; varying or of several colours. Albuminuria.

Better

Cool air. Pressure.

Worse

Eating; Evening.

Related

Rheum.

[Back to Index](#)

Generalities

The leading characteristic is ***VIOLENT ACHING, ***BONE BREAKING PAINS. *Muscles of chest, *back and limbs feel *bruised, *sore aching It affects the liver producing *bilious effects. Patient is restless, chilly and nauseated. Colds. *Influenza. Dengue. Sluggishness of all organs and functions. Useful in broken down constitutions of inebriate. *Weakness.

Worse

***COLD AIR. ***PERIODICALLY; 7 to 9 a.m.; 3rd or 4th day. Lying on part. Coughing. Smell or sight of food. *Motion.

Better

*Vomiting bile. Sweating. Lying on face. *Conversation.

Mind

Moans with aching pain.

Head

Vertigo; sensation of falling to left; worse lying on right side; Better vomiting. Sore throbbing pain; in occiput, after lying down, with a sense of weight. Head pains alternating with gouty pains. Sensation as of a metal cap on head. Headaches Better by vomiting of bile, by conversation. Sick headaches every 3rd and 7th day. Lifts head with hands, during headache.

Eyes

Sore aching eyeballs; with headache. Yellow.

Nose

Coryza with sneezing, with aching in every bone.

Face

Sudden severe contraction of muscles of right cheek. Yellow.

Mouth

Tongue yellow. Taste bitter. Cracks on corners of the mouth.

Stomach

Thirst for cold water; but after drinking shuddering and *vomiting of bile. Nausea with smell or sight of food. Craving for ice cream, for acid drinks. Hiccough. Distressing pain in the stomach not Better until all is vomited. Tight clothing is oppressive. Retching and vomiting of bile. Thirst before vomiting.

Abdomen

Liver sore. Whitish or frequent, green watery stools.

Urinary

Urine alternately profuse and scanty.

Male

Itching of mons veneris.

Respiratory

Hoarseness worse morning. Cough; with soreness of chest, from laryngeal tickling; it hurts head and *must hold the chest better lying on knee and hands. Raw; hot, *sore chest and *bronchi worse inspiration.

Heart

Pressure as if heart is in too small a space.

Neck and Back

Pain in back of neck and between the shoulders. Intense backache, as if beaten; pain ascends Trembling in back during fever.

Extremities

Aching of bones and soreness of muscles of the lower limbs. Bruised pain in calves. Dropsy of legs, feet and ankles. Painful gouty nodes, associated with headache.

Fever

*Thirst or nausea, *then violent shaking chill; begins in the small of the back. *Bitter vomiting after chill or during heat. Burning heat. Sweat; relieves all the symptoms except the headache. Sweat scanty.

Related

Bry; Nux-v.

Complementary

Nat-m; Sep.

[Back to Index](#)

Generalities

The bone breaking pains and other fever symptoms are similar to *Eup-p; but less pronounced; it has many more symptoms regarding the urinary and the sexual organs esp. females.

Worse

Motion. Changing position.

Mind

Homesick; even though at home and amongst the family. Sighing.

Head

Left sided headache, with vertigo, as if falling to the left side.

Stomach

Wants lemonade or cold drinks during chill. Colic all over the abdomen after voiding urine.

Urinary

Constant desire; even after frequent urination, the bladder feels full. Cystitis in pregnant women on riding on rough roads; dysuria. Vesical irritability in women. Urine smells sweet. Urinary stream smaller. Diabetes insipidus.

Female

Quick jerking pain in left ovary. Profuse leucorrhoea. Vulva feels as if wet. Sterility from ovarian atony.

Respiratory

Dyspnoea with dropsy.

Neck and Back

Weight and heaviness in back and loins.

[Back to Index](#)

Generalities

It irritates the *mucous membranes and skin, causing much secretion with a sense of dryness. *Internal burning; in bones, at night. *Pains of cancer. Slow inflammations. Blisters. Gangrene of old persons. Caries, Paralytic weakness in joints. Everything appears larger than it really is.

Worse

*Sitting. Rest. Beginning of motion. Mercury. Touch.

Better

Application of oil. Cold application. Motion.

Eyes

Sees same person walking in front and behind him. Diplopia.

Nose

Much abortive sneezing. Coryza, with swelling. Acrid ozoena.

Face

Yellow blisters. Burning in cheek. Red swelling of cheeks.

Mouth

Teeth as if screwed together, brittle, crumbling; caries of. Mouth feels coated with rancid grease. Profuse saliva; salty. Thirst for cold water. Burning like fire in abdomen and stomach.

Respiratory

Cough, with stitches from the pit of the stomach to side of the chest, day and night; with asthma.

Back and Neck

Pain in coccyx worse on rising from sitting, worse after stool.

Fever

*High.

Skin

*Erysipelas; *bullosum; of mucous membranes. Torpid, indolent ulcers. Vesicular erysipelas. Vesicles filled with yellow lymph or liquid. As if thin cord lay under skin.

Related

Nit-ac; Sulph.

[Back to Index](#)

Generalities

The common name 'Eye bright' gives the indication for the use of this remedy. It affects the ***MUCOUS MEMBRANES; of ***EYES, nose, and chest, producing acute catarrh, with *free, *acid, *watery secretions. Tears are acrid; *nasal discharge is bland. Acrid pus.

Worse

***SUNLIGHT. ***WIND. *Warmth. Room. Evening.

Better

*Open air. Winking, wiping eyes.

Head

Catarrhal headache with profuse discharge from the nose and eyes. Bursting headache with dazzling of the eyes.

Eyes

***WATERY EYES; as if swimming in tears. As of a hair before them; wants to wipe them. ***PROFUSE HOT OR ACRID TEARS worse open air, *lying or coughing; *leaving a varnish like mark. Sticky eye gum. Photophobia, with spasms of the lids. Pressive, cutting pains in the eyes. Thick acrid yellow discharge from the eyes. Conjunctivitis, with violent injection; of measles; instead of menses. Chronic sore eyes. Opacities of cornea; after injury. Red, *burning, itching tarsi. Cataract, with watery eyes. Pain in the eye, alternating with pain in abdomen.

Nose

Profuse *bland fluent coryza; with cough and much expectoration, less when lying down. Flat cancer on the right side of the nose.

Face

Stiffness of left cheek; of tongue. Upper lip stiff as if made of wood.

Stomach

Vomiting from hawking mucus.

Male

Prostatitis. Nocturnal irritability of bladder, dribbling or urine.

Female

Menses; painful, flow lasts only one hour or a day. Amenorrhoea, with ophthalmia and ulcer on right side of the nose. Stitching pains and itching when walking in open air.

Respiratory

Cough with easy expectoration, in day time only; less on lying down; at night.

Sleep

Yawning when walking in open air.

Related

All-c.

[Back to Index](#)

Generalities

It is a lighter volatile oil obtained from distillation of wood tar. It has marked female symptoms, with backache. Menses; too early and copious; irritable and disinclined to talk during the menses. Yellow leucorrhoea, staining the linen yellow, with severe backache, after menses; when pain in the back ceases, leucorrhoea gushes out. Burning in right ovary. Sacrum pains as if broken; backache extends to pelvis better leaning against anything for support or bending backwards. Cramps in calves at night. A sense in the feet as if walking on needles. Uterine displacements. Sensation as if whole body were made of jelly. Profuse sweat from slight exertion.

Related

Graph; Kreos; Lach.

[Back to Index](#)

Generalities

Commonly known as Buckwheat, acts upon the skin and the digestive organs. *Itching is marked and is felt in different parts of the body, eyes, posterior nares; anus; deep in hands; legs etc. Visible pulsations of carotids and other arteries. Discharges are offensive. Pain in streaks. Senile pruritus.

Mind

Inability to study, or remember. Depressed. Irritable. Exceedingly happy.

Head

Pain deep in head with upward pressure. Headache with tired neck, better bending backwards.

Eyes

Itching of the eyes. As if eyeballs were pushed out. Pain along lachrymal duct. Swollen, red, hot.

Ears

Itching in and around.

Nose

Sore, red. Fluent coryza, with sneezing.

Throat

Itching in posterior nares. Post-nasal catarrh.

Stomach

Scalding, hot, sour eructations. Nausea persistent better eating.

Abdomen

Itching in anus.

Female

Pruritus vulvae with yellow leucorrhoea, worse rest.

Heart

Pain around the heart extending to the left shoulder and arm better lying on back.

Neck and Back

Stiffness and bruised feeling in the muscles of the neck, with sensation as if nape would not support the head.

Extremities

Pain in shoulders, with pain along fingers. Itching in arms and legs. Itching deep in hands. Feet numb, with pricking. Streaking pains in arms and legs.

Skin

Itching better cool bathing worse scratching, touch and retiring. Eczema. Erythema. Intertrigo. Blind boils. Skin hot, swollen.

Better

Cold applications. Pressure. Coffee.

Worse

Scratching. Sunlight. Motion.

Related

Puls.

[Back to Index](#)

Generalities

This is a useful remedy for glandular enlargements; new growths and uterine displacements esp. retroversion. Debility following drain upon vital forces.

Eyes

Exophthalmic goitre; after suppressed menses.

Ears

Roaring.

Nose

Thick.

Stomach

Food seems to push up in the throat, as if it had not been swallowed.

Abdomen

Stuffed feeling, as if she could not lean forward. Crawling in rectum. As if a cord were drawn connecting the navel and anus.

Urinary

Crawling in urethra. Urine; sweet smelling, dark coloured; depositing thick white sediment.

Female

Constant bearing down. Feeling as if something pressed upward in vagina on sitting. Retroversion of uterus. Leucorrhoea; like boiled starch when bowels move. Menses; absent with exophthalmic goitre. Prolapsus, difficult to retain the urine.

Better

Open air.

Worse

Motion. Night. Touch.

[Back to Index](#)

Generalities

Iron is present in considerable quantity in blood; also in many articles of daily food. It affects the ***CIRCULATION, producing irregular distribution of blood; congestions, *irregular surgings etc. and *pulsations It relaxes the blood vessels causing *haemorrhages which are bright or with small clots esp. in rapidly growing youth; or the veins dilate, during neuralgia, menses or fever. It is adapted to young; anaemic; pseudo- plethoric persons, who though looking strong are so weak that they are unable even to speak or walk, want to lie down. Pallor of the skin and mucous membranes, alternating with flushes. *Dryness; of mouth; of food, vagina etc. *Anaemia of young persons, with flushed cheeks but pale lips; delicate girls, constipated with low spirits. Muscles flabby and relaxed. *Dropsy or paralysis, after loss of vital fluids; haemorrhages etc. *Red faced old men. Rapid emaciation. Nightly pains that *compel motion of part. Pressure; on chest, stomach etc. Irritable mind and body. Cachexia. Cracking in joints. Softening of bones. Red parts become pale. Catalepsy. Goitre, exophthalmic from suppressed menses. Spleen, digestion and left deltoid are also affected.

Mind

Always in the right; *sensitive and excitable, worse on least contradiction. Weeps and laughs immoderately. Nervous, hysterical. Slight noise intolerable. Anxiety as after committing a crime. Despondent; after menses.

Head

Vertigo; worse rising suddenly, on crossing the bridge, over water. Brain-fag. *Throbbing, *hammering headache, starts in the temples, extending to occiput, worse cough, stooping, descending stairs; better letting hair down. Sudden pain over left eye. Head hot, feet cold. Writing causes headache to reappear. Vertigo during headache.

Eyes

At night can see in the dark, hysteria. Blind attacks. Letters run together when reading or writing. Puffy eyelids. Pain over eyes (left). Exophthalmic goitre, after suppression of menses.

Ears

Oversensitive to noise. Noises in ears better leaning the head on table. Ringing in the ears worse before menses.

Nose

*Bleeding, in anaemic patients; alternating with haemoptysis.

Face

Pales and *flushes or *redness from least pain, emotions, or exertion. Florid; feels as if bloated. Lips pale. Neuralgia, after cold washing and overheating, worse lying down; better sitting up.

Mouth

Toothache better icy water. Taste of blood or of rotten eggs. Mouth dry, food seems too dry.

Throat

As if something rolling in the throat and closing it like a valve. Exophthalmic goitre. Sensation as of a lump (left) worse swallowing empty only.

Stomach

Increase and loss of appetite alternately. Stomach won't tolerate any food, causes distension and pressure. Aversion; to meat; to eggs, to sour fruits, to his accustomed tobacco, beer. Desire for bread, raw tomatoes. *Spits up food by the mouthful Vomiting; easy, without nausea; immediately after eating; after midnight, during pregnancy. Burning in. Vomits after eggs.

Abdomen

Hard, distended, sore, bruised when walking. Bowels feel sore to touch. Diarrhoea; painless, worse while eating; (attempt to eat brings on diarrhoea); nightly; gushing, spluttering; of undigested food; alternating with constipation; worse if nervous or tired. Stools; hard difficult, followed by backache, or cramps in rectum; prolapsus recti. Itching of anus due to ascarides; in children. Stools undigested. Summer diarrhoea.

Urinary

Albuminuria. Chronic nephritis. Involuntary urination; esp. during day only; when standing, from sudden movement, walking; in children. Copious urination with, nervousness. Urine hot; with menorrhagia.

Male

Emissions; nightly; with backache; after over-exertion.

Female

Vagina too dry, pain as if raw; or insensible during coition. Menses; pale, watery; too early, too profuse and protracted; intermit; with labour like pains. Leucorrhoea; milky, acrid, watery, at puberty. Tendency to abortion. Prolapse of vagina. Itching of vulva.

Respiratory

Voice, hoarse or changeable. Dry tickling cough worse moving; better lying down. Spitting of blood; of masturbators, in consumption. Surgings of blood to the chest. Chest; oppressed, constricted; or flying stitches in the chest. Dyspnoea better walking slowly, and talking. Cough, with pain in the occiput. Breath hot. Neglected pleuro-pneumonia, absorbs exudation.

Heart

Palpitation worse least motion; better walking slowly; of masturbators; after loss of fluids. Throbbing in all blood vessels. Pulse full, soft, yielding.

Neck and Back

Neck and shoulder painful. Lumbago all night, goes off on rising.

Extremities

Sudden cramps or tearing pains in the limbs, when writing, hands tremble better when writing fast. Irresistible desire to bend the arm with intense pain. Swelled hands and feet. Heels pain worse lying on back. Cracking in joints. Omodynia. Contraction of limbs.

Sleep

Falls asleep; from debility; while sewing, sitting and studying. Sleepless.

Fever

Chill with red face and thirst. Heat with distended veins. Extremities cold; head and face hot. Sweat; clammy, yellow, cold, acrid or debilitating.

Skin

Pale. Flushes easily; pits on pressure. Black or dark violet spots.

Better

*Gentle motion. Slight bleeding. Leaning head on something.

Worse

***NIGHT. *Emotions; *anger. *violent exertion. *Eating. Drinking. *Loss of vital fluids, *sweats. *Eggs. *Heat and told. Sudden motion. Raising arms. Tea.

Related

Arn; Mang.

Complementary

Chin.

[Back to Index](#)

Generalities

Like *Fer., *Fer-hp. affects venous circulation causing *local passive congestions and haemorrhages due to hyperaemia; so the *discharges are blood streaked or meat-water like. It is suitable to nervous, sensitive, anaemic (blonds) persons. It is a very useful remedy in acute exacerbation of tuberculosis; rheumatism etc. Emaciation. Takes cold easily. Bruised *soreness; chest; *shoulders; muscles. Inflammation of the soft parts. Burning rawness. Ill effects of *checked sweat; mechanical injuries. Initial stage of fever and inflammation. Great prostration, could hardly move about.

Mind

Very talkative, hilarious and *excited Keeps quiet. Anger. Transient mania from cerebral irritation. Indifferent to pleasurable things. Averse to company. Fear of going into a crowd.

Head

Throbbing headache with sensitive scalp. Headache, shooting, aching from vertex down over the sides of the head; with *earache; better nosebleed, cold application. Ill effects of heat of sun. Head often feels as if pushed forward while walking; with vertigo. Empty sensation in the head, during menses.

Eyes

Red, inflamed with burning sensation. Feeling of a tiny particle in upper eyelid. Encysted tumours of the eyelids. Eyes suffused, cannot see on stooping.

Ears

*Violent earache: acute otitis media when Bell fails. Deafness; from colds, worse during menses. Tinnitus worse lying.

Nose

Epistaxis. Bright red blood; in children. Controls soreness and bleeding after operations.

Face

Pales and reddens alternately. Hot cheeks with toothache.

Mouth

Hot. Toothache better cold.

Throat

Tonsils red and swollen. Sore throat of singers. Pain worse empty swallowing. Soreness after operation.

Stomach

Vomits; ingesta; at irregular times; of undigested food; green matter. Haematemesis. Sour eructations. Aversion to meat and milk. Desires sour things.

Abdomen

Distended; intolerance of clothes. Chronic diarrhoea. *Stools; of bloody water; of yellow water. Dysentery with fever. Summer diarrhoea.

Urinary

Diurnal enuresis better lying down. Urine spurts, with every cough. Urinates after every drink. Urine retained, in children, during fever.

Female

Menses; early; every three weeks; with heavy pain on vertex. Vagina dry and hot. Pain during coition. Vaginismus.

Respiratory

Laryngitis; with hoarseness; of *singers. Short painful, tickling, hacking, tormenting, spasmodic cough worse morning and evening. Haemoptysis; of pure blood; in pneumonia; after concussion or fall. Chest heavy, sore or *congested. Pleurisy; stitching pain worse coughing and deep breathing.

Heart

Palpitations; with rapid pulse. ***FULL, ***SOFT FLOWING PULSE.

Neck and Back

*Crick in neck and back.

Extremities

Rheumatism attacking one joint after another; worse slightest motion. Sore bruised pain in *shoulders extending to chest and wrist. Wrists ache with loss of power to grasp. Palms hot; in children. Jerking in limbs. Omodynia. Sprains of the elbows. Hands swollen and painful.

Fever

Chill, with desire to stretch; at 1 p.m. Heat with sweaty hands. *Fever; continued; infectious, *pneumonia; intermittent; measles; haemorrhagic.

Skin

Measles. Acne.

Sleep.

Drowsiness. Restless and sleepless.

Better

Cold application. Bleeding. Lying down.

Worse

*Night. 4-6 a.m. Motion. Noise. Jar. Cold air. Touch. *Checked sweat. Cold drinks and sour food. Meat. Herring. Coffee. Cake.

Related

Gels.

Complementary

Kali-m.

[Back to Index](#)

Generalities

It is a very useful remedy for senile hypertrophy of the prostate gland; with frequent urination at night, with full feeling and pressure in rectum. Smarting at neck of the bladder and penis. Retention of urine.

[Back to Index](#)

Generalities

Destructiveness is the keynote of this acid. It produces slow deeply destructive effects, caries of bones esp. long bones; ulcerations, bedsores; varicose veins. It is suitable to complaints of old age or prematurely aged. Pale, miserable, *cachectic, *flabby and broken down patients. *Always feels too hot; *wants to bathe in cold water. Tissues are *puffy, *indurated and fistulous. Discharges are *thin; *foul, *acid or salty, causing itching. Oedema. Felon. Naevi. Secondary syphilis. Increased ability to exercise his muscles, without fatigue, regardless of most excessive heat of summer or cold of winter. Numbness; of the part not lain on; in brain diseases, spinal affections. Calcareous degeneration. Naevus, flat. Suffering if the call for evacuation is not immediately attended to. Dropsy; with numbness or without. Goitre.

Mind

*Impulse to walk fast; necessity to be always on the move. Aversion; to his own family, to those loved best; becomes interested and converses pleasantly with strangers. Inability to realize responsibility. Depression of mind. Stands on the street ogling the women as they pass by, so great is his lust. Elated and gay. Sits silently, does not utter a single word, nor answers when questioned.

Head

Stunning headache, better urinating. Pressure in occiput. Pain along the sutures. *Puffy glabella. Falling out of hair; after fevers. Brittle, tousy hair.

Eyes

Sensation as of a cold wind blowing through the eyes. Fistula lachrymalis. As if something in the eyes, that could not be rubbed off; must wink. Left eye smaller than right.

Ears

Deafness better bending head back.

Nose

Fluent coryza; during sleep. Sneezing, with salivation.

Face

Heat in face, wants to wash it in cold water. Pale.

Mouth

Teeth; decay rapidly; worse at roots; feel warm. Thin enamel. Dental fistula. Tongue; fissured in all directions; painful when talking. Late dentition. Ulcer on and under tongue.

Stomach

Desire for pungent, spicy, highly seasoned food; cold water; warm drinks produce diarrhoea. Gnawing hunger, is always eating which temporarily relieves. Stale eructations. Bilious vomiting on slightest errors in diet. Stomach symptoms better tight clothes. Averse to coffee.

Abdomen

Soreness over liver. Warm drinks and salmon produce diarrhoea. Itching and burning at anus. Sensation of emptiness at the region of navel, with a desire to draw a deep breath better bandaging. Ascites; from hepatic disorders; induration, enlargement and portal congestion .

Urinary

Upward drawing in the urethra. Urine; scanty, dark. Increases urine in dropsy.

Male

Increased sexual desire; in old men. Violent erections at night. Oily pungent smelling sweat on genitals. Oedema, of scrotum. Varicocele. He stands on the street ogling the women as they pass by, so great is his lust. Enjoyment excessive.

Female

Menses; too early, copious, frequent, too long. Metrorrhagia, with difficulty of breathing. Copious excoriating leucorrhoea. Nymphomania. Nipples sore, cracked. Feels distressed if the flow is slightly delayed.

Respiratory

Oppression in chest better bending backwards. Hydrothorax. Difficulty of breathing; with or alternating with metrorrhagia.

Extremities

Felon. As of a splinter under the nail. Nails distorted, crumble, grow rapidly. Dropsy of limbs in old feeble constitutions. Feeling of hair on back of fingers. Constant redness of the hands esp. the palms. Ulcers over tibia. Hot sweaty palms. Soreness between toes. Corns sore.

Sleep

Sensation as if sleeping on side not lain on.

Fever

Ebullitions of heat with pain in bones. *Acrid, *eroding sweat; *excites itching. Sweat on hands and feet. Nightly fevers coming on periodically. One sided sweat (left). Sweat on diseased part.

Skin

*Varicose veins. Feels as if hot vapour were emitted from all the pores. Dry, harsh, itching or cracked skin. Scars; surrounded by pimples; become red around the edges. Keloids.

Better

***Cool BATHING. *Rapid motion. Short sleep. Bending head back. Eating.

Worse

***HEAT; of room. Night. Alcohol, (Red wine). Sour foods.

Related

Calc-s; Puls; Sul-ac.

Complementary

Sil.

[Back to Index](#)

Generalities

Tincture is prepared from crushed live red ants. It is an arthritic remedy; for *sudden rheumatic or gouty pains. Tuberculosis. Complaints from over-lifting. Checks the formation of polypi. Atrophy of wounds. Takes cold easily. Carcinoma. It affects spine; liver; kidneys and right side. Checked foot sweat; chorea from.

Mind

Exhilarated; after pain. Forgetful in the evening. Morose; fearful.

Head

Brain feels too heavy and large. Headache better after combing hair. As if bubbles bursting in forehead.

Eyes

Pain in the eyes on waking, better washing.

Ears

Cracking in ear, with headache. Polypus. Parts around ear feel swollen.

Nose

Coryza and stopped up feeling. Polypus.

Throat

Pain in neck when hawking or gargling.

Stomach

Pain shifts from stomach to vertex. Water tastes sweetish.

Abdomen

Drawing pain around navel before stools. Light foaming stools.

Urinary

Quantity of urine increased_double. Urine like saffron.

Female

Ovarian cysts containing water, or blood.

Respiratory

Nervous asthma. Cough mostly at night.

Neck and Back

Pain in neck when chewing, esp. on closing jaws.

Extremities

Sudden rheumatic pains with restlessness. Weakness of lower extremities. Paraplegia. Muscles feel strained and torn from their attachment. Hands numb. Hard nodes around joints in and out.

Fever

*Profuse sweat without relief.

Skin

Red, itching and burning. Hives in flat plaques. Wounds that atrophy.

Better

Rubbing. Combing hair. Pressure. Warmth. After midnight.

Worse

*Cold; wet. Motion. Before snow-storms.

Related

Rhus-t; Urt-u.

[Back to Index](#)

Generalities

It is an uterine tonic; for nervous females. It is apt to be a useful remedy for all types of uterine displacements and fibroids. Said to be the medical pessary of the first order.

Mind

Depression with nervous restlessness and anxiety. Must talk.

Head

Hot spot or dryness on *vertex. Throbbing pain in occiput.

Abdomen

Heavy bearing down, extending to the thighs, or falling out sensation; with fibroids.

Female

Uterus enlarged; heavy, prolapsed. Dysmenorrhoea. Profuse menses or leucorrhoea. Subinvolution. Sensitive ovary (left).

Extremities

Cramps in feet; after midnight.

Fever

Cold creeping and hot flushes.

Skin

Infantile eczema.

Worse

Injury. Sprains. Lifting.

Dose

Ten to fifteen drops of tincture 3 times a day.

[Back to Index](#)

Generalities

The action of this medicine is confined to *stomach and ***BOWELS. *Burnings in different organs are prominent. Body feels sore all over.

Mind

Cheerful and talkative. Irritable.

Eyes

Burning in eyes; itching of eyelids; he rubs them; lids stick together, with sneezing.

Nose

Violent chronic sneezing, in daytime only.

Mouth

Feeling of coldness at the edge of teeth. Burning, smarting and dryness of tongue and throat.

Abdomen

Burning in liver. *Pinching, *gurgling in bowels, then sudden yellow or *green, ***THIN STOOLS COMING OUT *In prolonged gushes; with *burning at anus; *and much relief Vomiting and purging with fainting.

Urine

Urine smells like onions.

Better

*After stools.

Worse

Motion in open air. After stools.

Related

Crot-t.

[Back to Index](#)

Generalities

*Gels. centres its action upon the ***MUSCLES and ***MOTOR NERVES. In muscles it causes *overpowering ***ACHING; ***TIREDNESS; ***HEAVINESS; ***WEAKNESS AND SORENESS esp. felt in the muscles of the extremities. Affection of motor nerves produce all types of *functional paralysis_of eyes, throat larynx, anus, bladder etc. or ***TREMORS or twitchings; of single muscles, face, *chin, tongue etc. Circulation becomes sluggish causing passive *arterial or *venous congestion; with *sense of fulness and heaviness in different organs; heart, liver etc. Catarrh of ***MUCOUS MEMBRANES cause watery discharges. General state of paresis, bodily and mental. Complete relaxation and prostration. Wants to lie down quietly; half reclined; wants to be held. *Dullness; *dizziness, *drowsiness; *eye or visual effects; tremors; and *polyuria; one or two of these symptoms usually accompany most of the diseased conditions in which *Gels. is indicated. Inco-ordination of muscles, which do not obey the will. Chorea of pregnancy. Convulsions; hysterical. Nervous affections of cigar makers. Body feels light in onanists or hysterical subjects. Influenza. Measles. Pellagra. Post diphtheritic paralysis. Paralysis agitans. Ill effects of fright, fear, depressing emotions, anger, bad news, unpleasant surprise. Masturbation, traumatic shock. Alternate pelvic organ symptoms with head symptoms. Weak, tired, delicate, timid, excitable, easy to anger persons, children and adolescents. Never well since the flu. Coma, and apoplexy; sub-arachnoid.

Mind

Confusion; acts as if crazy. Dazed. Apathetic. Desire to be quiet or left alone. Wants to throw himself from a height. ***DREAD; *of falling, of *ordeals, death, pain. Indifferent regarding his illness. Answers slowly. Cataleptic immobility, with dilated pupils, closed eyes but conscious. Child starts, grasps the nurse and screams as if afraid of falling. Discerning power slow. Effects of grief, cannot cry; broods over her loss.

Head

***VERTIGO; spreads from occiput; as if drunk, with visual symptoms. Dull ***HEAVY or band-like headache; around the occiput; to over eyes; t tight cap; better shaking; lying with head high; after profuse urination. Swelled feeling in head. Meningitis_congestive stage; pain at the back of head and dilated pupils. Pressure pain from the vertex to shoulders. Pain in temples extending into ear, wing of nose and chin. Soreness of the scalp. Apoplexy; sub-arachnoid. Blood rushes from the occiput to the forehead. Hot, with cold limbs. Migraine beings at 2 or 3 a.m. t in the afternoon. Cannot hold erect. Fontanelle pulsate strongly.

Eyes

Pupils dilated. ***HEAVY DROOPING EYELIDS. *Diplopia; when looking sideways, during pregnancy. Blind spells. Sight dim or swimming. Photomania. Affections of vision before migraine. Eyes; red sore *aching, suffused. Detached retina; from injury, or myopia. Glaucoma. Orbital neuralgia with contraction and twitching of muscles. Amaurosis from masturbation. Hysterical amblyopia. Eye pains extend to *occiput. Retinitis. Gauze before. Corrects discomfort in eyes even after accurately adjusted glasses. Vitreous hazy.

Ears

Sudden loss of hearing for a short time. Pain while swallowing. Impaired hearing from cold.

Nose

Stuffed. *Coryza, *with thin acrid watery discharge. Sensation as if hot water flowing from the nostrils. Summer cold. *Sneezing, early morning.

Face

Hot, heavy, *full, *dusky red; besotted or expressionless. Chin quivers. Lower jaw dropped. Lower jaw wags sideways. Paralysis.

Mouth

Tongue; heavy, *numb, partially paralysed; *speech thick, as if drunk, he can hardly speak. Saliva coloured yellow as from blood. Tongue, numb, trembles while protruding. Thick yellow coating on tongue. Muscles around the mouth seem contracted.

Throat

Swallowing difficult. Paralytic dysphagia esp. worse from warm food. Swallowing causes pain into the ear. Feeling of a painful lump in throat that cannot be swallowed, in hysterical women. Pain from throat to the ear. Tonsillitis. Post-diphtheritic paralysis. Sore throat during menses. Paralytic dysphagia after cerebral apoplexy.

Stomach

Usually *thirstless; but thirst with sweat. Little appetite but can take food or drink. Feeling of emptiness or weakness in the stomach, or bowels. Cramps in stomach, worse riding or sitting erect. Hiccough, worse evening.

Abdomen

Passive congestion of liver. Gripping in the gall bladder. Periodical colic. Copious yellow stools. Diarrhoea; painless; in nervous persons; after sudden emotions as grief, fright, bad news anticipation of an unusual ordeal. Stools, cream coloured; tea- green. Paralysis of sphincter ani. Prolapse or rectal pains after labour. Involuntary stools.

Urinary

Profuse, clear, watery urine; with chill and trembling, better headache. Incontinence from excitement; from paralysis of sphincter. Alternate dysuria and enuresis. Flow intermittent. Retention. Constant urination; hysterical.

Male

Involuntary emissions without erections. Genitals cold, relaxed. Dragging pain in testes. Profuse warm sweat on scrotum. Sexual power exhausted, slightest caress causes an emission.

Female

*Uterus heavy sore; feels as if squeezed (anteflexion). Dysmenorrhoea; with scanty flow; pains extend to back and hips. Labour pains go up; backward or down the thighs. Deep yellow leucorrhoea; with aching across lower part of the back. Os rigid. False labour pains. Threatened abortion from sudden depressing emotions. As of a wave from uterus to throat, with choking feeling, impedes labour. Nervous chills first stage of labour. Coition difficult from contraction of vaginal muscles. Epileptiform convulsions at menstrual period or from suppressed menses. Twitching of muscles of the whole body with drowsiness, before puerperal convulsions. Severe after pains.

Respiratory

Hoarseness; during menses; in hysteria or after depressing emotions. Tiresome, slow breathing. As of a lump behind the chest. Spasms of glottis; long crowing inspiration, sudden and forcible expiration. Dry cough, with sore chest and fluent coryza. Burning in larynx and chest, when coughing.

Heart

Sore. Feeling as if heart would stop beating, if she did not move about. Pulse *slow, *soft, weak, *full and flowing. Weak slow pulse; of old age. Pain in heart on rising from seat.

Neck and Back

Neck feels bruised, unable to hold the head. *Dull pain up and down in spine; better walking; with occipital pains. *Pains under scapula.

Extremities

Hard aching in humerus (right). Hands; hot dry numb esp. palms. Wants hands in cool water. Cramps in muscles of the forearm. Professional neurosis. Writer's cramp. Heavy lower limbs. Excessive trembling and weakness of limbs. *Knees weak worse descending; *tottering gait; cannot direct his legs. Coldness of wrists and hands. Feeling of partial luxation of patella when walking.

Sleep

***DROWSINESS. Starts on falling to sleep. Heavy stupid sleep. Sleepiness of students. Sleeplessness from mental excitement; thinking or tobacco.

Fever

*Chill with aching and languor; mixed *with heat or alternating with heat; *chill up and down back. Cold hands and feet. *Heat_ *with drowsiness, ***THIRST ABSENT; with trembling. Cold sweat. Bilious remittent; malarial; typhoid; cerebro-spinal fevers. *Measles. Nervous, shuddering, chill; preceded by visual disturbances.

Skin

Hot dry; *moist; *yellow.

Better

*Profuse urination; *sweating. *Shaking. *Alcoholic drinks. Mental efforts. Bending forwards. Continued motion. Afternoon. Reclining, with head held high.

Worse

***EMOTIONS. ***DREAD *Shocks. *Ordeals. Motion. Surprise. *Weather ***HUMID; ***SPRING; *foggy. *Heat of sun; summer. Periodically. Tobacco. Thunderstorms. Cold_damp weather. Dentition. When thinking of his ailments.

Complementary

Arg-n; Sep.

[Back to Index](#)

Generalities

Nitro-glycerine is an explosive substance, therefore its action is quick and violent; with bursting and expansion; a tempestuous remedy. It acts upon the ***CIRCULATION where it causes ***VIOLENT PULSATIONS, ***EBULLITIONS and *irregular congestions. ***BLOOD RUSHES UPWARDS. General pulsations; with numbness. Bursting, expansion or *enlarged (or even being smaller), feeling in different organs; eyes; head; tongue etc. Pains that come long after injuries. Convulsions; epileptiform, from cerebral congestion or suppressed menses. Burning in small areas or single parts. Climacteric disturbances. Clothing seems tight. Ill effects of sun heat, bright snow; fire heat; fear or fright. Old scars break out again. Sunstroke. Apoplexy. Working under electric or gas light. Eclampsia. Sea-sickness. Walks in shade or with an umbrella.

Mind

Loses senses, sinks down unconscious. Confused, bewildered loses himself in well-known localities. Frantic, with pain, attempts to run away or jump out of a window. Shudders and weeps during intermissions of pain. Fears she has been poisoned. Shock, sudden attacks of terror, dares not go out into the street. Recognizes nobody; repulses her husband and children. Disinclined to speak.

Head

***WAVES OF TERRIBLE, ***BURSTING, ***POUNDING, ***HEADACHE; with feeling as if standing on the head; with expanding and contracting sensation or as if blood were surging back and forth in the head; from carotids to heart; better vomiting, alternating between temples worse sunshine, damp days. Cracking, snapping, shocks, explosions or soreness deep in brain. Head heavy but cannot lay it on a pillow. Headache before, during, after or in place of menses. Numb; sore; hot; *vertex. Veins of temples swelled. Headache better from long sleep. Holds the head tightly. As if skull were too small for the brain.

Eyes

Red, lower eyeballs or lids. Eyes protrude, look wild. Eyes, upturned or rolled outwards and upwards, in convulsions. Sees everything half light and half dark. Lids stick to ball. Blind spells. Eyes sunken. Eyes dry. Lids red. Black specks, sparks, flashes, before the eyes. Letters appear smaller.

Ears

Throbbing; each heart beat is heard in the ears. Sharp shooting behind ears. Mastoiditis. Deafness; paralysis of auditory nerve.

Nose

Bleeding on going out in the heat of sun.

Face

*Bluish. Flushed, hot. Pain at the root of the nose. Chin feels too long. Pain in malar bones, ending in headache. Lower lip feels swollen; or numb. Jaws clenched in sunstroke.

Mouth

Throbbing pain in teeth; teeth feel elongated. Tongue; heavy; cannot protrude straight; conversation difficult with confused ideas. Saliva; increased; thick, in a.m. Froth at mouth.

Throat

Feels swelled; collars must be opened.

Stomach

Nausea and vomiting. Horrible faint feeling at the pit of stomach; with throbbing. Rumbling in hypogastrium esp. Worse lying on left side. Diarrhoea, with sudden stoppage of menses.

Urinary

Profuse pale, albuminous urine; more frequent at night.

Female

Climacteric flushing. Headaches after profuse menses. Sudden cessation of menses with congestion to head. Eclampsia. Throbbing pain begins in breast (left), darts suddenly to head worse motion.

Respiratory

Heavy laboured breathing. As of a load on chest. Takes deep breath. Sighing. Numbness moves upwards in chest and down left arm. Oppression of chest alternating, with headache.

Heart

*Violent palpitation; throbbing carotids. Heart seems full, quivers. Pulsations in the whole body to the finger tips. Purring noise at the region of the heart. Cardiac pain radiates to all parts, towards arms worse leaning back or taking wine. Full tense pulse. Venous pulse. Boiling sensation in the region.

Neck and Back

Neck feels full and stiff; weak and tired; cannot support the head. Hot sensation down back; along spine; burning between the scapulae.

Extremities

Trembling hands. Knees give way. Thighs and knees weak and knock together, during headache. Unsteady gait. Fingers and toes spread apart during convulsions. Sciatica better flexing legs on abdomen.

Sleep

Awakes with fear of apoplexy.

Fever

Heat with hot sweat. As if warm water running upward from nape of neck. Flushes of heat.

Skin

Itching all over, worse the extremities.

Better

*Open air. *Elevating head. Cold things; cold application.

Worse

***HEAT ON HEAD; ***OF SUN. Overheated. ***HOT WEATHER. ***MOTION. ***JARRING, ***SHAKING. Bending head back. *Injury. *Suppressed menses. Fruits. Weight of a hat. Wine. *Gas light *Cutting hair. Peaches.

Related

Amyl-n; Bell.

Complementary

Bell.

[Back to Index](#)

Generalities

This remedy is mainly used in the affections of the Sciatic nerve; though it has some useful abdominal and female symptoms. Offensive diarrhoea with colic worse morning. Weight and heaviness in pelvis. Dysmenorrhoea, with scanty menses and very painful the first day. *Intense sciatic pain; alternating with or followed by numbness worse lying down, motion, stepping; better by flexing the limbs on abdomen, by sitting in a chair. Lumbago with numbness of part and weight and heaviness in pelvis. Anterior crural neuralgia. Pain in joints as if they lacked oil.

Better

Flexing limbs. Sitting; in a chair.

Worse

Walking. Lying. Cold damp.

Related

Coloc.

[Back to Index](#)

Generalities

In ordinary practice it was used as a powerful emmenagogue; but in homoeopathy it corresponds to many *reflex conditions dependent upon disturbed uterine function and pregnancy. Nausea; with flow of saliva and inclination to vomit, in the morning; before breakfast, with sensitive uterine region. Sensitive stomach with much gas. Vomits on motion or raising up. Hyperemesis. Intermittent pain in ovaries, extending towards uterus. *Uterine torpor, sterility from. Sensitive womb. Menses; late, scanty, watery. Subinvolution. Fibroids. Tumours in breast with swelling of axillary glands. Pain in neck. Menses tardy with sensation that the flow is about to start yet does not do so.

Worse

Motion.

Related

Senec; Ust.

[Back to Index](#)

Generalities

It is a mineral carbon in which there is a small percentage of iron. It affects the *nutrition in a peculiar way; it is a remedy for those persons who have a tendency to put on unhealthy fat or for those who begin to emaciate. *Circulation is affected, causing irregular distribution of blood, producing rushes of blood esp. to the head; flushing and pallor of the skin and the mucous membranes. Its chief action is on the ***SKIN esp. at *flexures or folds of skin, mucocutaneous junction; *behind the ears. It produces ***THICKENING and ***INDURATION of *skin; glands; tarsi, nail, *scars. Thick *crusts are formed on the skin. Tendency to callosities. It has a tendency to produce ***EXCORIATIONS; ***CRACKS or ***FISSURES; at mucocutaneous junction; of eyes, nostrils, mouth, *anus, nipples, fingertips, *folds of skin. The patient is usually *fat, *relaxed; *chilly and costive. *Discharges are, *thin, *foul, *scanty, and *acid. *Sourness; of taste, eructations, stools, urine, *blood about teeth etc. Haemorrhages are watery. *Emaciation; of suffering parts. Sensation of *burning, numbness and deadness. Pains go to parts not lain on. General sense of uneasiness, tremulousness; which extort groans. Sudden sinking of strength. Frequently feels faint with partial loss of senses. Aids absorption of cicatricial tissues. Eradicates tendency to erysipelas. Contractions; of muscles. Ill effects of grief, fear, overlifting. Cataleptic conditions; consciousness but without power to move or speak. Infiltrations. Cramps and burning in different places. Alternate digestive and skin symptoms. *Supersensitive to cold. *Cold, which worse bone-pains; coryza and stomach. Cancerous diathesis; in old cicatrices. Paralysis or sensation of paralysis. Tendency to grow cystic tumours; wens. Dropsy; oedema.

Mind

*Sad; *fearsome; *irresolute, hesitates at trifles. Impulse to groan. Timid. Dread of work. Fidgety, while sitting at work. Feels miserable and unhappy. Weeps; without cause, from music. Forgetful, makes mistakes in speaking and writing. Child impudent, teasing, laughing at reprimands. Thinks of nothing, but death. Remembers all the events of youth, recent events are forgotten. Fatigue from scientific labour.

Head

Vertigo worse looking upwards, reading or sewing. Rush of blood to head, with flushed face and feeling of heat. Brain feels numb. Head feels numb and pithy. Skin of forehead as if drawn into folds. As of a cobweb on forehead. Heavy weight or dull pressure at the occiput; as if head is drawn back. Pressive pain or *burning spot on vertex. Headache with nausea, during menses. Matted, brittle or falling hair worse vertex and sides. Milk crusts. Eczema capitis; scabs sore to touch. Bald spots.

Eyes

Shuns daylight. *Photophobia. Ophthalmia. Eyelids red and swollen. Sore or cracked outer canthi. Ingrown lashes. Sight vanishes during menses. Inflamed or dry, scaly or pale tarsi. Recurrent Keratitis. Eyelids fissured; eczema of. Phlyctenae. Hot tears. Eyelids heavy and falling. Letters appear double, when writing; seem together when reading. Cystic tumours on eyelids.

Ears

Dryness of inner ear. Thin, white scaly membrane covering the tympanum. *Moisture and eruptions behind the ears. Briny otorrhoea. As of hard body behind ear. Deafness_hears better in a noise. Tinnitus_hissing, detonation like report of a gun. Feel stuffed at full moon. As if air inside; as if filled with water. Snapping after every eructation.

Nose

Dryness; with loss of smell. Nosebleed with rush of blood to the head; worse before menses. Colds at menses. Smell acute; cannot bear the smell of flowers. Stuffed coryza. Scabs and fissures in the nostrils. Sneezing on opening the eyes. Coryza from cold. Painful internally. Chronic catarrh. Discharge offensive esp. during menses. Excoriated.

Face

As of a cobweb on the face. Pale, bloated, haggard, flushed. Acne before the menses. Lips cracked and sore. Moist eczema around the mouth and nose. Barber's Itch. Facial paralysis, with distortion of muscles and difficult speech. Formication on lips, during menses. Painful nodules on the lower jaw. Falling of hair from chin.

Mouth

Angles of the mouth ulcerated. Taste; sour; like rotten eggs. Breath smells like urine. *Dots of thick white fur on tongue. Burning blisters on tongue. Easy bleeding and swelling of the gums. Sour; foul odour from the mouth. Blood from teeth, tastes sour. Salivation; at night. Teeth on edge.

Throat

Nodulated goitre. *Choking, on swallowing, from goitre. As of a lump in throat t empty swallowing; urging to swallow; from constant spasms. Chronic sore throat. Tonsils enlarged. As if food would not go down, from spasms.

Stomach

Aversion to meat, fish, cooked food, salt, sweets. Hot drinks disagree. Excessive hunger or no appetite; worse when hungry. Sour or foul eructations. Burning in stomach; causing hunger; better by eating; hot drinks esp. milk; lying down. Morning sickness during menses. Vomiting; sour; of food. Periodical gastralgia, with vomiting of food immediately after eating, stomach t by cold. Cancer of pylorus. Vomiting and purging, and icy cold sweat, with headache.

Abdomen

*Flatulence. Cannot bear tight clothes around the waist. *Abdomen distended; as from incarcerated flatus. Cramp like pain in abdomen, with deficient secretion of urine; at night. Pain as if intestines were torn. *Stools; *large, *knotty; *difficult; *stringy; slimy coated; or loose, brown, lienteric and very foul. *Intestinal torpor, constipation for days. Fissures at anus; cutting pain during stool; followed by constriction and aching for several hours; bleed and ulcerate. Stools or masses of mucus; stools slender; pasty. Easy prolapse of rectum. Piles; pain worse sitting down, or on taking a wide step. Itching of anus and pudenda, before menses. Smarting sore pain in anus on wiping it. Diarrhoea, from slightest indiscretion in eating. Tape worms.

Urinary

Urine; sour smelling; turbid; stream slender. Pain in sacrum or os coccyx while urinating. Stricture of urethra.

Male

Sexual debility, with increased desire. Averse to coition. Ejaculation; too early or failing during coition. Want of sexual enjoyment. Hydrocele Priapism. Cramps in calves during coition. Impotence from excessive indulgence or masturbation.

Female

Great aversion to coition. Menses; *late, scanty, pale, irregular, painful. Swelling and hardness of ovary (left) worse after menses. Induration of ovaries and mammae. Hoarseness, coryza, cough, morning sickness and sweats, swelling of feet or headache, during menses. Leucorrhoea; pale, thin, profuse, excoriating, in gushes, with weakness in back; worse before and after menses. Leucorrhoea in place of menses. Cancer of mammae, from old cicatrices; remaining after mammary abscess. Nipples; sore, cracked and blistered. Pain in the uterus when reaching high with arms. Retroversion of uterus; heaviness in hypogastrium with cutting pain down thighs; uterus feels coming out through vagina. Vagina; dry, hot or cold. Eczematous eruptions around the vulva.

Respiratory

Constriction of chest, as if too narrow, as if about to suffocate when falling asleep; jumps out of bed, takes hold of something and must eat something; worse after midnight. Cramps in the chest. Voice lacks control better using it. Hoarseness as soon as he starts singing. Voice husky. No control on modulation of voice better if continues to talk. Asthma; spasmodic, suffocative paroxysms, which wakes one from sleep better eating. Dry troublesome cough, with sweat on face. Lachrymation worse taking deep breath.

Heart

As of an electric shock from heart to neck. Strong pulsations in the whole body. Palpitation of heart, with anxiety; with nosebleed. Cold feeling in precordium. Pulse slows during day, fast in the morning.

Neck and Back

Pain in the nape of neck and shoulders t looking up and stooping the head. Sacral pains with crawling. Numbness of sacrum, down the legs. Pain in the lumbar region as if vertebrae were broken.

Extremities

Burnings; cramps, jerking. Burning pressure beneath the arm pit. Arms and legs go to sleep. Hands or feet either hot or cold. Paralysed feeling in the limbs. Oedema of legs. Nails; thick; rough, crippled, crumbling, ingrown. Horny callosities on hands; with cracks. Pain in thumb joint as if sprained. Cannot stretch enough. Excoriation of thighs while walking. Cracks and fissures in tips of fingers. Bunions worse fire heat, better pressure. Burning in soles and heels. Feet cold, wet. Feet become cold, with foul *excoriating sweat worse evening. Toes become wet from sweat.

Sleep

Excessively tired and sleepy. Sleeplessness till midnight. Sleepy during day. Horrible dreams. Does not feel fresh in the morning.

Fever

Sweats often on front of the body only. Sweat; offensive, sour, stains yellow, and cold. Entire inability to sweat. Recurrent periodical fever. Chill in the evening worse eating better open air and drinking water. Wants covers in all stages of fever.

Skin

Rawness in the folds of the skin. Eruptions; cracked, moist and bleed easily worse on head; behind the ears. *Skin, ***DRY, *rough; *irritable; *that breaks easily and exudes a gluey moisture, worse in folds, *and slow to heal. ***MOIST, ***CRUSTY *eruptions. Eczema; anal, crural, palmar. Wandering or *recurrent erysipelas. *Foul, *acid, *foot sweat; *chafes the toes. Eruptions worse from heat. Old scars ulcerate. Burning in old cicatrices. Old scars, with indurated base and margins, with burning.

Better

Open air; after walking in. Hot drinks, esp. milk. Eating. Eructations. Touch.

Worse

*Cold; draughts. *Light. *During and after menses. Motion. *Suppression; of eruptions; of secretions. Empty swallowing. Fats. Hot drinks. Warmth of bed. *Night. Wet feet. Scratching.

Related

Calc-fl; Carb-an; Carb-v; Kali-b; Puls.

Complementary

Ars; Caust; Ferr; Hep; Lyc. Sulph.

[Back to Index](#)

Generalities

Though this remedy acts especially on the *gastro-intestinal tract; it has some mental and sexual symptoms also. *Paralytic pains and feeling of coldness esp. in the abdomen are marked symptoms. Neuralgia due to abuse of coffee. Mental effects from overweening pride. Nervous prostration.

Mind

Weak will. Ill humour; tired of life, want of perseverance. Apprehensive of future. Hysteria. Nymphomania. Hypochondriasis.

Head

Rush of blood, with vanishing of sight. Vertigo, during or after meals. Forehead wrinkled during headache. Sensation as if brain were contracted and head became smaller.

Eyes

All objects seem white, even green trees.

Stomach

Emptiness after eating. As of a cold water or *loose heavy load in stomach. Craves nothing but bread.

Abdomen

*Profuse, *yellowish, *green, *gushing, *watery or *frothy exhausting diarrhoea, with, coldness in the abdomen, followed by soreness or burning of anus. Summer diarrhoea, from drinking of excess of water.

Male

Painful rigidity of the penis, after seminal emission; nightly.

Female

Tendency to masturbation; nymphomania. Menses; too profuse; premature and too long. Leucorrhoea, persistent. Darting pain in mammae (right) when stooping, during menses.

Heart

Palpitation; after stools, with oppression of chest.

Neck and Back

Pain in coccyx, after stool. Neck as if seized by hands.

Extremities

Limb gives way with sciatic pain.

Better

Open air.

Worse

Eating. *Drinking too much water hot or cold. Summer. Motion. Abuse of coffee. Dinner.

Related

Mag-c.

[Back to Index](#)

Generalities

It produces paresis of the pneumo-gastric nerve interfering with respiration and producing profuse secretion in bronchial tubes. *Suffocation on falling to sleep or on awakening. Asthma and emphysema with dilated heart. Rattling breathing. Bronchorrhoea with tenacious, whitish expectoration. Cannot breathe when lying down. Cutting sore pain in the region of spleen extending to hips. Spleen enlarged. Cheyne Stroke respiration.

Worse

Falling to sleep. Motion. In the dark.

Related

Lach.

[Back to Index](#)

Generalities

It chiefly acts on fibrous tissue of joints, a useful remedy for *arthritic diathesis. Muscles and tendons are contracted resulting in painful, rigidity and swelling of the joints. ***FREE FOUL, ***SECRETIONS; expectoration, sweat, etc. *Hastens suppuration in abscesses. Tonsillitis with rheumatism. *Burning heat; in affected part. Gnawing or sticking pains; in chest. *Muscles seem too short_eyelids, back, thigh etc. or *feel sore. *Contractions between scapulae; palms etc.; causing distortions; and immobility. *Growing pains. Short tendons. Nodes. Unclean odour of the body. Clothes feel damp. Pains often end in stitch esp. head. Bones become spongy or suppurate. Progressive emaciation. Feeling that he must yawn, stretch, with uneasy feeling in the whole body. Exostosis.

Worse

***HEAT. *Touch. *Motion. Exertion. Rapid *growth. *Mercury. 6 p.m. to 4 a.m. Puberty. Cold damp weather.

Better

Cold (locally). Apples. Yawning and stretching.

Mind

*Forgetful esp. for names. Strong desire to criticise and despise everything. Thoughtless staring. Indolent, obstinate, fretful.

Head

Pains extend to neck; often ending in stitch. Brain feels loose. Headache better walking, pressure; worse sitting, standing.

Eyes

Eyeballs seem too big to be covered by the eyelids. Hard pimples around the eyes. Exophthalmos.

Face

Neuralgia of the left side of the face daily from 6 p.m. to 4 a.m. Face like an old person.

Throat

*Dry, *burning, painful to touch; acute tonsillitis. Sharp stitches towards the ear on swallowing; cannot swallow without a drink; recurrent tonsillitis; then rheumatism.

Stomach

Thick white fur on tongue. Aversion to milk; to all food; could not eat anything. Desire for apples, which relieves the gastric symptoms. Burning in stomach. Vomits a mass of watery mucus, then exhaustion. Stomach affections return every summer.

Abdomen

Sensation of constriction or stoppage in epigastrium; causing cough, dyspnoea etc. Cholera infantum, face like an old person, emaciation. Distension, flatulent.

Urinary

Continuous urging even after urination. Sharp stitches while or after urination.

Male

Seminal emissions without dreams. Discharge from urethra.

Female

Ovaritis in rheumatic persons, with irregular menses, and dysmenorrhoea with irritable bladder. Cold crawling over mammae. Shuddering in the mammae with gooseflesh.

Respiratory

Feels suffocated from stoppage at epigastrium, causes dry cough, frequently repeated, until expectoration appears. Foetid breath after coughing. Pleuritic stitches worse deep breathing. Recurrent pleurisy. Stitching in apex of (left) lung. Phthisis. Pain in the chest while riding in the open air, better pressure and walking, worse sitting and standing.

Neck and Back

Stiff neck and sore shoulders. One sided stiffness of back from neck to sacrum. Constrictive pain between the scapulae.

Extremities

Tense, short thigh muscles better sitting. Pricking in buttocks, as if sitting on needles. Pain from ankles upwards. Arthritis deformans. Burning in affected limb. Hamstrings short.

Sleep

Yawns and stretches for relief of general ill feeling. Frequent waking from sleep, as if from falling.

Fever

Sweat profuse on single parts, face etc. Night sweats. Fever with chill in the evening. Burning of body. Hot palms. Burning fever with hot face and dry cough.

Related

Ferr; Kali-b; Kreos; Ph-ac; Phyt.

[Back to Index](#)

Generalities

It causes numbness and bluishness esp. of the tongue.

Worse

Cold. Walking.

Better

Rest. Leaning against something. Rubbing eyes.

Mind

Forgets everything. Slow grasp; cannot think, comprehend or study.

Head

Tight feeling, as if bound.

Eyes

As if were pushed forward; wants to rub them. Pain under brows into the nose.

Face

Crawling as of flies over the face. Erysipelatous swelling.

Mouth

Teeth sensitive to cold air. ***BLUISH, ***WHITE TONGUE.

Stomach

Hot, sour eructations. Burning spot in stomach.

Extremities

Violent pain in forearm (left), in radius, as if the bones were crushed.

Related

Opium.

[Back to Index](#)

Generalities

The principle action of this drug is on the ***VEINS esp. of rectum; genitals, limbs and throat; producing venous congestion; varicose veins, haemorrhoids and haemorrhages. It is also a valuable remedy for open painful wounds and burns of the first degree as a local application. It produces *bruised ***SORENESS; of the affected part; from which blood flows; in blood vessels; in abdomen etc. Tense bursting feeling; in piles, joints or lower limbs. Congestive fulness. Veins; painful, sore, cutting, swollen; inflamed. *Painful, *hard, *knotty; * varicoses. *Haemorrhages; capillary, dark, fluid, relieves or *causes undue weakness. Prickling, stinging pain; in veins, muscles, skin. Relieves the pain after operations.

Worse

*Injuries. Bruises. *Pressure. *Air, open; humid, cold. Jar. Motion. Touch. During day (pains).

Mind

Forgetful. No desire to study or work. Wants the 'respect due to me' shown. Irritable. Haemorrhages, with tranquil mind.

Head

*Hammering headache; worse left temple. Stupid feeling in head. As if a bolt were passed from temple to temple. Headache after emission.

Eyes

Feel forced out, better pressure of finger. Blood shot eyes. Sore pain in the eyes. Hastens absorption of intraocular haemorrhage. Traumatic effects, iritis, conjunctivitis etc.

Nose

Bad odour from nose. Epistaxis, flow passive non-coagulable, with tightness at the bridge of the nose. Nose bleeding; in hemiplegia; in old men.

Mouth

Passive haemorrhage from gums, after tooth extraction, with soreness of the gums. Bloody taste. Tongue feels burnt. Burns of tongue and lips.

Throat

Sore, with distended veins. Stinging, breaking pain in uvula, while coughing.

Stomach

Pain and heaviness at the back of stomach. Vomiting of black blood. Averse to water, makes him sick to think of it. Nausea from pork.

Abdomen

Piles; bleeding profusely, with soreness. Large quantities of tar-like blood in stools. Bloody dysentery. Varicose veins of abdomen.

Urinary

Haematuria, with increased desire for urination. Dull ache about kidneys.

Male

Severe neuralgic pain in spermatic cord and testicles, with nausea. Orchitis, worse touch. Varicocele. Emission at night without being aware of it. Haematocele.

Female

Menses; dark, profuse, with soreness of abdomen. Metrorrhagia, midway between menstrual periods; only in daytime. Ovaritis; after a blow; after abortion, with soreness over the whole abdomen. Sore nipples, bleeding. Milk leg. During pregnancy, legs become painful, can neither stand or walk. Leucorrhoea; bloody, with soreness of vagina. Vagina; sore, tender, vaginismus. Jolting brings on menses.

Respiratory

Haemoptysis, tickling cough, with Taste of blood.

Neck and Back

Sore pain down cervical vertebrae. Breaking backache. Painful scapulae. Dull ache about kidneys.

Extremities

Tense, bursting feeling in limbs and joints.

Skin

Phlebitis. Ecchymoses. Varicose ulcers with bloody bases. Burns.

Related

Am; Puls; Vip.

Complementary

Ferr; Fl-ac.

[Back to Index](#)

Generalities

It has marked action on the lower jaw, and has the power to arrest many forms of bone diseases, osteo-sarcoma, osteitis, caries and necrosis; exostosis, which are sensitive and painful to touch. Facial neuralgia from carious teeth and after extraction.

[Back to Index](#)

Generalities

Commonly it is known as Christmas Rose or black hellebore. If the abbreviation 'Hell' and the adjective black is remembered, many of its typical symptoms will be understood. It is a remedy for low states of vitality and serious diseases, when everything around the patient looks dark. Patient's face, lips, hands etc. become dark, nostrils sooty; hence it is a dark and dusky remedy. It affects the ***MIND and the ***BRAIN; *senses become blunt and responses are sluggish; sees, hears, tastes imperfectly. Muscles do not obey the will, hence staggers, drops things etc. Muscular weakness ending in complete *paralysis. Convulsions, and twitching of muscles; automatic acts; automatic motion of one arm and leg. Onset of the disease is gradual with progressive weakness. Lies on back, with knees drawn up, or with legs spread apart. Dropsical swellings. Epilepsy; with consciousness, followed by deep sleep. Convulsions, with extreme coldness; in sucklings. Noise arrests the paroxysms of convulsions. Ill effects of checked exanthemata; blows, disappointed love. Feeble and delicate. One side is paralysed, other keeps up automatic motions. Serous, effusions. Parts usually red turn white.

Worse

*Cold air. Puberty. Dentition. *Suppressions. Exertion. Evening, 4 to 8 p.m. Touch. Stooping.

Better

When thinking of it or when mind is diverted.

Mind

Complete unconsciousness. Inattention. Dull, stupid; slow of perception or *apathetic. *Gloomy. Dismal; *despair, blank. Envious seeing others happy. Thoughtless staring. Hysterical mania, from self accusation. Involuntary sighing. Irritable worse consolation; does not want to be disturbed. Would not eat or speak. Fixed ideas. Melancholy; during puberty. Things look new. Picks at lips and clothes. Believes she is doing wrong, thinks she is going to die on a certain day; just sits and says nothing, does nothing. Idiocy after apoplexy.

Head

Stupefying headache, worse stooping. Shooting pains, causing sudden screams. *Rolls the head constantly; with moaning (Hydrocephalus) or *bores into pillow for relief. (Meningitis). As if water swashing inside. Headache ends in vomiting. Strikes the head. Forehead wrinkled in folds (brain affections). In concussion of the brain, from blow on the head, after *arnica has failed. Electric shock passes through brain before spasms.

Eyes

*Half open; sunken; turned upwards; squinting. *Stupid staring or tired look. Night blindness. Photophobia, without inflammation.

Nose

Smell diminished. Nostrils; sooty, dilated. Nose pointed, rubs.

Face

*Pale; oedematous; red hot; or cold. Neuralgia; unable to chew. Constant chewing motion of the lower jaw; hangs open. Cold sweat on.

Mouth

Grinds the teeth. *Horrible smell from mouth. Tongue; numb, dry, trembling; or covered with yellow ulcers. Ptyalism, with sore corners of the mouth. Aphthous, lenteria. Bitter taste in the throat worse eating.

Stomach

Aversion to vegetables, meat, sauerkraut. Greedily swallows the cold water, bites the spoon, but unconsciousness (Hydrocephalus). Children nurse greedily. Vomiting of greenish-black substance; with colic. Anorexia, with brain complaints. Thirst absent in most complaints, or thirst with disgust for drinks. Intense burning, extending to oesophagus, during pregnancy.

Abdomen

Gurgling as if bowels were full of water. Distended. Stools; loose, watery, or of white *jelly like mucus; involuntary. Ascites.

Urinary

*Urine; suppressed, scanty, with dark flakes or sediment; retained; bladder over-distended; during pregnancy. Nephritis. Uraemia. Dropsy. Frequent urging to urinate with scanty discharge.

Male

Hydrocele from suppressed eruption, on either side.

Female

ppression of menses, from cold or disappointed love. Uterine dropsy, with piercing pain in limbs. Puerperal convulsions; arrested by sudden noise. Pains all over her body forces her menses on.

Respiratory

Sighing respiration. Chest constricted. Gasps for breath with open mouth, propped up in bed (Hydrothorax). Cough, dry worse at night; smoking or suddenly appears while smoking.

Heart

Slow, *small, *soft pulse.

Neck and Back

Neck rigid; (Meningitis).

Extremities

Automatic motion of one arm and leg except when asleep. Thumbs drawn into the palms. Legs drawn up with every attempt to change the position. Limbs stretched. Oedema of legs.

Sleep

Sopor; cannot be fully aroused. Soporuous sleep, *with shrieks and starts. Muscles twitch during sleep.

Fever

Chill spreads from arms. Gooseflesh. Chill; with fever; with sweat; with aversion to uncover. Coldness; of sweat.

Skin

Pale. Anasarca. Hair and nails fall off. Angio-neurotic oedema.

Related

Bry; Op; Zinc.

Complementary

Zinc.

[Back to Index](#)

Generalities

The poison of this lizard which is known as Gila Monster causes benumbing paralysis like paralysis agitans and locomotor ataxia. the most peculiar symptom of this poison is the ***INTENSE ICY COLDNESS; as if frozen; from within outwards. Breath, tongue cold; cold feeling in lung and chest; coldness across scapula; burning in spine. Cold creeping ring around the body. In addition patient staggers while walking. Steps high and puts down heel hard; sensation as if walking on a sponge or as if with swollen feet. Turns to right when walking.

Better

Stretching. Warmth.

Worse

After sleep; at night.

[Back to Index](#)

Generalities

An impure sulphate of calcium. It affects the ***NERVES making the patient ***OVERSENSITIVE *to all impressions; *to cold; *to pain; touch, noise, odours, to draught of air; slightest pain causes fainting. The patient is of *sluggish character, and weak muscles, blondes. ***CONNECTIVE TISSUE is affected producing ***THE TENDENCY To SUPPURATION; which is very marked. It has a special affinity to ***RESPIRATORY MUCOUS ***MEMBRANES producing profuse secretions. All the *discharges are profuse; foul; *like old cheese; *sour, stools, smell of the body, sweat etc. ***SWEATS EASILY and *profusely, but dares not uncover; sweats without relief. *Glands inflamed; swell and suppurate. The patient is ***CHILLY; even wears overcoat in hot weather. *As of a wind blowing on part. Takes cold from exposure to damp cold weather. Pains are *sore, ***STICKING; *like sharp splinters. Skin is usually affected in folds; ***EVERY HURT FESTERS. Abscess, threatening; *much thick pus. Establishes suppuration around and removes foreign body. Yellow; expectoration, sclerotic, sweat etc. Mastoiditis. The side lain on at night becomes gradually very painful; he must turn. Pellagra. Hard, burning nodes. Touchy mentally and physically. Ill effects of injury; suppressed eruptions; mercury. Trembling weakness after tobacco smoking. Pains in bones; *caries. Spasms after injury.

Worse

COLD dry ***AIR. ***WINTER. ***COLD WIND_DRAFTS. ***PART BECOMING COLD. LEAST_***UNCOVERING; ***TOUCH; noise, exertion. *Lying on painful part. Mercury. Night.

Better

HEAT. ***WARM WRAPS_To HEAD. ***MOIST HEAT. ***DAMP WEATHER.

Mind

Dejected and sad. Sudden weak memory. *Touchy; mentally and physically; easily. Quarrelsome, hard to get along with, nothing pleases him, dislikes persons, places; becomes cross and violent. *Irritable or ***DISSATISFIED, with oneself and others. Ferocious; wants to kill who offends him; wants to set things on fire. Horrid impulses. *Hasty; in speech, and drinking. The words roll out tumbling over each other. Cross children. Child does not laugh, amuse itself. Sits silent and speechless in a corner.

Head

Vertigo worse riding in a carriage or shaking head. Boring headache in right temple and at the root of the nose, worse motion; stooping. Hair falls; in spots, after headache. Scalp, sore and sensitive. Sore nodosity on head. Cold sweat on head. Constant pressive pain in half of brain, as from a plug.

Eyes

Ulcers on cornea or maculae. Hypopion. Objects appear red and too large. Little pimples surround the inflamed eye. Photophobia. Field of vision one half. Anaesthesia of retina, from looking at an eclipse.

Ears

Darting pain in the ears. Wax increased. Perforation of the drum. Foetid otorrhoea. Mastoiditis. Scurf on and behind the ears.

Nose

Stops up or sneezing and running from the nose every time he goes into cold dry wind. Nosebleed; after singing. Sore pain at the root of nose. Stuffed painful nose. Smell like old cheese. Hay fever. Ripened colds and old catarrh. Sneezes from every cold wind.

Face

Yellow, with blue rings around the eyes. Lower lip cracked in the middle. Bones painful to touch. Shooting in jaw on opening the mouth. Ulcers in the corner of the mouth. Upper jaw projects. Herpes following the course of the supra-orbital nerve. Pimples on forehead which disappear in open air. Hard swollen cheek; with a hard growth over it.

Mouth

Teeth loose. Hollow teeth feel too long. Gums bleed easily. Ulcers of the soft palate that eat away the uvula. Offensive breath. Aphthous pustules on inside lips and cheeks.

Throat

Swelling of tonsils and glands of the neck. Quinsy. Sensation as if a fish bone or splinter sticking in the throat, extending to ears on yawning. Sensation of a plug. Hawks mucus. Goitre (right), pains into the head. Stitches extending to ear when swallowing. Chronic tonsillitis, with hardness of hearing.

Stomach

Longing for acids, *condiments and stimulants; vinegar. Stomach; weak; burning and heaviness in stomach, after slight meal, easily upset. Constant acid rising sensation into oesophagus. Eating refreshes but causes heaviness. Drinks hastily. Aversion to fatty food. At times desires something but when he gets it does not like it. Painful on walking, as if it hangs loose.

Abdomen

Stitching in the region of liver worse walking, coughing, breathing or touching it. Stools soft but expelled with difficulty. Abdomen; distended, tense. Foul mucus from anus. Bleeding from rectum with soft stool. Diarrhoea after drinking cold water. Hepatitis. Hepatic abscess. Stools; sour, white. Piles.

Urinary

Urine is passed slowly; with difficulty; drops out perpendicularly. Must wait to urinate. Passing of blood or pus after urination. Nephritis, after exanthemata. It seems that some urine always remains in the bladder; after urination.

Male

Chancre-like ulcers on prepuce. Flow of prostatic fluid after urination, during stool. Condylomata, foul. Obstinate gonorrhoea. Skin of folds between scrotum and thighs becomes moist and sore. Glands in groins suppurate.

Female

Discharge of blood from the uterus during or after stools. Very foul, hot, membranous, pussy leucorrhoea; smells like old cheese. Abscess of labia with great sensitiveness. Itching of nipples and pudenda worse menses. Cancer, with ulceration. Coitus very painful from enlarged and anteverted uterus, with congestion of ovaries.

Respiratory

Larynx; sensitive to cold air; painful. Loss of voice, and cough when exposed to dry cold wind. Cough from least uncovering. Hoarseness; chronic; of singers. Whistling, choking; breathing, must bend head back. Cough choking, barking worse cold drinks or in a.m.; hacking; as from feather. ***WEAKNESS AND MUCH *rattling in chest; *expectoration ***LOOSE; but *cannot expectorate; tightens up in cold air. *Much, *thick, *yellow expectoration. Recurrent bronchitis, from every cold. Sensation as of drops of hot water in chest. Asthma; after suppressions. Cries before cough. Aponia. Cough worse evening till midnight.

Heart

Palpitation, with stitches.

Neck and Back

Crawling in right scapula.

Extremities

Encysted tumour at the point of elbow. Whitlow. Nail of great toe painful on slight pressure. Easy dislocation of finger joints. Laming pain in hip joint worse walking. Swelling of knee, ankle and foot. Drawing pains in limbs. Abscess in axilla. Swelling of feet around ankles, with difficult breathing.

Sleep

Sleeplessness; anxious dreams of fire. Unrefreshing. Wakes at night, with erection and desire to urinate.

Fever

Low fevers; hectic. Profuse sweat; with least exertion; day and night; sour, sticky, offensive. Night sweats.

Skin

Sensitive to cool air. Foul moist eruptions in folds. Torpid pulsating ulcers, encircled by smaller ones or by pimples or boils. Skin; chapped, deep cracks on hands and feet. Very sensitive cold sores. Chronic and recurring urticaria. Angio- neurotic oedema. Body exhales a foul odour. Impetigo. Poor granulation.

Related

Merc.

Complementary

Iod; Sil.

[Back to Index](#)

Generalities

It acts on ***MUCOUS MEMBRANES, causing ***CATARRHAL process, with a tendency to *haemorrhage and ulceration; the catarrh may be anywhere_throat, stomach, uterus, urethra; which is characterised by *thick, *yellow, *acid, *ropy discharge; mucus is found in the stools, in the urine, hawks up mucus, hence it can be called a mucus remedy. It produces, atonic cachectic, degenerative conditions, hence suitable in old, *easily tired, *weak persons with great debility, and emaciation. Sense of raw burning. Cancer and pre-cancerous states. Goitre of puberty and pregnancy. Modifies the course of small-pox when given internally and applied externally. Frequent faint spells with profuse perspiration. Shallow ulcers. Small wounds bleed and suppurate. Clothing feels uncomfortable about groins.

Worse

*Inhaling air. *Cold air. Dry winds. Open air. Slight bleeding. Washing. Touch. *Old age. Motion.

Better

Pressure.

Mind

Depression; sure of death and desires it. Forgetful.

Head

Neuralgia of the scalp and neck. Eczema on forehead along the line of hair worse after washing.

Eyes

Ophthalmia, thick mucous discharge. Yellow.

Ears

Otorrhoea; thick mucous discharge. Roaring. Deafness; from eustachian catarrh.

Nose

Sore, bleeds; bloody crusts. Ozoena. Post nasal dripping. Air feels cold in nose. Blows all the time. Sinusitis after coryza.

Face

Thin, yellow, sunken. Cancer on lips.

Mouth

Tongue; white, *yellow, *dirty, swollen, large, *flabby, slimy, with imprints of teeth; feels as if scalded. Stomatitis; of nursing mothers, or weakly children. Taste, bitter. Aphthae. Bleeding painful cancerous growth on hard palate.

Throat

Follicular pharyngitis. Hawks yellow tenacious mucus.

Stomach

Weak digestion. Gone feeling in stomach with loathing of food, or as of a sharp lump in stomach. Ulcers and Cancer. Painful epigastric tumours, with pulsations. Apt to vomit all food, retaining only milk, or water, mixed. Cannot eat bread or vegetables.

Abdomen

Cutting pain from liver to right scapula worse lying on back or right side. Atrophy; cancer, of liver. Jaundice. Lumpy stools, coated or mixed with mucous. Haemorrhoids_even slight bleeding exhausts. *Obstinate constipation; of pregnancy; after purgatives. Raw smarting in the rectum during stools, remaining long afterwards. Pain in the groins as if sprained.

Urinary

Mucus in urine. Gleety discharge, thick, yellow. Putrid odour of urine.

Female

Erosion of cervix. Thick; acrid, yellow; ropy leucorrhoea. Pruritus vulvae, with profuse leucorrhoea; with sexual excitement. Cancer of breast; nipples; retracted; sore, cracked, in nursing women. Menorrhagia and metrorrhagia; with fibroids. Removes the tendency to habitual adherent placenta. Vagina sore, during coition; bleeding after. Pain in breast (right) on sneezing. Hot, watery, discharge from uterus.

Respiratory

Bronchitis of old exhausted people. Loose cough; bloody, or thick, yellow tenacious sputum; *raises much mucus. Breathing difficult worse lying on left side.

Heart

Palpitation, from slowly progressing weakness.

Neck and Back

Neuralgia of neck. Dull dragging heavy pain across lumbar region; uses arms to raise himself from a seat.

Fever

Heat alternating with chill. Tendency to profuse perspiration.

Skin

Eruptions like small-pox. Ulcers, cancerous. Atonic ulcers, following removal of tumours.

Related

Ars; Kali-b; Puls.

[Back to Index](#)

Generalities

It is known as Indian Pennywort. (Karivna). It produces hypertrophy and induration of connective tissue. Excessive thickening, and marked exfoliation, of skin. It is supposed to influence Leprosy, Elephantiasis, Lupus; copper coloured eruptions in various places. Intolerable itching esp. of soles, vagina. Cannot stand straight.

[Back to Index](#)

Generalities

Rapidly acting most deadly poison; producing convulsions, paralysis, collapse, cramps everywhere. *Effects are sudden; spasms, collapse, apoplexy. Lacks reaction. Lightning like jerks from head to feet. Evacuations cease suddenly, sinks down unconscious. Prolonged faints. Bluishness. Epileptic attacks preceded by nausea and vomiting or waterbrash. Catalepsy. Intense coldness.

Worse

Full moon. Suppressions. Storms.

Mind

Unconscious. Fear of imaginary troubles; of death, house falling, horses, cars etc.; of crossing the street, even when the vehicle is at a considerable distance. Loud involuntary screams; before convulsions.

Head

*Intense cerebral congestion; brain feels on fire. As if a cloud were going over his brain.

Eyes

Distorted and half open. Eyeballs fixed.

Face

Pale, or bluish; looks old. Cramps in masseters, jaws clenched in rigid spasm. Lips pale or bluish. Froths at mouth. Frightful contortion of muscles.

Mouth

Dry. Taste; pussy, metallic, astringent. Tongue cold.

Throat

*Noisy swallowing drink rumbles through throat and stomach. Spasms, or paralysis of oesophagus.

Stomach

Great sinking at pit of stomach. Anorexia. Cholera. Burning from navel to oesophagus; chronic dyspepsia.

Respiratory

*Breathing slow irregular, gasping. Asphyxia. Dry tickling night cough. Asthma; with choking in the throat. Convulsions, with whooping cough.

Heart

Clutches at the heart as if in distress. Heart failure; compression at heart. Pulse; failing, weak, irregular, unequal, with occasional strong beats. Blood vessels distended; writhing in them. Angina, severe pain.

Neck and Back

Muscles of the dorsal region are contracted. Hands icy cold.

Sleep

Yawning, with shivering. Drowsiness. Coma vigil.

Fever

Icy coldness; worse hands.

Skin

Bluish eruptions.

Related

Agar; Cupr; Laur.

[Back to Index](#)

Hyoscyamine Hydrobromate [Hyosin]

Generalities

This drug relieves the tremors of disseminated sclerosis and paralysis agitans. Sleeplessness and nervous agitation.

[Back to Index](#)

Generalities

Commonly known as Henbane or Hogbane disturbs the ***MIND; *brain and *nervous system profoundly. Diabolical force seems to take possession of the brain preventing its functions. It causes a perfect picture of mania of a quarrelsome and lascivious nature. *Convulsions; *trembling, *jerks; twitchings, cramps are very marked features. *Active mania or convulsions, alternate with, or ends in *deep sopor. Motions of the arms are *clutching or angular; throws arms about, misses what is reached for; totters while walking. Paralysis after spasms. Epilepsy; vertigo before the attack. Falls suddenly to the ground with cries. ***CARPHOLOGY, picks at bed clothes, at fingers. When lying on back, suddenly sits up and lies down again. Child sobs and cries without waking. Eclampsia. *Subsultus; during fevers. Septic fevers. Slides down in bed. Ill effects of suppressed lochia or milk. Fright, disappointed love. Chorea; local, twitchings of solitary muscles; squinting, stammering. Suitable to nervous; irritable, excitable persons. Sensation as if walking on and through air.

Worse

***EMOTIONS; *jealousy; fright; unhappy love. Before and during menses. ***TOUCH. Cold. Sleep. Lying.

Better.

Sitting up. Motion. Warmth. Stooping.

Mind

*Many bewildering aberrations. ***MANIA. Erotic, (females) exposes genitals; sings amorous songs. Does *foolish things, behaves like one mad. Laughs, sings, *talks, babbles, quarrels. *Fumbles the genitals. *jealous. *Suspicious. Fears; being alone, being pursued; of water; being poisoned, being bitten etc. Laughs at everything, foolishly. Restless, jumps out of bed, *wants to escape. Speaks each word louder. Rage; with desire to strike, bite, fight, insult, scold, and to kill. Plaintive cries esp. on the slightest touch even in stupor. Unconsciousness, *can barely be aroused. *Muttering delirium. Thinks one is not at home. Speechless from fright. Confusion. First cannot think, then can scarcely be aroused. Talks with imaginary persons, to dead ones. Imagines things are animals. Fear of being bitten by beasts. Plays with fingers. *Silly; does comical acts. Look at hands because they seem too large. Syphilophobia.

Head

Waves of pulsation in head. Pulsating headache. Vertigo, before spasms, from smell of flowers, gas etc. Rolls or shakes the head to and fro; when bending forward; in stupor; after concussion of the brain. Brain feels loose. As of water swashing in head.

Eyes

Aversion to light. Eyes open but does not pay attention. Spasmodic closing of lids. Eyes roll about in orbits. Squint. Constantly stares at surrounding objects. Objects; seem red, large, or with coloured borders (yellow).

Ears

Deafness, from paralysis of auditory nerve.

Nose

Nostrils sooty, smoky. Sudden jerks at root of the nose. Loss of smell and taste.

Face

Pale, flushed, dark red. Muscles twitch. Grimaces, and makes ridiculous gestures. Lower jaw drops. Muscles twitch, when protruding the tongue. Lock jaw.

Mouth

Sordes on teeth; closes tightly. Foam at mouth. Tongue protruded with difficulty, can hardly draw it in. Speech; impaired, lost from fright. Stiff dark, red, cracked tongue, looks like burnt leather. Bites the tongue while talking. Tongue dry, rattles in mouth. Grinds the teeth, during convulsions, children. Teeth feel loose when chewing; also too long. Violent pain in teeth, with twitching of muscles of hands, face etc.

Throat

Elongation of uvula. Constriction of throat, inability to swallow liquids; solid and warm food better. Fluids come out through the nose, or go down into larynx.

Stomach

Hiccough; from concussion of brain; of nursing children. Vomiting with convulsions. Cramps in stomach better after vomiting; worse after irritating food. Aversion to water.

Abdomen

Colic, as if abdomen would burst. Colic; with vomiting, eructations, hiccough and screaming. Red spots on abdomen. Umbilicus open, urine oozing through. *Stools; *involuntary, bloody, yellow, watery or although hard, worse mental excitement, during sleep; during fevers; while urinating. Gastritis or peritonitis with hiccough. Diarrhoea after parturition.

Urinary

Frequent, scanty, painful, nightly urination; or *retention of urine; after childbirth; paralysis of bladder. Involuntary urination.

Male

Lascivious; exposes his genitals, plays with genitals, during fever.

Female

Lascivious; uncovers sexual parts. Nymphomania. Hysterical or epileptic spasms, before menses. Convulsive trembling of hands and feet, during menses. Enuresis, during menses. Painless diarrhoea in lying-in women. Colds that settled in the womb and bring on labour-like pains. Convulsions during pregnancy. No will to make water in child-bed. Milk and lochia suppressed.

Respiratory

Dry, hacking *spasmodic cough; from a dry spot in larynx *at night; worse lying, eating, drinking, talking, singing; better sitting up. Hemoptysis_bright red; with spasms. Spasms of chest with shortness of breath, forcing him to bend double. Exhausting cough, with sweat.

Neck and Back

Stiff, contracted to one side.

Extremities

Trembling of hands and feet. Toes spasmodically contracted while walking or going upstairs. Fists clenched with retraction of thumbs (in convulsions).

Sleep

*Nervous wakefulness. Falls asleep while answering. Starts out of sleep; frightened. Sits up and then goes to sleep again. Profound sleep. Laughs during sleep.

Fever

Low fever with hot, pale skin. Warm sweat.

Related

Bell; Phos; Stram.

[Back to Index](#)

Generalities

An excellent remedy for the injury to parts, rich in sentient nerves, esp. fingers, toes, matrix of nails. ***LACERATIONS; when the *intolerable, *violent, *shooting, *lancinating pain shows nerves are severely involved. Injury to the brain and spinal cord or ill effects from such injuries. Spasms after every injury. *Very painful sore parts, occiput, coccyx etc. Pains extend towards the trunk or down sides with crawling and numbness. Neuritis; *of head or chest; in epigastrium; inter-scapular spine; finger tips etc. Shooting up from injured part. Tingling, burning and numbness, with neuritis. Neuralgia of the stump. Shudderings. Prevents tetanus, and relieves pain after operations. Joints feel bruised. Convulsions after knocking the body against anything. Jerks in the limbs. Punctured or penetrating wounds, very sensitive to touch. Ill effects of fright, bites, shocks. Wounds are more tender than appearance would indicate. Lies on back, jerking head backwards. Pain in old cicatrices.

Worse

***INJURY. ***JAR. Concussion; of spine, coccyx. *Shock. Bruises. Exertion. Touch. Change of weather. Fogs. Cold, damp. *Motion. After forceps delivery, as a complication of injury.

Better

Lying on face. Bending back. Rubbing.

Mind

Makes mistakes in writing; forgets what she wanted to say. Feels lifted high in air or anxiety lest he fall from a height. Melancholy.

Head

Heaviness or formication in brain. Brain feels loose. Head feels as if touched by icy cold hand. *Head feels larger, *drawn to a point. Throbbing in vertex. Falling of hair; after injury.

Face

Bloated, hot. Eczema of face; eruptions seem to be under the skin. Intense itching. Toothache better lying on affected side quietly.

Throat

Feeling as of a worm moving in. Hot risings in oesophagus after a fright or with anxious feeling. Tongue, white at the back, tip clean. Craving for wine, with feeling of heat in mouth.

Stomach

Thirst, with feeling of heat in mouth. Nausea. Belches while drinking water. Desire for pickles, warm drinks, wine.

Abdomen

Bubbling at navel. Tympanitic distension better after stool (after laparotomy). Rectum feels dry. Summer diarrhoea with eruptions on the skin. Haemorrhoids with pain, bleeding and tenderness, (use externally and internally).

Female

After pains violent in sacrum and hips with severe headache; after forceps delivery.

Respiratory

Spells of short barking cough. Asthma worse foggy weather and better by profuse expectoration.

Heart

Feels as though it will drop down.

Neck and Back

Pain in the nape of neck. Pressure over sacrum. Consequences of spinal concussion. Coccyx painful, pain radiating up the spine and down the limbs. Painfully sensitive spine. Pain in hips; small of back and coccyx, after labour.

Extremities

Limbs feel detached. Pressure along ulnar side of the arm. Crawling in hand and feet. Aching in sciatic nerve (left) after prolonged sitting. Hands and feet seem furry, or bones aching. Violent pain and inability to walk or stoop after a fall on coccyx.

Sleep

Constant drowsiness. Laborious dreams.

Fever

Shuddering over whole body with desire to urinate.

Skin

Painful scars in tissues rich in nerves. Gaping wounds. Skin rough as if full of small knots. Pain in old cicatrices.

Related

Arn; Led; Rhus-t.

[Back to Index](#)

Generalities

This remedy has a marked action on the heart; and is useful in cardiac diseases. Cardiac hypertrophy, with thickening of heart walls. Cardiac debility after influenza. Liver region full and painful. Palpitation; with *vertigo and choking in the throat; worse slightest exertion, laughing, coughing. Darting pains through heart. Numbness and tingling in left hand and arm.

Worse

Lying down; on left side. Motion; exertion. Warm room.

[Back to Index](#)

Generalities

The seeds of Ignatia contain a larger proportion of strychnine than those of Nux vomica, yet there is a great difference between the characteristic features of the two drugs. Though it affects the ***MIND; ***EMOTIONAL *element is profoundly influenced and *co-ordination of function is interfered with; causing ***ERRATIC; contradictory; paradoxical mental and physical ***EFFECTS; which change rapidly, and are opposite to each other. ***NERVOUS SYSTEM is affected causing ***SPASMODIC EFFECTS; *often violent with rigidity, twitching and tremors. It is adapted to the persons of nervous temperament esp. women of sensitive, easily excited nature, mild disposition, quick to perceive and rapid in execution. ***SENSE OF LUMP, foreign body or sharp pressure. Jerks run through the whole body. Tendency to start. Globus. Clavus. Hysteria. Chorea; after fright, from grief worse after eating, better lying on back. Convulsions of children; during dentition; after punishment; after fear or fright; return at the same hour daily. Spasms, with cries or involuntary laughter. Tonic spasms of single parts, with frothing at the mouth. Spasms alternating with oppressed breathing. Pain in spot worse close attention. Oversensitive to pain. Pains change their locality, come gradually, abate suddenly, or come and go suddenly. Symptoms pass after profuse urination. Plague; preventive and curative. *Nervous shuddering, with pain. Paralysis; after great mental emotions and night watching, in sick chamber. Suitable to persons who had been starving either from want or other causes. Ill effects of grief, fright, worry, disappointed love; jealousy; old spinal injuries. Catalepsy with opisthotonos. (Nat-m. should follow in chronic conditions).

Worse

***EMOTIONS. ***GRIEF. *Chagrin. ***WORRY. *Fright; shock, after losing persons or objects that were very dear. Air; open, cold. Odours. *Touch. *Coffee. *Tobacco. Yawning. Stooping, walking; standing. At the same hour and day.

Better

Change of position. *Lying on affected part. Urination. If alone. Pressure. Deep breathing. *Swallowing. *Eating. Near a warm stove. Sour things.

Mind

***ALERT; ***OVERSENSITIVE AND NERVOUS. *Highly emotional *Moody. *Brooding ***GRIEF. *Silent and sad. ***SIGHS, weeps or laughs by turns, laughs when she ought to be serious. *Changeable moods. *Unhappy love. Inward weeping; enjoys being *sad. Angry with himself. Desire to be alone. Everything irks her. Intolerant of contradiction; of reprimands. Anguish; shrieks for help. Capricious. Delicately conscientious. Fear; of thieves; of trifles, of things coming near him. Introspective. Faints easily, girls who faint every time they go to church; or who fall in love with married men. Sensation as if she had been fasting for a long time. Hurried during menses; no one can do things fast enough for her. Looks about the bed as if to find something. Delights to bring on her fits and produce a scare or a scene. Thinks she has neglected her duty. Sighing and sobbing. Not communicative. Fear of robbers at night.

Head

Ache as if a nail were driven out through the sides; end in yawning and vomiting; alternate with backache. Headache worse or better by stooping. Throws head backwards; from weight

at occiput; or during spasms. Vertigo, with sparks before the eyes. Loud talking worse headache. Headache; from abuse of snuff, tobacco smoke, coffee, from close attention.

Eyes

Asthenopia; with spasms of the lids, and neuralgic pains around the eyes. Flashes of light, from violent coughing. Eyelids seem dry. Flickering, zigzags before the eyes.

Ears

Roaring better by music. One ear red and hot. Deafness, except for human voice.

Nose

Sensitive to inspired air. Pain over the root of the nose. Sneezing attacks. Cold, with hot knees.

Face

Twitching of the muscles of face and lips. *Redness and heat of one cheek; red and pale alternately. Masseters stiff and hard. Emotional trismus. Changes colour often when at rest. Facial muscles distort on attempting to speak.

Mouth

Spasmodic closing of the jaws; bites inside cheek or tongue when talking or chewing. Corners twitch. Taste sour. Toothache worse after drinking coffee and smoking. Sudden attacks of salivation.

Throat

Inflamed, hard swollen tonsils, with small ulcers on them. Follicular tonsillitis. Feeling as of a lump, when not swallowing or *that cannot be swallowed; better eating solids. Tendency to choke_globus hystericus. Stitches extend to ear; between acts of swallowing. Submaxillary glands painful when moving the neck. Cramps in gullet. Goitre.

Stomach

Hunger, with nausea. Craves raw or indigestible things; sour things, bread esp. rye bread. Appetite for various things, but when offered appetite fails. Aversion to warm food, meat, alcohol, tobacco. *Empty sinking or spasmodic ache in stomach not better by eating; better by taking a deep breath. *Hiccough; with eructations empty or bitter; after eating, drinking, smoking. Nausea or vomiting better indigestible things.

Abdomen

Colicky griping pain in one or both sides of the abdomen. Stools_painful, difficult although soft. Constrictive sore pain in the rectum, like from blind haemorrhoids, remains one or two hours after stools. Obstipation of neurasthenics. *Pain shoots up in rectum. Piles better sitting; worse coughing. *Prolapsus of rectum; from moderate straining at stools. Pressure as of a sharp instrument from within outwards. Painless contractions of anus. Haemorrhage and pain worse when stool is loose. Constipation; from taking cold; from riding in a carriage; urging to stool with erection.

Urinary

Frequent, profuse, watery urine. Urging to urinate, with inability to pass urine.

Male

Erection during stool. Sweat on scrotum. Penis; contracted, becomes small.

Female

Menses; irregular; black, too early, too profuse, or scanty; Suppressed from grief. Chronic leucorrhoea, with sexual desire. Sexual frigidity.

Respiratory

***TAKES DEEP BREATH; for relief. *Choking, spasms of glottis. Dry, hacking, spasmodic cough in quick successive shocks; shutting of the breath; cough, as from dust or sulphur fumes. Coughing increases the desire to cough. Cough, everytime he stands still during a walk. Constriction of the chest, feels as if too small. Whispering voice, cannot speak loudly. Sleepy after coughing. Stitches in nipples on deep inspiration.

Heart

Palpitation, during menses. Anxious feeling in the region.

Neck and Back

Stiffness of the nape of the neck. Convulsive bending backwards of the back.

Extremities

Jerking in limbs. Warm sweat on the palms. Cramps in calves. Heavy feet. Dislocative pain in joints. Knees are involuntarily drawn upwards, when walking. Trembling of hands when writing in anyone's presence. Burning in heels on placing them near one another, when they come in contact they are cold to touch; worse at night. Sciatica worse in winter; better in summer. Corns painful as if sore. Knees hot with cold nose. As if flesh was loose on bones from a blow.

Sleep

*Violent spasmodic yawning, with running from eyes. Sleep light; every sound wakes. Jerking of limbs on going to sleep. Somnambulism from wounded honour. Dreams; same horrid dreams over and over again. Child awakes from sleep with piercing cries and trembles all over. Hiccough, chewing motions of mouth in sleep (children).

Fever

Chill with red face. Shaking chill with thirst. Sweat worse on eating; often on a small spot on the face. Heat, with aversion to uncover but no thirst. Chill, during pains. Feeling as if sweat would break out, but does not.

Skin

Painful better pressure. Nettle rash over the whole body with violent itching (during fever).

Related

Cimic; Nux-v; Sep.

Complementary

Aur; Nat-m; Ph-ac; Sep.

[Back to Index](#)

Generalities

It has some reputation in the treatment of epilepsy, when the attacks are preceded by a furious excitable disposition followed by melancholy, timidity and mildness, or there is a peculiar undulating sensation in the brain with obscuration of vision; or sensation as if the brain were frozen, before the attack. Pain in the limbs worse after every meal. Sciatica_pain from middle of thighs to the knee.

Better

Rubbing. Pressure. Walking.

Worse

Sitting. Rest.

[Back to Index](#)

Generalities

A very useful remedy for tuberculous conditions esp. tubercular meningitis; and for failing of sight due to retro-bulbar neuritis, central scotoma, partial atrophy of the optic disc. Sleep interrupted by sighing and cries. Pupils dilated; contract unequally. Chronic diarrhoea, stools; greenish, watery, undigested, with irritable temper, due to suspected tuberculosis. Mesenteric glands enlarged. Cannot stand or walk with eyes closed.

Worse

At night. Warmth. Touch. Motion.

[Back to Index](#)

Generalities

Iodine has great absorbent *action, *which is rapid and intense; muscles, fat, tissues and glands waste away and general emaciation is the result. ***GLANDS; ***THYROID, testes, *mesenteric and mammary, first get ***SWOLLEN, ***HARD and heavy, then begin to dwindle. New growths and hyperplasias come under its action when their growth is rapid. Trembling of limbs or whole body. *Weak and rapidly losing flesh; even with a good appetite. ***FEELS ALWAYS Too HOT. Great debility, the slightest effort induces perspiration; cannot talk, becomes out of breath going up stairs. Acute exacerbations of chronic inflammation. Arthritic deformans with swollen joints; after acute attack of rheumatism. *Secretions are hot, acrid or watery, persistent or salty. ***ACUTE CATARRH of ***THE MUCOUS ***MEMBRANES esp. ***LARYNX and lungs, pneumonia with rapid extension. Vasoconstriction, causing oedema, ecchymoses, haemorrhages. Vascular degeneration. Atrophy or induration of testes, ovaries, uterus. Wasting diseases of scrofulous patients. Adenoids. Goitre. Pancreatic diseases. Arthritic affections. Tuberculosis. Affections of connective tissue, with torpidity and little pus. General pulsations or local throbbings in large arterial tracks. Burning. Infiltration. Internal tickling. Ill effects of nervous shock, disappointed love. Plastic exudation. Facial paralysis or epilepsy, from suppression of goitre. Emaciation, with glandular enlargement. Only feels well while eating; in any diseased condition. Sluggish reaction, hence chronicity of many affections. Suitable to over-grown boys, with weak chest and aged persons.

Worse

***HEAT OF; *room; air; wraps. Exertion; ascending, talking. Fasting. Night. Rest. Touch. Pressure.

Better

***COLD; AIR; *bathing. Walking about in open air. Eating. Sitting up.

Mind

Anxiety; about the present (no reference to the future); when quiet. Dejected, with tendency to weep or *intolerably ***CROSS AND RESTLESS. Excited. Sudden impulse to run and do violence, but motion worse and exhausts, better if busy. Thinks he is well. Fear; of people; of physician; shuns everyone. Suicidal tendency. Fretful; forgets what is to be spoken or done, does not know what. Does not understand why he has done some particular thing. Tendency to do some strange things without any cause, to kill somebody, to kill himself. Heart palpitates when thinking of real or imaginary wrongs.

Head

Reverberations in head. Throbbing, rush of blood and feeling of a tight band. Vertigo; chronic congestive. Headaches of old people, worse in warm air, fatigue, walking fast, riding in car. Brain as if stirred round with a spoon.

Eye

Protruded. Convulsive movements and quivering of the eyes; of lower eyelids. Profuse lachrymation. Acute dacryocystitis. Staring with wide open eyes; eyelids seem to be retracted.

Ears

Chronic deafness with adhesions in the middle ear. Eustachian catarrh.

Nose

Pain at the root of the nose and frontal sinuses. Coryza worse open air. Nose red and swollen; much and sudden sneezing, with dripping of hot water. Acute nasal engorgement associated with high blood pressure. Alae as if spread wide apart. Descending colds.

Face

Withered, *brownish, sallow or dusky; miserable look. Coldness of face in fleshy children. Facial paralysis, after reduction of goitre.

Mouth

Profuse foetid, soapy saliva. Metallic taste. Foul ulcers; aphthae. Offensive odour from the mouth. Tongue; hypertrophied, painful, nodular or fissured.

Throat

Constriction, impeding deglutition. Burning and scraping in throat. *Goitre; *hard, with sensation of constriction. Uvula swollen. Submaxillary glands swollen.

Stomach

*Ravenous hunger; *yet emaciates; or *variable appetite; with thirst. Gets anxious or worried if he does not eat. Drinking cold milk better constipation. Pulsation in the pit of the stomach. Bitter taste to solid food, not drinks. Hiccough. Empty eructations.

Abdomen

Liver and spleen enlarged and sore. Stools; frothy, wheyey, fatty, cheesy, or lienteric; pancreatic affections. Trembling in abdomen. Chronic morning diarrhoea of emaciated, scrofulous children. Jaundice; eyes, skin, nails yellow. Swelling of mesenteric glands.

Urinary

Urination frequent and copious; urine; dark, yellow-green, milky, with variegated cuticle on its surface. Sediment like red pepper. Incontinence in old people with prostatic enlargement. Milky white fluid runs from urethra after stool.

Male

Testicles swollen and indurated. Twisting in spermatic cord. Atrophy of testes; with loss of sexual power. Sarcocoele. Hydrocele.

Female

Great weakness during menses. Menses; brown; renewed after every stool. Mammae dwindle away and become flabby. Wedge-like pain from ovary to uterus. Nodosities in the skin of mammae with black points. *Leucorrhoea; acrid, eroding thighs and linen; worse during menses. Mammae heavy; as if would fall. Sterility from atrophy of ovaries and mammae.

Respiratory

*Painful, *choking hoarseness; child grasps the throat while coughing. Laryngitis. Diphtheria. *Dry, *tickling, *croupy cough. *Short breath esp. on going upstairs. Oedema glottis. Expectoration, of cast of larynx; or of blood streaked mucus. Voice rough. Tickling all over chest. Bronchi raw. Violent pulmonary congestion. Pneumonia, hepatization spreading rapidly with high temperature and absence of pain. Pleuritic effusion. Asthma, breathes heavily when quiet. Itching low down in lungs behind sternum.

Heart

Feels squeezed; as if by an iron band followed by great weakness and faintness. Palpitation worse least exertion. Feeling of vibration or purring over heart. Tachycardia. Myocarditis. Pulsation in large arterial trunks.

Neck and Back

Swelling of the neck when speaking; grows thick.

Extremities

Chronic arthritic affections; stiff and enlarged joints. Synovitis. Cold hands and feet. Acrid sweat on back of feet. Oedema of the feet. Back of hands; brown; as if swollen; painful when turning hand, not when closing fingers. Painful corns.

Sleep

Restlessness in blood, prevents sleep.

Fever

*Hyperpyrexia; or external coldness with anxiety or stupor. Hectic fever. Flushes of heat all over the body; heat waves to head. Sweats easily. Early morning sweat better .

Skin

Hot, dry, dirty; *brown spots on. Nodosities on skin. Anasarca of cardiac disease. Itching and itching pimples, in old cicatrices. Scars break open.

Related

Ars; Fl-ac; Phos; Spon.

Complementary

Lyc; Sil.

[Back to Index](#)

Generalities

It acts chiefly on the *pneumo-gastric nerve; producing *gastro intestinal disturbances; ***AND RESPIRATORY AFFECTIONS, with ***CONTINUOUS NAUSEA. *Discharges are foamy and profuse. ***BRIGHT RED, ***GUSHING HAEMORRHAGES;with nausea. Nausea and shortness *of breath usually accompany most of the complaints. Convulsions; infantile, body rigid, stretched out, followed by spasmodic jerking of arms towards each other. Awkward, stumbles against everything. Tetanic spasms from swallowing tobacco. Convulsions; in whooping cough; from suppressed exanthema; from indigestible food. It is indicated in fat children and adults who are feeble and catch cold in warm moist weather. Ill effects of vexation, reserved displeasure. Injuries, suppressed eruptions. Quinine; morphia; indigestible food; loss of blood. Over- sensitive to heat and cold. Opisthotonos and emprostotonos.

Worse

***WARMTH, *damp; of room. *Overeating. Ices, pork, veal, mixed or *rich foods; candy, fruits; raisins, salads, lemon peel. Berries. Periodically. Heat and cold. Vomiting. Motion. Lying.

Better

Open air. Rest. Pressure. Closing eyes. Cold drinks.

Mind

Holds everything in contempt, and desires others also should do the same. Cries, screams, howls and is hard to please (children). Full of desires, but knows not for what. Sad. Faints suddenly; in summer or hot room.

Head

Ache as if bruised or crushed, down into the root of the tongue. Migraine, with nausea and vomiting. Pain in occiput worse vomiting; during chill. Cold sweat on forehead.

Eyes

Inflamed, red; conjunctivitis. Profuse gushing lachrymation; with nausea. Shooting pains through the eyeball. Nausea from looking on moving objects.

Ears

Cold (right); during fever. Cannot endure the least noise.

Nose

Bleed, blood bright red. Coryza with stoppage of nose and nausea. *Sneezing.

Face

Pale; blue about the eyes or lips; white linea nasalis. Periodical orbital neuralgia, with lachrymation, photophobia and smarting eyelids.

Mouth

Child thrusts its fists into the mouth and screams. *Clean or red pointed tongue. Saliva increased. Toothache, with a jerk radiating to temples; better while eating. Tongue, clean, yellow, or white, pale. Taste; bitter, sweetish, bloody.

Stomach

Desire for dainties; sweets. *Feels miserable or sinking or relaxed as if hanging down. *Horrid nausea, not better *by vomiting. Vomits; blood, bile, food, mucous; worse stooping. Aversion to food. *Thirstless. Vomiting of infants at the breast.

Abdomen

Gripping, drawing or *cutting pain about the navel worse motion better by repose; extending towards the uterus. *Stools; brown, grass or yellow green, frothy, molasses-like or bloody; slimy. Dysentery; with head hot and cold legs. Lumps of mucous in stools.

Urinary

Unsuccessful *urging to urinate. Haematuria, with nausea and cutting in abdomen and urethra, with oppression in chest and short breath. Shooting from kidney, down the thighs to the knees.

Female

Uterine haemorrhages, profuse, bright, steady flow or gushing; with nausea and gasping, with each gush of blood. Cutting pain in uterus from left to right. Stitches from navel to uterus. Menses; too early and too profuse. Vomiting during pregnancy. Prolapse of uterus worse during menses. Haemorrhage of placenta praevia. Steady flow of bright red blood, which does not coagulate. Great weakness with scanty menses.

Respiratory

Painless hoarseness at the end of a cold. Constant constriction in chest and larynx, worse least motion. Spasms of vocal cords. *Gasps for breath. Asthma. *Cough incessant and violent, with every breath. *Paroxysms of suffocative cough, with retching; child *stiffens out, becomes red or blue in face and finally is nauseated; gags and vomits; better stepping into open air, better warmth and repose. Whooping cough with bleeding from the nose and from the mouth. ***LOOSE coarse ***RATTLE IN CHEST WITHOUT EXPECTORATION. Broncho-pneumonia. Haemoptysis worse slightest exertion. Asthma accompanied by skin disease. Suffocative attacks from foreign substance in wind pipe.

Neck and Back

Tetanic spasms of back which bends the back backwards or forwards. Shooting from kidney region into thighs. Cramps between scapulae during motion.

Extremities

Coldness of one hand, other is hot. Femur as if dislocated on sitting down. Pains as if bruised in all the bones.

Sleep

Shocks in limbs on falling to sleep. Eyes half open during sleep, with moaning and groaning. Loss of sleep causes nausea and fatigue.

Fever

Short chill with long heat. Chill alternating with heat. Heat without thirst. Suppressed of mixed intermittents; *nausea in all stages. Catarrhal or gastric fevers. Hands and feet drip cold sweat. Infantile remittent fever.

Skin

Itching, with nausea, scratches until he vomits.

Related

Ant-t; Lob.

Complementary

Ars; Cupr.

[Back to Index](#)

Generalities

Iris acts powerfully on ***GASTRO-INTESTINAL MUCOUS MEMBRANES; on salivary glands, ***LIVER and *pancreas; producing profuse *secretions; which are *sour, *acid and burning. *Oily nose; *greasy taste and fatty stools ;are other characteristics. Promotes the flow of bile. Symptoms set in suddenly; accompanied by rapid elimination. Cholera morbus and sick headaches.

Worse

Periodically. *Weekly; 2-3 a.m.; Spring and Autumn; after midnight. *Mental exhaustion. Hot weather.

Better

Gentle motion.

Mind

Low-spirited. Fear of approaching illness. Dullness of mental faculties.

Head

Aches begin with blurring of vision. Sick headaches, with diarrhoea. Shooting in temples with contractive feeling of the scalp. Tired headache, with mental exhaustion (studying, sewing) worse coughing, cold air; better gentle motion.

Eyes

Sunken. Violent supra-orbital pains. *Periodic visual disturbances, blindness, hemiopia etc. with headache.

Ears

Aural vertigo with intense noises in ears.

Nose

Oily. Constant sneezing.

Face

Neuralgia worse after breakfast, involving the whole face; with copious urine, and urging for stools.

Mouth

Feels greasy, burnt or scalded. Tongue burns or feels cold. *Greasy or sweetish taste. *Profuse ropy saliva; drops when talking.

Throat

Heat and smarting in throat. Burning from fauces to stomach; better inhaling cool air or drinking cold water. Goitre.

Stomach

Sour, bitter eructations. *Burning of whole alimentary canal, not better by cold drinks. Continuous *nausea; ***BITTER, sweetish water, ***ACRID, ***WATERY, ***SOUR VOMITING WITH BURNING. Deficient appetite. Periodical vomiting spells, every month, six weeks, lasts for two or three days.

Abdomen

Liver sore. Colicky pain before each spell of vomiting and purging. ***STOOLS; ***BILIOUS, ***ACRID, ***WATERY, ***BURN LIKE FIRE. *Painless cholera morbus. Urging to stools with headache, facial neuralgia, and pain in teeth. *Stools fatty. Anus feels sore as if sharp points sticking in it.

Urinary

Profuse, clear urine, with headache. Burning along the length of urethra after urination. Diabetes.

Female

Protracted nausea and vomiting during pregnancy; profuse flow of saliva.

Extremities

The hips feel wrenched out. Shooting laming pains along limb; sciatica.

Skin

Herpes zoster; with gastric derangements; right side. Psoriasis, irregular patches with shining scales. Sweat smells of vinegar.

Related

Ars; Merc; Phos.

[Back to Index](#)

Generalities

Pilocarpus is a powerful glandular stimulant; produces hypersecretion from upper respiratory tract; salivary glands and *abnormal sweats. In addition it produces very important eye affections. *Tendency to take cold and to sweat. Hot flushes, salivation, nausea and profuse perspiration. Limits the duration of mumps. *Colliquative states. Exophthalmic goitre.

Worse

Start of menses. Cold. Exhaustion.

Mind

Very nervous and tremulous; has a fixed idea that she will murder all her family with a hatchet.

Head

Aches, with vertigo and nausea on using the eyes.

Eyes

Visual disturbances. Eyes easily tire from slightest use. Retinal images retained long after using eyes. White spots before the eyes. Lids twitch. Smarting pain in the eyes. Near-sighted. Pupils contracted. Exophthalmos. Squint convergent; after operation. Vitreous opacities.

Ears

Nervous deafness; better in noise. Tinnitus. Serous exudation into tympanic cavity. Mumps; esp. when metastasis to the testes.

Mouth

*Salivation; saliva viscid_like white of an egg. Tension in salivary glands.

Throat

Exophthalmic goitre, with increased heart's action; pulsation in arteries, tremors and nervousness.

Stomach

Nausea on using eyes or looking at moving objects. Stubborn vomiting of pregnancy. Diarrhoea, with flushed face and profuse perspiration.

Male

Orchitis; metastasis of mumps.

Female

Menses, start with coldness, throbbing in head and pelvis and backache.

Heart

Violent ebullitions to heart and chest. Nervous cardiac affections.

Respiratory

Much inclination to cough, with difficult breathing. Oedema of lungs. Frothy or profuse, thin, serous expectoration.

Skin

Red. *Sweats; with palpitation, general pulsations and tremors. Nervous sweats. Unilateral sweat.

Related

Agar; Ant-t; Ip.

[Back to Index](#)

Generalities

It is a powerful purgative, hence it affects intestines and stomach. *Child is good all day, *but screams and tosses about all night; or child may be troublesome and restless day and night; with any complaint. Colic. *Stools; *watery, muddy or sour; bloody. Infantile diarrhoea, with general coldness, blueness of face.

Worse

Night. Eructations.

Related

Coloc.

[Back to Index](#)

Jatropha [Jatr]

Worse

Covering. Morning. Summer.

Related

Crot-t.

[Back to Index](#)

Generalities

Very useful remedy for acute catarrhal conditions of the respiratory tract. Fits of sneezing with lachrymation and *loss of smell and taste. Coryza; fluent, acrid, with violent sneezing, coughing or asthmatic attacks. Cough with tightness of chest, as if it would burst; with *bronchial rattle; *obstruction of breath and sneezing. Stiffening out, trembling and convulsions, with cough or fever. Whooping cough. Tough expectoration. Puffy hands and feet in a.m. Chilliness. Sensitiveness.

Worse

Close room. Dust. Noise. Eating.

Related

Ip; Dros; Puls.

[Back to Index](#)

Generalities

It is a valuable remedy for inveterate skin diseases and when patient's condition tends towards malignancy. All the sufferings are worse at night. Sudden noise or touch throws the whole body into a tremor. Tongue; burns, numb; neuralgia of. Palpitation; with nephritis. *Burning in throat. Aching in stomach. Passes much gas then diarrhoea. Cauliflower like excrescences of os uteri, with flying pains; foul smelling discharges, and pressure below the pelvis. Intolerable itching worse undressing, walking, warmth. Chronic eczema. Psoriasis. Numerous small nodules under the skin. Black leg ulcer running bloody, foul water, with cutting, burning, itching and dyspnoea. Chilly and sensitive to cold. Cannot get too warm even in summer.

Better

Rainy days.

Worse

*Touch. *Noise. Cold feet. 1-3 a.m.

[Back to Index](#)

Generalities

Potassium bichromate specially affects the ***MUCOUS MEMBRANES *of the air passages; ***NOSE; *pharynx, stomach and duodenum_ producing ***ADHESIVE; ***STICKY; ***STRINGY; *tough, *lumpy or thick discharges. Diseased conditions progress *slowly but deeply; causing *great weakness bordering on paralysis but little fever. Plastic or fibrous exudations spread downwards. It is adapted to fat, fair, fleshy, light complexioned persons, subject *to catarrhs or with syphilitic or scrofulous history. *Pains occur in small spots or migrate quickly from place to place; and finally attack the stomach. Rheumatic and gastric symptoms alternate. Diagonal pains. Ascending symptoms, gastric pains, chills, heat etc. Formation of crusts on mucous membranes and skin. *Ulcers; with dark dots; deep; perforating, round, punched out; with over-hanging edges or thick crusts. Septal or peptic ulcers. Sensation of heaviness in different parts. As if a hair on tongue, in nostrils etc. Yellowness; of discharges, eyes, vision, tongue etc. Sharp stitching pains. Itching internally in vagina, ear, lungs etc. *Cracking of joints. Indolent or sluggish reaction, in many conditions, ulcers, inflammations etc. Affections of root of the nose, tongue, penis etc. Stubborn suppurations. Plugs of pus; stringy. Ill effects from indulgence in beer and malt liquor. Neuralgia, daily at the same hour. Sickly, chilly and cachetic. Biting like bugs. Membranes look furred. Pains appear and disappear suddenly. Epilepsy; ropy saliva from mouth during convulsions. Weakness and weariness; after pains.

Worse

***COLD, *damp. Open air. Spring. *Undressing. ***MORNING, after sleep. 2-3 a.m. Protruding tongue. Hot weather. Alcohol; beer. Suppressed catarrh. Stooping. Sitting.

Better

Heat. Motion. Pressure.

Mind

Indifferent. Indolent_ aversion to mental and bodily labour. Anthropophobia, avoids human society.

Head

Vertigo with nausea when rising from a seat. Blindness, followed by violent headache; *over eyebrows or outward along the brows; worse cold better pressing at the root of the nose, by warm soup. Aching and fulness in glabella. Periodical headaches. Migraine; in small spots and from suppressed catarrh. Bones of head feel sore; sharp stitches in bones. As of a solid block in forehead.

Eyes

Ulcers on cornea, no pain or photophobia. Conjunctiva; yellow; puffy; covered with yellow-brown spots. Discharge ropy and yellow. *Blindness, before headache. Vision seems crossed better looking with one eye. Eyelids; swollen; winking during convulsions, itching, granular. Dense opacities of cornea. Photophobia only by daylight. Eyelids twitch on opening.

Ears

Sharp stitches in ears (left). Thick yellow foetid discharge. Violent tickling in ears. Tympanum perforated.

Nose

Pains at bridge or root. *Pressure or stuffed at root of the nose. Snuffles, esp. of fat chubby children. *Discharges; thick, ropy, greenish, yellow, *acid. Tough, elastic plugs, leave a raw surface. Expired air feels hot. Foetid smell from retention of discharge in nose. Tickling as from a hair in left nostril. Coryza with obstruction of nose. Violent sneezing worse in the morning. Chronic inflammation of frontal sinuses with stopped up sensation. Septum ulcerated. Abscess. Ozoena. *Nasal diphtheria. Two loose bones as if rubbing together on blowing the nose. Loss of smell. Nose; feels heavy; *dry. Nasal polypi.

Face

Pale, yellowish. Blotchy, red; florid. Mumps on the right side. Sweat on upper lip.

Mouth

Toothache; radiating, with swelling of the glands. *Tongue; glistens, cracked, smooth or heavy; dry, red, lemon yellow, furred; in dysentery. *Tongue pains when protruded; at the root. *Sticky mouth. Sweet, metallic, taste. Tongue; thickly coated, broad, flat; indented. Aphthous ulcers deeply corroding. As of a hair on back part of the tongue, not better by eating or drinking. Mouth dry better by drinking cold water.

Throat

*Hawks up thick mucus, must wipe it away. Uvula; oedematous, relaxed, bladder-like. Fissured pharynx. Dry, burning in. Something sticks in; with pain into neck and shoulders. Throat pains when putting the tongue out. Aphthae. Diphtheria. Tonsils swollen with deafness, in children.

Stomach

Craving; for beer, for acid drinks. Dislikes meat, water. Vomiting more than he drinks, of bright yellow water. Regurgitates liquids. Round ulcer of the stomach. Gastric symptoms better by eating. Sore spot in stomach or food lies like a load. Nausea with heat in the body better eating and open air. Nausea with burning in anus and erections.

Abdomen

Feeling of constriction from liver to shoulder (right). Stitches in spleen extending to lumbar region. Chronic intestinal ulceration with vomiting and emaciation. Stools; gelatinous, jelly-like; or *gushes of brown frothy water; then burning and tenesmus worse after rising in the morning. Periodical dysentery_every year, in summer. Diarrhoea or dysentery after rheumatism. Sensation of a plug in anus. As if something eating in bowels.

Urinary

Heavy kidneys. As if one drop of urine had remained behind, after urination, which cannot be expelled. Nephritis with scanty albuminous urine. Bloody urine with pain in back. Haematochyluria.

Male

Constrictive pain at the root of penis, at night, after waking. Chancres ulcerating deeply. Gleet, with stringy or jelly-like profuse discharge; clogging the urethra. Sexual desire absent in fleshy persons. Stitches in prostate when walking, must stand still.

Female

Menses; with suppression of urine or red urine. Leucorrhoea; acrid, yellow, ropy; with pain across sacrum and heaviness in the hypogastrium. Prolapsus uteri worse hot weather. Milk; stringy, watery. Itching burning of vulva with sexual excitement. Vomiting of pregnancy.

Respiratory

Voice hoarse worse evening. Laryngitis. Tickling in larynx with cough worse eating, with eructations better heat; then vertigo. *Rawness, under sternum; *pains through to back and shoulders, on coughing. Expectoration; yellow, stringy, profuse, with deep cough. As of a bar across the chest. Asthma worse coition. Cough better expectoration. Dry metallic hacking cough.

Heart

Dilated, with kidney lesions; insufficiency of aortic valves. Feeling of coldness about. Heart weak. Pulsation felt in all the arteries.

Neck and Back

Stiffness of neck worse bending head forward. Cutting through loins; cannot walk. Pain in coccyx worse walking, sitting and touching it; extending up and down. Coccyx pains before urination, better after. As if something cracked across sacrum worse stooping.

Extremities

Paralytic weakness of hands. Sciatica better motion and flexing the leg, worse standing, sitting or lying in bed. Pain along border of the foot. Wandering pains along the bones. Rheumatic pains worse eating. Tendo achilles swollen and tender. Shin bones, painful; periostitis from blow.

Sleep

Unrefreshing; feels debilitated in extremities.

Fever

Hot flushes; then sticky sweat, then chill. Cold sweat on hands and feet. Chill with sweat.

Skin

Pustules, with black apices. Skin; hot, dry and red better cool air. Brown spots on. Blisters on soles. Depressed, round, scars after healing of eruptions or ulcers.

Related

Kali-c; Merc; Phyt; Puls.

Complementary

Ars; Phos; Psor.

[Back to Index](#)

Generalities

Potassium Bromide affects the ***MIND AND NERVES, producing failure of mental power; general numbness, and *anaesthesia of mucous membranes esp. of eyes, throat and skin. Its power over sexual sphere is very great; patient is sensual, with lascivious fancies; satyriasis and nymphomania. Epilepsy is associated, with sexual excess or abuse, in men; and in women fits occur during menses; fits usually occur during new moon and are followed by headaches. Onset of diseased condition is slow; *without any pain. Paralysis. Weakens the heart and lowers temperature. Ill effects of worry, loss of business, reputation and embarrassment. Sexual excess, illness or death of a near friend. Chorea from fright. Paralysis agitans.

Worse

*Mental exertion. Emotions_anger, fright, worry. Grief. Periodically; night, 2 a.m. Summer; new moon. *Sexual excess. Puberty. Unsatisfied sexual desire.

Better

When busy mentally and physically.

Mind

*Depressive delusions; thinks he is pursued; will be poisoned; will commit some great crime, will murder her children or husband. Nervous. Brain fag, from grief and anxiety. Suspicious; looks on all sides; fears people, yet cannot remain alone, in the dark. *Fidgety, *busy hands, fumbles. Moves arms about wildly. *Complete loss of memory, forgets how to talk, has to be told the word before he can speak it. Amnesic aphasia. Melancholy, much concerned about health, complains without cause. Remorse; *wings hands; bursts into tears. Slow, hesitates, omits or mixes up words in talking and writing. Profound indifference and disgust for life. Imagines he cannot pass a certain point. Frequent shedding of tears. Night terrors in children, awake screaming, unconscious, recognizes no one; followed by squinting. Senile softening of the brain. Suicidal mania with trembling.

Head

Numb feeling in head, worse occiput. Vertigo, as if ground gave way and staggering gait, worse stooping. Symptoms of apoplexy. Violent headache or numbness felt in occiput; from concussion of brain.

Eyes

Sunken; eyeballs move in every direction. Squinting after night terrors, of children.

Ears

Hardness of hearing. Sounds echo in ears. Roaring synchronous with pulse; at night.

Nose

Smell impaired. Coryza descends to larynx.

Face

Flushed; yellow, cachetic. Expressionless. Acne on face.

Mouth

Difficult speech; stammering. Breath foetid. Numb. Tongue protrudes with a jerk; Chorea.

Throat

Numb. Dysphagia of liquids (children), can swallow only solids.

Stomach

Vomiting; with intense thirst; after each meal; hysterical; after exciting emotions. Persistent hiccough.

Abdomen

Spasms in, with retraction of walls. As if bowels were falling out. Cutting colic. Internal coldness. Green watery stools, with rapid collapse. Cholera infantum, with twitching and jerking of muscles and retraction of abdomen. Rectal polypus; persistent diarrhoea, much blood expelled.

Urinary

Diabetes mellitus. Dribbling of urine at the beginning of stools. Urethra numb. Enuresis.

Male

Excessive sexual desire, with constant erections at night. Desire lessened, even impotence. Impotence; with melancholy; epilepsy, nervous prostration.

Female

Nymphomania; during puerperal state. Sterility from excessive sexual indulgence. Ovarian neuralgia from ungratified sexual desire. Cystic tumours of ovaries. Flooding in young women, with sexual desire. Menorrhagia, from strong sexual desire. Fibroids. Subinvolution. Sexual feeling lost, aversion to coition.

Respiratory

Croupy cough. Reflex cough during pregnancy. Breath hot; hurried. Asthma, with dry cough, tosses arms about wildly.

Extremities

Hands and fingers in constant motion. Twitching of fingers. Trembling of hands during voluntary motion. Unsteady gait. Cannot stand erect, legs weak.

Sleep

Drowsiness; often broken by start. Sleeplessness, due to worry, grief and sexual excess. Night terrors. Somnambulism in children.

Fever

Painful flushing of the face, during climacteric.

Skin

Acne. Moist eczema of legs. Psoriasis. Skin cold; numb. Scars remaining after eruptions.

Related

Calc; Con; Op; Stram.

[Back to Index](#)

Generalities

Weakness caused by all potassium salts is more pronounced in this typical salt of potassium group. ***WEAKNESS; of the *muscles; *of heart; of the back; of limbs; *weakness of intellect. Fibrous tissues; ligaments of joints; of uterus, of lumbar back are particularly affected producing relaxation; joints *give way; *back feels as if broken; the patient feels compelled to lie down or lean on something. *Sweat, *backache and weakness are the three characteristic symptoms of Kali-c. It is adapted to fleshy, aged, soft, *thin blooded and cold persons; sensitive to atmospheric changes, to every draught of air, always shivering, with *dropsical and paralytic tendency. The cold air feels hot. Those who have vague or those who withhold their symptoms. ***SHARP STITCHING; *stabbing or catching pains are felt in various parts of the body joints; *chest; muscles, head, lying on affected side etc.; or with any affections. *Throbbing pains; *numbness or coldness of single parts; abdomen, fingers. Parts lain on are painful or go to sleep. Discharges are profuse and acrid. Convulsions; seems to pass off with eructations. Sudden unconsciousness. Twitching of the muscles; rigidity and atony of the muscles. Whole body as if it were hollow. Fatty degeneration. Tubercular diathesis. Hypothyroidism. As if bed were sinking under her. Never well since pneumonia. Burnings; like fire. Tendency to start, with a loud cry; when touched, even lightly esp. in the soles, which leads a thrill throughout the whole body. Pains go to the part uncovered, not lain on. Ill effects of suppressions of eruptions in childhood. Closing of ulcers or fistulous openings; catching cold and over strain. Debilitating states after miscarriage and labour. Disposition to phlebitis.

Worse

Cold_ ***AIR; draught; water; after overheating; after exertion. *Winter. 2-3 a.m. Before menses. *Lying on painful or left side. Loss of fluids. After parturition; abortion. Stooping. By a sudden or unguarded motion Change of weather. After coition. Touch. Motion.

Better

Warmth. Sitting with elbows on knees. By day. Open air. Motion.

Mind

Peevish. Easily startled; starts when touched esp. on feet; on dropping to sleep. *Anxiety, *with fear when alone. Anxiety felt in stomach. At a loss to know how to say what she wishes. Very irritable. Weeps much. Hypersensitive to pain, noise, touch. Never quiet or contented. Fear; of future; of ghosts; of death. Anxious about his own diseased condition. Quarrels with one's bread and butter, with his family. Feels as if bed sinking under him.

Head

Aches into eyes worse motion of carriage, sneezing, coughing; stooping, yawning; better when raising the head and pressing the forehead. Constant sensation as if something loose in head, turning, twisting towards the forehead. Wakes from headache. Hair, dry; falls out; from eyebrows, temples and beard. Painful tumours on scalp.

Eyes

Weak; after coition; after measles; after abortion. Vision spotted_ bright sparks, blue, green spots; drops, before the eyes. Inner angles of the eyelids *swollen; or swelling like a bag

between upper eyelids and the brows. Painful sensation of light penetrating the brain on shutting the eyes. Eyelids cold.

Ears

Stitches in ears from within outwards. Cracking in ears. Right ear hot, left pale and cold. Noises in ear; with headache.

Nose

Descending coryza. Swollen, hard, red. Obstruction better walking in open air. Foetid yellow-green or crusty discharge. Nosebleed on washing the face in the morning. Nostrils ulcerated. Nose red, covered with pimples. Chronic cold. Breathes through mouth.

Face

Bloated. Pale, sickly, sallow, with sunken eyes. Freckles. Swelling of lower jaw and sub-maxillary glands. Cramps in jaws.

Mouth

Toothache; alternating with stitching pains in left breast; only while eating. Mouth slimy. Tongue, grey-white. Gums separate from teeth. Itching in gums; pus oozes out. Pyorrhoea. Aphthae; much salivation. Burning, soreness or painful pimples on tip of tongue.

Throat

Hawks up tough mucus in a.m. *Swallowing ***DIFFICULT; food slowly descends; remains half way in oesophagus, with gagging and vomiting; stricture of oesophagus. Small particles of food go easily in windpipe. Sticking pain as from fish bone.

Stomach

Salty, sour regurgitation. Vomiting of sour mucus. Desire for sweets, for acids. Stomach *distended and *sensitive. Fulness even after little drink or food. Milk and warm food disagree. Feeling as if *stomach were full of water. Feeling of lump deep in epigastrium sensitive to touch. *Throbbing at back of stomach. Gastric pains go to back, chest, limbs etc. Wants to eat frequently but least food oppresses her. Nocturnal vomiting of food. Nausea better lying. Sour eructations. Feels sleepy and weak while eating, cannot finish her meal. When hungry, feels anxious, nauseated, nervous, tingling, palpitation etc.

Abdomen

*Distended, *hard, *tympanitic and cold. Throbbing at navel. Feeling as if a cold fluid passed through intestines, during menses. Flatulence. Stitches or sore liver. Pain from left hypochondrium through abdomen; must turn on right side before he can rise. Cutting pain as if intestines were torn to pieces. *Stools; *difficult, *of large, *hard lumps; then burning or torn feeling. Piles; inflamed, bleeding, descend when urinating or coughing; better riding on horseback. Stitching like fine needle; during pregnancy; or red hot poker in rectum better cool bathing. Easy prolapse of rectum. Chronic diarrhoea of dyspeptics; during day only. Constipation, after or during menses. Sensation of a lump rolling and rising from the abdomen (right) to throat and back again, on coughing. Anal fistula. Dropsy. Jaundice. Constipation alternating with diarrhoea.

Urinary

Burning in left kidney. Nocturnal enuresis of adults; worse coughing, sneezing. *Urine; *foamy; with thick red sediment. Stitching pain in kidneys, going from buttocks to thighs. Pressure on bladder long before urination; the more it is pressed less the urine flows. Urination slow with burning in urethra. Nephritis, from exposure to cold or injury.

Male

Complaints after coition. Copious painful pollutions; with subsequent painful erections. Prostration after coition; often with shuddering. Sleeplessness and uneasiness for 2 or 3 days after coition. Aversion to coition. Strange uneasy feeling in genitals. Chronic gonorrhoea; painful scanty discharge; burning during and after urination.

Female

Delayed first menses; with chest symptoms and ascites. Amenorrhoea. Menses; too late, acrid, profuse. Violent colicky pain, before menses, which are irritating and of pungent odour. Fine stitches in mammae. *Leucorrhoea; *with labour like pains causing itching and burning in pudendum; better washing. Labour pains inefficient; felt in back, down the hips and thighs. Complaints after parturition and abortion. Haemorrhages, after curetting, and all sorts of other treatment. Eclampsia better eructations. Puerperal fever with cutting pain in hypogastrium, with black and scanty urine. Uterine tumours, cyst. Menorrhagia better taking bath. Soreness of genitals during coition and during menses. Menses; early, with profuse discharge; late, with scanty and pale discharge. Severe uterine spasms without appearance of menses, with feeling of heat and restlessness.

Respiratory

Catarrhal aphonia; with violent sneezing. Breathing difficult, *asthmatic worse least motion or walking; alternating with diarrhoea; with vertigo. Incessant, hard retching or *choking, futile cough; then vomiting. Whooping cough. Lungs seem to stick to the ribs. *Stabbing chest pains. Hydrothorax. Whole chest very sensitive, during coughing. Cough with relaxed uvula. Coldness of chest. Expectoration; difficult, or small round balls come flying from the mouth without effort; salty, thick, bloody, yellowish, greenish, offensive and profuse; taste sour or pungent.

Heart

Seems to hang by a thread. Palpitation; then weakness; in valvular disease; when becomes hungry. Burning in heart region. Heart pains extend to left scapula. *Pulse; *small, *soft, *variable; *intermittent or dicrotic. Arrhythmia. Cardiac degeneration. Violent palpitation, shakes the whole body; throbbing extending to tips of fingers and toes.

Neck and Back

Everything affects the small of the back or pains start there. Neck feels large. *Backache; *with given up feeling; must lie down; as if broken. Small of the back feels weak. Lumbago; with sudden sharp pains extending up and down, back and down the thighs. Backache after delivery or abortion. Spine painful while eating. Burning in the right side of spine.

Extremities

Weakness in arms, feel numb, cold. Numb pinching in (left) arm. Burning like fire in fingers. *Legs give out; feel heavy. Tips of toes and fingers painful. Oedema of left foot. *Soles very

sensitive. Pain from hip to knee. Knees painful worse going downstairs or upstairs. Jerks the limbs esp. when the feet are touched. Sciatica, tearing pain in the thighs, with jerking of muscles.

Sleep

Falls asleep while eating. Talks in sleep. Awakes at about 2 a.m. to 4 a.m. with nearly all complaints. Wakes at 1 or 2 a.m., cannot sleep again. Yawns; with headache etc.

Fever

Chilly; with hot hands; and sleepiness; in open air. Internal burning. Sweat scanty, foul on feet. Sweats with slightest exertion; on painful part, on affected part.

Skin

Sensitive, dry. Burning as from mustard plaster. General itching or hives, during menses. Itching of warts. Tension, pressure, rending in scars.

Related

Ars; Calc-hypo; Fl-ac; Lyc; Phos; Sep; Sulph.

Complementary

b Ars-i; Carb-v; Nit-ac; Nux-v; Phos.

[Back to Index](#)

Generalities

This remedy disorganizes the blood and affects the mouth, kidneys and rectum. Profound prostration; *coldness, in different parts and organs, even in blood and easy *haemorrhages; nosebleed, bloody stools etc.; scurvy; are most marked symptoms. Discharges are *foetid. Grey, white, plastic exudates. Lardaceous and fatty degeneration of liver, spleen and kidneys and other solid organs. Toxaemia of pregnancy.

Worse

Cold. Mercury. Jar. Coughing. Sneezing.

Better

Nose bleed (Mental symptoms).

Nose

Bleeding; at night; only from right nostril.

Face

Swollen; she can hardly see in the morning. Neuralgic pains worse talking; eating, or slight touch followed by numbness.

Mouth

Foetor. Acute ulceration and follicular *stomatitis, aphthous and gangrenous. Noma. Tongue; swollen; cold. Scurvy. Salivation.

Stomach

Coldness in. Sudden vomiting, incessant; of all food; of offensive dark green mucus. Throat cold.

Abdomen

Gripping colic, with shifting of flatulence and diarrhoea; followed by continuous rectal pain. Dysentery_much blood passing with mucus, profuse greenish, cries with violent cutting pain in the rectum in dysentery and diarrhoea.

Urinary

Nephritis. Urine albuminous, scanty, suppressed. Haematuria.

Respiratory

Constriction of chest; as from sulphur fumes.

Heart

Coldness in precordial region. Right pulse full; left small. Coldness in blood.

Extremities

Ankles swell in the evening. Arms, feet cold.

Skin

Cold. Pimples between lip and chin.

[Back to Index](#)

Generalities

This most poisonous drug should be remembered in agonizing neuralgias esp. of orbital and supra-maxillary, with screaming and loss of consciousness. Cancer of the tongue, with indurated edges. Sudden sinking sensation. Power of speech lost but intelligence intact. Sciatica, gait unsteady.

Better

Motion in open air.

Worse

4 a.m. to 4 p.m.

[Back to Index](#)

Generalities

Potassium Iodide was used as anti-syphilitic remedy. It acts prominently on fibrous and connective tissues, producing infiltrations, oedema. *Glands are swollen; or atrophied. Exostosis, swelling of the bones, rickets, purpura and haemorrhagic diathesis come under its influence. Diversity of lesions, diversity of aggravations, with many tedious symptoms, without any one feature being in prominence calls for this remedy. Gouty_rheumatic_syphilitic diathesis. *Stubborn chronicity. Feels used up. Crushing or sharp stitching pains. Discharges are ***COPIOUS, *watery, *acid, *salty; thick; green or foul. *Diffused soreness; after pains; of affected part. Pains long after injury. *Weakness, emaciation. Arteriosclerosis. *Craves motion in open air. Cachexy. Contraction of muscles and tendons, chronic arthritis, with spurious ankylosis. Actinomycosis. Coldness; of painful part; in bones. Fungoid diseases. Dropsy, from pressure, from swollen glands.

Worse

*Heat. Pressure, Touch. *Night. Damp, Mercury. Changing weather. Jarring. Cold foods esp. milk. Sunset to sunrise.

Better

*Motion. *Cool air. Open air.

Mind

Irritable, irascible esp. towards his children; his family. Harsh tempered and cruel. Trivial details of life seem insupportable. Cannot think. Despondent. Bad temper. Abusive. Nervous, must walk. Talkative, disposed to jest.

Head

Vertigo in the dark; worse railway travelling. Violent headaches, as if screwed, through sides of head worse warmth and pressure. Hard painful lumps on cranium; with headache. Pain in scalp on scratching, as if ulcerated. Big head and small jaws_rickets. Brain feels enlarged. Hair changes colour and falls off. Bilateral headaches. Scalp fissured, and sore. Tender spots on head.

Eyes

*Puffy, burning, watery; conjunctiva red. Syphilitic iritis. Constant oscillations of the eyeballs. Winking is painful. Chemosis. Oedema around. Lower lids twitch.

Ears

Tinnitus. Boring pain in the ears. Deafness.

Nose

Red, swollen. Coryza; descending, profuse, *acid, hot, watery discharge worse cool air; with salivation and dyspnoea. *Tightness at the root of the nose. Ozena with perforated septum. Cool, greenish, irritating, discharge from nose. Burning, throbbing in nose and sinuses. Violent sneezing. Takes cold from every damp day.

Face

Neuralgia. Tight pain at zygomae. Glutinous mucus on lips in a.m.

Mouth

Toothache nagging, as if a worm were digging in it. Taste bitter; on waking; salty. Salivation. Bloody saliva, with sweetish or disgusting taste in mouth. Severe pain at the root of tongue, at night. Ulcers in mouth, looking as if, coated with milk.

Throat

Sore of speakers. Goitre sensitive to contact. Dry. Tonsils enlarged.

Stomach

Cold food and drinks esp. cold milk worse. Much thirst. Sensation as if waterbrash is occurring. Throbbing, painful burning. Aversion to all food; to broth.

Abdomen

Flatulence, with air hunger. Squeaking or clucking noise in. Diarrhoea; with pain in lumber region, as if broken, or as if menses would appear. Early morning diarrhoea of phthisis. Stools frequent. Fissured anus; of infants.

Urinary

Frequent urination of copious, clear, urine; worse before menses, at night.

Male

Atrophy of testicles. Chronic gonorrhoea; discharge thick green. Excoriation by least friction.

Female

Uterus feels as if squeezed, during menses. Leucorrhoea; corrosive, like meat washing. Atrophy of mammae. Menses late and profuse.

Respiratory

Larynx feel raw. *Air hunger, with flatulency; in a.m.; awakes strangling. Whistling asthmatic breathing. *Air passages raw. Dry bronchitis. Frothy, greenish, soap-suds like expectoration. Pleuritic effusion. Pneumonia. Chest pains go backwards. Pain from sternum to back.

Heart

Palpitation and darting pains worse when walking. Aneurism.

Neck and Back

Small of the back as if in a vice. Bruised pain in lumbar region worse sitting bent. Pain in coccyx as from a fall.

Extremities

Pain in hips forcing limping. Sciatica worse lying; on the affected side; sitting, standing; wakes him at night; better walking and flexing legs. Rheumatism of the knee, with effusion. Tip of thumb ulcerates and turns yellow.

Sleep

Weeps loudly during sleep, but unconscious of it.

Fever

Chilly in bones; in painful parts. Heat in evening. Uncovers then chilly. Alternate heat and chill. Heat with shudders. Hot and dry, then drenching sweat. Profuse night sweats which better.

Skin

Acne. Giant urticaria. Small boils, leaving scars. Rough nodules all over.

Related

Iod; Sulph; Syph.

[Back to Index](#)

Generalities

Potassium Chloride is one of Dr. Schuessler's tissue remedies. It causes *catarrhal condition, producing ***MILKY WHITE, viscid, sticky, *thick; slimy or lumpy discharges. *Tough plastic or *fibrinous exudates. *Hard deposits. *Glandular swelling. *Sore, *cutting or sticking, *shifting pains. Crawling. Numbness. Ill effects of vaccination. Sprains. Burns. Blows, cuts. Embolism. Crosswise symptoms. Slow reaction. Stubborn infiltration.

Worse

*Open air. *Cold drinks. Drafts, heat, of bed. Lying. Night. Dampness. Motion. Sprains. *Fats; *rich foods. During menses.

Better

Cold drinks. Rubbing. Letting hair down.

Mind

Discontent, discouraged. Fears evil. Sits in silence. Imagines he must starve. Habitual loss of appetite or refuses food. *Irritable and angry; at trifles.

Head

Stunning shock in or a leaden load holds down occiput better letting hair down and warmth. Brain feels loose. Copious white dandruff. *Sweating of head. Crusta lactea.

Eyes

Pustules on cornea. Cataract. Trachoma. Corneal opacities. Scintillations on coughing. Exudation in retina.

Ears

*Deafness; from *catarrhal condition and occlusion of eustachian tubes. Crackling noises on blowing nose or swallowing. Snapping, itching or as of a plug in ears. Glands about the ears are swollen. Soreness of Eustachian tube.

Nose

Stuffy cold in head. Discharge white, thick. Hawking of mucous from posterior nares.

Face

Bluish; sunken. Cheeks swollen and painful. Paralysis, following pain in face. Muscles of face twitch and tremble worse eating, speaking or coughing. Mumps without fever.

Mouth

Eruptions around the mouth. Aphthae. Thrush. White ulcers in the mouth. Scorbutic gums. Tongue; mapped; gray or white, at base. Taste; salty, bitter, with coldness of tongue. Sensation as if a tumour were growing on the tongue.

Throat

Grayish-white, ulcerated; chronic sore throat. *Tonsils swollen inflamed; swallowing excessively painful, can hardly breathe. *Hawks out thick white mucous; cheesy.

Stomach

Fatty or rich food causes indigestion, he loathes it. Nausea; with shivers. Stomach heavy; at night. Vomits food. Hunger disappears after drinking water.

Abdomen

*Fulness, *after eating. *Pale, hard or flocculent stools. *Anus sore worse walking or stools. Itching or crawling in anus, after stools. Piles_ bleeding; blood dark and thick.

Urinary

Dribbling urination. Cystitis. Discharge white thick mucous.

Female

Menses; dark, clotted, black like tar; excessive. Leucorrhoea; milky white, thick, bland. Soft, tender nodes in mammae. Painful mammae before or at menses.

Respiratory

*Difficult or oppressed breathing. Bronchitis. Expectoration sticky, milky, or flies from the mouth. Rawness in chest. Flushes of heat in chest.

Heart

Coldness at heart.

Neck and Back

Heaviness under right shoulder. Buzzing under right scapula. Backache better lying. Lightning pains from small of back to feet. Must get out of bed and sit up.

Extremities

*Cold hands and feet. Hands get stiff while writing or knitting. Cramps in limbs; in legs. Twitching thighs. Tension in leg alternating with tension in arm. Cold foot sweat. Cutting in bones. Exudation and swelling around the joints. Cracking of tendons; back of hand.

Sleep

Anxious dreams.

Skin

Branny. Bursitis. Eruptions connected with stomach or menstrual disorders.

Related

Bry; Ferr-p; Puls.

Complementary

Calc-s.

[Back to Index](#)

Generalities

Potassium Nitrate affects *respiratory organs, kidneys, heart and blood vessels. Secretions are increased, into cavities. Sudden dropsical swelling of the whole body. It is often indicated in suppurative nephritis, asthma and cardiac asthma. Pains are *dull stitching, throbbing. Wooden, *numbness. Relapsing phthisis. Very weak. *Haemorrhagic tendency.

Worse

*Walking Cold. Damp. Taking cold. Eating veal. Lying with head low. Breathing.

Better

Gentle motion. Drinking water in sips.

Mind

Mental weariness from lack of occupation or interest. Discouragement and fear of death.

Head

Fainting fits, with vertigo in morning worse on standing, better sitting down. Pains in occiput better letting hair down. Head pain better motion of carriage. Hair was being pulled during pain.

Eyes

External angle of right eye twitches worse chewing.

Ears

Chronic deafness from paralysis of auditory nerve. Vertigo and tinnitus.

Nose

Swollen feeling worse right nostril. Point red and itching. Polypus.

Mouth

Tongue, red with burning pimples.

Stomach

Nausea, as if about to vomit worse at night. Epigastric or substernal pains go towards axilla.

Abdomen

Diarrhoea from eating veal. Thin, watery dark, bloody stools.

Urinary

*Frequent and profuse emission of clear urine. Diabetes insipidus. Dull kidney pains.

Female

Profuse menses, black, like ink.

Respiratory

Rapid gasping breathing; sits upright. *Violent dyspnoea; with burning in chest; dull stitches and nausea; *can only drink in sips, though thirsty. Congestion of right lung. Asthma. Free sour expectoration gives relief.

Heart

Palpitation worse lying.

Neck and Back

Pains extend into the chest.

Extremities

Hands and fingers feel swelled.

Fever

*External coldness; chin; skin. Internal burning.

Related

Cham; Glon.

[Back to Index](#)

Generalities

This Dr. Schuessler's tissue remedy affects respiratory, mucous membranes and skin where it causes *desquamation. ***DISCHARGES ARE PROFUSE AND DEEP YELLOW, thin or sticky. Processes are torpid in nature. *Suppurations. *Stitching, tearing, festering pains, *that shift about. Lack of reaction. Cancer; epithelial. Ill effects of chill when over heated. Injury. Growth of nails interrupted.

Worse

*Warmth; of room, air. Noise. Consolation. Evening.

Better

*Cool air. Walking. Fasting.

Mind

*Hurried. Irritable. Desire to lie down, but lying worse, so one must walk for relief. Frightened at trifles. Desires and rejects the things.

Head

Yellow dandruff; moist; sticky. Scaldhead. Bald spots (after gonorrhoea).

Eyes

Ophthalmia neonatorum. Purulent yellow mucus in eye diseases.

Ears

Eustachian deafness. Watery, sticky, thin, yellow discharge; offensive; with polypus.

Nose

Engorgement of nasal and laryngeal mucous membranes, with mouth breathing, snoring etc., after removal of adenoids.

Face

Aches in heated room. Epithelioma.

Mouth

*Yellow, *slimy tongue. Loss of taste and smell.

Stomach

As of a heavy load on stomach. Dread of hot drinks. Craves sweets.

Abdomen

Feels cold, during colic. Hard tympanitic, in whooping cough. Empty feeling in hypogastrium better passing flatus.

Urinary

Oxaluria. Pyelitis.

Male

Gonorrhoea; gleet, slimy yellowish green discharge.

Female

Menses; with a feeling of weight in abdomen. Leucorrhoea; yellowish, watery.

Respiratory

*Coarse rattle in chest. Croupy hoarseness. Bronchitis. Asthma; with easily expelled yellow, slimy expectoration.

Extremities

Shifting, wandering pains. Rheumatism worse heat. Arthritic nodes.

Fever

*Profuse easy sweat. Intermittent fever; rise of temperature at night.

Skin

Yellow_jaundice. Abundant *desquamation. Ulcers, ooze thin ***YELLOW WATER. Psoriasis. Nettle-rash. Dry skin. Eczema; intertrigo.

Related

Puls; Tub.

[Back to Index](#)

Generalities

Kalmia affects the ***NERVES, ***HEART, *circulation. *Pains are neuralgic, *with tingling, *numbness; *trembling or paralytic weakness. *Pains shift rapidly; shooting *outward along the nerves; with much nausea and slow pulse. *Aching, *bruised stiff feeling. Dull tearing, crushing pain, *moving downwards; pain alternating, with cardiac symptoms, or between upper and lower limbs. Rheumatism, syphilitic. Neuralgia, after the disappearance of herpetic eruptions. Motion brings on complaints. Albuminuria. Great weakness with neuralgia.

Worse

***MOTION. Lying on left side. Bending forward. Looking down. Heat; of sun. Becoming cold. With the sun. Sunrise to sunset. Stooping. During leucorrhoea.

Better

*Eating Cloudy weather. Continued motion. Recumbent posture .

Mind

Memory and mental faculties are perfect in a recumbent posture.

Head

Vertigo; with headache, blindness, pains in the limbs and weariness; worse stooping; looking down. Cracking in head_frightens him, it sends in a sound in ears like blowing of a horn. Headache worse and better with sun. Shooing from nape to vertex and face. Maddening supra-orbital pain; (right).

Eyes

Stiff drawing sensation when moving the eyes. Vision becomes black on looking downwards. Iritis. Scleritis. Eyelids stiff. Retinitis albuminuria esp. during pregnancy.

Ears

Sound like blowing of a horn.

Nose

Coryza; with increased sense of smell.

Face

Flushing with vertigo. Neuralgia worse right side; from exposure to cold; Better food. Stitches and tearing in jaw bones. Lips; stiff, dry, swollen.

Mouth

Stitches in tongue. Tingling in salivary gland. Bitter taste, with nausea better eating. Tired feeling in chewing muscles.

Stomach

Pain in pit of stomach worse bending forward better sitting erect. Feeling as if something being pressed under the epigastrium. Wine better vomiting.

Urinary

Albuminuria; with pains in lower limbs. Frequent urination of large quantity of yellow urine; better headache.

Female

Suppressed menses, with severe neuralgic pains throughout the whole body. Leucorrhoea; one week after menses; symptoms worse during leucorrhoea.

Heart

Fluttering of heart with anxiety. Pains; sharp, burning shooting, stabbing, radiating to left scapula and arm; *take away the breath, *with slow pulse Palpitation worse bending forward; up to throat, after going to bed, trembling all over, visible; worse lying on left side; better lying on back. Hypertrophy; valvular insufficiency. Aortic obstruction. Tobacco heart. *Pulse slow, weak, tremulous.

Neck and Back

Pain from neck down arm; brachialgia. Pain down back, as if it would break. Lumbar pain of nervous origin; with heat and burning.

Extremities

Deltoid rheumatism_right. Pains affect large part of the limb. Weakness, numbness, pricking and sense of coldness in limbs. Tingling and numbness of the left arm (heart pains). Pains along ulnar nerve into little or fourth finger. Joints, red, hot, swollen.

Sleep

Sleepless; turns often; wakes very early in the morning.

Fever

Protracted and continued fevers, with tympanites.

Skin

Stiff; dry.

Related

Acon; Dig; Rhus-t; Spig.

Complementary

Benz-ac; Spig.

[Back to Index](#)

Generalities

This medicine is a mixture of phenols obtained from distillation of wood tar. It affects the mucous membranes of the ***DIGESTIVE TRACT; *female genitals; disorganizes the ***BLOOD. Excoriations. *Burning like fire. *Profuse, ***ACRID, ** HOT, ***FOUL, ***DISCHARGES; *eructations, sputum etc.; *reddden the part. Lumpy discharges; menses etc. *Haemorrhages; passive, brown, dark; from small wounds. Tumefaction. Fulness. Heaviness. Scurvy. Cancerous affections. Gangrene. Great debility, with miserable feeling. It is suitable to lean persons, old women (post climacteric diseases); over grown poorly developed children; marasmus. *Blackness, of teeth, leucorrhoea, lochia etc. Rapid emaciation. Complaints accompanying yawning. Children would not sleep unless caressed and fondled. *Pulsations all over the body. Severe old neuralgias. Congenital syphilis.

Worse

***DENTITION. Pregnancy. *Rest. *Cold. *Eating. *Lying. Summer. Bad smells. During menses. 6 p.m. to 6 a.m. Coitus. Touch. Sprains.

Better

Warmth. Hot food. Motion. Pressure. After sleep.

Mind

*Dissatisfied, with everything; wants things then throws them away and wants something else. Screams at night. (children). Music causes weeping and palpitation. Fear at the thought of coition in women. *Cross; *wilful and obstinate. Stupid. Longs for death. Child moans constantly or dozes with half open eyes or is cross and sleepless during dentition.

Head

Dull pain as from a board pressing against the forehead. Buzzing in head. Scalp sensitive worse combing hair. Falling of hair.

Eyes

Hot, acrid smarting tears. Lids red and swollen. Suffering of eyes alternating with limbs. Constant quivering of eyelids.

Ears

Difficulty of hearing during and before menses.

Nose

Offensive smell and discharge. Chronic catarrh of old people.

Face

Yellow pallor with red blotches; during chill or heat. Sick suffering expression; old looking children. Burning pains worse talking or exertion; better lying on affected side. Lips red, bleeding. Moistens lips frequently without being thirsty.

Mouth

***VERY RAPID DECAY OF TEETH; with putrid odour from mouth. Black spots on teeth. *Puffy, *bluish, *spongy, *bleeding gums. Intolerable toothache during pregnancy. Very painful dentition. Aphthae, or salivation during pregnancy. Taste bitter low down in throat. Foul breath. Pegged teeth.

Throat

Burning choking sensation. Bitter taste, when swallowing food; after drinking water.

Stomach

Eructations, hot; frothy. Nausea; vomiting; of food several hours after eating; of sweetish water in the morning; in pregnancy; of undigested food; of uterine ulcer; cancer of the stomach. Icy coldness in. Haematemesis. Craves smoked meat. Cold food worse. Fasting worse, dare not remain fasting. Disgust of food during convalescence. Painful hard spot at stomach.

Abdomen

Distended. Diarrhoea; bloody, dark, brown, lienteric; offensive stools. Green stools during dentition. Child struggles and screams during stool, as if it would go into a fit. Sore pain worse deep breathing. Constriction of rectum, with uterine cancer.

Urinary

As of a lump pressing down on bladder. *Urination; hurried; *involuntary, *when lying, on coughing. Can urinate only when lying. Dreams of urinating. Enuresis in the first part of the night. Urine offensive. Frequent urination, with copious urine, during day. Diabetes. Drinks much but passes little at a time.

Male

Burning in genitals during coition, from coming in contact, with acrid vaginal discharge, penis swells next day. Prepuce, bluish black, with haemorrhage and gangrene.

Female

Menses; profuse, lumpy; intermittent; worse lying; better sitting, or walking. *Leucorrhoea; *gushing, like bloody water; offensive; corrosive; causing itching, staining the linen yellow; with accompanying complaints; white, having odour of green corn. Violent pain during coition; burning in parts, followed by discharge of dark blood; next day. Violent itching of vulva and vagina worse during urination. Lochia, lumpy, offensive, intermits. Cancer, erosion of cervix. Dwindling of mammae with small hard painful lumps in them. Menses worse lifting, over exertion. Stitches in vagina, make her start.

Respiratory

Hoarseness with pain in larynx, better sneezing. Cough; with little expectoration or copious purulent expectoration, after every cough; after influenza. Winter cough of old people, with heavy pressure on sternum. Deep pain in chest. Burning as of hot coal in chest. Gangrene of lungs. Periodical haemoptysis. Neglected phthisis.

Heart

Stitches in heart region. Pulsation in all arteries when at rest.

Neck and Back

Dragging pain in back extending to genitals and down the thighs; as if everything would come out (in women); with urging to stool and urination, with leucorrhoea. Burning in sacrum, scapulae as if bruised.

Extremities

Pain in the hip joint (left); with sensation as if leg was too long when standing. Pain in left thumb as if sprained.

Sleep

Disturbed, caused by restlessness of the whole body or with sensation of fatigue and pains in all limbs. Tosses about whole night without any apparent cause. Dreams of urinating.

Fever

Cold sweat.

Skin

Violently itching, moist or scruffy eczema on eyelids, face, joints, back of hands. Small wounds bleed freely. Ulcers break out and heal; bleed after coition. Urticaria, after menses.

Related

Ars; Arum-t; Carb-ac; Graph; Nit-ac; Psor.

Complementary

Sulph.

[Back to Index](#)

Generalities

Milk of bitch acts upon ***THROAT, ***NERVES and *female genital organs. It causes oversensitiveness of NERVES producing restlessness, nervousness, prostration and abnormal sensations; cannot bear one part of her body to touch the other; must keep even her fingers apart. ***SYMPTOMS ALTERNATE SIDES. Symptoms go *from right to left then back again or *reverse; throat, ovaries, skin troubles etc. *Glistening parts; inflamed, ulcers etc. It dries up milk in women who cannot nurse the baby. Diphtheria and diphtheritic paralysis. Ozena. Erratic pains; or disposition of symptoms. Results of fall.

Worse

***TOUCH. *Jar. *During menses. *Cold air, *wind or drafts. Morning of one day and evening of the next. After sleep.

Better

Open air. Cold drinks.

Mind

*Full of imaginations; horrid; of snakes; vermin. Very forgetful; makes mistakes in writing and speaking. Every symptom seems a settled disease; which is incurable. Fear of disease; of falling downstairs. Child cross and irritable, screams all the time esp. at night. *Despondent. Attacks of rage. Hysteria at the height of sexual orgasm. *Feels as if walking on air or of not touching the bed when lying down. Thinks himself of little consequence. Absent minded. Imagines that he wears someone else's nose. Thinks that whatever she says is a lie. Fits; of weeping. One's body seems disgusting.

Head

Aches change side. Blurred vision. Nausea, and vomiting, at the height of attack of headache, which is worse by noise, talking, better by quiet. As if brain were alternately contracted and relaxed.

Eyes

Sees faces before her eyes worse in the dark. Sees vermins, creeping things. Eyelids heavy.

Ears

Noises in ears. Reverberations of voice, as if speaking in a large empty room. Sound seems very far off. Deafness from hereditary syphilis.

Nose

Coryza_one nostril stuffed up, other free and discharging. Profuse nocturnal nasal discharge, purulent, staining pillow greenish yellow. Fluids escape through nose, while drinking. Cracks in alae nasi. Smell of flowers seems to send chill over her.

Face

Pale, careworn, anxious. Jaws crack while eating.

Mouth

Tongue coated white, with bright red edges. Putrid taste worse sweets. Talking difficult, talks through the nose (nervous throat affections). Drooling in diphtheria (saliva drops down). Tongue stiff. Cracks in corners of the mouth. Stutters when talking fast; has to speak slowly. Salivation.

Throat

***SORE; has *glistening patches of china whiteness; or red glistening; tonsillitis and diphtheria; symptoms change repeatedly from side to side; better by cold drinks, or warm drinks, but worse empty swallowing. Sore throat beginning and ending with menses. Swallowing difficult worse solids; pain extends to ears.

Stomach

Craves; milk and drinks much of it; highly seasoned dishes. Aversion to liquids esp. water; anything sweet. Sinking at epigastrium with nausea. Salty food only tastes natural. Nausea better eructations. Everything except fish makes her Worse.

Urinary

Urine scanty, infrequent. Urination once only in twenty-four hours then copiously, but with some difficulty and slight irritation. Nocturnal enuresis (specific). Bladder seems full after urination.

Female

Menses; gushing; hot as fire; too early; bright red; profuse; green; or of ammoniacal odour. Breast swollen, painful worse least jar; has to hold breast firmly when going up and down; before menses; better on appearance of menses. Constant pain in nipples. Flatus from vagina. ***DRIES UP MILK. Galactorrhoea. Milk scanty. Leucorrhoea; profuse; during day, none at night; worse standing and walking. Sexual organs extremely excited, worse by putting hand on breast; pressure on vulva while sitting, or slight friction caused by walking.

Respiratory

Hoarseness during menses. Cough from constant tickling in the throat. Clavicles sore to touch.

Heart

Pain when going up and down the stairs.

Neck and Back

Stiffness of neck. Spine aches from base of brain to coccyx; very sensitive to touch or pressure. Cold creeping down back. Cramp in feet.

Extremities

Sciatica. Limbs cold to knees. Constant pain right hip. Rheumatic pains shifting from one side to other. Heels sore.

Sleep

Dreams of snakes. Lies with one leg flexed and other stretched. Dreams of urinating. Wakes at night with a sensation as if bed was in motion.

Related

Lach; Lyss; Puls.

[Back to Index](#)

Generalities

Skimmed milk is useful in diseases with faulty ***NUTRITION; and anaemic condition of *blood. Feels completely *exhausted, whether she does anything or not; great fatigue when walking. Sensation as if cold air was blowing on her, even while covered up; as if sheets were damp. Sufferings from loss of sleep. Dropsy; from organic heart disease; and from chronic liver complaints. Persons or children who become sick on taking milk. Obesity.

Worse

***COLD; *least draught. Wet. Hands in cold water. *Milk. Loss of sleep. Weekly. Shut places.

Better

Rest. Pressure of bandage. Conversation.

Mind

Despondent; better conversation; does not care to live; has no fear of death but is sure he is going to die. Horror of shut places.

Head

Vertigo; worse lying on left side; moving head from pillow; turning while lying; must sit up. Blindness then throbbing frontal headache, with much pale urination; worse noise, light, motion, during menses; better by bandaging, conversation. Migraine; ceases at sunset. Distress in head after injury. Faintness on extending arms overhead. Skull feels lifted up. Persistent headaches, for years. Head becomes sore on coughing.

Eyes

Photophobia; even candle light unbearable. As if eyes were full of little stones, during headache.

Face

Pale sickly look. Painless swelling of the face.

Stomach

*Aversion to milk. *Nausea and vomiting, with sensation of deathly sickness. Vomiting incessant with no relation to eating, first of undigested food; sour; then of bitter water; of pregnancy. Children suffer from coryza from drinking milk.

Abdomen

Constipation, with ineffectual urging. Stools *large hard; *with great straining, *lacerating anus. Persistent constipation better only by purgatives or enema with violent attacks of sick headaches.

Urinary

Boring, sore pain in kidneys. Frequent and profuse urination, with headache or other pains. Urination involuntary, while walking in cold air, while riding, or when hurrying to catch a train, and lack of sensation when the bladder is full.

Female

Menses; delayed; in girls who drink much milk; suppressed by putting hands in cold water.

*Scanty flow of milk; restores the milk.

Extremities

Tips of fingers icy cold, rest of the hands warm.

Sleep

Restlessness from loss of sleep.

Fever

*Always feels chilly.

Skin

Very sensitive to cold. Symmetrical patches, causing itching and burning after scratching. Skin thickened at the edges of feet.

Related

Nat-m.

[Back to Index](#)

Generalities

Native American name of this snake is *surukuku_(Bushmaster); and the poison of this snake was first proved by Dr. Hering. Like other snake poisons it decomposes ***BLOOD; affects the ***HEART AND CIRCULATION. ***NERVES become very sensitive esp. ***CUTANEOUS and ***VASO-MOTOR. Excessive sensitiveness of the surface with intolerance of touch or constriction; intense nervous irritability, restless, tossing, moving. Symptoms appear on ***LEFT SIDE; then go to right_***THROAT, ***OVARIES, ***GREAT FEMALE REMEDY. *Intensively rapid onset of the disease with great prostration. *Malignant or septic states; diphtheria; gangrene, diabetic; traumatic; senile; carbuncle, erysipelas come under its influence. ***HAEMORRHAGES; are thin, containing dark particles like charred straw; vicarious, nosebleed, bloody urine etc. Small wounds bleed much. *Blueness; of the affected parts; of hands. Discharges; acrid, ***OFFENSIVE. ***ASCENDING SENSATIONS; in throat; chills. ***FLUSHES OF HEAT; *rushes of blood. Sensation of a ***LUMP, in throat, abdomen, liver, rectum, etc., rolls about in bladder. ***EXCESSIVE PAINFULNESS; *of throat; ulcers; spots on body. Sensation of *constriction; in throat; on head_as if a skullcap; of anus; *drawing; *vertex to jaws; *in rectum etc. Great physical and mental weakness. Trembling; of the whole body; of hands, tongue etc. Hard throbbing, or *hammering pains. Neuralgic pains change locality with palpitation. Epilepsy; comes on during sleep; from jealousy; onanism; loss of fluids. Left sided paralysis; after apoplexy; or cerebral exhaustion. Fainting; with pain in heart, nausea, pale face, vertigo. Chorea, from piercing ears. Awkward gait; left side weak. Dropsy; from liver and spleen diseases; after scarlatina. Cellulitis; with burning and blue colour of the skin. Purpura. Bubonic plague. Cancer. Diphtheritic paralysis; and other affections. Carriers of Diphtheria. Ill effects of injuries, punctured wounds. Grief, fright. Vexation; anger. Jealousy; disappointed love, masturbation; sprains (blueness of parts). Never well since climax. Symptoms develop in sleep and the patient wakes up from symptoms; at any time day and night. Hysteria. Catalepsy. As of thread drawing the part or spreading over.

Mind

Nervous; excitable. ***LOQUACITY; *rambling, frequently jumping from one subject to another, then sadness; or repeats the same thing. *Compelling delusions; thinks herself under super human control; thinks she is dead and preparations are being made for her funeral; thinks herself pursued, hated and despised. Persistent erotic ideas, without ability. *Insane jealousy. *Suspicious. Sad in the morning; no desire to mix with the world. Malice. Mischievous. Mania from over-study. Delirium; tremens; from over-watching; over-fatigue; loss of fluids, over-study. Feels full of poison. Fears; going to sleep; lying down; or that heart will stop. Restless, uneasy; does not want to attend to business; wants to be off somewhere all the time. Derangement of time sense. Aversion of women to marry. Religious insanity. Talks, sings, whistles; makes odd motions. Mocks. Crawls on the floor; spits often; hides, laughs or is angry; during spasms. Weak memory. Mistakes are made in writing and speaking. Mind worse after sleep. Predicts the future correctly. Proud and lazy. Hateful.

Worse

***SLEEP; ***AFTER SLEEP. ***MORNING. ***HEAT; of ***SUMMER; ***SPRING; *of room; ***OF SUN. ***SWALLOWING; ***EMPTY; ***LIQUIDS. ***SLIGHT TOUCH OR PRESSURE. ***PRESSURE OF CLOTHES; *around neck; *waist. ***RETARDED DISCHARGES. Start and

close of menses. ***CLIMAXIS. ***ALCOHOL. Cloudy weather. Standing or stopping. Motion. Closing eyes. ** HOT DRINKS.

Better

***OPEN AIR. ***FREE DISCHARGES. Eructation. *Hard pressure. ***COLD DRINKS. Bathing affected part. Sitting bent. Eating; esp. fruits. Warm applications.

Head

Vertigo; worse turning to right; closing eyes; looking at the one and same object; from walking in open air. Headache; heavy, bursting, down to nose, side (right) feels cut off. Migraine, pain extending to neck and shoulders. Weight, pressure or burning of the vertex. Sun headaches, with glimmering of vision. Falling of hair esp. during pregnancy. Perforating tumour of the skull. Numbness, crawling (left). Does not want hair touched.

Eyes

Feel small or as if drawn together by cords which were tied in a knot at the root of the nose. Blindness with lung or heart affections. Eyes watery, from pain. Fistula lachrymalis; with eruptions on face, Intra-ocular haemorrhages. Feels as if eyes were forced out on pressing the throat. Dim sight. Unsteady look, eyes roll vacantly.

Ears

Hardness of hearing; with want of wax. Ear wax too hard, pale, dry. Ear pain with sore throat. Pulsations in. Ear wax like chewed paper. Stricture of eustachian tube.

Nose

*Stopped coryza. Discharge, with every cough. Nosebleed, with amenorrhoea; on blowing the nose. Blood and pus from nose. Paroxysms of sneezing in hay asthma. Red pimples on nose (rum blossom); of drunkards. Cannot bear anything before nose.

Face

Purple, mottled; dusky, during heat. Netted veinlets on face. Neuralgia (left side); heat rises to the face. Lower jaw drops (coma). Septic mumps. Flushes of heat. Enormous swelling of lips.

Mouth

Gums; bluish, swollen, easily bleeding. Tongue; swollen; trembles when protruding; catches on teeth; lolls about; red, dry; cracked at tip. Bad odour from mouth. Aphthae and denuded patches, with burning and rawness. Much thick, pasty saliva. Thick blundering speech; cannot open mouth wide. Peppery; sour; taste. Cannot bear anything before mouth. Teeth ache extends to ears. Chattering of teeth. Teeth feel too long. Sudden forcible protrusion and retraction of tongue.

Throat

As of a lump in throat; ascending and is swallowed back again. As of hot lump or soft body or crumb of bread. *Throat pain extends to ear. *Choking. ***SWALLOWING; *painful; the wrong way; returns through nose; worse empty swallowing, less from liquids and better by solids. Excessive tenderness of throat to external pressure; *must loosen collar. Diphtheria, laryngeal. Tonsillitis. Quinsy. Hawks out foul pellets from throat, in chronic sore throat; or

thick mucus which cannot be forced up or down. Throat pit feels swelled or sore spot back of pit. Constriction better eating. Cannot swallow sweet or acrid things.

Stomach

Craving; for alcohol, oysters, for coffee which agrees. Hungry, cannot wait for food, or loss of hunger alternately. Thirsty but fears to drink. Gnawing pressure in stomach better eating, but returning in few hours (cancer), *soreness or cramp in epigastrium. Vomits during menses, with headache. Eructations; before epilepsy; at menses. Nausea; comes on, after going to bed; after drinking ice water.

Abdomen

Sore festering, throb deep in liver; cannot bear anything around waist. Inflammation of liver and abscess. Septic gall bladder. Cutting pain in right side of abdomen causing fainting. Swelling in caecal region, must lie on back, with knees drawn up; appendicitis. Pain from anus to navel. Abdomen hot, sensitive, painfully stiff from loin down thighs. Constipation of pregnancy. Anus feels tight. Pains up the rectum every time coughs or sneezes. Haemorrhages from bowels containing charred particles. Piles; protrude, painful, worse coughing or sneezing. Constant urging in rectum, not for stool. Offensive stools. Beating in the anus as from hammers; with menses. As of a ball, rolling when turning over. Diarrhoea from fruits and acids.

Urinary

As of a ball rolling in the bladder when turning over. Bloody urine. Urine, frequent, foamy, dark. Small tumour in urethra causing retention. No urine, no stool.

Male

Strong sexual desire, without physical power. During coition the emission is tardy or does not occur at all. Lascivious ideas without erection of penis. Prepuce thickened. Semen with pungent odour. Ill effects of masturbation. Cheerful after night emission.

Female

Left ovary, swollen, indurated, painful, must lift covers. *Menses; *black, *scanty; lumpy, acrid, vicarious from nose. Uterine and ovarian pains better by flow of blood. Uterus feels as if the os is open. Mammae; inflamed, bluish. Nipples swollen, erect, painful to touch. Milk; thin, blue. Leucorrhoea; copious, smarting, staining and stiffening the linen greenish. Climacteric troubles; palpitation, flushes of heat, haemorrhages etc. Nymphomania. Less the flow more the pain. Ovarian tumours. Dysmenorrhoea on first day. Desire to go in open air and run about before menses.

Respiratory

*Suffocation and strangulation, on lying down; *on dropping to sleep; must spring from bed and rush for open air window. Feels he must take deep breath. Air hunger. Tickling, choking cough worse touching neck or auditory canal; better retching out a little expectoration. Cough during sleep without being conscious of it. As of a skin hanging in or a valve in larynx. As of a plug moving up and down with cough. Larynx painful to touch. Last stage of pneumonia. Abscess of the lungs. Expectoration; frothy, purulent, difficult, bloody with excessive perspiration. Loss of voice; from paralysis of vocal cords, or oedema. Cough as if some fluid has gone into wrong way; most during day.

Heart

Palpitation, with fainting spells. Restless, trembling, anxiety about the heart. Heart; *weak; turns over or too big as if, or as if hanging by a thread. Pulse; weak, intermittent; slow; irregular. Cyanosis neonatorum. Carditis; metastatic. Senile arteriosclerosis.

Neck and Back

Neck sensitive to least pressure. Neck stiff; moves jaws with difficulty. Neuralgia of coccyx worse rising from sitting, feels as if sitting on something sharp. Sensation of threads stretched from back to arms, legs, eyes.

Extremities

Swelled glands in axilla. Left arm numb; finger tips numb. Trembling of hands (in drunkards). Garlic odour of sweat in axilla. Felon, bluish swelling. Tingling; pricking in left hand. Cracks in skin at the corners of nails. Knees cold; or as if hot air is going through. Foot sweat foul or cold. Sciatica; must lie still; worse by least motion. Tendons contracted. Toes feel broken. Pain in the shin bones, in affections of throat. Cramps in calves, from fear. Phlegmasia alba dolens.

Sleep

Sleeps into Worse. Sleeplessness; from cerebral irritation; of drunkards. Frightful dreams; of snakes. Children toss about moaning in sleep. Sleepiness yet cannot sleep.

Fever

Chill worse drinking; with sweat. ***HEAT; on *vertex; ***IN FLUSHES; *on waking, *on falling to sleep. Sweat; about neck; during sleep; in axilla; bloody, staining, blackish, yellow; garlicky. Feet icy cold.

Skin

*Mottled or livid; dark marks; ulcers; eating, on legs; with bluish, purple areolae. Fungoid ulcers. *Varicose ulcers. Carbuncles, boils, with bluish areolae. Bed sores with black edges. Cellulitis. Erysipelas; of old age. Purpura with intense prostration. Cicatrices; redden; hurt, break open and bleed. Capillaries dilated. Small wounds bleed much.

Related

Caust; Sep; Zinc.

Complementary

Lyc; Phos; Zinc-i.

[Back to Index](#)

Generalities

A remedy for torticollis and rheumatic symptoms about neck. Bubbling and boiling about the heart, rising to head. Stiffness of neck, drawn over to one side, in sore throat. Pain in nape as if dislocated, when turning the neck, or bending the head back. Bridge of nose feels pinched. Feeling of icy coldness in mid scapular region.

[Back to Index](#)

Generalities

This acid is found in buttermilk and is a valuable remedy for morning sickness, diabetes, rheumatic affections; breast troubles. It is suitable to anaemic, pale women. Nausea; on waking better by eating; in diabetes or pregnancy. Thirst. Voracious hunger. Fulness or lump like puff ball in throat. Pains in the breast with enlargement of axillary glands. Pain extending to head. Rheumatic pains in joints; knees; worse by motion. Flying pains in the limbs. Trembling of whole body, while walking. Frequent passing of large quantities of saccharine urine. Hot acrid eructations worse smoking. Salivation_water brash. Sweaty feet.

[Back to Index](#)

Lactuca Virosa [Lact]

Generalities

This remedy seems to be a true galactagogue; increases the milk in breast. Urine smells of violets. Sensation as of a drop continuously passing along the urethra when seated.

[Back to Index](#)

Generalities

It is Silico-fluoride of Calcium; a remedy for new growths and glandular affections. Pains are burning, stinging, shooting. Uterine; carcinoma; fibroids tumours, with intense burning pains and profuse haemorrhages. Severe menstrual pains causing swooning. Enlargement of the glands esp. cervical which are elastic and pliable rather than stony hard. Sarcoma. Lipoma. Glandular swellings where no glands are usually found.

[Back to Index](#)

Generalities

This remedy chiefly affects the *skin; liver, joints and uterus. *Heavy, *sore, *aching, as if lying uncomfortably. Numbness; lumbar region, of aching calves. Constriction.

Head

Vertigo, with nausea and vomiting. Weight on vertex.

Eyes

Redness about. Styes; crops of.

Nose

Red across.

Face

Inveterate acne; worse touch.

Stomach

***SOURNESS; sour taste to meat; all food turns sour, vomits it. Diarrhoea alternating with rheumatic symptoms.

Urinary

Profuse and frequent urination, urine, milky, phosphaturia.

Female

Bruised, sore, heavy feeling in uterus; with great relaxation of vaginal tissue. Uterine displacement worse standing, walking, a mis-step, sudden jar.

Chest

Trembling in.

Extremities

Front of thigh weak. Old sores about joints.

Skin

Eruptions; sticky on head, face etc. Moist foul eczema; of infants. Many small painful boils. ***AXILLARY SWEAT COLD; *runs down chest; foul.

Better

Cloudy weather.

Worse

Cold; wet. Shaking. Lying on right side. Violent exertion.

Complementary

Mag-c.

[Back to Index](#)

Generalities

This spider poison affects the ***HEART; producing a typical picture of *angina pectoris. Blood becomes thin, watery. Tetanic effects lasting for several days. *Restless; with cardiac pains, and *prostrated.

Mind

Anxiety. Screams fearfully with pain; exclaiming that she would lose her breath and die.

Stomach

Nausea then abdominal pains. Vomiting of black vomit. Transfixation of pain or sinking at epigastrium.

Respiratory

*Gasping breath; *fear of losing breath and dying. Apnoea.

Heart

*Violent ***CARDIAC PAINS; sharp; extending to shoulders or *both arms, to fingers; *with numbness. Precordial anxiety. *Restless; *with cardiac pain; and prostration. Quick feeble, thready pulse.

Extremities

Pain in left arm; feels paralyzed. Hard aching pain in axilla. Paraesthesia of lower limbs.

Sleep

Dreams of flying.

Skin

Cold as marble.

Worse

Least motion; even of hands. Exertion.

Related

Tarent.

[Back to Index](#)

Generalities

The small quantity of Hydrocyanic Acid which this medicine contains, produces symptoms accompanied by ***SUDDEN DEBILITY; and *lack of reaction esp. in chest and heart affections. It affects the ***MIND AND BRAIN causing, *bluntness of special senses. *Cyanosis. *Coldness not better by warmth. Weak sphincters. Long lasting faints. Sensation of falling down; in brain, in abdomen; in heart etc. Epilepsy; clonic spasms of all limbs, with paralytic weakness. Twitchings. Chorea; emotional; with constant jerks, cannot keep still; speech indistinct after every excitement, gasping for breath. Gasping_before, during and after spasms. Nervous collapse. Apoplexy. Internal burning. Haemorrhages; of thin, bright blood mixed with gelatinous clots. Effects of fright. Blue babies, asphyxia neonatorum. Antidotes the effects of Digitalis given in crude doses. Well chosen remedies do not act.

Mind

Loss of consciousness, with loss of speech and motion. Fear and anxiety about imaginary evils. SUDDEN Loss OF MEMORY; from fright, pain etc. Dullness of special senses. Gets angry when not understood.

Head

Vertigo with sleepiness. Head pain worse II a.m. to I p.m. Nightly tearing in vertex. As if a cold wind were blowing on head. As if brain were falling. Brain feels contracted and painful.

Eyes

Protrude, staring, open. Objects look larger.

Face

*Blue; with gasping. As if flies and spiders are crawling over the skin. Lock-jaw. Twitching of the muscles of face.

Mouth

Foam at the mouth; convulsions. Speechlessness from pain in stomach. Tongue; stiff; cold, burnt or numb.

Throat

Spasmodic contraction of throat and oesophagus. ***DRINKS ROLL AUDIBLY *through oesophagus and intestines.

Stomach

Persistent hiccough. Bitter eructations. Vomiting of food during cough. Disgust for food during pregnancy. Violent pain in stomach with loss of speech. Stomach pains during urination. Nausea near a hot stove.

Abdomen

Falling down sensation of a lump in abdomen from above the navel to small of back worse talking or over-exertion. *Gurgling flatulence. Pain in the liver as though abscess were forming. Liver; indurated, atrophied; nutmeg. Paralysis of sphincter ani; involuntary stools. Cancer of rectum; with bleeding of bright red blood.

Urinary

Urine; retained, suppressed, involuntary; with palpitation and suffocation, and fainting.

Female

Pain in uterus, with cancer; with oozing of bright blood, with gelatinous clots; better sleep. Faints with coldness during menses. Burning and stinking in and below mammae.

Respiratory

Larynx and trachea raw. *Suffocation; *gasps for breath; *on sitting up. Shallow breathing. Dyspnoea, with sensation that he is unable to raise the chest walls; better lying down. *Cough; *tickling, spasmodic, nightly; of phthisis; short dry of cardiac origin; worse lying down. Bloody, or scattered with bloody dots; gelatinous expectoration. Asphyxia neonatorum. Burning in chest on taking inspiration. Low voice.

Heart

*Holds hands over the heart; as if there were some trouble there worse by any exercise. Palpitation. Mitral regurgitation. Pains in the region of heart. Pulse, weak, variable, slow, or irregular.

Extremities

Clubbing of fingers. Toes and finger nails become knotty. Veins of hands distended. Cold clammy feet up to the knees; in chorea, heart disease. Feet numb on crossing the legs.

Sleep

Fearful anxiety and restless; cannot fall to sleep. Coma vigil.

Skin

Cool; livid.

Better

*Lying with head low. Eating. Sleep. Open air.

Worse

*Sitting up. Exertion. Cold. Fright. Stooping.

Related

Amm-c; Gels; Hydr-ac; Prun-sp.

[Back to Index](#)

Generalities

Is prepared from the yolk of egg and animal brains_a phosphorus containing complex organic body. It improves the nutrition esp. of blood, hence very useful in anaemia, convalescence, neurasthenia and insomnia. Excellent galactagogue, renders milk more nourishing. Tired, weak, short of breath; loss of flesh, symptoms of general break down. Sexually weak. Ovarian insufficiency.

[Back to Index](#)

Generalities

This remedy affects the fibrous tissue; of ***JOINTS esp. small; *ankles; *tendons; heels and ***SKIN; hence it can be called a rheumatic remedy, where rheumatism *begins in the feet and travels upwards. Affected parts become *purple puffy; and then emaciate. The patient, is always *chilly, *affected parts are cold; *yet averse to external warmth. There is a general lack of vital heat. Painful, cold, oedematous joints. Shifting, tearing pains. Weakness and numbness of the affected parts. Torpidity of integuments esp. after suppression of discharges from the eyes, ears and the nose. *Haemorrhages; of bright frothy blood. Dropsy. Petechiae. Tetanus with twitchings of muscles near the wound. Ill effects of alcohol, hair cutting suppressed discharges, punctured wounds, recent or chronic injuries bites, stings, bruises. Drunkards. Rushes of blood. Abscess and septic conditions better by cold. If Ledum is given immediately after punctured wounds, it prevents tetanus. Hypericum when tetanus develops. It is adapted to full-blooded, plethoric, robust or pale delicate patients.

Mind

Angry, out of humour. Dissatisfied, hates his fellow beings avoids their company.

Head

Raging, pulsating headache worse least covers. Affected after getting wet. Mis-step causes concussion in the brain. Itching as of lice. Blood boils on forehead.

Eyes

*Bloodshot or bruised Tears acrid; make the lower lids and cheeks sore. Haemorrhage into the anterior chamber after iridectomy. Ptosis of eye (right), from injury.

Ears

Hardness of hearing; as if the ears were stuffed up with cotton worse cutting the hair, wetting the head.

Nose

Persistent nosebleed; soreness of the nose with violent burning.

Face

Mottled. Red pimples on forehead and cheeks, stinging when touched. Submental glands swollen. Crusty eruptions around the nose and mouth.

Mouth

Bitter taste in the mouth; mouldy when coughing. Sudden flow of watery saliva, during colic.

Stomach

Nausea on spitting.

Rectum

Anal fissure. Blind smarting piles.

Urinary

Much uric acid and sand in urine. Urine often stops during the flow. Copious, clear, colourless urine, deficient in salts.

Male

Pollutions of sanguineous or serous semen.

Female

Bleeding fibroids. Great coldness during menses, yet desires cold air.

Respiratory

Cough; tormenting; from tickling in larynx; with epistaxis; then sobbing respiration, worse receding eruptions. Double inspiration. Haemoptysis, alternating with rheumatism; or coxalgia. Yellow, purulent, sputum. Chest hurts when touched.

Neck and Back

Back *stiff; *cramps in; worse *rising from sitting. Lumbago.

Extremities

Cramps over hip joint. Swelled blotchy ecchymotic legs and feet. Heels sore. Soles painful, can hardly step on them. Trembling of hands when moving them or grasping anything. *Easily; *spraining of ankles. Feet (dorsum) itch by night and are stiff in a.m. Balls of great toes swollen. Feet held to earth as by a magnet, when attempting to move. Pain in shoulder on raising arm.

Fever

*Coldness; of parts; worse limbs; with the pain; during fever; as if in cold water. Foul sweat. Profuse night sweat.

Skin

*Wounds punctured; twitches in; from nails, stings, etc. foul pus. Eruptions on only covered part. Oedematous swelling. Red spots and rash.

Better

*Cold; *bathing; air. Reposing.

Worse

Warmth; of covers, stove, air. Injury. Motion (joints). Night. Egg. Wine. Spitting.

Related

Arn; Bry; Rhus-t; Sec.

[Back to Index](#)

Generalities

It affects the right side and *liver, causing haemorrhages due to liver affections. *Burning, in hepatic region. Bilious states. Weakness, hardly able to stand or walk. Jaundice.

Mind

Hopeless; despondent and drowsy; with hepatic affections.

Head

Dull frontal headache; with aching in navel.

Eyes

Smarting and aching in eyes.

Mouth

Tongue, yellow, or black down centre.

Stomach

Craving for cold drinks which worse burning and aching in stomach. Bilious vomiting. Sinking at the pit of stomach. Meat and vegetables disagree.

Abdomen

*Sore or dull, *burning ache over liver or near gall bladder; *extending down over bowels to navel or towards left scapula or along spine, which feels chilly. Liver swollen transversely. Acute liver conditions. *Gallstones. Constant dull aching in umbilical region. Stools; muddy, watery; worse morning, ***TARRY OR BLACK; ***FOUL. *Stringy, waxy or spurting, in the morning; with pain at navel. Dysentery; after diarrhoea. Prolapsing piles; with *haemorrhages. Jaundice, with clay coloured stools. Feeling as if something was passing out of the rectum.

Urinary

Red or orange coloured urine, with dull aching in lumbar region.

Female

Menses; suppressed or retarded, with liver affection. Leucorrhoea; warm, watery; runs down the limbs; from ulceration of the os.

Heart

Soreness at. Pulse slow and full.

Extremities

Pain in sciatic nerve (left); worse on sitting. *Nails very thin, soft and splitting.

Fever

Chilly along the spine and down the arm.

Better

Lying on abdomen; on side.

Worse

Cold drinks. Motion. Periodically. Wet weather.

Related

Bapt; Card-m; Chion.

Complementary

Phos.

[Back to Index](#)

Generalities

It manifests its chief action upon the ***VENOUS CIRCULATION; *of the heart and ***FEMALE ORGANS; *ovaries and uterus; and is useful for many reflex conditions dependent on some pathological condition of these organs. It also affects *rectum and bladder and left side. Often indicated in unmarried women. ***FULL, ***HEAVY OR FORCED OUT feeling; in uterus, ovaries, heart etc. *Utero-ovarian sagging. Wandering, flying, shooting pains or opening and shutting pains; radiating; from ovary to heart, to left breast; down the legs etc. *Backward pains; about eyes; to occiput; from nipples through chest; from heart to left scapula. Pain in small spots. *Pulsations; ebullitions; gurglings and burnings. *Nervous tremors; in hypogastrium, in spine, knees etc. Venous congestion. Discharges acrid. Nervous; hysterical. Faints in warm room or after standing for a long time. Women exhausted by sexual excess. Symptoms from sexual excitement. Rheumatism. Mental and uterine and / or cardiac symptoms alternate.

Mind

*Hurried. *Nervous. *Snappish. *Depressed. *Erotic. Fruitless activity. Despondent. Disposed to curse, strike. *Dread; of insanity; being incurable. Desires finery. Wild, crazy feeling. Inclination to weep; weeps much; is very timid and indifferent to anything done for her. Dissatisfied with her own things; envious of others. Dementia from business worries and sexual excess; tears the hair. Feels hurried, walks fast, does not know why. Wants to talk, yet dreads saying anything, lest she should say something wrong. Has to keep very busy to repress sexual desire. Consolation worse. Sits alone and broods over imaginary troubles. Sexual excitement alternating with apprehension of religious ideas. Prefers society.

Head

Wild feeling in head, as though she would be crazy. Headache burning; dependent on uterine disorders, worse before and after menses; better at sunset. Headache over left eye to vertex; with vertigo and visual effects.

Eyes

Feel sprained; bite and burn worse reading. Wild look. Myopic astigmatism, has to turn the head sideways to see clearly. Pain in eyes extends back into the head. Weak ciliary muscles.

Ears

Rushing sounds in ear after going to bed.

Nose

Sneezing; better pain in head and eyes.

Mouth

Tongue; coated yellowish, white in patches. Sweet taste_back of mouth; foul, better eating.

Throat

Hawking of mucus, with constant nausea.

Stomach

Craving for meat, or for sour or sweet dainties. Aversion to coffee; to bread. Hunger; as if from spine. Thirsty, before severe symptoms. As of a hard body rolling around, during day only. Vomiting from displacement of uterus.

Abdomen

Skin of abdomen feels stretched and stiff. Sore, distended; cannot bear weight of covers after menses. Weak tremulous feeling extending to anus. *Heavy dragging down of whole abdominal contents extending even to organs of chest; must support the abdomen; with dysuria. Pressure on rectum with constant desire for stools better urination, worse standing. Sharp pains better gentle rubbing, with warm hand. Early morning diarrhoea, after rising, urgent, cannot wait a moment; stools; small, frequent, with tenesmus. Dysentery worse change of life in plethoric women. Sharp pains better doubling up. Tenesmus of the rectum and bladder. Piles; after delivery.

Urinary

Constant pressure on bladder; with constant desire to urinate; with a sensation as of a ball in rectum. Urine; milky, scanty, hot. If desire is not attended to; feeling of congestion in chest.

Female

*Heavy dragging or outward pressing in pelvis, with dysuria; as if all organs would escape through vagina; must hold it. Menses; early, scanty, dark, clotted, offensive. Flow only when moving about. *Ovarian (left) pain down thighs; or up below the left breast. Leucorrhoea; thin, brown, acrid; stains brown, worse after menses. Neuralgic pains in uterus, cannot bear pressure of clothes. Prolapse or anteversion of uterus. Subinvolution. Sexual desire increased; obscene; must keep herself busy. As of a rivet or ball under (left) mamma. As of a hard body pressing upon rectum and ovaries better walking.

Respiratory

Oppressive load on chest; air hunger; takes long deep breath. As of a lump in centre of chest moving up and down on empty swallowing. Suffocates in a warm or crowded room, theatre or church.

Heart

*Feels clutched; *full to bursting; *cold; weak, hanging by a thread. Angina pectoris, with pain in right arm worse stooping; lying on right side; better rubbing and pressure. *Palpitation. Pulse irregular, very rapid. Pulsations all over the body.

Neck and Back

Neck aches, worse tired. Broken feeling between scapulae. Sensation of pulling upward from tip of coccyx.

Extremities

Pain from hip to hip. Cannot walk on uneven ground. Legs ache; cannot keep them still. As of a cool wind blowing on legs. Burning in palms and soles. Trembling of knees. Pricking in fingers. Paralytic stiffness of fingers. Staggering gait; cannot walk straight. Joints feel dry.

Skin

Tingling, formication, burning in various parts.

Sleep

Unable to sleep on account of wild feeling in head.

Fever

Chilly in cool open air; otherwise better .

Better

*Cool, *open, *fresh air. *When busy. Lying on left side. Sunset. Pressure. Support. Crossing legs. Rubbing.

Worse

***WARMTH; of room. Motion. *Miscarriage. Walking. Standing. Consolation. Pressure of bed clothes. Jarring.

Related

Aloe; Plat; Puls; Spig.

[Back to Index](#)

Generalities

This remedy affects notably head; eyes; *heart; *small joints and urinary organs. Rheumatism connected with heart or eye lesions. Whole body feels ***SORE *and heavy. Bruised spots from falls and blows. Violent lancinating pains, as from red hot needles. Pressing from within outward in head, abdominal ring; perineum, chest. Pain as of a dull point. Uric acid diathesis. Paralytic stiffness of the whole body. Prostration. *Acidity. Increase of bulk and weight. Gout. Effects of bruises and falls.

Mind

Disposed to weep about his lonesome condition. Difficulty in remembering names.

Head

Ache better eating; but returns and remains until food is again taken. Vertigo with ringing in the ears. Headache from sudden suppression of menses. Head feels too large.

Eyes

Feel dry and pain worse reading. Vertical hemiopia; right half of object is invisible, worse during menses. Sunlight blinds him.

Nose

Swollen; and *red esp. right side. Coryza; dropping from nose; in open air.

Ears

Pain behind ear (left), extending to neck.

Face

Both cheeks are covered with dry bran-like scales.

Throat

Lumps of mucus drop into throat. Soreness extending to ear.

Stomach

Gnawing in stomach; with pain in left temple; better eating. Acidity. Cannot endure slightest pressure of clothes; from fullness in pit of stomach.

Abdomen

Pain in abdominal ring (left) like a pressing from within outward. Diarrhoea, after fruits or chocolates.

Urinary

Pain in the region of bladder extending to spermatic cord after urination. Urine scanty; with much thirst; with red brown sediment. urine less in spite of taking normal drinks.

Male

Erections after copious urination.

Female

Pain in mammary glands which extends to arms and fingers.

Respiratory

Air feels cold on inspiring, even into lungs. Constriction of chest.

Heart

*Pains, *sore, with eye symptoms; going to head; with pain in bladder; worse bending forward; before menses; better urinating. Trembling and fluttering of the heart worse vexation.

Extremities

Soreness of fingers better grasping. Ankle joint pains while walking. Pain in the joints is relieved by very hot water.

Skin

Barber's itch. Dry, harsh skin. Eczema.

Better

*Eating. Urinating. Motion.

Worse

Night. Menses; after; suppressed.

Related

Lyc; Nat-p; Sul-ac.

[Back to Index](#)

Generalities

It stimulates *vaso motor nerves, causing *increased secretions; ***RELAXATION; and *weakness; with sweat; with deathly sickness all over; with oppressed *rattling respiration. Sits with elbows on knees. Prickling all over. Cannot bear the odour of tobacco although addicted to its use. Nausea and vomiting, with nearly all the respiratory troubles, or gastric affections.

Mind

Despondent. Sobbing like a child.

Head

Dull heavy pain. Vertigo with fear of death.

Ears

Deafness due to suppressed discharges (otorrhoea) or eczema.

Face

Bathed in cold sweat. Neuralgia of face (left), with retarded menses.

Mouth

*Profuse flow of saliva; with retching, hiccough; dyspnoea; with good appetite.

Throat

*As of a lump in throat; impeding deglutition.

Stomach

As of a lump in. *Deathly nausea; with vertigo; better by a little drink or food; worse night and early morning. *Nausea and vomiting, with profuse sweat; on face (cold); with respiratory symptoms. *Faintness and weakness in epigastrium. Acid burning taste.

Urinary

Deep red urine; with red sediment. Urine suppressed or infrequent.

Female

*Morning sickness; suddenly disappears better by a little food and drink. Labour pains with shortness of breath. Pain in her sacrum and a sense of weight in her genitals.

Respiratory

*Dyspnoea; nervous; with labour pains; as from a wedge in larynx; with general prickling, better rapid walking. Asthma. Spasmodic cough, with sneezing; belching; or gastric pain. *Rattle in chest but does not expectorate. *Constriction or oppressive fulness in chest. Senile emphysema.

Heart

Feels as if it would stop. Pulse; weak or soft, flowing.

Back

Pain in sacrum; cannot bear slightest touch; sits leaning forward.

Skin

Plaques of oedema; with ecchymoses. Prickling and itching, with nausea.

Better

Rapid walking. Eating a little.

Worse

Cold bathing. Suppressions. Sleep; after. Tobacco. Tea. Foreign bodies. Slightest motion.

Related

Ant-t; Ip; Tab.

[Back to Index](#)

Generalities

This remedy is useful in paralytic conditions. Tremors and convulsions; paralysis agitans. Prostration and restlessness.

Mind

Anxious and depressed.

Head

Vertigo; must close eyes. Head heavy.

Mouth

Tongue tremulous. Speech difficult; cannot pronounce the whole word.

Stomach

Nausea; vomiting. Severe purging.

Extremities

Gait unsteady. Trembling of all limbs; cannot write; cannot hold a glass of water. Spasms of arms and legs. Violent pain in calves; as if bound by a cord.

Fever

Cold rigors all over esp. in limbs.

Worse

Wet; wet season.

Related

Lath; Sec.

[Back to Index](#)

Lycopersicum [Lycpr]

(Solanum lycopersicum).

Generalities

Tomato has marked action on deltoid and pectoral muscles; pain is better lifting arm upward and outward. Pains left after influenza.

Head

Headache beings in the occiput spreads all over the head and settles with great violence in temples, worse tobacco smoke.

Related

Sang.

[Back to Index](#)

Generalities

It is called vegetable sulphur. It affects the ***NUTRITION; ***DUE TO WEAKNESS OF DIGESTION. Acts upon ***URINARY ORGANS *and most of the symptoms develop on the ***RIGHT SIDE and *go to the left; ***THROAT; *chest, ovary. Ailments develop gradually; weakening the functional power; the function of liver is seriously disturbed. Deep seated progressive chronic diseases. *Repeating symptoms or *alternating symptoms; chill after chill, flushing then paling; flexion then extension; automatic acts. *Relapsing conditions. Prostration of mind and body. It is adapted to old persons; or who become old early, where the skin shows yellowish spots; or to precocious weakly children. *Lyc. patients are *intellectually keen but of weak muscular power; lack vital heat; circulation poor; it seems to stand still; with cold, numb extremities, or numbness may appear in spots. Sudden symptoms, pains come and go suddenly; or cause anger, jerking etc. The patient is *thin, withered and ***FULL OF GAS. ***ACIDITY; *sour, taste, eructations etc. Descending symptoms, colds, emaciation etc. *Calculi; gall stones, gravel. Dropsy; ascites in liver diseases. *Coldness; partial, head, throat etc. *Dryness; of palms, soles, vagina, skin etc. *Rawsness; in folds, anus, nipple etc. Formication of affected limbs. Paralysis. Carcinoma. Inflammation of bones, mostly at ends; softening and caries of bones. Spasms with screaming, foaming at the mouth; throwing the arms about. *Oversensitive, *to pain; patient is beside himself. Sense of internal paralysis. Lithic acid diathesis. Ill effects of fear, fright, chagrin, anger, anxiety, fevers; overlifting; masturbation; riding in a carriage. Tobacco chewing. Wine. One side of the body hypertrophied at change of life, in women. Atrophy of infants. Haemorrhages; dark blood. Erectile tumours. Boils recurring periodically. Emaciation and debility from loss of fluids.

Mind

*Confusion over daily affairs. *Mentally active but grows weaker. Melancholy; afraid to be alone, of men; of his own shadow. *Sensitive, weeps when thanked; or meeting a friend. *Fearsome; dread of men; presence of new persons, of everything, even ringing of door bell. Loss of self confidence; from anticipation; averse to undertaking new things; yet when he undertakes it he goes through with ease and comfort. ***AWAKES; ***ANGRY, sad and anxious. Vehement; headstrong. *Domineering, *exacting; reserved, or despairing. Spells or writes wrong words or syllables. Cannot bear to see anything new. Cannot read what he writes. Hurried when eating. Incipient paralysis of brain. Weeps all day. Sad, on hearing distant music; or cheerful and merry. Hateful. Cranky. Miserly. Brainfag; after influenza. Anxious thoughts as if about to die. Indecision. Timidity. Resignation. Misanthropic, flies even from his children. *Amative. Distrustful; fault finding. Suspicious.

Head

Shakes head without any apparent cause; or involuntarily, slow first, then rapid. Vertigo when looking at anything turning. Head cold. Pain in temples as if screwed together, worse menses. Pain begins on one side goes to other where it is worse. Headache, worse if not eating regularly; lying down, stooping, better uncovering. Pulsating pain in occiput; at night, worse when hot. Hair falls, becomes grey early. Premature baldness; after abdominal affections; parturition. *Deep furrows on forehead in abdominal, pulmonary and brain-affections; and in misers. Dandruff. Hydrocephalus. Meningitis; tubercular. Catarrhal headache worse when discharge from nose is slackened up. Throbbing after every spell of cough; pains when pressing at stools.

Eyes

Half open. Hemipia. Day-blindness more. Sparks before the eyes; in the dark. Styes on lids towards the inner canthi. Polypus on external canthi. Cataract; with suppressed menses. Feel cold, hot, seem too large.

Ears

Humming and roaring; with hardness of hearing; every noise causes peculiar echo in ear. Thick yellow offensive discharge, with deafness. Eczema about and behind the ears. As if hot blood rushed into ears.

Nose

Nose stopped up; snuffles; breathes through mouth; child starts from sleep rubbing the nose. *Fan like motion of alae nasi; in brain, lung and abdominal troubles. Feeling of dryness posteriorly. Ozaena; acrid. Chronic coryza; blows nose often. Nasal troubles from childhood. Acute smell.

Face

*Yellowish; pale; grey; with blue circles around the eyes. Face withered, shrivelled and emaciated. Flushes of heat. Twitchings. *Mouth hangs open. Sore lips. Twists face and mouth. Silly expression.

Mouth

Toothache, with swelling of cheek better warm application. Tongue; dry; black; cracked, stiff heavy; *swollen*, moves to and fro or is darted out rapidly; trembling; painful ulcer on tip or below tongue. Speech indistinct; stammers the last word. Saliva dries on palate and lips. Dryness without thirst. Lower jaw drops; in fever. Teeth yellow. Mouth waters. Gums bleed when touched or cleaning teeth. Taste; too acute; sour, bitter, mouldy. Small tumours in mouth in various places.

Throat

Feeling as of a hard body in oesophagus. A ball rises and sticks in throat. *Sore throat; worse cold drinks. Swelling and suppuration of tonsils. Chronic enlargement of the tonsils. Diphtheria_deposits spread from right to left. Food and drinks come through nose; on swallowing. Throat cold. As if a ball rose up in. Feeling of contraction provoking constant swallowing.

Stomach

Digestion weak. Loss of appetite. *Hunger, but quick satiety. ***EATING EVER so LITTLE CREATES FULLNESS. Hiccough. *Incomplete burning eructations; rise only to pharynx and then burns for hours. Farinaceous and flatulent food, cabbage, beans, oysters disagree. Sensation as if fasting after meals, but without hunger. Desire for sweet things. Aversion to soup, to bread. Canine hunger; the more he eats, the more he craves. Wakes at night feeling hungry. Vomits; food and bile; coagulated blood; dark greenish masses, after eating and drinking. Cancer; perforating ulcer. Churning sensation in. Gnawing in stomach, better drinking hot water. Desire for sweets, delicacies, pastries etc. Food tastes sour. Likes to take drink and food hot. Coldness in stomach. Bad effects of onions.

Abdomen

*Epigastric, *anxiety; *pressure. As of a band about waist. ***FLATULENCE; ***MUCH; ***NOISY, pressing out; better *lower bowels. Sensitive congested liver. Chronic hepatitis; atrophic; nutmeg liver. Sensation of something moving up and down or as of a hard body rolling, when turning to the right side. Ascites; from liver diseases. Soreness worse hypogastrium; alternating sides. Brown spots on. Colic in babies worse evening. Constipation; of children; ineffectual urging from contraction of sphincters; feeling as if much remained unpassed after stools. Stools; contain sand, small difficult, first part is hard, is difficult to expel, last part is soft or thin and gushing; followed by faintness and weakness. Haemorrhoids, aching; painful to touch better hot bathing. Alternate diarrhoea and constipation. Rawness of anus. Constipation when away from home or travelling. Chilliness in the rectum before stools. Constipation or diarrhoea during pregnancy. Gastro enteritis from fright. Diarrhoea from cold drinks. Continued burning in rectum.

Urinary

Frequent urging to urinate better riding in cars. Renal colic in ureter (right) to bladder. Urine; scanty; *cries before urinating; (esp. children who wake up from pain, with screaming, and toss the limbs about); *red sand in; slow in coming; must strain; suppressed; retained. Urine, milky, turbid. Polyuria, during the night. Haematuria. Involuntary urination (esp. in fever), or from fright during coition. Urine bloody; with paraplegia or sometimes with constipation. Urine burning hot.

Male

*Sexual exhaustion; impotence; erections feeble; falls asleep during coition. Yellow tumour behind corona glandis. Exhausting pollutions. Enlarged prostate. Premature seminal emission.

Female

Menses; of clots and serum; discharge of blood from genitals during stools. Vagina; dry, burning worse during and after coition. *Leucorrhoea; acrid; *periodical; milky; worse before full moon. Physometra. Cutting from right to left ovary; ovarian; tumours; dropsy. Dropsy of uterus. Hard burning nodosities in mammae with stitching aching pains, and soreness. Rawness of nipples; sore, fissured, bleed easily. Foetus seems to be turning somersaults. Dysmenorrhoea; violent, with fainting. Menses; suppressed; for months. Delayed menses with undeveloped mammae at puberty. Milk in breast without being pregnant. Child vomits blood after sucking bleeding nipples.

Respiratory

Craves air but is chilled by it. Short, rattling breathing worse lying on back. Cough; dry, tickling, teasing; in puny boys with emaciation; day and night; deep hollow; as from sulphur fumes, worse on descending; with emaciation; worse on empty swallowing, stretching the throat; deep breathing. Salty greenish-yellow, lumpy or foul expectoration. Unresolved pneumonia. Brown yellow spots on chest. Abscess of the lungs, tuberculosis. Difficult respiration due to hydrothorax or / and hydropericardium, with flapping of alae nasi. Feeling of tightness in chest with burning.

Heart

Aneurysm. Aortic disease. Palpitation, with flapping of alae nasi at night, worse lying on right side; with cold face and feet. Pulse; fast, worse after eating; evening. Sensation as if the circulation stood still. Hypertrophy .

Neck and Back

One side of the neck stiff and swollen. Burning as from hot coals between the scapulae. Pain in the back and right side from congestion of liver. Pain in the small of the back; worse sitting erect; better urinating. Stiff back. Emaciation about the neck. Bubbling sensation. Lumbago worse slightest motion (after *Bry).

Extremities

Axillary abscess (right). Hands and feet numb; cramps in hands and feet. Fingers twitch during sleep. Sticky sweat on fingers. Pain jerks legs upward. Cramps in calves, when walking; at night. One foot hot, other cold, or cold sweaty feet. Constant troublesome heat of hands. Sciatica right side worse pressure; cannot lie on painful side, better hot application and walking. Cramps in toes; at night. Pain in heels on treading as from pebbles. Heels numb. Palms dry. Varicose veins on legs. Oedema of feet, rises until ascites forms. Pain in bones at night. Curvature and caries of bones. Emaciation of one hand or one leg. Hands and feet become heavy, relaxed, tremble better by motion. Painful corns on soles. Toes and fingers contracted. Toes bend when walking. Profuse foetid foot sweat.

Skin

Dry; rawness in folds. Abscesses beneath the skin. Urticaria; chronic worse warmth. Erectile tumours worse before menses. Blood boils. Boils which do not mature but remain blue. Sites of old boils and pustules indurate and form nodules that remain long. Vesicular swellings. Eczema associated with urinary, gastric, hepatic disorders. Psoriasis. Ulcers fistulous. Scabs do not separate. Viscid and offensive sweat.

Sleep

Drowsy during day; on waking, the child starts, becomes cross kicks, scolds, or holds his mother. Awakes terrified. Anxious dreams of fatal accidents. Child sleeps all day and cries all night. Laughs or weeps in sleep.

Fever

Coldness; icy, partial; of head, abdomen, stomach, throat etc., worse coughing. Body becomes cold during cough. Feels as if lying on ice. Chill; followed by another chill; then vomits; after first sleep. Foul, viscid sweat; axillary, of feet; like onions. Fever, continuous, remittent, intermittent.

Better

***WARM DRINKS; food. Cold applications. *Motion. *Eructations. *Urinating. After midnight.

Worse

***PRESSURE OF CLOTHES. WARMTH. *Awakening Wind. *Eating; even a little; or to satiety; oysters. *Indigestion. 4 to 8 p.m. Wet weather, stormy weather. Pressure. Before, or from suppressed menses. Milk. Vegetables, cabbages, beans; bread, pastry.

Related

Carb-v; Sil.

Complementary

Calc; Iod; Kali-c; Lach; *Puls; Sulph*.

[Back to Index](#)

Generalities

***A HEART REMEDY; lowers the blood pressure, reduces the rate of heart and increases the length of systole. Heart with many side symptoms, or associated with ***RAPID TUMULTUOUS HEART BEATS. Haemorrhages due to valvular heart diseases; or passive, from nose, piles, lungs etc. Shifting pains, from heart to eyes; head to heart; from heart to wrist etc. Toxic goitre. Ill effects of suppressed haemorrhoidal flow.

Mind

Nervous, hurried and *tremulous. Slow comprehension.

Eyes

*Protruding (exophthalmic goitre); with tumultuous action of the heart. Supra-orbital pain (right) with aching in testicles (left).

Face

Brownish-yellow; expressionless; during menses; bloated.

Stomach

Eructations taste of tea. Diarrhoea in jaundice; from weakness of heart.

Urinary

Drinks large quantity of water and passes large quantity of urine; with irritability of the heart. Bladder feels distended when empty.

Male

Neuralgic pain in testicles with supra-orbital pain.

Respiratory

Choking when lying down. Cough with haemoptysis and feeble weak heart. *Heart cough. Deep, violent cough in the evening, and night without waking. Sweetish expectoration.

Heart

Action *tumultuous, *violent; *excessively rapid, stormy. Laboured heart at night. Palpitation and cardiac distress worse when thinking of it. *Oppression at heart; *pains, *sore, aching, constricted. Pulse; large, full, soft, slow, weak, irregular, intermittent; does not synchronize with heart.

Back

Hot, ache beneath scapula (right).

Fever

Coldness.

Worse

*Excitement. *Exertion. *Heat. *After sleep. Lying on right side. Abuse of heart remedies. Suppressions. Thinking of it.

Related

Cact; Coll; Crat.

[Back to Index](#)

Generalities

This nosode is prepared from the saliva of rabid dog. It affects the nervous system, throat and sexual organs. *Senses become overacute. Convulsions, spasms brought on by dazzling light or sight of running water. Aching in bones. Complaints from abnormal sexual desire. Ill effects of dog bite. Bluish discolouration of wounds. Trembling or quivering sensation throughout the whole body.

Mind

Fear of becoming mad. Anger. Rapid speech. Impatient. *Violent temper, impelled to do reckless things; such as throwing a child through the window. Roams about. Strange notions and apprehension; during pregnancy. Rude, abusive, bites and strikes. Feels he cannot physically endure his fears much longer.

Head

Ache; from bite of dog, whether rabid or not. worse by noise of running water, bright light. Throws the head back when sneezing. Dry hair become oily.

Mouth

Saliva; tough, ropy, viscid, frothy; *spitting constantly. Speech impeded from spasms of throat.

Throat

Sore; constant desire to swallow; which is difficult; gagging when swallowing water, from spasms of gullet.

Urinary

Desire to urinate or for stools on seeing running water; or cannot urinate unless he hears water run.

Male

Abnormal sexual desire. Painful erection of penis and frequent seminal emissions. Semen is discharged too late or not at all during coition.

Female

Consciousness of uterus. Vagina sensitive, rendering coition painful. Uterine displacements. Leucorrhoea; profuse, running down the legs. Strange notions, desires or cravings, during pregnancy.

Respiratory

Barking cough.

Heart

Stitch at, on hearing church bell. Pains as if needles were running into it.

Neck

Pain in neck better bending head backwards.

Sleep

Yawns frequently without sleepiness esp. when listening to others .

Better

Bending backwards. Gentle rubbing. Steam or hot water bathing.

Worse

*Noise of or sight of running water. Heat of sun. Glistening objects. Wind, drafts. Thinking of fluids. Stooping. Bad news. Mental emotions. Riding in a carriage.

Related

Lac-c; Lach.

[Back to Index](#)

Generalities

This remedy produces a catarrhal condition of *stomach and bowels, with marked *acidity; *sour; smell of the body (esp. children); vomiting; regurgitation; *stools etc. It affects the *nerves (facial and dental), *causing sharp shooting pains *along them; *must walk about. Numbness, and a feeling of distension in various parts. Affections of malar bones. Whole body feels tired and painful esp. legs and feet. It is suitable to ailing, worn out, *nervous, flatulent and *flabby persons esp. women, children, nurslings. Sensitive to slight causes. *Emaciation. Marasmus; children will not thrive in spite of feeding and medicines. Cannot bear hands covered, yet chilled by uncovering. Spasms. Epileptic attacks; while walking or standing he frequently falls down suddenly, with consciousness. Ill effects of shocks, blows, mental distress, vexation, fit of passion, pregnancy, excess of care and worry. Dentition, injudicious feeding; milk. Dryness; of mucous membranes, skin. Children, disposed to boils. Glands enlarged.

Worse

*Cold; wind; drafts.*Change of weather. *Night. Food, starchy; milk. *Rest. Slight causes, *touch etc. Uncovering. Every second day; every three weeks.

Better

*Motion. *Walking about; in open air. Warm air.

Mind

Trembling; anguish and fear as if some accident would happen; all day; better when going to bed. Least touch causes starting. Sad and taciturn. Dazed feeling; packs and unpacks her clothes, without consciousness of having done so.

Head

Vertigo worse when kneeling. Pain in the head; as if the hair were pulled, worse mental exertion, stooping. Itching of scalp worse in damp weather. Brain heavy. Sinking of occipital bone, in marasmic children.

Eyes

Black moles before the eyes. Eye-balls feel enlarged and sensitive to pressure. Opacity of cornea. Cataract, lenticular.

Ears

*Deafness, *comes suddenly and varies. Feeling of distension, in middle ear. Ears numb. Deafness; on taking cold; cutting wisdom tooth.

Nose

Coryza and nasal stoppage before menses. Dry coryza, breathes through mouth. Chronic affections of nose.

Face

Tearing, digging, boring pain on one side; must move about. Pain and swelling of the malar bones worse cold wind. Tumours of the malar bones. Waxy pallor. Slovenly expression. Tension, as of white of an egg, dried on it.

Mouth

Tearing, digging, burning toothache, worse during pregnancy; motion of carriage; cold and when quiet. Ailments from cutting wisdom teeth. Teeth feel too long. Mouth dry, at night. Taste; bitter; sour. Frequent sudden stammering speech.

Throat

Sore throat; worse before menses. Hawks up cheesy masses from throat. Sticking, pain in the throat worse talking and swallowing.

Stomach

Craving for meat; fruits, acids; vegetables. Nibbling appetite. Sour eructations. Heartburn. Vomits, undigested milk or bitter water. Violent thirst. Aversion to green food. Cabbage, potato disagree. Milk is refused or if taken causes pain in stomach.

Abdomen

*Cutting, gripping; pressing colic, followed by thin green stools, which worse. ***STOOLS *frothy; ***GREENISH, LIKE WATER, ***LIKE A SCUM OF FROG POND. *Milk passes undigested in nursing children. Sour stools. Constipation after mental shock or nervous strain. Stools; lienteric, with gelatinous fatty masses; grass green; or dry, hard, crumbling, white clay, putty like. Colic followed by leucorrhoea. Cutting about navel better passing flatus.

Urinary

Involuntary urination while walking or rising from a seat.

Male

Discharge of prostatic fluid when passing flatus.

Female

Menses; like thick dark molasses; *tarry; viscid; too late; or scanty; flow only in sleep; *at night and on rising or when lying down; ceases when walking, or by pressure on abdomen and on stooping. Leaves a fast stain. Leucorrhoea; white acrid, preceded by colic, regularly after the menses. Falls down in a dead faint at each menstruation period.

Respiratory

Craves open air. Cough, paroxysmal; with difficult thin salty, bloody expectoration. Chest sore, constricted. Cough from tickling in the larynx; at night.

Extremities

Heavy, weary feet. Right shoulder painful; cannot raise it. Cannot bear hands covered, yet chilled by uncovering. Cannot put left foot on ground when walking. Swelling in poplitea.

Sleep

Unrefreshing; more tired in the morning than on retiring. Awakes at 2 or 3 a.m. and cannot fall asleep again. Sleepiness during the day, sleepless at night.

Skin

Sore, dry, sensitive to cold. Nodosities under the skin. Hair and nails unhealthy.

Fever

Chilly; takes cold; before menses. Fever at night. Sour, greasy, indelible sweat.

Related

Rheum.

[Back to Index](#)

Generalities

The action of this remedy centres around the ***LIVER and ***NERVES; *uterus and *rectum, so it is adapted to nervous women, suffering from *utero-hepatic complaints or cardiac symptoms; or for those who have suffered for a long time from indigestion and biliousness; for men with disordered liver and sexual disorders; for puny rickety children during dentition. Spasmodic, *hysterical complaints. Globus. It is an after dinner remedy, many complaints such as fainting, fits, dyspnoea, nausea and trembling etc., occur after dinner; better by eructations. Pains are boring, spasmodic, contractive, *crampy, darting. *Burnings. Chronicity. Ill effects of sea bathing esp., weakness. Shocks through the body like electric shocks when wide awake. Perversions of taste and smell. General soreness and sensitiveness to noises.

Worse

***LYING ON RIGHT SIDE. *Noise. *Night. *Eating. *Salt. *Foods. *Milk. *Touch. Sea bathing. Mental exertion.

Better

***HARD PRESSURE. Lying bent. *Hanging down; affected part. *Gentle motion. *Cool open air.

Mind

Uneasiness; nervous excitability with tendency to weep readily. Feels as if someone was reading after her and she must keep reading faster and faster. Disinclined to talk.

Head

Bursting headache; worse motion, open air; better hard pressure, wrapping warmly. Much sweating of head. As of boiling water on the side lain on. As if hair were pulled.

Eyes

Lachrymation and burning of the eyes when looking at anything in broad daylight. Yellow sclera. Tinea ciliaris.

Ears

Sensitive to noise. Pulsations in ears.

Nose

Red, swollen. Acrid, crusty ozoena. Loss of smell and taste, following or with coryza. Nocturnal obstruction of nose, must breathe through the mouth.

Face

Pale, yellow. Pimples on the face and forehead itching worse night; warm room and before menses. Blisters on lips.

Mouth

Toothache worse if food touches the tooth. Tongue feels burnt, mouth feels scalded. Continued rising of white froth into the mouth. Loss of taste. *Broad yellow scalloped tongue.

Throat

As of a ball rising into the throat better by eructation.

Stomach

Craves sweets, dainties. Hunger but knows not for what. Regurgitation while walking. Milk; salty food, worse. Eructations like rotten eggs; like onions. Hiccough, during and after dinner, causing vomiting.

Abdomen

*Sore, *enlarged liver, with bloating of abdomen; worse lying on right side; drags if lies on left side. Cramp in the gall bladder better by eating. Flatulence. Stools; ***DRY; *knotty; of little balls, like sheep dung; grey, crumbling at anus. Absence of desire for stools. Jaundice. Tape worms. Colic; hysterical, followed by leucorrhoea. Pain from liver to spine or epigastrium.

Urinary

Urine can only be passed by bearing down with the abdominal muscles. Urethra numb. In the dark one cannot tell whether one is passing urine or not. Stricture after dilatation. Urine passes in drops, some always seem to remain.

Male

Pain in testes and cords worse after coition; or after unrequited sexual excitement. Burning in back after coition.

Female

Menses; *profuse, *dark, *lumpy, like pitch; with cramps, backache and pains in the thighs; more copious when sitting than walking. Dysmenorrhoea better by, pressure on the back, or lying on a hard pillow. *Gushes of leucorrhoea, *follow colic in abdomen, uterine spasms; after every stool, hysterical. Metrorrhagia of old maids, blood clotted.

Respiratory

Spasmodic dry cough worse fore part of the night. Bloody sputum or congestion and soreness of chest; after sea bathing. Oppressed breathing, globus hystericus.

Heart

Palpitation and cardiac pain while sitting; better by moving about or lying on left side. Functional cardiac affections, with liver enlargement.

Neck and Back

Throbbing below left scapula. Bruised or burning in hips; or in back after coition (males). Cramps in back worse walking.

Extremities

Cramps in thighs worse sitting. Thighs and calves tense; must move limbs. Finger tips numb. Ankles cold or nervous worse night. Cutting in heels. Feet sweaty.

Skin

Formication all over the body. Abscess; yellow thin foul pus. Jaundice. Sweat on head and feet.

Sleep

Anxiety and restlessness of the body as soon as she closes the eyes; from heat of the body or from shocks. Sleep unrefreshing, tired in morning.

Fever

Chill even near a stove; better open air.

Related

Nat-m; Puls; Sep.

[Back to Index](#)

Generalities

Dr. Schuessler's remedy for *cramps, *convulsions, *neuralgic pains and spasmodic effects; showing its influence on ***NERVES and *muscles. Suitable to tall, slender, dark and neurotic persons; or tired, languid exhausted subjects. *Nervous, *tense, *and subject to sudden violent paroxysms of neuralgic pains; sharp, *shooting like lightning, *suddenly changing places; radiating, boring, constricting; *extorting cries; causing restlessness and prostration etc. Twitchings. Tic. Spasmodic effects; hiccough, yawning, chorea; writer's, piano, violin player's cramps etc. Much pain. Ill effects of standing in cold water, cold bathing; working in cold clay; catheterism; dentition; study. Complaints of teething children. Chorea better during sleep worse at stool and emotions. Palsy, paralysis agitans.

Worse

***COLD; ***AIR, drafts, uncovering, water. Lying on right side. *Touch. *Periodicity. ***NIGHT. ***Milk. *Exhaustion.

Better

*Warmth. Hot bathing. *Pressure. *Doubling up. *Rubbing.

Mind

*Always talking of her pains. Indisposition to study; to mental work. Drowsiness on every attempt to study. Talks to himself constantly, or sits in moody silence, or carrying things from one place to another and back again.

Head

Aches after mental labour; better by warmth. Sensation as if contents were liquid; as if parts of brain were changing places; as if a cap on head. As of an electric shock in the head extending to all parts of the body.

Eyes

Supra-orbital pains better warmth. Twitching of eyelids. Eyes; hot, aching; tired. Nystagmus; strabismus, ptosis, Photophobia.

Ears

Severe neuralgic pain worse going into cold air; washing face and neck with cold water; worse behind right ear.

Face

Neuralgia worse when body gets cold; from washing or standing in cold water, on opening mouth to eat or drink.

Mouth

Cracks in angles of lips. Toothache better heat and hot liquids. Tongue, clean; with colic. Painful contraction of jaw joint with backward jerking. Taste of bananas. Food does not taste right. Spasmodic stammering.

Throat

Stiff sore; parts seem puffy (right); with chilliness and aching all over. Nervous angina.

Stomach

Hiccough day and night. Burning pain, vomiting and hiccough better hot drinks; cancer of stomach. Thirst for very cold drinks.

Abdomen

Enteralgia; flatulent colic; better bending double; rubbing; warmth; pressure; with eructations which may or may not relieve. Bloated full sensation in abdomen; must loosen the clothes; walk about, and constantly pass flatus. *Cutting into thighs. Abdomen contracted. Diarrhoea ceases; spasms or other brain troubles set in.

Urinary

Nocturnal enuresis from nervous irritation. Vesical neuralgia after use of catheter.

Female

Menstrual colic better by flow. Membranous dysmenorrhoea. Menses; too early, dark, stringy, tarry, flowing at night leaving a fast stain. Ovarian neuralgia. Vaginismus.

Respiratory

Spasmodic, whooping cough better cool air. Spasmodic nervous asthma.

Heart

Angina pectoris. Pulse irritable. Nervous palpitation.

Neck & Back

Stiffness of neck and back. Cramps. One vertebra seems absent.

Extremities

Skin of fingers tight. Pains in lower limbs; alternating sides. Paralysis agitans. Trembling of hands. Writer's, player's cramps. Cramps from prolonged exertion, from the prolonged use of tools. Crampy contraction of fingers. Sciatica with tender feet.

Skin

Barber's itch. Herpetic eruptions with white scales.

Sleep

Sleepy when attempting to study_ Spasmodic yawning as if it would dislocate the jaw, with tears.

Fever

Chill runs up and down the back, with shivering followed by suffocation.

Related

Coloc; Dios.

[Back to Index](#)

Magnesia Sulphurica [Mag-s]

Generalities

Skin, urinary and female symptoms are marked. Diarrhoea with diuresis. Greenish urine with red sediment. Profuse dark, intermittent menses. Thick leucorrhoea as profuse as menses. As of a lump between shoulders. Back feels broken. Left arm and foot numb. Crawling in finger tips. Small pimples all over the body which itch violently. Warts; large, soft.

Worse

Morning; on awakening.

Better

Rubbing. Walking.

Related

Nat-s.

[Back to Index](#)

Generalities

South pole of magnet is useful for ingrowing toe nails, with sore pain on the inner side of the nail of big toe worse walking or slight touch.

[Back to Index](#)

Generalities

South pole of magnet is useful for ingrowing toe nails, with sore pain on the inner side of the nail of big toe worse walking or slight touch.

[Back to Index](#)

Generalities

This remedy produces marked *skin, throat and mental symptoms esp. depressed states at puberty and climax with exalted sexuality. Acridity. Burning, smarting, in various parts. Favours rapid healing of wounds.

Worse

*Cold; *drinks; food. Anger. Dampness. Eating. Touch. Puberty, climax.

Mind

Sudden vanishing of thoughts; forgets what she wishes to do next; her errand. *Fear of insanity, of evil spirits. Depressed with sexual erethism. Bashful. Melancholy. Homesick.

Head

Feels empty, with vertigo, while walking about. Hair falls after acute sickness. Pain in vertex worse lying.

Eyes

*Lids heavy; and sore. Eyes smart or *burn on closing them. Dull ache behind the eyes. Intense inflammation; with loss of vision (for some days). Photophobia.

Nose

Illusions of smell; of gunpowder, dung etc.

Face

*Swollen, spotted. Herpes on lips.

Mouth

*Profuse foul yellow saliva. Burning and pricking in the mouth not better by cold water.

Throat

*Cutting pains worse cold drinks. *Choking sensation rises in the throat when speaking, preventing drinking though thirsty. Diphtheria. Tonsils swollen.

Stomach

Craves cold water. Swelled epigastrium. Vomiting of food, followed by severe colic and profuse diarrhoea. Aversion to meat, bread, wine. As of flame, rising from. Repeated green vomit.

Abdomen

Bowels sore and burn. Colic worse cold drinks.

Respiratory

Cough worse cold drinks. Aching behind the sternum.

Heart

Pulse weak, very large and soft. Needle like stitches at heart.

Extremities

*Biting vesicles on soles; desquamation and dryness of soles. Pain in thumb. Acrid, sticky foot sweat.

Skin

Vesicles. Large blisters as from scalds. Brown crusts and scabs. Pemphigus. Dermatitis; with extensive vesiculation, oozing of sticky serum and formation of crusts.

Related

Arum-t; Canth; Rhus-t.

[Back to Index](#)

Generalities

*Mang. is closely associated with iron, and like iron Mang. causes anaemia with destruction of red blood corpuscles. Moreover it has special affinity for ***INNER EAR; *larynx, *trachea; *periosteum of shinbone. *Joints. *Ankles and *lower limbs. Motor paralysis, ascending. Paralysis agitans, paraplegia, come under its influence. *Bones are very sensitive, *Painful, deep soreness of the whole body; every part of the body feels sore when touched; *ears, *joints, skin. Pain extends to ear from other parts. *Everything affects the ear. *Diagonal pains. Yellow-green lumpy or bloody discharges. Chronic arthritis; with infiltrated glistening joints. Weak joints. *Festination; walks backwards. Growing pains and weak ankles. Progressive muscular atrophy. Cellulitis; sub-acute stage. Suppuration of skin around joints. Asthmatic persons who cannot lie on a feather pillow. Fatty degeneration. Wants to lie down in bed which better all the troubles. Typhoid fever; after, cases badly treated, with prolonged convalescence. Valuable for boys and girls whose voices are changing. Necrosis and caries of bones. Malignant ulcers with blue border, following slight injury.

Worse

Change of weather. *Touch. *Cold. *Damp. *Night. *Speaking. *Feather bed. Laughing. Motion. Bending backwards.

Better

*Lying down. Open air. *Sad music. Eating. Swallowing. Change of weather.

Mind

Constant moaning or groaning. Weak and nervous. Anxiety and fear. Involuntary laughing and weeping. Anxiety and fear when moving in the room better lying down. Anxiety as if something bad is going to happen. Sad, weeping, silent. All the mental conditions are better lying down. Does not enjoy joyous music, but immediately affected by the saddest.

Head

Feels heavy; seems larger. Pains from above downwards worse straining at stools, jarring, stepping.

Eyes

Field of vision contracted. Aching in the eyes, from sewing, reading fine print.

Ears

*Everything affects the ears; pain extends to ear from other parts. Ears feel stopped. Deafness in damp weather. Tinnitus. Swelling of the parotid glands, in fevers. Blowing the nose better deafness. Stitching in the ears, from talking, laughing, swallowing. Cracking in, worse blowing nose and swallowing.

Nose

Blowing is painful. Crampy pain at the root of the nose. Dry coryza, with complete obstruction. Obstruction of nose and fluent coryza alternately.

Face

Pale, sickly; stolidly mask-like. Twitching, jerking pain from lower jaw to temples worse laughing.

Mouth

Nodes on palate and on tongue. Toothache worse anything cold or sucking, going up in the ears. Flow of saliva; while speaking; with colic, paralysis etc. Taste oily.

Throat

Hemming and hawking all the time; and annoying everybody.

Abdomen

Chronic enlargement of the liver. Jaundice. As if intestines were loose and shaking when walking about. Pain and constriction at the navel Passes much flatus with stools. Bowels are irregular, he has constipation or diarrhoea. Cramps in the anus while sitting, better lying down. Cutting in umbilical region worse on taking deep breath.

Urinary

Darting in urethra on passing flatus.

Female

First menses delayed. Menses; early, scanty, pale in anaemic patients. *Climacteric flushings. Discharge of blood between periods.

Respiratory

Chronic hoarseness; voice rough; worse a.m.; better by expectoration of greenish or yellow lump of mucus or smoking. Cough better lying down; worse reading, laughing; with aphonia. Every cold rouses up a bronchitis. Aphonia; from laryngeal tuberculosis. Larynx dry and sore.

Extremities

Weak, uncertain legs. Cannot walk backwards without falling. Walks stooping forwards. Slapping gait. Walks on metatarso- phalangeal joint; walks backwards. Tendency to fall forwards. Inflammation of bones and joints, with nightly digging pains; in shin bones. Inflamed ankles. Children are unable to walk on account of affections of ankles. Paralysis, with inclination to run forwards if he tried to walk. Knees pain and itch. Hands when closed and stretched feel swollen.

Skin

Rough, cracked (flexures), bluish. Suppuration of skin around joints. Red elevated spots. Chronic eczema, with amenorrhoea, worse menses or menopause. Dry hard ulcers. Pruritus of diabetes. Chronic eruptions, inveterate like psoriasis.

Sleep

Many vivid dreams which are well remembered. Much yawning.

Fever

Sudden flushes of heat, in face, in chest and over the back.

Related

Chin; Psor.

[Back to Index](#)

Generalities

***NASAL AND RECTAL symptoms are very marked *Excitable and *oversensitiveness; from abuse of medicines and when remedies fail to act. Delicate and sensitive; old persons and children. Internal tremors; worse excitement. Desire to stretch. Thread worms. Polypi; nasal vaginal, in ear etc. Fibrous tumours.

Worse

Weather changing; damp; *cold. In bed. Touch. Stooping. Sitting. Side lain on. Rubbing gently.

Better

Open air. Sweat.

Mind

Desire to sing. Mental excitement and loquacity. Very indolent, does not want to do mental or physical labour.

Head

Frontal pain worse stooping.

Eyes

Smarting in canthi. Eyelids red and puffy. Tarsal tumours.

Ears

Hissing sound when passing hand over ear, when talking or forcibly inspiring through the nose. Itching of. Polypus.

Nose

*Crawling in; *must pick it, with lachrymation and sneezing, stoppage of nose worse side lain on, on reading aloud, Chronic catarrh; atrophic; discharge of large, lumpy, irregular clinkers. Loss of smell. Mucous polypi. Solid lumps from posterior nares.

Mouth

Itching in palate.

Throat

Mouldy taste in throat when hawking or coughing. Follicular pharyngitis.

Stomach

Constant hiccough; jerking, in emaciated children after nursing; with stitch from stomach to back. Vomiting of large quantities of dark green masses.

Abdomen

*Itching anus; *prevents sleep. Thread worms.

Respiratory

Dry cough; worse coughing.

Extremities

Ingrowing toe nails; with ulceration better moving. Burning in the tips of fingers. Staggering, walking, places one foot over the other.

Sleep

Sleepless after excitement; from itching anus; or skin, which lasts all night.

Complementary

Calc.

Related

Cina; Sil.

[Back to Index](#)

Generalities

This nosode is prepared from gonorrhoeal virus; a powerful deep acting medicine; indicated for chronic ailments due to suppressed gonorrhoea. It affects the *mind; *nerves; *mucous membranes; is useful for chronic pelvic disorders of women; for dwarfish and stunted, *sour smelling children. *Profuse acrid discharges, *causing itching. Fishy odours of the secretions. Offensive odour of the body esp. children and women. Poor reaction due to *sycotic taint. *Many different kinds of pain; *stiffness, *aching; *soreness, *oedema of limbs; dropsy of serous sacs. Emaciation. Trembling all over (subjective); intense nervousness and profound exhaustion. *Numbness; formication, internal. *Arthritic; rheumatic pains. Diseases of the spinal cord, even organic lesions ending in paralysis. Enlargement of the lymphatic glands all over the body; with heat and soreness. Loss of power in the joints; joints feel loose. *Burning. Small very sore aphthae; blisters. State of collapse, wants to be fanned all the time. Tumours, cancer, scirrhus etc.; with history of sycosis. Body smells bad to her, cannot wash.

Worse

*Damp; cold. *Daytime; sunrise to sunset; 3-4 a.m. After urinating. Touch, even slight. Close room. Before storms.

Better

***LYING ON ABDOMEN. Bending backward; stretching out. *Fresh air. Being fanned. *Hard rubbing. Seaside. Dampness. Sunset. Damp weather.

Mind

Weak memory. Cannot concentrate. Forgets names, word, her errand. Cannot finish sentences. Loss of thread of conversation. Wild feeling. *Things seem strange. Cannot speak without weeping; tells it over and over again. *Hurried; and anxious; irritable. Time passes slowly. Fear in the dark and of some one behind her; whispering with her. *Sensitive; *nervous, impulsive; abrupt, rude, mean, cruel. Apprehensive; anticipates events. *Feels far off as though things done today occurred a week ago. Many ideas; but uncertain of execution. *Sad; dismal outlook better weeping. Persistent ideas, alternating or erratic states. Cross through day, merry at night. Dread of saying wrong thing. Everything startles her. Non-committal. Suicidal thoughts. Fears going insane. Feels life *unreal, everything seems unreal. Desperate. *Sad; tearful and fearful.

Head

Vertigo; worse in vertex, and on stooping. Head pains, with a sense of tightness worse jarring of ears; pulls her hair. Burning in occiput; occiput pains to behind eyes. *Hair tousled. Burning deep in brain. Head heavy and drawn backwards. Itching; dandruff.

Eyes

Feels as if she stared at everything. As if sticks in the eyelids. Ptosis of lids. Eyelashes fall out, objects look double or small. Swelling under eyes. Sees imaginary objects. Upper lid hard as if it had cartilage in it.

Ears

Partial or total deafness. Ringhole sore and gathered. Pulsation in ears. Quick darting pains. Hears voices.

Nose

Coryza, with loss of smell and taste. Snuffles in children, not relieved by other remedies. Epistaxis. Post nasal discharge, thick yellow. Exhalation hot. Hay fever. Nose dirty (children). Tip of nose cold. Intense itching of the tip. Coryza better sea bathing. Nasal catarrh running down throat.

Face

Grayish, greasy, greenish; *yellow at the edges of hair. *Red spiderlets on face. Acne on face worse after menses. Small boils break out during menses. Lips thickened, from mouth breathing.

Mouth

Small very sore aphthae. Blisters on inner surface of the lips and cheeks. Water tastes like perfume. Teeth; serrated, soft, crumbling; yellow. Tongue coated; brown and thick.

Stomach

Craving for liquors, which she used to dislike; salt, sweets, oranges; ices; sour things, green fruits, refreshing things. *Vomiting of pregnancy; pernicious. Morning nausea. Excessive thirst, dreams of drinking water. Ravenous appetite, hunger after eating.

Abdomen

Heavy lower abdomen. Grinding colic better bracing feet; lying on abdomen. Can pass stools only by leaning very far back, then shivering. Burning in epigastrium. Flatulence with numbness. Dark fetid oozing from anus; of fish brine odour. *Fiery red, *moist, *violently itching anus. Cholera infantum, with opisthotonus. Agonizing pain in solar plexus, applies his right hand to stomach and left to lumbar region.

Urinary

Nocturnal enuresis. Scalding ammoniacal urine. Pain in kidney region better by profuse urination, with craving for ice. Bubbling in kidney region. Slow flow.

Male

Heaviness of prostate; painful and enlarged, with frequent and painful urination. Impotency. Prostration after seminal emission. Heaviness in perineum. Persistent gleety yellow discharge.

Female

Intense menstrual colic better pressing feet against support. Menses; profuse, dark, clotted, foul; stains, difficult to wash out; with frequent urination. Mammae; cold; sore. Sore, oozing or icy nipples, during menses. Blistering leucorrhoea; thin, of fishy odour. Os uteri sensitive; ulcerated. Breast sore at non- menstrual periods. Itching_ vagina better rubbing and by bathing with tepid water. Drawing in ovaries better pressure. Sycotic sterility. Breast cold, icy, the rest of the body warm.

Respiratory

Air hunger. *Cough better lying on stomach, worse from sweet things. Dyspnoea, cannot exhale. Asthma; sycotic; infantile. Lungs feel stuffed up with cotton. As if a cavity in chest. Coldness in chest.

Heart

Sensation of cavity where heart ought to be.

Back

Spine sore and tender. Burning heat in spine. Cutting, burning, crawling above left scapula. Pain from left to right shoulder. Lumbago from lifting.

Extremities

Arms hairy. Bites nails. Burning of hands and feet. Legs heavy; ache all night cannot keep them still. Cramps in legs better stretching them. *Heels, balls and soles tender and itching, cannot walk on them, had to walk on knees. Finger tips cracked and burn. Ankles easily turn when walking. Oedema of limbs. Nails depressed, as if they were bent. Oedema of feet followed and better by diarrhoea.

Skin

Itching; sore. Sycotic red nodes. Deep red spots. Condylomata. Yellow. Continuous itching worse thinking of it. Skin cold but feels as if the blood is hot. Copper coloured spots; remaining after eruptions. Yellow copper coloured spots.

Sleep

A short sleep seems a long one which better . *Sleeps in knee chest position. Dreams of drinking something.

Fever

Cold skin but blood feels hot. Burning heat with sweat, wants to uncover; but is chilled thereby. Sweat easy; towards morning. Hay fever. Limbs become cold.

Related

Bar-c; Nat-m; Psor; Thuj.

[Back to Index](#)

Generalities

This medicine produces *congestions esp. to the HEAD; and profuse, bright red, haemorrhage which gives relief. Infantile spasms. Epilepsy from blow to head. Pain with debility. Feeling of rawness.

Worse

*Climacteric. Walking. Weather-*changing stormy, rainy.

Better

Bleeding. Profuse urination. Vinegar (application).

Mind

Wants to run away and hide. Fear of danger, and being arrested, or talking loudly, she whispers. Treacherous memory. Thinks everyone is looking at her. Wants to kill himself; or threatens to kill who approach. Religious melancholy. Weeping.

Head

Rushes of blood to head. ***VIOLENT; ***THROBBING, ***CONGESTIVE; nervous, periodical headaches; threatens his reason; better nosebleed; menstrual flow; application of vinegar. Fullness all over the head. Headache alternating with backache.

Eyes

Hot, heavy, wants to close them tightly for relief. As if they were too large.

Nose

Dry, must breathe through the mouth. Profuse and frequent epistaxis, with general amelioration.

Face

*Intensely red; and flushed with throbbing carotids and headache. Red before haemorrhages from nose, lungs, uterus.

Urinary

Frequent profuse urination which relieves headache.

Female

Recurring sharp darting pain in vagina and vulva at close of menses.

Respiratory

Feels as if smothering; worse rapid walking. As if clothes were too tight across chest.

Skin

Dry.

Related

Bell; Calc; Glon.

[Back to Index](#)

Menyanthes [Meny]

Generalities

It produces *icy coldness; *of prominent; *or of single, *or affected parts; nose; ears, fingers, knees, abdomen etc. Tensive and compressive pains. Spasmodic jerking and visible twitchings; with neuralgia. Jumpy, fidgety women with urinary troubles.

Worse

Walking; even lightly. Ascending. Rest. Light. Noise. Jar.

Better

*Hard pressure. Twilight. Laying on hand. Stooping.

Head

*Bursting headache; *pain ascends from *nape, better stooping; sitting bent. *Heavy pressure; *on vertex better hard pressure with hand. As of weight in nape. Head cold, as if cold wind blowing on it.

Eyes

Misty Vision.

Ears

Tinnitus, when chewing.

Nose

Cold. Nauseous smell before nose, like that of rotten eggs.

Face

Visible twitching of the facial muscles, worse rest.

Stomach

Coldness extending up to oesophagus. Desire for meat. Aversion to bread and butter.

Abdomen

Coldness; worse pressing upon it with hand.

Urinary

Frequent desire to urinate; with scanty urine.

Heart

Anxiety about; as if some evil was going to happen. Slightest exertion causes irregular action.

Back

Boring at scapula (left). Bruised pain in sacrum worse stooping, walking.

Extremities

Cramps in posterior thighs worse sitting. Cramps from ankles to calf (right). Icy coldness of hands and feet. Legs jerk and twitch; worse lying down.

Skin

Feels tight.

Sleep

Vivid dreams, with agitated sleep.

Fever

Shivering with yawning. Quartan malaria.

Related

Verat.

[Back to Index](#)

Generalities

The dilutions of this medicine are prepared from the liquid contained in the anal glands of skunk. It produces *spasmodic effects and is a very great remedy for whooping cough. Should be given in the lower dilutions. Nervous exhaustion. Debility after severe illness. Wants to bathe in ice cold water. Trembling and chokings, with exophthalmos. Fine vibrations causing great uneasiness.

Worse

Lying. Night. After menses.

Better

*Cold; *bath; icy; or weather.

Mind

Excitable; full of fancies. Talkative. Disinclination to work, with inclination to stretch.

Head

Violent vertigo worse sitting, stooping, turning in bed. As of a finger pressing on occiput. Headache from motion of carriage.

Eyes

Hot, red, and painful. Inability to read fine print.

Face

Bloated.

Mouth

Foul breath.

Throat

Food goes the wrong way. *Chokes easily, when drinking and speaking.

Stomach

Vomits food, hours after eating. Desire for salted food.

Respiratory.

Dyspnoea; cannot exhale. Asthma, worse ice water. Spasmodic or whooping cough; few paroxysms during the daytime but many at night. Cough_violent suffocative, spasmodic, nervous worse talking or drinking. Foul expectoration. Asthma of consumptives or drunkards.

Sleep

Short, seems to refresh. Awakes at night with rush of blood to legs.

Related

Cor-r; Mosch.

[Back to Index](#)

Generalities

*Merc. *Cor. is a powerful disinfectant and has much greater rapidity of action; causing *violent effects. It causes tenesmus of ***RECTUM along with tenesmus of bladder. Inflammation with swelling and feeling of constriction; *burning, *internal; in throat, stomach *rectum, *neck of bladder, kidneys etc. *constriction; of throat, rectum, bladder etc. *Discharges acrid, tears, nasal discharge etc. *Cracks on palms, soles, corners of mouth. Phagedena. Syphilis. Albuminuria in early pregnancy. (Phos later and at full term). Gonorrhoea. Lies on back with knees drawn up.

Worse

***AFTER URINATION AND STOOL. *Swallowing. *Night. *Cold. *Autumn. Hot days, cool nights. Acids.

Better

Rest.

Mind

Anxious and restless; *rocks hard. Stares at persons who talk to him; and does not understand them. Difficult thinking. Disturbed speech. Stupid.

Head

Pain in temples worse looking sideways. Vertigo, with deafness when stooping.

Eyes

Excessive photophobia and acrid lachrymation. Burning, soreness of the eyes. Iritis. Keratitis. Retinitis; albuminuria; haemorrhagic. Ophthalmia neonatorum. Lids oedematous red, excoriated. Objects appear smaller; or double vision.

Ears

Violent pulsation in ears. Foetid pus.

Nose

Fluent acrid coryza. Ozaena with perforation of septum. Gluey nasal discharge. Swollen red, nose.

Face

*Pale about mouth. Cracks in angles of the mouth. Oedematous swelling of the face. Lips; black, dark red, swollen. Upper lip swollen and turned up. Jaws stiff.

Mouth

Tongue; patchy, swollen and inflamed. Could not be protruded. Salivation, with salty taste. Pyorrhoea, Gums; purple, swollen, with toothache; spongy. Aphthae; ulcers. Burning, scalding sensation in mouth. Teeth loose, nightly toothache. *Taste; *astringent; salty, bitter. Necrosis of lower jaw.

Throat

Uvula; red, swollen, elongated. Sore, red, painful swelling worse heat; sharp pains into ears, worse pressure. Burning pain and great swelling worse slightest pressure. All glands about the throat swollen. Tonsils swollen, covered with ulcers. ***SWALLOWING DIFFICULT; spasmodic constriction, on attempting to swallow a drop of liquid.

Stomach

Insatiable thirst, for cold drinks. Distension and soreness at the pit of stomach; cramp in epigastrium worse least touch. Vomits mucus and blood. Gastritis. Regurgitation, astringent. Great desire for cold food.

Abdomen

Bloated, painful to least touch. Cutting colic; below navel. Painful flatulence. Appendicitis. *Continuous urging to stool and urine; ***A NEVER GET DONE FEELING. ***STOOLS; ***BLOODY; ***SHREDDY; ***SLIMY; ** HOT WITH TORMENTING TENESMUS. Passes pure blood or bloody water. Dysentery. Spasms of rectum during coition. Sweats before and after stool.

Urinary

Intense burning in urethra. Urine; ** HOT, ***BURNING, ***PASSED DROP BY DROP. *scanty, suppressed, bloody, frequent; dribbling worse sitting. Urethra bleeds after urinating. *Tenesmus of bladder, with tenesmus of rectum. Nephritis. Albuminuria; of pregnancy. Cystitis. Gonorrhoea. Paraphimosis. Bleeding kidneys. Sweats after urination.

Male

Penis and testes enormously swollen. Chordae; worse sleep. Hard chancres. Gonorrhoea, discharge thick greenish.

Female

Leucorrhoea; pale yellow, with sweetish nauseous smell. Glandular swellings about the nipples. Nipples crack and bleed; pain worse when nursing. Menses; too early and too profuse.

Respiratory

Breathes as through a metallic tube. Constriction of the chest, breathes through pectoral muscles. Cutting pain in larynx. Frequent stitches shoot through thorax.

Heart

Palpitation during sleep.

Back

Pott's disease, lies on back with knees drawn up.

Extremities

Deltoid feels relaxed. As if legs had gone to sleep. Cramps in calves; in dysentery. Paralysis of limbs; trembling. Feet icy cold. Exostoses; on shin, sternum, ribs.

Skin

Cold. Ulcers; perforating; spreading; serpiginous. Nails grey coloured.

Sleep

Violent hiccough during sleep.

Fever

Chilly; after stools. *Sweats; *from every motion; partial worse forehead and lower parts; foul; at night. Heat when stooping and coldness when rising.

Related

Ars; Canth.

[Back to Index](#)

Generalities

A valuable remedy for toxæmia of acute infections; diseases esp. diphtheria when there is *early rapid and extreme prostration; with cyanosis; coldness and *tremors. Affects most prominently *MOUTH, *THROAT and *LARYNX. Rapid local destruction. *Putridity. Haemorrhages of dark fluid blood. Twitching and jerking of muscles. Efficient prophylactic in diphtheria.

Worse

Swallowing. Speaking. Eating.

Mind

Great excitement; fits of passion. Fury. Talkativeness.

Head

Atrocious headaches worse night.

Eyes

Sunken; fixed.

Nose

Profuse epistaxis several times a day.

Mouth

Covered with ulcerations; with gray membrane. Free salivation. Foetor of breath.

Throat

*Cutting pain, on swallowing. Much thick grayish-membrane in the throat. Looks raw in spots esp. in public speakers. Tonsils enlarged. Necrotic destruction of soft parts of palate and fauces. Septic diphtheria.

Stomach

Early and complete anorexia. Incessant hiccough. Thought of food causes retching. Milk betters.

Abdomen

Frequent diarrhoea preceded by severe colic. Stools; offensive, green, slimy, bloody, black.

Urinary

Urine; albuminous, amber yellow, scanty; suppressed.

Respiratory

Cutting pain in larynx. Hoarseness, talking painful. Croupy cough; causes suffocation.

Heart

*Weak.

Extremities

Varicose veins with great tenderness of leg (left). Cold limbs.

Skin

*Moist and cold. *Sweatiness.

Related

Lach.

[Back to Index](#)

Generalities

Calomel produces catarrhal inflammation of the *ear and is useful in *eustachian catarrh and deafness. Inflammation with plastic exudates; peritonitis; meningitis; pleurisy; has a reabsorbent action. Pale mucous membranes. *Biliousness; remittent bilious fevers. Pallor; *flabby bloatedness. Pale scrofulous children, who have swelling of cervical and other glands. Dropsies due to combined renal and cardiac diseases esp. with jaundice. Biliary stasis.

Worse

Acids.

Better

Cold drinks.

Head

Painful scalp.

Eyes

Rapid winking. Closure of lachrymal duct. Eyes; red, dry, gummy.

Ears

Closure of eustachian tubes. Membrana tympani retracted, thickened. Deafness; from every cold; of old age. Sudden fluttering.

Nose

Blows lumps of mucus from nose.

Face

Pallid.

Mouth

Tongue, indented; indurated; black. Constant flow of dark putrid saliva. Foetor oris.

Throat

*Tonsils inflamed (right); better cold drinks. Dysphagia. Granular pharyngitis.

Stomach

Cyclic vomiting of infants.

Abdomen

Bloated, hot, painful. Acrid, *grass-green diarrhoea of infants. Anus sore and burning. Hypertrophic cirrhosis of liver (use 1X).

Male

Acute inflammation of prostate; after suppressed gonorrhoea.

Respiratory

Slimy, pussy sputum. Pleurisy.

Skin

Flabby and ill nourished. Copper coloured eruptions.

Fever

Remittent bilious fevers. Sweatiness.

Related

Kali-m.

[Back to Index](#)

Generalities

(Mercurius Proto-iodatus). This remedy has a strong affinity for *glands, of the ***THROAT, lymphatic and mammary. Right side is usually affected and like *Lyc. symptoms go from right to left. Syphilis. Mammary tumours. Deep bone pains esp. at night.

Worse

*Odours. Raising up. Warm drinks. Lying on left side. Cold and damp weather. Touch.

Better

Open air.

Mind

Lively, merry, talkative.

Head

*Faint or dizzy on rising from a chair, or when reading. Dull frontal headache, with pain at the root of nose; better when mind and body actively engaged. Head pain follows heart pain.

Eyes

Keratitis; cornea looks scratched or chipped out by finger nail. Photophobia. Dark circles around the eyes. Swelling below right eye.

Ears

Sudden sharp pain in ears worse touch.

Nose

Mucus descends through posterior nares into the throat, causing hawking.

Mouth

Desire to clench the teeth; jaw is stiff and tired; from grinding pain in teeth; during sleep. Teeth feel on edge worse heat, cold and sweets. Teeth feel too long; cannot eat. Pyorrhoea. *Tongue coated moist filmy or ***THICK YELLOW AT BASE; tip and edges red. Toothache after filling.

Throat

*Sore (right then left). Constant inclination to swallow. Tonsils swollen; better cold drinks. Lacunar tonsillitis. Goitre with suffocation. Cervical glands swollen. Adenitis.

Stomach

Weak empty feeling in stomach. Nausea at the sight or odour of food. Thirst for sour drinks.

Abdomen

Pain in abdomen with pain in heart. Faint sick feeling in hypogastrium before stools. Black discharges with or without stools.

Urinary

Urine; copious, dark red scanty.

Male

Hard chancres; painless; with enlarged inguinal glands; not disposed to suppuration. Dreams of urination followed by seminal emission of which he knew nothing.

Female

Yellow leucorrhoea; of very young girls. Mammary tumours; with knots in axilla; blueness of the part; warm perspiration and gastric disturbances.

Heart

Pain preceded by head pain. Palpitation with dyspnoea worse lying on back. Feeling as if heart had jumped out of its place.

Extremities

Knees numb. Laming pain in right arm worse writing. Pain in right forearm, with pain in left hip.

Skin

Flat warts.

Related

Lyc; Merc.

[Back to Index](#)

Generalities

(Mercurius Bin Iodatus) Like *Merc-Io-Fl. this salt also affects the *lymphatic glands; ***THROAT, but on the left side. It acts on cellular tissue also; has wandering rheumatic pains with weariness. Early cases of cold esp. in children. Cuts short, attacks of asthma when given in 2x or 3x or prevents it developing during the night if given at bedtime. *Much hard glandular swelling. Chronic suppurating buboes. Swellings.

Worse

Empty swallowing, or swallowing food. After sleep. Weather changes. Washing floor. Getting wet. Touch and pressure. After dinner.

Mind

Ill humour. Disposed to cry.

Head

Painfully heavy occiput. Frontal region as if bound by the cord.

Eyes

Granular eyelids. Trachoma.

Ears

Closure of eustachian tube; opens with a pop. Deafness better after becoming warm on walking.

Nose

Coryza with right side of nose hot and swollen.

Face

*Aching sore malar bones. Slimy sticky lips on waking. Eczema on chin.

Mouth

Tongue; wrinkled stiff at base; pains when moving.

Throat

*Dark red fauces. Throat ***SORE (left to right). *Tonsils and glands greatly swollen. Disposition to hawk with sensation of a lump in throat. Stiffness of muscles of throat and neck. Hawks much mucus from posterior nares. Uvula elongated. Diphtheria; submaxillary glands painfully enlarged.

Stomach

Desires food more salted.

Urinary

Urethra indurated.

Male

Hard chancres. Stubborn suppurating buboes. Sarcocoele of (left) testicles.

Female

Profuse acrid green leucorrhoea. Fibroids stony hard.

Respiratory

Asthma. Hoarseness on getting little wet. Catching pain under right breast, oppressing breathing. Cough from elongated uvula, with sore throat.

Neck

Stiff. Cervical adenitis.

Extremities

Wandering rheumatic pains esp. muscular. Middle humerus as if about to break. Pain from calf upto sacrum.

Skin

Small fissures and cracks. Moist cracks on palms.

Fever

Intense shivering followed by feverishness. Night sweat, hot.

Related

Lach.

[Back to Index](#)

Generalities

The potencies are prepared from soluble black oxide of Mercury (prepared originally by Dr. Hahnemann), or from pure metallic Mercury. There is no difference between the symptoms of these preparations; but it seems that when *Merc. *sol. fails, when indicated, *merc vivus acts. *Merc. affects more or less every organ and tissue of the body; *Blood decomposes producing profound anaemia; ***LYMPHATIC GLANDS are enlarged, *glandular activity esp. of ***SALIVARY AND MUCOUS GLANDS increases. ***SECRETIONS ARE FREE; *thin; *slimy, *acid, burning, foul or thick *greenish-yellow. *Ulcerations; of the mucous membranes esp. of mouth and throat. Manifestations of hereditary syphilis; bullae; abscesses, marasmus; snuffles or destructive inflammations of bones, *cellular tissues; joints come under its range. Patient suffers from great variety of symptoms; he is uncertain in his mental and physical behaviour; *tremulous, weak and *sweaty. *Swellings oedematous; continued exudations. Redness. Livid congestions. Pains stick to one point. *Suppurations; pus; bloody, thin, greenish. *Offensiveness; of secretions; of breath; of body. *Yellowness; of eyes, teeth, nasal discharges; biliousness; jaundice. Parts are much swollen, with *raw sore feeling. Sensitive to heat and cold; human barometer. Everything seems too short. *Weak, *exhausted and ready to sink down, worse after stools. Rheumatism. Emaciation. Salty-lips, taste, expectoration etc. Oily perspiration. Syphilis, sycosis, scrofula. Convulsions. Cataleptic rigidity of the body. Paralysis agitans; paraplegia. Contraction of joints. Ill effects of fright; suppressed gonorrhoea; foot sweat. As if body were made of sweets. Burning, stinging pains. Tremblings, twitchings, disorderly motions; of paralyzed parts. Strictures, after inflammation. Indurations. Exostoses, painful. Softening of the bones.

Worse

***NIGHT; air. ***SWEATING LYING ON RIGHT SIDE. ***HEATED WHEN; *by bed or fire. ***DRAFTS, to head. *Weather-changing, cloudy; *damp cold. *Taking cold. *Heat and cold. Wet feet. Firelight. Before stool. During and after urination. Touching anything cold.

Better

Moderate temperature. Coition. Rest.

Mind

*Hurried; in speech. Stammering, nervous, with tremors. Violent, horrid impulses; homicidal, suicidal. Restless and sweaty. Changes place constantly. Fear with desire to escape. Uncontrollable desire to travel far away. Indifference to everything, does not even care to eat. Inclination to catch passing strangers by the nose. Filthy in mind and body; does foolish, mischievous, disgusting actions. Slow in answering questions. Weary of life. Suicidal thoughts during menses better weeping. Thinks he is losing his reason. Memory weak; forgets everything. Loss of will power. Senses impending evil. Precocious. Groaning and moaning. Suspicious. Time passes slowly.

Head

Vertigo worse lying on back; as if on a swing. Band feeling about the head. Headache, with ear and toothache. Exostosis with feeling of soreness. Scalp tense, oily sweat on head. Meningitis. Hydrocephalus. Child turns head from side to side and moans. External head painful to touch. Cephalhematoma. Falling of hair from sides and temples.

Eyes

Lids; red, thick, swollen; tarsi, scurfy and swollen. Scanty or profuse, burning acrid discharge. Eyes draw together. Black spots, flames, sparks before the eyes. Photophobia worse heat and glare, of fire; of foundrymen. Arcus senilis. Iritis; with hypopion. Keratitis. Lachrymation profuse, burning, acrid. Conjunctivitis from taking cold. Lids spasmodically closed. Periodical loss of sight. Optic nerve and eye affection in those who work in foundries. Foggy vision.

Ears

*Pains extend to ear; *from teeth, throat etc. Otorrhoea_thick yellow discharge, foetid and bloody. Deafness on becoming heated; better on swallowing and blowing nose. Boils in external canal. As if cold water running from the ear. Sensation of coldness in ears; during pregnancy.

Nose

Much sneezing. Sneezing in sunshine. Nostrils; raw, ulcerated. *Colds travel upwards or attack eyes. Coryza; acrid, purulent; too thick to run. Heavy nose. Red, raw, dirty nosed children. Nosebleed, when coughing; during sleep, blood hangs in dark coagulated strings. Frequent sneezing, without coryza. Sinusitis.

Face

Pale, yellow, dirty looking; puffy, under eyes. *Cheeks; *swollen, red, hot. Aching in jaws. Mumps. Lips; salty, dry, cracked; in angles (right); burn when touched. Masseter muscles contracted. Facial paralysis from cold.

Mouth

Offensive, putrid odour from mouth. Painful ragged, swollen, *bleeding gums. *Gumboil Teeth; hollow, black; pain worse heat and cold, night; feel tender and elongated. Aphthae. ***SALIVA; ***INCREASED; *flows during sleep; yellow; bloody, bad tasting, offensive. Tongue; broad, flabby, yellow, ***INDENTED; needle pricks at tip. Furrow across upper portion of the tongue; with pricking. Sweetish, ***METALLIC TASTE. Speech difficult from trembling of tongue. Loss of speech, replies by signs and grimaces Stammering. Ranula, with salivation and sore gums. Itching palate. Ulcers behind the tongue. Tonsils enlarged. As if something rising in the throat, with desire to swallow it down. Taste sweetish: bread tastes sweet. Stomatitis from chewing-gum.

Throat

***SORE; raw, smarting, burning, as of hot vapour ascending. As of an apple core, choke pear, or something hanging in. Ulcers on tonsils, on pharynx. Quinsy, with difficult swallowing, after pus has formed. Stitches into ears, on swallowing. Hawks large lumps from throat. Constant inclination to swallow. Drinks return through nose.

Stomach

Intense thirst for cold drink and beer. Weak digestion, with continuous hunger. Feels replete and constricted. Aversion to meat, coffee, butter and oily things. Sweet things and milk disagree, though he craves them. Rancid eructations. Frequent hiccough. Heartburn.

Abdomen

Liver; *enlarged, sore; indurated. *Jaundice. Bowels feel weak, holds them. Intestines feel bruised when lying on right side, or as if they fall to side on which one is lying. Inguinal glands swollen or suppurating. ***STOOLS; painful, scanty; bloody; *greenish slimy; ashen white, acrid; then tenesmus or chill; never get done feeling. Rectal tenesmus, with tenesmus of bladder. Appendicitis, better lying on back. Prolapsus ani after stool. Swelling of inguinal glands on taking cold. Dysentery. External abdomen cold to touch.

Urinary

Frequent urging to urinate day and night, with copious or scanty urine. Urine causes itching. Urinates more than drinks. Albuminuria; urine black, bloody. Burning after urination. Stream of urine very small. Dysuria. Haematuria, painless.

Male

Glans and prepuce inflamed and swollen; phimosis. Testicles; swollen, hard, with shiny, red scrotum. Children or adults pull and scratch at the genitals; from a kind of itching which makes them do so. Bloody emissions. Gonorrhoea. Red meatus. Vesicles, ulcers, soft chancres. Herpes preputialis. Swelling of lymphatic vessels along penis.

Female

Collapse and fainting at start of menses. Menses; profuse with abdominal pains. Genitals feel raw. Leucorrhoea; thick, white, when urinating; better coition, Itching worse urinating better washing with cold water. Prolapse of uterus with vagina better coition. Mammae painful and full of milk at menses. Sterility, with too profuse menses. Easy coitus and certain conception. Stinging pain in ovary. Pain below (right) mammae through to scapula. Tendency to abortion from sheer weakness. Abscesses appear anywhere on body during menses and disappear after menses. Leucorrhoea in small girls causing prostration. Mammae swollen, become hard, with ulcerative pain during menses. Cancer of mammae and uterus. Itching of vulva. Milk spoiled. Milk in breast of boys; and in girls, instead of menses.

Respiratory

Hoarse rough voice. Cough; in double bouts; dry at night; yellow green sputum by day. Respiration difficult worse lying on left side but cough worse lying on right side. Stitches from lower right chest to back worse sneezing or coughing. Sensation of bubbles or as of a hot steam in chest. Epistaxis during whooping cough. Cough worse by smoking. Jaundice; in pneumonia. Shortness of breath on going upstairs or walking quickly Asthma better tobacco smoke and cold air.

Heart

Palpitation on slight exertion. Awakes with cardiac tremor. Pulse irregular, quick strong and intermittent or soft and trembling.

Neck and Back

*Neck stiff; cervical glands enlarged. Burning pain in back worse emission. Tearing pain in coccyx worse pressing on abdomen. Pain forward from right scapula.

Extremities

Weakness and trembling of the limbs; esp. of hands. Fingers numb. Cold sweat on feet in a.m.; in bed. Phlegmasia alba dolens. Dropsical swelling of feet and legs. Icy cold hands after emission. Bone-pains_deep or near the surface worse at night; must get up and walk about. Cold heels. Sensation as if knees were larger.

Skin

General tendency to free perspiration but patient is not relieved thereby; skin always moist. Skin; yellow; tender, excoriated, like raw meat. Moist crusty eruptions. *Ulcers; irregular, spreading; shallow; bleeding; with cutting and proud flesh. Pimples around the main eruption. Boils and abscesses form at the time of menses. Yellow. Jaundice with itching on abdomen. Itching at night in bed. Moist eczema. Insensible.

Sleep

Sleepless at night; from ebullitions of blood (to chest and head) from nervous excitability; from pain or other troubles.

Fever

Easily chilled or *overheated. Alternate chill and heat. Creeping chills. Chilly within abscesses. Catarrhal, gastric, bilious fevers. Measles. Fevers after suppression. ***EASY PROFUSE SWEAT; *without relief; during sleep; with pains; oily; foul; sour or with strong sweetish penetrating odour; on head; on chest; stains indelibly yellow.

Related

Kali-i.

Complementary

Bell; Sil.

[Back to Index](#)

Generalities

This remedy affects the ***CAPILLARIES of ***LUNGS; *nose, and uterus. It causes *bruised soreness; *congestions and is very valuable remedy for *profuse, *painless, *bright red, *fluid haemorrhages; nose bleed, haemoptysis, oozing of blood from the edges of closed wounds, from over exertion etc. Profuse mucus discharges. Spasms or convulsions esp. after suppression of haemorrhages-menses, lochia, milk etc. Ill effects from operations for stones, biliary, renal, etc.: fall from a height, sprains. Varicose veins in pregnancy. Piercing thrusts of pain.

Worse

Injury. Violent exertion. Stooping. Coffee.

Better

Bleeding. Discharges. Wine.

Mind

Seems to have forgotten something; does not know what he is doing or wants to do. Moaning children. Sad. Aversion to work.

Head

Piercing thrusts of pain, beats the head against the wall; Headache worse stooping.

Eyes

Inward piercing, pressing to the root of the nose. Vision nebulous, with contortions of facial muscles.

Ears

Sense of cool air passing through the ears.

Nose

Bleeding, with congestion to head and chest.

Stomach

Haematemesis. Cramps in stomach, with sensation as of a liquid flowing in intestines to anus.

Abdomen

Wind colic. Haemorrhages from bowels after much exertion. Bloody dysentery.

Urinary

Urine bloody. Stone in bladder with retention of urine. Pus like discharge after lithotomy.

Male

The seminal discharge fails during coition. Wounds and injuries of penis.

Female

Uterine haemorrhages, bright red, fluid. Painful varices during pregnancy. Useful for the prolonged bleeding of a hard labour. Curative of post-partum haemorrhage. Sterility from profuse menses.

Respiratory

Oppression of chest, with bloody expectoration or palpitation. Cough with bloody sputum, in suppressed menses or haemorrhoids.

Heart

Palpitation, with bloody sputum.

Fever

Continuous high fever.

Related

Arn; Led.

[Back to Index](#)

Generalities

Musk is a well known perfume, which produces fainting in some by mere smelling of it; hence easy fainting in any diseased condition is its chief indication. It is suitable to persons of sensitive nature, *hysterical women and men. *Spasmodic, *nervous effects with a feeling of coldness. ***FAINTS easily; while eating; during menses; from heart disease etc. Twitching; *chokings; globus hystericus, ending in unconsciousness. As of a cool wind blowing on part. *Tension, in muscles, skin, mind. Nervous; shuddering, laughter, hiccough etc. Buzzing, squeezing, plug like sensation. *Poor reaction; diseases do not follow the normal course. Complains without knowing what ails him. Epilepsy, with shuddering as from a rigor or chilliness. Catalepsy. Imaginary diseases. Girls who are selfish, obstinate, self-willed, and much pampered; resort to all kinds of cunning to have their whims gratified. *Coldness; general or of single parts. Parts lain on feel dislocated or sprained.

Worse

*Cold. *Excitement. *Suppressions, menses etc. Side lain on. During or after a meal. Pressure. Motion.

Better

Open air. Rubbing. Smell of musk.

Mind

Hurried; tremulous and *awkward; bursting activity, with weakness; so that everything falls from the hands. Violent anger, talks excitedly, raves, scolds, till mouth becomes dry, lips blue, eyes staring and she falls unconscious. Fears *noise, dying; fears to lie down, lest one die. *Imaginary sufferings. Uncontrollable laughter. Sexual hypochondriasis. One feels as if being rapidly turned around. Talks to himself and gesticulates. Sudden loss of memory.

Head

Vertigo, with fainting; as if falling from a height, worse stooping, better rising. Headache, with coldness, faintings, involuntary stools, and polyuria. Shivering in scalp.

Eyes

Turned upwards, fixed and glistening.

Ears

Sounds as from report of a cannon. Rushing, fleeting sound. Nervous deafness.

Nose

Bleed, with spasmodic jerking of muscles.

Face

One cheek red but cold, other pale and hot. Lips blue. Chewing motion of the lower jaw.

Stomach

Desire for black coffee, beer and brandy. Everything tastes flat. Violent eructations. Spasmodic nervous hiccough. Aversion to food. Faints while eating. Nausea, on seeing or thought of food.

Abdomen

Tension in abdomen as if clothes were too tight. Incarceration of flatus. Stools of sweetish odour. Stools are passed involuntarily in sleep.

Urinary

Copious watery urine. Diabetes. Urine normal during day, but dark red, offensive at night.

Male

Sexual desire increased; with insupportable tickling in the parts and tensive pain in penis. Impotence from diabetes. Nausea and vomiting after coition. Emissions, without erections. Erection, with desire to urinate.

Female

Sexual desire increased, with intolerable titillations in parts (in old women). Dysmenorrhoea, with fainting.

Respiratory

*Sudden nervous suffocation; wants to take deep breath; worse becoming cold; better belching. Chest oppressed; hysterical spasms of the chest. Cough ceases; mucus cannot be expectorated. Cough, with pain under left breast. Asthma.

Heart

*Anxious palpitation; with fear of death, says I shall die. Hysterical. Trembling around the heart.

Neck & Back

Tension in back, before menses.

Extremities

One hand hot and pale, the other cold and red. Limbs; tense, feel too short. Coldness in tibia. Painful; restless.

Sleep

Sleepy by day; sleepless at night, awakes frequently.

Fever

*Sensitive to cold air, which makes him shudder. *Skin cold. Burning heat with restlessness. Sweat smelling like musk.

Related

Carb-v; Castor; Ign; Nux-m; Val.

[Back to Index](#)

Generalities

Like Sepia the juice of purple fish affects the ***FEMALE SEXUAL ORGANS prominently. It is adapted to sensitive, nervous, lively, affectionate women, who are very tired, weak and run down; must lie down which aggravates. Pains are diagonal, ovary to opposite breast. Climacteric sufferings.

Worse

*Touch. In Sun. Sitting. Lying down. After sleep.

Better

Before menses. Eating. Pressure and support. Putting head back.

Mind

Great depression of spirits, a sort of deep hypochondriacal state. Anxious; apprehensive; better leucorrhoea. Memory weak, cannot find correct words to express himself.

Head

Squeezing at the back of head better putting hand on it or by throwing head backwards.

Nose

Distressing coldness of the nose all day.

Stomach

Violent hunger even after eating. *Sinking-all gone sensation.

Abdomen

Painful weariness of loins. Weight in hypogastrium.

Urinary

Frequent urging to urinate. Urine smells like valerian. Slight discharge of blood while urinating.

Female

Pain stitching in genital; up through abdomen; into the breasts. *Painfully sore uterus; consciousness of womb. Feeling as if something was pressing on a sore spot in the pelvis better sitting. *Violent nervous sexual desire; *nymphomania; from least contact with the parts. Bearing down pains; *must keep legs tightly crossed.** Copious menses with large clots. Leucorrhoea; thick; yellow, bloody; alternating with mental symptoms. Pain in mammae during menses. Walking difficult, all joints are weak during pregnancy. Prolapse, enlargement of the uterus. Discharge of blood through the vagina or bloody leucorrhoea, during stools. As if bones of pelvis getting loose.

Back

Lumbar pain impels walking which aggravates.

Skin

Dry, as if about to crack. Hives.

Related

Lil-t; Plat; Sep.

[Back to Index](#)

Generalities

Hydrochloric acid has an elective affinity for ***BLOOD, producing septic conditions similar to that found in low fevers, with high temperature and *great prostration. ***MUSCLES are affected esp. of ***HEART; of bladder, anus, tongue etc., causing paresis. ***MUCOUS MEMBRANES; *of the ***MOUTH and *digestive tract; are dry, bleeding, cracked and *deeply ulcerated. *Soreness of the body causing ***RESTLESSNESS; frequently changes position, *but soon grows weak and very debilitated; wants to lie down; slides down in bed; eyes fall shut, lower jaw drops. *Bluish; tongue, piles, ulcers. *Burnings. Tearing pains. Violent haemorrhages. Scorbutic states. Pulsations in single parts. Parts are dry, *deeply ulcerated, bleeding or cracked. Bloody mucous membranes. *Muscular exhaustion. Dropsical swelling.

Worse

*Touch. *Wet weather. Walking. Cold drinks, bathing. Sitting. Human voice. Sun.

Better

Motion. Warmth. Lying on left side.

Mind

Introverted. *Sad and taciturn. Suffers in silence. Irritable. *Muttering. *Persistent loud moaning.

Head

Vertigo worse moving eyes, slightly; lying on right side, or on back. Occipital pains, *leadens heaviness; worse looking intently at any object. Brain feels bruised; with headache, sound of voice is intolerable. Periodical pain over left eye; with numbness down right arm and aphasia. Hair as if standing on head.

Eyes

Vertical hemiopia. Eyes close on sitting; from exhaustion.

Ears

Deafness. Distant voice (talking) causes headache. Cutting from mastoid to nape. Tingling, creeping, cold pain running up to vertex.

Nose

Bleed; much sneezing.

Face

*Dark or glowing red face; with cold hands; but no thirst. *Lips sore, *cracked and scabby. Lower jaw fallen. Freckles due to exposure to sun.

Mouth

*Dry. Tongue; bluish, heavy, stiff; hinders talking; shrunken or burnt looking. Aphthae. Teeth worse acids and sweets. Sordes on teeth. Gums swollen, bleeding, ulcerating. Hard lumps in the tongue. Lips; burn, heavy, bloated. Everything tastes sweet. Beer tastes like honey. Cancer of tongue.

Throat

*Dry; with burning in chest. Attempt to swallow produces spasms and choking. Involuntary swallowing.

Stomach

*Aversion to meat. Achlorhydria. Stomach will neither tolerate nor digest food.

Abdomen

Fullness and distension in abdomen from small quantity of food. An empty sense in the stomach, also in the abdomen after stool; and in a.m. *Involuntary stools or prolapse of rectum; *on urinating or passing flatus. *Very sore piles; better heat; worse during pregnancy; protruding like a bunch of grapes. Anus sore during menses. Liver enlarged, sore. Ascites; from cirrhosis of liver.

Urinary

Atony of bladder; must wait a long time, before urine will pass; or has to press so hard that anus protrudes. Cannot urinate without also stooling. Urine; red, violet, milky, copious, night and day; escapes from passing wind.

Female

Leucorrhoea, with backache. Pricking in vagina. Genitals very sensitive, cannot bear least touch.

Heart

Large full and soft pulse. Pulse drops every 3rd beat. Pulse feeble, rapid and small. Palpitation felt in face.

Extremities

Red swelled burning fingers and toes. Weak thighs. Staggeres when walking, from weakness of thighs and knees. Eczema of dorsum of hands. Cramps in the ball of thumb (right) when writing, goes off when moving it. Pain in tendo-achilles. Forearms heavy.

Skin

Ulcers throb on walking. Scarlet fever, livid with petechiae.

Fever

Cold in bed, in early morning. *Intense burning heat; *with aversion to covers. Adynamic fevers; typhoid, septic etc.

Related

Bapt; Bry.

[Back to Index](#)

Generalities

The chief clinical use of this spider poison is in chorea esp. of upper parts. Twitchings and contraction of facial muscles and head; which is jerked to the right side. Mouth and eyes open in rapid succession. Words are jerked out in the effort to talk. Nausea, with palpitation and dim vision. Violent erections, chordee. Unsteady gait; limbs drag while walking. Convulsive uncontrollable movements of arms and legs. Constant motion of whole body. Intense red streaks along lymphatics.

Worse

Eating. Sitting. Morning.

Better

During sleep.

Related

Agar; Tarent.

[Back to Index](#)

Generalities

It has a marked action on the *liver; and heart. Mucous discharges are offensive, tenacious and difficult to detach. *Combined liver and heart affections.

Worse

Warmth of bed. After sleep. Morning. Motion.

Better

Open air. Eating, breakfast.

Mind

Despondent, dejected. Irritable.

Head

ull heavy aching in forehead and temples on waking in the morning.

Eyes

Yellow sclerotica. *Very red eyelids.

Face

Yellow; jaundiced.

Mouth

Dry; water relieves only partially. Tongue; thick yellowish, dark. Tenacious, thick nauseous mucus in mouth and throat. Taste bitter. Offensive breath.

Stomach

Imagines he cannot eat; the taste is so foul. Loss of appetite; loathing of food. Desire for sour things. Sinking in epigastrium worse eating better fast walking.

Abdomen

Dull pain in the liver; with pain under either scapulae.*Liver affections; with heart complaints;** with urticaria; with jaundice. Jaundice; of infants; of cancer of the liver; with bronze-yellow skin. Fullness and burning in gall bladder. Adhesive mucus in stools. Flatus is passed continuously while walking. Urging to stools but passes only great amount of flatus. Stools; foul, pasty, of grey colour.

Urinary

Beer coloured urine, with yellowish froth.

Female

Leucorrhoea; acrid, foetid, thick, yellow, long lasting.

Heart

Pulse, slow, feeble, irregular.

Back

Pain under scapulae with liver complaints.

Skin

Itching of jaundice.

Sleep

Drowsiness. Ugly dreams.

Complementary

Dig; Kali-bi.

Related

Chel.

[Back to Index](#)

Generalities

The action of cobra poison settles around the ***HEART; hypertrophy and valvular diseases. Affects medulla and cerebellum; *respiration, *throat, *ovary. Left sided symptoms. *Nervous, *excited and tremulous, *with heart affections; often reflex. Feeling of intoxication; loss of power over limbs; over sphincters; unable to speak. Swooning fits. Sensation of wasting away. Parts seem drawn together. *Constrictions; in chest; throat etc. Burnings as of hot irons. Many pains. Screwed up sensation. Collapse. Sepsis. Ill effects of grief. Insensible right side. Affections of heart with paucity of symptoms.

Worse

*Lying on left side. After sleep. After menses. *Cold air; drafts. Pressure of clothes. Alcohol. Touch.

Better

Walking or *riding in open carriage.** Sneezing. Smoking.

Mind

Broods constantly over imaginary troubles; and makes himself wretched. Suicidal; brooding, insanity. Depressed, with distress about sexual organs; better in the evening. Aversion to talking. Dreads to be left alone. Fear of rain. As if everything were done wrong and could not be rectified.

Head

Pain in the left temple and in left orbital region extending to occiput with nausea and vomiting, better smoking. Entire head feels hollow. As of a blow on occiput. Vertex sensitive to cold. Headaches after cessation of menses. Pain in forehead and temples, with heart symptoms.

Eyes

Staring. Ptosis of both lids. Hot pains at back of eyeballs.

Ears

Noises in ears, with nauseous taste in mouth. Black discharge, smelling like herring brine.

Nose

Flow of water from nose; then intense sneezing which betters the breathing. Hay asthma.

Mouth

Wide open; flow of saliva. Tongue cold. Loss of speech.

Throat

As of a lump in throat. Suffocative **choking,** grasps the throat. Stricture of oesophagus, swallowing difficult or impossible.

Stomach

Craving for stimulants which worsens. Eructations tasting like barley water; or hot, foul.

Female

***PAIN FROM LEFT OVARY TO HEART, worse one week before menses. Obscure pain in left groin; post-operative.

Respiratory

Puffing breathing. Cardiac asthma; or cough. Dry or empty feeling in left lung. Ribs feel broken. Oppressive weight on chest; as if a hot iron had been run in. Asthma preceded by coryza worse lying; better sitting up.

Heart

*Weakness at. Violent pain, shooting to left scapula, *shoulder or neck; holds hand over it, worse after riding in carriage. Visible palpitation; hypertrophy. Endo-carditis, septic. Damaged heart after infectious diseases. Pulse slow, (upto 45) irregular, weak, tremulous; changes force. Chronic nervous palpitation, worse after preaching. Choking. Tension low.

Extremities

Cramps in shoulders, nape or thighs. Numb left arm. Violent racking in marrow of thighs. Puffy or sweating hands and feet; with cough. Acute pain under the left thumb nail running up the arm. Loss of power.

Skin

Itching cicatrices.

Sleep

Deep comatose; with stertorous breathing.

Fever

Sweat on lumbar back and ankles.

Related

Cimic; Lach; Laur; Spig.

[Back to Index](#)

Naphthaline [Naphtin]

Generalities

A product from coal tar has a special affinity for eyes. It produces detachment of retina, deposits an exudation in the retina. Opacity of cornea; cataract; amblyopia.

[Back to Index](#)

Generalities

*Nat-ars. is a valuable remedy for miner's asthma; from coal dust. Racking cough with profuse greenish expectoration. Oppression of chest and about the heart. Lungs feel as if smoke had been inhaled. Feels tired all over. As if the thyroid gland were compressed by a thumb and finger.

[Back to Index](#)

Generalities

Sodium Carbonate affects the *digestion and *nerves. The patient is *oversensitive to open air; to music, to noise, to dietetic errors. *Great debility; from any exertion; from summer heat. *Puffiness. Relaxation; easy dislocation. *Pains cause tremors, *cold sweat, *anxiety etc. Twitching in the muscles and limbs. Contraction of muscles, tendons. Emaciation. Anaemia. Ill effects of sunstroke (chronic); overstudy; strains. Children who cannot tolerate milk but thrive better on cereals. Children when asleep, jump, cry, grasp the mother, startled, nervous children. Swelling and induration of glands.

Worse

***HEAT *of sun; weather (body). 5 a.m. Music. *Mental or bodily *exertion. Onanism. Milk. Dietetic errors. *Drafts. Thunder- storms. Alternate days. Full moon. Vegetable diet; starchy food. Cold drinks when overheated.

Better

Eating. Rubbing. Motion. Pressure. Wiping with hand. Boring into nose or ears with fingers. Sweating.

Mind

Cross and *irritable. Aversion to society; even that of their own family; her husband. *Gloomy. Lively; talkative. Anxious and fearful worse thunderstorms; not from timidity, but from electric changes in the atmosphere. Playing on piano causes anxiety and trembling. Sensitive to presence of certain persons. Difficult slow comprehension. Music causes tendency to suicide; sadness; religious insanity. Occupied with sad thoughts. Indifferent.

Head

Vertigo from wine; mental exertion; from exposure to sun. Headache; in hot weather; slightest mental exertion; working under gas light. Head pains out through eyes; head bent backwards. Feels too large. Falling of hair.

Eyes

Dazzling flashes or stars before vision; on awakening. Dim eyes, has to wipe them constantly. Cannot read small print.

Ears

Deafness; with recurring earache; with amenorrhoea. As if a bubble bursting in. As if something moved in ear on swallowing.

Nose

Swollen or peeling. Red nose with white pimples on it. Catarrh, foul, thick, yellow or green discharge. Coryza worse least draft, alternate days. Stoppage at night. Violent sneezing. *Post nasal discharge.

Face

Pale, withered, bloated. Freckles; yellow spots; pimples. Lips swollen.

Mouth

Dry. Bitter taste in the mouth; food tastes bitter. Vesicles and smooth ulcers in mouth with burning; mouth open. Toothache worse sweetmeats and fruits. Taste perverted; too sensitive. Affections of the under surface of the tongue. Tongue heavy, unwieldy, patient has difficulty in talking.

Throat

Hawks much mucus from the throat. Must drink to swallow solids, from roughness, dryness of oesophagus and throat. Throat painful when yawning, and swallowing.

Stomach

*Digestion weak, worse by slightest errors in diet. *Acidity. Aversion to milk; which causes diarrhoea. Acid dyspepsia with belching and rheumatism, better by soda biscuits. Greedy; always nibbling. Gastric pains better eating. Hungry 5 a.m. Always belching. Ill effects of drinking cold water when overheated. Waterbrash. Heartburn after fats.

Abdomen

Flatus changes places, abdomen pouts here and there. Epigastrium painful to touch and talking. Diarrhoea from starches, milk. Stools; like orange pulp; in women at change of life. Sudden call to stool, without result or stools escape with haste and noise. Stools; black, hard, smooth, crumble. Colic with retraction of navel and hardness of skin.

Urine

Urine of bright or dark yellow colour. Urine smells like horse's urine, from vegetable or milk diet. Burning in urethra during and after urination.

Male

Increased sexual desire with priapism and painful pollutions. Incomplete coition. Glans penis easily becomes sore. Nightly emissions. Sweats after coition. Discharge of prostatic fluid, at stool and when urinating; prostate affections.

Female

Induration of cervix. Sterility from non-retention of semen. Leucorrhoeal discharge; offensive irritating, thick, yellow, ropy, preceded by colic. Menses late scanty, like meat washings. Motion as of foetus in uterus. Promotes conception.

Respiratory

Cough; dry, tickling worse when entering a warm room; at 9-11 a.m. Loose hollow; with salty purulent greenish sputum. Cough, with coldness of left side of breast.

Heart

Palpitation; from noise, rattling of paper etc.; on going upstairs; when attention is directed to something; when lying on left side.

Neck and Back

Cracking in cervical vertebrae, when moving the neck. Boring at tip of left scapula. Cold between scapulae. Goitre; hard, with pressing pain. Tingling in back.

Extremities

Heaviness of legs and feet, with tension in them, when sitting or walking. *Ankles weak. Unsteady walk. Dislocation and spraining of ankles. Little obstruction on pavement causes him to fall or falls without apparent cause. Burning wrist and ankles. Locomotor ataxia, fulgurating pains better eating. Soles, tender; needles at; burn while walking. Jerking of hands, on going to sleep. Cramps from ankles to toes. Contractions of fingers. Poplitea, painful on motion. Folds of fingers and toes sore.

Skin

Dry, rough; milky, watery. Blisters on small joints; tips of toes or fingers. Pustular eruptions. *Sweats easily. Formication.

Sleep

Drowsy; during day; after meals. Wakes too early in the morning. Amorous dreams. Sleeps with mouth open.

Fever

*Easy sweat.

Complementary

Sep.

Related

Lyc; Nat-m.

[Back to Index](#)

Generalities

Common salt, profoundly affects the *nutrition. Its excessive intake produces symptoms of salt retention, such as dropsies and oedema; but it also affects the *blood causing anaemia and leucocytosis. ***MIND, ***HEART, liver and spleen come under its influence. The patient is *thin, *thirsty, *poorly nourished on account of *digestive disturbances, and his ***MENTAL BEHAVIOUR and physical symptoms are *hopeless or awkward in nature. Emaciation; descending, of *neck or abdomen. ***MUCOUS MEMBRANES and skin may be ***DRY or may produce *thick, *white or *clear, *watery, *acid discharges. Dryness of mouth, *throat, rectum, vagina etc. *Numbness of one side; parts lain on; with paralysis; fingers, **parts seem too short. Easy exhaustion. Contraction of muscles, tendons. Neuralgic pains with tears. *Trembling. Prostration. Hysterical debility. Emaciation even while living well. Great weakness and weariness. Tendency to take cold. *Coldness. Children talk late; cross, irritable, cry from slightest cause. Cachexia; malarial. Oversensitive to all sorts of influences. Goitre; hyperthyroidism. Addison's disease. Diabetes. Twitching in muscles. Frequent starts in upper part of body. Chorea; jumping; after fright. Ill effects of disappointment; fright, grief, fit of passion; loss of fluids, masturbation; injury to head; silver salts; salt. Young girls become love lorn and fall in love with married men. Paralysis; from emotions, sexual excess. Likes to be covered but does not better. Trembling of the whole body from smoking tobacco.

Worse

*Exact periodicity. 9 to 11 a.m.; *with the sun. Alternate days. After menses. *HEAT; *of sun, summer; dampness. *Exertion of eyes, mental, talking, reading, writing. Violent emotions. *Sympathy. *Puberty. Quinine. Bread, fat, acid food. Coition. Seashore. Chronic sprains. Noise; music. Touch. Pressure. Full moon.

Better

*Open air. Cool bathing. *Sweating. Rest. Going without regular meals. Tight clothing. Deep breathing. Before breakfast. Rubbing. Lying on right side. Talking long.

Mind

Hateful; to persons who had offended him. Detests consolation or fuss. *Sad; during menses; without cause. *Reserved. Easily angered worse if consoled. Company distresses. Hypochondriac. Weeps bitterly; or wants to be alone to cry. Weeps involuntarily, without cause or can not weep. Cheerful, laughs, sings, dances, alternating with sadness. Boisterous grief. Dwells on past unpleasant memories. Anxiety. Apprehension. Fear or *dreams of robbers. Awkward; in talking; hasty; drops things from nervous weakness. Absent minded. Scattered thoughts. Revengeful. Thinks he is pitied for his misfortunes and weeps. Immoderate laughter with tears. Abrupt. An idea clings, preventing sleep, inspires revenge. Alternating mental conditions. Extremely forgetful. Aversion, of men (females).

Head

Vertigo; as if falling; worse standing near a window, on closing eyes; better lying, with head high. ***HEADACHES; bursting; on coughing; maddening; *hammering, heavy; *over eyes; on vertex, with partial numbness or disturbed vision; worse on *awakening; from sunrise to sunset; during, before or after menses; motion; even of eyes; frowning, reading; better sleep;

pressure on eyes, lying with head high, sitting still. Nodding motions of the head. Headaches of school children. Migraine. Falling hair. Injured part tender to touch.

Eyes

Painful, on looking down. Letters run together while reading. Stricture of lachrymal duct, escape of mucous when pressing on the sac. *Lachrymation; with redness; burning; acrid; from affected side, from sneezing; coughing; laughing etc. Eyes feel drawn together. Itch and burn, must wipe them. Ptosis on lying down. Vision blurred, wavering. Hemiopia then headache. Eyelids close with headache; spasmodically. Cannot read by artificial light. Sparks, black spots, fiery zigzag before eyes. Incipient cataract. Protruding eyes; due to goitre. Retinal images are retained too long. Eyes give out in reading and writing.

Ears

Noises, buzzing, humming, ringing. Painful cracking in the ear when masticating. Itching behind ears.

Nose

Violent fluent coryza; lasts one to three days then stoppage of nose high up, making breathing difficult. Sneezing early in the morning. Alternate fluent and dry coryza' cold commences, with sneezing; gushing of fluid. Little ulcers in nose. One side numb. Loss of smell and taste. Nosebleed; on stooping or when coughing, at night.

Face

Pale, muddy, or shiny as if greased. ***HERPES; about the lips or at the edge of hair; pearly. Crack in the middle of the lower lip. Lips tingle, feel numb. Throbbing in lower jaw worse biting; heat and cold. There is down on the face in hysteria but passes away as the patient improves. Upper lip swollen. Prosopalgia. Falling of whiskers and beard.

Mouth

***TONGUE MAPPED; *beaded or striped along edges. Aphthae. Loss of taste and smell. Numbness and stiffness of one side of tongue. Tingling of the tongue. Tongue, heavy; difficult speech. Children learn to talk slowly. Fistula dentalis. Epulis or small tumour on the gums. Sensation of a hair on the tongue. Tongue feels dry but is not dry. Vesicles and ulcers in mouth and on tongue, smart and burn when touched by food. Teeth sensitive to air or touch; pain worse on chewing. Toothache with tears or salivation.

Throat

Hawks much mucus, bitter, salty. Uvula hangs to one side. A dry, sore spot in the throat, tickles and causes cough etc. Food goes down the wrong way; post diphtheritic paralysis. Only fluids can be swallowed. Solids reach a certain point and then are violently ejected. Throat glistens. Exophthalmic goitre. Sore throat; with sensation as if she has to swallow over a lump. As if a plug in throat. Tobacco smoker's throat.

Stomach

***DESIRE; ***FOR SALT, bitter things; for sour things, farinaceous food, oysters, fish, milk. *Thirsty, *drinks large quantity of water. Great hunger yet emaciates; with depressed mind. *Averse to bread, meat, coffee, tobacco. Hunger without relish. Hiccough. Burning eructations, after eating. Sweet risings from stomach during menses. Anxiety in stomach rises

into head. Waterbrash. Sweats while eating; on face. White slimy mucus is vomited with relief. Heartburn with palpitation. Feels better on an empty stomach.

Abdomen

Epigastric pulsation. Epigastrium swollen and painful. Sudden distension. Tense abdomen worse groins. Pain in abdominal ring on coughing. Rigidity of the left side. Colic with nausea better flatus. Stools; dry, *hard, *crumbling, tears the anus or cause burning. Stools, coated with glassy mucus. Constipation on alternate days, from inactivity. Painless watery diarrhoea; chronic; morning, on moving about; from abuse of opium. Constriction of rectum. Herpes about anus. Abdominal viscera loose and dragging as if when walking. Red spots on epigastrium. Herpes ani.

Urinary

Involuntary urination; on coughing; laughing; sneezing, walking, sitting. Polyuria, thirst for large quantities of water. Has to wait long for urine to pass in the presence of others. Urine clear with red sediment. Must wait before the urine will start. Pain just after urination.

Male

Backache and weak legs; with depression after coition. Pollution shortly after coition. Sexual desire, with physical weakness. Suppressed gonorrhoea. Weakness, even paralysis, after sexual excess. Loss of hair from pubes.

Female

Aversion to coition; which is painful from dryness of vagina. Burning smarting in vagina during coition. Delayed first menses. Dysmenorrhoea with convulsions. Sterility; with too early too profuse menses. Debilitating leucorrhoea; white thick, instead of menses. Prolapse of uterus with aching in lumbar region or with cutting in urethra; worse in the morning, better lying on back. Hot during menses. Mammary glands emaciate. White leucorrhoea turns green gradually. Loss of hair in children or during lactation. Stitches beneath nipples.

Respiratory

Cough from tickling in the pit of stomach; with asthma or palpitation; worse winter. Respiratory catarrh after suppressed sweats. Sticking in liver while coughing. Dyspnoea on ascending. Whooping cough; with lachrymation. Breath; hot, offensive. Exertion of arms better breathing.

Heart

*Palpitation, shaking body or alternating with beating in head. Fluttering of the heart, with a weak, faint feeling worse lying down. Palpitation; anxious, worse exertion; emotion; lying on left side. Pulse; full and slow or weak and rapid; intermittent every third beat; worse lying down. Coldness, soreness at the heart.

Neck and Back

Painful stiffness of neck. Bruised backache, early in a.m.; worse coughing; after coition; better lying on back, on something hard; or pressure. Can stoop readily, but hurts to straighten. Buttocks emaciated in infants.

Extremities

Trembling of the hands when writing. Cracked finger tips. Hangnails. Palms hot and sweaty. Hamstrings; seem short, painful, drawing in. Numbness and tingling in fingers and lower extremities. Catch in knee. House maid's knee. Cracking in joints on motion. Ankles weak and turn easily. Legs cold. Convulsive jerking of the limbs on falling asleep. Scurfs, scales in axilla. Bending the joints of fingers, difficult. Children do not learn to walk. Soreness of toes or between toes.

Skin

Oily, dry, harsh, unhealthy or yellow. Chaps of *herpetic eruptions worse flexures, or about knuckles. Dry eruptions on margins of hair. Warts of palms and hands. Hives, whitish, worse exertion. Corns. Scars; painful. Redness of old scars.

Sleep

Sobs during sleep. *Awakes feeling weak. Dreams of robbers. Somnambulism; rises and sits about room. Starts and talks in sleep.

Fever

Coldness of many parts, hands, feet, heart. Morning chill with thirst. Chilly but worse in sun. Sweat, scanty, at edge of hair, on nose, on face while eating.

Complementary

Ign; Sep.

Related

Puls.

[Back to Index](#)

Generalities

This remedy is useful for conditions arising from excess of lactic acid, as a result of too much sugar. It affects duodenum; bile ducts, mesenteric glands and genitals. ***SOURNESS; *eructations, vomiting, stomach, stools, leucorrhoea; expectoration, sweats etc. Ailments with *excess of acidity. *Infants who have been fed to excess, *with milk and sugar. *Deep yellow, creamy; *discharges. *Debility. Pricking sensation. Tightness of muscles and tendons. Jaundice (1x Trit.). Oxaluria. Worms. Swelling of lymphatic glands. Ill effects of mental exertion or sexual vices or both. Marasmus of bottle fed babies. Trembling and palpitation from thunderstorms. Cracking in joints. Nervousness; tired feeling. Leucocytosis.

Worse

*Sugar. Milk. Mental exertion. Thunderstorm. Gas light. Coitus. Walking upstairs. Bitter foods. Fat food.

Better

Cold.

Mind

Mental weakness. Fear worse at night; that something will happen. Imagines that pieces of furniture are persons; he hears footsteps in the next room. Nervous, forgetful. Sad from music. Indifferent to everything; to his family. Sits quite still for a long time. Easily frightened.

Head

Feels dull in the morning. Cutting pain in temples (right) while studying. Pressure and heat on top of head as if it would open.

Eyes

Golden yellow creamy matter from the eyes. Whites of the eyes dirty yellow. Eyes weak worse gas light. Squinting, with worms. One pupil dilated.

Ears

One ear red, hot, itching, scratches until it bleeds; with gastric affections and acidity. As if water falling in, from a height.

Nose

*Itching. Offensive odour before nose. Yellow thick offensive mucus. *Child picks nose. Pricking; with lachrymation.

Face

Itching about mouth. *Pale, or red on alternate sides. Florid.

Mouth

Blisters on tip of tongue. ***YELLOW CREAMY COATING AT THE BASE OF TONGUE; on tonsils, or roof of mouth. Thin moist coating on the tongue. As of a hair on tongue. Grinding of teeth; children. Pricking, numbness of whole mouth.

Throat

As of a lump; preventing speech. Swallowing difficult. Yellow coating on tonsils.

Stomach

Sour eructations. Vomiting of sour cheesy masses. Desire for strong tasting things; eggs, fried fish, beer which better. Aversion to bread and butter.

Abdomen

While at stool, sensation as if a marble dropped down descending colon. Noisy flatulence. Fullness in abdomen worse standing or eating a little. Gastro-duodenal catarrh. Jaundice. Urging to stool and urination after coitus (men). Stools hacked. Greenish diarrhoea. Itching at anus. Afraid to pass flatus lest the stool escape. Sclerosis of liver and hepatic form of diabetes esp. when there is a succession of boils. Round or thread worms.

Urinary

Urging to urinate and burning and itching at meatus after coition. Must wait for urine to start.

Male

Semen; thin watery, smells like stale urine. Emissions followed by weak back and trembling of knees. Itching of scrotum, prepuce.

Female

Sterility; with acid secretions from vagina. Leucorrhoea, sour, creamy, honey coloured or acid and watery. Morning sickness, with sour vomiting. During menses, feet icy cold during day; burn at night, in bed.

Respiratory

Respiration difficult. Cough worse sitting. Chest feels empty after eating. Pain in chest worse deep breathing and pressure.

Heart

Trembling about heart worse going upstairs; after menses. Feeling as if a bubble started from heart and was forced through arteries. Heart pains are better when big toe pains. Heart pains alternating with rheumatic pains. Anxious palpitation, after a thunderstorm.

Back

Weakness after coition. Heavy dragging in the back. Swelling of glands of neck extending to chest. Goitre with feeling of pressure.

Extremities

Aching in wrists and finger joints. Trembling of limbs after coition. Rheumatism. Feet icy cold during day, burn at night. Synovial crepitation. Cramps in hands while writing. Legs give way while walking.

Skin

Itching in various parts, esp. of ankles, even eczematous eruptions. Hives. Skin smooth red, shining.

Sleep

Sleepy in the forenoon, but sleepless before midnight. Dreams; anxious, amorous, of dead people. Very drowsy; falls asleep while sitting.

Fever

Feet icy cold in day time, burn at night.

Related

Cina; Kali-s; Kreos.

[Back to Index](#)

Generalities

Produces marked effect upon the internal ear; with vertigo, deafness, noises in the ears with loss of bone conduction; hence is useful in Meniere's disease. Vertigo when objects seem to move to the right; worse on rising from lying. Temperature subnormal with slow pulse. Prostration after influenza.

[Back to Index](#)

Generalities

Sodium Sulphate or Glauber's salt_is a remedy for hydrogenoid constitutions; where complaints are such as due to living in damp houses; basements, cellars; patients cannot eat even plants growing near water, nor fish. It specially affects ***OCCIPUT and ***LIVER, Pancreas. Sudden violent effects; in ailing patients. *Piercing pains; at short ribs (left); in hip (left) worse rising or sitting down. *Yellow; *watery, *secretions, stools, skin, vesicles etc. Thick yellow green pus. *Fulness. Sour, bilious and lithaemic. Sycosis. Pains worse thinking of them. Epilepsy, or Petit mal, after head injuries. Suppressed gonorrhoea. Dropsy. Fistulous abscesses. Mental troubles arising from a fall or other injuries to head. Trembling.

Worse

***DAMP; weather; *night air. Cellars. *Lying on left side. *Injuries; *to head. Lifting. Touch. Pressure. Wind. Light. Music. Subdued light. *Late evening. Vegetables, fruits. Cold food and drinks. Lying long in one position.

Better

Open air; warm dry air. Change of position. Breakfast. Lying on back.

Mind

Sensitive and suspicious. Sadness worse music or subdued light; sitting near a stained glass window. Fear of crowd, of evil. Suicidal impulses; has to use self control to prevent shooting himself. Melancholy. Cheerful after stools. Mental troubles arising from injury to head or ill effects of falls. Intermittent attacks of mania. Does not want to speak, and feels that nobody should talk to him.

Head

Crushing or gnawing in occiput. Headaches worse by noise, stooping; during menses; light, eating; better in dark room; vomiting. Salivation with headache. Vertigo; better head sweat. Meningitis, spinal. Scalp sensitive, hair combing painful. Vertex hot. Brain feels loose when stooping. Head jerks to side (right).

Eyes

Granular lids. *Photophobia; on waking in morning. Heavy lids. Conjunctiva yellow. Crawling in. Eyes hot as if.

Ears

Piercing stitches in ears; worse damp weather.

Nose

Runs water at night. Nosebleed, before and during menses, stops and returns often. Sneezing, with fluent coryza. Thick yellow discharge.

Face

Yellow; pale; sickly. Itching of face.

Mouth

Slimy, thick, tenacious, white mucus. Bitter taste. *Dirty brown, *or greenish yellow, *thick, *pasty tongue esp. *at base. Tip of tongue feels burnt. Toothache better by holding cold water in mouth. Gums burn like fire. Salivation during headache. Blisters on palate. Burning in mouth as from pepper.

Throat

Thick yellow mucus drops from posterior nares. Swallowing impeded. Burning in pharynx during menses.

Stomach

Desire for ice and ice cold water. Thirst at the start of fever only. Aversion to meat and bread. Slow digestion. Concomitants to nausea. Green *bilious vomit. Acid dyspepsia with heartburn and flatulence. Starchy food, milk and potatoes disagree.

Abdomen

Liver region sore, tender; worse deep breathing; stepping; jar; heavy, worse *lying on left side. Hepatitis; duodenal catarrh. As of a lump below liver. Clawing in gall bladder. Colic better rubbing or kneading abdomen, lying on sides. Cramps at umbilicus. ***FLATULENCE; incarcerated; *painful; pushes here and there; right abdomen. *Rumbling, *gurgling in bowels, *then sudden noisy spluttering stools; after rising in a.m.; or drives from bed. Foamy or yellow diarrhoea; mixed with green slime. Stools involuntary, when passing flatus etc. Loose morning stools. Great size of the fecal mass. Jaundice, after anger.

Urinary

Frequent urination. Diabetes; brick dust or white, sandy sediment. Polyuria.

Male

Gonorrhoea, chronic; discharge thick, greenish; little pain. Condylomata. Itching of glans or penis, of scrotum.

Female

Herpetic vulvitis. Leucorrhoea; yellowish green, following gonorrhoea; with hoarseness. Nipples retracted.

Respiratory

Dyspnoea. Asthma, sycotic; in children as a constitutional remedy, worse early morning. Loose but violent cough; better sitting; must hold the chest or sides. Pain, piercing through lower left chest. Every fresh cold or any unusual exertion, brings on an attack of asthma. Breathing short while walking; constant desire to take deep, long breath. Asthma, with early morning diarrhoea. Expectoration, greenish, copious.

Back

Piercing pains between scapulae. Sharp cutting pain in back spreading upwards like a fan. Violent pains in back of neck and base of brain. Lumbar region pains if one attempts to retain the urine.

Extremities

*Inflammation around root of nails. Runarounds. Hangnail. Pain in hip joint worse rising or sitting down. Sciatica on rising from sitting or turning in bed; no relief in any position. Throbbing, piercing in heels. Vesicles on soles. Burning below knees. Oedema of feet. Trembling of hands on waking and also when writing.

Skin

Itching while undressing. Watery yellow blisters, wart-like red lumps all over the body.

Sleep

Dreams of fighting; of running water. Awakes; from pain, from flatulency.

Fever

Chilly, cannot get warm even in bed. Heat with aversion to uncover. Foul axillary sweat.

Complementary

Ars; Thuj.

Related

Coloc; Glon; Med; Puls.

[Back to Index](#)

Generalities

Nickel is a remedy for periodical nervous headaches; with asthenopia, weak digestion, constipation; of debilitated literary persons. Must sit up and hold the head with hands or has to put the arms on thighs when coughing; worse night. Violent hiccough; with thirst. Child must be held up during the cough otherwise it would be seized by spasms.

Worse

Periodically; every two weeks; yearly.

[Back to Index](#)

Generalities

This acid has a marked affinity for the ***MARGINS OF THE OUTLETS esp. of the throat, anus and mouth; in addition it affects ***GLANDS – *liver; prostate and salivary. It causes ***HAEMORRHAGES; easy, bright, or bloody water. Patients are greatly debilitated, trembling, shivery, sensitive, and sore. Pains ***STICKING LIKE SPLINTER or *ulcerative gnawing.** Slight pain affects him violently. Discharges are ***ACRID, thin, dirty or brown; cause redness or destroy hair. ***OFFENSIVENESS; ozoena, foot or night sweats. Mucous membranes are dark, smooth. Orifices are red swollen and cracked. *As of a band about or weight hanging to the part. *Sore, *stiff during pains. Hard, gritty exudates. Cracking joints. Pains come and go quickly. Suitable to yellow, *brunettes; of spare habit, or persons suffering from chronic diseases, having a tendency to catch cold, or diarrhoea. Cachexia. Bleeding after curettage. Malignancy. Phagedena. Fistulae. Syphilis. Sycosis. Cancer. Stubborn suppuration. *Bones painfully sore. Convulsions, epileptiform, at night and going to bed, during the day frequent vertigo, better riding in carriage. Ill effects of loss of sleep, from nursing the sick. Pains as if flesh is torn from the bones. Caries and exostoses of bones. Sensitive to medicines given in high potency. As of a mouse running up and down left side.

Worse

Slight causes-***TOUCH; ***JARRING; *noise, rattling, *motion. Milk. Fat food. After eating. ***COLD-air. *Dampness. *Night. Evening. Changing weather. Heat of bed. Mental exertion or shock. *Mercury.Loss of sleep.

Better

*Gliding motion. Riding in a carriage. Mild weather. Steady pressure.

Mind

Irritable, hateful, vindictive. So angry, he trembles. Profane, cursing, using vulgar language. Quarrelsome delirium; talks to spirits in other tongue. Confusion. Thoughts vanish, after exertion of mind. Sadness. Despondency. Taciturn. Refuses consolation on one's misfortune. Anxiety about his disease, fear of cholera; of death. Constantly thinks about past troubles. No disposition to work, to perform any serious business. Hopeless despair. Weeps from discontent of himself. Easily frightened.

Head

*Crushing head pains worse pressure of hat; from street noise. As of a band around head. Skull sore. Puffy swelling on scalp. Falling of hair, from vertex.

Eyes

Warm water flowing over eyes; better cold water, or sense of water running from the eyes. Conjunctiva pouts in spots. Diplopia. Eyelashes; stiff, all point towards nose (right). Paralysis of upper lids. Fistula lachrymalis.

Ears

Deafness, better noise, in trains, riding in a carriage; from enlarged and indurated tonsils, after measles. Cracking in ears when chewing. One's speech echoes in ears. Caries of mastoid. Cystic tumours on lobes of ears.

Nose

Bleeding; dark, clotted; with chest affections, worse weeping. Dripping from nose; from diphtheria. Sneezing; frequent, without coryza; during sleep. Coryza with shortness of breath. Red, scurfy tip. Cutting pain in the nose; caries of bones. Foetid yellow discharge. Ozaena. Green casts from nose every morning.

Face

*Yellow; sickly. Peeling of lips. Angles of lips raw, cracked or scabby. Cracking in jaws when chewing.

Mouth

Loose teeth. Gums; swollen, sore, flabby, bleeding; inner side. Moist fissured or mapped tongue. Tongue, clean, red with centre furrow. Sore palate. Ulcers in soft palate, with sharp splinter like pain. Salivation; bloody; with green coating on tongue. Foetor oris. Ranula. Bites the tongue and cheek. Teeth; yellow, caries of teeth. Teeth as if soft and spongy.

Throat

Sticking pain as from splinters; into ears; worse swallowing. Tonsils, red, swollen, uneven; with small ulcers thereon. Cannot swallow even a teaspoonful; difficult swallowing. Hawks out mucus from posterior nares.

Stomach

Longing for fats, salt, indigestible things, chalk, earth etc. Hunger, with sweetish taste. Milk disagrees. Nausea; with occasional vomiting, better riding in a carriage. Dislikes meat, things sweetened with sugar, bread. Nausea; with eructations; cannot take food.

Abdomen

Stools tear the anus, even though soft. Prolonged pain after stools; walks in agony. Rectum feels torn; fissures in rectum. *Painful, *easily bleeding piles. Colic better tightening clothes. Anus; itching, eczematous or oozes moisture. Ulcerations after dysentery which have been badly treated. As of a dry, hot cloth on. Inguinal hernia, of children. Burning in rectum; after urination. Haemorrhages from rectum after removal of piles.

Urinary

Urine; *strong as horse's; or offensive; cold when it passes; alternately profuse and scanty. Urine contains oxalic acid, uric acid and phosphates. Haematuria; with shuddering along the spine. As of a *hot wire in urethra. Cramps from kidney to bladder. Infective nephritis. Stream thin, as from stricture. Red scurfy spots on prepuce or on corona glandis. Painless retention or incontinence of urine. Contracted kidney.

Male

Itching, burning foreskin. Chancres; phagedenic. Oedematous prepuce Phimosi. Strictures from gonorrhoea or syphilis.

Female

Voluptuous itching of vagina after coition. Bloody water from vagina; or haemorrhages from overexertion. Menses; irregular; early, profuse, like muddy water. Metrorrhagia; after parturition; after curetting. Leucorrhoea; brown; flesh coloured, watery or stringy; stains

yellow or leaves spots with black border. Hard nodes or atrophy of mammae. Pain in the back, buttocks and thighs during menses.

Respiratory

*Cough shattering; from a dry spot in larynx; with stitching pain in lumbar region worse cold, winter. Short breath on going upstairs. Cough in sleep without waking. Expectoration; mucopurulent, yellow, bitter, offensive; smeary; accompanied with sweat. Empyema. Haemoptysis. Cavernous phthisis. Short breath from uterine displacements. Congestion in the chest with palpitation and fear. Cutting in larynx. Panting breathing when reading or stooping.

Heart

Palpitation and anguish on going upstairs. Pulse; intermits at fourth beat; irregular. Nervous palpitation caused by slightest mental excitement.

Back

Stitching pain in lumbar back when coughing. Stitches in and between scapulae; neck stiff. Pain in back at night better lying on abdomen.

Extremities

Finger joints swollen. *Warts on back of hands. Herpes between fingers. Foetid foot sweat causing soreness of toes. White spots on nails. Tibia painfully sore. Pain in patella, impeding walking. Chilblains of toes. Sweating of palms, hands, cold. Blue nails. Weak ankles, cracking when walking. Ingrowing of the nails with ulceration and a feeling of splinter worse touch. Nails, distorted, discoloured, yellow, curved.

Skin

Dry; *eroded; cracked in every angle. Coppery spots; on shin bones. Skin itches on undressing. Crusts form and fall. *Ulcers rapid, raw; ragged, with proud flesh or plugs of pus. Stubborn suppuration. Burrowing pus. Warts, large, jagged, bleed on touch or washing. Condylomata. Old scars become painful in cold weather.

Sleep

Shocks on going to sleep. Pains come during sleep. Anxious, unrefreshing sleep, with frightful dreams.

Fever

Icy *coldness; of soles. Chilly-continuous. *Sweats easily; then takes cold. Exhausting (urinous) profuse sweats, in morning; in axillae, on feet, and hands (in spinal injuries). Night sweats on part lain on.

Complementary

Calc; Thuja.

Related

Ars; Kali-c; *Kreos; Merc.

[Back to Index](#)

Nitro Muriatic Acid [Nit-m-ac]

Generalities

This remedy is prepared by mixing 82 parts of Nitric acid with 82 parts of Hydrochloric acid. It is almost a specific for oxaluria.

[Back to Index](#)

Generalities

Nutmeg-is a popular domestic medicine, for putting off the menstrual periods, or else for bringing it on, and also for diarrhoea. It profoundly disturbs the ***SENSORIUM; *mind and ***NERVES; causing exaltation of senses and nervous sensibility. *Digestion is disturbed. ***FEMALE ORGANS are affected. When any complaint causes ***DROWSINESS; or is accompanied by drowsiness; and if in addition there is *chilliness or *coldness and ***THIRSTLESSNESS; *Nux Mos. should be considered and given. *Dryness; as a sensation, or actual, is another characteristic symptom; of mouth, tongue, eyes etc. but ***NO THIRST. *Heaviness; of eyes, tongue etc. Marked tendency to *fainting fits; with heart failure; worse at stools, at menses, with slight pain, from sight of blood, while standing (when dressing). *Haemorrhages dark. *Fleeting pains. It is useful to scrawny, delicate, hysterical women who have small breast and who *laugh or cry by *turns. As of a hard lump; in stomach, liver, throat. Hysteria. Mania. Automatism. Parts lain on feel sore. Feels as if drunk; staggers on trying to walk. Catalepsy. Spasms of children, with diarrhoea. Epilepsy with consciousness. Little pain. Puffiness. Clairvoyant. Paralysis, with spasms; and trembling; of tongue, eyelids, oesophagus. Mental depression from grief. Ill effects of fright, mental exertion; suppressed eruptions. Humming, buzzing, funny feeling in body. Marasmus of little children. Hard parts feel soft.

Worse

*Cold-bath; *damp; *wind; drafts. Fog. Cold feet. *Pregnancy. Changes of season. ***EMOTIONS; excitement. Exertion. ***MENSTRUATION. Jar. Bruises. Slight causes. Mental exertion or *shock. Summer, hot weather. Motion. Lying on painful side. Overheating. Milk. Shaking head.

Better

Moist heat. Warm room. Dry weather.

Mind

*Dreamy. Clairvoyant states. Changeable, laughing and crying. Bewildered; objects seem changed or grow larger. Thoughts suddenly vanish, while talking, reading or writing. Uses wrong words (during headaches). Slow ideation. Talks loudly to herself. Sense of duality; thinks she has two heads; seems to be two persons. Fickle and wavering in his undertakings. Entire loss of memory of his past life. Sense of impending dissolution. Mania; with odd speeches and ridiculous gestures. Mockery. Laughing. Jest. Surrounding seems changed; does not know well-known streets. Listless; indifferent. Answers irrelevantly. Short time seems very long. Sense of levitation. Does her household duties automatically, does not recollect what she has done.

Head

Aches; bursting in temples better hard pressure. Vertigo as if drunk, staggering when walking in open air. Head feels full and as if expanding. Cerebral congestion. Brain feels loose; striking the sides, on motion. Painless pulsating in head, in small spot. Convulsive movements of the head, could not talk or swallow. Raising head from pillow causes deathly sickness. Head drops forward while sitting.

Eyes

Objects; look larger, or too small, very distant, oblique; too close together; vanish, red. Blindness then fainting. Eyes seem dry, which impedes the movement of the eyelids. Pterygium over cornea.

Ears

Oversensitive hearing; for distant sounds increased.

Nose

Oversensitive to smell. Nosebleed of dark blood. Dry; stopped up; must breathe through mouth.

Face

Pale. Retracted lips. Foolish, childish expression, diabolic grin. Jaws as if paralyzed, cannot close them. Lips; swollen; stick together.

Mouth

Teeth seem pulled. Mouth; *dry; disappearing when entering the house; *without thirst, worse sleep; tongue adheres to the roof of the mouth. Thick cottony saliva. Tongue numb, paralyzed, speech difficult. Chalky taste. Toothache of pregnant women better warmth, worse touch or sucking. Teeth seem loose. Saliva lessened, feels like cotton in mouth.

Throat

*Dry. Difficult swallowing; from paralysis of muscles.

Stomach

Craving for highly seasoned food-which only is digested. Loathing when eating or thinking of food. Digestion weak; all food turns to gas. Nausea and vomiting from irritation of uterine pessary. Flatulent dyspepsia. Eating a little, too much causes headache. Hiccough.

Abdomen

Excessively bloated. *Flatulent colic. As of a board across the hypogastrium. Navel sore; even ulcerated, festering. *Stool; *soft; *but unable to expel it; putrid; bright yellow and lienteric, worse at night. Faintness during or after stools. Summer diarrhoea; from cold drinks; boiled milk. Inactive rectum.

Urinary

Dysuria; from beer or wine; in hysteria; with dysmenorrhea; after eating; from uterine complaints. Urine smells like violet.

Female

*Menses; *irregular, *in time and quantity; *thick dark. Leucorrhoea; muddy, bloody; replaces menses. Mammæ too small. Nipples retracted. Flatus from vagina. Pain of uterus from pessary. Menses suppressed. Deficient labour pains. Continuous and obstinate flooding.

Respiratory

*Hoarse voice when walking against the wind; *hysterical. Cough, worse when getting warm in bed. Dyspnoea; with feeling of weight in chest; asthma hysterical, difficult inhalation. Loss of breath when standing in water.

Heart

Trembling, fluttering; as from fright, fear or sadness. Palpitation better walking about, drinking warm water . As if beating in vacuum Sensation as if something grasped the heart. Pulse intermits at long interval; exciting fear of death. Pulse, weak, irregular.

Neck and Back

Neck so weak, head drops forward on chest. Pain in back, now in sacrum now in lumbar region. Pain along spine. Backache and neuralgia of sacrum and coccyx worse riding in a carriage. As if a piece of wood stretched across sacrum; worse before menses.

Extremities

Fatigue on slight exertion. Limbs as if floating in the air. Rheumatism; drawing, wandering pains worse cold damp air, cold wet clothes, better warmth. Dry palms. Hysterical paralysis. Soles always moist. Feels as if treading on hard peas when walking. Feet cold with appearance of menses.

Skin

Dry, cold. Blue spots.

Sleep

*Sleepy attacks; sudden with vertigo. Great sleepiness with all complaints. Dreams; of falling from high place; of being pursued.

Fever

Alternate chill and heat. Chill with stupor. Sweat; red or bloody or absent.

Complementary

Calc; Lyc.

Related

Cann-i; Croc; Gels; Mosch; Op; Rhus-t.

[Back to Index](#)

Generalities

*Nux-v. is an every day remedy. It corresponds to many diseased conditions to which a modern man is prone to. It is useful to those persons who lead a *sedentary life, doing much mental work; or to those who remain under stress and strain of prolonged office work, business cares and worries. Such persons in order to forget their worries are apt to indulge in wine, women, rich stimulant food and sedative drugs; and ill effects from which they are apt to suffer. The typical *Nux. patient is rather thin, spare, quick, active, nervous and irritable. It affects the *nerves, causing hyper-sensitiveness, and over impression- ability_mentally and physically. Produces ***DIGESTIVE DISTURBANCES; partial congestion and hypochondriacal states. Dyspeptic persons who always select their food for experimenting, that is digested little. He is subject to spasms, convulsions, and fainting. The patient seems to be always out of tune; ***THE ACTION IS VIOLENT, often irregularly fitful or inefficient. *Twisting, *and jerks. Spasms, tetanic, with consciousness; worse by slightest touch, but better by grasping tightly, or when elbow was stretched. Tense contracted feeling. Lightning-like pains. Neuralgia; prodromal. Sensation as of a rough body internally. Sensation of heaviness and lightness alternately. *Bruised soreness; ***OF ABDOMEN, brain etc. Internal scrapy sensation or ***RAWNESS; in throat, larynx. *Takes cold. *Faintings, after stools, vomiting; after labour pains etc. Biliousness. *Haemorrhages. Debauchees; much drugged patients. *Trembling. Epilepsy during stool. Paralysis from apoplexy, in high livers; partial, with vertigo and nausea; with sticking pains. Reflexes increased. Firm fibered brunettes. Reversed peristalsis. Ill effects; of masturbation, sexual excess. Varicose veins, without tortuosity, black hard cords; from much standing, or from sedentary habits.

Worse

***EARLY MORNING. ***COLD; ***OPEN AIR (dry); *drafts; seats; wind. ***UNCOVERING. ***HIGH LIVING; coffee; condiments, *liquor, *drugs, *purgatives, over eating. *Sedentary habits. *Debauchery. *Mental; *exertion; fatigue; vexation. Disturbed sleep. ***SLIGHT CAUSES; *anger; *noise; *odours; *touch; ***PRESSURE; *of clothes at waist. Yawning. Tobacco. Music. Disappointment of ambition. Wounded honour. Mental shock.

Better

***FREE DISCHARGES. Naps. *Wrapping head. Resting. Hot drinks. *Milk. Fats. *Moist air. *Lying on sides.

Mind

*Active. ***ANGRY AND IMPATIENT; *can not stand pain; so mad, he cries. **Zealous; fiery temperament. *Nervous and excitable. Aversion to work. Fears poverty. Sullen. Spiteful. Nagging. *Violent. Ugly; suicidal, homicidal impulses. Fear of knives, lest she should kill herself or others. Fault finding. Reproaches others. Frightfully apprehensive about getting married, (girls). Time passes too slowly. Talks about one's condition. Even the least ailment affects her greatly. Hypochondriasis. Melancholia. Delirium tremens. Cannot bear noise, light, odour, touch, music, etc. Cannot bear conversation or reading. Angry when consoled. Head-strong, self-willed.

Head

Vertigo; brain and other objects turn in circle; with momentary loss of consciousness; with black spell; on empty stomach. Bruised sensation of the brain. Dizzy and faint in a crowd or where many lights are burning. Headache in the sunshine. Sensitive scalp. Swelled forehead. Head seems larger than body. Takes cold better wrapping head warmly. Migraine. Frontal headache with desire to lean it on something.

Eyes

Bloodshot. Lachrymation from affected side. Atrophy of the optic nerve. Photophobia. Paresis of ocular muscles. Lower eyeballs yellow. Loss of vision due to alcohol and tobacco. Exudation of blood from eyes. Spring conjunctivitis.

Ears

Itching in ear through eustachian tubes. External meatus dry and sensitive. Pain; stitching when swallowing. Loud sounds are painful.

Nose

Oversensitive to strong odours; even fainting. Nose stopped, but runs water; on one side. Snuffles; of the new born. Nosebleed during sleep; from suppressed flow of piles, from coughing. *Sneezing, violent, *abortive; from intense crawling in nostrils (left). *Coryza, fluent by day, and in open air, dry at night. Smell before nose, like old cheese, burning sulphur. Smell acute. Nose looks sharp and pointed.

Face

*Red, *turgid or yellowish worse about nose and mouth. Left angle of the mouth drops. Infra-orbital neuralgia; with swelling of cheek, intermittent; better when lying in bed. *Jaws. snap shut; stiff. Acne from eating cheese. Pimples from excessive use of liquors. Child passes its hand constantly over face (brain disease).

Mouth

Teeth chatter. Toothache better warm drinks. Foetor oris; sour. Small aphthous ulcers in the mouth. ***TASTE; ***BITTER; sour,*bad in a.m., low down in throat. Itching palate; eustachian tube. Gums; swollen, white, and bleeding. Needles at edges of tongue worse after eating; washing face in cold water.

Throat

*Rough, *raw; *as if scraped. Putrid taste in; on coughing. Small ulcers in the throat; pain worse during empty swallowing. Stitches into ears.

Stomach

Craves piquant food; beer; fat food, chalk; stimulants. ***HICCOUGH; from over eating; from cold or hot drinks. Violent retching worse hawking. Eructations, sour. Heartburn. *Water brash. *Nausea; *better if he can only vomit. ***VIOLENT VOMITING; bilious, sour, wants to vomit but cannot. *Food lies like a heavy knot in stomach. Gastralgia; pains go into back and chest; better vomiting and hot drinks, worse from food. Indigestion. Hunger; yet aversion to food. Eructations; difficult, sour, bitter. Severe pain in stomach from injury, worse least food.

Abdomen

As of a hand about waist, *clothes oppress it. Bruised *soreness of abdominal wall. Liver sore, enlarged; sticking pain. Gall stone colic. *Jaundice; from anger. Bowels gripe here and there. ***SORE BOWELS, worse ***COUGHING AND STEPPING. Hernia; infantile; from constipation or crying; umbilical. Flatulent colic. ***UNEASY, ***FITFUL AND FRUITLESS URGING FOR BOWELS TO ACT; better ***STOOLS. Obstipation. Inactive peristalsis. Strains hard at stools; feeling as if part remained unexpelled; passes small quantity at each attempt. Rectum; spasms of; flatus retained in; constant uneasiness in. *Piles, *itching, blind, bleeding, better cool bathing. Dysentery; stools better pains for a time. Diarrhoea; with jaundice; after debauch, during fevers. Colic in nursing infants from stimulating food taken by the mother. Colic from suppressed haemorrhoidal flow. First part of stool soft, last hard. Prolapse of rectum from diarrhoea. Dragging in anus when not at stool. Sense of goneness in the groins.

Urinary

Renal colic (right), extending to genitals and legs; with dribbling urine; better lying on back. Painful ineffectual urging to urinate. Spasmodic strangury. Haematuria from suppressed haemorrhoidal flow or menses. Spasmodic urethral stricture. Paralysis of bladder; urine dribble; in old men, with enlarged prostate or gonorrhoea. Involuntary urination when laughing, coughing, sneezing.

Male

Desire easily excited. Penis becomes relaxed during an embrace. Bad effects of onanism; sexual excess. Premature ejaculation. Cannot be in female society without having emission. Increase of smegma.

Female

Desire too strong; with burning in vulva. *Menses; *profuse, *early and prolonged; intermittent; of dark lumpy bloody; irregular; with fainting spells. Dysmenorrhoea; cramps extend to the whole body; with constant urging to stool. Leucorrhoea; foetid; staining yellow. Inefficient labour pains; faints at every labour pain. Profuse bleeding after abortion. Prolapse of uterus; from straining or lifting. All the old symptoms are worse after menses. Lochia scanty, offensive. Nipples; sore; white spot in centre. Tensive pain when nursing. Painless gathering of milk in breast from not nursing the child.

Respiratory

*Cough; *violent; throwing the patient down; paroxysmal; whooping; with splitting headache; has to hold his head. Shallow respiration. Oppressed breathing. Asthma; from disordered stomach; with fullness of stomach. Hoarseness, with painful roughness in larynx and chest. Cough; with sensation as if something torn loose in the chest. Intercostal neuralgia worse lying on painful side. Asthma; with feeling as if clothing were too tight, better belching. Desire to eat during cough.

Heart

Palpitation on lying down. Heart feels tired. Angina pectoris; patient lies on knee with body leant backwards.

Neck and Back

Cervico-brachial neuralgia; painfully stiff neck; pains down shoulder (right) worse touch. Wry neck from cold or nervous shock. Lumbar ache, as if breaking; *must sit up in order to turn in bed. Crawling along spine. Acute lumbago. Sacral region as if lame; after parturition.

Extremities

Arms go to sleep, numb, stiff feeling. Tense cramp in calves and soles, must stretch feet; or stand still while walking. Feet feel clubby and raw. Shooting from toes to thighs; worse after stool. Drags his feet while walking, (chorea); legs tremble; unsteady gait. Knee joints as if dry; cracking during motion. Paralysis of lower limbs from over exertion or from being soaked. Automatic motions of hand (right) towards mouth (Apoplexy). Legs stiff.

Skin

Goose skin. Skin red and blotchy. Urticaria with gastric derangement. Bluish spots.

Sleep

*Yawning. Sleepy in the evening or sleepless from rush of ideas. *Awakes too early, *can not go to sleep again; finally sleeps but on waking feels wretched. Better after a short sleep, unless aroused. Nightmares. Dreams; anxious; pursued by animals, dogs and cats; amorous. Weeping and talking during sleep.

Fever

Chill with thirst, and heat without thirst. ***EASILY CHILLED, ***CANNOT UNCOVER, *worse motion; drinking even during the heat. Body burning hot esp. face, but unable to move or uncover without feeling chilly. Excessive rigor with blue finger nails. Sweat; sour; one sided; warm, on upper most side, on lying down.

Complementary

Kali-c; *Phos; Sulph.

Related

Ign; Lyc.

[Back to Index](#)

Generalities

This remedy is useful in diseases of kidneys, uterus, bladder and urethra. Symptoms of renal colic esp. of right side are pronounced. *Sore pain in ureters. Renal colic with haematuria and violent vomiting; with wringing of hands, moaning and crying, all the time. Red sand in urine; which may be of saffron colour and of musk like odour. Swollen inguinal and mammary glands. Nipples painful to least contact. Vaginal prolapse. Urine scanty; which aggravates.

[Back to Index](#)

Generalities

It is a valuable convulsive remedy; useful in epileptiform, puerperal and uremic convulsions. *Epilepsy; with priapism; worse during menses or instead of menses; pregnancy. Falls backwards and utters a loud cry before falling. Status epilepticus. As of a bug creeping under the skin about the waist; worse touch of clothes. Insanity; hallucinations. Face swollen; convulsive twitching of facial muscles; foaming at mouth, lock-jaw. Tendency to cry over little things. Rosy red blotches on face and chest, arms, abdomen. Burning heat worse head and throat. Profuse offensive sweat. Obstinate vomiting for days not relieved by anything.

Worse

*Injury. Sexual and menstrual disturbances. Water.

Related

Bell; Cic.

[Back to Index](#)

Generalities

It has a marked action on *nervous system, heart, skin and *digestive tract. Paralytic conditions, with cramp like contractions of upper extremities. Paresis after infantile paralysis. General crampings. *Numbness. *Weakness, with trembling, in nursing women. Sense of vibrations. Emptiness in stomach and chest after eating, better brandy. Hemiplegia. Paralytic rigidity. Sopor. Unable to speak or speaks with difficulty. Discharges involuntary.

Worse

Rubbing. Undressing. After suckling. Looking sideways. Friction of clothes.

Better

Looking sideways. Brandy.

Mind

Sadness, with lack of confidence and power. Morose. Peevish; distraction. Slow comprehension.

Head

Vertigo; worse looking fixedly at an object or looking down, turning to either side in bed; with diplopia. Headache better by looking crossways, sideways or squinting. Vertigo for a long time before paralysis. Biting, itching of scalp. Moist milk crusts, worse occiput. Corrosive itching on forehead and edges of hair; worse heat.

Eyes

As if drawn back into head. Can see objects only when looking at them sideways. Diplopia. Lachrymation; when reading.

Face

Pale. Sunken. Numb upper lip. Lower jaw trembles when yawning.

Mouth

Toothache only while masticating. Tongue numb. Loss of speech.

Throat

As if a cool wind blowing on throat (left).

Stomach

Empty feeling even after eating, better brandy; from nursing. Canine hunger with hurried eating. Throbbing in pit. Desires cold water. Aversion to cheese. Extreme debility of digestive power.

Abdomen

Passes food undigested, in the morning which he ate the day before. Stools, thin, lienteric; involuntary; escape with flatus; in children.

Urinary

Involuntary urination.

Female

Tremors after nursing; so weak she can scarcely walk across the room.

Heart

Palpitation, with weakness and empty feeling in chest, better brandy. Pains on stooping.

Extremities

Crampy contraction of upper limbs; in paralysis. *Numbness of limbs. Weakness of lower limbs. Painless paralysis. Veins on hands swollen. Hands tremble, while writing. Trembling knees when standing. Feet constantly cold. Fingers rigid and thumb turned into palm. Limbs stiff and cold.

Skin

Sensitive, *chafes and oozes or bleeds. Eruptions with itching, biting as of lice. Skin numb.

Sleep

Sopor. Yawning with trembling of lower jaw.

Fever

*Heat from mental exertion.

Related

Anac; Chin.

[Back to Index](#)

Generalities

This volatile oil was prepared by Dippel first by distillation of stags' horn. It affects the ***NERVES esp. pneumogastric nerve; digestive organs. Symptoms appear here and there or in single parts. Affected part feels *sore. Tremulous weakness; of hands, knees, feet etc. Pain in spots. Stitches; burning pains, as with red hot needles. *Pulled upward and from behind forward pains; in malar bones, testicles; mammae etc. *Icy coldness; from tips of teeth, in throat, stomach etc. Shuffling gait. *Urinous; eructations, leucorrhoea etc. Flesh feels torn from bones. Ill effects of suppressions esp. of foot sweat. Neurasthenia.

Worse

Cold. *Eating. Suppressions. Menses. Hot drinks. Noise. 2 to 9 p.m.

Better

Rubbing. Pressure. Stretching. Open air. Changing position. Eructation.

Mind

Indolent; inclined to sit. Nervous irritability. Sad; introverted; absorbed in self; speaks in whispers. Vanishing thoughts. Faintness; from gastric origin.

Head

Pain in spots. Migraine with polyuria. Vertigo from gastric origin, better bending head backwards.

Eyes

Glistening bodies before eyes. Lachrymation on eating. A skin seems to overhang the eyes. Twitching of lids.

Face

Malar bones feel pulled up. Twitching lips. White of an egg seems dried on lips. Swelling beneath right lower jaw.

Mouth

Toothache better pressing teeth together, with sensation of coldness coming out from tips. Mouth feels greasy. Snow-white cottony saliva. Tongue sore as if scalded. Bites cheek while eating.

Throat

Sore, dry,, constricted; empty swallowing difficult though food and drink pass easily. As if cold air penetrates the throat. Hawks out, gluey, brown lumps. Acrid vapour or raw streak in throat; worse cough.

Stomach

*Water-brash; better chewing tobacco. Pulsation or as of water in stomach. Sensation of coldness (as of a lump of ice), burning, constriction, better eructation. Urinous eructations.

Abdomen

Flatulence and rumbling.

Urinary

*Profuse, *pale urine; *of fish brine odour; worse hysteria; migraine. Frequent scanty urine, then headache. Greenish urine. Small stream of urine.

Male

Seminal losses; on straining at stool. *Testes; swollen, *alternately; *feel pulled up** forcibly upward and seized. Neuralgia of spermatic cord. Pressure in perineum. Prostate hypertrophy.

Female

Menses; early, scanty; black flow. Sore mammae before menses; outward stitches in nipples; in scirrhus. Stitches in breast from behind forwards. Urinous leucorrhoea.

Respiratory

Asthma from suppressed foot sweat. Stitches at clavicle.

Heart

Anxious palpitation. Pulse slow.

Back

Aching scapula (right) better pressure. Sprained feeling in sacrum. Unsteady gait. Cracking in cervical vertebrae on raising the head.

Skin

Excoriation in bends of joints.

Fever

Alternate chill and heat. Cold foul foot sweat; fishy on heels.

Related

Sulph; Tell.

[Back to Index](#)

Generalities

Cod liver oil is a nutrient and affects the chest, liver, pancreas and tendons. Phthisis and scrofulous diathesis. Soreness. Burning in spots. Faulty nutrition. *Atrophic infants; children who cannot tolerate milk. Emaciation; hot hands and head. Lassitude. Discharges yellow. Always taking cold.

Worse

Milk. *Cold damp, air or place. Motion.

Face

Growth of short thick hair on chin and upper lip in women.

Mouth

Tongue yellow. Foetid breath.

Abdomen

Soreness and heaviness in the region of liver; worse exercise.

Female

Establishes menses. Leucorrhoea, yellow, with weak back.

Respiratory

Hoarseness. Dry, tickling, hacking cough; better as fever comes on. Early phthisis. *Soreness or stitches in chest.** Haemoptysis. Yellow sputum. Cough with palpitation.

Back

Chilly, or fluttering from sacrum up back, to occiput.

Extremities

Chronic rheumatism with rigid muscles and tendons. Palms hot; toward evening.

Skin

Yellow. Milk crusts. Ringworm (local application). Cold abscesses.

Fever

Hectic. Night sweats.

Related

Phos.

[Back to Index](#)

Generalities

This remedy acts upon *nerves and muscles. It causes loss of power of concentration and co-ordination; and disturbance in the sense of proportion. *Aching, *soreness and stiffness of muscles; after the pain. Prostration, weariness and *tiredness; acts as if born tired. Seems to tread on cotton. Staggering. Neuralgic pains. Neurasthenia; sexual; from loss of sexual desire in both sexes.

Worse

*Sprains. ***EYE-STRAINS. *Sexual excess. Darkness. Tight clothing. Warm. Humid air. Jarring.

Better

Rest. Sleep. Eating. Cold drinks. Undressing.

Mind

*Irresolute. Confused. Forgetful. Slow thinking. Aphasia. Fear of falling on going up or down stairs.

Head

Migraine. Headache from eye strain and sexual weakness worse dark. Vertigo, with headache; worse lying on left side; raising the hands above the head. *Occipital headache as if screwed; worse eye-strain and lying down. Pain up and down from occiput (left) to shoulder worse exertion. Dull heavy up-pressing in occiput.

Eyes

*Aching, *heavy, *tired and stiff. Eye combined with ovarian symptoms. *Misjudges distances. Vision blurred. Colour blindness for red and green.

Throat

Dry and stiff; all symptoms are better by cold drinks and eating.

Abdomen

Distended feeling better loosening clothes. Stools yellow, mushy hurrying him out of bed in morning. Craving for ice water and cold drinks.

Urinary

Urination; frequent, scanty. Aromatic urine.

Male

*Loss of sexual desire. Psychical impotence. Speedy emission, deficient erections. Sexual excitement. Constant severe erections.

Female

Sexual desire completely destroyed. Pains alternate between ovaries. Uterine pains better undressing and lying on back. *Soreness of ovaries with rectum. Feels as if menses would

appear. *Leucorrhoea; *excoriating yellowish, offensive, profuse, running down the legs. Mammae swollen, aching. Nipples itch.

Respiratory

Hacking cough, with sticky white sputum better drinking cold water.

Back

Tired feeling in lower part of the back.

Extremities

*Tired and numb feeling in legs and popliteae.

Related

Cimic; Hyper; Lil-t; Rhus-t.

[Back to Index](#)

Generalities

Opium contains about eighteen alkaloids, of which Apomorphine, Morphine and Codeine are well known. It affects the ***NERVES; ***MIND AND SENSES, producing *insensibility of nerves; ***PAINLESSNESS, *depression; *drowsy stupor, *torpidity and general sluggishness of function and lack of vital reaction; a kind of negative state. *Excretions, except of skin are checked. Voluntary motions are lessened. Loss of power; of concentration; self control, and judgement. *Paralysis; painless; of brain, tongue, *bowels etc. Tremors; twitchings; jerking during sleep. Convulsions; worse heat; of room or bath. *Bed seems hot; hunts a cold place. Hot; sweat; *hand. *Stupid sleep; accompanies all complaints; during spasms; violent chill etc. Epilepsy; in sleep; from approach of strangers (children); from fright; worse glare of light; from anger; insult. Throws limbs or stretches arms at right angle to the body; stupor between spasms. Want of susceptibility to medicines even though indicated. Faints every fifteen minutes. Sensation of bodily well being; great happiness. Painless ulcers. Suppuration. Dropsical swelling of the whole body. *Internal dryness. Ill effects of fear, fright, anger, shame, sudden joy; charcoal fumes, sun. Complaints appear with sweat. Complete idiocy from masturbation.

Worse

***EMOTIONS; ***FEAR, *fright; shame; joy. Odours. ***ALCOHOL. *Sleep. ***SUPPRESSED DISCHARGES. *Receding eruptions. *If heated. Sunstroke.

Better

Cold, Uncovering. Constant walking.

Mind

Complete loss of consciousness. Apoplectic states. ***PLACID. Wants nothing; says nothing ails him. Exaltation of mind; vivid imaginations. *Gaiety. Talkative. Rash. Bold; increased courage. *Dreamy. Sluggish. Dull. Stupid. No will power. Tendency to lie. *Fears; after fright; which remains. Delirium; tremens; with terror. Wants to go home, thinking that he is not at home. Carphology. Indifferent to pain and pleasure. See frightful visions; mice, scorpions etc. Deceptive; vision, taste, touch; perversion of all senses. Imagines parts of his body are very large. Nervous, irritable; tendency to start.

Head

Vertigo; after fright; of old people, with lightness of head; from injuries to head. Heavy occiput. Paralysis of brain. Head hot, with hot sweat.

Eyes

Glassy, staring; immovable. Pupils contracted, dilated, insensible to light. Half closed. Upturned. Ptosis. Visual hallucinations. Red, bulging. Embolism of central artery of retina.

Ears

Acuteness of hearing. Clocks striking at a great distance keeps her awake.

Nose

Loss of smell.

Face

Dark, turgid, *sweaty or hot red or pale red alternately. Besotted. Corners of the mouth twitch. Trembling, twitching of the muscles of face, *old look; after cholera infantum; of a suckling three or four weeks old. Hanging down of lower jaw. Lock-jaw. Lips swollen, protruding.

Mouth

Tongue; paralyzed; protrudes to right side; black, dry, difficult speech. Bloody froth. Dry mouth.

Throat

Dry. Inability to swallow. On swallowing food either goes the wrong way or returns through the nose.

Stomach

Hungry; but no desire to eat. Vomiting; in peritonitis; of faecal matter, of urine. Very thirsty. Retching from emotions.

Abdomen

Hard, tympanitic. As of a weight in abdomen. Bowels feel completely obstructed. *Paralytic atony of bowels; after laparotomy. Lead colic. Incarcerated umbilical or inguinal hernia. Obstinate constipation. *Stools of hard black balls. Bloody mucus oozes from open anus. Retention of stools from ileus. Stools involuntary; after fright. Violent pain in rectum as if pressed asunder. Difficult emission of flatus. Intestinal spasms, child cries day and night.

Urinary

*Paralytic atony of bladder, after laparotomy. Retention of urine; in children from nursing angry nurse; from spasms of neck of bladder; from fright. Urine slow to start; feeble stream. Involuntary from fright. Renal colic; pain radiates to bladder and testicles.

Male

Spasmodic stricture from drinking poorly fermented liquor; and in drunkards.

Female

Dysmenorrhoea, forcing her to bend double; with urging to stool. Amenorrhoea from fright. Softness of uterus. Lively or violent foetal motion. Puerperal convulsions. Threatened abortion, and suppression of lochia from fright. Convulsions come from stoppage of labour pains. Prolapsus from fright. Hiccough during pregnancy.

Respiratory

Rattling, *unequal breathing. Sighing, snoring, continuous, stertor. Cough; tickling with dyspnoea and blue face; or profuse sweat on whole body, better drinking water. Heat in chest. Breathing stops on going to sleep and it does not start unless the patient is moved. Haemoptysis. Aphonia from fright. Yawning after cough.

Heart

Burning about the heart. Weak. *Full slow pulse. Palpitation after alarming events, fright, grief, sorrow, etc.

Back

Opisthotonos. Pulsating arteries and swollen veins on neck.

Extremities

Trembling of the limbs after fright. Painless paralysis. Twitchings and spasmodic movements of limbs. Veins of hands distended. Feels as if lower limbs were severed and belong to someone else. Numbness; weakness. Shuffling and trembling gait. One or other arm moves convulsively to and fro.

Skin

Crawling here and there. *General itching. Rough and dirty. Dry. Painless, indolent ulcers. Whole body looks red. Blue spots.

Sleep

*Somnolency. Heavy stupid sleep; of the aged. Tired and sleepless; drunkards. Sleeplessness from acuteness of hearing. Coma vigil. Sleepy but cannot go to sleep. Dreams of cats, dogs, black forms.

Fever

General low temperature with inclination to stupor. *Hot, *sweaty and drowsy; with cold limbs. Hot sweat over whole body except lower limbs. Sweats; without relief.

Complementary

Alum; Bar-c; Bry; Phos; Plb.

Related

Amm; Nux-m.

[Back to Index](#)

Generalities

Sweet Marjoram strongly affects the female sexual organs. Increased desire for coitus. Erotomania; with inclination to commit suicide. Great sexual excitement driving her to masturbation. Lascivious ideas; impulses, dreams. Swelling and itching of nipples and pains in breast. Thoughts of marriage; which dispel sadness. Desire for active exercises, impelling her to run.

Related

Canth; Hyos; Plat.

[Back to Index](#)

Generalities

This metal is found associated with platinum. It affects the *respiratory tract; esp. *trachea. Though secretions are foul, urine smells like violets; eructations like radishes and axillary sweat like garlic. Crawling on back and shoulders. Pains go up and down. Causes adhesion of the nail fold.

Worse

Coughing. Talking.

Mind

Weeping mood, screaming with cough.

Eyes

Greenish or rainbow colours around the light. Glaucoma; with iridescent vision.

Nose

Coryza, fluent, with a feeling of stoppage. Snuffling.

Stomach

Feels full of broken stones or lumps. Eructations smelling like radishes.

Urinary

Urine; albuminous; smelling like violets.

Male

Steady aching in glans penis. Pain in testes and spermatic cord.

Respiratory

Spasmodic cough; sounds as if coughing in an empty tube; with torn loose feeling and tenacious sputum. Talking causes pain in larynx. Sensitive air passages.

Back

Crawling on back and shoulders.

Extremities

Axillary sweat smells like garlic. Twitching of fingers with spasmodic cough. Fold of skin remains attached to growing nail.

Skin

Eczema. Itching pimples.

Related

Ars; Iod; Phos.

Generalities

Though Oxalates are found in certain sour vegetables which are eaten, the acid itself is a very violent poison not only producing *gastro-enteritis; but it affects also the *nerves and spinal cord, causing motor paralysis. The patient becomes weak, cold, livid and numb all over worse lower limbs. *Excruciating pains; like lightning; in streaks; *in spots; burning, etc. Symptoms worse by motion and thinking of them, not only that, but thinking will bring on the conditions when they are not actually present. Rheumatism of the left side. Neurasthenia. Neuralgia. Paralysis; of left side; from spinal meningitis. Periodical affections.

Worse

*Thinking of it. *Cold. *Touch. *Shaving. Mental exertion. Motion. Strawberries, sour fruits, grapes.

Better

After stools.

Mind

Nervous and sleepless. Very much exhilarated; quicker thought and action. All conditions made worse by thinking about self.

Head

Vertigo; swimming sensation on lying down, while looking out of window. Band like sensation about the head; as of a screw behind each ear, better after stool. Numb pricking in occiput. Sore tender spot on scalp.

Eyes

Small, and especially linear objects appear larger and more distant than they are. Sight vanishes with the epistaxis. Hyperaesthesia of retina.

Face

Pale, cold, livid. Feeling of heat.

Mouth

*Sour; *taste; eructations; with difficult swallowing.

Stomach

Emptiness with gnawing compelling one to eat. Burning pain goes upwards worse slightest touch; sugar. Cannot eat strawberries. Sugar, coffee and wine disagree.

Abdomen

Colic about the navel; or involuntary muddy brown stools better lying. Flatus passes with difficulty. Stitching pains in the liver better deep breathing. Fainting and vomiting during stool. Diarrhoea from coffee. Chronic inflammation of bowels.

Urinary

Thinking of urinating causes necessity to urinate. Pains in glans penis, when urinating. Oxaluria.

Male

Neuralgic pains in spermatic cord; worse from slightest motion. Testes throb or feel crushed.

Respiratory

Low voice. Hoarseness with cardiac derangements. Aphonia from paralysis of vocal cords. Dyspnoea; nightly. Short, jerking inspiration, and sudden forced expirations. Pain from lower chest (left) to epigastrium. Chest fixed. Left lung painful. Voice altered.

Heart

Sharp darting in heart and left lung, extending to epigastrium, depriving of breath; sits erect with arms folded across chest. Palpitation worse lying. Angina pectoris. Heart symptoms alternating with aphonia. Beats of heart intermit when thinking of it. Fluttering heart.

Back

Numb pricking in back. *Back feels too weak to hold the body. Cold creeps up spine.

Extremities

*Weak trembling hand and feet. Drawing, lancinating pains shooting down extremities. Lower limbs, blue, cold, insensible; immobile. Numbness extends from shoulders to fingertips. Hands cold as if dead. Wrist (right) constantly painful, as if sprained, wants to stretch it; cannot hold anything. Pain in fleshy part of thumb (right).

Skin

Sensitive, sore, smarting worse shaving. Perspires easily. Mottled in circular patches.

Related

Ars; Pic-ac.

[Back to Index](#)

Generalities

Commonly known as Loco or crazy weed, has a marked action on nervous system producing uncertain, staggering or backward gait. Great mental depression. Urging to urinate when thinking of it. Trembling and a sense of emptiness.

Worse

Thinking of it. Every other day.

Better

After sleep.

[Back to Index](#)

Generalities

Anal and skin symptoms are marked. Skin is very *sensitive; ulcerations; from pressure; of tight boots, bed sores etc. Shooting or splinter like pains. Varicose veins. Rolls on floor from pain.

Worse

*Touch or pressure. Night. Motion. ***STOOL.

Mind

Much affected by bad news.

Rectum

*Excruciating pain at anus; continues long after stools; must rise and walk about; at night. Fissures or fistula in anus. Haemorrhoids_ large, ulcerated. Painful ulcer oozing, offensive moisture on perineum. Anus covered with crusts.

Sleep

Terrifying nightmares.

Skin

Sensitive. Ulcers from pressure, bed sores. Bunions.

Related

Rat.

[Back to Index](#)

Generalities

This metal is closely associated with Platinum and gold. It affects the *ovaries esp. the right; uterus and mind. *Pains fleeting, transient. Weakness, aversion to exercise. Bruised soreness. Ailments from bad news.

Worse

*Emotions; *lively; chagrin. *Social functions. Standing. Exertion.

Better

Touch. Pressure. Diversion. Rubbing. After; sleep, stools.

Mind

Love of approbation; seeks the good opinion of others and attaches great importance to them. Easy prey to slights, real or imaginary; wounded pride and fancied neglect; sometimes finding vent in violent expressions. Depressing news worse all the symptoms. Time passes too slowly. Keeps up brightly in company, much exhausted afterwards.

Head

Feels as if swung backwards and forwards. Headache across the top of head from ear to ear, better fixing attention on it.

Face

Blue, sallow.

Throat

As if crumbs of bread had lodged in; as if something hanging near hyoid bone. *Glairy mucus from throat.

Abdomen

Shooting pain from navel into breasts or pelvis; better after stools. Hollowness in groins. As if intestines were bitten off. Coughing, sneezing worse pain in abdomen. Stools; white, constipated.

Urinary

Cutting pain in bladder better stool. Bladder feels full but little urine is passed.

Female

Uterine prolapse or retroversion. Sub-acute pelvic peritonitis. Bearing down pains better rubbing. Cutting in uterus better after stool. Menstrual discharge while nursing. Glairy, yellow leucorrhoea before and after menses. Pelvis leaden heavy, worse standing. Ovarian pain better pressure. Abdomen feels sore, after menses and apprehension that something horrible will happen.

Back

Tired feeling in small of back.

Extremities

Fleeting neuralgic pains, in various parts of the body. Darting pains from toes to hips.

Skin

Itching all over the body, after undressing.

Related

Asaf; Plat.

[Back to Index](#)

Generalities

Genito-urinary organs and left side is affected by this remedy. Constant urging to urinate; violent pain in the glans penis and down the thighs during efforts of urination; *must get on knees and hands pressing head firmly to the floor to urinate. Cartilaginous induration of mucous membranes of the urethra and bladder. Renal colic; enlarged prostate; with retention of urine and catarrh of the bladder. Dysuria. Urine contains thick, stringy, white mucus or *red sand. Oedema of the lower limbs.

Related

Berb; Med.

[Back to Index](#)

Generalities

It affects head, spine, eyes and one side. Sensation of *heaviness; numbness; *parts feel too big or drawn together. Disorder of sense of touch; objects feel rough. Coldness of right side of the body while left side was hot. Whole body painful esp. when touched. Mucus secretions are green and tenacious. Sensitiveness to offensive odours. Broken feeling; of joints. Ill effects of injury; suppressions.

Worse

Thinking. Eye strain. Touch.

Better

Pressure. Eructation.

Mind

*Garrulous loquacity. Silly conduct. Loquacious mania. Inclination to treat others with rudeness and contempt.

Head

Vertigo on reading aloud. Headache worse by thinking. Head feels large, expanded. Occipital headache with a feeling of weight. Headaches as from pulling a string from eyes to occiput. Scalp sensitive, cannot comb hair. Left side numb. Chronic headaches.

Eyes

*Balls seem pulled back or feel too large, and heavy.

Ears

Pain as if ears were pressed out, or forced apart by a wedge; worse swallowing.

Nose

Imaginary foul smells. Bread, fish, milk smell putrid.

Face

Seems drawn into root of nose. Neuralgia; hot stitches in malar bones.

Mouth

And tongue dry; on awakening. Tongue feels too large.

Throat

Hawks up *tough green mucus. As of a ball in the throat. Burning in, when eating and drinking.

Stomach

Heavy as from a stone, better by eructation. Weak digestion. Red curved streak above navel.

Respiratory

*Periodical painless *hoarseness.

Neck

Weight and weariness in nape of neck. Stitches in coccyx on sitting. Violent pain on both sides of neck extending down to fingers worse mental exertion.

Extremities

Fingers feel numb. Everything feels rough. Joints; feel broken, swelled or dislocated at every motion.

Skin

Painfully sensitive.

Fever

Unilateral coldness or heat. Heat descending the back from the neck.

Related

Bell; Nux-v.

[Back to Index](#)

Generalities

Has a quieting effect on the nervous system; hence an efficient antispasmodic remedy. Convulsions of children; during teething. Breaks off morphine habit. Insomnia of infants and the aged, and mentally worried and over-worked persons. Tetanus. Hysteria. Puerperal convulsions. Asthma (10 to 30 drops). General atonic condition. (30 to 60 drops repeated several times).

[Back to Index](#)

Generalities

Rock oil, chiefly acts on the *skin esp. *folds, scalp; face, and genitals. Produces catarrhal condition of the mucous membranes, of stomach and bowels. It is suited to long lasting, deep seated wasting diseases; complaints following mental states, fright, vexations etc.; lingering gastric and intestinal troubles. Tremulous weakness. Feels sick internally. *Internal itching. Dread of open air; with shivering when exposed to it. *Dryness; in ear, nose, etc. Discharges are thick, purulent and yellowish green. Haemorrhages, blood light red; worse lifting or riding. Burnings. Twitchings, catalepsy. Dropsy. One of the first remedies for car, train or sea sickness. Ill effects of sprains; suppressed eruptions. Wooden feeling. Emaciation esp. of chest. Coldness; in spots; in abdomen, in heart, after scratching. Bruised soreness worse in joints. Glands enlarged. Cracks. Unhealthy granulations after severe burns. ***FEAR, *long lasting.

Worse

***MOTION; ***OF CARS; ***CARRIAGE; ***BOAT. *Weather-cold; *winter, changing; thunderstorms. *Eating. *Vexation. Cabbage. Coition. Touch, even of clothes.

Better

Warm air. Dry weather. Lying with head high.

Mind

Excited, irritable, after coition; with inclination to be angry and to scold. Irresolute. Sense of duality, thinks he is double or someone else lying alongside or one limb is double. Death seems near and must hurry to settle the affairs. Worries but does not know why. Loses his way in the street; loss of memory. Fearful.

Head

***VERTIGO, like that produced by swinging motion; *felt in occiput. *Occiput; *aching, *heavy. Headache worse shaking, while coughing, must hold temples for relief. Falling of the hair. Moist eruptions on scalp worse occiput and ears. Head feels numb as if made of wood. Cold air blowing on head as if.

Eyes

Inflamed tarsi. Loss of eyelashes. Fistula lachrymalis (of recent origin). Canthi fissured.

Ears

Deafness; with noises in ears in old people. Noise from several people talking is unbearable. Dryness in ears. Discharge of pus and blood from the ears. Moist spots behind the ears. Itching deep in ears, in eustachian tubes. Painful externally.

Nose

Dry. Nostrils; ulcerated, cracked, burn. Ozaena; purulent discharge. Tip of nose itches.

Face

Dry; as if covered with albumin. Pale, or yellow, hot after eating. Easy dislocation of jaw.

Mouth

Dry. Offensive smell, like garlic. Ulcers on the inner cheek painful when closing the teeth. Soreness, while chewing. Tongue; white, in centre, dark streak along edges.

Throat

Foul mucus in throat. Hawks out in the morning. Dry.

Stomach

Hunger; causing nausea; awakes at night, after stool. Pungent acrid eructations. Thirst for beer. Desire for dainties. Aversion to meat, fats, cooked or hot foods. Vomits bitter green substance. *Nausea; *train and seasickness; during pregnancy, must stoop.

Abdomen

Inflated; coldness in. *Diarrhoea or dysentery *by day only; worse cabbage; then miserable empty feeling. Itching of anus, after stools. Pinching colic better bending double. Navel ulcerated in infants. Piles and fissures of anus; with great itching. Herpes on perineum.

Urinary

Involuntary urine on rising. *Stricture from chronic urethritis. Enuresis, at night. Acute sudden urging, which if not attended to immediately, will cause severe pain. Cystitis, urethritis. Dribbling of urine after urination.

Male

Itching and burning herpes; on the scrotum; between scrotum and thighs; on the perineum. Genitals sweaty (both sexes).

Female

Aversion to coition. Menstrual flow causes itching. Soreness and moisture on genitals with violent itching. Leucorrhoea; albuminous; profuse; with lascivious dreams. Itching and mealy covering on the nipples. Dry obstinate eruptions. Prolapsus uteri from constant diarrhoea.

Respiratory

Cough, coming deep down from chest; waking the patient, up at night (in young girls and boys). Cough at night only or worse then; shatters the head better pressing. Oppression of chest from cold air.

Heart

Cold feeling about heart. Fainting, with ebullitions, heat and palpitation.

Neck and Back

Neck stiff; cracks when moved. Pain in spine and all over the body with sciatica. Coccyx painful on sitting. Pain in sacrum worse standing erect. Sharp pains shooting up dorsal spine into occiput; confinement.

Extremities

Cracking in joints. Joints stiff. Limbs go to sleep. Ragged, *chapped hands and fingers, bleeding; in housemaids. Psoriasis of the palms. Stitches; blisters in heels.

Skin

***DIRTY, ***HARD, ***ROUGH, ***THICKENED; like parchment; *it gets raw, *festers or won't heal; worse in folds. *Deep cracks; in angles, nipples, finger tips. Brown spots. Eruptions having thick, hard, moist or yellow green crusts; on occiput; on genitals worse cold. Eczema. Herpes. Vesicles. *Itching, orifices, with burning. Cold spots. All eruptions itch violently and one must scratch until they bleed; part becomes cold after scratching. Chilblains that itch, burn and become purple.

Sleep

Restless, with frightful dreams.

Fever

Chilly with dry mouth. Palms and soles hot. Sweat in spots; foul on feet or axillae. Flushes of heat all over in frequent attacks during day.

Complementary

Sep.

Related

Graph; Sep.

[Back to Index](#)

Generalities

This remedy has influence in the genito-urinary sphere. Sudden, irresistible urging to urinate, with drawing, tingling, crawling, itching from perineum throughout the whole urethra. Gonorrhoea; milky or yellow discharge. Dysuria; with prostatic enlargement. Urinary difficulties of babies. Very painful urination causing him to shiver, dance round the room in agony.

[Back to Index](#)

Generalities

Produces *catarrhal conditions of the respiratory tract. Phthisis. Acts on *mammar and nerves. Feeling of tiredness while walking. As if all the blood-vessels were in vibratory motion.

Worse

Air; cold, open. Using eyes.

Better

While nursing.

Mind

Peevish arrogance.

Head

*Clang, *like striking on metal, *in brain, waking him. Weight on vertex; aching and burning in temples and above the eyes.

Eyes

Ciliary neuralgia worse attempting to use the eyes. Intolerance of light. Only half open, and look as if one has been crying for a week.

Face

Livid red, in the evening.

Stomach

Eruptions smelling of bed bugs. Everything tastes sweet. Desires sour things; milk or beer. Aversion to water.

Female

Pain in nipples on each application of child; into abdomen. Intolerable pain in milk ducts; between nursing.

Respiratory

*Expectoration; *horribly offensive (like bed bugs); loose, profuse, smeary, causing dyspnoea. Cough compels him to sit up. Sticking pain through, from left border of right mammar to between shoulders. Pains going backwards through chest.

Sleep

So sleepy; would fall asleep while standing at work.

Related

Asaf.

[Back to Index](#)

Generalities

*Phos-ac. *affects the ***MIND esp. its ***EMOTIONAL SIDE; in addition it influences sensory nerves; sexual system and *bones. ***WEAKNESS AND DEBILITY common to all acids is very marked in this acid; *with free secretion; profuse urination; loss of fluids; sweatings etc. except with diarrhoea. Mental debility appears first, then physical. *Slowness of mind, and special senses. Pains go to part lain on. Sensitive to light, sound and odours, which takes away her breath. Sense of pressure; as of causing weight; in forehead, in sternum, in vertex; in eyes, navel, breasts etc. Formication; at root of hair; *along the spine; limbs. Useful to those young people who grow rapidly and who are over taxed mentally and physically; when the system is ravaged from acute diseases; venereal excesses; grief, loss of vital fluids, it calls for this acid. Bruised soreness; like growing pains. Haemorrhages, blood dark. Bone diseases. Osteitis. Periosteitis. Caries. Rachitis. Diabetes. Neurosis of stump after amputation, better from deep breathing. Relieves the pains of cancer. Coldness; of parts. Ill effects of bad news; disappointed love, grief; chagrin, injuries; shock. Pining; with emaciation. Neurasthenia. Formation of abscesses after fever. Gnawing pain in bones. Loose joints. External parts become black; senile gangrene.

Worse

***LOSS OF FLUIDS. *Sexual excess. *Fatigue. *Convalescence from fevers. ***EMOTION; *grief; chagrin. Mental shock. Home sickness. Unhappy love. *Drafts; *cold. Music. Talking. Sitting. Standing. Over lifting. Operations. Fright (chronic).

Better

*Warmth. Short sleep. Stooling.

Mind

*Quiet; unwilling to speak, or hasty speech. *Indifferent; *to everything. ***APATHETIC; from unequal struggling with adverse circumstances, mental and physical; obtuse, or torpid; with tendency to diarrhoea or sweatiness. *Slow grasp. Cannot collect his ideas; hunts for words. Poor memory. Settled despair. Aversion to talking. Answers, reluctantly or slowly, short incorrectly. Hysteria at change of life. Home sickness with inclination to weep. Mild delirium; easily aroused. Brain fag. Hopelessness. Dread of future; broods over one's condition.

Head

Crushing weight on vertex; pain as if temples were crushed; worse shaking or noise. Vertigo; as if floating in the air, while lying in bed, with ringing in the ears and glassy eyes; worse standing, walking. Hair thins out, turns grey early. Falling of hair. School girl's headache; from over use of eyes. Headache; after coition.

Eyes

Lusterless; glassy; staring; *sunken; with *blue rings around. Pain as if eyeballs are pressed together and into head. Eyeballs feel large. Yellow spots on conjunctiva. Loss of vision from masturbation. Sees rainbows. Photophobia.

Ears

Intolerance of noise esp. music, which causes stitches, even while singing himself. Nervous deafness after typhoid like fevers. Every sound re-echoes loudly in the ear. Shrill sound in ears on blowing the nose. Illusions of hearing; hears bell pealing. Earache on blowing nose.

Nose

Bleeding. Itching; bores fingers into nose. Nose swollen, with red patches or pimples on tip of nose.

Face

Pale, sickly. Tense as if white of an egg had dried on it. One side cold. Acne from onanism. Hairs of beard fall out.

Mouth

Bleeding, swollen gums, retract from teeth. Teeth become yellow and feel dull. Slimy tongue. Red streak in middle of tongue. Bites sides of tongue involuntarily; in sleep. Mouth dry. Lips dry, cracked. Painful nodosities on the gums. Taste of rotten eggs.

Throat

Hawks up tough mucus. Dryness of palate.

Stomach

Craving for refreshing and juicy things; for cold milk. Acidity. Sour food and drinks disagree. Pressure as from a weight. Loss of appetite.

Abdomen

Aching in umbilical region. Distension and fermentation. Loud rumbling. Cold. ***PROFUSE, ***PAINLESS; ***DIRTY WHITE WATERY OR LIENTERIC STOOLS; ***BUT LITTLE DEBILITY. Stools involuntary; escape with flatus; when moved, in children. Stools odourless. Liver; seems to be too heavy; painful; during menses. Flatus offensive garlicky.

Urinary

Urine; frequent, profuse, watery, ***MILKY. Diabetes. Phosphaturia. Burning in kidney region. Enuresis in first sleep. Whey like urine shortly before menses.

Male

Weak relaxed genitals; suddenly during coitus, preventing emission. Weakness and pollutions after coition. Nightly emissions; with lascivious dreams. Testes tender and swollen. Prostatorrhoea when passing a soft stool. Herpes preputialis. Eczema of scrotum. Sycotic excrescences.

Female

Uterus bloated, as if filled with wind. Menses, too early and too profuse; with pain in the liver, Itching yellow leucorrhoea, after menses. Health deteriorated from nursing. Sharp pressure in left mamma. Infants vomit milk constantly. Dysuria during pregnancy.

Respiratory

Weak feeling in chest worse by talking, coughing or sitting; better walking. Takes cold; better drafts on chest. Spasmodic tickling cough. Pressure or twisting behind the sternum; rendering breathing difficult. Expectorations salty.

Heart

Palpitation; in children and young persons who grow too fast; after grief; after self abuse. Pulse irregular; intermittent.

Neck and Back

Paralytic *weakness along spine. Formication along spine. Spondylitis of cervical vertebrae. Lumbar region heavy, increases pain in legs. Burning along the spine. Fine stitches in coccyx and sternum. Boils on buttock.

Extremities

Heavy forearms. Wens on hands between metacarpal bones. Formication in limbs. Pains at night as if bones were scraped. Stumbles easily and makes misstep. Burning below waist. Cramp like pressure in arms, hands and fingers. Numbness along radial nerve.

Skin

Clammy wrinkled. Pimples, acne, blood boils. Tendency to abscess after fevers. Painless ulcers with stinking pus. Formication in various parts.

Sleep

***SLEEPY BY DAY; hot and wakeful at night. Sleep deep but when aroused fully conscious; during fevers. Short sleep better weakness.

Fever

Cold parts; one side of face; abdomen etc. Heat with sweat. *Profuse sweat; worse at night; as a sequel. *Sluggish painless fevers.

Related

Gel.

Complementary

Chin.

[Back to Index](#)

Generalities

*Phos. causes inflammation and degeneration of the ***MUCOUS MEMBRANES; ***OF STOMACH AND BOWELS; inflames the spinal cord and ***NERVES; causing paralysis; disorganises the *blood; causing fatty degeneration of ***BLOOD VESSELS and every tissue and organ of the body; thus it produces a picture of *destructive metabolism. It is suited to those young people who, grow rapidly and inclined to stoop. Chorea of children who grow too fast. *Tall, *slender persons of sanguine temperament; *nervous weak delicate persons who like to be magnetized. Insidious onset, gradually *increasing debility, ending in severe or rapid disease. ***HAEMORRHAGES; recurrent, vicarious; small wounds bleed much. Blood streaked discharges. Purpura haemorrhagica. Recurrent effects colds, croups etc. Great susceptibility to external impressions, light, sound, odour, touch; electrical changes, etc. Suddenness of symptoms; sudden; prostration, faints; weak spells, sweats, shooting pains. Uncertain involuntary acts. *Emptiness; in chest, stomach etc. ***TIGHTNESS; in chest, cough etc. Pain or soreness in *spots. Paralysis; pseudo-hypertrophic of muscles; of insane, internal; throat, rectum. Internal, itching; tickling; throbbings here and there. Numbness. *Burnings. Jerking; localized; subsultus. *Joints; stiff, with little pain; sprains; easily dislocated; weak spells in joints, worse exertion. Symptoms due to heart and lung affections. Caries; of the *bones; spine; upper jaw. Hard swelling here and there. Osteomyelitis. Exostoses. Bone fragility. Polypi; easily bleeding. Jaundice, as a concomitant, haematogenous. Haemophilia. Polycythaemia. Erectile tumours. Pyemia. Acidosis. Phthisical habit. Emaciation. Spasms on the paralyzed side. Epilepsy with consciousness. Petit mal. Totters while walking. *Human barometer. Flabby muscles. Ill effects of anger, fear, grief; worry; exposure to drenching rains; washing clothes; tobacco; having hair cut. Iodine. Excessive use of salt. Healed wounds break out again and bleed. Lipoma. Cancer.

Worse

***LYING ON; painful side; ***LEFT SIDE; ***ON BACK. ***SLIGHT CAUSES; ***EMOTIONS; talking; touch; odours; light. ***COLD; open air. Putting ***HANDS in cold water. ***WARM INGESTA. Puberty. Salt. *Sexual excess. Loss of fluids. *Weather, *sudden change in; windy; cold; thunderstorms; lightning. *Morning and evening. *Mental fatigue. Twilight. Shaving.

Better

*Eating. *Sleep. Cold; food, water, washing face with cold water. Rubbing; magnetic. Sitting. Dark.

Mind

*Amative; will uncover his body and expose his genitals. Excitable, easily angered and vehement from which he afterwards suffers. *Anxious; fears being alone at twilight; of ghosts; about future; of thunderstorms, as if something creeping out of every corner. Quickly prostrated by unpleasant impressions. Timid and irresolute. Melancholy; disinclined to work, study, converse. Weary of life. Sheds tears, or with attacks of involuntary laughter. Destroys everything, spits at nurse, kisses who comes near her. Apathy; indifference even towards her own children. Insanity; with exaggerated idea of one's own importance; grandeur. *Any lively impression is followed by heat, as if immersed in hot water. Clairvoyant. Weeps before menses. Wants sympathy. Laughs at serious things. Anxious, restlessness, patient cannot sit or stand still for a moment esp. in dark or twilight.

Head

***VERTIGO; accompanies many symptoms; of aged; floating; on waking; whirling; better stool. Head; heavy; *aches; *over one eye; with hunger; worse children, worse lying on right side; better cold washing of face. Brain-fag; with coldness of occiput. Burning temples. Vertex; throbs, hot, after grief. Softening of the brain, with formication, numbness of limbs, feet drag. Congestion to head. Dandruff; copious. Itching of scalp. Falling of hair in large bunches; in spots. Occiput; cold; shocks in; epilepsy. Feels as if pulled by hair.

Eyes

Lachrymation; in wind. Photophobia. *Vision; *flashes; haloes; *red; green; black; better shading by hands. Narrow field of vision. Balls feel large; stiff. Coloured vision then migraine. Glaucoma. Degenerative changes in retinal cells. Retinitis albuminurica. Partial loss of vision from abuse of tobacco, sexual excess, lightning. Optic atrophy. Choroiditis. Long curved lashes. Yellow. Cataract. Eyes hollow, with blue rings around them. Vitreous opacities. Letters appear red when reading. Sensation as if everything were covered with mist; dust or veil or something pulled over tightly over eyes. Eyes turned outwards.

Ears

Difficult hearing, of human voice. Echoes and reverberations of sounds; esp. music. Polypi in the ear. Otitis; media. Mastoiditis. Dullness of hearing after typhoid. As if foreign bodies were lodged. Something seems constantly in front of ears.

Nose

*Nervous fan like motions of alae nasi. Coryza; alternately fluent and dry; on alternate sides. Epistaxis; instead of menses; of youths, then pneumonia; with cough, during stool. Nose swollen. Caries. Ulcers in the nose. Nasal polypus, bleeding easily. Chronic catarrh, blows blood from the nose. *Sneezing; worse odours, smokes etc.; with dyspnoea, causes pain in the throat. *Descending nose colds. Oversensitive to smell. Sneezing and coryza on putting hands in water. Swollen, red, shiny. Bad smell.

Face

*Pale about nose and mouth; sickly, changing, colour. Necrosis of the lower jaw. Burning heat and redness of cheek. Lips; blue, dry, cracked, sooty, scabby. Skin as if too tight.

Mouth

Teeth numb. Toothache from washing clothes; from having hands in cold or warm water. *Gums; bleeding; *sore behind central incisors. Tongue dry, smooth red. Persistent bleeding from tooth extraction. Itching of palate. Abscess of hard palate. Taste sour; after milk; bitter; sweetish, when coughing. Mouth drawn to the left. Speech difficult, stutters. Salivation; saltish or sweetish. Nursing sore mouth with sore breast.

Throat

Dry; glistening. As of a cotton or something hanging in. Burning in oesophagus. Stricture of oesophagus. Tonsils and uvula swollen; uvula elongated.

Stomach

***CRAVES COLD DRINKS; ***WHICH better but are ***VOMITED IN A LITTLE WHILE, when it becomes warm in the stomach. Post-operative vomiting, after chloroform. *Regurgitates

ingesta, by mouthfuls. Pain in stomach better cold drinks. *Hunger; *ravenous; nightly; before the attack of sickness. Waterbrash. Food scarcely swallowed comes up again; spasms of oesophagus at the cardiac end. Vomiting; of bile, blood, coffee grounds. Ulcer of stomach. Burning in stomach worse eating. *Craves; *salt, acid and spicy things; what is refused when offered. ***EMPTY *hollow feeling in stomach; ** as if hanging down worse emotions. Tremors; fluttering or something rolling over in stomach. Waterbrash. Unable to drink water; during pregnancy, the sight of water makes her vomit, has to close her eyes when taking bath. Nausea on putting hands in warm water. Stomach cold as if frozen.

Abdomen

Pressure above epigastrium. Sore spot in pit of stomach. Feels cold. Rubs abdomen for relief. *Stools; like cooked sago; granular *slender, tough. Very foetid stools and flatus. Painless; copious; grey; bluish, *watery; *pouring out; nervous; involuntary, after fright; *exhausting diarrhoea. Alternate diarrhoea and constipation in old people. Dysentery. Anus open; prolapsed. Stricture of rectum; stools flattened. Burning in rectum. Jaundice; with pneumonia or brain disease; during pregnancy; from nervous excitement; malignant; haematogenous. Acute yellow atrophy of liver. Acute hepatitis. Large yellow spots on abdomen. Tearing in anus better warm cloth. Discharge of blood from rectum, during stool. Flatulent colic worse hot drinks. Urging for stool, on lying on left side.

Urinary

Profuse pale, watery urination; then weakness. Pellicle on urine. Haematuria; in acute nephritis; with jaundice. Albuminuria; periodical. Bladder is full without urging.

Male

*Irresistible desire; but impotent. Lascivious; strips himself; sexual mania. Erections feeble or none at all. Constant discharge of thin, slimy, colourless fluid from urethra.

Female

Menses; too early, scanty, not profuse but prolonged. Leucorrhoea; profuse, smarting, corrosive, instead of menses. Nymphomania. Sterility; from excessive voluptuousness; or with profuse, or too late menses. Frequent and profuse; or short uterine bleeding in between the periods; in nursing women. Cancer of the uterus. Amenorrhoea; with blood spitting; bleeding from the anus or haematuria or with milk in breast. Suppuration in mammae; with fistulous ulcers. Cancer of the breast. Uterine polypi. Left infra-mammary pains. Vagina numb during coition in spite of sexual excitement. Violent sexual desire during pregnancy and lactation. Nipple hot and sore.

Respiratory

Oppressive breathing; worse least motion. Tight suffocative breathing; worse cough. Larynx; raw, sore, furry; painful on speaking. *Voice; low; *hoarse worse morning and evening; croupy, then bronchitis. *Cough; hard, wheezing; dry, violent, painful, *tickling, hacking, exhausting; with retching; causes pain in abdomen; burning in air passages and trembling, worse reading aloud; change of weather; before strangers, laughing, exertion, singing. Sputum; easy, frothy, rusty bluish, salty, sour, sweetish, or cold. Pneumonia; *of left lower lung, secondary, with sopor. *Chest; full; heavy; *pains into throat or right arm; or alternating sides; stitches, in left upper chest; rattling worse cold drinks. Dry hot feeling in chest; with

cough; at first dry then loose. Asthma after cough. Repeated haemoptysis. Tuberculosis, in tall; slender, rapidly growing persons. Congestion in lungs. As if skin in larynx.

Heart

Violent palpitation with anxiety; from least thing; during goitre. Pains into right arm. Dilatation of heart from fatty degeneration or endocarditis. Heart weak. Pulse rapid, small, soft. Feeling of warmth in heart. Yellow spots on chest.

Neck and Back

Back pains as if broken, impeding all motion. Cramp; *burning; *between scapulae. Spinal irritation worse heat. Pain forward from *left scapula. Burning spot in lumbar region better rubbing. Pain in sacrum after confinement. Stitching pain from coccyx up the spine to occiput worse during stool.

Extremities

Ascending sensory and motor paralysis from ends of fingers and toes. Can scarcely hold anything with his hands. Tearing left shoulder at night. *Numb; *arms; *hands; *fingers and toes. Palms burn. Hands and arms cold during diarrhoea. Paralyzing stitches in hips; then up back. Pains in tibiae; periostitis. Ankles; as if to break; easy dislocation. *Tottery; stumbles easily. Suppressed foot sweat. Icy cold feet. Toes cramp. Joints suddenly give way. Periodical contraction of fingers like cramp. Weakness and trembling of limbs on every exertion. Post-diphtheritic paralysis, with formication of hands and feet. Knees cold; in bed. Legs heavy, feet as if glued to the floor. Walks with legs apart (waddling); stands with legs widely separated.

Skin

Small wounds bleed much; they heal and break out again and bleed. Brownish or blood red spots here and there. Ecchymosis. Purpura haemorrhagica. Fungus haematodes. Skin burns on shaving. Fatty cysts. Thin foul, bloody pus. Ulcers bleed during menses.

Sleep

Drowsiness; Coma vigil. Sleepy by day; sleepless before midnight. Sleepless; cannot close the eyes; from internal heat. Short naps and frequent wakings. Somnambulism. Dreams of fire; lewd; of haemorrhage. Feels in the morning as if he had not slept enough.

Fever

Chilly in warm room, down back. Craves ices during the chill. *Burning heat; *local, *up back. Hectic. Sweat; early morning; sticky; without relief. Painless fevers.

Related

Bry; Caust; Con; Puls; Rhus-t; Sil.

Complementary

Lyc; Sang; Sep.

[Back to Index](#)

Generalities

Motor nerves through spinal cord are affected by this remedy; causing fluttering tremors in the muscles; they do not respond to the will and / or draw into knots; even the intestines are seen twisted in knots. Spinal irritation; sensitive vertebrae, weakness of the lower limbs; coming from a spot between hips. Loss of sensibility to pain. *Weakness; followed by complete paralysis, though the muscular contractility is not impaired. Rigidity of muscles. *Horror of cold water, drinks or bathing; cold water feels too cold. Averse to bathing. Shuddering worse every draft. Floating sensation. Darting pain here and there. Flushes of heat worse palms. Ataxic gait, shooting pains down the limbs. Tetanus. Trismus. *Tremors. Ill effects of emotions; grief. Injuries, blows. Progressive muscular paralysis. General paralysis of the insane.

Worse

Change of temperature. *Eyestrain. Bathing. Heat and cold. Descending. Motion. Stepping. Jar, misstep.

Better

Lying on abdomen or with head low. Exerting the will. Closing eyes. Sleep.

Mind

Active even during sleep. Nothing was right; too many things in the room; continually counting them. Paralytic state of mind and body, from grief.

Head

Brain; falls to side lain on; wavering in. Vertigo, stumbles on ascending or descending steps. Pain from forehead down nose. As of a band about the head, as of a tight cap on head. Heartbeats felt in head on lying down. Tremors in head.

Eyes

Twitching of eye muscles. Pain over orbits; cannot bear to raise eyelids. Accommodation affected; astigmatism. Glaucoma; esp. after injury. Pupils contracted. Post-diphtheritic paralysis of eye. Eyelids tense; cannot close or open them. Bloodshot eyes; with burning. Night blindness. Muscae volitantes; flashes of light. Increasing myopia. Vision trembling.

Ears

Sudden pain from throat to middle ear worse eructation. Pain in the ear (right) when writing.

Nose

Twitching of muscles of nose.

Face

Lips numb; licks them. Lockjaw.

Mouth

Teeth feel rough. Tongue; feels oily, scalded, swollen; in chorea. Loose skin feeling roof of mouth. Thick leathery saliva.

Throat

As if a ball coming up throat. Strong heartbeats felt in throat. Seems to have swallowed a large piece of food; felt at epigastrium.

Stomach

Hiccough; with short breath, better sleep.

Abdomen

Navel, sore, bloated, red. Hypogastrium sore, bloated worse standing. Gripe in right hypochondrium. Groins pain alternately. Colicky pains worse diarrhoea; better extending legs.

Female

Numbness of womb; with pain in back. Leucorrhoea worse during the day-time when exercising. Sighing worse when leucorrhoea is worse. Menses, irregular; with palpitation.

Heart

Seems to flutter in throat or over whole body, or in head.

Neck and Back

Creeping numbness from occiput down spine. *Sensitive spine.

Extremities

Jerking limbs. Offensive odour from hands. Pain in deltoid (right) better violent motion. Pain in right popliteal space. Flushes of heat in palms.

Sleep

*Attacks of overpowering sleepiness; with feeling as if to lose consciousness.

Fever

Every movement and draft causes shuddering. Easy sweat; with excitement.

Related

Agar; Gels; Nux-v.

[Back to Index](#)

Generalities

This long and deep acting remedy, prominently affects the *glands esp. ***MAMMARY; tonsils; in addition it has a powerful action upon the muscles; of ***NECK *and back; *fibrous tissue; tendons and joints, osseous tissues, periosteum, ***THROAT; *digestive tract and right side. ***SORENESS; ***HARD ACHING; restlessness and prostration are the guiding symptoms. *Aching, all over the body; sudden; in eyeballs, *kidneys, neck; shoulders; *back; forearms; *below knees. *Bluish-red parts; throat; glands etc. Spreading pains. Pains come and go suddenly, change places; *rheumatism; *after tonsillitis. Discharges are *shreddy; stringy; stools; menses etc. Hard and painful nodes. Syphilitic bone pains. Tetanus; general muscular rigidity; alternate spasms and relaxation of muscles. Hastens suppuration. Pus_watery, foetid, ichorous. Obesity. Retarded dentition. Everything affects the mammae.

Worse

Exposure to damp cold weather or changes of weather. *Raising up. *Motion. *Swallowing hot drinks; heat. Cold night. At menses. Rain. Stepping down from high step.

Better

Lying on abdomen; or left side. Rest. Dry weather.

Mind

Loss of personal delicacy; complete shamelessness and indifference to exposure of her person. Indifferent to life. Feels faint on rising. Refuses food, in spite of continuous insistence. Great fear; she is sure she will die. Disgust for business.

Head

Vertigo on rising. Pain from frontal region backwards. Brain feels sore; head as if beaten. Pains come every time it rains. Nausea and headache better eating, but returns soon with vomiting which worse headache but better nausea.

Eyes

Profuse hot lachrymation. Smarting. Green vision. Fistula lachrymalis. Eyeballs ache on reading and writing. Motion of one eye only, independent of the other. Orbital cellulitis. Lids as if on fire.

Ears

*Pain in both the ears, worse *swallowing.

Nose

Feels heavy. Flow from one nostril while the other is stopped; alternately. Acrid coryza. Obstruction when riding.

Face

Yellowish, sickly. Aching malar bones. Glands swelled at the angle of jaw. Jaws ache, as in mumps. Lips everted and firm. Chin drawn closely to sternum. Mumps.

Mouth

*Disposition to bite the teeth together. Difficult dentition better on biting something hard.
*Tongue; fiery red at tip; feels burnt or *pains at root; protruded. Much stringy saliva. Very painful small ulcers on side of cheek; cannot chew on that side. Sensation of dryness, with cough.

Throat

Dark red or bluish red. White grey spots on fauces. Sore, *very painful on swallowing, *dark, puffy; burning, as of a stick. Hot ball or lump in. Tonsils swollen; like dark wash leather on tonsils. Hard throbbing in right tonsil. Quinsy. Diphtheria. Cannot swallow anything hot. Follicular pharyngitis. Hoarseness and sore throat after diphtheria.

Stomach

Violent vomiting; with retching; desires death, to relieve vomiting; every few minutes. Hunger soon after eating. Easy vomiting, without nausea. Pain worse deep breathing.

Abdomen

Heavy aching pain in hypochondrium worse lying on affected side, better leucorrhoea. Chronic hepatitis. Continuous urging to stools; even in sleep. Dysentery; passage only of mucus and blood or like scraping from the intestines. Bloody discharges, with heat in rectum. Cancer of rectum. Constipation of the aged; and those with weak heart. Diarrhoea after lemonade.

Urinary

Hard ache in kidney; with scanty, suppressed urine. Dark red urine; chalky sediment. Albuminuria; after diphtheria, scarlatina. Urine stains the clothes yellow.

Male

Spermatic cord sore. Shooting along perineum to penis. Painful induration of testicles.

Female

Menses; with flow of saliva and tears. ***HEAVY, ***STONY, ***HARD SWOLLEN OR TENDER MAMMAE; *paining during suckling; spreading all over the body. *Hard nodes in breast; with enlarged axillary glands. Nipples; cracked, very sensitive; inverted. Irritable breast before and during menses. Dysmenorrhoea; in barren women; with erosion of cervix membranous. Galactorrhoea. Bloody, watery discharge from mammae. Affection of old cicatrices in mammae.

Respiratory

Panting breathing. Hoarseness. Cough with burning in trachea.

Heart

Shocks of pain in cardiac region. Pain leaves heart and goes into right arm. As if heart leaped into the throat. Fatty heart.

Neck and Back

*Neck stiff. Aching pain in lumbar and sacral region. Pain streaking up and down the spine.

Extremities

*Right arm numb and fuzzy. Pain and stiffness in (right) shoulder; with inability to raise the arm. Pains fly like electric shocks. Hips and thighs pain on change of weather. Aching and weakness in humerus (right) worse motion and extension. Aching tibiae. Aching heels better elevating feet. Neuralgia of toes. Sharp cutting, drawing pains in the hip; legs drawn up, cannot touch floor. Painful, hard, shiny swelling of finger joints.

Skin

Dry, harsh, shrivelled. Disposition to boils. Venereal buboes. Warts. Lipoma. Corns. Barber's itch. Ringworm.

Complementary

Sil.

Related

Bry; Kali-bi; *Kali-io; Merc, Rhus-t.

[Back to Index](#)

Generalities

This acid acts upon *brain; *spinal cord; *lumbar region; occiput; *kidneys and sexual organs. *Weakness; *heavy, *tired feeling, in body and mind. Degeneration of the spinal cord; with paralysis. Spasms; from myelitis. Easy prostration. Progressive pernicious anaemia. Prickling as of needles. *Burning in many parts; *along spine; in legs. Cachexia. Worn out persons, mentally and physically. Numbness. Formication. Neurasthenia. Acute ascending paralysis. Uremia; with complete anuria. Typist's palsy.

Worse

*Exertion, *mental; physical. Seminal losses. Heat; of summer. Fatigue. Study. Mental shock.

Better

Rest. Cold. *Bandaging. In sun.

Mind

Lack of will power, to undertake anything. Dread of failure, in examination; after prolonged mental strain and anxiety. As if stairs or ground coming up to meet him. Lascivious thoughts in presence of any woman. Although enjoying the society of men, idea of marriage unendurable. Sits still and listless, does not take interest in surroundings.

Head

*Heavy occiput; down spine and *lower limbs. Headache worse mental exertion better nosebleed; bandaging; with sexual excitement and violent erections. Brain-fag. Headache during daytime better in sleep. Headache; of businessmen, teachers and students; from grief and other depressing emotions.

Eyes

Yellow. Chronic conjunctivitis, with thick yellow discharge.

Ears

Painful boils in meatus.

Stomach

Bitter taste; with thirst. Aversion to food. Vomits suddenly, without warning; vomits bright yellow, bitter.

Abdomen

Oily burning stools. Diarrhoea from mental exertion. Burning in rectum while passing stools. Stools thin, yellow. Jaundice with itching.

Urinary

Ammoniacal; dribbling urine. Uraemia; with complete anuria. Diabetes, albuminuria. Enlargement of prostate gland.

Male

Lascivious thoughts in presence of any woman. Priapism, penis distended. Hard erections, with pain in testicles up spermatic cord. Extreme prostration from frequent seminal emissions. Impotency, with tendency to boils and carbuncles.

Female

Extreme exhaustion at her menstrual periods.

Neck and Back

Painful boils on nape of neck. Backache with languor; patient is unable to sit straight; and burning along spine; worse study. Keeps legs wide apart when standing. Aching, tired legs. Writer's cramps or palsy. Back seems as if bandaged, also limbs. Anaesthesia of legs as if one has on elastic stockings. Legs weak, heavy like lead, lifts with difficulty.

Skin

Jaundice. Small painful sore boils esp. on neck.

Sleep

Sleepiness. Sleep sound but unrefreshing. Sleepy during day and sleepless during night.

Related

Gels; Ox-ac; Phos; Phos-ac.

[Back to Index](#)

Generalities

Kava–Kava is an intoxicant which produces liveliness and inclination to do more work without fatigue. *All the symptoms esp. *pains are better for a time by diverting attention, changing position or topic.

[Back to Index](#)

Generalities

Affects the *nerves, causing neuralgia of *ears, teeth, *face; of shingles. *Pains are sharp, *shifting; *play between ear and teeth. *Soreness. Produces disgust for tobacco; in chewers and smokers. Pyorrhoea. Ill effects of bruises, burns, cuts, punctured wounds, snake bites. Can be applied locally for neuralgia. As of a foreign body between ears; in the groins, etc.

Worse

Night. Warm room.

Better

Sleep. Eating.

Head

As if brain turned over. Headache with toothache. Sense of something lying in the head, through one ear to the other.

Eyes

Sharp pains in the eyes, reflex from decayed teeth. As of a hair before eye (left).

Ears

Neuralgic earache, pain goes from one ear to the other, through the head. Earache with toothache. Hearing more acute; loud noises goes through one. As of a body between ears.

Nose

Sudden discharge of yellow coloured water from the nose.

Face

Periodical prosopalgia worse 7 a.m. to 2 p.m., with lachrymation, photophobia, pain radiating to temples and lower jaw.

Mouth

*Saliva flows with pains. Teeth feel too long. Toothache better eating. *Dirty taste.

Abdomen

Bowels seem cold. Colic better eating. Diarrhoea; with brown frothy, watery stools. Painful piles, can hardly stand.

Urinary

*Frequent passage of large quantity of pale urine worse night, with thirst (Diabetes). Enuresis.

Female

Neuralgia of nipples.

Back

Throbbing between scapulae. Cold sweat on sacrum.

Extremities

Numb tremulous legs.

Skin

Itching and burning. Sensitive.

Sleep

Gloomy dreams exciting tears.

Related

Amm; Ferr-p; Puls.

[Back to Index](#)

Generalities

This proud metal is a ***WOMAN'S remedy esp. *prim old maids. Many and various symptoms reflex from ovaries and uterus or sexual organs. It affects the nerves, Vagus, Sensory and Trifacial, causing *violent, *cramping, squeezing, thrusting or *numbing pains; then spasms. Spasms alternate with dyspnoea. Oversensitive *mind and nerves. Localized; coldness; of single parts, eyes, ears etc.; or *numbness; of scalp, face, coccyx, calves etc. Haemorrhages; with black clots with fluid. Tremors; painful. *Irregular, spasms; congestion of blood.*Alternate mental and physical or *sexual symptoms. Pains increase and decrease gradually. *Bandaged feeling. *Sticky discharges; tears, stools, menses, etc. Hysterical spasms. Catalepsy during menses. Tonic and clonic spasms, with laughter. Ill effects of fright; vexation; bereavement; fit of passion; sexual excess; prolonged haemorrhages; masturbation, (before puberty). Sensation of pricking. Violent shocks, as from pain. Contortions of limbs. Epilepsy; catalepsy. Perverted sexual desire.

Worse

***EMOTIONS; *sexual, *coition, chagrin. ***TOUCH. *Nerve exhaustion. Fasting. During menses. Sitting. Standing. Bending; backwards.

Better

*Walking in open air. Sunshine. Stretching.

Mind

Laughs at wrong time. Unkind; abrupt and quarrelsome. *Disordered sense of proportion; objects seem smaller; strange, frightful. Sensation of dread and horrors; fears death; which seems to be very near. Screams for help. Changing moods; weeps and laughs alternately. ***CONTEMPT. *Hauteur; looks with disdain upon everyone and everything. Feels tall and stately. *Proud and erotic. Impulse to kill her own child; her husband (on seeing a knife) whom she secretly dislikes, or passionately loves. Whistles, sings, dances. Wounded pride or sexual excitement brings on mental symptoms. Weeps with pains. She does not belong to her own family; everything seems changed. Alone, deserted feeling. Bad humour; yet weeps. Thinks her husband will never return; something will happen to him. Fault finding. Unchaste talk. Mental troubles better at twilight and suppressed menses. Serious, over matters that are not serious; irritable about trifling things. Sits in a corner, broods and says nothing.

Head

Tense, pressing pain. Numbness with headache. Clavus. Tense scalp. Headache with leucorrhoea. As of water in forehead.

Eyes

Feel cold. Twitching of the eyelids. Objects look smaller than they are.

Ears

Sensation of coldness in; feel numb; extending to cheek and lips.

Nose

Crampy pain at the root of nose; with redness of face. Nose numb.

Face

Coldness, creeping and numbness in whole side of face (right). Grimaces. Boring in the jaws. Cramps in jaws. Lockjaw. Malar bones numb.

Mouth

Pulsating pains in teeth. As if tongue were scalded. Mouth feels cold. Sweet taste on tip of the tongue.

Stomach

Repugnance to food from sadness. Ravenous hunger. Hasty eating, eats everything around her or detests it. Loss of appetite after first mouthful.

Abdomen

Painter's colic. Pain in umbilical region extending through into the back, turns and twists in all possible positions. *Stools hard, *black; *passed in small portions; with great straining; adhere to rectum like *soft clay. Constipation; of tourists; of pregnancy. Crawling, itching anus in evening. Voluptuous crawling in.

Male

Voluptuous crawling; tickling, itching; with excessive sexual desire. Ill effects of masturbation before puberty. Perverted sexual desire.

Female

*Painfully sensitive genitals; with itching, tickling or crawling. Excessive sexual desire esp. in virgins; that leads to masturbation. Nymphomania worse in puerperal state. Menses; dark, thick, profuse, clotted, too early; too short; with dragging; after abortion. Ovaritis; with burning pains; with sterility. Dysmenorrhoea, with shrieks and jerks. Vaginismus; from excessive sensitiveness of sexual organs, coition is impossible. Pruritus vulvae; with voluptuous tingling. Prolapsus uteri. Induration; cancer of uterus. Fibroid. leucorrhoea like white of an egg, only by day worse after urination; rising from a seat. Sterility from excessive sexual excitement. Erotomania. Frequent sensation as if menses would appear. Amenorrhoea in emigrants.

Back

Bruised backache worse pressure, on bending backwards. Numbness in sacrum and coccyx; as from a blow.

Extremities

Cramp in calves. Thighs tight, as if bandaged. Distorted fingers. Numbness of little finger, or fingers. Limbs feel weary, numb. Paralytic weakness.

Skin

Tingling, prickling, itching.

Sleep

Spasmodic yawning. Sleeps on back with knees drawn up and spread apart; wants to uncover entirely.

Related

Cupr; Ign; Plb; Stann.

[Back to Index](#)

Generalities

Considered as a vegetable mercury, it is a remedy for *bilious constitution. It chiefly affects the *duodenum;liver; intestines; ***RECTUM; right side; ovary, scapula, throat. Alternating condition; diarrhoea alternating with constipation; headache alternating with diarrhoea. Many troubles, during pregnancy. Sudden shocks, from jerking pains. Much drowsiness and desire to stretch. Sphincters relaxed.

Worse

***EARLY MORNING. *Eating. Hot weather. Dentition. Drinking. Acid fruits. Milk. Before, during and after stools. Motion. Mercury.

Better

*Rubbing or stroking liver. Lying on abdomen.

Mind

Whining. Loquacity during chill and fever; afterwards forgets what has passed. Imagines he is going to die or be very ill. Fidgety and restless; cannot sit still.

Head

Rolling of head from side to side, with moaning; during dentition; from business worry. Headache alternating with or better by diarrhoea. Darting, pain in forehead; must close the eyes.

Eyes

Lids half closed. Jaundiced.

Face

Hot, cheeks flushed; during diarrhoea. Jaundiced.

Mouth

Offensive odour. Burning, rough or flabby, indented tongue. Intense desire to press the gums together; grinding of the teeth; at night. Bitter taste. Tongue; broad, large, moist; coated as of mustard spread on it. Loss of taste, could not tell sweet from sour. Everything tastes sour or putrid.

Throat

As of a lump in oesophagus.

Stomach

Craves acids which disagree. Vomits; hot froth, milk (infants). Hot sour eructations; smelling like rotten eggs. *Constant gagging. Thirst for large quantities of cold water. Gagging in infantile diarrhoea.

Abdomen

*Liver and whole abdominal viscera are sore worse during vomiting; diarrhoea; before and during menses. *Sore and painful liver better rubbing. *Weak, *empty, *sinking or sick

feeling; after stools. Rubs for relief. ***GURGLING THROUGH BOWELS, ***THEN PROFUSE PUTRID STOOLS GUSH OUT PAINLESSLY. *Stools; *white, *like water; *foaming; *with meal like sediment;** run right through the diaper; then weakness. Summer diarrhoea. Stools; involuntary, during sleep, when passing flatus. Diarrhoea alternating, with other symptoms; constipation. Pale, hard, chalky stools. Jaundice, with gall-stones. *Rectum; raw, sore, weak; *prolapsed; before stools; after parturition; during pregnancy, on vomiting, on sneezing; from mental excitement. Moist foul piles. Morning diarrhoea. Diarrhoea better lying on abdomen; worse while being bathed or washed (children), eating canned fruits, acid fruits, milk.

Urinary

Frequent urination; at night, during pregnancy. Enuresis. Diabetes mellitus and insipidus.

Male

Diseases of prostate gland associated with rectal troubles.

Female

Pain in the region of the ovaries (right), down the crural nerve worse stretching the legs. Ovarian tumour, with pain extending to shoulder. Prolapse of uterus on straining or over-lifting; after parturition. As if the genitals would come out during stool. Can lie comfortably only on the abdomen during early months of pregnancy. Menorrhagia from straining. Swelling of labia during pregnancy.

Heart

Palpitation; with a clucking sensation, rising up to the throat, from emotions.

Extremities

Pain in right inguinal region, shoots down inner thigh to knee. Paralytic weakness of left side. Cramps in calves, with stools. Pain along ulnar nerve of both arms.

Sleep

Moaning and whining during sleep. Sleepy after paroxysms of malaria.

Fever

Chill at 7 a.m. Loquacity during fever. Sweat; profuse, with sleep; offensive.

Skin

Moist, warm; jaundiced.

Related

Aloe; Chin; Merc.

Complementary

Nat-m.

[Back to Index](#)

Generalities

Acts upon the genito-urinary organs and the *intestines; causing ***CUTTING PAINS; along the ureters; along ovarian ducts; up spine; with bearing down. *Pulsating, flashing; wandering pains; in prostate. Coldness alternating or coincides with heat in the same or other part; burning in chest with cold feeling in pit of stomach, etc. Smarting discharges.

Worse

Cold; damp. Pressure of clothes.

Head

Acute pulsative pains in temples.

Eyes

Puffiness under eyes (right). Lids twitch when closed and when lying down.

Ears

Acute pain in, on bending head down better bending backwards.

Face

Coldness in right face, when pain is most severe in left.

Mouth

Itching, burning palate; wants to scratch it. Tongue feels swollen.

Abdomen

Cold feeling in stomach, with burning in chest. Nausea felt in. Cutting pains with great rumbling; as if whole intestinal contents were in a fluid state. Interior of anus studded with itching eminences. Haemorrhoids, with itching.

Urinary

Nephritic colic; with *grinding, *gripping, *cutting. ***BELLYACHE. Cutting pain along ureters. Urine scanty; dribbling; dark or calcareous, adherent sediment. Nephritis; suppurative. Cystitis.

Male

Scrotum excoriated. Pulsating, burning pain in prostate on urinating. Pain in testes, spermatic cord when urinating.

Female

Cutting pain along the Fallopian tubes, with bearing down. As if hips were drawn together. Metrorrhagia; amenorrhoea, in young girls. Shooting pains through the breasts.

Extremities

Aching lower limbs. Sore pains in heels. Feet alternately hot and cold.

Skin

Urticaria. Superficial ulcers and sores on lower limbs; at climacteric.

Related

Calc.

[Back to Index](#)

Generalities

A remedy for asthmatic complaints worse by inhalation of dust and relieved by stools. Absence of mind. Headache in small spots, with throbbing in temporal arteries. Red swelling across the nose. Pain in throat while sneezing. Tongue numb. Abdomen distended. Erratic spasmodic pains.

Better

Open air.

[Back to Index](#)

Generalities

This remedy specially acts on the *nerves; *respiratory; orbital; and on urinary organs. *Pains are shooting; pressing outwards; lightning like; wandering; ***CAUSING SHORT BREATH. Neuralgia. Cramps. Oedema. Pains, after shingles. Nerve paralysis. Compensatory effects. Ill effects of sun; sprains; over-lifting. Dropsy caused by defective heart.

Worse

Touch; pressure. Motion. Jarring. Stooping. Ascending.

Better

Bending double.

Mind

Restlessness; walks about constantly; cannot remain in one place.

Head

Shooting from frontal bone (right), through brain to occiput. Headache from heat of sun.

Eyes

Ciliary neuralgia; pain in **eyeballs as if bursting,** or pressed apart; better lachrymation.

Mouth

Teeth feel pulled out. Toothache better by biting teeth together.

Urinary

Cramp in bladder; from pressure of flatus; must double up to urinate. Urgent desire to urinate; urine reaches glans penis and then returns; with violent pain and spasms and tenesmus in rectum. Neuralgic dysuria. Glans pains on urinating. Must press a long time before urine appears. Pulsating pudendum. Stream of urine thin like a thread or forked.

Male

Pulsation in glans, from jar of walking.

Female

Leucorrhoea; acrid, watery purulent, staining yellow. Menses; thin, watery, too early, too copious, with sacral pain.

Respiratory

*Short breath; with pains. Feeling as if air inhaled did not reach the pit of stomach; has to yawn and try to take a deep inspiration to force the air up to that point. Air hunger.

Heart

Hypertrophied. Knocking at heart, with laboured breathing worse least motion. Cardiac *dropsy. Throbbing of carotid arteries. Angina pectoris.

Back

As of a lump below the left scapula.

Extremities

Oedema of feet. Itching at the tips of fingers as if frozen. Thumb as if sprained, hindering writing.

Skin

Herpes zoster. Dropsy.

Fever

Night sweat.

Related

Laur.

[Back to Index](#)

Generalities

Dr. Hahnemann prepared this nosode from sero-purulent matter of scabies vesicles. The therapeutic field of action is found in the so called Psoric manifestations, when there is a *lack of reaction in chronic diseases; when well related remedies fail to relieve or to permanently improve; also when sulphur seems indicated but fails to relieve. Clears up confused cases. It chiefly affects the ***SKIN; ***FOLDS OF; *sebaceous glands; ***EARS; ***BOWELS; *respiration and right side. It is adapted to dirty persons, with filthy smelling body even after a bath; pale, sickly, delicate, unhealthy looking children; who have a disagreeable smell around them; nervous; restless persons who are easily startled. Prostration. Feels sick all over. ***RECURRENCES. ***FOUL; *discharges; *odour of the body, stools, eruptions, sweat, stubborn foot sweat. Secretions thick. *Weak, *tender and thin. *Easily-takes cold; *chilled. Clothing seems large or he feels pushed down when walking in the sun. ***HUNGRY *or ***UNUSUALLY WELL BEFORE AN ATTACK. *Wants to wash parts. *Weakness; remaining after acute diseases or independent of any organic diseases; after loss of fluids. Feels good and bad by turns. Ill effects of infectious diseases lasting for years; emotions; over-lifting; injuries, blows, sprains, dislocations. Looseness; of joints, of teeth etc. Eruptions disappear in summer, appear in winter. Wears warm clothes even in summer. Washes his hands and feet constantly. Sick babies will not sleep day and night but worry, fret and cry; or good and play all day, troublesome screaming all night. Difficulty in breathing when standing in open air, wants to go home and lie down.

Worse

***COLD. *Open air; *washing. *Weather, *changing; *stormy. *Heat; of bed; of *woollens, of exertion. ***SUPPRESSIONS. Contact of his own limbs. Periodically; yearly. Full moon.

Better

*Lying with head low or quietly. Eating. Washing. Nosebleed. Hard pressure. Profuse sweating.

Mind

***ANXIETY. Foreboding. *Despair of recovery; *great despondency; *hopeless. Joyous. Melancholy, religious; *gloomy. Horrid thoughts; suicidal tendency. Feels himself poor; his business is going to be a failure; though it is prosperous. Fear of fire; of being alone, of becoming insane etc. Aversion to work. Children very fretful, day and night. Peevish, irritable, noisy; easily startled. Severe ailments from even slight emotions. Dull, beclouded mind. Difficult thinking. Feels restless for days before a thunderstorm.

Head

*Aches, as from a heavy blow, with suppressed menses; *follows visual disturbances; alternates, with other complaints, better nosebleed. Head feels separated from the body. *Sensitive to drafts about head; *wants it covered, in hot weather. Twitching in temples. Dull, dry, tangled hair. Humid eruptions on scalp. Migraine. Spots of white skin, with white lock of hair.

Eyes

Gummy. Everted eyelids. Sensation as if something were moving or one were playing with his fingers before eyes. Recurring chronic ophthalmia. Objects tremble, then get dark. Darkness before eyes.

Ears

Raw, red, oozing; scabs around the ears. Humid sores; behind the ears. *Putrid otorrhoea. Red wax. Intolerable itching. Otorrhoea, with headache; with offensive watery diarrhoea. Illusory noises; as if he heard with ears not his own.

Nose

Hay fever. Red small pimples on. Recurring colds.

Face

Pale, sickly, dirty, fuzzy or puffy. Red small pimples on. Acne rosacea. Swelling of the upper lip. Down on.

Mouth

Teeth feel loose, then pain worse touch. Tip of tongue feels scalded. *Filthy taste. Gums; bleed, spongy, settled away from the teeth. Pyorrhoea. Obstinate, cracks in the corners of lips. Taste bitter better eating or drinking.

Throat

Hawks out foul cheesy masses. Recurring quinsy. As of a plug in throat impeding hawking.

Stomach

Loss of appetite; after illness; with great thirst. Very hungry, always; during headaches, must have something to eat; in the middle of the night. Eructations; sour, rancid, tasting and smelling like rotten eggs. Ravenous appetite yet grows thin. Desires; beer, acids. Aversion to pork. Vomiting of pregnancy when not relieved by other drugs. Waterbrash when lying down.

Abdomen

Flatulent, with disorders of liver. Colic better eating and passing foetid flatus. Flatus like bad eggs. Pain in liver worse sneezing. ***STOOLS; ***DARK, ***BROWN; ***HORRIBLY PUTRID; ***GUSHING; *of penetrating odour; going through the whole house. Cholera infantum. Constipation of infants. Stools soft, but difficult. Involuntary stools, during sleep. Haemorrhages from rectum in old women. He has to go several times to pass normal stools. Chronic diarrhoea; early morning, urgent. Burning in rectum.

Urinary

Bed wetting, worse full moon; obstinate. Has to pass urine several times; from weakness of bladder.

Male

Offensive genitals. Gripping in testes. Chronic gonorrhoea; painless discharge from urethra staining yellow. Aversion to coition. Want; of enjoyment; of emission during coition.

Female

Leucorrhoea; gushing, lumpy, foetid; with violent pain in sacrum and debility. Dysmenorrhoea; near climaxis. Menses; early and profuse. Obstinate vomiting during pregnancy. Foetus moves too violently. When, after an abortion, the woman gets on her feet, the flow starts anew. Breasts swollen; nipples red. Burning and itching pimples around nipples. Eruptions on mammae causing excoriation.

Respiratory

Dyspnoea worse sitting up better lying down and keeping arms spread apart. Feeling of ulceration under sternum. Cough returns every winter. Hay fever regularly returning every year. Bloody expectoration; with hot sensation in chest. Cough worse lying down, drinking. Chest pain extends to shoulder worse cold drinks.

Heart

Gurgling at the heart worse lying down. Cardiac murmurs, mitral regurgitation. Pericarditis. Pulse, weak, irregular.

Back

Lumbar ache worse standing or walking.

Extremities

Joints feel loose, as if they would not hold together. Eruptions around finger nails. Hot itching soles. Foetid foot sweat. Eruptions around joints makes walking difficult.

Skin

*Dirty; rough; scabby, greasy; *breaks out in folds. Intolerable itching worse heat of bed; he scratches raw or until it bleeds. Urticaria worse exertion. Excrescences disappear in summer, only to occur again in winter. Constantly recurring body lice. Condylomata on edges of skin. Enlarged glands. Oily skin.

Sleep

Dreams vivid, continue after waking.

Fever

Heat, with steaming sweat. **Sweat; easy,** profuse worse night; cold, on palms.

Related

Graph; Mang; *Phos; Sulph.

Complementary

Sep; *Sulph; Tub.

[Back to Index](#)

Generalities

Suitable in liver and stomach affections. Stomach and liver symptoms associated with pain; in limbs. Taste bitter, and eructations either bitter or like rotten eggs. Aching and heaviness in the region of liver worse lying on left side. Better eating sour things. Breath, hot, burns the nostrils. Oedema of feet and legs with liver affections.

Worse

Cheese, meat, puddings.

[Back to Index](#)

Generalities

Common flea has marked urinary and female symptoms. Cannot retain urine, must attend the call immediately. Stains of menses and leucorrhoea are very hard to wash out. As if cotton ball inside the vagina.

Worse

Left side. Moving about.

Better

Sitting or lying down.

Mind

Very impatient, irritable.

Eyes

Eyes feel as if enlarged.

Face

Wrinkled as of an old man.

Throat

As if a thread hanging in.

Stomach

Thirst esp. during headache.

Urinary

Flow of urine stops suddenly followed by pain. Urine scanty with frequent urging with pressure in bladder and tenesmus in urethra.

Female

Salivation during menses. Menses delayed. Intense burning in vagina.

Fever

Feels a glow all over, like being over steam. Chilly while sitting beside the fire.

[Back to Index](#)

Generalities

On account of its ***CHANGING; ***SHIFTING SYMPTOMS this remedy is known as a weather cock remedy. It affects the ***MIND; ***VEINS; ***MUCOUS MEMBRANES; *respiration and one side. *Symptoms rise to a certain pitch, *then suddenly cease. It is a remedy for females, of mild, gentle, plethoric, yielding disposition, who cry readily and weep when talking. Symptoms appear on one side *or go to side lain on. ***THIRSTLESSNESS; ***CHILLINESS AND SHORTNESS OF BREATH; with digestive or menstrual disorders. Chilliness; with pains but burning, with stitching pains; with numbness. ***MUCOUS DISCHARGES ARE PROFUSE; ***BLAND, THICK; ***YELLOWISH-GREEN. Changing and contradictory symptoms; having no head or tail to them. Alternations. *Metastasis. Haemorrhages; passive; vicarious; blood dark, easily coagulating. Venosity, varicose veins. *Heaviness. Scraping, jerking, tearing, ulcerative pains; wandering pains. *Numbness; partial; hands, feet etc.; of the part lain on; of suffering parts. Ill effects of ***SUPPRESSIONS, otorrhoea, menses, lochia, milk etc. Eating ice-cream; pork, fats; pastry; mixed diet. Chilly but craves for open air. Pale chilly blondes. Anaemia. Never well since puberty. Chorea; from amenorrhoea or dysmenorrhoea. The longer he lies in the morning the longer he wishes to lie. *Cannot lie with head low. Child wants to be carried slowly. Symptoms in distant parts of the body cause dyspnoea. Sensation of distension in size, as if one part or every part were growing too large; during pain. Bandaged sensation. Wearing of flannels or woolen clothes cause itching and eruptions. Prophylactic for measles. Epilepsy with absent or irregular menses. Emaciation of suffering parts. Pulsation through whole body.

Worse

***WARMTH, ***OF AIR; ***OF ROOM; *Clothes; ***BED. *Getting feet wet. ***EVENING. ***REST. ***BEGINNING MOTION. ***LYING, *on one side (left). ***EATING; *long after, ***RICH FOODS, fats, ices, eggs. ***PUBERTY. ***PREGNANCY. *Before menses. Iron. Quinine. Hanging down limbs. Tea. Thunderstorms. Sun. Twilight.

Better

***COLD; ***FRESH, ***OPEN AIR; food, drinks. Uncovering. *Gentle motion. ***ERECT POSTURE. Continued motion. *After a good cry. Changing sides. Pressure. Rubbing. Lying with head high.

Mind

***MILD, ***TIMID, ***EMOTIONAL, ***AND TEARFUL. Disgusted at everything. Discouraged. Easily offended. Whining. Craves sympathy. Children like fuss and caresses. Morbid dread of the opposite sex; marriage; thinks that sexual intercourse is a sinful act. Given to extremes of pleasure and pain. Easily moved to tears and laughter; after eating. Religious melancholy. Fear; to be alone, of dark, of ghosts in the evening; therefore wants to hide or run. Capricious. Miserly. Suspicious. Very irritable, touchy; feels slighted or fears slight. Answers, yes or no, by nodding her head. Imagines that certain articles of food are not good for the human race. Sad from disagreeable news. Mania from suppressed menses.

Head

Aches; from overwork; suppressed sexual excitement; indigestion; starts in vertex. Occipital ache worse coughing. Semilateral headaches, pulsating, bursting; with scalding lachrymation of the affected side. Vertigo; worse sitting; looking up; with nausea and gastric or menstrual

disturbances; before, during, after or suppressed menses. Profuse sweat on scalp. Headache of school girls at the time of puberty. Headache better walking in open air. Head seems heavy, cannot hold upright, cannot raise it.

Eyes

Dimness of vision, with a sensation as though there were something covering the eyes which the patient wishes to rub or wipe; worse wind. Thick, yellow, profuse bland discharge. Ophthalmia; neonatorum; gonorrhoeal; from amenorrhoea. Fistula lachrymalis discharging pus on pressure. Acrid lachrymation. Styes; recurrent. Blepharitis. Conjunctivitis from colds. Blind attacks, before menses. Amaurosis, paralysis of the optic nerve. Itching, burning in eyes, causing rubbing. Weeping eyes.

Ears

Ache worse night. Deafness as if ears were stopped up; can hear better in car; and in a warm room. Otorrhoea; discharge of pus, of blood; thick yellow humour, offensive; after exanthemata. External ear red and swollen and feels as if something pushed out from the ear. Mumps, esp. metastatic to the breast or testes. Lobes of ear swollen.

Nose

Loss of smell, with catarrh. Foul discharge or odour before the nose. Coryza; obstruction of nose worse lying down or in a room; better going out in the open air. Green; orange coloured, foetid, urinous, nasal discharge; chronic bland yellow discharge. Nosebleed, before, during and from suppressed menses.

Face

Pale. Neuralgia, with profuse lachrymation, worse chewing, talking, or with hot or cold things in the mouth. Lips cracked; peeling; swollen. *Licks lips. *Crack in centre of lower lip. Acne in young girls.

Mouth

Breath offensive. *Dry or slimy; *without thirst. Drawing toothache better cold. *Taste; *bad in a.m.; loss of; from coryza; greasy, bloody; sweet; alternating. Tongue; yellow white; feels scalded. Much sweet saliva. Food; leaves an after taste. Taste bitter esp. for bread. Diminished taste to all food. Saliva; tenacious; frothy cotton like.

Throat

*Food lodges in. Dry; sore with sense of dysphagia. Sensation of a worm wriggling up. As of a sulphur vapour when coughing.

Stomach

*Aversion; *to water, *fats, pork, bread, milk, smoking, warm food and drink. Craves; acids or what disagrees; refreshing things, pungent things, herring, cheese. Food tastes too salty. Onions disagree. Sudden loathing; worse eating. Eructations, taste of food, remain a long time. Nausea. Heartburn. *Thirstlessness; with nearly all complaints. Vomiting of food eaten long before. Visible pulsations in the pit of stomach. Stitching pain worse walking or misstep. *Weight as from a stone. *Stomach ***DERANGED; ***FEELS HEAVY. Hiccough when smoking tobacco. Hunger; but does not know for what.

Abdomen

Cutting; pulsation; in epigastrium. Painful, distended; loud rumbling. Pressure as from a stone. Feeling of numbness. Pains extend into groins. *Stools; changeable, no two stools alike; green, bilious; worse after midnight. Two or three normal stools daily. Hard painful lumps in both groins. Blind piles, worse menses, lying down. Diarrhoea in jaundice, with sensation of heat. Discharge of blood from rectum even when not at stool. Diarrhoea after fright.

Urinary

*Urination; involuntary on lying down, laughing, coughing; sneezing; hearing sudden noise; after pleasurable surprise; shock; passing flatus; during sleep esp. in little girls. Haematuria after urination. Heavy pressure or cramp in bladder, after urination. Sensation as of a stone rolling in the bladder. Urine dribbles when angry. Urging to urinate when lying on back. Stricture of urethra, urine comes in drops or stops and starts.

Male

Burning down left spermatic cord. Acute prostatitis; enlarged prostate. Orchitis; gonorrhoeal; or from sitting on cold stones. Epididymitis. Testicles hang low down. Bloody emissions. Thick yellow discharge, late stage of gonorrhoea.

Female

*Amenorrhoea; from wet feet; nervous debility or anaemia. *Feels like menstruating. Menses; *dark thick; ***TOO LATE; ***SCANTY; after bathing; clotted, changeable, intermittent, *irregular, vicarious; ***DELAYED at puberty. Dysmenorrhoea. Leucorrhoea; milky, thick like cream, with pain in the back and exhaustion, acrid. Weak labour pains. Bearing down worse lying. After pains; too long and too violent. Mammae, sore; aching; lumps in; in girls before puberty. Thin milky fluid escapes from mammae in virgins; before puberty. *Milk; *suppressed, *scanty. Post-partum secondary haemorrhages from retained placenta. Weeps everytime, the child is put to breast. Swelling of breasts after weaning. Galactorrhoea. Secretion of milk during menses. Maldisposition of foetus.

Respiratory

***SHORT BREATH worse lying on left side; smothering sensation on lying down; worse *if heated, *open air. Cough; loose in the morning, dry in the evening and at night; *must sit up in bed to get relief. *Expectoration thick, purulent, slimy; sweet, saltish, bitter as it loosens up. Cough dry, hacking from tickling in epigastrium. *Chest oppressed; as by a load. Soreness, or stitch beneath clavicles. Hoarseness comes and goes. Asthma from suppressions. Cough after measles.

Heart

Palpitation; worse lying on left side anxious; with amenorrhoea; from emotions; after dinner. Catching pain, with short breath better by pressure of a hand and walking.

Back

As if cold water was poured down the back. Pain in back and small of back as from prolonged stooping. Curvature of the upper part of the spine. Shooting pain in the nape and back. Backache worse lying on back, better lying on sides or changes of position, esp. so during pregnancy. Back feels bandaged. Pain in sacrum on sitting.

Extremities

Rapidly shifting pains in limbs. Arms feel broken and dislocated. Elbows numb. *Joints; *swollen; red. Dorsum of foot swollen, oedematous. Pains down lower limbs, alternating sides. Legs heavy. Sticking in tibia worse lying better cool air and walking. Cold sweat on legs. Foul foot sweat. *Veins full, *varicose, painful. Milk leg. Periostitis. White swelling of knee. Inclination to stretch the feet. Numbness in legs when remaining long standing.

Skin

Glands swollen. Ulcers; with hard, red, glistening areolae. Varicose. Itches on being heated. Urticaria; after rich food; with diarrhoea; from delayed menses; after undressing. Measles.

Sleep

Great sleepiness during day, *wakes confused; languid, unrefreshed. Lies; with hands over head or crossed on abdomen, and feet drawn up. Dreams; frightful, disgusting, voluptuous, confused; of cats, etc. Chattering in sleep. Talks, whines or screams during sleep.

Fever

*Chilly; *yet averse to heat; ***IN WARM ROOM; *with pain; on lying down at night. One sided coldness with numbness. Pains during sweat. One hand cold. Partial sweat. Feverish, hot, body temperature normal. Erratic temperature in fevers.

Related

Apis; Cimic; Graph; Ham; Kali-b; Kali-s; Nat-s.

Complementary

Ars; Kali-b; Sep; Sil; Zinc.

[Back to Index](#)

Generalities

This nosode is prepared from decomposed lean beef allowed to stand in the sun for two weeks, or from septic pus. It is therefore a remedy for all types of *septic states when ***BLOOD is disorganised, *heart becomes weak and *muscles prostrated. *Aching, ***BRUISED, ***SORE, *and prostration, yet restless. *Discharges are horribly foul, taste, odour of body, menses, sweat, vomiting, etc. *Rosy red streaks; lymphangitis. *Bones pain. *Abscesses; recurrent; with pain and violent burning. Chronic complaints that date back to septic conditions; dissecting wounds, sewer-gas poisoning, ptomaine poisoning; puerperal fever; after effects of miscarriage; remote effects of typhoid fever; diphtheria, chronic malaria, where the best selected remedy fails to relieve or permanently improve esp. in latent pyrogenic processes.

Worse

Cold, damp. Motion. Sitting. Moving eyes.

Better

Heat. Hot; *bath, drinks. Pressure. Stretching. Changing position. Hard rocking. Walking.

Mind

Active brain; making speeches and writing articles at night. *Loquacious; thinks and talks faster than ever before. Sensation as if she covered the whole bed. Feels, when lying on one side one person, and another person when turning, on the other side. *Sensitive, anxious; confused. Sense of duality; feels as if crowded with arms and legs. Hallucination, that he is very wealthy. Full of anxiety and insane notions. Bed feels hard. Talks or whispers to herself; in sleep.

Head

Painless throbbing. Violent throbbing headache better bandaging. Rolls head from side to side. Sensation as of a cap on the head. Cold sweat on forehead.

Eyes

Balls sore (left) worse looking up and moving eyes. Photophobia.

Ears

Red; cold. Ringing like a bell.

Nose

Cold. Fan-like motion of the alae nasi. Disgust at his own body odour. Sneezing everytime when hand is out from under the covers.

Face

Hectic flush 3 to 4 p.m., lasting till midnight; then covered with large drops of cold perspiration.

Mouth

Fiery red; brown streak down the centre; smooth; large, flabby tongue. Taste sweetish; terribly foetid. Horribly offensive breath.

Throat

Dry. Diphtheria with extreme foetor.

Stomach

Vomiting; persistent; brownish, coffee grounds; offensive, faecal, with impacted or obstructed bowels. Vomits water when it becomes warm in stomach. Nausea better very hot drinks; and vomiting. Great thirst for small quantities of cold drinks, but the least liquid is instantly rejected.

Abdomen

Horribly offensive, brown-black painless involuntary stools. Constipation with complete inertia. Stools large, black, small black balls; very offensive.

Urinary

Adhesive, red, slimy, sediment. Urination twice a day; scanty. Urging to urinate before fever. Urine clear like water. Tenesmus of bladder and rectum.

Male

Testes hang down, relaxed; scrotum looks and feels thin.

Female

Septic puerperal infection. Fever at each menstrual period. Menses, horribly offensive. Pelvic cellulitis. Prolapsus uteri better holding the head and straining. Lochia suppressed, followed by fever, chills and profuse foetid sweat. Pains in the region of left nipple.

Respiratory

Pain in lung (right) worse coughing, talking. Neglected pneumonia. Cough better sitting, worse lying down.

Heart

Purring at. Feels; as if tired, big, or *full. Consciousness of heart. Throbbing felt in head and in ears, preventing sleep. ***PULSE QUICK OUT OF ALL PROPORTION TO TEMPERATURE. ***OR THE REVERSE. *Heart failure threatens in septic and zymotic states.

Neck and Back

Throbbing in vessels of neck. Weak feeling in the back.

Extremities

Aching in all limbs and bones. Nails threaten to fly off or feel loose. Automatic movement of arm and leg (right). Pain in shoulder (right) worse coughing, talking.

Skin

Pale. Cold. Obstinate varicosis. Offensive ulcers of old persons. Rapid decubitus of septic origin. Small cut or injury becomes much swollen and inflamed.

Sleep

Whispers in sleep. Sleepless from brain activity.

Fever

Chilly, wants to breathe heat of fire. Chills start between scapulae; *felt in bones, with sweat; at night. Slowly advancing hectic. Sweats, without relief. Cold; hot. *Quickly oscillating temperature.

Related

Anthr; Ars; Bapt; Echi.

[Back to Index](#)

Generalities

Radium Bromide is found effective in skin affections; rheumatism and gout; nerves are affected causing *suddenly shifting or electric pains; must lie down. *Dull, *hard aching pains all over, *deep in joints; very restless; had to keep moving about. *Dry burning heat, as if on fire, through the entire body; craves cool air. Electric shock through the body, during sleep. Weakness, lassitude, tiredness. Lateness in appearance of symptoms. *Constriction; chest, heart etc., with air hunger. Numbness worse stretching the part. Necrotic changes. Effects of X-Ray burns. Removes small naevi, moles, ulcers. Cancer. *Lymphoid tissue.

Worse

*Motion. *Shaving. Washing. Smoking. Getting up.

Better

Open air. Hot bath. Cold drinks. Continued motion. After sleep. Pressure. Eating.

Mind

Fear of being alone; of the dark; wants to have someone near. Cross. Easily vexed.

Head

Pain over right eye spreading back to occiput and in vertex, better heat. Vertigo, with pain in occiput. Pain in vertex and occiput, with severe aching in lumbar region.

Eyes

Red, smarting worse reading. Sensation as if pieces of cotton in eyes better rubbing.

Ears

Sound of rushing water better lying on face.

Nose

Itching and dryness of nasal cavities. Burning in.

Face

Flushed. Aching pain in angle of right lower jaw. Violent trifacial neuralgia. Acne rosacea.

Mouth

Dry. Breath seems hot. Metallic taste. Pricking at the tip of tongue.

Throat

Sore, raw with earache. Feeling in throat as from eating pepper.

Stomach

Craves pork. Aversion to sweets; to ice-creams, of which she is usually very fond of. Usual food not relished; sour things taste good.

Abdomen

Alternating, with chest or ear symptoms. Nausea better eating. Colic better bending double and passing stools. Rectum sore, prolapsed. Stools, at noon; soft, dark, or offensive, slate coloured.

Urinary

Dysuria, then erection. Nephritis, with rheumatism.

Male

Eczema of penis and inner surface of thighs. Itching.

Female

Aching over pubes during menses. Right breast sore, better hard rubbing. *Itching genitals. Menses last one day; then bloody leucorrhoea. Uterine haemorrhage, when *Ipecac fails. Lochia putrid, scanty or suppressed. Leucorrhoea; white and scanty; curdy and cheesy.

Respiratory

Persistent cough from tickling in throat pit worse lying; smoking; better eating and open air; sitting up; exercise. Tightness of chest; feels as if she could not get enough air. Chest pain alternating with indigestion and stuffed up feeling.

Heart

Constriction at. Awakes with palpitation. Pulse, rapid, irregular, fluttering. Blood pressure low.

Neck and Back

Pain and lameness in cervical vertebrae worse dropping head forwards better standing and sitting erect. Weak between scapulae. Ascending lumbar pain better exercise, walking. Lumbo- sacral bone pains, better hot bath, worse going upstairs.

Extremities

Deep pain in joints; knees and ankles. Limbs feel hard and brittle as if they would break. Rheumatism of the hands. Cold. Numb.

Skin

*Irritable, *thick, *burning; *itching; moist if scratched; worse face and genitals; Branny scabs. Scabby; on ears. Eczema. Psoriasis. Sclero-derma. Callosities. Cancer. Dermatitis.

Sleep

Awakes panting; with palpitation. Dreams vivid; of fire; seem true.

Fever

Cold sensation internally with chattering of teeth.

Related

*Pho; Puls; *Rhus-r.

[Back to Index](#)

Generalities

It is a *painful remedy, affecting ***NERVES; *muscles; eyes; *serous membranes; ***CHEST; *skin; fingers, toes and left side. The ***PAINS are *stitching; stabbing; shooting; extort tears; with shuddering; cannot rest in any position. Burning; biting; *bruised soreness or as of *deep ulceration. *Sore spots. Neuralgia. Sudden weakness and fainting. Trembling; from anger. Distended feeling. Sensitive to air and touch. Burning in small spots; from sedentary living. Shocks through the whole body. Chronic sciatica. Bad effects of alcohol; injury; fright, vexation. Weak and tottering patients, the result of prolonged use of whisky, brandy or other alcoholic stimulants. Epilepsy; of drunkards. As of a cold wet cloth esp. on chest worse on going into cold air.

Worse

***AIR- *damp; *cold; open, drafts. *Change; of temperature; of position. Alcohol. *Motion; *of arms. Breathing. Touch. Eating. Fright, vexation, anger. Rainy and stormy weather. Standing.

Better

Standing. Sitting bent forward.

Mind

Great fear of ghosts in the evening, dares not to be alone. Quarrelsome. Depression of spirit, and desire to die. Delirium tremens, with hiccough.

Head

As if too large and distended. Aching in forehead and vertex as if pressed asunder; with nausea and sleepiness. Creeping sensation in scalp. Tic (right) to ear.

Eyes

Smarting as from smoke. Balls sore on moving them. Day and night blindness. Herpes on cornea with intense pain, photophobia and lachrymation. Hemipopia; during pregnancy. Lids burn.

Nose

Crawling and tingling in nostrils, in posterior nares; tries to relieve it by hawking and blowing the nose.

Mouth

Crawling on palate; wants to scratch it. Cramp, spasms of lips. Increased saliva. Butter tastes too sweet.

Throat

Scrapping, burning down the throat.

Stomach

Spasmodic hiccough; of drunkards.

Abdomen

Hypochondria bruised. Tenderness to pressure. Pinching colic; alternating with chest pains. Jaundice; itching of body esp. palms.

Respiratory

Anxious, oppressed breathing; with desire to draw deep breath. Dyspnoea, from anger. Small sore spot as from subcutaneous ulceration in chest. SHARP, CUTTING, STITCHING in chest; bilateral. Chilliness in chest when walking in open air; on breathing cold air. Pleurodynia. Pleurisy; adhesions after intercostal neuralgia.

Back

Muscular pain along inner edge of left scapula from sitting bent; from needlework, type writing, piano playing; extending through lower half of left chest. Scapula adherent. Muscles of neck rigidly contracted, can speak only by moving shoulders up and down.

Extremities

Crawling and tingling in fingers. Itching palms. Sudden jerking, stitching pain in forearm (right) while writing. Pain in heels as if pinched by boots.

Skin

***BLUISH VESICLES. Burning and intense itching worse touch. Shingles. Pemphigus. Horny scabs. Corrosive ichor. Flat burning, stinging ulcers. Corns, smart or burn worse touch.

Fever

*Chilliness, worse open air.

Related

Canth; Rhus-t.

[Back to Index](#)

Generalities

More acrid and irritating than *Ran-b; causing rawness; *burning-smarting, *eating, *gnawing or boring pains. ***CHEST, *skin; vertex and right side is specially affected. Pains cause fainting or shortness of breath. Feels sore all over. Periodical affections. Convulsive twitches. Sensation as of a plug.

Worse

Motion. *Evening. Deep breathing. Touch. Letting limb hang down. After midnight.

Better

After midnight, *pains.

Mind

Indolence and aversion to mental occupation.

Head

Gnawing pain in small spot on vertex; or either temples. Biting, itching on the scalp.

Nose

Fluent coryza with sneezing; with burning urination.

Face

As if covered with cobwebs.

Mouth

Blunt teeth; with toothache. Mapped tongue. Burning and rawness of tongue; denuded patches. Tongue cracks and peels off.

Throat

Burning scraping in throat.

Stomach

Nausea worse after midnight. Pain, with fainting.

Abdomen

As of a plug behind umbilicus. Pain over region of liver as if diarrhoea would set in.

Respiratory

*Stitches in chest muscles; chest and sternum are sensitive to touch. As of a *plug forced between ribs, worse deep breathing. Sore burning behind sternum.

Heart

As of a plug in heart.

Extremities

Gout of fingers and toes. Gnawing in knee; left palm. Corns with burning soreness worse hanging down feet. Sudden stitches in big toes, passing into burning.

Skin

*Yellow vesicles. *Bullae; with acrid contents. Pemphigus.

Sleep

Dreadful dreams; of dead bodies, snakes and of fights.

Related

Ars; Arum-t.

[Back to Index](#)

Generalities

Wild radish produces hysterical, mental and uterine symptoms. Numbness, changing places. Globus; as of hot ball from uterus goes up to the throat. Drinks more than one urinates. Retained flatulence; cannot be passed up and down; post-operative gas pains. Nymphomania; with aversion to her own sex and children esp. girls. Sexual insomnia. Vomiting of fecal matter. Coldness of one foot. Epilepsy, reflex, from removal of an adherent prepuce, the healing being delayed by furious priapism. Urine thick like milk.

[Back to Index](#)

Generalities

*Anal and rectal symptoms are very, marked; affects *teeth and nipples. Pains here and there. *Sense of constriction. *Haemorrhages; passive. Pin worms. Dark thin scrawny persons. Cracks; *fissures. Acts as a tonic for delicate and nervous women to prevent miscarriage, in those who have never been able to go to their full term.

Worse

Night. Anxiety, uneasiness of mind. Exertion. Touch. Straining at stools.

Better

Cool bathing. Hot bath. Walking in open air. Exercise.

Mind

Irritable, peevish and quarrelsome.

Head

Pains in middle of forehead as if brain would fall out. Bursting headache, when straining at stool, or after stools.

Eyes

Lids feel stiff. Very rapid twitching of eyelids. Pterygium.

Mouth

As if cool air came from teeth. Toothache worse at night; must walk about. As of a cobweb about the right side of the mouth.

Stomach

*Cutting or griping pain better eructations. Violent painful hiccough.

Abdomen

*Constriction, or *as of sharp splinters** of broken glass in *rectum; stool is forced with great straining and followed by prolonged *aching-burning, better hot water. Fissures of anus, with great constriction and burning like fire. Dry, itching anus. Pin worms. Ascarides. Discharge of blood from rectum with or without stools.

Female

Metrorrhagia. Cracks in nipples, in nursing women. Compelled to get up at night and walk about during pregnancy, with toothache.

Chest

Pain in the ribs on stepping.

Related

Nit-ac; Paeon.

Generalities

Rhubarb is a remedy for sucklings and children esp. during dentition and suited to pregnant and nursing women. It affects liver, duodenum; *bile ducts and intestines. *Sourness is very marked; the whole child smells sour; washing does not remove it. *Colicky children who are always *screaming and crying. Sour; taste, vomits, stools, sweat etc. Difficult dentition. Requires very little sleep and not much food. Sensation of crepitation.

Worse

*Dentition. Eating; plums. Summer. Nursing women. Motion. Before, after and during stools.

Better

Warmth. Wrapping up. Lying bent. Odd position.

Mind

*Impatient; child asks for different things vehemently, with crying, dislikes even its favourite things. Impetuous desire for particular objects. Restless; with weeping.

Head

Sweat on hairy scalp; hair; *wet, *sopping.

Eyes

Weak when looking steadily at any object. Convulsive twitching of eyelids.

Face

Cool sweat on; esp. about mouth and nose; on upper lip. Forehead wrinkled. Twitching.

Mouth

Offensive mucous in the mouth; after sleep. Breath sour. Salivation; with colic or diarrhoea. Food tastes bitter even sweet things. Teeth feel cold.

Stomach

Desire for various things, but cannot eat them. Loathing after first bite. Plums and prunes disagree. Requires little food.

Abdomen

Colic, with screaming, better doubling up, worse uncovering any part; then pappy, *sour, *brown, *green, *fermented, *slimy or acrid stools; worse eating unripe fruit; worse in the evening. Shivering with stools. Diarrhoea only when walking. Jaundice from eating unripe fruits, with white diarrhoea.

Urinary

Burning in bladder and kidney, before and during urination. Unsuccessful urging to urinate, before stool.

Female

Urinary complaints after abortion. Milk in nursing women yellow and bitter; infant refuses breast. Diarrhoea after parturition.

Back

Stiffness in sacrum and hips, cannot walk straight. Cutting pain in lumbar region worse after stools.

Extremities

Limb on which he lies falls asleep. Twitching in arms, hands and fingers. Bubbling sensation in elbow joint, from bend of knee to heels. Lameness of wrist and knee, after sprains and dislocations.

Sleep

Restless; with whining and crying. Twitching of face and fingers. Requires very little sleep and not much food.

Fever

Sweat on scalp, about mouth, nose; upper lip.

Related

Cham.

Complementary

Mag-c.

[Back to Index](#)

Generalities

Commonly known as yellow snow rose is a *gouty rheumatic remedy; affecting the ***FIBROUS TISSUES; fore arm; lower legs, small joints; *bones; *genitals; *nerves; single parts. ***SENSITIVE TO WINDY OR STORMY WET WEATHER; even if he is in the house; nervous persons who are afraid of thunder. *Tearing, zigzag, boring, rapidly changing, descending; *paralytic pains. Great weakness after slight exertion. Formication; with sweat. Chorea before storm. Symptoms alternate. Undulating sensation.

Worse

***BEFORE STORMS. *Weather; *rough, *windy; cold, damp; changing, cloudy. Night. Midsummer. Wine. Rest. Eating fruit. Getting wet. Catching cold.

Better

After storm breaks. Heat; in sun, when sun shines. Motion, at once. Wrapping head.

Mind

Confused and stupid. Forgets what he is talking about; leaves out whole words while writing. Fear of thunder in nervous persons. Aversion to his business. Easily affected by wine.

Head

Ache worse early in the morning better eating. Throbbing in right head. Drawing, tearing under scalp. Vertigo, when lying in bed, better when moving about. Hair stands up as if electrified.

Eyes

Ciliary neuralgia, involving orbit, eyeball and head worse before storm. Heat in eyes when using them. Red hot needles darting from within out.

Ears

Sensation as of a worm. Deafness; long after rising (hearing better in the morning). Noises come on after the patient has been up, a few hours. Tinnitus with vertigo.

Nose

Nostrils obstructed alternately; with fluent coryza; better in open air.

Face

Prosopalgia; violent tearing jerking pains better eating and warmth.

Mouth

Toothache better eating and warmth. Toothache ceases suddenly; worse again in two, or three hours.

Stomach

Heavy pressure from cold drinks. Feels full after a little food. Green, bitter vomiting, after drinking cold water.

Abdomen

Colic at navel. Pain from rectum to genitals. Flatus felt in back. Diarrhoea worse fruits; does not weaken. Sickening pain in spleen on walking fast. Undulating sensation arising from.

Urinary

Frequent urging to urinate with drawing in the region of the bladder. Pain in urethra as from subcutaneous ulceration. Urine; profuse; foul, greenish.

Male

*Drawing from spermatic cord into abdomen and thighs. Testes; swollen, painful, drawn up, feel crushed. Glans feels crushed. Testes indurated; pain alternately. Orchitis. Itching, wrinkled, sweaty, scrotum. Hydrocele; of boys; from birth.

Female

Suppressed menses. Fever; with headache, with each menstrual period. Serous cysts in vagina. Burning in uterine region, after parturition, alternating with pain in limbs, fingers spasmodically flexed.

Respiratory

Bruised, sprained feeling in chest. Breathless and speechless, from violent pleuritic pains, running down anterior chest.

Heart

Warm undulation at heart. Heartbeat strong.

Back and Neck

Neck and nape stiff. Sacrum pains worse sitting.

Extremities

Bruised, sprained feeling in wrist. Hands feel warm in cold weather. Lower legs; cold, skin wrinkled, feel as if asleep. As of a weight hanging to feet. Rheumatic tearing in all limbs. Drawing, tearing in periosteum of long bones. Rheumatism of hot weather. Feet cold even in warm room, even in bed. Pain in tendo achilles on stepping.

Sleep

Cannot sleep unless legs are crossed. Awakes, as if called.

Fever

Formication and itching of skin with sweat.

Related

Rhus-t.

[Back to Index](#)

Generalities

This remedy is an irritating agent to the ***SKIN esp. of face, scalp, *genitals; affects the *fibrous tissue, *ligaments and joints causing ***RHEUMATIC SYMPTOMS; it is an infective agent producing ***TYPHOID LIKE FEVERS. Affections of ***NERVES and ***SPINAL CORD give rise to ***PARETIC EFFECTS. ***GLANDS are swollen, hot and painful; indurated; suppurating. Symptoms appear on the left side or go from left to right. ***PAINS ARE TEARING, ***SHOOTING; STITCHING; worse ***AT NIGHT; ***CANNOT REST; in any position. Parts feel *sore, *bruised and ***STIFF. *Pains as if the flesh was torn loose from the bones.** Dislocative sensation. Muscles twitch. *Crawling. Numbness; of parts paralyzed. Trembling. *Burning, *swelling, *and lividity. Mucous discharges are *acid; *rusty red, *like meat water; *musty; causing eruptions. Infections; septicaemia, carbuncles in early stage. Cellulitis. Inflammation and swelling of the long bones; scraping, gnawing, tearing loose in periosteum. Rheumatism in cold season. Post-operative complications. Hemiplegia, right sided; sensation as if gone to sleep. Infantile paralysis; from exposure to cold damp. Influenza. Small-pox. Strictures, after inflammation. Soreness of prominent projection of bones. Paralysis; after unwanted exertion; after parturition. Boils, abscesses.

Worse

***EXPOSURE TO-WET; ***COLD; *air; *draft; *chilled; when hot or sweaty. *Uncovering; parts, head etc. ***BEGINNING OF MOTION. ***REST. ***BEFORE STORMS. ***SPRAINS. *Overexertion. *After Midnight. Blows; jar. Riding. Ice cold drinks. Side lain on.

Better

*Continued motion. ***HEAT. *Hot bath; if heated. Warm wrapping. *Rubbing. Nosebleed. Holding affected part, abdomen, head etc. Stretching limbs. Change of position. Warm dry, weather.

Mind

*Anxious, *sadness; helplessness and *profound despondency. Low mild delirium; incoherent talk, answers correctly but slowly, or hastily or reluctantly. Inclination to weep worse in evening; without knowing why; with desire for solitude. Fear of being poisoned. Satiety of life; thoughts of suicide, wants to drown himself. Forgetful cannot remember the most recent events. Fear worse at night, cannot lie in bed. *Confusion. Anxiety, respecting one's children.

Head

Vertigo; in the aged; whirling; then headache. Shattering or loose feeling in the brain worse jar. Feeling as of a board strapped across the forehead. Stupefying headache; must lie down, worse least chagrin. Painfully stiff scalp better lying on it. Head heavy.

Eyes

*Pain *behind *eyes worse motion. *Eyelids; *stiff; agglutinated; dry; firmly closed. Profuse gush of hot tears on opening lids. Pustular inflammation. Saccular conjunctiva. Photophobia. Iritis. Ptosis. Paralysis of any of the muscles of the eyeball. Vertical diplopia. Orbital cellulitis. Affection of inner surface of the eyelids.

Ears

Parotitis (left); with fever. Lobules swollen. Pain in ear with a feeling as if something were inside. Discharge of bloody pus.

Nose

Red sensitive tip; it drips water. Sneezing, fluent coryza. Nosebleed; worse at night, stooping, at stool, in fevers which gives relief. Violent aching in bones of the nose. Breath hot, it burns nostrils.

Face

Jaws crack on chewing. Joints painful. Facial neuralgia with chilliness. Easy dislocation of jaws. Cheekbones painful. Red spots on left cheek. *Stiff swollen face. Lips, dry, brownish, cracked, at corners; crusty. Herpes on lips. Crusta lactea. Acne rosacea.

Mouth

*Sordes on teeth. Teeth feel loose and long. Bloody saliva runs during sleep. ***TONGUE; dry, red centre; cracked, stiff, sore, has a *triangular red tip; *coated diagonally or one side only. Feeling as if tongue covered with skin. Coppery, or herby or bitter taste. Bread tastes bitter.

Throat

Red, puffy itching fauces. Tonsils covered with yellow membrane. Sore throat, with *swollen glands. Difficult swallowing; of solids as from contraction; of saliva. Oesophagitis from swallowing corrosive matter.

Stomach

Craves cold drinks, though they worsen cough, chill etc. Desire; for cold milk; sweets; oysters. Vomits; from coughing; lying on back; *faecal. Nausea; worse ice creams; after eating. Great thirst worse at night. Drowsy after eating. Great thirst, but no appetite for any kind of food. Pain in stomach after ice water.

Abdomen

Sore. Feeling as of water swashing in; or as of a lump in. Colic, compelling to walk bent, better lying on abdomen. *Ileo- caecal symptoms; appendicitis. Stools; watery; frothy; or bloody; foul; *meat water like; slimy, gelatinous; involuntary; in sleep at night; or with tenesmus; worse drinking. Dysenteric diarrhoea. Piles worse lifting. Painful tenesmus without stools. Hourglass contraction. Mucous colitis.

Urinary

Incontinence or urine worse lying, at night or sitting; in boys. Nephritis. Urine; dark, turbid, high coloured, scanty. Frequent, profuse urination day and night.

Male

Scrotum thick, swollen, *oedematous. Prepuce oedematous. *Intense itching of genitals. Hydrocele; from over lifting. Metastasis of mumps to testes.

Female

Swelling; *with intense itching of vulva. Menses; too early, profuse and protracted. Amenorrhoea; from getting wet; with milk in breast. Metritis; septic. Lochia; thin, protracted, offensive, diminished, with shooting upwards in vagina. Prolapsus uteri from lifting or overstraining. Frequent after pains. Violent pain in vulva during menses. Vagina sore.

Respiratory

Chest pains worse using arms. Tickling behind upper sternum; causing dry, hoarse, tearing, tormenting cough, with bloody taste; worse during chill; or when putting hands out of bed, after midnight to morning. Hoarseness from overstraining of voice. Sudden hypostasis or oedema of lungs. Pleurodynia; chest pains shoot into shoulders. Haemoptysis; from overexertion; from blowing wind instruments; blood bright. Rust coloured sputum. Larynx cold when breathing. Hot air from trachea.

Heart

Uncomplicated hypertrophy from violent exertion. Heart feels tired; pains go down left arm. Palpitation worse when sitting still, better walking. Trembling in heart, better walking. Pulse; quick, weak, irregular intermittent, with numbness of left arm. Left arm aches with heart disease.

Neck and Back

Stiff neck, with painful tension; when moving. *Inter scapular pain worse swallowing. Contractive or breaking backache better hard pressure; lying on something hard; walking about or bending backwards. Lumbago; Coccyx aches into thighs.

Extremities

*Numbness, and prickling in limbs. Arms nervous and shaky (left). Paralytic pains in elbows. Rhagades on back of hands. Palms; dry, hot, cracked and sore; washing causes burning. *Pains down back of thighs worse stools; sciatica. Legs feel dead, wooden. Cramps in calves. Involuntary limping. Soreness of condyles of bones. Limbs stiff, paralyzed. Hot painful swelling of joints. Pricking like pins in tips of fingers and palms when grasping. Pain along ulnar nerve. Ulcers; on legs; gangrenous; runs bloody water; on dropsical legs. Itching of legs and feet. Ankles swollen after too long sitting; feet swell in the evening. Paraplegia; after parturition, sexual excess; fevers. As if walking on needles. Axillary abscess, after delivery.

Skin

*Stiff thick, dry, hot, burning; itching, worse hairy parts. Skin *sensitive to cold air. ***ERUPTIONS; *fine, ***VESICULAR; *crusty, *eczematous; *moist or ***ERYSIPELATOUS worse genitals; alternating with dysentery. Pus erodes the hair. Vesicles over abscess. Milk crusts. Baker's itch. Urticaria; from getting wet; with rheumatism or during chills and fever. Shingles.

Sleep

Awakes tired or nervous. *Dreams; *of great exertion; of blood; or fire. Yawning; frequent, violent, spasmodic; without inclination to sleep; with stretching. Restless, tossing about.

Fever

*Easily chilled worse least uncovering, *with pain in limbs. Chill as if dashed with cold water or cold water in the veins; preceded by cough; alternating with heat. Chill in single parts. Heat, with busy delirium. Typhoid. Sweat; worse during pain; with sleepiness. Urticaria during fever. Wants to yawn and stretch during chill.

Related

Arn; Bry; Dulc.

Complementary

Bry; Calc; Mag-c; Med; Phyt.

[Back to Index](#)

Generalities

*Acridity and acidity are marked features of this remedy. It is therefore useful for hyperchlorhydria, when the eructations and taste is sour and *vomiting is so sour that it sets the teeth on edge or dulls them. Sour infants; with sour smell of the body; sour stools and vomiting, of sour milk. Acid dyspepsia. Constant dull frontal headache worse motion and reading. Sick headache with acid vomiting. Waterbrash. Burning in stomach and between scapulae. Flatulence. Squeezing in stomach. Heartburn and acidity worse lying down esp. at night.

Worse

*Eating. *Night. Fats. Cabbages. Turnips. Raw fruit. Ice creams.

Related

Iris; Mag-c.

[Back to Index](#)

Generalities

It affects the *nerves, causing numerous and varied pains; neither fixed nor constant anywhere; *sharp pains; neuralgias. *Mucous membranes of larynx, trachea, bowels and ***THROAT PIT are affected, producing *dryness and sensitiveness. Acts on joints, esp. *ankles; skin, left side; chest. Mucous secretions decrease causing *stickiness, *with burning. Obesity. Lymphatics enlarged and secretions perverted. Every cold affects the joints.

Worse

***COOL AIR; ***INHALING; open air; change; warm to cold; cold to warm. Uncovering. Night. Pressure; on trachea. Talking. Deep breathing or irregular breathing. Motion. Eating; after meals.

Better

*Covering mouth. Wrapping up.

Mind

Low spirited; with serious expression of the face. Indifferent about his surroundings.

Head

Darting sharp pain in the left side.

Eyes

Burn; indoors; puffed up in a.m.

Nose

Feeling of dryness in posterior nares. Sneezing attacks; fluent coryza. Itching that extends from the end of the nose to pharynx.

Face

Sodden. Pale, while standing.

Mouth

Toothache entirely better after dinner; rinsing mouth with cold water.

Throat

Hawks much tenacious mucus. Throat feels hollow. Lump not better by hawking, descends and rises again after swallowing.

Stomach

Ravenous appetite. As of a hard substance in the pit of stomach. Pain in the left breast after meals. Talking worse stomach symptoms. Gastralgia; aching through the back, obliged to breath deeply. Tight suffocative heavy ache in epigastrium, to back; clothes feel tight. Eating meat causes eructation and pruritus. Nausea better by eructations.

Abdomen

Creeping near navel better by discharge of offensive flatus. *Stools; *sudden; profuse; *foul; painless; brown black, or thin watery, driving him out of bed; in *the morning (5 to 9 a.m.); in phthisis, after catarrh. Itching in anus with sensation as of a stick in rectum. Annoying rumbling flatulence; in women.

Urinary

Sudden urging; involuntary with cough.

Female

Pain right ovary to back.

Respiratory

***EVERY BREATH OF COLD AIR, ***CAUSES TICKLING, *as from a feather or dust in ***THROAT PIT AND CONTINUOUS COUGH better *closing or covering the mouth or head, worse touching throat pit; lying on left side. Dry teasing cough preventing sleep. Profuse frothy, thin expectoration. Sputum comes by mouthfuls. Dyspnoea on retiring. Suffocative choking. Respiration worse in wind. Cough provoked by changing rooms, by change from cold to warm and warm to cold. Pain, rawness or burning under clavicle as if the air penetrated there worse hawking. *Pain; *under sternum; under right nipple. Burning sticking pain in left chest near the heart, worse deep breathing. Barking cough. Cough comes regularly at 1 p.m., 2 and 5 a.m.; children. Cough daytime only. Cough worse during early pregnancy may cause miscarriage. Clavicular pain worse hawking.

Heart

Feels as if suddenly stopped followed by heavy throbbing through the chest.

Back

Pain under scapulae; *right.

Extremities

Pain in left shoulder on coughing, on raising arms. Hands cold when coughing. Spasmodic cramps in ankles and feet.

Skin

Intense itching worse lower limbs; worse exposure to cold air or undressing. Acne vulgaris on back.

Sleep

Sudden sleepiness.

Fever

Sweat on waking from a sound sleep.

Related

Caust; Seneg.

[Back to Index](#)

Generalities

This remedy has a special affinity for *fibrous tissue; *flexor tendons; *joints; *ankles; *wrists; *cartilages; *periosteum; *uterus and skin. It is the chief remedy for injured or bruised bones; therefore the pains are ***BRUISED; ***SORE, ***ACHING WITH RESTLESSNESS. *Feeling of intense painful weariness. *Heaviness; as of a weight in forehead or hanging to feet; or lower limbs. *As of a rough blunt plug in part, head, nose etc. *Paralytic rigidity. Distortions. *Gnawing-burning pains, neuralgia. Rheumatism. Formation of deposits or nodes in the periosteum, tendons and about the joints esp. wrists. Ill effects of bruises, fractures; carrying heavy weights. Lameness after sprains. Bones brittle. Loin on parts become sore; even in bed. Feeling of intense lassitude, weakness and despair.

Worse

*Overexertion, injury; *sprains. ***EYE STRAIN. ***COLD-air; *damp, wind; wet. ***LYING. ***SITTING. *Pressure on an edge. Stooping. During menses. Uncooked or indigestible food. Exertion; ascending, descending steps.

Better

*Lying on back. *Warmth. Motion. Rubbing. Scratching.

Mind

*Dissatisfied with himself and others, and disposed to weep. Suspicious, imagines that he is always being deceived. Fretful, quarrels and contradicts.

Head

Aches as if a nail is driven into it. Stitches worse reading.

Eyes

Red, hot and painful, from reading fine print, sewing. *Vision dim. Lachrymation. Itching inner canthi. Asthenopia. Spasm in lower eyelids, when it ceases, lachrymation starts.

Ears

Pain as from a blunt piece of wood.

Nose

Sweat on. Pressive aching at the root of nose; with epistaxis.

Mouth

Cramp in tongue, causing embarrassment of speech. Woody taste.

Stomach

Sudden nausea while eating; with vomiting of food. Burning_gnawing pain. Dyspepsia from carrying heavy weight. Violent thirst for ice cold water. Nausea felt in rectum Tension in stomach better drinking milk.

Abdomen

Urging to stool, but only *rectum prolapses. Prolapse of rectum on stooping; after delivery, during stools hard or soft. Faeces often escape when stooping. Painful swelling of the spleen. Cancer of lower bowel. Stricture of rectum.

Urinary

Constant pressure on bladder as if it is full or moving up and down. Constant urging, can hardly retain urine, if forcibly retained she could not pass afterwards, with severe pain.

Female

Corrosive leucorrhoea after irregular or suppressed menses.

Respiratory

Short breath, with tightness of chest. Weak feeling in chest after thick, yellow, sputum. Painful spot on sternum. Ill effects of mechanical injury to chest.

Neck and Back

Weak, bruised feeling in small of back, hips and lower limbs in a.m. Coldness of spine, downwards. Back ache better lying on back and pressure.

Extremities

*Thighs feel broken worse when stretching the legs. Sore tendons. Totters; stumbles easily. Pains as if deep in long bones; must walk about. Nodes in palms. Ganglion of the wrist. *Bursae. Pain in bones of the feet, cannot step heavily on them. Contractions; of fingers; of feet, of toes. Hamstrings feel shortened. Cracking in joints worse walking in open air. Sciatica; worse lying down, at night better during daytime. Legs give out as one attempts to rise from a chair, has to make several attempts before one can succeed. Paralytic weakness of legs, after spraining of the back. Legs feel weak, knees give way, while ascending and descending stairs. Ankles swollen.

Skin

*Easily chafed; from walking, riding; also in children. Erosive itching. Flat smooth painful warts; on palms. Itching after eating meat.

Sleep

Wakes frequently; vivid, confused dreams. Yawns, stretches and extends hands.

Fever

Frequent attacks of quick flushes of heat. Glowing heat on face, skin etc.

Related

Arn; Phyt; Ran-sc; Symph.

Complementary

*Calc-p.

[Back to Index](#)

Generalities

***MUCOUS MEMBRANES OF NOSE; *lachrymal glands; ***ANUS and digestive tract are affected by this remedy. ***NERVES are affected producing weakness, nervousness; startled easily. Nervous symptoms reflex from worms; twitching, convulsive trembling or catalepsy. *Formication. Alternate nervous and bodily symptoms. Hysteria, after fright. Ill effects of fright; mental exertion; thinking. Worms; causing convulsions, nymphomania etc. Imaginary diseases. Cutting pains in bones.

Worse

***COLD-air; drinks. *Periodically; every week, two weeks. Four weeks; *same hour; forenoon; new and full moon. Odours; undeveloped exanthemata. Mental exertion.

Better

*Open air. *Heat. Eating. Swallowing. Quick motion of affected part.

Mind

Miserable. Timid. Easily startled. Erroneous (fixed) ideas about himself; imagines he is very sick; that parts are sunken; limbs are crooked, chin is elongated; one side larger than the other; that she has a cancer or is pregnant. No response to questions, loss of consciousness, then he jumps up and runs recklessly through the room. Rage. Mania better washing head in cold water.

Head

Vertigo, with sensation as though all things were turning around each other; sudden on waking at night, or rising from stooping; with black vision and faintness, better resting head on table. Unilateral head pains; or alternating sides; worse thinking. better eating. Burning, itching, crawling on hair scalp better scratching. Headache in school girls.

Eyes

Lids red, burning. *Lachrymation; worse during pain; sneezing, coughing, yawning; when walking in open air; during chill.

Ears

Difficulty of hearing, as if there were bands over ear.

Nose

*Persistent ***VIOLENT, or ***ABORTIVE SNEEZING. ***ITCHING; tickling in; rubs or picks at it. Nose dry. Tickling in nose spreads over the whole body then dyspnoea. Hay fever. Influenza. *Sensitive smell. One or the other nostril stuffed up. Fluent coryza; the discharge is worse from the odour of flowers, even thinking of flowers increases the discharge. Cannot tolerate the smell of garlic. Stubborn, lingering coryza. Hawks bright red blood from nasopharynx.

Face

Feels hot, fiery red. Lips hot burns as if scalded. Cracking of jaw joint on opening the mouth wide.

Mouth

And tongue as if they were burnt. Itching of the soft palate. Sweetish taste. Cannot bear anything hot or cold in mouth.

Throat

Cannot protrude tongue with sore throat. As of a *lump*, morsel, thread or skin hanging in throat, with constant inclination to swallow. Sore throat; left to right worse empty swallowing better hot drinks. Tonsillitis after coryza.

Stomach

Craves; hot things, sweets, milk. No relish for food until she takes first mouthful then she makes a good meal; during pregnancy. Canine hunger, for sweets and farinaceous food. Thirstless. Coldness or empty feeling in. Aversion to all food, meat, sour things, coffee, garlic.

Abdomen

Bowels feel knotted. As of a lump or thread moving rapidly in. Burning, frothy, loose brown, floating stools. *Crawling, *itching, *at anus; alternating with itching in nose or ears. Pin worms.

Female

Nymphomania from worms. Menses; too late, come by fits and starts; intermit; sometimes stronger, sometimes weaker.

Respiratory

Violent coughing attacks; muffled, worse anger; with lachrymation. Asthmatic breathing with itching skin, nose and anus. Red spots on chest. Pleurisy with great paralytic debility.

Heart

Palpitation, with pulsations through whole body.

Extremities

Upward jerking of arms. Cracks between and under toes. Cutting pains in bones. Thick deformed horny nails. Red spots on arms and hands. Yellow spots on fingers. Swelling of feet, with painful soles.

Sleep

Comes on when thinking, meditating, reading.

Fever

Shivering as a concomitant. Thirst after chill only. Chill from below upwards. Lachrymation with chill.

Skin

Itching with asthmatic breathing. Dry, like parchment.

Related

Ars; Puls; Urt-u.

Complementary
Sep.

[Back to Index](#)

Generalities

Genito-urinary, organs, esp., *prostate, *ovaries; *mammas, *bladder and urethra are *especially influenced by this medicine. It is soothing to the mucous membranes and is tonic, nutritive and stimulating to the over worked brain (use 1x). Sharp, stinging wandering pains. Homoeopathic catheter for retention of urine due to enlarged prostate. Nervous women and *old men. *Debility. Nervous irritability, with loss of sexual appetite in both sexes. Sexual neurotics.

Worse

Weather-cold, damp, cloudy. Sympathy. Before menses.

Better

After sleep.

Mind

Irritability and depression; sympathy made her angry. Broods on her own sufferings or symptoms. Apathy. Indifference. Fears to fall asleep lest something should happen. Starts up with fear as he is dozing.

Head

Sharp, darting pains here and there going and coming suddenly. Pain runs up nose and centres in forehead. Headache of weak persons.

Eyes

Iritis when prostate gland is involved.

Ears

Hearing diminished; voices seem far off.

Stomach

Constant desire for milk; which is usually disliked. Acidity. Eructations.

Abdomen

Pains into thighs; radiating to different directions, settling in ovaries.

Urinary

Constant desire to pass water; at night. Enuresis, from any exertion, lifting, laughing etc. Difficult urination; smarting, burning in urethra. Limy urinary sediment. Heavy aching pain and sense of coldness in bladder extending to external genitals. Cystitis from prostate hypertrophy.

Male

Testes drawn up; painfully. *Genitals cold. *Enlarged or *congested prostate; *senile. Wasting of testes and loss of sexual power. Painful, erection or emission of semen, during coition. Sexual neurotics. Epididymitis. Impotency. Semen thick, causes hot feeling along the cord.

Female

Ovaries tender and enlarged; ovarian pains running down the thighs. Vulva feels open. Female sexual neurotics, suppressed or perverted sexual inclination. Mammae, sore tender and full worse cold bath; or small and *undeveloped. *Genitals cold One mammae smaller than other. Sexual passion furious.

Respiratory

Profuse expectoration with discharge from the nose. Chronic Bronchitis. Wheezing cough worse lying down, till 6 a.m.

Back

Ache; after coition. Pain in sacral region before commencement of menses.

Sleep

Fears to fall asleep, lest something should happen; starts up with this fear when he is dozing.

Related

Sep; Sil.

[Back to Index](#)

Generalities

***FEMALE PELVIC ORGANS; *uterus are mostly affected by this remedy. In addition it affects the *fibrous tissue; *of small joints;* serous membranes and heels. It is suitable to hot blooded women with gouty rheumatic diathesis; and *haemorrhagic tendency; epistaxis, haematuria etc. Tendency to abortion esp. at the third month. Violent pulsations; wants windows open. Heaviness and indolence of body, wants to lie down. Red shiny swelling of affected parts. Acutely inflamed arthritic nodes. Sense of fullness. Wart like growths. Pain increases suddenly and decreases slowly.

Worse

*Night. ***HEAT; of bed; room; exertion. Pregnancy. Climacteric. Foggy weather. Stooping. Letting limbs hang down. Taking a deep breath. Music.

Better

Cold. Cool. Open air. Exhalation.

Mind

Music is intolerable; produces nervousness. Melancholy. Sad.

Head

*Bursting headache; appears suddenly, diminishes slowly and returns frequently. Vertigo with suppressed menses.

Mouth

Toothache worse only when chewing. Drawing pain in the muscles of jaws. Bitter taste; to food esp. milk or coffee.

Stomach

Desire for lemonade. Heartburn. Pain from epigastrium to back.

Abdomen

Plethoric. Quivering as if something were alive, resembling foetal movements. Haemorrhoids with discharge of bright red blood causing pain from sacrum to pubes. Piles alternate with pain in limbs.

Urinary

Vesical irritability; with gouty diathesis. Bloody urine, with much urging. Throbbing, burning at the region of kidneys.

Male

Sexual desire increased, with violent continuous erections. Sycotic excrescences; with burning soreness. Hard swelling on dorsum of penis.

Female

*Itching genitals; almost insatiable desire for coition. Menses; too profuse, too early; *gushing of hot, *bright, *watery blood;* mixed with dark clots, worse least motion but often better

by walking; with pain in joints; ***WITH PAIN FROM SACRUM TO PUBES or *Reverse; or *shooting up vagina. Bleeding between periods; with sexual excitement. Leucorrhoea; foul, acrid, thick, yellow, from suppressed menses, or copious menses; with itching of pudenda; during pregnancy. Pruritus of pregnancy. Retained placenta. Severe after pains. Promotes expulsion of moles. Crawling in nipples. Haemorrhages after abortion. Ovaritis and Metritis after abortion; premature labour. Dysmenorrhoea better lying flat on the back, with limbs extended. Voluptuous itching in nipples.

Heart

Violent pulsation in blood vessels in whole body.

Back

Pain from lumbar region to pubis or reverse.

Extremities

Swelling, redness and stitches in right big toe. Shooting in heels. Diminishes knots, and enlargements and varices in veins. Intermittent aching in the solar part of the heels.

Fever

Intolerable burning heat of whole body, with great restlessness.

Skin

Foul, itching, burning, moist figwarts. Black pores in skin, esp. face.

Related

Ars; Caul; Puls.

Complementary

Thuj.

[Back to Index](#)

Generalities

In ordinary practice it is used as an acute rheumatic remedy. In homoeopathy it is useful in Meniere's disease. Roaring and ringing in the ears. Deafness with vertigo. Effects of suppressed foot sweats.

Worse

Motion. Night. Cold air.

[Back to Index](#)

Generalities

It reduces the irritability of sexual organs of both the sexes. Satyriasis and erotomania. Seminal emissions in presence of woman or when talking with her. Libidinous thoughts and dreams. Use material doses of tincture. 30 drops.

[Back to Index](#)

Generalities

It acts upon *respiratory organs, kidneys and the skin. *Profuse sweat or shortness of breath; accompany many symptoms. Oedematous swelling; in various parts of the body esp. legs, instep and feet. Snuffles in infants preventing breathing and nursing. General trembling with anxiety. Ill effects of fright; grief; anxiety; excessive sexual indulgence. Suited to persons previously robust and fleshy suddenly become emaciated.

Worse

Dry cold air. Cold drinks, while heated. Head low. Eating fruits. Lying down. Rest.

Better

Pressure over a sharp edge. Motion. Wrapping up. Sitting up in bed.

Mind

Constant fretfulness. Easily frightened. Fright followed by suffocative attacks. Sees images when shutting eyes.

Eyes

Half open in sleep. Photophobia.

Nose

Dry coryza, with snuffles; in infants.

Face

Pale, bluish, puffy worse coughing. Hot; with icy cold feet.

Mouth

Half open, in sleep.

Urinary

Acute nephritis. Dropsical symptoms with vomiting of bile, and distress in stomach after eating. Profuse urination with a sensation of heat in the body. Urine frequent and scanty.

Male

Hydrocele, from injury.

Female

Debilitating sweats, after child birth.

Respiratory

***SUDDEN SUFFOCATION; or *strangling cough on falling to sleep; or *waking him at midnight with violent sweat;* worse fright. Whistling breathing spasms of glottis. Screeching voice. Croup. Spells of coughing; before fever.

Extremities

Icy cold feet. Hands become blue. Dropsy of legs and feet.

Fever

*Dry burning heat during sleep, but *copious sweating on awakening. *Sweat with cough.
Debilitating sweat; worse night.

Related

Bell; Brom.

[Back to Index](#)

Generalities

Commonly known as blood root, is a ***RIGHT SIDED remedy, affecting the *head, ***LIVER; chest and deltoid. It produces ***VASO-MOTOR DISTURBANCES, as is seen in circumscribed *redness of the cheeks, abdomen, tongue etc.; *congestion of blood to head, chest, abdomen etc.; flushes of heat and *general pulsations. ***BURNING HEAT AND EBULLITIONS. Mucous membranes become dry. *Burning; in throat, under sternum; spots or stitches in chest; *palms and soles. Burnt feeling; in tongue. *Symptoms ascend or end in bilious vomiting. Internal rawness. Acrid, blood streaked or foul discharge. Lies on back with head elevated. Climacteric disorders. Bilious. Pains increase and decrease with the sun. Sudden stopping of catarrh of respiratory tract followed by diarrhoea. Polypi, nasal, uterine. Fungus excrescences. Sick and faint from odour of flowers. Pains in places where bones are least covered.

Worse

*Periodically-with sun; weekly; night. *Climaxis. *Odours. *Jar. *Light. Sweets. Motion. Looking up. Touch. Raising arms.

Better

*Sleep. Lying on back. Vomiting. Cool air. Passing flatus. Sour things. Lying on left side.

Mind

Irritable, morose. Grumbling. Borrows trouble. Lassitude, indisposed to move or make any mental effort.

Head

Pain over right eye; or ***ASCENDING FROM OCCIPUT TO OVER RIGHT EYE. Hemicrania, increases and decreases with the sun. Distension of veins in the temples. Pain in the occiput like a flash of lightning. Vertigo worse looking up and moving head rapidly. Headache if he goes without food. Headache better sleep, vomiting and passing of copious flow of urine.

Eyes

Burning in. Eyeballs painful on moving them. Hard swelling over eyebrows. Lachrymation with coryza, tears hot.

Ears

Burning in. Earache, with headache. Humming and roaring in the ear; painfully sensitive to sounds, at climaxis.

Nose

*Pain at the root of nose. Coryza; stopped, then diarrhoea. Nasal polypi. Rose-cold, with subsequent asthma. Sensitive to odours. Loss or perverted sense of smell, smell in nose like roasted onion.

Face

*Redness and burning of cheeks. Hectic flush, red cheeks. Neuralgia in upper jaw; radiating, better by kneeling down and pressing the head firmly on the floor. Fullness and tenderness behind angle of jaw.

Mouth

Burnt feeling in tongue. Anterior tongue looks red like raw beef. Sweet things taste bitter. Palate feels scalded. Toothache from picking teeth.

Throat

Sore, swollen, (right); pains to ear and chest. Burning worse eating sweet things. Dryness of singers.

Stomach

Craves; spices; knows not for what. Aversion to butter. Nausea; with salivation; worse sneezing or blowing nose, better eating; followed by urticaria. Spitting of bile; gastroduodenal catarrh. Stomach pains to right shoulder.

Abdomen

Tension in epigastrium. Feeling as of hot water pouring from breast to abdomen followed by diarrhoea. Bilious, liquid, gushing stools. Flatulent distension; with escape of flatus from vagina. Jaundice. Cancer of rectum.

Urinary

Urine dark yellow, with jaundice. Copious and frequent, clear worse at night.

Female

Climacteric disorders; esp. flushes of heat and foetid, acrid leucorrhoea. Soreness under nipple (right). Menses; offensive, profuse. Uterine polypi. Mammae sore; and enlarged; at climaxis.

Respiratory

Larynx, full and dry; in singers. Cough; raises foul air; dry; from tickling behind the sternum; must sit up in bed; passes flatus with; better from passing flatus up and down. Expectoration; tough, rusty coloured, purulent; which worse. Burning in chest; as of a hot steam extending to abdomen, with cough. Cough, after influenza or whooping cough; returns after every fresh cold. Pain in right chest (from breast) to shoulder. Pneumonia. Phthisis. Asthma; from disturbed digestion, with acrid eructations.

Heart

Weak feeling; irregular action.

Extremities

Itching in axilla worse before menses. Cutting pain or stiffness in right deltoid worse raising or turning arm. Rheumatism of right shoulder and left hip joint. Pain in shoulder worse night. Pain in bone near surface. Neuritis better by touching the part. Burning of palms and soles, worse covers; at climaxis. Palms wrinkled. Aching and swelling of ball of thumb (right). Pain in arm better swinging arm to and fro.

Fever

*Flushes of heat, *rising into face and head; with headache. Sweat; burning, scanty.

Skin

Dry; of jaundice. Acne; with scanty menses. Prickling heat spreading over body.

Related

Bell; Phos.

Complementary

Ant-t; Phos.

[Back to Index](#)

Generalities

This mineral spring water affects the *nutrition; *female organs, *rectum, *neck and skin. Patients are thin and look old, esp. children. *Marasmus. Body smells like old cheese. Child kicks off covers at night; wants to lie on something hard though thin. Clothes feel cold, damp. Enlarged feeling; in throat, vagina etc. Thick acrid yellow pus. Can not bear to have one part touch another; or cannot lie near another person. Bursting; in perineum, bowels, bladder; vertex, chest. Car or sea sickness. Shifting pains.

Worse

Strain. *Motion; raising arm; putting hands behind. Descending. Cold wind on occiput or neck. Jarring.

Better

Open air. Warmth. Vomiting.

Mind

Headstrong, obstinate, touchy; children. Constant desire to look behind. Irritable-least word or action would upset her. Misconstrues everything. Crossness quickly alternating with playfulness; in children. Dread of downward motion. Fear of the dark. Does not want to be touched. Restless desire to go from place to place. Instability of purpose.

Head

Cannot bear cold air on occiput and neck. Profuse sweat on occiput and neck worse during sleep. Electric crackling in hair, when combed. Profuse scab dandruff; falling of hair. Bursting in vertex. Cold cloth around brain as if. Small boils on head that do not mature.

Eyes

Lids stick to the balls. Lachrymation in cold open air or cold application. Dandruff of the eyebrows.

Nose

Fluent coryza worse eating. Water smells like old musty rain water.

Mouth

Tongue; large, flabby; burning, must protrude to keep it cool; ringworm on tongue. Mouth and palate covered with ulcers; white aphthae. Sides of tongue turn up. Tongue adheres to the roof.

Throat

Cold, icy sensation in; peppermint like; feels too large. Can swallow solids better than fluids.

Stomach

Child wants to nurse all the time yet loses flesh. Craves; salt, bacon or ice cold milk. Thirst little and often; water is vomited as soon as it reaches the stomach. Vomiting of curdy milk. Falls asleep after vomiting. Eating causes urging for stool, must leave the table.

Abdomen

Loud gurgling; pot bellied children. *Stool; *of one large heavy mass; foul like rotten cheese, dry, small balls, must be removed, or crumbles at the verge of anus. Pain, bursting in perineum during stools. Stools; misshapen, changeable, involuntary.

Urinary

Child cries before urinating; strains to urinate while at stools. Briny urine. Bursting in bladder with urgent call to pass urine. Frequent, profuse, sudden urination; urging ceases if desire is resisted. Urine stains diaper red.

Male

Briny odour of the genitals; few hours after coition.

Female

Leucorrhoea; with strong odour of fish-brine worse stools. Bearing down as if contents of pelvis would escape; worse jar, walking. Supports the relaxed parts by placing the hand against vulva, better rest. Vagina feels large, cannot stop menstruation. Os cervix open and dilated as if.

Neck and Back

Neck weak and emaciated; child cannot hold its head, *stiff backache worse least turning, raising arms or *putting hands behind him; must turn whole body to look around, sits, head forward to ease the pain. Cold lumbar spine. Lumbago; better lying on right side. Lumbar vertebrae as if dislocated, or were gliding past each other. As if back is broken in two pieces. As if damp cloth on sacrum.

Extremities

Pain in shoulders worse raising arms or putting them behind back. Cold clammy hands and feet. Burning of palms and soles. Cramps in feet. Foul foot sweat; chafes toes, destroys shoes or stiffens the hose. Feet as if in cold water. Hands become sweaty when putting them together.

Sleep

On awakening child rubs eyes and nose with its fist. Dreams of robbers.

Fever

Sweat sticky.

Skin

Dry, brownish, flabby worse neck. Fissured hands and fingers. Skin about neck wrinkled and hangs in folds. Tendency to small boils which do not mature.

Related

Lyc; Psor; Sulph.

[Back to Index](#)

Santoninum [Sant]

Generalities

The favourite anthelmintic produces colour blindness and yellow vision.

[Back to Index](#)

Generalities

This remedy was used as a restorative and blood purifier after exhausting course of mercury. It meets syphilitic, sycotic and psoric constitutions. Its chief centre of action is on the *genito-urinary organs; skin; bones, right lower extremity. It is suited to *thin; *frail; *shrivelled, old looking persons, esp. children with enlarged abdomen. Marasmus; emaciation. Parts feel screwed together. Nightly bone pains. Pains shoot in different directions and are accompanied by depression and anxiety. As if salt were put upon the wound. Lithic diathesis, *itching eruptions; following hot weather and vaccinations. *Very sore gouty nodes. Rheumatism. Clears the complexion.

Worse

*At the dose of urination. Spring. Cold, wet. Mercury. Night. Suppressed gonorrhoea. Yawning. Motion. Going up and down stairs.

Better

Uncovering neck and chest. Standing.

Mind

Depression and anxiety from pain. Thinking about the food he has been eating causes nausea. Easily offended. Taciturn. Despondent, gloomy without any cause.

Head

Pains from occiput to eyes, or to root of nose. As if ball was striking in head when talking. As of a painful tight band around the head, removes the hat involuntarily without better .

Eyes

Foggy vision worse seminal emission. Itch like eruptions on eyelids.

Ears

Words reverberate in.

Nose

Stoppage for years. Swelling at the root of nose.

Face

Eruptions on face and upper lips; worse during menses. Yellow, wrinkled, old looking.

Mouth

Aphthae; salivation. Offensive breath. Pain in jaw worse bending head back.

Stomach

After a meal, sensation of emptiness, as while fasting or else nausea or disgust when thinking of what has been eaten. Drinking water causes vomiting.

Abdomen

Colic and backache at the same time, with diarrhoea. Rumbling with sensation of emptiness. Sand in stools. Moist eruptions and soreness in groins before menses. Cholera infantum. Obstinate constipation with frequent want to urinate.

Urinary

*Painful urination, *extorts screams worse at the close of urination. Can pass urine only when standing; during the day but at night urine flows freely in bed; it dribbles while sitting. Urging to urinate before menses. Passes drops of blood or white acrid material at the close of urination. Sand on diaper. Air passes from bladder during urination. *Crusty urinary sediment. Pain in urethra going back to abdomen. Jerking along the urethra. Renal colic (right). Pus in urine.

Male

Genitals moist and offensive. Semen bloody. Spermatic cord, painful after emission; swollen after unrequited sexual excitement. Herpes preputialis. Jerking along urethra. Itching on scrotum and perineum.

Female

Nipples retracted or cracked, small and shrivelled. Menses late and scanty. Dysmenorrhoea, characterised by retracted nipples, or sore breast.

Neck and Back

Emaciation of neck. Pain from small of back down the spermatic cord; after emission. Backache with colic.

Extremities

Cutting under nails. *Deep cracks on fingers and toes worse sides. Ulcerated finger tips. Affections of any kind in general, in right lower extremity.

Sleep

Yawning; complaints concomitant to yawning.

Fever

Chill starts from region of bladder, to back.

Skin

Emaciated, shrivelled, lies in folds; *blotchy, hard. Itching scaly spots. Irritating pus. Copper coloured eruptions. Ecchymoses, in old age. Oedema. New skin cracks and burns.

Related

Calc; Petr.

Complementary

Merc; Sep.

[Back to Index](#)

Generalities

It is a *heart tonic; affects the *kidneys; cord; muscles and left side. It increases the strength of the heart, reduces blood pressure. Irregular heart action from influenza or other infectious diseases. Relieves the congestion of kidneys enabling them to eliminate and relieve the distress upon the heart. Heavy aching.

Worse

Turning on left side.

Better

Cool air. Rapid motion. Passing flatus.

Abdomen

Stomach and bowels seem to be filled with stones or as a firm mass. *Flatulency; with much mental depression. Colic, then bright acrid foaming stools followed by burning in anus.

Urinary

*Very profuse, bright foaming urine, then burning in pudendum.

Heart

Anxious oppression, radiating to left shoulder and neck. Palpitation, with congestion to head. Angina Pectoris. Tobacco heart.

Extremities

Deadness of right arm and fingers.

Skin

Barber's itch.

Related

Phos.

[Back to Index](#)

Generalities

A vegetable nosode called ergot, contracts the *muscles of ***BLOOD, ***VESSELS and UTERUS; decomposes the ***BLOOD; producing *haemorrhage which is thin, foetid, watery, black, oozing continuously. Twitchings; spasms, with fingers spread apart. Gnawing and *cramps; with stiffness; in single parts or after the pains. *Numbness. Insufferable *tingling, *crawling, starting in face; or back; in the limbs; in finger tips, better rubbing. *Sensation of burning in the whole body or as of sparks falling on them, or here and there; like fire. *Discharges are dark, *thin, foul and exhausting.* Tetanic spasms with full consciousness. Rapid emaciation; of paralyzed part; or with much appetite and excessive thirst. Loss of power of voluntary motion. Feels as if walking on velvet. Coldness; but does not want to be covered up. Convulsive jerks and starts in the paralyzed limbs. Neuralgia caused by pressure of distended veins. Varicose. Thrombosis. Lymphoid tumours. Sensation of deadness; in any part. Gangrene; traumatic; from application of leeches or mustard, better cold. It is suited to irritable plethoric subjects; or to thin, scrawny, feeble women of cachectic appearance; to very old decrepit persons. Petechiae. Small wounds bleed much. Everything feels loose and open. Contracted arterioles. Chronic, sharp, stinging neuralgic pains, which burn like fire better application of heat. Paralysis; with distorted limbs; of lower extremities; of one side; of one arm or one leg; with tingling, numbness and prickling. Paralysis after spasms. Restlessness, extreme debility; and prostration. Collapse.

Worse

***WARMTH. Just before or during menses. Pregnancy. Loss of fluids. COVERS. Touch. Eating. Sexual excess. After abortion. Smokers.

Better

*Cold-bathing; uncovering, fanning. Rocking. *Forcible stretching. Lying doubled up in bed. After vomiting.

Mind

Weakness of; after spasms; after exhausting coition. Madness, inclination to bite or drown himself. *Maniacal fear; or depressed by fear. Puerperal mania exposes the body, tears at the genitals, inserts her finger into the vagina and scratches until it bleeds; all idea of modesty lost. Laughs, claps her hand over head, seems besides herself.

Head

Feels light or heavy with tingling in legs. Twisting of head to and fro. Falling of hair.

Eyes

Sparks before the eyes. Senile, incipient cataract esp. in women. Sunken; surrounded by blue rings. Paralysis of upper lid; from coal gas. Tears suppressed. Double or triple vision. Blindness. Diabetic retinitis.

Ears

Hardness of hearing, after cholera.

Nose

Bleeds persistently; blood; dark; with great prostration, in old people, drunkards or young women.

Face

Distorted or sunken, pale, pinched. Wild look. Tingling or twitching in face; which spreads all over the body. Lock-jaw.

Mouth

Tongue; dry, cracked, exudes blood inky black; stiff, with tingling at tip; feels paralyzed; stuttering indistinct speech.

Throat

Painful tingling; burning. Post diphtheritic paralysis.

Stomach

*Thirst; unquenchable. Unnatural ravenous appetite; craves sour things and lemonade. Vomiting; of dark brown, coffee-ground fluid. Empty retchings. Burning. Nausea, easy vomiting. Haematemesis.

Abdomen

Excessively inflated and tight; *wants uncovered.* Empty feeling in hypogastrium; or bearing down; must lie doubled up in bed. Gushing, offensive; painless, watery, olive-green or bloody stools; with collapse; icy coldness and intolerance of being covered. Anus feels loose, and wide open; faeces pass involuntarily. Twitching of abdominal muscles. Formation of large lumps and swelling in abdomen.

Urinary

Enuresis in old people. Bloody urine, white cheesy deposit. Urine; suppressed, pale, watery. Retention, with unsuccessful urging.

Female

Menses; irregular, copious, dark, continuous oozing of watery, foetid, blood; until next period, Inert uterus, or *bearing down* with coldness. Contracted uterus; hour-glass contraction. Brownish, offensive, continuous, leucorrhoea. Threatened abortion; at the third month. Dark, offensive, green lochia. Septic placenta. Metritis. Gangrene of female organs. Severe after-pains. Suppression of milk, with stinging in mammae. Never well since abortion. Vagina hot or cool. Puerperal fever. Prolapsus uterus after forceps delivery.

Respiratory

Pains through chest, on pressing spine. Burning in lungs.

Heart

Palpitation of heart after sexual excess; in males. Pulse intermittent.

Neck and Back

Tingling in back extending to fingers and toes. Pressure on affected portion causes pain there as well as through the chest. Myelitis.

Extremities

Limbs cold. Bluish fingers and toes. *Cramps in hands; *legs and feet. *Fingers spread apart, bent backwards or clenched, look water soaked. Fingers feel fuzzy; of smokers. Cramps in calves. Trembling, staggering or shuffling gait, as if feet were dragged along. Toes drawn up. Locomotor ataxia. Paraplegia. Hands and feet cold and dry, of smokers.

Sleep

Insomnia of drug and liquor habitues. Deep, lethargic.

Fever

***INTERNAL BURNING; ***WITH ICY COLDNESS EXTERNALLY, ***YET AVERSE To BEING COVERED worse *abdomen. Heat as of sparks. Erysipelas. Cold or foul sweat destroys shoes.

Skin

Boils with green pus; matures slowly. Bloody blisters. Skin *cold, *dry, wrinkled or bluish; Agg. over affected part. Raynaud's disease. Oedema neonatorum. Ulcers, foul, indolent; varicose. Twitchings or quivering in skin. Formication under the skin.

Related

Chin; Merc; Nux-m; Puls; Ust.

Complementary

Ars; Thuj.

[Back to Index](#)

Generalities

This element is found associated with Sulphur and Tellurium, and is a constant constituent of bones and teeth. It has marked effects on the *nerves ***OF GENITO-URINARY ORGANS and supra orbital (left); ***LARYNX and liver are also affected. Patient becomes *easily debilitated by heat or hot weather; a little mental or physical exertion makes him sleepy. Debility after exhausting diseases; after fevers. Senility; early. *Emaciation; of single parts, face, hands, thighs etc. Pulsation in the whole body esp. in abdomen; worse eating. Cramps; then stiffness. Biting; here and there. Ill effects of debauchery, tea, sugar, salt, lemonade, loss of vital fluids, masturbation, sexual excess, over-study. Troubles in general accompanying escape of semen esp. when straining at stool.

Worse

Hot days. Loss of sleep; night watching. Touch. *After sleep. *Singing. *Draft of air, even if warm. After stools. Coition. Wine.

Better

After sunset. Inhaling cool air. Drinking cold water.

Mind

Total unfitness for any kind of work. Forgetful in business remembers all that he has forgotten during sleep. Talkativeness, when excited; stammers, pronounces some words incorrectly. Sadness. Difficult comprehension. Forgetful when awakes, and dreams of it as he falls half asleep. Lascivious thoughts, with impotency. Imagines drafts or air. Fails to understand what he hears or reads. Aversion, to draft, of air, warm cold or damp. Dread of society.

Head

Pain over left eye Agg. walking in the sun; strong odours like musk, rose and tea, with increased secretion of urine. Nervous headaches. Scalp feels gathered together. Falling of hair; from eyebrows, whiskers and genitals. Does not want hair touched. Pain in the scalp as if hair were pulled out.

Ears

Deafness from hardened wax.

Nose

Coryza ending in diarrhoea. Inclination to bore fingers in the nose. Obstruction of nose; chronic. Full of thick glairy mucous.

Face

Emaciated. Comedones. Greasy, shining.

Mouth

Toothache, from drinking tea; with a feeling of coldness better taking cold water or air in mouth.

Stomach

Thirstless. Craves stimulants, brandy, tea etc. Aversion to saltish food. Pulsation all over the body esp. in abdomen after eating which hinders sleep. Sweetish taste. Irresistible desire to get drunk.

Abdomen

Chronic liver affections. Liver enlarged, with stitching pain Agg. inspiration, and a fine rash over liver region. Stools; very large, impacted, so hard that requires mechanical aid. Filament like hair in faeces.

Urinary

Urine; involuntary, dribbling. When walking; after urination and after stool. Coarse sand in urine. As if biting drop forcing its way.

Male

*Lascivious but impotent. Increases desire, decreases ability. Semen dribbles during sleep.

*Easy loss of semen; during coition, with feeble erection, but long continued voluptuous thrill; during stools. Semen watery, odourless. Chronic gleet. Oozing of prostatic fluid, during sleep, while sitting, walking and at stool. Hydrocele.

Female

Copious menses of dark colour. Throbbing in abdomen during pregnancy, Agg. eating.

Respiratory

*Voice hoarse, *-as soon as he begins to sing, talk or read; affected by even cold. Voice rattles. Nodes on vocal cords. Hawks up clear mucus; in the morning. Frequent necessity to clear the throat; in singers. Takes deep breath. Tubercular laryngitis. Dry hacking cough Agg. in the morning. Expectoration of lumps of bloody mucus. Weak feeling in the chest.

Neck and Back

The back becomes almost paralytic after a temporary illness. Glands of neck large and hard. Paralytic pain in small of back better lying on abdomen.

Extremities

Emaciation of hands; of legs. Sudden sciatic pain (left) leaves soreness behind.

Sleep

Is prevented by pulsations all over the body esp. in abdomen. Awakes early and at the same hour.

Fever

*Sweat, profuse; yellow, *leaves a salty deposit; stiffens the linen or makes the hair stiff and wiry; Agg. genitals.

Skin

Itching about ankles and about fold of skin. Oily. Remains moist after scratching. Burning spots. Crusty eruptions on palms. Psoriasis of palms. Acne.

Related

Calc-c; Merc; Nat-m; Nux-v; Sep; Sulph.

[Back to Index](#)

Generalities

In eclectic practice it is considered as a regulator of menstrual function, therefore it has a marked action on ***FEMALE and ***URINARY ORGANS esp. bladder. Affection of *mucous glands causes catarrhal condition of mucous membranes esp. of vagina, bladder and respiratory tract. Lack of reaction in genito-urinary tract. *Debilitating or vicarious *discharges. Tightness in nose, throat etc. Muscles draw into a knot. Globus. Ill effects of suppressed or delayed menses; wounds. *Nervous, *pale, *weak and sleepless hysterical women. *Haemorrhagic tendency; from other organs esp. with suppressed or delayed menses. Dropsy, after haemorrhage.

Worse

Puberty. Sexual excitement. Dampness. Cold open air. Sitting, must move about (mind).

Better

Menstruation.

Mind

Very irritable, whining. Inability to fix mind upon any one subject. Self centered. Elated and sad alternately.

Head

Wave-like sensation of dizziness from occiput to sinciput. Sharp pain over left eye and through left temple. Headache precedes leucorrhoea and irritation in bladder.

Eyes

Tears causing itching.

Ears

Itching in Eustachian tube.

Nose

Burning in nostrils. Sneezing, with burning in nose. Tightness in nasal passage. Epistaxis or nasal catarrh take the place of menses when suppressed from any cause. Coryza with nosebleed.

Face

Twitching about mouth.

Throat

Feels dry and tight, wants to swallow; though painful.

Stomach

Aversion to all food esp. sweets and coffee which she was very fond of. Nausea and vomiting of renal origin. Sensation of a ball rising from stomach to throat.

Abdomen

Pain about umbilical region, spreading in all directions better stools; bending double. Ascites from suppressed menses. Stools; thin, watery, mingled with hard lumps of faeces; or thin, dark, bloody with tenesmus.

Urinary

Heat in neck of bladder; and constant urging with renal pain. Urine; bloody; very hot or with much mucus sediment. Renal colic (right). Nephritis. *Dysuria, in women with dysmenorrhoea, or uterine displacement and in children, with headache.

Male

Lascivious dreams; with involuntary emissions. Prostate gland enlarged, feels hard and swollen to touch.

Female

*Functional amenorrhoea of young girls with backache. Menses; retarded; suppressed, with concomitant symptoms; dropsy, cough, backache etc. Profuse flow of mucous from vagina, from sexual excitation. Sexual irritation causing, itching, burning and swelling of labia. Pains from ovaries to breasts. Leucorrhoea; thick, yellow, profuse, *flows down thighs. Feels as if menses would come. Burning in left nipple. Menorrhagia, a copious flow which continues until they become anaemic. Dysmenorrhoea; after abortion.

Respiratory

Cough tickling with blood-streaked sputum; with suppressed menses. Haemoptysis, with suppressed menses. Loose cough with copious mucous expectoration and laboured breathing.

Back

*Lumbar backache, *as if to break; *with amenorrhoea. Renal disease.

Extremities

Wandering rheumatic pains; periodical. Feet cold in bed. Brittle nails.

Sleep

Many dreams; erotic. Sleepless women with uterine troubles and amenorrhoea. Drowsy during day.

Fever

Hectic fever, with anorexia.

Skin

Dry.

Related

Puls; Sep.

[Back to Index](#)

Generalities

Known as Snake-root, affects the *MUCOUS MEMBRANES causing catarrhal symptoms esp. of the respiratory tract; and bladder. *Eyes; serous membranes of ***CHEST; muscles and left side are also affected. It is suited to plethoric persons; or persons tending to obesity; tall, slender, sprightly women; old persons and *fat chubby children. Paretic states esp., of ocular muscles and distinct eye symptoms. Circumscribed spots left in chest after inflammation. Weakness seems to originate in the chest. Faintness when walking in open air. Burning in *air passages. Laxity of tissues. Profuse albuminous secretions. Ill effects of poisonous bites. Sprains. Sensation of trembling, without visible trembling.

Worse

*Air-inhaling, open; cold; wind. *Touch. Pressure. *Rest. Looking fixedly. Walking in open air; (dyspnoea, cough). Rubbing.

Better

Bending head backwards, (vision). Sweat. Walking in open air; (pains).

Mind

Anxiety; with hasty respiration. Readily takes offence.

Head

Bursting pain in forehead, into eyes; better cool open air.

Eyes

Balls feel distended or like balls of ice. Tremble and water, when looking fixedly or reading. Objects look shaded. Lachrymation, ptosis and diplopia, better bending head backwards. Blepharitis, lids dry and crusty. Oculomotor paralysis. Absorbs fragments of lens after operations. Flickering, must wipe eyes frequently. Opacities of vitreous humour. Iritis. Specks upon cornea. Stitches in eye (right) worse coughing.

Ears

Aching in the ear when chewing.

Nose

Sneezes, so often and so violently that the head grows dizzy and heavy. Nostrils feel peppery.

Face

Paralysis of the left side. Pimples in the corners of lips with burning.

Mouth

*Dry scraping in mouth. worse talking. Taste; metallic; like urine.

Throat

Dry scraping in worse talking. Hawks viscid mucous in detached small clots.

Stomach

Loathing and nausea; with inclination to vomit.

Urinary

Urine; foamy, acrid; increased or decreased in amount; with mucous shreds. Scalding before and after urination.

Respiratory

Dry scraping in chest worse talking. Hoarse unsteady Voice worse talking and sexual losses, suddenly when reading aloud. Cough incessant, strangling, violent, shaking, choking ends in sneezing, worse lying on right side or evening. *Loose rattle in chest; but the clear, *profuse sputum is tough and slips back again. Albuminous or blood-streaked sputum. *Chest; *sore from coughing, pressure, sneezing or moving arms, in spots, as if bruised; shifting pains on stooping. As of a crushing weight or weakness starts in chest; chest feels as if too narrow. Exudation in pleura. Hydrothorax. Burning in chest before or after coughing. Asthmatic bronchitis of old people, with chronic nephritis or emphysema. Vocal cords partially paralyzed. Pleuro- pneumonia.

Related

Calc-c; Caust; Hep.; Lyc; Phos; Sulph.

[Back to Index](#)

Generalities

Inky juice of cuttle fish, known as Indian ink, is supposed to be pre-eminently a woman's remedy, though the first symptoms were found by Dr. Hahnemann proved accidentally by a male artist. It affects the *venous circulation* esp. of the ***FEMALE PELVIC ORGANS; of *portal system and of digestive tract. Venous stasis and thereby ptosis of viscera is a marked feature. It is suited to young persons of both sexes, of nervous and delicate constitution, who are disposed to sexual excitement or worn out by sexual excess. Children who take cold easily when the weather changes. Relaxed, plethoric females. Weak, pot-bellied mothers with yellow complexion. Affections in pregnant women. Females dragged down by over work, loss of vital fluids, excess of sexual indulgence, who are subject to *prolapses, *uterine troubles. *Symptoms settle in back, in ileo-coecal region, ovaries etc.; upward in head; bearing down in pelvic region. Shuddering from pain. *Sudden prostration. *Weak empty hollow feeling in epigastrium, chest, muscles, lumbar back, hips, knees etc.; or sensation of fullness. *As of a lump or something rolling over internally. Violent ebullitions of blood with pulsation throughout the body. Fits of uneasiness and hysterical spasms. Spasms, clonic, tonic, cataleptic. Short walk fatigues much. Jerking in muscles. Burning pains in different parts of the body. Bleedings. Milky secretions. Fainting fits. Fidgety. Tendency to abortion, from 5-7th month. Tubercular patients with chronic hepatic troubles and uterine reflexes. Feels cold even in a warm room. Ill effects of anger and vexation; blows; injury; overlifting; falls; jar; getting wet; laundry work; boiled milk; fat; pork; tobacco. Faints while kneeling in the church. Diseased conditions which drag on, linger. Warty growths. Atrophy of children, face like old man, big belly, dry flabby skin. Rheumatism, chronic cases or obstinate remains of acute.

Worse

***COLD; ***AIR; north wind; snowy air; snowfall, wet. *Sexual excess.* Before menses. *Pregnancy. Abortion. Morning and evening. After first sleep. Falling to sleep. Sitting, standing, Kneeling. Jarring. Stooping. Coitus. Before thunderstorms. Touch. Ascending. Rubbing. Lifting. Scratching. Washing clothes.

Better

***VIOLENT MOTION. *Warmth; of bed. Pressure. Hot application. Crossing or drawing limbs up. After sleep. Cold drinks; cold bath; open air.

Mind

Angry; sensitive; irritable; easily offended, and miserable. Wants to commit suicide. Nervous, so that she wants to hold on to something or she should scream. She says and does strange things. Nobody knows what she will do next. Anxious fear; *over trifles. Aversion; to family, to those loved best, to sympathy, to *company; yet dreads to be alone. Repugnance to customary business; disgust of life. Stifled affections. *Poor Memory. Makes mistakes while writing or reading. *Sad. *Irritability, *alternating with indifference* or sulkiness. Sad over her health and domestic affairs. Constantly worries, frets and cries about her real or imaginary illness. Sexually minded. Weeps when telling her symptoms. Miserly. *Stupid, wants to go away. *Indifference. Takes pleasure in teasing others. Feels unfortunate without cause. Sits quietly and answers either with yes or no. Women hate men and men hate women. Breaks down in spells of weeping.

Head

Fits of vertigo worse walking in open air, least movement of arms or with a sensation as if something rolling round the head. *Headache shooting, stinging pain; within out or upwards; over left eye; heavy on vertex, alternating sides of occiput; worse lying on painful side, indoors; with nausea and vomiting. Headache in terrible shocks at menstrual time, with scanty flow; with desire for coition. Jerking of head backwards and forwards; involuntary; with open fontanelles in children, hysterical or from pain. Hair falls out; after chronic headache, at climaxis. Root of hair sensitive to combing. Pimples on forehead along the margins of hair. Vertex cold, and heavy. Hemisphera. Jaundice, with headache. Screams with pain. Headache worse shopping, mental labour, better; meals.

Eyes

*Drooping eyelids. Sees; black spots, veil, points, sparks, flashes zigzags and streaks of light before eyes; then collapse. Tarsi; red, itching cancer. Vanishing of sight during menses better; lying. Tarsal tumours. Vision dimmed; from sexual excess, masturbation and uterine diseases. Cannot tolerate reflected light. Arrests cataract in women. Falling out feeling in eyes. Epithelioma of eyelids. Eyes red with styes.

Ears

Herpes; behind ears; on lobe of ears; on nape of neck. Oversensitive to noise; esp. music. Sudden deafness; as if caused by the plug in ears. Discharge; thick yellow pus; offensive. Swelling of and eruptions on external ear.

Nose

Great sensitiveness to *odours; *which are repulsive; to the smell of cooking food. Pressing pain at root. ***BROWN; ***YELLOWISH; ***STRIPE ACROSS. Thick greenish discharge; thick foul, plugs and crusts. Post-nasal dropping of heavy, lumpy discharges, must be hawked from mouth. Epistaxis; when the nose has been struck by anything even lightly; during menses; during pregnancy; with piles. Ozaena. Ascending throat colds. Pain in occiput with drawing in arms and legs during cold.

Face

Changing colour. Dark circles under eyes. Chloasmae. Acne worse before menses. Malar bones numb. Swollen cracked lower lip. Cancer of the lips, epithelioma. Old, wrinkled with spots. Jerking of facial muscles while talking. Warts on.

Mouth

And tongue feel burnt. Taste; cheesy, fishy, bitter, sour, putrid, offensive. Hawks foul or cheesy grains in the morning. Everything tastes too salty. Painful teeth, during pregnancy, menses and during cold, worse lying. Tongue dirty, becomes clear during menses.

Throat

Sensation of a plug. Pain as if it is raw. Ascending throat colds. Pressure in the throat, feels neck cloth tight. Hawks foul mucus or balls, in the morning.

Stomach

*Nausea; at thought or *smell of food; in ***A.M.; thought of coition. *Vomiting; of solid Food only of milky fluids; during pregnancy; in the morning; rinsing mouth. Longing; for

vinegar, acids and pickles, sweets. ***FAINT SINKING FEELING AT EPIGASTRIUM; *not better by eating; or a lump in. Burning in pit of stomach. Boiled milk disagrees. Acidity. Dyspepsia from over- lifting; from tobacco. Voracious appetite, or no appetite; sudden craving, sudden satiety. Sense of something twisting about in stomach and rising into the throat. Distress or pain in stomach worse vomiting. Eructations; milky, sour, bitter, rancid; of tough, foamy mucus.

Abdomen

Pain in the region of liver or gall bladder worse stooping. Liver sore and painful better lying on right side. Falling out or heavy *bearing down feeling in hypogastrium better by holding it or crossing legs. Pot-belly of mothers. Constipation obstinate, no urging for days. Large hard stools; *feeling of a ball in rectum. Rectum constricted and powerless, almost constant oozing from anus. *Diarrhoea; greenish, infantile; from boiled milk, with rapid exhaustion. Piles; prolapsing; worse walking, bleed while walking, with sticking pain; of pregnancy. Stools, then gelatinous mucus. Pains shoot up in rectum. Brown spots on abdomen. Stools are passed after prolonged straining, followed by cupful of jelly like yellow-white, very offensive mucus. Prolapse of rectum after smoking. Sense of weight or ball in anus not better by stool.

Urination

Involuntary urination during first sleep; worse coughing, sneezing; laughing; hearing sudden noise, fright or inattention esp. in women, etc. Slow urination, with bearing down sensation above pubis. URINE; ***THICK, ***FOUL; white gritty or ***ADHERENT RED SANDY SEDIMENT. Urine feeble, slow. Cutting pain in bladder before urination. Urine; bloody, milky. Shuddering when urging for urine is not attended to.

Male

Sexual desire increased. Complaints after coition. Offensive perspiration on scrotum. Genitals cold. Condylomata surrounding head of penis. Impotency.

Female

***WEAK, ***DRAGGING or ***BEARING DOWN SENSATION, as if everything would escape from vulva; must cross limbs or hold parts to prevent protrusion. Gripping, burning or sticking in uterus. Coition painful; from dryness of vagina; bleeding after. Dryness of vagina and vulva; after menses; causing disagreeable sensation when walking. Aversion to coition, or complaints after. Menses; absent; at puberty; after weaning. Menses; too late, and scanty; irregular; early and profuse. Labia swelled; abscessed. Leucorrhoea; yellow, greenish, milky, in large lumps in little girls; instead of menses, foul; gonorrhoeal; with stitches up in vagina from uterus to navel; during day. Nipples cracked across the crown. Retained placenta; after abortion. Sub-involution. Exhaustion after coition. Nausea and irritability on thought of coition. Amenorrhoea. Metritis with pain in lumbar region and frequent urination. Motion of foetus is intolerable. Metrorrhagia at the time of climaxis. Sudden flushes of heat, with weakness and sweat during climaxis. Tendency to abortion; from 5TH to 7TH month. Severe itching in vulva causing abortion. Sterility. Mania from profuse menses.

Respiratory

Dry, fatiguing cough, as if coming from stomach; worse rapid change of temperature; with foul sputum. Whooping cough that drags on. Dyspnoea, worse after sleep better rapid motion. Sensation of emptiness in chest. Hypostatic pleuritis. Brown spots on chest. Rotten

egg taste with coughing. Asthma. Chest symptoms better by pressure of hand. Neglected pneumonia.

Heart

*Circulation irregular; seems to stagnate. Palpitation; visible, ascends to occiput. An occasional hard thump of the heart. General pulsations. Ebullitions at night. Overfull blood vessels. Wakes up with violent beating of heart. Tremulous feeling with flushes. Nervous palpitation better walking fast; worse lying on left side.

Neck and Back

Collar feels tight. *Aching in inter-scapular or ***LUMBAR REGION; paralytic; wants to be pressed. Sudden pain in back, as if struck by a hammer worse stooping; kneeling. Pain in back better eructations, by pressing back against something hard. Weakness in small of back when walking; from uterine disease. Everything affects the back. Icy coldness between the scapulae. Cramps in buttocks when stretching out legs.

Extremities

Hands purple. Cold hands in warm room. Tension in limbs as if they were too short. Limbs restless, twitching and jerking day and night. Knees and heels cold. Sciatica better during pregnancy; chronic, localizing in heels. Sensation of running, as from a mouse in lower limbs. Hot hands with cold feet or vice versa. A short walk fatigues much. Crippled nails. Hands sweaty. Skin of palms peels off.

Sleep

Talks loudly during sleep. Dreams, worse if he lies on left side. Wakes frequently or as if he has been called.

Fever

Easily chilled. Chilly with air hunger. *Cold; *in spots; *on vertex; *between scapulae; *feet, in bed.* Anxious hot flushes preceded by sudden weakness. *Sweat; easy; offensive, with orgasms; on genitals, in *axillae; or back; between menses. Irregular fevers. Heat ascending or as if hot water were poured over him.

Skin

*Blotched; raw, rough, hard or cracked; worse flexures. Boils in axilla. Thick crusts on elbows. Ulcers, on small joints. Epithelioma; on eyelids, lips. Wine coloured skin. Spots on skin. Ringworm worse every spring. Itching vesicles. Urticaria worse open air better warm room. Thick crusts form upon the joints. Indurations from constant pressure; with purple colour.

Related

Calc-c; Caust; Con; Gels; Lil-t; Lyc; Murx; Nat-c; Nat-m; Puls.

Complementary

Nat-m; Nux-v; Phos; Psor; Puls; Sabad; Sulph.

[Back to Index](#)

Generalities

Triturations are prepared from pure flint. It produces defective ***NUTRITION esp. *in children; due to imperfect assimilation. Affects the ***NERVES; *increasing their susceptibility* causing neurasthenic states and exaggerated reflexes. Diseases of *bones and cartilages; caries and necrosis; softening, of bones. Exostosis. ***GLANDS are enlarged. Scrofulous rachitic children; with large head, open fontanelles; *distended hot and hard abdomen, slow in walking, *and wasted in body esp. *legs. Children crawl nervously; or are dragged in on their mother's arms; on running they become pale. *Suppurative processes; *stubborn; fistulous openings; abscesses. *Slow incomplete inflammation, of glands, cellular tissue and *skin; *then induration. *Keenly sensitive to noise, *pain, *to cold, hugs the fire, wants plenty of warm clothing; hates drafts. Cachetic and senile patients, persons of fair, clear complexion. *Pains are violent and sticking, localized in ears, throat, ulcers etc. Tendency to easy exhaustion, and abnormal sweats. Want of vital warmth even when taking exercise. Spasms, epilepsy; feeling of coldness before the attack. Hysteria, paralysis and obstinate neuralgias caused by dissipation, hard work, with close confinement. Mal-nutrition. Arrested development. Emaciation. *Want of grit; moral and physical. Proud flesh. Cicatrices; indurated, hard, nodular, shiny, glassy, tender, with shooting pain. Keloids. Dropsy in ***A.M. Cancer. Contracted sphincters. *Ascending effects. Prostration of mind and body. Cerebral softening. Restless, fidgety, starts at least noise. Parts lain on go to sleep. Removes foreign bodies. Progressive locomotor ataxia. Sensation as if she were divided into halves and left side does not belong to her. Sensation of a hair on tongue; in trachea. Ill effects of vaccination; stone cutting; loss of vital fluids; injuries; sprains, splinters. Intolerance of alcoholic stimulants. Nervous affections after spinal injury, esp. when pressure on spine causes pain in remote parts. Convulsions; begins in the Solar plexus; after vaccination. Epilepsy; aura in the Solar plexus creeping into the chest and stomach. Skin is unhealthy; *every injury festers.* Discharges offensive, pus, sweat, stools etc.

Worse

***COLD; ***AIR; ***DRAUGHT; *damp; uncovering, bathing. Checked sweat esp. *of feet. Nervous excitement. Light. Noise. Jarring; of spine. Moon changes. Night. Mental exertion. Alcohol. Touch *Pressure. Change of weather. Combing hair.

Better

***WARM-WRAPS; to head. Summer. Wet humid weather. Profuse urination. Magnetism and electricity.

Mind

Yielding; faint hearted. Sensitive weeping mood. Obstinate stubborn, head-strong; children. Cries when kindly spoken to. Fixed ideas thinks only of pins, fears them, searches them and counts them. Mental acuteness, with physical weakness and torpidity. Sullen. Compunctions of conscience about trifles. Loss of self confidence; dreads failure, but unfounded. Starts from slight noise. Screaming violently, groaning; epilepsy. Indifference to religion. Hopeless. Sad. Disgust for life; wishes to drown herself. Brain fag. Cannot express himself correctly Fidgety. Complaints from anticipation.

Head

Vertigo; ascends from dorsal region worse looking upwards, closing eyes, lying on left side. Ascending *occipital pains better pressure. Periodical headaches. Headache, then blindness. Vertex throbs. Fontanelles open with distended abdomen. Lumps on scalp. Profuse sweat on head Swelling of glabella. Cephalhaematoma. Profuse urination better headache Right side as if paralysed worse coition. Headache worse by exertion, study noise, motion, jar, light, cold air, talking and straining at stools, and better by wrapping warmly, and pressure. Moist crusty eruptions on the scalp. Swelling filled with grumous fluid between scalp and bone. Headache while fasting or when not eating at proper time. Migraine. Chronic headaches since some severe disease. Falling of hair, premature, baldness.

Eyes

Affections of canthi; in the region of tear-ducts, swelling of lachrymal fistula; stricture of lachrymal duct. Spotted vision. Objects appear pale. Aversion to daylight; it dazzles. Keratitis; pustular; perforating. Inflammation of eyes. Hypopion. Opacities of the cornea; after small pox (use 30 for months). Cataract in office workers, after suppressed foot sweat. Styes; to prevent their recurrence. Encysted tumours of lids. Letters run together while reading.

Ears

Roaring in ears. Hissing in. Perforated drum. Itching. Caries of mastoid process. Deafness, hears again with a loud report or on blowing the nose, and coughing; worse full moon. Foetid discharge. Sensitive to noise. Feeling of stoppage in the ear better when yawning or swallowing. Crusty formations in ears. Child bores into its ears when asleep.

Nose

Frothy nasal discharge. Coryza, with epistaxis. Perforation of septum. Dry hard crusts; bleeding when loosened. Sneezing in morning. Itching of the tip. Bone sore. Nose; dry obstructed, with loss of smell. Epistaxis in infants. Cracks in nostrils. Obstinate colds; with ear affections. Nose cold.

Face

Pale, cachetic; waxy. Enlarged parotids. Cracks; in lips; on skin of face. Eruptions on chin. Swelling of maxillary glands. Indurated fissures at the corners of lips. Cancer of lower lip.

Mouth

on gums. Pyorrhoea. Water tastes badly; vomits after drinking. Teeth; break down, lose their enamel, become rough, carious. Tongue; brown. Teeth feel too large and too long for the mouth. One sided swelling of tongue .

Throat

Bitter taste in. Tonsils swollen, suppurating. Food is ejected through nose, when swallowing. Pricking pain as of a pin in tonsil. Hawks foul lumps. Swallowing painful, difficult; hysterical.

Stomach

Aversion to cooked or warm food and meat; to mother's milk, vomits it. Likes ice cream, ice water, feels comfortable when it is in the stomach. Water tastes bad; vomits after drinking. Induration of pylorus. Water-brash with chilliness. Voracious appetite, but disappears on

attempting to eat, or loathing of food. Sour eructations after eating. Sour vomiting. Gnawing, twisting pain in epigastrium worse by pressure. As if a cold stone were in stomach.

Abdomen

Throbbing ulcerative pain in the region of liver; abscess of liver. Colic, cutting pain; with yellow hands and blue nails. *Distended hard and hot, *with thin legs esp. in children. Cutting, cramping pain in *rectum extending to testes worse coition. Constipation worse before and during menses. Straining, with soft stools, with exhaustion. Moist anus, foul flatus. *Stools; *comes out with difficulty, *when partly expelled, *recedes again; retained for fear of pain. Cracks on abdominal wall. Fissures, fistula in ano, with chest symptoms. Painful spasms of sphincter. Intensely painful haemorrhoids protrude during stool. Foul diarrhoea. FRUITLESS urging to stool. Chronic diarrhoea. Stools offensive, painless, lenteric. Tapeworm. Diarrhoea after milk. Hernial tumour tender. Ascites; with great effusion; with frequent attacks of diarrhoea.

Urinary

Profuse urination better headache. Frequent urination with tenesmus. Nocturnal enuresis; in children; from worms. Chronic urethritis; foul discharge from urethra, thick, curdy, purulent, bloody. Pus in urine. nightly incontinence after a blow upon the head. Renal and vesical calculi.

Male

Foul gonorrhoeal urethral discharge. After coition sensation on right side of head as if paralysed. Itching moist spots on scrotum. Hydrocele. Nocturnal emissions. Sexual appetite increases or decreases. Prostatorrhoea worse straining at stools. Chronic urethritis with twisting pain. Elephantiasis of scrotum. Extreme exhaustion after coition; takes 8 to 10 days to come to normal condition. Painful eruptions on mons veneris.

Female

Increased menses with paroxysms of icy coldness over whole body. Cutting upward in vagina worse urinating. Leucorrhoea milky, acrid, gushing, worse during urination. Itching of vulva and vagina, which is very sensitive. Bloody discharge worse nursing; between periods. Nipple; retracted like a funnel, sore. Hard lumps, fistula, in mammae. Serous cyst in vagina fistulous opening and abscess about vulva. Threatened abscess of mammae. Scirrhus, with itching. Sharp pains in mammae and uterus. Menses; early, scanty. Amenorrhoea for months. Too violent motion of foetus. Fistulous abscess or fistulous openings in or around vagina with thick, curdy discharge. Salpingitis, with accumulation of pus or serum which escapes from uterus from time to time. Cutting pain around the navel with leucorrhoea. Watery discharge instead of menses. Abortion from weakness or they do not conceive because of weakness. Nausea during coition. Bloody discharge between periods. Sterility. Nymphomania. Itching of pudenda.

Respiratory

Cough gagging, shaking, retching worse cold drinks; talking, lying and after waking. Dyspnoea; from draft on neck; chronic colds which settle in chest and bring on asthmatic attacks; after being over heated or exertion. Sycotic asthma. Profuse foul, yellow, lumpy sputum; granular; offensive when broken. Cold fails to yield. Slow recovery from pneumonia. Rattling in chest. Stitches in chest, through the back. Shortness of breath, from manual labour; walking fast.

Stone-cutter's affections. Emphysema after pleurisy. Neglected pneumonia. Painless throbbing in sternum.

Heart

Throbbing all over the body, when sitting or while in motion. Palpitation; while sitting, with trembling of hand. Heart trouble from nervous exhaustion.

Neck and Back

Spine; weak, very sensitive to drafts on back. Spina bifida. Caries of vertebrae. Psoas abscess. Painful coccyx. Backache as from riding in carriages for a long time. Burning in back, when body is being heated after walking in open air. Stiff neck; with headache. Painful kyphosis. Lameness in region of sacrum.

Extremities

Axillary glands swollen, enlarged. Finger tips, painful, dry as if made of paper; at night. Icy cold and sweaty feet. ***FOOT SWEAT FOUL; *itching, *acid, destroying shoes; *suppressed. Sore ache in arch of foot. Distorted, ingrown, yellow nails. Weak ankles and feet. Calves tense and contracted. Felons, deep seated pain. Atrophy and numbness of fingers. Parts lain on go to sleep. Bunions. Inflammation of bones. Trembling of hands when attempting to do something. Forearm lame. Legs feel paralysed, trembling while walking. Voluptuous tingling in soles. Bruised feeling in whole body after coition or emission. Cramps in knees. Soft corns in between toes. Nails; rough, yellow, crippled, brittle, white spots, blue in fever. Ulcers around the joints with thin, foul, bloody, purulent discharge or curdy particles. Slovenly gait. Rheumatism esp. of the soles, cannot walk. Cramps in calves and soles. Enlarged bursa over patella. Distorted during convulsion. Arms (left) shake before epilepsy.

Sleep

Somnambulism. Frightful dreams wake him on falling to sleep. Restless sleep. Dreams; lascivious, of past events. Awakes frightened, from sleep with trembling of the whole body. Talks in sleep loudly, whines or laughs. Violent yawning. Sleepy but cannot sleep. Sleep unrefreshed.

Fever

***CHILLY; worse lying in bed; exertion. *Coldness; *of painful part. ***Icy chills. ***SWEAT; *profuse, on *upper part of the body; head or affected parts; *at night; foul; easy; acid; as soon as he falls asleep. Hectic fever.

Skin

Soggy, wilted. Acuminate eruptions. Scars suddenly become painful. Keloid. Even little injury suppurates. Leprous nodes. Coppery spots. Carbuncles. Ulcers; painfully sensitive, foul; spongy; on feet, toes, nails better heat. Abscess of joints. Eruptions itch during daytime or evening only. Boils and pustules everywhere. Sensation of coldness in ulcers. Warty growths. Rose coloured blotches. Elephantiasis.

Related

Calc; Hep; Kali-p.

Complementary
*Fl-ac; Phos; Thuj.

[Back to Index](#)

Generalities

Diseases arising from or complicated with ***DEFECTIVE FUNCTIONS OF KIDNEYS are very likely to be benefited by this remedy. It affects the digestive tract, lower limbs and blood. Feeling of weakness; chilliness, alternating with heat. Haemorrhages. Takes cold easily. Chronic nephritis. Uraemic asthma.

Worse

Pressure.

Better

Profuse urination.

Eyes

Red with enlarged prostate gland.

Nose

Paroxysms of sneezing, with abundant mucus discharge.

Mouth

Continuous bitter taste. Tongue heavily coated, clears when urine becomes normal.

Abdomen

Profuse, involuntary mucus stools.

Urinary

*Urine; *dark and scanty or clear, *stinking voided with difficulty albuminous; mucous, phosphatic. Affections of any other part or organ complicated with these symptoms will probably find their remedy in *Solidago. *Kidneys; *sore and *tender over; *ache; feel distended. Pain in kidneys extend forward to abdomen, bladder, down the thighs. Chronic nephritis. Cystitis. Enlarged prostate gland; obstructing flow of urine or inflammation of.

Female

Uterine enlargement, organ pressed down upon the bladder. Fibroid tumours.

Respiratory

Bronchitis, cough with much purulent expectoration blood- streaked; oppressed breathing. Continuous dyspnoea. Asthma with nightly dysuria.

Back

Lumbar ache; makes her sick all over.

Skin

*Petechiae; *on lower limbs; with oedema; and itching; Gangrene; diabetic. Eczema worse suppressed urine.

Generalities

Known as pink root, markedly affects the ***NERVES; ***TRIFACIAL; ***HEART; ***EYES, *teeth, fibrous tissue and ***LEFT ***SIDE. It produces *combined heart and eye symptoms* or the latter as an accompaniment. ***PAINS are *violent, burning, like hot needles or wires, jerking, tearing, stitching; *radiating to other parts. Neuralgia. Sun pains. It is adapted to anaemic, debilitated, rheumatic and scrofulous subjects. Very sensitive to touch; parts touched or bruised, feel chilly or causes tingling or *shuddering through the body. Children afflicted with worms; refer to navel as the most painful part. Body feels light while walking; heavy and sore when rising from a seat.

Worse

***TOUCH. ***MOTION. *Jar. Periodically; with the sun. Tobacco. Coition. Raising arms. After eating. Thinking of it. Stooping. Blowing nose. Expiration.

Better

Lying on right side with head high. Inspiring. Steady pressure. While eating.

Mind

Afraid of pointed things; pins, needles. Restless and anxious. Sits as if lost in thought; stares at a single object. Gloomy suicidal mood. Easily offended.

Head

Pain from left occiput to over left eye, worse stooping; making a false step, opening mouth. *Vertigo; *the feet as if higher than head;* worse looking down, must look straight ahead, worse standing, walking. Supra-orbital neuralgia. Feels too large.

Eyes

*Feel too large. Severe pain in and around the eyes, extending deep into socket, worse thinking of them. Squint with worms. Eyes; red; *sore, drawing ache; yellow rings about. As if needles were thrust in. Lachrymation; profuse, from affected side; tears acrid. Difficulty in raising the eyelids with painful sensation of stiffness. Inclination to wink. Difficult to fit glasses, no settled focus, no fixed vision; latent errors of vision. Eso and exophoria. Pricking in lids. Everted eyelids.

Ears

Periodical deafness; ears feel as if stuffed.

Nose

Chronic catarrh with post nasal droppings. Tickling and itching of nose. Dry anteriorly. Flow of water during prosopalgia.

Face

Prosopalgia involving eye, zygoma, cheek, teeth; temples. worse touch, stooping; from morning until sunset; drinking tea; suddenly going and coming.

Mouth

*Breath offensive. Toothache worse after eating and cold, when thinking of it better tobacco smoke. Tongue; coated yellow or white; burning or stitches in; cracked.

Stomach

Aversion to tobacco smoke, and snuff. Ravenous hunger. Nausea with sensation of a worm rising in throat.

Abdomen

Colic, with pinching pains in the umbilical region. Stools of only large lumps of mucous. Itching, tickling in anus and rectum. Worms. Very offensive flatus. Faints at stool.

Urinary

Urine copious, with frequent urging, mostly at night.

Respiratory

Dyspnoea worse moving in bed; raising arms; must lie on right side, with head high. Hydrothorax. Heart disease. Stitches in chest worse least motion or when breathing. Trembling in chest.

Heart

***PALPITATION; *violent, *audible; attending other symptoms. *Violent sticking or compressive pains, radiating to throat; arms, scapula, worse least motion, or bending double. Palpitation, with foul odour from mouth. Soreness, purring; cracking in the region of heart. Pericarditis. Angina pectoris with craving for hot water which better. Rheumatic carditis. Pulse; intermittent, with nervous palpitation; weak tremulous irregular. Throbbing of carotids and subclavian arteries.

Neck and Back

Neck stiff; pains into right temple or pain from left shoulder to neck. Cutting about the left scapula.

Extremities

Left arm numb. Pulsation in patellae.

Fever

Heat; flushes at night; in back. Sweat offensive; on upper part of the body; on hands, cold.

Related

Cact.

Complementary

Calc.

[Back to Index](#)

Generalities

Toasted sponge contains small percentage of iodine. It affects the ***HEART esp. valves; larynx; trachea and glands esp. ductless. It is suited to fair haired women and children, of ***LAX FIBRE, flabby and scrofulous constitutions. *Exhaustion and heaviness of the body, with slight exertion; he must lie down; with orgasms of blood to chest, face etc. Feels stuffed up. Hard swelling; of glands, (ductless). Numbness lower half of the body. Dryness; of mucous membranes; of tongue; larynx; trachea, throat. Clothes feel uncomfortable. Anxiety, with pain in the region of heart or dyspnoea. Stiff, without ability to move. Faint, when losing her breath, on raising hands above head.

Worse

***DRY, ***COLD; *wind. *Roused from sleep. After sleep. *Exertion. Raising the arms. Before 12 p.m. Full moon. Sweets.

Better

Lying with head low. Eating or drinking; a little. Warm things. Descending.

Mind

Irresistible desire to sing; with excessive mirth; followed by sadness. Fear of future; tired of life. Anxiety, fear of death; with suffocation. Timidity, fear and terror. Weeps; with the dreams; with whooping cough, with heat, with sweat. Despondent about loss of sexual power. Obstinate and improper behaviour.

Head

As if hair were standing on end, on vertex.

Eyes

Protrude; staring. Diplopia better lying down. Red, with lachrymation and burning.

Nose

Dry coryza; nose feels stuffed up. Nose pinched; cold. Nostrils wide open; fan like motion.

Face

*Terrified; *anxious expression. Blue lips. Pale, from exercise instead of ruddy glow. Cold sweat on chin. Chin numb.

Mouth

Tongue; dry, brown. Taste sweetish.

Throat

Taste bitter. Thyroid gland swollen; even with the chin. Soreness of the throat worse eating sweet things. Clears throat constantly. Throat symptoms better lying on back. Goitre; with suffocative spells; worse touching neck, or pressure; or pains with heart. Swallows water in small quantity and with difficulty. Numb externally.

Stomach

Thirst with hunger. Cannot bear tight clothing around. Stomach feels flaccid as if standing open. Desire for dainties. Craving at stomach; before menses.

Abdomen

Violent action of abdominal muscles during inspiration. Viscera drawn up against diaphragm. Pain in abdomen instead of menses.

Male

Painful swelling of spermatic cord and testicles. Screwing, squeezing or stitches up into cord and testes. Testes hard and swollen. Genitals hot. Fistulous opening in scrotum with little thick white discharge.

Female

Awakes with suffocative spells during menses. Asthma with absent menses. Hunger and palpitation of heart before menses. Pain in sacrum before menses or instead of menses.

Respiratory

***HOARSENESS; with many complaints; cough, coryza etc. Larynx; painful, dry, constricted worse touch, singing, talking or swallowing, he grasps it. ***SUFFOCATION, as from a plug, valve or leaf in larynx; *wakes him; *with violent painful palpitation and blue lips; with heavy sweat. Noisy, whistling inspiration on falling to sleep. Anxious, *gasping breathing. ***COUGH; ***HOLLOW; ***BARKING; ***CROWING; ***SAWING OR TIGHT; ***CROUPY; wakes him; then burning in chest and throat worse cold drinks or excitement sweets, drinking cold milk, better drinking or eating esp. warm things. Voice gives way when singing or talking. Feels as if he had to breathe through a dry sponge. Chest weak; can scarcely talk; choking on falling to sleep. Asthma. Diphtheria. Croup. Profuse mucus expectoration; difficult to raise, swallows it again; smelling like milk. Tuberculosis beginning in apex. *Fullness in chest. Oppression of breathing better eating a little. Asthma must throw head back; worse full moon. As if air were passing into glands of neck on breathing. Goitre.

Heart

*Violent palpitation with dyspnoea; awakes suddenly at night with pain and suffocation, with fear and terror. *Blood surging up to neck, *head and face; with closure of eyelids and tears. Valvular insufficiency. Aneurism of aorta. Rheumatic endocarditis. Hypertrophy of heart with asthmatic symptoms. Pulse frequent, hard, full or feeble. Angina pectoris.

Neck and Back

Neck as if a cord about. Pain in sacrum, instead of menses.

Extremities

Fingertips numb. Numbness of lower half of the body. Thighs numb and cold. Pain in the knees, when rising from kneeling. Thickening of joints after rheumatic fever.

Sleep

Awakes in fright and feels as if suffocating; with terror and fear.

Fever

*Heat; in flushes; with anxiety; cardiac pain, would rather die; with cold moist thighs; worse thinking of it. Heat and sudden weakness after walking in open air, he must lie down.

Skin

Swelling and induration of glands. Biting itching of the whole body.

Related

Iod; Led.

Complementary

Hep.

[Back to Index](#)

Generalities

Red sea onion affects the *serous and *mucous membranes of respiratory and digestive tract and acts also on *kidneys, *heart, and spleen. It is a slow acting medicine and is useful for those conditions which require several days to reach their maximum. Exudations and profuse secretions. Dropsy; with *profuse urine. Gurglings. Cardio-urinary effects. Action is just like Digitalis; follows Digitalis when it fails to relieve dropsical conditions.

Worse

*Early morning. Motion. Uncovering. Inspiration. Old people. Coughing.

Better

Rest. Sitting up. Expectoration even a small quantity.

Mind

Angry about trifles. Aversion to mental and bodily labour.

Eyes

Left eye looks much smaller than right. Child rubs eyes and face much, as if to relieve itching; in brain affectations; measles. As if swimming in cold water. Tears with cough. Staring look, eyes wide open.

Nose

Violent sneezing, with fluent acrid coryza. Sneezing during cough. Copious running worse in morning.

Face

Child rubs the face, with fist during cough. Lips; twitch, covered with yellow crusts; black cracked.

Mouth

Black spots on teeth. *Taste; sweet; of food, esp. soup and meat; bitter to bread. Thirst for cold drinks. Drinks in sips during dyspnoea.

Stomach

Pressure as from a stone. Pains better lying on left side.

Abdomen

Rumbling and gurgling in paroxysms above pubic region, better eating. Aching in hypochondria. Painful diseases of the spleen. Stools dark, brown, frothy, very offensive. Ascites, with scanty urine.

Urinary

Frequent or sudden urging to urinate; passes much urine. Involuntary urination when coughing. Bloody urine. Faeces escape when urinating.

Male

Erotic pollutions.

Respiratory

***COUGH; stubborn, dry, *rattling, disturbs sleep; *with sneezing, *coryza; *lachrymation; *spurting of urine; or stools; or heat; ends in gagging; worse cold drinks; inspiration. Child rubs face and eyes, during cough. Cough worse morning and evening. Cough dry, always followed by the need to clear the nose. Expectoration; easy, heavy; difficult; in small round balls; of sweetish taste; white or reddish; offensive. Dyspnoea; with sticking pain in chest and cramps in abdominal muscles. In asthma drinks in sips; and *stitches in chest* (left). Cough; with enlarged spleen or with pain in the region. Loose morning cough is more severe than dry evening cough. Pleurisy. Broncho- pneumonia.

Heart

Cardiac stimulant. Pulse small and slow; slightly hard.

Neck and Back

Bubbling beneath scapula.

Extremities

Nails become brittle and split. Feet get sore from standing. Tender feet of shop girls. Hands and feet cold, body hot.

Fever

Heat with aversion to uncover. Sweat absent.

Skin

Small red spots all over the body with pricking pain.

Related

Ars; Bar-c; Nux-v; Rhus-t; Sil.

Complementary

Ant-c.

[Back to Index](#)

Generalities

The chief action of Tin is centered upon the ***NERVOUS SYSTEM, causing ***EXTREME WEAKNESS which is esp. felt in ***CHEST; *throat; stomach; upper arms and thighs; the patient is unable even to talk; drops into a chair instead of sitting down; trembles on moving. Weakness is felt much more on going downstairs than going up. *Paralytic heaviness or weakness. Spasms; hysterical; with pain in abdomen and diaphragm; epileptic; with tossing of limbs, clenching of thumbs, opisthotonos, unconsciousness and sexual complications. Affections of ***MUCOUS MEMBRANES produces yellow, *muco-purulent secretions. ***PAINS INCREASE GRADUALLY AND GRADUALLY SUBSIDE. *Pressive drawing pains. Neuralgia, diaphragmatic; suppressed. Cramps, Hysteria. Emaciation. Repeated short attacks. Ill effects of emotions, fright; masturbation; dentition; using voice. Girdle sensation with yawning. Child wants to be carried across shoulders. Trembling more from slow motion or exercise. Paralysis; from worms, after spasms, emotions, onanism. Hemiplegia; part constantly moist.

Worse

*Using voice. Cold. 10 A.M. *Lying on right side. *After gentle motion. ***MOTION. Warm drinks. During stool. Going downstairs. Ascending. Touch.

Better

Hard pressure over an edge. Coughing, expectoration. Rapid motion. Lying across something hard. Bending double.

Mind

Very sensitive as to what others say about her. ***ANXIOUS, *nervous, sad worse before menses. *Miserable and discouraged. Can not get rid of an idea once fixed in her mind. Taciturn and dislike to society. Sudden fits of passion. Forgetful and absent minded. Uneasy, knows not what to do with himself. Hopeless, despondent; feels like crying all the time but crying worse .

Head

Severe, painful constriction in forehead and temples. Pressive stupefying headache. Jarring of walking resounds painfully in head. Migraine, of cerebral origin, better by vomiting. Violent, glowing, beating pains, as if the head would burst, with inward blows. Vertigo; all objects seem too far off.

Eyes

Sunken, dull. Ptosis; returns every week.

Ears

Cracking, shrieking noise in ear when blowing the nose. Ulceration of ear-ring hole.

Nose

Oversensitive to smell.

Face

Pale. Prosopalgia. Malar neuralgia; at menses.

Mouth

Tickling at the root of the tongue. Taste sour, sweet, bitter, to all food except water.

Throat

Efforts to detach adhesive mucus causes nausea. Cutting pain when swallowing. Nausea in. Dry. Smarting.

Stomach

Smell of cooking causes nausea and vomiting. Vomiting; violent; of blood; of bile; early in the morning; with odour of ingesta. Sensation of emptiness in stomach. Uneasy feeling.

Abdomen

Burning in liver. Diaphragmatic neuralgia; hysterical. Cutting, pinching colic; with hunger and diarrhoea, which exhausts, better hard pressure. Passes worms. Spasmodic pain in abdomen; hysterical. Colic in children better by carrying them on shoulder. Constipation; stools, dry, hard, knotty, insufficient, and green. Monday constipation, i.e. occurring after working days.

Urinary

Insensibility of the bladder; only the sense of fullness indicates the necessity to urinate. Atony of bladder.

Male

Sexual excitement. Voluptuous feeling in genitals ending in emission; which exhausts.

Female

Increased sexual desire; easy orgasm. Scratching of distant parts (of arms) produce an intolerable sensation of pleasure in genital organs producing orgasm. Bearing down in uterine region. Prolapsus uteri and vagina worse stools. Strong odour of body during menses. Menses, early and profuse. Mania erotica, before menses. Leucorrhoea, gushing with much debility; of yellow-white or transparent mucus. Child refuses mother's milk. Uterine symptoms with a weak, drawn sensation in the chest. Pain in vagina upward and back to spine.

Respiratory

Voice; deep hollow, hoarse, better hawking mucus. Much mucus in trachea. *Cough; worse laughing, singing, talking; lying on right side. *Expectoration; *easy; *quantities of sweet, saltish, sour, putrid or bright yellow pus or ball of mucus. *Short breath from every *effort; must loosen clothes. Takes deep breath. *Chest feels raw or *hollow. Haemoptysis; with copious expectoration. Stitches; in left side of chest, when breathing or lying on that side; knife like below left axilla. Catarrhal phthisis. Bronchiectasis. Retching with coughing. Cannot walk, cannot do anything without coughing.

Extremities

Swelling of the hands and ankles. Paralytic weakness; drops things. Limbs suddenly give out when attempting to sit down. Tremulous knees. Fingers jerk when holding pen. Neuritis. Typewriters paralysis. Contraction of fingers; retraction of thumbs. Cramps in hands, cannot

let go the broom. Using voice or singing causes weakness in upper arm; which extends all over the body. Aching in deltoid from reading.

Sleep

Moaning, weeping and plaintive lamentations during sleep. Sleeps with one leg drawn up, the other stretched out.

Fever

Chill 10 A.M.; with numb fingertips. *Burning palms and soles. Hectic. Debilitating, musty sweat at 4 A.M.

Related

Calc; Kali-c; Lach; Nat-m; Phos; Sulph.

Complementary

Puls.

[Back to Index](#)

Generalities

It is valuable in chronic chest diseases, characterised by plastic tissue changes, and persistent inclination to cough; excited by tickling, dry spot in the throat, (apparently at the root of the tongue), beginning with a weak sounding cough with short breath, soon gathers strength and sound and causes raising of free, copious, pale yellowish expectoration which at first relieves but is soon followed by a feeling of dryness, weakness in chest and throat, and increased oppression. It is indicated in cases that “hang fire” and need an alternative. Use low potency- 2x or 3x.

[Back to Index](#)

Generalities

Nervous affections *with trembling is a marked feature of this remedy. It produces both physical and moral, *sexual disturbances, provokes excess and irregular sexual appetite and a tendency to masturbation and the physical state corresponding to the effect of that habit. Acts on ***TEETH; ***URINARY ORGANS; *fibrous tissue; of lids, tarsi; skin; glands and right deltoid. *Morbidly sensitive; the least word that seems wrong, hurts her very much; special senses become irritable, cannot tolerate; touch, odour, noise, taste everything is painfully sensated. Squeezing, or *stinging smarting pains; as if cut. Pains that move into teeth. *Sphincters; lacerated and stretched. ***LACERATED TISSUE; perineum etc. Stitch pains, remaining after operations. Ill effects of anger and insults; reserved; anger, injury, falls; clean cut wounds; operations; sexual; abuse, excess; dentition, tobacco, mercury. Painful swelling of glands. Arthritic nodosities on joints. Swelling and suppuration of bones; of periosteum. Exostosis. Warts. Condylomata. Hemiplegia after anger. Stiffness and sensation of fatigue in all joints. Whole body painful with feeling of weakness.

Worse

*Emotions-chagrin; *vexation; *indignation; *quarrels. *Sexual excess. *Onanism. *Touch. Cold *drinks. *Lacerations. Stretching parts. Coition. After urinating; when not urinating. Night. New moon; before full moon.

Better

Warmth. Rest. *Break-fast. Coition.

Mind

Violent outbursts of passion. *Always angry. Gloomy and petulant; throws things. Child cries for many things and refuses them when offered. Poor memory. Dwells on sexual matters. Unsatisfied sexual urge; in widows. *Snappish; sensitive mentally and physically. Hypochondriasis. Imagines insults. Irritable, nervous, excitable and violent. Great indignation about the things done by others or by himself; grieves about the consequences. Believes he will lose his fortune, his wife will leave him. Ailments from reserved displeasure. Very sensitive to what others say about her. Sadness without any cause; with irritability. Ill effects after scolding or punishment in children. Want of self control. Fear; afraid of his shadow.

Head

Compressive, stupefying headache better much yawning; leaning head against something. Brain feels squeezed or torn. As of a heavy load or of a round ball in forehead. Moist foul, eroding milk crusts worse occiput. Dandruff. Head lice. Falling of hair. Vertigo better by walking about in a circle, or turning rapidly on heels. Cerebrum feels numb and occiput feels hollow. Hair falls off from occiput and around ears.

Eyes

Feel dry, with lachrymation. Nodes on lids. Styes; recurrent. Blepharitis. Bursting, burning pain in eyeballs, of syphilitic iritis. *Sunken; with blue rings around. Hot tears run off the eyes (left) on looking at the sun.

Ears

Hardness of hearing from enlarged tonsils; in children from adenoids.

Nose

Coryza now thick now thin; with ulcerations. Frequent sneezing without coryza.

Face

*Sickly, *peaked, nose, Neuralgia from caries; pains go into the eyes. Sub-maxillary glands painful with or without swelling; abscess. Prosopalgia, pain starts from lips over face worse mastication.

Mouth

*Teeth, *loose; *black; *crumbling; show dark streaks; worse eating and during menses better hard pressure and heat. Pale bleeding gums. Pyorrhoea. Musty taste. Exceedingly tender decayed teeth; on being filled. Teeth decay as soon as they erupt. Fistula dentalis. Stomatitis. Thrush.

Throat

Swallows continuously while talking. Tonsils swollen; stitch runs up to ear on swallowing. Induration and hypertrophy of tonsils, with nasal voice.

Stomach

*Hungry; even when stomach is full. Desire for bread, stimulants, tobacco, milk. As if stomach were hanging down relaxed. Nausea, specially after operations.

Abdomen

Feeling of weakness in abdomen, as if it would drop, wants to hold it up. Severe pain after abdominal operations. Swollen (in children) with much flatus. Colic; biliary; after anger. Flatus hot, smells like rotten eggs. Dysenteric stools, worse after the least food or drink. Diarrhoea from drinking cold water. Piles very sensitive worse by touch. Dysentery in weak ailing, pot bellied children.

Urinary

Frequent urging to urinate; with scanty or profuse discharge of watery urine; urinates in thin stream or drop by drop. Sensation as if a drop of urine rolling continuously along the urethra; worse after walking or riding; better urinating. Burning in urethra when not urinating. Ineffectual urging to urinate in *newly married women; in pregnancy. After urination, urging as if the bladder was not empty. Cystocele.

Male

Persistently dwells on sexual subjects. Sexual neurasthenia. Priapism. Seminal emissions followed by great prostration. Dyspnoea, worse during or after coition. Voluptuous itching of scrotum. Prostatitis, pain extends from anus to urethra. Soft humid excrescences behind corona glandis. Enlarged prostate with piles. Orchitis; from mumps. Atrophy of testicles.

Female

Sexual desire increased, mind dwells too much on sexual subjects. Painful sensitiveness of genital organs worse sitting down. Ovarian pains, going into thighs worse pressure; coition.

Salpingitis. Amenorrhoea from indignation. Granular vegetations of vagina. Itching or sensitive vulva. Menses; regular, with aching around hips and loss of power in limbs. First coition is very painful, causing acute mental and bodily suffering.

Respiratory

Dyspnoea with constriction, at close of coition or after seminal emission. Cough worse cleaning teeth; tobacco smoke, eating meat or alternating with sciatica.

Heart

Tremulous palpitation when listening to music.

Neck and Back

Pain in small of the back, as after overlifting, worse coition in morning and rising from a seat.

Extremities

Fine tearing or numb finger tips. Bones of fingers imperfectly developed; osteitis of fingers. Arthritic nodes on finger joints. Crural neuralgia. Feel beaten and painful. Knees weak. Shuffling gait. Buttocks ache while sitting.

Sleep

Violent yawning and stretching brings tears to the eyes. Child wakes, pushes everything away and wants everybody to go out; calls for mother often. Amorous dreams with emissions. Sleepy all day, awake all night. Body aches all over.

Fever

Wants to uncover. Sweat; profuse, cold, smelling like rotten Eggs, with a desire to uncover. Inability to sweat.

Skin

Pain that precedes shingles. Skin symptoms alternating with joint pains. Biting, itching as of vermin; changing place on scratching. Eczema with thick scabs, itching violently. Dry pedunculated figwarts. Ulcers new growth extremely sensitive; touch may bring on convulsions.

Related

Cham; Merc.

Complementary

Caust; Coloc.

[Back to Index](#)

Generalities

Commonly known as Lung-wort is a remedy for coryza, bronchial catarrh, *nervous and rheumatic disturbances. General feeling of dullness and lassitude as when a cold is coming. *Rheumatic, *stiffness. Nervous, sense of levitation of different parts. Painful dry mucous membranes. Diagonal pains. Hysteria; chorea; after loss of blood. Ill effects of falls, haemorrhages.

Worse

*Night. Lying down. Motion. Change of temperature.

Better

Free discharges. Open air.

Mind

Feels as if she must talk, about everything and anything; whether listened to or not. Lively, kicks her heels up. Feels as if floating in air.

Head

Aches before catarrhal discharge appears. Heaviness; forehead.

Eyes

Burning of eyelids with soreness of eyeballs on closing lids or turning eyes.

Nose

Pressure or stuffy fullness at the root of nose. Constant need to blow the nose but no discharge. Painful dryness of mucous membranes. Coryza which dries up soon, forming scabs difficult to dislodge. Hay fever, incessant sneezing.

Throat

Dry; dropping of mucus posteriorly.

Stomach & Abdomen

Diarrhoea frothy, in morning.

Urinary

Profuse urination, with sore painful bladder.

Female

Absence of milk after delivery.

Respiratory

Tickling high up in pharynx. *Incessant dry hacking cough prevents sleep, worse coughing, inspiration; towards evening and when tired; after measles, colds; influenza; whooping cough. Air passages numb. Pulsation from right side of sternum down to abdomen. Bronchitis. Pain from sternum to spine worse motion.

Neck and Back

Sore stiff neck; pains to shoulder. Restless hands and feet. Legs as if floating in the air.
Rheumatism. Red spots on affected joints. Bursitis esp. about the knee. Cold moist limbs.
Profuse sweat on hands. Chorea like spasms.

Sleep

Sleepless from nervousness; from cough; after surgical operations.

Related

Elaps; *Guai; Sang; Thuj.

[Back to Index](#)

Generalities

Thorn-apple or Datura expends its force of action on the ***BRAIN, producing marked and persistent disorder of the mental faculty; hallucinations; fixed notions, terrifying delirium etc. Therefore it is a remedy of ***TERRORS; but it *does not in its ordinary effect cause actual pain. *Secretions are suppressed, passes neither urine nor stool. Throat, skin and spinal nerves are affected as well. Increases the mobility of the muscles of expression and of locomotion; the motions may be *graceful, rhythmic or *disorderly, of head and arms. Trembling of limbs. Parkinsonism. Tremors; nervous. Convulsions, spasms worse at night; after masturbation. Paralysis of one side, convulsions of the other side, or unilateral paralysis; with twitching. Chorea, epilepsy; from fright. Hysteria, weeping, laughing, with sexual excitement. Catalepsy, limbs can be moved by others. Tonic and clonic spasms alternately. Traumatic neuritis. General paralysis of the insane. Ill effects of shock, fright; sun; childbirth; suppressions. Hydrophobia. Delusions as to size and distance. Sensation as if limbs were separated from body.

Worse

*Glistening objects; (mirror, surface of water). Fright. *After sleep. Dark. Cloudy days. Swallowing. *Suppressions. Intemperance. Touch.

Better

***LIGHT. *Company, *Warmth.

Mind

Awakes terrified, knows no one, screams with fright, clings to those near him (child). ***DREAD OF DARKNESS, and has a horror of glistening objects. Praying, singing, devoutly; beseeching; entreating; ceaseless *talking. *Fearful hallucinations which terrify the patient; sees ghosts, vividly brilliant or hideous phantoms, animals; jumping sideways out of ground or running to him. *Wildly excited; as in night terrors. Does all sorts of crazy things. *Active variable delirium; delirium tremens. Raving ***MANIA; *with cold sweat. Religious insanity. The talk of others is intolerable. Self accusation. *Loss of reason or of speech. Strange absurd ideas thinks himself tall, double, lying crosswise, one half of the body cut off etc. Desires company; shy, hides himself or tries to escape. Talks in foreign tongue. Laughs at night, weeps during day. Proud, haughty, merry exaltation. Lascivious talk. Limbs separated from the body as if. Fear and anxiety on hearing water run. Aversion to all fluids. Maniac, curses, tears ones clothes with teeth. Violent speech. Exposes the person. Stupid; imbecile. Sits silent, eyes on ground, picking at her clothes. Wants to kill people or himself. Anxiety when going through a tunnel. Exalted states alternating with settled melancholy. Everything, everybody seems new. Wife thinks husband neglecting her, man thinks his wife faithless.

Head

Vertigo worse walking in dark or with eyes closed. Jerks head up from pillow and drops it again; during unconsciousness; delirium; puerperal fever etc. Headache with tendency to speak incoherently. Head bent backwards; in vertigo, supports head with hands while bending or rising; after sunstroke. Meningitis; from suppressed ear discharge. Headache from sun.

Eyes

Fixed, sparkling, *staring, * wide open. Squint. Half open in sleep. Diplopia. Lachrymation; with headache, fever, otalgia. Night blindness. Green vision. Hallucinations in which everything looks jumbled. *All objects look black; crooked, small, large, Squint; in brain affections, during convulsions, worse terror, fear. Sight darkened. Pupils dilated.

Ears

Sensation as if air rushing out of ear. Deafness. Hallucinations of hearing.

Nose

Alae nasi white.

Face

*Red, *bloated, hot. Expression rapidly changing; now flushed, now pale; a sardonic grin; then expression of terror. Forehead wrinkled; frowning; in brain diseases. Thinks face elongated. Lips; dry, glued together. Chewing motion. Lockjaw.

Mouth

*Fine red dots on tongue. *Tongue; dry, parched, swollen; hangs out of the mouth. Taste bitter; to food. Stammering. Aphasia. Constantly spits saliva. Dribbling of viscid saliva. Grinding of the teeth.

Throat

Dry with great thirst; *yet dreads water, it chokes him. Up and down movement of larynx as in swallowing. As if boiling water rising in. Swallowing; difficult; hasty.

Stomach

Food tastes like straw. Vomiting of greenish substance. Great desire for acids; lemon juice better . Hiccough obstinate.

Abdomen

*Putrid, *dark, *painless, involuntary *diarrhoea, with a squint and pale face. Cholera infantum. Stools suppressed.

Urinary

Suppression of urine; esp. during typhoid, bladder empty. Loss of power of bladder in the aged; stream flows slowly, cannot make haste. Rigor during urination.

Male

Sexual passion exalted; with indecent speech and action. Hands constantly kept on genitals.

Female

Nymphomania; lewd talking; sings obscene songs. Excessive menses, preceded by sexual excitement. Loquacity and singing, during menses. Menses have strong smell as of semen. Puerperal; convulsions, mania; with mental symptoms and profuse sweating. Hands constantly kept on genitals. Sobs and moans, after menses. Excessive menstrual flow.

Respiratory

Inspiration slow, expiration quick. Spasmodic cough; of drunkards; whooping. Voice hoarse and croaking; suddenly fails in higher tones. Spasms, twitching of larynx. Nervous asthma. Cough worse looking at light, fire, or bright objects. Cough with jerking of lower limbs, when sitting.

Heart

Feeble; pulse irregular. Cardiac affections, with constrictions of chest and mental symptoms.

Neck and Back

Neck stiff, cannot bend it backwards. Drawing pain in the back. Spine sensitive; slightest pressure causes outcries and ravings. Opisthotonos.

Extremities

Graceful and rhythmic motions. Clasps hands over head. Hands open and shut. Wringing of hands. Staggering gait. Misses step of stairs while descending. Violent pain in hip. Trembling of limbs. Inside of right thigh red and swollen. Abscess of left hip joint, with violent pain. Hemiplegia, with convulsions in unparalysed parts. Heels numb, sometimes painful.

Sleep

Comatose. Weeping in dreams. *Awakes in fear or screaming Lies on back with thighs and knees flexed. Sleepless in darkness. Frightful dreams. Laughs, screams starts during sleep.

Fever

Profuse sweat which does not relieve. Violent fever. Cold sweat; during spasms.

Skin

Crawling as of many bugs. Non-appearance of exanthemata. Shining red flush. Chronic abscesses, fistulae. Fiery red patches on skin. Abscesses and tumours with severe pain. Burns and scalds.

Related

Bell; Hyos; Op.

[Back to Index](#)

Generalities

Affects the *circulation causing congestive feeling of tension. Heart, kidneys, marrow, *ankles and right side are also affected. *Pains are fleeting, can hardly tell where they are, seemingly felt in marrow of bones; increase and decrease gradually or make the patient faint and sick all over. Burning, *gnawing. Violent involuntary starts of the body *Immobility; of one side. Sense of *paralytic weakness. Emaciation. Prostration or shock, after surgical operation. Numbness. Soreness. Formication, in limbs. Oedema; esp. about the ankles as a concomitant. High blood pressure; arteriosclerosis. Affections of bones esp. of femur. Chronic sequelae of haemorrhages. Rheumatic pains. Chronic sprains. Stenosis of oesophagus. Neuritis, worse cold. Coldness in spots, on calves. Pain and itching alternate.

Worse

***COLD; *Uncovering. *Walking. Sprains. *Bleeding. Evening. Change of weather. Stooping. Touch. Rubbing.

Better

Heat and light. Sun. Wraps. Hot bath.

Mind

Excessive forgetfulness. Apprehension as from bad conscience. Depression of spirits. Irritable; suddenly becomes angry, beats anything that comes in his way.

Head

Aches into upper jaw, with vertigo and nausea. Violent pain in nape extending upwards better wraps. Distensive pressure on entire head. Aching eyebrows.

Eyes

Burning and red. Photophobia, remaining after operation esp. when objects appear covered with blood. Green spots before the eyes in the dark. Pain and lachrymation on using eyes, with dancing and alternation of colours of objects looked at.

Nose

Itching, redness and burning of nose. Bloody crusts.

Face

Red with burning heat or very pale; every time the patient walks.

Mouth

Feels numb and dry in A.M.; on waking. Teeth as screwed together.

Stomach

Pressure in stomach during digestion. Hiccough causes chest pains. Food taste insipid. Craving for bread and beer. Aversion to meat.

Abdomen

Colic in umbilical region. Hard, knotty stools, evacuated slowly with much effort; then burning in anus lasting for a long time. Diarrhoea worse at night; with constant urging; exhausting, of yellow water; with gripping, better towards morning. Periodical diarrhoea.

Urinary

Pale urine with strong smell of ammonia.

Respiratory

Pressure, as of a load on chest. Pain in the left breast with oppression worse after meals.

Heart

Heart feels smothered. Heart block.

Extremities

Hands numb. Cramps in calves and soles. *Ankles sprained or puffed;* as a concomitant. Chronic spasms esp. of ankle joints. Sciatica with oedema of ankle. Immobility of the limbs, of one side only, like paralysis. Gnawing as if in marrow of the bones. Diarrhoea, during rheumatism.

Fever

*Flushes of heat; in face; yet aversion *to uncovering. Profuse perspiration at night; climacteric.

Skin

Moist itching burning eruptions better in open air esp. in warm sunshine.

Related

Calc; Rhus-t.

[Back to Index](#)

Generalities

Used as an arrow poison, it increases the contractile power of all striped muscles esp. ***HEART; increasing the systole and diminishing the rapidity. It can be used with advantage to tone the heart and run off dropsical effusions. Has no cumulative action; safe for corpulent, aged persons, with rigid arteries. Functional disturbances of heart from alcohol, tobacco; tea. Mitral regurgitation. Arterio-sclerosis. Twitchings of the muscles. *Stitching pains. *Undulating sensation in whole body. Throbbings. *Rapid alternations of symptoms, with slow pulse. Faintness. Anaemia with palpitation and breathlessness Goitre, exophthalmic. Increased secretions. Abolishes the taste for alcohol.

Worse

Exertion. Tobacco. Tea. Alcohol.

Mind

Fear of ordeals. Feels lifted up, during sleep. Precociously loquacious; children.

Head

Vertigo; with swimming vision; senile. Undulations in head.

Eyes

Glimmering vision. Pupils rapidly dilate and contract, even few minutes. Brilliant.

Face

Flushed; red spots on. Lips scarlet.

Throat

Seems constricted. Burnings, compelling empty swallowing.

Stomach

Craving for coffee. Loss of appetite. Nausea with disgust for alcohol. Loathing of food, followed by choking and vomiting after eating.

Abdomen

Rumbling and pinching at naval. Diarrhoea with burning and tenesmus in anus.

Urinary

Urine, increased secretion; or scanty albuminous.

Heart

Weak, *aching or anguish at. *Sense of lively action. Chronic; nervous palpitation, and arrest of breathing. Stitches and twitches at apex beat. Pulse; rapid, alternating with slow; weak, small irregular. Cardiac dyspnoea.

Extremities

Heaviness and pain in forearms and fingers. Itching and stitching in both feet.

Skin

*Hives, chronic, receding.

Related

Apoc; *Glon; *Ign; Spig.

[Back to Index](#)

Strychninum [Stry]

Generalities

Spasmodic rigidity is the key note of this alkaloid obtained from the seeds of *Nux vomica*. Tetanic convulsions with opisthotonos; tetanus, violent jerking, twitching and trembling are the characteristic symptoms which it produces. Inability to take deep breath; fixation of chest walls. Athetosis. Spine is cold. Gushing sweat from head and chest.

Better

Lying on back.

Worse

Touch. Noise. Motion.

[Back to Index](#)

Succinum [Succ]

Generalities

A fossil resin known as Amber; produces nervous and hysterical symptoms. Fear of train and closed places.

[Back to Index](#)

Sulphonal [Sulfon]

Generalities

A coal tar product produces ataxic symptoms; staggering gait; anaesthesia of legs with absence of knee jerks.

[Back to Index](#)

Generalities

Sulph. is a product of volcanic eruptions, found free in nature and was used from remote times to remove skin affections; therefore it is the great anti-psoric remedy. *It causes *irregular distribution Of ***CIRCULATION; causing ***LOCAL BURNING; ***THROBBING; or ***CONGESTION; flushes of heat; rush of blood to head, chest, heart. ***REDNESS OF ORIFICES or of single parts is another prominent feature due to irregular circulation; ***LIPS, ears, nose, eyelids, anus, vulva. ***NUTRITION is affected on account of defective assimilation, in spite of voracious appetite, the patient *emaciates (esp. children). Child looks dried, a little old man; big head, big belly, with emaciated limbs. It is often of great use in beginning the treatment of ***CHRONIC DISEASES, and in finishing acute ones; or when the ***REACTION IS DEFICIENT, when the carefully selected remedy fails to act. Mucous discharges and exhalations are *acid, *blood *streaked, *offensive and cause itching. Serous effusions or deposits are absorbed slowly. It has an elective affinity for ***SKIN where it produces heat and burning with ***ITCHING. Patient is unable to walk erect, ***STOOP SHOULDERED, ***UNWASHED, ***TALL AND LEAN; ***UNTIDY; and ***BODY OFFENSIVE in spite of washing. Aversion to being washed; always worse after the bath. Dirty, filthy people prone to skin affections. *Complaints that relapse. Glandular swelling, indurated, and suppurating. *Weak faint spells, frequently, during the day, after nursing; or night watching; with great sleepiness. *Empty, sinking feeling. Sensation of overfullness, roughness; or numbness. Epilepsy with a feeling that mouse is running up arms to back, before the fit. Child jumps, starts and screams fearfully. ***ASCENDING EFFECTS, rushes of blood, flushes of heat, vertigo etc. Ragged philosopher; dirty looking persons who are always speculating on religious or philosophical subjects. Everything affects the epigastrium. Burning in VERTEX AND SOLES. Rheumatism. Scrofula. Psora. Chronic alcoholism; dropsy and other ailments of drunkards. Ill effects of falls, blows, sprains, sun. Always desires to keep his bowels clean. Slight pressure causes pain, swelling and suppuration. Induration of tissues from constant pressure, corns, bedsores etc. Bunions. Never well since chest troubles. As if bed were too small to hold him. As if swinging or standing on wavering ground. Coal miner's affections. Chorea; chronic; after suppressed eruptions.

Worse

***SUPPRESSIONS. ***BATHING. Milk. ***HEATED; ***BY OVER- EXERTION; ***IN BED; by woollens etc. *Atmospheric changes. *Talking. *Periodically; 11 A.M. *Climacteric. Full moon. *Standing. stooping. Reaching high. Sweets. Looking down. Crossing running water. Vaccination. Suppressed piles.

Better

Open air. Motion. Drawing up affected limbs. Sweating. Dry warm weather. Lying on right side. Walking. Dry heat.

Mind

*Dull, *difficult, *thinking; misplaces or cannot find proper words; when talking or writing. *Lazy hungry, and *always tired. Childish peevishness in grown up people. *Hopeful dreamers. Mean. Prying. Easily excited. Foolish happiness and pride; thinks himself in possession of beautiful things, everything looks pretty which the patient takes a fancy to; even rags seem beautiful, or immensely wealthy. Very selfish; no regard for others. Too lazy to

rouse himself and too unhappy to live. Strong tendency to religious and philosophical reveries, with fixed ideas. Disgust, up to nausea about any effluvia arising in his own body. Obstinate. Dislikes to have anyone near him. Tired of life. Strong impulsive tendency to suicide by drowning or leaping from a window (in epileptic fits worse during menses). Aversion to do mental or physical work; Loafs. Thinks that he is giving wrong things to people causing their death. Fault finding. Aversion to business. Melancholy. Sad. Absentminded. Sense of disgrace; after a delivery. Wishing to touch something; with inability to do so. Philosophical mania, wants to know who made this or that and how; tries to reason without any hope of discovery or possible answer. Imagines himself a great man, though ignorant, despises literary men and education. Weeps without cause, or slightest provocation worse consolation.

Head

Vertigo; in forehead; worse when crossing a river; stooping; with headache. *Vertex; hot, *throbs, heavy, sore. Pain, chills, pressure, etc., ascends *from nape to *vertex. Sick headaches recurring periodically; on even Sunday; preceded by photopsia. As of a band about or pain deep in brain. Hot head with cold feet. Hair; dry, cold, hard; falling off, worse washing. Sweaty scalp. Fontanelles remain open too long. Hydrocephalus; with convulsions, red face and pupils dilated. Head bent forward when walking.

Eyes

Burning. Cutting as from sand. Bursting pain in eyeballs. Trembling of eyes; quivering of eyelids. Objects seem more distant than they are. *Halo about light. Obscuration of vision like black gauze before eyes. Retinitis caused by over use of eyes. Painful inflammation of eye from presence of foreign body. Photophobia. Keratitis; cornea like ground glass. Agglutination of lids. Oily tears. Styes and tarsal tumours. Eczema of lids. Trachoma. Opacities of vitreous.

Ears

Deafness preceded by oversensitiveness to hearing, worse after eating and blowing nose. Swashing as of water. Purulent offensive otorrhoea; catarrhal discharge even eighth day. Ears very red; in children. As if sounds do not come through the ear but through forehead.

Nose

Obstructed on alternate sides. Fluent burning coryza worse out of doors; stopped indoors. Tip of nose or alae nasi red; swollen worse cold. Smell before nose as from an old catarrh. Epistaxis worse at night, on lying on right side. Sensitive to smell. Imaginary odours. Freckles and black pores on nose. Frequent sneezing.

Face

Pale, sickly, ***OLD LOOKING. Circumscribed redness of cheeks. Freckled, spotted. *Lips; *bright red; swollen (upper), dry, rough, cracked, burning; twitching or trembling. Swollen veins on forehead. Acne. Mumps.

Mouth

Teeth; sensitive, tender. Jerking, shooting, throbbing pains in teeth. Grinding of the teeth. Gums; swollen, bleeding. Tongue; dry, tremulous; with red tip and borders. Taste; sour, sweetish, foul, bitter, in morning. Saliva; profuse, with nauseous taste. Nursing sore mouth. Food tastes like straw or too salty. Aphthae; thrush.

Throat

Sensation; as of a lump, hair or splinter, or as of a *vapour rising in. Ball seems to rise and close the pharynx. External redness. Swollen as if. Dry, exciting cough.

Stomach

*Drinks much eats little. Eructations tasting like bad eggs worse eating or at night. Complete loss of appetite or ravenous appetite. Feels hungry, but when comes to the table, he loathes the food, turns away from it. Eats anything and everything. Aversion to meat. Desire for sweets, for raw food. Food tastes too salty. Milk causes sour taste and sour eructations. ***SUDDENLY HUNGRY AND WEAK at 11 a.m.; empty *weak feeling at epigastrium. Eructations on pressing on stomach. Headache or feels tired if he does not eat often. Vomiting of indigested food or sour vomiting. Nausea during pregnancy. Sweets disagree. Heaviness in stomach.

Abdomen

***SORE very sensitive to pressure. Stitches in region of spleen worse coughing or deep inspiration. Stitches in region of liver. Biliary colic; and chronic or relapsing jaundice. Intestines feel as if strung in knots worse bending forward. Abdomen heavy, as of a lump. As if something moving alive; as of the fist of child. Colic after eating or drinking, obliging one to bend double worse sweet things. Bearing down against rectum. Pain, urging in and itching in rectum. *Haemorrhoidal habitus; during pregnancy. Piles external and internal great bunches that are sore, tender, raw, burn, bleed and smart. Holds stools back from pain. ***DIARRHOEA; ***HURRIED; ***EARLY MORNING; changing; mushy; *foul; *painless; watery; grayish, frothy worse milk. Diarrhoea alternating with constipation. Habitual constipation. Odour of stool follows him as if he had soiled himself. *Redness around the anus, with itching. Diarrhoea; of infants with pale face, profuse sweating, drowsiness, half open eyes, suppression of urine, spasms of limbs and the child wakes up screaming. Colicky babies. Involuntary stools on sneezing or laughing, with emission of flatus. Big belly, emaciated limbs (children). Eczema about navel. Stools flat and thin.

Urinary

Itching, burning in urethra, during micturition, lasting long after. Sudden call to urinate, must hurry. Frequent urination esp. at night. Bed wetting esp. in scrofulous, untidy children. Mucus and pus in urine. Great quantities of colourless urine; greasy particles upon it. Urination involuntary while passing flatus, or on coughing. Painful ineffectual efforts to urinate; retention; every cold settles in the bladder. Stream thin, intermits.

Male

Testes hang low. Seminal emission, with burning in urethra. Penis cold. Sexual power weak; impotence. Induration of testes. Foetid sweat on genitals. Exhaustion in the morning after seminal emission. Backache and weakness of the limbs after coition with sadness and irritability. Discharge of prostatic fluid after urination and stool. Seminal emission on touching a woman. Semen; odourless, watery. Hydrocele. Prepuce stiff, hard like leather, with copious smegma; causes itches.

Female

Vulva and vagina burn, itch, and sore worse sitting; is scarcely able to keep still. Sore feeling in vagina during coition. Bearing down in pelvis towards genitals worse standing. Menses;

irregular too late, short, scanty, thick, foul, black, acrid, making parts sore. Leucorrhoea; of yellow mucous, burning, excoriating. Troublesome itching of vulva with pimples all around. Sharp burning in mammae. Cutting pain in uterus during menses. Weak feeling in genitals. Nipples; cracked, around the base, smart, burn, bleed; after nursing, pain extends to back. Puerperal sepsis, with high fever, profuse sweat of whole body, tenderness of abdomen and drowsiness. Offensive genitals, with offensive sweat on thighs. Suppression of menses from slight physical or mental excitement. Amenorrhoea. Prolapse of uterus from reaching high. Cancer of breast, or uterus. Breast and uterus develops imperfectly.

Respiratory

***DIFFICULT RESPIRATION; ***WANTS WINDOWS OPEN; nightly suffocative air hunger. Irregular breathing. Deep hoarse voice. *Cough; violent, in two or three incomplete bouts; tickling as from 'down' in larynx. Much rattling of mucus and heat in chest, worse 11 A.M. *Pain backward from left nipple. As of a band or load on chest. Red, brown spots on chest. Pleuritic exudation. Pneumonia. Greenish sweetish purulent expectoration. Sensation of burning or *coldness in chest; extending to face. Asthma preceded by cold everytime. Feeling of weakness in chest, while talking. Violent cough with headache worse lying on back. As of rivet through upper third of left lung. Shooting pains in chest extending to back worse coughing, lying on back and deep breathing. Neglected pneumonia.

Heart

Seems too big. Palpitation, worse lying; at night; in bed, going up an ascent. Pulse more rapid in morning, than in the evening. Pericarditis with effusion. Sharp pains go through chest to between shoulders.

Neck and Back

Muscles of neck weak; child cannot hold head. Boils on neck. Neck stiff. Sensation as if vertebrae glide over each other or crack on bending backwards. Aching between scapulae. *Lumbar pains, to stomach; *walks bent; from pain in the back, he can only straighten up after moving. Supports weight on hands when sitting. Coccyx pains, during stools. Aching in small of back worse when urinating. Curvature of Spine.

Extremities

Heavy shoulders. Sweat in armpit smelling like garlic. Left arm numb worse lying. Numb fingers. Palms; dry, burn, crack, peel, eczema on; warts on. Tense hamstring (left). Cramp in calf (left). ***SOLES; ***BURN; ***WANTS THEM UNCOVERED; at night; cold, in bed; dry. Hot sweaty hands. Heaviness paretic feeling in limbs. *Jerks one limb on dropping to sleep.* Popliteae tight on stooping. Swelling of the joints with hydrarthrosis. Joints stiff. Tremulous sensation in hands, when writing. Tuberculosis of the knee and hip joints. Ulcers around the nails. Whitlow; with rapid swelling of the finger, redness, stiffness and excessive burning stitching. Involuntary contraction of hands as if about to grasp something. Unsteady gait.

Sleep

Heavy, unrefreshing. Drowsy; then migraine. Sleeps in cat naps. Drowsy by day, wakeful at night. Talks, jerks and twitches during sleep. Awakes, with starts or screams. Sings during sleep or wakes up singing. Vivid dreams, remain impressed on the memory.

Fever

Chill spreading up back. *Flushes of heat. *Feels too hot. Heat with general throbbing; between scapulae. Sweat on single parts; in axillae; hands and feet. Profuse sweat at night, with sulphur odour. Sweat without relief. Remittent fever. Septic; puerperal fever.

Skin

Eruptions almost of even kind. Skin; *dry, *rough; *wrinkled, *scaly. ***ITCHING; voluptuous; violent, worse at night; in bed; scratching and washing. *Unhealthy; ***BREAKS OUT; *festers and would not heal.* Burning when scratched; painfully sensitive to air, wind, *washing etc. *Eruptions alternate with other complaints, asthma etc. Crops of boils. Itch. Rhagades. Eczema. Ulcers. Creeping erysipelas. Excoriations, on folds. Suppuration, with air bubbles. Varicose veins; ulcerate, rupture and bleed.

Related

Graph; Psor; Sel; Syph.

Complementary

Acon; Aloe; Ars; Bell; Calc; Merc; Nux-v; Puls; Pyrog; Rhus-t; Sep; Sul-i.

[Back to Index](#)

Generalities

Obstinate skin affections; painless enlargement of glands, and infiltration of tissues with thickening and induration after inflammation are marked features of Sul-io. *Weakness; *as from influenza. Prostration and sensitive to everything. Faint and sick. *Raw burning heat internally with external coldness. Acrid discharges. Single parts, fingers etc. turn white and insensible. *Suppuration. *Favours reabsorption.

Worse

*Exertion; even slight. *Heat. Lying on right side. Before storms. Night. Stooping.

Better

Cool air. Standing. Expectoration. Winter.

Mind

Dread of exertion. Doubtful. Hurried, impatient, sad.

Head

Ache better sundown. Hair seems erect. Vertigo worse stooping; binding of the hair, fasting, before and during menses.

Eyes

Zigzag before vision.

Face

Suppurating acne. Parotid hypertrophy; after mumps.

Mouth

Teeth feel soft. Tongue; *glazed; thickened after inflammation. Raw, dry, wants to moisten it. Cold sores on lips.

Throat

Raw, dry; painful in swallowing. Uvula and tonsils enlarged and red.

Stomach

Anorexia. Tremors in epigastrium on exertion. Appetite increased in marasmus of children.

Abdomen

Mesenteric disease. Stubborn constipation. Bright yellow stools. Foul anal discharge.

Urinary

Urine; scanty, purulent; brown sand in. Urine smells like raspberries. Stricture after gonorrhoea, painful urination, stream twisted. Burning at the end of penis, dull pain in prostate.

Male

Testes soft. Deficient erections. Prepuce cracked. Hydrocele of small boys.

Female

Irregular menses; and a copious thick, burning, leucorrhoea worse before and after menses.

Respiratory

Breathing asthmatic, irregular, rattling and suffocative. Cough worse a.m.; spasmodic. Expectoration greenish, purulent, copious, viscid and yellow. Chest constricted, dropsy of pleura, and eruptions on chest..

Extremities

Aching soreness below knees. Soles of feet ache, burn and sore, when standing.

Skin

*Itching. Ulcers. Moist eczema. Acne, suppurating. Barbers' itch.

Follows well

Sulph.

[Back to Index](#)

Generalities

Weakness or debility common to all acids is felt more by the action of this acid esp. in ***DIGESTIVE TRACT, giving a very relaxed feeling in the stomach, with a craving for stimulants. Weakness; is out of proportion to the disease; from some deep seated dyscrasia. It affects the *blood and blood-vessels, causing *haemorrhages; violent, of thin, black blood from all the orifices. Veins (of feet) distended. Purpura haemorrhagica. Removes long lasting black and blue spots, with soreness and stiffness of the part, after trauma; follows Arnica. ***TREMBLING, INTERNAL; wants to be held. *Sourness; of the body; of stomach. Suited to *topers; old persons esp. women; in climacteric years; weak children with no other complaint. *Profuse acrid or stringy discharges. Parts feel stiff and tight. *Pains increase gradually and end abruptly. *As of a blunt plug being driven in. *Great painfulness. Pains felt during sleep. Disappear on waking. Gnawing pains. Lead poisoning. Gangrene following mechanical injuries. Burning, darting pains. Shocks as from pain. Ulcers become red and blue and become painful. Writer's cramp.

Worse

*Open air. *Cold. *Alcohol *Injuries; surgical operations. Concussion of brain. ***ODOUR OF COFFEE. *Climacteric. Towards evening. Excessive heat or cold. Touch. Pressure. Sprains. Lifting arms. Drinking cold water.

Better

Hot drinks. *Hands near head. Moderate temperature. Warmth.

Mind

*Must do everything in great hurry. Sullen, impatient, angry because things move so slowly. Fretful and *irritable; over the slightest cause, nervous fatigue and tendency to take fright. Vaccillating and morose. Unwilling to answer questions; says yes or no with difficulty. Constant crying or weeping. No one does anything to please him. Seriousness alternating with buffoonery.

Head

Brain feels loose; in forehead falling from side to side worse walking in open air, better sitting quiet in room. Compressive pain in occiput better by holding the hand near head. Thrusts in temples (right) as if a plug were driven in. Electric like shocks; in forehead, temples. Hair; falls out, turns grey.

Eyes

Intra-ocular haemorrhage, following trauma. Eyelids difficult to open. Feeling as of a lump in outer canthi; moves to inner canthi on closing eye and returns to outer on opening. Eyes; smart, burn, and lachrymation, while reading.

Ears

Feeling as of a leaf lying before the ear.

Nose

Oozing of dark, thin blood worse odour of coffee; of old people.

Face

*Deathly pale or wrinkled. Feels as if the white of an egg had dried on it.

Mouth

Aphthae; during protracted disease, esp. in children with marasmus. Gums bleed easily. Offensive breath. Pyorrhoea. Destruction of teeth in diabetes mellitus. Bloody saliva from mouth. Ulcers spread rapidly.

Throat

Sore. Stringy lemon-yellow mucous hangs from posterior nares; in diphtheria. Looks white-washed. Liquids regurgitate, on swallowing.

Stomach

Heartburn. Sour eructations; sets teeth on edge. Craves brandy and fruits. Hiccough; of drunkards; *nausea;* with shivering. Vomiting, sour; of drunkards; worse lying on left side. Weak, relaxed feeling at stomach worse after stools. Drinks chill the stomach, and rejected unless mixed with liquor. Vomits mucous instead of food. Coughs; before vomiting, during pregnancy. Sweats after eating; esp. warm food. Averse to smell of coffee.

Abdomen

Colic, with sensation as if hernia would protrude. Spleen enlarged, hard, painful; on coughing. *Diarrhoea;* very foul, green, black or of *hacked stools; orange yellow; from unripe fruit and oysters; from least indigestion. Piles oozing moisture. Rectum feels as if it has a big ball; haemorrhoidal tumours prevent stools. Sinking sense in abdomen after stools.

Urinary

Pain in the bladder if urging for urinating is not attended to. Haematuria.

Female

Distressing nightmares before menses, or after menses. Erosion of cervix; in the aged; easily bleeding. Flushes of heat, followed by sweat and a feeling of tremors all over the body; during climacteric. Menses; too early and too profuse. Acrid, burning leucorrhoea. Gangrene of vagina, after prolapse. Prolapse of vagina and uterus from weakness.

Respiratory

Cough, then eructations or vomiting. Bloody expectoration; during climaxis. Larynx moves up and down violently and rapid motion of alae nasi, during dyspnoea better hanging down legs.

Back

Weakness of spine, cannot sit or stand. Large abscess on right side neck.

Extremities

Fingers jerk while writing. Writers' cramp. Knees painfully weak. Ankles weak, cannot walk. Jerking of fingers during sleep. Jerking of the tendons.

Fever

***HOT *flushes; then trembling; or cold sweat worse after warm ingesta; worse upper parts; better motion. Drenching sweats. Disproportionate weakness during fevers, like typhoid.

Skin

Cicatrices turn red and blue and become painful. Ecchymoses. Carbuncles, boils, gangrene. Itching all over the body. Nodular urticaria. Bed sores; abscesses.

Related

Ars; Lach; Sep.

Complementary

Puls.

[Back to Index](#)

Generalities

Musk root, as its name implies closely resembles in its odour to musk, therefore like Moschus it is the remedy for hysterical and *nervous affections. It affects *heart* causing nervous palpitation. The patient is nervous, irritable and sleepless. Tendency to faint from slightest cause. Chorea; constant jerking of the head and limbs with protrusion of the tongue. As of a hot water flowing through part. Yellow tenacious discharges. Numbness; on becoming cold, on left side. Neuralgia. Early senility. Sclerosed arteries. Flushings, climacteric.

Worse

Motion. Climacteric. Music. Cold. Thinking of symptoms. Inspiration.

Better

Gentle motion. Warmth.

Mind

Emotional and fidgety. Weeps and laughs by turns. Faintness from hearing music. Fear of becoming insane.

Nose

Tenacious yellow mucous from nose.

Face

As of a hair or cobweb on face. Neuralgia. Idiotic expression.

Mouth

Tongue feels rough as if scraped.

Throat

Choking constriction; constant swallowing; hysterical.

Stomach

Burning waterbrash.

Abdomen

Full, distended and painful.

Urinary

Oily pellicle on urine.

Female

Sexual excitability. Ovarian neuralgia. Pulling like a string in breast (right). Climacteric flushes. Screwing pain in region of uterus (left side).

Respiratory

Short breath on any exertion. Asthma; cardiac; hysterical. Oppressed tightness in left chest, as if clogged.

Heart

Nervous palpitation; in hysterical subjects or at climax; worse least exertion and thinking of it. As if heart beating in water. Neuralgia around left breast simulating angina pectoris. Cardiac asthma. High blood pressure due to arteriosclerosis.

Back

Trickling along spine.

Extremities

Left arm, ache, heavy, numb, weary.

Sleep

Dreams of falling; of coitus; followed by profuse sudden emission.

Skin

Pale; cold. Internal itching.

Related

Asaf; Mosch.

Complementary

Lact-v.

[Back to Index](#)

Symphoricarpus Racemosa [Sym-r]

Generalities

Highly recommended remedy for persistent vomiting of pregnancy. Aversion to all food. Nausea worse during menses; any motion. Better by lying on back. Smell and thought of food repugnant.

[Back to Index](#)

Generalities

Common name, Knit-bone or Bone-set gives the indication for this remedy. *Injuries to ***CARTILAGES; ***PERIOSTEUM; with excessive pain. Painful old injuries. Comminuted ***FRACTURES. Pricking, stitching pains; remaining after wound is healed, worse touch. Irritable stump after operations. Non-union of fractures. Penetrating wounds to perineum. *Deficient callus. Affects the joints. Arthralgia; of knee. External application disposes the swelling, due to injury or other growths. Psoas abscess. Sarcomatous tumours.

Worse

***INJURIES. Blows from blunt instruments. Touch. Sexual excess.

Head

Ache changing places.

Eyes

*Injuries to the eyes; from blunt instruments; blows, knock etc.; eyelids spasmodically closed.

Face

*Injuries to face. Malignant growth of right antrum.

Stomach

Ulcers of the stomach. Pain about navel worse sitting.

Back

Backaches from excessive sexual indulgence or from wrestling; from violent motion. Caries of vertebrae.

Skin

Cold.

Related

Arn; Calc-p.

[Back to Index](#)

Generalities

A nosode prepared from syphilitic virus. Affects the *mucous membranes, *nerves and bones. *In chronic cases* when the *reaction is poor* and indicated remedy gives partial relief esp. when there is hereditary tendency to alcoholism or history of *SYPHILITIC TAINT. Great weakness with very few symptoms; or utter *prostration and debility; in the morning; on waking. *Multiphase symptoms. *Ulcerations; stubborn. Dwarfed, shrivelled up, old looking babies and children, bald head, pouting lips and big belly. Foul odour of the body. Violent, or linear pains. *Succession of abscesses. *Foul or green pus.* Knots in muscles. Pains or other conditions worse and better gradually. Epilepsy worse after menses. Foetid discharges. Persistent pains in any part of the body. Cold pain. Crying infants; who begin crying immediately after birth. Slowly advancing hemiplegia. As of hot water in blood vessels. Bones; sore, caries, curvature of. Exostoses. Glands enlarged. Hodgkin's disease. *Sawing pains in bones.

Worse

***NIGHT. *Sundown to sunrise.* Damp. Extreme heat or cold. Every alternate full moon. During thunderstorms. In any position. Motion. Raising arms laterally. Squatting. Winter. Summer. Seashore. Protruding tongue.

Better

Continued or slow motion. Changing positions. High altitudes. Applied heat. During day.

Mind

*Hopeless despair of recovery. *Antisocial. *Horrid depression. Cross, irritable, peevish. Feels as if going insane or being paralysed. A far away feeling-says he is not himself and he cannot feel like himself, with apathy and indifference to future. *Impulse to wash hands. Terrible dread of night. Loss of memory, does not remember, faces, names, events, places etc., but remembers everything previous to his disease. Very nervous, laughs or weeps without cause. Does not want to be soothed. Nightly delirium. Syphilitic insanity. *Aversion to company. Sad and lamenting.

Head

Deep crushing head pains across the base of temples. Linear head pains. Beats head against the wall. Feels pulled back. Cerebral softening. Hair fall profusely. Vertex as if bursting. Tubercles all over the scalp.

Eyes

Chronic recurrent phlyctenular keratitis better cool bathing; with intense photophobia and lachrymation. Ophthalmia; neonatorum. Glimmering vision. Vertical *diplopia. *Ptosis. Feeling of cold air blowing on the eye. Squint. Amaurosis; atrophy of optic nerve. Spots on cornea.

Ears

Deafness, without any obvious cause; nervous with cachexia. Calcareous deposit on tympanum. Abscess of the middle ear.

Nose

Ozaena; offensive, thick yellow-green discharge. Painful to inhaled air. Sinuses, painful. Green lumps from posterior nares. *Snuffles. Caries of bones. Septum perforated. Saddle across the bridge of the nose to which Sepia saddle is but a shadow. Attacks of fluent coryza. Itching nostrils.

Face

Pale, wrinkled; old look. Twitching of muscles. Pain over eyes (right) worse protruding tongue. Paralysis of one side, with difficult speech, mastication and twitching of eyes and lids.

Mouth

*Teeth feel sticky; as of a worm in. Teeth cupped, in children. Feeling as if teeth, had all got out of place. Teeth decay at the edge of gums. Tongue; coated, indented, deep longitudinal cracks along centre, ulcers, smart and burn. Putrid taste; before epileptic fit. *Excessive flow of saliva; *runs out of mouth during sleep.* Aphasia. Paralysis of tongue. Toothache better pressing them together, worse hot or cold things.

Throat

Sore, right to left worse cold drinks. Chronic hypertrophy of tonsils, with syphilitic taint.

Stomach

Capricious appetite. *Craves alcoholic liquors. Aversion to meat. Total loss of appetite for months. No food agrees, or satisfies him. Vomiting for weeks or months.

Abdomen

Obstinate constipation. Rectum seems tied up with strictures. Fissures in anus and rectum. Water from enema escapes with pain. Diarrhoea; bilious; painless worse seashore, drives her out of bed about 5 a.m.

Urinary

Urine frothy; scanty, yellow. Nocturnal enuresis. Passes urine better while standing. Urinates only once during 24 hours but profuse.

Male

Nodular formation in testes, spermatic cord and scrotum. Chancres. Aching of genitals, cannot sit still.

Female

Menses having putrid meat-like odour. Yellow, offensive, *acid leucorrhoea so profuse,* it soaks through napkins and runs to the heels; with ovarian pain; in sickly nervous women; with itching of the genitals. Habitual abortion. Mammae; sensitive to touch; feel sore, during menses and other times. Ulcers on the vulva with ovarian pain; sensitive to touch. Cutting pain in ovary during coition, at the moment of orgasm.

Respiratory

Cough dry worse lying on right side; at night. Aphonia. before menses. Chronic asthma; worse in summer, during thunderstorms, at night, humid weather. Continuous pain in the larynx worse touch.

Heart

Pain from base to apex of heart. Large soft pulse. As if hot water flowing in the veins.

Neck and Back

Neck feels short. Pain in the back in the region of kidney worse after urinating. Pain at coccyx with sensation as if it is swollen worse sitting.

Extremities

Pain at the insertion of deltoid worse from raising arm laterally, or in front. Affections of *middle fingers. Osteo- sarcoma; in centre of tibia. Itching eruptions about elbows. *Cold pain in legs. Festination. *Bones pain as if sawed. Bilateral exostoses sore and painful. Shin bones painful better pouring cold water on them. Sciatica worse at night. Muscles knotted; in rheumatism. Soles painful with feeling of contraction worse standing on them. Cannot sit on low chair or squat.

Sleep

*Sleeplessness.

Fever

Chilly. Sweats at night, with exhaustion.

Skin

Swollen and blotched. Biting as from bugs. Wandering erysipelas. Conical crusts. Bullae. White or pock mark cicatrices. Distorted nails. Coppery spots.

Related

Aur; Kali i; Merc; Nit-ac.

[Back to Index](#)

Generalities

Tobacco, though widely used as snuff, for smoking and for chewing, is used as medicine only in homoeopathy. Vagus; sympathetic; cerebro-spinal nerves and ***HEART are prominently affected. It produces complete *prostration and relaxation of the entire muscular system; with *free secretions, vomiting; profuse sweat; lachrymation, salivation etc. *Constriction of the muscles of hollow organs, throat, bladder, rectum, chest etc. Cramps, then paralysis, of bowels, heart etc. Convulsions, head firmly drawn back. Jerking throughout the body. Trembling. Faintness. Stormy, dangerous cases with rapid changes. Pains worse from heat. Excessive emaciation esp. of the muscles of back and cheeks. Gait slow and shuffling, unsteady, difficulty in ascending stairs. Angina pectoris with coronary sclerosis and high tension. Feeling of seasickness. Tetanus. Paralysis of sphincters. Slides in bed. Effects of sunstroke. Palliative for bee-stings and mosquito bites.

Worse

***MOTION; *of boat, *riding. Lying; on left side. Opening eyes. Evening. Extremes of heat or cold.

Better

*Cold; application. Fresh air. Twilight. Uncovering abdomen. Weeping. Vomiting.

Mind

Very despondent. *Indifferent. Morose; sensation of extreme wretchedness. Forgetful; slow perception. Confusion. Mental fag. Idiotic; epileptic idiocy. Silly talk. Feels as if someone was coming to arrest him or murder him.

Head

*Excessive vertigo; with copious sweat (cold) worse on opening eyes. Sudden pain as if struck by a hammer worse while passing urine. Tight feeling as from a band. Periodical sick headaches.

Eyes

Loss of sight on looking steadily at any white object. Sudden loss of vision without lesion, followed by atrophy of optic nerve. Central colour scotoma. Dim sight, sees through a veil. Retina retains the image too long.

Ears

Hearing music causes pain in the ears. Meniere's disease with feeling of seasickness.

Nose

Secretion increased.

Face

*Deathly pale; blue; *pinched; sunken. Covered with cold sweat. One cheek hot and glowing, other pale. Spasms of the lower jaw. Pain in maxillary joint worse laughing. Lips retracted. Emaciation of face.

Mouth

Salivation. *Spits much; with other complaints. Speech difficult.

Throat

Violent constriction of throat; in angina pectoris.

Stomach

*Deathly nausea and violent vomiting, worse *least motion; better uncovering abdomen; with much spitting; during pregnancy. Seasickness. Terrible faint, *sinking feeling at pit of stomach. Vomiting of faecal matter. Retching. Acidity.

Abdomen

Pressure in hepatic region as from a heavy body. *Wants it uncovered; it lessens, nausea, vomiting and other distress. Horrible colic; must shriek with weakness. Involuntary watery or thick curdled stools; like sour milk. Cholera infantum. Intestinal obstruction. Strangulated hernia. *Sinking feeling in epigastrium,* with dreadful faint sense. Retraction of navel; abdominal muscles contracted. Habitual constipation.

Urinary

Renal colic, with cold sweat, deathly nausea. Paralysis of sphincters; urine dribbles. Enuresis.

Male

Nocturnal emissions. Impotency. Hyperaesthesia and neuralgia of penis.

Female

Morning sickness. In climacteric period and during menses, excessive sense of wretchedness. Leucorrhoea, of serous fluid worse after menses. Severe itching of the whole body during pregnancy.

Respiratory

Violent constriction of chest. Cough; dry, teasing, must take a swallow of cold water; followed by hiccough, or with hiccough.

Heart

Violent palpitation worse lying on left side. Twisting about the heart. Angina pectoris, with nausea, cold sweat and collapse. Unsteady heart beat. Acute dilation caused by shock or physical exertion. Pulse thready, intermittent; hard cord like; imperceptible.

Neck and Back

Head drawn back in convulsions. Neck stiff. Emaciation of the muscles of back. Pain in the small of back worse lying; better while walking. Heat down spine.

Extremities

Finger tips fuzzy. Cramps in single fingers worse washing. Legs and hands icy cold. Formication.

Sleep

Insomnia with dilated heart. Nightmare. Stupefying sleep at night.

Fever

*Icy cold skin. Heat down spine; of one cheek; internal. Sudden *cold sweats; with chill; angina pectoris; renal colic etc.

Skin

Itching as from flea bites.

Related

Ars; Gels; Verat.

Complementary

Op.

[Back to Index](#)

Generalities

Affecting *liver, it is a bilious remedy. Feeling of *sickness and exhaustion; inclined to sit or lie down. Stitching pains. Jaundice, gall stones, enlarged indurated liver.

Worse

*Rest. Sitting. Standing. Lying down.

Better

Walking. Touch.

Mind

Depression. Constant muttering to himself. Shuns labour, but after beginning works well. Inclined to talk, laugh, and be merry.

Head

Ache due to gastric disturbances. Vertex feels very hot.

Mouth

Tongue; coated, *with raw patches; mapped.* Taste; bitter; sour. Salivation, with sensation as if larynx was pressed shut.

Throat

Hawks sour mucous.

Stomach

Gastric bilious attacks. Loss of appetite. Bitter eructations.

Abdomen

Sensation of bubbles bursting in bowels. Tympanitis; hysterical. Liver enlarged and indurated. Bilious diarrhoea. Stools white. Jaundice. Pain in the region of liver and spleen.

Urinary

Urination painless urging; frequent copious discharge.

Female

Menses suppressed.

Neck and Back

Tearing pain from ear down to neck. Sternomastoid muscle very painful to touch.

Extremities

Limbs restless. Finger tips cold (a guiding symptom). Jerking pain in calf (right) better on touch. Tearing pains in limbs. Neuralgia of knee better pressure. Toes burning.

Fever

Chilly after eating; esp. after drinks. Profuse night sweats.

Related

Nux-v.

[Back to Index](#)

Generalities

The poison of this spider affects the cellular tissues. It is a toxaemic medicine, useful in septic conditions; when incubation is slow, but further progress is *rapid; *with alarming prostration, *atrocious burning or sharp stinging pains; *board like* ***HARDNESS of ***AFFECTED ***PART and *copious sweat. Diphtheria; with intense fever, and numb aching. Malignancy. Carbuncle. *Bluish abscesses; painful abscesses. *Felon. Remedy for *pain of death; soothes the last agony. Paralysis then convulsions. Bubonic plague. Gangrene.

Worse

Cold drinks. Exertion. Night.

Better

Tobacco smoking.

Mind

Nervous restlessness.

Head

Fulness in head. Meningitis.

Stomach

Tendency to vomit.

Urinary

Cannot hold urine on coughing. Retention of urine. Urine hot, thick.

Female

Pruritus vulvae.

Respiratory

Spasmodic difficulty of breathing. Shattering cough; pertussis.

Extremities

Trembling hands. *Fidgety feet. Unsteady gait.

Sleep

Drowsiness. Prevented by harsh cough.

Fever

*Pungent heat of surface.

Skin

Feels puffed all over. *Purple discolouration.* Pungent burning. Senile ulcers.

Related

Anthr; Latro.

[Back to Index](#)

Generalities

'Tarantism' is the term applied to the dancing mania set up in persons bitten by the Tarn; the cure is music and dancing. These symptoms give a key note indication to this remedy. It affects the ***NERVES which are highly strung; producing remarkable nervous symptoms; hysteria; chorea; many times reflex from generative sphere. ***HEART; *spine; ***RESPIRATION and right side are also prominently affected. Symptoms appear suddenly; with ***VIOLENCE. The patient is *restless, *fidgety; *hurried; in constant motion, though walking worse. *Rolls on ground from side to side* or strikes vehemently with his feet; or rolls the head and rubs it; to relieve her distress. Quivering; *jerking; *trembling; twitchings. *Synalgias or associated pains; headache with pain in uterus, throat with eye pains; face pain with stomach pain; pain in the ear with hiccough etc.; or pains from sexual excitement. Violent pains, neuralgias, as if thousands of needles were pricking. Deep septic conditions; abscess, evacuates pus rapidly. Noma. Emaciation worse face. Ill effects of unrequited love; bad news; scolding; punishment; falls; sepsis. Can run better than walk. Irregular movements. Numbness with prickling. Emaciation, as if the flesh fairly fell off the bones. Cancer; fibrous tumours. Its action is similar to Ars. in many symptoms, therefore when *Ars. seems indicated but fails, it is better to give Tarent.

Worse

Periodically; yearly; at the same hour. ***TOUCH. *Cold. *Noise. *Damp. Evening. After menses. Coitus. Washing head. Seeing others in trouble. Hands in cold water. Music.

Better

Relaxation. *Rubbing. *Sweating. Smoking. Music. *Open air. Riding in a carriage. In the sun. Bright colours.

Mind

Aversion to colours, black, red, yellow, *green. Dances up and down. Fits of nervous laughter then screaming. *Suddenly changing moods, fancies or strength. *Lacks control. *Erratic. Impulsive. Moral depravity. Crafty, *cunning. Selfish. Destructive, destroys whatever she can lay hand on, tears her clothes etc. Hateful. Adroit. Throws things away. Malingering; when there are no observers, there is no hysteria; when attention is directed to her, she begins to twitch, feigns fainting, insensibility, but looks sideways to observe the effect on those around her. Desire to strike herself or others. Laughs, mocks, runs, dances, gesticulates, jokes, cries, sings till hoarse or exhausted. Kleptomania. Angry despair. Death agony. Ungrateful. Melancholy. Discontented. Mental symptoms better p.m., after eating.

Head

Vertigo; worse carrying burden on head; then spasms. As of needles pricking into the brain. Heavy pain in temples extending to face and neck, with nausea and impatience. Violent crushing *headaches as accompaniment. Wants hair, brushed; pulled, or head rubbed. Meningitis. As if cold water were poured on head and body. Vertigo; night; when descending stairs.

Eyes

Itching of the eyes with thick tears. Stitching in eyes as sand or thorn. Photophobia. One pupil dilated other contracted. Eyes wide open spasmodically; staring. Sees ghosts, faces, flashes.

Ears

Snapping, cracking in ears (right) with pain and hiccough. Noises; ringing as of bells worse on waking, in the morning.

Nose

Epistaxis better throbbing carotids and fullness in head.

Face

Fiery red, bloated. Expression of terror. Wrinkled.

Mouth

And teeth dry. Tongue drawn backward preventing speech.

Stomach

Craving for sand or raw food. Aversion to meat, bread. Gastric disturbances are accompanied by sympathetic pains in head, face, teeth etc. Thirst for cold water. Bitter eructations; hysterical. Vomits all food eaten.

Abdomen

Burning in hypogastrium with great weight, interferes walking. Stools; oily, black, offensive, excited by washing head. Severe constipation, not relieved by purgatives or enema. Constipation; with involuntary passing of urine on coughing or any effort.

Urinary

Urine foul, with sandy sediment. Incontinence on laughing, coughing etc. Diabetes Mellitus. Polyuria.

Male

Extreme sexual excitement. Lasciviousness almost to insanity; worse coition. Prostatic ailments after masturbation. Seminal emission hot, bloody. *Sensitive genitals. Indolent tumours of testicles. *itching vulva and worse scratching. Pruritus vulvae, after.

Female

Violent nymphomania worse coitus. Dry, hot ***RAW, *itching vulva and vagina worse scratching. Pruritus vulvae, after menses. Profuse menses, with erotic spasms. Menses early. Sensation of motion in uterus like a foetus or burning. Anguish, malaise in sexual organs. Expulsion of gas from uterus. Cancer of cervix. Leucorrhoea of clear acrid, sticky lumps. Ovaries, sensitive to pressure.

Respiratory

Attacks of ***SUFFOCATION with crying, screaming and restlessness; must have fresh air; worse coughing. Cough, gagging, when expectorating, fatiguing, worse after coition, noise; better smoking.

Heart

Twists around; takes sudden jumps. Trembling and thumping of heart as from bad news or fright. Diseases of heart worse by wetting hands in cold water. Chorea cordis, with arm symptoms. Pulse, hard, infrequent, irregular.

Neck and Back

*Painfully sensitive spine, touch excites pains in chest, heart etc. Coccygodynia better standing worse slightest movement, touch. Tumours around vertebral column.

Extremities

Restless arms; *keeps hands busy; picks fingers. Legs restless; impulse to walk. Festination. Can run better than walk. Cold moist feet and hands. Soles itching. Sawing bone pains. Extraordinary contractions and movements; erratic. Weak legs; cannot plant them firmly; do not obey will. Kneeling difficult.

Sleep

*Sleepless before midnight, from excitement. Dreams sad; with weeping.

Fever

Alternate chill and heat. General heat with cold feet. Septic fever. Sweat profuse; excoriating.

Skin

*Purplish. Ecchymosed spots. Cold spots or as of a cold matter flowing or dropping on part. Carbuncle. Deep abscesses. Helps evacuation of pus. Dry eczema (after the failure of Ars. and Sulph.) *itching; as of insects creeping and crawling.

Related

Agar; Mygl.

Complementary

Ars.

[Back to Index](#)

Generalities

This metal irritates the skin, affects *the spinal column, ears and eyes; produces neuralgic pains, notably sciatica. *Discharges are acrid, excites itching, vesicates any part of the skin, it touches. The odour of the body and of the sweat is offensive and garlic like; ear discharge is that of fish brine. *Salty; taste; mucous from throat, pus etc. Sharp quick pains then soreness. *Numbness. Sense of retention. Periosteitis. Linear pains. Ill effects of injuries; spinal. Falls.

Worse

*Touch. *Lying on affected part. *Cold. Empty swallowing. Spinal injuries. Weekly. Cold weather. Friction. Stooping. Laughing. Coughing. Straining at stools.

Mind

Fear of being touched in sensitive places. Neglectful and forgetful.

Head

Vertigo; worse when falling to sleep; better lying perfectly quiet. Linear head pains.

Eyes

Lids thickened, inflamed, itching. Pterygium. Watery eyes. Cataract, following ocular lesions. As if lashes of lower lids turned in.

Ears

*Inflamed; *bluish; *puffy. Hearing impaired from injury to membrana tympani. Otorrhoea; of fish brine odour. Eczema behind the ears, with thick crusts. Itching, swelling, throbbing in meatus. Constant pain deep in ear.

Nose

Fluent coryza with lachrymation and hoarseness worse when walking in open air, but better after being in open air after sometime. Hawks salty mucous from posterior nares.

Face

Twitching and distortion of facial muscles worse when talking. Pain jerks angle of mouth up. Sudden flushes of redness. Barber's itch.

Mouth

Breath has odour of garlic.

Throat

Sore on empty swallowing better after eating or drinking.

Stomach

Craving for apples. Rancid belchings. Retching ends in yawning. Vomits after eating rice. Sensation of weakness or emptiness.

Abdomen

Pinching in. Flatus stinking offensive. Itching of anus and perineum after every stool.

Respiratory

Pain in the muscles of chest, as if sprained, worse raising arms. Cough causes pain in the small of back. Pain in region of clavicle. Bubbling in lungs (right).

Heart

Dull pain over heart better lying on back.

Neck and Back

Numbness of nape and occiput. *Painful sensitiveness of spine* (from last cervical to fifth dorsal). Pain in sacrum passing into right thigh; worse coughing, laughing; pressing at stool.

Extremities

Deep sciatic pain worse coughing, sneezing; straining at stools; lying; with sensitive spine. Contraction of tendons in the bend of knee. Foetid foot sweat. Sweat in axilla smelling like garlic.

Sleep

Yawning after retching or with belching. Drowsy after meals.

Fever

Chilly, with pain. Chills down spine lying on back. Sweat on spots; with itching.

Skin

Circular; eruptions; lesions. Ringworm; cover the whole body; lower limbs; on single parts, scrotum, perineum etc. Itching, pricking; as from bugs. Burning in old scars. Barber's itch. Itching worse in cool air.

Related

All-c ; Sel.

[Back to Index](#)

Generalities

Oil of turpentine has a selective affinity for *mucous membranes of ***KIDNEYS; bladder; *respiration; bronchi; heart and blood. ***HAEMORRHAGES; passive; black, offensive, oozing from mucous membranes. Affections of kidneys, with rheumatism. *Aching, soreness and stiffness* of muscles. *Purpura *haemorrhagica. Pain; *excites urination;* along large nerves, with sensation of coldness in the nerves; or occasionally like hot water running through a tube. *Burning, in various parts, tip of tongue; epigastrium, small of back; kidney, *uterus etc. Exhausted; *sensitive and tired. Disturbed sense of equilibrium. Ill effects of alcohol, falls, strains, tooth extraction. Even trifle bruises him.

Worse

*Dampness. Cold. Night. Lying. Pressure.

Better

Motion. Stooping.

Mind

Difficult concentration. Intense irritability; children fly into temper; during dentition. Coma.

Head

As of a band around the head. Dull headache with colic.

Eyes

Blindness from alcohol. Opens eyes when swallowing; in coma. Eyes dark red; face red on affected side.

Ears

Own voice sounds unnatural. Sensation in ears as of striking of a clock. Loud talking is Very painful.

Nose

Passive epistaxis, in children. Discharge of serum without coryza.

Face

Pale; earthy; sunken. Hot flushes followed by sweat.

Mouth

Tongue; smooth; glossy; sore, red; burning in tip. Aphthae from mouth to anus. Breath, cold, foul.

Stomach

Nausea and vomiting; with intense burning. Burning in epigastric region. Nausea better loose stool. Aversion to meat.

Abdomen

*Bruised soreness. *Flatulence. *Tympanitis. Ascites. Profuse mucous stools; watery, green, foetid. Bloody stools. Worms. Bleeding from ulcers in the intestine. Bowels were drawn towards spine. Diarrhoea, with tetanic spasms.

Urinary

Burning, drawing pain in region of kidney. *Burning or pain along ureters. Strangury, with *bloody urine. Urine; *smoky; with coffee grounds; or thick, yellow, slimy, muddy sediment; odour of violets. Nephritis; after exanthemata; with violent *bronchitis. Cystitis. Bleeding bladder. Pains alternate between navel and bladder, better walking. Urine scanty; suppressed; during dentition.

Female

Intense burning in uterine region; with metrorrhagia. Metritis. Uterine diseases after wearing pessaries.

Respiratory

Burning and tightness across chest. Bronchial asthma or catarrh; with profuse expectoration. Haemoptysis. Bloody expectoration. Bronchitis of children with drowsiness and retention of urine. Dyspnoea.

Heart

Pulse; rapid, small, thready; intermittent.

Back

Backache and soreness in kidney affections.

Extremities

Hands feel swollen. Cramps in knees. Intense pain along the larger nerves; worse damp weather. Stands with feet apart; has no power of balancing the body. Muscles, stiff. Walks bent like an old man. Brachial or sub-scapular neuralgia. As if pitch forward while walking.

Sleep

*Drowsiness; with retaining of urine etc.

Fever

Heat under the skin. Cold sweat on legs.

Skin

Purpura haemorrhagica; advancing. General sensibility increased. Unbroken chilblains; with excessive itching and pulsations.

Related

Canth; Erig; Phos.

[Back to Index](#)

Thallium [Thal]

Generalities

This rare metal is useful for most horrible, neuralgic, spasmodic shooting pains. Pains like electric shocks. Numbness or formication starting in the fingers and toes, extending up to lower limbs and down to feet and involving lower abdomen and perineum. Paralysis of lower limbs. Locomotor ataxia. Tremors. Falling of hair with great rapidity; after acute or exhausting diseases. Muscular atrophy.

[Back to Index](#)

Generalities

Poison of this orange spider produces *hypersensitiveness of ***NERVES; esp. to ***NOISE; *which ***PENETRATES THE BODY; *affects the teeth; causes nausea, chills and pains all over; strikes the painful parts etc. It causes *spinal irritation,* and affects the *bones causing caries, necrosis. Tubercular diathesis. When the best remedy fails to act; esp. in caries and necrosis. Rachitis. Bones feel broken. Phthisis. Water feels too cold. Bounding internally; as of a child. Burning pains. Seasickness. Sense of duality. Effects of sunstroke. Hysteria; during puberty and at climax. Infantile atrophy; glands enlarged; with marasmus. Nodes on various parts esp. buttocks.

Worse

***NOISE. *Touch. ***CLOSING EYES. Least motion. Exertion. *Jar. *Riding. Cold. Washing clothes. Coitus. Sunstroke.

Better

Rest; in horizontal position. Warmth.

Mind

Time passes too quickly. Startled by the least thing. Fruitless activity; finds pleasure in nothing. Hysteria. Talkativeness and hilarity. Want of self confidence.

Head

*Vertigo with nausea worse stooping; least movement; ***CLOSING *eyes; *kneeling. Headache felt during sleep worse jarring; with nausea and vomiting, at climax. Head feels thick, thinks it belongs to another; that she can lift it off; or she would like to remove it. Migraine. Headache worse after stool. Joyous during headache. Cannot lie down with headache. Faints after washing clothes.

Eyes

Glittering vision; on stooping. Luminous vibrations before eyes, blurred vision; then affections of head and weakness.

Ears

Least noise, every sound penetrates her whole body esp. teeth. Rushing in both ears like a water-fall.

Nose

Pain over root of nose. Chronic catarrh; yellow-green, thick, offensive, discharge. Ozaena. Post-nasal catarrh.

Face

Pale. Jaws immovable; in the morning.

Mouth

Remains open involuntarily; cannot close. Froth before the mouth with shaking chill. Teeth feel as if cold water is too cold. Mouth feels furred, benumbed. Lockjaw a.m. on waking. Bites tip of tongue; during sleep.

Stomach

Constant desire to eat and drink but knows not for what. Craves oranges and bananas, tobacco smoke, wine; acid fruits and drinks. Nausea worse least motion; looking steadily at one object; from noise. Nausea and retching better drinking warm water.

Abdomen

Violent burning in liver region. Abscess of liver. Pain in the groins; after coitus; motion, and drawing up the limbs.

Urinary

Increased urination; at night, does not pass much during day.

Male

Seminal emission, during afternoon sleep. Gonorrhoea. Prostate enlarged, sense of a lump and heaviness in perineum, worse at every step.

Female

Hysteria during puberty; at climaxis. Menses suppressed.

Respiratory

*Pain at end of left floating rib. *Cough, jerks body together, head forward and knees upward. Too much air seems to enter the chest. Stitches high up in chest; back through apex of left lung. Phthisis. Breathing difficult going up and down stairs; hysteria.

Heart

Anxiety about the heart; sharp pain radiate to arm and left shoulder. Pulse slow, with vertigo.

Neck and Back

Spine is sensitive to pressure and jar; sits sideways in a chair, to avoid pressure.

Extremities

Burning in upper arm. Restless feeling in hands; wrings them. Stinging from elbow to shoulder. Lies or sits with feet crossed, cannot uncross them.

Fever

Foam at mouth with shaking chill. Internal coldness. Cold sweat easily excited.

Skin

Stinging thrusts in skin. Itching.

Related

Asar; Sil.

[Back to Index](#)

Thiosinaminum [Thiosin]

Generalities

A chemical derived from oil of mustard, acts as a resolvent externally and internally for cicatrices, adhesions, strictures; tumours enlarged glands. Should be given in t grain doses daily 2 or 3 times a day. 2x attenuation.

[Back to Index](#)

Generalities

It is a remedy for haemorrhagic and uric acid diathesis. It removes the ill effects of suppression of haemorrhages or vaginal discharges from uterus.

Worse

Even other month.

Better

Bathing. Dampness. Rapid motion.

Mind

Impulse to walk far.

Head

*Pain from above eyes up over head to nape.

Nose

Bleeding in nasal operations.

Face

Eyes and face puffy.

Mouth

Taste like bad eggs.

Stomach

Craves butter milk. Flatulence. Blood or mucopurulent discharges after stool.

Urinary

Haematuria. Copious discharge of urinary sand. Dysuria; of old persons, with dribbling; after forceps delivery. Renal colic. Urine runs away in little jets. Brick dust sediment. Albuminuria during pregnancy.

Female

Metrorrhagia, with violent uterine colic; even alternate period very profuse. Uterine fibroids, with cramps and expulsion of clots. Sore pain in womb worse on rising. *Menses or leucorrhoea leaves a fast stain. Leucorrhoea, excites itching. Milky water runs from right nipple. Scarcely recovers from one period when another begins.

Back

Weakness between scapulae.

Related

Sep.

Generalities

Dr. Hahnemann found Thuja as an antidote to sycotic miasm. It acts chiefly on the mucous membranes of ***GENITO-URINARY *tract; intestines; ***SKIN; *mind; *nerves; *glands, occiput and left side. It is the remedy for *soft; *exuberant; *fungoid *tissue;* polypi, condylomata, warts; pediculated; black, suppressed. Hydrogenoid or lymphatic constitution. Great prostration and rapid emaciation. The patient is *exhausted and *soft, body feels thin and delicate, frail. Deadness of the affected part. Discharges are foul, acrid, *musty, rancid or of *sweetish odour. *Trickling, in urethra. Burning, sticking, numbing, drawing or *wandering pains* worse warmth. Oily; stools, skin, sweat. Flesh feels as if beaten off the bones. Oedema about the joints. Jerking; of the upper part of the body; of spinal origin; chorea. Sensation of lightness of body when walking. Vaccinosis; never well since vaccination; neuralgia, skin troubles etc. Crying babies; with a sycotic taint from the father; from congenital inguinal hernia. Pains keep extending from their original site. Neurasthenia; prostatic. Rheumatism. Paralysis. Suppressed gonorrhoea. Ill effects of tobacco. Suppressed sycosis, figwarts. Aneurism by anastomosis; swelling of the blood-vessels. Stitching, tearing pains in the glands as if they were being torn to pieces.

Worse

***COLD; ***DAMP; heat; of bed. Periodically-3 a.m. and 3 p.m. Yearly. Increasing moon. Moonlight. During menses. Urinating. Tea. Coffee. Sweets. Fat food. Onions. Sun. Chewing. Bright light. Mercury. Syphilis. Stretching. Coitus. Closing eyes.

Better

Warm; wrapping; air, wind. *Free secretions. *Sneezing. Motion. Crossing legs. Touch. Drawing up limbs. Rubbing. Scratching.

Mind

*Fixed ideas; as if a strange person at his side; as if soul and body were separated; as if body were fragile, made of glass; *as of a live thing internally; as of being in the hands of a stronger power. *Hurried with ill humour; talks hastily; swallows words. Sad. Aversion to life. Over-excited, angry or anxious about trifles. Music causes weeping, and trembling of feet. Nervous; begins to twitch on approach of strangers. Cannot concentrate. Insane women will not be touched or approached. Fear; on seeing green stripes. Speech slow, hunts for words. Irritable, jealous, quarrelsome, towards husband or mother, controls herself among strangers and doctors. Cretinism. Mental depression, after childbirth. Walks in circle in room.

Head

Vertigo as from motion of a swing; everything seems to jump; on closing eyes, looking upwards or sideways. *Pain as if pierced by a nail.* Headache worse sexual excess; from tea; better bending head backwards. Tearing, jerking pain. White scaly dandruff. Hair dry, split; and falls out. Sweat smelling like honey.

Eyes

Blood red; full of tears; stand open. Lids heavy as lead. Jagged iris. Iritis. Scleritis. Styes and tarsal tumours. Feels as if cold air were streaming out of the head through eye better when

warmly covered. Photopsies, beyond visual field. Floating (green) stripes. Exophthalmos; from tumours behind eyeball.

Ears

Otorrhoea; watery, purulent; putrid. Cracking when empty swallowing. Noise in ear as from boiling water.

Nose

*Bloody scabs; or briny odour in nose. Blows thick, green mucous. Epistaxis, worse after being over-heated.

Face

Pale, waxy, *shiny; dark under eyes. Netted with spider-like veins. Boring in malar bones (left) better by touch. Skin greasy. Neuralgia; from suppressed gonorrhoea or eczema of ear. Tumour on cheek.

Mouth

Teeth; decay at the edge of gums, crumble; turn yellow. Gnawing pain in teeth worse cold, tea and blowing nose. Pyorrhoea. Ranula. Varicose veins on tongue and mouth. Aphthae; ulcers in the mouth. White blisters on sides close to the root of tongue, painfully sore. Frequently bites the tongue, from swelling of it. Sweetish taste; with gonorrhoea. Becomes dry while chewing food.

Throat

Much mucous in throat hawked up with difficulty.

Stomach

*Noisy swallowing; loud belchings. Rancid or greasy eructations. Aversion to potatoes and fresh meat, onions disagree. Tea drinker's dyspepsia. Unable to eat breakfast. Desires cold drinks and salt.

Abdomen

Big, puffed; protrudes here and there as from arm of foetus; motions as if something alive (in old maids). Indurations in abdomen. Rumbling, flatulence; upper part drawn in. Soreness of navel. Cutting, squeezing in hypogastrium. Ileus. Gurgling in bowels; then painless watery grass green stools. Stools gurgle or *pop out worse breakfast. Stools; hard; oily; black, lumps, mixed with gushing water; hurried, explosive, gassy, spraying. Cutting, squeezing in groins. Piles swollen, painful. Anus fissured, warty; oozing from. Perineum moist. Tenesmus with rigidity of penis. Perineal fistula.

Urinary

Cutting squeezing in *bladder and urethra. Bladder feels paralyzed, must wait for urination. Frequent, hasty; with pain in other parts; urging, with profuse flow. Urine; burns, dribbles, foul. Feels as if a drop was running down urethra; after urination. Forward cutting in urethra on urinating. Urinary stream split and small. Pains from left kidney to epigastrium worse motion. Lithaemia. Diabetes mellitus. Involuntary urination at night, when coughing. Foamy urine.

Male

Gonorrhoea, scalding when urinating. Rheumatism from checked gonorrhoea. Prostatic enlargement. Offensive genitals; sweetish smelling sweat on scrotum. Testes feel bruised; left drawn up. Swelling of prepuce. Excrescences of prepuce and glans. Chordee worse at night. Semen offensive.

Female

*Vagina; *very sensitive, prevents coition; itching. Left ovary inflamed, with tearing pain worse menses. Leucorrhoea; profuse, thick, greenish, from one period to another. Erosion of cervix. Foetus moves violently, awakes her. Abortion at the 3rd month. Cauliflower excrescences bleeding easily. Recto-vaginal fistula. Sweaty organs before menses. Retracted nipples. Menses too early, too short.

Respiratory

Short difficult breathing worse from deep breathing and talking. Cough only during the day or worse as soon as he eats or drinks anything cold. Expectoration; easy when lying down; green, taste like old cheese. Asthma worse night; of sycotic children. Chest pains take various directions. Skin of clavicles blue. Brown spots on chest. Polypus of vocal cords. In asthma if *Ars. fails to cure, even though seems indicated, *Thuj. and *Nat-sul will take up the work and complete the cure.

Heart

Anxious palpitation; on waking; in the morning.

Neck and Back

Pulsation in the back. Pressing pain over kidney region. Atrophy of long muscles. Spine curved. Stands bent forward. Blood boils.

Extremities

Cracking in joints, when stretching them. Fingers cold, numb, as if dead, on waking at night. Crawling or inflamed finger or toe tips. Hip joints give way when walking. Limbs feel as if made of wood or glass and would break easily. Limbs feels paralyzed. Knees restless. *Painful brittle; crumbling; discoloured, distorted. Coxalgia with *tender soles. Foul, acrid foot sweat. Nails; ribbed, soft, lengthening of limb. Ingrowing toe nails.

Sleep

Sleepless when lying on left side. Persistent insomnia. Dreams of death; of falling from a height.

Fever

Shaking chill; with yawning; worse urinating not better by heat. Heat rises into chest; with *icy cold hands; nose bleed or cough. Sweat only on uncovered parts; with dry heat on covered ones; with cold hands better washing. Sweat *profuse on *genitals; gushing, worse company; foul, oily, pungent, sweetish, sometimes garlicky, staining yellow.

Skin

Brown; *spotted; *dirty; hairy. Eruptions itch or burn violently worse cold bathing. Moist foul polypi. Naevi. Eruptions only on covered parts. Ulcers flat, with bluish bottom. Stinging,

jumping out feeling. *Foul pustules with sunken apices. Luxuriant growth of hair on parts otherwise not covered by hair. Herpes zoster.

Related

Asaf; Calc-c; Ign; Kali-c; Lyc; Merc.

Complementary

Med; Nat-m; Nat.s; Nit-ac; Puls; Sabin; Sil.

[Back to Index](#)

Thymol [Thymol]

Generalities

Considered to be a specific for Hook-worm disease. Sexual neurasthenia.

[Back to Index](#)

Generalities

A sarcode prepared from dried Thyroid gland of the sheep or calf. Thyroid has close connection with the HEART; moreover it exercises a general regulating influence on the mechanism of the organs of *nutrition: growth and development. It affects the central Nervous System, skin and left side. A state of puffiness and obesity. Feels tired and sick, easy fatigue, wants to lie down. Fainting fits, tremors, nervous; of face and limbs. Stabbing, splitting, clutching sensation. Choking. Rapid emaciation. Goitre. Tingling. Myxoedema, with loss of hair; and cretinism. Arrested development of children. Infantile wasting. Undescended testicle in boys. Thyroid weakness causes decided craving for large quantities of sugar. Acromegaly; delayed union of fractures. ***TETANY, worse cold. Instantly. Hystero-epilepsy. As of a cold wind blowing on the body. Rheumatoid arthritis. Oedema. Mammary tumours. Low blood pressure.

Worse

Least exertion or cold. Stooping.

Better

Lying on abdomen or reclining position.

Mind

Stupor alternating with restless melancholy. Weeps, undresses. Homicidal tendency. Suspicious. Idea of persecution. Ill tempered worse opposition; goes into a rage over trifles. Grumbling; continuously. Laughing in a way peculiar to herself.

Head

Feeling of lightness in brain. Persistent frontal headache; heaviness over eyes. Falling of hair.

Eyes

Exophthalmic goitre. Progressive loss of sight with central scotoma.

Ears

Sclerosis of ossicles.

Nose

Dry, indoors; runs outdoors.

Face

Flushed. Lips; dry, red, burn; with free desquamation.

Mouth

Tongue thickly coated; metallic taste at tip.

Throat

Dry, burning. As of a splinter struck across the throat.

Stomach

Desire for sweets and thirst for cold water. Vomiting of pregnancy.

Abdomen

Cutting in liver worse deep breathing. Rolling flatulence with gurgling, then loose gassy stool. Bearing and aching down through pelvis into anterior thigh.

Urinary

Increased flow of urine. Diabetes mellitus. Urine smells of violets. Enuresis of weakly children.

Female

Amenorrhoea. Gnawing in uterus. Agalactea. Vomiting of pregnancy. Uterine fibroids. Mammary tumours. Puerperal; convulsions; insanity.

Respiratory

Larynx dry. Dry painful cough on entering a warm room, from cool air. Breathlessness better lying in recumbent position.

Heart

*Palpitation worse least exertion; hammering; beats felt in ear. Tachycardia. Heart pains radiate into axilla; clutching, constricting, worse lying down; causing short breath. Hypertrophy after hard labour. As if blood were rushing downwards, through the body. Jumping sensation at heart. Large veins on arms and hands. Valvular diseases of heart.

Extremities

Quivering of limbs; tremors. Numb left fingers then right leg. Left hand icy cold. Cold clammy hands. Abnormal growth of limbs due to excessive exertion.

Fever

Hot flushes; then chills, or drenching sweats. Oily musty sweat.

Skin

Very dry. Itching without eruptions. Psoriasis with adiposity. Ichthyosis. Itching with jaundice. Peeling of lower limbs. Brawny swelling. Symmetrical serpigenous eruptions.

Related

Calc; Glon.

[Back to Index](#)

Generalities

It causes weakness of the *muscles* and affects the female genitals and urinary organs. Intense *soreness;* of the abdomen, *uterus* etc. Bearing or dragging down pains in genito-urinary and rectal region. Bed feels too hard. Oedema. Neuralgia. Rheumatism. Haemorrhages, of thin pale blood. ***THE MORE THE SWEATS THE GREATER THE PAIN.

Worse

***SWEATING. Draughts. Talking. After sleep. Walking. Sneezing.

Better

In cool room. Walking about in open air.

Mind

Love-sick. Dread of society.

Head

Neuralgia (right then left); with veil before eyes.

Eyes

As of a gauze before eyes. As if a piece of cold iron pressed through right eye causing burning.

Nose

Much sneezing with fluent coryza. Epistaxis.

Abdomen

Soreness with warm sweat which gives no relief. Peritonitis.

Urinary

Heavy dragging pain in urethra. Scanty urine.

Female

Intense very sore feeling about uterus; bearing down, with hot sweat; without relief. Soreness and redness of external genitals. Puerperal metritis.

Respiratory

Cough from tickling in throat.

Sleep

*Sleepy; worse during pain.

Fever

Profuse warm sweat; soon after falling asleep; without relief.

Skin

Urticaria. Intense itching and burning like fire after scratching.

Related

Apis; Calc; Lil-t.

[Back to Index](#)

Generalities

Sensation in lungs as if breathing hot air; air as if full of impurities. Preventive for mumps. Retards progress of cancerous tumours before ulceration has taken place. Use Mother Tincture.

[Back to Index](#)

Generalities

Common name Birth-root, gives the indication for its use. It is a haemorrhagic remedy, *haemorrhages of all kinds; antepartum; postpartum; in climacteric; fibroid tumours; gushing, bright red; *with great faintness and dizziness. *Relaxation of pelvic region.

Worse

*Motion. Climaxis. Sitting erect.

Better

Exertion in open air. *Tight bandage. Bending forward.

Head

Dull pain worse : noise, walking, coughing; better : bending forward.

Eyes

Feel too large and as if would fall out from their sockets. Everything looks blue.

Nose

Profuse nosebleed.

Mouth

Bleeding after extraction of teeth.

Abdomen

Faintness and sinking at stomach. Chronic diarrhoea with bloody discharge. Dysentery with passing of almost pure blood.

Female

Uterine haemorrhages, with sensation as though *the bones of hips, *back and thighs are forced* apart or falling to pieces, better tight bandaging; with faintness and sinking at stomach. Menses every two weeks. Varices of pregnancy. Dribbling of urine after labour. Profuse long-lasting bloody lochial discharge. Leucorrhoea; profuse yellow, sticky.

Related

Sabin.

Complementary

Calc-p.

[Back to Index](#)

Trombidium [Trom]

Generalities

Has a specific place in the treatment of dysentery worse by food and drink. Brown, thin, bloody stools, much pain before and after stools. Stools only after eating. Mucous discharge from nose while eating dinner.

[Back to Index](#)

Generalities

This nosode is prepared either from tubercular abscess or from a glycerine extract of pure cultivation of tubercular bacilli. It affects the *mind; ***LUNGS; head, occiput; glands and larynx. Very valuable in the treatment of incipient tuberculosis. The symptoms are *constantly changing*_begin suddenly, ceasing *suddenly; *or of obscure nature* and well selected remedy fails to improve. Weakness, emaciation with good appetite. *Patient takes cold easily on slightest exposure; which ends in diarrhoea. Very susceptible to changes of weather. Relapsing states. Always tired; motion causes intense fatigue. Increasing exhaustion *and lowered vitality. Rapid breakdown. Adapted to light complexioned, narrow chested subjects. Scrofula; enlargement of the glands. Adenoids. ***TUBERCULAR TAIN. Quiverings. Mentally deficient children. Epilepsy. Neurasthenia. Very sensitive mentally and physically. Nervous weakness. Trembling. *Clothes feel damp. When *Tub, fails *Syph, often follows favourably, producing a reaction. This remedy should not be given when the heart is weak. Bruised pain throughout the whole body. Bones painful. Formication. Faintings.

Worse

***CLOSE ROOM. Motion. *Exertion. Weather; *changing; ***DAMP; cold. Draught. *Awakening. Noise. Thinking of it. Mental excitement. Music. *Pressure of waist band. Standing. Periodically.

Better

Cool wind. Open air. Motion.

Mind

***SENSITIVE; to music; *every trifle irritates; worse : awakening. Fits of violent temper; wants to fight; throws anything at anyone even without a cause. *Dissatisfied; always wants a change, wants to travel; does not want to remain in one place long, wants to do something different or even to find a new doctor, weary of life. Aversion to mental work. Reckless. Fear of animals; of dogs. Whines and complaints with very little ailment. Desire to use foul language, curse and swear. Changing moods. Confusion everything in the room seems strange. Nocturnal hallucinations, awakes frightened. Children awake screaming, with restlessness. Anxious. Hopeless. Loquacious; during fever. Contradictory; mania and melancholia; insomnia and stupor.

Head

*Deep violent head pains; tears hair or beats head with fist or dashes against the wall or floor, worse : motion. Shooting from over eyes (right) through the head to back of ear (left) or from right frontal protuberance to right occipital region. Brain feels loose. Meningitis. Sensitive scalp. Plica polonica (i.e. matted hair). Periodical headaches.

Eyes

Eczema of margins of eyelids. Sore bruised eyeballs worse on turning them. Meningitis with squint.

Ears

Persistent offensive otorrhoea. Perforation of tympanum with ragged edges.

Nose

Crops of small boils, very painful successively appear in nose; green foetid pus. Sweat, on. Colds, ending in diarrhoea.

Face

Old, oedematous, pale. Aching in malar bones.

Mouth

Feeling as if the teeth were all jammed together and too many for his head. Teeth sensitive to air. *Delayed dentition. Dryness, stickiness. Black blisters on lips.

Throat

Hawks mucous after eating. Adenoids. Dryness of the posterior nares. Enlarged tonsils.

Stomach

Craves told milk or sweets. Aversion to meat, to all food. All gone hungry sensation, which drives one to eat.

Abdomen

Early morning sudden diarrhoea. Stools; brown; *foul; watery; discharged with much force. Tabes mesenterica. Diarrhoea of children running for weeks; with wasting; exhaustion and bluish pallor. Tearing in rectum on coughing. Inguinal glands indurated and visible. Drum belly. Chronic diarrhoea, with excessive sweat. Constipation; stools large and hard, then diarrhoea. Spleen region bulging out; stitching pain in sides after running.

Urinary

Must strain at stool to pass water. Bed wetting. Sticky urinary sediment.

Female

Menses; soon after child birth; too early, too profuse, long lasting. Dysmenorrhoea; pain increases with the flow. Mammary tumours; benign. Retraction of nipples. Amenorrhoea. Severe pain in breast at the beginning of menses.

Respiratory

***SENSATION OF SUFFOCATION; even with plenty of fresh air; longs for cold air. Hoarseness better : talking. Cough; dry; hard, more during sleep; worse dyspnoea; with chill and red face worse evenings; worse : raising arms. Mucous rattle in chest; without expectoration. Sore spot in chest. Asthma. Pneumonia; after influenza. Profuse expectoration. Thick yellow or yellow green sputum.

Heart

Heaviness and pressure over the heart. Palpitation; on taking deep breath; after evening meal.

Neck and Back

Tension in nape. Pain in back, with palpitation. Chill between shoulders or up back.

Extremities

Hands and arms feel lame; unable to write or raise a cup or a glass. Finger tips brown. Sensation of fatigue in limbs. Cold feet; in bed. Limbs feel weak or as if paralyzed worse : dinner. Acute articular rheumatism. Pains in ulnar nerve.

Sleep

Dreams; vivid; of shame; frightful. Awakes in horror. Shuddering sensation on falling to sleep. Restless at night and screams in sleep.

Fever

Chilly, when beginning to sleep yet wants fresh air. Heat on cheek; of affected side; in spots. Flushes of heat worse : eating. Burning in genitals. *Sweat; easy; cold; clammy; on upper parts; on hands; worse : coughing; stains yellow. Wants covers in all stages.

Skin

Dry, *harsh; sensitive, easily tanned; itching in cool air. Branny scales. Psoriasis. Chronic eczema. Itching changes places on rubbing.

Related

Bar-c; Calc-p; Phos; Puls; Sil.

Complementary

Bell; Calc; Kali-s; Psor; Sep; Sulph.

[Back to Index](#)

Generalities

A remedy for glycosuria and increased urine. Excessive thirst, nausea, vomiting, excessive appetite; diabetes mellitus and insipidus. Great emaciation. Debility; tendency to ascites and general dropsy. Nephritis. High blood pressure. Burning in stomach; gastric ulcer. Incontinence of urine. Burning in urethra while passing urine. Impotency with nightly emissions. Menses suppressed during diabetes.

Better

Deep breathing.

Worse

At night.

[Back to Index](#)

Generalities

As its common name stinging nettle implies, it produces stinging or *stinging-burning pains. Affects the ***MAMMARY GLANDS; *genito-urinary organs; liver and spleen. Urinous odour of the body. Uric acid diathesis. *Urticaria; associated or alternating, with rheumatism. Haemorrhages. Ill effects of *burns; bee-stings, eating shell fish; suppressed milk; urticaria. Angio-neurotic oedema.

Worse

Snow air; cool moist air. Cool bathing. Yearly. Touch. Lying on arm.

Head

Headache, with stitches in spleen.

Abdomen

Stools; small, painful, mucous mixed with white matter like boiled white of an egg. Intense itching of anus; from pinworms. Vomiting, from suppression of urticaria.

Urinary

Acrid urine causing itching. Gravel. *Uric acid toxaemia. Urine suppressed.

Male

Itching, burning of genitals; of scrotum; keeps him awake.

Female

*Pruritus vulvae; itching, stinging; and oedema of the parts. *Diminished secretion of milk; after parturition. Swelling of the breast; with stinging, burning pains. Arrests the flow of milk after weaning.

Respiratory

Haemoptysis; after violent exertion.

Extremities

Continuous pain in deltoid (right) worse : rotating arm inwards; could not put on the coat. Acute gout.

Fever

Sweatiness; at night; with vertigo, with throbbing all over the body.

Skin

Itching, raised, red blotches. Nettle rash; worse every year same season. Prickly heat. *Hives;* elevated; with rheumatism; after shell fish; with pinworms. Vesicles. Burns and scalds of the first degree; with intense burning, itching; apply locally.

Related

Form; Nat-m; Oci-c.

[Back to Index](#)

Generalities

Corn-smut affects the *female sexual organs; skin, hair and nails. Congestive, passive or *slow bleeding or in clots; blood, dark, but watery. *Dark haemorrhages. As of a *knot; in uterus, bowels, throat etc. *Loss of hair and nails. Prostration from sexual abuse. Adapted to tall, thin women; at climaxis.

Worse

Climacteric. Touch. Motion.

Mind

Great depression of spirits. Weeps frequently.

Head

Sticky secretion matting the hair. Milk crusts. Vertigo; with white spots before the eyes; at climaxis; with profuse menses. Nervous headaches from menstrual irregularities.

Abdomen

Pain as if intestines were tied in a knot, colicky pain better by hard stools, or constipation.

Male

Irresistible desire to masturbation. Erotic fancies. Emissions; every night and even when talking to a woman.

Female

Vicarious menstruation, from lungs and bowels. Menses; half liquid half clotted; bright red; worse : slightest provocation. Menorrhagia; of climaxis; after abortion. Oozing of dark blood; clotted, forming large black strings. Cervix spongy, easily bleeding. Acute ovarian pain (left). Burning distress in ovaries (right). Soreness of uterus and ovary (left). Pains shoot down thighs. Foul, yellow or brown leucorrhoea. Pain under left breast; at margin or ribs, between periods; constant. Hypertrophy of uterus; sub-involution. Uterus feels drawn into a knot. Bearing down pains when child nurses. Fibroids. Tumours have been noted to have disappeared after its use. Menses suppressed, without cause with accompanying symptoms.

Back

Sensation of boiling water flowing along the back.

Extremities

Muscular contractions; of lower limbs.

Skin

Dry, hot.

Related

Asaf; Bov; Sec.

[Back to Index](#)

Vaccinium [Vac]

Generalities

A nosode prepared from vaccine matter. Useful remedy for the morbid, chronic states known as Vaccinosis. Neuralgia; inveterate skin eruptions; new growth; sycotic conditions.

Related

Maland; Thuj.

[Back to Index](#)

Generalities

Produces over-sensitiveness of ***NERVES; *spinal; genito- urinary. Affects the *mind; muscles, calf, heels; tendo-achilles. *Mental and physical dispositions change suddenly; and go to extreme. Pains are darting, tearing; *move outwards; are felt here and there or come and go; jump from one place to another. *Illusions; of vision; hearing; smell; or taste. Sense of floating, of duality, of a ball or plug. *Want of reaction.* Alternating symptoms. Agitation of all nerves; jerks, twitches; trembling. Restlessness; *impulse to move; cannot keep still. *Weak; *single parts;* eyes; arms, wrists; popliteal etc. Globus. Sensation of a thread hanging down from oesophagus. ***NERVOUS, *irritable and weak hysterical women in whom the intellectual facilities predominate and who suffer from neuralgia. Red parts turn white. Slight injury causes spasms. Early bed-sores. Epileptic fits. Paralysis and contraction of limbs; hysterical. Constant heat and uneasiness.

Worse

***REST. ***STANDING. *Excitement. Evening. Open air; draught of air. Fasting. Darkness. Stooping.

Better

*Changing position. Walking about. Rubbing. After sleep. Meals. Breakfast.

Mind

Mental disturbances passing from one extreme of emotions to another; from the highest joy to deepest grief; from mildness to grumbling. Impatience; passes quickly from one subject to another. Erroneous ideas; thinks she is someone else; as if all around were strange and disagreeable. Wriggles or squirms about. *Anger. Inclined to faint. Hysteria; dreads being alone and esp. in the dark. Mad; raving, swearing. Sees imagines, animals, men.

Head

Aches in jerks; better : moving about worse sunshine. Coldness in upper head. Vertigo; on stooping; feels light, as if floating.

Eyes

Brightness and light before eyes in the dark room; vision sharp. Objects seem too near eyes. Wild look.

Ears

Illusions of hearing, imagined he heard the bell tinkle. Otalgia; worse : draft and cold.

Face

Pain appears suddenly and jerks. Muscles twitch. Cheeks red and hot in open air.

Mouth

Rancid greasy taste. Nausea felt in throat. Tongue thickly coated.

Throat

As of a thread in throat; with salivation and vomiting.

Stomach

Eructations like bad eggs. Hunger with nausea; as if from navel. Child vomits curdled milk in large lumps after nursing; after mother's anger. Sense of something warm rising from the stomach and causing suffocation. Cramps in stomach.

Abdomen

Bloated. Cramps. *Flatulency; hysterical. Thin, watery, diarrhoea; with lumps of curdled milk, with violent screaming in children. Cramps, after eating, in bed at night. Draws abdomen in, involuntarily.

Urinary

*Urine increased and more frequent; in nervous women.

Respiratory

Choking in throat on falling asleep. Wakes as if suffocating. Spasmodic asthma.

Heart

Stitching in heart, with quick, small and weak pulse.

Extremities

Crampy pain, electric like shocks in humerus (left), wakes from sleep. Heels pain when sitting or constantly. Sciatica pain worse : when standing, sitting and resting better : walking, and rubbing. Constant jerking. Tensive pain in the calves worse : crossing legs. Cramps in biceps (right) while writing. Cramps of hands and feet prevent sleep. Pain from calf to heel. Sciatica; worse : stretching limbs, while standing. Legs feel light after walking.

Sleep

Sleepless, with nightly itching and muscular spasms; from nervous excitement.

Fever

Chill start and go down back from occiput. Fever composed of disagreeable heat only. Sudden gushes of sweat; mostly on forehead. Body ice cold; with nausea and vomiting.

Related

Asaf, Ign, Puls.

[Back to Index](#)

Generalities

A remedy for degenerative conditions of liver and arteries. Fatty degeneration of heart and liver. Arterio-sclerosis. Deeply pigmented patches on forehead in liver affections. Profound weakness.

[Back to Index](#)

Generalities

Nosode prepared from *lymph* from small-pox pustule has proved as an efficient preventive against small-pox contagion and vaccinal infection. Modifies and aids in the cure of small-pox. *General aching in the muscles worse in back; *occiput and legs.* Calcareous deposits in the blood-vessels, spinal cord. etc.

Worse

Motion. *Vaccination.

Mind

Morbid fear of small-pox.

Head

Crazy feeling in the brain. Headache with icy coldness of feet and hands.

Eyes

Green vision, on rising.

Mouth

Tongue protrudes during sleep. Foul, metallic taste. Offensive mouth.

Stomach

Every odour nauseates. Wants to regurgitate food. Vomiting of milk immediately after drinking it.

Abdomen

Tympanitis; pouting upwards; she looks pregnant.

Back

*Breaking backache. Pains from back, shift to abdomen.

Fever

As of cold water trickling down the back. Violent chill. Intense burning fever. Foul sweat.

Skin

As of bugs crawling under the skin. Eczema of palms. *Pustular eruptions; foul. Shingles, and pain that follow. Ulcers look scooped out.

Related

Ant-t; Cimic; Maland.

[Back to Index](#)

Generalities

White Hellebore profoundly affects the *mind; ***NERVES; *abdominal; *heart; blood, blood-vessels; respiration; *vertex, and digestive system. ***COPIOUS EVACUATIONS; vomiting, purging, salivation, sweat, urine, with ***PROFOUND PROSTRATION; ***COLDNESS; *blueness; and ***COLLAPSE are characteristic features. ***EFFECTS ARE VIOLENT AND SUDDEN. It is a great ***FAINTING remedy; faints from emotions; least exertion; slight injury, with haemorrhage; after stools, vomiting. *Cold perspiration on the forehead* with all complaints. *Cold; as ice; breath; tongue. Tonic *spasms* or *cramps;* in chest; bowels; hands; fingers; toes; soles of feet; with diarrhoea. Progressive weakness and emaciation in acute diseases; whooping cough, ague, etc. Sudden sinking of strength. Paralysis after debilitating losses. Convulsions caused by religious excitement; also of children. Post-operative shock. Excessive dryness of all mucous membranes. Burnings. Children feel better when carried about quickly. Blood seems to run cold; blood sepsis, pyemia. Carphology. Ill effects of fright; disappointed love, injured pride or honour; suppressed exanthema, opium, tobacco, alcohol.

Worse

***EXERTION. ***DRINKING; *cold drinks. Fright. *During pain. Wet, cold weather; change of weather. Before and during menses. Before, during, after stools. Touch; pressure. Injured pride or honour. Opium eating. Tobacco chewing.

Better

Warmth; covering. Walking about. Hot drinks. Lying. Eating meat. Milk.

Mind

Sullen indifference. Amativeness. Haughtiness. *Delirium; *early; with violence, loquacity or lewdness; during pain. Melancholy, head hangs down, sits brooding in silence; wants to be alone. Prays, curses, shrieks in turn. Desire to cut and tear things. Mania, alternating with taciturnity. Insanity. Remorse. Delusions of impending misfortune. Busy restlessness. Aimless wandering from home. Deceitful, never speaks the truth. Kisses everybody; before menses. Despair about position in society; feels very unlucky. Sings, whistles, laughs. Runs from place to place. Malingering, thinks herself pregnant. Puerperal mania. Nymphomania; embraces everybody even objects. Religious mania. Talks about the faults of others or scolds. Anguish, fear of death. Despairs of her salvation. Imagines the world on fire. Swallows his own excrement. Extravagant, haughty ideas and actions. Imaginary diseases.

Head

Cold sweat on forehead; in all complaints. Violent pain driving him to despair, better cold. Sensation of a lump of ice on vertex. Headaches; with nausea, vomiting, pale face, diarrhoea, diuresis. Rubs forehead. Hair bristle, painful. As if cold wind blowing through head. Vertex itches during headache.

Eyes

Surrounded by dark rings. Turned upwards. Lachrymation with redness. Lids dry, heavy.

Nose

Smell before nose. Tip icy cold. Nose pointed. Epistaxis from right nostril, only at night in sleep.

Face

Deathly pale; on rising; *bluish;* pinched or distorted; frowning; cold; terrified look. Cheek red (left), as if burnt. Jaws cramp on chewing. Lock-jaw. Lips blue; hang down.

Mouth

Toothache; teeth feel heavy as if filled with lead. Grinding of the teeth. Tongue; cold; pale, cool sensation as from peppermint like. Taste peppermint like. Speech lisping, stammering or as if tongue was too heavy. Mouth; dry, salty saliva. Water taste bitter.

Throat

Dry; scraping or roughness. When drinking water it seems to run outside, not going down the oesophagus.

Stomach

Burning thirst. *Craves ice water, which is vomited as soon as swallowed; wants everything cold; or sour drinks, juicy fruits and salt. Vomits or eructates froth. ***EXCESSIVE VOMITING WITH PURGING; *violent retching. Hiccough, after hot drinks. Nausea while eating, cannot get food down without retching. Vomiting worse drinking and least motion. Cold waterbrash. All fruits disagree causing painful distension. Gnawing hunger in spite of nausea and vomiting. Voracious appetite. Potatoes and green vegetables disagree. Eating meat and drinking milk better.

Abdomen

Painful retraction of abdomen during vomiting. Painful, burning at pit of stomach. Sinking and empty feeling. Burning or cold feeling. Watery, green, odourless or colourless (rice water) stools or in large masses; with straining, until exhausted, with cold sweat. Diarrhoea from drinking cold water in hot days. Peritonitis. Intussusception. Reversed peristaltic action. *Cutting colic; as if bowels were twisted in knots, with *cramps in limbs and rapid prostration. Cholera, morbus, infantum. Epigastrium painful. Hot coals in. Constipation of nursing infants or from cold weather. Stools; thin like ribbon, flat.

Urinary

Urine; scanty, red brown. Thick, greenish, suppressed; involuntary, during cough.

Female

Nymphomania; before menses, from disappointed love; unsatisfied passion; in lying-in women. Dysmenorrhoea with prolapse; with coldness of the body; diarrhoea; cold sweat, and fainting with slightest movement. Eclampsia. Puerperal mania. Menses; too early, too profuse, suppressed. Menorrhagia; with nausea, vomiting, diarrhoea.

Respiratory

Air seems too hot. Asthma worse in damp cold weather better bending head back. Tickling down throat into lungs. Continuous violent cough; with retching; worse cold drinks. Rattling in chest. Neglected whooping cough; with complication. Barking cough with eructations,

worse warm room. Involuntary urination with cough. *Loss of voice. Cough on entering a warm room from cold air.

Heart

Weak; cutting at. Visible palpitation; with chorea. Pulse intermittent, feeble, slow; thready. Blood runs like cold water through veins.

Neck and Back

Neck so weak, child can scarcely keep it erect worse whooping cough. Pain crampy between scapulae better motion. Bruised feeling in sacral region.

Extremities

Brachial neuralgia, paralytic and bruising pain in arms. Fine burning in arms, right to left. Arms feel full and swollen. Tingling in hands and fingers. *Cramps in calves, during stools. Electric jerks in legs; must sit up and let legs hang down out of bed. Difficulty in walking like paralysis; from debility. Pains in feet or knees as if heavy stones were tied to parts, must move about. Feet icy cold.

Sleep

Awakes at night trembling. Starts as if frightened.

Fever

***GENERAL COLDNESS; icy; *on vertex; nose, tongue, mouth, limbs, sweat. Internal heat with cold surface, when drinking. Fevers showing external coldness only. Congestive chill; with thirst.

Skin

Wrinkled. Feels scorched. Blue, cold.

Related

Ars; Camph; Cupr; Cyanides; *Tub.

Complementary

Carb-v.

[Back to Index](#)

Generalities

Green American Hellebore produces ***VIOLENT CONGESTIVE *conditions; *base of brain; ***MEDULLA; *lungs; with nausea and vomiting, and weakness. *Stomach; heart and capillaries are also affected. Markedly uneasy sensation in the whole body. Twitchings and convulsions; here and there; during sleep; jerking and trembling, threatened with convulsions. *Muscular prostration; pseudo-hypertrophic muscular paralysis. General pulsations. Erratic motion; staggering. Spasms; with violent shrieks opisthotonus; before and after menses. *Burning in different places; tongue, pharynx; gullet; of skin which is cold; with prickling. Uraemia. Eclampsia. ***SUDDEN effects. *Faintings, prostration, nausea. Numbness. As if damp clothing on arms and legs, or clothes would not fit him, seemed as if they were scratching him somewhere. Suited to full-blooded plethoric persons. Effects of sunstroke. Reduces blood-pressure. Children tremble as if frightened and on verge of spasm. Chorea, twitching, contortions, unaffected by sleep; froth about the lips. Continuous jerking of the head; sexual excitement. Lies with head low.

Worse

***RAISING UP. Motion. Cold. Lying on back. After confinement. Sunstroke.

Better

Rubbing. Lying with head low. Eating.

Mind

Loquacity, with exaltation of ideas. Quarrelsome. Delirium; furious, screams, howls, strikes, incessant muttering. Mania, puerperal. Carphology. Fear; of seeing her physician; of being poisoned. Suspicious.

Head

Vertigo with nausea and sudden prostration, better closing eyes and resting head. Head retracted. Constant jerking or nodding of the head, (chorea); throbs on raising up. Aching on vertex and between eyes. Pain up occiput with dim vision and dilated pupils. Meningitis, basilar. Apoplexy.

Eyes

Vision; of red spots; purple; on closing eyes; unsteady. Pupils dilated. Wild, staring, during delirium. Blood shot.

Ears

Deafness, from moving quickly with faintness. Cold and pale.

Nose

Pinched and blue. Rapid and continued sneezing, with warm biting feeling in mouth.

Face

Flushed, ***LIVID TURGID; ***BUT BECOMES FAINT on sitting up. Tension across malar bones. Convulsive twitching of facial muscles. Chewing motions of the jaw.

Mouth

Drawn at one corner. Tongue; white as if bleached; dry; *with red streak down centre. Taste like odour of semen. Odour from mouth like chloroform or ether. *Foul. Mouth feels as if scalded.

Throat

Burning in gullet; oesophagitis. As if a ball rising in.

Stomach

Very thirsty; drinks little which better for a short time. Hiccough; painful, violent; constant, with spasms of oesophagus. Nausea, with vomiting and purging, smallest quantity of food or drink immediately rejected. *Vomiting, violent, without nausea. Stomach seems to press against the spine. Gastritis.

Abdomen

Pain and soreness across just above pelvis. Cutting at navel to groin. Pain in bowels runs into scrotum. Tenesmus and burning in rectum better during and after stools. Enteritis with high fever.

Urinary

Urine scanty with cloudy sediment. Cystitis, with fever.

Female

Dysmenorrhoea with strangury. Suppressed menses with congestion of head. Rigid os. Puerperal; fever; convulsions; with mania, or mania continues after convulsions have ceased.

Respiratory

Congestion of lungs. *Slow heavy breathing; as of a load on chest. Dyspnoea. Violent cough from very start. Pneumonia. Burning in chest.

Heart

Dull aching; burning, at. *Pulse; *full, *large, *soft or *slow; with strong or violent heart beats. Pulsation throughout the body, more in right thigh.

Neck and Back

Aching neck and shoulders. Cannot hold head up. Opisthotonus.

Extremities

Cramps in legs; feet, soles, fingers, toes. Vesicles on hands. Violent electric like shocks in limbs. Convulsive twitching. Pain about the condyles. Pulsation felt in thighs. Restless hands, during delirium.

Sleep

Coma. Sleeplessness. Dreams of drowning; of being on water.

Fever

*Hyperpyrexia or rapidly oscillating temperature with sweat. Cold *clammy or hot *sweat.
*Cerebrospinal; suppurative; acute rheumatic; fever. Fever high in the evening, below normal in the morning.

Skin

Tingling and prickling in skin. Itching in different parts better rubbing. Cold, clammy, bluish.
Erysipelas, with brain symptoms.

Related

Acon; Gels.

[Back to Index](#)

Generalities

An oil is prepared from flowers known as Mullein oil which has been found useful locally in cases of deafness or earache. This remedy has a marked effect on the *nerves esp. the inferior maxillary branch of the fifth nerve; ears; respiratory tract and bladder and left side. Soothes nervous, bronchial and urinary irritation. Produces catarrhs and cold; spasmodic effects and neuralgias. Tearing, stitching, *cramping; *squeezing, *crushing, *paralyzing pains.

Worse

Drafts. Change of temperature. With every cold. 9 a.m. to 4 p.m. Twice a day, at same hour. Talking. Sneezing. Touch.

Better

Deep inspiration.

Eyes

Pain in eyes as from contraction of the orbits.

Ears

Deafness. Earache. Deafness from getting water in, as in swimming or as if stopped by a valve. Numb (left).

Nose

Coryza, with hot lachrymation.

Face

Prosopalgia worse pressing teeth together, least movement; in malar bones.

Mouth

Copious salt water in the mouth.

Abdomen

As of a lump or twisting around navel. Piles; obstructing stools; itching, inflamed.

Urinary

Enuresis; at night; worse coughing.

Respiratory

*Hoarseness; voice sounds like a trumpet. Frequent attacks of deep, hollow cough with sound like a trumpet; better deep breathing. Cough; nervous; without waking.

Related

Acon; Plat; Sep.

[Back to Index](#)

Generalities

Live wasp produces stinging, burning pains *as if pierced with red hot needles. Convulsions, loss of consciousness, does not answer when spoken to, looks into space, has no recollection of the attack.

Better

Cold washing of hands.

Worse

Hot stove, or in a closed room.

[Back to Index](#)

Generalities

Common name Cramp Bark shows, how this remedy acts. It is a remedy for general *cramps. Violent spasmodic, nervous effects esp. in the *females dependent upon the ovarian or uterine origin. Pains make her so nervous, she cannot keep still. Haemorrhages. Suited to tall, slender, fair-haired or dark hysterical subjects. Left sided symptoms. Feels sick all over, in pelvic complaints. Paralytic conditions; after convulsions.

Worse

Fright. *Before menses. Cold-snow, air. Lying on left side. Sudden jar. In close room.

Better

*Rest. *Pressure. Open air.

Mind

Very nervous and irritable.

Head

Vertigo worse descending stairs. Feels faint on sitting up. Terrible crushing pain worse left parietal region with a sensation as if head opening and shutting.

Eyes

Sore feeling in eyeballs.

Face

Flushed and hot.

Stomach

Constant nausea better by eating. No appetite.

Abdomen

*Excruciating crampy colicky pain or heavy aching in hypogastrium; better menses.

Urinary

*Frequent profuse urination; during headache; menses; haemorrhages etc. Cannot hold water on coughing or walking. Dysuria, spasmodic.

Female

Menses; too late, scanty, lasting a few hours, offensive. Dysmenorrhoea; with flatulence; loud eructations and nervousness; spasmodic; membranous. Heavy aching feeling or *excruciating cramps; in pelvis; better menses. Frequent and very early *miscarriage; causing seeming sterility. False labour pains. Violent persistent after-pains. *Uterine haemorrhage. Leucorrhoea; thick, white, blood streaked worse during stools. Consciousness of internal sexual organs. Prevents abortion when it is given before the membranes are broken. Uterine pains extend around the pelvis often extending down the thighs. Pelvic organs turning upside down.

Respiratory

*Suffocative spells at night worse cold, damp. Infantile asthma.

Neck and Back

Tired backache better pressure. Lumbago better walking with a cane pressed, arms across the back. Pains in the back end in a *cramp in uterus or go down the thighs.*.

Extremities

Cramps in calves, before menses.

Skin

Tettery spots on cheeks, arms etc.

Related

Caul; Puls; Sep.

[Back to Index](#)

Generalities

It affects skin and hair and is effective for uterine haemorrhages. Weakness and prostration, accompany many sufferings; weakness and faintness as if he would die. Mental exertion causes tremulous feeling and tendency to start.

Worse

After swallowing. Anger. Stooping. Walking.

Head

Spots on scalp oozing foul moisture, matting hair together. Corrosive itching of scalp. Plica polonica (matted hair). Bald spots covered with short woolly hair. Hair falls out and is replaced by gray hair.

Nose

Becomes red on becoming least angry. Sores in nose. Frequent nose bleeding.

Throat

Cutting in lower oesophagus; which provokes swallowing.

Female

Menses; profuse, flowing like a stream; without interruption; with great weakness; at climaxis. Passive uterine haemorrhage, long after climacteric. Bleeding fibroids.

Skin

Very sensitive, becomes red and sore from slight rubbing. Weeping eczema intermingled with foul, thick crusts. Corrosive itching.

Related

Ust.

[Back to Index](#)

Generalities

Sweet Violet produces great *nervous debility. Affects ears, eyes, wrists (right) and skin. Combined *eye, *ear and kidney symptoms. Worm affections in children. Tension. Suited to tall, thin, nervous girls. Nervous activity, then sudden exhaustion.

Worse

Cloudy weather. Cold air. Music. Puberty. Suppressed discharges.

Mind

Inclined to weep, without knowing why. Aversion to music, esp., violin. Childish behaviour; despondent; refuses eating; talks in low soft voice.

Head

Tension in scalp extending to upper part of the face. Headache across the forehead, above the eyebrows; must knit the brows. Burning in forehead.

Eyes

Pain from eyes (left) to vertex worse cough; choroiditis. Illusions of vision; fiery, serpentine circles. Cramp in eyes. Lids tend to close without physical sleepiness.

Ears

Affection, with pain in eyeballs. Otorrhoea; recurrent; from birth. Deafness.

Nose

Tip numb; as from a blow.

Stomach

Craves meat.

Abdomen

Itching at anus. Worms.

Urinary

Urine milky with strong smell. Enuresis; in nervous children.

Female

Dyspnoea, during pregnancy.

Respiratory

Oppression of chest; as of weight on. Difficult breathing, anxiety and palpitation. Long lasting spells of cough during day time only; with dyspnoea.

Extremities

Shoulders cold. Rheumatism of deltoid muscles and wrist (right) esp. in females. Trembling of limbs. Pressing pain in bones of fingers.

Sleep

Yawning and stretching without sleepiness.

Skin

*Dry, *with moist palms.

Related

Puls; Spig.

[Back to Index](#)

Generalities

*Skin; *of the scalp and urinary organs are the chief centres of action of this remedy. Combined urinary symptoms with skin affection. Nervous paroxysms after suppressed crusta lactea; eczema.

Worse

*Pressure on side opposite to painful side. Winter. Cold air.

Head

Cracked, gummy crusts on scalp, exuding profuse tenacious yellow fluid, matting the hair together; with swelling of cervical glands. Milk crusts.

Urinary

Urine offensive; smelling like cat's urine. Enuresis.

Male

Seminal emissions; with vivid dreams; at stool. Swelling of prepuce with itching.

Extremities

Rheumatism, articular, itching like eruptions round the joints.

Skin

Eczema; of childhood. Impetigo. Large boils all over the body; in scrofulous children.

Related

Rhus-t.

[Back to Index](#)

Generalities

The poison of common German Viper affects the *blood and blood- vessels esp. ***VEINS; causing inflammation of veins and ***HAEMORRHAGIC TENDENCY. Paralysis; ascending; paraplegia; of foot. Multiple neuritis. Poliomyelitis. *Bursting feeling. Climacteric affections. Goitre.

Worse

***LETTING LIMBS HANG DOWN. Yearly. Cold. Touch. Change of weather.

Nose

*Epistaxis; with vertigo; while nursing the child.

Mouth

Tongue swollen, brownish-black, protruding. Lips; blue; swollen. Speech difficult. Face swollen.

Throat

Swelling like goitre. Oedema of glottis.

Abdomen

Excruciating pain in epigastrium worse pressure. Violent pain in *enlarged liver extends to shoulder and hip; jaundice, with fever.

Urinary

Haematuria.

Female

Climacteric haemorrhage; flow red with dark clots, not profuse but continuous; with prostration and faintness; from nursing the child.

Extremities

Fullness and unbearable pain as if limb would burst; must keep parts elevated; sits with feet high. Cramps in; or blue lower limbs. Shuffling gait caused by paralysis; of foot. Varicose veins and acute phlebitis.

Skin

Ulcers. Gangrene. Boils. Carbuncles, with bursting sensation. Peeling off in large plates. Lymphangioma.

Related

Elaps.

[Back to Index](#)

Generalities

Mistletoe affects the nerves and female sexual organs. General tremor as if all muscles are in fibrillary contraction. Neuralgia. Chorea from fright. Spinal pains due to uterine causes. Epilepsy, he felt a glow that rose up from feet to head. Gouty and rheumatic complaints. Blood would not clot and wounds would not heal. Sciatica, with otorrhoea.

Worse

Winter; cold stormy weather. Motion. Lying on left side. Becoming chilled while hot. Suppression of menses.

Mind

Fear of telephone.

Head

Vertigo; persistent; after epileptic attack. Sudden throbbing in vertex.

Abdomen

Feels as if someone were dragging her down from the waist. Sore about waist.

Urinary

Urine milky; after standing.

Female

Metrorrhagia; blood partly bright and partly clotted and dark.

Respiratory

Feeling of suffocation when lying on left side. Bronchial asthma, connected with gout or rheumatism.

Heart

Palpitation, during coitus, in males. Hypertrophy. Low tension.

Extremities

Tearing, shooting, pains, in both thighs and upper extremity. Sciatica; with otorrhoea. Sensation of a spider crawling over back of hand and foot. Red hot coal applied to the heel as if. Glow sensation from foot to head. Lumbago from a chill, wants someone to press against the back.

Related

Bufo.

[Back to Index](#)

Generalities

Commonly known as Prickly Ash, exerts its influence on nerves; female sexual organs; respiration and left side. Paralysis of single members; hemiplegia. Grinding, shooting, radiating, sudden pains; neuralgia. Neurasthenic patients who are thin; emaciated, poor assimilation, with insomnia. Pricking sensation; shocks as from electricity. Numbness of left side. Mucous membranes smart as from pepper. As if floor were soft like wool, on walking. Injury to nerves.

Worse

Sleeping. Dampness. Getting feet wet. Suppressed menses.

Better

Vomiting. Lying down. Drinking of ice water.

Mind

Nervous frightened feeling. Did not care if she lived or died.

Head

Throbbing headache; pain as if top of head would fly off. As if head is divided into two parts. As of a tight band around.

Throat

Peppery taste in mouth and throat. Feels hollow.

Stomach

Dyspepsia from excessive eating and drinking.

Female

Ovarian neuralgia with pain in hips and lower abdomen. Violent, *agonizing, grinding, *dysmenorrhoeal pain, not better in any position; pains go to thighs or radiate over whole body, even to heart. After-pains with lochia; with characteristic pains. Menses; too early and profuse; thick almost black blood. Leucorrhoea, replaces menses. Amenorrhoea.

Respiratory

Constant desire to take a deep breath. Oppression of chest. Constant dry cough day and night.

Extremities

Soreness of thighs before menses. Neuralgic shooting pains in limbs. Hemiplegia (left). Sciatica worse in summer. Coccyx; Very sensitive, seem elongated.

Sleep

Dreams of flying.

Related

Ars; Lach.

[Back to Index](#)

Generalities

It involves the *lumbar region and lower limbs. Chorea. Profound exhaustion on slight exertion. Occipital pain. Blue vision. Burning in bladder. Numb right arm then left, better writing. Lumbar pain worse *exertion; sitting; jarring or standing. Soles ache when tired better pressure.

Worse

10 a.m. and 3 p.m. Slight exertion.

[Back to Index](#)

Generalities

Acts upon *ears; *nose; throat; and left side. Aching, gnawing, grinding, pain or wandering; in shocks. Catching stitches that impede motion.

Worse

***MOTION. Lying on back. Washing head.

Mind

Aversion to work; cannot bring herself to it.

Head

Inward pressure; in spot on bregma. Throbbing temples.

Eyes

Vision wavering.

Ears

Throbbing behind the ears.

Nose

Bad odour within nose. Blowing of pus and blood and scabs.

Mouth

Taste metallic.

Stomach

Indefinite craving; knows not for what. Aversion to even thinking of food.

Abdomen

Can not tolerate her hands on abdomen.

Female

Dryness of vagina with sense of coming sickness; 10 to 12 a.m.

Respiratory

Cough from tickling in throat-pit. Expectoration, sweet, loose; but had to be swallowed, or tough; with constant spitting spells. Shooting from larynx (left) up through tonsils into ear.

Heart

Cutting at apex; at night.

Back and Neck

Gnawing and grinding below and above left scapula.

Extremities

Feet sore. Cramps of gnawing, grinding pain; in toes; at night.

Related

Puls.

[Back to Index](#)

Generalities

*Heart; valves and nerves are affected. Jerking; starting; splinter like pains. Floating sensation. Undulating pain.

Worse

*Lying on left side. Heat.

Mind

Hard to remember what he reads.

Head

Vertigo worse lying on left side.

Nose

Obstructed; at night. Blowing of thick; yellow lumps. Hot and dry.

Throat

Goitre pressing inwardly. Splinter-like pains.

Stomach

Coldness in stomach and bowels with tendency to perspire.

Respiratory

Tickling in throat; the more he coughs the more tickling becomes. Undulating pain at border of right floating ribs.

Heart

Palpitation when lying on left side. Myocardial exhaustion.

Extremities

Lower limbs feel as if floating; worse lying on left side. Cramps in calves, ankles better pressing feet to floor.

Related

Stict.

[Back to Index](#)

Zinc Phosphate [Zinc-p]

Generalities

A remedy for mental depression; fatigue; brain fag of businessmen. Sexual excitement and sleeplessness. Nervousness. Paralysis. Epilepsy. Abuse of bromides. Forgetful, indolent, apprehensive worse afternoon and night. Formication all over the body. Nervous vertigo better lying.

[Back to Index](#)

Zinc Sulphate [Zinc-s]

Generalities

Clears up the opacity of cornea. Trembling and convulsions.

[Back to Index](#)

Generalities

Affects the *nerves; ovaries and spine. Painful nervous effects. Neuralgia. Oversensitive; nervous and sleepless. Hysteria. Obstinate hiccough. Epilepsy without aura.

Better

*Rubbing.

Mind

Excitable. Mentally distressed. Groundless fear.

Head

Violent neuralgic intermittent headache.

Ears

Tickling over left ear.

Face

Prosopalgia.

Mouth

Sour taste in a.m. Smothers on attempting to eat.

Abdomen

Crampy pains from flatulence; in hypogastrium. Mucous colitis.

Female

Overalgia; pain shoots from abdomen to thighs, to feet; during and after menses. Dysmenorrhoea; pains down the thighs.

Back

Aching up.

Fever

Chills after mental excitement or exertion. Cold parts burn as they warm up.

[Back to Index](#)

Generalities

This remedy corresponds to the poisoning of ***NERVES and ***BRAIN. ***BRAIN AND NERVES ARE FAGGED; tissues are worn out faster than they can be repaired; causing *depression and *enervation. Cannot throw things off, cannot develop exanthemata or discharges. *Period of depression in disease. Marked anaemia; increasing *weakness; worse eating; *with restlessness. Poisoning by suppressed discharges and eruptions. *Isolated effects; *formication. One part numb another sensitive, one part hot, other part cold. Pain in spots; between skin and flesh. *Trembling; internal. Convulsive twitching or *jerking worse at night, during sleep, *spasms; from spinal injuries. *Fidgety feet* and other automatic motions of mouth, arms and hands. Feels numb, all over, on lying down. Neuralgia after shingles better touch. Transverse pain; shooting pains. Descending paralysis. Disabling bone pains. Chilblains; blueness of the surface. Bloody discharges. Ill effects of grief; anger; fright; night watching; operations excessive study. Chorea from fright or from suppressed eruptions, worse during sleep, the feet esp. affected. Ill effects of concussion of brain.

Worse

***EXHAUSTION; mental or physical. *Noise. *Touch. Wine. After being heated. Suppressed eruptions; menses; discharges. Sweet things. Milk. After eating.

Better

*Motion. Hard pressure. Warm open air. ***FREE DISCHARGES; menses etc. Rubbing, scratching. Eating.

Mind

Repeats all questions before answering them. Fears arrest on account of supposed crime. Fretful, peevish; *cries if vexed or moved; during sleep (children). Easily, startled; excited or intoxicated. *Forgetful. *Screams with pain. Averse to conversation; to work. *Sensitive to others talking and noise. Stares as if frightened on waking, and rolls head from side to side. Muddled. Brainfag. Weeps when angry. Lethargic. Thinks of death calmly.

Head

Violent vertigo with stupor. *Headache of varying intensity. *Pressive pain on vertex; at *the root of the nose; extending to eyes; with weak vision worse warmth; better hard pressure; open air. Heavy aching pain in temples worse biting. Dragging down back from occiput; as of a blow on occiput then weak legs. Crashing in head, on falling to sleep. Rolls head; bores in pillows and grinds teeth. Occiput hot, forehead cold. Hair falls from vertex. Hair brittle, bristle, sensitive. Brain paralysis. Vertex bald with soreness of scalp. Headaches, of overtaxed school children; from drinking small quantity of wine. Headache with dim vision worse heat. Meningitis. Hydrocephalus after infantile cholera or diarrhoea.

Eyes

Itching and soreness of lids and inner angles. Conjunctivitis worse inner canthi. Feel drawn together. Lachrymation on eating. Pterygium. Rolling of eyes. Squint. Sees luminous bodies or intense burning after operation.

Ears

Frequent acute stitches; in children (boys). Otorrhoea of foetid pus. Itching better boring into it.

Nose

Swollen. Pressure upon the root. Dry, sore.

Face

Pale; alternating with redness. Bluish; miserable. Lips; sticky, dry, cracked.

Mouth

Grinds the teeth. Bleeding gums. Echo speech. Herpes in mouth from sea bathing. Bitter or bloody taste.

Throat

Pain in muscles of throat externally while swallowing. Pain in fauces when yawning. Bitter taste in.

Stomach

Ravenous hunger about 11 a.m. Heartburn worse from sugar. Great hastiness when eating, or drinking. Cannot eat fast enough. Loss of appetite with clean tongue. As if a worm crawling up to the throat from the pit of stomach; causing coughing. Sweetish rising into throat with sweet taste. Globus hystericus rising from pit of stomach. Aversion to meat esp. veal; sweets; cooked or warm food. Wine worse. Liquids are vomited immediately after drinking.

Abdomen

As of a lump in liver region or at Navel. Hypogastric flatulence. Liver enlarged, hard and sore. Reflex symptoms from floating kidneys. Piles drawn down better heat; worse walking. Stools; large, dry, difficult, followed by involuntary urination. Itching at anus during stools. Ulceration of piles. Cholera-like diarrhoea in infants. Nervous diarrhoea. Affections of brain from sudden stoppage of diarrhoea; constipation in new born. Hot, putrid flatus. Neuralgia; of spleen; intercostal. Jerking from groins to penis.

Urinary

Violent urging, but urinates only in odd positions; bending backwards, crossing limbs etc. Hysterical retention. Bleeding after urination. Pressive cutting about kidneys. Unable to retain the urine unless the feet are in constant motion. Floating kidney. Involuntary urination when walking, coughing or sneezing. Vicarious bleeding from suppressed menses.

Male

Easy sexual excitement; emission too rapid or difficult during embrace. Discharge of prostatic fluid without any cause. Grasps the genitals; with cough etc. Falling of pubic hair. Sadness after emission. Swelling of testicles with retraction. Neuralgia of testes worse walking.

Female

Sexual desire increased. Desire for masturbation; during menses. Nymphomania of lying-in women; from suppressed lochia. Profuse lumpy menses. Menses flow more at night. Itching of vulva during menses; causing masturbation. Varicose veins during pregnancy. Breasts

painful, nipples sore. All complaints better during menstrual flow. Pain in ovary (left). Restlessness, sadness, coldness of the body, sensitiveness of the spine and fidgety feet, all these symptoms are found in women's complaints. Mammae and genitals painful, with suppressed menses.

Respiratory

Dyspnoea worse flatulence better expectoration. Debilitating spasmodic cough, worse eating sweet things. Constricted chest. Dry cough, before and during menses. Fumbles the genitals while coughing esp. children.

Heart

As if a cap over the heart. Hard heart beat. Irregular spasmodic action of the heart; occasional one violent thump. Violent pulsations during heat.

Neck and Back

Nape of neck feels weary and tired from writing or any mental exertion. Neck feels lame, then stupor. *Burning along whole spine worse sitting. *Aching in spine; small of the back worse turning in bed; sitting or in the act of sitting down, and stooping. Spine sensitive, cannot bear it touched. Cutting pain in inter-scapular region better eructations. Dull aching pain about last dorsal or first lumbar vertebrae. Weakness in lumbar region worse standing.

Extremities

Pains in limbs on becoming heated. Weakness and trembling of the hands; when writing; during menses. Eczema on hands. Transverse pain esp. in upper limbs. ***CANNOT KEEP FEET AND LEGS STILL; cramps, when cold. Toes; feel swollen; sore; tips ache. Soles sensitive. Bones of the feet feel broken. Stumbling, spastic gait; totters while walking esp. in the dark and with closed eyes. Painful varicoses; chronic. Lightning-like pain of locomotor ataxia; sweaty feet with sore toes. Formication of feet and legs as of insects crawling over the skin, prevents sleep, better rubbing and pressure. Hysterical contractions, drawing the fingers out of shape. Burning in tibia. Paralysis of feet. Ulcerative pain in heel worse walking. Pain in deltoid worse raising arm.

Sleep

Broken, unrefreshing. Loud screaming in sleep without being aware of it. Jerks and starts on falling to sleep. Somnambulism after suppressed emotions.

Fever

Chilliness in the back; as if fever would appear. Hands and legs become cold. Profuse sweat at night. Sweaty feet.

Skin

Itching of thighs and hollow of knees. Eczema; in the anaemic and neurotic; of hands. Varicose veins of legs and genital organs. Formication of feet and legs as from a bug crawling over the skin, preventing sleep.

Related

Hep; Ign; Kali-p; Lach; Pic-ac.

Complementary

Puls; Sep; Sulph.

[Back to Index](#)

Generalities

Affects the digestive tract. Complaints from eating melon and drinking impure water. Asthma of gastric origin; without anxiety worse towards the morning. Suppression of urine after typhoid. Dry cough with profuse expectoration in the morning. All the joints feel weak. Heels ache after standing long.

[Back to Index](#)