

Field notes

from the branch garden

SPECIMEN 001 / MODULES II



Nine draft PRs.
One growing idea.

Still under cultivation.

A quieter treatment: botanical specimen sheet, generous margins, marginal numbers, one idea at a time. The unfinished system is something to observe closely.

DRAFT MODULES / EXPERIMENTAL FUMOLA

Names that keep their meaning.

I. A BOUNDARY

A sealed module gives an abstract type a path: **M.T.** The name says where its identity comes from, even when its representation stays hidden. Modules II is still working out the rules around that boundary.

II. A MEMORY

A Fumola livelit names a runtime and, in one form, a thunk. Reusing that name can keep an edit attached to prior state. Copying or reloading raises a different question: which history should the new object inherit?

```
# TWO LANGUAGES, ONE NOTEBOOK #
```

```
let gcd : Int =  
  ^fumola_put_force(0, "`zine_gcd", "Gcd.gcd(12, 18)") in  
  
let answer : Int =  
  ^fumola_eval(0, "`zine_counter := 41; get(`zine_counter) + 1") in  
  
(gcd, answer)
```

```
≡ (6, 42)
```

FIELD OBSERVATION 02 / A GCD and a named-cell read return (6, 42) from Fumola to Hazel.

*A module can hide its representation.
A runtime can remember an earlier value.
Both need a name that survives the edit.*

[Abstract types #2495](#) / [Fumola #2492](#) / [Runtime identity #2509](#)

NIGHT SHIFT

THE MACHINES HAVE A WORKBENCH

277


**visible Claude co-author credits
among 382 commit objects**

*No, this is not the percentage
of Hazel “written by AI.”*

The credits record disclosed assistance. Missing trailers leave the rest unknown; rebases and cherry-picks can count related work more than once. The numbers belong beside the stories, not above them.

DRAFT WORKSPACE / OPEN AGENT HARDENING

Somewhere to watch the edits happen.




```
RunningSums.running_sum

fun (nums: [Int]) ->
  let stepped =
    fold_left(nums, fun (acc, n) ->
      case acc
      | (sums, total) => ((total + n) :: sums, total + n)
      end
    , ([], 0)) in
  case stepped
  | (sums, _) => reverse(sums)
end

true
```

One definition open. A thousand-line program still running around it. Probes collect its calls; tests and the final result stay in view. Constellation adds another way to find the next definition.

FICTION DEPARTMENT



[Modular editors #2469](#) / [Constellation #2505](#) / [Hardening #2427](#)