

Coming Health Tech Fitness

is a high-tech enterprise specializing in the development and production of fitness equipment.

We're committed to creating premium fitness brands and products, providing high-quality solutions for premium gyms and professional training worldwide.

Currently, ComingTech has established long-term partnerships with professional clients and fitness organizations in over 50 countries and regions. With offices and sales centers in Europe and Southeast Asia, the company ensures efficient and professional services for global customers. Through continuous innovation and strict quality control, ComingTech has become a premium fitness equipment brand, delivering exceptional products for high-end gyms and professional training.

Innovation Drives, Quality Defines Excellence.
Join with Coming Health Tech,
Wellness is Coming!

HAMMER TANK SERIES

Key parts: 8mm~12mm thickness

Tubing: thickness 3mm, 70mm*80mm frame Painting: Double coated surface treatment Stainless weight horns Welded tube sheet, without

Handle: TPU material

All the hardware parts exposed are aluminum or stainless steel


High quality linear bearing


Adopted with high quality connecting rod *stainless steel*

Ergonomically designed upholstery is with PU foam

Welded tube sheet, without using plastic pipe plug.

BUILT TO A HIGHER STANDARD







CTS8005

LEG PRESS W 1627*L 2431*H 1356





















CTS8012

HORIZONTAL LEG PRESS

W 1506*L 2332*H 1648





CTS8013HIP THRUST W 1668*L 1712*H 743



CTS8015 LEG CURL W 1405*L 1851*H 1115







CTS8014 LINEAR ROW W 1660*L 1793*H 1457



HAMMER TANK SERIES

Painting: Double coated surface treatment

Ergonomically designed upholstery is with PU foam

High quality linear bearings & guide rods are applied.


Tubing: thickness 3mm, 70mm*80mm frame

Ergonomically designed handle bars are with aluminum grip ring.

All the hardware parts exposed are aluminum or stainless steel

Tubing: thickness 2.5mm, 70mm*80mm frame, commercial grade.

HAMMER TANK SERIES



BUILT TO A HIGHER STANDARD









SMITH WITH HALF RACK W 1621*L 2079*H 2280



DUAL ADJUSTABLE PULLEY
W 1101*L 1675*H 2241





IS6007 SEATED CALF PRESS W 899*L 1640*H 992



HALF RACK W 1275*L 1920*H 2256



IS6010

COMBO RACK W 1610*L 2050*H 1700



PULLOVER

W 1590*L 1832*H 1423




IS6012

VIKING PRESS

W 1459*L 1584*H 1671



K SQUAT



WEIGHT:285KGS





MULTI ADJUSTABLE BENCH

W 600*L 1470*H 450



HAMMER

-IS LINE >>>







ZHS9016

ADJUSTABLE HI/LO PULLEY

W 1122*L 900*H 2267



ZHS9017

4 STACK MULTI-STATION

W 1958*L 3166*H 2267









SQUAT CAGE W 650*L 900*H 1200









HIP SQUAT

W 652*L 985*H 961

WEIGHT:66KGS





IMH703

V SQUAT

W 997*L 1360*H 1368

WEIGHT:78KGS

IMH702

MID ROW

W 800*L 1338*H 1100

WEIGHT:52KGS







CHEST FLY

WEIGHT:92KGS

W 1003*L 1253*H 1970

IMH705

LATERAL

W 652*L 1273*H 1257 WEIGHT:55KGS



IMH706

BUTTERFLY

W 1490*L 1897*H 1037 WEIGHT:62KGS



IMH707

BELT SQUAT

W 1014*L 1643*H 1162 WEIGHT:81KGS



HACK SQUAT

W 1500*L 1700*H 1010

WEIGHT:105KGS



IMH711

FULL BODY TRAINER W 1670*L 1680*H 780 WEIGHT:65KGS



BICEP

W 670*L 1070*H 960 WEIGHT:32KGS







IMH717

LEG EXTENSION /CURL W 1000*L 1230*H 1100 WEIGHT:58KGS



IMH718

DUMBELL BECH

W 1657*L 1668*H 1373

WEIGHT:85KGS





DUAL ADJUSTABLE PULLEY

W 941*L 1530*H 2073

WEIGHT:225KGS

SMITH & POWER RACK

W 1710*L 2160*H 2130 WEIGHT:200KGS









IMH712 DUMBELL RACK W 480*L 1380*H 870 WEIGHT:51KGS



Model No.:	CTR5 CURVE TREADMILL	
Product Name:		
Console readout:	Time, Speed, Distance, Calorie, Watt,	
	Pace and Heart rate (Optional)	
Running surface dimension:	17.16" x 61" (436 mm x 1,550 mm)	
Equipment dimension:	68.9"x32.1"x61.4"(1750x817x1560)	
Equipment weight:	270LBS(122.5Kg)	
Shipment weight:	350LBS(159Kg)	
Max user weight:	400LBS/180Kg	
Max speed:	NO LIMITED	
Load of container:	48 units/40HQ, 24units/20feet	



Model No.:	CTR9 RESISTANCE CURVE TREADMILL	
Product Name:		
Console readout:	Time, Speed, Distance, Calorie, Watt,	
	Pace, Resistance Level and Heart rate. (Optional)	
Running surface dimension:	17.16"*61"(436 mm * 1550 mm)	
Equipment dimension:	68.9"*32.1"*61.4"(1940 *817 *1580)	
Equipment weight:	283 LBS/127.5 KG	
Shipment weight:	468 LBS/211 KG	
Max user weight:	400LBS/180Kg	
Max speed:	NO LIMITED	
Load of container:	48 units/40HQ, 24units/20feet	

CTR CURVE TREADMILL









Model No.:	CT5	CT7
console	7 windows+ dot matrix	18.5 inch big screen, seven languages, live action running, wifi and blue tooth links for internet, usb read, app down load, remote sharing of information
Entertainment	USB, MP3	
HEART RATE	YES	YES
INVERTOR	RHYME BUS (TAIWAN)	RHYME BUS (TAIWAN)
Moto And Motor Controller	AC 3HP MOTOR PEAK 5HP	AC 3HP MOTOR PEAK 5HP
Activity- Zone Control	start ,stop convience on A zone incline&speed control, distance, calories, paulse	start ,stop convience on A zone incline&speed control, distance, calories, paulse
Accessory storage	lpad,phoen holder,two bottle holders	lpad,phoen holder,two bottle holders
Frame	2 set power-coating with tust resistant undercoat	2 set power-coating with tust resistant undercoat
Deck Type	hard wax resersable	hard wax resersable
Belt Type	Yongli 1600°600°2.5MM, commercial grade	Yongli 1600°600°2.5MM, commercial grade
Running Area	1600°600MM	1600*600MM
Cushion System	commercial cushioning system	commercial cushioning system
Deck Step Height	270MM	270MM
Incline Range	0-18%	0-18%
Speed Range	1-24KM/H	1-24KM/H
Rollers	3"	3"
Overall Dimentions	2230X920X15B0mm	2230X920X1580mm
Maximum User Weight	200KG/440LBS	200KG/440LBS
Carton Cubic Size	2260X970X660mm	2260X970X660mm
container count	18/35/48 sets to save delivery cost.	18/36/48 sets to save delivery cost.
Electrical Receptacle Plug	NEMA 5-20R 120V/220-240V	NEMA 5-20R 120V/220-240V

CT COMMERCIAL TREADMILL



COMING HEALTH TECH(QINGDAO).,LTD

MOBILE: 0086 13969613386

MAIL: sales@cominghealthfit.com WEB: www.cominghealthfit.com

ADDRESS: NO.103-105, Mochennan Road,

Jimo, Ancient City, Qingdao, China.