- b clang-7 -pthread -lm -o main main.c
- ./main
- 1. Create
- 2. Display
- 3. Insert_at_begining
- 4. Insert at end
 - 5. Insert at middle

Enter your choice: 1

Enter the data: 10

Node created

- 1. Create
- 2. Display
- Insert_at_begining
 - 4. Insert at end
 - 5. Insert at middle

Enter your choice : 1

Enter the data: 20

Node created

- 1. Create
- 2. Display
 - 3. Insert at begining
 - 4. Insert at end
 - 5. Insert at middle

Enter your choice: 2

10 20

1. Create

- 5. Insert at middle Enter your choice: 2 10 20 1. Create
- 2. Display
 - 3. Insert at begining
 - 4. Insert at end
 - 5. Insert at middle

Enter your choice: 3

Enter the element: 30

- 1. Create
- 2. Display
 - Insert at begining
 - 4. Insert at end
 - 5. Insert at middle

Enter your choice: 2

- 30 10 20
- 1. Create
- 2. Display
 - 3. Insert at begining
 - 4. Insert_at_end
 - 5. Insert at middle

Enter your choice: 4

enter the element: 40

- 1. Create
- 2. Display
 - 3. Insert at begining

1. Create 2. Display 3. Insert at begining 4. Insert at end 5. Insert at middle Enter your choice: 2 30 10 20 40 1. Create 2. Display 3. Insert at begining 4. Insert at end 5. Insert at middle Enter your choice: 5 enter the element: 50 enter the position to be inserted: 2 1. Create 2. Display 3. Insert at begining 4. Insert at end 5. Insert at middle Enter your choice : 2 30 50 10 20 40 1. Create 2. Display 3. Insert at begining 4. Insert at end 5. Insert at middle

Enter your choice :