```
> clang-7 -pthread -lm -o main main.c
> ./main

1. Create
2. Display
3. Delete
Enter your choice : 1
Enter the data : 10
Node created

1. Create
2. Display
3. Delete
Enter your choice : 1
Enter the data : 20
Node created

1. Create
2. Display
3. Delete
Enter your choice : 2
10 20
1. Create
2. Display
3. Delete
Enter your choice : 3
Enter the element to be deleted
10
```

```
Enter your choice : 3
Enter the element to be deleted
10

1. Create
2. Display
> clang-7 -pthread -lm -o main main.c
> ./main

1. Create
2. Display
3. Delete
Enter your choice : 1
Enter the data : 10
Node created

1. Create
2. Display
3. Delete
Enter your choice : 1
Enter the data : 20
Node created

1. Create
2. Display
3. Delete
Enter your choice : 1
Enter the data : 30
Node created
```

```
Node created

1. Create
2. Display
3. Delete
Enter your choice : 2
10 20 30
1. Create
2. Display
3. Delete
Enter your choice : 3
Enter the element to be deleted
10

1. Create
2. Display
3. Delete
Enter your choice : 2
20 30
1. Create
2. Display
3. Delete
Enter your choice : 3
Enter the element to be deleted
50
Element not found in the list

1. Create
2. Display
```

```
1. Create
2. Display
3. Delete
Enter your choice : 3
Enter the element to be deleted
20

1. Create
2. Display
3. Delete
Enter your choice : 3
Enter the element to be deleted
30

1. Create
2. Display
3. Delete
Enter your choice : 2
Nothing to print
```

```
1. Create
2. Display
3. Delete
Enter your choice : 3
Enter the element to be deleted
40
Empty List. Can't delete

1. Create
2. Display
3. Delete
Enter your choice : █
```