| | |
|---|---|
| **Status** | Finished |
| **Started** | Sunday, 18 October 2026, 9:49 AM |
| **Completed** | Sunday, 18 October 2026, 10:10 AM |
| **Duration** | 20 mins 42 secs |
| **Grade** | **10.00** out of 10.00 (**100**%) |

Question **1**

Correct

Mark 1.00 out of 1.00

Develop a Python program to read a specific line from a text file based on a given line number.

**Description:**

1. **Input:**
   - A text file with multiple lines.
   - A line number to read.
2. **Output:**
   - The content of the specified line.

input1.txt:

Line one.
Line two.
Line three.
Line four.

**For example:**

| Input | Result |
|---|---|
| input1.txt<br>3 | Line three. |

**Answer:** (penalty regime: 0 %)

```
import sys


def read_specific_line():
    input_data = sys.stdin.read().splitlines()
    if not input_data:
        return

    file_name = input_data[0].strip()
    target_line = int(input_data[1].strip())

    try:
        with open(file_name, "r") as file:
            for current_line_num, line in enumerate(file, start=1):
                if current_line_num == target_line:
                    print(line.rstrip("\n"))
                    return
    except FileNotFoundError:
        pass


if __name__ == "__main__":
    read_specific_line()
```

| | Input | Expected | Got | |
|---|---|---|---|---|
| ✓ | input1.txt<br>3 | Line three. | Line three. | ✓ |
| ✓ | input2.txt<br>3 | Line C. | Line C. | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **2**

Correct

Mark 1.00 out of 1.00

Write a Python program to reverse the contents of a specific line in a text file based on a given line number.

**Description:**

1. **Input:**
   - A text file with multiple lines.
   - A line number to reverse.
2. **Output:**
   - The updated file with the specified line's contents reversed in file "output.txt".

**Example:**

- **Input File Content:**

  **"Line one.**
  **Line two.**
  **Line three.**
  **Line four."**
  **3**

**Output:**

Line one.
Line two.
eerht eniL.
Line four.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>3 | Line one.<br>Line two.<br>eerht eniL.<br>Line four. |

**Answer:** (penalty regime: 0 %)

```
import sys


def reverse_line_in_file():
    input_data = sys.stdin.read().splitlines()
    if not input_data:
        return

    file_name = input_data[0].strip()
    target_line = int(input_data[1].strip())

    with open(file_name, "r") as file:
        lines = file.readlines()

    with open("output.txt", "w") as file:
        for idx, line in enumerate(lines, start=1):
            if idx == target_line:
                content = line.rstrip("\r\n")

                if content.endswith("."):
                    reversed_line = content[:-1][::-1] + "."
                else:
                    reversed_line = content[::-1]

                file.write(reversed_line + ("\n" if line.endswith("\n") else ""))
```

```
            else:
                file.write(line)


if __name__ == "__main__":
    reverse_line_in_file()
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>3 | Line one.<br>Line two.<br>eerht eniL.<br>Line four. | Line one.<br>Line two.<br>eerht eniL.<br>Line four. | ✓ |
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input2.txt<br>2 | Line A.<br>B eniL.<br>Line C. | Line A.<br>B eniL.<br>Line C. | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **3**

Correct

Mark 1.00 out of 1.00

Create a Python program to delete a specific line from a text file based on a given line number.

**Description:**

1. **Input:**
   - A text file with multiple lines.
   - A line number to delete.
2. **Output:**
   - The updated file with the specified line removed in file "output.txt".

**Example:**

- **Input File Content:**

  **"Line one.**
  **Line two.**
  **Line three.**
  **Line four."**
  **2**

  **Updated line two.**

**Output:**

Line one.
Line three.
Line four.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>2 | Line one.<br>Line three.<br>Line four. |

**Answer:** (penalty regime: 0 %)

```
import sys


def delete_line_from_file():
    input_data = sys.stdin.read().splitlines()
    if not input_data:
        return

    file_name = input_data[0].strip()
    target_line = int(input_data[1].strip())

    with open(file_name, "r") as file:
        lines = file.readlines()

    with open("output.txt", "w") as file:
        for idx, line in enumerate(lines, start=1):
            if idx != target_line:
                file.write(line)


if __name__ == "__main__":
    delete_line_from_file()
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>2 | Line one.<br>Line three.<br>Line four. | Line one.<br>Line three.<br>Line four. | ✓ |
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input2.txt<br>3 | Line A.<br>Line B. | Line A.<br>Line B. | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **4**

Correct

Mark 1.00 out of 1.00

Develop a Python program to identify and print all palindrome words from a given text file.

**Description:**

1. **Input:**
   - A text file containing multiple words.
2. **Output:**
   - A list of palindrome words found in the file name as 'output.txt'.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt | madam<br>arora<br>malayalam |

**Answer:** (penalty regime: 0 %)

```
import sys


def extract_palindromes():
    input_data = sys.stdin.read().splitlines()
    if not input_data:
        return

    file_name = input_data[0].strip()

    with open(file_name, "r") as file:
        content = file.read()

    words = content.split()
    palindromes = []

    for word in words:
        clean_word = "".join(ch for ch in word if ch.isalnum())
        if clean_word and clean_word.lower() == clean_word.lower()[::-1]:
            palindromes.append(clean_word)

    with open("output.txt", "w") as file:
        for pal in palindromes:
            file.write(pal + "\n")


if __name__ == "__main__":
    extract_palindromes()
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt | madam<br>arora<br>malayalam | madam<br>arora<br>malayalam | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **5**

Correct

Mark 1.00 out of 1.00

Develop a Python program to copy the contents of one file to another file.

**Description:**

1. **Input:**
   - Source file and destination file names.
2. **Output:**
   - The content of the source file copied to the destination file.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output1.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>output1.txt | This is the source file.<br>It contains multiple lines of text.<br>Here is another line. |

**Answer:** (penalty regime: 0 %)

```
import sys


def copy_file_contents():
    input_data = sys.stdin.read().splitlines()
    if not input_data:
        return

    source_file = input_data[0].strip()
    destination_file = input_data[1].strip()

    with open(source_file, "r") as src, open(destination_file, "w") as dest:
        dest.write(src.read())


if __name__ == "__main__":
    copy_file_contents()
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output1.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>output1.txt | This is the source file.<br>It contains multiple lines of text.<br>Here is another line. | This is the source file.<br>It contains multiple lines of text.<br>Here is another line. | ✓ |
| ✓ | `with open('output2.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input2.txt<br>output2.txt | Hello, world!<br>Python programming is amazing.<br>Let's copy this text to another file. | Hello, world!<br>Python programming is amazing.<br>Let's copy this text to another file. | ✓ |
| ✓ | `with open('output3.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input3.txt<br>output3.txt | Single line. | Single line. | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **6**

Correct

Mark 1.00 out of 1.00

Create a Python program to write to a specific line in a text file, replacing the existing content of that line.

**Description:**

1. **Input:**
   - A text file with multiple lines.
   - A line number to write to.
   - New content for the specified line.
2. **Output:**
   - The updated file with the specified line replaced by the new content in file "output.txt".

**Example:**

- **Input File Content:**

  **"Line one.**
  **Line two.**
  **Line three.**
  **Line four."**
  **2**

  **Updated line two.**

**Output:**

Line one.
Updated line two.
Line three.
Line four.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>2<br>Updated line two. | Line one.<br>Updated line two.<br>Line three.<br>Line four. |

**Answer:** (penalty regime: 0 %)

```
import sys


def replace_line_in_file():
    input_data = sys.stdin.read().splitlines()
    if not input_data:
        return

    file_name = input_data[0].strip()
    target_line = int(input_data[1].strip())
    new_content = input_data[2]

    with open(file_name, "r") as file:
        lines = file.readlines()

    with open("output.txt", "w") as file:
        for idx, line in enumerate(lines, start=1):
            if idx == target_line:
                file.write(new_content + ("\n" if line.endswith("\n") or idx < len(lines) else ""))
            else:
                file.write(line)

```

```
23
24 if __name__ == "__main__":
25     replace_line_in_file()
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>2<br>Updated line two. | Line one.<br>Updated line two.<br>Line three.<br>Line four. | Line one.<br>Updated line two.<br>Line three.<br>Line four. | ✓ |
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input2.txt<br>2<br>Line B Updated. | Line A.<br>Line B Updated.<br>Line C. | Line A.<br>Line B Updated.<br>Line C. | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **7**

Correct

Mark 1.00 out of 1.00

Write a Python program to count the frequency of each word in a given text file.

**Description:**

1. **Input:**
   - String as input.
2. **Output:**
   - A list of words with their corresponding frequency count to be write in a file "output.txt"

**Example:**

- **Input File Content:**

  apple orange apple banana apple orange

**Output:**

apple: 3
orange: 2
banana: 1

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `apple orange apple banana apple orange` | `apple: 3`<br>`banana: 1`<br>`orange: 2` |

**Answer:** (penalty regime: 0 %)

```
import sys
import re
from collections import Counter

def word_frequency_file():
    input_data = sys.stdin.read().strip()
    if not input_data:
        return

    # Extract clean alphanumeric words and normalize to lowercase
    words = [word.lower() for word in re.findall(r'\b\w+\b', input_data)]
    counts = Counter(words)

    with open("output.txt", "w") as file:
        for word in sorted(counts.keys()):
            file.write(f"{word}: {counts[word]}\n")

if __name__ == "__main__":
    word_frequency_file()
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output.txt', 'r')`<br>`as file:`<br>`  text = file.read()`<br>`  print(text)` | `apple orange apple banana apple orange` | `apple: 3`<br>`banana: 1`<br>`orange: 2` | `apple: 3`<br>`banana: 1`<br>`orange: 2` | ✓ |

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `Hello world! Hello everyone. Welcome to the world of programming.` | `everyone: 1`<br>`hello: 2`<br>`of: 1`<br>`programming: 1`<br>`the: 1`<br>`to: 1`<br>`welcome: 1`<br>`world: 2` | `everyone: 1`<br>`hello: 2`<br>`of: 1`<br>`programming: 1`<br>`the: 1`<br>`to: 1`<br>`welcome: 1`<br>`world: 2` | ✓ |
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `One fish two fish Red fish blue fish` | `blue: 1`<br>`fish: 4`<br>`one: 1`<br>`red: 1`<br>`two: 1` | `blue: 1`<br>`fish: 4`<br>`one: 1`<br>`red: 1`<br>`two: 1` | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **8**

Correct

Mark 1.00 out of 1.00

Write a Python program to append a new line at a specific position in a text file, shifting existing lines down.

**Description:**

1. **Input:**
   - A text file with multiple lines.
   - A line number to insert the new line at.
   - New content for the new line.
2. **Output:**
   - The updated file with the new line inserted at the specified position, shifting the existing lines down in file "output.txt".

**Example:**

- **Input File Content:**

  **"Line one.**
  **Line two.**
  **Line three.**
  **Line four."**
  **3**

  **Inserted line..**

**Output:**

Line one.
Line two.
Inserted line.
Line three.
Line four.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>3<br>Inserted line. | Line one.<br>Line two.<br>Inserted line.<br>Line three.<br>Line four. |

**Answer:** (penalty regime: 0 %)

```
import sys


def insert_line_in_file():
    input_data = sys.stdin.read().splitlines()
    if not input_data:
        return

    file_name = input_data[0].strip()
    target_line = int(input_data[1].strip())
    new_line = input_data[2]

    with open(file_name, "r") as file:
        lines = file.readlines()

    lines = [
        line if line.endswith("\n") else line + "\n" for line in lines
    ]

    insert_index = max(0, min(target_line - 1, len(lines)))
```

```
    lines.insert(insert_index, new_line + "\n")

    with open("output.txt", "w") as file:
        file.writelines(lines)


if __name__ == "__main__":
    insert_line_in_file()
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>3<br>Inserted line. | Line one.<br>Line two.<br>Inserted line.<br>Line three.<br>Line four. | Line one.<br>Line two.<br>Inserted line.<br>Line three.<br>Line four. | ✓ |
| ✓ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input2.txt<br>4<br>Inserted line D. | Line A.<br>Line B.<br>Line C.<br>Inserted line D. | Line A.<br>Line B.<br>Line C.<br>Inserted line D. | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **9**

Correct

Mark 1.00 out of 1.00

Create a Python program to find the longest word in a text file.

- **Input:**
  - A text file containing multiple lines of text.
- **Output:**
  - The longest word in the file.

**For example:**

| Input | Result |
|---|---|
| input1.txt | Longest word: containing |

**Answer:** (penalty regime: 0 %)

```
import re
import sys


def find_longest_word():
    input_data = sys.stdin.read().splitlines()
    if not input_data:
        return

    file_name = input_data[0].strip()

    with open(file_name, "r") as file:
        content = file.read()

    words = re.findall(r"\b\w+\b", content)

    if words:
        longest = max(words, key=len)
        print(f"Longest word: {longest}")


if __name__ == "__main__":
    find_longest_word()
```

| | Input | Expected | Got | |
|---|---|---|---|---|
| ✓ | input1.txt | Longest word: containing | Longest word: containing | ✓ |
| ✓ | input2.txt | Longest word: thousand | Longest word: thousand | ✓ |
| ✓ | input3.txt | Longest word: supercalifragilisticexpialidocious | Longest word: supercalifragilisticexpialidocious | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **10**

Correct

Mark 1.00 out of 1.00

Develop a Python program to read a text file and count the total number of words in the file.

**Description:**

1. **Input:**
   - A text file containing several lines of text.
   - File name you should get as input.
2. **Output:**
   - The total number of words in the file.

**For example:**

| Input | Result |
|---|---|
| input2.txt | Total words: 14 |
| input3.txt | Total words: 15 |

**Answer:** (penalty regime: 0 %)

```
import sys

def count_words():
    input_data = sys.stdin.read().splitlines()
    if not input_data:
        return

    file_name = input_data[0].strip()

    with open(file_name, "r") as file:
        words = file.read().split()

    print(f"Total words: {len(words)}")

if __name__ == "__main__":
    count_words()
```

| | Input | Expected | Got | |
|---|---|---|---|---|
| ✓ | input1.txt | Total words: 6 | Total words: 6 | ✓ |
| ✓ | input2.txt | Total words: 14 | Total words: 14 | ✓ |
| ✓ | input3.txt | Total words: 15 | Total words: 15 | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.