Status	Finished
Started	Tuesday, 29 September 2026, 3:31 PM
Completed	Tuesday, 29 September 2026, 3:36 PM
Duration	4 mins 49 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

- a. (1,2,3,4,5,6) ✓
- b. (1,2,3,3,2,1)
- c. Error
- d. (1,2,3)(4,5,6)

Question **2**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

- a. (16,17,18,19) ✓
- b. Error
- c. (25,19,18,17)
- d. (16,17,18)

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

- a. {1,3,8,9,41}
- b. ("Wonder")
- c. (1,4,5,6,7) ✓
- d. [1,2,3,4]

Question **4**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove "ECE" from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

- a. sampleSet.delete("ECE")
- b. sampleSet.discard("ECE") ✓
- c. del.sampleSet("ECE")
- d. remove.sampleSet("ECE")

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t = (58, 47, 36, 25, 14, 3)
x = t[2:-1]
print(x)
```

- a. (3,14,25)
- b. (36, 25, 14) ✓
- c. (58,47,36,25)
- d. Error

Question **6**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['30', '8', '3', '2']

b. ['8', '30', '3', '2'] ✓

c. ['2', '3', '30', '8']

d. ['2', '3', '8', '30']

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. i,ii ✓

b. ii

c. All of the above

d. iii

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {9}

b. It will throw an error as there are two 0 while creating the set.

c. {0,9} ✓

d. {0,0,9}

Question **9**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

a. (11,3)(11,3)(11,3)

b. (11, 3, 11, 3, 11, 3) ✓

c. (11,3,11,11,3,11,11,11,3)

d. [11,11,11,3,3,3]

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl[1]=2

b. tupl.sort()

c. tupl.append(2)

d. tupl1=tupl+tupl ✓

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

a. ii,iv

b. i,ii

c. iii,iv

d. i,iii ✓

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

a. (12)

b. (55,78,64,25)

c. 12

d. Error ✓

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (10, 20, 30, 40) (40, 50, 60, 70, 80)

b. (30, 40, 50) (10, 20, 30, 40)

c. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

d. (30, 40, 50)(40, 50, 60, 70, 80)

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', 1, ('cse', 'ece')} ✓

b. {'rec', True, ('cse', 'ece')}

c. Error

d. {'rec', 1, ('cse', 'ece'),True}

Question **15**

Incorrect

Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. A new set will be created with the unique elements of set1 and set2. ✕

b. A new set will be created with the elements of both set1 and set2

c. Elements of set1 will get appended to set2

d. Elements of set2 will get appended to set1