Every screen, one language.

Onboarding, the live queue, voice and the business brain — drawn in the landing page's own serif, its paper white, and the petrol teal inside its hero flower.

A build sheet, not a mood board: every screen carries its route, its components and its states.

01 — MATERIAL

White paper, black ink, one teal.

The landing page is mostly empty page. Type carries it; a single petrol teal does the marking. Nothing else — no gradients, no glass, no shadow above 8%.

Ground	Paper #FFFFFF, wash #F4F4F1
Ink	Jet #0A0A0A · muted #67676E · faint #A2A2A8
Accent	Petrol #0E6B5F, signal #12A594, mint #8FE0CE
Hairlines	0.8pt #E4E4DD · inside cards #EFEFE9
Radius	Cards 12 · fields 7 · controls 999
Motion	160ms in, 220ms out · one property at a time

COLOUR · SIX VALUES, NOTHING ELSE



Paper	Wash	Line	Ink	Petrol	Signal
#FFFFFF	#F4F4F1	#E4E4DD	#0A0A0A	#0E6B5F	#12A594

TYPE · PP EDITORIAL NEW + TELEGRAF

The unsure ones.

SIZE LADDER 38 → 5

38 22 14 9 7 5

Display · PP Editorial New Ultralight · −1.6 tracking

Live queue · 42 open · 94%

UI · Telegraf Regular · 7.0 / 1.55 body

MICRO CAPS · 5.0 · 1.2 TRACKING · UPPERCASE

1

FORM · CARD, PILL, FIELD, MARKER

CARD

12 radius · 0.8 hairline

One hairline, one tint, one meter. No stacked borders.

Primary

Ghost

Disabled

Marker 1 ties a pixel to the spec strip on the right.

EVERYTHING ON THE FOLLOWING SCREENS IS DRAWN FROM THESE SIX VALUES

02 — COMPONENTS

The kit.

Six primitives cover every screen. Build them once in components/ui, then compose.

BUTTONS

one black pill per screen

Primary

Ghost

Disabled

Send

Simulate

ICON BUTTONS · 24

+

24pt, hairline, no fill until hover

```
<Button variant="primary" />
```

STATUS BADGES

the PRD's five ticket states

answered

draft

escalated

failed

closed

new

Dot + tint + ink. The tint is 15% of the dot; the ink is its darkest readable pair.

```
<Badge state={ticket.state} />
```

METERS & RINGS

confidence, urgency, decisions

CONFIDENCE 94

URGENCY 20

BELOW THE FLOOR 49

Nothing below 50 is ever sent, at any confidence



The tape marks the boundary the router enforces; it is drawn here, not in the CSS.

```
<Meter value={conf} floor={50} />
```

FIELDS

rest, focus, error, multiline

REST

CloudPulse CRM

FOCUS

₹1,499 / mo

ERROR

not-an-email

Enter a valid email

Q: How do I export GSTR-1?
A: Reports › GST › Export JSON

Label sits 9pt above; the box never grows on focus.

```
<Field state="focus" />
```

TICKET ROW

the queue's only repeating unit


Aarav Mehta
Where is my crown order?
71
triaged

34 tall · channel · name · intent · confidence · state. Selected rows take the teal wash and a 2pt bar, never a border.

```
<TicketRow ticket={t} selected />
```

DATA & MARKS

the only decorative layer



Sparkline 1.1pt · measured, never invented. The donut takes the routing mix from the queue's own count.

```
<Donut data={decisionMix} />
```

03 — THE SCREENS

Four routes. Every surface.

A judge walks the same path the code does: public site, sign-in, twelve facts, then the four dashboard panels. One shell, one component kit, one accent.

/	**Landing** hero video · 3 steps · rules	05
/auth	**Sign in** tabs · Google · judge demo	06
/onboarding	**Twelve facts** 4 steps · .md upload · compile	07–10
/dashboard	**Four panels** queue · voice · brain · channels	11–16

IN THIS DECK

01	Cover
02	Material
03	The kit
04	Route map
05	Landing
06	Sign in
07	Onboarding 1 · identity
08	Onboarding 2 · catalog
09	Onboarding 3 · escalation
10	Onboarding 4 · channels
11	Dashboard · queue
12	Ticket detail · trace
13	Text agent modal
14	Voice test
15	Brain & insights
16	Channels & readiness
17	States & layout
18	Build order

Screens 05–17 are build sheets: an 812×540 viewport plus a spec strip.

Markers on the screen match the list on the strip — read them against the route and the component names.

AfterSales.

How it works Rules Features Go to dashboard 1

2 SPHINX '26 · PS 2.5


Your support queue, minus the guessing.

Every inbound message read, answered from your own business facts, and escalated below confidence 50 — with the rule and the reason attached.

Open the live demo Judge demo →

4 CHANNELS · 6 CHUNKS · 7 RULES

3



4

01
Teach it your business
Twelve answers compile into one versioned brain.

02
It triages every channel
One classifier, seven ordered rules, three outcomes.

03
You only see the unsure
Below 50 it escalates instead of guessing.

5

R2 Confidence below 50 never auto-sends. It escalates, with the rule and the reason attached. Read the rules

05 — LANDING

The public promise.

1 **Black pill nav**
One filled control on the whole page, top right.

2 **Serif hero**
33pt display, three short lines, left aligned, never centred.

3 **Video slot**
16:9 petrol card; the flower whorl is the only ornament.

4 **Proof strip**
R2 stated on the page — the product's own claim, not a testimonial.

ROUTE
/

COMPONENTS
components/landing/Navbar.tsx; HeroStage.tsx; RuleStrip.tsx

SIGN IN

Sign in, or skip in.

One owner per business. Judges take the seeded path; teams take Google. Customers never log in at all.

4

POST-AUTH REDIRECT

no business	→	/onboarding	compile the brain first
≥ 1 business	→	/dashboard	queue is already warm

Session is the tenant boundary: businessId comes from here, never from the model.

1

Sign in | Create account

2

EMAIL

judge@sphinx.mnit.ac.in

PASSWORD

..... Show

Sign in

or

Continue with Google

3

1-click judge demo login

Seeds CloudPulse CRM and Jaipur Smile Studio, then lands in the queue.

Open →

SEEDED BUSINESSES

CloudPulse CRM

Jaipur Smile Studio

AT-01 · redirect rule is the acceptance test

06 — AUTH

Two doors, one redirect.

1 **Tabs**
Sign in and Create account share one card; the underline is 1.4pt ink.

2 **Fields**
Focus turns the hairline teal and adds a 1.8pt left bar.

3 **Judge path**
Teal tint, not black: the demo is secondary to a real sign-in.

4 **Redirect**
The rule lives beside the form, so it cannot be forgotten in code.

ROUTE

/auth

COMPONENTS

components/auth/AuthPanel.tsx; lib/auth.ts · getCurrentUser + ownership

SET UP YOUR AGENT

4

01 **Identity & tone**
name, type, voice

02 Catalog & FAQs
prices, hours, policies

03 Escalation
when a human steps in

04 Channels
where messages arrive

STEP 1 OF 4

Who are you answering for?

Twelve facts become business_brain.md — the only thing the agent may answer from.

1 BUSINESS NAME

CloudPulse CRM

BUSINESS TYPE

SaaS | E-commerce | Clinic | Services

WHAT DO YOU DO?

Inventory & GST billing software for retail shops — Starter and Pro plans.

2 AGENT TONE · SHAPES EVERY REPLY

Warm & concise | Professional | Playful | Formal

3 PREVIEW · A CUSTOMER ASKS ABOUT PRO PRICING

Hi! CloudPulse Pro is ₹1,499/month for 5 users — WhatsApp invoicing and the GST API are included.

Warm · two sentences · cites chk_cp_02 · 94 conf

Saved as you type. The brain compiles into chunks on the last step — nothing is sent before that.

← Back

1 / 4

Continue →

07 — ONBOARDING 1/4

Who you answer for.

1 **Four steps**
One rail, always visible: a form that hides its length feels endless.

2 **Type chips**
Sets the seeded vocabulary — SaaS, e-commerce, clinic, services.

3 **Tone**
A live preview of the same answer in the chosen voice, not a dropdown.

4 **Persist**
Autosave every field; AT-02 proves it survives a reload.

ROUTE

/onboarding → step 1

COMPONENTS

components/onboarding/OnboardingWizard.tsx; Wordmark on shared site nav

SET UP YOUR AGENT

- ✓ Identity & tone — name, type, voice
- 02 **Catalog & FAQs** — prices, hours, policies
- 03 Escalation — when a human steps in
- 04 Channels — where messages arrive

Saved as you type. The brain compiles into chunks on the last step — nothing is sent before that.

STEP 2 OF 4

What do you sell, and what do you promise?

Prices, hours and one FAQ pair. This is the text the retriever will quote verbatim.

PRODUCTS & PRICES

1

- Starter plan · 1 user
- Pro plan · 5 users, WhatsApp invoicing
- Integration add-on · GST API — ₹299 / mo

+ Add another product

HOURS

Mon–Sat · 9:00–19:00 IST

RETURN POLICY

7-day full refund if fewer than 10 invoices were generated.

ONE FAQ PAIR

Q: How do I export GSTR-1? A: Reports › GST › Export JSON

2

PRICE

Drop business_brain.md

or paste; we chunk it, not you

Browse files

3

PARSED SECTIONS

Products & pricing	210w
Hours & holidays	90w
Return policy	180w
Technical FAQ	240w
GST export steps	160w
Support & escalation	120w

4

4 of 4 facts

← Back

2 / 4

Continue →

08 — ONBOARDING 2/4

The facts the agent may quote.

1 **Price rows**
Row edits, not a textarea: every fact gets an id the answer can cite.

2 **Upload**
A dashed target, no spinner — the parse is synchronous and visible.

3 **Parsed list**
Section + word count, so the owner sees exactly what was indexed.

4 **Readiness**
The meter is the pre-flight for step 4's compile button.

ROUTE

/onboarding → step 2

COMPONENTS

components/onboarding/CatalogStep.tsx; lib/rag.ts · compileMarkdown()

SET UP YOUR AGENT

- ✓ Identity & tone — name, type, voice
- ✓ Catalog & FAQs — prices, hours, policies
- 03 **Escalation** — when a human steps in
- 04 Channels — where messages arrive

STEP 3 OF 4

When does a human step in?

Four rules escalate. One holds a draft. Only one can auto-send — and never below 50.

1 ESCALATION EMAIL

founder@cloudpulse.in

ESCALATION PHONE

+91 98765 43210

2 CONFIDENCE FLOOR

50 — below this, R2 escalates and nothing is sent

hard minimum

ESCALATE AT URGENCY

80 — R4 fires; the draft is discarded

4 Auto-send grounded answers

Off means every answer becomes a draft (R5).

3 ARMED RULES

R1	asks for a human	●
R2	confidence < 50 or no chunk	●
R3	distress or judgment	●
R4	urgency ≥ 80	●
R5	channel is draft-only	
R6	grounded · confident	●
R7	classifier failed · fail safe	

WHAT A 49 LOOKS LIKE

Classifier returns confidence 49 with one weak chunk. The router takes R2 before it reads the reply.

escalated — 0 auto-sends · AT-06

Saved as you type. The brain compiles into chunks on the last step — nothing is sent before that.

← Back

3 / 4

Continue →

09 — ONBOARDING 3/4

Where the human boundary is.

1 **Thresholds**
Two sliders, both explained by the rule they arm — not a settings dump.

2 **Hard floor**
50 cannot be dragged: the UI says so instead of silently clamping.

3 **Armed rules**
R1–R4 and R6 on; R5 and R7 explained as conditional, never hidden.

4 **Counterfactual**
The 49 card shows the exact failure the PRD tests for.

ROUTE

/onboarding → step 3

COMPONENTS

components/onboarding/EscalationStep.tsx; lib/routing-engine.ts · evaluateRoutingRules()

SET UP YOUR AGENT

- Identity & tone — name, type, voice
- Catalog & FAQs — prices, hours, policies
- Escalation — when a human steps in
- 04 **Channels** — where messages arrive

STEP 4 OF 4

Where do messages arrive?

Connect one channel to demo end-to-end. The rest declare an honest state.

1

WhatsApp

Cloud API · shared number

test

auto-send

Simulate inbound 2m ago

2

Instagram

DM webhook · sandbox

draft only

auto-send

Simulate inbound no events

Gmail

support@cloudpulse.in

connected

auto-send

Simulate inbound 14m ago

Sarvam voice

shared virtual number

connected

auto-send

Simulate inbound yesterday

3

READY TO COMPILE

business_ brain.md

v1 · 6 chunks · 1,240 words

indexed for retrieval

Compiling replaces v1 and keeps the old chunks addressable.

Compile & finish

4

OR START FROM A SEEDED BUSINESS

CloudPulse CRM · SaaS

Jaipur Smile Studio · clinic

- 12 facts captured
- 1 channel to demo
- brain compiles on save

Saved as you type. The brain compiles into chunks on the last step — nothing is sent before that.

← Back

4 / 4

Continue →

10 — ONBOARDING 4/4

Channels, and an honest state.

1 **Truthful states**
connected, test mode, draft only, unavailable — never a fake green tick.

2 **Per-channel send**
The auto-send toggle is what R5 reads; it is not decorative.

3 **Simulator**
Every card can inject an inbound event, so AT-10 is demonstrable live.

4 **Compile**
The one screen where the black pill finishes a flow.

ROUTE

/onboarding → step 4

COMPONENTS

components/onboarding/ChannelCard.tsx; POST /api/businesses → compiles brain

CloudPulse CRM

Search tickets

Test my AI agent

PN

Live queue.

42 open · 6 need you · sorted by urgency, then age

last sync 2s ago · demo state

Realtime

1

TICKETS TODAY
128
+18 vs last Friday

AUTO-SENT
94
R6 · grounded and cited



ESCALATED
12
R2 ×7 · R1 ×3 · R4 ×2

FIRST REPLY
38s
median · 7 days



2

All 38 | New 6 | Triaged 14 | Escalated 6 | Replied 9 | Closed 3

Search customer

Urgency · high first


3

CUSTOMER	INTENT	CONF	STATE	WAIT
Aarav Mehta — Where is my ₹6,000 crown order?	order_status	71	triaged	2m
Riya S. — Is the ₹499 plan GST-inclusive?	pricing_inquiry	94	replied	4m
Sameer K. — Let me talk to a real human manager	human_request	12	escalated	6m
Neha Verma — RCT price, and do you take UPI?	pricing_inquiry	88	replied	9m
Karan D. — Your app deleted my invoices!!	technical_bug	38	escalated	11m
Divya R. — Can I move Monday's appointment?	reschedule	46	draft	14m
Arjun P. — Does Pro include WhatsApp invoicing?	plan_features	91	replied	18m

Showing 7 of 42 · one row per ticket, no cards inside cards

4

DECISION MIX



R6 answered 62%
R5 draft 18%
R2 low conf 12%
R1/R4 8%

SENTIMENT · 7 DAYS



positive 58 · neutral 26
frustrated 12 · distressed 4

RECURRING THIS WEEK

Refund policy ×11

Same intent, eleven tickets. Grouped by intent and sentiment, not by channel.

11 — DASHBOARD · QUEUE

The queue is the product.

1 **KPI strip**
Four cards, one dark: the reference's bento, cut to what a triage owner asks.

2 **Filters**
Status chips carry live counts; the count is the only number in the chip.


3 **Row**
One repeating unit, 36pt tall: channel, name, intent, confidence, state, wait.

4 **Mix & mood**
Routing mix, weekly sentiment and the recurring complaint in one column.

STATES
all · new · triaged · replied · escalated · closed · row selected · empty

ROUTE
/dashboard?tab=queue

COMPONENTS
components/dashboard/LiveQueuePanel.tsx; TicketRow.tsx; DecisionMix.tsx



12 — DASHBOARD · TICKET

One ticket, the whole chain.

1 **Conversation**
Customer and draft share one thread; the draft is the only teal edge.

2 **Composer**
Approve & send is black because it is the irreversible action.

3 **Sources**
Chunk id, section, excerpt, score — the citation the API returns.

4 **Trace**
Every rule is listed with its verdict, so R6 is shown, not implied.

ROUTE

/dashboard?tab=queue → drawer

COMPONENTS

components/dashboard/TicketDetailDrawer.tsx; SourceCard.tsx; RuleChain.tsx

Live queue.

Aarav Mehta
Where is my ₹6,000 crown order?

Riya S.
Is the ₹499 plan GST-inclusive?

Sameer K.
Let me talk to a real human manager

Neha Verma
RCT price, and do you take UPI?

Karan D.
Your app deleted my invoices!

4

TEST MY AI AGENT

Ask what a judge asks.

1

CUSTOMER QUERY · TEXT_MODAL

"What is the price of the Pro Plan and does it include WhatsApp invoicing?"

Run query

Run again

judge@sphinx

RESULT · TKT_991

2

sales · pricing_inquiry · conf 94 · urg 20 · R6 · answered

The Pro Plan is ₹1,499/month and includes up to 5 users, WhatsApp invoicing and GST API access.

autoSend true · channel TEXT_MODAL · 1 verified chunk cited

SOURCES · EXPANDABLE

3

chk_cp_02 0.93
Products & pricing
Pro Plan: ₹1,499/mo (5 users, WhatsApp invoicing, API access).

chk_cp_05 0.71
Plan comparison
Starter ₹499 · 1 user. Pro ₹1,499 · 5 users.

Every run writes a ticket and a TicketEvent trace.

Open ticket

13 — DASHBOARD · TEST MODAL

The judge's first question.

1 **Payload**
The exact POST body from the PRD — query, handle, channel, businessId.

2 **Verdict row**
Specialist, intent, confidence, urgency, rule, action: six chips, one line.

3 **Sources**
Two-up, expandable, scored. Empty state is a red R2, never a blank card.

4 **Persistence**
A run is a ticket: it appears in the queue behind the modal.

STATES

idle · running · answered · draft · escalated · failed (R7)

ROUTE

POST /api/ai/text-query

COMPONENTS

components/dashboard/AiTextModal.tsx; VerdictChips.tsx; SourceCard.tsx

Call me now.

One shared number · context injected per call

02:41 live

1 BUSINESS

CloudPulse CRM

VERIFIED CALLBACK NUMBER

+91 98123 45678

Call me now

Sarvam dials this number and reads the four-digit session pin aloud.

2

- **Initiated** — validated ownership — 14:02:11
- **Ringing** — Sarvam accepted the call — 14:02:19
- **In progress** — agent grounded in 6 chunks — 14:02:31
- Completed — transcript saves on hang-up —

3

FALLBACK PIN

4821

read it to the agent if context is missing

expires in 09:41

LIVE TRANSCRIPT · VSESS_7721

in progress

a — Agent — 14:02:36
AfterSales, CloudPulse support — how can I help?

AM — Caller — 14:02:39
What does the Pro plan cost?

a — Agent — 14:02:44
Pro is ₹1,499 a month for five users, and it includes WhatsApp invoicing.

AM — Caller — 14:02:51
Okay. What is your refund policy for annual billing?

OUTCOME

resolved_by_ai

duration 01:12 · no escalation

completed

AT-04: business A and B differ

4

SARVAM CONTEXT

PER_CALL_VARIABLES
sessionId vsess_7721
demoPin 4821 · businessId biz_cp_01

tool-search resolves the pin to a business, never to a prompt.

14 — DASHBOARD · VOICE

Proof that the voice is this business.

1 **Number + pin**
The pin is the join key between the call and the tenant; it is huge.

2 **Stepper**
Four states from the PRD, each with the sentence that explains it.

3 **Transcript**
Agent and caller, timed; it arrives by webhook, not by polling.

4 **Context**
The mechanism is printed on screen — judges test exactly this.

STATES

initiated · ringing · in progress · completed · failed · pin expired

ROUTE

/dashboard?tab=voice

COMPONENTS

components/dashboard/VoiceTestPanel.tsx; CallStepper.tsx; POST /api/voice/start-session

Business brain.

6 chunks · 1,240 words · v1 compiled 12 minutes ago

v1 · live

1

CHUNK	SECTION	WORDS	SCORE
chk_cp_01	Products & pricing	210	0.94
chk_cp_02	Pricing FAQ	90	0.88
chk_cp_03	Hours & holidays	70	0.81
chk_cp_04	Return policy	180	0.90
chk_cp_05	Technical FAQ	240	0.76
chk_cp_06	Delivery & dispatch	160	0.84

2

business_brain.md · v1

Recompiled on every save. Old chunk ids stay addressable so a citation never dangles.

indexed 6 / 6

Edit markdown

Re-compile

The file is the source of truth; the chunks are derived, never edited by hand.

3

SENTIMENT THIS WEEK

Week 44 · 96



- positive 58%
- neutral 26%
- frustrated 12%
- distressed 4%

Tickets counted once by their first sentiment — a reply does not vote twice.

4

RECURRING COMPLAINTS · BY INTENT

- refund_policy ×11
- delivery_eta ×8
- gst_invoice ×5
- reschedule ×4

GET /api/businesses/[id]/insights groups by intent, then sentiment.

TOP INTENT THIS WEEK

refund_policy

×11 · 26% of volume · 8 answered, 3 escalated

answered

15 — DASHBOARD · BRAIN

The file is real, and countable.

1 **Chunk table**
Id, section, words, score: the rows the retriever actually ranks.

2 **Compile card**
Version, word count and the index meter, in one line a judge can read.

3 **Sentiment**
Stacked bar, four buckets, counted once per ticket.

4 **Recurring**
The bonus twist: the same complaint as a number, not a feeling.

ROUTE

/dashboard?tab=brain

COMPONENTS

components/dashboard/BrainInsightsPanel.tsx;
ChunkTable.tsx;
GET /api/businesses/[id]/insights



CloudPulse CRM

Search tickets

Test my AI agent

PN

Channels.

Four ways in · one honest state each · every one simulatable

1

WhatsApp

connected

auto-send

Simulate →

/api/channels/webhook/whatsapp

inbound 2m ago · 14 today

Instagram DM

draft only

auto-send

Simulate →

/api/channels/webhook/instagram

sandbox · auto-send off (R5)

Gmail

connected

auto-send

Simulate →

/api/channels/webhook/gmail

inbound 14m ago · 9 today

Sarvam voice

connected

auto-send

Simulate →

/api/voice/sarvam-webhook

call completed · yesterday

4

EVENT LOG · LAST FIVE

14:07:02	INBOUND_RECEIVED	whatsapp · wamid.HBgM	new
14:07:03	RAG_RETRIEVED	chk_cp_06 · score 0.91	new
14:07:03	ROUTING_DECIDED	R6 · conf 71 · urgency 62	new
14:07:04	DRAFT_SAVED	awaiting owner approval	draft
14:06:41	ESCALATED	R1 · human requested	escalated

TicketEvent is append-only; the drawer's trace reads this table.

2

IDEMPOTENCY · AT-10

The same webhook, twice

externalMessageId wamid.HBgM

externalMessageId wamid.HBgM

1 ticket · 1 decision

Second event is dropped before routing.

WEBHOOK SIMULATOR

WhatsApp | Instagram | Gmail

POST /api/channels/webhook/whatsapp

Fire event — runs the full pipeline

3

READINESS

- One channel can demo end-to-end
- Draft-only is labelled amber
- Duplicate payload is dropped
- Every path is real or says it is not
- No secret in the client bundle

Status is derived from the adapter, never written by hand — a dead channel cannot show green.

16 — DASHBOARD · CHANNELS

Truthful connection state.

1 **Status**
Connected is green, draft-only is amber, unavailable is grey — and derived.

2 **Per-channel**
Auto-send is the field routing-engine reads for R5.

3 **Idempotency**
The duplicate test is on screen: same id, one ticket.

4 **Event log**
The append-only trace the drawer's rule chain is built from.

STATES

connected · test mode · draft only · unavailable · duplicate dropped

ROUTE

/dashboard?tab=channels

COMPONENTS

components/dashboard/ChannelsPanel.tsx;
ChannelCard.tsx;
POST /api/channels/webhook/[provider]

AfterSales AI · screens

SYSTEM · STATES & LAYOUT

Four states, or it is not built.

Every async surface has an empty, a loading, a failed and a success state. R7 is the failed one.

1

EMPTY

No tickets yet

A webhook or a test run creates the first one.

Test my AI agent

One line of copy, one action — never a shrug.

2

LOADING

Fetching the queue

Skeleton rows, same 36pt rhythm as the real list.

No spinner over content that already exists.

FAILED · R7

failed

Classifier unavailable

Nothing was sent. The ticket is failed.

ruleHit R7 · shouldAutoSend false

Retry

3

CONTROLS

REST

CloudPulse CRM

FOCUS

₹1,499 / mo

ERROR

not-an-email

Enter a valid email

DISABLED

read only

Disabled

Focus = teal hairline + 1.8pt bar. Error = crimson hairline + helper. Disabled = wash.

BADGES

answered

draft

escalated

failed

new

closed

On

Off

One family, six states.

TOASTS

Answer sent · R6

Send failed · R7

Saved as draft · R5

4s, dismissible, never modal.

4

LAYOUT · ONE SHELL, FOUR WIDTHS

1440+

Rail + 4 KPIs

Right column keeps the three small multiples

1024–1439

Rail collapses to icons

KPIs 2×2, right column drops under

768–1023

Rail becomes a top bar

List full width; drawer becomes a sheet

<768

Single column

Pin above transcript; badges stay inline

17 — SYSTEM · STATES

Nothing ships without its fourth state.

1 **Async trio**
Empty, loading, failed sit side by side, drawn at the real size.

2 **R7**
The failed state names the rule, not a generic error — it is a contract.

3 **Controls**
The three field states and the disabled treatment, on one line.

4 **Widths**
Four breakpoints with what changes, so the CSS is not improvised.

STATES

default · hover · focus · active · disabled · empty · loading · failed

ROUTE

/dashboard · every panel

COMPONENTS

components/ui/ states; EmptyState.tsx; Skeleton.tsx; ErrorState.tsx · R7

HOW TO BUILD IT

Six files, in the order that works.

Each step stands on the one above it. Do not start the drawer before the row exists — the drawer is the row, opened.

01	**Tokens & primitives** tokens.css · ui/Button, Badge, Meter	no route
02	**Dashboard shell** nav rail, top bar, business switcher	/dashboard
03	**Queue** LiveQueuePanel, TicketRow	?tab=queue
04	**Ticket drawer** TicketDetailDrawer, RuleChain	?ticket=
05	**Text modal** AiTextModal, VerdictChips	POST /ai/text-query
06	**Voice** VoiceTestPanel, CallStepper	?tab=voice
07	**Brain + channels** BrainInsightsPanel, ChannelsPanel	?tab=brain

Every step is independently reviewable.

npm run dev

localhost:3000 · 1-click judge demo login