dispel4py: A Python Framework for Data-Intensive Scientific Computing

Amy Krause - EPCC
Rosa Filgueira- School of Informatics

University of Edinburgh

Outline

- What is dispel4py
- What is a stream
- What is a processing element (PE)
- What is a instance
- What is a graph
- What I need for constructing a dispel4py workflow
- Extra material

What is dispel4py

- dispel4py for **distributed data-intensive applications**
- Describes data-flow and processing elements using **Python**
- It enables abstract description of methods
- dispel4py **maps** to multiple enactment systems
- Applications **scale** automatically
  - exploiting parallel processing, clusters, grids and clouds
- dispel4py is **dataflow-oriented**
  - rather than control-oriented
  - no explicit specification of data movement
  - light-weight composition of data operations

What is a data stream

- A **stream** sequence of data units:
  - from external source
  - between data operations - Processing Elements (PEs)
  - to external destination
- Flow of input or output data between PEs
- Data from a source and delivers data to one or more destinations

What is a processing element (PE)



- Computational activity encapsulates
  - algorithm
  - services
  - data transformation processes
- Basic computational elements of dispel4py workflows
- PEs have:
  - inputs & outputs
  - computational activity.
- PEs are connected by streams
  - saves computational costs

What is a graph

- How the PEs are connected
- How data is streamed.
- The topology of the data flow
- No limitations on the type of graphs

What I need for constructing a dispel4py workflow

- You **only** have to **implement PEs** (in python) and connect them:

- Learn how to implement PEs.

- Learn how to connect them.

Learning dispel4py by an example



- dispel4py workflow that generates a random integer number
- the number is checked if it is prime or not
- in case the number is prime a message is printed out

How to implement a PE

- Each PE specifies:
  - input & output connections
  - computational activity for
    - processing data units
    - implement the “_process” method.

Types of PEs

Type	Inputs	Outputs	When to use it
GenericPE	*n* inputs	*n* outputs	many inputs and/or many outputs
IterativePE	1 input named 'input'	1 output named 'output'	processing one data block and producing one in each iteration
Consumer PE	1 input named 'input'	no output	only implement _process method
ProducerPE	0 input	1 input named	could be the first PE. when it does not any inputs and generates 1 output
Simple FunctionPE	1 input named 'input'	1 output named 'output'	only implement _process method
create_iterative_chain	1 input named 'input'	1 output named 'output'	pipeline of functions processing sequentially; creates a composite PE

Types of PEs

Type	Inputs	Outputs	When to use it
GenericPE	*n* inputs	*m* outputs	many inputs and/or many outputs
IterativePE	1 input named 'input'	1 output named 'output'	processing one data block and producing one in each iteration
Consumer PE	1 input named 'input'	no output	only implement _process method
ProducerPE	0 input	1 input named 'output'	Could be the first PE. It send a stream of values to 'output'
Simple FunctionPE	1 input named 'input'	1 output named 'output'	only implement _process method. It can not store state between calls
create_iterative_chain	1 input named 'input'	1 output named 'output'	pipeline of functions processing sequentially; creates a composite PE

ProducerPE example

```
import random
from dispel4py.base import ProducerPE

class NumberProducer(ProducerPE):
    def __init__(self):
        ProducerPE.__init__(self)

    def _process(self):
        # this PE produces one input
        num= random.randint(1, 1000)
        return num
```

This PE produces a random number from 1 to 1000 and returns it as an output (‘output’)

What we have learnt:

- We don’t need to specify the output
- It does not receive any input.
- The parameter to the _process method is a tuple
- _process returns the value that is written to the output stream

IterativePE example

```
from dispel4py.base import IterativePE

class IsPrime(IterativePE):
    def __init__(self):
        IterativePE.__init__(self)
    def _process(self, num):
        # this PE consumes one input and produces one output
        if all(num % i != 0 for i in range(2, num)):
            return num
```

This PE also receives a number (‘input’) and returns one output (‘output’) in case the number is prime.

What we have learnt:

- We don’t need to specify the input and output
- The parameter to the _process method is a tuple
- _process returns the value that is written to the output stream

ConsumerPE example

```
from dispel4py.base import ConsumerPE

class PrintPrime(ConsumerPE):
    def __init__(self):
        ConsumerPE.__init__(self)
    def _process(self, num):
        # this PE consumes one input
        self.log("the num %s is prime" % num)
```

This PE receives one input and prints it.

What we have learnt:

- We don’t need to specify the input and output
- It does not return any output.

How to connect PEs: Create a graph

- **Create the PEs**

```
producer = NumberProducer()
isprime = IsPrime()
printprime = PrintPrime()
```

- **Create the graph and connect the PEs**

```
from dispel4py.workflow_graph import WorkflowGraph

graph = WorkflowGraph()
graph.connect(producer, 'output', isprime, ‘input')
graph.connect(isprime, 'output', printprime, 'input')
```

Example- Summary

```
from dispel4py.base import ProducerPE, IterativePE, ConsumerPE
from dispel4py.workflow_graph import WorkflowGraph
import random

class NumberProducer(ProducerPE):
    def __init__(self):
        ProducerPE.__init__(self)

    def _process(self):
        # this PE produces one input
        result= random.randint(1, 1000)
        return result

class IsPrime(IterativePE):
    def __init__(self):
        IterativePE.__init__(self)
    def _process(self, num):
        # this PE consumes one input and produces one output
        self.log(“before checking data - %s - is prime or not“ % num)
        if all(num % i != 0 for i in range(2, num)):
            return num

class PrintPrime(ConsumerPE):
    def __init__(self):
        ConsumerPE.__init__(self)
    def _process(self, num):
        # this PE consumes one input
        self.log("the num %s is prime" % num)

producer = NumberProducer()
isprime = IsPrime()
printprime = PrintPrime()

graph = WorkflowGraph()
graph.connect(producer, 'output', isprime, ‘input')
graph.connect(isprime, 'output', printprime, ‘input')
```

Extra Material

- GenericPE example
- SimpleFunctionPE example
- creative_iterative_chain
- How to create those three new PE types
- What connect PEs really means ?

GenericPE example

```
from dispel4py.core import GenericPE

class IsPrimeBis(GenericPE):
    def __init__(self):
        GenericPE.__init__(self)
        self._add_input('input')
        self._add_output('output_prime')
        self._add_output('output_total')
        self.cont = 0
    def process(self, inputs):
     num = inputs['input']
     # this PE consumes one input and can return two outputs or nothing.
     if all(num%i!=0 for i in range(2,num)):
        self.cont +=1
        return {'output_prime':num, 'output_total':self.cont}
```

This PE reads a number (input) and can returns two outputs: number (output_prime) and the total number of primes (output_total).

What we have learnt:

- We can add several outputs with different names
- The process method gets values from the input streams
- The process method returns both streams

SimpleFunctionPE example

```
from dispel4py.base import create_iterative_chain

def is_prime(num):
    if all(num%i!=0 for i in range(2,num)):
            return num
#For using this function as a PE we need to use 'SimpleFunctionPE' before
defining the graph:

isPrime = SimpleFunctionPE(is_prime)
```

This PE will emit a number if it is prime.

What we have learnt:

- Only implement the processing function
- The easiest but the most restrictive way
- The **function cannot store state between calls**; for example you can't implement SUM or AVG with it
- 1 input called 'input', 1 output called 'output'.

create_iterative_chain example

```
from dispel4py.base import create_iterative_chain
def add_value(num, value):
    num += value
    return num
def subtract_value(num, value):
     num -= value
     return num
def change_polarity(num):
    num *= -1
    return num

# For using this function as a PE we need to use ‘creative_iterative_chain’ before defining the graph.
preprocessData = create_iterative_chain([(add_value,{‘value’:33}), (subtract_value, {‘value':5}), change_polarity])
```

What we have learnt:

- We can create a *composite* PE which processes several function in a sequence
- Creates a pipeline of SimpleFunctionPEs
- It’s the easiest way to create a pipeline but the most restrictive
- 1 input called ‘input’, 1 output called ‘output’.

How to connect PEs: Create a PE object

- Create a PE (could be GenericPE, IterativePE, ConsumerPE, ProducerPE)

```
isPrime = IsPrime()
```

- Create a function wrapped in a simple PE

```
isPrime = SimpleFunctionPE(is_prime)
```

- Create a composite PE with a pipeline

```
preprocessData =
      create_iterative_chain([(add_value,{‘value’:33}), (subtract_value, {‘value':5}),
change_polarity])
```

How to connect PEs
What does it mean



- PEs process a small amount of data at a time
- Data need not be explicitly stored
- PEs may store a small amount of result data (e.g. stacking) or big amount (if you have the resources)