TT
600
.S55

LIBRARY OF CONGRESS
0000943608A



Class TT600

Book .S55

Copyright No. _____

COPYRIGHT DEPOSIT.

Designing Overcoat Patterns

for

Men and Young Men

By

HARRY SIMONS

Technical Editor of

The Clothing Designer and Manufacturer

New York, N. Y., U. S. A.

T.c.C
555

Copyright by Harry Simons
1916.

$15.00

JUN 22 1916

©CLA433463

2 no. 1.

INTRODUCTION.



N presenting this book to my fellow craftsmen, I have endeavored to put forth a reliable and efficient method of designing overcoats. As publisher and technical editor of THE CLOTHING DESIGNER AND MANUFACTURER, I realized the necessity of such a book.

Of late there have been many new overcoats designed that have found favor with the public, such as the Balmaroon, Split Sleeve Raglan, Mantle, and the Balmacaan. These are somewhat different than the usual run of overcoats.

I have taken a great deal of care to bring forward a simple and scientific method of producing the drafts of these overcoats. I have made every effort to see that the diagrams are easily understood, so that the realer will not be confused. Every diagram is clearly and simply explained.

Designers and cutters should not hesitate to use any of the drafts, as they are thoroughly tested and reliable.

The points involved in the construction of the various diagrams in this book, cover every phase of designing up-to-date overcoats, and the designer or cutter should find just the information he seeks.

Sincerely,

70 Fifth Avenue,
New York City.

CONTENTS.

	Pages
Balmacaan, 1 piece sleeve	32-3-4.
Balmacaan, split sleeve, with hinge	34-5.
Balmaroon Overcoat	23.
Balmaroon, 3 piece sleeve	24-5.
Box Overcoat	14-5.
Box Overcoat, extreme	12-3.
Box Overcoat, Three Button S. B. Balmaroon Sleeve	22.
Cape Overcoat, shoulder	30-31.
Collar, shawl	20-1.
Collar, under	21.
Construction Lines	6-7.
Convertible Collar Overcoat	26-7-8.
Designing Overcoats	5.
Form Fitting Overcoats, Y. Men's, 3 button, S. B.	18.
French Overcoat, Y. Men's	19.
Double Breasted Overcoat	10-11.
Double Breasted Overcoat and Sleeve	10-11.
Mackinaw, military collar	42-3-4.
Mackinaw, shawl collar	46-7.
Mackinaw, raglan sleeve	44-5.
Mantle Overcoat	36-7.
Novelty Overcoat, Y. Men's	40-1.
Regular Overcoat	8-9.
Regular Overcoat, Y. Men's	20.
Regular Sleeve	10-11
Stout Overcoat	16-7.
Surtout Overcoat, 2 button D. B. Y. Men's	38-9.
Ulster Collar Overcoat, D. B.	28-9-30.

DESIGNING OVERCOATS

OF recent years designing overcoats has been considered the most important work of the clothing designer. The manufacturer who contemplates engaging a designer today, first inquires about his ability to design overgarments. If he is efficient in this line, he is generally capable.

The drafts in this book are laid out to meet the average requirements. There are slight variations, which gives the reader an idea of the versality of the system employed. In changing about the seams at neck and shoulder points, the balance of the garment is not interfered with. The depth of scye in most all cases is drafted on a basis of two sizes larger than the breast measure employed; that is, if the breast of coat is size 38. The coat is drafted size 40, the depth of scye size 42. If a size 38 coat is drafted, size 41 or 42, to get more roomy effect, the depth of scye should remain size 42, except where it is lowered below breast line to get a deeper armhole.

You will notice that on the conservative and form fitting coats a size 38 breast is drafted on a basis of 40. On the medium box 41; on the extreme box and ulster 42. This scheme should be followed out on any size, two sizes larger for regular overcoats, three sizes larger for full coats or where cheaper goods are made four sizes larger for full box and all loose overcoats.

The method of drafting the regular sleeve is illustrated on the double breasted overcoat. The same method is employed on the various garments with regular sleeve. The draft of the collar is illustrated with a separate diagram.

Every point has been carefully covered in this book, and the reader should have no trouble in creating any style garment that should appear in the near future.

CONSTRUCTION LINES.

THE diagram on the opposite page gives you the construction lines for the back and forepart of the overcoat. The proportions and divisions used are the basic principles by which all the drafts contained in this book are made. The breast measurements used in most drafts are sizes 36 and 38. The measurement used in explaining the construction lines is based on a breast size 38.

MEASUREMENTS.


Breast, 38.
Length, 44.

DRAFT.

Draw line A B C D E F G.
A to B is ¾ inch.
B to C is ¼ of 21.
B to D is ½ of 21.
B to E is 17½ inches.
B to F is 24 inches.
B to G is the full length or 44 inches.
Square out from points A B C D E F G.
E to H is ⅝ inch.
G to I is ⅜ inch.
Draw lines B-H and H-I.
B to 5 is 1/6 of 21.
5 to K is ½ inch.
Square up from K to L.
K to L is 1½ inches.
D to M is 1/3 of the breast or 1/3 of 20, as the overcoat is drafted 2 sizes larger than the sack breast measurement.
M to N is 2 inches.
Square up from N to O.
P is halfway between O and 20.
P to Q is ½ inch.
21 is halfway between O and 20.
N to R is 1/12 of 20.
R to S is ¾ inch.
N to T is ½ inch.
Square down from T to U.
U to V is 1 inch.
Draw line W-V, which finishes all the construction lines on the back.

FOREPART.

D to X is 2/3 of 20.
X to Y is 1⅜ inches.
Square up from Y to Z.
Z to 2 is 1/6 of 20.
2 to 3 is ½ inch.
Square down from 3 to 10.
3 to 10 is ¼ inch.
Draw lines 10-P and 10-21.
23 to 4 is 20 inches or ½ of breast.
4 to 5 is 2½ inches.
5 to 6 is 2½ inches.
Square lines 13-12-16, which gives you the run of the front.
7 to 8 is 1/6 of breast.
Z to 9 is ½ inch.
Draw line 8-9.



CONSTRUCTION LINES.

W to 22 is ½ inch.

I to 23 is ½ of breast.

Draw line 22-23, which finishes the forepart.

These points are for a regular, conservative, single breasted overcoat. The reader should follow the different variations on the various drafts, and take note of the changes made to get the desired effects.

MEN'S REGULAR OVERCOAT.

The diagram illustrated on the opposite page is a conservative overcoat, with no under arm Vee.

MEASUREMENTS.


Breast size, 38.
Length, 44 inches.

DRAFT.

Draw line A B C D E F G.
A to B is ¾ inch.
B to C is ¼ of 21.
B to D is ½ of 21.
B to E is 17½ inches.
B to F is 24 inches.
Square out from points A B C D E F G.
E to I is ⅝ inch.
G to H is ⅜ inch.
Draw the center seam A-I-H.
B to P is 1/6 of 21 plus ½ inch.
P to Q is 1½ inches.
Draw A-Q.
D to J is 1/3 of 20.
J to K is 2 inches.
Square up from K to O.
R is halfway between O and U.
Draw line Q-R.
6 is halfway between R and U.
K to S is 1/12 of 20.
S to T is 1 inch.
Draw line R-T.
Square down from K to M.
M to N is 1 inch.
Shape the side-seam T-L-N, which finishes the back.

FOREPART.

D to V is 2/3 of 20.
V to W is 1⅜ inhes.
Square up from W to 3.
3 to 5 is 1/6 of 20 plus ½ inch.
D to X is 20 inches or ½ of breast.
X to Y is 2½ inches.
Y to Z is 2½ inches.
Square up from Z to 8 and down from Z to 19.
Draw lines 5-R and 5-6.
7 to 5 is ⅜ less than R to Q.
Shape the shoulder 7-5 and the armhole 7-T.
8 to 9 is 1/6 of 20.
3 to 4 is ½ inch.
Draw line 4-9.
Shape the gorge and lapel 5-12-10-9-13.
14 to 16 is ⅝ inch.
Square lines 15-16-17.
Shape the front 13-17.
Take out ¼ inch at point T.
L to 20 is ½ inch.



MEN'S REGULAR OVERCOAT.

H to 22 is 1/12 of breast.
Draw line 20-22.
Sweep from point 5 using 5-22 as a radiant to point 19.
Shape the side-seam T-20-22, which completes the draft.

D. B. OVERCOAT AND SLEEVE DRAFT.

The double breasted overcoat is drafted the same as the single breasted, with the extra allowance for the button stand, as illustrated. In this draft, you will note that I take out a ½ inch Vee at point 18, which makes the coat a semi-form fitting; at the same time point Q is brought in to meet the back to give enough allowance for the seams at point 19.

DRAFT.


D to 4 is ½ of the breast.
4 to 5 is 2½ inches.
5 to 6 is 1 inch.
Square up from 6 to 7 and down from 6 to 17, which is the center line.
6 to 10 is 2½ inches or ½ of the button stand.
Square down from 10 to 11.
Draw line 8-9 and shape the gorge the same as in the single breasted overcoat.
Shape the lapel 8-16.
Square 14-13-15.
Shape the front of coat, as illustrated.

DRAFTING SLEEVE.

V to 40 is 1¼ inches.
Point 40 is the notch.
40 to 20 is ½ of breast less ¼ inch.
Square up from 20 to 21 and down from 20 to 31.
O to line 21-22 is ⅝ inch.
23 is halfway between 21 and 22.
22 to 24 is ⅓ of 22-21.
V to 25 is 1¼ inches.
V to 26 is 1¼ inches.
Draw line 24-40.
Shape the head of sleeve 20-23-40-25.
Square down from V to 28.
V to 28 is 18 inches.
28 to 29 is 1 inch.
29 to 27 is 1¼ inches.
29 to 30 is 1¼ inches.
Draw lines 25-27 and 26-30.
Shape the inseam of top sleeve 25-33-27, hollowing ¾ inch at point 33.
29 to 35 is 7 inches, ½ of the botton of sleeve plus the seams.
Square down from 35 to 36.
35 to 36 is 1½ inches.
31 to 32 is ½ inch.
Shape the outside seam 20-32-36.
Shape the bottom 36-27, which completes the top sleeve.

UNDER SLEEVE.

22 to 37 is ¾ inch.
Shape the outside seam 37-31-36.
37 to 43 is ⅜ inch.
Draw line 43-42-26.
Shape the inseam 26-34-30, hollowing out ¾ inch at point 34.
Shape the bottom 36-30, which completes the sleeve.



D. B. OVERCOAT AND SLEEVE DRAFT.

EXTREME BOX OVERCOAT.

This overcoat is drafted four sizes larger than the breast size.

MEASUREMENTS.


Breast size, 38.
Length, 42 inches.

DRAFT.

Draw line A B C D E F G.
A to B is ¾ inch.
B to C is ¼ of 21.
B to D is ½ of 21.
B to E is 18 inches.
B to F is 24 inches.
B to G is the full length or 42 inches.
Square out from points A B C D E F G.
G to H is 1¼ inches.
Draw line B-H.
D to L is 1/3 of 21.
L to M is 2 inches.
Square up from M to O.
B to J is 1/6 of 21 plus ¾ inch.
Square up from J to K.
J to K is 1½ inches.
Draw line A-K.
N to O is ⅛ of 21.
Draw line K-O.
D to V is 2/3 of 21 plus 1⅜ inches.
Q is halfway between M and V.
Square down from Q to R.
Line 10-P is 1 inch lower than the breast line.
Shape the armhole O-Q.
R to U is 1/6 of 21.
Draw line Q-U.
Shape the bottom U-H, which completes the back.

FOREPART.

Square up from V to W.
W to X is 1/6 o f21 plus ¾ inch.
Drop the point of shoulder ½ inch at X.
Draw line X-O.
X to 2 is ⅜ less than K to O.
2 to 3 is ½ inch.
Shape the shoulder 3-X.
Shape the armhole 3-Q.
H to S is 1/12 of 21.
Draw line Q-S.
Q to T is ⅛ longer than Q to U.
D to Y is 21 inches, ½ of breast.
Y to Z is 5 inches.
Square up from Z to 4 and down from Z to 12.
4 to 5 is 1/6 of 21.
Draw line W-5.
T to 6 is 3¼ inches.
6 to 8 is 2¾ inches.
5 to 9 is 10½ inches.
Shape the gorge and lapel, as illustrated.
11 to 12 is 2 inches.
Draw line T-12.
12 to 13 is 2 inches.
Shape the front and bottom, which completes the draft.



EXTREME BOX OVERCOAT.

MEDIUM BOX OVERCOAT.

This draft is for a medium box overcoat, finishing up about 66 inches sweep. You will note that the shoulders are made narrower than on the regular overcoat. The neck at back is made ¼ inch wider. This amount is taken off from the strap at point U.

MEASUREMENTS.


Breast size, 38.
Length, 44 inches.

DRAFT.

Draw line A B C D E F G.
A to B is ¾ inch.
B to C is ¼ of 21.
B to D is ½ of 21.
B to E is 18 inches.
B to F is 24 inches.
B to G is 44 inches or the full length of coat.
Square out from points A B C D E F G.
G to H is 1¼ inches.
Draw line B-H.
B to I is 1/6 of 21 plus ¾ inch.
I to J is 1¾ inches.
Draw line A-J.
D to L is 2/3 of 20½. On the box overcoat, I make the breast 3 sizes larger than the sack measurement.
L to M is 2 inches.
Square up from M to N.
K is halfway between N and 15.
V is halfway between K and 15.
Draw line J-K.
K to 16 is ⅜ inch.
M to O is 1¼ inches.
O to P is 1 inch.
Draw line 16-P.
H to Q the bottom is 1 inch more than D to P.
Draw line P-Q, which finishes the back.

FOREPART.

D to R is 2/3 of 20½ plus 1⅜ inches.
Square up from R to S.
S to T is 1/6 of 20½ plus ¾ inch.
Square down from T to U.
T to U is ½ inch.
Draw lines U-K and U-V.
T to W is ⅜ less than J to 16.
Shape the shoulder W-U and the armhole W-Y.
16 to Z is 20½ inches.
Z to 3 is 5 inches.
Square up from 3 to 4 and down from 3 to 10.
4 to 5 is 1/6 of 20½.
S to 6 is ½ inch.
Draw line 6-5.
Shape the gorge U-7-5.
5 to 8 is 10½ inches.
13 to 12 is ⅝ inch.



MEDIUM BOX OVERCOAT.

Square down from 11, 12 to 14.
Shape the lapel and front.
P to Y is ¼ inch.
Draw line Y-H.
Shape the bottom X-14, which completes the forepart.
Place the buttons 3 inches from edge, as illustrated.
R to 17 is 11½ inches, the proper location for pocket.

STOUT OVERCOAT.

The draft on the opposite page is for a regular stout overcoat.

MEASUREMENTS.


Breast size, 40.
Waist, 40.
Length, 42.

DRAFT.

Draw line A B C D E F G.
A to B is ½ inch.
B to C is ¼ of 22.
B to D is ½ of 22.
B to E is 17½ inches.
B to F is 24 inches.
B to G is full length or 42 inches.
Square out from points A B C D E F G.
E to 26 is ⅝ inch.
G to H is ⅜ inch.
Draw line B-26-H.
B to line K is 1/6 of 22 plus ½ inch.
K is 1½ inches from line B.
Draw line A-K.
D to L is 2/3 of 21 plus 2 inches.
Square up from L.
N is halfway between lines B and P.
N to O is ½ inch.
Draw line K-O.
L to T is 1/12 of 22.
T to U is ¾ inch.
Draw line O-U.
L is ½ inch from T-N.
Square down from L to Q.
Q to R is 1 inch.
Shape the side-seam U-S-R, which completes the back.

FOREPART.

D to W is 2/3 of 21 plus 1⅜ inches.
Square up from W to Z.
Z to 3 is ¼ inch less than 1/6 of 21.
Draw lines 3-N and 3-2.
3 to 11 is ⅜ inch less than K to O.
Shape the shoulder 11-3 and the armhole 11-U.
21 to 22 is 2½ inches.
Draw line S-22.
Shape the side-seam U-22-23, which is ¼ inch more than U-R.
D to X is ½ of the breast, or 21 inches.
X to Y is 5 inches.
Square up from Y to 7 and down from Y to 19.
12 to 13 is 2/3 of ½ of the fat, which in this case is 1 inch, as the waist on the regular figure is figured at 37 inches and the stout 40 inches, making a difference of 3 inches of fat.
Square down from 13 to 18.
3 to 6 is 1/6 of 20.
Draw lines 7-14-19.



STOUT OVERCOAT.

7 to 8 is 1/6 of 20.
Shape the gorge 3-8 and the lapel 8-9.
18 to 19 is 1½ inches.
Shape the front and the bottom, which completes the draft.
The sleeve is drafted the same as regular overcoat.

YOUNG MEN'S THREE BUTTON S. B. FORM FITTING OVERCOAT.

MEASUREMENTS.


Breast size, 36.
Length, 40 inches.

DRAFT.

Draw line A B C D E F G.
A to B is ¾ inch.
B to C is ¼ of 21.
B to D is ½ of 20.
B to E is 16½ inches.
B to F is 24 inches.
B to G is the full length or 40 inches.
Square out from points A B C D E F G.
E to 20 is 1¼ inches.
G to 21 is 1 inch.
Draw line A-20-21.
20 to Q is 1/3 of 18.
B to K is 1/6 of 20 plus ¾ inch.
K to L is 1½ inches.
Draw line A-L.
D to H is 1/3 of 18 plus 1¾ inches.
Square up from H to 5.
N is halfway between T and 5.
M is halfway between P and H.
M to V is ½ inch.
N to O is ½ inch.
Draw line L-O and O-V.
Square down from Q to R.
R to S is 1 inch.
Shape the side-seam V-Q-S, which completes the back.

FOREPART.

D to W is 2/3 of 18 plus 1⅜ inches.
Square up from W to X.
X to Y is 1/6 of 18 plus ½ inch.
Y to Z is ½ inch.
Draw lines Z-N and Z-3.
3 is halfway between N and P.
2 to Z is ¼ inch less than L to O.
Shape the shoulder 2-Z and the armhole 2-V.
Q to 4 is 1 inch.
T to U is 2½ inches.
Shape the side-seam V-4-U-5.
D to 6 is 19 inches.
6 to 7 is 5 inches.
Square up from 7 to 8 and down from 7 to 12.
8 to 9 is 1/6 of 19.
X to 10 is ¾ inch.
Draw line 10-9.
9 to 16 is 11 inches.



YOUNG MEN'S THREE BUTTON S. B. FORM FITTING OVERCOAT.

Shape the gorge Z-9 and the lapel 9-16.
11 to 12 is 2 inches.
12 to 13 is 1¾ inches.
Draw line 5-12.
Shape the front 16-13 and the bottom 13-5, which completes the draft.

YOUNG MEN'S REGULAR OVERCOAT.

MEASUREMENTS.


Breast, 36.
Length, 40.

DRAFT.

Draw line A B C D E F.
A to C is ¼ of 20.
A to B is ½ of 20.
A to D is 16½ inches.
A to E is 24 inches.
A to F is 40 inches, or the length of coat.
Come up ¾ inch from point A.
A to line O is 1/6 of 20 plus ½ inch.
O is 1½ inches from line A.
Draw line A-O.
D to G is 1 inch.
F to H is ¾ inch.
Shape the center seam A-G-H.
B to I is 1/3 of 19.
I to J is 2 inches.
Square up from J to K.
K to Q is ⅛ of 20.
Draw line O-Q.
J to R is 1/12 of 20.
R to S is ¾ inch.
Draw line Q-S.
G to L is 1/3 of 20.
Draw line I-L-M.
Shape the side-seam S-L-14-M, which completes the back.

FOREPART.

B to T is 2/3 of 19 plus 1⅜ inches.
Square up from T to U.
U to V is 1/6 of 19 plus ½ inch.
11 is halfway between line C and Q.
Draw line V-11.
V to 9 is ¼ less than Q to O.
Shape the shoulder 9-V and the armhole 9-10-S.
B to W is 19 inches.
W to X is 2½ inches.
X to Y is 2½ inches.
Square up from Y to 1.
1 to 2 is 1/6 of 19.
Draw line U-2.
2 to 6 is 10 inches.
Shape the gorge and the lapel. Square down from Y to Z.
Shape the front and bottom.
L to 12 is 1 inch.
14 to 13 is 2½ inches.
Shape the side-seam S-12-13, which completes the forepart.
Take out ¾ inch Vee at point 15 and ¼ inch at point 10.




SHAWL COLLAR.

Add ¾ inch of stand on back, as illustrated.
A to E is ¾ inch.
B to D is ¾ inch.
Draw line E-D.
Shape the shoulder D-C.
Add the ¾ inch on forepart, as illustrated.
F to H is ¾ inch.
Shape the gorge H-G-R.

COLLAR.

Extend the break J-G to L.
S to L is the width of back plus ¼ inch.
Square down from L to M.
L to M is ⅛ of breast.
Draw line M-N.
N is ¼ inch from G-H.
Square up from M to P.
M to O is ¾ inch, the width of stand.




SHAWL COLLAR.

Draw line O-G, the break.
O to P is 3½ inches.
P to Q is ½ inch.
Draw line M-Q.
Shape the under-seam of collar M-C-K, as illustrated.
Shape the outside seam of collar Q-R-K, which completes the draft.

DRAFTING THE UNDER-COLLAR.

Extend the break A-B to C.
Draw line J-E parallel to A-B.
N to D is 1¼ inches.
D to J is ¼ inch.
D to E is the width of back.
E to F is ¼ inch allowed extra for fullness.
Square up from F to K.
K to L is ¼ inch.
C to K is 2¼ inches, the width of turnover. This can be made in various widths.
B to I is ¼ inch.
G to H is ¼ inch.
Draw line K-H.
Shape the bottom part F-J-I-H, and see that it has the same run as the gorge D-B-G.
Draw lines B-C-L and L-M.
Shape the notch M-H, which completes the undercollar.



REGULAR COLLAR.

BALMAROON OVERCOAT.

This sleeve is drafted in two parts. The coat is drafted 4 sizes larger than the sack coat breast measure.

MEASUREMENTS.

Breast size, 38.
Length, 42 inches.

DRAFT.


Draw line A B C D E F G.
A to B is ¾ inch.
B to C is ¼ of 21.
B to D is ½ of 21.
B to E is 18 inches.
B to F is 24 inches.
B to G is the full length or 42 inches.
Square out from points A B C D E F G.
G to H is 1½ inches.
Draw line G-H.
G to I is 1/6 of 21 plus ¾ inch.
I to J is 1½ inches.
Draw line A-J.
D to T is 1/3 of 21 plus 2 inches.
Square up from T to L.
L to M is ⅛ of 21 less 1 inch.
Draw line J-M.
D to U is 2/3 of 21 plus 1⅜ inches.
Square up from U to W.
U to V and T to K are 1 inch each.
Draw line V-K.
O is halfway between V and K.
Shape the armhole M-O.
Square down from O to P.
P to R is 1/6 of 21.
Draw line O-R.
Shape the bottom, which completes the back.

FOREPART.

W to 2 is 1/6 of 21 plus ¾ inch.
Square down from 2 to 4.
2 to 4 is ½ inch.
Draw line 4-N.
4 to 18 is ¼ inch less than J to M.
Draw the shoulder 18-4 and the armhole 18-0.
H to S is ¼ of 21.
Draw line O-S, ⅛ inch longer than O-R.
D to X is 21 inches.
X to Y is 5 inches.
Square up from Y to Z and down from Y to 12.
Z to 3 is 1/6 of 21.
3 to 33 is 11 inches.
Shape the gorge and the lapel.
Take out ¼ inch Vee at point 7.
Square lines 8-10-13.
Sweep from point S, using 4-S as a radius.
Draw line S-13-12.
Shape the front and bottom, which completes the forepart.

SLEEVE.

U to 34 is 1¼ inches.
34 to 14 is ½ of 21.
Square down from point 14 and up to 15.
M to line 15 is 1¼ inches.
Square over from 14 to 18.
V to 21 is the same distance as V to 25.
Line 14 to 25 is ½ inch less than the distance from line 14 to O.
14 to 16 is ¾ inch more than from N to M.
Shape the back part of sleeve 25-14-16.
12 is halfway between 21 and 25.
Square down from 12 to 28.
28 to 26 and 28 to 27 is ¼ inch each.
28 to 30 and 28 to 29 are 7¼ inch each.
Draw the center seam 16-26 and the under seam 25-30, which completes the back part of sleeve.
16 to 17 is ¾ inch.
12 to 24 is ½ inch.
Draw line 17-24-27.
19 to 31 is ⅛ of 21.
Shape the head of front sleeve 17-31-21.
Draw line 21-29 and shape the bottom 28-29, which completes the draft.



BALMAROON OVERCOAT.

THREE PIECE BALMAROON SLEEVE.

This coat is drafted similar to the box overcoat, as described in previous diagram.

MEASUREMENT.


Breast size, 38.

DRAFT OF TOP SLEEVE.

12 to 13 is ½ of 21.
Square up from 13 to 14 and down from 13 to 19.
K to 16 is 1 inch.
Square out from 14 to 15.
13 to 20 is ¾ inch.
Square down from 20 to 21.
19 to 24 is the same distance as T to 21.
N to 22 is 1¼ inches.
N to 23 is 1¼ inches.
Square down from N to 28.
28 to ½ inch from line N.
28 to 27 is 2½ inches.
Draw line 23-27, hollowing ¾ inch at point 25.
Draw line 22-28, hollowing ¾ inch at point 26.
13 to 16 is ¾ inch more than 31 to K.
Shape the head of sleeve 24-13-16.
28 to 30 is 7 inches.
Square down from 30 to 29.
30 to 29 is 1½ inches.
Draw line 24-29.
Shape the center seam of top sleeve 16-31-32, splitting the top sleeve in half.
32 to 33 is ¾ inch.
15 to 18 is 1/3 of 15 to 14.
Draw line 18-12.
Shape the head of sleeve 17-12-23.
Draw line 17-33, which completes the top sleeve.

UNDER SLEEVE.

Draw lines 22-P and P-29, rounding ¾ inch at point 6.
Shape the bottom 29-28, which completes the draft.



THREE PIECE BALMAROON SLEEVE.

CONVERTIBLE COLLAR OVERCOAT.

The draft illustrated on the opposite page is for a conservative convertible collar overcoat.

MEASUREMENTS.


Breast, 38.
Length, 50 inches.

DRAFT.

Draw line A B C D E F G.
A to B is ¾ inch.
B to C is ¼ of 21.
B to D is ½ of 21.
B to E is 17½ inches.
B to F is 24 inches.
B to G is the full length or 50 inches.
Square out from points A B C D E F G.
G to H is 1½ inches.
Draw line B-H.
B to I is 1/6 of 20 plus ½ inch.
Square up from I to K.
J to K is ¾ inch.
Draw line A-K.
D to M is 1/3 of 20½ plus 2 inches.
Square up from M to N.
L is halfway between N and O.
M to P is 1¼ inches.
Draw line K-L.
H to R is 1½ inches more than D to Q.
Shape the side-seam Q-R.
A to 31 is ¾ inch.
Shape 31-30.
Draw line 30-L, which completes the back.

FOREPART.

D to S is 2/3 of 20½ plus 1⅜ inches.
Square up from S to T.
T to U is 1/6 of 20½ plus ½ inch.
U to V is ¼ inch.
Draw line V-L.
U to 4 is ¼ less than K to L.
4 to 5 is ⅜ inch.
Shape the shoulder 5-V.
Q to 6 is ¼ inch.
Shape the armhole 5-6.
H to 7 is 1 inch.
Draw line 6-13-7.
Shape the side-seam 6-13, which is ¼ more than Q-R.
W is 20½ inches from line B-H.
W to X is 2½ inches.
X to Y is 2½ inches.
Square up from Y to Z and down from Y to 3.
Z to 8 is ⅛ of 20.
Square out from 8 to 9.
9 to 24 is 1/6 of 20½ plus ¾ inch.
Shape the gorge V-24-25.



CONVERTIBLE COLLAR OVERCOAT.

8 to 15 is 11½ inches.
Shape the lapel and front 8-15-12.
Sweep from point 13, leaving V-13 as a radius, to establish point 3.
Draw line 13-3.
Shape the bottom 12-13.
U to 11 is ¾ inch.
Re-shape the gorge 11-24.
11 to 24 is ¼ of 19, which completes the forepart.

COLLAR.

Extend line 15-16 to 17.
18 to 19 is the width of the bacl 30-31 plus ¼ inch.
Square down from 19 to 20.
19 to 20 is ⅛ of the breast.
Draw line 20-16.
Square up from 20 to 22.
20 to 21 is ¾ inch.
21 to 22 is 3 inches.
22 to 23 is ½ inch.
Draw line 20-21-23.
Shape the outside 23-25, which completes the collar.

D. B. ULSTER COLLAR OVERCOAT.


The Ulster Collar O. C. is drafted 4 sizes larger than the breast measurement of sack. On this draft, the breast size is 38, and the overcoat is drafted by the size 42.

MEASUREMENTS.

Breast size, 38.
Length, 50 inches.

DRAFT.

Draw line A B C D E F G.
A to B is 1½ inches. Note that this measurement is ¾ inch higher than the regular draft, as I believe that in taking this extra ¾ inch off the collar stand and adding it on to the back and forepart respectively, you get a much better result.
B to C is ¼ of 22.
B to D is ½ of 22.
B to E is 17½ inches.
B to F is 24 inches.
B to G is 50 inches.
Square out from points A B C D E F G.
B to J is 1/6 of 21 plus ½ inch.
Square up from J to K.
J to K is 2¼ inches.
Draw line A-K.
D to L is 1/3 of 21.
L to M is 2 inches.
Square up from M to O.
P is halfway between O and line C.
2 is halfway between P and line C.
Draw line K-P.
M to S is 1 inch.
S to T is 1 inch.
Draw line P-T.
Square down from M to Q.
Q to R is 1/6 of 21 plus ½ inch.
Draw line T-R.
G to H is 1½ inches.



D. B. ULSTER COLLAR OVERCOAT.

Draw the center seam B-H and shape the bottom, which completes the back.

FOREPART.

D to V is 2/3 of 21 plus 1⅜ inches.
Square up from V to Z.
Z to 3 is 1/6 of 21 plus 1¼ inches.
Draw lines 3-P and 3-2.
3 to 10 is ¼ less than K to P.
Shape the shoulder 10-3 and the armhole 10-U-T.
U is ½ inch lower than the breast line.
Take out ¼ inch at point T.
Draw line T-H.
Draw the side-seam 2-16, ⅛ inch longer than T-R.
D to W is 21 inches.
W to X is 3½ inches.
X to Y is 3½ inches, for a 7 inch button stand.
Square up from Y to 5 and down from Y to 18.
3 to 4 is 1/6 of 21 plus ½ inch.
Square down from 4 to 8.
4 to 8 is ⅛ of 21.
Square out from 8 to 7 and from 8 to 9.
7 to 20 is 11½ inches.
Shape the gorge and lapel, as illustrated, taking out ¼ inch Vee at point 11.
Square 14-15 to 19.
Sweep from 3-16 to 18.
Draw 16-18.
Shape the bottom 16-19, which completes the forepart.

COLLAR.

Draw the break 20-26.
3 to 22 is the width of back plus ¼ inch.
Square down from break intersecting 22 to point 23, which is ⅛ of 21.
23 to 22 is ¾ inch.
Draw line 22-26.
Shape the bottom 23-27.
22 to 24 is 4 inches.
Shape the lines 24-25 and 25-27, which completes the draft.
Note:—When drafting collar, refer to the draft of shawl collar.

SHOULDER CAPE OVERCOAT.


This garment is drafted with a military collar, and should be made with a whole back.

MEASUREMENTS.

Breast, 38.
Length, 42 inches.

DRAFT.

Draw line A B C D E F.
A to B is ¾ inch.
B to C is ¼ of 21.
B to D is ⅓ of 21.
B to E is 17½ inches.
B to F is the full length.
Square out from points A B C D E F.
B to K is 1/6 of 21 plus ½ inch.
Square up from K to J.
K to J is 1½ inches.
Draw line A-J.
D to G is 1/3 of 20 plus 2 inches.
Square up from G to H.
M is halfway between G and H.
M to L is 1/12 of 21.
G to H is 1/6 of 21 plus ½ inch.
F to P is 22 inches.
Square up from P to O.
Sweep from point J, using J-F as a radius to locate O.
Draw lines J-O and O-P, which complete the back.



SHOULDER CAPE OVERCOAT.

FOREPART.

H to X is 1/6 of 20 plus ½ inch.
H to 3 is ½ inch.
P to 6 is 1 inch.
Square up from 6 to 5.
Draw line X-3-5, the same distance as J-O.
D-H-S is 20 inches.
S to T is 4½ inches.
Square up from T to U and down from T to V.
B to Y is 1/6 of 20.
Draw line H-Y and shape the gorge X-Y.
Y to Z is 1 inch.
Z to 1 is 1½ inches.
Shape the front and bottom, as illustrated, which completes the forepart.

COLLAR.

Draw line 1-2-3.
1 to 2 is 1½ inches.
2 to 3 is 8¾ inches.
Square down from points 1-2-3.
3 to 7 is 1½ inches.
7 to 6 is 4¾ inches.
6 to 12 is ½ inch.
2 to 8 is 1¼ inches.
Draw line 7-2-1.
Make the stand at back 1½ inches.
Shape line 7.
10 to 9 is 2¾ inches.
Draw line 12-9.
Shape the back and front, which completes the collar.

ONE PIECE SLEEVE BALMACAAN.

MEASUREMENTS.

Breast, 38.
Length, 44 inches.

DRAFT.


Draw line J A B C H I G E F.
J to A is ¾ inch.
A to B is ¼ of 21.
B to C is ¼ of 21.
C to I is 3 inches.
H is halfway between C and I.
A to D is 18 inches.
A to E is 24 inches.
A to F is 44 inches.
A to M is 1/6 of 21.
Square up from M to O.
M to O is 1½ inches.
F to G is 1½ inches.
Draw line A-G.
Draw line J-N.
I to K is 2/3 of 21 plus 2 inches.
Square up from K to L.
I to O is 2/3 or 21 plus 1⅜ inches.
Square up from O to P.
S is halfway between R and T.
Square down from S to 2.
Draw line N-4.
Shape the armhole N-19-5.
2 to 3 is ¼ of 21.
Draw the side-seam 4-3 and shape the bottom 3-G. which completes the back.

FOREPART.

C to X is 21 inches.
X to Y is 2½ inches.
Y to Z is 2 inches.
Square up from Z to 12 and down from Z to 9.
Square up from O to P.
P to 14 is 1/6 of 21 plus ¾ inch.
14 to 17 is ¾ inch.
Draw line 17-18 and 18-5.
Shape the armhole 17-18-5.
14 to 15 is 1/6 of 21 plus ½ inch.
Square down 15 to 16.
15 to 16 is 1/6 of 21.
16 to 35 is 2 inches.
Sweep from points 17 the distance 17-7 to point 9.
Draw line 7-9.
9 to 10 is 1½ inches.
Shape the gorge, front and bottom as illustrated.
7 to G is 1/6 of 21.
Draw line 5-7 one-fourth inch more than 4-3, which completes to the forepart.

SLEEVE.

Square down from S to 30.
S to 30 is 18 inches.
Square both ways from 30.



ONE PIECE SLEEVE BALMACAAN.

30 to 31 is 7¼ inches.
30 to 32 is 7¼ inches.
Sweep from point 19, using N-19 as a radius.
Sweep from point 18, using 17-18 as a radius.
Note the intersection at point 20.

28 to 20 is ½ inch.
20 to 27 is 1 inch.
Draw lines 20-19 and 20-18.
Sweep from point 19, using 4-19 as a radius.
Note where it intersects line C.
Sweep from point 18, using 18-5 as a radius.
Note where it intersects line C at point Y.
Y to 23 is 1½ inches.
Draw line 27-23, dropping 1 inch at point 24.
Draw line 28-21, dropping 1 inch at point 29.
Draw lines 23-31 and 21-32, which completes the sleeve.

Note:—This draft is for a military collar Balmacaan. The collar is drafted the same as illustrated in the draft of Military Collar Mackinaw. You will also note that this draft is made 4 sizes larger than the sack breast measurement, so that the garment will be full.

SPLIT SLEEVE BALMACAAN WITH HINGE.

This diagram is drafted the same as the whole sleeve Balmacaan with the exception of the sleeve which is explained below.

MEASUREMENT.


Breast size, 38.
Length 42.

SPLIT SLEEVE DRAFT.

Square down from point S.
S to 30 is 18 inches.
Square both ways from 30.
30 to 31 and 30 to 32 are 7 inches each.
R to 41 is 1¼ inches, the notch.
41 to 20 is ½ of 21, the width of sleeve.
Sweep from point 19, using N-19 as a radius.
Take the distance N-19 and sweep from point 20 intersecting at point 28.
Divide 18 to 20 in half, locating point 27.
Sweep the distance 27-28, making the arch 28-36.
Sweep from point 18, using 17-18 as a radius, intersecting at point 36.
36 to 37 is 1 inch.
28 to 38 is 1 inch.
Sweep from point 19, using the distance 4-19 as a radius, intersecting at point C.
Draw line 38-20-21.
Shape the inseam 28-27-4-39.
30 to 39 is ¼ inch.
Shape the under arm seam and the bottom C-32 and 32-39, which completes the back part of sleeve.

FRONT SLEEVE.

30 to 40 is ¾ inch.
18 Sweep from point 18, using 5-18 as a radius, intersecting line C at point 22.
22 to 23 is ½ inch.
18 to 44 is ¾ inch.
Shape the front of sleeve 36-44-25-23, hollowing out ¾ inch at point 24.
27 to 43 is ¾ inch.
S to 42 is 1¼ inch.
Shape the inseam 37-43-42-40.
Draw the under arm seam 23-31, which completes the draft.



SPLIT SLEEVE BALMACAAN WITH HINGE.

MANTEL OVERCOAT.

MEASUREMENTS.

Breast size, 36.
Length, 42 inches.

DRAFT.


Draw line A B E C P F G.
A to B is ¾ inch.
B to E is ¼ of 20.
B to C is ½ of 20.
C to P is 3 inches.
B to F is 17½ inches.
B to G is 42 inches.
Square out from points A B E C P F G.
G to H is 1¼ inches.
B to Q is 1/6 of 20 plus ½ inch.
Square up from Q to R.
Q to 1 is ¾ inch.
1 to R is 1½ inches.
C to J is 1/3 of 20 plus 2 inches.
Square up from J to L.
Square down from J to 13.
J to I is 1/6 of 20.
Square down from I to K.
L to V is 1/6 of 20 plus ½ inch.
Square down from V to Q.
V to Q is ¾ inch.
Draw line Q-O.
O to 3 is ½ inch.
K to N is 1/3 of 20 plus 1 inch.
Draw line 3-N.
N to M is 1¼ inches.
Shape the bottom M-H.
Take the distance Q-3 using it an a radius from point R.
O to 2 is 20 inches plus ½ inch.
R is halfway between O and 2.
Square out from R to 8.
R to 8 is 17 inches.
Square out from 5 to 6 and 5 to 7.
5 to 6 and 5 to 7 are 7¼ inches each.
Draw line R-2.
Draw lines 2-7 and 3-6.
11 is halfway between R and 2.
11 to 12 is 1½ inches.

Shape the lines R-12-2, 2-9-7, and 6-10-3, which complete the combination of back and sleeve.

FOREPART.

C to I to T is 20 inches.
T to U is 5 inches.
Square up from U to W and down from U to Z.
B to 15 is 1/6 of breast.
Draw line L-15-X.
X to 16 is 11½ inches.
Sweep from point Q, using Q-M as a radius to establish Z.

Shape the gorge, lapel and front and draw line M-Z, which completes the draft.



MANTEL OVERCOAT.

TWO BUTTON D. B. Y. MEN'S SURTOUT.

This coat is drafted with a high waist effect and a narrow shoulder.

MEASUREMENTS.

Breast size, 38.
Waist length, 16½ inches.
Fashionable Waist length, 18 inches.
Full length, 40 inches.

DRAFT.


Draw line A B C D E F G K.
A to B is ¾ inch.
B to C is ¼ of 21.
B to D is ½ of 21.
B to E is 16½ inches.
B to F is 18 inches.
B to G is 24 inches.
B to K is the full length or 40 inches.
Square out from points A B C D E F G K.
F to G is 1 inch.
Come back ¼ inch at point K.
Draw line B-J-K.
B to L is 1/6 of 21 plus ¾ inch.
Square up from L to M.
L to M is 1½ inches.
Draw line A-M.
D to N is 1/3 of 20.
N to O is 2 inches.
Square up from O to P.
Q is halfway between P and R.
Draw lines M-Q and Q-R.
Draw line T-J.
J to 5 is 1/8 of 20.
Square up from 5 to 6.
Shape the side-seam R-5-23, which completes the back.

SIDE-BODY.

5 to 7 is 1½ inches.
Square up from 7 to 8.
13 to 11 is ¼ of 20.
D to 10 is ½ of 20 plus ¾ inch.
Draw line 10-11.
Drop point R one-half inch and come out ¾ inch at point S.
Shape the lines S-10, 10-11-9, and S-8-7.
Draw line 7-9, which completes the side-body.

FOREPART.

W is 20 inches from line B-J.
W to X is 3½ inches.
Square up from X to Z.
X to Y is 2¼ inches, ½ of the button stand.
Square up and down from point Y.
D to T is 2/3 of 20 plus 1⅜ inches.
Square up from T to U.
U to V is 1/6 of 20.
V to 14 is ½ inch.
Draw line 14-Q.
2 to 14 is ¼ inch less than M to Q.
2 to 3 is ⅜ inch.



TWO BUTTON D. B. Y. MEN'S SURTOUT.

Shape the shoulder 3-14 and the armhole 3-10.
11 to 12 is ½ inch.
Shape the side-seam 10-12-9.
Z to 14 is 1/6 of 20 plus ½ inch.
17 to 16 is 14 inchse.
Shape the gorge and lapel, as illustrated.
Draw line 7-18.
Shape the bottom 9-19-18.
Take out ¼ inch Vee at point 20, which completes the forepart.

SKIRT.

23 to 24 is 1½ inches.
Draw line 26-24-25 and make it 1 inch longer than J-K.
Draw line 26-21, hollowing out 1 inch at point 27.
Square down from 21 to 22.
Come out ¼ inch at point 22.
Draw line 22-25.
Shape the bottom as illustrated.
Shape the back seam, rounding out 1 inch at point 24, which completes the skirt.

YOUNG MEN'S NOVELTY OVERCOAT.


Breast size, 36.
Length, 40 inches.

DRAFT.

Draw line A B C D E F G.
A to B is ¾ inch.
B to C is ¼ of 20.
B to D is ½ of 20.
B to E is 17 inches.
B to G is 24 inches.
B to F is 40 inches or the full length.
Square out from points A B C D E G F.
F to G is 1⅛ inches.
F to H is ¾ inch.
Draw line B-G-H.
B to H is 1/6 of 20 plus ¾ inch.
Square up from N to O.
N to O is 1½ inches.
Draw line A-O.
D to J is 1/3 of 19 plus 1¾ inches.
Square up from J to L.
M is halfway between L and line C.
Draw line O-M.
J to K is 1/12 of 20.
K to W is ¾ inch.
Draw line M-W.
G to P is 1/3 of 19.
Square down from P to Q.
Q to R is 1¼ inches.
Shape the side-seam W-P-2-R, which completes the back.

FOREPART.

D to S is 2/3 of 19 plus 1⅜ inches.
Square up from S to T.
T to U is 1/6 of 19 plus ½ inch.
Square down from U to V.
U to V is ½ inch.
Draw line V-M.
V to 9 is ¼ inch less than O to M.
Shape the shoulder 9-V and the armhole 9-W.
P to X is 1 inch.
2 to Z is 2½ inches.
H to Y is 1 inch.
Shape the side-seam W-X-Z-Y and make it ⅛ inch longer than W-P-2-R.
Lines B-G to point 3 is 19 inches or ½ of the breast.
3 to 4 is 3½ inches.
4 to 5 is 2½ inches.
Square down from 4 to 11.
Square up and down from point 5.



YOUNG MEN'S NOVELTY OVERCOAT.

6 to 7 is 1/6 of 19.

7 to 14 is 11 inches.

Shape the gorge, lapel and front, as illustrated.

Shape the bottom and take out ¾ inch Vee at point 12 and ¼ inch Vee at point 13, which completes the draft.

MILITARY COLLAR MACKINAW.

This draft is made 3 in. larger than actual breast measure.

MEASUREMENTS.


Breast size, 38.
Length, 34 inches.

DRAFT.

Draw line M A C B D E F.
M to A is ¾ inch.
A to C is ¼ of 21.
A to B is ½ of 21.
A to D is 17½ inches.
A to E is 24 inches.
A to F is the full length or 34 inches.
Square out from points M A C B D E F.
F to G is 1¼ inches.
Draw line A-G.
A to L is 1/6 of 21 plus ½ inch.
Square up from L to M.
L to M is 1½ inches.
B to I is 1/3 of 20½ plus 2 inches.
Square up from I to J.
P is halfway between S and J.
Draw line N-P.
I to Q is 1½ of 21.
Q to R is ¾ inch.
Draw line P-R
I to H is ¾ inch.
Square down from H to K.
K to O is 1¼ inches.
Draw line R-O.
Shape the bottom G-O.
For a whole back take off ¼ inch on line M-G.

FOREPART.

B to T is 2/3 of 20½ plus 1⅜ inches.
Square up from T to U.
U to V is 1/6 of 20½ plus ½ inch.
Drop point of shoulder ¼ inch at V.
11 is halfway between P and S.
Draw line V-11.
V to 10 is ¼ inch less than N to P.
Shape the shoulder 10-V and the armhole 10-13-R.
Take out ¼ inch at point R.
4 to 5 is ¼ inch.
6 is 2½ inches from line H-K.
Shape the side-seam R-4-6-7 and make it ⅛ inch longer than R-O.
W is ½ of breast or 20½ inches from line M-G.
W to X is 2½ inches.
X to Y is 2 inches.
Square up from Y to 1 and down from Y to 17.
1 to 2 is 1/6 of 20½.
V to 3 is ¼ of 20½.
Shape the gorge and front V-3-9-15-16.



MILITARY COLLAR MACKINAW.

Sweep from point V-7 to 17.
Draw line 17-16.
Shape the bottom, as illustrated, which completes the forepart.

COLLAR.

The collar for a size 38 should measure 15½ inches. The under-collar should be drafted 1 inch larger, making it measure finished 16½ inches.

Draw line 1-2-3-4.
1 to 2 is 1½ inches.
2 to 3 is 8½ inches.
3 to 4 is ¾ inch.
Square down from points 1-2-3-4.
3 to 6 is 1/12 of 20½.
6 to 7 is 1½ inches.
7 to 8 is 3¼ inches.
Square out from 8 to 10.
2 to 5 is 1¼ inches.
Draw lines 6-2 and 7-5.
5 to 9 is 3 inches.
Shape the bottom 8-9 and the front 9-5-2, which completes the collar.

RAGLAN SLEEVE MACKINAW.

The method used in drafting this sleeve can be applied to overcoats.

MEASUREMENTS.

Breast size, 36.
Length, 33 inches.

DRAFT.


Draw line A B C D E F G.
A to B is ¾ inch.
B to C is ¼ of 20.
B to D is ½ of 20.
B to E is 17½ inches.
B to F is 24 inches.
B to G is 33 inches, full length of coat.
Square out from points A B C D E F G.
G to H is 1¼ inches.
Draw line B-H.
B to R is 1/6 of 20.
Square up from R to S.
R to S is 1½ inches.
D to J is 1/3 of 19 plus 2 inches.
Square up from J to O.
Dra wline S-P.
J to Q is 1/12 of 20.
Square out from Q to T.
Q to T is 1 inch.
Draw line S-T.
L to M is 1/3 of 20 plus 1 inch.
J to K is 1 inch.
Draw line K-M-N.
Shape the side-seam T-M-N, which completes the back.

FOREPART.

D to X is 2/3 of 19 plus 1⅜ inches.
Square up from X to 4.
4 to 5 is 1/6 of 19 plus ½ inch.
Square down from 5 to 7.
5 to 7 is ¾ inch.
Draw line 7-12.
Shape the armhole 7-12-P.
Take ¼ inch at point T.
M to 13 is ½ inch.
V to 14 is 2½ inches.
Draw line 13-15.
Shape the side-seam P-13-15 making it ⅛ inch more than T-N.
D to Y is 19 inches.
Y to Z is 3½ inches.
Z to 3 is 2½ inches, ½ of button stand.
Square up from 3 to 6 and down from 3 to 10.
6 to 8 is 1/6 of 19.
Draw line 4-8.
8 to 9 is 10 inches.
Sweep from point 7 using 7-15 as a radius, to establish point 10.
Draw line 15-10.
Shape the gorge, lapel and front and bottom, which completes the forepart.

SLEEVE.

X to 12 is 1¼ inches.
12 to 40 is ½ of 19.
Square down from 40 to 20.



RAGLAN SLEEVE MACKINAW.

Make an arch from point U, using U-S as a radius.

Take the distance U-S and make an arch, using 40 as a center.

These two arches intersect at point 34.

Draw line 34-40.

32 is halfway between 31 and 40.

34 to 35 is 1 inch.

Draw line 35-32.

X to 21 is 1¼ inches.

X to 22 is 1¼ inches.

Square down from X to 23.

23 to 24 is 1 inch.

24 to 25 is 1¼ inches.

24 to 26 is 1¼ inches.

Draw lines 21-25 and 22-26, hollowing out ¾ inch.

Square out from line 23 to 29.

24 to 29 is 7¼ inches.

Square down from 29 to 30.

29 to 30 is 1½ inches.

20 to 39 is ½ inch.

Draw lines 34-40 and 40-30.

Shape the inseam line 35-32-37.

Take the distance 32-35 and make an arch using point 32 as a pivot.

Take the distance 12-7 and make an arch, using point 12 as the pivot, intersecting at point 33.

Draw line 33-32.

Draw line 33-36.

33 to 36 is 1 inch.

Shape the front part of sleeve 36-12-21.

UNDER SLEEVE.

40 to 17 is ¾ inch.

Draw line 17-30.

Shape line 17-W.

Draw the bottom 30-26, which completes the draft.

SHAWL COLLAR MACKINAW.

MEASUREMENTS.


Breast 38.
Length 33.

DRAFT.

Draw line ABCDEF.
A to B is ¼ of 21 plus ¾ inch.
B to C is ¼ of 21.
A to D is 17½ inches.
A to E is 25 inches.
A to F is the full length or 33 inches.
Square out from points ABCDEF.
F to G is 1¼ inches.
Draw line A-G.
A to O is 1/6 of 21 plus ½ inch.
Square up from O to P.
O to P is 1½ inches.
C to H is 2/3 of 20 plus 2 inches.
Square up from H to L.
M is halfway bewteen L and line B.
M to 11 is ½ inch.
Draw line P-11.
H to N is 1 inch.
Square out 1 inch from N to point 9.
Draw line 11-N.
H to J is ½ inch.
Square down from J to K.
K to 5 is ¾ inch.
Shape the side seam N-8-5.
Plait in back ¾ inch as illustrated by 17-18.8

FOREPART.

C to R is 2/3 of 20 plus 1⅜ inches.
Square up from R to V.
V to X is 1/6 of 20 plus ½ inch.
Drop shoulder ¼ inch at point X.
Draw line X-10.
10 to X is ⅜ less than P to 11.
Shape the shoulder 10-X and the armhole 10-9.
8 to 7 is ½ inch.
13 to 12 is 2½ inches.
Shape the side seam 9-7 12-6, making it ⅛ more than the side seam of back.
C to S is 20 inches.
S to T is 3½ inches.
T to U is 2½ inches or ½ of button stand.
Square up from U to W and down from U to Z.
W to 14 is 1/6 of 20.
Draw 15-14.
Shape the gorge X-14 and the front 14-4.
Sweep from point X, using X-6 as a radius to establish point Z.
Shape the bottom 4-6, which completes the draft.
NOTE.—See Draft of Shawl Collar on Page 20-21.



SHAWL COLLAR MACKINAW.

Subscribe to .....

THE CLOTHING DESIGNER AND MANUFACTURER

——its the designers and manufacturers "bible". Published monthly, and each issue contains a dozen or more of drafts and explanitory text matter, any one of which is worth the cost of the magazine for a whole year.

It also contains helpful hints and suggestions galore written by inside men and therefore not based on theory. Latest information anent machinery, etc., also given.

Price per annum $5.00
six months 3.00

The Clothing Designer Company

70 Fifth Avenue, New York, N. Y.

WE CONDUCT
THE ONLY SCHOOL TEACHING WHOLESALE DESIGNING.

School or mail course taught by practical experienced designers of national reputation.

Our students include designers, foremen and cutters holding responsible positions but who are not content to rest on their laurels and whose minds are open and flexible.

Many of our graduates have secured better paying and more important positions through the knowledge gained here.

Remember personal instruction is given and the school is light and comfortable.

Write for particulars, terms, etc.

The Clothing Designer Company

70 Fifth Avenue, New York, N. Y.

DON'T GROPE IN THE DARK—USE SIMONS BOOK ON SCIENCE OF GRADING CLOTHING PATTERNS.

This is the latest and most advanced book work on grading. Top notch designers and cutters are using it to their gratification and satisfaction.

The book contains seventy-two pages of text matter and diagrams covering every phase of grading. Each point is fully explained. All questions not thoroughly understood will be personally answered by the author.

Write for particulars.

The Clothing Designer Company

70 Fifth Avenue, New York, N. Y.

NO DESIGNING ROOM COMPLETE WITHOUT SIMONS BOOK ON OVERCOATS AND PANTS.

These books by Harry Simons have enjoyed unprecedented sale. No designer can afford to be without them. We have on file letters galore containing encomiums on these works. Mr. Simons spent months and months compiling these books and they are perfection personified. The books contain all the latest overcoats and pants—advanced styles. The system used in creating each draft is minutely and exhaustively explained.

Overcoat Book $15. Pants Book $10.

All orders must be accompanied by money order or draft on New York Bank.

The Clothing Designer Company

70 Fifth Avenue, New York, N. Y.