

Somatic Baseline Protocol

PROTOCOL

Baseline Regulation, Environmental Friction, and Daily Governance

Asset ID: DC-P01-SBP-PC01 | Revision v0.1

The Sovereign Bureau | A. Solenne Institute | A division of Granite Field Holdings Ltd. Co.

Copyright (c) 2026 Distinct Character. All Rights Reserved.

Use Boundary and Rights Notice

Somatic Baseline Protocol is part of the Distinct Character protocol ecosystem. It is designed for educational, developmental, behavioral governance, and self-mastery implementation use.

This protocol does not provide medical advice, psychiatric advice, psychotherapy, legal advice, financial advice, diagnosis, or crisis treatment. If you are experiencing acute distress, risk of harm, medical symptoms, or a clinical emergency, seek support from a licensed professional or emergency service in your location.

No part of this protocol may be copied, resold, sublicensed, redistributed, trained into automated systems, or adapted for commercial use without written permission from the rights holder.

A Letter from Azari Solenne

Welcome.

Before beginning the Somatic Baseline Protocol, I want to clarify what this work is designed to do.

This protocol is not asking you to become calm on command. It is not asking you to override your body, force regulation, or treat every stress response as a failure of discipline.

The work begins somewhere more honest.

It begins with baseline.

A baseline is the truth of the system before performance enters the room. It shows what the body has been carrying, what the environment has been requiring, what relationships have been costing, and what survival strategies have become normal enough to disappear into personality.

Many high-functioning people learn to operate far beyond their actual biological capacity. They become skilled at continuing, managing, producing, adapting, and appearing functional while the body keeps the score in quieter ways: tension, fatigue, collapse, irritability, shallow breathing, compliance, urgency, shutdown, and the inability to recover.

This protocol exists to make that cost visible.

Not so you can shame yourself for it.

So you can govern it.

Somatic stability is not softness. It is infrastructure. It is the condition that allows identity work, execution, authority, and self-mastery to become sustainable instead of performative.

You will examine your current state, map your patterns, identify environmental friction, practice tactical resets, and build a daily governance rhythm that respects the body as part of the operating system.

Some sections may feel simple. Others may feel uncomfortable because they reveal how long you have been functioning from a level of activation that was never meant to become permanent.

Move slowly. Use the low-capacity adaptations. Respect the safety boundaries. If the work activates panic, dissociation, crisis states, medical symptoms, or trauma material that feels too large to hold alone, stop and seek appropriate professional support.

The objective is not to become endlessly regulated.

The objective is to become structurally honest enough to build from the truth of your system.

Your baseline is not your limitation.

It is the place where intelligent governance begins.

Azari Solenne

Founder, Distinct Character

THE CLINICAL PRE-FLIGHT

The Somatic Dysregulation Index (SDI™)

Baseline Assessment

Before you begin this protocol, you need a baseline reading. The Somatic Dysregulation Index is a 12-question intake assessment capturing current patterns of activation, shutdown, and adaptive stress response across three axes: Sympathetic (mobilization and fight-or-flight), Dorsal Vagal (immobilization and shutdown), and Fawn (appeasement and chronic compliance). Your score establishes where your system is operating right now and allows you to track real biological change by the time you reach the Exit Assessment in Section VIII.

This is not a personality test. It is a data capture. Answer based on how you have functioned over the last two weeks, not how you aspire to function.

Scoring Key: 0 = Never | 1 = Sometimes | 2 = Often | 3 = Almost Always

No.	Question	Score (0-3)
SYMPATHETIC AXIS		
1	<i>Do you frequently feel rushed, even when there is no external deadline?</i>	
2	<i>Do you experience difficulty falling or staying asleep due to racing thoughts?</i>	
3	<i>Do you notice jaw tension, shoulder bracing, or shallow breathing as a default state?</i>	
4	<i>Do you make reactive decisions that you later regret?</i>	
DORSAL VAGAL AXIS		
5	<i>Do you experience episodes of emotional numbness or disconnection from your surroundings?</i>	
6	<i>Do you frequently feel mentally foggy or unable to access strategic thinking?</i>	
7	<i>Do you procrastinate on tasks that require sustained cognitive engagement?</i>	
8	<i>Do you feel physically heavy or immobilized during periods of high stress?</i>	
FAWN AXIS		
9	<i>Do you find yourself agreeing with others to avoid conflict, even when you disagree?</i>	

10	<i>Do you feel responsible for managing other people's emotional states?</i>	
11	<i>Do you have difficulty identifying what you want or need in the moment?</i>	
12	<i>Do you experience physical relief when others express approval of you?</i>	

SDI Baseline Score: _____ | **Sympathetic:** _____ | **Dorsal:** _____ | **Fawn:** _____

Score ranges: 0 to 12: Stable baseline. 13 to 24: Moderate dysregulation. 25 to 36: Significant chronic dysregulation. If you scored above 25, the foundational sections of this protocol are structural requirements, not optional exercises.

SECTION I

The Foundational Doctrine

Regulation as Governance

The Governance Mandate

In the architecture of self-mastery, regulation is not an act of self-care. It is an act of high-level governance. Most women attempt to build a life, a business, or a legacy on top of a destabilized biological foundation. They treat their exhaustion as a character flaw and their anxiety as a motivational deficit.

This is a fundamental misunderstanding of human infrastructure.

Your nervous system is the primary operating system through which all thought, decision-making, and relational dynamics flow. When this system is dysregulated and stuck in a chronic state of mobilization, your cognitive capacity is literally hijacked by your biology. You cannot access strategic intelligence while your body is bracing for a perceived threat. To lead, to create, and to command, you must first secure your own internal baseline.

Regulation precedes power.

The Survival Loop: The High Cost of Urgency

Chronic sympathetic dominance, the state of perpetual rushing and on-edge alertness, is a survival mechanism, not a high-performance strategy. While it may provide a temporary surge of adrenaline-fueled productivity, it comes at a compounding cost:

Identity Erosion	You begin to mistake your stress response for your personality.
Cognitive Narrowing	Your ability to see long-term consequences is sacrificed for immediate, reactive relief.
Executive Drain	You leak authority through impulsive communication and a chronic absence of emotional containment.

If you are perpetually handling it all while operating at the frequency of panic, you are not in command. You are surviving your own life.

The Grief of the Baseline

Before moving forward, this protocol acknowledges something most frameworks omit: it is disorienting to realize how long you have been operating from dysregulation.

When you begin to see clearly what chronic survival mode has cost you, in your relationships, your decisions, your body, and your work, you may encounter grief. This is not weakness. It is the first evidence that your nervous system is beginning to differentiate between what was necessary and what is sustainable. Allow it. The grief of the baseline is not a detour from the work. It is the first act of honest governance.

The Objective: Somatic Stability

The goal of this protocol is not instant calm. Calm is a fleeting emotional state. Stability is a structural achievement.

Distinct Character defines the objective as Somatic Stability: the biological capacity to remain a grounded observer of your internal and external environment under pressure. We are not seeking to eliminate stress. We are building your capacity to hold it without collapsing, reacting, or masking. By implementing these protocols, you are moving from being a passenger of your biology to becoming its architect.

SECTION I REFLECTION

◆ *How has chronic sympathetic dominance shown up in your life, in your work, your relationships, and your body? Be specific about the costs you have paid.*

◆ *Where have you been mistaking your stress response for your personality? What becomes possible if those patterns are not identity?*

SECTION II

Biological Architecture

Understanding the Internal Mechanics

To govern a system, you must first understand its internal mechanics. Your nervous system is not a single entity. It is a sophisticated, dual-branch infrastructure designed to toggle between survival and expansion. Mastery begins with the ability to read which state you are inhabiting at any given moment, with precision.

The Autonomic Infrastructure

The Sympathetic Nervous System (The Accelerator): Responsible for mobilization. When your brain perceives a threat, whether a physical danger or a passive-aggressive email, this system floods your body with cortisol and adrenaline. Your heart rate increases, your breath shallows, and your cognitive focus narrows to the immediate problem.

The Parasympathetic Nervous System (The Brake): Responsible for rest and restoration. The Ventral Vagal pathway within this system allows for social connection, creativity, and high-level strategic thinking. This is the state where true authority and considered decision-making reside.

Neuroception: The Subconscious Surveillance System

Before you consciously feel an emotion, your nervous system has already performed an environmental scan. This process, called neuroception, operates below awareness and is constantly asking: Am I safe, or am I in danger?

If your neuroception detects a threat, even a perceived one, it activates the Sympathetic system before you have a chance to reason through it. You cannot think your way out of a physiological threat signal already in motion. You must send a biological signal of safety back to the brain. This is why every protocol in Section V begins with the body, not the mind.

Chronic stress progressively lowers the threshold at which neuroception fires. Over time, environments and interactions that are objectively safe begin to register as dangerous. Recalibrating that threshold is the primary function of this protocol.

The Gendered Survival Loop

The traditional fight, flight, or freeze model is incomplete for understanding how many women experience and respond to threat. Research indicates that women are more likely to activate a fourth survival strategy: the Fawn Response.

Fawning is the biological imperative to appease, over-comply, and manage the emotional states of others to reduce perceived threat. It is not weakness. It is a sophisticated survival adaptation. The cost of chronic fawning is significant: persistent identity erosion, difficulty accessing personal needs, hypervigilance to others' emotional states at the expense of your own, and a deeply embedded pattern of trading biological safety for social approval. The Fawn Axis on the SDI assessment measures the current burden of this response in your system.

The Three States of Human Operation

All human behavior, decision-making, and relational interaction originates from one of three biological states. Your capacity to lead, create, and communicate effectively is directly determined by which state your nervous system is currently inhabiting.

Zone	State	Somatic Markers	Capacity
Zone 1	Ventral Vagal <i>Safety and Connection</i>	<i>Grounded, curious, calm heart rate, open posture</i>	Highest. The only state where you can lead effectively. Optimal state for leadership.
Zone 2	Sympathetic <i>Mobilization: Fight or Flight</i>	<i>Rushing, jaw tension, shallow chest breathing, irritability</i>	Limited. Reactive, not proactive. Useful short-term. Destructive when chronic.
Zone 3	Dorsal Vagal <i>Immobilization: Freeze or Shutdown</i>	<i>Numbness, brain fog, procrastination, heavy limbs</i>	Critically low. The system has pulled the plug to protect itself from overwhelm. Often mistaken for calm.

Most women operating in high-demand environments oscillate between Zone 2 and Zone 3, with brief windows in Zone 1. This protocol is designed to systematically expand your time in Zone 1 and accelerate your return to it after disruption.

SECTION II REFLECTION

♦ Which zone do you spend most of your time in? Describe what your body physically does when you enter each zone. Use your own somatic language.

♦ Think of a significant decision you made recently. What zone were you in when you made it? How might that decision have looked different from Zone 1?

SECTION III

The Vagus Nerve

Your Master Regulator

The vagus nerve is the superhighway between your body and your brain. Its tone determines your capacity for calm, connection, and command.

A Core Pathway in Regulation

The word vagus means wanderer in Latin. The vagus nerve travels from the brainstem through the neck, heart, lungs, and abdomen, creating a direct two-way communication line between your brain and every major organ. It is the primary pathway of your parasympathetic nervous system and the anatomical foundation of your capacity for regulation.

Critically, 80% of vagal signals travel upward, from body to brain. This means your organs are constantly informing your mental and emotional state. Regulation starts in the body because the body holds governing authority over the mind.

The vagus nerve directly governs heart rate regulation and HRV, breathing rhythm and depth, vocal tone and throat tension, facial expression and social engagement, digestion and gut motility, immune system modulation, inflammation response, emotional memory processing, and the felt sense of safety in relational connection.

What Is Vagal Tone?

Vagal tone refers to the baseline activity level of your vagus nerve. High vagal tone means your parasympathetic system is robust: you activate it quickly after disruption and recover from stress efficiently. Low vagal tone means your brake system is weak, and you remain stuck in sympathetic overdrive longer than the triggering situation warranted. Vagal tone is not a fixed trait. It is trainable.

High Vagal Tone Indicators	Low Vagal Tone Indicators
• Warm, resonant, even voice tone • Calm, steady eye contact • Quick recovery from stress or conflict • Regular, healthy digestion • Flexible thinking under pressure • Baseline sense of inner safety • Genuine feeling of connection to others	• Tight, flat, or strained voice • Difficulty making or holding eye contact • Slow recovery from emotional triggers • Chronic digestive issues • Inflammatory or autoimmune conditions • Anxiety, dread, or hypervigilance • Feeling isolated even in the presence of others

How Vagal Dysregulation Shows Up in Your Life

Vagal dysregulation rarely announces itself as a nervous system problem. It masquerades as personality traits, chronic illness, relational difficulties, and creative blocks. Recognizing the pattern beneath the presenting symptom is the first act of internal governance.

In Your Body	In Your Mind	In Your Relationships
- Chronic neck and shoulder tension - Frequent throat clearing - Shallow breathing as default state - Digestive disorders - Fatigue that sleep does not resolve - Heart palpitations - Frequent illness or slow recovery	- Decision paralysis - Catastrophic thinking loops - Inability to sustain present-moment awareness - Blocked creativity and long-range vision - Brain fog after social interaction - Hypervigilance - Emotional numbness or flatness	- Snapping or shutting down - Flat or strained voice during conflict - Avoiding difficult conversations - Fawning and chronic over-appeasement - Feeling too much or too little - Difficulty receiving care or softness - Social withdrawal

Relaxation-Induced Anxiety

There is a counterintuitive phenomenon that affects many individuals with chronically low vagal tone: the experience of panic or distress when the nervous system finally encounters stillness. If your system has been running in sympathetic dominance for an extended period, the absence of that activation can feel destabilizing rather than relieving. Quiet becomes threatening. Rest produces restlessness.

This is not psychological resistance. It is a biological artifact of a system that has calibrated around the presence of stress as its normal state. If you encounter this response while working through this protocol, do not interpret it as evidence that regulation is impossible for you. It is evidence that your vagal tone is low and that your system does not yet recognize safety. Continue. The discomfort of recalibration is temporary.

Building Vagal Tone: Evidence-Based Daily Practices

In addition to the six tactical reset protocols in Section V, the following practices build vagal tone structurally over time. The resets produce rapid state shifts. These practices produce lasting structural change.

Practice	Vagal Mechanism	Frequency
Cold water on face or neck	<i>Triggers dive reflex, producing rapid parasympathetic activation</i>	Daily, 30 seconds
Humming or sustained toning	<i>Direct vibration of vagal fibers in the throat and chest</i>	2 to 5 minutes daily
Extended exhale breathing	<i>Exhale longer than inhale activates the vagal brake</i>	5 minutes, 3x daily
Gargling with water	<i>Activates vagal fibers in the throat and soft palate</i>	Morning ritual
Genuine social laughter	<i>Engages the Social Engagement System via the ventral vagal pathway</i>	Daily
Slow, mindful movement	<i>Stimulates vagal tone through posture and breath coordination</i>	3 to 5x weekly
Meditation or quiet prayer	<i>Rhythmic breath lowers cortisol and tones</i>	Daily, any duration

	the vagus nerve	
--	-----------------	--

SECTION III REFLECTION

◆ *Which signs of low vagal tone do you most recognize in yourself? In which specific situations do these patterns appear most strongly?*

◆ *Which two or three vagal activation practices could you integrate this week? What would need to be structurally true for those practices to happen consistently?*

◆ *Has anyone ever commented on your voice tone, eye contact, or social withdrawal in a way that now makes sense through a vagal lens? What does this reveal about how you show up as a leader?*

SECTION IV

The Environmental Audit

Structural Friction Identification

You can execute every breathing protocol and somatic practice available, and if you are doing so inside an environment your body still perceives as a threat, the restoration you are reaching for will not hold. Your nervous system is not being irrational. It is being accurate.

If your operational baseline has included chaotic environments, blurred relational boundaries, draining digital exposure, or ongoing systemic pressure, your nervous system has adapted to chronic stress by calibrating it as normal. To achieve genuine somatic stability, you must identify and systematically address the structural sources of that activation.

Interoceptive Data Points

Your body provides constant, honest feedback about your environment. The ability to read and trust that feedback is called interoception. These signals are not vague feelings. They are concrete biological data points produced by your nervous system's real-time environmental surveillance. Check which of the following you experience:

- ☐ My shoulders physically brace when a specific individual contacts me.
- ☐ My digestive system contracts before certain obligations.
- ☐ My breathing becomes shallow or rapid when engaging with specific tasks or digital platforms.
- ☐ I feel a sense of dread or low energy tied to specific environments or people.
- ☐ My jaw clenches or chest tightens in anticipation of certain interactions.
- ☐ I feel relief when a specific person cancels plans or an obligation falls away.
- ☐ I experience a Sunday-effect dread before the work week begins.

When you identify these signals, you do not push through them or override them with effort. You recognize them as biological data cues indicating that a tactical reset is warranted and that the source of friction requires categorization.

Systemic Containment

Not every source of structural friction can be removed. Some threats are embedded in systems: a necessary employment environment, a caregiving obligation, economic constraints, or patterns of systemic inequity that cannot be resolved by personal governance alone.

When the threat cannot be eliminated, the strategic objective shifts to containment: building the internal architecture required to regulate within the environment without being consumed by it, while simultaneously taking whatever structural actions are within your current scope. The distinction between Remove, Restructure, and Regulate requires honest categorization.

Your Environmental Friction Map

Identify the people, places, tasks, digital environments, and relational patterns that produce an involuntary stress response. Categorize each:

Remove: eliminate entirely · Restructure: modify the terms · Regulate: build internal capacity to hold

Source of Friction	Interceptive Body Signal	Action Required	R/R/R

SECTION IV REFLECTION

◆ *What have you been tolerating, in your environment, relationships, or obligations, that your body has been signaling you to address? What has the cost of continued inaction been?*

◆ *Identify one source to Remove, one to Restructure, and one to Regulate. Write the first concrete action step for each, not an intention, but a specific act you can execute this week.*

SECTION V

Tactical Reset Protocols

The Practice of Biological Intervention

The following six protocols are not relaxation techniques. They are clinical interventions designed to force your nervous system out of sympathetic or dorsal dominance and back to a stabilized baseline. When your interoceptive data signals a threat response, you do not attempt to think your way out of it. You deploy a physical protocol to structurally alter your physiology.

Choosing Your Protocol

- Protocols 1 and 2: Fastest (30 seconds to 3 minutes). Deploy immediately upon noticing acute tension, before high-stakes conversations, or to interrupt the momentum of overwhelm.
- Protocols 3 and 4: Medium depth. Use for pre-meeting centering, mid-day resets, or post-conflict recovery.
- Protocols 5 and 6: Somatic and body-based. Use when interoceptive data reveals muscular rigidity, physical bracing, or dorsal shutdown.
- Track which protocols most efficiently address your specific triggers. Your Section VI data will reveal your personalized reset sequence.

The Six Protocols

1 The Physiological Sigh

RAPID CO₂ OFFLOADING

Action: Take a deep, full inhalation through the nose, expanding the diaphragm. Follow immediately with a second, shorter top-off inhale to fully inflate the lungs. Release with a long, extended, audible sigh through the mouth. Repeat 3 to 5 times.

Biological Function: This double-inhale forcefully reinflates collapsed alveoli in the lungs, rapidly offloading carbon dioxide. The extended exhale immediately signals safety to the nervous system, activating the parasympathetic brake.

Deployment Criteria: Execute immediately upon noticing acute tension, before entering a high-stakes conversation, or to sever the momentum of overwhelm.

2 Vagal Tone Induction

VIBRATION AND HUMMING

Action: Inhale deeply. On the exhalation, produce a sustained, low-pitch hum for the full duration of the breath. Focus on the physical sensation of vibration in the chest and throat. Repeat for 2 to 3 minutes.

Biological Function: The vocal cords are directly connected to the vagus nerve. Mechanical vibration physically stimulates the nerve, acting as a brake on heart rate and inducing parasympathetic regulation.

Deployment Criteria: Utilize to establish a grounded baseline in the morning, or when you require rapid internal centering before a significant engagement.

3 Sensory Anchoring

5-4-3-2-1 COGNITIVE GROUNDING

Action: Disrupt mental looping by systematically identifying empirical data in your immediate environment. Name 5 objects you can visually confirm, 4 physical textures you can feel, 3 distinct sounds you can hear, 2 scents you can identify, and 1 taste you can perceive.

Biological Function: This protocol forces the brain to shift processing power away from the amygdala and future-based anxiety loops, anchoring cognitive function firmly in present-moment sensory reality.

Deployment Criteria: Deploy when experiencing cognitive flooding, racing thoughts, or dissociation from the present moment. Also indicated for early Zone 3 states before full shutdown.

4 Diaphragmatic Compression

DEEP ABDOMINAL BREATHING

Action: Place one hand on the chest and one on the abdomen. Inhale slowly through the nose, ensuring the abdomen expands while the chest remains relatively still. Exhale slowly through the mouth, allowing the abdomen to fully deflate. Extend the exhale to be longer than the inhale.

Biological Function: Shallow chest breathing is a biological signature of sympathetic activation. Deep diaphragmatic expansion physically massages the vagus nerve and mechanically slows the heart rate, inducing a rest-and-digest state.

Deployment Criteria: Implement as a foundational daily discipline, or to systematically lower baseline hyperarousal throughout the day.

5 Somatic Discharge: Cervical Spine Release

TENSION DISCHARGE

Action: Deliberately tilt the head to bring the ear toward the shoulder and hold for 15 to 20 seconds while maintaining controlled respiration. Slowly rotate the head to look over the shoulder, holding for another 15 to 20 seconds. Repeat bilaterally.

Biological Function: The body traps kinetic energy in the musculature during a stress response, particularly in the neck and shoulders. This protocol discharges the rigid bracing commonly held in these areas, neutralizing physical defensiveness.

Deployment Criteria: Execute when interoceptive data reveals muscular rigidity, particularly after prolonged periods of high cognitive load, sustained screen time, or relational friction.

6 Isometric Reset

TENSION-TO-RELEASE CONTRAST

Action: Systematically isolate a muscle group, such as the hands or shoulders, and intentionally contract it with maximum force for 5 seconds. Release the tension instantly and completely. Observe the somatic shift for 10 to 15 seconds before repeating.

Biological Function: This protocol creates a stark biological contrast, teaching the nervous system to recognize the physical difference between structural bracing and neutral release. It is one of the few interventions that can interrupt a dorsal shutdown state.

Deployment Criteria: Deploy to exit a Zone 3 freeze or shutdown state, or to flush generalized, low-grade physical anxiety from the system.

Clinical Note: *If you are in a Zone 3 dorsal state, standard relaxation techniques may worsen shutdown. Prioritize Protocol 3 (Sensory Anchoring) and Protocol 6 (Isometric Reset) first to generate enough activation to return to Zone 2, then use Protocols 1 through 4 to complete the descent to Zone 1.*

Titration Checkpoints

Throughout your use of these protocols, monitor your responses. If any protocol produces panic, significant tightening, or a sense of unreality, stop immediately. Feel the floor beneath your feet, hold a textured object, or drink cold water. An adverse response is not failure. It is information about where your system currently sits.

Clinical Note: *Do not attempt to push through adverse somatic responses. If consistent adverse responses occur across protocols, this material is best engaged alongside professional support.*

Protocol Practice Tracker

Rate effectiveness on a scale of 1 to 5 after each use. Leave blank if not used. After the first week, review your data to identify your most effective interventions.

Protocol	Mon	Tue	Wed	Thu	Fri	Sat
1 · Physiological Sigh						
2 · Vagal Tone Induction						
3 · Sensory Anchoring						
4 · Diaphragmatic Compression						
5 · Cervical Spine Release						
6 · Isometric Reset						

◆ *After your first week of protocol use: which felt most natural? Which produced the most immediate shift? Which requires more consistent practice?*

SECTION VI

The Governance Log

Objective Measurement of Internal State

Self-mastery requires objective measurement. You cannot manage a system you are not tracking. This log replaces passive journaling with rigorous data entry. By recording your biological responses across time, you move from feeling like a victim of your triggers to becoming a credible architect of your capacity.

What to Track in Each Entry

- Date and Time: establishing the chronological pattern.
- Trigger Event: what initiated the biological shift, including context.
- Observed Biological State: your interoceptive clues at the time of activation.
- Protocol Deployed: which of the six tactical resets you executed.
- Resulting Shift: whether and how your system returned to a Zone 1 baseline.

Morning Check-In

Date: _____	Time: _____	Current Zone: Zone 1 ○ Zone 2 ○ Zone 3
Regulation Score (1-10): _____ Sleep Quality (1-5): _____		

♦ What interoceptive signals are you noticing right now? Scan: jaw, throat, shoulders, chest, belly.

Daily Tracking Table

Date / Time	Trigger Event	Biological State Observed	Protocol Deployed	Resulting Shift

Evening Reflection

◆ *What was the most significant nervous system event of today? How did you respond, and how did you want to respond? Describe the gap.*

◆ *Did you address the root cause of any trigger today, or did you only apply a protocol to contain the response? What would addressing the root actually require?*

Tomorrow I will prioritize:

The Weekly Governance Review

At the end of each week, review your Somatic State Tracker. You are looking for structural leaks in your regulation, not judging your emotional responses. Answer these questions to close the loop on your internal governance.

Week of: _____ to _____

◆ *What was the most recurring trigger or source of structural friction this week?*

◆ *Did I rely on a protocol to survive a friction environment, or did I take structural action to address its source?*

◆ *Where did my emotional containment fail, and what was the state of my nervous system when it happened?*

◆ *What boundary must I enforce next week to protect my somatic baseline?*

The Relapse Ledger

Consistency with a governance log is difficult to maintain. Most people stop logging not because they forget, but because life produces a concentrated period of activation and the log becomes another demand during a period of reduced capacity. This is not a character failure. It is a predictable structural event.

When you realize you have abandoned the log, do not restart from guilt. Use the Relapse Ledger to perform a zero-shame assessment-oriented. Identify the point at which structural failure occurred, the conditions that produced it, and the specific re-entry action you will take.

Date Abandoned Log	Point of Structural Failure	Trigger	Re-entry Protocol

SECTION VII

Guided Journal Pages

Deep Pattern Inquiry

The prompts in this section go deeper than the daily log. They are designed for major transitions, significant setbacks, or those moments when you sense a pattern you cannot yet name. Return to them as needed throughout your time with this protocol.

Identity and Nervous System

◆ *Who were you before chronic stress became your default state? What qualities, instincts, and capacities have you lost reliable access to? Describe that version of yourself in full.*

◆ *What stress response have you mistaken for a personality trait? What becomes possible when you recognize it as a pattern, not an identity?*

Somatic History

◆ *When did you first learn that the world required you to be on high alert? Trace your nervous system story back toward its origin. This is not an exercise in blame. It is an act of understanding your wiring.*

◆ *How has chronic dysregulation affected your work, your relationships, or your decisions in the last 12 months? What opportunities have you missed or created from a survival state?*

Leadership and Somatic Authority

◆ *Describe how you lead, communicate, and create when you are in Zone 1. Then describe what shifts in Zone 2 and Zone 3. What is the cost of those shifts to the people around you?*

◆ *What would change if your body were your most trusted source of intelligence rather than your greatest obstacle? What would you do, say, or stop tolerating?*

The Fawn Pattern Assessment

The following prompts audit where and how the Fawn Response is currently operating in your life. Fawning is not a personality trait. It is an adaptive survival pattern that was once necessary and has since become a structural leak in your internal governance system.

◆ *In which relationships or environments do you consistently override your own needs, preferences, or discomfort to manage someone else's emotional state? Name them specifically.*

◆ *Where are you trading biological safety, meaning authentic expression and honest response, for social approval or conflict avoidance? What does the trade cost you?*

◆ *What would you say, stop doing, or refuse if the social consequence were removed? What does the gap between that answer and your current behavior reveal?*

SECTION VIII

Post-Protocol Efficacy and Ecosystem Progression

Measuring Biological Shift

The Exit Assessment

You have now completed a full cycle of this protocol. Before you move forward, you need a post-protocol reading to establish whether and how much your baseline has shifted.

Return to the SDI assessment from the Clinical Pre-Flight and retake it now. Answer based on how you have functioned over the last two weeks, using the same scoring key you used at the start.

SDI Exit Score: _____ | **Sympathetic:** _____ | **Dorsal:** _____ | **Fawn:** _____

Baseline Score: _____ | *Total Change:* _____ | *Axis with Greatest Shift:* _____

If your score has decreased, you may have produced a measurable regulation shift. If your score has remained the same or increased, return to Section IV and reassess your Environmental Friction Map. Sustained dysregulation almost always has a structural source that protocols alone cannot resolve.

The Strategic Expansion: Governing the External

You have now established the foundational protocols required to secure your internal baseline. Securing your internal calm is only the first phase of governance. Your nervous system may be stabilizing, but the world continues to produce friction.

A colleague sends passive-aggressive communication. A family member challenges a boundary you have clearly established. The next level of self-mastery is learning to maintain grounded authority during external friction and to communicate from regulation rather than reaction.

◆ *Now that you have established your internal baseline: where specifically do you need to build the capacity to communicate from a regulated state? What situations require you to respond rather than react?*

The Bridge to Phase 2: Cognitive Transfer

The work you have done in this protocol has been foundational and biological. You have established the physical infrastructure required for the next phase of governance. A regulated body does not automatically produce a regulated identity. The psychological patterns, the self-concept, and the behavioral architecture that kept you operational during dysregulation must now be examined and restructured deliberately. This is the work of Phase 2.

IOS-1: The Identity Operating System

Phase 2 of the Distinct Character self-mastery sequence. Because a regulated body is only the beginning.

Available at distinctcharacter.com

BONUS

30-Day Regulation Challenge

30 Days. One Protocol. One Structural Shift.

Commit to 30 consecutive days of daily nervous system work. Each day, complete your Morning Check-In and execute at least one protocol from Section V. Check off each day as you complete it. At the end of 30 days, take the Exit Assessment in Section VIII and compare your SDI scores.

Consistency is the variable. Thirty days of imperfect practice produces more structural change than a single day of optimal performance.

Day 1 ☐	Day 2 ☐	Day 3 ☐	Day 4 ☐	Day 5 ☐	Day 6 ☐
Day 7 ☐	Day 8 ☐	Day 9 ☐	Day 10 ☐	Day 11 ☐	Day 12 ☐
Day 13 ☐	Day 14 ☐	Day 15 ☐	Day 16 ☐	Day 17 ☐	Day 18 ☐
Day 19 ☐	Day 20 ☐	Day 21 ☐	Day 22 ☐	Day 23 ☐	Day 24 ☐
Day 25 ☐	Day 26 ☐	Day 27 ☐	Day 28 ☐	Day 29 ☐	Day 30 ☐

Day 30 Reflection: What Has Changed in Your Baseline?

◆ Describe the most significant shift you have noticed in your nervous system, your behavior, your relationships, or your decisions over these 30 days. Be specific.

◆ What remains. What has this protocol revealed about the structural changes you still need to make?

FREE WRITING

Date: _____

FREE WRITING

Date: _____

Regulation precedes power. You are the architect of your internal state.

DISTINCT CHARACTER

distinctcharacter.com

Therapeutic Addendum

The Somatic Dysregulation Index (SDI™)

Section I: The Foundational Doctrine

- The Governance Mandate
- The Survival Loop
- The Grief of the Baseline
- The Objective: Somatic Stability

Section II: Biological Architecture

- The Autonomic Infrastructure
- Neuroception: The Subconscious Surveillance System
- The Gendered Survival Loop
- The Three States of Human Operation

Section III: The Vagus Nerve

- A Core Pathway in Regulation
- What Is Vagal Tone?
- How Vagal Dysregulation Shows Up
- Relaxation-Induced Anxiety
- Building Vagal Tone: Evidence-Based Daily Practices

Section IV: The Environmental Audit

- Interoceptive Data Points
- Systemic Containment
- Your Environmental Friction Map

Section V: Tactical Reset Protocols

- The Six Protocols
- Protocol Practice Tracker

Section VI: The Governance Log

- Morning Check-In
- Daily Tracking Table
- Evening Reflection
- The Weekly Governance Review
- The Relapse Ledger

Section VII: Guided Journal Pages

- Identity and Nervous System
- Somatic History
- Leadership and Somatic Authority
- The Fawn Pattern Assessment

Section VIII: Post-Protocol Efficacy

- The Exit Assessment
- The Strategic Expansion
- The Bridge to Phase 2

Bonus: 30-Day Regulation Challenge

Note: To update page numbers in Google Docs, click the table of contents, then click Update. In Word, right-click and select Update Field.

THERAPEUTIC ADDENDUM

Safety, Scope, and Clinical Considerations for Self-Guided Use

Read this section in full before beginning the protocol.

A. Scope of Governance

The Somatic Baseline Protocol is a behavioral architecture and personal governance system. It is designed to help you audit the physiological cost of chronic stress, environmental friction, and social or professional masking. This is an educational, self-development protocol. It is not a substitute for psychotherapy, crisis intervention, or medical care.

The work in this protocol addresses somatic regulation, interoceptive awareness, and the structural conditions that sustain dysregulation. We are building somatic stability, not diagnosing pathology or treating active psychiatric crises.

B. Clinical Contraindications and Safety Warnings

For individuals with complex trauma, active panic disorders, or severe dissociative tendencies, some somatic and reflective exercises in this protocol may activate intense responses. If any of the following are present, engage this protocol only in collaboration with a licensed therapist or qualified clinician:

- Current or recent suicidal thoughts, attempts, or self-harm behaviors.
- Active psychosis, mania, or severe dissociative episodes.
- Living in an unsafe environment where adjusting boundaries or retiring survival behaviors may increase material danger.

This protocol is not a crisis resource. If you are in immediate distress, contact a crisis line or emergency services before continuing.

C. Somatic Safety: Titration and Pendulation

Titration: Dose your exposure incrementally. If auditing a trigger or fawn pattern causes your chest to tighten or a panic loop to begin, stop. Do not push through. Flooding is not progress.

Pendulation: This protocol is designed to move you between activation and return, not to sustain high levels of emotional exposure. You are permitted and encouraged to close the protocol, engage a reset from Section V, and return only when stabilized.

Clinical Note: *If any exercise induces panic, total shutdown, or a sensation of unreality or disembodiment, stop immediately. Ground using Protocol 3 or 6 before re-engaging.*

D. Relational and Systemic Risk Guidance

As your nervous system stabilizes and you begin retiring habitual masking and compliance patterns, the people and systems that have benefited from your over-regulation may respond with resistance or pressure. This is not a sign that you are wrong. When experimenting with boundary setting or changed communication:

- Begin in lower-risk relationships and contexts, not your highest-stakes environments.
- Do not begin with the relationship or professional context that carries the greatest economic or safety consequence.
- If you are uncertain whether a context is safe enough, consult a trusted professional before proceeding.

E. Informed Consent for Self-Guided Use

By engaging this protocol in a self-guided format, you accept responsibility for monitoring your own safety, pacing your own exposure, and recognizing when additional professional support is required. This protocol is a tool. It does not govern you. You remain the final decision-maker about when to engage, pause, or seek outside care.

By continuing past this page, you acknowledge that you have read and understood the above.