GRUPO **MARVER**

GM This is who we are 4

Grupo Marver 5
Why choose us?

Zero and Doble Zero system 6-7
The solution for hidden swing gates.

I Weld 8-9
Own profi le system

Quality and guarantees 10-11
Approvals and markings

Iron 12-13
Metal technology

Marver automation 14-15
Gates with an automatic closing system

Marver Integra System 16-17
The perfect suit for a naked automation

MINIMAL DESING 18-19
Designer furniture and interior doors

ALMA 20-23
Presentation

Swing 24-25
Slide 26-27
BiFold 28-29
Details Swing 30
Details Slide 31
Details Bifold 32

WELDED ALUMINUM GATES 34-35
Presentation

Security System for Sliding and Swing gates 36
Slide Safe and Swing Safe

Support system of gates 37
Elevator

Fenced
Andorra 38
Alsacia 39
Lisboa 40
Los Ángeles 41

Welcome Doors 42
Geometrik 43
Basic 44
Esenzial 45

Welded aluminum gates
Dark Soul 46-47
Black Line 48-49
Mykonos 50-51
Batres 52-53

Grinón 54-55
Atenas 56-57
Álava 58-59
Málaga 60-61
Pozuelo 62-63
Cantabría 64-65
Navalcarnero 66-67
Navacerrada 68-69
Toledo 70-71
Arajuez 72-73
Madrid 74-75
Ibiza 76-77
Budapest 78-79
Torrejón 80-81
Milán 82-83
Formentera 84-85
Barcelona 86-87
San Francisco 88-89
Valencia 90-91
Galicia 92-93
Sheffield 94-95
Paris 96-97
Chicago 98-99
Santa Bárbara 100-101

NIRVANA
Presentation 102-107
Panthera 108-109
Jaguar 110-111
Linze 112-113
Nirvana Color Chart 114-115

Assembly diagrams for regulatory accessories

Sliding gate self-supporting 116

Double swing gate 117

Sliding gate 118

Single-leaf hinged gate 119

Two-leaf telescopic sliding gate 120

Bifold hinged gate 121

Color chart 122- 123

We create
concepts...

You make
your dreams
come true

GM This is who we are...

Ambition and constant progress

Always staying true to our style, we continue working to offer the best products on the market

Internationalization of the brand

We continue to grow thanks to the expansion and internationalization of our brand in the United Kingdom, Italy, and France.

Innovation, our DNA

Our immediate future looks full of growth in all directions. Continuous improvement is part of our roadmap.

Fresh and renewed ideas

Our ideas and concepts are our main source of entrepreneurship, driving constant success, recognition, and notoriety.

Environment

We are committed to preserving the planet and reducing our carbon footprint.

Waste management

Recycling metals plays a significant role in preventing the worsening of the current environmental situation.

We design products, services and experiences

always using **metal** elements and **cutting-edge designs**

Finishes and quality

Qualicoat paints
Class 1 and super durable with 7 and 10 year guarantee

C5 marine treatments
Protection against high humidity and aggressive atmospheres

Special openings
Gates with complex and innovative openings

CE marking
For manual and automatic doors and gates, complying with all European standards

Resistance tests on gates
Exhaustive tests on large gates, to guarantee their operation

Coatings
Three-dimensional and super matt, for an optimal finish

Services and benefits

Order program
Custom program for online ordering

Individualized advice
We advise our clients on the best choice for their needs

CAD drawings
Drawings for unique projects

Constant innovation
Implementation of R&D and innovation to enhance all our products

Real-time tracking
Real-time tracking system for order traceability

Specialized attention
A professional team that is highly skilled in the language of the installer

Own systems

Doble Zero System
A profile system designed to address the technical and aesthetic challenges of water accumulation

Zero System
A profile system designed for the manufacture of large gates

Marver Integra System
Automation system for sliding gates

Own fencing systems
A whole range of products for fencing

In-house patented models
Exclusive models that require a patent due to their unique designs.

Own extrusion profiles
In-house research on innovation and technical development in engineering.

Deliveries and deadlines

Quality department
Committed to delivering products with guaranteed quality.

Delivery deadlines in writing
Our commitment, our trademark

Delivery of complete product
Door and gate plus motor with integrated automation

Why choose GRUPO MARVER

ZERO Doble ZERO

Zero and Doble Zero System

The solution for concealed swing gates

Grupo Marver has designed the Doble Zero and Zero System to address the technical and aesthetic challenges that conventional profiles on the market did not offer. The demand for designs in contemporary architecture calls for cleaner and more neutral lines, and in response to these needs, the Doble Zero and Zero System meet these requirements.

- The concealed swing gates created with this innovation provide the gate with a much more **modern aesthetic, suited** to the current trends in construction and design.
- The **internal channels** of the Doble Zero and Zero System create open, continuous pathways for water circulation, preventing the accumulation of alumina.
- The **thickness of the 80x50x3+1 (Zero system) and 100x80x3+1 (Doble Zero system)** profiles significantly reinforces the "mitre" area, which is prone to stress. This enhancement allows for the manufacturing of gates in larger dimensions.
- **The water drainage** system improves the gate degreasing process by ensuring better drainage, preventing micro-drops from forming during the baking phase of the oven lacquer, which could otherwise hinder the coating's adhesion. The channeling system also helps evacuate water from rain or condensation.

The Doble Zero and Zero Systems are designed to extend the lifespan of the gate. Thanks to the internal channels, they help prevent water retention and the formation of alumina, ensuring that no damage occurs to the coating once the gate is installed.

The creation of an extruded profile for the manufacture of welded aluminum carpentry with concealed swing did not exist until now.

With the design of these systems, the following needs are addressed:

Concealed joint cover

Evacuates water from the lacquer treatment and rain

Greater resistance with 3 + 1 thickness

Larger gates

Better adhesion of the coating

Prevents the appearance of alumina

I Weld

Own profile system

I Weld, the system created to give the gate the importance it deserves.

A system designed for those seeking to combine **elegance and durability**. With a focus on modern décor and superior quality, these gates offer not only style but also the guarantee of a state-of-the-art product that stands the test of time without compromising its beauty

I Weld represents the synergy between Doble Zero and perfect welding—it is the union of the known and the futuristic..

With I Weld, your home will exude sophistication and be protected y the best in innovation and design.

After many years of experience and considerable time invested in developing its own profile system, Grupo Marver is proud to define its working style. This is why we have **created the gate that best suits modern architecture from every perspective**. I Weld gates have everything needed to become the leading system in our market, combining elegance and robustness while offering an unmatched solution for security and decoration

To achieve this, we have created the most solid foundation possible, from which all of Doble Zero begins—the profiles that provide the structural design of the gate.

Another essential factor for I Weld is the **hardware.** We use stainless steel for the exterior handle, the anti-expansion lock coating, and the latest generation electric strike. In addition, we include a nickel-finished cylinder and a very special crank made of solid anodized aluminum, with a mottled finish. Each crank is hand-treated individually, ensuring that every I Weld gate has its own unique story to tell.

The final part, though not the most crucial, is the coating finish. While the other elements would not make sense without each other, the finish is what completes the gate's appearance. I Weld gates are only available with **Qualicoat Class 1 certification and super-durable paints.**

I Weld gates not only serve a practical purpose but also add a touch of sophistication to any environment. Their modern, sleek design complements a variety of architectural styles, from the most traditional to the most contemporary. Each gate is crafted from high-quality aluminum, ensuring that its appearance remains impeccable over time, regardless of weather conditions.

Quality and guarantees

Approvals and Certifications

Quality and guarantees are fundamental pillars for any company looking to provide services in any market. From the beginning, Grupo Marver has been committed to offering the best products to its customers, with the necessary certifications.

The company adheres to the highest quality standards, ensuring compliance with **European regulations** and all necessary actions in the manufacturing process to deliver a top-quality product..

Some of the approvals and certifications that Grupo Marver products hold include the following:

Qualicoat sea side:

This pretreatment enhances the lacquer's resistance to extreme climatic and environmental conditions, such as those found in marine environments

Qualideco:

This certification ensures the durability and quality of decorative finishes in aluminum lacquer, such as wood effects.

Qualicoat clase 1 y clase 2 superdurable:

Electromagnetic radiation from the sun affects the surface of the planet differently depending on latitude. As a result, the energy absorbed by exposed objects varies, impacting the physical characteristics of powder paint coatings, such as gloss or hue. Over time, this absorption causes the painted surface to lose its aesthetic appeal. To guarantee sufficient resistance to atmospheric agents, Qualicoat has established specifications for painted products in the architectural field. These products undergo rigorous physical and chemical tests, with the most notable being the "Florida Test," which involves exposure to the warm, humid environment of that region for one or more years.

The most well-known Qualicoat specifications are "Class 1" and "Class 2" these finishes offer the following:

- Greater adhesion
- Three-dimensional and super matte finishes
- Reduces natural aging
- Prolongs shine and tone
- Greater resistance in hostile climates
- Improves the appearance of the coating

CE marking manual and automatic

The Product Standard for gates was published in the European Member States in April 2004, and after a one-year transition period, all Member States in the European market were required to apply this standard starting from May 1, 2005.

1.2 Scope: The Standard establishes the safety and performance specifications for all manually or motor-operated gates and gates in industrial and residential settings, intended for areas where people have access. The fundamental objective of this Standard is the protection of people, regardless of the type of door or gate.

This **European Standard** sets the safety and performance requirements for gates, gates, and barriers that are intended to be installed in areas accessible to people. These systems primarily aim to provide secure access for goods and vehicles, either accompanied by people or driven by them, in industrial, commercial, or residential settings (e.g., garages).

The Standard also includes commercial gates, such as roller shutters and roller grilles, when used as retail gates and primarily for pedestrian access rather than vehicles or goods.

These devices may be operated manually or motorized. The **EN 13241-1** standard was developed by the Technical Committee **CEN/TC33** "Doors, windows, shutters, curtain walls, and fittings."

The **CE Marking** consists of the standardized CE symbol and additional information provided on the labels and technical documents regarding the product's characteristics, declared values, and the manufacturer's details, along with those of the Notified Body issuing the CE certificate of confor

The **CE Marking** signifies that the product has been evaluated before being placed on the market and meets the essential legal requirements for sale.

Grupo Marver provides the professional client with a complete gate + motor system that fully complies with these regulations, should the client wish to adhere to them.

Certifications and Guarantees: Qualicoat

** Qualicoat Specifications*

Natural Aging Test (Florida)

ISO 2810 Standard	Essay	Duration	% Retained Gloss from Initial Gloss	Color change
Polyester Class I	Sun Exposure in Florida	1 year	≥ 50%	After year ΔE within those specified in the Qualicoat table
Superdurable Class II	Sun Exposure in Florida	3 years Annual Evaluation	1 year ≥ 75% 2 year ≥ 60% 3 year ≥ 50%	After 3 years ΔE within those specified in the Qualicoat table

Accelerated Aging Test

ISO 16474-2 Standard	Essay	Duration	% Retained Gloss from Initial Gloss	Color change
Polyester Class I	Xenon Test	1.000 hours	≥ 50%	Value ΔE within those specified in the Qualicoat table
Superdurable Class II	Xenon Test	1.000 hours	≥ 90%	Value ΔE ≥ 50% within those specified in the Qualicoat table

IRON

Metal technology

The traditional locksmithing taken out of context

The flexibility of the Iron system allows architects to design innovative and bold structures. With the ability to manufacture metal components in complex and precise shapes, Iron facilitates the creation of unique architectural designs that stand out for their originality and functionality. Iron's metal technology offers customized solutions that meet the requirements of the most demanding projects. Iron is suited to a wide range of architectural applications, from residential and commercial projects to industrial and urban installations.

Iron was originally founded as Marver metal constructions in 2010. Without it, we would not understand what the company is today. The passing of time and the demands of the market have led to the creation of Iron to reach where few others can. Iron executes far-reaching ideas, complex works with a touch that is very distinctive to the brand.

The materials we work with are ferrous, both **iron** and **stainless steel,** even mixing brass or aluminum details. Carefully selected materials to provide an ideal combination of strength, lightness and aesthetics. Alloys formulated to resist adverse weather conditions, corrosion and wear, ensuring a long life and minimal maintenance. Iron metal not only offers exceptional durability, but can also be treated and finished in a wide range of textures and colors, adapting to various needs and architectural styles.

Grupo Marver's Iron metal technology represents a significant advancement in the integration of metal into modern architecture. It offers a unique combination of **durability, design flexibility and sustainability,** allowing architects and designers to explore new frontiers in their projects.With Iron, the Grupo Marver continues its mission to lead innovation in the sector, providing solutions that not only meet the demands of the present, but also anticipate future trends in architectural design.

This brand is aimed at any architect or company presenting an ambitious project. Boldness and experience are some of its synonyms.

Accionadores automáticos
MARVER AUTOMATION

Marver automation

Gates with automatic closing system

A technical team with extensive experience in the installation of automation systems creates the perfect synergy between gates and motor.

Advice and the security of installing the right actuator are the hallmarks of this brand.

From the beginning, Marver has trusted NICE as the perfect partner. The design, the simplicity of assembly times and the total reliability of its operation have meant that they have never been separated on this journey.

Marver automation will be integrated into any of the gates that need an actuator in our product portfolio.

Our technical team will offer advice regarding the accessories necessary for compliance with regulations for any of our gates.

Nice



MARVER INTEGRA System

Marver integra system

The perfect suit for a naked automation

The **Integra system** consists of an abutment designed to offer both robustness and sophisticated aesthetics. What sets it apart is its internal automatic actuator, which provides precise adjustment and enhanced functionality without compromising the abutment's elegant design.

With continuous attention to international trends and active participation in global fairs, Grupo Marver once again innovates and creates an exclusive design that overcomes the limitations of traditional systems. This approach has led to the **development of a 100x100mm aluminium pillar, manufactured using proprietary die-making technology, incorporating an internal automatic actuator**. This new solution not only improves functionality and efficiency, but also offers a significant upgrade compared to options previously available on the market.

Composition

It consists of a 3mm thick custom-made aluminium pillar and a finishing profile with the façade, both of which are attached by an upper cover, which is fitted with four anti-scratch rubber rollers. In addition, it is equipped with a key-operated inspection cover for access to the motor, manual release, mechanized anchoring systems ready for assembly, and 3 vertical brushes to hide the lights, making the integrated pillar a unique system on the market.

Our advanced system is designed to meet the highest quality and safety standards, adapted to anti-fall gates regulations to offer optimal protection in any environment.This system includes internal brushes that conceal lights and pinions, as well as external brushes that guarantee perfect concealment of light and an impeccable finish with the façade.This configuration not only improves the overall aesthetics of the home, but also contributes to extending the life of the automation, thanks to its superior anti-scratch system that minimizes wear and damage.

The robust design provides increased wind resistance and significantly reduces vibrations, ensuring smooth and quiet operation. Ease of installation and repair is another major benefit, allowing for quick and hassle-free deployment.



With this system, you get an ideal combination of durability, security and a high-quality aesthetic finish, raising the standard in the installation of sliding gates and ensuring superior performance in every use.

MINIMAL DESIGN

Minimal Design

Interior doors and designer furniture

A complete twist on classic outdoor furniture, **Minimal Design** brings to the market its way of seeing design while maintaining its metallurgical essence and under a focus on simplicity and sophistication, offering pieces that combine functionality and aesthetics.

Minimal Design offers its own collection and also any customized model, where all kinds of metals and styles come into play. It is a brand that was born as an engineering firm that takes the client's idea, analyzes the design from a technical point of view, and delivers it guaranteeing the longest useful life of the product..

The use of metals such as aluminium offers outdoor furniture in which the lines can be shaped to places where more traditional materials would not reach, with the added advantage of not being perishable in any type of climate.The ALMA line of doors creates vintage and industrial spaces, with a modern system full of life. Iron, steel, glass, natural stone, even wood details, are materials that also come into play.

One of the main characteristics of Minimal Design is its ability to integrate harmoniously into various spaces. Interior doors and outdoor furniture are designed to complement the surroundings, creating an atmosphere of tranquility and order. The combination of functionality and aesthetics allows these pieces to not only be decorative elements, but also contribute to the efficiency and comfort of the space.

Minimal Design by Grupo Marver represents a perfect fusion of elegance, functionality and simplicity in interior design. With meticulous attention to detail and a commitment to quality, this collection offers fully customized solutions that not only beautify spaces but also enhance their functionality.The Minimal Design collection is designed for those looking to create sophisticated and balanced environments, reflecting the true essence of minimalist design.

ALMA

PUERTAS DE INTERIOR by MINIMAL DESIGN

ALMA
Interior doors

Unique atmosphere

ALMA is a **unique and innovative system for industrial-style interior doors**, which stands out for the material with which all its models are made:
ALUMINIUM, designed under standards for reducing the carbon footprint.

It meets all the modernist and avant-garde stereotypes of current decoration and interior design.

ALMA is 21st century with a vintage look.

ALMA is the **interior door** required by any contemporary space that requires light and the ability to divide departments, as well as being the preferred system for architects and decorators. ALMA is preferred in hotels, offices and homes.



Unique and innovative

Modernist and avant-garde

Hotels, offices and homes

Contemporary architecture

ALMA is characterised by being a robust and durable door system due to its structure and composition; they are manufactured with profiles of reduced thicknesses of between 25 and 35 mm and thicknesses of 3 and 4 mm. Thanks to this and to its welded joints, ALMA achieves very small sections of contemporary architecture with a resistance never seen before with this type of material

In addition, it allows them to be manufactured in dimensions similar to metal doors, with the difference that aluminum:

- It has more polished finishes
- The profiles are more regular
- The edges are cleaner and lighter
- They do not suffer from the appearance of rust
- They have perimeter rubbers for greater tightness
- They reduce noise
- They prevent the entry of air or cold



Durable doors



Contemporary architecture

Delicacy and warmth

The ALMA finish is the perfect combination of: the finest metalwork, the most subtle delicacy of aluminium and the warmth of wood. Added to this is the authentic sanding process, which is a meticulous three-stage job, where the professional who carries it out has the goal of creating a handcrafted product, in which the hand of man is not visible.

The **lacquering process,** backed by more than 10 years of warranty, is a four-stage process based on micro-textured, super matte or three-dimensional finishes, which together with nanotechnology, make ALMA a system that creates warm, welcoming and endearing environments.

The **hardware** that makes up the ALMA series is created using elements with sharp edges, to give continuity to the provocative and elegant image that ALMA brings to all the spaces where it is found.

ALMA is made up of a system developed by Grupo Marver, a company that makes up the conglomerate of brands, where **Minimal Design** is responsible for representing ALMA.

This system is equipped with different perimeter rubber seals, which are responsible for sealing and reducing noise during opening and closing operations to which the doors are subjected throughout their useful life. In addition, these seals prevent the entry of air.

ALMA is the 360 product for interior doors and space division.

SWING

SWING

The swing version of the Alma series

The SWING system is designed for 3+3 laminated glass with vintage beading.

The maximum recommended dimensions per sash are 900x2800 mm and it can be lacquered in any colour or finish. It is worth highlighting the blind detail where the lock, crank or handle is located.

One of the most important qualities of SWING is the profiles it is made of. It is built from reduced sections that are also flush with each other thanks to the Zero system, which creates a cleaner and more refined appearance. In addition, it has a perimeter rubber that creates a unique finish in this type of system, reduces noise and provides watertightness.

** The recreation of this render with 3 horizontal profiles is only for doors from 2800 mm in height. All doors below this measurement will be presented with 2 horizontal profiles.*



SLIDE

SLIDE
The sliding version of the Alma series

The system is designed for 3+3 laminated glass with vintage beading.

The maximum recommended dimensions per sheet are 3000x2300 mm and it can be lacquered in any colour or finish. It is worth highlighting the blind detail where the recessed nail is located.

One of the most important qualities of SLIDE is the profile it is made of, as it is built from reduced sections, which creates a cleaner and more refined appearance. In addition, it has two front rubber bellows that, with the help of the braking system, create an elegant closure without impacts.

** The recreation of this render with 3 horizontal profiles is only for doors from 2800 mm in height. All doors below this measurement will be presented with 2 horizontal profiles.*

BIFOLD

BIFOLD

The folding version of the Alma series

The system is designed for 3+3 laminated glass with vintage beading. The maximum recommended dimensions for a group of three leaves are 1500x2700 mm without rail and for five leaves 3000x2500 with rail. It can be lacquered in any colour or finish and it is worth highlighting the blind detail where the lock, crank or handle is located.

One of the most important qualities of BIFOLD is the profiles it is made of. It is built from reduced sections that are also flush with each other thanks to the Zero system, which creates a cleaner and more refined appearance. In addition, the system includes bellows-shaped rubbers between the leaves, above and below, which achieves a unique finish in this type of system, reduces noise and provides watertightness.



** The recreation of this render with 3 horizontal profiles is only for doors from 2800 mm in height. All doors below this measurement will be presented with 2 horizontal profiles.*



Zero System
between leaf and
frame

Opening
handle

Minimalist
profiles



Front rubber

bellows

Upper

sliding rail

Recessed

nail

Rails and systems

LITE + 100

SLID 150

GUIDER TELESCOPIC



Rubber bellows

between frames

Lock opening

handle

Folding frame

system

Rails and systems

SLID FOLD

LITE FOLD

Aura
Light
Minimalism
Breath

It creates unique, inimitable and unrepeatable atmospheres and sensations. ALMA is unique.
It illuminates and highlights each of the spaces where it is present. ALMA is the protagonist.
It generates exclusivity, excellence and exquisiteness in each of its details. ALMA is perfection.
It provokes great exhalations with its design and aesthetics, it leaves a mark. ALMA is omnipresent.

Aluminio soldado
MARVER

Welded aluminium gates

The gate that everyone is talking about

Grupo Marver's welded aluminum gates stand out as a paradigmatic example of how innovation and modernity can be integrated with security, durability and decoration. These gates represent a comprehensive solution that combines advanced technology with a refined aesthetic design, offering a versatile and efficient option for a wide range of architectural applications. The future is more present with its own and patented models, the jewel in the crown is a breath of fresh air and a project for the future.

We manufacture welded aluminum doors, fences and exterior gates, with unique and personalized designs, maintaining the strength of iron with the guarantees of aluminum, through a unique welding method, ideal for the manufacture of all types of exterior gates and much more. Without a doubt, cutting-edge technology that redefines standards in the industry. The advanced welding technique used in manufacturing ensures a robust and resistant structure. And what's more, the ability of aluminium to resist rust and corrosion ensures that the gates maintain their appearance and functionality for many years, with minimal maintenance.

The design of Marver Group's welded aluminum gates is imbued with a modern and elegant aesthetic. With clean lines, refined finishes, and a contemporary color palette, these gates not only serve a practical function, but also serve as decorative elements that enhance the ambiance. Their sleek design and the possibility of customization allow them to become key pieces in the overall aesthetics of a building.

One of the highlights of welded aluminium doors is their security. The robustness of welded aluminium provides an effective barrier against intrusion attempts, whilst advanced locking systems and additional reinforcement options ensure superior protection.

It is undoubtedly our most ambitious project and we have invested a large part of our years of experience in what we are sure is already the product of this decade. Marver welded aluminium is positioned as a benchmark in the Spanish market, with a policy of expansion abroad, through the Marver UK brand and various international partners.

MARVER UK
Welded aluminum

Innovation is constant, we permanently incorporate the trends and improvements that exist in Europe and the United States, giving great value to the capacity and style of the national market.

We think about the future to build the present.

Slide safe

The **Slide Safe** consists of an anti-entrapment meeting frame s**pecially designed for sliding gates**, a passive rubber and a guide wheel integrated into the end of the gate that connects to said frame, offering an elegant and efficient solution for its operation.

With a width of 25 cm including two side wings (interior and exterior), this frame allows for the fixing of photocells without the need for masonry work. All this means that the sliding gates is completely housed and protected once closed, guaranteeing a precise fit, a clean finish with the façade and the safety required by the CE marking.

Its design minimises the visible space when the gate is in the closed position, providing a flawless and modern finish. Ideal for maximising space in any room, Slide Safe combines functionality, minimalist design and security, optimising both the use of space and the appearance of the environment. It is the perfect choice for those looking for smart, quality solutions in sliding gates systems.



Swing safe

The **Swing Safe** is an innovative system **designed for swing gates** that features an aluminium hinge and protective rubber. This advanced solution not only protects the gate frame when closed, but also acts as an additional safety measure to prevent fingers from getting caught when closing.

Frame Protection: The rubber acts as a shock absorber, preventing damage to the frame every time the gate closes, prolonging the life of the installation.

Safety for all: The Swing Safe system has been designed with the safety of users in mind, helping to avoid accidents with fingers when closing the gate, complying with the regulations that require the CE marking.

Thanks to Grupo Marver, the Swing Safe is the perfect solution for those looking for a combination of design, functionality and safety in swing gates. It improves the durability of your gates and offers a safer environment in your home, office or business.



Elevator

The Elevator is an **advanced gate support system** that redefines the functionality and design of gate openings. Consisting of an upper and lower hinge and a protective rubber, the Elevator allows the gate to open to 90° and lift, remaining suspended above the floor to overcome very steep ramps.

This innovative mechanism not only facilitates a smooth, frictionless opening, but also prevents wear on the lower edge of the gate by avoiding direct contact with the floor. The protective rubber ensures a silent, impact-free closing, prolonging the life of the gate and maintaining the aesthetics of the environment, while being a safe system to prevent finger entrapment.

Perfect for modern, high-traffic spaces, the Elevator system combines cutting-edge technology with elegant design, providing a practical and durable solution for any type of gate.





H (m)	FORO HOLE	α °	L = 1 m D (mm)	L = 2 m D (mm)	L = 3 m D (mm)
0,8	1	4,5	80	160	240
	2	6	103	206	309
	3	8	150	300	450
	4	10	180	360	540
1,2	1	3	50	100	150
	2	4,5	80	160	240
	3	5,5	100	200	300
	4	7	125	250	375
1,5	1	2,5,	45	90	135
	2	3,5	60	120	180
	3	4,5	80	160	240
	4	5,5	100	200	300
1,8	1	2	35	70	105
	2	3	50	100	150
	3	3,5	60	120	180
	4	4,5	80	160	240

Fences of contemporary architecture

Responding to the demands of current architecture, we wanted to create our own fencing systems. These are minimalist designs where the focus is on the horizontal or vertical profiles. Another of the strong points of these designs are the staggered finishes in the vertical formats. With these designs created just for fences, Grupo Marver provides an improvement for the exterior enclosure with its own, modern image

Profile detail



ANDORRA

Horizontal slat fence that offers high privacy to customers looking for a warm and homely façade. This model does not require horizontal frames.

** This fence can have its slats in imitation wood or RAL finish.*



ALSACIA

Model with wider planks that provides a natural and clean style, as well as a feeling of consistency, allowing you to see outside without losing privacy. It does not require horizontal frames.

** This fence can have its slats in imitation wood or RAL finish.*

Profile detail



Fences of contemporary architecture



Profile detail



LISBOA

Fencing with vertical lines of minimalist design, with very elegant staggered upper finishes, allows you to see outside, without losing privacy inside. It does not need vertical or upper frames.

* Possibility of straight finishes. Only RAL finish.



LOS ÁNGELES

Fence model that can be blind or open depending on the direction of its slats. Elegant with a discreet appearance and a stepped top finish, this fence offers a lot of versatility for the occupants of the home. It does not require vertical or top frames.

* Posibilidad de terminaciones rectas. Solo acabado RAL

Profile detail



Welcome
pivot door

Innovation in entrance doors
The most contemporary version of entrance doors

The hardware consists of:

- Three-point lock
- Anti-bumping cylinder
- Anodized aluminum handle
- Nickel-plated security cylinder covers
- Adjustable top pivot
- Bottom bearing with bearings
- Minimalist handle

Light bulb cover detail

Lower bearing detail



The line of **pivot doors** from the Grupo Marver firm is committed to design and a very contemporary opening format.

Welcome **represents the perfect fusion of design, style and minimalism in pivot doors**. With their Zero profile and elegant finishes, these doors offer a modern and sophisticated aesthetic that adapts to any space. Customization is key, allowing you to choose finishes and details that reflect your unique style. In addition, its minimalist design stands out for clean and functional lines, creating a subtle but impressive visual impact.

With a **Zero 100x80 profile with a 3+1 thickness**, these doors have a double 4 mm sheet metal and a total thickness of 88 mm, guaranteeing exceptional robustness. The exterior thickness is 4 mm and the interior is 4 mm. Between these sheet metal thicknesses, Welcome doors incorporate a very thick tubular structure, which gives them great robustness and security

The **internal rock wool insulation** offers excellent thermal and acoustic insulation, while the 3-point semi-automatic or manual security lock and the safety cylinder provide advanced protection. The reinforced internal structure and the perimeter sealing rubbers ensure durability and energy efficiency at a good level.

The **integrated aluminium handle on the door,** with a thickness of 60x20 mm, adds a touch of minimalism and personalisation to an elegant and modern design. The final finish of Welcome doors can be in any RAL finish, super matt or three-dimensional, even with super-durable qualicoat class 2 paints.

Welcome is the perfect choice for those looking for a door that combines
security, functionality and style.
Welcome is not just a door, it is a style statement for your home or office.

Maximum width: 1700 mm **- Maximum height:** 3000 mm. * Not available in imitation wood

GEOMETRIK
Precision in a door

BASIC
Minimalism in its purest form

ESENZIAL
Absolute quality and design

DARK SOUL

Delicate and fine

A model that stands out for its homogeneity and smooth veneer across the entire gate. Exclusive and distinguished in its shape, texture, and presentation. Both sides are identical, with the uprights and the leaf sharing the same aesthetic. It is composed of a single-piece monoblock gate with very thick profiles and internal channels for continuous water drainage, thus preventing the formation of alumina.

** A model adaptable to all types of facades of modern and contemporary single-family homes. This model can be manufactured in any RAL color*

Profile system:

Doble ZERO

Highlights:

Maximum dimensions:
6000 x 2000 mm in
a single sheet

Aluminio soldado
MARVER

Frame size
70 mm

Handle height size
600 mm
Handle diameter
40 x 20 mm

Sheet thickness
4 mm

WELD

Pedestrian gate
exterior view

Pedestrian gate
interior view

Aluminium handle

Frame size
50 mm
Frame section
88 mm

Hidden fusion
hinge

BLACK LINE

Perfection and splendor

A model that stands out for its wide slats and their precise division, creating prominence and a very defined aesthetic. Both sides are identical, with the uprights and the leaf sharing the same aesthetic. It is composed of a single-piece monoblock gate with very thick profiles and internal channels for continuous water drainage, thus preventing the formation of alumina.

** A model adaptable to all types of facades of modern and contemporary single-family homes. This model can be manufactured in any RAL color.*

Profile system:

Doble ZERO

Highlights:

Maximum dimensions:
6000 x 2500 mm

Aluminio soldado
MARVER

Frame size
70 mm

Handle height size
600 mm

Handle diameter
40 x 20 mm

Sheet thickness
4 mm

WELD

Pedestrian gate
exterior view

Pedestrian gate
interior view

Separations between sheets
20 mm

Aluminium handle

Frame size
50 mm

Frame section
88 mm

Hidden fusion hinge

MYKONOS

Simple and elegant

Composed of horizontal planks separated from each other to avoid the sail effect.

** A versatile model that can be adapted to any construction style and long facades. This model can be manufactured in any RAL colour.*

Profile system:

Standard

Highlights:

Maximum dimensions:
6000 x 2500 mm

Variants:

Vertical board

Pedestrian gate
exterior view

Pedestrian gate
interior view

Aluminio soldado
MARVER

BATRES

Simple and stylish

With straight lines, a simple and robust design, and great presence, this model stands out for its reinforced monoblock gates made from a single piece, with very thick profiles and internal channels for continuous water drainage, thus preventing the formation of alumina.

** A model adaptable to any construction style. This model can be manufactured in any RAL color, including imitation wood slats.*

Profile system:

Doble ZERO

Highlights:

Maximum dimensions:
6000 x 2500 mm

Variants:

Vertical board

Diagonal board

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view

Pedestrian gate
interior view

GRIÑÓN

Distinguished and successful

Notable for its simplicity and composed of horizontal lines, this model stands out for its reinforced monoblock gates made from a single piece, with very thick profiles and internal channels for continuous water drainage, thus preventing the formation of alumina.

A model adaptable to any facade or home. This model can be manufactured in any RAL color, including imitation wood slats.

Profile system:

Doble ZERO

Highlights:

Maximum dimensions::

6000 x 2500 mm

Variants:

Vertical board

Board 300 - *Griñón superior*

Spearhead - *Griñón de forja*

Border - *Griñón de forja*

Aluminio soldado MARVER

WELD

Pedestrian gate

exterior view

Pedestrian gate

interior view

ATENAS

Elegant and robust

With straight lines and a simple design, featuring decorative perforated sheet metal and a strong presence. It stands out for its reinforced gates made from a single piece.

** A model adaptable to any construction style.*
This model can be manufactured in any RAL color.

Profile system:

Doble ZERO

Highlights:

Maximum dimensions:
6000 x 2500 mm

Variants:

Vertical board

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view



Pedestrian gate
interior view



ÁLAVA

Solemn and exceptional

Simple in appearance with wide, imposing slats. It stands out for its removable slats, which allow for a more homogeneous lacquer finish. Both sides are identical; the inner side is beaded with more pronounced joints.

** A model adaptable to any construction style. This model can be manufactured in any RAL color.*

Profile system:

ZERO

Highlights:

Maximum dimensions:
6000 x 2500 mm

Variants:

Vertical board

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view

Pedestrian gate
interior view

MÁLAGA

Minimalism and purity

Composed of aluminum planks with stainless steel partitions between them. It stands out for its reinforced monoblock gates made from a single piece, with very thick profiles and internal channels for continuous water drainage, thus preventing the formation of alumina.

** A versatile model adaptable to any facade with modern materials. This model can be manufactured in any RAL color.*

Profile system:

Doble ZERO

Highlights:

Die-cut sheet

Double beveled board

Maximum dimensions::

6000 x 2500 mm

Aluminio soldado MARVER

WELD

Pedestrian gate

exterior view

Pedestrian gate

interior view



POZUELO

Simple and exclusive

It features separations between its horizontal stainless steel slats. The slats are removable, allowing for a homogeneous lacquer finish.

** A versatile model that can be adapted to any facade using modern materials. This model can be manufactured in any RAL color, including imitation wood slats.*

Profile system:

ZERO

Highlights:

Maximum dimensions:
6000 x 2500 amm

Variants:

Vertical board

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view

Pedestrian gate
interior view

CANTABRIA

Demanding and robust

Composed of wide, imposing horizontal slats with an anodized aluminum channel between them. The slats are removable, allowing for a homogeneous finish and consistent slat thickness.

** This model can be manufactured in any RAL colour.*

Profile system:

ZERO

Frame size
70 mm

Handle height size
750 mm
Handle thickness
30 x 30 mm

Highlights:

Maximum dimensions:
6000 x 2500 mm

Board size
350 x 30 x 2,5 mm

Anodized aluminum with inox effect
27 mm

Frame size
100 mm

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view

Pedestrian gate
interior view

Frame size
80 mm
Frame section
80 mm

Secundary profile
25 X 25 mm

Aluminium handle

Frame size
50 mm
Frame section
80 mm

Hidden fusion
hinge

NAVALCARNERO

Unique, Castilian style

Composed of horizontal slats, reminiscent of the classic gate with studs. The slats are removable, allowing for an optimal and uniform finish.

** A versatile model that can be adapted to any rustic brick or stone facade. This model can be manufactured in any RAL color, including imitation wood slats.*

Profile system:

ZERO

Highlights:

Maximum dimensions:
6000 x 2500 mm

Variants:

Vertical board

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view

Frame size
70 mm

Handle height size
500 mm
Handle thickness
30 mm

Board size
200 mm

Nail with double coating
∅ 35 mm

Frame size
100 mm

Pedestrian gate
interior view

Frame size
80 mm
Frame section
80 mm

Secundary profile
30 x 20 mm

Aluminium handle

Frame size
50 mm
Frame section
80 mm

Hidden fusion hinge

NAVACERRADA

Classic and powerful

A model distinguished by its large volume, composed of a very strong structure with complex internal channeling for efficient water drainage. Both sides are identical, with the interior free of studs. The uprights and leaves share the same aesthetic. The planks on one side are removable, thus facilitating the lacquering process.

** A model designed for mountain or rustic facades, featuring elements such as stone and slate as the main features.This model can be manufactured in any RAL color.*

Profile system:

Standard

Highlights:

Maximum dimensions:
6000 x 2500 mm

Pedestrian gate
exterior view

Pedestrian gate
interior view

TOLEDO

Strong and characteristic

This model stands out for being a reinforced monoblock gate made from a single piece, with thick profiles and internal channels for continuous water drainage, thus preventing the formation of alumina. It is characterized by its double exterior sheet and internal insulation.

** A model designed for both rustic and modern facades, featuring various types of brick and stone. This model can be manufactured in any RAL color.*

Profile system:

ZERO

Frame size
70 mm

Handle height size
500 mm

Handle diameter
30 mm

Highlights:

Maximum dimensions:
6000 x 2500 mm

Exterior thickness
7 mm

Aluminio soldado
MARVER

Frame size
100 mm

WELD

Pedestrian gate
exterior view

Pedestrian gate
interior view

Frame size
80 mm

Frame section
80 mm

Secundary profile
20 x 20 mm

Aluminium handle

Frame size
70 mm

Frame section
80 mm

Smooth sheet
3 mm

Hidden fusion
hinge

ARANJUEZ

Original and versatile

It stands out for its perforations and separations between slats. This model features reinforced monobloc gates made from a single piece, with very thick profiles and internal channels for continuous water drainage, thus preventing the formation of alumina."

** A versatile model, adaptable to any type of facade and most construction styles. This model can be manufactured in any RAL color*

Profile system:

Doble ZERO

Highlights:

Maximum dimensions:
6000 x 2500 mm

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view



Frame size
70 mm

Handle height size
500 mm

Handle diameter
30 mm

Board size
200 mm

Pedestrian gate
interior view

Frame size
80 mm

Frame section
50 mm

Aluminium handle

Profile
40 x 20 x 3 mm

Frame size
50 mm

Frame section
50 mm

Hidden fusion
hinge

MADRID

French-style personality

This model stands out for its internal channels, allowing continuous water drainage and thus preventing the formation of alumina.

** A versatile model, adaptable to any type of home where privacy is not a priority. This model can be manufactured in any RAL color.*

Profile system:

Doble ZERO

Frame size
70 mm

Handle height size
500 mm

Handle diameter
30 mm

Highlights:

Maximum dimensions:
6000 x 2500 mm

Board size
200 mm

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view

Pedestrian gate
interior view

Frame size
80 mm

Frame section
50 mm

Profile
100 x 20 mm

Aluminium handle

Frame size
50 mm

Frame section
50 mm

Hidden fusion
hinge

IBIZA

Refined and traditional

This model emulates the classic elliptical metal slat, widely used at the beginning of the 21st century. It is composed of a single-piece monoblock gate with very thick profiles and internal channels for continuous water drainage, thus preventing the formation of alumina. The slat of this model is presented within a die-cut profile.

**A model that adapts to nearly 100% of all facades.*
This model can be manufactured in any RAL color.

Profile system:

Doble ZERO

Frame size
70 mm

Handle height size
500/400 mm

Handle diameter
30 mm

Highlights:

Maximum dimensions: **6000 x 2500 mm**
Die-cut sheet
Inclined handle

Variants:

Vertical board

Board size
75 x 15 x 1,6 mm

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view

Pedestrian gate
interior view

Frame size
80 mm

Frame section
50 mm

Aluminium handle

Frame size
50 mm

Frame section
50 mm

Hidden fusion
hinge

BUDAPEST

Attractive and different

Lattice-style model made up of wider-than-usual tubular Zeta slats, presented within a die-cut profile. It is composed of a single-piece monobloc gate, with very thick profiles and internal channels for continuous water drainage, thus preventing the formation of alumina.

**A model that adapts to almost all types of facades.*

***This model can be manufactured in any RAL color.*

Profile system:

Doble ZERO

Frame size
70 mm
Handle height size
500 /400 mm
Handle diameter
30 mm

Highlights:

Maximum dimensions: **6000 x 2500 mm**
Die-cut sheet
Inclined handle

Variants:

Vertical Board

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view

Pedestrian gate
interior view



TORREJÓN

Majestic and sumptuous

This lattice-style model features larger-than-usual slats presented within a die-cut profile. It is composed of a single-piece monobloc gate, with very thick profiles and internal channels for continuous water drainage, thus preventing the formation of alumina.

** Model that adapts to all types of facades.*
** This model can be manufactured in any RAL colour.*

Profile system:

ZERO

Frame size
70 mm

Handle height size
500 mm
Handle diameter
30 mm

Highlights:

Maximum dimensions: **6000 x 2500 mm**

Die-cut sheet

"Airplane" size"
150 mm

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view

Pedestrian gate
interior view



MILÁN

Refined and distinguished

Composed of horizontal planks that take center stage, while simultaneously allowing air circulation between them to prevent the sail effect, thus providing great robustness.

** An ideal model for modern homes where the priority is the absence of frames and privacy. This model can be manufactured in any RAL color*

Profile system:

Standard

Highlights:

Maximum dimensions:
6000 x 2500 mm

Pedestrian gate
exterior view

Pedestrian gate
interior view

Aluminio soldado
MARVER

FORMENTERA

Distinct and noticeable

It stands out for its central curve and balustrade, which enhance visibility. It is made of a single-piece monoblock gate with very thick profiles and internal channels for continuous water drainage, thus preventing the formation of alumina.

A model that adapts to nearly 100% of facades and construction styles.This model can be manufactured in any RAL color.

Profile system:

Doble ZERO

Frame size
70 mm

Handle height size
500 / 400 mm

Handle diameter
30 mm

Highlights:

Maximum dimensions:
6000 x 2500 mm

Board size
100 mm

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view

Pedestrian gate
interior view

Frame size
80 mm

Frame section
50 mm

Profile
60 x 20 x 3 mm

Aluminium handle

Frame size
50 mm

Frame section
50 mm

Hidden fusion
hinge

BARCELONA

Gentle and select

Composed of diagonal lines and glass details that create a harmonious look. A model that stands out because its diagonal slats are removable, allowing for a more uniform finish.

** Model that adapts to all types of facades. This model can be manufactured in any RAL colour, including imitation wood slats.*

Profile system:

ZERO

Highlights:

Maximum dimensions:
6000 x 2500 mm

Aluminio soldado
MARVER

Pedestrian gate
exterior view

Pedestrian gate
interior view

WELD

SAN FRANCISCO

Modern and captivating

It stands out for its horizontal profiles that allow visibility from the outside. A durable model, thanks to its thick profiles.

** Model that adapts to any type of construction, especially in contemporary styles. This model can be manufactured in any RAL colour.*

Profile system:

Doble ZERO

Highlights:

Maximum dimensions:
5000 x 2300 mm

Variants:

Vertical board

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view

Pedestrian gate
interior view

VALENCIA

Sublime and classy

It stands out for being a blind gate with glass details that exude excellence and elegance. Its vertical slats are removable, allowing for a more uniform lacquer finish.

** Model adaptable to all types of facades.*
** This model can be manufactured in any RAL colour, including imitation wood slats.*

Profile system:

ZERO

Highlights:

Maximum dimensions:
6000 x 2500 mm

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view

Frame size
70 mm

Handle height size
1050 mm

Handle diameter
30 mm

Carglass glass

Board size
100 mm

Frame size
100 mm

Pedestrian gate
interior view

Frame size
80 mm

Frame section
80 mm

Aluminium handle

Frame size
50 mm

Frame section
80 mm

Secundary profile
30 x 20 mm

Hidden fusion hinge

GALICIA

Bold and energetic

It stands out for the movement between its lines and aluminum tubes with geometric cuts. Thanks to its tubular framework, it is very robust. It is composed of a monoblock gate made from a single piece, with very thick profiles and internal channels for continuous water drainage, thus preventing the formation of alumina.

** This model can be manufactured in any RAL colour.*

Profile system:

Doble ZERO

Highlights:

Maximum dimensions:
6000 x 2500 mm

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view

Pedestrian gate
interior view

SHEFFIELD

British design

A model that stands out for its curved top and 200 mm vertical slats. It is a model that leaves a lasting impression with its unique style.

** Model adaptable to all types of stone facades or any other type of brick.*
** This model can be manufactured in any RAL colour.*

Profile system:

Doble ZERO

Highlights:

Maximum dimensions:
6000 x 2500 mm

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view

Pedestrian gate
interior view

PARIS

Detail and excellence

A model that stands out for its horizontal slats and the blind gate with perforated sheet metal detailing. This model has a more uniform lacquer finish on all corners.

** This model can be manufactured in any RAL colour.*

Profile system:

Doble ZERO

Highlights:

Maximum dimensions:
6000 x 2500 mm

Aluminio soldado
MARVER

WELD

Pedestrian gate
exterior view

Frame size
70 mm

Handle height size
500 mm
Handle diameter
30 mm

Board size
200 mm

Frame size
100 mm

Pedestrian gate
interior view

Frame size
80 mm
Frame section
80 mm

Perforated sheet
⌀ 15 mm

Aluminium handle

Secundary profile
30 x 20 mm

Frame size
50 mm
Frame section
80 mm

Hidden fusion
hinge

CHICAGO

Original and unique

It stands out for its reinforced monoblock gates in a single piece, with very thick profiles and internal channels for the continuous drainage of water, thus preventing the formation of alumina.

** Ideal model for homes with high-style designs.*
This model can be manufactured in any RAL colour.

Profile system:

Standard

Highlights:

Maximum dimensions:
6000 x 2500 mm

Pedestrian gate
exterior view

Pedestrian gate
interior view

Aluminio soldado
MARVER

SANTA BÁRBARA

Famous and select

Model that stands out for its number of homogeneous slats, which give body, volume and bulk to the entire structure.. Both sides are identical and the stiles and leaf have the same aesthetics. Composed of a monoblock gate made in a single piece, with very thick profiles and internal channels for the continuous water drainage, thus preventing the formation of alumina.

** Model adaptable to all types of facades of modern and contemporary single-family homes. This model can be manufactured in any RAL colour.*

Profile system:

Doble ZERO

Highlights:

Maximum dimensions:
6000 x 2500 mm

Aluminio soldado
MARVER

WELD

** Possibility of entering a number in the vertical band of carriage access gates*

Pedestrian gate
exterior view

Frame size
70 mm

Handle height size
600 mm
Handle diameter
40 x 20 mm

Aluminium band width approximately
150 mm aprox

Board width
35 mm
Board gap
15 mm

Pedestrian gate
interior view

Aluminium handle

Frame size
50 mm

Frame section
80 mm

Hidden fusion hinge

IRVANA
ECOFRIENDLY GATES

NIRVANA
Outdoor fences and gates

Vertical systems that make a difference

Nirvana is a unique, versatile, and sophisticated solution for outdoor fences and gates that stands out for its natural aesthetics, vertical lines, and recyclable materials

Natural, sustainable product, and locally manufactured.

Nirvana is a 100% sustainable local product that cares for the conservation of the planet and the environment. All the materials used in our systems are recyclable and are aimed at reducing the carbon footprint.

- Eco-Friendly Gate
- Natural product
- National manufacturing
- Environmentally friendly
- Recyclable
- Responsible with the carbon footprint

The interior protagonist
welded aluminum

The interior structure of our NIRVANA exterior gates is made of welded aluminum, one of the safest materials on the market due to its countless advantages:

Corrosion-resistant

An excellent option for exterior gates exposed to harsh weather conditions. Resistant to moisture, rain, snow, and sun exposure.



Lightweight and ease of handling

Aluminum is a lightweight metal, which makes transportation, installation, and operation of the gates easier. This also reduces the load on the opening and closing mechanisms, potentially extending their lifespan.

Structural strength

Welded aluminum allows the manufacture of robust and durable exterior gates.. These gates can withstand impacts and external forces without warping or compromising their integrity.



Design versatility

Aluminum is a malleable material that lends itself to creating customized and aesthetically appealing designs. It can be molded into different shapes and sizes, allowing for a wide variety of styles and finishes to suit individual tastes and needs

Low maintenance

Aluminum does not rust or corrode in the same way as iron. Therefore, it is not necessary to paint it or apply protective coatings regularly. It will only need to be cleaned periodically to maintain its appearance and functionality



Sustainable and recyclable

It is a highly sustainable and recyclable material. Thanks to this, welded aluminum is a material that continuously reduces the carbon footprint and contributes to the preservation of the environment.



Welded aluminum offers a combination of strength, durability, aesthetics, and low maintenance, making it an ideal material for exterior gates.

The exterior protagonist
synthetic wood

The exterior cladding of NIRVANA gates is made of natural synthetic wood, which includes 35% rice husk in its composition

Its **Smooth Sanding finish** provides a delicate and smooth sanding on all four sides, offering comfort and continuity in exterior fences and gates. The visible face of the profile features a Natural finish that mimics traditional wood. NIRVANA is the perfect ally to create truly unique and sophisticated environments

Durable and safe

Fire, wind and water resistant

Does not break, crack or split

Eco-friendly and sustainable

Resistant to impacts

Easy to maintain and clean

Does not require additional treatments

Intact against insects and fungi

Its composition

Nirvana gates

exterior composition

100%

Welded aluminum

The most resistant and safe metal on the market

interior composition

35%

Rice husk

Natural plant fiber

65%

Polyvinyl chloride

Strong and durable polymer



PANTHERA

Panthera
Sober, direct and concise

Panthera is the most sophisticated design in the NIRVANA series. The vertical lines evoke contemporary architecture, cleanliness, and warmth. The finishes of this design are reminiscent of the roofs of old industrial warehouses, although there is also the option for them to be in a straight line

Panthera is in line with current market trends. The vertical profiles are 160 mm thick, making it the widest design in the range. It is a model that perfectly complements the most minimalist facades.

Exterior profile: 160*40
Interior profile: 80*50*3

JAGUAR

Jaguar
A range of thicknesses

Jaguar is the boldest design in the NIRVANA series. The vertical lines evoke contemporary architecture, cleanliness, and warmth. The finishes of this design are reminiscent of the roofs of old industrial warehouses, although there is also the option for them to be in a straight line.

In Jaguar, the predominant feature is the equidistant yet disordered geometry, thanks to the aluminum comb that makes up the system. This design evokes both homogeneity and a sense of unpredictability. It is a model that plays with two contrasting shades, reminiscent of the spots of the animal it's named after, the 'Jaguar'.

Exterior profile: 80*40 y 40*40
Interior profile: 80*50*3

LINZE

Linze
The most uniform composition

Linze is the first line in the NIRVANA series, featuring vertical lines that inspire contemporary architecture, cleanliness, and warmth. This design is presented with staggered ends following a pyramidal pattern, although there is also the option for straight lines.

In Linze, the predominant feature is the equidistant geometry, thanks to the aluminum comb that comprises the system. This design evokes a sense of homogeneity and symmetry

Exterior profile: 40*40
Interior profile: 80*50*3

Available Nirvana colours

Colour chart available for all our NIRVANA exterior gate models

Polar 2347

Green Wood 2350

Silver 2332

Gris 2214

Cinamon 2365 Nature

Castaño 2333

Cozumel 2377

IPE 2348

Roble 2349

Havanna 2482

Lino 2398

Sandalo 2361

Teka 2326

Antracita 2211





01 Flashing lamp
02 Left safety edge during opening
03 Right safety edge during closing
04 Guide
05 Interior left photocell during closing
06 Interior right photocell during closing
07 Exterior left photocell during closing
08 Exterior right photocell during closing
09 Rear stop
10 Interior left photocell during opening
11 Interior right photocell during opening

** Maximum dimensions: 6000 x 2500 mm*
**Assembly diagram of accessories, mandatory regulations*

**Maximum dimensions: 10.000 x 2500 mm*

**Assembly diagram of accessories, mandatory regulations*

01 Flashing lamp
02 Left outer band in closing
03 Right outer band in closing
04 Left inner band in opening
05 Right inner band in opening
06 Control panel

07 Left actuator
08 Right actuator
09 Left outer photocell in closing
10 Right outer photocell in closing
11 Left inner photocell in opening
12 Right inner photocell in opening

01 Flashing lamp
02 Left safety edge during opening
03 Right safety edge during closing
04 Interior left photocell during opening
05 Interior right photocell during opening
06 Interior left photocell during closing
07 Interior right photocell during closing
08 Exterior left photocell during closing
09 Exterior right photocell during closing
10 Rear stop
11 Guide

**Maximum dimensions: 6000 x 2500 mm*
***Assembly diagram of accessories, mandatory regulations*

01 Flashing lamp
02 Control panel
03 Actuator
04 Exterior left photocell on closing
05 Exterior right photocell on closing
06 Safety edge on closing
07 Interior left photocell on opening
08 Interior right photocell on opening
09 Safety edge on opening fixed to wall in case of entrapment

**Maximum dimensions: 5000 x 2300 mm*
***Assembly diagram of accessories, mandatory regulations*

01 Flashing light
02 Left safety edge during opening
03 Right safety edge during closing
04 Outer safety edge during opening
05 Inner left photocell during opening
06 Inner right photocell during opening
07 Inner left photocell during closing
08 Inner right photocell during closing
09 Outer left photocell during closing
10 Outer right photocell during closing
11 Rear stop
12 Guide

**Maximum dimensions: 6000 x 2500 mm*

01 Flashing light
02 Left outer safety strip in closing
03 Right outer safety strip in closing
04 Left inner safety strip in opening
05 Right inner safety strip in opening
06 Control panel
07 Left actuator
08 Right actuator
09 Left outer photocell in closing
10 Right outer photocell in closing
11 Left inner photocell in opening
12 Right inner photocell in opening

Maximum dimensions:8000 x 2300 mm



Available colors

R-00053-MICRO-T - **Q2**

G-00357-MICRO-T - **Q2**

G-00007-MICRO-T - **Q2**

G-00067-MICRO-T - **Q2**

G-00227-MICRO-T - **Q2**



G-00167-MICRO-T - **Q2**

G-00217-MICRO-T - **Q2**

B-00169-MICRO-T - **Q2**

B-00109-MICRO-T - **Q2**

M-00148-MICRO-T - **Q2**

M-00288-MICRO-T - **Q2**

M-00198-MICRO-T - **Q2**

N-00059-MICRO-T - **Q2**

M-CORTEN-MICRO-TIG BONDERIZADO **– Q1**

M-MICA-MICRO-TIG BONDERIZADO **– Q2**

V-FULL GREEN-MICRO-TIG BONDERIZADO - **Q1**

M-METAL BLACK-MICRO-TIG BONDERIZADO - **Q2**

M-LUX BROWN-MICRO-TIG BONDERIZADO - **Q2**

M-AUTUMM-SUPER MATT - **Q2**

T-TERRA-SUPER MATT - **Q2**

Color chart for welded aluminum gates

A-NEPTUNE-SUPER MATT - **Q2**

B-00169-GLOSS - **Q1**

B-00169-MATT - **Q2**

G-00167-GLOSS - **Q1**

G-00167-MATT - **Q2**

C-CHAMPAGNE-3D
BONDERIZADO - **Q2**

N-TRANSCENDENTAL-3D
BONDERIZADO - **Q2**

P-LUX PURPLE-3D
BONDERIZADO - **Q2**

C-ICE CREAM-3D
BONDERIZADO - **Q2**

T-ARENA-3D
BONDERIZADO - **Q2**

PINO-500 QUALIDECO



ROBLE-507 QUALIDECO



EMBERO OSCURO-519 QUALIDECO



NOGAL-524 QUALIDECO

TEKA-525 QUALIDECO

ROBLE ANTIGUO - 523 QUALIDECO

The colours represented in this catalogue may vary from the original due to offset reproduction techniques.

The images in this catalogue may not be used or reproduced without the express permission of Grupo Marver

** **Q2** and imitation wood finishes have an extra cost*

info@grupomarver.es

grupomarver.es