41) Among the following identify the one in which dimensionality reduction reduces.
<ul><li>a) Performance</li><li>b) statistics</li></ul>
b) statistics c) Entropy
d) Collinearity
Answer: D
42) Which of the following machine learning algorithm is based upon the idea of bagging?
a) Decision Tree
b) Random Forest
c) Classfication
d) SVM
Answer: B
43) Choose a disadvantage of decision trees among the following.
a) Decision tree robust to outliers
b) Factor analysis
c) Decision Tree are prone to overfit
d) all of the above
Answer: C
And well.
44) What is the term known as on which the machine learning algorithms build a model based on sample data?
a) Data Training
<ul><li>b) Sample Data</li><li>c) Training data</li></ul>
d) None of the above
Answer: C
45) Which of the following machine learning techniques helps in detecting the outliers in data?
a) Clustering
<ul><li>b) Classification</li><li>c) Anamoly detection</li></ul>
d) All of the above

Answer: C

46) Identify the incorrect numerical functions in the various function representation of machine learning.
<ul><li>a) Support Vector</li><li>b) Regression</li><li>c) Case based</li><li>d) Classification</li></ul>
Answer: C
47) Analysis of ML algorithm needs
<ul><li>a) Statistical learning theory</li><li>b) Computational learning theory</li><li>c) None of the above</li><li>d) Both a and b</li></ul>
Answer: D
<ul> <li>48) Identify the difficulties with the k-nearest neighbor algorithm.</li> <li>a) Curse of dimensionality</li> <li>b) Calculate the distance of test case for all training cases</li> <li>c) Both a and b</li> <li>d) None</li> </ul>
Answer: C
<ul> <li>49) The total types of the layer in radial basis function neural networks is</li> <li>a) 1</li> <li>b) 2</li> <li>c) 3</li> <li>d) 4</li> </ul>
Answer: C
50) Which of the following is not a supervised learning a) PCA b) Naïve bayes c) Linear regression d) KMeans  Answer: D
Allswell D