Hash Tables: Ice Cream Parlor

Each time Sunny and Johnny take a trip to the Ice Cream Parlor, they pool their money to buy ice cream. On any given day, the parlor offers a line of flavors. Each flavor has a cost associated with it.

Given the value of $money$ and the cost of each flavor for t trips to the Ice Cream Parlor, help Sunny and Johnny choose two *distinct* flavors such that they spend their entire pool of money during each visit. For each trip to the parlor, print the ID numbers for the two types of ice cream that Sunny and Johnny purchase as two space-separated integers on a new line. You must print the smaller ID first and the larger ID second.

For example, there are $n = 5$ flavors having $cost = [1, 2, 3, 5, 6]$. Together they have $money = 5$ to spend. They would purchase flavors 2 and 3 for a cost of $2 + 3 = 5$. Use 1 based indexing for your response.

Note: Two ice creams having unique IDs i and j *may* have the same cost (i.e., $cost[i] \equiv cost[j]$).

Function Description

Complete the function *whatFlavors* in the editor below. It must determine the two flavors they will purchase and print them as two space-separated integers on a line.

whatFlavors has the following parameter(s):

- *cost*: an array of integers representing price per flavor

- *money*: in integer representing the amount of money they have to spend

Input Format

The first line contains an integer, t, the number of trips to the ice cream parlor.

Each of the next t sets of 3 lines is as follows:

1. The first line contains $money$.

2. The second line contains an integer, n, the size of the array $cost$.

3. The third line contains n space-separated integers denoting the $cost[i]$.

Constraints

- $1 \leq t \leq 50$

- $2 \leq money \leq 10^9$

- $2 \leq n \leq 5 * 10^4$

- $1 \leq cost[i] \leq 10^9$

- There will always be a unique solution.

Output Format

Print two space-separated integers denoting the respective indices for the two distinct flavors they choose to purchase in ascending order. Recall that each ice cream flavor has a unique ID number in the inclusive range from 1 to $flavors$.

Sample Input

```
2
4
5
1 4 5 3 2
4
4
2 2 4 3
```

Sample Output

```
1 4
1 2
```

Explanation

Sunny and Johnny make the following two trips to the parlor:

1. The first time, they pool together $m = 4$ dollars. There are five flavors available that day and flavors 1 and 4 have a total cost of $1 + 3 = 4$.

2. The second time, they pool together $m = 4$ dollars. There are four flavors available that day and flavors 1 and 2 have a total cost of $2 + 2 = 4$.