

File Edit View Search Terminal Help

```
root@nickles:~# git clone https://github.com/vulnersCom/nmap-vulners.git
fatal: destination path 'nmap-vulners' already exists and is not an empty directory.
```

```
root@nickles:~# cd
```

```
root@nickles:~# nmap -sV 192.168.0.33
```

```
Starting Nmap 7.70 ( https://nmap.org ) at 2018-12-19 00:46 PST
```

```
Nmap scan report for 192.168.0.33
```

```
Host is up (0.0043s latency).
```

```
Not shown: 998 closed ports
```

```
PORT      STATE SERVICE VERSION
```

```
22/tcp open  ssh      OpenSSH 6.7p1 Raspbian 5+deb8u2 (protocol 2.0)
```

```
80/tcp open  http      Apache httpd 2.4.10 ((Raspbian))
```

```
MAC Address: B8:27:EB:B3:12:E7 (Raspberry Pi Foundation)
```

```
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
```

```
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
```

```
Nmap done: 1 IP address (1 host up) scanned in 8.38 seconds
```

```
root@nickles:~# nmap --script vulscan,nmap-vulners -sV 192.168.0.33
```

```
Starting Nmap 7.70 ( https://nmap.org ) at 2018-12-19 00:46 PST
```

```
File Edit View Search Terminal Help
CVE-2016-2161 5.0 https://vulners.com/cve/CVE-2016-2161
CVE-2014-3583 5.0 https://vulners.com/cve/CVE-2014-3583
CVE-2016-8743 5.0 https://vulners.com/cve/CVE-2016-8743
CVE-2016-4975 4.3 https://vulners.com/cve/CVE-2016-4975
CVE-2014-8109 4.3 https://vulners.com/cve/CVE-2014-8109
CVE-2015-3185 4.3 https://vulners.com/cve/CVE-2015-3185
CVE-2018-1283 3.5 https://vulners.com/cve/CVE-2018-1283
CVE-2016-8612 3.3 https://vulners.com/cve/CVE-2016-8612
vulscan: scip VulDB - http://www.scip.ch/en/?vuldb:
No findings

MITRE CVE - http://cve.mitre.org:
No findings

OSVDB - http://www.osvdb.org:
No findings

SecurityFocus - http://www.securityfocus.com/bid/:
No findings

SecurityTracker - http://www.securitytracker.com:
No findings

IBM X-Force - http://xforce.iss.net:
No findings

Exploit-DB - http://www.exploit-db.com:
No findings

OpenVAS (Nessus) - http://www.openvas.org:
No findings

MAC Address: B8:27:EB:B3:12:E7 (Raspberry Pi Foundation)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 9.70 seconds
root@nickles:~#
```

```
File Edit View Search Terminal Help
| CVE-2016-10708 5.0 https://vulners.com/cve/CVE-2016-10708
| CVE-2018-15473 5.0 https://vulners.com/cve/CVE-2018-15473
| CVE-2018-15919 5.0 https://vulners.com/cve/CVE-2018-15919
| CVE-2017-15906 5.0 https://vulners.com/cve/CVE-2017-15906
| CVE-2016-0778 4.6 https://vulners.com/cve/CVE-2016-0778
| CVE-2016-0777 4.0 https://vulners.com/cve/CVE-2016-0777
| vulscan: scip VulDB - http://www.scip.ch/en/?vuldb:
| No findings
|
| MITRE CVE - http://cve.mitre.org:
| No findings
|
| OSVDB - http://www.osvdb.org:
| No findings
|
| SecurityFocus - http://www.securityfocus.com/bid/:
| No findings
|
| SecurityTracker - http://www.securitytracker.com:
| No findings
|
| IBM X-Force - http://xforce.iss.net:
| No findings
|
| Exploit-DB - http://www.exploit-db.com:
| No findings
|
| OpenVAS (Nessus) - http://www.openvas.org:
| No findings
|
80/tcp open http Apache httpd 2.4.10 ((Raspbian))
| http-server-header: Apache/2.4.10 (Raspbian)
| vulners:
| cpe:/a:apache:http_server:2.4.10:
| CVE-2017-3167 7.5 https://vulners.com/cve/CVE-2017-3167
| CVE-2017-3169 7.5 https://vulners.com/cve/CVE-2017-3169
| CVE-2017-7668 7.5 https://vulners.com/cve/CVE-2017-7668
| CVE-2017-7670 7.5 https://vulners.com/cve/CVE-2017-7670
```

File Edit View Search Terminal Help

MAC Address: 08:27:EB:05:12:1E (Raspberry Pi Foundation)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at <https://nmap.org/submit/>.

Nmap done: 1 IP address (1 host up) scanned in 8.38 seconds

root@nickles:~# nmap --script vulscan,nmap-vulners -sV 192.168.0.33

Starting Nmap 7.70 (<https://nmap.org>) at 2018-12-19 00:46 PST

Nmap scan report for 192.168.0.33

Host is up (0.0017s latency).

Not shown: 998 closed ports

PORT STATE SERVICE VERSION

22/tcp open ssh OpenSSH 6.7p1 Raspbian 5+deb8u2 (protocol 2.0)

vulners:

cpe:/a:openbsd:openssh:6.7p1:

CVE-2016-10708	5.0	https://vulners.com/cve/CVE-2016-10708
CVE-2018-15473	5.0	https://vulners.com/cve/CVE-2018-15473
CVE-2018-15919	5.0	https://vulners.com/cve/CVE-2018-15919
CVE-2017-15906	5.0	https://vulners.com/cve/CVE-2017-15906
CVE-2016-0778	4.6	https://vulners.com/cve/CVE-2016-0778
CVE-2016-0777	4.0	https://vulners.com/cve/CVE-2016-0777

vulscan: scip VulDB - <http://www.scip.ch/en/?vuldb>:

No findings

MITRE CVE - <http://cve.mitre.org>:

No findings

OSVDB - <http://www.osvdb.org>:

No findings

SecurityFocus - <http://www.securityfocus.com/bid/>:

No findings

SecurityTracker - <http://www.securitytracker.com>:

No findings

IBM X-Force - <http://xforce.iss.net>:

No findings

File Edit View Search Terminal Help

SecurityTracker - <http://www.securitytracker.com>:
No findings

IBM X-Force - <http://xforce.iss.net>:
No findings

Exploit-DB - <http://www.exploit-db.com>:
No findings

OpenVAS (Nessus) - <http://www.openvas.org>:
No findings

80/tcp open http Apache httpd 2.4.10 ((Raspbian))

_http-server-header: Apache/2.4.10 (Raspbian)

vulners:

cpe:/a:apache:http_server:2.4.10:

CVE-2017-3167	7.5	https://vulners.com/cve/CVE-2017-3167
CVE-2017-3169	7.5	https://vulners.com/cve/CVE-2017-3169
CVE-2017-7668	7.5	https://vulners.com/cve/CVE-2017-7668
CVE-2017-7679	7.5	https://vulners.com/cve/CVE-2017-7679
CVE-2017-15715	6.8	https://vulners.com/cve/CVE-2017-15715
CVE-2018-1312	6.8	https://vulners.com/cve/CVE-2018-1312
CVE-2017-9788	6.4	https://vulners.com/cve/CVE-2017-9788
CVE-2017-15710	5.0	https://vulners.com/cve/CVE-2017-15710
CVE-2017-9798	5.0	https://vulners.com/cve/CVE-2017-9798
CVE-2016-0736	5.0	https://vulners.com/cve/CVE-2016-0736
CVE-2016-2161	5.0	https://vulners.com/cve/CVE-2016-2161
CVE-2014-3583	5.0	https://vulners.com/cve/CVE-2014-3583
CVE-2016-8743	5.0	https://vulners.com/cve/CVE-2016-8743
CVE-2016-4975	4.3	https://vulners.com/cve/CVE-2016-4975
CVE-2014-8109	4.3	https://vulners.com/cve/CVE-2014-8109
CVE-2015-3185	4.3	https://vulners.com/cve/CVE-2015-3185
CVE-2018-1283	3.5	https://vulners.com/cve/CVE-2018-1283
CVE-2016-8612	3.3	https://vulners.com/cve/CVE-2016-8612

_vulscan: scip VulDB - <http://www.scip.ch/en/?vuldb>:
No findings

File Edit View Search Terminal Help

SecurityTracker - <http://www.securitytracker.com:>

No findings

IBM X-Force - <http://xforce.iss.net:>

No findings

Exploit-DB - <http://www.exploit-db.com:>

No findings

OpenVAS (Nessus) - <http://www.openvas.org:>

No findings

80/tcp open http Apache httpd 2.4.10 ((Raspbian))

http-server-header: Apache/2.4.10 (Raspbian)

vulners:

cpe:/a:apache:http_server:2.4.10:

CVE-2017-3167	7.5	https://vulners.com/cve/CVE-2017-3167
CVE-2017-3169	7.5	https://vulners.com/cve/CVE-2017-3169
CVE-2017-7668	7.5	https://vulners.com/cve/CVE-2017-7668
CVE-2017-7679	7.5	https://vulners.com/cve/CVE-2017-7679
CVE-2017-15715	6.8	https://vulners.com/cve/CVE-2017-15715
CVE-2018-1312	6.8	https://vulners.com/cve/CVE-2018-1312
CVE-2017-9788	6.4	https://vulners.com/cve/CVE-2017-9788
CVE-2017-15710	5.0	https://vulners.com/cve/CVE-2017-15710
CVE-2017-9798	5.0	https://vulners.com/cve/CVE-2017-9798
CVE-2016-0736	5.0	https://vulners.com/cve/CVE-2016-0736
CVE-2016-2161	5.0	https://vulners.com/cve/CVE-2016-2161
CVE-2014-3583	5.0	https://vulners.com/cve/CVE-2014-3583
CVE-2016-8743	5.0	https://vulners.com/cve/CVE-2016-8743
CVE-2016-4975	4.3	https://vulners.com/cve/CVE-2016-4975
CVE-2014-8109	4.3	https://vulners.com/cve/CVE-2014-8109
CVE-2015-3185	4.3	https://vulners.com/cve/CVE-2015-3185
CVE-2018-1283	3.5	https://vulners.com/cve/CVE-2018-1283
CVE-2016-8612	3.3	https://vulners.com/cve/CVE-2016-8612

vulscan: scip VulDB - <http://www.scip.ch/en/?vuldb:>

No findings

MITRE CVE - <http://cve.mitre.org:>

Open Link

Copy Link

Copy

Copy as HTML

Paste

☐ Read-Only

Preferences

New Window

New Tab

☒ Show Menubar

Applications ▾Places ▾Firefox ESR ▾

CVE-2017-3169 - Mozilla Firefox

1

GitHub - vulnersCo xGitHub - scipag/vul xCVE-2017-8798 xpub/pocs/cve-2017 xCVE-2016-10708 xSCIP • Error 403 xCVE-2017-3169 x


→ X Home

https://vulners.com/cve/CVE-2017-3169

...

🔍 nmap-vulners

↓ ↻ 📄



Have you ever thought about AI and future of security?
Now our AI Network calculates severity score of vulnerabilities! **7.5** - CVSS Score **5** - AI Vulners Score

✕

🕒 Time Machine

History revisions **15** ^

Show diff in description

☒


Highlight different blocks

☒

Edition


123456789101112131415

2018-06-03 10:46:37 ▾

 CVE-2017-3169
2017-06-19 21:29:00

👤🔗📄🔍

7.5

 5

ID CVE-2017-3169

Type cve

Reporter NVD

Modified 2018-06-02 21:29:00

Description

In Apache HTTPD 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_ssl may dereference a NULL pointer when third-party modules call
ssl_connection() during an HTTP request to an HTTPS port

Waiting for vulners.com...

Applications ▾Places ▾Firefox ESR ▾

CVE-2017-3169 - Mozilla Firefox

1

🔊📶🔌

GitHub - vulnersCo ×GitHub - scipag/vul ×CVE-2017-8798 ×pub/pocs/cve-2017 ×CVE-2016-10708 ×SCIP • Error 403 ×CVE-2017-3169 ×

→ × 🏠

🔒 <https://vulners.com/cve/CVE-2017-3169>

📄 ⋮ 📖 ☆ 🔍 nmap-vulners →

⬇️ 📄 🗑️

Vendor	Product	Version
apache	http_server	2.2.27
apache	http_server	2.2.15
apache	http_server	2.2.32
apache	http_server	2.4.12
apache	http_server	2.2.11
apache	http_server	2.4.1

References

<https://access.redhat.com/errata/RHSA-2017:2483>

<https://access.redhat.com/errata/RHSA-2017:3193>

<https://access.redhat.com/errata/RHSA-2017:2478>

<https://security.gentoo.org/glsa/201710-32>

<https://access.redhat.com/errata/RHSA-2017:3475>

ansferring data from vulners.com...