APLIKASI ACTSPOT (M-ABSENSI)

APLIKASI ACTSPOT (M-ABSENSI Android MySQL Project

Kadek Diva Krishna Murti & Chandra Kirana Poetra

D4 Teknik Informatika, Politeknik Pos Indonesia



Kreatif Industri Nusantara

Penulis:

Rolly Maulana Awangga

ISBN: 978-602-53897-0-2

Editor

M. Yusril Helmi Setyawan

Penyunting:

Syafrial Fachrie Pane Khaera Tunnisa Diana Asri Wijayanti

Desain sampul dan Tata letak:

Deza Martha Akbar

Penerbit:

Kreatif Industri Nusantara

Redaksi:

Jl. Ligar Nyawang No. 2 Bandung 40191 Tel. 022 2045-8529

Email: awangga@kreatif.co.id

Distributor:

Informatics Research Center Jl. Sariasih No. 54 Bandung 40151 Email: irc@poltekpos.ac.id

Cetakan Pertama, 2020

Hak cipta dilindungi undang-undang Dilarang memperbanyak karya tulis ini dalam bentuk dan dengan cara apapun tanpa ijin tertulis dari penerbit

'Jika Kamu tidak dapat menahan lelahnya belajar, Maka kamu harus sanggup menahan perihnya Kebodohan.' Imam Syafi'i

CONTRIBUTORS		

KADEK DIVA KRISHNA MURTI & CHANDRA KIRANA POETRA D4 Teknik Informatika.,

Politeknik Pos Indonesia, Bandung, Indonesia

CONTENTS IN BRIEF

DAFTAR ISI

DAFTAR GAMBAR

DAFTAR TABEL

Listings

FOREWORD	
Sepatah kata dari Kaprodi, Kabag Kemahasiswaan dan Mahasiswa	

KATA PENGANTAR
Buku ini diciptakan bagi yang awam dengan pemrograman Android sekalipun.

Bandung, Jawa Barat Januari, 2020

ACKNOWLEDGMENTS

Terima kasih atas semua masukan dari para rekan-rekan agar bisa membuat buku ini lebih baik dan lebih mudah dimengerti.

Terima kasih ini juga ditujukan khusus untuk team IRC yang telah fokus untuk belajar dan memahami bagaimana buku ini mendampingi proses Proyek 3.

D. K. M. & C. K. P.

ACRONYMS

ACGIH American Conference of Governmental Industrial Hygienists

AEC Atomic Energy Commission

OSHA Occupational Health and Safety Commission

SAMA Scientific Apparatus Makers Association

GLOSSARY

git Merupakan manajemen sumber kode yang dibuat oleh linus tor-

vald.

bash Merupakan bahasa sistem operasi berbasiskan *NIX.

linux Sistem operasi berbasis sumber kode terbuka yang dibuat oleh Li-

nus Torvald

SYMBOLS

- A Amplitude
- & Propositional logic symbol
- a Filter Coefficient
- B Number of Beats

INTRODUCTION

KADEK DIVA KRISHNA MURTI & CHANDRA KIRANA POETRA

D4 Teknik Informatika Politeknik Pos Indonesia Bandung, Jawa Barat, Indonesia

API

1.1 API

Perintah navigasi direktori

```
2 API
```

14

```
return $this -> connect;
14
 ?>
<?php
include('mahasiswa.php');
a header('Content-Type: application/json');
 m = new Mahasiswa();
  if (isset($_POST['username'], $_POST['password'])) {
      $user = $_POST['username'];
      $pass = $_POST['password'];
        (!empty($user) && !empty($pass)) {
8
          $m->login_mahasiswa($user, $pass);
      } else {
          sison['status'] = 100;
          $json['message'] = 'Field tidak boleh kosong';
          echo json_encode($json);
14
 ?>
16
 <?php
 include ('mahasiswa.php');
  header('Content-Type: application/json');
 m = new Mahasiswa();
  if (isset($_POST['kode_otp'])) {
      $kode_otp = $_POST['kode_otp'];
      if (!empty($kode_otp)) {
          $m->registrasi_mahasiswa($kode_otp);
      } else {
          sison['status'] = 100;
          $ison['message'] = 'Field tidak boleh kosong';
          echo ison_encode($ison);
14
  }
15 ?>
1 <?php</pre>
include('mahasiswa.php');
3 header('Content-Type: application/json');
4 $m = new Mahasiswa();
 if (isset($_POST['id_intern'], $_POST['id_mahasiswa'], $_POST['
      id_dosen'], $_POST['latitude_absensi'], $_POST['longitude_absensi
      '], $_POST['imei_perangkat'], $_POST['id_kegiatan'], $_FILES['
      foto_absensi']['name'], $_POST['tgl_waktu'])) {
      $id_intern = $_POST['id_intern'];
      $id_mahasiswa = $_POST['id_mahasiswa'];
      $id_dosen = $_POST['id_dosen'];
      $latitude_absensi = $_POST['latitude_absensi'];
      $longitude_absensi = $_POST['longitude_absensi'];
      $imei_perangkat = $_POST['imei_perangkat'];
      $id_kegiatan = $_POST['id_kegiatan'];
      tgl_waktu = POST['tgl_waktu'];
```

\$foto_absensi = \$_FILES['foto_absensi']['name'];

```
$temp_foto_absensi = $_FILES['foto_absensi']['tmp_name'];
               $dir_absensi = "../images/absensi/";
1.9
               if (!empty($id_intern) && !empty($id_mahasiswa) && !empty(
19
               $id_dosen) && !empty($latitude_absensi)
              && !empty($longitude_absensi) && !empty($imei_perangkat) && !
20
               empty($id_kegiatan) && !empty($tgl_waktu)
              && !empty($foto_absensi)) {
                        $take_absensi = $m->ambil_absensi($id_intern, $id_mahasiswa,
               $id_dosen , $latitude_absensi , $longitude_absensi , $imei_perangkat
               , $id_kegiatan , $foto_absensi , $tgl_waktu);
                        if ($take_absensi) {
                                 $upload = move_uploaded_file($temp_foto_absensi,
24
               $dir_absensi.$foto_absensi);
                                 if (!$upload) {
                                           sistem = sistem size = sistem size = size 
26
                                           $json['message'] = 'Gambar gagal terupload';
                                           echo json_encode($json);
28
                                 }
                        }
               } else {
31
                        sison['status'] = 100;
                        $ison['message'] = 'Field tidak boleh kosong';
                        echo json_encode($json);
34
               }
        else {
36
               sison['status'] = 100;
               $ison['message'] = 'Field tidak boleh kosong';
39
              echo json_encode($json);
     }
40
 1 <?php</pre>
 include('mahasiswa.php');
 3 header('Content-Type: application/json');
 4 $m = new Mahasiswa();
 5 $m->list_kegiatan():
 6 ?>
 <?php
 include('mahasiswa.php');
 3 header('Content-Type: application/json');
 4 $m = new Mahasiswa();
     if (isset($_POST['id_intern'], $_POST['id_mahasiswa'])) {
               $id_intern = $_POST['id_intern'];
               $id_mahasiswa = $_POST['id_mahasiswa'];
               if (!empty($id_intern) && !empty($id_mahasiswa)) {
 8
                       $m->list_notifikasi($id_intern, $id_mahasiswa);
 0
               } else {
                        sison['status'] = 100;
                        $json['message'] = 'Field tidak boleh kosongs';
                        echo json_encode($json);
14
     } else {
15
               sistem = 100;
16
               $json['message'] = 'Field tidak boleh kosong';
```

```
4 API
```

```
echo ison_encode($ison);
19 }
1 <?php</pre>
include('mahasiswa.php');
header('Content-Type: application/json');
4 $m = new Mahasiswa();
5 $m->list_pembimbing();
6 ?>
<?php
include('mahasiswa.php');
3 header('Content-Type: application/json');
4 $m = new Mahasiswa();
5 if (isset($_POST['id_intern'], $_POST['id_mahasiswa'], $_POST['
      id_pembimbing'], $_POST['latitude_perusahaan'], $_POST['
      longitude_perusahaan'], $_FILES['foto_perusahaan']['name'])) {
      $id_intern = $_POST['id_intern'];
      $id_mahasiswa = $_POST['id_mahasiswa']:
      $id_pembimbing = $_POST['id_pembimbing'];
      $latitude_perusahaan = $_POST['latitude_perusahaan'];
      $longitude_perusahaan = $_POST['longitude_perusahaan'];
      $foto_perusahaan = $_FILES['foto_perusahaan']['name'];
      $temp_foto_perusahaan = $_FILES['foto_perusahaan']['tmp_name'];
      $dir_perusahaan = "../images/perusahaan/";
14
16
      if (!empty($id_intern) && !empty($id_mahasiswa) && !empty(
      $id_pembimbing) && !empty($latitude_perusahaan) && !empty(
       $longitude_perusahaan) && !empty($foto_perusahaan)) {
          if ($m->get_distance($id_pembimbing) == false) {
              sison['status'] = 400;
18
              $json['message'] = 'Jarak kosong';
              echo json_encode($json);
          } else {
               $distance = $m->get_distance($id_pembimbing);
              $gap = $m->distance($latitude_perusahaan,
      $longitude_perusahaan , $distance['lat'], $distance['lon']);
               if (\$gap > 30) {
26
                   sison['status'] = 300;
                   $json['message'] = $gap.'Jarak terlalu jauh';
28
                   echo json_encode($json);
              } else {
30
                   $registrasi_perusahaan = $m->registrasi_perusahaan(
31
       $id_intern , $id_mahasiswa , $id_pembimbing , $latitude_perusahaan ,
      $longitude_perusahaan , $foto_perusahaan );
                   if ($registrasi_perusahaan) {
                       $upload = move_uploaded_file(
       $temp_foto_perusahaan , $dir_perusahaan . $foto_perusahaan ) ;
                       if (!$upload) {
                           sison['status'] = 400;
                           $json['message'] = 'Gambar gagal terupload';
36
                           echo json_encode($json);
38
```

```
}
40
          }
41
      } else {
          sison['status'] = 100;
          $ison['message'] = 'Field tidak boleh kosongs';
          echo ison_encode($ison);
45
46
    else {
      sison['status'] = 100;
      $ison['message'] = 'Field tidak boleh kosong';
      echo json_encode($json);
50
51
<?php
include('mahasiswa.php');
3 header('Content-Type: application/json');
4 $m = new Mahasiswa();
  if (isset($_POST['id_intern'], $_POST['id_mahasiswa'], $_POST['sort'
      1)) {
      $id_mahasiswa = $_POST['id_mahasiswa'];
      $id_intern = $_POST['id_intern'];
      sort = POST['sort'];
      if (!empty($id_intern) && !empty($id_mahasiswa) && !empty($sort))
          $m->progress_mahasiswa($id_intern, $id_mahasiswa, $sort);
10
      } else {
          sistem = 100;
          $ison['message'] = 'Field tidak boleh kosong';
          echo json_encode($json);
14
    else {
16
      sison['status'] = 100;
      $json['message'] = 'Field tidak boleh kosong';
18
      echo json_encode($json);
19
  }
20
1 <?php</pre>
  include('mahasiswa.php');
3 header('Content-Type: application/json');
4 $m = new Mahasiswa();
  if (isset($_POST['id_intern'], $_POST['id_mahasiswa'], $_POST['tgl'])
      $id_intern = $_POST['id_intern'];
      $id_mahasiswa = $_POST['id_mahasiswa'];
      tg1 = POST['tgl'];
      if (!empty($id_intern) && !empty($id_mahasiswa) && !empty($tgl))
          $m->progress_mahasiswa_perhari($id_intern, $id_mahasiswa,
      $tgl);
      } else {
          sistem ['status'] = 100;
          $json['message'] = 'Field tidak boleh kosong';
          echo json_encode($json);
14
16
```

17 ?>

```
<?php
include('mahasiswa.php');
3 header('Content-Type: application/json');
 $m = new Mahasiswa();
  $id_mahasiswa = $_POST['id_mahasiswa'];
    (isset($_POST['kelas'])) $kelas = $_POST['kelas'];
    (isset($_POST['kontak'])) $kontak = $_POST['kontak'];
    (isset($_POST['password'])) $password = $_POST['password'];
  if (isset($_FILES['foto']['name'])){
14
     $foto = $_FILES['foto']['name'];
     $temp_foto = $_FILES['foto']['tmp_name'];
16
     $dir_mahasiswa = "../images/mahasiswa/";
19
20
    (!empty($id_mahasiswa) && !empty($username)) {
     $m->ubah_username($id_mahasiswa, $username);
   elseif (!empty($id_mahasiswa) && !empty($nama)) {
     $m->ubah_nama($id_mahasiswa, $nama);
24
   elseif (!empty($id_mahasiswa) && !empty($kelas)) {
     $m->ubah_kelas($id_mahasiswa, $kelas);
    elseif (!empty($id_mahasiswa) && !empty($angkatan)) {
     $m->ubah_angkatan($id_mahasiswa, $angkatan);
2.8
   elseif (!empty($id_mahasiswa) && !empty($kontak)) {
     $m->ubah_kontak($id_mahasiswa, $kontak);
30
    elseif (!empty($id_mahasiswa) && !empty($password)) {
     $m->ubah_password($id_mahasiswa, $password);
    elseif (!empty($id_mahasiswa) && !empty($foto)){
     $result = $m->ubah_foto($id_mahasiswa, $foto);
34
     if ($result) {
         $upload = move_uploaded_file($temp_foto, $dir_mahasiswa.$foto
     );
         if (!$upload) {
             sistemath{ison['status'] = 400;
38
             $ison['message'] = 'Gambar gagal terupload';
39
             echo json_encode($json);
         }
   else {
44
     $ison['message'] = 'Field tidak boleh kosong';
46
     echo json_encode($json);
  }
47
1 <?php
```

```
include ('../conn.php');
header('Content—Type: application/json');
class Mahasiswa
{
```

```
private $db;
6
       private $connection;
       public function __construct()
           this \rightarrow db = new Connection();
           $this -> connection = $this
               ->db
               ->get_connection();
       }
14
       public function ambil_absensi($id_intern, $id_mahasiswa,
       $id_dosen , $latitude_absensi , $longitude_absensi , $imei_perangkat
        $id_kegiatan, $foto_absensi, $tgl_waktu)
           $query = "INSERT INTO absensi(id_intern_absensi,
       id_mahasiswa_absensi, id_dosen_absensi,
           latitude_absensi, longitude_absensi, imei_perangkat_absensi,
       id_kegiatan_absensi,
           foto_absensi, tgl_waktu_absensi) VALUES ('$id_intern', '
20
       $id_mahasiswa',
       '$id_dosen', '$latitude_absensi', '$longitude_absensi', '$imei_perangkat', '$id_kegiatan',
           '$foto_absensi', '$tgl_waktu')";
           $result = mysqli_query($this->connection, $query);
2.4
           if ($result)
26
           {
               sison['status'] = 200;
               $ison['message'] = 'Berhasil melakukan absensi';
               echo json_encode($json);
               mysqli_close ($this -> connection);
               return true:
           else
34
           {
               sison['status'] = 400;
36
               $ison['message'] = 'Gagal melakukan absensi';
               echo json_encode($json);
               mysqli_close ($this -> connection);
30
               return false;
           }
41
42
       public function list_kegiatan()
44
45
           $query = "SELECT * FROM kegiatan";
46
           $result = mysqli_query($this->connection, $query);
           if (mysqli_num_rows($result) > 0)
49
           {
50
               $datas = array();
               while ($row = mysqli_fetch_array($result))
54
                    $datas[] = array(
55
```

```
8
```

```
"id_kegiatan" => $row['id_kegiatan'],
                        "nama_kegiatan" => $row['nama_kegiatan']
                    );
58
                }
59
                sison['status'] = 200;
                $json['message'] = 'Berhasil mengambil data';
62
                sison['data'] = sdatas;
63
64
                echo ison_encode($ison);
65
                mysqli_close ($this -> connection);
           }
67
           else
           {
                sison['status'] = 400;
                $ison['message'] = 'Gagal mengambil data';
                echo json_encode($json);
                mysqli_close ($this -> connection);
           }
74
       }
75
       public function list_pembimbing()
78
           $query = "SELECT * FROM pembimbing_perusahaan";
80
           $result = mysqli_query($this->connection, $query);
81
           if (mysqli_num_rows(sresult) > 0)
82
83
           {
                $datas = array();
85
                while ($row = mysqli_fetch_array($result))
87
                    $datas[] = array(
88
                        "id_pembimbing" => $row['id_pembimbing'],
                        "nama_pembimbing" => $row['nama_pembimbing'],
90
                        "nama_perusahaan" => $row['
0.1
       nama_perusahaan_perusahaan']
                    );
92
                }
94
                sistemath{ison['status'] = 200;
95
                $json['message'] = 'Berhasil mengambil data';
96
                $json['data'] = $datas;
97
                echo json_encode($json);
99
                mysqli_close ($this -> connection);
100
           }
101
           else
           {
                104
                $ison['message'] = 'Gagal mengambil data';
                echo json_encode($json);
106
                mysqli_close ($this -> connection);
107
           }
108
       }
```

```
public function get_distance($id_pembimbing)
           $query = "SELECT lat_pembimbing_perusahaan ,
       long_pembimbing_perusahaan FROM pembimbing_perusahaan";
           $result = mysqli_query($this->connection, $query);
           $row = mysqli_fetch_array($result);
           $data = array(
116
               "lat" => $row['lat_pembimbing_perusahaan'].
               "lon" => $row['long_pembimbing_perusahaan']
           if ($result)
           {
               return $data:
           }
           else
           {
126
               return false:
128
       public function registrasi_perusahaan($id_intern, $id_mahasiswa,
130
       $id_pembimbing , $latitude_perusahaan , $longitude_perusahaan ,
       $foto_perusahaan)
           $query = "UPDATE detail_intern SET id_pembimbing_dt_intern="
       $id_pembimbing', latitude_perusahaan='$latitude_perusahaan',
                    longitude_perusahaan='$longitude_perusahaan',
       foto_perusahaan='$foto_perusahaan'
                   WHERE id_intern_dt_intern = '$id_intern' AND
       id_mahasiswa_dt_intern = '$id_mahasiswa' ";
           $result = mysqli_query($this->connection, $query);
136
           if ($this
               ->connection->affected_rows > 0 && $result)
           {
140
               sison['status'] = 200;
               $ison['message'] = 'Berhasil melakukan registrasi
142
       perusahaan';
               echo json_encode($json);
143
               mysqli_close ($this -> connection);
               return true:
           }
           else
           {
148
               sistem [status] = 400;
149
               $json['message'] = 'Gagal melakukan registrasi perusahaan
150
               echo json_encode($json);
               mysqli_close ($this -> connection);
               return false:
           }
156
       public function progress_mahasiswa($id_intern, $id_mahasiswa,
       $sort)
```

```
10
```

```
158
           query = "SET @rank = 0;";
           mysqli_query($this -> connection, $query);
160
           switch ($sort)
162
                case 'hari':
164
                    query1 = "
165
                SELECT @rank:=@rank+1 AS rank, DAYOFYEAR(
       tgl_waktu_absensi) as date, ROUND(COUNT(*) / 3 * 100, 2)
                as percent FROM absensi WHERE id_intern_absensi=
       $id_intern AND id_mahasiswa_absensi = '$id_mahasiswa'
               GROUP BY DAYOFYEAR(tgl_waktu_absensi) ORDER BY rank ASC";
                    $result1 = mysqli_query($this->connection, $query1);
                    if (mysqli_num_rows(sresult1) > 0)
                    {
                         $datas = array();
                         while (\$row = mysqli_fetch_array(\$result1))
174
                         {
                             $datas[] = array(
                                 "sort" => "Hari ke-" . $row['rank'],
                                 "persen" => $row['percent']
178
                             );
                         }
180
181
                         sistem ['status'] = 201;
182
183
                         $ison['message'] = 'Berhasil mengambil data';
                         sison['data'] = sdatas;
185
                         echo json_encode($json);
186
                         mysqli_close ($this -> connection);
187
188
                    elseif (mysqli_num_rows($result1) == 0)
190
                    ł
                         sistem ['status'] = 300;
                         $json['message'] = 'Data tidak ada';
192
                         //$ison['data'] = [];
                         echo json_encode($json);
                         mysqli_close ($this -> connection);
                    }
196
                    else
197
198
                    {
                         sistem [status] = 400;
                         $ison['message'] = 'Gagal mengambil data';
200
201
                         echo json_encode($json);
202
                         mysqli_close ($this -> connection);
                break;
205
                case 'minggu':
206
                    query2 = "
207
               SELECT @rank:=@rank+1 AS rank, WEEK('tgl_waktu_absensi
       ',1) as week, ROUND(COUNT(*) / 21 * 100, 2)
                as percent FROM 'absensi' WHERE 'id_intern_absensi'=
209
       $id_intern AND 'id_mahasiswa_absensi ' = '$id_mahasiswa'
```

```
GROUP BY WEEK('tgl_waktu_absensi') ORDER BY rank ASC";
                    $result2 = mysqli_query($this->connection, $query2);
                    if (mysqli_num_rows($result2) > 0)
                    {
                        $datas = array();
                        while (\$row = mysqli_fetch_array(\$result2))
                            $datas[] = array(
                                 "sort" => "Minggu ke-" . $row['rank'],
                                 "persen" => $row['percent']
                            );
                        }
                        sison['status'] = 202;
                        $json['message'] = 'Berhasil mengambil data';
225
                        $json['data'] = $datas;
226
                        echo json_encode($json);
                        mysqli_close ($this -> connection);
230
                    elseif (mysqli_num_rows($result2) == 0)
                    {
                        sison['status'] = 300;
                        $json['message'] = 'Data tidak ada';
                        //$ison['data'] = [];
                        echo json_encode($json);
236
                        mysqli_close ($this -> connection);
                    }
                    e1se
                    {
                        sison['status'] = 400;
241
                        $json['message'] = 'Gagal mengambil data';
242
                        echo json_encode($json);
244
                        mysqli_close ($this -> connection);
246
               break:
247
               case 'bulan':
                    query3 = "
249
                    SELECT @rank:=@rank+1 AS rank, MONTH(
250
       tgl_waktu_absensi) as month, ROUND(COUNT(*) / 90 * 100, 2)
                    as percent FROM absensi WHERE id_intern_absensi=
251
                    AND id_mahasiswa_absensi = '$id_mahasiswa'
       $id_intern
                   GROUP BY MONTH(tgl_waktu_absensi) ORDER BY rank ASC";
                    $result3 = mysqli_query($this->connection, $query3);
                    if (mysgli_num_rows(sresult3) > 0)
254
                    {
                        $datas = array();
                        while (\$row = mysqli_fetch_array(\$result3))
258
                            $datas[] = array(
                                 "sort" => "Bulan ke-" . $row['rank'],
261
                                 "persen" => $row['percent']
262
                            );
263
```

```
265
                         sison['status'] = 203;
266
                         $json['message'] = 'Berhasil mengambil data';
267
                         sison['data'] = sdatas;
                         echo ison_encode($ison);
270
                         mysqli_close ($this -> connection);
                    elseif (mysgli_num_rows($result3) == 0)
274
                         sistem ['status'] = 300;
276
                         $ison['message'] = 'Data tidak ada';
                         //$ison['data'] = [];
                         echo ison_encode($ison);
                         mysqli_close ($this -> connection);
                    }
280
                    else
281
                    {
282
                         sison['status'] = 400;
283
                         $ison['message'] = 'Gagal mengambil data';
284
285
                         echo ison_encode($ison);
286
                         mysqli_close ($this -> connection);
                break:
289
           }
290
201
293
       public function progress_mahasiswa_perhari($id_intern,
       $id_mahasiswa, $tgl)
           $query = "SELECT tgl_waktu_absensi, nama_kegiatan,
295
       foto_absensi, pergeseran_absensi
           FROM absensi
296
           INNER JOIN detail_absensi ON absensi.id_absensi =
207
       detail_absensi.id_absensi_dt_absensi
           INNER JOIN kegiatan ON absensi.id_kegiatan_absensi = kegiatan
298
       .id_kegiatan
           WHERE id_intern_absensi = '$id_intern' AND
299
       id_mahasiswa_absensi = '$id_mahasiswa' AND
           DATE('tgl_waktu_absensi') = '$tgl'";
300
           $result = mysqli_query($this->connection, $query);
301
           if (mysqli_num_rows(sresult) > 0)
303
           {
                $datas = array();
304
305
                while (\$row = mysqli_fetch_array(\$result))
                    $datas[] = array(
308
                         "tgl_waktu" => $row['tgl_waktu_absensi'],
309
                         "kegiatan" => $row['nama_kegiatan'],
                         "foto_absensi" => $row['foto_absensi'],
                         "pergeseran" => $row['pergeseran_absensi']
312
                    );
314
```

```
sison['status'] = 200;
               $ison['message'] = 'Berhasil mengambil data';
317
               sison['data'] = sdatas;
318
               echo json_encode($json);
               mysgli_close ($this -> connection);
           elseif (mysqli_num_rows($result) == 0)
           {
               sison['status'] = 300;
               $json['message'] = 'Data tidak ada';
326
               //$ison['data'] = [];
               echo json_encode($json);
328
               mysgli_close ($this -> connection);
           }
           else
           {
               $json['status'] = $query;
               $json['message'] = 'Gagal mengambil data';
334
               echo json_encode($json);
336
               mysqli_close ($this -> connection);
           }
340
       public function login_mahasiswa($user, $pass)
341
           $query = "SELECT id_intern , id_mahasiswa , username , password ,
        nama_mahasiswa, kelas_mahasiswa,
           angkatan_mahasiswa, foto_mahasiswa, nama_prodi, id_dosen,
           nama_dosen, nama_perusahaan_perusahaan as nama_perusahaan,
       status_perusahaan , id_pembimbing_dt_intern as id_pembimbing
           FROM user
           INNER JOIN mahasiswa ON user.id_user = mahasiswa.id_mahasiswa
347
           INNER JOIN prodi ON mahasiswa.id_prodi_mahasiswa = prodi.
3/19
       id_prodi
           INNER JOIN detail_intern ON user.id_user = detail_intern.
       id_mahasiswa_dt_intern
           INNER JOIN intern ON detail_intern.id_intern_dt_intern =
350
       intern.id intern
           INNER JOIN dosen ON detail_intern.id_dosen_dt_intern = dosen.
       id_dosen
           INNER JOIN pembimbing_perusahaan ON pembimbing_perusahaan.
       id_pembimbing = detail_intern.id_pembimbing_dt_intern
           WHERE username='$user' AND password='$pass' AND user.
       role_user='mahasiswa'
           AND user.status_user='aktif' AND status_intern = 'berjalan'";
           $result = mysqli_query($this->connection, $query);
356
           $row = mysqli_fetch_array($result);
           $id_intern = $row['id_intern'];
358
           if (mysqli_num_rows($result) > 0 && ($row['id_pembimbing'] !=
        "" || $row['id_pembimbing'] != null) && $row['status_perusahaan'
       1 == "diterima")
360
```

```
361
               $query = "SELECT id_intern_dt_intern as id_intern,
362
       id_mahasiswa, username, password, nama_mahasiswa, kelas_mahasiswa
               angkatan_mahasiswa, foto_mahasiswa, nama_prodi, id_dosen,
        nama_dosen, nama_perusahaan_perusahaan as nama_perusahaan,
               status_perusahaan, nama_pembimbing,
364
       id_pembimbing_dt_intern as id_pembimbing FROM user
               INNER JOIN mahasiswa
               ON user.id_user = mahasiswa.id_mahasiswa
               INNER JOIN prodi
               ON mahasiswa.id_prodi_mahasiswa = prodi.id_prodi
368
               INNER JOIN detail_intern
369
               ON user.id_user = detail_intern.id_mahasiswa_dt_intern
               INNER JOIN intern ON detail_intern.id_intern_dt_intern =
       intern.id_intern
               INNER JOIN dosen
               ON detail_intern.id_dosen_dt_intern = dosen.id_dosen
               INNER JOIN pembimbing_perusahaan ON pembimbing_perusahaan
       .id_pembimbing = detail_intern.id_pembimbing_dt_intern
               WHERE username='$user' AND password='$pass' AND user.
       role_user='mahasiswa'
               AND user status user = 'aktif' AND status intern = '
       berjalan '";
               $result = mysqli_query($this->connection, $query);
378
               $row = mysqli_fetch_array($result);
380
               $data = arrav(
                   "id_intern" => $id_intern,
382
                   "id_mahasiswa" => $row['id_mahasiswa'],
                   "username" => $row['username'],
                   "password" => $row['password'].
385
                   "nama_mahasiswa" => $row['nama_mahasiswa'],
                   "kelas_mahasiswa" => $row['kelas_mahasiswa'],
387
                   "angkatan_mahasiswa" => $row['angkatan_mahasiswa'],
388
                   "foto_mahasiswa" => $row['foto_mahasiswa'],
                   "nama_prodi" => $row['nama_prodi'],
                   "id_dosen" => $row['id_dosen'].
                   "nama_dosen" => $row['nama_dosen'],
202
                   "nama_pembimbing" => $row['nama_pembimbing'],
393
                   "nama_perusahaan" => $row['nama_perusahaan']
394
395
               );
               sison['status'] = 201;
397
               $json['message'] = 'Login berhasil';
308
               sin('data') = sdata;
300
               echo ison_encode($ison);
               mysqli_close ($this -> connection);
402
           }
403
           elseif (mysqli_num_rows($result) > 0 && ($row['id_pembimbing'
404
       ] != "" || $row['id_pembimbing'] != null) && ($row['
       status_perusahaan'] == "" || $row['status_perusahaan'] == null))
           {
405
               data = array(
406
```

```
"id_intern" => $id_intern,
407
                    "id_mahasiswa" => $row['id_mahasiswa'],
408
                    "username" => $row['username'].
409
                    "password" => $row['password'],
410
                    "nama_mahasiswa" => $row['nama_mahasiswa'],
                    "kelas_mahasiswa" => $row['kelas_mahasiswa'],
                    "angkatan_mahasiswa" => $row['angkatan_mahasiswa'],
413
                    "foto_mahasiswa" => $row['foto_mahasiswa'].
414
                    "nama_prodi" => $row['nama_prodi'],
                    "id_dosen" => $row['id_dosen'],
                    "nama_dosen" => $row['nama_dosen'],
                    "nama_perusahaan" => $row['nama_perusahaan']
418
               );
419
420
               sison['status'] = 203;
               $ison['message'] = 'Login berhasil';
               sistemath{ison['data'] = sistemath{}data;
424
               echo ison_encode($ison):
               mysqli_close ($this -> connection);
426
           }
           else
428
               $query = "SELECT id_intern_dt_intern as id_intern,
       id_mahasiswa, username, password, nama_mahasiswa, kelas_mahasiswa
               angkatan_mahasiswa, foto_mahasiswa, nama_prodi, id_dosen,
431
        nama_dosen, kode_otp,
               status_perusahaan, id_pembimbing_dt_intern as
       id_pembimbing FROM user INNER JOIN mahasiswa
               ON user.id_user = mahasiswa.id_mahasiswa INNER JOIN prodi
               ON mahasiswa.id_prodi_mahasiswa = prodi.id_prodi INNER
434
       JOIN detail intern
               ON user.id_user = detail_intern.id_mahasiswa_dt_intern
435
               INNER JOIN intern ON detail_intern.id_intern_dt_intern =
436
       intern.id_intern
               INNER JOIN dosen
437
               ON detail_intern.id_dosen_dt_intern = dosen.id_dosen
               WHERE username='$user' AND password='$pass' AND user.
       role_user='mahasiswa'
               AND user.status_user='aktif' AND status_intern = '
440
       berjalan '";
441
               $result = mysqli_query($this->connection, $query);
               $row = mysqli_fetch_array($result);
443
               if (mysqli_num_rows($result) > 0 && ($row['id_pembimbing'
444
       ] == "" || $row['id_pembimbing'] == null) && ($row['
       status_perusahaan'] == "" || $row['status_perusahaan'] == null)
       && $row['kode_otp'] == '-')
445
                    data = array(
446
                        "id_intern" => $id_intern,
447
                        "id_mahasiswa" => $row['id_mahasiswa'],
                        "username" => $row['username'],
440
                        "password" => $row['password'],
450
                        "nama_mahasiswa" => $row['nama_mahasiswa'],
451
```

```
"kelas_mahasiswa" => $row['kelas_mahasiswa'],
452
                                                                       "angkatan_mahasiswa" => $row['angkatan_mahasiswa'
453
                      1,
                                                                        "foto_mahasiswa" => $row['foto_mahasiswa'],
454
                                                                       "nama_prodi" => $row['nama_prodi'],
                                                                       "id_dosen" => $row['id_dosen'],
                                                                       "nama_dosen" => $row['nama_dosen']
457
                                                           ):
458
                                                           sison['status'] = 202;
                                                           $ison['message'] = 'Login berhasil';
                                                           sin ['data'] = sdata;
462
463
                                                           echo json_encode($json);
464
                                                           mysgli_close ($this -> connection);
                                              }
166
                                              else
467
                                              {
468
469
                                                           sistemath{ison['status'] = 400;
470
                                                           $ison['message'] = 'Username dan password salah';
                                                           echo json_encode($json);
472
                                                           mysqli_close ($this -> connection);
473
                                 }
475
                     }
476
477
                     public function registrasi_mahasiswa($kode_otp)
478
                                  $query = "SELECT kode_otp FROM mahasiswa WHERE kode_otp = '
480
                     $kode_otp '";
481
                                  $result = mysqli_query($this->connection, $query);
482
                                 $row = mysqli_fetch_array($result);
                                  if (mysqli_num_rows(sresult) > 0)
484
                                 {
485
486
                                              $query = "UPDATE mahasiswa SET kode_otp='-' WHERE
487
                      kode_otp='$kode_otp'";
100
                                               $result = mysqli_query($this->connection, $query);
489
                                               if (Sthis
490
                                                          ->connection->affected_rows > 0 && $result)
491
                                              {
                                                           \frac{1}{3} \frac{1}
493
                                                           $json['message'] = 'Registrasi berhasil';
494
495
                                                           echo json_encode($json);
                                                           mysqli_close ($this -> connection);
407
                                              }
498
                                              else
499
                                              {
500
501
                                                           sistemath{ison['status'] = 400;
502
                                                           $json['message'] = 'Registrasi gagal';
503
                                                           echo json_encode($json);
504
```

```
mysgli_close ($this -> connection);
505
               }
506
           }
507
           else
508
           {
               sison['status'] = 400;
511
               $ison['message'] = 'Registrasi gagal';
               echo ison_encode($ison);
               mysgli_close ($this -> connection);
           }
       }
       public function list_notifikasi($id_intern, $id_mahasiswa)
518
           $query = "SELECT id_intern , nama_pembimbing , pesan_notifikasi
       , nama_perusahaan_perusahaan , tgl_waktu_notifikasi FROM
       notifikasi
522 INNER JOIN pembimbing_perusahaan ON id_pembimbing =
       id_pembimbing_notifikasi
  INNER JOIN mahasiswa ON id_mahasiswa = id_mahasiswa_notifikasi
  INNER JOIN intern ON id_intern = id_intern_notifikasi
  WHERE id_mahasiswa_notifikasi='$id_mahasiswa' AND
       id_intern_notifikasi='$id_intern' ORDER BY tgl_waktu_notifikasi
       DESC":
526
527
           $result = mysqli_query($this->connection, $query);
           if (mvsqli_num_rows(sresult) > 0)
           {
530
               $datas = array();
               $kalimat1 = "melakukan absensi pada";
               $kalimat2 = "mengkonfirmasi absensi";
534
               $kalimat3 = "mendaftar ke perusahaan";
               $kalimat4 = "mengkonfirmasi pendaftaran";
536
               while (\$row = mysqli_fetch_array(\$result))
                    pesan = "";
540
                    if (preg_match("~\b" . $row['pesan_notifikasi'] . "\b
541
         , $kalimat1))
                        $pesan = "Anda " . $row['pesan_notifikasi'];
543
544
                    elseif (preg_match("~\b" . $row['pesan_notifikasi'] .
545
        "\b~", $kalimat2))
546
                        $pesan = ucwords(($row['nama_pembimbing'])) . " "
547
        . $row['pesan_notifikasi'] . " Anda pada";
548
                    elseif (preg_match("~\b" . $row['pesan_notifikasi'] .
        "\b~", $kalimat3))
550
```

```
$pesan = "Anda " . $row['pesan_notifikasi'] . " "
        . ucwords(($row['nama_perusahaan_perusahaan'])) . " pada";
                    elseif (preg_match("~\b" . $row['pesan_notifikasi'] .
553
        "\b~", $kalimat4))
                         $pesan = ucwords(($row['nama_pembimbing'])) . " "
        . $row['pesan_notifikasi'] . " Anda pada";
                    $datas[] = array(
                         "id_intern" => $row['id_intern'],
550
                         "pesan" => $pesan . " " . date_format(date_create
560
       (\text{srow}['tgl\_waktu\_notifikasi']), 'd F Y \p\u\k\u\1 G:i A'),
                         "tgl_waktu" => $row['tgl_waktu_notifikasi']
                    ):
563
                }
564
565
                sistemath{ison['status'] = 200;
                $ison['message'] = 'Berhasil mengambil notifikasi';
                sison['data'] = sdatas;
568
569
                echo json_encode($json);
                mysqli_close ($this -> connection);
           elseif (mysqli_num_rows($result) == 0)
574
           {
                sison['status'] = 300;
                $ison['message'] = 'Notifikasi tidak ada';
                echo json_encode($json);
                mysqli_close ($this -> connection);
579
           else
581
           {
                sison['status'] = 400;
583
                $ison['message'] = 'Gagal mengambil notifikasi';
584
                echo json_encode($json);
                mysqli_close ($this -> connection);
586
           }
587
       }
588
589
       public function ubah_username($id_mahasiswa, $username)
591
            $query = "UPDATE user SET username='$username' WHERE id_user
592
       ='$id_mahasiswa'";
           $result = mysqli_query($this->connection, $query);
595
           if (Sthis
596
                ->connection->affected_rows > 0 && $result)
597
           {
                sistemath{ison['status'] = 200;
599
                $json['message'] = 'Username berhasil diubah';
600
                echo json_encode($json);
601
```

```
mysgli_close ($this -> connection);
602
           }
603
           else
604
           {
605
                sison['status'] = 400;
                $ison['message'] = 'Username gagal diubah';
                echo ison_encode($ison);
608
                mysqli_close ($this -> connection);
609
610
           }
       }
611
       public function ubah_nama($id_mahasiswa, $nama)
613
614
            $query = "UPDATE mahasiswa SET nama_mahasiswa='$nama' WHERE
615
       id_mahasiswa='$id_mahasiswa'";
            $result = mysqli_query($this->connection, $query);
617
            if ($this
                ->connection->affected_rows > 0 && $result)
            {
                sison['status'] = 200;
622
                $json['message'] = 'Nama berhasil diubah';
623
                echo json_encode($json);
                mysqli_close ($this -> connection);
            }
626
           else
627
628
           {
                sison['status'] = 400;
                $json['message'] = 'Nama gagal diubah';
                echo json_encode($json);
631
                mysqli_close ($this -> connection);
           }
633
       public function ubah_kelas($id_mahasiswa, $kelas)
637
            $query = "UPDATE mahasiswa SET kelas_mahasiswa='$kelas' WHERE
638
        id_mahasiswa='$id_mahasiswa'";
            $result = mysqli_query($this->connection, $query);
640
641
642
            if ($this
                ->connection->affected_rows > 0 && $result)
            {
644
                sistem ['status'] = 200;
645
                $json['message'] = 'Nama berhasil diubah';
646
                echo json_encode($json);
                mysqli_close ($this -> connection);
           }
649
           else
           {
                sison['status'] = 400;
                $json['message'] = 'Nama gagal diubah';
653
                echo json_encode($json);
                mysqli_close ($this -> connection);
655
```

```
20
```

```
}
657
658
659
       public function ubah_angkatan($id_mahasiswa, $angkatan)
            $query = "UPDATE mahasiswa SET angkatan_mahasiswa='$angkatan'
        WHERE id_mahasiswa='$id_mahasiswa'";
662
            $result = mysqli_query($this->connection, $query);
            if ($this
               ->connection->affected_rows > 0 && $result)
666
           {
667
                sison['status'] = 200;
668
                $ison['message'] = 'Nama berhasil diubah';
                echo json_encode($json);
                mysqli_close ($this -> connection);
           }
672
           else
673
           {
                sison['status'] = 400;
675
                $ison['message'] = 'Nama gagal diubah';
                echo json_encode($json);
677
                mysqli_close ($this -> connection);
           }
680
681
682
       public function ubah_kontak($id_mahasiswa, $kontak)
            $query = "UPDATE mahasiswa SET kontak_mahasiswa='$kontak'
684
       WHERE id_mahasiswa='$id_mahasiswa'";
685
            $result = mysqli_query($this->connection, $query);
686
            if ($this
               ->connection->affected_rows > 0 && $result)
           {
690
                sison['status'] = 200;
691
                $json['message'] = 'Kontak berhasil diubah';
                echo json_encode($json);
693
                mysqli_close ($this -> connection);
694
           }
695
           else
696
           {
                sison['status'] = 400;
698
                $json['message'] = 'Kontak gagal diubah';
699
                echo ison_encode($ison);
700
                mysqli_close ($this -> connection);
701
           }
703
       public function ubah_foto($id_mahasiswa, $foto)
705
706
            $query = "UPDATE mahasiswa SET foto_mahasiswa='$foto' WHERE
707
       id_mahasiswa='$id_mahasiswa'";
708
```

```
$result = mysqli_query($this->connection, $query);
709
            if ($this
               ->connection->affected_rows > 0 && $result)
                sison['status'] = 200;
                $ison['message'] = 'Foto berhasil diubah';
                echo json_encode($json);
                mysqli_close ($this -> connection);
                return true:
           }
           else
720
           {
                sison['status'] = 400;
                $ison['message'] = 'Foto gagal diubah';
                echo json_encode($json);
                mysqli_close ($this -> connection);
                return false:
726
           }
       }
       public function ubah_password($id_mahasiswa, $password)
730
            $query = "UPDATE user SET password='$password' WHERE id_user
       ='$id_mahasiswa'";
           $result = mysqli_query($this->connection, $query);
734
            if ($this
               ->connection->affected_rows > 0 && $result)
                sison['status'] = 200;
                $json['message'] = 'Password berhasil diubah';
740
                echo json_encode($json);
                mysqli_close ($this -> connection);
           }
           else
744
           {
745
                sistemath{ison['status'] = 400;
                $ison['message'] = 'Password gagal diubah';
747
                echo json_encode($json);
748
                mysqli_close ($this -> connection);
749
750
           }
       public function distance ($lat1, $lon1, $lat2, $lon2)
754
            if ((\$1at1 == \$1at2) \&\& (\$1on1 == \$1on2))
           {
                return 0:
           }
758
           else
           {
                \theta = 10n1 - 10n2;
761
                dist = \sin(\deg 2rad(\$lat1)) * \sin(\deg 2rad(\$lat2)) + \cos(
762
       deg2rad(\$lat1)) * cos(deg2rad(\$lat2)) * cos(deg2rad(\$theta));
```

```
22 API
```

```
dist = acos(dist);
               $dist = rad2deg($dist);
764
               miles = dist * 60 * 1.1515;
765
766
               return ($miles * 1.609344) * 1000;
767
           }
       }
769
 1 <?php</pre>
  include ('dosen.php');
  header('Content-Type: application/json');
  d = new Dosen();
  if (isset($_POST['username'], $_POST['password'])) {
       $user = $_POST['username'];
       $pass = $_POST['password'];
       if (!empty($user) && !empty($pass)) {
           $d->login_dosen($user, $pass);
       } else {
           sistem = 100;
           $ison['message'] = 'Field tidak boleh kosong';
           echo json_encode($json);
  }
16
  ?>
  <?php
  include ('dosen.php');
  header('Content-Type: application/json');
 4 \text{ } \text{d} = \text{new Dosen();}
   if (isset($_POST['id_dosen'])) {
       $id_dosen = $_POST['id_dosen'];
       if (!empty($id_dosen)) {
           $d->list_mahasiswa($id_dosen);
 8
 o
       } else {
           sistem = 100;
           $json['message'] = 'Field tidak boleh kosong';
           echo json_encode($json);
     else {
14
           sison['status'] = 100;
           $ison['message'] = 'Field tidak boleh kosong';
           echo json_encode($json);
18
  ?>
19
  <?php
  include ('dosen.php');
  header('Content-Type: application/json');
  d = new Dosen();
  if (isset($_POST['id_dosen'])) {
       $id_dosen = $_POST['id_dosen'];
```

if (!empty(\$id_dosen)) {

} else {

9

\$d->list_notifikasi(\$id_dosen);

sistem = 100;

```
$json['message'] = 'Field tidak boleh kosong';
          echo ison_encode($ison);
      }
  } else {
14
          sison['status'] = 100;
          $ison['message'] = 'Field tidak boleh kosong';
          echo ison_encode($ison);
18
19
include('dosen.php');
a header('Content-Type: application/json');
if (isset($_POST['id_intern'], $_POST['id_mahasiswa'], $_POST['sort'
      1)) {
      $id_intern = $_POST['id_intern'];
      $id_mahasiswa = $_POST['id_mahasiswa'];
      sort = POST['sort'];
8
      if (!empty($id_intern) && !empty($id_mahasiswa) && !empty($sort))
          $d->progress_mahasiswa($id_intern, $id_mahasiswa, $sort);
      } else {
          sistemath{ison['status'] = 100;
          $ison['message'] = 'Field tidak boleh kosong';
          echo json_encode($json);
16
1 <?php</pre>
include('dosen.php');
3 header('Content-Type: application/json');
4 \text{ } \text{d} = \text{new Dosen();}
 if (isset($_POST['id_intern'], $_POST['id_mahasiswa'], $_POST['tgl'])
      ) {
      $id_intern = $_POST['id_intern'];
      $id_mahasiswa = $_POST['id_mahasiswa'];
      tg1 = POST['tg1'];
      if (!empty($id_intern) && !empty($id_mahasiswa) && !empty($tgl))
          $d->progress_mahasiswa_perhari($id_intern, $id_mahasiswa,
      $tgl);
      } else {
          sison['status'] = 100;
          $json['message'] = 'Field tidak boleh kosong';
          echo ison_encode($ison);
14
      }
16
```

```
1 <?php
2 include('dosen.php');
3 header('Content-Type: application/json');
4 $d = new Dosen();
5
6 $id_dosen = $_POST['id_dosen'];
7 if (isset($_POST['username'])) $username = $_POST['username'];</pre>
```

```
if (isset($_POST['nama'])) $nama = $_POST['nama'];
              (isset($_POST['kontak'])) $kontak = $_POST['kontak'];
      if (isset($_POST['password'])) $password = $_POST['password'];
       if (isset($_FILES['foto']['name'])){
                   $foto = $_FILES['foto']['name'];
                   $temp_foto = $_FILES['foto']['tmp_name'];
1.4
                   $dir_dosen = "../images/dosen/";
       }
18
       if (!empty($id_dosen) && !empty($username)) {
10
20
                  $d->ubah_username($id_dosen, $username);
            elseif (!empty($id_dosen) && !empty($nama)) {
                  $d->ubah_nama($id_dosen, $nama);
           elseif (!empty($id_dosen) && !empty($kontak)) {
                  $d->ubah_kontak($id_dosen, $kontak);
24
           elseif (!empty($id_dosen) && !empty($password)) {
                  $d->ubah_password($id_dosen, $password);
26
            elseif (!empty($id_dosen) && !empty($foto)){
                   $result = $d->ubah_foto($id_dosen, $foto);
28
                   if ($result) {
29
                               $upload = move_uploaded_file($temp_foto, $dir_dosen.$foto);
30
                               if (!$upload) {
                                          sistem = sistem size = sistem size = size 
                                          $ison['message'] = 'Gambar gagal terupload';
                                          echo json_encode($json);
34
35
                               }
            else {
                   38
                   $json['message'] = 'Field tidak boleh kosong';
30
                  echo json_encode($json);
40
41
```

```
1 <?php</pre>
include('../conn.php');
3 header('Content-Type: application/json');
4 class Dosen
  {
5
      private $db:
      private $connection;
      public function __construct()
           this \rightarrow db
                              = new Connection();
           $this -> connection = $this -> db-> get_connection();
      }
14
      public function list_mahasiswa($id_dosen)
           $query = "SELECT id_mahasiswa, nama_perusahaan_perusahaan,
      lama_internship, nama_mahasiswa, foto_mahasiswa,
           angkatan_mahasiswa, foto_perusahaan, kelas_mahasiswa,
      foto_mahasiswa, nama_prodi,
```

```
nama_pembimbing, lat_pembimbing_perusahaan,
18
      long_pembimbing_perusahaan, id_intern, COUNT(
      id_mahasiswa_dt_absensi) as jumlah_absensi
          FROM detail_intern
          INNER JOIN intern ON detail_intern.id_intern_dt_intern =
20
      intern.id_intern
          INNER JOIN pembimbing_perusahaan ON detail_intern.
      id_pembimbing_dt_intern = pembimbing_perusahaan.id_pembimbing
          INNER JOIN mahasiswa ON detail_intern.id_mahasiswa_dt_intern
      = mahasiswa.id_mahasiswa
          INNER JOIN prodi ON mahasiswa.id_prodi_mahasiswa= prodi.
      id_prodi
          INNER JOIN detail_absensi ON detail_intern.
24
      id_mahasiswa_dt_intern = detail_absensi.id_mahasiswa_dt_absensi
          WHERE id_dosen_dt_intern = '$id_dosen' AND status_intern = '
       berjalan '";
26
          $result = mysqli_query($this->connection, $query);
          if (mvsqli_num_rows(\$result) > 0) {
28
              $datas = array();
               while (srow = mysqli_fetch_array(sresult)) {
31
                   datas[] = array(
                   "id_intern" => $row['id_intern'],
                   "id_mahasiswa" => $row['id_mahasiswa'],
34
                   "nama_perusahaan" => ucwords($row['
       nama_perusahaan_perusahaan']),
                   "nama_mahasiswa" => ucwords($row['nama_mahasiswa']),
36
                   "foto_mahasiswa" => $row['foto_mahasiswa'],
                   "angkatan_mahasiswa" => $row['angkatan_mahasiswa'],
38
                   "foto_perusahaan" => $row['foto_perusahaan'],
                   "kelas_mahasiswa" => strtoupper($row['kelas_mahasiswa
40
      <sup>'</sup>]),
                   "foto_mahasiswa" => $row['foto_mahasiswa'],
                   "nama_prodi" => ucwords($row['nama_prodi']),
42
                   "nama_pembimbing" => ucwords($row['nama_pembimbing'])
                   "latitude_perusahaan" => $row['
      lat_pembimbing_perusahaan'],
                   "longitude_perusahaan" => $row['
45
      long_pembimbing_perusahaan'],
                   "presentase_internship" => round($row['jumlah_absensi
46
       ']/$row['lama_internship']*100,1)
              );
              }
48
              sistem = 200;
50
               $ison['message'] = 'Berhasil mengambil mahasiswa';
              sistemath{ison['data'] = sistemath{}datas;
              echo json_encode($json);
               mysqli_close ($this -> connection);
          } elseif (mysqli_num_rows($result) == 0) {
               57
              $json['message'] = 'Mahasiswa tidak ada';
58
59
```

61

62

63

67

68 69

70

81

23

85

87

88

0.1

93

97 98

```
echo ison_encode($ison);
               mysgli_close ($this -> connection);
           } else {
               sison['status'] = 400;
               $ison['message'] = 'Gagal mengambil mahasiswa';
               echo json_encode($json);
               mysgli_close ($this -> connection);
66
           }
       }
       public function login_dosen($user, $pass)
           query = SELECT
           username, password, id_dosen, nama_dosen, foto_dosen,
       id_intern , nama_prodi
          FROM user
74
           INNER JOIN dosen ON user.id_user = dosen.id_dosen
           INNER JOIN detail_intern ON user.id_user = detail_intern.
76
       id_dosen_dt_intern
           INNER JOIN intern ON detail_intern.id_intern_dt_intern =
       intern.id_intern
           INNER JOIN prodi ON dosen.id_prodi_dosen = prodi.id_prodi
78
          WHERE username = '$user' AND password = '$pass' AND
       status_user='aktif' AND role_user='dosen'":
           $result = mysqli_query($this->connection, $query);
82
           $row = mysqli_fetch_array($result);
           if (mysqli_num_rows(sresult) > 0) {
               data = array(
                   "username" => $row['username'],
                   "password" => $row['password'],
                   "id_dosen" => $row['id_dosen'],
                   "nama_dosen" => ucwords($row['nama_dosen']),
                   "foto_dosen" => $row['foto_dosen'],
90
                   "nama_prodi" => ucwords($row['nama_prodi'])
               );
               sison['status'] = 200;
0.5
               $json['message'] = 'Berhasil melakukan login';
               $json['data'] = $data;
               echo json_encode($json);
               mysqli_close ($this -> connection);
100
           } elseif (mysqli_num_rows($result) == 0) {
                   sistem = 300;
102
                   $ison['message'] = 'Username atau password salah';
                   echo json_encode($json);
105
                   mysqli_close ($this -> connection);
106
               } else {
               sison['status'] = 400;
               $json['message'] = 'Gagal melakukan login';
109
               echo json_encode($json);
```

```
mysgli_close ($this -> connection);
           }
       }
114
       public function progress_mahasiswa($id_intern, $id_mahasiswa,
116
       $sort)
       {
           squery = "SET @rank=0:":
118
           mysqli_query($this->connection, $query);
           switch ($sort) {
               case 'hari':
               query1 = "
               SELECT @rank:=@rank+1 AS rank, DAYOFYEAR(
       tgl_waktu_absensi) as date, ROUND(COUNT(*) / 3 * 100, 2)
               as percent FROM absensi WHERE id_intern_absensi='
       $id_intern ' AND id_mahasiswa_absensi = '$id_mahasiswa'
               GROUP BY DAYOFYEAR(tgl_waktu_absensi) ORDER BY rank ASC";
               $result1 = mysqli_query($this->connection, $query1);
126
               if (mysqli_num_rows($result1) > 0) {
                    $datas = array();
129
                    while (\$row = mysqli_fetch_array(\$result1)) {
130
                        $datas[] = array(
                        "sort" => "Hari ke-". $row['rank'],
                        "persen" => $row['percent']
               );
134
                    }
136
                    sison['status'] = 201;
                    $json['message'] = 'Berhasil mengambil progress';
138
                    sistemath{ison['data'] = sistemath{}datas;
139
140
                    echo ison_encode($ison);
141
                    mysqli_close ($this -> connection);
               } elseif (mysqli_num_rows($result1) == 0) {
                    sistem = 300;
                    $json['message'] = 'Progress tidak ada';
                    //$ison['data'] = [];
                    echo json_encode($json);
148
                    mysqli_close($this->connection);
149
               } else {
150
                    sison['status'] = 400;
                    $json['message'] = 'Gagal mengambil progress';
                    echo json_encode($json);
                    mysqli_close ($this -> connection);
154
               break:
               case 'minggu':
               query2 = "
158
               SELECT @rank:=@rank+1 AS rank, WEEK(tgl_waktu_absensi,1)
       as week, ROUND(COUNT(*) / 21 * 100, 2)
               as percent FROM absensi WHERE id_intern_absensi='
       $id_intern ' AND id_mahasiswa_absensi = '$id_mahasiswa'
               GROUP BY WEEK(tgl_waktu_absensi) ORDER BY rank ASC";
161
               $result2 = mysqli_query($this->connection, $query2);
162
```

```
if (mysqli_num_rows(sresult2) > 0) {
163
                                              $datas = array();
164
165
                                              while ($row = mysqli_fetch_array($result2)) {
166
                                                        $datas[] = array(
167
                                                        "sort" => "Minggu ke-". $row['rank'].
                                                        "persen" => $row['percent']
169
                                    ):
                                              }
                                              sison['status'] = 202;
                                              $json['message'] = 'Berhasil mengambil progress';
174
                                              sison['data'] = sdatas;
176
                                              echo ison_encode($ison);
                                              mysqli_close ($this -> connection);
                                    } elseif (mysqli_num_rows($result2) == 0) {
                                              sison['status'] = 300;
180
                                              $ison['message'] = 'Progress tidak ada';
181
                                              echo json_encode($json);
183
                                              mysqli_close ($this -> connection);
184
                                    } else {
185
                                              sison['status'] = 400;
186
                                              $json['message'] = 'Gagal mengambil progress';
                                              echo json_encode($json);
188
                                              mysqli_close ($this -> connection);
189
100
                                    break:
                                    case 'bulan':
                                              query3 = "
103
                                             SELECT @rank:=@rank+1 AS rank, MONTH(
                 tgl_waktu_absensi) as month, ROUND(COUNT(*) / 90 * 100, 2)
                                              as percent FROM absensi WHERE id_intern_absensi='
                 $id_intern ' AND id_mahasiswa_absensi = '$id_mahasiswa'
                                             GROUP BY MONTH(tgl_waktu_absensi) ORDER BY rank ASC";
106
                                              $result3 = mysqli_query($this -> connection, $query3);
197
                                              if (mysqli_num_rows(sresult3) > 0) {
198
                                                        $datas = array();
                                                        while ($row = mysqli_fetch_array($result3)) {
201
                                                                  $datas[] = array(
202
                                                                           "sort" => "Bulan ke-". $row['rank'],
203
                                                                            "persen" => $row['percent']
205
                                                                 );
                                                        }
206
207
                                                        sison['status'] = 203;
                                                        $json['message'] = 'Berhasil mengambil progress';
209
                                                        sin = sin 
                                                        echo json_encode($json);
                                                        mysqli_close ($this -> connection);
                                              } elseif (mysqli_num_rows($result3) == 0) {
214
                                                        sistem = 300;
                                                        $json['message'] = 'Progress tidak ada';
216
```

```
echo ison_encode($ison);
218
                        mysqli_close ($this -> connection);
                    } else {
                        sison['status'] = 400:
                        $ison['message'] = 'Gagal mengambil progress';
                        echo ison_encode($ison);
                        mysqli_close ($this -> connection);
224
               break:
           }
       }
228
229
       public function progress_mahasiswa_perhari($id_intern,
230
       $id_mahasiswa, $tgl)
           $query = "SELECT id_absensi, tgl_waktu_absensi,
       nama_kegiatan, foto_absensi, pergeseran_absensi
           FROM absensi
           INNER JOIN detail_absensi ON absensi.id_absensi =
234
       detail_absensi.id_absensi_dt_absensi
           INNER JOIN kegiatan ON absensi.id_kegiatan_absensi = kegiatan
       .id_kegiatan
           WHERE id_intern_absensi = '$id_intern' AND
       id_mahasiswa_absensi = '$id_mahasiswa' AND
           DATE(tgl_waktu_absensi) = '$tgl'";
           $result = mysqli_query($this->connection, $query);
238
230
           if (mysgli_num_rows(sresult) > 0) {
               $datas = array();
241
               while ($row = mysqli_fetch_array($result)) {
242
                    $datas [] =
                                array (
                        "id_absensi" => $row['id_absensi'],
244
                        "tgl_waktu" => $row['tgl_waktu_absensi'],
                    "kegiatan" => ucfirst($row['nama_kegiatan']),
246
                    "foto_absensi" => $row['foto_absensi'],
                    "pergeseran" => $row['pergeseran_absensi']." M"
248
               );
249
               sistem = 200;
               $json['message'] = 'Berhasil mengambil progress harian';
               sison['data'] = sdatas;
               echo json_encode($json);
256
               mysqli_close ($this -> connection);
           } elseif (mysqli_num_rows($result) == 0) {
               sison['status'] = 300;
               $json['message'] = 'Progress harian tidak ada';
261
               echo json_encode($json);
262
               mysqli_close ($this -> connection);
263
           } else {
               sistemath{ison['status'] = 400;
265
               $json['message'] = 'Gagal mengambil progress harian';
266
               echo json_encode($json);
267
```

```
mysgli_close ($this -> connection);
268
           }
260
       public function list_notifikasi($id_dosen){
274
           $query = "SELECT id_intern , nama_mahasiswa , nama_pembimbing ,
       nama_perusahaan_perusahaan , pesan_notifikasi ,
       tgl_waktu_notifikasi FROM notifikasi INNER JOIN
       pembimbing_perusahaan ON id_pembimbing = id_pembimbing_notifikasi
        INNER JOIN mahasiswa ON id_mahasiswa = id_mahasiswa_notifikasi
       INNER JOIN intern ON id_intern = id_intern_notifikasi WHERE
       id_dosen_notifikasi='$id_dosen' AND status_intern='berjalan'
       ORDER BY tgl_waktu_notifikasi DESC ":
           $result = mysqli_query($this->connection, $query);
278
           if (mvsali_num_rows(\$result) > 0) {
               $datas = array();
281
               $kalimat1 = "melakukan absensi pada";
282
               $kalimat2 = "mengkonfirmasi absensi";
283
               $kalimat3 = "mendaftar ke perusahaan";
               $kalimat4 = "mengkonfirmasi pendaftaran";
285
286
               while ($row = mysqli_fetch_array($result)) {
287
                    pesan = "";
288
                    if (preg_match ("~\b". $row['pesan_notifikasi']."\b~",
       $kalimat1)){
                        $pesan = ucwords($row['nama_mahasiswa'])." ".$row
290
       ['pesan_notifikasi'];
                    } elseif (preg_match ("~\b". $row['pesan_notifikasi']."\b
291
       ~", $kalimat2)){
                        $pesan = ucwords($row['nama_pembimbing'])." ".
292
       $row['pesan_notifikasi']." ".ucwords($row['nama_mahasiswa'])."
       pada":
                    }elseif(preg_match("~\b".$row['pesan_notifikasi']."\b
293
       ~", $kalimat3)){
                        $pesan = ucwords(($row['nama_mahasiswa']))." ".
294
       $row['pesan_notifikasi']." ".ucwords($row['
       nama_perusahaan_perusahaan'])." pada";
                    } elseif (preg_match ("~\b". $row['pesan_notifikasi']."\b
295
       ~", $kalimat4)){
                        $pesan = ucwords($row['nama_pembimbing'])." ".
296
       $row['pesan_notifikasi']." ".ucwords($row['nama_mahasiswa'])."
       pada";
                    }
                    $datas[] = array(
299
                    "id_intern" => $row['id_intern'],
300
                   "pesan" => $pesan." ". date_format(date_create($row['
301
       tgl_waktu_notifikasi']), 'd F Y \p\u\k\u\l G: i A'),
                    "tgl_waktu" => $row['tgl_waktu_notifikasi']
302
               );
303
304
```

```
305
306
               sison['status'] = 200;
307
               $json['message'] = 'Berhasil mengambil notifikasi';
308
               sison['data'] = sdatas;
311
               echo ison_encode($ison);
               mysqli_close ($this -> connection);
           } elseif (mysqli_num_rows($result) == 0) {
               sison['status'] = 300;
314
               $ison['message'] = 'Notifikasi tidak ada';
               echo json_encode($json);
               mysqli_close ($this -> connection);
318
           } else {
               sison['status'] = 400;
               $json['message'] = 'Gagal mengambil notifikasi';
               echo json_encode($json);
               mysqli_close ($this -> connection);
           }
324
       }
326
       public function ubah_username($id_dosen, $username){
           $query = "UPDATE user SET username='$username' WHERE id_user
       ='$id_dosen'";
           $result = mysqli_query($this->connection, $query);
330
           if ($this -> connection -> affected_rows > 0 && $result) {
               sison['status'] = 200;
               $json['message'] = 'Username berhasil diubah';
               echo json_encode($json);
               mysqli_close ($this -> connection);
336
           } else {
               sison['status'] = 400;
338
               $json['message'] = 'Username gagal diubah';
               echo json_encode($json);
340
               mysqli_close ($this -> connection);
341
           }
343
344
       public function ubah_nama($id_dosen, $nama){
345
           $query = "UPDATE dosen SET nama_dosen='$nama' WHERE id_dosen
       ='$id_dosen'";
347
           $result = mysqli_query($this->connection, $query);
348
349
           if ($this -> connection -> affected_rows > 0 && $result) {
               $json['message'] = 'Nama berhasil diubah';
352
               echo json_encode($json);
               mysqli_close ($this -> connection);
           } else {
               356
               $json['message'] = 'Nama berhasil diubah';
               echo json_encode($json);
358
```

```
mysgli_close ($this -> connection);
                          }
360
                 }
361
362
                 public function ubah_kontak($id_dosen, $kontak){
                           $query = "UPDATE dosen SET kontak_dosen='$kontak' WHERE
                 id_dosen='$id_dosen'";
365
                           $result = mysqli_query($this->connection, $query);
367
                           if ($this->connection->affected_rows > 0 && $result) {
                                     sistemath{ison['status'] = 200;
360
                                     $ison['message'] = 'Kontak berhasil diubah';
                                     echo json_encode($json);
                                     mysgli_close ($this -> connection);
                           } else {
                                     sistem = sistem size = sistem size = size 
                                     $json['message'] = 'Kontak gagal diubah';
                                     echo ison_encode($ison):
                                     mysqli_close ($this -> connection);
                          }
279
380
                 public function ubah_foto($id_dosen, $foto){
                           $query = "UPDATE dosen SET foto_dosen='$foto' WHERE id_dosen
382
                 ='$id_dosen'":
383
38/
                           $result = mysqli_query($this->connection, $query);
                           if ($this -> connection -> affected_rows > 0 && $result) {
386
                                     sistemath{ison['status'] = 200;
                                     $json['message'] = 'Foto berhasil diubah';
                                     echo ison_encode($ison);
389
                                     mysqli_close ($this -> connection);
                                     return true;
391
                          } else {
302
                                     sison['status'] = 400;
393
                                     $ison['message'] = 'Foto gagal diubah';
                                     echo json_encode($json);
                                     mysqli_close ($this -> connection);
206
                                     return false:
397
                          }
398
399
                 public function ubah_password($id_dosen, $password){
401
                           $query = "UPDATE user SET password='$password' WHERE id_user
402
                 ='$id_dosen'";
                           $result = mysqli_query($this->connection, $query);
404
405
                           if ($this -> connection -> affected_rows > 0 && $result) {
406
                                     407
                                     $ison['message'] = 'Password berhasil diubah';
                                     echo json_encode($json);
400
                                     mysqli_close ($this -> connection);
                           } else {
411
```

BAB 2

MOBILE

2.1 Perintah Navigasi

Perintah navigasi direktori

WEBSITE

3.1 API

Perintah navigasi direktori

```
define('hostname', 'localhost');
define('user', 'himatifp_actspot');
define('password', 'actspot2019');
define('db_name', 'himatifp_actspot');
?>

??php
require_once 'config.php';
class Connection
{
    private $connect;
    function __construct()
    {
        $this -> connect = mysqli_connect(hostname, user, password, db_name) or die("DB Connection error.");
}
public function get_connection()
```

```
38
```

14

```
return $this -> connect;
14
 ?>
1 <?php</pre>
include('mahasiswa.php');
3 header('Content-Type: application/json');
 m = new Mahasiswa();
  if (isset($_POST['username'], $_POST['password'])) {
      $user = $_POST['username'];
      $pass = $_POST['password'];
        (!empty($user) && !empty($pass)) {
8
          $m->login_mahasiswa($user, $pass);
      } else {
          sison['status'] = 100;
          $json['message'] = 'Field tidak boleh kosong';
          echo json_encode($json);
14
 ?>
16
 <?php
 include ('mahasiswa.php');
  header('Content-Type: application/json');
 m = new Mahasiswa();
  if (isset($_POST['kode_otp'])) {
      $kode_otp = $_POST['kode_otp'];
      if (!empty($kode_otp)) {
          $m->registrasi_mahasiswa($kode_otp);
      } else {
          sison['status'] = 100;
          $ison['message'] = 'Field tidak boleh kosong';
          echo ison_encode($ison);
14
  }
15 ?>
1 <?php</pre>
include('mahasiswa.php');
3 header('Content-Type: application/json');
4 $m = new Mahasiswa();
 if (isset($_POST['id_intern'], $_POST['id_mahasiswa'], $_POST['
      id_dosen'], $_POST['latitude_absensi'], $_POST['longitude_absensi
      '], $_POST['imei_perangkat'], $_POST['id_kegiatan'], $_FILES['
      foto_absensi']['name'], $_POST['tgl_waktu'])) {
      $id_intern = $_POST['id_intern'];
      $id_mahasiswa = $_POST['id_mahasiswa'];
      $id_dosen = $_POST['id_dosen'];
      $latitude_absensi = $_POST['latitude_absensi'];
      $longitude_absensi = $_POST['longitude_absensi'];
      $imei_perangkat = $_POST['imei_perangkat'];
      $id_kegiatan = $_POST['id_kegiatan'];
      tgl_waktu = POST['tgl_waktu'];
      $foto_absensi = $_FILES['foto_absensi']['name'];
```

```
$temp_foto_absensi = $_FILES['foto_absensi']['tmp_name'];
               $dir_absensi = "../images/absensi/";
1.9
               if (!empty($id_intern) && !empty($id_mahasiswa) && !empty(
19
               $id_dosen) && !empty($latitude_absensi)
              && !empty($longitude_absensi) && !empty($imei_perangkat) && !
20
               empty($id_kegiatan) && !empty($tgl_waktu)
              && !empty($foto_absensi)) {
                        $take_absensi = $m->ambil_absensi($id_intern, $id_mahasiswa,
               $id_dosen , $latitude_absensi , $longitude_absensi , $imei_perangkat
               , $id_kegiatan , $foto_absensi , $tgl_waktu);
                        if ($take_absensi) {
                                 $upload = move_uploaded_file($temp_foto_absensi,
24
               $dir_absensi.$foto_absensi);
                                 if (!$upload) {
                                           sistem = sistem size = sistem size = size 
26
                                           $json['message'] = 'Gambar gagal terupload';
                                           echo json_encode($json);
28
                                 }
                        }
               } else {
31
                        sison['status'] = 100;
                        $ison['message'] = 'Field tidak boleh kosong';
                        echo json_encode($json);
34
               }
        else {
36
               sison['status'] = 100;
               $ison['message'] = 'Field tidak boleh kosong';
39
              echo json_encode($json);
     }
40
 1 <?php</pre>
 include('mahasiswa.php');
 3 header('Content-Type: application/json');
 4 $m = new Mahasiswa();
 5 $m->list_kegiatan():
 6 ?>
 <?php
 include('mahasiswa.php');
 3 header('Content-Type: application/json');
 4 $m = new Mahasiswa();
     if (isset($_POST['id_intern'], $_POST['id_mahasiswa'])) {
               $id_intern = $_POST['id_intern'];
               $id_mahasiswa = $_POST['id_mahasiswa'];
               if (!empty($id_intern) && !empty($id_mahasiswa)) {
 8
                       $m->list_notifikasi($id_intern, $id_mahasiswa);
 0
               } else {
                        sison['status'] = 100;
                        $json['message'] = 'Field tidak boleh kosongs';
                        echo json_encode($json);
14
     } else {
15
               sistem = 100;
16
               $json['message'] = 'Field tidak boleh kosong';
```

```
echo ison_encode($ison);
19 }
1 <?php</pre>
include('mahasiswa.php');
header('Content-Type: application/json');
4 $m = new Mahasiswa();
5 $m->list_pembimbing();
6 ?>
<?php
include('mahasiswa.php');
3 header('Content-Type: application/json');
4 $m = new Mahasiswa();
5 if (isset($_POST['id_intern'], $_POST['id_mahasiswa'], $_POST['
      id_pembimbing'], $_POST['latitude_perusahaan'], $_POST['
      longitude_perusahaan'], $_FILES['foto_perusahaan']['name'])) {
      $id_intern = $_POST['id_intern'];
      $id_mahasiswa = $_POST['id_mahasiswa']:
      $id_pembimbing = $_POST['id_pembimbing'];
      $latitude_perusahaan = $_POST['latitude_perusahaan'];
      $longitude_perusahaan = $_POST['longitude_perusahaan'];
      $foto_perusahaan = $_FILES['foto_perusahaan']['name'];
      $temp_foto_perusahaan = $_FILES['foto_perusahaan']['tmp_name'];
      $dir_perusahaan = "../images/perusahaan/";
14
16
      if (!empty($id_intern) && !empty($id_mahasiswa) && !empty(
      $id_pembimbing) && !empty($latitude_perusahaan) && !empty(
       $longitude_perusahaan) && !empty($foto_perusahaan)) {
          if ($m->get_distance($id_pembimbing) == false) {
              sison['status'] = 400;
18
              $json['message'] = 'Jarak kosong';
              echo json_encode($json);
          } else {
               $distance = $m->get_distance($id_pembimbing);
              $gap = $m->distance($latitude_perusahaan,
      $longitude_perusahaan , $distance['lat'], $distance['lon']);
               if (\$gap > 30) {
26
                   sison['status'] = 300;
                   $json['message'] = $gap.'Jarak terlalu jauh';
28
                   echo json_encode($json);
              } else {
30
                   $registrasi_perusahaan = $m->registrasi_perusahaan(
31
       $id_intern , $id_mahasiswa , $id_pembimbing , $latitude_perusahaan ,
      $longitude_perusahaan , $foto_perusahaan );
                   if ($registrasi_perusahaan) {
                       $upload = move_uploaded_file(
       $temp_foto_perusahaan , $dir_perusahaan . $foto_perusahaan ) ;
                       if (!$upload) {
                           sison['status'] = 400;
                           $json['message'] = 'Gambar gagal terupload';
36
                           echo json_encode($json);
38
```

```
}
40
          }
41
      } else {
          sison['status'] = 100;
          $ison['message'] = 'Field tidak boleh kosongs';
          echo ison_encode($ison);
45
46
    else {
      sison['status'] = 100;
      $ison['message'] = 'Field tidak boleh kosong';
      echo json_encode($json);
50
51
<?php
include('mahasiswa.php');
3 header('Content-Type: application/json');
4 $m = new Mahasiswa();
  if (isset($_POST['id_intern'], $_POST['id_mahasiswa'], $_POST['sort'
      1)) {
      $id_mahasiswa = $_POST['id_mahasiswa'];
      $id_intern = $_POST['id_intern'];
      sort = POST['sort'];
      if (!empty($id_intern) && !empty($id_mahasiswa) && !empty($sort))
          $m->progress_mahasiswa($id_intern, $id_mahasiswa, $sort);
10
      } else {
          sistem = 100;
          $ison['message'] = 'Field tidak boleh kosong';
          echo json_encode($json);
14
    else {
16
      sison['status'] = 100;
      $json['message'] = 'Field tidak boleh kosong';
18
      echo json_encode($json);
19
  }
20
1 <?php</pre>
  include('mahasiswa.php');
3 header('Content-Type: application/json');
4 $m = new Mahasiswa();
  if (isset($_POST['id_intern'], $_POST['id_mahasiswa'], $_POST['tgl'])
      $id_intern = $_POST['id_intern'];
      $id_mahasiswa = $_POST['id_mahasiswa'];
      tg1 = POST['tg1'];
      if (!empty($id_intern) && !empty($id_mahasiswa) && !empty($tgl))
          $m->progress_mahasiswa_perhari($id_intern, $id_mahasiswa,
      $tgl);
      } else {
          sistem ['status'] = 100;
          $json['message'] = 'Field tidak boleh kosong';
          echo json_encode($json);
14
16
```

```
17 ?>
 <?php
include('mahasiswa.php');
3 header('Content-Type: application/json');
 $m = new Mahasiswa();
  $id_mahasiswa = $_POST['id_mahasiswa'];
    (isset($_POST['kelas'])) $kelas = $_POST['kelas'];
    (isset($_POST['kontak'])) $kontak = $_POST['kontak'];
    (isset($_POST['password'])) $password = $_POST['password'];
  if (isset($_FILES['foto']['name'])){
14
      $foto = $_FILES['foto']['name'];
      $temp_foto = $_FILES['foto']['tmp_name'];
16
      $dir_mahasiswa = "../images/mahasiswa/";
19
20
     (!empty($id_mahasiswa) && !empty($username)) {
     $m->ubah_username($id_mahasiswa, $username);
   elseif (!empty($id_mahasiswa) && !empty($nama)) {
     $m->ubah_nama($id_mahasiswa, $nama);
24
   elseif (!empty($id_mahasiswa) && !empty($kelas)) {
     $m->ubah_kelas($id_mahasiswa, $kelas);
   elseif (!empty($id_mahasiswa) && !empty($angkatan)) {
     $m->ubah_angkatan($id_mahasiswa, $angkatan);
2.8
   elseif (!empty($id_mahasiswa) && !empty($kontak)) {
     $m->ubah_kontak($id_mahasiswa, $kontak);
30
    elseif (!empty($id_mahasiswa) && !empty($password)) {
     $m->ubah_password($id_mahasiswa, $password);
    elseif (!empty($id_mahasiswa) && !empty($foto)){
      $result = $m->ubah_foto($id_mahasiswa, $foto);
34
      if ($result) {
         $upload = move_uploaded_file($temp_foto, $dir_mahasiswa.$foto
      );
         if (!$upload) {
             sistemath{ison['status'] = 400;
38
             $ison['message'] = 'Gambar gagal terupload';
39
             echo json_encode($json);
         }
   else {
44
      sistem ['status'] = 100;
      $ison['message'] = 'Field tidak boleh kosong';
46
     echo json_encode($json);
47
```

```
1 <?php
2 include ('../conn.php');
3 header('Content-Type: application/json');
4 class Mahasiswa
5 {</pre>
```

```
private $db;
6
       private $connection;
       public function __construct()
           this \rightarrow db = new Connection();
           $this -> connection = $this
               ->db
               ->get_connection();
       }
14
       public function ambil_absensi($id_intern, $id_mahasiswa,
       $id_dosen , $latitude_absensi , $longitude_absensi , $imei_perangkat
        $id_kegiatan, $foto_absensi, $tgl_waktu)
           $query = "INSERT INTO absensi(id_intern_absensi,
       id_mahasiswa_absensi, id_dosen_absensi,
           latitude_absensi, longitude_absensi, imei_perangkat_absensi,
       id_kegiatan_absensi,
           foto_absensi, tgl_waktu_absensi) VALUES ('$id_intern', '
20
       $id_mahasiswa',
       '$id_dosen', '$latitude_absensi', '$longitude_absensi', '$imei_perangkat', '$id_kegiatan',
           '$foto_absensi', '$tgl_waktu')";
           $result = mysqli_query($this->connection, $query);
2.4
           if ($result)
26
           {
               sison['status'] = 200;
               $ison['message'] = 'Berhasil melakukan absensi';
               echo json_encode($json);
               mysqli_close ($this -> connection);
               return true:
           else
34
           {
               sison['status'] = 400;
36
               $ison['message'] = 'Gagal melakukan absensi';
               echo json_encode($json);
               mysqli_close ($this -> connection);
30
               return false;
           }
41
42
       public function list_kegiatan()
44
45
           $query = "SELECT * FROM kegiatan";
46
           $result = mysqli_query($this->connection, $query);
           if (mysqli_num_rows($result) > 0)
49
           {
50
               $datas = array();
               while ($row = mysqli_fetch_array($result))
54
                    $datas[] = array(
55
```

```
"id_kegiatan" => $row['id_kegiatan'],
                        "nama_kegiatan" => $row['nama_kegiatan']
                    );
58
                }
59
                sison['status'] = 200;
                $json['message'] = 'Berhasil mengambil data';
62
                sison['data'] = sdatas;
63
64
                echo ison_encode($ison);
65
                mysqli_close ($this -> connection);
           }
67
           else
           {
                sison['status'] = 400;
                $ison['message'] = 'Gagal mengambil data';
                echo json_encode($json);
                mysqli_close ($this -> connection);
           }
74
       }
75
       public function list_pembimbing()
78
           $query = "SELECT * FROM pembimbing_perusahaan";
80
           $result = mysqli_query($this->connection, $query);
81
           if (mysqli_num_rows(sresult) > 0)
82
83
           {
                $datas = array();
85
                while ($row = mysqli_fetch_array($result))
87
                    $datas[] = array(
88
                        "id_pembimbing" => $row['id_pembimbing'],
                        "nama_pembimbing" => $row['nama_pembimbing'],
90
                        "nama_perusahaan" => $row['
0.1
       nama_perusahaan_perusahaan']
                    );
92
                }
94
                sistem ['status'] = 200;
95
                $json['message'] = 'Berhasil mengambil data';
96
                sison['data'] = sdatas;
97
                echo json_encode($json);
99
                mysqli_close($this->connection);
100
           }
101
           else
           {
                104
                $ison['message'] = 'Gagal mengambil data';
                echo json_encode($json);
106
                mysqli_close ($this -> connection);
107
           }
108
       }
```

```
public function get_distance($id_pembimbing)
           $query = "SELECT lat_pembimbing_perusahaan ,
       long_pembimbing_perusahaan FROM pembimbing_perusahaan";
           $result = mysqli_query($this->connection, $query);
           $row = mysqli_fetch_array($result);
           $data = array(
116
               "lat" => $row['lat_pembimbing_perusahaan'].
               "lon" => $row['long_pembimbing_perusahaan']
           if ($result)
           {
               return $data:
           }
           else
           {
126
               return false:
128
       public function registrasi_perusahaan($id_intern, $id_mahasiswa,
130
       $id_pembimbing , $latitude_perusahaan , $longitude_perusahaan ,
       $foto_perusahaan)
           $query = "UPDATE detail_intern SET id_pembimbing_dt_intern="
       $id_pembimbing', latitude_perusahaan='$latitude_perusahaan',
                   longitude_perusahaan='$longitude_perusahaan',
       foto_perusahaan='$foto_perusahaan'
                   WHERE id_intern_dt_intern = '$id_intern' AND
       id_mahasiswa_dt_intern = '$id_mahasiswa' ";
           $result = mysqli_query($this->connection, $query);
136
           if ($this
               ->connection->affected_rows > 0 && $result)
           {
140
               sison['status'] = 200;
               $ison['message'] = 'Berhasil melakukan registrasi
142
       perusahaan';
               echo json_encode($json);
143
               mysqli_close ($this -> connection);
               return true:
           }
           else
           {
148
               sistem [status] = 400;
149
               $json['message'] = 'Gagal melakukan registrasi perusahaan
150
               echo json_encode($json);
               mysqli_close($this->connection);
               return false:
           }
156
       public function progress_mahasiswa($id_intern, $id_mahasiswa,
       $sort)
```

```
158
           query = "SET @rank = 0;";
           mysqli_query($this -> connection, $query);
160
           switch ($sort)
162
                case 'hari':
164
                    query1 = "
165
                SELECT @rank:=@rank+1 AS rank, DAYOFYEAR(
       tgl_waktu_absensi) as date, ROUND(COUNT(*) / 3 * 100, 2)
                as percent FROM absensi WHERE id_intern_absensi=
       $id_intern AND id_mahasiswa_absensi = '$id_mahasiswa'
               GROUP BY DAYOFYEAR(tgl_waktu_absensi) ORDER BY rank ASC";
                    $result1 = mysqli_query($this->connection, $query1);
                    if (mysqli_num_rows(sresult1) > 0)
                    {
                         $datas = array();
                         while (\$row = mysqli_fetch_array(\$result1))
174
                         {
                             $datas[] = array(
                                 "sort" => "Hari ke-" . $row['rank'],
                                 "persen" => $row['percent']
178
                             );
                         }
180
181
                         sistem ['status'] = 201;
182
183
                         $ison['message'] = 'Berhasil mengambil data';
                         sison['data'] = sdatas;
185
                         echo json_encode($json);
186
                         mysqli_close ($this -> connection);
187
188
                    elseif (mysqli_num_rows($result1) == 0)
190
                    ł
                         sistem ['status'] = 300;
                         $json['message'] = 'Data tidak ada';
192
                         // $json['data'] = [];
                         echo json_encode($json);
                         mysqli_close ($this -> connection);
                    }
196
                    else
197
198
                    {
                         sistem [status] = 400;
                         $ison['message'] = 'Gagal mengambil data';
200
201
                         echo json_encode($json);
202
                         mysqli_close ($this -> connection);
203
                break;
205
                case 'minggu':
206
                    query2 = "
207
                SELECT @rank:=@rank+1 AS rank, WEEK('tgl_waktu_absensi
       ',1) as week, ROUND(COUNT(*) / 21 * 100, 2)
                as percent FROM 'absensi' WHERE 'id_intern_absensi'=
209
       $id_intern AND 'id_mahasiswa_absensi ' = '$id_mahasiswa'
```

```
GROUP BY WEEK('tgl_waktu_absensi') ORDER BY rank ASC";
                    $result2 = mysqli_query($this->connection, $query2);
                    if (mysqli_num_rows($result2) > 0)
                    {
                        $datas = array();
                        while (\$row = mysqli_fetch_array(\$result2))
                            $datas[] = array(
                                 "sort" => "Minggu ke-" . $row['rank'],
                                 "persen" => $row['percent']
                            );
                        }
                        sison['status'] = 202;
                        $json['message'] = 'Berhasil mengambil data';
225
                        $json['data'] = $datas;
226
                        echo json_encode($json);
                        mysqli_close ($this -> connection);
230
                    elseif (mysqli_num_rows($result2) == 0)
                    {
                        sison['status'] = 300;
                        $json['message'] = 'Data tidak ada';
                        //$ison['data'] = [];
                        echo json_encode($json);
236
                        mysqli_close ($this -> connection);
                    }
                    e1se
                    {
                        sison['status'] = 400;
241
                        $json['message'] = 'Gagal mengambil data';
242
                        echo json_encode($json);
244
                        mysqli_close ($this -> connection);
246
               break;
247
               case 'bulan':
                    query3 = "
249
                    SELECT @rank:=@rank+1 AS rank, MONTH(
250
       tgl_waktu_absensi) as month, ROUND(COUNT(*) / 90 * 100, 2)
                    as percent FROM absensi WHERE id_intern_absensi=
251
                    AND id_mahasiswa_absensi = '$id_mahasiswa'
       $id_intern
                   GROUP BY MONTH(tgl_waktu_absensi) ORDER BY rank ASC";
                    $result3 = mysqli_query($this->connection, $query3);
                    if (mysgli_num_rows(sresult3) > 0)
254
                    {
                        $datas = array();
                        while (\$row = mysqli_fetch_array(\$result3))
258
                            $datas[] = array(
                                 "sort" => "Bulan ke-" . $row['rank'],
261
                                 "persen" => $row['percent']
262
                            );
263
```

```
265
                         sison['status'] = 203;
266
                         $json['message'] = 'Berhasil mengambil data';
267
                         sison['data'] = sdatas;
                        echo ison_encode($ison);
270
                         mysqli_close ($this -> connection);
                    elseif (mysgli_num_rows($result3) == 0)
                         sistem ['status'] = 300;
276
                         $ison['message'] = 'Data tidak ada';
                         //$ison['data'] = [];
                         echo ison_encode($ison);
                         mysqli_close ($this -> connection);
                    }
280
                    else
281
                    {
282
                         sison['status'] = 400;
283
                         $ison['message'] = 'Gagal mengambil data';
284
285
                         echo ison_encode($ison);
286
                         mysqli_close ($this -> connection);
                break:
289
           }
290
201
293
       public function progress_mahasiswa_perhari($id_intern,
       $id_mahasiswa, $tgl)
           $query = "SELECT tgl_waktu_absensi, nama_kegiatan,
295
       foto_absensi, pergeseran_absensi
           FROM absensi
296
           INNER JOIN detail_absensi ON absensi.id_absensi =
207
       detail_absensi.id_absensi_dt_absensi
           INNER JOIN kegiatan ON absensi.id_kegiatan_absensi = kegiatan
298
       .id_kegiatan
           WHERE id_intern_absensi = '$id_intern' AND
299
       id_mahasiswa_absensi = '$id_mahasiswa' AND
           DATE('tgl_waktu_absensi') = '$tgl'";
300
           $result = mysqli_query($this->connection, $query);
301
           if (mysqli_num_rows(sresult) > 0)
303
           {
                $datas = array();
304
305
                while (\$row = mysqli_fetch_array(\$result))
                    $datas[] = array(
308
                        "tgl_waktu" => $row['tgl_waktu_absensi'],
309
                        "kegiatan" => $row['nama_kegiatan'],
                        "foto_absensi" => $row['foto_absensi'],
                        "pergeseran" => $row['pergeseran_absensi']
312
                    );
314
```

```
sison['status'] = 200;
               $ison['message'] = 'Berhasil mengambil data';
317
               sison['data'] = sdatas;
318
               echo json_encode($json);
               mysgli_close ($this -> connection);
           elseif (mysqli_num_rows($result) == 0)
           {
               sison['status'] = 300;
               $json['message'] = 'Data tidak ada';
326
               //$ison['data'] = [];
               echo json_encode($json);
328
               mysgli_close ($this -> connection);
           }
           else
           {
               $json['status'] = $query;
               $json['message'] = 'Gagal mengambil data';
334
               echo json_encode($json);
336
               mysqli_close ($this -> connection);
           }
340
       public function login_mahasiswa($user, $pass)
341
           $query = "SELECT id_intern , id_mahasiswa , username , password ,
        nama_mahasiswa, kelas_mahasiswa,
           angkatan_mahasiswa, foto_mahasiswa, nama_prodi, id_dosen,
           nama_dosen, nama_perusahaan_perusahaan as nama_perusahaan,
       status_perusahaan , id_pembimbing_dt_intern as id_pembimbing
           FROM user
           INNER JOIN mahasiswa ON user.id_user = mahasiswa.id_mahasiswa
347
           INNER JOIN prodi ON mahasiswa.id_prodi_mahasiswa = prodi.
3/19
       id_prodi
           INNER JOIN detail_intern ON user.id_user = detail_intern.
       id_mahasiswa_dt_intern
           INNER JOIN intern ON detail_intern.id_intern_dt_intern =
350
       intern.id intern
           INNER JOIN dosen ON detail_intern.id_dosen_dt_intern = dosen.
       id_dosen
           INNER JOIN pembimbing_perusahaan ON pembimbing_perusahaan.
       id_pembimbing = detail_intern.id_pembimbing_dt_intern
           WHERE username='$user' AND password='$pass' AND user.
       role_user='mahasiswa'
           AND user.status_user='aktif' AND status_intern = 'berjalan'";
           $result = mysqli_query($this->connection, $query);
356
           $row = mysqli_fetch_array($result);
           $id_intern = $row['id_intern'];
358
           if (mysqli_num_rows($result) > 0 && ($row['id_pembimbing'] !=
        "" || $row['id_pembimbing'] != null) && $row['status_perusahaan'
       1 == "diterima")
360
```

```
361
               $query = "SELECT id_intern_dt_intern as id_intern,
362
       id_mahasiswa, username, password, nama_mahasiswa, kelas_mahasiswa
               angkatan_mahasiswa, foto_mahasiswa, nama_prodi, id_dosen,
        nama_dosen, nama_perusahaan_perusahaan as nama_perusahaan,
               status_perusahaan, nama_pembimbing,
364
       id_pembimbing_dt_intern as id_pembimbing FROM user
               INNER JOIN mahasiswa
               ON user.id_user = mahasiswa.id_mahasiswa
               INNER JOIN prodi
               ON mahasiswa.id_prodi_mahasiswa = prodi.id_prodi
368
               INNER JOIN detail_intern
369
               ON user.id_user = detail_intern.id_mahasiswa_dt_intern
               INNER JOIN intern ON detail_intern.id_intern_dt_intern =
       intern.id_intern
               INNER JOIN dosen
               ON detail_intern.id_dosen_dt_intern = dosen.id_dosen
               INNER JOIN pembimbing_perusahaan ON pembimbing_perusahaan
       .id_pembimbing = detail_intern.id_pembimbing_dt_intern
               WHERE username='$user' AND password='$pass' AND user.
       role_user='mahasiswa'
               AND user status user = 'aktif' AND status intern = '
       berjalan '";
               $result = mysqli_query($this->connection, $query);
378
               $row = mysqli_fetch_array($result);
380
               $data = arrav(
                   "id_intern" => $id_intern,
382
                   "id_mahasiswa" => $row['id_mahasiswa'],
                   "username" => $row['username'],
                   "password" => $row['password'].
385
                   "nama_mahasiswa" => $row['nama_mahasiswa'],
                   "kelas_mahasiswa" => $row['kelas_mahasiswa'],
387
                   "angkatan_mahasiswa" => $row['angkatan_mahasiswa'],
388
                   "foto_mahasiswa" => $row['foto_mahasiswa'],
                   "nama_prodi" => $row['nama_prodi'],
                   "id_dosen" => $row['id_dosen'].
                   "nama_dosen" => $row['nama_dosen'],
202
                   "nama_pembimbing" => $row['nama_pembimbing'],
393
                   "nama_perusahaan" => $row['nama_perusahaan']
394
395
               );
               sison['status'] = 201;
397
               $json['message'] = 'Login berhasil';
308
               sin('data') = sdata;
300
               echo ison_encode($ison);
               mysqli_close($this->connection);
402
           }
403
           elseif (mysqli_num_rows($result) > 0 && ($row['id_pembimbing'
404
       ] != "" || $row['id_pembimbing'] != null) && ($row['
       status_perusahaan'] == "" || $row['status_perusahaan'] == null))
           {
405
               data = array(
406
```

```
"id_intern" => $id_intern,
407
                    "id_mahasiswa" => $row['id_mahasiswa'],
408
                    "username" => $row['username'].
409
                    "password" => $row['password'],
410
                    "nama_mahasiswa" => $row['nama_mahasiswa'],
                    "kelas_mahasiswa" => $row['kelas_mahasiswa'],
                    "angkatan_mahasiswa" => $row['angkatan_mahasiswa'],
413
                    "foto_mahasiswa" => $row['foto_mahasiswa'].
414
                    "nama_prodi" => $row['nama_prodi'],
                    "id_dosen" => $row['id_dosen'],
                    "nama_dosen" => $row['nama_dosen'],
                    "nama_perusahaan" => $row['nama_perusahaan']
418
               );
419
420
               sison['status'] = 203;
               $ison['message'] = 'Login berhasil';
               sistemath{ison['data'] = sistemath{}data;
424
               echo ison_encode($ison):
               mysqli_close ($this -> connection);
426
           }
           else
428
               $query = "SELECT id_intern_dt_intern as id_intern,
       id_mahasiswa, username, password, nama_mahasiswa, kelas_mahasiswa
               angkatan_mahasiswa, foto_mahasiswa, nama_prodi, id_dosen,
431
        nama_dosen, kode_otp,
               status_perusahaan, id_pembimbing_dt_intern as
       id_pembimbing FROM user INNER JOIN mahasiswa
               ON user.id_user = mahasiswa.id_mahasiswa INNER JOIN prodi
               ON mahasiswa.id_prodi_mahasiswa = prodi.id_prodi INNER
434
       JOIN detail intern
               ON user.id_user = detail_intern.id_mahasiswa_dt_intern
435
               INNER JOIN intern ON detail_intern.id_intern_dt_intern =
436
       intern.id_intern
               INNER JOIN dosen
437
               ON detail_intern.id_dosen_dt_intern = dosen.id_dosen
               WHERE username='$user' AND password='$pass' AND user.
       role_user='mahasiswa'
               AND user.status_user='aktif' AND status_intern = '
440
       berjalan '";
441
               $result = mysqli_query($this->connection, $query);
               $row = mysqli_fetch_array($result);
443
               if (mysqli_num_rows($result) > 0 && ($row['id_pembimbing'
444
       ] == "" || $row['id_pembimbing'] == null) && ($row['
       status_perusahaan'] == "" || $row['status_perusahaan'] == null)
       && srow['kode_otp'] == '-')
445
                    data = array(
446
                        "id_intern" => $id_intern,
447
                        "id_mahasiswa" => $row['id_mahasiswa'],
                        "username" => $row['username'],
440
                        "password" => $row['password'],
450
                        "nama_mahasiswa" => $row['nama_mahasiswa'],
451
```

```
"kelas_mahasiswa" => $row['kelas_mahasiswa'],
452
                                                                       "angkatan_mahasiswa" => $row['angkatan_mahasiswa'
453
                      1,
                                                                        "foto_mahasiswa" => $row['foto_mahasiswa'],
454
                                                                       "nama_prodi" => $row['nama_prodi'],
                                                                       "id_dosen" => $row['id_dosen'],
                                                                       "nama_dosen" => $row['nama_dosen']
457
                                                           ):
458
                                                           sison['status'] = 202;
                                                           $ison['message'] = 'Login berhasil';
                                                           sin ['data'] = sdata;
462
463
                                                           echo json_encode($json);
464
                                                           mysgli_close ($this -> connection);
                                              }
166
                                              else
467
                                              {
468
469
                                                           sison['status'] = 400;
470
                                                           $ison['message'] = 'Username dan password salah';
                                                           echo json_encode($json);
472
                                                           mysqli_close ($this -> connection);
473
                                 }
475
                     }
476
477
                     public function registrasi_mahasiswa($kode_otp)
478
                                  $query = "SELECT kode_otp FROM mahasiswa WHERE kode_otp = '
480
                     $kode_otp '";
481
                                  $result = mysqli_query($this->connection, $query);
482
                                 $row = mysqli_fetch_array($result);
                                  if (mysqli_num_rows(sresult) > 0)
484
                                 {
485
486
                                              $query = "UPDATE mahasiswa SET kode_otp='-' WHERE
487
                      kode_otp='$kode_otp'";
100
                                              $result = mysqli_query($this->connection, $query);
489
                                              if (Sthis
490
                                                          ->connection->affected_rows > 0 && $result)
491
                                              {
                                                           \frac{1}{3} \frac{1}
493
                                                           $json['message'] = 'Registrasi berhasil';
494
495
                                                           echo json_encode($json);
                                                           mysqli_close ($this -> connection);
407
                                              }
498
                                              else
499
                                              {
500
501
                                                           sistemath{ison['status'] = 400;
502
                                                           $json['message'] = 'Registrasi gagal';
503
                                                           echo json_encode($json);
504
```

```
mysgli_close ($this -> connection);
505
               }
506
           }
507
           else
508
           {
               sison['status'] = 400;
511
               $ison['message'] = 'Registrasi gagal';
               echo ison_encode($ison);
               mysgli_close ($this -> connection);
           }
       }
       public function list_notifikasi($id_intern, $id_mahasiswa)
518
           $query = "SELECT id_intern , nama_pembimbing , pesan_notifikasi
       , nama_perusahaan_perusahaan , tgl_waktu_notifikasi FROM
       notifikasi
522 INNER JOIN pembimbing_perusahaan ON id_pembimbing =
       id_pembimbing_notifikasi
  INNER JOIN mahasiswa ON id_mahasiswa = id_mahasiswa_notifikasi
  INNER JOIN intern ON id_intern = id_intern_notifikasi
  WHERE id_mahasiswa_notifikasi='$id_mahasiswa' AND
       id_intern_notifikasi='$id_intern' ORDER BY tgl_waktu_notifikasi
       DESC":
526
527
           $result = mysqli_query($this->connection, $query);
           if (mvsqli_num_rows(sresult) > 0)
           {
530
               $datas = array();
               $kalimat1 = "melakukan absensi pada";
               $kalimat2 = "mengkonfirmasi absensi";
534
               $kalimat3 = "mendaftar ke perusahaan";
               $kalimat4 = "mengkonfirmasi pendaftaran";
536
               while ($row = mysqli_fetch_array($result))
                    pesan = "";
540
                    if (preg_match("~\b" . $row['pesan_notifikasi'] . "\b
541
         , $kalimat1))
                        $pesan = "Anda " . $row['pesan_notifikasi'];
543
544
                    elseif (preg_match("~\b" . $row['pesan_notifikasi'] .
545
        "\b~", $kalimat2))
546
                        $pesan = ucwords(($row['nama_pembimbing'])) . " "
547
        . $row['pesan_notifikasi'] . " Anda pada";
548
                    elseif (preg_match("~\b" . $row['pesan_notifikasi'] .
        "\b~", $kalimat3))
550
```

```
$pesan = "Anda " . $row['pesan_notifikasi'] . " "
        . ucwords(($row['nama_perusahaan_perusahaan'])) . " pada";
                    elseif (preg_match("~\b" . $row['pesan_notifikasi'] .
553
        "\b~", $kalimat4))
                         $pesan = ucwords(($row['nama_pembimbing'])) . " "
        . $row['pesan_notifikasi'] . " Anda pada";
                    $datas[] = array(
                         "id_intern" => $row['id_intern'],
550
                         "pesan" => $pesan . " " . date_format(date_create
560
       (\text{srow}['tgl\_waktu\_notifikasi']), 'd F Y \p\u\k\u\1 G:i A'),
                         "tgl_waktu" => $row['tgl_waktu_notifikasi']
                    ):
563
                }
564
565
                sistemath{ison['status'] = 200;
                $ison['message'] = 'Berhasil mengambil notifikasi';
                sison['data'] = sdatas;
568
569
                echo json_encode($json);
                mysqli_close ($this -> connection);
           elseif (mysqli_num_rows($result) == 0)
574
           {
                sison['status'] = 300;
                $ison['message'] = 'Notifikasi tidak ada';
                echo json_encode($json);
                mysqli_close ($this -> connection);
579
           else
581
           {
                sison['status'] = 400;
583
                $ison['message'] = 'Gagal mengambil notifikasi';
584
                echo json_encode($json);
                mysqli_close ($this -> connection);
586
           }
587
       }
588
589
       public function ubah_username($id_mahasiswa, $username)
591
            $query = "UPDATE user SET username='$username' WHERE id_user
592
       ='$id_mahasiswa'";
           $result = mysqli_query($this->connection, $query);
595
           if (Sthis
596
                ->connection->affected_rows > 0 && $result)
597
           {
                sistemath{ison['status'] = 200;
599
                $json['message'] = 'Username berhasil diubah';
600
                echo json_encode($json);
601
```

```
mysgli_close ($this -> connection);
602
           }
603
           else
604
           {
605
                sison['status'] = 400;
                $ison['message'] = 'Username gagal diubah';
                echo ison_encode($ison);
608
                mysqli_close ($this -> connection);
609
610
           }
       }
611
       public function ubah_nama($id_mahasiswa, $nama)
613
614
            $query = "UPDATE mahasiswa SET nama_mahasiswa='$nama' WHERE
615
       id_mahasiswa='$id_mahasiswa'";
            $result = mysqli_query($this->connection, $query);
617
            if ($this
                ->connection->affected_rows > 0 && $result)
            {
                sison['status'] = 200;
622
                $json['message'] = 'Nama berhasil diubah';
623
                echo json_encode($json);
                mysqli_close ($this -> connection);
            }
626
           else
627
628
           {
                sison['status'] = 400;
                $json['message'] = 'Nama gagal diubah';
                echo json_encode($json);
631
                mysqli_close ($this -> connection);
           }
633
       public function ubah_kelas($id_mahasiswa, $kelas)
637
            $query = "UPDATE mahasiswa SET kelas_mahasiswa='$kelas' WHERE
638
        id_mahasiswa='$id_mahasiswa'";
            $result = mysqli_query($this->connection, $query);
640
641
642
            if ($this
                ->connection->affected_rows > 0 && $result)
            {
644
                sistem ['status'] = 200;
645
                $json['message'] = 'Nama berhasil diubah';
646
                echo json_encode($json);
                mysqli_close ($this -> connection);
           }
649
           else
           {
                sison['status'] = 400;
                $json['message'] = 'Nama gagal diubah';
653
                echo json_encode($json);
                mysqli_close ($this -> connection);
655
```

```
}
657
658
659
       public function ubah_angkatan($id_mahasiswa, $angkatan)
            $query = "UPDATE mahasiswa SET angkatan_mahasiswa='$angkatan'
        WHERE id_mahasiswa='$id_mahasiswa'";
662
            $result = mysqli_query($this->connection, $query);
            if ($this
               ->connection->affected_rows > 0 && $result)
666
           {
667
                sison['status'] = 200;
668
                $ison['message'] = 'Nama berhasil diubah';
                echo json_encode($json);
                mysqli_close ($this -> connection);
           }
672
           else
673
           {
                sison['status'] = 400;
675
                $ison['message'] = 'Nama gagal diubah';
                echo json_encode($json);
677
                mysqli_close ($this -> connection);
           }
680
681
682
       public function ubah_kontak($id_mahasiswa, $kontak)
            $query = "UPDATE mahasiswa SET kontak_mahasiswa='$kontak'
684
       WHERE id_mahasiswa='$id_mahasiswa'";
685
            $result = mysqli_query($this->connection, $query);
686
            if ($this
               ->connection->affected_rows > 0 && $result)
           {
690
                sison['status'] = 200;
691
                $json['message'] = 'Kontak berhasil diubah';
                echo json_encode($json);
693
                mysqli_close ($this -> connection);
694
           }
695
           else
696
           {
                sison['status'] = 400;
698
                $json['message'] = 'Kontak gagal diubah';
699
                echo ison_encode($ison);
700
                mysqli_close ($this -> connection);
701
           }
703
       public function ubah_foto($id_mahasiswa, $foto)
705
706
            $query = "UPDATE mahasiswa SET foto_mahasiswa='$foto' WHERE
707
       id_mahasiswa='$id_mahasiswa'";
708
```

```
$result = mysqli_query($this->connection, $query);
709
            if ($this
               ->connection->affected_rows > 0 && $result)
                sison['status'] = 200;
                $ison['message'] = 'Foto berhasil diubah';
                echo json_encode($json);
                mysqli_close ($this -> connection);
                return true:
           }
           else
720
           {
                sison['status'] = 400;
                $ison['message'] = 'Foto gagal diubah';
                echo json_encode($json);
                mysqli_close ($this -> connection);
                return false:
726
           }
       }
       public function ubah_password($id_mahasiswa, $password)
730
            $query = "UPDATE user SET password='$password' WHERE id_user
       ='$id_mahasiswa'";
           $result = mysqli_query($this->connection, $query);
734
            if ($this
               ->connection->affected_rows > 0 && $result)
           {
                sison['status'] = 200;
                $json['message'] = 'Password berhasil diubah';
740
                echo json_encode($json);
                mysqli_close ($this -> connection);
           }
           else
744
           {
745
                sistemath{ison['status'] = 400;
                $ison['message'] = 'Password gagal diubah';
747
                echo json_encode($json);
748
                mysqli_close ($this -> connection);
749
750
           }
       public function distance ($lat1, $lon1, $lat2, $lon2)
754
            if ((\$1at1 == \$1at2) \&\& (\$1on1 == \$1on2))
           {
                return 0:
           }
758
           else
           {
                \theta = 10n1 - 10n2;
761
                dist = \sin(\deg 2rad(\$lat1)) * \sin(\deg 2rad(\$lat2)) + \cos(
762
       deg2rad(\$lat1)) * cos(deg2rad(\$lat2)) * cos(deg2rad(\$theta));
```

```
dist = acos(dist);
               $dist = rad2deg($dist);
764
               miles = dist * 60 * 1.1515;
765
766
               return ($miles * 1.609344) * 1000;
767
          }
       }
769
 1 <?php</pre>
  include ('dosen.php');
  header('Content-Type: application/json');
  d = new Dosen();
  if (isset($_POST['username'], $_POST['password'])) {
       $user = $_POST['username'];
       $pass = $_POST['password'];
       if (!empty($user) && !empty($pass)) {
           $d->login_dosen($user, $pass);
10
       } else {
           sistem = 100;
           $ison['message'] = 'Field tidak boleh kosong';
           echo json_encode($json);
  }
16
  ?>
  <?php
  include ('dosen.php');
  header('Content-Type: application/json');
  d = new Dosen();
  if (isset($_POST['id_dosen'])) {
       $id_dosen = $_POST['id_dosen'];
       if (!empty($id_dosen)) {
           $d->list_mahasiswa($id_dosen);
 8
 0
       } else {
           sistem = 100;
           $json['message'] = 'Field tidak boleh kosong';
           echo json_encode($json);
    else {
14
           sison['status'] = 100;
           $ison['message'] = 'Field tidak boleh kosong';
           echo json_encode($json);
18
  ?>
19
  <?php
  include ('dosen.php');
  header('Content-Type: application/json');
  d = new Dosen();
  if (isset($_POST['id_dosen'])) {
       $id_dosen = $_POST['id_dosen'];
```

if (!empty(\$id_dosen)) {

} else {

9

\$d->list_notifikasi(\$id_dosen);

sistem = 100;

```
API
          $json['message'] = 'Field tidak boleh kosong';
          echo ison_encode($ison);
      }
  } else {
14
          sison['status'] = 100;
          $ison['message'] = 'Field tidak boleh kosong';
          echo ison_encode($ison);
18
19
include('dosen.php');
a header('Content-Type: application/json');
if (isset($_POST['id_intern'], $_POST['id_mahasiswa'], $_POST['sort'
      1)) {
      $id_intern = $_POST['id_intern'];
      $id_mahasiswa = $_POST['id_mahasiswa'];
      sort = POST['sort'];
8
      if (!empty($id_intern) && !empty($id_mahasiswa) && !empty($sort))
          $d->progress_mahasiswa($id_intern, $id_mahasiswa, $sort);
      } else {
          sistemath{ison['status'] = 100;
          $ison['message'] = 'Field tidak boleh kosong';
          echo json_encode($json);
16
1 <?php</pre>
include('dosen.php');
3 header('Content-Type: application/json');
4 \text{ } \text{d} = \text{new Dosen();}
 if (isset($_POST['id_intern'], $_POST['id_mahasiswa'], $_POST['tgl'])
      ) {
      $id_intern = $_POST['id_intern'];
      $id_mahasiswa = $_POST['id_mahasiswa'];
      tg1 = POST['tg1'];
      if (!empty($id_intern) && !empty($id_mahasiswa) && !empty($tgl))
          $d->progress_mahasiswa_perhari($id_intern, $id_mahasiswa,
      $tgl);
      } else {
```

```
1 <?php
2 include('dosen.php');
3 header('Content-Type: application/json');
4 \text{ } \text{d} = \text{new Dosen}();
6 $id_dosen = $_POST['id_dosen'];
7 if (isset($_POST['username'])) $username = $_POST['username'];
```

\$json['message'] = 'Field tidak boleh kosong';

sison['status'] = 100;

echo ison_encode(\$ison);

14

16

}

```
if (isset($_POST['nama'])) $nama = $_POST['nama'];
             (isset($_POST['kontak'])) $kontak = $_POST['kontak'];
      if (isset($_POST['password'])) $password = $_POST['password'];
       if (isset($_FILES['foto']['name'])){
                   $foto = $_FILES['foto']['name'];
                   $temp_foto = $_FILES['foto']['tmp_name'];
1.4
                   $dir_dosen = "../images/dosen/";
       }
18
       if (!empty($id_dosen) && !empty($username)) {
10
20
                  $d->ubah_username($id_dosen, $username);
            elseif (!empty($id_dosen) && !empty($nama)) {
                  $d->ubah_nama($id_dosen, $nama);
           elseif (!empty($id_dosen) && !empty($kontak)) {
                  $d->ubah_kontak($id_dosen, $kontak);
2.4
           elseif (!empty($id_dosen) && !empty($password)) {
                  $d->ubah_password($id_dosen, $password);
26
            elseif (!empty($id_dosen) && !empty($foto)){
                   $result = $d->ubah_foto($id_dosen, $foto);
28
                   if ($result) {
29
                               $upload = move_uploaded_file($temp_foto, $dir_dosen.$foto);
30
                               if (!$upload) {
                                          sistem = sistem size = sistem size = size 
                                          $ison['message'] = 'Gambar gagal terupload';
                                          echo json_encode($json);
34
35
                               }
            else {
                   38
                   $json['message'] = 'Field tidak boleh kosong';
30
                  echo json_encode($json);
40
41
```

```
1 <?php</pre>
include('../conn.php');
3 header('Content-Type: application/json');
4 class Dosen
  {
5
      private $db;
      private $connection;
      public function __construct()
           this \rightarrow db
                              = new Connection();
           $this -> connection = $this -> db-> get_connection();
      }
14
      public function list_mahasiswa($id_dosen)
           $query = "SELECT id_mahasiswa, nama_perusahaan_perusahaan,
      lama_internship, nama_mahasiswa, foto_mahasiswa,
           angkatan_mahasiswa, foto_perusahaan, kelas_mahasiswa,
      foto_mahasiswa, nama_prodi,
```

```
nama_pembimbing, lat_pembimbing_perusahaan,
18
      long_pembimbing_perusahaan, id_intern, COUNT(
      id_mahasiswa_dt_absensi) as jumlah_absensi
          FROM detail_intern
          INNER JOIN intern ON detail_intern.id_intern_dt_intern =
20
      intern.id_intern
          INNER JOIN pembimbing_perusahaan ON detail_intern.
      id_pembimbing_dt_intern = pembimbing_perusahaan.id_pembimbing
          INNER JOIN mahasiswa ON detail_intern.id_mahasiswa_dt_intern
      = mahasiswa.id_mahasiswa
          INNER JOIN prodi ON mahasiswa.id_prodi_mahasiswa= prodi.
      id_prodi
          INNER JOIN detail_absensi ON detail_intern.
24
      id_mahasiswa_dt_intern = detail_absensi.id_mahasiswa_dt_absensi
          WHERE id_dosen_dt_intern = '$id_dosen' AND status_intern = '
       berjalan '";
26
          $result = mysqli_query($this->connection, $query);
          if (mvsqli_num_rows(\$result) > 0) {
28
              $datas = array();
               while (srow = mysqli_fetch_array(sresult)) {
31
                   datas[] = array(
                   "id_intern" => $row['id_intern'],
                   "id_mahasiswa" => $row['id_mahasiswa'],
34
                   "nama_perusahaan" => ucwords($row['
       nama_perusahaan_perusahaan']),
                   "nama_mahasiswa" => ucwords($row['nama_mahasiswa']),
36
                   "foto_mahasiswa" => $row['foto_mahasiswa'],
                   "angkatan_mahasiswa" => $row['angkatan_mahasiswa'],
38
                   "foto_perusahaan" => $row['foto_perusahaan'],
                   "kelas_mahasiswa" => strtoupper($row['kelas_mahasiswa
40
      <sup>'</sup>]),
                   "foto_mahasiswa" => $row['foto_mahasiswa'],
                   "nama_prodi" => ucwords($row['nama_prodi']),
42
                   "nama_pembimbing" => ucwords($row['nama_pembimbing'])
                   "latitude_perusahaan" => $row['
      lat_pembimbing_perusahaan'],
                   "longitude_perusahaan" => $row['
45
      long_pembimbing_perusahaan'],
                   "presentase_internship" => round($row['jumlah_absensi
46
       ']/$row['lama_internship']*100,1)
              );
              }
48
              sistem = 200;
50
               $ison['message'] = 'Berhasil mengambil mahasiswa';
              sistemath{ison['data'] = sistemath{}datas;
              echo json_encode($json);
               mysqli_close ($this -> connection);
          } elseif (mysqli_num_rows($result) == 0) {
               57
              $json['message'] = 'Mahasiswa tidak ada';
58
59
```

```
echo ison_encode($ison);
                                    mysgli_close ($this -> connection);
 61
                          } else {
 62
                                   sison['status'] = 400;
 63
                                   $ison['message'] = 'Gagal mengambil mahasiswa';
                                   echo json_encode($json);
                                    mysgli_close ($this -> connection);
 66
                         }
 67
 68
 69
                public function login_dosen($user, $pass)
                          query = "SELECT"
                          username, password, id_dosen, nama_dosen, foto_dosen,
                 id_intern , nama_prodi
                         FROM user
 74
                         INNER JOIN dosen ON user.id_user = dosen.id_dosen
                         INNER JOIN detail_intern ON user.id_user = detail_intern.
 76
                 id_dosen_dt_intern
                         INNER JOIN intern ON detail_intern.id_intern_dt_intern =
                 intern.id_intern
                         INNER JOIN prodi ON dosen.id_prodi_dosen = prodi.id_prodi
 78
                         WHERE username = '$user' AND password = '$pass' AND
 70
                 status_user='aktif' AND role_user='dosen'";
                          $result = mysqli_query($this->connection, $query);
 81
 82
 23
                         $row = mysqli_fetch_array($result);
                          if (mysqli_num_rows(sresult) > 0) {
                                   data = array(
 85
                                             "username" => $row['username'],
                                             "password" => $row['password'],
 87
                                             "id_dosen" => $row['id_dosen'],
 88
                                             "nama_dosen" => ucwords($row['nama_dosen']),
                                             "foto_dosen" => $row['foto_dosen'],
 90
                                             "nama_prodi" => ucwords($row['nama_prodi'])
 0.1
                                   );
 93
                                   sison['status'] = 200;
 0.5
                                   $json['message'] = 'Berhasil melakukan login';
                                   sin = sin 
 97
 98
                                   echo json_encode($json);
                                    mysqli_close ($this -> connection);
100
                         } elseif (mysqli_num_rows($result) == 0) {
                                             sistem = 300;
102
                                             $ison['message'] = 'Username atau password salah';
                                             echo json_encode($json);
105
                                             mysqli_close ($this -> connection);
106
                                   } else {
                                   sison['status'] = 400;
                                   $json['message'] = 'Gagal melakukan login';
109
                                   echo json_encode($json);
```

```
mysgli_close ($this -> connection);
           }
       }
114
       public function progress_mahasiswa($id_intern, $id_mahasiswa,
116
       $sort)
       {
           squery = "SET @rank=0:":
118
           mysqli_query($this->connection, $query);
           switch ($sort) {
               case 'hari':
               query1 = "
               SELECT @rank:=@rank+1 AS rank, DAYOFYEAR(
       tgl_waktu_absensi) as date, ROUND(COUNT(*) / 3 * 100, 2)
               as percent FROM absensi WHERE id_intern_absensi='
       $id_intern ' AND id_mahasiswa_absensi = '$id_mahasiswa'
               GROUP BY DAYOFYEAR(tgl_waktu_absensi) ORDER BY rank ASC";
               $result1 = mysqli_query($this->connection, $query1);
126
               if (mysqli_num_rows($result1) > 0) {
                    $datas = array();
129
                    while (\$row = mysqli_fetch_array(\$result1)) {
130
                        $datas[] = array(
                        "sort" => "Hari ke-". $row['rank'],
                        "persen" => $row['percent']
               );
134
                    }
136
                    sison['status'] = 201;
                    $json['message'] = 'Berhasil mengambil progress';
138
                    sistemath{ison['data'] = sistemath{}datas;
139
140
                    echo ison_encode($ison);
141
                    mysqli_close ($this -> connection);
               } elseif (mysqli_num_rows($result1) == 0) {
                    sistem = 300;
                    $json['message'] = 'Progress tidak ada';
                    //$ison['data'] = [];
                    echo json_encode($json);
148
                    mysqli_close($this->connection);
149
               } else {
150
                    sison['status'] = 400;
                    $json['message'] = 'Gagal mengambil progress';
                    echo json_encode($json);
                    mysqli_close ($this -> connection);
154
               break:
               case 'minggu':
               query2 = "
158
               SELECT @rank:=@rank+1 AS rank, WEEK(tgl_waktu_absensi,1)
       as week, ROUND(COUNT(*) / 21 * 100, 2)
               as percent FROM absensi WHERE id_intern_absensi='
       $id_intern ' AND id_mahasiswa_absensi = '$id_mahasiswa'
               GROUP BY WEEK(tgl_waktu_absensi) ORDER BY rank ASC";
161
               $result2 = mysqli_query($this->connection, $query2);
162
```

```
if (mysqli_num_rows(sresult2) > 0) {
163
                                              $datas = array();
164
165
                                              while ($row = mysqli_fetch_array($result2)) {
166
                                                        $datas[] = array(
167
                                                        "sort" => "Minggu ke-". $row['rank'].
                                                        "persen" => $row['percent']
160
                                    ):
                                              }
                                              sison['status'] = 202;
                                              $json['message'] = 'Berhasil mengambil progress';
174
                                              sison['data'] = sdatas;
176
                                              echo ison_encode($ison);
                                              mysqli_close ($this -> connection);
                                    } elseif (mysqli_num_rows($result2) == 0) {
                                              sison['status'] = 300;
180
                                              $ison['message'] = 'Progress tidak ada';
181
                                              echo json_encode($json);
183
                                              mysqli_close ($this -> connection);
184
                                    } else {
185
                                              sison['status'] = 400;
186
                                              $json['message'] = 'Gagal mengambil progress';
                                              echo json_encode($json);
188
                                              mysqli_close ($this -> connection);
189
100
                                    break:
                                    case 'bulan':
                                              query3 = "
103
                                             SELECT @rank:=@rank+1 AS rank, MONTH(
                 tgl_waktu_absensi) as month, ROUND(COUNT(*) / 90 * 100, 2)
                                              as percent FROM absensi WHERE id_intern_absensi='
                 $id_intern ' AND id_mahasiswa_absensi = '$id_mahasiswa'
                                             GROUP BY MONTH(tgl_waktu_absensi) ORDER BY rank ASC";
106
                                              $result3 = mysqli_query($this -> connection, $query3);
197
                                              if (mysqli_num_rows(sresult3) > 0) {
198
                                                        $datas = array();
                                                        while ($row = mysqli_fetch_array($result3)) {
201
                                                                  $datas[] = array(
202
                                                                           "sort" => "Bulan ke-". $row['rank'],
203
                                                                            "persen" => $row['percent']
205
                                                                 );
                                                        }
206
207
                                                        sison['status'] = 203;
                                                        $json['message'] = 'Berhasil mengambil progress';
209
                                                        sin = sin 
                                                        echo json_encode($json);
                                                        mysqli_close ($this -> connection);
                                              } elseif (mysqli_num_rows($result3) == 0) {
214
                                                        sistem = 300;
                                                        $json['message'] = 'Progress tidak ada';
216
```

```
echo ison_encode($ison);
218
                        mysqli_close ($this -> connection);
                    } else {
                        sison['status'] = 400:
                        $ison['message'] = 'Gagal mengambil progress';
                        echo ison_encode($ison);
                        mysqli_close ($this -> connection);
224
               break:
           }
       }
228
229
       public function progress_mahasiswa_perhari($id_intern,
230
       $id_mahasiswa, $tgl)
           $query = "SELECT id_absensi, tgl_waktu_absensi,
       nama_kegiatan, foto_absensi, pergeseran_absensi
           FROM absensi
           INNER JOIN detail_absensi ON absensi.id_absensi =
234
       detail_absensi.id_absensi_dt_absensi
           INNER JOIN kegiatan ON absensi.id_kegiatan_absensi = kegiatan
       .id_kegiatan
           WHERE id_intern_absensi = '$id_intern' AND
       id_mahasiswa_absensi = '$id_mahasiswa' AND
           DATE(tgl_waktu_absensi) = '$tgl'";
           $result = mysqli_query($this->connection, $query);
238
230
           if (mysgli_num_rows(sresult) > 0) {
               $datas = array();
241
               while ($row = mysqli_fetch_array($result)) {
242
                    $datas [] =
                                array (
                        "id_absensi" => $row['id_absensi'],
244
                        "tgl_waktu" => $row['tgl_waktu_absensi'],
                    "kegiatan" => ucfirst($row['nama_kegiatan']),
246
                    "foto_absensi" => $row['foto_absensi'],
                    "pergeseran" => $row['pergeseran_absensi']." M"
248
               );
249
               sistem = 200;
               $json['message'] = 'Berhasil mengambil progress harian';
               sison['data'] = sdatas;
               echo json_encode($json);
256
               mysqli_close ($this -> connection);
           } elseif (mysqli_num_rows($result) == 0) {
               sison['status'] = 300;
               $json['message'] = 'Progress harian tidak ada';
261
               echo json_encode($json);
262
               mysqli_close ($this -> connection);
263
           } else {
               sistemath{ison['status'] = 400;
265
               $json['message'] = 'Gagal mengambil progress harian';
266
               echo json_encode($json);
267
```

```
mysgli_close ($this -> connection);
268
           }
260
       public function list_notifikasi($id_dosen){
274
           $query = "SELECT id_intern , nama_mahasiswa , nama_pembimbing ,
       nama_perusahaan_perusahaan , pesan_notifikasi ,
       tgl_waktu_notifikasi FROM notifikasi INNER JOIN
       pembimbing_perusahaan ON id_pembimbing = id_pembimbing_notifikasi
        INNER JOIN mahasiswa ON id_mahasiswa = id_mahasiswa_notifikasi
       INNER JOIN intern ON id_intern = id_intern_notifikasi WHERE
       id_dosen_notifikasi='$id_dosen' AND status_intern='berjalan'
       ORDER BY tgl_waktu_notifikasi DESC ":
           $result = mysqli_query($this->connection, $query);
278
           if (mvsali_num_rows(\$result) > 0) {
               $datas = array();
281
               $kalimat1 = "melakukan absensi pada";
282
               $kalimat2 = "mengkonfirmasi absensi";
283
               $kalimat3 = "mendaftar ke perusahaan";
               $kalimat4 = "mengkonfirmasi pendaftaran";
285
286
               while ($row = mysqli_fetch_array($result)) {
287
                    pesan = "";
288
                    if (preg_match ("~\b". $row['pesan_notifikasi']."\b~",
       $kalimat1)){
                        $pesan = ucwords($row['nama_mahasiswa'])." ".$row
290
       ['pesan_notifikasi'];
                    } elseif (preg_match ("~\b". $row['pesan_notifikasi']."\b
291
       ~", $kalimat2)){
                        $pesan = ucwords($row['nama_pembimbing'])." ".
292
       $row['pesan_notifikasi']." ".ucwords($row['nama_mahasiswa'])."
       pada":
                    }elseif(preg_match("~\b".$row['pesan_notifikasi']."\b
293
       ~", $kalimat3)){
                        $pesan = ucwords(($row['nama_mahasiswa']))." ".
294
       $row['pesan_notifikasi']." ".ucwords($row['
       nama_perusahaan_perusahaan'])." pada";
                    } elseif (preg_match ("~\b". $row['pesan_notifikasi']."\b
295
       ~", $kalimat4)){
                        $pesan = ucwords($row['nama_pembimbing'])." ".
296
       $row['pesan_notifikasi']." ".ucwords($row['nama_mahasiswa'])."
       pada";
                    }
                    $datas[] = array(
299
                    "id_intern" => $row['id_intern'],
300
                   "pesan" => $pesan." ". date_format(date_create($row['
301
       tgl_waktu_notifikasi']), 'd F Y \p\u\k\u\l G: i A'),
                    "tgl_waktu" => $row['tgl_waktu_notifikasi']
302
               );
303
304
```

```
305
306
               sison['status'] = 200;
307
               $json['message'] = 'Berhasil mengambil notifikasi';
308
               sison['data'] = sdatas;
311
               echo ison_encode($ison);
               mysqli_close ($this -> connection);
           } elseif (mysqli_num_rows($result) == 0) {
               sison['status'] = 300;
314
               $ison['message'] = 'Notifikasi tidak ada';
               echo json_encode($json);
               mysqli_close ($this -> connection);
318
           } else {
               sison['status'] = 400;
               $json['message'] = 'Gagal mengambil notifikasi';
               echo json_encode($json);
               mysqli_close ($this -> connection);
           }
324
       }
326
       public function ubah_username($id_dosen, $username){
           $query = "UPDATE user SET username='$username' WHERE id_user
       ='$id_dosen'";
           $result = mysqli_query($this->connection, $query);
330
           if ($this -> connection -> affected_rows > 0 && $result) {
               sison['status'] = 200;
               $json['message'] = 'Username berhasil diubah';
               echo json_encode($json);
               mysqli_close ($this -> connection);
336
           } else {
               sison['status'] = 400;
338
               $json['message'] = 'Username gagal diubah';
               echo json_encode($json);
340
               mysqli_close ($this -> connection);
341
           }
343
344
       public function ubah_nama($id_dosen, $nama){
345
           $query = "UPDATE dosen SET nama_dosen='$nama' WHERE id_dosen
       ='$id_dosen'";
347
           $result = mysqli_query($this->connection, $query);
348
349
           if ($this -> connection -> affected_rows > 0 && $result) {
               $json['message'] = 'Nama berhasil diubah';
352
               echo json_encode($json);
               mysqli_close ($this -> connection);
           } else {
               sistemath{ison['status'] = 400;
356
               $json['message'] = 'Nama berhasil diubah';
               echo json_encode($json);
358
```

```
mysgli_close ($this -> connection);
                          }
360
                 }
361
362
                 public function ubah_kontak($id_dosen, $kontak){
                           $query = "UPDATE dosen SET kontak_dosen='$kontak' WHERE
                 id_dosen='$id_dosen'";
365
                           $result = mysqli_query($this->connection, $query);
367
                           if ($this->connection->affected_rows > 0 && $result) {
                                     sistemath{ison['status'] = 200;
360
                                     $ison['message'] = 'Kontak berhasil diubah';
                                     echo json_encode($json);
                                     mysgli_close ($this -> connection);
                           } else {
                                     sistem = sistem size = sistem size = size 
                                     $json['message'] = 'Kontak gagal diubah';
                                     echo ison_encode($ison):
                                     mysqli_close ($this -> connection);
                          }
279
380
                 public function ubah_foto($id_dosen, $foto){
                           $query = "UPDATE dosen SET foto_dosen='$foto' WHERE id_dosen
382
                 ='$id_dosen'":
383
38/
                           $result = mysqli_query($this->connection, $query);
                           if ($this -> connection -> affected_rows > 0 && $result) {
386
                                     sistemath{ison['status'] = 200;
                                     $json['message'] = 'Foto berhasil diubah';
                                     echo ison_encode($ison);
389
                                     mysqli_close ($this -> connection);
                                     return true;
391
                          } else {
302
                                     sison['status'] = 400;
393
                                     $ison['message'] = 'Foto gagal diubah';
                                     echo json_encode($json);
                                     mysqli_close ($this -> connection);
206
                                     return false:
397
                          }
398
399
                 public function ubah_password($id_dosen, $password){
401
                           $query = "UPDATE user SET password='$password' WHERE id_user
402
                 ='$id_dosen'";
                           $result = mysqli_query($this->connection, $query);
404
405
                           if ($this -> connection -> affected_rows > 0 && $result) {
406
                                     407
                                     $ison['message'] = 'Password berhasil diubah';
                                     echo json_encode($json);
400
                                     mysqli_close ($this -> connection);
                           } else {
411
```

```
| $\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sq}}}}}}}}}}}} \sqrt{\sqrt{\sqrt{\sqrt{\sq}}}}}}}}}} \end{\sqrt{\sqnt{\sqrt{\sqrt{\sqrt{\sqrt{\sq}\sqrt{\sq}}}}}}}}} \end{\sqrt{\sqnt{\sq}}}}}}}} \end{\sqnt{\sqnt{\sq}}}}}}} \end{\sqnt{\sqnt{\si
```

WEB

4.1 Web

Source code web

```
16 If it is not set, then CodeIgniter will try guess the protocol and
  your installation, but due to security concerns the hostname will
    to $_SERVER['SERVER_ADDR'] if available, or localhost otherwise.
    The auto-detection mechanism exists only for convenience during
    development and MUST NOT be used in production!
    If you need to allow multiple domains, remember that this file is
       still
    a PHP script and you can easily do that on your own.
24
25 */
  $config['base_url'] = 'http://localhost/Maps/';
26
  /*
28
20
  Index File
30
31
32
    Typically this will be your index.php file, unless you've renamed
    something else. If you are using mod_rewrite to remove the page set
       this
    variable so that it is blank.
35
36
  */
37
  $config['index_page'] = 'index.php';
39
  /*
40
41
    URI PROTOCOL
42
43
44
    This item determines which server global should be used to retrieve
       the
    URI string. The default setting of 'REQUEST_URI' works for most
46
      servers.
47
    If your links do not seem to work, try one of the other delicious
      flavors:
48
    'REQUEST_URI'
                      Uses $_SERVER['REQUEST_URI']
49
    'OUERY_STRING'
                      Uses $_SERVER['QUERY_STRING']
50
    'PATH_INFO'
                      Uses $_SERVER['PATH_INFO']
    WARNING: If you set this to 'PATH_INFO', URIs will always be URL-
      decoded!
54
 $config['uri_protocol'] = 'REQUEST_URI';
56
57 /*
```

```
URL suffix
59
60
61
    This option allows you to add a suffix to all URLs generated by
62
      CodeIgniter.
    For more information please see the user guide:
63
    https://codeigniter.com/user_guide/general/urls.html
  */
66
  $config['url_suffix'] = '';
68
70
    Default Language
73
    This determines which set of language files should be used. Make
    there is an available translation if you intend to use something
       other
    than english.
76
77
78 */
  $config['language'] = 'english';
  /*
81
82
   Default Character Set
83
84
85
    This determines which character set is used by default in various
      methods
    that require a character set to be provided.
87
88
    See http://php.net/htmlspecialchars for a list of supported
89
       charsets.
90
  */
91
  $config['charset'] = 'UTF-8';
92
93
  /*
94
95
    Enable/Disable System Hooks
97
  If you would like to use the 'hooks' feature you must enable it by
```

```
setting this variable to TRUE (boolean). See the user guide for
       details.
101
  */
102
   $config['enable_hooks'] = FALSE;
105
   / *
106
     Class Extension Prefix
108
109
     This item allows you to set the filename/classname prefix when
       extending
     native libraries. For more information please see the user guide:
     https://codeigniter.com/user_guide/general/core_classes.html
     https://codeigniter.com/user_guide/general/creating_libraries.html
114
   */
116
   $config['subclass_prefix'] = 'MY_';
118
119
120
     Composer auto-loading
     Enabling this setting will tell CodeIgniter to look for a Composer
124
     package auto-loader script in application/vendor/autoload.php.
126
     $config['composer_autoload'] = TRUE;
128
     Or if you have your vendor/ directory located somewhere else, you
     can opt to set a specific path as well:
130
     $config['composer_autoload'] = '/path/to/vendor/autoload.php';
     For more information about Composer, please visit http://
134
       getcomposer.org/
     Note: This will NOT disable or override the CodeIgniter-specific
136
     autoloading (application/config/autoload.php)
138
   $config['composer_autoload'] = FALSE;
141
142
    Allowed URL Characters
144
```

```
This lets you specify which characters are permitted within your
       URLs.
     When someone tries to submit a URL with disallowed characters they
       will
     get a warning message.
     As a security measure you are STRONGLY encouraged to restrict URLs
150
       to
     as few characters as possible. By default only these are allowed:
       a-z = 0-9^{-}\%: _-
     Leave blank to allow all characters — but only if you are insane.
154
    The configured value is actually a regular expression character
     and it will be executed as: ! preg_match('/^[< permitted_uri_chars
156
       >1+$/i
    DO NOT CHANGE THIS UNLESS YOU FULLY UNDERSTAND THE REPERCUSSIONS!!
158
160
   config['permitted_uri_chars'] = 'a-z 0-9^{\%}.:_\-';
161
162
163
164
     Enable Query Strings
165
166
167
     By default CodeIgniter uses search-engine friendly segment based
168
     example.com/who/what/where/
169
     You can optionally enable standard query string based URLs:
     example.com?who=me&what=something&where=here
     Options are: TRUE or FALSE (boolean)
174
175
     The other items let you set the query string 'words' that will
     invoke your controllers and its functions:
     example.com/index.php?c=controller&m=function
178
179
     Please note that some of the helpers won't work as expected when
180
     this feature is enabled, since CodeIgniter is designed primarily to
181
     use segment based URLs.
182
   */
184
   $config['enable_query_strings'] = FALSE;
  $config['controller_trigger'] = 'c';
  $config['function_trigger'] = 'm';
   $config['directory_trigger'] = 'd';
188
189
  /*
190
191
```

```
| Allow $_GET array
193
10/
    By default CodeIgniter enables access to the $_GET array. If for
     reason you would like to disable it, set 'allow_get_array' to FALSE
106
    WARNING: This feature is DEPRECATED and currently available only
              for backwards compatibility purposes!
199
200
201
   $config['allow_get_array'] = TRUE;
202
204
205
    Error Logging Threshold
206
208
     You can enable error logging by setting a threshold over zero. The
209
     threshold determines what gets logged. Threshold options are:
     0 = Disables logging, Error logging TURNED OFF
     1 = Error Messages (including PHP errors)
     2 = Debug Messages
     3 = Informational Messages
     4 = A11 Messages
216
    You can also pass an array with threshold levels to show individual
218
        error types
       array(2) = Debug Messages, without Error Messages
220
     For a live site you'll usually only enable Errors (1) to be logged
       otherwise
     your log files will fill up very fast.
224
226
   config['log_threshold'] = 0;
  /*
228
229
230
   | Error Logging Directory Path
231
  Leave this BLANK unless you would like to set something other than
       the default
     application/logs/ directory. Use a full server path with trailing
       slash.
236 */
```

```
config['log_path'] = '';
238
  /*
239
240
   | Log File Extension
242
243
    The default filename extension for log files. The default 'php'
       allows for
     protecting the log files via basic scripting, when they are to be
245
       stored
     under a publicly accessible directory.
246
    Note: Leaving it blank will default to 'php'.
248
240
  */
250
   $config['log_file_extension'] = '';
251
  /*
254
   | Log File Permissions
    The file system permissions to be applied on newly created log
       files.
    IMPORTANT: This MUST be an integer (no quotes) and you MUST use
260
       octal
                 integer notation (i.e. 0700, 0644, etc.)
261
   */
   $config['log_file_permissions'] = 0644;
264
265
   Date Format for Logs
267
268
269
    Each item that is logged has an associated date. You can use PHP
       date
    codes to set your own date formatting
  */
   $config['log_date_format'] = 'Y-m-d H: i:s';
276
  /*
   | Error Views Directory Path
278
279
```

```
78 WEB
```

```
Leave this BLANK unless you would like to set something other than
       the default
    application/views/errors/ directory. Use a full server path with
282
       trailing slash.
284
  */
  $config['error_views_path'] = '';
287 /*
288
  | Cache Directory Path
290
291
  Leave this BLANK unless you would like to set something other than
202
       the default
    application/cache/ directory. Use a full server path with trailing
293
        slash.
294
  */
295
  $config['cache_path'] = '';
  /*
298
299
   | Cache Include Query String
302
303
     Whether to take the URL query string into consideration when
       generating
     output cache files. Valid options are:
304
305
    FALSE
                = Disabled
306
    TRUE
                = Enabled, take all query parameters into account.
307
                   Please be aware that this may result in numerous cache
                   files generated for the same page over and over again.
     array('q') = Enabled, but only take into account the specified list
                  of query parameters.
311
312
   $config['cache_query_string'] = FALSE;
316 /*
317
   | Encryption Key
319
320
    If you use the Encryption class, you must set an encryption key.
    See the user guide for more info.
  https://codeigniter.com/user_guide/libraries/encryption.html
324
```

```
325
326
  */
  $config['encryption_key'] = '';
329
  /*
330
     Session Variables
     'sess driver'
33/
    The storage driver to use: files, database, redis, memcached
336
     'sess_cookie_name'
338
    The session cookie name, must contain only [0-9a-z_-] characters
340
341
     'sess_expiration'
342
     The number of SECONDS you want the session to last.
344
     Setting to 0 (zero) means expire when the browser is closed.
345
     'sess_save_path'
347
348
     The location to save sessions to, driver dependent.
349
350
     For the 'files' driver, it's a path to a writable directory.
    WARNING: Only absolute paths are supported!
352
     For the 'database' driver, it's a table name.
354
     Please read up the manual for the format with other session drivers
356
    IMPORTANT: You are REQUIRED to set a valid save path!
358
     'sess_match_ip'
     Whether to match the user's IP address when reading the session
361
       data.
362
    WARNING: If you're using the database driver, don't forget to
363
              your session table's PRIMARY KEY when changing this
364
       setting.
365
     'sess_time_to_update'
367
    How many seconds between CI regenerating the session ID.
368
369
     'sess_regenerate_destroy'
     Whether to destroy session data associated with the old session ID
     when auto-regenerating the session ID. When set to FALSE, the data
     will be later deleted by the garbage collector.
374
```

```
Other session cookie settings are shared with the rest of the
376
       application,
     except for 'cookie_prefix' and 'cookie_httponly', which are ignored
        here.
378
370
  */
  $config['sess_driver'] = 'files';
380
   $config['sess_cookie_name'] = 'ci_session';
  $config['sess_expiration'] = 7200;
  $config['sess_save_path'] = NULL;
  $config['sess_match_ip'] = FALSE;
   $config['sess_time_to_update'] = 300;
   $config['sess_regenerate_destroy'] = FALSE;
387
  1 *
388
380
    Cookie Related Variables
390
392
     'cookie_prefix'
                        = Set a cookie name prefix if you need to avoid
303
       collisions
     'cookie_domain'
                        = Set to .your-domain.com for site-wide cookies
30/
     'cookie_path'
                        = Typically will be a forward slash
395
     'cookie_secure'
                        = Cookie will only be set if a secure HTTPS
396
       connection exists.
     'cookie_httponly' = Cookie will only be accessible via HTTP(S) (no
       javascript)
308
     Note: These settings (with the exception of 'cookie_prefix' and
           'cookie_httponly') will also affect sessions.
401
402
   */
                              = ';
  $config['cookie_prefix']
403
   $config['cookie_domain']
404
   $config['cookie_path']
                              = '/';
   $config['cookie_secure'] = FALSE;
   $config['cookie_httponly'] = FALSE;
408
409
     Standardize newlines
411
412
413
414
     Determines whether to standardize newline characters in input data,
     meaning to replace \r\n, \r, \n occurrences with the PHP_EOL value.
415
    WARNING: This feature is DEPRECATED and currently available only
417
              for backwards compatibility purposes!
419
  */
420
  $config['standardize_newlines'] = FALSE;
```

```
422
423
  /*
424
     Global XSS Filtering
427
     Determines whether the XSS filter is always active when GET, POST
    COOKIE data is encountered
429
430
431
    WARNING: This feature is DEPRECATED and currently available only
              for backwards compatibility purposes!
432
433
   $config['global_xss_filtering'] = FALSE;
436
437
438
   | Cross Site Request Forgery
440
     Enables a CSRF cookie token to be set. When set to TRUE, token will
    checked on a submitted form. If you are accepting user data, it is
442
       strongly
    recommended CSRF protection be enabled.
443
444
     'csrf_token_name' = The token name
     'csrf_cookie_name' = The cookie name
446
     'csrf_expire' = The number in seconds the token should expire.
     'csrf_regenerate' = Regenerate token on every submission
448
     'csrf_exclude_uris' = Array of URIs which ignore CSRF checks
  */
450
  $config['csrf_protection'] = FALSE;
451
  $config['csrf_token_name'] = 'csrf_test_name';
   $config['csrf_cookie_name'] = 'csrf_cookie_name';
  config['csrf_expire'] = 7200;
  $config['csrf_regenerate'] = TRUE;
   $config['csrf_exclude_uris'] = array();
  /*
458
459
   Output Compression
460
462
     Enables Gzip output compression for faster page loads.
463
       enabled,
     the output class will test whether your server supports Gzip.
    Even if it does, however, not all browsers support compression
   so enable only if you are reasonably sure your visitors can handle
       it.
```

```
467
     Only used if zlib.output_compression is turned off in your php.ini.
468
     Please do not use it together with httpd-level output compression.
469
470
    VERY IMPORTANT:
                       If you are getting a blank page when compression
       is enabled it
    means you are prematurely outputting something to your browser. It
472
       could
    even be a line of whitespace at the end of one of your scripts.
473
    compression to work, nothing can be sent before the output buffer
       is called
   by the output class. Do not 'echo' any values with compression
475
       enabled.
476
  */
477
   $config['compress_output'] = FALSE;
479
480
481
    Master Time Reference
482
483
484
     Options are 'local' or any PHP supported timezone. This preference
485
       tells
     the system whether to use your server's local time as the master'
186
       now '
     reference, or convert it to the configured one timezone. See the '
487
     helper' page of the user guide for information regarding date
488
       handling.
489
490
   */
   $config['time_reference'] = 'local';
401
492
   /*
493
     Rewrite PHP Short Tags
495
496
497
     If your PHP installation does not have short tag support enabled CI
498
     can rewrite the tags on-the-fly, enabling you to utilize that
499
       syntax
     in your view files. Options are TRUE or FALSE (boolean)
500
501
     Note: You need to have eval() enabled for this to work.
502
503
504
   $config['rewrite_short_tags'] = FALSE;
506
  /*
507
```

```
508
    Reverse Proxy IPs
509
510
    If your server is behind a reverse proxy, you must whitelist the
       proxv
    IP addresses from which CodeIgniter should trust headers such as
    HTTP_X_FORWARDED_FOR and HTTP_CLIENT_IP in order to properly
       identify
    the visitor's IP address.
515
516
    You can use both an array or a comma-separated list of proxy
       addresses.
    as well as specifying whole subnets. Here are a few examples:
    Comma-separated: '10.0.1.200,192.168.5.0/24'
520
               array('10.0.1.200', '192.168.5.0/24')
  */
  $config['proxy_ips'] = '';
  <?php
  defined ('BASEPATH') OR exit ('No direct script access allowed');
4 /*
    DATABASE CONNECTIVITY SETTINGS
    This file will contain the settings needed to access your database.
 Q
     For complete instructions please consult the 'Database Connection'
10
     page of the User Guide.
    EXPLANATION OF VARIABLES
14
16
    ['dsn']
                  The full DSN string describe a connection to the
       database.
     ['hostname'] The hostname of your database server.
18
     ['username'] The username used to connect to the database
     ['password'] The password used to connect to the database
20
     ['database'] The name of the database you want to connect to
     ['dbdriver'] The database driver. e.g.: mysqli.
         Currently supported:
24
            cubrid, ibase, mssql, mysql, mysqli, oci8,
            odbc, pdo, postgre, sqlite, sqlite3, sqlsrv
25
     ['dbprefix'] You can add an optional prefix, which will be added
26
            to the table name when using the Query Builder class
2.8
     ['pconnect'] TRUE/FALSE - Whether to use a persistent connection
     ['db_debug'] TRUE/FALSE - Whether database errors should be
29
       displayed.
    ['cache_on'] TRUE/FALSE - Enables/disables query caching
30
  ['cachedir'] The path to the folder where cache files should be
31
       stored
```

```
['char_set'] The character set used in communicating with the
      database
    ['dbcollat'] The character collation used in communicating with the
       database
           NOTE: For MySQL and MySQLi databases, this setting is only
34
      used
             as a backup if your server is running PHP < 5.2.3 or MySOL
35
       < 5.0.7
           (and in table creation queries made with DB Forge).
36
             There is an incompatibility in PHP with
       mysql_real_escape_string() which
             can make your site vulnerable to SQL injection if you are
38
      using a
             multi-byte character set and are running versions lower
39
      than these.
             Sites using Latin-1 or UTF-8 database character set and
40
       collation are unaffected.
    ['swap_pre'] A default table prefix that should be swapped with the
       dbprefix
                 Whether or not to use an encrypted connection.
    ['encrypt']
42.
43
        'mysql' (deprecated), 'sqlsrv' and 'pdo/sqlsrv' drivers accept
44
      TRUE/FALSE
         'mysqli' and 'pdo/mysql' drivers accept an array with the
       following options:
46
          'ssl_key'
                       - Path to the private key file
47
          'ssl_cert'
48
                       - Path to the public key certificate file
                       - Path to the certificate authority file
          'ssl_capath' - Path to a directory containing trusted CA
50
       certificates in PEM format
          'ssl_cipher' - List of *allowed* ciphers to be used for the
51
      encryption, separated by colons (':')
           ssl_verify' - TRUE/FALSE; Whether verify the server
       certificate or not
    ['compress'] Whether or not to use client compression (MySQL only)
54
    ['stricton'] TRUE/FALSE - forces 'Strict Mode' connections
                - good for ensuring strict SQL while developing
    ['ssl_options'] Used to set various SSL options that can be used
      when making SSL connections.
    ['failover'] array - A array with 0 or more data for connections if
58
       the main should fail.
    ['save_queries'] TRUE/FALSE - Whether to "save" all executed
      queries.
            NOTE: Disabling this will also effectively disable both
60
            $this ->db->last_query() and profiling of DB queries.
61
            When you run a query, with this setting set to TRUE (
62
       default),
            CodeIgniter will store the SQL statement for debugging
63
      purposes.
            However, this may cause high memory usage, especially if
64
      you run
            a lot of SQL queries ... disable this to avoid that problem
66
```

```
67 The $active_group variable lets you choose which connection group
      to
  make active. By default there is only one group (the 'default'
      group).
  The $query_builder variables lets you determine whether or not to
70
      load
71 | the query builder class.
  db4free.net:3306
73 */
$\frac{1}{2} \$active_group = 'default';
  $query_builder = TRUE;
76
  $db['default'] = array(
77
    'dsn' => '',
    'hostname' => 'localhost',
79
    'username' => 'root',
80
    'password' => '',
81
    'database' => 'actspoty2'.
82
    'dbdriver' => 'mysqli',
    'dbprefix' => '',
84
    'pconnect' => FALSE,
85
    'db_debug' => (ENVIRONMENT !== 'production'),
86
    'cache_on' => FALSE,
87
    'cachedir' => ''.
    'char_set' => 'utf8',
89
    'dbcollat' => 'utf8_general_ci',
90
    'swap_pre' => '',
91
    'encrypt' => FALSE,
    'compress' => FALSE,
93
    'stricton' => FALSE,
0.4
    'failover' => array(),
95
    'save_queries' => TRUE
96
97
  <?php
```

```
defined('BASEPATH') OR exit('No direct script access allowed');
  class c_kelola_user extends CI_Controller {
       function __construct(){
       parent:: __construct();
       $this -> load -> model('m_data_user');
       $this -> load -> helper('url');
       if ($this -> session -> userdata ('status') != "login") {
         redirect(site_url("c_login"));
    }
16
    public function index()
       $data['user'] = $this->m_data_user->tampil_data()->result();
18
19
20
       $this -> load -> view ('v_kelola_user', $data);
21
```

```
// start kelola prodi
24
25
    public function getProdi()
       $this -> output -> set_content_type ('application/json');
28
      $employee = $this -> m_data_user -> getprodiJSON();
29
30
      echo ison_encode($employee);
    }
    public function saveprodi()
34
       = \frac{\sinh -m_data_user -> saveprodi()}{}
       if ($input) {
         echo json_encode(['success' => true]);
      }else {
38
         echo json_encode(['Msg'=>'Some Error occured!.']);
40
    }
    public function updateprodi($id)
43
       $input = $this -> m_data_user -> updateprodi($id);
       if ($input) {
46
         echo json_encode(['success' => true]);
47
       }else {
48
40
         echo json_encode(['Msg'=>'Some Error occured!.']);
51
    public function destroyprodi()
       $id = $_REQUEST['id_prodi'];
54
       $input = $this -> m_data_user -> destroyprodi($id);
       if ($input) {
56
         echo json_encode(array('success'=>true));
      }else {
58
         echo json_encode(array('errorMsg'=>'Some errors occured.'));
    }
61
62
    //end kelola prodi
63
64
    // start kelola dosen
66
    public function getdosen()
67
68
       $this -> output -> set_content_type('application/json');
69
       $employee = $this -> m_data_user -> getdosenJSON();
      echo json_encode($employee);
    }
74
    public function savedosen()
75
       $input = $this -> m_data_user -> savedosen();
76
       if ($input) {
```

```
echo json_encode(['success' => true]);
78
       }else {
79
         echo json_encode(['Msg'=>'Some Error occured!.']);
80
81
     }
82
     public function updatedosen($id)
8.4
85
86
       $input = $this -> m_data_user -> updatedosen($id);
       if ($input) {
87
         echo json_encode(['success' => true]);
       }else {
80
         echo json_encode(['Msg'=>'Some Error occured!.']);
90
91
92
     public function destroydosen()
93
0.4
       $id = $_REQUEST['id_dosen'];
95
       $input = $this -> m_data_user -> destroydosen($id);
96
       if ($input) {
97
         echo json_encode(array('success'=>true));
       }else {
99
         echo json_encode(array('errorMsg'=>'Some errors occured.'));
100
101
     }
103
     //end kelola dosen
104
     // start kelola mahasiswa
107
     public function getmahasiswa()
108
       $this -> output -> set_content_type('application/json');
       $employee = $this -> m_data_user -> getmahasiswaJSON();
       echo json_encode ($employee);
     }
114
     public function savemahasiswa()
       $input = $this -> m_data_user -> savemahasiswa();
       if ($input) {
118
         echo json_encode(['success' => true]);
       }else {
120
         echo json_encode(['Msg'=>'Some Error occured!.']);
     }
124
     public function updatemahasiswa ($id)
       $input = $this -> m_data_user -> updatemahasiswa($id);
       if ($input) {
         echo json_encode(['success' => true]);
       }else {
130
         echo json_encode(['Msg'=>'Some Error occured!.']);
```

```
public function destroymahasiswa()
134
       $id = $_REQUEST['id_mahasiswa'];
136
       $input = $this -> m_data_user -> destroy mahasis wa ($id);
138
       if ($input) {
         echo json_encode(array('success'=>true));
       }else {
140
         echo json_encode(array('errorMsg'=>'Some errors occured.'));
142
     }
143
     //end kelola prodi
146
     // start kelola intern
     public function getintern()
149
150
       $this -> output -> set_content_type('application/json');
       $employee = $this -> m_data_user -> getinternJSON();
       echo json_encode ($employee);
     }
     public function saveintern()
156
       $input = $this -> m_data_user -> saveintern();
158
       if ($input) {
         echo json_encode(['success' => true]);
160
161
       }else {
         echo json_encode(['Msg'=>'Some Error occured!.']);
163
     }
164
     public function updateintern ($id)
166
       $input = $this -> m_data_user -> updateintern($id);
168
       if ($input) {
         echo json_encode(['success' => true]);
         echo json_encode(['Msg'=>'Some Error occured!.']);
     public function destroyintern()
176
       $id = $_REQUEST['id_intern'];
       $input = $this -> m_data_user -> destroyintern($id);
178
       if ($input) {
         echo json_encode(array('success'=>true));
180
       }else {
         echo json_encode(array('errorMsg'=>'Some errors occured.'));
183
     }
184
185
     // start kelola absensi
186
187
     public function getabsensi()
188
189
```

```
$this -> output -> set_content_type('application/json');
190
       $employee = $this -> m_data_user -> getabsensiJSON();
191
       echo json_encode ($employee);
192
194
     public function saveabsensi()
196
       $input = $this -> m_data_user -> saveabsensi();
197
198
       if ($input) {
         echo json_encode(['success' => true]);
       }else {
         echo json_encode(['Msg'=>'Some Error occured!.']);
201
202
203
     public function updateabsensi($id)
205
206
       $input = $this -> m_data_user -> updateabsensi($id);
207
       if ($input) {
208
         echo json_encode(['success' => true]);
       }else {
         echo json_encode(['Msg'=>'Some Error occured!.']);
     public function destroyabsensi()
       $id = $_REQUEST['id_absensi'];
       $input = $this -> m_data_user -> destroyabsensi($id);
       if ($input) {
         echo ison_encode(array('success'=>true));
219
       }else {
         echo json_encode(array('errorMsg'=>'Some errors occured.'));
224
     //end kelola absensi
226
     // start kelola trigger
     public function gettrigger_radius()
       $this -> output -> set_content_type('application/json');
230
       $employee = $this -> m_data_user -> gettrigger_radiusJSON();
       echo json_encode($employee);
     // end kelola trigger
234
     // start kelola user
236
       public function getCustomers()
238
       $this -> output -> set_content_type('application/json');
239
       $employee = $this -> m_data_user -> getCustomers();
240
       echo json_encode ($employee);
241
242
     public function getCustomerJSON()
243
       $this -> output -> set_content_type('application/json');
245
```

```
90 WEB
```

```
$data = $this -> m_data_user -> getCustomersJSON();
246
         echo ison_encode($data);
247
248
249
       public function saveCustomer()
       $input = $this -> m_data_user -> saveCustomer();
252
       if ($input) {
         echo ison_encode(['success' => true]);
       }else {
         echo json_encode(['Msg'=>'Some Error occured!.']);
257
258
       public function updateCustomer($id)
261
       $input = $this -> m_data_user -> updateCustomer($id);
262
       if ($input) {
263
         echo json_encode(['success' => true]);
264
       }else {
         echo json_encode(['Msg'=>'Some Error occured!.']);
266
267
268
     public function destroyCustomer()
269
270
       $id = intval($_REQUEST['id_user']);
       $input = $this -> m_data_user -> destroyCustomer($id);
       if ($input) {
         echo json_encode(array('success'=>true));
       }else {
275
         echo json_encode(array('errorMsg'=>'Some errors occured.'));
     }
278
279
280
281
```

```
<?php
  class c_login extends CI_Controller{
4
    function __construct(){
       parent:: __construct();
       $this -> load -> model('m_login');
    }
10
    function index(){
14
       $this -> load -> view ('login');
15
    }
18
19
    function aksi_login(){
```

```
$username = $this ->input ->post('username');
2.0
      $password = $this ->input ->post('password');
      $where = array(
         'username' => $username,
         'password' => $password
        );
      $cek = $this->m_login->cek_login("user",$where)->num_rows();
26
      $cekstatus = $this -> m_login -> cek_login ("user", $where) -> row_array
       ();
      if(scek > 0)
         if ($cekstatus['status_user'] == "aktif") {
30
           if($cekstatus['role_user'] == "admin"){
31
             $data_session = arrav(
               'nama' => $username,
               'id' => $cekstatus['id_user'],
               'statusakun' => $cekstatus['status_user'],
               'status' => "login"
36
             $this -> session -> set_userdata ($data_session);
             redirect(site_url("dashboard"));
40
           } else if($cekstatus['role_user'] == "dosen"){
             $data_session = array(
               'nama' => $username,
               'id' => $cekstatus['id_user'],
               'statusakun' => $cekstatus['status_user'],
45
               'status' => "login"
             $this -> session -> set_userdata($data_session);
48
             redirect(site_url("dashboard/viewdosen"));
50
           }
        }
        else {
          echo 'akun anda tidak aktif';
      else if (scek == 0)
        echo "Akun tidak ada !";
      } else {
58
        echo "Username dan password salah!";
60
    }
61
    function logout(){
63
      $this -> session -> sess_destroy();
64
      redirect(site_url('c_login'));
    }
67
```

src/web/controllers/cregister.php

```
1 <?php
2 defined('BASEPATH') OR exit('No direct script access allowed');
3
4 class dashboard extends CI_Controller {
5 function __construct(){</pre>
```

```
parent:: __construct();
       $this -> load -> library ('pdf');
       $this -> load -> model ('m_data_peta');
       $this -> load -> model ('m_data_user');
       $this -> load -> helper('url');
10
       if ($this -> session -> userdata ('status') != "login"){
         redirect(site_url("c_login"));
14
    }
    public function index()
18
19
       $data['data_prodi'] = $this->m_data_user->getprodidropdownn()->
20
       result():
       $data['totaldosen'] = $this->m_data_user->getjumlahdosenJSON();
       $\data['totaldoseninternal'] = \$\this -> m_\data_\user->
       getiumlahdoseninternalJSON():
       $data['gettahunangkatan'] = $this->m_data_user->gettahunangkatan
       ()->result():
       $\data['totalmahasiswa2015'] = $\this -> m_data_user ->
24
       getjumlahmahasiswa2015();
       $\data['totalmahasiswa2016'] = $\this -> m_data_user ->
       getjumlahmahasiswa2016();
       $data['totalmahasiswa2017'] = $this->m_data_user->
26
       getiumlahmahasiswa2017();
       $data['totalmahasiswa'] = $this->m_data_user->
       getiumlahmahasiswaJSON():
       $\data['totallokasiinternship'] = $\this -> m_data_user ->
2.8
       getjumlahlokasiinternshipJSON();
       $data['totaluser'] = $this -> m_data_user -> getjumlahuserJSON();
29
       $data['data_mahasiswa'] = $this->m_data_user->getdata_mahasiswa()
30
      \rightarrowresult();
       $data['data_dosen'] = $this->m_data_user->getdata_dosen()->result
       ();
       $data['data_user'] = $this->m_data_user->getdata_user()->result()
       $data['data_intern'] = $this->m_data_user->getintern()->result();
34
       $this -> load -> view ('index', $data);
36
    }
    function perorang(){
30
       //$x['data']=$this->m_grafik->get_data_stok();
40
       $id = $this ->input ->post('npmmahasiswa');
41
       x[']an'] = this \rightarrow m_data_user \rightarrow get_data_jan(sid);
       x['feb'] = this \rightarrow m_data_user \rightarrow get_data_feb(sid);
       $x['mar']=$this->m_data_user->get_data_mar($id);
44
       x['apr'] = this \rightarrow m_data_user \rightarrow get_data_apr(sid);
       $x['may']=$this->m_data_user->get_data_may($id);
46
       $x['jun']=$this->m_data_user->get_data_june($id);
       $x['jul']=$this->m_data_user->get_data_july($id);
48
       $x['aug']=$this->m_data_user->get_data_aug($id);
49
       x['sep'] = this \rightarrow m_data\_user \rightarrow get_data\_sep(sid);
50
```

```
x['oct'] = this \rightarrow m_data_user \rightarrow get_data_oct(sid);
51
       x['nov'] = this \rightarrow m_data_user \rightarrow get_data_nov(sid);
       x['dec'] = this \rightarrow m_data_user \rightarrow get_data_dec(tid);
       \frac{\text{sthis}}{\text{oad}} = \text{view}(\text{'v_grafik'}, x);
5.4
     }
55
     function viewdosen(){
       $data['data_prodi'] = $this->m_data_user->getprodidropdownn()->
58
       result();
       $data['totaldosen'] = $this->m_data_user->getjumlahdosenJSON();
       $data['totaldoseninternal'] = $this->m_data_user->
       getjumlahdoseninternalJSON();
       $data['gettahunangkatan'] = $this->m_data_user->gettahunangkatan
61
       ()->result():
       $\data['totalmahasiswa2015'] = $\this -> m_data_user ->
       getjumlahmahasiswa2015();
       $\data['totalmahasiswa2016'] = \$\this -> m_\data_\user ->
       getjumlahmahasiswa2016();
       $\data['totalmahasiswa2017'] = $\this -> m_data_user ->
64
       getjumlahmahasiswa2017();
       $data['totalmahasiswa'] = $this->m_data_user->
       getjumlahmahasiswaJSON();
       $data['totallokasiinternship'] = $this->m_data_user->
66
       getjumlahlokasiinternshipJSON();
       $data['totaluser'] = $this->m_data_user->getjumlahuserJSON();
67
       $data['data_mahasiswa'] = $this->m_data_user->getdata_mahasiswa()
68
      \rightarrowresult():
60
       $data['data_dosen'] = $this->m_data_user->getdata_dosen()->result
       ():
       $data['data_user'] = $this->m_data_user->getdata_user()->result()
70
       $data['data_intern'] = $this->m_data_user->getintern()->result();
       $this -> load -> view ('dosen', $data);
     }
74
     /// start kelola halaman dosen
76
     // start kelola profile dosen
78
80
     public function getprofiledosen()
81
82
     {
       $this -> output -> set_content_type ('application/json');
84
       $id_pengguna = $this->session->userdata("id");
85
       $employee = $this -> m_data_user -> getprofiledosenJSON($id_pengguna)
86
       echo json_encode($employee);
87
88
89
     public function updateprofiledosen ($id)
90
91
       $input = $this -> m_data_user -> updatprofiledosentabledosen($id);
92
       $input2 = $this -> m_data_user -> updatprofiledosentableuser($id);
93
       if ($input) {
94
```

```
echo json_encode(['success' => true]);
95
       }else {
06
         echo json_encode(['Msg'=>'Some Error occured!.']);
97
0.8
     }
     //end kelola profile dosen
101
102
     // start view dosen mahasiswa
103
     public function getdosenmahasiswa()
106
107
       $this -> output -> set_content_type ('application/json');
108
       $id_pengguna = $this -> session -> userdata("id");
       $employee = $this->m_data_user->getdosenmahasiswa($id_pengguna);
       echo ison_encode($employee);
     }
     //end view dosen mahasiswa
114
     // start kelola dosen intern
     public function getdosenintern()
118
119
       $this -> output -> set_content_type ('application/json');
       $id_pengguna = $this->session->userdata("id");
       $employee = $this -> m_data_user -> getdoseninternJSON($id_pengguna);
       echo json_encode ($employee);
124
     }
     public function updatedosenintern ($id)
126
128
       $input = $this -> m_data_user -> updatedosenintern($id);
       if ($input) {
         echo json_encode(['success' => true]);
130
       }else {
         echo json_encode(['Msg'=>'Some Error occured!.']);
     }
134
     // end kelola dosen intern
136
     //end kelola halaman dosen
138
139
     // start kelola absensi halaman dosen
140
     public function getabsensimahasiswahalamandosenJSON()
       $this -> output -> set_content_type('application/json');
144
       $id_pengguna = $this -> session -> userdata("id");
       $employee = $this -> m_data_user ->
146
       getabsensimahasiswahalamandosenJSON ($id_pengguna);
       echo json_encode($employee);
147
148
149
```

```
public function getmahasiswauntukdosenJSON()
150
       $this -> output -> set_content_type ('application/json');
       $id_pengguna = $this->session->userdata("id");
       $data = $this -> m_data_user -> getmahasis wauntuk dosen JSON (
154
       $id_pengguna);
         echo ison_encode($data);
156
     //end kelola absensi halaman dosen
158
     public function buatpdfprodi(){
            pdf = new FPDF('1', 'mm', 'A5');
160
       // membuat halaman baru
161
       date_default_timezone_set('US/Eastern'):
162
       $currentdate = date("m-d-Y");
163
           $pdf->AddPage();
            // setting jenis font yang akan digunakan
166
           $pdf->SetFont('Arial', 'B', 16);
167
            // mencetak string
           $pdf->Cell(190,7,'Laporan Daftar Prodi',0,1,'C');
            $pdf->SetFont('Arial','B',12);
            $pdf->Cell(190,7,$currentdate,0,1,'C');
            // Memberikan space kebawah agar tidak terlalu rapat
            pdf \rightarrow Cell(10,7,'',0,1);
            $pdf->SetFont('Arial','B',10);
174
            $pdf->Cell(20,6,'ID Prodi',1,0);
176
            $pdf->Cell(85,6,'Nama Prodi',1,1);
            $pdf->SetFont('Arial','',10);
            $mahasiswa = $this ->db->get('prodi')->result();
178
            foreach ($mahasiswa as $row){
                pdf \rightarrow Cell(20,6, row \rightarrow id_prodi, 1, 0);
180
                pdf - Cell(85, 6, row - nama_prodi, 1, 1);
181
            $pdf->Output();
183
     }
185
     public function buatpdfuser(){
186
            pdf = new FPDF('1', 'mm', 'A5');
       // membuat halaman baru
188
       date_default_timezone_set('US/Eastern');
189
       $currentdate = date("m-d-Y");
190
           $pdf->AddPage();
            // setting jenis font yang akan digunakan
           $pdf->SetFont('Arial', 'B', 16);
            // mencetak string
            $pdf->Cell(190,7,'Laporan Daftar user',0,1,'C');
            $pdf->SetFont('Arial', 'B', 12);
            $pdf->Cell(190,7,$currentdate,0,1,'C');
198
            // Memberikan space kebawah agar tidak terlalu rapat
           $pdf->Cell(10,7,'',0,1);
2.00
            $pdf->SetFont('Arial','B',10);
            pdf \rightarrow Cell(20,6,'ID user',1,0);
202
       pdf \rightarrow Cell(25,6,'Username',1,0);
203
       $pdf->Cell (25,6, 'Password', 1,0);
```

```
$pdf->Cell(25,6,'Status',1,0);
205
        pdf \rightarrow Cell(25,6, 'Role', 1, 1);
206
             $pdf->SetFont('Arial','',10);
207
             $mahasiswa = $this ->db->get('user')->result();
208
             foreach ($mahasiswa as $row){
                  pdf \rightarrow Cell(20,6,srow \rightarrow id_user,1,0);
           pdf \rightarrow Cell(25, 6, row \rightarrow username, 1, 0);
           pdf \rightarrow Cell(25,6, row \rightarrow password, 1, 0);
           $pdf->Cell (25,6,$row->status_user,1,0);
           pdf \rightarrow Cell(25,6, row \rightarrow role_user, 1, 1);
             $pdf->Output();
216
     }
218
     public function buatpdfdosen(){
             pdf = new FPDF('1', 'mm', 'A5');
        // membuat halaman baru
        date_default_timezone_set('US/Eastern');
        $currentdate = date("m-d-Y"):
224
             $pdf->AddPage();
             // setting jenis font yang akan digunakan
226
             $pdf->SetFont('Arial','B',16);
             // mencetak string
             pdf \rightarrow Cell(190,7, 'Laporan Daftar dosen', 0, 1, 'C');
             $pdf->SetFont('Arial','B',12);
             $pdf->Cell(190,7,$currentdate,0,1,'C');
             // Memberikan space kebawah agar tidak terlalu rapat
             pdf \rightarrow Cell(10,7,'',0,1);
             $pdf->SetFont('Arial', 'B', 10);
        pdf \rightarrow Cell(20,6,'ID Dosen',1,0);
        pdf \rightarrow Cell(70,6,'Nama Dosen',1,0);
236
        $pdf->Cell(15,6,'Prodi',1,0);
        \#$pdf\rightarrowCell (70,6,'Foto',1,0);
        $pdf->Cell(25,6,'Status',1,1);
239
             $pdf->SetFont('Arial','',10);
             $mahasiswa = $this ->db->get('dosen')->result();
241
             foreach ($mahasiswa as $row){
242
           pdf \rightarrow Cell(20,6, row \rightarrow id_dosen, 1, 0);
           pdf \rightarrow Cell(70,6, row \rightarrow nama_dosen, 1, 0);
244
           $pdf->Cell(15,6,$row->id_prodi_dosen,1,0);
          \#\# pdf \rightarrow Cell (70,6, row \rightarrow foto\_dosen, 1, 0);
246
           pdf \rightarrow Cell(25,6,srow \rightarrow status,1,1);
247
             $pdf->Output();
249
     }
2.50
     public function buatpdfmahasiswa(){
             pdf = new FPDF('1', 'mm', 'A5');
        // membuat halaman baru
254
        date_default_timezone_set('US/Eastern');
        $currentdate = date("m-d-Y");
256
             $pdf->AddPage();
2.58
             // setting jenis font yang akan digunakan
             $pdf->SetFont('Arial', 'B', 16);
260
```

```
// mencetak string
            $pdf->Cell(190,7,'Laporan Daftar mahasiswa',0,1,'C');
262
            $pdf->SetFont('Arial', 'B', 12);
263
            $pdf->Cell(190,7,$currentdate,0,1,'C');
264
            // Memberikan space kebawah agar tidak terlalu rapat
265
            pdf \rightarrow Cell(10,7,'',0,1);
            $pdf->SetFont('Arial', 'B', 10);
267
       pdf \rightarrow Cell(30,6,'ID mahasiswa',1,0);
268
       $pdf->Cell (40,6, 'Nama', 1,0);
2.69
       pdf \rightarrow Cell(15,6,'Kelas',1,0);
       $pdf->Cell(15,6,'Prodi',1,0);
       \#$pdf->Cell(20,6,'Foto',1,0);
       pdf \rightarrow Cell(25,6, 'Angkatan', 1, 1);
            $pdf->SetFont('Arial','',10);
            $mahasiswa = $this ->db->get('mahasiswa')->result();
            foreach ($mahasiswa as $row){
278
          $pdf->Cell (30,6,$row->id_mahasiswa,1,0);
          pdf \rightarrow Cell(40,6, row \rightarrow nama_mahasiswa, 1, 0);
          #$pdf->Cell(20,6,$row->foto_mahasiswa,1,0);
          pdf \rightarrow Cell (15,6, row \rightarrow kelas_mahasiswa, 1, 0);
282
          $pdf->Cell(15,6,$row->id_prodi_mahasiswa,1,0);
283
          pdf \rightarrow Cell(25,6, row \rightarrow angkatan_mahasiswa,1,1);
285
            $pdf->Output();
286
     }
287
288
     public function buatpdfintern(){
            pdf = new FPDF('1', 'mm', 'A5');
2.90
       // membuat halaman baru
291
       date_default_timezone_set('US/Eastern');
       $currentdate = date("m-d-Y");
293
            $pdf->AddPage();
295
            // setting jenis font yang akan digunakan
            $pdf->SetFont('Arial','B',16);
            // mencetak string
298
            $pdf->Cell(190,7,'Laporan Daftar intern',0,1,'C');
            $pdf->SetFont('Arial', 'B', 12);
            $pdf->Cell(190,7,$currentdate,0,1,'C');
301
            // Memberikan space kebawah agar tidak terlalu rapat
302
            pdf \rightarrow Cell(10,7,'',0,1);
303
            $pdf->SetFont('Arial', 'B', 10);
       pdf \rightarrow Cell(20,6,'ID Intern',1,0);
305
       pdf \rightarrow Cell(25,6,'ID Koor Intern',1,0);
306
       $pdf->Cell(20,6,'Status',1,0);
307
       $pdf->Cell(40,6, 'Tanggal Mulai',1,0);
308
       $pdf->Cell(40,6,'Tanggal Berakhir',1,1);
            $pdf->SetFont('Arial','',10);
            $mahasiswa = $this ->db->get('intern')->result();
            foreach ($mahasiswa as $row){
          $pdf->Cell(20,6,$row->id_intern,1,0);
          $pdf->Cell(25,6,$row->id_koor_intern,1,0);
314
          $pdf->Cell(20,6,$row->status_intern,1,0);
          $pdf->Cell (40,6,$row->tgl_mulai_intern,1,0);
```

```
pdf \rightarrow Cell(40,6,srow \rightarrow tgl_akhir_intern,1,1);
317
318
            $pdf->Output();
     }
     public function getaddress ($lat,$lng)
324
       #hapus pagar pada lat dan lng kemudian ubah return jadi echo
       #$1at = "-6.873656":
326
       \#$lng = "107.575550";
       $url = 'https://us1.locationiq.com/v1/reverse.php?key=1
328
       e2358be8ca540&lat='.$lat.'&lon='.$lng.'&format=json';
       $ison = @file_get_contents($url);
330
       $data=ison_decode($ison, true);
       $status = $data['display_name'];
       if (isset ($status))
334
       return $status;
       }
226
       e1se
338
       return false;
340
341
342
343
     public function buatpdfabsensi(){
            $pdf = new FPDF('1', 'mm', 'A3');
345
       // membuat halaman baru
       date_default_timezone_set('US/Eastern');
3/16
       $currentdate = date("m-d-Y");
347
348
            $pdf->AddPage();
            // setting jenis font yang akan digunakan
350
            $pdf->SetFont('Arial','B',16);
            // mencetak string
352
            $pdf->Cell(190,7,'Laporan Daftar absensi',0,1,'C');
            $pdf->SetFont('Arial', 'B', 12);
            $pdf->Cell(190,7,$currentdate,0,1,'C');
            // Memberikan space kebawah agar tidak terlalu rapat
            pdf \rightarrow Cell(10,7,'',0,1);
358
            $pdf->SetFont('Arial','B',10);
       $pdf->Cell(15,6,'Absensi',1,0);
       $pdf->Cell(15,6,'Intern',1,0);
360
       $pdf->Cell(20,6, 'Mahasiswa',1,0);
361
       pdf \rightarrow Cell(20,6,'Dosen',1,0);
362
       $pdf->Cell(140,6,'Lokasi',1,0);
363
       #$pdf->Cell (45,6, 'Longitude', 1,0);
       $pdf->Cell(20,6,'Jarak',1,0);
365
       pdf \rightarrow Cell(25,6, 'Tanggal', 1, 0);
366
       $pdf->Cell(20,6, 'Kegiatan',1,0);
367
       pdf \rightarrow Cell(25,6,'IMEI',1,1);
       $pdf->SetFont('Arial','',10);
369
       this \rightarrow db \rightarrow distinct();
```

```
$this ->db->select('a.id_absensi,a.id_intern_absensi,a.
       id_mahasiswa_absensi,a.id_dosen_absensi,
       a.latitude_absensi ,a.longitude_absensi ,a.tgl_waktu_absensi ,a.
       imei_perangkat_absensi,a.kegiatan_absensi
        ,b.pergeseran_absensi ');
       $this ->db->from('absensi a'):
       $this->db->join('detail_absensi b', 'b.id_mahasiswa_dt_absensi=a.
       id_mahasiswa_absensi', 'inner');
       $mahasiswa = $this->db->get('absensi')->result();
            foreach ($mahasiswa as $row){
          pdf \rightarrow Cell(15, 6, row \rightarrow id_absensi, 1, 0);
380
          $pdf->Cell(15,6,$row->id_intern_absensi,1,0);
381
          pdf \rightarrow Cell(20,6,srow \rightarrow id_mahasiswa_absensi,1,0);
          $pdf->Cell(20,6,$row->id_dosen_absensi,1,0);
          $lat =\frow->latitude_absensi;
384
          $long = $row->longitude_absensi;
385
          $pdf->Cell(140,6,$this->getaddress($lat,$long),1,0);
          $pdf->Cell(20,6,$this->getstatusjarak($row->pergeseran_absensi)
387
        .1.0):
          pdf \rightarrow Cell(25,6, row \rightarrow tgl_waktu_absensi, 1, 0);
388
          $pdf->Cell (20,6,$row->kegiatan_absensi,1,0);
380
          $pdf->Cell(25,6,$row->imei_perangkat_absensi,1,1);
301
            $pdf->Output();
392
     }
393
30/
     public function getstatusjarak ($pergeseran_absensi){
       if ($pergeseran_absensi > 20){
396
          return 'out spot';
307
         else {
          return 'on the spot';
     }
401
402
     function buatlaporangrafik ($id) {
403
            x['data'] = this \rightarrow m_data_user \rightarrow get_data_stok(sid);
            $this -> load -> view ('chart_view', $x);
406
407
408
   <?php
```

```
1 <?php
2
3 class M_data_peta extends CI_Model{
4  function tampil_data(){
5  return $this->db->get('absensi');
6  }
7 }
```

```
1 <?php
2
3 class m_data_user extends CI_Model{
4
5 function __construct()</pre>
```

```
100
```

8

10

14

18

19

24

25 26

28 29 30

31

38

45 46

47 48

50

52.

53

55 56

57 58

59 60

61

WEB

```
parent:: __construct();
      $this -> load -> database()
}
  function tampil_data(){
  return $this -> db->get('user');
  // get all data mahasiswa
  public function getdata_mahasiswa(){
      return $this -> db->get('mahasiswa');
  }
  // get data intern
  public function getintern(){
      $this ->db->where ('status_intern', 'berjalan');
      return $this -> db->get('intern');
  // get all data dosen
  public function getdata_dosen(){
      return $this -> db->get('dosen');
  public function getdata_user(){
      return $this -> db->get('user');
  }
  // get jumlah dosen eksternal
  public function getjumlahdosenJSON(){
      $this ->db->where('status','eksternal');
      return $this ->db->get('dosen')->num_rows();
  }
  // get jumlah dosen internal
  public function getjumlahdoseninternalJSON(){
      $this ->db->where('status','internal');
      return $this -> db->get('dosen')->num_rows();
  // get jumlah dosen
  public function gettahunangkatan(){
```

```
$this ->db->select('angkatan_mahasiswa');
    $this ->db->distinct():
    $this ->db->order_by ("angkatan_mahasiswa", "asc");
    return $this -> db->get('mahasiswa');
}
// get jumlah mahasiswa 2015
public function getjumlahmahasiswa2015(){
    $this ->db->where ('angkatan_mahasiswa', '2015');
    return $this -> db->get('mahasiswa')->num_rows();
// get jumlah mahasiswa
// get jumlah mahasiswa 2016
public function getjumlahmahasiswa2016(){
    $this ->db->where ('angkatan_mahasiswa', '2016');
    return $this -> db->get('mahasiswa')->num_rows();
// get jumlah mahasiswa
// get jumlah mahasiswa 2017
public function getjumlahmahasiswa2017(){
    $this ->db->where ('angkatan_mahasiswa', '2017');
    return $this -> db->get('mahasiswa')->num_rows();
// get jumlah mahasiswa
// get jumlah mahasiswa
public function getjumlahmahasiswaJSON(){
    $query = $this -> db->get('mahasiswa');
    if (query \rightarrow num_rows() > 0)
    {
    return $query->num_rows();
    }
    else
    return 0;
// get jumlah mahasiswa
// get jumlah intern
public function getjumlahlokasiinternshipJSON(){
    query = \frac{\sinh - db}{\gcd ('intern')};
    if ( query \rightarrow num_rows () > 0)
```

62

63

64

68 69

70

74

78

79

80 81

82

84

86 87

88 89

91 92

93 94

95 96

07

98

101

104

106

108

114

116

```
return $query->num_rows();
118
110
            else
120
            return 0:
124
       //get iumlah intern
126
       // get jumlah user
       public function getjumlahuserJSON(){
            $this ->db->where ('status_user', 'aktif');
120
130
            if (query \rightarrow num_rows() > 0)
            {
            return $query->num_rows();
            }
            else
136
            return 0;
120
139
       // get jumlah user
140
       public function getCustomers()
142
       $page = isset($_POST['page']) ? intval($_POST['page']) : 1;
144
            $rows = isset($_POST['rows']) ? intval($_POST['rows']) : 50;
            $sort = isset($_POST['sort']) ? strval($_POST['sort']) :
        user.id_user';
            $order = isset($_POST['order']) ? strval($_POST['order']) : '
147
       asc':
            $search = isset($_POST['search_customer']) ? strval($_POST['
148
        search_customer']) : '';
            formula = (page -1) * rows;
149
150
            $result = array();
            \{\text{result}['\text{total'}] = \{\text{this} \rightarrow \text{db} \rightarrow \text{get}('\text{user'}) \rightarrow \text{num\_rows}()\}
            row = array();
154
            // select data from table product
            $query = "SELECT *
156
                from user
                where concat(id_user, username, password, status_user,
        role_user) like '% $search%' order by $sort $order limit $offset,
        $rows";
            $country = $this->db->query($query)->result_array();
160
            $result = array_merge($result, ['rows' => $country]);
161
            return $result;
162
       }
163
       public function getCustomersJSON(){
165
166
167
            $query = $this -> db->get('absensi');
```

```
169
            // Return associative data array
170
            return $query->result_array();
       //start prodi
176
       public function getprodiJSON(){
            $page = isset($_POST['page']) ? intval($_POST['page']) : 1;
180
            $rows = isset($_POST['rows']) ? intval($_POST['rows']) : 50;
181
            $sort = isset($_POST['sort']) ? strval($_POST['sort']) :
182
        prodi.id_prodi';
            $order = isset($_POST['order']) ? strval($_POST['order']) : '
       asc';
            $search = isset($_POST['search_prodi']) ? strval($_POST['
184
        search_prodi']) : '';
            fiset = (page - 1) * rows;
185
196
            $result = array();
187
            $result['total'] = $this->db->get('prodi')->num_rows();
188
            row = array();
190
            // select data from table product
            $query = "SELECT *
192
103
                from prodi
                where concat(id_prodi,'', nama_prodi)
                                                          like '%$search%'
        order by $sort $order limit $offset, $rows";
105
            $country = $this -> db->query ($query) -> result_array ();
196
            $result = array_merge($result, ['rows' => $country]);
197
            return $result;
198
199
       public function saveprodi()
200
201
            data = [
202
                'id_prodi' => $this -> input -> post('id_prodi'),
                'nama_prodi' => $this -> input -> post('nama_prodi'),
204
205
            $this ->db->insert('prodi', $data);
206
            return $this;
207
209
       public function updateprodi($id)
            $data =
                'nama_prodi' => $this -> input -> post('nama_prodi'),
214
            ];
            this \rightarrow db \rightarrow where('id_prodi', sid);
218
            this \rightarrow db \rightarrow set(sdata);
            return $this ->db->update('prodi');
220
```

```
}
        public function destroyprodi($id_prodi)
            $this ->db->where ('id_prodi', $id_prodi);
225
            return $this ->db->delete('prodi'):
            // return $this ->db->delete ($this ->table, ['id' => $id]);
        }
228
        //end prodi
        // start dosen
        public function getdosenJSON(){
234
236
            $page = isset($_POST['page']) ? intval($_POST['page']) : 1;
            $rows = isset($_POST['rows']) ? intval($_POST['rows']) : 50;
238
            $sort = isset($_POST['sort']) ? strval($_POST['sort']) :
239
        dosen.id_dosen';
            $order = isset($_POST['order']) ? strval($_POST['order']) : '
240
        asc';
            $search = isset($_POST['search_dosen']) ? strval($_POST['
241
        search_dosen']) : '';
            fiset = (page - 1) * rows;
242
243
            $result = array();
244
            \{\text{result}[', \text{total}'] = \{\text{this} \rightarrow \text{db} \rightarrow \text{get}(', \text{dosen}') \rightarrow \text{num\_rows}()\}
245
            som = array();
247
            // select data from table product
248
            $query = "SELECT *
                 from dosen
250
                 where concat(id_dosen, nama_dosen, id_prodi_dosen,
        foto-dosen, status) like '% $search%' order by $sort $order limit
        $offset , $rows";
            $country = $this ->db->query ($query )->result_array ();
            $result = array_merge($result, ['rows' => $country]);
            return $result;
256
        public function savedosen()
258
            data = [
                 'id_dosen' => $this -> input -> post('id_dosen'),
260
                 'nama_dosen' => $this -> input -> post('nama_dosen'),
261
                 'id_prodi_dosen' => $this ->input ->post('id_prodi_dosen'),
2.62
                 'foto_dosen' => $this -> input -> post('foto_dosen'),
263
                 'status' => $this -> input -> post('status'),
265
            ];
            $this ->db->insert('dosen',$data);
266
            return $this;
2.67
        }
268
2.69
        public function updatedosen ($id)
```

```
$data =
                'nama_dosen' => $this -> input -> post('nama_dosen'),
274
                'id_prodi_dosen' => $this -> input -> post('id_prodi_dosen'),
                'foto_dosen' => $this -> input -> post('foto_dosen'),
                'status' => $this -> input -> post('status'),
278
           1;
            $this ->db->where ('id_dosen', $id);
           this \rightarrow db \rightarrow set(sdata);
           return $this ->db->update('dosen');
283
284
       }
285
       public function destroydosen ($id_dosen)
           $this ->db->where ('id_dosen', $id_dosen);
288
           return $this ->db->delete ('dosen');
289
           // return $this ->db->delete ($this ->table .['id' => $id]);
       }
291
202
       //end_dosen
293
204
       // start mahasiswa
       public function getmahasiswaJSON(){
296
297
298
           $page = isset($_POST['page']) ? intval($_POST['page']) : 1;
200
           $rows = isset($_POST['rows']) ? intval($_POST['rows']) : 50;
           $sort = isset($_POST['sort']) ? strval($_POST['sort']) :
301
       mahasiswa.id_mahasiswa';
           $order = isset($_POST['order']) ? strval($_POST['order']) : '
302
       asc':
            $search = isset($_POST['search_mahasiswa']) ? strval($_POST['
303
       search_mahasiswa']) : '';
           fiset = (page - 1) * rows;
304
305
            $result = array();
            $result['total'] = $this->db->get('mahasiswa')->num_rows();
           $row = array();
200
309
           // select data from table product
           $query = "SELECT *
311
                from mahasiswa
                where concat(id_mahasiswa, nama_mahasiswa, kelas_mahasiswa,
       id_prodi_mahasiswa, angkatan_mahasiswa, foto_mahasiswa) like '%
       $search%' order by $sort $order limit $offset, $rows";
            $country = $this ->db->query($query)->result_array();
           $result = array_merge($result, ['rows' => $country]);
           return $result:
318
       public function savemahasiswa()
           data = [
                'id_mahasiswa' => $this -> input -> post('id_mahasiswa'),
```

```
'nama_mahasiswa' => $this ->input ->post('nama_mahasiswa'),
                'kelas_mahasiswa' => $this->input->post('kelas_mahasiswa'
324
       ),
                'id_prodi_mahasiswa' => $this ->input ->post('
325
       id_prodi_mahasiswa'),
                'angkatan_mahasiswa' => $this ->input ->post('
       angkatan_mahasiswa'),
                'foto_mahasiswa' => $this ->input ->post('foto_mahasiswa'),
            $this ->db->insert ('mahasiswa', $data);
            return $this;
       }
       public function updatemahasiswa ($id)
            data = [
336
                'nama_mahasiswa' => $this -> input -> post ('nama_mahasiswa'),
                'kelas_mahasiswa' => $this ->input ->post('kelas_mahasiswa'
338
       ),
                'id_prodi_mahasiswa' => $this ->input ->post('
       id_prodi_mahasiswa'),
                'angkatan_mahasiswa' => $this -> input -> post('
340
       angkatan_mahasiswa'),
                'foto_mahasiswa' => $this ->input ->post('foto_mahasiswa'),
341
342
            1;
343
            $this ->db->where ('id_mahasiswa', $id);
            this \rightarrow db \rightarrow set(sdata);
            return $this ->db->update('mahasiswa');
       }
349
       public function destroymahasiswa ($id_mahasiswa)
            $this ->db->where('id_mahasiswa',$id_mahasiswa);
352
            return $this -> db-> delete ('mahasiswa');
            // return \frac{1}{1} this ->db->delete (\frac{1}{1} this ->table , ['id' => \frac{1}{1}];
354
       //end mahasiswa
358
359
       // start intern
       public function getinternJSON(){
361
362
            $page = isset($_POST['page']) ? intval($_POST['page']) : 1;
363
            $rows = isset($_POST['rows']) ? intval($_POST['rows']) : 50;
364
            $sort = isset($_POST['sort']) ? strval($_POST['sort']) :
       intern.id_intern':
            $order = isset($_POST['order']) ? strval($_POST['order']) : '
366
       asc';
            $search = isset($_POST['search_intern']) ? strval($_POST['
        search_intern']) : '';
            fiset = (page - 1) * rows;
368
369
```

```
$result = array();
            $result['total'] = $this->db->get('intern')->num_rows();
           som = array();
           // select data from table product
           $auerv = "SELECT *
                from intern
376
                where concat(id_intern,id_koor_intern,status_intern,
       tgl_mulai_intern , tgl_akhir_intern ) like '%$search%' order by
       $sort $order limit $offset, $rows";
378
            $country = $this->db->query($query)->result_array();
380
            $result = array_merge($result, ['rows' => $country]);
           return $result:
381
       public function saveintern()
384
            $tanggal_mulai = $this -> input -> post('tgl_mulai_intern');
385
            $tanggal_mulai = $this -> input -> post('tgl_akhir_intern');
            $formattanggalmulai = date("YYYY-MM-DD hh:mm:ss", strtotime(
387
       $tanggal_mulai));
            $formattanggalakhir = date("YYYY-MM-DD hh:mm:ss", strtotime(
388
       $tanggal_mulai));
300
           data = [
391
                'id_intern' => $this -> input -> post('id_intern'),
392
303
                'id_koor_intern' => $this -> input -> post('id_koor_intern'),
                'status_intern' => $this -> input -> post('status_intern'),
                'tgl_mulai_intern' => $formattanggalmulai,
305
                'tgl_akhir_intern' => $formattanggalakhir,
306
            1;
397
           $this ->db->insert('intern', $data);
398
           return $this;
       }
401
       public function updateintern ($id)
402
            $tanggal_mulai = $this -> input -> post('tgl_mulai_intern');
            $tanggal_mulai = $this -> input -> post('tgl_akhir_intern');
405
           $formattanggalmulai = date("YYYY-MM-DD hh:mm:ss", strtotime(
406
       $tanggal_mulai)):
            $formattanggalakhir = date("YYYY-MM-DD hh:mm: ss", strtotime(
407
       $tanggal_mulai));
408
            $data = [
409
                'id_koor_intern' => $this ->input ->post('id_koor_intern'),
                'status_intern' => $this -> input -> post('status_intern'),
                'tgl_mulai_intern' => $formattanggalmulai,
                'tgl_akhir_intern' => $formattanggalakhir,
413
           1;
414
415
            $this ->db->where ('id_intern', $id);
           this \rightarrow db \rightarrow set(sdata);
417
           return $this -> db->update('intern');
418
419
```

```
420
       public function destroyintern ($id_intern)
421
422
           $this ->db->where ('id_intern', $id_intern);
423
           return $this -> db-> delete ('intern');
424
           // return $this ->db->delete ($this ->table, ['id' => $id]);
425
426
427
       //end intern
       // start absensi
430
       public function getabsensiJSON(){
431
432
           $page = isset($_POST['page']) ? intval($_POST['page']) : 1;
434
           $rows = isset($_POST['rows']) ? intval($_POST['rows']) : 50;
           $sort = isset($_POST['sort']) ? strval($_POST['sort']) :
436
       absensi.id_absensi';
            $order = isset($_POST['order']) ? strval($_POST['order']) : '
437
       asc':
           $search = isset($_POST['search_absensi']) ? strval($_POST['
120
       search_absensi']) : '';
           fiset = (page - 1) * rows;
            $result = array();
441
           $result['total'] = $this->db->get('absensi')->num_rows();
442
           row = array();
443
444
           // select data from table product
           $query = "SELECT *
446
                from absensi
447
                where concat(id_absensi,id_intern_absensi,
448
       id_mahasiswa_absensi , id_dosen_absensi , latitude_absensi ,
       longitude_absensi ,tgl_waktu_absensi ,imei_perangkat_absensi ,
       foto_absensi) like '% \$search%' order by \$sort \$order limit
       $offset , $rows";
449
            $country = $this ->db->query ($query )->result_array ();
           $result = array_merge($result, ['rows' => $country]);
           return $result;
450
       }
453
454
455
       public function saveabsensi()
457
           data = [
458
450
                'id_absensi' => $this -> input -> post('id_absensi'),
                'id_intern_absensi' => $this -> input -> post('
461
       id_intern_absensi').
                'id_mahasiswa_absensi' => $this->input->post('
462
       id_mahasiswa_absensi'),
                'id_dosen_absensi' => $this->input->post('
463
       id_dosen_absensi').
                'latitude_absensi' => $this->input->post('
464
       latitude_absensi'),
```

```
'longitude_absensi' => $this->input->post('
465
                      longitude_absensi').
                                               'tgl_waktu_absensi' => $this -> input -> post('
466
                      tgl_waktu_absensi')
                                               'imei_perangkat_absensi' => $this ->input ->post('
                      imei_perangkat_absensi'),
                                               'kegiatan_absensi' => $this -> input -> post('
468
                      kegiatan_absensi').
                                               'foto_absensi' => $this->input->post('foto_absensi'),
469
                                 ];
472
473
                                 return $this ->db->insert('absensi', $data);
474
                     }
475
                     public function updateabsensi($id)
478
                                 data = 0
480
                                              'id_intern_absensi' => $this->input->post('
491
                      id_intern_absensi').
                                              'id_mahasiswa_absensi' => $this -> input -> post('
482
                      id_mahasiswa_absensi').
                                               'id_dosen_absensi' => $this->input->post('
483
                      id_dosen_absensi'),
                                               'latitude_absensi' => $this->input->post('
484
                      latitude_absensi').
                                               'longitude_absensi' => $this->input->post('
                      longitude_absensi').
                                              'tgl_waktu_absensi' => $this -> input -> post('
186
                      tgl_waktu_absensi')
                                               'imei_perangkat_absensi' => $this -> input -> post('
487
                      imei_perangkat_absensi'),
                                               'kegiatan_absensi' => $this -> input -> post('
488
                      kegiatan_absensi'),
                                              'foto_absensi' => $this->input->post('foto_absensi'),
489
                                 1:
                                 $this ->db->where ('id_absensi', $id);
                                 this \rightarrow db \rightarrow set(sdata);
402
                                 return $this -> db-> update('absensi');
493
                     }
494
495
                     public function destroyabsensi ($id_absensi)
497
                                 $this ->db->where ('id_absensi', $id_absensi);
498
                                 return $this -> db-> delete ('absensi');
499
                                  // return \frac{1}{id} = \frac{1}{id} =
501
502
                     //end absensi
503
504
                     // start trigger_radius
505
506
                     public function gettrigger_radiusJSON(){
507
508
```

```
500
           $page = isset($_POST['page']) ? intval($_POST['page']) : 1;
           $rows = isset($_POST['rows']) ? intval($_POST['rows']) : 50;
           $sort = isset($_POST['sort']) ? strval($_POST['sort']) :
512
       trigger_radius.id_trigger';
           $order = isset($_POST['order']) ? strval($_POST['order']) : '
       asc';
            $search = isset($_POST['search_trigger_radius']) ? strval(
514
       $_POST['search_trigger_radius']) : '';
            fiset = (page - 1) * rows;
            $result = array();
517
           $result['total'] = $this->db->get('trigger_radius')->num_rows
       ():
           som = array();
           // select data from table product
           $query = "SELECT *
                from trigger_radius
                where concat(id_trigger,'',id_intern,'','id_absensi','
524
       radius')
                 like '%$search%' order by $sort $order limit $offset,
       $rows":
            $country = $this ->db->query ($query)->result_array ();
           $result = array_merge($result, ['rows' => $country]);
           return $result:
528
       }
530
       //end trigger_radius
       public function saveCustomer()
534
           data = [
                'id_user' => $this->input->post('id_user'),
                'username' => $this -> input -> post ('username'),
                'password' => $this -> input -> post('password'),
538
                'status_user' => $this->input->post('status_user'),
                'role_user' => $this -> input -> post('role_user'),
543
           $this ->db->insert('user', $data);
           return $this;
545
547
       public function updateCustomer($id)
548
549
           data = [
                'username' => $this -> input -> post ('username'),
                'password' => $this -> input -> post('password'),
552
                'status_user' => $this -> input -> post('status_user'),
                'role_user' => $this ->input ->post('role_user'),
            1;
556
           this \rightarrow db \rightarrow where ('id\_user', sid);
           this \rightarrow db \rightarrow set ( tata ) ;
558
```

```
return $this -> db-> update('user');
       }
560
561
       public function destroyCustomer($id_user)
562
563
            $this ->db->where ('id_user', $id_user);
            return $this -> db-> delete ('user');
565
            // return $this ->db->delete ($this ->table, ['id' => $id]);
566
       // get data untuk dropdown
       function getprodidropdownn() {
       $query = $this -> db->query ('SELECT * FROM prodi');
            return $query;
       function get_data_stok($id){
            $query = $this ->db->query ("SELECT id_mahasiswa, COUNT(
       id_mahasiswa) AS kegiatan .datetime_absensi FROM absensi WHERE
       DATE_FORMAT(datetime_absensi, '%M') = '$id'");
            if ( query \rightarrow num_rows() > 0) 
578
                foreach ($query->result() as $data){
                     hasil[] = data;
581
                return $hasil:
582
           }
583
58/
       // start laporan per mahasiswa
586
587
       function get_data_jan($id){
            $query = $this -> db->query ("SELECT id_mahasiswa_absensi ,COUNT
589
       (DATE_FORMAT(tgl_waktu_absensi, '%M')) as kegiatan FROM absensi
           WHERE DATE_FORMAT(tgl_waktu_absensi, '%M') = 'January' AND
590
       id_mahasiswa_absensi =$id");
591
            if(\text{squery}-\text{>num\_rows}() > 0)
592
                foreach ($query->result() as $data){
                     hasil[] = data;
504
595
                return $hasil:
596
597
            }
599
       function get_data_feb($id){
600
            $query = $this -> db->query ("SELECT id_mahasiswa_absensi ,COUNT
601
       (DATE_FORMAT(tgl_waktu_absensi, '%M')) as kegiatan FROM absensi
           WHERE DATE_FORMAT(tgl_waktu_absensi, '%M') = 'February' AND
       id_mahasiswa_absensi =$id");
603
            if(query \rightarrow num_rows() > 0)
604
                foreach ($query -> result() as $data){
                     hasil[] = data;
606
607
                return $hasil;
608
```

```
609
       }
610
611
       function get_data_mar($id){
612
            $query = $this->db->query("SELECT id_mahasiswa_absensi ,COUNT
       (DATE_FORMAT(tgl_waktu_absensi, '%M')) as kegiatan FROM absensi
           WHERE DATE_FORMAT(tgl_waktu_absensi, '%M') = 'March' AND
614
       id_mahasiswa_absensi =$id"):
            if(\text{squery}-\text{>num\_rows}() > 0)
                foreach ($query->result() as $data){
                    hasil[] = data;
618
                return $hasil:
           }
       function get_data_apr($id){
624
            $query = $this ->db->query ("SELECT id_mahasiswa_absensi ,COUNT
       (DATE_FORMAT(tgl_waktu_absensi, '%M')) as kegiatan FROM absensi
           WHERE DATE_FORMAT(tgl_waktu_absensi, '%M') = 'April' AND
       id_mahasiswa_absensi =$id");
62.7
            if(query \rightarrow num_rows() > 0)
                foreach ($query->result() as $data){
                    hasil[] = data;
632
                return $hasil;
           }
       function get_data_may($id){
            $query = $this -> db->query ("SELECT id_mahasiswa_absensi ,COUNT
637
       (DATE_FORMAT(tgl_waktu_absensi, '%M')) as kegiatan FROM absensi
           WHERE DATE_FORMAT(tgl_waktu_absensi, '%M') = 'May' AND
       id_mahasiswa_absensi =$id");
            if(\text{squery}-\text{>num\_rows}() > 0)
                foreach ($query->result() as $data){
                    hasil[] = data;
642
643
                return $hasil:
           }
647
       function get_data_june($id){
648
            $query = $this->db->query("SELECT id_mahasiswa_absensi ,COUNT
       (DATE_FORMAT(tgl_waktu_absensi, '%M')) as kegiatan FROM absensi
           WHERE DATE_FORMAT(tgl_waktu_absensi, '%M') = 'June' AND
       id_mahasiswa_absensi =$id");
            if(query \rightarrow num_rows() > 0)
                foreach ($query -> result() as $data){
653
                    hasil[] = data;
                return $hasil;
```

```
657
658
       function get_data_july($id){
660
            $query = $this->db->query("SELECT id_mahasiswa_absensi ,COUNT
       (DATE_FORMAT(tgl_waktu_absensi, '%M')) as kegiatan FROM absensi
           WHERE DATE_FORMAT(tgl_waktu_absensi, '%M') = 'July ' AND
662
       id_mahasiswa_absensi =$id"):
            if(\text{squery}-\text{>num\_rows}() > 0)
                foreach ($query->result() as $data){
                    hasil[] = data;
666
667
                return $hasil:
668
           }
       function get_data_aug($id){
672
            $query = $this ->db->query ("SELECT id_mahasiswa_absensi ,COUNT
       (DATE_FORMAT(tgl_waktu_absensi, '%M')) as kegiatan FROM absensi
           WHERE DATE_FORMAT(tgl_waktu_absensi, '%M') = 'August'AND
       id_mahasiswa_absensi =$id");
            if(query \rightarrow num_rows() > 0)
                foreach ($query->result() as $data){
677
                    hasil[] = data;
                return $hasil;
680
           }
682
       function get_data_sep($id){
            $query = $this -> db->query ("SELECT id_mahasiswa_absensi ,COUNT
685
       (DATE_FORMAT(tgl_waktu_absensi, '%M')) as kegiatan FROM absensi
           WHERE DATE_FORMAT(tgl_waktu_absensi, '%M') = 'September 'AND
       id_mahasiswa_absensi =$id");
687
            if(\text{squery}-\text{>num\_rows}() > 0)
688
                foreach ($query->result() as $data){
                    hasil[] = data;
690
691
                return $hasil:
692
693
            }
695
       function get_data_oct($id){
606
            $query = $this->db->query("SELECT id_mahasiswa_absensi ,COUNT
697
       (DATE_FORMAT(tgl_waktu_absensi, '%M')) as kegiatan FROM absensi
           WHERE DATE_FORMAT(tgl_waktu_absensi, '%M') = 'October 'AND
       id_mahasiswa_absensi =$id");
            if(query \rightarrow num_rows() > 0)
                foreach ($query -> result() as $data){
                    hasil[] = data;
702
703
                return $hasil;
704
```

```
705
       }
706
707
       function get_data_nov($id){
708
           $query = $this->db->query("SELECT id_mahasiswa_absensi ,COUNT
       (DATE_FORMAT(tgl_waktu_absensi, '%M')) as kegiatan FROM absensi
           WHERE DATE_FORMAT(tgl_waktu_absensi, '%M') = 'November' AND
       id_mahasiswa_absensi =$id"):
           if(\text{squery}-\text{>num\_rows}() > 0)
                foreach ($query->result() as $data){
                    hasil[] = data;
714
                return $hasil:
           }
       }
718
       function get_data_dec($id){
720
           $query = $this ->db->query ("SELECT id_mahasiswa_absensi ,COUNT
       (DATE_FORMAT(tgl_waktu_absensi, '%M')) as kegiatan FROM absensi
           WHERE DATE_FORMAT(tgl_waktu_absensi, '%M') = 'December' AND
       id_mahasiswa_absensi =$id");
           if(query \rightarrow num_rows() > 0)
                foreach(\squery->result() as \squara){
                    hasil[] = data;
726
728
                return $hasil;
           }
       }
730
       //end laporan per mahasiswa
       // start kelola halaman dosen
       // start kelola profile dosen
736
       //start dosen
738
       public function getprofiledosenJSON($id_pengguna){
740
           $page = isset($_POST['page']) ? intval($_POST['page']) : 1;
742
           $rows = isset($_POST['rows']) ? intval($_POST['rows']) : 50;
743
           $sort = isset($_POST['sort']) ? strval($_POST['sort']) : 'a.
       id_dosen':
           $order = isset($_POST['order']) ? strval($_POST['order']) : '
       asc';
           fiset = (page - 1) * rows;
748
           $result = array();
749
           result['total'] = this -> db -> get('dosen') -> num_rows();
750
           row = array();
           // select data from table product
```

```
$query = "SELECT a.id_dosen,a.nama_dosen,a.id_prodi_dosen,a.
754
                       foto_dosen, b. username, b. password
                                                from dosen a
                                                INNER JOIN user b ON a.id_dosen = b.id_user
756
                                                WHERE a.id_dosen = $id_pengguna
757
                                                 order by $sort $order limit $offset, $rows";
750
                                    $country = $this ->db->query ($query)->result_array();
760
                                    $result = array_merge($result, ['rows' => $country]);
761
                                    return $result;
762
                       public function updatprofiledosentabledosen ($id)
764
765
                                    data = [
766
                                                  'nama_dosen' => $this -> input -> post('nama_dosen'),
                                                  'foto_dosen' => $this -> input -> post('foto_dosen'),
760
                                    ];
                                    \frac{\sinh s}{\sinh s} = \sinh s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h s + h 
                                    this \rightarrow db \rightarrow set (tata);
                                    return $this ->db->update('dosen');
774
                       }
                       public function updatprofiledosentableuser ($id)
778
                                    $data =
780
                                                  'username' => $this -> input -> post ('username'),
                                                  'password' => $this -> input -> post('password'),
                                    ];
783
                                    785
                                    this \rightarrow db \rightarrow set (tata);
                                    return $this ->db->update('user');
787
                      }
788
789
                       //end dosen
792
793
794
                       //end kelola profile dosen
795
                       // start view dosen mahasiswa
797
                       public function getdosenmahasiswa ($id_pengguna) {
798
799
                                    $page = isset($_POST['page']) ? intval($_POST['page']) : 1;
801
                                   $rows = isset($_POST['rows']) ? intval($_POST['rows']) : 50;
802
                                    $sort = isset($_POST['sort']) ? strval($_POST['sort']) : 'a.
803
                       id_mahasiswa';
                                    $order = isset($_POST['order']) ? strval($_POST['order']) : '
                       asc';
805
                                    fiset = (page -1)*frows;
806
```

```
807
           $result = array();
808
           result['total'] = this -> db -> get('dosen') -> num_rows();
202
           srow = array();
810
           // select data from table product
           $query = "SELECT DISTINCT
813
                        a.id_mahasiswa,a.nama_mahasiswa,a.kelas_mahasiswa
814
       , a.id_prodi_mahasiswa , a.angkatan_mahasiswa , a.foto_mahasiswa
                        FROM mahasiswa a
                        INNER JOIN absensi b ON a.id_mahasiswa = b.
816
       id mahasiswa absensi
                        WHERE b.id_dosen_absensi = $id_pengguna
817
               order by $sort $order limit $offset, $rows";
818
           $country = $this ->db->query ($query)->result_array();
           $result = array_merge($result, ['rows' => $country]);
821
           return $result:
822
       //end view dosen mahasiswa
824
       // start kelola intern dosen
826
827
       // start dosen
829
       public function getdoseninternJSON($id_pengguna){
830
           $page = isset($_POST['page']) ? intval($_POST['page']) : 1;
831
           $rows = isset($_POST['rows']) ? intval($_POST['rows']) : 50;
832
           $sort = isset($_POST['sort']) ? strval($_POST['sort']) :
       intern.id_intern';
           $order = isset($_POST['order']) ? strval($_POST['order']) : '
83/
       asc':
           $search = isset($_POST['search_intern']) ? strval($_POST['
835
       search_intern']) : '';
           fiset = (page -1)*frows;
836
837
           $result = array();
838
           $result['total'] = $this ->db->get('intern')->num_rows();
           row = array();
9.41
           // select data from table product
842
           $query = "SELECT *
843
               from intern
               where concat(id_intern,id_koor_intern, status_intern,
       tgl_mulai_intern, tgl_akhir_intern) like '%$search%'
               AND id_koor_intern = $id_pengguna
846
               order by $sort $order limit $offset, $rows";
847
           $country = $this->db->query($query)->result_array();
           $result = array_merge($result, ['rows' => $country]);
850
           return $result:
851
852
853
854
       public function updatedosenintern ($id)
855
856
```

```
data = 0
857
858
                'id_koor_intern' => $this -> input -> post('id_koor_intern'),
859
                'status_intern' => $this -> input -> post('status_intern'),
860
                'tgl_mulai_intern' => $this -> input -> post('
       tgl_mulai_intern').
                'tgl_akhir_intern' => $this -> input -> post('
862
       tgl_akhir_intern').
            1;
            $this ->db->where ('id_intern', $id);
866
            this \rightarrow db \rightarrow set ( tata ) ;
867
            return $this ->db->update('intern'):
868
       }
871
       // end kelola intern dosen
872
       //view absensi mahasiswa
874
       // start absensi
876
       public function getabsensimahasiswahalamandosenJSON($id_pengguna)
877
272
879
            $page = isset($_POST['page']) ? intval($_POST['page']) : 1;
880
           $rows = isset($_POST['rows']) ? intval($_POST['rows']) : 50;
881
            $sort = isset($_POST['sort']) ? strval($_POST['sort']) :
        absensi.id_absensi';
            $order = isset($_POST['order']) ? strval($_POST['order']) : '
883
       asc':
            $search = isset($_POST['search_absensi']) ? strval($_POST['
884
        search_absensi']) : '';
            fiset = (page -1)*frows;
885
886
            $result = array();
887
            $result['total'] = $this->db->get('absensi')->num_rows();
           row = array();
200
            // select data from table product
891
            $query = "SELECT *
892
893
                from absensi
                where concat(id_absensi,id_intern_absensi,
894
       id_mahasiswa_absensi,id_dosen_absensi,latitude_absensi,
       longitude_absensi , tgl_waktu_absensi , imei_perangkat_absensi ,
        foto_absensi) like '%$search%'
                AND id_dosen_absensi = $id_pengguna
                order by $sort $order limit $offset, $rows";
206
897
            $country = $this -> db->query ($query) -> result_array ();
            $result = array_merge($result, ['rows' => $country]);
899
            return $result;
901
902
       //end absensi mahasiswa
903
```

```
118
          WEB
904
       // start peta mahasiswa untuk masing masing dosen
005
906
       public function getmahasiswauntukdosenJSON($id_pengguna){
907
           $this ->db->where ('id_dosen_absensi', $id_pengguna);
           $query = $this -> db->get('absensi');
010
911
           // Return associative data array
           return $query->result_array();
       }
914
       // start peta mahasiswa untuk masing masing dosen
015
916
       // end kelola halaman dosen
917
  <?php
  class M_login extends CI_Model{
     function cek_login($table, $where){
       return $this -> db->get_where ($table, $where);
     }
  }
  <?php
   defined ('BASEPATH') OR exit ('No direct script access allowed');
   class m_register extends CI_Model {
 4
     function __construct(){
       parent:: __construct();
       $this -> load -> database();
 8
     }
10
     public function getAllUsers(){
       return $query->result();
     }
14
     public function insert ($user){
16
       $this->db->insert('user', $user);
       return $this;
18
20
       public function inserttabelmahasiswa($user){
       $this ->db->insert('mahasiswa', $user);
       return $this;
24
       function create ($table,$data){
2.6
           $query = $this ->db->insert($table, $data);
2.8
           return $this:// return last insert id
       }
29
30
```

31

33

public function getUser(\$id){

```
<!DOCTYPE html>
2 <html>
  <head>
      <title > Grafik Stok Barang </title >
  </head>
  <body>
  <?php
           foreach ($data as $data) {
10
               $merk[] = $data->id_mahasiswa;
               $stok[] = (float) $data->kegiatan;
               echo "aa, $data->id_mahasiswa <br>";
               echo $data->kegiatan;
14
           }
      ?>
      <canvas id="canvas" width="1000" height="280"></canvas>
      <!--Load chart js-->
      <script type="text/javascript" src="<?php echo base_url().' assets</pre>
2.0
      /js/chart.min.js'?>"></script>
      <script>
               var lineChartData = {
                   labels : <?php echo json_encode($stok);?>,
24
                   datasets : [
25
                        {
                            fillColor: "rgba(60,141,188,0.9)",
28
                            strokeColor: "rgba(60,141,188,0.8)",
29
                            pointColor: "#3b8bba",
                            pointStrokeColor: "#fff"
                            pointHighlightFill: "#fff",
                            pointHighlightStroke: "rgba(152,235,239,1)",
                            data : <?php echo json_encode($merk);?>
34
                        }
36
                   ]
               }
39
           var myLine = new Chart(document.getElementById("canvas").
41
       getContext("2d")). Line(lineChartData);
42
43
      </script>
```

```
44 </body>
45 </html>
```

```
<!DOCTYPE html>
2 <html>
3 <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1"</pre>
      >
    <title >Actspot505 </title >
6
    <link type="text/css" rel="stylesheet" href="<?php echo base_url();</pre>
        ?>assets/css/bootstrap.css">
    <link href="<?php echo base_url(); ?>assets/css/bootstrap.min.css"
       rel="stylesheet">
0
    <script src="https://unpkg.com/leaflet@1.3.1/dist/leaflet.js"</pre>
10
       integrity="sha512-/Nsx9X4HebavoBvEBuyp3I7od5tA0UzAxs+
      j83KgC8PU0kgB4XiK4Lfe4y4cgBtaRJQEIFCW+oC506aPT2L1zw=="
       crossorigin=""></script>
      <link type="text/css" rel="stylesheet" href="<?php echo base_url</pre>
      (); ?>assets/css/leaflet.css" />
      <link type="text/css" rel="stylesheet" href="<?php echo base_url</pre>
14
      (); ?>assets/css/MarkerCluster.css" />
      <link type="text/css" rel="stylesheet" href="<?php echo base_url</pre>
15
      (): ?>assets/css/MarkerCluster.Default.css"/>
      <link href="<?php echo base_url(); ?>assets/css/styles.css" rel="
       stylesheet">
18
    <style>
19
    #mapid{
2.0
      width: 100%:
      height: 400px;
    }
24
    * {
25
    box-sizing: border-box;
26
  }
2.8
  body {
    font-family: Arial, Helvetica, sans-serif;
  }
31
32
33 /* Float four columns side by side */
  .columna {
34
    float: left;
35
    width: 25%;
36
    margin-top:20px;
37
38
    padding: 0 10px;
  }
39
40
41 /* Remove extra left and right margins, due to padding */
  .rowa {margin: 0 - 5px;}
42
43
```

```
44 /* Clear floats after the columns */
  .rowa:after {
    content: "":
46
    display: table;
47
    clear: both;
  }
49
50
  /* Responsive columns */
51
  @media screen and (max-width: 600px) {
    .column {
      width: 100%;
54
      display: block;
55
56
      margin-bottom: 20px;
57
  }
59
  /* Style the counter cards */
  .carda {
    box-shadow: 0 \ 4px \ 8px \ 0 \ rgba(0, 0, 0, 0.2);
62
    padding: 16px;
    text-align: center;
    background-color: #f1f1f1;
65
  }
66
67
    </style>
69
  </head>
70
71
  <body>
    <nav class="navbar navbar-custom navbar-fixed-top" role="navigation")</pre>
      <div class="container-fluid">
74
        <div class="navbar-header">
          <button type="button" class="navbar-toggle collapsed" data-
       toggle="collapse" data-target="#sidebar-collapse"><span class="sr
      -only">Toggle navigation </span>
            <span class="icon-bar"></span>
76
             <span class="icon-bar"></span>
             <span class="icon-bar"></span></button>
78
          <a class="navbar-brand" href="#"><span>Lumino</span>Admin</a>
         </div>
80
      </div><!-- /. container-fluid -->
81
82
    </nav>
    <div id="sidebar-collapse" class="col-sm-3 col-lg-2 sidebar">
      <div class="profile-sidebar">
84
        <div class="profile-userpic">
85
          <img src="http://placehold.it/50/30a5ff/fff" class="img-</pre>
86
       responsive" alt="">
         </div>
        <div class="profile-usertitle">
88
          <div class="profile-usertitle-name"> <?php echo $this->
89
       session -> userdata ("nama"); ?></div>
          <div class="profile-usertitle-status"><span class="indicator"</pre>
       label-success"></span>Online</div>
         </div>
91
        <div class="clear"></div>
92
```

WEB

```
</div>
93
     <div class="divider"></div>
0.4
     95
     padding: unset;">
      <a href="<?php echo site_url(); ?>/dashboard
     ">Dashboard </a>
      <| href="<?php echo site_url('c_login/logout'); ?>"> Logout
07
     </a>
     98
   </div><!--/.sidebar-->
100
101
102
   <div class="col-sm-9 col-sm-offset-3 col-lg-10 col-lg-offset-2 main</pre>
103
   <div class="rowa">
   <div class="columna">
     <div class="carda">
106
     <h4>Jumlah Lokasi Internship </h4>
107
     109
      <thead>
      \langle tr \rangle
        Total
       </thead>
114
      116
      \langle tr \rangle
        <?php echo $totallokasiinternship; ?>
118
       119
       120
     </div>
   </div>
124
   <div class="columna">
     <div class="carda">
126
     <h4>Jumlah Mahasiswa</h4>
     128
      <thead>
      >
130
      <?php
        foreach ($gettahunangkatan as $row) {
          echo "$row->
     angkatan_mahasiswa ";
134
        ,,
136
      ?>
       138
       </thead>
      <tr>
        <?php echo $totalmahasiswa2015; ?>
143
```

```
<?php echo $totalmahasiswa2016; ?>
144
         <?php echo $totalmahasiswa2017; ?>
        146
        </div>
150
    </div>
    </div>
154
     <div class="row">
       <div class="col-lg-12">
156
         <h1 class="page-header">Peta Lokasi Internship Mahasiswa </h1
        </div>
158
      </div><!--/.row-->
      <div class="row">
160
       <div class="col-sm-12">
161
         <div id="map" style="width:100%; height:280px;">
163
         </div>
164
        </div>
165
      </div><!--/.row-->
      <!--
167
      <div class="row">
       <div class="col-lg-12">
169
         <h1 class="page-header">View Tabel Trigger radius </h1>
170
        </div>
      </div>
      <div class="row">
       <div class="col-sm-12">
175
       <div class="panel panel-container">
       <div class="row">
           <div class="col-sm-12">
           <div id="container" class="easyui-layout" fit="true" style=</pre>
180
      "height:300px;">
             <div region="center">
181
               <table id="dgtrigger_radius" toolbar="#
182
      toolbartrigger_radius" class="easyui-datagrid" fit="true"
      singleSelect="true" fitColumns="true" rowNumbers="false"
      pagination="true" url="<?= site_url('c_kelola_user/
      gettrigger_radius') ?>" pageSize="50" pageList="
      [25,50,75,100,125,150,200]" nowrap="false">
                <thead>
183
                  184
                    ID trigger 
                    ID Intern 
186
                    ID Track
187
                    ID radius 
188
                   </thead>
190
               191
               <div id="toolbartrigger_radius">
192
```

```
124
         WEB
                  <input id="search_trigger_radius" class="easyui-</pre>
      searchbox" data-options="prompt: 'Please Input Value', searcher:
       doSearchtrigger_radius,
                  inputEvents: $.extend({}, $.fn.searchbox.defaults.
10/
       inputEvents, {
                    keyup: function(e){
                       var t = \$(e.data.target);
106
                       var opts = t.searchbox('options');
197
                       t.searchbox('setValue', $(this).val());
                       opts.searcher.call(t[0],t.searchbox('getValue'),t
       . searchbox ('getName'));
200
                  })" style="width:50%;"></input>
201
                 </div>
202
              </div>
            </div>
204
205
            </div>
206
        </div>
207
      </div
       -->
209
      <div class="row">
        <div class="col-lg-12">
          <h1 class="page-header">Print Absensi per mahasiswa </h1>
        </div>
214
      </div><!--/.row-->
      <div class="row">
        <div class="col-lg-12">
        <form action="<?php echo site_url(). '/dashboard/perorang'; ?>"
218
        method="post">
      220
           NPM : 
          input type="text" name="npmmahasiswa">
          <button type="submit" value="Submit">Submit</button>
        224
225
      </form>
        </div>
228
      </div><!--/.row-->
      <!-- start kelola absensi-->
      <div class="row">
        <div class="col-lg-12">
          <h1 class="page-header">Kelola absensi </h1>
        </div>
234
      </div><!--/.row-->
      <div class="row">
        <div class="col-sm-12">
```

<div class="panel panel-container">

<div id="container" class="easyui-layout" fit="true" style=</pre>

<div class="col-sm-12">

<div class="row">

"height: $300 \, px$;">

238

239

240

241

```
<div region="center">
243
            <table id="dgabsensi" toolbar="#toolbarabsensi" class="
244
     easyui-datagrid" fit="true" singleSelect="true" fitColumns="true"
      rowNumbers="false" pagination="true" url="<?= site_url('
     dashboard/getabsensimahasiswahalamandosenJSON') ?>" pageSize="50"
      pageList="[25,50,75,100,125,150,200]" nowrap="false">
              <thead>
245
                246
                 ID absensi 
                 ID
     Mahasiswa 
                 ID
240
     Intern 
                 ID Dosen
250
     Latitude
      absensi 
                 Longtitude absensi 
                 Date
     Time absensi 
                 254
     Imei absensi 
                 Kegiatan
      absensi 
                 Photo
256
     absensi 
                257
              </thead>
             <div id="toolbarabsensi">
260
              <a href="<?php echo site_url(); ?>/dashboard/
261
     buatpdfabsensi" plain="true" class="easyui-linkbutton" iconCls="
     icon-print">Print </a>
              <input id="searchabsensi" class="easyui-searchbox"</pre>
262
     data-options="prompt: 'Please Input Value', searcher:
     doSearchabsensi.
              inputEvents: $.extend({}, $.fn.searchbox.defaults.
263
     inputEvents, {
                keyup: function(e){
264
                 var t = \$(e.data.target);
265
                 var opts = t.searchbox('options');
266
                 t.searchbox('setValue', $(this).val());
267
                 opts.searcher.call(t[0],t.searchbox('getValue'),t
     . searchbox ('getName'));
269
              })" style="width:50%;"></input>
             </div>
           </div>
           <div id="dlgabsensi" class="easyui-dialog" style="width:</pre>
274
     780px; height: auto; padding: 10px; modal="true" closed="true"
     buttons="#dlgabsensiBtn">
            <form id="fmabsensi" method="post">
              <div class="col-sm-12 justify-content-sm-center">
```

```
278
                   <div class="row" style="width: 100%">
                      <div class="col-sm-6">
280
                        <div class="form-group">
281
                          <label for="">ID absensi </label>
282
                          <input type="text" name="id_absensi" class="</pre>
       easyui-textbox" style="width: 100%;">
                        </div>
284
                      </div>
                     <div class="col-sm-6">
                        <div class="form-group">
                          <label for="">ID Intern </label>
288
                          <select class="" style="width: 100%; margin: 0</pre>
289
       px; padding-top: 0px; padding-bottom: 0px; height: 25px; line-
       height: 25px; name="id_intern_absensi">
290
                          <?php
201
                          foreach ($data_intern
                                                  as $row) {
292
                          echo "<option value="...$row->id_intern."">".
293
       $row->id_intern." | ".$row->id_koor_intern.";
                          }
204
                          echo"
295
206
                          ?>
                          </select>
298
                        </div>
299
                      </div>
300
                    </div>
301
                   <div class="row" style="width: 100%">
303
                      <div class="col-sm-6">
304
                        <div class="form-group">
305
                          <label for="">Id Mahasiswa</label>
306
                          <select class="" style="width: 100%; margin: 0</pre>
307
       px; padding-top: 0px; padding-bottom: 0px; height: 25px; line-
       height: 25px; "name="id_mahasiswa_absensi">
308
                          <?php
                          foreach ($data_mahasiswa as $row) {
                          echo "<option value='".$row->id_mahasiswa."'>".
       $row->id_mahasiswa." | ".$row->nama_mahasiswa."";
                          echo"
313
                          7>
                          </select>
                        </div>
                      </div>
                      <div class="col-sm-6">
319
                        <div class="form-group">
                          <label for="">ID Dosen</label>
                          <select class="" style="width: 100%; margin: 0</pre>
       px; padding-top: 0px; padding-bottom: 0px; height: 25px; line-
       height: 25px; "name="id_dosen_absensi">
324
                          <?php
```

```
foreach ($data_dosen as $row) {
                           echo "<option value="...$row->id_dosen."">".$row
326
       ->id_dosen." | ".$row->nama_dosen."</option>";
                           }
                           echo"
                          ?>
330
                           </select>
                         </div>
                      </div>
                    </div>
                    <div class="row" style="width: 100%">
336
                      <div class="col-sm-6">
                        <div class="form-group">
                          <label for="">Latitude absensi </label>
338
                          <input type="text" name="latitude_absensi"</pre>
       class="easyui-textbox" style="width: 100%;">
                         </div>
340
                      </div>
                      <div class="col-sm-6">
342
                        <div class="form-group">
                          <label for="">Longitude absensi </label>
344
                          <input type="text" name="longitude_absensi"</pre>
       class="easyui-textbox" style="width: 100%;">
                         </div>
346
                      </div>
347
                    </div>
348
                    <div class="row" style="width: 100%">
3/10
                      <div class="col-sm-6">
                        <div class="form-group">
                          <label for="">Tanggal dan waktu</label>
352
                          <input type="date" name="tgl_waktu_absensi"</pre>
       class="easyui-textbox" style="width: 100%;">
                         </div>
354
                      </div>
                      <div class="col-sm-6">
                        <div class="form-group">
                          <label for="">Imei Perangkat </label>
358
                          <input type="text" name="imei_perangkat_absensi</pre>
         class="easyui-textbox" style="width: 100%;">
                         </div>
360
                      </div>
361
                    </div>
362
                    <div class="row" style="width: 100%">
                      <div class="col-sm-6">
364
                        <div class="form-group">
365
                          <label for="">Kegiatan absensi </label>
366
                          <input type="text" name="kegiatan_absensi"</pre>
367
       class="easyui-textbox" style="width: 100%;">
                         </div>
368
                      </div>
369
                      <div class="col-sm-6">
                        <div class="form-group">
                          <label for="">Photo absensi </label>
                          <input type="text" name="foto_absensi" class="</pre>
       easyui-textbox" style="width: 100%;">
```

```
128
          WEB
                         </div>
37/
                      </div>
                    </div>
                    </div>
                  </form>
380
                </div>
381
                <div id="dlgabsensiBtn">
                  <a href="javascript:void(0)" id="btn_save" class="
383
       easyui-linkbutton" iconCls="icon-ok-a" onclick="saveabsensi()"
       style = "width: 90 px" > Save </a>
                  <a href="javascript:void(0)" class="easyui-linkbutton"</pre>
384
       iconCls="icon-del-a" onclick="javascript:$('#dlgabsensi').dialog
       ('close'); $('#fmabsensi').form(clear)
                  " style="width:90px">Cancel</a>
385
                </div>
386
             </div>
387
388
             </div>
200
391
         </div>
392
       </div><!--/.row-->
       <!-- start kelola absensi-->
394
395
       <!-- start kelola intern->
396
307
       <div class="row">
         <div class="col-lg-12">
           <h1 class="page-header">Kelola Internship </h1>
300
         </div>
400
       </div><!--/.row-->
401
       <div class="row">
402
         <div class="col-sm-12">
403
404
         <div class="panel panel-container">
405
         <div class="row">
406
             <div class="col-sm-12">
             <div id="container" class="easyui-layout" fit="true" style=</pre>
       "height: 300 \, px;">
               <div region="center">
409
                  <table id="dgdosenintern" toolbar="#toolbardosenintern"
410
        class="easyui-datagrid" fit="true" singleSelect="true"
       fitColumns="true" rowNumbers="false" pagination="true" url="<?=
       site_url('dashboard/getdosenintern') ?>" pageSize="50" pageList="
       [25,50,75,100,125,150,200]" nowrap="false">
411
```

412

413

414

415

416

```
Tanggal
417
       berakhir 
                     418
                   </thead>
410
                 <div id="toolbardosenintern">
422
                   <a href="javascript:void(0)" class="easyui-linkbutton"
423
       " iconCls="icon-edit" plain="true" onClick="editdosenintern()">
       Edit </a>
424
                   <a href="<?php echo site_url(); ?>/dashboard/
425
       buatpdfintern" plain="true" class="easyui-linkbutton" iconCls="
       icon-print">Print </a>
                   <input id="searchdosenintern" class="easyui-</pre>
426
       searchbox" data-options="prompt: 'Please Input Value', searcher:
       doSearchdosenintern,
                   inputEvents: $.extend({}, $.fn.searchbox.defaults.
427
       inputEvents, {
                     keyup: function(e){
428
                       var t = \$(e.data.target);
420
                       var opts = t.searchbox('options');
430
                       t.searchbox('setValue', $(this).val());
431
                       opts.searcher.call(t[0],t.searchbox('getValue'),t
       . searchbox ('getName'));
433
                   )" style="width:50%:"></input>
434
                 </div>
               </div>
437
               <div id="dlginterndosen" class="easyui-dialog" style="</pre>
438
       width: 780px; height: auto; padding: 10px; modal="true" closed="
       true" buttons="#dlginterndosenBtn">
                 <form id="fminterndosen" method="post">
                   <div class="col-sm-12 justify-content-sm-center">
440
442
                   <div class="row" style="width: 100%">
                     <div class="col-sm-6">
                       <div class="form-group">
445
                         <label for="">ID intern </label>
446
                         <input type="text" name="id_intern" class="</pre>
       easyui-textbox" style="width: 100%;">
                       </div>
448
                     </div>
449
                     <div class="col-sm-6">
450
                       <div class="form-group">
451
                         <label for="">ID Koordinator Internship </label</pre>
       >
                         <select class="" style="width: 100%; margin: 0</pre>
453
       px; padding-top: 0px; padding-bottom: 0px; height: 25px; line-
       height: 25px; "name="id_koor_intern">
454
                         <?php
455
                          foreach ($data_dosen as $row) {
456
```

```
echo "<option value='".$row->id_dosen."'>".$row
457
       ->id_dosen." | ".$row->nama_dosen."</option>";
                           }
458
                           echo"
450
                           ?>
                           </select>
462
                         </div>
463
                       </div>
                    </div>
                    <div class="row" style="width: 100%">
467
                      <div class="col-sm-6">
468
                         <div class="form-group">
469
                           <label for="">Status Internship </label>
                           <input type="text" name="status_intern" class="</pre>
471
       easyui-textbox" style="width: 100%;">
                         </div>
472
                       </div>
                      <div class="col-sm-6">
474
                         <div class="form-group">
                           <label for="">Tanggal Mulai</label>
476
                           <input type="datetime-local" data-date="" data-</pre>
477
       date-format="YYYY MM DD" name="tanggal_mulai" class="easyui-
       textbox" style="width: 100%;">
                         </div>
478
                       </div>
480
                    </div>
                    <div class="row" style="width: 100%">
                      <div class="col-sm-12">
482
                         <div class="form-group">
483
                           <label for="">Tanggal Berakhir </label>
484
                           <input type="datetime-local" data-date="" data-</pre>
485
       date-format="YYYY MM DD" name="tanggal_berakhir" class="easyui-
       textbox" style="width: 100%;">
                         </div>
486
                       </div>
487
                    </div>
400
                    </div>
491
                  </form>
492
                </div>
                <div id="dlginterndosenBtn">
404
                  <a href="javascript:void(0)" id="btn_save" class="
495
       easyui-linkbutton" iconCls="icon-ok-a" onclick="savedosenintern()
       " style = "width: 90 px" > Save < /a >
                  <a href="javascript:void(0)" class="easyui-linkbutton"</a>
       iconCls="icon-del-a" onclick="javascript:$('#dlginterndosen').
       dialog('close'); $('#fminterndosen').form(clear)
                  " style = "width : 90 px" > Cancel </a>
497
                </div>
498
              </div>
500
              </div>
501
502
```

```
503
       </div>
504
     </div><!--/row-->
505
     <!-- end kelola intern->
506
     <!-- start kelola dosenmahasiswa-->
     <div class="row">
500
       <div class="col-lg-12">
         <h1 class="page-header">View Mahasiswa </h1>
       </div>
     </div><!--/.row-->
     <div class="row">
514
       <div class="col-sm-12">
       <div class="panel panel-container">
       <div class="row">
          <div class="col-sm-12">
          <div id="container" class="easyui-layout" fit="true" style=</pre>
      "height:300 px;">
            <div region="center">
              <table id="dgdosenmahasiswa" toolbar="#
      toolbardosenmahasiswa" class="easyui-datagrid" fit="true"
      singleSelect="true" fitColumns="true" rowNumbers="false"
      pagination="true" url="<?= site_url('dashboard/getdosenmahasiswa
      ') ?>" pageSize="50" pageList="[25,50,75,100,125,150,200]" nowrap
     ="false">
               <thead>
524
                 ID
                   Nama
526
     nMahasiswa 
                   Kelas</th
     >
                   Prodi
528
     Angkatan 
                   Photo
530
     mahasiswa 
                 </thead>
              534
              <div id="toolbardosenmahasiswa">
                          < !--
536
               <a href="javascript:void(0)" class="easyui-linkbutton"
     "iconCls="icon-add" plain="true" onClick="newdosenmahasiswa()">
     New</a>
               <a href="javascript:void(0)" class="easyui-linkbutton"
     " iconCls="icon-edit" plain="true" onClick="editdosenmahasiswa()"
     >Edit </a>
               <a href="javascript:void(0)" class="easyui-linkbutton"
539
     " iconCls="icon-remove" plain="true" onClick="
     destroydosenmahasiswa () ">Destroy </a>
540
```

```
<a href="<?php echo site_url(); ?>/dashboard/
541
       buatpdfdosenmahasiswa" plain="true" class="easyui-linkbutton"
       iconCls="icon-print">Print </a>
                   <input id="searchdosenmahasiswa" class="easyui-</pre>
542
       searchbox" data-options="prompt: 'Please Input Value', searcher:
       doSearchdosenmahasiswa.
                    inputEvents: $.extend({}, $.fn.searchbox.defaults.
5/13
       inputEvents, {
                      keyup: function(e){
                        var t = \$(e.data.target);
                        var opts = t.searchbox('options');
                        t.searchbox('setValue', $(this).val());
547
                        opts.searcher.call(t[0],t.searchbox('getValue'),t
548
       . searchbox ('getName'));
                    })" style="width:50%;"></input>
550
                  </div>
               </div>
               <div id="dlgdosenmahasiswa" class="easyui-dialog" style="</pre>
554
       width: 780px; height: auto; padding: 10px; "modal="true" closed="
       true" buttons="#dlgdosenmahasiswaBtn">
                 <form id="fmdosenmahasiswa" method="post">
                   <div class="col-sm-12 justify-content-sm-center">
557
558
                   <div class="row" style="width: 100%">
                      <div class="col-sm-6">
560
                        <div class="form-group">
                          <label for="">ID dosenmahasiswa</label>
562
                          <select class="" style="width: 100%; margin: 0</pre>
563
       px; padding-top: 0px; padding-bottom: 0px; height: 25px; line-
       height: 25px;" name="id_dosenmahasiswa">
                          <?php
565
                          foreach ($data_user as $row) {
566
                          echo "<option value="".$row->id_user."">".$row
567
       ->id_user." | ".$row->username."</option>";
                          echo"
560
                          ?>
                          </select>
572
                        </div>
                      </div>
574
                      <div class="col-sm-6">
576
                        <div class="form-group">
                          <label for="">Nama dosenMahasiswa </label>
                          <input type="text" name="nama_dosenmahasiswa"</pre>
       class="easyui-textbox" style="width: 100%;">
                        </div>
                      </div>
580
                    </div>
581
582
                   <div class="row" style="width: 100%">
583
                      <div class="col-sm-6">
584
```

```
<div class="form-group">
585
                          <label for="">Kelas dosenmahasiswa</label>
586
                          <input type="text" name="kelas_dosenmahasiswa"</pre>
587
       class="easyui-textbox" style="width: 100%;">
                        </div>
                      </div>
                      <div class="col-sm-6">
500
                        <div class="form-group">
591
                          <label for="">Prodi </label>
                          <select class="" style="width: 100%; margin: 0</pre>
594
       px; padding-top: 0px; padding-bottom: 0px; height: 25px; line-
       height: 25px; name="id_prodi_dosenmahasiswa">
595
                          <?php
506
                           foreach ($data_prodi as $row) {
507
                          echo "<option value='".$row->id_prodi."'>".$row
508
       ->nama_prodi."</option>";
                          echo"
601
                          ?>
602
                          </select>
603
                        </div>
                      </div>
605
606
                    </div>
607
                    <div class="row" style="width: 100%">
608
                      <div class="col-sm-6">
                        <div class="form-group">
                          <label for="">Tahun Angkatan</label>
611
                          <input type="text" name="</pre>
612
       angkatan_dosenmahasiswa" class="easyui-textbox" style="width:
       100%;">
                        </div>
613
                      </div>
                      <div class="col-sm-6">
615
                        <div class="form-group">
                          <label for="">foto dosenmahasiswa</label>
                          <input type="text" name="foto_dosenmahasiswa"</pre>
       class="easyui-textbox" style="width: 100%;">
                        </div>
                      </div>
                    </div>
622
623
                    </div>
                  </form>
                </div>
               <div id="dlgdosenmahasiswaBtn">
627
                 <a href="javascript:void(0)" id="btn_save" class="
       easyui-linkbutton" iconCls="icon-ok-a" onclick="
       savedosenmahasiswa()" style="width:90px">Save</a>
                 <a href="javascript:void(0)" class="easyui-linkbutton"</pre>
629
       iconCls="icon-del-a" onclick="javascript: $('#dlgdosenmahasiswa').
       dialog('close'); $('#fmdosenmahasiswa').form(clear)
```

```
" style = "width: 90 px" > Cancel </a>
              </div>
631
            </div>
632
633
            </div>
636
        </div>
      </div><!--/.row-->
      <!-- start kelola dosenmahasiswa-->
      <!-- start kelola dosen-->
641
      <div class="row">
642
        <div class="col-lg-12">
          <h1 class="page-header">Kelola Profil </h1>
        </div>
      </div><!--/.row-->
646
      <div class="row">
647
        <div class="col-sm-12">
        <div class="panel panel-container">
        <div class="row">
            <div class="col-sm-12">
651
            <div id="container" class="easyui-layout" fit="true" style=</pre>
      "height:300 px;">
              <div region="center">
                <table id="dgprofiledosen" toolbar="#toolbardosen"
      class="easyui-datagrid" fit="true" singleSelect="true" fitColumns
      ="true" rowNumbers="false" pagination="true" url="<?= site_url('
      dashboard/getprofiledosen') ?>" pageSize="50" pageList="
      [25,50,75,100,125,150,200]" nowrap="false">
                  <thead>
                    field="id_dosen" width="80">ID Dosen
657
                         field="nama_dosen" width="100">Nama Dosen
                      <th
      >
                      Prodi
                          field="foto_dosen" width="100">Photo Dosen</
660
      th>
                      Username
                                          <th field="password" width="
662
       100">Password 
                    663
                  </thead>
664
                <div id="toolbardosen">
666
                  <a href="javascript:void(0)" class="easyui-linkbutton"
667
      " iconCls="icon-edit" plain="true" onClick="editprofiledosen()">
      Edit </a>
                </div>
              </div>
669
              <div id="dlgprofiledosen" class="easyui-dialog" style="</pre>
671
      width: 780px; height: auto; padding: 10px; "modal="true" closed="
       true" buttons="#dlgprofiledosenbtn">
                <form id="fmprofiledosen" method="post">
672
                  <div class="col-sm-12 justify-content-sm-center">
673
```

```
674
675
                    <div class="row" style="width: 100%">
                      <div class="col-sm-6">
677
                        <div class="form-group">
                          <label for="">ID Dosen </label>br>
                          <input type="text" name="id_dosen" class="</pre>
680
       easyui-textbox" style="width: 100%;" readonly>
                        </div>
                      </div>
                      <div class="col-sm-6">
                        <div class="form-group">
684
                          <label for="">Nama Dosen</label>
685
                          <input type="text" name="nama_dosen" class="</pre>
       easyui-textbox" style="width: 100%;">
                        </div>
687
                      </div>
                      <div class="col-sm-6">
689
                        <div class="form-group">
                          <label for="">Prodi </label>br>
691
                          <select class="" style="width: 100%; margin: 0</pre>
602
       px; padding-top: 0px; padding-bottom: 0px; height: 25px; line-
       height: 25px; "name="id_prodi_dosen" readonly>
                          <?php
604
                           foreach ($data_prodi as $row) {
695
                           echo "<option value='".$row->id_prodi."'>".$row
696
       ->nama_prodi."</option>";
                          echo"
698
600
                          ?>
700
                           </select>
701
                        </div>
                      </div>
703
                      <div class="col-sm-6">
704
                        <div class="form-group">
705
                          <label for="">Photo Dosen</label>
                          <input type="text" name="foto_dosen" class="</pre>
       easyui-textbox" style="width: 100%;">
                        </div>
708
                      </div>
709
                    </div>
                    <div class="row" style="width: 100%">
                      <div class="col-sm-6">
714
                        <div class="form-group">
                          <label for="">username </label>
                          <input type="text" name="username" class="</pre>
       easyui-textbox" style="width: 100%;">
                        </div>
718
                      </div>
                                         <div class="col-sm-6">
720
                        <div class="form-group">
                          <label for="">password </label>
```

```
<input type="text" name="password" class="</pre>
       easyui-textbox" style="width: 100%;">
                        </div>
724
                      </div>
726
                    </div>
728
                    </div>
                  </form>
                </div>
               <div id="dlgprofiledosenbtn">
                 <a href="javascript:void(0)" id="btn_save" class="</pre>
734
       easyui-linkbutton" iconCls="icon-ok-a" onclick="saveaprofiledosen
       ()" style = "width: 90 px" > Save </a>
                 <a href="javascript:void(0)" class="easyui-linkbutton"
       iconCls="icon-del-a" onclick="javascript:$('#dlgprofiledosen').
       dialog('close'); $('#fmprofiledosen').form(clear)
                  " style = "width: 90 px" > Cancel </a>
736
                </div>
              </div>
729
              </div>
740
         </div>
742
       </div><!--/.row-->
743
744
745
       <!--end kelola dosen-->
747
     </div><!--/.row-->
748
   </div> <!--/.main-->
749
750
   </body>
754
  <script src="<?php echo base_url(); ?>assets/js/jquery -1.11.1.min.js"
       ></script>
       <script src="<?php echo base_url(); ?>assets/js/bootstrap.min.js"
       ></script>
758
       <script type="text/javascript" src="<?php echo base_url(); ?>
       assets/js/leaflet.js"></script>
760
       <script type="text/javascript" src="<?php echo base_url(); ?>
761
       assets/js/leaflet.markercluster.js"></script>
       <link rel="stylesheet" type="text/css" href="<?php echo base_url</pre>
763
       ('assets/css/icon.css') ?>">
764
       <script src="<?php echo base_url(); ?>assets/js/jquery.min.js">
765
       script>
       <script type="text/javascript" src="<?php echo base_url('assets/</pre>
766
       js/jquery.easyui.min.js') ?>"></script>
```

```
<script type="text/javascript" src="<?php echo base_url('assets/</pre>
767
       is/script.is') ?>"></script>
      <link rel="stylesheet" type="text/css" href="<?php echo base_url</pre>
768
       ('assets/css/easyui.css') ?>">
      <script type="text/javascript">
769
         var map, newUser, users, mapquest, firstLoad;
         firstLoad = true:
         //users = new L. FeatureGroup();
         users = new L. MarkerClusterGroup({spiderfyOnMaxZoom: true,
       showCoverageOnHover: false , zoomToBoundsOnClick: true });
         newUser = new L. LayerGroup();
776
         mapquest = new L. TileLayer("https://api.tiles.mapbox.com/v4/{id
780
       \frac{1}{z}/\{x\}/\{y\}.png?access_token={accessToken}", {
           maxZoom: 18.
781
           id: 'mapbox. streets'
           subdomains: ["otile1", "otile2", "otile3", "otile4"],
792
           attribution: 'Map data © <a href="http://openstreetmap.
784
       org">OpenStreetMap </a> contributors, <a href="http://
       creativecommons.org/licenses/by-sa/2.0/">CC-BY-SA</a>, Imagery
       <a href="http://mapbox.com">Mapbox</a>',
           accessToken: 'pk.
785
       eyJ1IjoiY2hhbmRyYWtwIiwiYSI6ImNrMzJpOWJoMDBhdDczZG1tZXk3MmppeGEifQ
       . wWJUgnRB1DsKnmYQdsJVxQ'
         });
787
        map = new L.Map('map', {
           center: new L. LatLng (-6.914744, 107.609810),
           zoom: 10,
           layers: [mapquest, users, newUser]
         });
         // GeoLocation Control
         //map.locate({setView: true, maxZoom: 3});
797
        $(document).ready(function() {
798
           $.ajaxSetup({cache: false});
799
800
           getUsers();
         });
802
803
        $(window).resize(function () {
804
           ('#map').css('height', ((window).height() - 300));
         }).resize();
807
808
809
         function getUsers() {
810
           $.getJSON("<?php echo site_url(); ?>/dashboard/
       getmahasiswauntukdosenJSON", function (data) {
             for (var i = 0; i < data.length; i++) {
812
```

```
var location = new L. LatLng(data[i].latitude_absensi,
813
       data[i].longitude_absensi);
                var name = data[i].id_mahasiswa_absensi;
814
                var website = data[i].foto_absensi;
815
         var host = window.base_url = <?php echo json_encode(base_url())
       : ?>:
817
818
                var marker = new L. Marker(location, { title: name});
                marker.bindPopup("<div style='text-align: center; margin-
821
       left: auto; margin-right: auto;'><img style='width:100px; height
       :100px; 'src="+ host + website+">"+ name +" </div>", {maxWidth: '
       400'});
                users.addLayer(marker);
             }
823
           }).complete(function() {
824
             if (firstLoad == true) {
825
               map. fitBounds (users.getBounds()):
                firstLoad = false;
             };
           });
829
832
833
834
835
       </script>
   </html>
```

```
<!DOCTYPE html>
2 <html>
3 <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1"</pre>
      >
    <title >Actspot505 </title >
    <link type="text/css" rel="stylesheet" href="<?php echo base_url();</pre>
       ?>assets/css/bootstrap.css">
    <link href="<?php echo base_url(); ?>assets/css/bootstrap.min.css"
8
      rel="stylesheet">
    <script src="https://unpkg.com/leaflet@1.3.1/dist/leaflet.js"</pre>
      integrity="sha512 -/Nsx9X4HebavoBvEBuyp3I7od5tA0UzAxs+
      j83KgC8PU0kgB4XiK4Lfe4y4cgBtaRJQEIFCW+oC506aPT2L1zw=="
      crossorigin=""></script>
      <link type="text/css" rel="stylesheet" href="<?php echo base_url</pre>
      (); ?>assets/css/leaflet.css"/>
14
      <link type="text/css" rel="stylesheet" href="<?php echo base_url</pre>
      (); ?>assets/css/MarkerCluster.css"/>
      <link type="text/css" rel="stylesheet" href="<?php echo base_url</pre>
      (); ?>assets/css/MarkerCluster.Default.css"/>
      <link href="<?php echo base_url(); ?>assets/css/styles.css" rel="
      stylesheet">
```

```
18
    <style>
19
20
    #mapid{
       width: 100%;
       height: 400px;
24
25
    box-sizing: border-box;
27
  }
2.8
  body {
    font-family: Arial, Helvetica, sans-serif;
30
  }
32
33
  /* Float four columns side by side */
  .columna {
    float: left:
35
    width: 25%;
    margin-top:20px;
    padding: 0 10px;
38
39
  }
40
  /* Remove extra left and right margins, due to padding */
  .rowa {margin: 0 -5px;}
43
  /* Clear floats after the columns */
  .rowa: after {
    content: "";
    display: table;
    clear: both;
48
  }
50
  /* Responsive columns */
  @media screen and (max-width: 600px) {
    .column {
       width: 100%;
54
       display: block;
55
      margin-bottom: 20px;
    }
57
  }
58
59
  /* Style the counter cards */
  .carda {
    box-shadow: 0 \ 4px \ 8px \ 0 \ rgba(0, 0, 0, 0.2);
62
63
    padding: 16px;
    text-align: center;
65
    background-color: #f1f1f1;
  }
66
67
    </style>
68
70 </head>
71 <body>
```

```
<nav class="navbar navbar-custom navbar-fixed-top" role="navigation")</pre>
      <div class="container-fluid">
7.1
       <div class="navbar-header">
         <button type="button" class="navbar-toggle collapsed" data-
      toggle="collapse" data-target="#sidebar-collapse"><span class="sr
      -only">Toggle navigation </span>
           <span class="icon-bar"></span>
76
           <span class="icon-bar"></span>
           <span class="icon-bar"></span></button>
         <a class="navbar-brand" href="#"><span>Lumino</span>Admin</a>
        </div>
80
      </div><!-- /.container-fluid -->
81
    </nav>
82
    <div id="sidebar-collapse" class="col-sm-3 col-lg-2 sidebar">
83
      <div class="profile-sidebar">
9.4
       <div class="profile-userpic">
85
         <img src="http://placehold.it/50/30a5ff/fff" class="img-</pre>
86
      responsive" alt="">
        </div>
97
       <div class="profile-usertitle">
88
         <div class="profile-usertitle-name"> <?php echo $this->
90
      session -> userdata ("nama"); ?></div>
          <div class="profile-usertitle-status"><span class="indicator"</pre>
      label-success"></span>Online</div>
        </div>
91
       <div class="clear"></div>
02
      </div>
      <div class="divider"></div>
0.4
      05
      padding: unset;">
       <1i class="active"><a href="<?php echo site_url(); ?>/dashboard
      ">Dashboard </a>
        <1i > a href="<?php echo site_url('c_login/logout'); ?>"> Logout
97
      </a>
      </111>
98
    </div><!--/.sidebar-->
101
    <div class="col-sm-9 col-sm-offset-3 col-lg-10 col-lg-offset-2 main</pre>
103
      ">
    <div class="rowa">
    <div class="columna">
      <div class="carda">
106
      <h4>Jumlah Pembimbing </h4>
      <thead>
       110
         Eksternal 
         Internal 
        </thead>
114
       116
```

```
<:php echo $totaldosen; ?>
       <?php echo $totaldoseninternal; ?>
118
      119
120
      </div>
   </div>
124
   <div class="columna">
126
    <div class="carda">
    <h4>Jumlah Mahasiswa</h4>
128
129
    <thead>
130
      <?php
        foreach ($gettahunangkatan
                             as $row) {
         echo "$row->
134
     angkatan_mahasiswa ":
        }
136
      ?>
138
      139
140
      </thead>
      141
      142
143
       <?php echo $totalmahasiswa2015; ?>
       <?php echo $totalmahasiswa2016; ?>
145
       <?php echo $totalmahasiswa2017; ?>
146
      147
148
149
      150
     </div>
   </div>
   <div class="columna">
154
    <div class="carda">
    <h4>Jumlah Lokasi Internship </h4>
156
    158
      <thead>
      160
       Total
161
      162
      </thead>
163
164
      165
       <?php echo $totallokasiinternship; ?>
166
      167
168
      169
     170
     </div>
```

```
</div>
    <div class="columna">
174
      <div class="carda">
175
      <h4>Jumlah pengguna aktif </h4>
      <thead>
178
        180
          Total 
        181
        </thead>
        183
        >
184
          <?php echo $totaluser; ?>
185
        187
        188
      189
      </div>
190
    </div>
    </div>
192
      <div class="row">
193
        <div class="col-lg-12">
194
          <h1 class="page-header">Peta Lokasi Internship Mahasiswa </h1
        </div>
196
      </div><!--/.row-->
197
      <div class="row">
108
        <div class="col-sm-12">
          <div id="map" style="width:100%; height:280px;">
200
201
          </div>
202
        </div>
203
      </div><!--/.row-->
204
      < !--
205
      <div class="row">
206
        <div class="col-lg-12">
207
          <h1 class="page-header">View Tabel Trigger radius </h1>
        </div>
      </div>
      <div class="row">
        <div class="col-sm-12">
        <div class="panel panel-container">
        <div class="row">
            <div class="col-sm-12">
            <div id="container" class="easyui-layout" fit="true" style=</pre>
      "height: 300 \, px;">
              <div region="center">
                <table id="dgtrigger_radius" toolbar="#
220
      toolbartrigger_radius" class="easyui-datagrid" fit="true"
       singleSelect="true" fitColumns="true" rowNumbers="false"
       pagination="true" url="<?= site_url('c_kelola_user/
       gettrigger_radius') ?>" pageSize="50" pageList="
      [25,50,75,100,125,150,200]" nowrap="false">
```

```
<thead>
                  ID trigger 
                    ID Intern 
                    ID Track
225
                    ID radius 
                  </thead>
228
              <div id="toolbartrigger_radius">
                <input id="search_trigger_radius" class="easyui-</pre>
      searchbox" data-options="prompt: 'Please Input Value', searcher:
      doSearchtrigger_radius,
                inputEvents: $.extend({}, $.fn.searchbox.defaults.
      inputEvents, {
                  keyup: function(e){
                    var t = $(e.data.target);
                    var opts = t.searchbox('options');
                    t.searchbox('setValue', $(this).val());
                    opts.searcher.call(t[0],t.searchbox('getValue'),t
      . searchbox ('getName'));
238
                )" style="width:50%;"></input>
230
              </div>
             </div>
241
           </div>
242
243
           </div>
       </div>
     </div
246
     <u>---></u>
247
     <div class="row">
249
       <div class="col-lg-12">
250
         <h1 class="page-header">Print Absensi per mahasiswa </h1>
       </div>
      </div><!--/.row-->
     <div class="row">
       <div class="col-lg-12">
       <form action="<?php echo site_url(). '/dashboard/perorang'; ?>"
256
       method="post">
     258
       >
          NPM : 
         input type="text" name="npmmahasiswa">
260
         <button type="submit" value="Submit">Submit</button>
261
       2.62
      264
    </form>
265
       </div>
266
      </div><!--/.row-->
2.67
     <!-- start kelola absensi-->
     <div class="row">
269
       <div class="col-lg-12">
         <h1 class="page-header">Kelola absensi </h1>
```

```
</div>
     </div><!--/.row-->
     <div class="row">
274
      <div class="col-sm-12">
      <div class="panel panel-container">
      <div class="row">
278
         <div class="col-sm-12">
         <div id="container" class="easyui-layout" fit="true" style=</pre>
     "height: 300 \, px;">
           <div region="center">
281
             <table id="dgabsensi" toolbar="#toolbarabsensi" class="
282
     easyui-datagrid" fit="true" singleSelect="true" fitColumns="true"
      rowNumbers="false" pagination="true" url="<?= site_url('
     c_kelola_user/getabsensi') ?>" pageSize="50" pageList="
     [25,50,75,100,125,150,200]" nowrap="false">
              <thead>
283
                284
                 ID absensi
285
                 ID
     Mahasiswa 
                 ID
287
     Intern 
                 ID Dosen
     Latitude
289
      absensi 
                 200
     Longtitude absensi 
                 Date
291
     Time absensi 
                 292
     Imei absensi 
                 Kegiatan
293
      absensi 
                 Photo
204
     absensi 
                295
              </thead>
             297
             <div id="toolbarabsensi">
298
              <a href="javascript:void(0)" class="easyui-linkbutton"
299
     " iconCls="icon-add" plain="true" onClick="newabsensi()">New</a>
              <a href="javascript:void(0)" class="easyui-linkbutton"
     " iconCls="icon-edit" plain="true" onClick="editabsensi()">Edit</
     a>
              <a href="javascript:void(0)" class="easyui-linkbutton"
301
     " iconCls="icon-remove" plain="true" onClick="destroyabsensi()">
     Destroy </a>
              <a href="<?php echo site_url(); ?>/dashboard/
302
     buatpdfabsensi" plain="true" class="easyui-linkbutton" iconCls="
     icon-print">Print </a>
303
              <input id="searchabsensi" class="easyui-searchbox"</pre>
     data-options="prompt: 'Please Input Value', searcher:
     doSearchabsensi,
```

```
inputEvents: $.extend({}, $.fn.searchbox.defaults.
304
       inputEvents, {
                      keyup: function(e){
305
                        var t = \$(e.data.target);
306
                        var opts = t.searchbox('options');
                        t.searchbox('setValue', $(this).val());
                        opts.searcher.call(t[0],t.searchbox('getValue'),t
300
       . searchbox ('getName'));
                    })" style="width:50%;"></input>
                 </div>
               </div>
314
               <div id="dlgabsensi" class="easyui-dialog" style="width:</pre>
       780px; height: auto; padding: 10px; "modal="true" closed="true"
       buttons="#dlgabsensiBtn">
                 <form id="fmabsensi" method="post">
                   <div class="col-sm-12 justify-content-sm-center">
317
318
                   <div class="row" style="width: 100%">
220
                     <div class="col-sm-6">
                       <div class="form-group">
                          <label for="">ID absensi </label>
                          <input type="text" name="id_absensi" class="</pre>
       easyui-textbox" style="width: 100%;">
                        </div>
                      </div>
326
                     <div class="col-sm-6">
                        <div class="form-group">
328
                          <label for="">ID Intern </label>
320
                          <select class="" style="width: 100%; margin: 0</pre>
330
       px; padding-top: 0px; padding-bottom: 0px; height: 25px; line-
       height: 25px; "name="id_intern_absensi">
                          <?php
                          foreach ($data_intern as $row) {
                          echo "<option value='".$row->id_intern."'>".
334
       $row->id_intern." | ".$row->id_koor_intern.";
                          echo"
336
                          ?>
338
                          </select>
                        </div>
340
                      </div>
341
                    </div>
342
                   <div class="row" style="width: 100%">
                     <div class="col-sm-6">
345
                       <div class="form-group">
346
                          <label for="">Id Mahasiswa</label>
347
                          <select class="" style="width: 100%; margin: 0</pre>
348
       px; padding-top: 0px; padding-bottom: 0px; height: 25px; line-
       height: 25px; "name="id_mahasiswa_absensi">
349
```

```
<?php
350
                           foreach ($data_mahasiswa as $row) {
351
                           echo "<option value='".$row->id_mahasiswa."'>".
       $row->id_mahasiswa." | ".$row->nama_mahasiswa."";
                          echo"
                          7>
356
                           </select>
                        </div>
                      </div>
                      <div class="col-sm-6">
360
361
                        <div class="form-group">
                          <label for="">ID Dosen</label>
362
                          <select class="" style="width: 100%; margin: 0</pre>
       px; padding-top: 0px; padding-bottom: 0px; height: 25px; line-
       height: 25px; "name="id_dosen_absensi">
364
                           foreach ($data_dosen as $row) {
366
                          echo "<option value="...$row->id_dosen."">".$row
267
       ->id_dosen." | ".$row->nama_dosen."</option>";
                           }
368
                           echo"
370
                           </select>
                        </div>
                      </div>
                    </div>
                    <div class="row" style="width: 100%">
376
                      <div class="col-sm-6">
                        <div class="form-group">
378
                          <label for="">Latitude absensi </label>
                          <input type="text" name="latitude_absensi"</pre>
380
       class="easyui-textbox" style="width: 100%;">
                        </div>
381
                      </div>
382
                      <div class="col-sm-6">
                        <div class="form-group">
294
                          <label for="">Longitude absensi </label>
385
                          <input type="text" name="longitude_absensi"</pre>
386
       class="easyui-textbox" style="width: 100%;">
                        </div>
                      </div>
388
                    </div>
389
                    <div class="row" style="width: 100%">
300
                      <div class="col-sm-6">
                        <div class="form-group">
392
                          <label for="">Tanggal dan waktu</label>
393
                          <input type="date" name="tgl_waktu_absensi"</pre>
394
       class="easyui-textbox" style="width: 100%;">
                        </div>
395
                      </div>
306
                      <div class="col-sm-6">
307
                        <div class="form-group">
398
```

```
<label for="">Imei Perangkat </label>
300
                           <input type="text" name="imei_perangkat_absensi</pre>
400
         class="easyui-textbox" style="width: 100%;">
                         </div>
401
                       </div>
                     </div>
                    <div class="row" style="width: 100%">
404
                      <div class="col-sm-6">
405
                         <div class="form-group">
                           <label for="">Kegiatan absensi </label>
                           <input type="text" name="kegiatan_absensi"</pre>
408
       class="easyui-textbox" style="width: 100%;">
409
                         </div>
                       </div>
410
                      <div class="col-sm-6">
411
                         <div class="form-group">
412
                           <label for="">Photo absensi </label>
413
                           <input type="text" name="foto_absensi" class="</pre>
414
       easvui-textbox" style="width: 100%;">
                         </div>
415
                       </div>
                     </div>
417
418
                     </div>
420
                  </form>
421
                </div>
422
                <div id="dlgabsensiBtn">
423
                  <a href="javascript:void(0)" id="btn_save" class="
       easyui-linkbutton" iconCls="icon-ok-a" onclick="saveabsensi()"
        style = "width: 90 px" > Save </a>
                  <a href="javascript:void(0)" class="easyui-linkbutton"</pre>
425
       iconCls="icon-del-a" onclick="javascript:$('#dlgabsensi').dialog
       ('close'); $('#fmabsensi').form(clear)
                  " style="width:90px">Cancel</a>
426
                </div>
              </div>
428
              </div>
432
433
         </div>
       </div><!--/.row-->
       <!-- start kelola absensi-->
435
436
       <!-- start kelola intern-->
437
       <div class="row">
438
         <div class="col-lg-12">
           <h1 class="page-header">Kelola Intern </h1>
440
         </div>
441
       </div><!--/.row-->
442
       <div class="row">
443
         <div class="col-sm-12">
444
445
         <div class="panel panel-container">
446
         <div class="row">
447
```

```
<div class="col-sm-12">
448
           <div id="container" class="easyui-layout" fit="true" style=</pre>
440
      "height:300px;">
             <div region="center">
450
               <table id="dgintern" toolbar="#toolbarintern" class="
451
      easyui-datagrid" fit="true" singleSelect="true" fitColumns="true"
       rowNumbers="false" pagination="true" url="<?= site_url('
      c_kelola_user/getintern') ?>" pageSize="50" pageList="
      [25,50,75,100,125,150,200]" nowrap="false">
                 <thead>
452
453
                   >
                     ID intern 
454
455
                     Koordinator Internship 
                     Status
      Internship 
                     Tanggal
457
      mulai 
                     Tanggal
458
      berakhir 
                   450
                 </thead>
460
               461
               <div id="toolbarintern">
                 <a href="javascript:void(0)" class="easyui-linkbutton"
463
       iconCls="icon-add" plain="true" onClick="newintern()">New</a>
                 <a href="javascript:void(0)" class="easyui-linkbutton"
464
      " iconCls="icon-edit" plain="true" onClick="editintern()">Edit </a
      >
                 <a href="javascript:void(0)" class="easyui-linkbutton"
465
      "iconCls="icon-remove" plain="true" onClick="destroyintern()">
      Destroy </a>
                 <a href="<?php echo site_url(); ?>/dashboard/
      buatpdfintern" plain="true" class="easyui-linkbutton" iconCls="
      icon-print">Print </a>
                 <input id="searchintern" class="easyui-searchbox"</pre>
467
      data-options="prompt: 'Please Input Value', searcher: doSearchintern
                 inputEvents: $.extend({}, $.fn.searchbox.defaults.
      inputEvents, {
                   keyup: function(e){
469
                     var t = \$(e.data.target);
470
                     var opts = t.searchbox('options');
471
                     t.searchbox('setValue', $(this).val());
                     opts.searcher.call(t[0],t.searchbox('getValue'),t
473
      . searchbox ('getName'));
                 })" style="width:50%;"></input>
               </div>
             </div>
477
478
             <div id="dlgintern" class="easyui-dialog" style="width:</pre>
479
      780px; height: auto; padding: 10px; modal="true" closed="true"
      buttons="#dlginternBtn">
               <form id="fmintern" method="post">
480
                 <div class="col-sm-12 justify-content-sm-center">
481
```

```
482
483
                    <div class="row" style="width: 100%">
484
                      <div class="col-sm-6">
185
                        <div class="form-group">
                          <label for="">ID intern </label>
                          <input type="text" name="id_intern" class="</pre>
188
       easyui-textbox" style="width: 100%:">
                         </div>
                      </div>
                      <div class="col-sm-6">
491
                        <div class="form-group">
402
493
                          <label for="">ID Koordinator Internship </label</pre>
       >
                          <select class="" style="width: 100%; margin: 0</pre>
404
       px; padding-top: 0px; padding-bottom: 0px; height: 25px; line-
       height: 25px; "name="id_koor_intern">
405
                          <?php
                           foreach ($data_dosen as $row) {
407
                           echo "<option value="...$row->id_dosen."">".$row
409
       ->id_dosen." | ".$row->nama_dosen."</option>";
                           }
400
                           echo"
501
                          ?>
502
                           </select>
503
                         </div>
504
                      </div>
                    </div>
506
507
                    <div class="row" style="width: 100%">
508
                      <div class="col-sm-6">
                        <div class="form-group">
                          <label for="">Status Internship </label>
                          <input type="text" name="status_intern" class="</pre>
       easyui-textbox" style="width: 100%;">
                         </div>
513
                      </div>
                      <div class="col-sm-6">
                        <div class="form-group">
                          <label for="">Tanggal Mulai</label>
                          <input type="datetime-local" data-date="" data-</pre>
518
       date-format="YYYY MM DD" name="tanggal_mulai" class="easyui-
       textbox" style="width: 100%;">
                        </div>
                      </div>
                    </div>
                    <div class="row" style="width: 100%">
                      <div class="col-sm-12">
                        <div class="form-group">
524
                          <label for="">Tanggal Berakhir </label>
525
                          <input type="datetime-local" data-date="" data-</pre>
526
       date-format="YYYY MM DD" name="tanggal_berakhir" class="easyui-
       textbox" style="width: 100%;">
                         </div>
527
```

WEB

```
</div>
528
                 </div>
530
                 </div>
               </form>
             </div>
534
             <div id="dlginternBtn">
               <a href="javascript:void(0)" id="btn_save" class="
      easyui-linkbutton" iconCls="icon-ok-a" onclick="saveintern()"
      style = "width: 90 px" > Save </a>
               <a href="javascript:void(0)" class="easyui-linkbutton"
      iconCls="icon-del-a" onclick="javascript: $('#dlgintern').dialog('
      close'); $('#fmintern').form(clear)
               " style = "width : 90 px" > Cancel </a>
538
             </div>
           </div>
540
541
           </div>
543
        </div>
545
      </div><!--/.row-->
546
      <!-- end kelola intern->
5/18
      <!-- start kelola mahasiswa-->
549
      <div class="row">
550
       <div class="col-lg-12">
551
         <h1 class="page-header">Kelola Mahasiswa </h1>
        </div>
553
      </div><!--/.row-->
      <div class="row">
       <div class="col-sm-12">
556
       <div class="panel panel-container">
558
       <div class="row">
           <div class="col-sm-12">
560
           <div id="container" class="easyui-layout" fit="true" style=</pre>
561
      "height:300px;">
             <div region="center">
562
               <table id="dgmahasiswa" toolbar="#toolbarmahasiswa"
563
      class="easyui-datagrid" fit="true" singleSelect="true" fitColumns
      ="true" rowNumbers="false" pagination="true" url="<?= site_url('
      c_kelola_user/getmahasiswa') ?>" pageSize="50" pageList="
      [25,50,75,100,125,150,200]" nowrap="false">
                <thead>
564
                  565
                    ID
566
                    Nama
      Mahasiswa 
                    Kelas
568
                    Prodi
      570
      Angkatan
```

```
Photo
       mahasiswa 
                     </thead>
                 <div id="toolbarmahasiswa">
576
                   <a href="iavascript:void(0)" class="easvui-linkbutton"
       "iconCls="icon-add" plain="true" onClick="newmahasiswa()">New</a
      >
                   <a href="javascript:void(0)" class="easyui-linkbutton"
578
       " iconCls="icon-edit" plain="true" onClick="editmahasiswa()">Edit
       </a>
                   <a href="javascript:void(0)" class="easyui-linkbutton"
       " iconCls="icon-remove" plain="true" onClick="destroymahasiswa()"
      >Destroy </a>
                   <a href="<?php echo site_url(); ?>/dashboard/
580
       buatpdfmahasiswa" plain="true" class="easyui-linkbutton" iconCls=
       "icon-print">Print </a>
                   <input id="searchmahasiswa" class="easyui-searchbox"</pre>
581
        data-options="prompt: 'Please Input Value', searcher:
       doSearchmahasiswa.
                   inputEvents: $.extend({}, $.fn.searchbox.defaults.
582
       inputEvents, {
                     keyup: function(e){
583
                       var t = \$(e.data.target);
584
                       var opts = t.searchbox('options');
585
                       t.searchbox('setValue', $(this).val());
586
                       opts.searcher.call(t[0],t.searchbox('getValue'),t
       . searchbox ('getName'));
588
                   })" style="width:50%:"></input>
589
                 </div>
               </div>
592
               <div id="dlgmahasiswa" class="easyui-dialog" style="width</pre>
503
       : 780px; height: auto; padding: 10px; modal="true" closed="true"
        buttons="#dlgmahasiswaBtn">
                <form id="fmmahasiswa" method="post">
                   <div class="col-sm-12 justify-content-sm-center">
505
506
597
                   <div class="row" style="width: 100%">
                     <div class="col-sm-6">
                       <div class="form-group">
600
                         <label for="">ID mahasiswa</label>
601
                         <select class="" style="width: 100%; margin: 0</pre>
602
       px; padding-top: 0px; padding-bottom: 0px; height: 25px; line-
       height: 25px;" name="id_mahasiswa">
603
                         <?php
604
                         foreach ($data_user as $row) {
605
                         echo "<option value=".".$row->id_user."">".$row
      ->id_user." | ".$row->username."</option>";
607
                         echo"
608
```

```
609
                           ?>
610
                           </select>
611
                         </div>
612
                      </div>
                      <div class="col-sm-6">
                        <div class="form-group">
615
                          <label for="">Nama Mahasiswa </label>
                          <input type="text" name="nama_mahasiswa" class=</pre>
       "easyui-textbox" style="width: 100%;">
                         </div>
                      </div>
610
                    </div>
621
                    <div class="row" style="width: 100%">
                      <div class="col-sm-6">
623
                        <div class="form-group">
624
                          <label for="">Kelas mahasiswa</label>
625
                          <input type="text" name="kelas_mahasiswa" class</pre>
       ="easyui-textbox" style="width: 100%;">
                         </div>
                      </div>
628
                      <div class="col-sm-6">
                        <div class="form-group">
                          <label for="">Prodi </label>
632
                          <select class="" style="width: 100%; margin: 0</pre>
       px; padding-top: 0px; padding-bottom: 0px; height: 25px; line-
       height: 25px;" name="id_prodi_mahasiswa">
634
                           <?php
                           foreach ($data_prodi as $row) {
636
                           echo "<option value='".$row->id_prodi."'>".$row
637
       ->nama_prodi."</option>";
638
                           echo"
640
                           ?>
                           </select>
                         </div>
643
                      </div>
644
645
                    </div>
                    <div class="row" style="width: 100%">
                      <div class="col-sm-6">
648
                        <div class="form-group">
                           <label for="">Tahun Angkatan</label>
                           <input type="text" name="angkatan_mahasiswa"</pre>
651
       class="easyui-textbox" style="width: 100%;">
                         </div>
652
                      </div>
653
                      <div class="col-sm-6">
                        <div class="form-group">
655
                          <label for="">foto mahasiswa </label>
656
                          <input type="text" name="foto_mahasiswa" class=</pre>
657
       "easyui-textbox" style="width: 100%;">
```

```
</div>
658
                    </div>
660
                  </div>
661
                  </div>
                </form>
664
              </div>
665
              <div id="dlgmahasiswaBtn">
666
                <a href="javascript:void(0)" id="btn_save" class="
667
       easyui-linkbutton" iconCls="icon-ok-a" onclick="savemahasiswa()"
       style = "width: 90 px" > Save </a>
                <a href="javascript:void(0)" class="easyui-linkbutton"</pre>
668
       iconCls="icon-del-a" onclick="javascript:$('#dlgmahasiswa').
       dialog('close'); $('#fmmahasiswa').form(clear)
                " style = "width : 90 px" > Cancel </a>
669
              </div>
            </div>
671
672
            </div>
673
675
        </div>
676
      </div><!--/.row-->
      <!-- start kelola mahasiswa-->
      <!-- start kelola dosen-->
680
681
      <div class="row">
        <div class="col-lg-12">
          <h1 class="page-header">Kelola Dosen </h1>
683
        </div>
68/
      </div><!--/.row-->
685
      <div class="row">
686
        <div class="col-sm-12">
        <div class="panel panel-container">
688
        <div class="row">
680
            <div class="col-sm-12">
690
            <div id="container" class="easyui-layout" fit="true" style=</pre>
691
      "height: 300 \, px;">
              <div region="center">
692
                <table id="dgdosen" toolbar="#toolbardosen" class="
693
      easyui-datagrid" fit="true" singleSelect="true" fitColumns="true"
       rowNumbers="false" pagination="true" url="<?= site_url('
       c_kelola_user/getdosen') ?>" pageSize="50" pageList="
       [25,50,75,100,125,150,200]" nowrap="false">
                  <thead>
694
                    \langle tr \rangle
695
                      ID Dosen
696
                          field="nama_dosen" width="100">Nama Dosen
                      <th∙
      >
                      ID Prodi</
      th>
                      Photo Dosen</
      th >
                      Status Dosen
700
                    701
```

```
</thead>
702
                 703
                 <div id="toolbardosen">
704
                   <a href="javascript:void(0)" class="easyui-linkbutton"
         iconCls="icon-add" plain="true" onClick="newdosen()">New</a>
                   <a href="javascript:void(0)" class="easyui-linkbutton"
        iconCls="icon-edit" plain="true" onClick="editdosen()">Edit </a>
                   <a href="javascript:void(0)" class="easyui-linkbutton"
707
       "iconCls="icon-remove" plain="true" onClick="destroydosen()">
       Destroy </a>
                   <a href="<?php echo site_url(); ?>/dashboard/
708
       buatpdfdosen" plain="true" class="easyui-linkbutton" iconCls="
       icon-print">Print </a>
                   <input id="searchdosen" class="easyui-searchbox"</pre>
709
       data-options="prompt: 'Please Input Value', searcher: doSearchdosen,
                   inputEvents: $.extend({}, $.fn.searchbox.defaults.
       inputEvents, {
                      keyup: function(e){
                        var t = \$(e.data.target):
                        var opts = t.searchbox('options');
                        t.searchbox('setValue', $(this).val());
714
                        opts.searcher.call(t[0],t.searchbox('getValue'),t
       . searchbox ('getName'));
                    })" style="width:50%;"></input>
                 </div>
718
               </div>
720
               <div id="dlgdosen" class="easyui-dialog" style="width:</pre>
       780px; height: auto; padding: 10px; modal="true" closed="true"
       buttons="#dlgdosenBtn">
                 <form id="fmdosen" method="post">
                   <div class="col-sm-12 justify-content-sm-center">
                   <div class="row" style="width: 100%">
726
                     <div class="col-sm-6">
                       <div class="form-group">
728
                         <label for="">ID Dosen </label><br/>br>
                         <select class="" style="width: 100%; margin: 0</pre>
730
       px; padding-top: 0px; padding-bottom: 0px; height: 25px; line-
       height: 25px;" name="id_dosen">
                         <?php
                          foreach ($data_user as $row) {
                         echo "<option value='".$row->id_user."'>".$row
734
       ->id_user." | ".$row->username."</option>";
                          echo"
738
                          </select>
                        </div>
741
                      </div>
742
                     <div class="col-sm-6">
743
```

```
<div class="form-group">
744
                          <label for="">Nama Dosen</label>
745
                          <input type="text" name="nama_dosen" class="</pre>
746
       easyui-textbox" style="width: 100%;">
                         </div>
                      </div>
                      <div class="col-sm-6">
740
                        <div class="form-group">
750
                          <label for="">ID Prodi </label>br>
                          <select class="" style="width: 100%; margin: 0</pre>
       px; padding-top: 0px; padding-bottom: 0px; height: 25px; line-
       height: 25px; name="id_prodi_dosen">
                           <?php
754
                           foreach ($data_prodi as $row) {
                           echo "<option value="...$row->id_prodi."">".$row
756
       ->nama_prodi."</option>";
                           }
                           echo"
758
759
                           7>
760
                           </select>
761
                         </div>
762
                      </div>
                      <div class="col-sm-6">
                        <div class="form-group">
765
                          <label for="">Photo Dosen</label>
766
767
                          <input type="text" name="foto_dosen" class="</pre>
       easyui-textbox" style="width: 100%;">
                         </div>
768
                      </div>
769
                    </div>
                    <div class="row" style="width: 100%">
                      <div class="col-sm-12">
                        <div class="form-group">
                          <label for="">Status Dosen</label>
776
                          <select class="" style="width: 100%; margin: 0</pre>
       px; padding-top: 0px; padding-bottom: 0px; height: 25px; line-
       height: 25px; "name="status">
                          <option value="eksternal">Eksternal </option>
778
                          <option value="internal">Internal </option>
779
                           </select>
781
                         </div>
782
                      </div>
783
784
                    </div>
786
787
                    </div>
788
                  </form>
                </div>
790
               <div id="dlgdosenBtn">
791
```

```
<a href="javascript:void(0)" id="btn_save" class="</pre>
792
      easyui-linkbutton" iconCls="icon-ok-a" onclick="savedosen()"
      style = "width: 90 px" > Save </a>
               <a href="javascript:void(0)" class="easyui-linkbutton"
703
      iconCls="icon-del-a" onclick="javascript:$('#dlgdosen').dialog('
      close'); $('#fmdosen').form(clear)
                " style = "width : 90 px" > Cancel </a>
704
              </div>
795
            </div>
            </div>
700
        </div>
800
      </div><!--/.row-->
801
9N2
      <!--end kelola dosen-->
804
    <!-- start kelola user-->
805
      <div class="row">
        <div class="col-lg-12">
          <h1 class="page-header">Kelola User </h1>
909
        </div>
809
      </div><!--/.row-->
810
      <div class="row">
        <div class="col-sm-12">
812
        <div class="panel panel-container">
813
        <div class="row">
814
           <div class="col-sm-12">
815
           <div id="container" class="easyui-layout" fit="true" style=</pre>
      "height: 300 \, px;">
             <div region="center">
817
               <table id="dgCustomers" toolbar="#toolbarCustomer"
818
      class="easyui-datagrid" fit="true" singleSelect="true" fitColumns
      ="true" rowNumbers="false" pagination="true" url="<?= site_url('
      c_kelola_user/getcustomers') ?>" pageSize="50" pageList="
      [25,50,75,100,125,150,200]" nowrap="false">
                 <thead>
819
                   820
                     ID User
                     Username
822
                     Password
823
                     Status
824
                     Status 
825
                   </thead>
827
                828
               <div id="toolbarCustomer">
829
                 <a href="javascript:void(0)" class="easyui-linkbutton"
        iconCls="icon-add" plain="true" onClick="newCustomer()">New</a>
                 <a href="javascript:void(0)" class="easyui-linkbutton"
831
      "iconCls="icon-edit" plain="true" onClick="editCustomer()">Edit
      </a>
                 <a href="javascript:void(0)" class="easyui-linkbutton"
832
      " iconCls="icon-remove" plain="true" onClick="destroyCustomer()">
      Destroy </a>
```

```
<a href="<?php echo site_url(); ?>/dashboard/
833
       buatpdfuser" plain="true" class="easyui-linkbutton" iconCls="icon
       -print">Print </a>
                    <input id="searchCustomer" class="easyui-searchbox"</pre>
83/
       data-options="prompt: 'Please Input Value', searcher:
       doSearchCustomer.
                    inputEvents: $.extend({}, $.fn.searchbox.defaults.
835
       inputEvents, {
                      keyup: function(e){
                         var t = \$(e.data.target);
                         var opts = t.searchbox('options');
                         t.searchbox('setValue', $(this).val());
830
                         opts.searcher.call(t[0],t.searchbox('getValue'),t
840
       . searchbox ('getName'));
                    })" style="width:50%;"></input>
9.42
                  </div>
8/13
                </div>
844
               <div id="dlgCustomer" class="easyui-dialog" style="width:</pre>
        780px; height: auto; padding: 10px; modal="true" closed="true"
       buttons="#dlgCustomerBtn">
                  <form id="fmCustomer" method="post">
847
                    <div class="col-sm-12 justify-content-sm-center">
9.40
850
                    <div class="row" style="width: 100%">
851
                      <div class="col-sm-6">
852
                        <div class="form-group">
                          <label for="">ID</label>
854
                          <input type="text" name="id_user" class="easyui</pre>
855
       -textbox" style="width: 100%;">
                         </div>
                      </div>
                      <div class="col-sm-6">
858
                        <div class="form-group">
                          <label for="">Username </label>
860
                          <input type="text" name="username" class="</pre>
       easyui-textbox" style="width: 100%;">
                         </div>
962
                      </div>
863
                    </div>
864
865
                    <div class="row" style="width: 100%">
                      <div class="col-sm-6">
867
                        <div class="form-group">
868
                          <label for="">Password </label>
869
                          <input type="text" name="password" class="</pre>
       easyui-textbox" style="width: 100%;">
                         </div>
871
                      </div>
872
                      <div class="col-sm-6">
873
                        <div class="form-group">
874
                          <label for="">status </label>
875
                          <input type="text" name="status_user" class="</pre>
876
       easyui-textbox" style="width: 100%;">
```

```
</div>
877
                      </div>
878
                    </div>
879
220
                    <div class="row" style="width: 100%">
                      <div class="col-sm-12">
                         <div class="form-group">
883
                           <label for="">Role User</label>
884
                           <input type="text" name="role_user" class="</pre>
885
       easyui-textbox" style="width: 100%;">
                         </div>
                       </div>
887
888
                    </div>
889
                    </div>
901
                  </form>
202
                </div>
893
                <div id="dlgCustomerBtn">
                  <a href="javascript:void(0)" id="btn_save" class="</pre>
895
       easyui-linkbutton" iconCls="icon-ok-a" onclick="saveCustomer()"
        style = "width: 90 px" > Save </a>
                  <a href="javascript:void(0)" class="easyui-linkbutton"</a>
806
       iconCls="icon-del-a" onclick="javascript:$('#dlgCustomer').dialog
       ('close'); $('#fmCustomer').form(clear)
                  " style="width:90px">Cancel</a>
897
                </div>
898
              </div>
200
              </div>
001
002
         </div><!--/.row-->
903
       </div>
904
905
         </div>
906
       </div><!--/.row-->
007
908
       <!--end kelola user-->
911
       <!--Start kelola prodi -->
912
       <div class="row">
913
         <div class="col-lg-12">
           <h1 class="page-header">Kelola Prodi </h1>
915
         </div>
916
       </div><!--/.row-->
917
       <div class="row">
         <div class="col-sm-12">
919
         <div id="container" class="easyui-layout" fit="true" style="</pre>
       height:200px; width:100\%;">
                <div region="center">
921
                  <table id="dgprodi" toolbar="#toolbarkelolaprodi" class
922
       ="easyui-datagrid" fit="true" singleSelect="true" fitColumns="
       true" rowNumbers="false" pagination="true" url="<?= site_url('
       c_kelola_user/getProdi') ?>" pageSize="50" pageList="
       [25,50,75,100,125,150,200]" nowrap="false">
```

```
<thead>
023
                    024
                      ID Prodi
925
                       Nama Prodi</th
026
      >
                     </thead>
028
                 929
                <div id="toolbarkelolaprodi">
                  <a href="javascript:void(0)" class="easyui-linkbutton"
        iconCls="icon-add" plain="true" onClick="newprodi()">New</a>
                  <a href="javascript:void(0)" class="easyui-linkbutton"
032
         iconCls="icon-edit" plain="true" onClick="editprodi()">Edit </a>
                  <a href="javascript:void(0)" class="easyui-linkbutton"
933
       "iconCls="icon-remove" plain="true" onClick="destroyprodi()">
       Destroy </a>
                  <a href="<?php echo site_url(); ?>/dashboard/
       buatpdfprodi" plain="true" class="easyui-linkbutton" iconCls="
       icon-print">Print </a>
                          id="searchprodi" class="easyui-searchbox"
                  <input
       data-options="prompt: 'Please Input Value', searcher: doSearchprodi,
                   inputEvents: $.extend({}, $.fn.searchbox.defaults.
936
       inputEvents, {
                     keyup: function(e){
                       var t = \$(e.data.target);
039
                       var opts = t.searchbox('options');
                       t.searchbox('setValue', $(this).val());
940
0.41
                       opts.searcher.call(t[0],t.searchbox('getValue'),t
       . searchbox ('getName'));
0.12
                   )" style="width:50%;"></input>
0.13
                 </div>
944
               </div>
945
946
              <div id="dlgprodi" class="easyui-dialog" style="width:</pre>
947
       780px; height: auto; padding: 10px; modal="true" closed="true"
       buttons="#dlgprodiBtn">
                <form id="fmprodi" method="post">
                  <div class="col-sm-12 justify-content-sm-center">
050
951
                  <div class="row" style="width: 100%">
952
                    <div class="col-sm-6">
                       <div class="form-group">
                         <label for="">ID Prodi </label>
955
                         <input type="text" name="id_prodi" class="</pre>
       easyui-textbox" style="width: 100%;">
                       </div>
                     </div>
                    <div class="col-sm-6">
959
                       <div class="form-group">
960
                         <label for="">Nama Prodi </label>
961
                        <input type="text" name="nama_prodi" class="</pre>
       easyui-textbox" style="width: 100%;">
                       </div>
063
                     </div>
964
```

```
</div>
065
966
967
068
                     </div>
                   </form>
                </div>
071
                <div id="dlgprodiBtn">
972
                  <a href="javascript:void(0)" id="btn_save" class="
        easyui-linkbutton" iconCls="icon-ok-a" onclick="saveprodi()"
        style = "width: 90 px" > Save </a>
                  <a href="javascript:void(0)" class="easyui-linkbutton"
074
        iconCls="icon-del-a" onclick="javascript:$('#dlgprodi').dialog('
        close'); $('#fmprodi').form(clear)
                     style = "width: 90 px" > Cancel </a>
075
                </div>
              </div>
077
          </div>
978
        </div><!--/.row-->
0.91
982
     </div><!--/.row-->
983
   </div> <!--/.main-->
984
985
986
987
088
   </body>
990
   <script src="<?php echo base_url(); ?>assets/js/jquery -1.11.1.min.js"
991
        ></script>
       <script src="<?php echo base_url(); ?>assets/js/bootstrap.min.js"
992
       ></script>
993
       <script type="text/javascript" src="<?php echo base_url(); ?>
00/
        assets/js/leaflet.js"></script>
       <script type="text/javascript" src="<?php echo base_url(); ?>
        assets/js/leaflet.markercluster.js"></script>
007
       <link rel="stylesheet" type="text/css" href="<?php echo base_url</pre>
998
        ('assets/css/icon.css') ?>">
       <script src="<?php echo base_url(); ?>assets/js/jquery.min.js"><//
1000
        script>
       <script type="text/javascript" src="<?php echo base_url('assets/</pre>
1001
       is/jquery.easyui.min.js') ?>"></script>
       <script type="text/javascript" src="<?php echo base_url('assets/</pre>
1002
       js/script.js') ?>"></script>
       <link rel="stylesheet" type="text/css" href="<?php echo base_url</pre>
1003
       ('assets/css/easyui.css') ?>">
       <script type="text/javascript">
1004
          var map, newUser, users, mapquest, firstLoad;
1005
1006
          firstLoad = true:
1007
```

```
1008
          // users = new L. FeatureGroup();
1000
          users = new L. MarkerClusterGroup({spiderfyOnMaxZoom: true,
1010
        showCoverageOnHover: false, zoomToBoundsOnClick: true });
          newUser = new L. LayerGroup();
1011
1013
1014
          mapquest = new L. TileLayer("https://api.tiles.mapbox.com/v4/{id
1015
        \frac{1}{z}/\frac{x}{y}.png?access_token={accessToken}", {
            maxZoom: 18,
            id: 'mapbox. streets'
1017
            subdomains: ["otile1", "otile2", "otile3", "otile4"],
1018
            attribution: 'Map data © <a href="http://openstreetmap.
        org">OpenStreetMap </a> contributors, <a href="http://
        creativecommons.org/licenses/by-sa/2.0/">CC-BY-SA</a>, Imagery
        <a href="http://mapbox.com">Mapbox</a>',
            accessToken: 'pk.
1020
        evJ1IioiY2hhbmRvYWtwIiwiYSI6ImNrMzJpOWJoMDBhdDczZG1tZXk3MmppeGEifO
        . wWJUgnRB1DsKnmYQdsJVxQ'
          });
1022
         map = new L.Map('map', {
1023
            center: new L. LatLng (-6.914744, 107.609810),
            zoom: 10,
            layers: [mapquest, users, newUser]
          });
1027
1028
          // GeoLocation Control
          //map.locate({setView: true, maxZoom: 3});
1031
         $(document).ready(function() {
1033
            $.ajaxSetup({cache: false});
            ('#map').css('height', (((window).height() - 300));
1035
            getUsers();
          });
1037
         $(window).resize(function () {
            ('#map').css('height', (((window).height() - 300));
1040
          }).resize();
1041
1042
1043
          function getUsers() {
1045
            $.getJSON("<?php echo site_url(); ?>/c_kelola_user/
1046
        getCustomerJSON", function (data) {
              for (var i = 0; i < data.length; i++) {
                var location = new L.LatLng(data[i].latitude_absensi,
1048
        data[i].longitude_absensi);
                var name = data[i].id_mahasiswa_absensi;
                var website = data[i].foto_absensi;
          var host = window.base_url = <?php echo json_encode(base_url())
        ; ?>;
1052
1053
```

```
1054
                var marker = new L. Marker(location, { title: name});
1055
                marker.bindPopup("<div style='text-align: center; margin-
        left: auto; margin-right: auto;'><img style='width:100px; height
        :100px; 'src="+ host + website+">"+ name +"</div>", {maxWidth:
        400'});
1057
                 users.addLayer(marker);
1058
            }).complete(function() {
              if (firstLoad == true) {
                map. fitBounds (users.getBounds());
                 firstLoad = false;
1062
              }:
1063
            });
1064
1067
1068
        </script>
   </html>
1071
```

```
<!DOCTYPE_html>
2 <html>
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1"</pre>
    <title >Lumino - Login </title >
    <link href="<?php echo base_url(); ?>assets/css/bootstrap.min.css"
       rel="stylesheet">
    <link href="<?php echo base_url(); ?>assets/css/datepicker3.css"
       rel="stylesheet">
    <link href="<?php echo base_url(); ?>assets/css/styles.css" rel="
       stylesheet">
    <!--[if lt IE 9]>
    <script src="is/html5shiv.js"></script>
    <script src="js/respond.min.js"></script>
     <![endif]-->
  </head>
  <body>
    <div class="row">
      <div class="col-xs-10 col-xs-offset-1 col-sm-8 col-sm-offset-2"><div class="col-xs-10 col-xs-offset-1 col-sm-8 col-sm-offset-2"><div class="col-xs-10 col-xs-offset-1 col-sm-8 col-sm-6 fixet-2">
       col-md-4 col-md-offset-4">
         <div class="login-panel panel panel-default">
           <div class="panel-heading">Log in </div>
19
           <div class="panel-body">
           <form action="<?php echo site_url('c_login/aksi_login'); ?>"
       method="post">
                  <div class="form-group">
                     <input class="form-control" placeholder="username"</pre>
       name="username" type="text" autofocus="">
                   </div>
24
                  <div class="form-group">
2.5
                     <input class="form-control" placeholder="password"</pre>
26
       name="password" type="password" value="">
```

```
</div>
                 <input type="submit" value="Login" class="btn btn-</pre>
28
       primary">
                 <a href="<?php echo site_url(); ?>/c_register">Register</a>
      </a>
             </form>
3.1
           </div>
        </div>
      </div><!-- /.col-->
    </div><!--- /.row --->
36
  <script src="<?php echo base_url(); ?>assets/js/jquery -1.11.1.min.js"
      ></script>
    <script src="<?php echo base_url(); ?>assets/js/bootstrap.min.js"
      ></script>
40 </body>
  </html>
<!DOCTYPE html>
2 <html>
  <head>
    <title > Grafik Aktivitas Mahasiswa </title >
    <?php
6
           foreach($jan as $data){
               $jumlahjanuary[] = $data->kegiatan;
           foreach ($feb as $data) {
               $jumlahfebruary[] = $data->kegiatan;
           foreach ($mar as $data) {
               $jumlahmarch[] = $data->kegiatan;
14
           foreach ($apr as $data) {
               $jumlahapril[] = $data->kegiatan;
           foreach ($may as $data) {
               $jumlahmay[] = $data->kegiatan;
20
           foreach ($jun as $data) {
               $jumlahjune[] = $data->kegiatan;
           foreach($jul as $data){
               $jumlahjuly[] = $data->kegiatan;
26
           foreach (\sug as \state) {
28
               $jumlahaugust[] = $data->kegiatan;
30
           foreach($sep as $data){
               $jumlahseptember[] = $data->kegiatan;
           foreach ($oct as $data){
34
               $jumlahoctober[] = $data->kegiatan;
36
```

```
foreach ($nov as $data) {
               $jumlahnovember[] = $data->kegiatan;
38
39
           foreach ($dec as $data){
40
               $jumlahdecember[] = $data->kegiatan;
      2>
43
  </head>
44
45
  <body>
    <canvas id="canvas" width="1000" height="280"></canvas>
48
    <!--Load chart is-->
49
    <script type="text/javascript" src="<?php echo base_url().'assets/</pre>
50
      is / Chart.min. is '?>"></script>
    <script>
               var lineChartData = {
                    labels : ["January", "February", "March", "April", "May",
54
      "June", "July", "August", "September", "October", "November", "December
      "],
                   datasets : [
56
                            fillColor: "rgba(60,141,188,0.9)",
58
                            strokeColor: "rgba (60,141,188,0.8)",
                            pointColor: "#3b8bba",
60
                            pointStrokeColor: "#fff"
                            pointHighlightFill: "#fff",
                            pointHighlightStroke: "rgba(152,235,239,1)",
                            data : [<?php echo json_encode($jumlahjanuary
64
      );?>,<?php echo json_encode($jumlahfebruary);?>,<?php echo
      json_encode($jumlahmarch);?>,<?php echo json_encode($jumlahapril)</pre>
      ;?>,<?php echo json_encode($jumlahmay);?>,<?php echo json_encode(
      $jumlahjune);?>,<?php echo json_encode($jumlahjuly);?>,<?php echo
       json_encode($jumlahaugust);?>,<?php echo json_encode(
       $jumlahseptember);?>,<?php echo json_encode($jumlahoctober);?>,<?</pre>
      php echo json_encode($jumlahnovember);?>,<?php echo json_encode(
      $jumlahdecember);?>1
65
                   1
68
               }
70
           var myLine = new Chart (document.getElementById ("canvas").
       getContext("2d")).Line(lineChartData);
      </script>
  </body>
74
  </html>
```

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <meta charset="utf-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1"</pre>
    <title >Actspot505 </title >
    <link href="<?php echo base_url(); ?>assets/css/bootstrap.min.css"
      rel="stylesheet">
    <link href="<?php echo base_url(); ?>assets/css/styles.css" rel="
      stylesheet">
    <link rel="stylesheet" type="text/css" href="<?php echo base_url('</pre>
q
      assets/css/easyui.css') ?>">
      <link rel="stylesheet" type="text/css" href="<?php echo base_url</pre>
      ('assets/css/icon.css') ?>">
    <script src="<?php echo base_url(); ?>assets/js/jquery.min.js">
    <script type="text/javascript" src="<?php echo base_url('assets/js/</pre>
      iquery.easyui.min.js') ?>"></script>
      <script type="text/javascript" src="<?php echo base_url('assets/</pre>
1.4
      js/script.js') ?>"></script>
16
18
19
20
    <link rel="stylesheet" href="https://openlayers.org/en/v4.6.5/css/</pre>
22
      ol.css" type="text/css">
      <script src="https://cdn.jsdelivr.net/gh/openlayers/openlayers.</pre>
      github.io@master/en/v6.1.1/build/ol.js"></script>
    <!--Custom Font-->
24
    <link href="https://fonts.googleapis.com/css?family=Montserrat</pre>
2.5
      :300,300i,400,400i,500,500i,600,600i,700,700i" rel="stylesheet">
    <!--[if 1t IE 9]>
    <script src="is/html5shiv.js"></script>
27
    <script src="is/respond.min.js"></script>
28
    <![endif]-->
29
30
  </head>
  <body>
    <nav class="navbar navbar-custom navbar-fixed-top" role="navigation")</pre>
      <div class="container-fluid">
34
        <div class="navbar-header">
35
          <button type="button" class="navbar-toggle collapsed" data-
      toggle="collapse" data-target="#sidebar-collapse"><span class="sr
      -only">Toggle navigation </span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span></button>
          <a class="navbar-brand" href="#"><span>Lumino</span>Admin</a>
40
          <!--
41
          42
            <a class="dropdown-toggle count-info"</pre>
      data-toggle="dropdown" href="#">
              <span class="label label-danger">15</span>
44
            </a>
45
```

48

54

58

61

85

```
\langle li \rangle
47
                   <div class="dropdown-messages-box"><a href="profile".</pre>
      html" class="pull-left">
                     <img alt="image" class="img-circle" src="http://</pre>
      placehold.it/40/30 a5ff/fff">
                     </a>
50
                     <div class="message-body"><small class="pull-right"</pre>
      >3 mins ago </small>
                       <a href="#"><strong>John Doe</strong> commented
      on <strong>your photo</strong>.</a>
                     <br /> <small class="text-muted">1:24 pm -
      25/03/2015 </small ></div>
                   </div>
                 class="divider">
                \langle 1i \rangle
                   <div class="dropdown-messages-box"><a href="profile".</pre>
      html" class="pull-left">
                     <img alt="image" class="img-circle" src="http://</pre>
      placehold.it/40/30a5ff/fff">
                     </a>
60
                     <div class="message-body"><small class="pull-right"</pre>
      >1 hour ago </small>
                       <a href="#">New message from <strong>Jane Doe</
      strong >.</a>
                     <br /><small class="text-muted">12:27 pm -
63
      25/03/2015 < / small > < / div >
                   </div>
                 class="divider">
                   <div class="all-button"><a href="#">
68
                     <strong>All Messages</strong>
                   </a></div>
70
                 </111>
            <a class="dropdown-toggle count-info"</pre>
      data-toggle="dropdown" href="#">
              <span class="label label-info">5</span>
76
              \langle 1i \rangle \langle a \text{ href} = "#" \rangle
                   <div>em class="fa fa-envelope"></em> 1 New Message
79
                     <span class="pull-right text-muted small">3 mins
80
      ago </span></div>
                 </a></1i>
81
                class="divider">
                \langle 1i \rangle \langle a \text{ href} = "#" \rangle
83
                   <div><em class="fa fa-heart"></em> 12 New Likes
84
                     <span class="pull-right text-muted small">4 mins
      ago </span></div>
                 </a></1i>
86
                class="divider">
87
                \langle 1i \rangle \langle a \text{ href} = "#" \rangle
88
```

```
<div>em class="fa fa-user"></em> 5 New Followers
89
                   <span class="pull-right text-muted small">4 mins
90
      ago </span></div>
                </a></1i>
01
              0.4
          <del>---</del>>
95
        </div>
      </div><!-- /. container-fluid -->
    </nav>
98
    <div id="sidebar-collapse" class="col-sm-3 col-lg-2 sidebar">
00
      <div class="profile-sidebar">
100
        <div class="profile-userpic">
          <img src="http://placehold.it/50/30a5ff/fff" class="img-</pre>
102
      responsive" alt="">
        </div>
103
        <div class="profile-usertitle">
104
          <div class="profile-usertitle-name"> <?php echo $this->
      session -> userdata ("nama"); ?></div>
          <div class="profile-usertitle-status"><span class="indicator"</pre>
106
      label-success"></span>Online</div>
        </div>
107
        <div class="clear"></div>
      </div>
      <div class="divider"></div>
      <form role="search">
        <div class="form-group">
          <input type="text" class="form-control" placeholder="Search">
        </div>
114
      </form>
      116
      :none; padding:inherit;">
        <a href="<?php echo site_url(); ?>/dashboard">
      Dashboard </a>
        class="parent active"><a data-toggle="collapse" href="#sub-</li>
      item-1">
          Kelola <span data-toggle="collapse" href="#sub-item-1" class=
119
      "icon pull-right"></span>
          </a>
120
          <a class="active" href="<?php echo site_url(); ?>/</a>
      c_kelola_user">
               User
            </a></1i>
124
            <1i><a class="" href="#">
               Track
            </a></1i>
            <a class="" href="#"></a>
               Dosen
129
            </a></1i>
130
          <a href="<?php echo site_url('c_login/logout'); ?>"> Logout</a>
      </a>
      134
```

```
</div><!--/.sidebar-->
136
    <div class="col-sm-9 col-sm-offset-3 col-lg-10 col-lg-offset-2 main</pre>
      <div class="row">
138

    class="breadcrumb">

         <1i><a href="#">
140
           <em class="fa fa-home"></em>
141
          </a></1i>
         class="active">Kelola User
        </01>
144
      </div><!--/.row-->
146
      <div class="row">
       <div class="col-lg-12">
         <h1 class="page-header">Kelola User </h1>
149
        </div>
150
      </div><!--/.row-->
      <div class="panel panel-container">
       <div class="row">
           <div class="col-sm-12">
           <div id="container" class="easyui-layout" fit="true" style=</pre>
156
      "height: 300 \, px;">
             <div region="center">
               158
      class="easyui-datagrid" fit="true" singleSelect="true" fitColumns
      ="true" rowNumbers="false" pagination="true" url="<?= site_url('
      c_kelola_user/getcustomers') ?>" pageSize="50" pageList="
      [25,50,75,100,125,150,200]" nowrap="false">
                 <thead>
150
                   160
                    ID User
161
                     Username
                     Password
163
                     Status
                   165
                 </thead>
166
               <div id="toolbarCustomer">
168
                 <a href="javascript:void(0)" class="easyui-linkbutton"
       iconCls="icon-add" plain="true" onClick="newCustomer()">New</a>
                 <a href="javascript:void(0)" class="easyui-linkbutton"
170
      "iconCls="icon-edit" plain="true" onClick="editCustomer()">Edit
      </a>
                 <a href="javascript:void(0)" class="easyui-linkbutton"
      " iconCls="icon-remove" plain="true" onClick="destroyCustomer()">
      Destroy </a>
                 <input id="searchCustomer" class="easyui-searchbox"</pre>
      data-options="prompt: 'Please Input Value', searcher:
      doSearchCustomer,
                 inputEvents: $.extend({}, $.fn.searchbox.defaults.
      inputEvents, {
                   keyup: function(e){
174
                     var t = \$(e.data.target);
                     var opts = t.searchbox('options');
176
```

```
t.searchbox('setValue', $(this).val());
                         opts.searcher.call(t[0],t.searchbox('getValue'),t
178
       . searchbox ('getName'));
170
                    })" style="width:50%:"></input>
                  </div>
                </div>
182
183
               <div id="dlgCustomer" class="easyui-dialog" style="width:</pre>
184
        780px; height: auto; padding: 10px; modal="true" closed="true"
       buttons="#dlgCustomerBtn">
                 <form id="fmCustomer" method="post">
185
                    <div class="col-sm-12 justify-content-sm-center">
186
187
                    <div class="row" style="width: 100%">
189
                      <div class="col-sm-6">
100
                        <div class="form-group">
                          <label for="">ID</label>
192
                          <input type="text" name="id_user" class="easyui</pre>
       -textbox" style="width: 100%;">
                         </div>
194
                      </div>
                      <div class="col-sm-6">
                        <div class="form-group">
                          <label for="">Username </label>
198
                          <input type="text" name="username" class="</pre>
199
       easyui-textbox" style="width: 100%;">
                         </div>
                      </div>
201
                    </div>
202
203
                    <div class="row" style="width: 100%">
204
                      <div class="col-sm-6">
205
                        <div class="form-group">
206
                          <label for="">Password </label>
207
                          <input type="text" name="password" class="</pre>
208
       easyui-textbox" style="width: 100%;">
                         </div>
                      </div>
                      <div class="col-sm-6">
                        <div class="form-group">
                          <label for="">status </label>
                          <input type="text" name="status" class="easyui-</pre>
       textbox" style="width: 100%;">
                         </div>
                      </div>
                    </div>
                    </div>
                  </form>
220
                </div>
               <div id="dlgCustomerBtn">
                  <a href="javascript:void(0)" id="btn_save" class="</pre>
       easyui-linkbutton iconCls="icon-ok-a" onclick="saveCustomer()"
       style = "width: 90 px" > Save </a>
```

```
<a href="javascript:void(0)" class="easyui-linkbutton"</pre>
224
       iconCls="icon-del-a" onclick="javascript: $('#dlgCustomer'). dialog
       ('close'); $('#fmEmployee').form(clear)
                 " style="width:90px">Cancel </a>
225
               </div>
226
             </div>
228
             </div>
229
         </div><!--/.row-->
       </div>
234
         <div class="col-sm-12">
           Lumino Theme by <a href="https://www.</pre>
236
       medialoot.com">Medialoot</a>
         </div>
       </div><!--/.row-->
238
     </div> <!--/.main->>
239
240
241
242
243
   </body>
246
247
    <script src="<?php echo base_url(); ?>assets/js/bootstrap.min.js"
248
       ></script>
    <script src="<?php echo base_url(); ?>assets/js/chart.min.js">
249
       script>
    <script src="<?php echo base_url(); ?>assets/js/chart-data.js">
250
       script>
    <script src="<?php echo base_url(); ?>assets/js/easypiechart.js">
       script>
    <script src="<?php echo base_url(); ?>assets/js/easypiechart-data.
       is"></script>
    <script src="<?php echo base_url(); ?>assets/js/bootstrap-
       datepicker.js"></script>
    <script src="<?php echo base_url(); ?>assets/js/custom.js"></script</pre>
254
      >
  </html>
```

```
\langle style \rangle *  {
9
       margin: 0;
10
       padding: 0
13
  html {
       height: 100%
16
  #grad1 {
18
19
       background-color: : #9C27B0;
       background-image: linear-gradient(120 deg, #FF4081, #81D4FA)
20
  }
  #msform {
       text-align: center;
24
       position: relative;
25
       margin-top: 20px
26
28
  #msform fieldset .form-card {
29
       background: white;
30
       border: 0 none;
       border-radius: 0px;
       box-shadow: 0 \ 2px \ 2px \ 2px \ rgba(0, 0, 0, 0.2);
       padding: 20px 40px 30px 40px;
34
       box-sizing: border-box;
36
       width: 94%;
       margin: 0 3% 20px 3%;
38
       position: relative
  }
39
40
  #msform fieldset {
41
42
       background: white;
       border: 0 none;
43
       border-radius: 0.5 rem;
       box-sizing: border-box;
45
       width: 100%;
       margin: 0;
       padding-bottom: 20px;
48
       position: relative
50
51
  #msform fieldset:not(:first-of-type) {
       display: none
  }
54
55
  #msform fieldset .form-card {
       text-align: left;
57
       color: #9E9E9E
58
59
  }
60
  #msform input,
  #msform textarea {
62
       padding: 0px 8px 4px 8px;
63
       border: none;
```

```
border-bottom: 1px solid #ccc;
65
       border-radius: 0px;
66
       margin-bottom: 25px;
67
       margin-top: 2px;
68
       width: 100%;
       box-sizing: border-box;
       font-family: montserrat;
       color: #2C3E50:
       font-size: 16px;
       letter-spacing: 1px
75
   }
76
   #msform input: focus,
   #msform textarea: focus {
78
       -moz-box-shadow: none !important;
79
       -webkit-box-shadow: none !important;
80
       box-shadow: none !important;
9.1
       border: none:
82
       font-weight: bold;
83
       border-bottom: 2px solid skyblue;
84
       outline-width: 0
85
86
87
   #msform .action-button {
88
       width: 100px;
89
       background: skyblue;
90
       font-weight: bold;
91
92
       color: white;
       border: 0 none:
93
94
       border-radius: 0px;
       cursor: pointer;
05
       padding: 10px 5px;
96
       margin: 10px 5px
97
98
QQ
   #msform .action-button:hover,
100
   #msform .action-button:focus {
101
       box-shadow: 0 0 0 2px white, 0 0 0 3px skyblue
102
103
104
   #msform .action-button-previous {
105
       width: 100px;
106
107
       background: #616161;
       font-weight: bold;
108
       color: white;
109
       border: 0 none;
       border-radius: 0px;
       cursor: pointer;
       padding: 10px 5px;
       margin: 10px 5px
114
   }
   #msform . action -button - previous: hover,
   #msform .action-button-previous:focus {
118
       box-shadow: 0 0 0 2px white, 0 0 0 3px #616161
120
   }
```

```
select.list-dt {
       border: none:
124
       outline: 0;
       border-bottom: 1px solid #ccc;
125
       padding: 2px 5px 3px 5px;
       margin: 2px
128
129
   select.list-dt:focus {
130
       border-bottom: 2px solid skyblue
   .card {
134
       z-index: 0;
       border: none;
136
       border-radius: 0.5 rem;
       position: relative
138
139
140
   .fs-title  {
       font-size: 25px;
142
       color: #2C3E50;
143
       margin-bottom: 10px;
       font-weight: bold;
145
       text-align: left
146
147
148
   #progressbar {
150
       margin-bottom: 30px;
       overflow: hidden;
       color: lightgrey
154
   #progressbar .active {
       color: #000000
156
158
   #progressbar li {
       list-style-type: none;
160
       font-size: 12px;
161
       width: 25%:
162
163
       float: left;
       position: relative
164
165
166
   #progressbar #account:before {
167
       font-family: FontAwesome;
       content: "\f023"
169
170
   #progressbar #personal:before {
173
       font-family: FontAwesome;
       content: "\f007"
174
175
176
```

```
#progressbar #payment: before {
        font-family: FontAwesome;
178
       content: "\f09d"
179
180
181
   #progressbar #confirm:before {
182
        font-family: FontAwesome;
183
       content: "\f00c"
184
185
186
187
   #progressbar li:before {
        width: 50px;
188
        height: 50px;
189
        line-height: 45px;
190
        display: block;
        font-size: 18px;
192
       color: #ffffff;
103
       background: lightgray;
194
       border-radius: 50%;
195
       margin: 0 auto 10px auto;
196
       padding: 2px
198
199
   #progressbar li:after {
200
       content: ';
201
        width: 100%;
202
        height: 2px;
203
204
       background: lightgray;
        position: absolute;
        left: 0;
206
       top: 25px;
207
       z-index: -1
209
   #progressbar li.active:before,
   #progressbar li.active:after {
       background: skyblue
214
   .radio-group {
        position: relative;
218
       margin-bottom: 25px
219
220
   .radio {
        display: inline-block;
        width: 204;
        height: 104;
224
225
        border-radius: 0;
       background: lightblue;
226
       box-shadow: 0 \ 2px \ 2px \ 2px \ rgba(0, 0, 0, 0.2);
       box-sizing: border-box;
228
229
        cursor: pointer;
       margin: 8px 2px
230
```

```
.radio:hover {
       box-shadow: 2px 2px 2px 2px rgba(0, 0, 0, 0.3)
234
236
   .radio.selected {
       box-shadow: 1px 1px 2px 2px rgba(0, 0, 0, 0.1)
240
241
   . fit -image {
       width: 100%;
       object-fit: cover
   </style>
244
245
                                     <script type='text/javascript' src='</pre>
       https://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js
       '></script>
                                     <script type='text/javascript' src='</pre>
246
       https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.
       js'></script>
                                     <script type='text/javascript'>$(
247
       document).ready(function(){
248
   var current_fs, next_fs, previous_fs; // fieldsets
249
   var opacity;
250
  $(".next").click(function(){
   current_fs = $(this).parent();
254
   next_fs = \$(this).parent().next();
  //Add Class Active
  $("#progressbar li").eq($("fieldset").index(next_fs)).addClass("
       active");
2.59
  //show the next fieldset
261 next_fs.show();
262 // hide the current fieldset with style
current_fs.animate({opacity: 0}, {
step: function (now) {
  // for making fielset appear animation
   opacity = 1 - now;
2.67
   current_fs.css({
268
   'display': 'none',
   'position': 'relative'
  });
next_fs.css({'opacity': opacity});
274 duration: 600
  });
275
  });
276
  $(".previous").click(function(){
278
   current_fs = $(this).parent();
   previous_fs = $(this).parent().prev();
282
```

```
//Remove class active
  $("#progressbar li").eq($("fieldset").index(current_fs)).removeClass(
       "active"):
285
  //show the previous fieldset
  previous_fs.show();
287
288
  // hide the current fieldset with style
289
  current_fs.animate({opacity: 0}, {
  step: function (now) {
  // for making fielset appear animation
  opacity = 1 - now;
294
  current_fs.css({
295
  'display': 'none'.
   'position': 'relative'
  });
298
  previous_fs.css({'opacity': opacity});
300
  duration: 600
  });
302
303
  });
304
  $('.radio-group .radio').click(function(){
  $(this).parent().find('.radio').removeClass('selected');
  $(this).addClass('selected');
  });
308
300
  $(".submit").click(function(){
  return false;
  })
312
  }); </script>
314
                              </head>
                              <body>
                              <!-- MultiStep Form -->
  <div class="container-fluid" id="grad1">
318
      <div class="row justify-content-center mt-0">
          <div class="col-11 col-sm-9 col-md-7 col-lg-6 text-center p-0
       mt-3 mb-2">
              <div class="card px-0 pt-4 pb-0 mt-3 mb-3">
                  <h2><strong>Sign Up Your User Account</strong></h2>
                  Fill all form field to go to next step 
                  <div class="row">
                      <div class="col-md-12 mx-0">
                          <form id="msform" method="POST" action="<?php</pre>
       echo site_url('c_register/register'); ?>">
                              <!-- progressbar -->
                              <</pre>
       strong >Account </strong >
                                  id="personal"><strong>Personal /
330
       strong >
                                  id="payment"><strong>Payment
       strong >
```

```
id="confirm"><strong>Finish<//>
       strong >

<!-- fieldsets -->
                                 <fieldset>
33/
                                      <div class="form-card">
                                      <?php
                                           if (validation_errors()){
                                               ?>
338
                                               <div class="alert alert-info
       text-center">
                                                    <?php echo
340
        validation_errors(); ?>
                                               </div>
341
                                               <?php
342
                                           }
343
344
                                           if ($this -> session -> flashdata ('
3.15
       message')){
                                               2>
                                               <div class="alert alert-info</pre>
347
       text-center">
                                                    <?php echo $this -> session
348
       ->flashdata('message'); ?>
                                               </div>
                                               <?php
350
                                           }
351
                                      ?>
                                           <h2 class="fs-title">Informasi
353
       Akun </h2>
                                          <input type="number" name="npm"</pre>
354
        placeholder="NPM anda" />
                                          <input type="text" name="nama"</pre>
        placeholder="nama" />
                                           <input type="text" name="kelas"</pre>
356
        placeholder="Kelas" />
                                      </div> <input type="button" name="
358
       next" class="next action-button" value="Next Step" />
                                  </fieldset>
                                 <fieldset>
260
                                      <div class="form-card">
361
                                           <h2 class="fs-title">Registrasi</
362
       h2>
                                          <input type="text" name="prodi"</pre>
364
       placeholder="Prodi" />
                                          <input type="text" name="angkatan</pre>
365
       " placeholder="Angkatan" />
                                          <input type="text" name="foto"</pre>
        placeholder="Foto" />
367
                                      </div> <input type="button" name="
368
       previous" class="previous action-button-previous" value="Previous
       " /> <input type="button" name="next" class="next action-button"
       value="Next Step" />
                                  </fieldset>
369
```

WFR

```
<fieldset>
                                      <div class="form-card">
                                           <h2 class="fs-title">Registrasi </
       h2>
                                           <div class="row">
374
                                           <input type="text" name="username</pre>
          placeholder="Username" />
                                           <input type="text" name="password</pre>
          placeholder="password" />
                                           <input type="email" name="email"</pre>
       placeholder="email" />
378
                                           </div>
380
                                       </div> <input type="button" name="
381
       previous" class="previous action-button-previous" value="Previous
        "/> <input type="button" name="make_payment" class="next action-
       button" value="Confirm" />
                                  </fieldset>
382
                                  <fieldset>
202
                                      <div class="form-card">
384
                                           <h2 class="fs-title text-center">
385
       Success !</h2><br>
                                           <div class="row justify-content-</pre>
386
       center">
                                               <div class="col-3"><img src=
387
       "https://img.icons8.com/color/96/000000/ok-v2.png" class="fit-
       image"> </div>
                                           </div><br><br><br></ri>
388
                                           <div class="row justify-content-</pre>
380
       center">
                                               <div class="col-7 text-center</pre>
       ">
                                                    <h5>Sudah Yakin? Submit
391
       formnya </h5>
                                                    <input type="submit"
392
        class="btn btn-primary">
                                                </div>
                                           </div>
204
                                       </div>
395
                                  </fieldset>
396
                              </form>
397
                         </div>
                     </div>
300
                </div>
400
            </div>
401
       </div>
   </div>
403
                                  </body>
404
                              </html>
405
```