

HTML5 | Introduction

Introduction: HTML stands for Hyper Text Markup Language. It is used to design web pages using a markup language. HTML is an abbreviation of Hypertext and Markup language. Hypertext defines the link between the web pages. The markup language is used to define the text document within the tag which defines the structure of web pages. HTML 5 is the fifth and current version of HTML. It has improved the markup available for documents and has introduced application programming interfaces(API) and Document Object Model(DOM).

Features:

- It has introduced new multimedia features which support audio and video controls by using <audio> and <video> tags.
- There are new graphics elements including vector graphics and tags.
- Enrich semantic content by including <header> <footer>, <article>, <section> and <figure> are added.
- Drag and Drop- The user can grab an object and drag it further dropping it to a new location.
- Geo-location services- It helps to locate the geographical location of a client.
- Web storage facility which provides web application methods to store data on the web browser.
- Uses SQL database to store data offline.
- Allows drawing various shapes like triangle, rectangle, circle, etc.
- Capable of handling incorrect syntax.
- Easy DOCTYPE declaration i.e. <!doctype html>
- Easy character encoding i.e. <meta charset="UTF-8">

Removed elements from HTML 5: There are many elements which are depreciated from HTML 5 are listed below:

Removed Elements	Use Instead Elements
<acronym>	<abbr>
<applet>	<object>
<basefont>	CSS
<big>	CSS
<center>	CSS
<dir>	

Removed Elements	Use Instead Elements
	CSS
<frame>	
<frameset>	
<noframes>	
<isindex>	
<strike>	CSS, <s> or
<tt>	CSS

New HTML 5 Semantic/Structural Elements


HTML5 ⁴ offers new elements for better document structure:

Tag	Description
<article>	Defines an article in a document
<aside>	Defines content aside from the page content
<bdi>	Isolates a part of text that might be formatted in a different direction from other text outside it
<details>	Defines additional details that the user can view or hide
<dialog>	Defines a dialog box or window
<figcaption>	Defines a caption for a <figure> element
<figure>	Defines self-contained content
<footer>	Defines a footer for a document or section
<header>	Defines a header for a document or section
<main>	Defines the main content of a document

<mark>	Defines marked/highlighted text
<menuitem>	Defines a command/menu item that the user can invoke from a popup menu
<meter>	Defines a scalar measurement within a known range (a gauge)
<nav>	Defines navigation links
<progress>	Represents the progress of a task
<rp>	Defines what to show in browsers that do not support ruby annotations
<rt>	Defines an explanation/pronunciation of characters (for East Asian typography)
<ruby>	Defines a ruby annotation (for East Asian typography)
<section>	Defines a section in a document
<summary>	Defines a visible heading for a <details> element
<time>	Defines a date/time
<wbr>	Defines a possible line-break

Many web sites contain HTML code like: <div id="nav"> <div class="header"> <div id="footer"> to indicate navigation, header, and footer.

HTML5 offers new semantic elements to define different parts of a web page. The following figure illustrates how a page may be structured using HTML 5.



New Added Elements in HTML 5:

- **<article>**: The <article> tag is used to represent an article. More specifically, the content within the <article> tag is independent from the other content of the site (even though it can be related).
- **<aside>**: The <aside> tag is used to describe the main object of the web page in a shorter way like a highlighter. It basically identifies the content that is related to the primary content of the web page but does not constitute the main intent of the primary page. The <aside> tag contains mainly author information, links, related content and so on.
- **<figcaption>**: The <figcaption> tag in HTML is used to set a caption to the figure element in a document.
- **<figure>**: The <figure> tag in HTML is used to add self-contained content like illustrations, diagrams, photos or codes listing in a document. It is related to main flow but it can be used in any position of a document and the figure goes with the flow of the document and if remove it then it should not affect the flow of the document.
- **<header>**: It contains the section heading as well as other content, such as a navigation links, table of contents, etc.
- **<footer>**: The <footer> tag in HTML is used to define a footer of HTML document. This section contains the footer information (author information, copyright information, carriers etc.). The footer tag are used within body tag. The <footer> tag is new in the HTML 5. The footer elements require a start tag as well as an end tag.
- **<main>**: Delineates the main content of the body of a document or web app.
- **<mark>**: The <mark> tag in HTML is used to define the marked text. It is used to highlight the part of the text in the paragraph.
- **<nav>**: The <nav> tag is used to declaring the navigational section in HTML documents. Websites typically have sections dedicated to navigational links, which enables user to navigate the site. These links can be placed inside a nav tag.
- **<section>**: It demarcates a thematic grouping of content.
- **<details>**: The <details> tag is used for the content/information which is initially hidden but could be displayed if the user wishes to see it. This tag is used to create interactive widget which user can open or close it. The content of details tag is visible when open the set attributes.
- **<summary>**: The <summary> tag in HTML is used to define a summary for the <details> element. The <summary> element is used along with the <details> element and provides a summary visible to the user. When the summary is clicked by the user, the content placed inside the <details> element becomes visible which was previously hidden. The <summary> tag was added in HTML 5. The <summary> tag requires both starting and ending tag.
- **<time>**: The <time> tag is used to display the human-readable data/time. It can also be used to encode dates and times in a machine-readable

form. The main advantage for users is that they can offer to add birthday reminders or scheduled events in their calendar's and search engines can produce smarter search results.

- **<bdi>**: The <bdi> tag refers to the Bi-Directional Isolation. It differentiate a text from other text that may be formatted in different direction. This tag is used when a user generated text with an unknown directions.
- **<wbr>**: The <wbr> tag in HTML stands for word break opportunity and is used to define the position within the text which is treated as a line break by the browser. It is mostly used when the used word is too long and there are chances that the browser may break lines at the wrong place for fitting the text.
- **<datalist>**: The <datalist> tag is used to provide autocomplete feature in the HTML files. It can be used with input tag, so that users can easily fill the data in the forms using select the data.
- **<keygen>**: The <keygen> tag in HTML is used to specify a key-pair generator field in a form. The purpose of <keygen> element is to provide a secure way to authenticate users. When a form is submitted then two keys are generated, private key and public key. The private key stored locally, and the public key is sent to the server. The public key is used to generate client certificate to authenticate user for future.
- **<output>**: The <output> tag in HTML is used to represent the result of a calculation performed by the client-side script such as JavaScript.
- **<progress>**: It is used to represent the progress of a task. It is also define that how much work is done and how much is left to download a things. It is not used to represent the disk space or relevant query.
- **<svg>**: It is the Scalable Vector Graphics.
- **<canvas>**: The <canvas> tag in HTML is used to draw graphics on web page using JavaScript. It can be used to draw paths, boxes, texts, gradient and adding images. By default it does not contains border and text.
- **<audio>**: It defines the music or audio content.
- **<embed>**: Defines containers for external applications (usually a video player).
- **<source>**: It defines the sources for <video> and <audio>.
- **<track>**: It defines the tracks for <video> and <audio>.
- **<video>**: It defines the video content.

Advantages:

- All browsers supported.
- More device friendly.
- Easy to use and implement.
- HTML 5 in integration with CSS, JavaScript, etc. can help build beautiful websites.

Disadvantages:

- Long codes have to be written which is time consuming.
- Only modern browsers support it.

Supported Browsers: It is supported by all modern browsers.

Below examples illustrate the HTML 5 content.

Example 1:

```
<!DOCTYPE html>
<html>

<head>
  <title>HTML 5</title>
  <style>
    h1 {
      font-size:50px;
    }
  </style>
</head>

<body>
  <h1>GeeksforGeeks</h1>
</body>

</html>
Output:
```



GeeksforGeeks

```
<!DOCTYPE html>
<html>

<head>
  <title>HTML 5 Demo</title>

  <style>
    .GFG {
      font-size:40px;
      font-weight:bold;
      color:green;
    }
    body {
      text-align:center;
    }
  </style>
</head>

<body>
  <div class = "GFG">GeeksforGeeks</div>
  <aside>
    <div>A computer science portal for geeks</div>
  </aside>
</body>
```

</html>

Output:



Difference between XHTML and HTML5

1. [XHTML](#) :

XHTML stands for Extensible Hypertext Markup Language. It can be considered as a part of the XML markup language this is because of XHTML have features of both XML and HTML. XHTML is extended from XML and HTML. XHTML can be considered as a better version of HTML.

2. [HTML](#) :

HTML is the Hypertext Markup Language which is the most widely used language over the internet. HTML is used to create web pages and link them from one to another. Please note HTML is not a [programming language](#), it is a markup language. We can use different other technologies as like CSS and [javascript](#) to give a new look to the pages developed by HTML.

Difference between HTML and XHTML :

S.No.	HTML	XHTML
1.	HTML stands for Hypertext Markup Language.	XHTML stands for Extensible Hypertext Markup Language.
2.	It was developed by Tim Berners-Lee.	It was developed by W3C i.e World Wide Web Consortium.
3.	It was developed in 1991.	It was released in 2000.
4.	It is extended from SGML.	It is extended from XML and HTML.
5.	The format is a document file	The format is a markup language.

S.No.	HTML	XHTML
	format.	
6.	All tags and attributes are not necessarily to be in lower or upper case.	In this, every tag and attribute should be in lower case.
7.	Doctype is not necessary to write at the top.	Doctype is very necessary to write at the top of the file.
8.	It is not necessary to close the tags in the order they are opened.	It is necessary to close the tags in the order they are opened.
9.	While using the attributes it is not necessary to mention quotes. For e.g. <Geeks>.	While using the attributes it is mandatory to mention quotes. For e.g. <Geeks="GFG">.
10.	Filename extension used are .html, .htm.	Filename extension are .xhtml, .xht, .xml.