



SITUATION REPORT

Nigeria Centre For Disease Control (NCDC)

NCDC.GOV.NG

PLOT 800 EBITU UKIWE STREET, JABI ABUJA, NIGERIA **TOLL FREE CALL:** 6232 **E:**info@ncdc.gov.ng

@NCDCgov

TITLE:	UPDATE ON MPOX (MPX) IN NIGERIA
SERIAL NUMBER:	44
EPI-WEEK:	44
DATE:	November 5, 2023

Table 1 – Key Indicators

Reporting Year	Reporting week	Suspected cases	Confirmed cases	Deaths (Confirmed cases)	Case Fatality Ratio (CFR)	States Affected (Confirmed cases)	LGAs Affected (Confirmed cases)
2023 Current	Week 44	22	0	0	0.0	0	0
2023 Cumulative	Week 44	1037	82	2	2.4	19 +FCT	54
2022 Cumulative	Week 44	1620	613	7	1.2	31 + FCT	209

Highlights

- In week 44, the number of new suspected cases is 22, compared with 17 cases reported in week 43, 2023. These were reported from eight (8) States – Lagos (7), Gombe (4), Enugu (4), Cross River (2), Akwa Ibom (2), Adamawa (1), Ogun (1) and Anambra (1) across 13 Local Government Areas.
 - Since week 1 of 2023, nineteen (19) States and FCT have recorded at least one confirmed Mpox case across fifty-four (54) Local Government Areas. In 2023, the States with the highest burden are Lagos (27.7%), Ogun (19.0%), Abia (7.5%), Imo (6.2%) and Edo (5.0%), contributing 65.4% of confirmed cases.
 - The number of confirmed cases is zero (0) in week 44, 2023, same as zero (0) confirmed cases reported in week 43, 2023.
 - No death was recorded in week 44, with a CFR of 0.0% same as CFR of 0.0% that was reported in week 43, 2023.
 - Overall, since the re-emergence of Mpox in September 2017, 3626 suspected cases have been reported from 36 States and FCT in the country. Of these 3626 suspected cases, 1070 (29.5%) were confirmed (with males predominantly affected) from 34 States and FCT. seventeen (17) deaths have been recorded since the re-emergence in 2017.
 - The National Mpox multi-partner, multi-sectoral Technical Working Group (TWG) continues to coordinate the response activities at all levels.




Figure 1: Epidemic curve of suspected and confirmed Mpoxy cases January 2023 till date.




Figure 2: Age and sex distribution of Nigeria confirmed monkeypox cases from January 2023 till date.




Figure 3: Map of Nigeria showing States with suspected and confirmed Mpox Cases from January 2023 till date.




Figure 4: Nigeria confirmed Mpox cases by the year of incidence- September 2017 to 5th November 2023.

Table 1: Summary statistics for annual Nigeria Mpox cases by reporting year, September 2017 – 5th November 2023

Reporting year	Suspected cases	Confirmed cases	Deaths (Confirmed cases)	Case Fatality Ratio (CFR)	States Affected (Confirmed cases)	LGAs Affected (Confirmed cases)
2023	998	82	2	2.4	19 +FCT	54
2022	2123	762	7	0.9	34 + FCT	238
2021	98	34	0	0.0	8 + FCT	25
2020	35	8	0	0.0	5	7
2019	65	47	1	2.1	11	26
2018	116	49	1	2.0	13	25
2017	198	88	6	6.8	14 + FCT	33

Table 2: Age distribution of cumulative number of confirmed Mpox cases September 2017 – 5th November 2023

Age Group	2017	2018	2019	2020	2021	2022	2023	Total
0-10 Years	7	5	1	0	1	125	11	150
11-20 Years	12	4	1	0	4	123	7	151
21-30 Years	34	13	13	4	10	187	22	283
31- 40 Years	26	17	22	4	13	205	21	308
41-50 Years	9	10	9	0	5	89	17	139
> 50 Years	0	0	1	0	1	33	4	39
Total	88	49	47	8	34	762	82	1070

Table 3: Nigeria confirmed Mpox cases by State, September 2017 – 5th November 2023

S/N	State	2017	2018	2019	2020	2021	2022	2023	Total
1	Lagos	4	1	15	4	6	188	22	240
2	Rivers	25	14	7	1	5	37	4	93
3	Bayelsa	19	11	7	0	6	45	2	90
4	Abia	1	2	0	0	0	58	6	67
5	Delta	3	6	10	1	9	31	1	61
6	Imo	5	2	1	0	0	45	5	58
7	Ogun	0	0	0	0	1	40	15	56
8	Ondo	0	0	0	0	0	40	2	42
9	Edo	4	1	1	0	4	27	4	41
10	FCT	5	0	0	0	1	25	3	34
11	Anambra	0	1	1	0	0	25	0	27
12	Cross River	9	3	1	0	1	12	1	27
13	Kwara	0	0	0	0	0	21	0	21
14	Plateau	0	2	0	1	0	16	0	19
15	Akwa Ibom	6	0	1	0	0	12	4	23
16	Nasarawa	1	1	0	0	0	17	1	20
17	Adamawa	0	0	0	0	0	16	0	16
18	Oyo	1	3	2	0	0	10	1	17
19	Kaduna	0	0	0	0	0	15	2	17
20	Ebonyi	0	0	0	1	0	12	0	13
21	Benue	2	0	0	0	0	10	0	12
22	Borno	0	0	0	0	0	11	2	13
23	Enugu	1	2	1	0	0	4	3	11

...PROTECTING THE HEALTH OF NIGERIANS



World Health Organization



eHealth
AFRICA

AFENET
African Network
of Epidemiologists



AFRICA
CDC



NIGERIAN
RED CROSS

UNIVERSITY OF MARYLAND
CDC



USAID
PEPFAR
SAFETY
FRONTIER

Breakthrough
FOR SOCIAL & RESEARCH CENTER

24	Katsina	0	0	0	0	0	8	0	8
25	Taraba	0	0	0	0	0	7	0	7
26	Kano	0	0	0	0	0	7	0	7
27	Gombe	0	0	0	0	0	6	0	6
28	Kogi	0	0	0	0	0	5	2	7
29	Osun	0	0	0	0	0	5	0	5
30	Ekiti	2	0	0	0	0	1	0	3
31	Niger	0	0	0	0	1	1	1	3
32	Kebbi	0	0	0	0	0	2	0	2
33	Bauchi	0	0	0	0	0	1	0	1
34	Zamfara	0	0	0	0	0	1	0	1
35	Yobe	0	0	0	0	0	1	0	1
36	Jigawa	0	0	0	0	0	0	1	1
Grand Total		88	49	47	8	34	762	82	1070

Response activities

Pillar	Activities to date	Next steps
Coordination	<ul style="list-style-type: none"> Facilitating the smooth running of the weekly Mpox technical working group meetings Providing offsite subnational support to resolve issues in reporting States 	<ul style="list-style-type: none"> Follow-up implementation of the approved Incident Action plan activities in collaboration with other pillars
Surveillance	<ul style="list-style-type: none"> Twenty two (22) suspected Mpox cases were reported from 8 States No confirmed case was recorded 	<ul style="list-style-type: none"> Continue to support all State Surveillance teams to ensure on SORMAS
Laboratory	<ul style="list-style-type: none"> The sample positivity rate for Mpox is 0% and 52% for Varicella-Zoster Virus (VZV) 53% of samples met the target overall turnaround time (time sample was collected from the States to the time when the result was shared with the States) 	<ul style="list-style-type: none"> Continue to support effective sample management and transportation to the NRL from health facilities across the country

Notes on this report.

Data Source

Information for this disease was case-based data retrieved from the National Mpox Emergency Operations Centre.

Case definitions

Suspected case

- An acute illness with fever >38.3°C, intense headache, lymphadenopathy, back pain, myalgia, and intense asthenia followed one to three days later by a progressively developing rash often beginning on the face (most dense) and then spreading elsewhere on the body, including soles of feet and palms of the hand.

Probable case

- A case that meets the clinical case definition is not laboratory-confirmed but has an epidemiological link to a confirmed case.

Confirmed case

- A clinically compatible case that is laboratory confirmed

Contact

- Any person who has been in direct or indirect contact with a confirmed case since the onset of symptoms, i.e., contact with skin lesions, oral secretions, urine, faeces, vomitus, blood, sexual contact, sharing a common space (anyone who has been in proximity with or without physical contact with a confirmed case)

Calculations

- Case Fatality Rate (CFR) for this disease is reported for confirmed cases only.