Sample LATEX File

David P. Little

July 3, 2024

Abstract

This document represents the output from the file "sample.tex" once compiled using your favorite LATEX compiler. This file should serve as a good example of the basic structure of a ".tex" file as well as many of the most basic commands needed for typesetting documents involving mathematical symbols and expressions. For more of a description on how each command works, please consult the links found on our course webpage.

1 Lists

- 1. First Point (Bold Face)
- 2. Second Point (Italic)
- 3. Third Point (Large Font)
 - (a) First Subpoint (Small Font)
 - (b) Second Subpoint (Tiny Font)
 - (c) Third Subpoint (Huge Font)
- Bullet Point (Sans Serif)
- CIRCLE POINT (SMALL CAPS)

2 Equations

2.1 Binomial Theorem

Theorem 1 (Binomial Theorem) For any nonnegative integer n, we have

$$(1+x)^n = \sum_{i=0}^n \binom{n}{i} x^i$$

2.2 Taylor Series

The Taylor series expansion for the function e^x is given by

$$e^x = 1 + x + \frac{x^2}{2} + \frac{x^3}{6} + \dots = \sum_{n \ge 0} \frac{x^n}{n!}$$
 (1)

2.3 Sets

Theorem 2 For any sets A, B and C, we have

$$(A \cup B) - (C - A) = A \cup (B - C)$$

Proof:

$$(A \cup B) - (C - A) = (A \cup B) \cap (C - A)^c$$

$$= (A \cup B) \cap (C \cap A^c)^c$$

$$= (A \cup B) \cap (C^c \cup A)$$

$$= A \cup (B \cap C^c)$$

$$= A \cup (B - C)$$

3 Tables

| | left justified | center | right justified |
|---|----------------|---------|-----------------|
| _ | 1 | 3.14159 | 5 |
| | 2.4678 | 3 | 1234 |
| _ | 3.4678 | 6.14159 | 1239 |

4 A Picture

